# **BELLSOUTH**

**BellSouth Telecommunications, Inc.** 

333 Commerce Street Suite 2101 Nashville, TN 37201-3300

guy.hicks@bellsouth.com

August 21, 2000

Guy M. Hicks

General Counsel

10 615 214-6301 FF 3 15

Fax 615 214-7406

EXECUTIVE CHORETARY

### VIA HAND DELIVERY

Mr. David Waddell Executive Secretary Tennessee Regulatory Authority 460 James Robertson Parkway Nashville, Tennessee 37243-0505

Re: Approval of the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc. and e.spire COMMUNICATIONS, INC.Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996.

Docket No. 99-00405-00-00741

Dear Mr. Waddell:

Pursuant to Section 252(e) of the Telecommunications Act of 1996, e.spire COMMUNICATIONS, INC. and BellSouth Telecommunications, Inc. are hereby submitting to the Tennessee Regulatory Authority the original and thirteen copies of the attached Petition for Approval of the Interconnection Agreement dated July 25, 2000.

Thank you for your attention to this matter.

Sincerely yours,

Gby M. Hicks

James C. Falvey, e.spire COMMUNICATIONS, INC.

cc:

BEFORE THE TENNESSEE REGULATORY AUTHORITY OF THE Nashville, Tennessee

REGULATORY AUTHORITY.

In re:

Approval of the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc. and espire COMMUNICATIONS, INC. Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996

EXECUTIVE SECRETARY

Docket No. 99-00405 00-00741

PETITION FOR APPROVAL OF THE
INTERCONNECTION AGREEMENT NEGOTIATED
BETWEEN BELLSOUTH TELECOMMUNICATIONS, INC.
AND e.spire COMMUNICATIONS, INC.
PURSUANT TO THE TELECOMMUNICATIONS ACT OF 1996

COME NOW, e.spire COMMUNICATIONS, INC. ("e.spire") and BellSouth Telecommunications, Inc., ("BellSouth"), and file this request for approval of the Interconnection Agreement (the "Agreement") negotiated between the two companies pursuant to Sections 251 and 252 of the Telecommunications Act of 1996, (the "Act"). In support of their request, e.spire and BellSouth state the following:

- 1. e.spire and BellSouth have recently negotiated an agreement for interconnection of their networks, the unbundling of specific network elements offered by BellSouth and the resale of BellSouth's telecommunications services to e.spire. A copy of the Agreement is attached hereto and incorporated herein by reference.
- 2. Pursuant to Section 252(e) of the Telecommunications Act of 1996, e.spire and BellSouth are submitting their Agreement to the TRA for its consideration and approval.
- 3. In accordance with Section 252(e) of the Act, the TRA is charged with approving or rejecting the negotiated Agreement between BellSouth and e.spire within 90 days of its submission. The Act provides that the TRA may only reject such an agreement if it finds that the agreement or any portion of the agreement discriminates against a telecommunications carrier

not a party to the agreement or the implementation of the agreement or any portion of the agreement is not consistent with the public interest, convenience and necessity.

- 4. e.spire and BellSouth aver that the Agreement is consistent with the standards for approval.
- 5. Pursuant to Section 252(i) of the Act, BellSouth shall make the Agreement available upon the same terms and conditions contained therein.

e.spire and BellSouth respectfully request that the TRA approve the Agreement negotiated between the parties.

Respectfully submitted,

BELLSOUTH TELECOMMUNICATIONS, INC.

Guy M Hicks

333 Commerce Street, Suite 2101 Nashville, Tennessee 37201-3300

(615) 214-6301

Attorney for BellSouth

## **CERTIFICATE OF SERVICE**

I, Guy M. Hicks, hereby certify that I have served a copy of the foregoing Petition for Approval of the Interconnection Agreement on the following via United States Mail on the day of \_\_\_\_\_\_\_\_, 2000.

James C. Falvey Senior Vice President – Regulatory Affairs Suite 100 131 National Business Parkway Annapolis Junction, MD 20701

Guy M. Hicks

# AGREEMENT BETWEEN BELLSOUTH TELECOMMUNICATIONS INC. AND e.spire COMMUNICATIONS, INC.

# **Table of Contents**

1.	INTRODUCTION	1
2.	INTERPRETATION AND CONSTRUCTION	2
3.	EFFECTIVE DATE	3
4.	TERM OF THE AGREEMENT	3
5.	RESALE	4
6.	UNBUNDLED NETWORK ELEMENTS	5
7.	INTERCONNECTION	5
8.	COLLOCATION	5
9.	NUMBERS AND NUMBER PORTABILITY	5
10.	OPERATIONAL SUPPORT SYSTEMS	5
11.	BILLING	7
12.	RIGHTS OF WAY, CONDUITS AND POLE ATTACHMENTS	7
13.	DIRECTORY LISTINGS	8
14.	PARITY	8
15.	BONA FIDE REQUEST/NEW BUSINESS REQUEST PROCESS FOR FURTHER UNBUNDLING	3 8
16.	LOCAL DIALING PARITY	8
17.	LAW ENFORCEMENT AND CIVIL PROCESS	9
18.	PERFORMANCE MEASUREMENTS	9
19.	LIABILITY AND INDEMNIFICATION	10
20.	DISCLAIMER OF REPRESENTATIONS AND WARRANTIES	12
21.	INTELLECTUAL PROPERTY RIGHTS AND INDEMNIFICATION	12
22.	TREATMENT OF PROPRIETARY AND CONFIDENTIAL INFORMATION	13
23.	ASSIGNMENTS	15
24.	ESCALATION PROCEDURES	15
25.	EXPEDITE PROCEDURES	16
26.	RESOLUTION OF DISPUTES	16
27.	TAXES	16

# **Table of Contents**

28.	NETWORK MAINTENANCE AND MANAGEMENT	19
29.	CHANGES IN SUBSCRIBER CARRIER SELECTION	19
30.	FORCE MAJEURE	20
31.	YEAR 2000 COMPLIANCE	20
32.	BINDING EFFECT	20
33.	CONSENT	21
34.	MODIFICATION OF AGREEMENT	21
35.	WAIVERS	
36.	EXPENSES	
37.	RELATIONSHIP OF PARTIES	
38.	THIRD PARTY BENEFICIARIES	
39.	COOPERATION ON PREVENTING END USER FRAUD	
40.	GOOD FAITH PERFORMANCE	
41.	INDEPENDENT CONTRACTORS	
42.	SUBCONTRACTING	
43.	SEVERABILITY	
44.	SURVIVAL OF OBLIGATIONS	
45.	CUSTOMER INQUIRIES	
46.	COMPLIANCE WITH APPLICABLE LAW	
47.	LABOR RELATIONS	
48. ("C	COMPLIANCE WITH THE COMMUNICATIONS LAW ENFORCEMENT ACT OF 1994	24
49.	ADDITIONAL FAIR COMPETITION REQUIREMENTS	
50.	GOVERNING LAW	
51.	ARM'S LENGTH NEGOTIATIONS	
52.	NONEXCLUSIVE DEALINGS	
53.	NOTICES	
54.	RULE OF CONSTRUCTION	
55.	HEADINGS OF NO FORCE OR EFFECT	
		20

## **Table of Contents**

56.	MULTIPLE COUNTERPARTS	26
57.	FILING OF AGREEMENT	27
58.	ENTIRE AGREEMENT	27
50	SICNATURE	27

### **AGREEMENT**

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, and e.spire Communications, Inc., Delaware corporation, on behalf of its operating affiliates identified in Part C hereof collectively, "e.spire" and shall be deemed effective as of the Effective Date specified in Section 3 hereof. This Agreement may refer to either BellSouth or e.spire or both as a "Party" or "Parties."

### WITNESSETH

WHEREAS, BellSouth is an Incumbent Local Exchange Carrier ("ILEC") as defined by the Telecommunications Act of 1996 ("the FTA"), authorized to provide Telecommunications Services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, e.spire is a Competitive Local Exchange Carrier ("CLEC") authorized to provide Telecommunications Services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, both Parties wish to interconnect their facilities and exchange local traffic for termination, and e.spire wishes to purchase unbundled Network Elements and resell BellSouth's Telecommunications Services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee, specifically by means of exercising their rights and fulfilling their obligations pursuant to Sections 251 and 252 of the Communications Act of 1934, as amended by the Federal Telecommunications Act of 1996 ("the Act").

NOW THEREFORE, in consideration of the mutual agreements contained herein, and other good and valuable consideration, the sufficiency of which are hereby acknowledged, BellSouth and e.spire agree as follows:

### 1. INTRODUCTION

- This Agreement sets forth the terms, conditions and prices under which BellSouth agrees to provide to e.spire (a) services for Resale (hereinafter referred to as Resale Services), (b) unbundled Network Elements, (c) Interconnection, (d) Collocation, and (e) all other features and arrangements described in this Agreement.
- The Network Elements, and Resale Services provided pursuant to this Agreement may be connected by e.spire to other Network Elements, Resale Services or Access Services provided by BellSouth, or to any network components or services provided by e.spire itself or by any other vendor or Telecommunications Carrier. Subject to the requirements of this Agreement, e.spire may at any time add,

- delete, relocate or modify the Resale Services or Network Elements purchased hereunder.
- 1.3 BellSouth and e.spire may fulfill the requirements imposed upon them by this Agreement by themselves or may cause their agents to take action to fulfill such responsibilities.
- 1.4 This Agreement includes and incorporates herein the Attachments to this Agreement, and all Appendices, Exhibits, Schedules, Addenda and Amendments hereto.

# 2. INTERPRETATION AND CONSTRUCTION

- 2.1 Capitalized terms used in this Agreement shall have the respective meanings specified in Part B hereof, or As Defined by the Act.
- The definitions in Part B hereof shall apply equally to both the singular and plural forms of the terms defined. Whenever the context may require, any pronoun used in this Agreement shall include the corresponding masculine, feminine and neuter forms. The words "include," "includes" and "including" shall be deemed to be followed by the phrase "without limitation" throughout this Agreement. The words "shall" and "will" are used interchangeably throughout this Agreement and the use of either connotes a mandatory obligation. The use of one or the other shall not mean a different degree of right or obligation for either Party.
- 2.3 References herein to Articles, Sections, Exhibits, Attachments, Appendices, and Schedules shall be deemed to be references to Articles and Sections of, and Exhibits, Attachments, Appendices and Schedules to, this Agreement unless the context shall otherwise require.
- 2.4 The headings of the Articles, Sections, Exhibits, Attachments, Appendices and Schedules are inserted for convenience of reference only and are not intended to be a part of or to affect the meaning or interpretation of this Agreement.
- Unless the context shall otherwise require, any reference to any agreement, other instrument (including BellSouth, e.spire or any third party offerings, guides or practices), statute, regulation, rule or Tariff is to such agreement, instrument, statute, regulation, rule or tariff as amended and supplemented from time to time (and, in the case of a statute, regulation, rule or Tariff, to any successor provision).
- Subject to the terms set forth in Attachment 2 regarding rates and charges, and the Resale Discount set forth in Attachment 1, each Party hereby incorporates by reference those provisions of its Tariffs that govern the provision of any of the services or facilities provided hereunder. However, if any provision of this Agreement and any applicable Tariff cannot be reasonably construed or interpreted to avoid conflict, the provision contained in this Agreement shall prevail. If any provision contained in the main body of this Agreement and any

Attachment, Schedule, Appendix or Exhibit hereto cannot reasonably be construed or interpreted to avoid conflict, the provision contained in the main body of this Agreement shall prevail. The fact that a condition, right, obligation, or other term appears in this Agreement but not in any such Tariff shall not be interpreted as, or be deemed grounds for finding of a conflict for purposes of this Section 2 or in a tariff and not in this Agreement.

2.7 Technical references that describe the practices, procedures and specifications for certain services (and the applicable interfaces relating thereto) are listed in Attachment 2 and other relevant Attachments hereto to assist the Parties in meeting their respective responsibilities hereunder.

### 3. EFFECTIVE DATE

This Agreement becomes effective on the date when executed by both Parties (the "Effective Date").

### 4. TERM OF THE AGREEMENT

- 4.1 The term of this Agreement shall be three (3) years, beginning on January 1, 2000 and ending on December 31, 2002, and shall apply to the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee. If, as of the expiration of this Agreement, a Subsequent Agreement (as defined in Section 4.2 below) has not been executed by the Parties, this Agreement shall continue on a month-to-month basis while a Subsequent Agreement is being negotiated. The Parties' rights and obligations with respect to this Agreement after expiration shall be as set forth in Sections 4.3 and 4.4 below.
- 4.2 The Parties agree that by no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations with regard to the rates, terms, and conditions of any service arrangement described herein to be effective beginning on the expiration date of this Agreement ("Subsequent Agreement").
- If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 4.2, above, the Parties are unable to satisfactorily negotiate new resale and/or local interconnection terms, conditions and prices, either Party may petition the Commission to establish appropriate local interconnection and/or resale arrangements pursuant to 47 U.S.C. 252. The Parties agree that, in such event, they shall encourage the Commission to issue its order regarding the appropriate local Interconnection and/or Resale arrangements no later than the expiration date of this Agreement. The Parties further agree that in the event the Commission does not issue its order prior to the expiration date of this Agreement, or if the Parties continue beyond the expiration date of this Agreement to negotiate the Services herein without Commission intervention, the terms, conditions and prices ultimately ordered by the Commission, or negotiated by the Parties, will be effective retroactive to the day following the expiration date

- of this Agreement. Until the Subsequent Agreement becomes effective, the Parties shall continue to Interconnect, exchange traffic, provide Resale Services and Network Elements, pursuant to the terms and conditions of this Agreement.
- Notwithstanding the foregoing, in the event that as of the date of expiration of this 4.4 Agreement and conversion of this Agreement to a month-to-month term, the Parties have not entered into a Subsequent Agreement and either no arbitration proceeding has been filed in accordance with Section 4.3 above, or the Parties have not mutually agreed (where permissible) to extend the arbitration window for petitioning the applicable Commission(s) for resolution of those terms upon which the Parties have not agreed, then either Party may terminate this Agreement upon sixty (60) days notice to the other Party. In the event that BellSouth terminates this Agreement as provided above, BellSouth shall continue to offer services to e.spire pursuant to the terms, conditions and rates set forth in BellSouth's Statement of Generally Available Terms (SGAT) to the extent an SGAT has been approved by the applicable Commission(s). If any state Commission has not approved a BellSouth SGAT, then upon BellSouth's termination of this Agreement as provided herein, BellSouth will continue to provide services to e.spire pursuant to BellSouth's then current standard interconnection agreement. In the event that the SGAT or BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement, and the terms of such Subsequent Agreement shall be effective retroactive to the day following expiration of this Agreement.
- Subject to Section 1 of Attachment 7 of this Agreement, where termination would affect the services(s) provided by the purchaser thereof to its End Users, the Network Elements and Resale Services provided hereunder are vital to e.spire (or, if applicable, to BellSouth) and must be continued without interruption. When e.spire provides or retains another vendor to provide such comparable Network Elements or Resale Services, BellSouth and e.spire agree to cooperate in an orderly and efficient transition of affected facilities and services to e.spire or such other vendor. The Parties shall coordinate as necessary to ensure that the levels and quality of the Network Elements and Resale Services is not degraded. Each Party will exercise its best efforts to effect an orderly and efficient transition to the replacement provider of facilities and/or services.

## 5. RESALE

BellSouth shall make available to e.spire for resale each of the Telecommunications Services it provides at retail to subscribers that are not Telecommunications Carriers on a nondiscriminatory basis, without unreasonable or discriminatory restrictions, and at a discount reflecting its avoided costs, pursuant to the rates, terms and conditions contained in Attachment 1 hereto and in accordance with the Act, including Sections 251(b)(1), 251(c)(4) and 252(d)(3), and all applicable FCC and State Commission rules, regulations, orders and policies (hereafter, "Requirements").

# 6. UNBUNDLED NETWORK ELEMENTS

BellSouth shall provide e.spire nondiscriminatory access to unbundled Network Elements at just, reasonable and nondiscriminatory rates, terms and conditions for the provision of Telecommunications Services pursuant to the rates, terms and conditions in Attachment 2 hereto in accordance with the Act, including Sections 251(c)(3) and 252(d)(1), and all applicable FCC and State Commission Requirements.

# 7. INTERCONNECTION

BellSouth shall provide for the Interconnection of e.spire's facilities and equipment with BellSouth's network at any technically feasible point within BellSouth's network at just, reasonable and nondiscriminatory rates, terms and conditions, pursuant to the terms and conditions of Attachment 3 hereto and the prices in Attachment 3 hereto and in accordance with the Act, including Sections 251(a), 251(b)(5), 251(c)(2), 252(d)(1), 252(d)(2), and all applicable FCC and State Commission Requirements.

# 8. COLLOCATION

BellSouth shall permit Physical Collocation of e.spire's equipment at the premises of BellSouth as necessary for Interconnection and access to unbundled Network Elements on a just, reasonable, and nondiscriminatory basis, pursuant to the rates, terms and conditions set forth in Attachment 4 hereto and in accordance with the Act, including Section 251(c)(6), and all applicable FCC and State Commission Requirements. BellSouth shall permit Virtual Collocation pursuant to the terms of BellSouth's FCC Tariff No. 1.

# 9. NUMBERS AND NUMBER PORTABILITY

BellSouth shall provide e.spire with nondiscriminatory access to telephone numbers and Local Number Portability pursuant to the terms and conditions set forth in Attachment 5 hereto, and in accordance with the Act, including Sections 251(b)(2), 251(b)(3), 251(e), and applicable FCC and State Commission Requirements.

# 10. OPERATIONAL SUPPORT SYSTEMS

BellSouth shall provide e.spire with nondiscriminatory access to BellSouth's Operations Support Systems ("OSS") functions for pre-ordering, ordering, provisioning, maintenance and repair, and billing of Resale Services and unbundled Network Elements, pursuant to the terms and conditions of Attachment 6, and consistent with the Act, including Sections 251(c)(3), 251(d)(1), and 252(d)(1), applicable State statutes, all applicable FCC and State Commission Requirements.

BellSouth has developed and made available the following mechanized systems by which e.spire may submit LSRs electronically.

**LENS** 

Local Exchange Navigation System

EDI

Electronic Data Interface

EDI-PC

Electronic Data Interface - Personal Computer

TAG

Telecommunications Access Gateway

RoboTAG™ Enhanced TAG system\*

LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic ordering charge as specified in the table below. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge as specified in the table below:

OPERATIONAL SUPPORT SYSTEMS	AL, GA, LA, MS, SC	FL, KY, NC, TN
OSS LSR charge, per LSR received from the CLEC by one of the OSS interactive interfaces	\$3.50	\$3.50
	SOMEC	SOMEC
Incremental charge per LSR received from the CLEC by means other than one of the OSS interactive interfaces	See applicable rate element	\$19.99
interactive interfaces		SOMAN

Note: In addition to the OSS charges, applicable discounted service order and related discounted charges apply per the tariff.

# Denial/Restoral OSS Charge

In the event e.spire provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.

# **Cancellation OSS Charge**

e.spire will incur an OSS charge for an accepted LSR that is later canceled by e.spire.

Note: Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

# Network Elements and Other Services Manual Additive

The Commissions in Alabama, Georgia, Louisiana, Mississippi and South Carolina have ordered incremental manual non-recurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR.

<sup>\*</sup>RoboTAG shall be available at a price to be negotiated by the Parties.

# Threshold Billing Plan

The Parties agree that e.spire will incur the mechanized rate for all LSRs, both mechanized and manual, if the percentage of mechanized LSRs to total LSRs meets or exceeds the threshold percentages shown below:

Year	Ratio: Mechanized/Total LSRs
2000	80%
2001	90%

The threshold plan will be discontinued in 2002.

BellSouth will track the total LSR volume for each CLEC for each quarter. At the end of that time period, a Percent Electronic LSR calculation will be made for that quarter based on the LSR data tracked in the LCSC. If this percentage exceeds the threshold volume, all of that CLECs' future manual LSRs will be billed at the mechanized LSR rate. To allow time for obtaining and analyzing the data and updating the billing system, this billing change will take place on the first day of the second month following the end of the quarter (e.g. May 1 for 1Q, Aug 1 for 2Q, etc.). There will be no adjustments to the amount billed for previously billed LSRs.

### 11. BILLING

BellSouth shall provide intercarrier billing arrangements to e.spire pursuant to the rates, terms and conditions of Attachment 7 hereto, and in accordance with the Act, and applicable FCC and State Commission Requirements.

# 12. RIGHTS OF WAY, CONDUITS AND POLE ATTACHMENTS

BellSouth shall offer e.spire non-discriminatory access to its poles, ducts, conduits and rights of way, pursuant to terms and conditions set forth in Attachment 8 hereto, and in accordance with the Act, including Sections 224, and 251(b)(4), applicable State statutes, and all applicable FCC and State Commission Requirements. Such access to rights-of-way, conduit and pole attachments shall be at least equal in quality to, and at rates, terms and conditions at least as favorable, as comparable arrangements provided by BellSouth to itself, its Subsidiaries or Affiliates, or to any other Telecommunications Service

### 13. DIRECTORY LISTINGS

BellSouth shall make available to e.spire's End Users White Page Directory Listing in accordance with the Act, and all applicable FCC and State Commission Requirements. BellSouth shall include e.spire subscriber listings in BellSouth's Directory Assistance database(s) at no charge provided e.spire does not charge for such listings. BellSouth and e.spire shall formulate appropriate procedures regarding lead time, timeliness, format and content of listing information.

#### 14. PARITY

When e.spire purchases, pursuant to Attachment 1 of this Agreement, Telecommunications Services from BellSouth for the purposes of Resale to End Users, BellSouth shall provide said services so that the services are equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to its Affiliates, Subsidiaries and End Users to the extent technically feasible. The quality of a Network Element provided pursuant to Attachment 2 of this Agreement, as well as the quality of the access to such Network Element provided by BellSouth to e.spire, shall be at least equal in quality to that which BellSouth provides to itself. The quality of the Interconnection between the networks of BellSouth and e.spire shall be at a level that is equal to that which BellSouth provides itself, a Subsidiary, an Affiliate, or any other- Person. The Interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by end users and service quality as perceived by e.spire. "Equal in quality" in each instance also means the same interface specifications, provisioning, installation, maintenance, testing and repair intervals for the same services, or facilities.

# 15. BONA FIDE REQUEST/NEW BUSINESS REQUEST PROCESS FOR FURTHER UNBUNDLING

BellSouth shall, upon request of e.spire, provide e.spire access to its Network Elements at any technically feasible point for the provision of e.spire's Telecommunications Services where such access is necessary and failure to provide access would impair the ability of e.spire to provide services that it seeks to offer. Any request by e.spire for access to a Network Element, Interconnection option, or for the provisioning of any service or product that is not already available, shall be treated as a Bona Fide Request/New Business Request, and shall be submitted to BellSouth pursuant to the Bona Fide Request/New Business Request process set forth in Attachment 12 hereto.

#### 16. LOCAL DIALING PARITY

BellSouth shall provide local dialing parity As Described by the Act and required by FCC rules, regulations and policies. e.spire End Users shall not have to dial any greater number of digits than BellSouth End Users to complete the same call. In addition, e.spire End Users shall experience at least the same service quality as BellSouth End Users in terms of post-dial delay, call completion rate and transmission quality.

# 17. LAW ENFORCEMENT AND CIVIL PROCESS

- Intercept Devices. Local and federal law enforcement agencies periodically request information or assistance from Local Exchange Carriers. When either Party receives a request associated with an End User of the other Party, the receiving Party will refer such request to the appropriate Party, unless the request directs the receiving Party to attach a pen register, trap-and-trace or form of intercept on the Party's own facilities, in which case that Party will comply with any valid request, to the extent the receiving Party is able to do so.
- Subpoenas. e.spire agrees that BellSouth will respond to subpoenas and court 17.2 ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to e.spire end users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. e.spire agrees that in cases where e.spire receives subpoenas or court ordered requests for call detail records for targeted telephone numbers belonging to e.spire end users, e.spire will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth. Billing for call detail information will be generated by BellSouth and directed to the law enforcement agency initiating the request. e.spire will provide e.spire end user and/or other customer information that is available to e.spire in response to subpoenas and court orders for their own customer records. BellSouth will redirect subpoenas and court ordered requests for e.spire end user and/or other customer information to e.spire for the purpose of providing this information to the law enforcement agency.
- 17.3 <u>Law Enforcement Emergencies</u>. If a Party receives a request from a law enforcement agency to implement at its switch a temporary number change, temporary disconnect, or one-way denial of outbound calls for an End User of the other Party, the receiving Party will comply so long as it is a valid emergency request. Neither Party shall be held liable for any claims or damages arising from compliance with such requests.

# 18. PERFORMANCE MEASUREMENTS

The Parties agree that the services offered and rendered by BellSouth pursuant to this Agreement shall be provisioned at parity to the service levels and intervals for which BellSouth performs such services for itself, its Affiliates or any other Person or Telecommunications Carrier. The Parties further agree that the service level specified for each item addressed by the Performance Measurements set forth in Attachment 9 shall be at parity. BellSouth agrees to meet the performance standard of parity as measured by the relevant Performance Measurements for each reporting period during the term of this Agreement and any extension thereof. In addition to the service quality measurements described in Attachment 9, no later than third quarter of 2000, BellSouth shall also provide to e.spire a disaggregation report for the provisioning and maintenance of (1)

enhanced extended links ("EELs") and (2) Frame Relay resale. These additional disaggregation reports shall be provided to e.spire as a separate, e.spire-specific report published each month on BellSouth's PMAP website rather than as part of the standard service quality measurements.

# 19. LIABILITY AND INDEMNIFICATION

- 19.1 <u>BellSouth Liability</u>. BellSouth shall take financial responsibility for its own actions in causing, or its lack of action in preventing, unbillable or uncollectible e.spire revenues.
- e.spire Liability. In the event that e.spire consists of two (2) or more separate entities as set forth in the preamble to this Agreement, all such entities shall be jointly and severally liable for the obligations of e.spire under this Agreement.
- 19.3 <u>Liability for Acts or Omissions of Third Parties</u>. Neither BellSouth nor e.spire shall be liable for any act or omission of another telecommunications company providing a portion of the services provided under this Agreement.
- 19.4 Limitation of Liability.
- 19.4.1 <u>Limitations in Tariffs</u>. A Party may, in its sole discretion, provide in its tariffs and contracts with its Customer and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to Customer or third Party for (i) any loss relating to or arising out of this Agreement, whether based in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) Consequential Damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.
- 19.4.2 With respect to any claim or suit, whether based in contract, tort or any other theory of legal liability, by e.spire, any e.spire Customer or by any other Person or entity, for damages associated with any of the services provided by BellSouth pursuant to or in connection with this Agreement, including but not limited to the installation, provision, preemption, termination, maintenance, repair or restoration of service, and subject to the provisions of the remainder of this Section, BellSouth's liability shall be limited to an amount equal to the proportionate charge for the service provided pursuant to this Agreement for the period during which the service was affected. Notwithstanding the foregoing, claims for damages by e.spire, any e.spire Customer or any other Person or entity, resulting from the gross negligence or willful misconduct of BellSouth, shall not be subject to such limitation of liability.

- 19.4.3 With respect to any claim or suit, whether based in contract, tort or any other theory of legal liability, by BellSouth, any BellSouth Customer or by any other Person or entity, for damages associated with any of the services provided by e.spire pursuant to or in connection with this Agreement, including but not limited to the installation, provision, preemption, termination, maintenance, repair or restoration of service, and subject to the provisions of the remainder of this Section, e.spire's liability shall be limited to an amount equal to the proportionate charge for the service provided pursuant to this Agreement for the period during which the service was affected. Notwithstanding the foregoing, claims for damages by BellSouth, any BellSouth Customer or any other Person or entity resulting from the gross negligence or willful misconduct of e.spire, shall not be subject to such limitation of liability.
- 19.5 Neither Party shall be liable for damages to the other Party's terminal location, POI or the other Party's Customers' premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment and associated wiring, except to the extent the damage is caused by such Party's ground a local loop after disconnection.
- Party shall be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the Services, or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.
- Indemnification for Certain Claims. The Party providing services hereunder, its Affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving Party's use of the services provided under this from the content of the receiving company's own communications, or (2) any claim, loss or damage claimed by the Customer of the Party receiving services arising from such Party's use or reliance on the providing company's services, actions, duties, or obligations arising out of this Agreement. Notwithstanding the foregoing, to the extent that a claim, loss or damage is caused by the gross negligence or willful misconduct of a supplying Party, the receiving Party shall have no obligation to indemnify, defend and hold harmless the supplying Party

# DISCLAIMER OF REPRESENTATIONS AND WARRANTIES 20.

EXCEPT AS EXPRESSLY PROVIDED UNDER THIS AGREEMENT, NEITHER PARTY HERETO MAKES OR RECEIVES ANY WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO THE SERVICES, FACILITIES, FUNCTIONS AND PRODUCTS PROVIDED UNDER OR CONTEMPLATED BY THIS AGREEMENT, AND THE PARTIES DISCLAIM THE IMPLIED WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE.

# INTELLECTUAL PROPERTY RIGHTS AND INDEMNIFICATION 21.

- No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement.
- Publicity. Each Party is strictly prohibited from any use, including but not limited 21.2 to use in sales, marketing or advertising of Telecommunications Services, of the other Party's name, service mark, trademark or logo. Either Party may reference the name of the other party in connection with factual statements in response to questions from Customers or potential Customers regarding the source of the
- Ownership of Intellectual Property. Any intellectual property which originates 21.3 from or is developed by a Party shall remain in the exclusive ownership of that Party. Except for a limited license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license patent, copyright, trademark or trade secret, or other proprietary or intellectual property right now or hereafter owned, controlled or licensable by a Party, is granted to the other Party or shall be implied or arise by estoppel. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.
- 21.4 Indemnification. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of copyright, trademarks or trade secrets, or other potential intellectual property infringement arising solely from the use by the receiving Party of such service and will indemnify the receiving Party for any damages awarded based solely on such claims. Such indemnification shall not, however, extend to claims for patent infringement to the extent the alleged infringement
- 21.4.1 Modification of the service by someone other than the providing Party and/or its subcontractors, where there would be no such infringement or violation in the absence of such modification; or

- 21.4.2 The combination, operation or use of the service with any product, data or apparatus not provided by the providing Party and/or its subcontractors, where there would be no such infringement or violation in the absence of such combination, operation or use; or
- 21.4.3 conformance to specifications of the indemnitee which would necessarily result in infringement.
- 21.5 <u>Claim of Infringement</u>. In the event that use of any facilities or equipment (including software), becomes, or in reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party shall promptly and at its sole expense, but subject to the limitations of liability set forth below: (i) modify or replace the applicable facilities or equipment (including software) while maintaining its form and function, or (ii) obtain a license sufficient to allow such use to continue.
- 21.5.1 In the event (i) or (ii) are commercially unreasonable, then said Party may terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 21.5.2 Promptly after receipt of notice of any claim or the commencement of any action for which a Party may seek indemnification pursuant to this Section, such Party ("Indemnified Party") shall promptly give written notice to the other Party ("Indemnifying Party") of such claim or action, but the failure to so notify the Indemnifying Party shall not relieve the Indemnifying Party of any liability it may have to the Indemnified Party except to the extent the Indemnifying Party has actually been prejudiced thereby. The Indemnifying Party shall be obligated to assume the defense of such claim, at its own expense. The Indemnified Party shall cooperate with the Indemnifying Party's reasonable requests for assistance or information relating to such claim, at the Indemnifying Party's expense. The Indemnified Party shall have the right to participate in the investigation and defense of such claim or action, with separate counsel chosen and paid for by the Indemnified Party.
- 21.6 <u>Exclusive Remedy</u>. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.

# 22. TREATMENT OF PROPRIETARY AND CONFIDENTIAL INFORMATION

22.1 For the purposes of this Agreement, "Confidential Information" means confidential or proprietary technical or business information given by the Discloser to the Recipient. All Confidential Information shall be in writing or other tangible form and clearly marked with a confidential, private or proprietary legend. In addition, by way of example and not limitation, all orders for Facilities

and Services provided herein, placed by either Party pursuant to this Agreement, and, information that would constitute Customer Proprietary Network Information ("CPNI") of either Party's Customers pursuant to the Act and the rules and regulations of the FCC, and Recorded Usage Data, whether disclosed by one Party to the other or otherwise acquired by one Party from the other in the course of the performance of this Agreement, shall be deemed Confidential Information of either Party for all purposes under this Agreement.

- 22.2 For a period of five (5) years from the receipt of Confidential Information from the Discloser, except as otherwise specified in this Agreement, the Recipient agrees (a) to use it only for the purpose of performing under this Agreement, (b) to hold it in confidence and disclose it to no one other than its employees having a need to know for the purpose of performing under this Agreement, and (c) to safeguard it from unauthorized use or disclosure using at least the same degree of care with which the Recipient safeguards its own Confidential Information. If the Recipient wishes to disclose the Discloser's Confidential Information to a third-party agent or consultant, such agent or consultant must have agreed in writing to comply with and be bound by the terms of this Section 22. Each Party expressly commits, without limitation, that no Confidential Information of the other Party will be made available to any employee, agent or consultant with retail sales, marketing or sales management-related functions other than as expressly provided in this Agreement.
- 22.3 The Recipient may make copies of Confidential Information only as reasonably necessary to perform its obligations under this Agreement. All such copies will be subject to the same restrictions and protections as the original and will bear the same copyright and proprietary rights notices as are contained on the original.
- The Recipient agrees to return all Confidential Information in tangible form received from the Discloser, including any copies made by the Recipient within thirty (30) days after a written request is delivered to the Recipient, or to destroy all such Confidential Information if directed to do so by Discloser except for Confidential Information that the Recipient reasonably requires to perform its obligations under this Agreement. If either Party becomes aware that it has lost or made an unauthorized disclosure of the other Party's Confidential Information, it will notify such other party immediately and use reasonable efforts to retrieve the lost or wrongfully disclosed information.
- 22.5 The Recipient will have no obligation to safeguard Confidential Information: (a) which was in the possession of the Recipient free of restriction prior to its receipt from the Disclosure; (b) after it becomes publicly known or available through no breach of this Agreement by the Recipient; (c) after it is rightfully acquired by the Recipient free of restrictions on its disclosure; or (d) after it is independently developed by personnel of the Recipient to whom the Discloser's Confidential Information had been previously disclosed. In addition, either Party will have the right to disclose Confidential Information to any mediator, arbitrator, state or federal regulatory body, or court, in the conduct of any mediation, arbitration or approval of this Agreement, so long as, in the absence of an applicable protective

order, the Discloser has been promptly notified by the Recipient and so long as the Recipient undertakes all lawful measures to avoid disclosing such information until Discloser has had reasonable time to negotiate a protective order or confidentiality agreement, as applicable, with any such mediator, arbitrator, state or regulatory body or court, and complies with any protective order that covers the Confidential Information.

- 22.6 The Parties acknowledge that an individual End User may simultaneously seek to become or be a Customer of both Parties. Nothing in this Agreement is intended to limit the ability of either Party to use customer specific information lawfully obtained from End Users or sources other than the Disclosing Party.
- 22.7 Each Party's obligations to safeguard Confidential Information disclosed prior to expiration or termination of this Agreement will survive such expiration or termination of the Agreement.
- 22.8 Each Party agrees that the Discloser may be irreparably injured by a disclosure of Confidential Information in breach of this Agreement by the Recipient or its representatives, and the Discloser shall be entitled to seek equitable relief, including injunctive relief and specific performance, in the event of any breach or threatened breach of the confidentiality provisions of this Agreement. Such remedies shall not be deemed to be the exclusive remedies for a breach of this Agreement, but shall be in addition to all other remedies available at law or in equity.

### 23. ASSIGNMENTS

Neither Party hereto may assign or otherwise transfer its rights or obligations under this Agreement, except with the prior written consent of the other Party hereto, which consent shall not be unreasonably withheld; provided, however, that, so long as the performance of any assignee is guaranteed by the assignor: (i) either Party may assign its rights and delegate its benefits, duties and obligations under this Agreement, without the consent of the other Party, to any Affiliate of such Party and (ii) either Party may assign its rights and delegate its benefits, duties and obligations under this Agreement, without the consent of the other, to any person or entity that obtains control of all or substantially all of such assigning Party's assets, by stock purchase, asset purchase, merger, foreclosure, or otherwise. Each Party shall notify the other in writing of any such assignment. Nothing in this Section is intended to impair the right of either Party to utilize subcontractors.

## 24. ESCALATION PROCEDURES

Each Party hereto shall provide the other party hereto with the names and telephone numbers or pagers of their respective managers up to the Vice Presidential level for the escalation of unresolved matters relating to their performance of their duties under this Agreement. Each Party shall supplement and update such information as necessary to facilitate prompt resolution of such matters. Each Party further agrees to establish an

automatic internal escalation procedure relating to unresolved disputes arising under this Agreement.

### 25. EXPEDITE PROCEDURES

Each Party shall promptly establish a nondiscriminatory procedure for expediting installation and repair of facilities provided pursuant to this Agreement.

### 26. RESOLUTION OF DISPUTES

Except as otherwise provided herein, any dispute, controversy or claim 26.1 (individually and collectively, a "Dispute") arising under this Agreement shall be resolved in accordance with the procedures set forth in this Section. In the event of a Dispute between the Parties relating to this Agreement, and upon the written request of either Party, each of the Parties shall appoint within ten (10) calendar days after a Party's receipt of such request, a designated representative who has authority to settle the Dispute and who is at a higher level of management than the persons with direct responsibility for administration of this Agreement. The designated representatives shall meet as often as they reasonably deem necessary in order to discuss the Dispute and negotiate in good faith in an effort to resolve such Dispute. The specific format for such discussions will be left to the discretion of the designated representatives; however, all reasonable requests for relevant information made by one Party to the other Party shall be honored. If the Parties are unable to resolve issues related to a Dispute within thirty (30) days after a Party's request is made for appointment of designated representatives as set forth above, either Party may seek relief from the appropriate state regulatory agency of any Dispute upon which the Parties hereto are unable to reach agreement or may seek such other relief to which it is entitled to under Applicable Law. Notwithstanding the foregoing, in no event shall the Parties permit the pendency of a Dispute to disrupt service to any e.spire or BellSouth End User, unless such service is damaging or interfering with customer services or network operations.

#### 27. TAXES

- 27.1 <u>Definition</u>. For purposes of this Section, the terms "taxes" and "fees" shall include but not limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.
- 27.2 Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.

- 27.2.1 Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- 27.2.2 Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 27.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party.</u>
- 27.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- 27.3.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 27.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- 27.3.4 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 27.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 27.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with

- respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 27.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 27.4 Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.
- 27.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- 27.4.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 27.4.3 If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.
- 27.4.4 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 27.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 27.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.

- 27.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 27.5 <u>Mutual Cooperation</u>. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

# 28. NETWORK MAINTENANCE AND MANAGEMENT

- 28.1 The Parties shall work cooperatively to implement this Agreement. The Parties shall exchange appropriate information (e.g., maintenance contact numbers, network information, information required to comply with law enforcement and other security agencies of the Government, etc.) as reasonably required to implement and perform this Agreement.
- 28.2 Each Party hereto shall design, maintain and operate their respective networks as necessary to ensure that the other Party hereto receives service quality which is consistent with generally accepted industry standards at least at parity with the network service quality given to itself, its Affiliates, its End Users or any other Telecommunications Carrier.
- Neither Party shall use any service or facility provided under this Agreement in a manner that impairs the quality of service to other Telecommunications Carriers' or to either Party's End Users. Each Party will provide the other Party notice of any such impairment at the earliest practicable time.
- 28.4 BellSouth agrees to provide e.spire prior notice consistent with applicable FCC rules and the Act of changes in the information necessary for the transmission and routing of services using BellSouth's facilities or networks, as well as other changes that affect the interoperability of those respective facilities and networks. This Agreement is not intended to limit BellSouth's ability to upgrade its network through the incorporation of new equipment, new software or otherwise so long as such upgrades are not inconsistent with BellSouth's obligations to e.spire under the terms of this Agreement.

# 29. CHANGES IN SUBSCRIBER CARRIER SELECTION

Both Parties hereto shall apply all of the principles set forth in 47 C.F.R. § 64.1100 to the process for End User selection of a primary Local Exchange Carrier. BellSouth shall not require a disconnect order from an e.spire Customer or another LEC in order to process an e.spire order for Resale Service for an e.spire End User. Until the FCC or the Commission adopts final rules and

procedures regarding a Customer's selection of a primary Local Exchange Carrier, unless already done so, e.spire shall deliver to BellSouth a Blanket Representation of Authorization that applies to all orders submitted by e.spire under this Agreement that require a primary Local Exchange Carrier change. Both Parties hereto shall retain on file all applicable documentation of authorization, including letters of authorization, relating to their End User's selection as its primary Local Exchange Carrier, which documentation shall be available for inspection by the other Party hereto upon reasonable request during normal business hours.

29.2 If an End User denies authorizing a change in his or her primary Local Exchange Carrier selection to a different local exchange carrier ("Unauthorized Switching"). the Party receiving the End User complaint shall switch or caused to be switched that End User back to his preferred carrier in accordance with Applicable Law.

# 30. FORCE MAJEURE

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Customer, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

# 31. YEAR 2000 COMPLIANCE

Each Party warrants that it has implemented a program the goal of which is to ensure that all software, hardware and related materials (collectively called "Systems") delivered, connected with the other Party or supplied in the furtherance of the terms and conditions specified in this Agreement: (i) will record, store, process and display calendar dates falling on or after January 1, 2000, in the same manner, and with the same functionality as such software records, stores, processes and calendar dates falling on or before December 31, 1999; and (ii) shall include without limitation date data century recognition, calculations that accommodate same century and multicentury formulas and date values, and date data interface values that reflect the century.

# 32. BINDING EFFECT

This Agreement shall be binding on and inure to the benefit of the respective successors and permitted assigns of the Parties.

# 33. CONSENT

Where consent, approval or mutual agreement is required of a Party, it shall not be unreasonably withheld or delayed, unless otherwise expressly provided herein.

# 34. MODIFICATION OF AGREEMENT

- 34.1 BellSouth shall make available, pursuant to 47 USC § 252(i) and the FCC rules and regulations regarding such availability, to e.spire, at the same rates, and the same terms and conditions, any interconnection, service, or network element provided under any other agreement filed and approved pursuant to 47 USC § 252. The adopted interconnection, service, or network element and agreement shall apply to the same states as such other agreement and for the identical term of such other agreement.
- 34.2 If e.spire changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of e.spire to notify BellSouth of said change and request that an amendment to this Agreement, if necessary, be executed to reflect said change.
- Execution of this Agreement by either Party does not confirm or infer that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of e.spire or BellSouth to perform any material terms of this Agreement, e.spire or BellSouth may, on thirty (30) days' written notice require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in Section 26.

## 35. WAIVERS

Except as otherwise provided in this Agreement, no amendment or waiver of any provision of this Agreement, and no consent to any default under this Agreement, will be effective unless the same is in writing and signed by an authorized representative of the Party against whom such amendment, waiver or consent is claimed. A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the specific performance of any and all of the provisions of this Agreement.

### 36. EXPENSES

Except as specifically set out in this Agreement, or as otherwise required by a regulatory agency with jurisdiction, each Party shall be solely responsible for its own expenses involved in all activities related to the subject of this Agreement.

### 37. RELATIONSHIP OF PARTIES

This Agreement shall not establish, be interpreted as establishing, or be used by either Party to establish, or to represent their relationship as any form of agency, partnership or joint venture. Neither Party shall have any authority to bind the other or to act as an agent for the other unless written authority, separate form this Agreement, is provided. Nothing in this Agreement shall be construed as providing for the sharing of profits or losses arising out of the efforts of either or both of the Parties. Nothing herein shall be construed as making either Party responsible or liable for the obligations and undertakings of the other Party.

### 38. THIRD PARTY BENEFICIARIES

This Agreement does not provide, and shall not be construed to provide, third parties with any benefit, remedy, claim, liability, reimbursement, cause of action, or other privilege.

# 39. COOPERATION ON PREVENTING END USER FRAUD

The Parties agree to cooperate fully with one another to investigate, minimize, prevent, and take corrective action in cases of fraud.

### 40. GOOD FAITH PERFORMANCE

In the performance of their obligations under this Agreement the Parties will act in good faith and consistently with the intent of the Act. Where notice, approval or similar action by a Party is permitted or required by any provision of this Agreement (including without limitation, the obligation of the Parties to further negotiate the resolution of new or open issues under this Agreement), such action will not be unreasonably delayed, withheld or conditioned.

# 41. INDEPENDENT CONTRACTORS

Each Party is an independent contractor, and has and hereby retains the right to exercise full control of and supervision over its own performance of its obligations under this Agreement, and retains full control over the employment, direction, compensation and discharge of its employees assisting in the performance of such obligations. Each Party shall be solely responsible for all matters relating to payment of such employees, including compliance with social security taxes, withholding taxes and all other regulations governing such matters. Subject to the limitations on liability and except as otherwise provided in this Agreement, each Party shall be responsible for (i) its own acts and performance of all obligations imposed by Applicable Law in connection with its activities, legal status and property, real or personal and, (ii) the acts of its own Affiliates,

employees, agents and contractors during the performance of the Party's obligations hereunder.

#### 42. SUBCONTRACTING

If any obligation is performed through a subcontractor, each Party shall remain fully responsible for the performance of this Agreement in accordance with its terms, including any obligations either Party performs through subcontractors, and each Party shall be solely responsible for payments due the Party's subcontractors. No contract, subcontract or other Agreement entered into by either Party with any third party in connection with the provision of any facilities or services provided herein, shall provide for any indemnity, guarantee or assumption of liability by, or other obligation of, the other Party to this Agreement with respect to such arrangement, except as consented to in writing by the other Party. No subcontractor shall be deemed a third party beneficiary for any purposes under this Agreement. Any subcontractor who gains access to CPNI or Confidential Information covered by this Agreement shall be required by the subcontracting Party to protect such CPNI or Confidential Information to the same extent that the subcontracting Party is required to protect the same under the terms of this Agreement.

#### 43. SEVERABILITY

If any term, condition or provision of this Agreement is held to be invalid or unenforceable for any reason, such invalidity or unenforceability shall not invalidate the entire Agreement, unless such construction would be unreasonable. The Agreement shall be construed as if it did not contain the invalid or unenforceable provision or provisions, and the rights and obligations of each Party shall be construed and enforced accordingly. Provided, however, that in the event such invalid or unenforceable provision or provisions are essential elements of this Agreement and substantially impair the rights or obligations of either Party, the Parties shall promptly negotiate a replacement provision or provisions. If impasse is reached, the Parties will resolve said impasse under the dispute resolution procedures set forth in Section 26.

#### 44. SURVIVAL OF OBLIGATIONS

Any liabilities or obligations of a Party for acts or omissions prior to the cancellation or termination of this Agreement, and any obligation of a Party under the provisions regarding indemnification, Confidential Information, limitations on liability, and any other provisions of this Agreement which, by their terms are contemplated to survive (or to be performed after) termination of this Agreement, shall survive cancellation or termination thereof.

### 45. CUSTOMER INQUIRIES

Each Party shall refer all questions regarding the other Party's services or products directly to the other Party at a telephone number specified by that Party.

Each Party shall ensure that each of their representatives who receive inquiries regarding the other Party's services: (i) provide the numbers described in Section 45.1 to callers who inquire about the other Party's services or products, and (ii) do not in any way disparage or discriminate against the other Party or its products or services.

### 46. COMPLIANCE WITH APPLICABLE LAW

- 46.1 Each Party shall comply at its own expense with all applicable federal, state, and local statutes, laws, rules, regulations, codes, final and nonappealable orders, decisions, injunctions, judgments, awards and decrees that relate to its obligations under this Agreement. Nothing in this Agreement shall be construed as requiring or permitting either Party to contravene any mandatory requirement of Applicable Law, and nothing herein shall be deemed to prevent either Party from recovering its cost or otherwise billing the other Party for compliance with the Order to the extent required or permitted by the term of such Order.
- 46.2 Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

#### 47. LABOR RELATIONS

Each Party shall be responsible for labor relations with its own employees. Each Party agrees to notify the other Party as soon as practicable whenever such Party has knowledge that a labor dispute concerning its employees is delaying or threatens to delay such Party's timely performance of its obligations under this Agreement and shall endeavor to minimize impairment of service to the other Party (by using its management personnel to perform work or by other means) in the event of a labor dispute to the extent permitted by Applicable Law.

# 48. COMPLIANCE WITH THE COMMUNICATIONS LAW ENFORCEMENT ACT OF 1994 ("CALEA")

Each Party represents and warrants that any equipment, facilities or services provided to the other Party under this Agreement comply with CALEA. Each Party shall indemnify and hold the other Party harmless from any and all penalties imposed upon the other Party for such other Party's noncompliance, and shall at the non-compliant Party's sole cost and expense, modify or replace any equipment, facilities or services provided to the other Party under this Agreement to ensure that such equipment, facilities and services fully comply with CALEA.

### 49. ADDITIONAL FAIR COMPETITION REQUIREMENTS

- 49.1 In the event that either Party transfers facilities or other assets to an Affiliate which are necessary to comply with its obligations under this Agreement, the obligations hereunder shall survive and transfer to such Affiliate.
- 49.2 BellSouth shall allow local exchange customers of e.spire to select BellSouth for the provision of intraLATA toll services on a nondiscriminatory basis; provided, however, that prior to establishment of BellSouth as the intraLATA toll carrier for e.spire local exchange customers, the Parties shall negotiate a billing and collections agreement on commercially reasonable terms whereby e.spire shall bill the customer on BellSouth's behalf and shall collect from the customer and remit to BellSouth intraLATA toll revenues. e.spire agrees to bill its customers on BellSouth's behalf for both presubscribed and "dial around" intraLATA toll traffic. The Parties shall exchange customer record data on a timely basis as necessary to bill such customers for intraLATA toll usage.
- 49.3 BellSouth shall not use information derived from providing services or facilities to e.spire to create a lead or other information base for a "winback" sales program.

### 50. GOVERNING LAW

This Agreement shall be governed by, and construed and enforced in accordance with, the laws of the State of Georgia, without regard to its conflict of laws principles.

#### 51. ARM'S LENGTH NEGOTIATIONS

This Agreement was executed after arm's length negotiations between the undersigned Parties and reflects the conclusion of the undersigned that this Agreement is in the best interests of all Parties.

### 52. NONEXCLUSIVE DEALINGS

This Agreement does not prevent either Party from providing or purchasing services or facilities to or from any other Person, nor does it obligate either Party to provide or purchase any services or facilities not specifically provided herein.

### 53. NOTICES

Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered in person or given by postage prepaid mail, address to:

### BellSouth Telecommunications, Inc.

CLEC Account Team 9<sup>th</sup> Floor 600 North 19<sup>th</sup> Street Birmingham, Alabama 35203

and

General Attorney - COU Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

### e.spire Communications, Inc.

James C. Falvey
Senior Vice President - Regulatory Affairs
Suite 100
131 National Business Parkway
Annapolis Junction, Maryland 20701

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- Where specifically required, notices shall be by certified or registered mail.

  Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- BellSouth shall provide e.spire notice via Internet posting of price changes and of changes to the terms and conditions of services available for resale.

### 54. RULE OF CONSTRUCTION

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

### 55. HEADINGS OF NO FORCE OR EFFECT

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

٠.

### 56. MULTIPLE COUNTERPARTS

This Agreement may be executed multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

#### 57. FILING OF AGREEMENT

Upon execution of this Agreement BellSouth shall file with the appropriate state Commission pursuant to the requirements of Section 252 of the Act. Each Party shall cooperate with the other and with any applicable regulatory agency to obtain regulatory approval of this Agreement. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, e.spire shall be responsible for the costs of publishing the required notice and the filing fee shall be borne by both Parties equally.

### 58. ENTIRE AGREEMENT

This Agreement and its Attachments, incorporated herein by this reference, sets forth the entire understanding and supersedes prior Agreements between the Parties relating to the subject matter contained herein and merges all prior discussions between them, and neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.

The following services are included as options for purchase by e.spire. e.spire shall elect said services by written request to its Account Manager if applicable.

Optional Daily Usage File (ODUF)
Enhanced Optional Daily Usage File (EODUF)
Access Daily Usage File (ADUF)
Line Information Database (LIDB) Storage
Centralized Message Distribution Service (CMDS)
Calling Name (CNAM)

### 59. SIGNATURE

Signatures transmitted by the Parties by facsimile shall have the same effect as original signatures as of the date transmitted by the executing Party.

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year above first written.

# General Terms and Conditions – Part A Page 28A

BellSouth Telecommunications, Inc.	e.spire Communications, Inc.		
	James Jahren		
Signature	Signature		
	JAMES C. FALVEY		
Name	Name		
	SENIOR VICE PRESIDENT,		
Title	· Title REGULATORY AFFAIRS		
	JULY 25, 2000		
Date	Date		

BellSouth Telecommunications, Inc.	e.spire Communications, Inc.
Signature	Signature
Serry D. Hendry	
Name	Name
Sr. Divector	
Title	Title
7/25/00	
Date	Date

#### **Definitions**

- 1 "Act" means the Communications Act of 1934 (47 U.S.C. 151 et seq.), as amended by the Telecommunications Act of 1996, and as from time to time interpreted and implemented in the duly authorized rules and regulations of the FCC or a State Commission within its state of jurisdiction.
- 2 "ADSL" or "Asymmetrical Digital Subscriber Line" means a transmission technology which transmits an asymmetrical digital signal of up to 6 Mbps to the End User and up to 640 Kbps from the End User.
- 3 "Affiliate" is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.
- 4 "Agreement" refers to this Interconnection Agreement between e.spire and BellSouth and all Attachments, Appendices, Exhibits, Schedules and Addenda or Amendments hereto.
- 5 "AMA" means the Automated Message Accounting structure inherent in switch technology that initially records telecommunication message information. AMA format is contained in the Automated Message Accounting document, published by Telcordia as GR-1100-CORE which defines the industry standard for message recording.
- 6 "Applicable Law" means all laws, regulations, and orders applicable to each Party's performance of its obligations hereunder.
- 7 "As Defined in the Act" means as specifically defined by the Act and as from time to time interpreted in the duly authorized rules and regulations of the FCC or a State Commission within its state of jurisdiction.
- 8 "As Described in the Act" means as described in or required by the Act and as from time to time interpreted in the duly authorized rules and regulations of the FCC or the Commission.
- 9 "Automatic Location Identification" or "ALI" means a feature by which the service address associated with the calling party's listed telephone number identified by ANI as defined herein, is forwarded to the PSAP for display. Additional telephones with the same number as the calling party's, including secondary locations and off-premise extensions will be identified with the service address of the calling party's listed number.
- 10 "Automatic Number Identification" or "ANI" means a signaling parameter which refers to the number transmitted through a network identifying the calling party.
  - 11 "Bellcore" now known as "Telcordia"
  - 12 "Bill Date" means the date that a bill is issued by a party.
  - 13 "Bona Fide Request" as defined in Attachment 12.

- 14 "Business Day" means a day on which banking institutions are required to be open for business in New York.
- 15 "Calling Party Number" or "CPN" is a Common Channel Signaling ("CCS") parameter which refers to the number transmitted through a network identifying the calling party.
- 16 "Carrier Identification Code" or "CIC" is a three-digit or four digit or five digit number that identifies a specific Interexchange Carrier.
- 17 "Central Office Switch" means a switch used to provide Telecommunications Services, including, but not limited to:
- 17.1 "End Office Switches" which are used to terminate Customer station Loops for the purpose of interconnection to each other and to trunks; and
- 17.2 "Tandem Office Switches" or "Tandems" which are used to connect and switch trunk circuits between and among other Central Office Switches.
- 18 "Centralized Message Distribution System" or "CMDS" is the Telcordia (formerly BellCore) administered national system, based in Kansas City, Missouri, used to exchange Exchange Message Interface (EMI) formatted data among host companies.
- 19 "CLASS Features" means certain CCIS-based features available to Customers including but not limited to: Automatic Call Back; Call Trace; Caller Identification and related blocking features; Distinctive Ringing/Call Waiting; Selective Call Forward; and Selective Call Rejection.
- 20 "Collocation" is As Described in the Act and FCC Rules and Orders, and as further defined in Attachment 4 hereto.
  - 21 "Commercial Mobile Radio Service" or "CMRS" is As Defined in the Act.
- 22 "Commission" is defined as the appropriate regulatory agency in each of BellSouth's nine state region, Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee.
- 23 "Common Channel Signaling" or "CCS" means the signaling system, developed for use between switching systems with stored-program control, in which all of the signaling information for one or more groups of trunks is transmitted over a dedicated high-speed data link rather than on a per-trunk basis. The current industry standard for common carrier network signaling is SS7.1.33 "Competitive Local Exchange Carrier" or "CLEC" means any Local Exchange Carrier other than BellSouth, operating as such in BellSouth's certificated territory.
  - 24 "Confidential Information" is As Defined in Part A hereof.
- 25 "Cross Connection" means a jumper cable or similar connection provided pursuant to Collocation at the digital signal cross connect, Main Distribution Frame or other suitable frame or panel between (i) the Collocating Party's equipment and (ii) the equipment or facilities of the housing party.

- 26 "Customer" or "End User" means a third-party residence or business that subscribes to Telecommunications Services provided by either of the Parties.
- 27 "Customer of Record" means the entity responsible for placing applications for service; requesting additions, rearrangements, maintenance or discontinuance of service; and payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.
  - 28 "Customer Proprietary Network Information" or "CPNI" is As Defined in the Act.
- 29 "Customer Specific Arrangement" or "CSA" means a service arrangement negotiated with an individual customer that includes rates, terms or conditions that differ from those included in BellSouth's intrastate retail services tariff.
- 30 "Daily Usage File" or "DUF" is the compilation of messages or copies of messages in standard Exchange Message Interface (EMI) format exchanged from BellSouth to an CLEC.
- 31 "Dark Fiber" is as defined in Attachment 2 of this Agreement. 1.45 "Data Management System" or "DMS" means a system of manual procedures and computer processes used to create, store and update the data required to provide the Selecting Routing ("SR") and ALI features.
- 32 "Demarcation Point" means a point on a property or premises where the Customer's service is located as determined by the applicable LEC. This point is where network access recurring charges and the LEC's responsibility stop and beyond which Customer responsibility begins.
- 33 "Deposit" means assurance provided by a customer in the form of cash, surety bond or bank letter of credit.
  - 34 "Dialing Parity" is As Defined in the Act.
- 35 "Digital Signal Level" means one of several transmission rates in the time-division multiplex hierarchy.
- 36 "Digital Signal Level 0" or "DS0" means the 64 Kbps zero-level signal in the timedivision multiplex hierarchy.
- 37 "Digital Signal Level 1" or "DS1" means the 1.544 Mbps first-level signal in the time-division multiplex hierarchy. In the time-division multiplexing hierarchy of the telephone network, DS1 is the initial level of multiplexing.
- 38 "Digital Signal Level 3" or "DS3" means the 44.736 Mbps third-level in the time-division multiplex hierarchy. In the time-division multiplexing hierarchy of the telephone network, DS3 is defined as the third level of multiplexing.
  - 39 "Dispute" is As Defined in Part A hereof.

- 40 "End User Customer Location" means the physical location of the premises where an End User makes use of the Telecommunications Services.
  - 41 "Exchange Access" is As Defined in the Act.
- 42 "Exchange Area" means an area, defined by the Commission, for which a distinct local rate schedule is in effect.
- 43 "Exchange Message Interface" or "EMI" is the nationally administered standard format for the exchange of data among the Exchange Carriers within the telecommunications industry.
  - 44 "FCC" means the Federal Communications Commission.
- 45 "FCC Regulations" means the effective rules, regulations, requirements, orders and policies adopted or issued by the FCC, as each may be revised from time to time.
  - 46 "Feeder" is As Defined in Attachment 2.
  - 47 "Fiber-Meet" or "Mid-Span Meet" as defined in Attachment 3 of this Agreement.
  - 48 "Grandfathered Services" is As Defined in Attachment 1 of this Agreement
  - 49 "Hazardous Substances" is As Defined in Attachment 4 of this Agreement.
- 50 "HDSL" or "High-Bit Rate Digital Subscriber Line" means a transmission technology which transmits up to a DS1-level signal, using any one of the following line codes: 2 Binary / 1 Quartenary ("2B1Q"), Carrierless AM/PM, Discrete Multitone ("DMT"), or 3 Binary / 1 Octel ("3B1O").
- 51 "Incumbent Local Exchange Carrier" or "ILEC" is As Defined in the Act. For purposes of this Agreement, BellSouth is an Incumbent Local Exchange Carrier.
- 52 "Independent Telephone Company" or "ITC" means any entity other than BellSouth which, with respect to its operations within the states covered by this Agreement, is an Incumbent Local Exchange Carrier.
- 53 "Information Service" means the offering of a capability for generating, acquiring, storing, transforming, processing, retrieving, utilizing, or making available information via telecommunications, and includes electronic publishing, but does not include any use of any such capability for the management, control, or operation of a telecommunications system or the management of a telecommunications service.
- 54 "Inside Wire" or "Inside Wiring" means all wire, cable, terminals, and associated equipment or materials on the Customer's side of the Rate Demarcation Point.
  - 55 "Integrated Digital Loop Carrier" is as described in Attachment 2 of this Agreement.
- 56 Intercompany Settlements (ICS) is the revenue associated with charges billed by a company other than the company in whose service area such charges were incurred. ICS on a

national level includes third number and credit card calls and is administered by Telcordia (formerly BellCore)'s Calling Card and Third Number Settlement System (CATS). Included is traffic that originates in one Regional Bell Operating Company's (RBOC) territory and bills in another RBOC's territory.

- 57 "Interconnection" is As Described in the Act.
- 58 "Interexchange Carrier" or "IXC" means a carrier that provides, directly or indirectly, interLATA or intraLATA Telephone Toll Services.
- 59 "Interim Number Portability" or "INP" is As Described in the Attachment 5 of this Agreement.
  - 60 "InterLATA" is As Defined in the Act.
- 61 "IntraLATA Toll Traffic" means all basic intraLATA message services calls other than Local Traffic.
- 62 "Integrated Services Digital Network" (ISDN) means a switched network service that provides end-to-end digital connectivity for the simultaneous transmission of voice and data, as set forth in Attachment 2.
- 63 "Line Information Data Base(s)" or "LIDB" is as described in Attachment 2 of this Agreement.
  - 64 "Local Access and Transport Area" or "LATA" is As Defined in the Act.
  - 65 "Local Exchange Carrier" or "LEC" is As Defined in the Act.
- 66 "Local Interconnection" is defined as 1) the delivery of local traffic to be terminated on each Party's local network so that end users of either Party have the ability to reach end users of the other Party without the use of any access code or substantial delay in the processing of the call; 2) the LEC network features, functions, and capabilities set forth in this Agreement; and 3) Service Provider Number Portability sometimes referred to as temporary telephone number portability to be implemented pursuant to the terms of this Agreement.
  - 67 "Local Loop" element is As Defined in Attachment 2 of this Agreement.
- 68 "Local Number Portability" or "LNP" means the ability of users of Telecommunications Services to retain, at the same location, existing telephone numbers without impairment of quality, reliability, or convenience when switching from one Telecommunications Carrier to another.
  - 69 "Local Traffic" is as defined in Attachment 3 of this Agreement.
- 70 "Main Distribution Frame" means the distribution frame of the Housing Party used to interconnect cable pairs and line and trunk equipment terminals on a switching system.

- 71 "MECAB" means the Multiple Exchange Carrier Access Billing (MECAB) document prepared by the Billing Committee of the Ordering and Billing Forum ("OBF"), which functions under the auspices of the Carrier Liaison Committee ("CLC") of the Alliance for Telecommunications Industry Solutions ("ATIS"). The MECAB document, published by Telcordia as Special Report SR-BDS-000983, contains the recommended guidelines for the billing of an Exchange Access service provided by two or more LECs, or by one LEC in two or more states, within a single LATA.
- 72 "MECOD" means the Multiple Exchange Carriers Ordering and Design (MECOD) Guidelines for Access Services Industry Support Interface, a document developed by the Ordering/Provisioning Committee under the auspices of OBF. The MECOD document, published by Telcordia as Special Report SR-STS-002643, establishes methods for processing orders for Exchange Access service which is to be provided by two or more LECs.
- 73 "Meet-Point Billing" means the process whereby each Party bills the appropriate tariffed rate for its portion of a jointly provided Switched Exchange Access Service as agreed to in the Agreement for Switched Access Meet Point Billing.
  - 74 "NECA" refers to the National Exchange Carriers Association.
- 75 "Network Element" is defined to mean a facility or equipment used in the provision of a telecommunications service. Such term may include, but is not limited to, features, functions, and capabilities that are provided by means of such facility or equipment, including but not limited to, subscriber numbers, databases, signaling systems, and information sufficient for billing and collection or used in the transmission, routing, or other provision of a telecommunications service. BellSouth offers access to the Network Elements, unbundled loops; network interface device; sub-loop elements; local switching; transport; tandem switching; operator systems; signaling; access to call-related databases; dark fiber as set forth in Attachment 2 of this Agreement. 1.110 "Network Interface Device" or "NID" is as described in Attachment 2 of this Agreement.
- 76 "Non-Intercompany Settlement System" or "NICS" is the Telcordia (formerly BellCore) system that calculates non-intercompany settlements amounts due from one company to another within the same RBOC region. It includes credit card, third number and collect messages.
- 77 "North American Numbering Plan" or "NANP" means the numbering plan used in the United States that also serves Canada, Bermuda, Puerto Rico and certain Caribbean Islands. The NANP format is a 10-digit number that consists of a 3-digit NPA code (commonly referred to as the area code). followed by a 3-digit NXX code and 4-digit line number.
- 78 "Numbering Plan Area" or "NPA" also is sometimes referred to as an area code. There are two general categories of NPAs, "Geographic NPAs" and "Non-Geographic NPAs." A Geographic NPA is associated with a defined geographic area, and all telephone numbers bearing such NPA are associated with services provided within that geographic area. A Non-Geographic NPA, also known as a "Service Access Code" or "SAC Code," is typically associated with a specialized telecommunications service which may be provided across multiple

geographic NPA areas (e.g., 800, 900, 700, 500 and 888 are examples of Non-Geographic NPAs).

- 79 "NXX Code" or "End Office Code" means the three digit switch entity indicator (i.e., the first three digits of a seven digit telephone number).
- 80 "OBF" means the "Ordering and Billing Forum", which functions under the auspices of the Carrier Liaison Committee (CLC) of the Alliance for Telecommunications Industry Solutions (ATIS).
  - 81 "OCN" refers to an Operating Company Number.
  - 82 "Optical Carrier Level 3" or "OC3" is As Defined in Attachment 2.
  - 83 "Optical Carrier Level 12" or "OC12" is As Defined in Attachment 2.
  - 84 "Optical Line Terminating Multiplexor" or "OLTM" is As Defined in Attachment 2.
  - 85 "Party" means either BellSouth or e.spire, and "Parties" means BellSouth and e.spire.
- 86 "Percent of Interstate Usage" or "PIU" is defined as a factor to be applied to terminating access services minutes of use to obtain those minutes that should be rated as interstate access services minutes of use. The numerator includes all interstate "non-intermediary" minutes of use, including interstate minutes of use that are forwarded due to service provider number portability less any interstate minutes of use for Terminating Party Pays services, such as 800 Services. The denominator includes all "non-intermediary", local, interstate, intrastate, toll and access minutes of use adjusted for service provider number portability less all minutes attributable to terminating Party pays services.
- 87 "Percent Local Usage" or "PLU" is defined as a factor to be applied to intrastate terminating minutes of use. The numerator shall include all "non-intermediary" local minutes of use adjusted for those minutes of use that only apply local due to Service Provider Number Portability. The denominator is the total intrastate minutes of use including local, intrastate toll, and access, adjusted for Service Provider Number Portability less intrastate terminating Party pays minutes of use.
  - 88 "Performance Measurements" is as described in Attachment 9 hereto.
  - 89 "Person" is As Defined in the Act.
  - 90 "Physical Collocation" is As Defined in the Act.
  - 91 "PIC" means Primary or Presubscribed Interexchange Carrier.
- 92 "Public Safety Answering Point" or "PSAP" means an answering location for 9-1-1 calls originating in a given area. A PSAP may be designated as Primary or Secondary, which refers to the order in which calls are directed for answering. Primary PSAPs respond first. Secondary PSAPs receive calls on a transfer basis only, and generally serve as a centralized answering location for a particular type of emergency call. PSAPs are staffed by employees of

- 93 "Publisher" means BellSouth's White Pages and Yellow Pages Directories publisher(s), i.e., currently "BAPCO."
- 94 "Rate Center" means the specific geographic point which has been designated by a given LEC as being associated with a particular NPA-NXX code which has been assigned to the LEC for its provision of Telephone Exchange Service. The Rate Center is the finite geographic point identified by a specific V&H coordinate, which is used by that LEC to measure, for billing purposes, distance sensitive transmission services associated with the specific Rate Center. Rate Centers will be identical for each Party until such time as e.spire is permitted by an appropriate regulatory body to create its own Rate Centers within an area.
- 95 "Reciprocal Compensation" is As Described in the Act, and refers to the payment arrangement for transport and termination of Local Traffic specified in Attachment 3.
- 96 "Resale" means an activity wherein a certificated CLEC subscribes to the Telecommunications Services of BellSouth and then reoffers those telecommunications services to the public (with or without "adding value").
- 97 "Resale Service Area" means the area, as defined in a state Commission approved certificate of operation, within which a CLEC may offer resold local exchange telecommunications service.
- 98 "Resale Services" means the BellSouth local services provided to e.spire for Resale pursuant to the terms of Attachment 1 hereto.
- 99 "Revenue Accounting Office" (RAO) Status Company is a local exchange company/alternate local exchange company that has been assigned a unique RAO code. Message data exchanged among RAO status companies is grouped (i.e. packed) according to From/To/Bill RAO combinations.
- "Serving Wire Center" or "SWC" is as described in Attachment 3 of this Agreement.
- 101 "Shared Tenant Service" or "STS" is as defined in BellSouth's appropriate General Subscriber Service Tariff.
- "Shared Transport" or "Common Transport" is as defined in Attachment 2 of this Agreement.
- "Signal Transfer Points" ("STPs") are signaling message switches that interconnect Signaling Links to route signaling messages between switches and databases. STPs enable the exchange of Signaling System 7 ("SS7") messages between switching elements, database elements and STPs. STPs provide access to various BellSouth and third party network elements such as local switching and databases.

- "Signaling Links" are dedicated transmission paths carrying signaling messages between carrier switches and signaling networks. Signal Link Transport is a set of two or four dedicated 56 kbps transmission paths between e.spire designated Signaling Points of Interconnection that provide a diverse transmission path and cross connect to a BellSouth Signal Transfer Point.
- 105 "Subsidiary" means a corporation or other legal entity owned or controlled by a Party.
  - "Switched Access Traffic" is as described in Attachment 3 of this Agreement.
- "Synchronous Optical Network" or "SONET" means an optical interface standard that allows inter-networking of transmission products from multiple vendors. The base rate is 51.84 Mbps (OC-I/STS-1) and higher rates are direct multiples of the base rate, up to 13.22 Gpbs.
- "Tariff" means any applicable federal or state tariff of a Party, that is filed and effective with the FCC or Commission, each as may be amended by the Party from time to time, under which a Party offers a particular service, facility, or arrangement. A Tariff shall not include BellSouth's "Statement of Generally Available Terms and Conditions for Interconnection, Unbundled Network Elements, Ancillary Services and Resale of Telecommunications Services" which has been approved or is pending approval by the Commission pursuant to Section 252(f) of the Communications Act of 1934, 47 U.S.C. § 252(f).
  - "Tax" is As Defined in Part A hereof.
  - "Technically Feasible Point" is As Described in the Act.
  - "Telecommunications" is As Defined in the Act.
- 112 "Telecommunications Act of 1996" means Public Law 104-104 of the United States Congress effective February 8, 1996 as amended, and any rules, and regulations promulgated thereunder.
  - 113 "Telecommunications Carrier" is As Defined in the Act.
  - 114 "TRS" refers to Telecommunications Relay Service.
  - "Telecommunications Service" is As Defined in the Act.
  - 116 "Telcordia" is the former Bell Communications Research, Inc.
  - "Telephone Exchange Service" is As Defined in the Act.
  - "Telephone Toll Service" is As Defined in the Act.
- 119 "Toll Traffic" means traffic that is originated by a Customer of one Party on that Party's network and terminates to a Customer of the other Party on that Party's network and is not Local Traffic or ancillary traffic. Toll Traffic may be either "IntraLATA Toll Traffic" or

"InterLATA Toll Traffic," depending on whether the originating and terminating points are within the same LATA.

- 120 "Transit Traffic" means any traffic that originates from or terminates at e.spire's network, "transits" BellSouth's network substantially unchanged, and terminates to or originates from a third carrier's network, as the case may be. "Transit Traffic Service" provides e.spire with the ability to use its connection to a BellSouth Tandem for the delivery of calls which originate or terminate with e.spire and terminate to or originate from a carrier other than BellSouth, such as another CLEC, an ILEC other than BellSouth. In these cases, neither the originating nor terminating End User is an End User of BellSouth. This service is provided through BellSouth's Tandems.
  - 121 "Transport" network element is as defined in Attachment 2 of this Agreement.
  - 122 "Transport and Termination" is as described in the Act.
  - 123 "V&H Coordinates" means vertical and horizontal coordinates.
  - "Virtual Collocation" is As Defined in the Act.
- 125 "Voice Grade" means either an analog signal of 300 to 3000 Hz or a digital signal of 56/64 kilobits per second. When referring to digital voice grade service (a 56/64 kbps channel), the term "DS-0" may also be used.
- 126 "White Pages Directories" means directories or the portion of co-bound directories which include a list in alphabetical order by name of the telephone numbers and addresses of telecommunication company customers.

# **SCHEDULE OF E.SPIRE OPERATING SUBSIDIARIES**

American Communication Services of Atlanta, Inc.

American Communication Services of Baton Rouge, Inc.

American Communication Services of Birmingham, Inc.

American Communication Services of Charleston, Inc.

American Communication Services of Columbia, Inc.

American Communication Services of Columbus, Inc.

American Communication Services of Greenville, Inc.

American Communication Services of Jackson, Inc.

American Communication Services of Jacksonville, Inc

American Communication Services of Knoxville, Inc.

American Communication Services of Lexington, Inc.

American Communication Services of Louisiana, Inc.

American Communication Services of Louisville, Inc.

American Communication Services of Mobile, Inc.

American Communication Services of Montgomery, Inc.

American Communication Services of Shreveport, Inc.

American Communication Services of Spartanburg, Inc.

American Communication Services of Tampa, Inc.

# Attachment 1

Resale

#### RESALE

#### 1. Discount Rates

e.spire shall be permitted to purchase all Telecommunications Services that BellSouth provides at retail to subscribers that are not Telecommunications Carriers at a wholesale discount rate off of the retail rate for the Telecommunications Service. The wholesale discount shall be as set forth in Exhibit A to this Attachment, attached hereto and incorporated herein by this reference. Such discount shall reflect the costs avoided or avoidable by BellSouth when selling a service for wholesale purposes as established by the applicable state Commissions.

# 2. Resale at Wholesale Rates – Section 251(c)(4)

- At the request of e.spire, BellSouth shall make available to e.spire for resale at wholesale rates all Telecommunications Services that BellSouth provides at retail to subscribers who are not Telecommunications Carriers, as required by Section 251(c)(4) of the Act (the "Resale Services") and applicable FCC orders and rules, at the terms, conditions and limitations set forth in this Agreement. Resale Services shall include, but not be limited to, the following categories of Telecommunications Services as long as they continue to be provided by BellSouth:
  - (i) Local Service Residence, as described in the applicable Tariff;
  - (ii) Local Service Business, as described in the applicable Tariff;
  - (iii) Message Toll Service, as described in the applicable Tariff;
  - (iv) PBX Trunk, as described in the applicable Tariff;
  - (v) ISDN Services, as described in the applicable Tariff;
  - (vi) Centrex Service, as described in the applicable Tariff;
  - (vii) Private Line Services, as described in the applicable Tariff;
  - (viii) IntraLATA Inbound Services, as described in the applicable Tariff;
  - (ix) Customer Owned Pay Telephone Access Line Services, as described in the applicable Tariff; and
  - (x) Frame Relay Service, as described in the applicable Tariff.

The Resale Services shall be made available to espire at the discount rates set forth in this Attachment to the Agreement.

### 2.2 Other Services

- 2.2.1. BellSouth may, at its sole discretion, and as agreed to by e.spire, make available to e.spire under this Agreement services other than Telecommunications Services for resale at rates, terms and conditions agreed upon by the Parties.
- 2.2.2. "Grandfathered Services" include any Telecommunications Services, which BellSouth offers to existing subscribers of applicable retail services, but not to new subscribers. BellSouth agrees to make Grandfathered Services available to e.spire for resale to any End User of BellSouth that subscribes to a Grandfathered Service from BellSouth at the time of its selection of e.spire as its service provider; provided that if such Grandfathered Services are provided under a Shared Tenant Service arrangement, such Grandfathered Services shall be available for resale by e.spire to all existing and future tenants of the premises covered by the Shared Tenant Service arrangement. If a local Telecommunications Service is subsequently classified as a Grandfathered Service by BellSouth, BellSouth agrees to continue to sell such Grandfathered Service to e.spire for resale to e.spire's Customers that subscribe to such Grandfathered Service at the time it is so classified by BellSouth, on the same terms and conditions that BellSouth sales the service to its own end users.
- 2.2.3. Excepting the application of the wholesale discount specified in Exhibit A hereto, each Party acknowledges that Resale Services shall be available to espire on the same basis as offered by BellSouth to itself or to any Subsidiary, Affiliate, or any other Person to which BellSouth directly provides the Resale Services, including BellSouth's retail Customers and other resellers of BellSouth's Telecommunications Services, provided that such Resale Services shall be provided (i) only in those service areas in which such Resale Services (or any feature or capability thereof) are offered by BellSouth as an incumbent LEC to any other Person, and (ii) to the same extent as BellSouth's retail Telecommunications Services are subject to the availability of facilities.

#### 3. General Provisions

BellSouth shall make available Telecommunications Services for resale at the rates set forth herein to this Attachments and subject to the exclusions and limitations set forth in <a href="Exhibit B">Exhibit B</a> to this Agreement. Unless otherwise set forth in this Attachment, neither Party hereby waives its rights to appeal or otherwise challenge any decision regarding resale that resulted in the discount rates contained in <a href="Exhibit A">Exhibit A</a> or the exclusions and limitations contained in <a href="Exhibit B">Exhibit B</a>.

The Parties reserve the right to pursue any and all legal and/or equitable remedies, including appeals of any decisions. If such appeals or challenges result in changes in the discount rates or exclusions and limitations, the Parties agree that appropriate modifications to this Agreement will be made promptly to make its terms consistent with the outcome of the appeal.

- e.spire may purchase Resale services from BellSouth for its own use in operating its business. The resale discount will apply to those services under the following conditions:
  - 3.2.1 e.spire must resell services to other End Users.
  - 3.2.2 e.spire must order services through resale interfaces, i. e., the Local Carrier Service Center (LCSC) and/or appropriate Resale Account Teams pursuant to Section 3 of the General Terms and Conditions.
  - 3.2.3 e.spire cannot be a CLEC for the single purpose of selling to itself.
- 3.3 BellSouth shall not be required to provide to e.spire Resale Services at a wholesale rate when those services are offered at a special promotional rate if:
  - (a) Such promotions involve rates that will be in effect for not more than ninety (90) days; and
  - (b) Such promotional offerings are not used to evade the wholesale rate obligation; for example, by making available a series of ninety (90) day promotional rates.
- 3.4 The provision of services by BellSouth to e.spire does not constitute a joint undertaking for the furnishing of any service.
- e.spire will be the Customer of Record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and expect payment from e.spire for all services.
- e.spire will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the End User except to the extent provided for herein.
- 3.7 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth.
- 3.8 BellSouth maintains the right to serve directly any End User within the service area of e.spire. BellSouth will continue to directly market its own telecommunications products and services and in doing so may establish independent relationships with End Users of e.spire.

- 3.9 Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- 3.10 Current telephone numbers may normally be retained by the End User. However, neither Party nor the End User has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to require the continuance of service through any particular Central Office. BellSouth reserves the right to change such numbers, or the Central Office designation associated with such numbers, or both, whenever such change is reasonably necessary to the conduct of business.
- 3.11 For the purpose of the resale of BellSouth's Telecommunications Services by e.spire, BellSouth will provide e.spire with an on line access to telephone numbers for reservation on a first come first serve basis. Such reservations of telephone numbers, on a pre-ordering basis shall be for a period of nine (9) days. e.spire acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC) and in such instances BellSouth may request on a nondiscriminatory basis that e.spire cancel its reservations of numbers. e.spire shall comply with such request.
- 3.12 Further, upon e.spire's request, and for the purpose of the resale of BellSouth's telecommunications services by e.spire, BellSouth will reserve up to 100 telephone numbers per CLLIC, for e.spire's sole use. Such telephone number reservations shall be valid for ninety (90) days from the reservation date. e.spire acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and in such instances BellSouth shall use its best efforts to reserve for a ninety (90) day period a sufficient quantity of e.spire's reasonable need in that particular CLLIC.
- 3.13 BellSouth may provide any Telecommunications Service it offers to its End Users or facility for which a charge is not established herein, as long as it is offered on the same terms to e.spire at rates that reflect the resale discount expressed in Exhibit A hereto.
- 3.14 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.15 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.16 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.17 BellSouth accepts no responsibility to any person for any unlawful act committed by e.spire or its End Users as part of providing service to e.spire for purposes of resale or otherwise.

- 3.18 The Parties will cooperate fully with law enforcement agencies with subpoenas and court orders as specified in Section 17 of the General Terms and Conditions of this Agreement.
- 3.19 The characteristics and methods of operation of any circuits, facilities or equipment provided by any person or entity other than BellSouth shall not:
  - 3.19.1. Interfere with or impair service over any facilities of BellSouth, its Affiliates, or its connecting and concurring carriers involved in its service;
  - 3.19.2. Cause damage to BellSouth's plant;
  - 3.19.3. Impair the privacy of any communications; or
  - 3.19.4. Create hazards to any BellSouth employees or the public.
- 3.20 e.spire assumes the responsibility of notifying BellSouth regarding less than standard operations with respect to services provided by e.spire.
- Facilities and/or equipment utilized by BellSouth to provide service to e.spire remain the property of BellSouth.
- 3.22 White Page Directory Listings will be provided in accordance with regulations set forth in Section A6 of the General Subscriber Services Tariff and will be available for resale.
- 3.23 BellSouth shall provide electronic access to customer record information to e.spire; provided that e.spire has the appropriate Letter(s) of Authorization. BellSouth shall provide customer record information in accordance with the terms of Attachment 6 (OSS, O&P) hereto.
- 3.24 Where available to BellSouth's end users, BellSouth shall provide the following Telecommunications Services at a discount to allow for voice mail services:
  - Simplified Message Desk Interface Enhanced ("SMDI-E")
  - Simplified Message Desk Interface ("SMDI") Message Waiting Indicator ("MWI") stutter dialtone and message waiting light feature capabilities
  - Call Forward on Busy/Don't Answer ("CF-B/DA")
  - Call Forward on Busy ("CF/B")
  - Call Forward Don't Answer ("CF/DA")
- 3.25 BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale at rates charged to BellSouth End Users, but without the wholesale discount.

- 3.26 BellSouth's Inside Wire Maintenance Service Plan shall be made available for resale at rates, terms and conditions offered to BellSouth End Users, but without the wholesale discount.
- 3.27 Recovery of charges associated with implementing Number Portability through monthly charges assessed to end users has been authorized by the FCC. This end user line charge will be billed to Resellers of BellSouth's telecommunications services and will be as filed in the BellSouth FCC No. 1 tariff. This charge will not be discounted.
- 3.28 BellSouth shall refer all questions regarding any e.spire service or product directly to e.spire. BellSouth shall use its best efforts to ensure that all BellSouth representatives who receive inquiries regarding e.spire services do not in any way disparage or discriminate against e.spire or its products or services
- 3.29 The same quality standards that BellSouth requires of its employees when contacting BellSouth End Users (e.g., honesty, respect and courtesy) shall apply when its employees are in contact with e.spire End Users.

# 4. BellSouth's Provision of Services to e.spire

- 4.1 e.spire agrees that its resale of BellSouth services shall be as follows:
  - 4.1.1. The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
  - 4.1.2. Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital end users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Independent Payphone Provider (IPP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
  - 4.1.3. BellSouth reserves the right to periodically audit services purchased by e.spire to establish authenticity of use. Such audit shall not occur more than once in a calendar year. e.spire shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit.
- 4.2 Resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features, e.g. a

- usage allowance per month, shall not be aggregated across multiple resold services.
- 4.3 e.spire may resell services only within the specific resale service area as defined in its certificate.
- 4.4 Telephone numbers transmitted via any resold service feature are intended solely for the use of the End User of the feature. Resale of this information is prohibited.
- e.spire may provide both flat and measured rate service on the same business premise to the same subscribers (End Users) only in accordance with Section A2 of BellSouth's General Subscriber Tariff.

# 5. New Resale Services; Changes in Provision of Resale Services

BellSouth shall use best efforts to provide e.spire forty-five (45) days advance notice via Internet posting of changes to the prices, terms or conditions of services available for Resale. To the extent that revisions occur between the time BellSouth notifies e.spire of changes under this Agreement and the time the changes are scheduled to be implemented, BellSouth will notify e.spire of such revisions consistent with its internal notification process; provided that, e.spire shall not utilize any notice given under this subsection to market resold offerings of that service in advance of BellSouth. In addition, upon request BellSouth shall furnish e.spire with copies of publicly available service descriptions regarding the Resale Services. Notwithstanding the foregoing, e.spire shall not utilize any such BellSouth service descriptions as part of its own sales or marketing efforts.

#### 6. Maintenance of Services

- 6.1 e.spire will adhere to the reasonable and nondiscriminatory procedures established by BellSouth regarding maintenance and installation of service.
- 6.2 Services resold under BellSouth's Tariffs and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- 6.3 e.spire or its end users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth, other than by connection or disconnection to any interface means used, except with the written consent of BellSouth.
- e.spire accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.

- e.spire will be BellSouth's single point of contact for all repair calls on behalf of e.spire's End Users. The parties agree to provide one another with toll-free contact numbers for such purposes.
- 6.6 BellSouth will bill e.spire for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.
- 6.7 BellSouth reserves the right to contact e.spire's End Users, if deemed necessary, for maintenance purposes.

## 7. Establishment of Service

- 7.1 After receiving certification as a Local Exchange Company from the appropriate regulatory agency, unless it has already done so, e.spire will provide the appropriate BellSouth service center the necessary documentation to enable BellSouth to establish a master account for e.spire's resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable. When necessary deposit requirements are met, BellSouth will begin taking orders for the resale of service.
- 7.2 Service orders will be in a standard format designated by BellSouth. All Local Service Requests ("LSRs") submitted for products and services under this Attachment will be subject to the OSS charges set forth in the General Terms and Conditions of this Agreement.
- 7.3 When notification is received from e.spire that a current End User of BellSouth will subscribe to e.spire's service, standard service order intervals for the appropriate class of service will apply.
- 7.4 BellSouth will not require End User confirmation prior to establishing service for e.spire's End User customer. e.spire must, however, be able to demonstrate End User authorization upon request.
- ordering activity resulting in additions or changes to resold services except that BellSouth will accept a request directly from the End User for conversion of the End User's service from e.spire to BellSouth or will accept a request from another CLEC for conversion of the End User's service from e.spire to the other LEC. BellSouth will notify e.spire within five (5) business days via US mail that such a request has been processed.

- 7.6 If BellSouth determines that an unauthorized change in local service to e.spire has occurred, BellSouth will reestablish service with the appropriate local service provider and will assess e.spire as the CLEC initiating the unauthorized change, the unauthorized change charge described in BellSouth FCC. Tariff No. 1, Section 13 or applicable state tariff. Appropriate nonrecurring charges, as set forth in Section A4 of the General Subscriber Service Tariff, will also be assessed to e.spire. These charges will be refunded if e.spire provides satisfactory proof of authorization.
- 7.7 BellSouth reserves the right to secure a deposit not to exceed two (2) estimated months billing. Any such security deposit may be held during the continuance of the service as security for the payment of any and all amounts accruing for the service.
  - 7.7.1 The fact that a security deposit has been made in no way relieves from complying with BellSouth's regulations as to advance payments and the prompt payment of bills on presentation nor does it constitute a waiver or modification of the regular practices of BellSouth providing for the discontinuance of service for non-payment of any sums due BellSouth.
  - 7.7.2 BellSouth reserves the right to increase the security deposit requirements when, in its sole judgment, circumstances so warrant and gross monthly billing has increased beyond the level initially used to determine the security deposit.
  - 7.7.3 In the event that e.spire defaults on its account, service to e.spire will be terminated and any security deposits held will be applied to its account.
  - 7.7.4 Interest on a security deposit shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff.
- 7.8 Orders to switch services "as is" shall be treated as a change of service and shall not be treated as a disconnection and subsequent reconnection of service.
- 7.9 BellSouth shall provide e.spire notification of disconnects, updated and delivered once daily, via an electronic process known as OUTPLOC.

# 8. Payment And Billing Arrangements

- 8.1 BellSouth shall bill e.spire on a current basis all applicable charges and credits.
- Payment of all charges will be the responsibility of e.spire. e.spire shall make payment to BellSouth for all services billed. BellSouth is not responsible for payments not received by e.spire from e.spire's End User. BellSouth will not become involved in billing disputes that may arise between e.spire and its End

User. Payments made to BellSouth as payment on account will be credited to an accounts receivable master account and not to an End User's account.

- 8.3 BellSouth will render bills each month on established bill days for each of e.spire's accounts.
- 8.4 BellSouth will bill e.spire, in advance charges for all services to be provided during the ensuing billing period except charges associated with service usage, which charges will be billed in arrears. Charges will be calculated on an individual End User account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill e.spire, and e.spire will be responsible for and remit to BellSouth, all government mandated surcharges applicable to resold services including but not limited to 911 and E911 charges, telecommunications relay charges (TRS), and franchise fees.
- 8.5 The payment will be due by the next bill date (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.
  - 8.5.1. If the payment due date falls on a Sunday or on a holiday which is observed on a Monday, the payment due date shall be the first non-holiday day following such Sunday or holiday. If the payment due date falls on a Saturday or on a holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-holiday day preceding such Saturday or holiday. If payment is not received by the payment due date, a late payment penalty, as set forth in Section 8.7 following, shall apply.
  - 8.5.2. If e.spire requests multiple billing media or additional copies of bills, BellSouth will provide these at an appropriate charge to e.spire.

# 8.6 Billing Disputes

- 8.6.1 Any billing disputes shall be handled in accordance with Section 26 of the General Term and Conditions and Attachment 7 of this Agreement.
- Upon proof of tax exempt certification from e.spire, the total amount billed to e.spire will not include any taxes due from the end user to reflect the tax exempt certification and local tax laws. e.spire will be solely responsible for the computation, tracking, reporting, and payment of taxes applicable to e.spire's end user.
- If any portion of the payment is received by BellSouth after the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment penalty shall be due to BellSouth. The late payment penalty shall be the portion of the payment not received by the payment due date times a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of

the General Subscriber Services Tariff and Section B2 of the Private Line Service Tariff.

- 8.9 Any switched access charges properly billed to interexchange carriers for access to the resold local exchange lines will be billed by, and due to, BellSouth. e.spire shall bill access charge components properly billed to End Users.
- 8.10 BellSouth will not perform billing and collection services for e.spire as a result of the execution of this Agreement. All requests for billing services should be referred to the appropriate entity or operational group within BellSouth.
- Pursuant to 47 CFR Section 51.617, BellSouth will bill espire directly the end user common line charges in the amount identical to the end user common line charges BellSouth bills its end users.
- 8.12 In general, BellSouth will not become involved in disputes between e.spire and e.spire's End User customers over resold services. If a dispute does arise that cannot be settled without the involvement of BellSouth, e.spire shall contact the designated Service Center for resolution. BellSouth will make every effort to assist in the resolution of the dispute and will work with e.spire to resolve the matter in as timely a manner as possible. e.spire may be required to submit documentation to substantiate the claim.

# 9. Discontinuance of Service

- 9.1 The procedures for discontinuing service to an End User are as follows:
  - 9.1.1. Where possible, BellSouth will deny service to e.spire's End User on behalf of, and at the request of, e.spire. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of e.spire.
  - 9.1.2. At the request of e.spire, BellSouth will disconnect -an e.spire End User customer.
  - 9.1.3. All requests by e.spire for denial or disconnection of an End User for nonpayment must be in writing.
  - 9.1.4. e.spire will be made solely responsible for notifying the End User of the proposed disconnection of the service.
  - 9.1.5. BellSouth will continue to process calls made to the Annoyance Call Center and will advise e.spire when it is determined that annoyance calls are originated from one of their End User's locations. BellSouth shall be indemnified, defended and held harmless by e.spire and/or the End User against any claim, loss or damage arising from providing this information

- to e.spire. It is the responsibility of e.spire to take the corrective action necessary with its End Users who make annoying calls. Failure to do so will result in BellSouth's disconnecting the End User's service.
- 9.1.6. Use of Facilities. When an End User of e.spire elects to discontinue service from e.spire and to transfer service to another LEC, including BellSouth, BellSouth shall have the right to reuse the facilities provided to e.spire for retail or Resale service or as, unbundled Loops or unbundled Ports for that End User. In addition, BellSouth may disconnect and reuse facilities when the facility is in a denied state, and BellSouth has received an order to establish new service, or transfer service from an End User or an End User's CLEC, at the same address served by the denied facility.
  - 9.1.6.1. The foregoing applies when BellSouth has received a new order from the End User or the End User's new LEC for a retail service or Resale service or for a UNE which the End User or the End User's new LEC has indicated constitutes a transfer of service from the LEC to another provider (i.e., the order is not for a new line or an additional line).
  - 9.1.6.2. The order for retail service, Resale service, unbundled Loop and/or Port can be for either Exchange or private line service.
- 9.2 The procedures for discontinuing service to e.spire are as follows:
  - 9.2.1. BellSouth reserves the right to suspend or terminate service for nonpayment or in the event of prohibited, unlawful or improper use of the facilities or service, abuse of the facilities, or any other violation or noncompliance by e.spire of the rules and regulations of BellSouth's Tariffs.
  - 9.2.2. If payment of account is not received by the bill day in the month after the original bill day, BellSouth may provide written notice to e.spire, that additional applications for service will be refused and that any pending orders for service will not be completed if payment is not received by the fifteenth day following the date of the notice. In addition BellSouth may, at the same time, give thirty days notice to the person designated by e.spire to receive notices of noncompliance, and discontinue the provision of existing services to e.spire at any time thereafter.
  - 9.2.3. In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.
  - 9.2.4. If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and e.spire's noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to e.spire without further notice.

- 9.2.5. If payment is not received or arrangements made for payment by the date given in the written notification, e.spire's services will be discontinued. Upon discontinuance of service on a e.spire's account, service to e.spire's End Users will be denied. BellSouth will also reestablish service at the request of the End User or e.spire upon payment of the appropriate connection fee and subject to BellSouth's normal application procedures. e.spire is solely responsible for notifying the End User of the proposed disconnection of the service.
- 9.2.6. If within fifteen days after an End User's service has been denied no contact has been made in reference to restoring service, the End User's service will be disconnected.

## 10. Functionality Required to Support Resale Service.

- 10.1 LEC Assigned Telephone Calling Card Numbers. Effective as of the date of an End User's subscription to e.spire's service, BellSouth shall block the LEC-assigned telephone line calling card number (including area code) ("TLN") from the Line Identification Database ("LIDB"), unless otherwise agreed by e.spire in the Implementation Plan.
- 10.2 Telephone Assistance Programs. Telephone Assistance Programs shall be available for Resale as indicated in Exhibit B to this Attachment. Upon conversion to e.spire's Resale Service of an existing Telecommunications Assistance Program Customer, no exchange of qualification documentation is necessary.
- 10.3 9-1-1 Services. BellSouth shall provide to e.spire "911" emergency call routing services in accordance with the terms of Attachment 2 to the Agreement.
- 10.4 Special Services. If BellSouth makes a notation on the Customer Service Record ("CSR") of End Users who qualify for certain services available to physically challenged individuals (e.g., special discounts) ("Special Services"), BellSouth shall provide such data to e.spire on the CSR made available to BellSouth for its End Users. For usage by an e.spire End User of a Telephone Relay Service ("TRS"), BellSouth shall provide e.spire with all billing information furnished to BellSouth by the provider of the TRS.
- 10.5 TTY/TDD. BellSouth shall cooperate with e.spire to provide services and equipment necessary to serve TTY/TDD customers at rates, terms and conditions set forth in a separate agreement to be negotiated between the Parties.

# 11. Resale of Customer Specific Arrangements

11.1 CSAs shall be available for resale at the wholesale discount set forth in Exhibit A of this Attachment; provided, however, that in the event the Commission establishes a specific discount for CSAs such discount shall apply thereafter. e.spire may resell a CSA to the end user for whom the CSA was constructed or to end users similarly situated to the specific end user for whom the CSA was constructed. Customers shall be deemed to be similarly situated when the quantity of use; time of use; manner of service; and costs of rendering the service are the same. In cases where e.spire resells an existing CSA, no termination or rollover charges shall apply to the assignment of the CSA to e.spire provided that e.spire assumes the obligations set forth within the CSA. Notwithstanding the foregoing, BellSouth may impose a single service order charge (not to exceed the level of tariffed service order charges for comparable services) to recover the cost of changing the billing name on the account.

# 12. Line Information Database (LIDB)

- 12.1 BellSouth will store in its Line Information Database (LIDB) records relating to service only in the BellSouth region. The LIDB Storage Agreement is included in this Attachment as Exhibit C.
- 12.2 BellSouth will provide LIDB Storage upon written request to e.spire Account Manager stating requested activation date.

# 13. RAO Hosting

- 13.1 The RAO Hosting Agreement is included in this Attachment as Exhibit D. Rates for BellSouth's Centralized Message Distribution System (CMDS) are as set forth in Exhibit H of this Attachment.
- 13.2 BellSouth will provide RAO Hosting upon written request to its Account Manager stating requested activation date.

# 14. Optional Daily Usage File (ODUF)

- 14.1 The Optional Daily Usage File (ODUF) Agreement with terms and conditions is included in this Attachment as <a href="Exhibit E">Exhibit E</a>. Rates for ODUF are as set forth in <a href="Exhibit H">Exhibit H</a> of this Attachment.
- 14.2 BellSouth will provide Optional Daily Usage File (ODUF) service upon written request to its Account Manager stating requested activation date.

# 15. Enhanced Optional Daily Usage File (EODUF)

- 15.1 The Enhanced Optional Daily Usage File (EODUF) service Agreement with terms and conditions is included in this Attachment as Exhibit F. Rates for EODUF are as set forth in Exhibit H of this Attachment.
- 15.2 BellSouth will provide Enhanced Optional Daily Usage File (EODUF) service upon written request to its Account Manager stating requested activation date.

# 16. Calling Name Delivery (CNAM) Database Service

- 16.1 Calling Name Delivery (CNAM) Database Service Agreement is included in this Attachment as <u>Exhibit F</u>. Rates for CNAM are as set forth in <u>Exhibit H</u> of this Attachment.
- 16.2 BellSouth will provide Calling Name Delivery (CNAM) Database service upon written request to its Account Manager stating requested activation date.

#### **EXHIBIT A**

#### **APPLICABLE DISCOUNTS**

The Telecommunications Services available for purchase by e.spire for the purposes of resale to e.spire End Users shall be available at the following discount off of the retail rate.

### **DISCOUNT\***

STATE	RESIDENCE	BUSINESS	CSAs***
ALABAMA	16.3%	16.3%	
FLORIDA	21.83%	16.81%	
GEORGIA	20.3%	17.3%	
KENTUCKY	16.79%	15.54%	
LOUISIANA	20.72%	20.72%	9.05%
MISSISSIPPI	15.75%	15.75%	
NORTH CAROLINA	21.5%	17.6%	
SOUTH CAROLINA	14.8%	14.8%	8.98%
TENNESSEE**	16%	16%	

- \* When a CLEC provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- \*\* In Tennessee, if CLEC provides its own operator services and directory services, the discount shall be 21.56%. CLEC must provide written notification to BellSouth within 30 days prior to providing its own operator services and directory services to qualify for the higher discount rate of 21.56%.
- \*\*\* Unless noted in this column, the discount for Business will be the applicable discount rate for CSAs.

# EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE

Type of AL FL GA KY LA Service Resale? Discount? Resale? Discount? Resale? Discount? Resale? Discount? Resale Discount? 1 Grandfathered Services Yes (Note 1) 2 Contract Service Yes Arrangements 3 Promotions - > 90 Days(Note Yes 4 Promotions - < 90 Days Yes No Yes No Yes No Yes No Yes No (Note 2) 5 Lifeline/Link Up Services Yes Yes Yes Yes Yes Yes Note 3 Note 3 Yes Yes 6 911/E911 Services Yes 7 N11 Services Yes Yes Yes Yes Yes Yes No No No No 8 AdWatch<sup>SM</sup> Svc (See Note 6) Yes No Yes No Yes Yes No No Yes No 9 MemoryCall\* Service Yes No Yes No Yes No Yes No Yes No 10 Mobile Services Yes No Yes No Yes No Yes No Yes No 11 Federal Subscriber Line Yes No Yes No Yes No Yes No Yes No Charges 12 Non-Recurring Charges Yes 13 End User Line Charge -Yes No Yes No Yes Yes No No Yes No Number Portability

Type of			MS		NC		SC		TN
	Service	Resale?	Discount?	Resale?	Discount?	Resale?	Discount?	Resale?	Discount?
1	Grandfathered Services (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
2	Contract Service Arrangements	Yes	Yes	Yes	Yes	Yes	Yes	Yes -	Yes
3	Promotions - > 90 Days	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Note 2
4	Promotions - < 90 Days (Note 2)	Yes	No	Yes	No	Yes	No	Yes	No
5	Lifeline/Link Up Services	Yes	Yes	Yes	Yes	Yes	· Yes	Yes	Note 3
6	911 E911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
7	N11 Services	No	No	No	No	Yes	Yes	Yes	Yes

1	AdWatch <sup>SM</sup> Svc (See Note 6)	Yes	No	Yes	No	Yes	No	Yes	No
9	MemoryCall® Service	Yes	No	Yes	No	Yes	No	Yes	No
10	Mobile Services	Yes	No	Yes	No	Yes	No	Yes	No
l	Federal Subscriber Line Charges	Yes	No	Yes	No	Yes	No	Yes	No
12	Non-Recurring Charges	Yes	No						
13	End User Line Charge – Number Portability	Yes	No	Yes	No	Yes	No	Yes	No

#### **Applicable Notes:**

- <u>1</u> Grandfathered services can be resold only to existing subscribers of the grandfathered service.
- Where available for resale, **promotions** will be made available only to end users who would have qualified for the promotion had it been provided by BellSouth directly.
- Lifeline/Link Up services may be offered only to those subscribers who meet the criteria that BellSouth currently applies to subscribers of these services. In Kentucky, e.spire is responsible for funding its own Lifeline and Link Up benefit. In Tennessee, e.spire shall purchase BellSouth's Message Rate Service at the stated tariff rate, less the wholesale discount. e.spire must further discount the wholesale Message Rate Service to Lifeline customers with a discount which is no less than the minimum discount that BellSouth now provides. e.spire is responsible for recovering the Subscriber Line Charge from the National Exchange Carriers Association interstate toll settlement pool just as BellSouth does today. The maximum rate that e.spire may charge for Lifeline Service shall be capped at the flat retail rate offered by BellSouth.
- <u>4</u> Some of BellSouth's local exchange and toll telecommunications services are not available in certain central offices and areas.
- <u>5</u> AdWatch<sup>SM</sup> Service is tariffed as BellSouth<sup>®</sup> AIN Virtual Number Call Detail Service.

# LINE INFORMATION DATA BASE (LIDB) STORAGE AGREEMENT

#### I. SCOPE

- A. This Agreement sets forth the terms and conditions pursuant to which BST agrees to store in its LIDB certain information at the request of the Local Exchange Company and pursuant to which BST, its LIDB customers and Local Exchange Carrier shall have access to such information. Local Exchange Carrier understands that BST provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Local Exchange Carrier, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained in the attached Addendum(s) are hereby made a part of this Agreement as if fully incorporated herein.
  - B. LIDB is accessed for the following purposes:
    - 1. Billed Number Screening
    - 2. Calling Card Validation
    - 3. Fraud Control
- C. BST will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BST's LIDB, provided that such information is included in the LIDB query. BST will establish fraud alert thresholds and will notify the Local Exchange Company of fraud alerts so that the Local Exchange Company

may take action it deems appropriate. Local Exchange Company understands and agrees BST will administer all data stored in the LIDB, including the data provided by Local Exchange Company pursuant to this Agreement, in the same manner as BST's data for BST's end user customers. BST shall not be responsible to Local Exchange Company for any lost revenue which may result from BST's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BST in its sole discretion from time to time.

Local Exchange Company understands that BST currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses. Local Exchange Company further understands that these billing and collection customers of BST query BST's LIDB to determine whether to accept various billing options from end users. Additionally, Local Exchange Company understands that presently BST has no method to differentiate between BST's own billing and line data in the LIDB and such data which it includes in the LIDB on Local Exchange Company's behalf pursuant to this Agreement. Therefore, until such time as BST can and does implement in its LIDB and its supporting systems the means to differentiate Local Exchange Company's data from BST's data and the parties to this Agreement execute appropriate amendments hereto, the following terms and conditions shall apply:

(a) The Local Exchange Company agrees that it will accept responsibility for telecommunications services billed by BST for its billing and collection customers for Local Exchange Customer's end user accounts which are resident in LIDB pursuant to this Agreement. Local Exchange Company authorizes BST to place such charges on Local

Exchange Company's bill from BST and agrees that it shall pay all such charges. Charges for which Local Exchange Company hereby takes responsibility include, but are not limited to, collect and third number calls.

- (b) Charges for such services shall appear on a separate BST bill page identified with the name of the entity for which BST is billing the charge.
- (c) Local Exchange Company shall have the responsibility to render a billing statement to its end users for these charges, but Local Exchange Company's obligation to pay BST for the charges billed shall be independent of whether Local Exchange Company is able or not to collect from the Local Exchange Company's end users.
- (d) BST shall not become involved in any disputes between Local Exchange Company and the entities for which BST performs billing and collection.

  BellSouth will not issue adjustments for charges billed on behalf of an entity to Local Exchange Company. It shall be the responsibility of the Local Exchange Company and the other entity to negotiate and arrange for any appropriate adjustments.

#### II. TERM

This Agreement will be effective as of \_\_\_\_\_\_\_, 2000, and will continue in effect for one year, and thereafter may be continued until terminated by either party upon thirty (30) days written notice to the other party.

## III. FEES FOR SERVICE AND TAXES

- A. The Local Exchange Company will not be charged a fee for storage services provided by BST to the Local Exchange Company, as described in Section I of this Agreement.
- B. Sales, use and all other taxes (excluding taxes on BST's income) determined by BST or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by the Local Exchange Company. The Local Exchange Company shall have the right to have BST contest with the imposing jurisdiction, at the Local Exchange Company's expense, any such taxes that the Local Exchange Company deems are improperly levied.

## IV. INDEMNIFICATION

To the extent not prohibited by law, each party will indemnify the other and hold the other harmless against any loss, cost, claim, injury, or liability relating to or arising out of negligence or willful misconduct by the indemnifying party or its agents or contractors in connection with the indemnifying party's provision of services, provided, however, that any indemnity for any loss, cost, claim, injury or liability arising out of or relating to errors or omissions in the provision of services under this Agreement shall be limited as otherwise specified in this Agreement. The indemnifying party under this Section agrees to defend any suit brought against the other party for any such loss, cost, claim, injury or liability. The indemnified party agrees to notify the other party promptly, in writing, of any written claims, lawsuits, or demands for which the other party is responsible under this Section and to cooperate in every reasonable way to facilitate defense or settlement of claims. The

indemnifying party shall not be liable under this Section for settlement by the indemnified party of any claim, lawsuit, or demand unless the defense of the claim, lawsuit, or demand has been tendered to it in writing and the indemnifying party has unreasonably failed to assume such defense.

# V. LIMITATION OF LIABILITY

Neither party shall be liable to the other party for any lost profits or revenues or for any indirect, incidental or consequential damages incurred by the other party arising from this Agreement or the services performed or not performed hereunder, regardless of the cause of such loss or damage.

## VI. MISCELLANEOUS

- A. It is understood and agreed to by the parties that BST may provide similar services to other companies.
- B. All terms, conditions and operations under this Agreement shall be performed in accordance with, and subject to, all applicable local, state or federal legal and regulatory tariffs, rulings, and other requirements of the federal courts, the U. S. Department of Justice and state and federal regulatory agencies. Nothing in this Agreement shall be construed to cause either party to violate any such legal or regulatory requirement and either party's obligation to perform shall be subject to all such requirements.
  - C. The Local Exchange Company agrees to submit to BST all advertising, sales

promotion, press releases, and other publicity matters relating to this Agreement wherein BST's corporate or trade names, logos, trademarks or service marks or those of BST's affiliated companies are mentioned or language from which the connection of said names or trademarks therewith may be inferred or implied; and the Local Exchange Company further agrees not to publish or use advertising, sales promotions, press releases, or publicity matters without BST's prior written approval.

- D. This Agreement constitutes the entire agreement between the Local Exchange Company and BST which supersedes all prior agreements or contracts, oral or written representations, statements, negotiations, understandings, proposals and undertakings with respect to the subject matter hereof.
- E. Except as expressly provided in this Agreement, if any part of this Agreement is held or construed to be invalid or unenforceable, the validity of any other Section of this Agreement shall remain in full force and effect to the extent permissible or appropriate in furtherance of the intent of this Agreement.
- F. Neither party shall be held liable for any delay or failure in performance of any part of this Agreement for any cause beyond its control and without its fault or negligence, such as acts of God. acts of civil or military authority, government regulations, embargoes, epidemics, war. terrorist acts, riots, insurrections, fires, explosions, earthquakes, nuclear accidents, floods, strikes, power blackouts, volcanic action, other major environmental disturbances, unusually severe weather conditions, inability to secure products or services of other persons or transportation facilities, or acts or omissions of transportation common carriers.

G. This Agreement shall be deemed to be a contract made under the laws of the State of Georgia, and the construction, interpretation and performance of this Agreement and all transactions hereunder shall be governed by the domestic law of such State.

# RESALE ADDENDUM TO LINE INFORMATION DATA BASE (LIDB) STORAGE AGREEMENT

	is is a Resale Addendum to the Line Information Data Base Storage Agreement
dated_	, 2000, between BellSouth Telecommunications,
Inc. ("	Γ"), and Local Exchange Company ("Local Exchange Company"), effective the
	of, 2000.

# I. GENERAL

This Addendum sets forth the terms and conditions for Local Exchange Company's provision of billing number information to BST for inclusion in BST's LIDB. BST will store in its LIDB the billing number information provided by Local Exchange Company, and BST will provide responses to on-line, call-by-call queries to this information for purposes specified in Section I.B. of the Agreement.

## II. **DEFINITIONS**

- A. Billing number a number used by BST for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten digit number assigned by BST that identifies a telephone line associated with a resold local exchange service, or with a SPNP arrangement.
- C. Special billing number a ten digit number that identifies a billing account established by BST in connection with a resold local exchange service or with a SPNP arrangement.
  - D. Calling Card number a billing number plus PIN number assigned by BST.
- E. PIN number a four digit security code assigned by BST which is added to a billing number to compose a fourteen digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by the Local Exchange Company.
- G. Billed Number Screening refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number or Calling Card number as assigned by BST and toll billing exception indicator provided to BST by the Local Exchange Company.

#### III. RESPONSIBILITIES OF PARTIES

- A. BST will include billing number information associated with resold exchange lines or SPNP arrangements in its LIDB. The Local Exchange Company will request any toll billing exceptions via the Local Service Request (LSR) form used to order resold exchange lines, or the SPNP service request form used to order SPNP arrangements.
- B. Under normal operating conditions, BST shall include the billing number information in its LIDB upon completion of the service order establishing either the resold local exchange service or the SPNP arrangement, provided that BST shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BST's reasonable control. BST will store in its LIDB an unlimited volume of the working telephone numbers associated with either the resold local exchange lines or the SPNP arrangements. For resold local exchange lines or for SPNP arrangements, BST will issue line-based calling cards only in the name of Local Exchange Company. BST will not issue line-based calling cards in the name of Local Exchange Company's individual end users. In the event that Local Exchange Company wants to include calling card numbers assigned by the Local Exchange Company in the BST LIDB, a separate agreement is required.
- C. BST will provide responses to on-line, call-by-call queries to the stored information for the specific purposes listed in the next paragraph.
- D. BST is authorized to use the billing number information to perform the following functions for authorized users on an on-line basis:

- 1. Validate a 14 digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BST, and where the last four digits (PIN) are a security code assigned by BST.
- 2. Determine whether the Local Exchange Company has identified the billing number as one which should not be billed for collect or third number calls, or both.

# **RAO** Hosting

- 1. RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to e.spire by BellSouth will be in accordance with the methods and practices regularly adopted and applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 2. e.spire shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 3. Applicable compensation amounts will be billed by BellSouth to e.spire on a monthly basis in arrears. Amounts due from one Party to the other (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- 4. e.spire must have its own unique RAO code. Requests for establishment of RAO status where BellSouth is the selected Centralized Message Distribution System (CMDS) interfacing host, require written notification from e.spire to the BellSouth RAO Hosting coordinator at least eight (8) weeks prior to the proposed effective date. The proposed effective date will be mutually agreed upon between the Parties with consideration given to time necessary for the completion of required Telcordia (formerly BellCore) functions. BellSouth will request the assignment of an RAO code from its connecting contractor, currently Telcordia (formerly BellCore), on behalf of e.spire and will coordinate all associated conversion activities.
- 5. BellSouth will receive messages from e.spire that are to be processed by BellSouth, another LEC or CLEC in the BellSouth region or a LEC outside the BellSouth region.
- 6. BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from e.spire.
- All data received from e.spire that is to be processed or billed by another LEC or CLEC within the BellSouth region will be distributed to that LEC or CLEC in accordance with the agreement(s) which may be in effect between BellSouth and the involved LEC or CLEC.
- All data received from e.spire that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) which may be in effect between BellSouth and its connecting contractor (currently Telcordia (formerly BellCore)).
- 9. BellSouth will receive messages from the CMDS network that are destined to be processed by e.spire and will forward them to e.spire on a daily basis.

- 10. Transmission of message data between BellSouth and e.spire will be via CONNECT:Direct.
- 11. All messages and related data exchanged between BellSouth and e.spire will be formatted in accordance with accepted industry standards for EMI formatted records and packed between appropriate EMI header and trailer records, also in accordance with accepted industry standards.
- e.spire will ensure that the recorded message detail necessary to recreate files provided to BellSouth will be maintained for back-up purposes for a period of three (3) calendar months beyond the related message dates.
- 13. Should it become necessary for e.spire to send data to BellSouth more than sixty (60) days past the message date(s), e.spire will notify BellSouth in advance of the transmission of the data. If there will be impacts outside the BellSouth region, BellSouth will work with its connecting contractor and e.spire to notify all affected Parties.
- In the event that data to be exchanged between the two Parties should become lost or destroyed, both Parties will work together to determine the source of the problem. Once the cause of the problem has been jointly determined and the responsible Party (BellSouth or e.spire) identified and agreed to, the company responsible for creating the data (BellSouth or e.spire) will make every effort to have the affected data restored and retransmitted. If the data cannot be retrieved, the responsible Party will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the date of problem resolution, or as mutually agreed upon by the Parties.
- Should an error be detected by the EMI format edits performed by BellSouth on data received from e.spire, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify e.spire of the error condition. e.spire will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, e.spire will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- In association with message distribution service, BellSouth will provide e.spire with associated intercompany settlements reports (CATS and NICS) as appropriate.
- In no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this agreement.
- 18. RAO Compensation

- 18.1 Rates for message distribution service provided by BellSouth for e.spire are as set forth in Exhibit A to this Attachment.
- 18.2 Rates for data transmission associated with message distribution service are as set forth in Exhibit A to this Attachment.
- Data circuits (private line or dial-up) will be required between BellSouth and espire for the purpose of data transmission. Where a dedicated line is required, espire will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. espire will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to espire. Additionally, all message toll charges associated with the use of the dial circuit by espire will be the responsibility of espire. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties.
- All equipment, including modems and software, that is required on the e.spire end for the purpose of data transmission will be the responsibility of e.spire.

### 19. Intercompany Settlements Messages

- This Section addresses the settlement of revenues associated with traffic originated from or billed by e.spire as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between e.spire and the involved company(ies), unless that company is participating in NICS.
- 19.2 Both traffic that originates outside the BellSouth region by e.spire and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by e.spire, is covered by this Agreement (CATS). Also covered is traffic that either is originated by or billed by e.spire, involves a company other than e.spire, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).
- Once e.spire is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via Telcordia (formerly BellCore)'s, its successor or assign, NICS system.
- BellSouth will receive the monthly NICS reports from Telcordia (formerly BellCore), its successor or assign, on behalf of e.spire. BellSouth will distribute copies of these reports to e.spire on a monthly basis.

- 19.5 BellSouth will receive the monthly Calling Card and Third Number Settlement System (CATS) reports from Telcordia (formerly BellCore), its successor or assign, on behalf of e.spire. BellSouth will distribute copies of these reports to e.spire on a monthly basis.
- 19.6 BellSouth will collect the revenue earned by e.spire from the Bell operating company in whose territory the messages are billed (CATS), less a per message billing and collection fee of five cents (\$0.05), on behalf of e.spire. BellSouth will remit the revenue billed by e.spire to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on e.spire. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to e.spire via a monthly Carrier Access Billing System (CABS) miscellaneous bill.
- 19.7 BellSouth will collect the revenue earned by e.spire within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of e.spire. BellSouth will remit the revenue billed by e.spire within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to e.spire via a monthly Carrier Access Billing System (CABS) miscellaneous bill.

BellSouth and e.spire agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

# **Optional Daily Usage File**

- Upon written request from e.spire, BellSouth will provide the Optional Daily Usage File (ODUF) service to e.spire pursuant to the terms and conditions set forth in this section.
- The e.spire shall furnish all relevant information required by BellSouth for the provision of the Optional Daily Usage File.
- The Optional Daily Usage Feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a e.spire customer.

Charges for delivery of the Optional Daily Usage File will appear on the e.spire's monthly bills.

The charges are as set forth in Exhibit A to this Attachment.

- The Optional Daily Usage Feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- Messages that error in the billing system of the e.spire will be the responsibility of the e.spire. If, however, the e.spire should encounter significant volumes of errored messages that prevent processing by the e.spire within its systems, BellSouth will work with the e.spire to determine the source of the errors and the appropriate resolution.
- The following specifications shall apply to the Optional Daily Usage Feed.
  - 6.1 Usage To Be Transmitted
    - 6.1.1 The following messages recorded by BellSouth will be transmitted to the e.spire:
      - message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, ETC.)
      - measured billable Local

- Directory Assistance messages
- intraLATA Toll
- WATS & 800 Service
- N11
- Information Service Provider Messages
- Operator Services Messages
- Operator Services Message Attempted Calls (UNE only)
- Credit/Cancel Records
- Usage for Voice Mail Message Service
- 6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on Optional Daily Usage File. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 6.1.3 BellSouth will perform duplicate record checks on records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to e.spire.
- 6.1.4 In the event that e.spire detects a duplicate on Optional Daily Usage File they receive from BellSouth, e.spire will drop the duplicate message (e.spire will not return the duplicate to BellSouth).

# 6.2 Physical File Characteristics

- 6.2.1 The Optional Daily Usage File will be distributed to e.spire via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a variable block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 6.2.2 Data circuits (private line or dial-up) may be required between BellSouth and e.spire for the purpose of data transmission. Where a dedicated line is required, e.spire will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. e.spire will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to e.spire. Additionally, all message toll charges associated with the use of the dial circuit by e.spire will be the responsibility of e.spire. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the parties. All equipment, including modems and software, that is required on e.spire end for the purpose of data transmission will be the responsibility of e.spire.

# 6.3 Packing Specifications

- 6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to e.spire which BellSouth RAO that is sending the message. BellSouth and e.spire will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by e.spire and resend the data as appropriate.

#### THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

# 6.4 Pack Rejection

6.4.1 e.spire will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. 'e.spire will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to e.spire by BellSouth.

#### 6.5 Control Data

e.spire will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate e.spire received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by e.spire for reasons stated in the above section.

### 6.6 Testing

6.6.1 Upon request from e.spire, BellSouth shall send test files to e.spire for the Optional Daily Usage File. The parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that e.spire set up a production (LIVE) file. The live test may consist of e.spire's employees making test calls for the types of services e.spire requests on the Optional Daily Usage File. These test calls are logged by e.spire, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

# **Enhanced Optional Daily Usage File**

- Upon written request from e.spire, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to e.spire pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- The e.spire shall furnish all relevant information required by BellSouth for the provision of the Enhanced Optional Daily Usage File.
- The Enhanced Optional Daily Usage File (EODUF) will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.

Charges for delivery of the Enhanced Optional Daily Usage File will appear on the e.spire's monthly bills. The charges are as set forth in Exhibit A to this Attachment.

- All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- Messages that error in the billing system of the e.spire will be the responsibility of the e.spire. If, however, the e.spire should encounter significant volumes of errored messages that prevent processing by the e.spire within its systems, BellSouth will work with the e.spire to determine the source of the errors and the appropriate resolution.
- 6 The following specifications shall apply to the Optional Daily Usage Feed.
  - 6.1 Usage To Be Transmitted
    - 6.1.1 The following messages recorded by BellSouth will be transmitted to e.spire:

Customer usage data for flat rated local call originating from CLEC end user lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Date of Call

From Number

To Number

Connect Time

Conversation Time

Method of Recording

From RAO

Rate Class

Message Type

**Billing Indicators** 

Bill to Number

- 6.1.2 BellSouth will perform duplicate record checks on EODUF records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to e.spire.
- 6.1.3 In the event that e.spire detects a duplicate on Enhanced Optional Daily Usage File they receive from BellSouth, e.spire will drop the duplicate message (e.spire will not return the duplicate to BellSouth).

# 6.2 Physical File Characteristics

- 6.2.1 The Enhanced Optional Daily Usage Feed will be distributed to e.spire over their existing Optional Daily Usage File (ODUF) feed. The EODUF messages will be intermingled among e.spire's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format (2476) with an LRECL of 2472. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays).
- 6.2.2 Data circuits (private line or dial-up) may be required between BellSouth and espire for the purpose of data transmission. Where a dedicated line is required, espire will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. espire will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to

attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to e.spire. Additionally, all message toll charges associated with the use of the dial circuit by e.spire will be the responsibility of e.spire. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the parties. All equipment, including modems and software, that is required on e.spire end for the purpose of data transmission will be the responsibility of e.spire.

# 6.3 Packing Specifications

- 6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to e.spire which BellSouth RAO that is sending the message. BellSouth and e.spire will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by e.spire and resend the data as appropriate.

THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

# CALLING NAME DELIVERY (CNAM) DATABASE SERVICES

#### 1.00 DEFINITIONS

For the purpose of this Attachment, the following terms shall be defined as:

CALLING NAME DELIVERY DATABASE SERVICE (CNAM) - The ability to associate a name with the calling party number, allowing the end user subscriber (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides e.spire the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.

CALLING PARTY NUMBER (CPN) - The number of the calling party that is delivered to the terminating switch using common channel signaling system 7 (CCS7) technology, and that is contained in the Initial Address Message (IAM) portion of the CCS7 call setup.

COMMON CHANNEL SIGNALING SYSTEM 7 (CCS7) - A network signaling

technology in which all signaling information between two or more nodes is transmitted over high-speed data links, rather than over voice circuits.

**SERVICE CONTROL POINTS (SCPs)** - The real-time data base systems that contain the names to be provided in response to queries received from CNAM SSPs.

SERVICE MANAGEMENT SYSTEM (SMS) - The main operations support system of CNAM DATABASE SERVICE. CNAM records are loaded into the SMS, which in turn downloads into the CNAM SCP.

SERVICE SWITCHING POINTS (SSPs) - Features of computerized switches in the telephone network that determine that a terminating line has subscribed to CNAM service, and then communicate with CNAM SCPs in order to provide the name associated with the calling party number.

SUBSYSTEM NUMBER (SSN) - The address used in the Signaling Connection Control Part (SCCP) layer of the SS7 protocol to designate an application at an end signaling point. A SSN for CNAM at the end office designates the CNAM application within the end office. BellSouth uses the CNAM SSN of 232.

# 2.0 ATTACHMENT

- 2.01 This Attachment contains the terms and conditions where BellSouth will provide to the e.spire access to the BellSouth CNAM SCP for query or record storage purposes.
- 2.02 e.spire shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services pursuant to the terms and conditions of this Attachment. Said notice shall be in writing, no less than 60 days prior to e.spire's access to BellSouth's CNAM Database Services and shall be addressed to e.spire's Account Manager.

# 3.00 PHYSICAL CONNECTION AND COMPENSATION

- 3.01 BellSouth's provision of CNAM Database Services to e.spire requires interconnection from e.spire to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement. The appropriate charge for access to and use of the BellSouth CNAM Database service shall be as set forth in this Attachment.
- 3.02 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, e.spire\_shall provide its own CNAM SSP. e.spire's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 3.03 If e.spire elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia (formerly BellCore)'s CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that e.spire desires to query.

Out-Of-Region Customers. If the customer queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and BellCore's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the parties and writing shall, by this reference become an integral part of this Agreement.

# 4.00 CNAM RECORD INITIAL LOAD AND UPDATES

- 4.01 The mechanism to be used by e.spire for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by e.spire in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of e.spire to provide accurate information to BellSouth on a current basis.
- 4.02 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 4.03 e.spire CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each party consistent with state and/or federal regulation.

# BELLSOUTH/e.spire RATES ODUF/EDOUF/CMDS/CNAM

						RATES RY STATE				
DESCRIPTION	0000	:								
ONIECONICANO	OSOC	AL	FL	¥	¥	3	SE	Z	Ü	2
ODIE										
ODOF. Recording, per message	ΝA	\$0,0002	\$0.00g	80.08	\$0 000BE11	\$0,000.00	01110000	20000		
ODUF: Message Processing, per message	A/A	\$0,000	1000	300	100000	90.000	\$/11000.08	\$0.008	\$0.0002862	\$0.00
EODUF: Message Processing per message	4,14	20000	90.00	\$0.00	\$0.0032357	\$0.0024	\$0.0032089	\$0.004	\$0.0032344	\$0.00
CMDS: Message Processing per message		50.05	\$0.00	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.004	\$0.00
ODITE: Messess Dronesting and an arrangement	NA.	\$0.004	\$0.004	\$0.00	\$0.00	\$0.00	\$0.004	2005	20.53	2005
room massage riocessing, bei magnetic tape provisioned	NA	\$55.19	\$54.95	\$54.95	\$55.68	C47.30	CE4 83	20733	100	3
ECULOF: Message Processing, per magnetic tape provisioned	N/A	647.30	647.30	647.00			3	3.5	374.12	504.90
ODUF: Data Transmission (CONNECT: Digrects and		2000	00.	30.18	35.7	¥7.30	\$47.30	\$47.30	87.3	547.30
EODUF: Data Transmission (CONNECT: DIRECT) new messages	Ž	\$0000	\$0.001	\$0.001	\$0.0000365	\$0.00003	\$0.0000354	\$0.001	\$0,0000357	100.08
CHOS. Date Translation (CONNECT PROPERTY)	¥N	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364	\$0.0000364	\$0,0000364	\$0 0000364	\$0 0000384	\$0 00000 CS
CMOS. Details institution of the Company of the Com	NA	\$0.001	100.0\$	\$0.001	\$0.00	\$0.001	\$0.001	\$0001		10000
CALLING NAME (CNAM) GOENY SENVICE								3	3	30.00
CNAM (Database Owner), Per Query	N/A	9000	9000	0.000						The state of the s
CNAM (Non-Database Owner) Per Query		20.00	90.010	\$0.01B	\$0.016	50.016	\$0.016	\$0.016	\$0.016	\$0.016
MDC modiciple the	٧×	\$0.01	20.03	<b>2</b> 0.0 <b>1</b>	200	\$0.01	1005	S	5005	.000
INTIC. applicable when e-spire uses the Character Based User Interface (CHUI) method to transmit								3	90.0	10.04
the names to the BellSouth CNAM database	WA	\$595 OO	6505.00	eror or	6000	00.00			,	
. Volume and term arrangements are also available			30.00	33.00	W.0906	00.080¢	\$595.00	\$595.00	\$595.00	\$595.00
	_									

NOTES: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth fariff or as negotiated by the parties upon request by either party.

# Attachment 2

Network Elements and Other Services

# **TABLE OF CONTENTS**

1.	<u>INTRODUCTION</u>	3
2.	UNBUNDLED LOOPS	4
3.	INTEGRATED DIGITAL LOOP CARRIERS	8 <del>9</del>
4.	NETWORK INTERFACE DEVICE	
5.	UNBUNDLED LOOP CONCENTRATION (ULC) SYSTEM	
6.	SUB-LOOP ELEMENTS	
7.	LOCAL SWITCHING	
8.	TRANSPORT	
10.	OPERATOR SYSTEMS	
11.	<u>SIGNALING</u>	
12.	SIGNALING TRANSFER POINTS (STPS)	
13.	SERVICE CONTROL POINTS/DATABASES	
13.8	CALLING NAME (CNAM) DATABASE SERVICE	
14.	DARK FIBER	46
15.	SS7 NETWORK INTERCONNECTION	
	BASIC 911 AND E911	
17.1.	GENERAL	50 57
17.2.	OPERATIONAL SUPPORT SYSTEMS (OSS)	
1.00	DEFINITIONS	
	ATTACHMENT	
3.00	PHYSICAL CONNECTION AND COMPENSATION	
	CNAM RECORD INITIAL LOAD AND UPDATES	
EXH	IBIT A – LIDB STORAGE AGREEMENT EXHIBIT	66
EXH	IBIT B – CNAM DATABASE SERVICESEXHIBIT	A.
EXH	IBIT C – RATESEXHIBIT	c B
	EAHIBI1	_

# **ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES**

#### 1. Introduction

- 1.1 Network Element is defined to mean a facility or equipment used in the provision of a telecommunications service. Such term may include, but is not limited to, features, functions, and capabilities that are provided by means of such facility or equipment, including but not limited to, subscriber numbers, databases, signaling systems, and information sufficient for billing and collection or used in the transmission, routing, or other provision of a telecommunications service.

  BellSouth offers access to the Network Elements, unbundled loops; network interface device; sub-loop elements; local switching; transport; tandem switching; operator systems; signaling; access to call-related databases; dark fiber as set forth in this Attachment.
- BellSouth shall, upon request of e.spire, and to the extent technically feasible, provide to e.spire access to its network elements for the provision of e.spire's telecommunications service. If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- e.spire may purchase network elements and other services from BellSouth for the purpose of combining such network elements in any manner e.spire chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop elements which are located outside of the central office, BellSouth shall deliver the network elements purchased by e.spire for combining to the designated e.spire collocation space. The network elements shall be provided as set forth in this Attachment.
- 1.4 BellSouth will provide the following combined network elements for purchase by e.spire. The rate of the following combined network elements is the sum of the individual element prices as set forth in this Attachment. Order Coordination as defined in Section 2 of Attachment 2 of this Agreement is available for each of these combinations:
  - SL2 loop and cross connect
  - Port and cross connect
  - Port and cross connect and common (shared) transport
  - Port and vertical features
  - SL2 Loop with loop concentration
  - Port and common (shared) transport
  - SL2 Loop and LNP
- BellSouth shall comply with the requirements as set forth in the technical references within Attachment 2 to the extent that they are consistent with the greater of BellSouth's actual performance or applicable industry standards.

- In the event that any final and nonappealable legislative, regulatory, judicial or other legal action modifies or redefines the "Network Elements" in a manner which materially affects the terms of this Attachment or the Network Elements and/or prices set forth herein, either Party may, on thirty (30) days written notice, require renegotiation of such terms, and the Parties shall renegotiate in good faith such new terms in accordance with such legislative, regulatory, judicial or other legal action. In the event such new terms are not renegotiated within ninety (90) days after the notice for renegotiation, either Party may petition the Commission for resolution of the dispute between the Parties. Each Party reserves the right to seek judicial review of any Commission ruling concerning this Attachment.
- e.spire will adopt and adhere to the reasonable and nondiscriminatory standards contained in the applicable CLEC Work Center Operational Understanding Agreement regarding maintenance and installation of service.
- BellSouth will provide reasonable and nondiscriminatory access to Network Elements on an unbundled basis, pursuant to the terms, conditions and rates set forth in this attachment, and in accordance with all effective rules and decisions of the FCC and the Commission.

# 2. <u>Unbundled Loops</u>

- 2.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to the local loop on an unbundled basis pursuant to the following terms and conditions and at the rates approved by the Commission and set forth in this Attachment.
- 2.2 Definition
- The local loop network element is defined as a transmission facility between a distribution frame (or its equivalent) in an incumbent LEC central office and the loop demarcation point at an end-user customer premises, including inside wire owned by the incumbent LEC. The local loop network element includes all features, functions, and capabilities of such transmission facility. Those features, functions, and capabilities include, but are not limited to, Dark Fiber as described in Section 14 of this Attachment, attached electronics (except those electronics used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), and loop conditioning. The local loop includes, but is not limited to, DSl, DS3, fiber, and other high capacity loops. Unless otherwise requested, all loops will be provisioned with a Network Interface Device ("NID").
- 2.2.2 The provisioning of service to a CLEC will require cross-office cabling and cross-connections within the central office to connect the loop to a local switch or to

other transmission equipment in collocation space. These cross-connects are a separate element and are not considered a part of the loop.

BellSouth Order Coordination referenced in Attachment 2 includes two types: "Order Coordination" and "Order Coordination - Time Specific."

"Order Coordination" refers to standard BellSouth service order coordination involving SL2 voice loops and all digital loops. Order coordination for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date and e.spire advised.

"Order Coordination – Time Specific" refers to service order coordination in which e.spire requests a specific time for a service order conversion to take place. Loops on a single service order of 14 or more loops will be provisioned on a project basis. This is a chargeable option for any coordinated order and is billed in addition to the OC charge. e.spire may specify a time between 8:00 a.m. and 5:00 p.m. (location time) Monday through Friday (excluding holidays). If e.spire specifies a time outside this window, or selects a time or quantity of loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied according to actual costs based on type of force group required to perform the work, overtime hours worked and any special circumstances.

Where facilities are available, BellSouth will install loops within a 5-7 business days interval. For orders of 14 or more loops, the installation will be handled on a project basis and the intervals will be set by the BellSouth project manager for that order. Some loops require a Service Inquiry (SI) to determine if facilities are available prior to issuing the order. The interval for the SI process is 3-5 business days and is separate from the installation interval. For expedite requests by e.spire, expedite charges will apply for intervals less than 5 days. The charges outlined in BST's FCC # 1 Tariff, Section 5.1.1, will apply. If e.spire cancels an order for network elements and other services, any costs incurred by BellSouth in conjunction with the provisioning of that order will be recovered in accordance with FCC #1 Tariff, Section 5.4.

If e.spire modifies an order after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be reimbursed by e.spire.

2.2.3 Intervals for loop conversions shall be as follows: (1) for single loop conversions per location, the conversion shall be completed within fifteen (15) minutes; (2) for up to ten (10) loop conversions per location, the conversion of all loops shall be completed within sixty (60) minutes, and each individual loop conversion shall be completed within fifteen (15) minutes; (3) for loop conversions not exceeding thirty (30) loops per location and not determined complex or exceptionally large, the conversion of all loops shall be completed within one hundred and twenty (120) minutes: and (4) all loops above a thirty loop quantity, or ten (10) loop

quantity and determined as complex (a cut that requires more operation than a single cut point), will be negotiated by e.spire and BellSouth prior to the due date.

BellSouth will offer Unbundled Voice Loops (UVL) in two different service levels - Service Level One (SL1) and Service Level Two (SL2). SL1 loops will be non-designed, will not have test points, and will not come with any Order Coordination (OC) or engineering information/circuit make-up data. Upon issuance of an order in the service order system, SL1 loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type loops for its customers. If e.spire requests work to be done for SL1s that requires BellSouth technicians to work outside normal work hours, overtime charges will be applied according to actual costs based on type of force group required to perform the work, overtime hours worked and any special circumstances.

SL2 loops shall have test points, will be designed with a Design Layout Record provided to e.spire, and will be provided with Order Coordination. The OC feature will allow e.spire to coordinate the installation of the loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

- 2.2.5 BellSouth will also offer Unbundled Digital Loops (UDL). They will be designed, will be provisioned with test points (where appropriate), and will come standard with Order Coordination and a Design Layout Record (DLR).
- 2.2.6 As a chargeable option on all loops except UVL-SL1, BellSouth will offer Order Coordination Time Specific (OC-TS). This will allow espire the ability to specify the time that the coordinated conversion takes place. The OC-TS charge for orders due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.
- e.spire will be responsible for testing and isolating troubles on the loops. Once e.spire has isolated a trouble to the BellSouth provided loop, e.spire will issue a trouble to BellSouth on the loop. BellSouth will take the actions necessary to repair the loop if a trouble actually exists. BellSouth will repair these loops in the same time frames that BellSouth repairs similarly situated loops to its customers.
- If e.spire reports a trouble on SL1 loops and no trouble actually exists, BellSouth will charge e.spire for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the loop's working status.
- If e.spire reports a trouble on SL2 loops and no trouble actually exists, BellSouth will charge e.spire for any dispatching and testing, (outside the CO) required by BellSouth in order to confirm the loop's working status.
- 2.4 <u>Technical Requirements</u>

- 2.4.1 To the extent available within BST's Network at a particular location, BellSouth will offer loops capable of supporting telecommunications services such as:

  POTS, Centrex, basic rate ISDN, analog PBX, voice grade private line, ADSL, HDSL, DS1 and digital data (up to 64 kb/s). Additional services may include digital PBXs, primary rate ISDN, xDSL, and Nx 64 kb/s. If a requested loop type is not available, then the CLEC can use the Special Construction process to request that BellSouth place facilities or otherwise modify facilities in order to meet the CLEC's request.
- 2.4.1.1 The loop will support the transmission, signaling, performance and interface requirements of the services described in 2.3.1 above. It is recognized that the requirements of different services are different, and that a number of types or grades of loops are required to support these services. Services provided over the loop by e.spire will be consistent with industry standards and BST's TR73600.
- In some instances, e.spire will require access to a copper twisted pair loop unfettered by any intervening equipment (e.g., filters, load coils, range extenders, etc.), so that e.spire can use the loop for a variety of services by attaching appropriate terminal equipment at the ends. e.spire will determine the type of service that will be provided over the loop. In some cases, e.spire may be required to pay additional charges for the removal of certain types of equipment. BellSouth's Special Construction process will be used to determine the costs and feasibility of these activities.

In cases in which e.spire has requested that BellSouth remove equipment from the BellSouth loop, BellSouth will no longer be expected to maintain and repair the loop to the standards specified for that loop type in the TR73600 and other standards referenced in this Agreement.

e.spire, in performance of its obligations pursuant to the preceding Section, shall maintain records that will reflect that pursuant to e.spire's request BellSouth has removed certain equipment from BellSouth provided loops and as such the loop may not perform within the technical specifications associated with that loop type. e.spire will not report to BellSouth troubles on said loops where the loops are not performing within the technical specifications of that loop type.

In addition, e.spire recognizes there may be instances where a loop modified in this manner may be subjected to normal network configuration changes that may cause the circuit characteristics to be changed and may create an outage of the service that e.spire has placed on the loop. If this occurs, BellSouth will work cooperatively with e.spire to restore the circuit to its previous modified status as quickly as possible. e.spire will pay the Time and Materials costs associated with BellSouth's work efforts needed to bring the loop back to its previous modified status.

- 2.4.2 The loop shall be provided to e.spire in accordance with the following Technical References:
  - BellSouth's TR73600, Unbundled Local Loop Technical Specification
- 2.4.2.1 Telcordia (formerly BellCore) TR-NWT-000057, Functional Criteria for Digital Loop Carrier Systems, Issue 2, January 1993.
- 2.4.2.2 Telcordia (formerly BellCore) TR-NWT-000393, Generic Requirements for ISDN Basic Access Digital Subscriber Lines.
- 2.4.2.3 ANSI T1.102 1993, American National Standard for Telecommunications Digital Hierarchy Electrical Interfaces.
- 2.4.2.4 ANSI T1.403 1989, American National Standard for Telecommunications Carrier to Customer Installation, DS1 Metallic Interface Specification.

# 2.5 Loop Conditioning

- 2.5.1 Subject to applicable and effective FCC rules and orders, BellSouth shall condition loops, as requested by e.spire, whether or not BellSouth offers advanced services to the End User on that loop.
- 2.5.2 Loop conditioning is defined as the removal from the loop of any devices that may diminish the capability of the loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, bridge taps, low pass filters, and range extenders.
- 2.5.3 BellSouth shall recover the cost of loop conditioning requested by e.spire at the non-recurring cost-based rates set forth in this Attachment.
- 2.5.4 To the extent technically feasible and using testing equipment that exists within BellSouth's network, BellSouth shall test and report trouble for all the features, functions, and capabilities of conditioned loops, and may not restrict testing to voice-transmission only.

# 3. Integrated Digital Loop Carriers

Where BellSouth uses Integrated Digital Loop Carrier (IDLC) systems to provide the local loop and BellSouth has a suitable alternate facility available, BellSouth will make arrangements to permit e.spire to order a contiguous local loop. To the extent it is technically feasible, these arrangements will provide e.spire with the capability to serve end users at a level that is at parity with the level of service BellSouth provides its customers. If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs

required to provision the loop facilities. e.spire will then have the option of paying the one-time SC rates to place the loop facilities or e.spire may chose some other method of providing service to the end-user (e.g., Resale, private facilities, etc.).

# 4. Network Interface Device

# 4.1 <u>Definition</u>

4.1.1 The NID is defined as any means of interconnection of end-user customer premises wiring to BellSouth's distribution plant, such as a cross connect device used for that purpose. BellSouth shall permit e.spire to connect its own loop facilities to on-premises wiring through BellSouth's network interface device, or at any other technically feasible point.

# 4.2 <u>Technical Requirements</u>

- 4.2.1 The Network Interface Device shall provide a clean, accessible point of connection for the inside wiring and for the Distribution Media and shall maintain a connection to ground that meets the requirements set forth below.
- 4.2.2 The NID shall be capable of transferring electrical analog or digital signals between the customer's inside wiring and the Distribution Media.
- 4.2.3 All NID posts or connecting points shall be in place, secure, usable and free of any rust or corrosion. The protective ground connection shall exist and be properly installed. The ground wire will also be free of rust or corrosion and have continuity relative to ground.
- 4.2.4 The NID shall be capable of withstanding all normal local environmental variations.
- Where feasible, the NID shall be physically accessible to e.spire designated personnel. In cases where entrance to the end user's premises is required to give access to the NID, e.spire shall obtain entrance permission directly from the end user.
- 4.2.6 BellSouth shall offer the NID as a stand-alone component. Additionally, e.spire may connect its loop to any spare capacity on the BellSouth NID. Where necessary to comply with an effective Commission order, BellSouth will allow e.spire to disconnect the BellSouth loop from the BellSouth NID in order to connect e.spire's loop to the BellSouth NID. In these cases, e.spire accepts all liability associated with this process and it is e.spire's responsibility to make sure the disconnected BellSouth loop is properly grounded.

# 4.3 <u>Interface Requirements</u>

- 4.3.1 The NID shall be equal to or better than all of the requirements for NIDs set forth in the following technical references:
- 4.3.1.1 Telcordia (formerly BellCore) Technical Advisory TA-TSY-000120 "Customer Premises or Network Ground Wire";
- 4.3.1.2 Telcordia (formerly BellCore) Generic Requirement GR-49-CORE "Generic Requirements for Outdoor Telephone Network Interface Devices";
- 4.3.1.3 Telcordia (formerly BellCore) Technical Requirement TR-NWT-00239 "Indoor Telephone Network Interfaces";
- 4.3.1.4 Telcordia (formerly BellCore) Technical Requirement TR-NWT-000937 "Generic Requirements for Outdoor and Indoor Building Entrance".

# 5. <u>Unbundled Loop Concentration (ULC) System</u>

- BellSouth will provide to e.spire loop concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.
- ULC will be offered in two sizes. System A will allow up to 96 BellSouth loops to be concentrated onto multiple DS1s. The high speed connection from the concentrator will be at the electrical DS1 level and may connect to e.spire at e.spire's collocation site. System B will allow up to 192 BellSouth loops to be concentrated onto multiple DS1s. System A may be upgraded to a System B. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total ). All DS1 interfaces will terminate to the CLEC's collocation space. ULC service is offered with or without concentration and with or without protection. A Line Interface element will be required for each loop that is terminated onto the ULC system. Rates for ULC are as set forth in this Attachment.

# 6. Sub-loop Elements

Where facilities permit and subject to applicable and effective FCC rules and orders, BellSouth shall offer access to its Unbundled Sub Loop (USL), Unbundled Sub Loop Concentration (USLC) System and Unbundled Network Terminating Wire (UNTW) elements. BellSouth shall provide nondiscriminatory access, in accordance with § 51.311 and section 251(c)(3) of the Act, to the subloop on an unbundled basis pursuant to the following terms and conditions and at the rates set forth in this Attachment.

6.2 Unbundled Sub-Loop (USL)

# 6.2.1 Definition

- 6.2.1.1 The subloop network element is defined as any portion of the loop that is technically feasible to access at terminals in BellSouth's outside plant, including inside wire owned and controlled by BellSouth, if any. An accessible terminal is any point on the loop where technicians can access the wire or fiber within the cable without removing a splice case to reach the wire or fiber within. Such points may include, but are not limited to, the pole or pedestal, the network interface device, the minimum point of entry, the single point of interconnection, the main distribution frame, the remote terminal, and the feeder/distribution interface.
- 6.2.1.2 Technical feasibility. Subject to applicable and effective FCC rules and orders, if the Parties are unable to reach agreement, pursuant to voluntary negotiations, as to whether it is technically feasible, or whether sufficient space is available, to unbundle the subloop at the point where a carrier requests, BellSouth shall have the burden of demonstrating to the Commission, pursuant to state arbitration proceedings under section 252 of the Act, that there is not sufficient space available, or that it is not technically feasible, to unbundle the subloop at the point requested.
- 6.2.1.3. Best practices. Once any state commission has determined that it is technically feasible to unbundle subloops at a designated point, BellSouth shall have the burden of demonstrating, pursuant to state arbitration proceedings under section 252 of the Act, that it is not technically feasible, or that sufficient space is not available, to unbundle its own loops at such a point.
- 6.2.1.4. Subloop access via collocation. Where requested by e.spire, BellSouth shall provide access to the subloop in accordance with the FCC's collocation rules, 47 C.F.R. §§ 51.321-323.
- 6.2.1.5. Single point of interconnection. Subject to applicable and effective FCC rules and orders, BellSouth shall provide a single point of interconnection at multi-unit premises that is suitable for use by multiple carriers. This obligation is in addition to BellSouth's obligation to provide nondiscriminatory access to subloops at any technically feasible point. If the Parties are unable to negotiate terms and conditions regarding a single point of interconnection, issues in dispute, including compensation due BellSouth under forward-looking pricing principles, shall be resolved under the dispute resolution processes set forth in this Agreement.
- 6.2.2 Requirements for All Unbundled Sub-Loops
- 6.2.2.1 Unbundled Sub-Loops shall be capable of carrying all signaling messages or tones needed to provide telecommunications services.

Unbundled Sub-Loop shall support functions associated with provisioning, maintenance and testing of the Unbundled Sub-Loop. In these scenarios, e.spire would be required to place a cross-box, remote terminal (RT), or other similar device and deliver a cable to the BellSouth remote terminal or cross-box. This cable would be connected, by a BST technician, to a cross-connect panel within the BellSouth RT/cross-box. e.spire's cable pairs can then be connected to BST's USL within the BST cross-box by the BST technician.

- 6.2.3 Interface Requirements
- Unbundled Sub-Loop shall be equal to or better than each of the applicable interface requirements set forth in the following technical references:
- 6.2.3.2 Telcordia (formerly BellCore) TR-NWT-000049, "Generic Requirements for Outdoor Telephone Network Interface Devices," Issued December 1,1994.
- 6.3 Unbundled Sub-Loop Concentration System (USLC)
- BellSouth will provide e.spire with the ability to concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office. The DS1s will then be terminated into e.spire's collocation space. TR-008 and TR303 interface standards are available.
- USLC, using the Lucent Series 5 equipment, will be offered in two different systems. System A will allow up to 96 of e.spire's sub-loops to be concentrated onto multiple DS1s. System B will allow an additional 96 of e.spire's sub-loops to be concentrated onto multiple DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the RT site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to the CLEC's collocation space within the SWC that serves the RT where the CLEC's sub-loops are connected. USLC service is offered with or without concentration and with or without a protection DS1.
- In these scenarios e.spire would be required to place a cross-box, remote terminal (RT), or other similar device and deliver a cable to the BellSouth remote terminal. This cable would be connected, by a BellSouth technician, to a cross-connect panel within the BellSouth RT/cross-box and would allow e.spire's sub-loops to then be placed on the ULSC and transported to their collocation space at a DS1 level.
- 6.4 Unbundled Network Terminating Wire (UNTW)

6.4.1 BellSouth will provide e.spire with access to its Unbundled Network Terminating Wire (UNTW) pursuant to the following terms and conditions at rates as set forth in this Attachment, and in a manner consistent with applicable and effective FCC rules and decisions, including, but not limited to 47 C.F.R § 51.319.

# 6.5 Definition

UNTW is twisted copper wire that extends from BellSouth's point-of-entry into a multi-dwelling unit (MDU) complex or multi-tenant unit (MTU) complex to the point of demarcation at the end-users location. The UNTW will not include a Network Interface Device (NID).

# 6.6 Requirements

- BellSouth will offer spare pairs that are available to an end-users premises to e.spire. Available spare pairs are defined as pairs that are not being utilized by BellSouth or by a third party to provide an End User with working service at the time of e.spire's request for UNTW. If BellSouth has relinquished the first pair to e.spire and the End User decides to change local service providers to BellSouth, e.spire will relinquish the first pair back to BellSouth.
- Notwithstanding the foregoing, should BellSouth subsequently require the use of additional pair(s) to provide for the activation of additional lines in an End User's premises in response to a request from such End User and no additional pairs are available, e.spire agrees to surrender its spare pair(s) upon request by BellSouth.
- If an End User of e.spire desires to receive local exchange service from a service provider who is not a Party to this Agreement, and such third party service provider needs access to the BellSouth UNTW to provide local exchange service to the End User, then e.spire agrees to surrender the requisite number of its inactive spare pair(s) if no other spare pair is available and upon request by BellSouth.
- If e.spire has placed NTW at a location and an End User desires to receive local exchange service from BellSouth and BellSouth needs access to e.spire's NTW to provide local exchange service to the End User, then e.spire agrees to surrender the requisite number of its spare pair(s) upon request by BellSouth.
- In new construction, where possible, both Parties may at their option and with the property owner's agreement install their own NTW. In existing construction, BellSouth shall not be required to install new or additional NTW beyond existing NTW to provision the services of e.spire.

# 6.7 <u>Technical Requirements</u>

In these scenarios, BellSouth will connect the requested UNTW pairs to a cross-connect panel designed for CLEC access to BellSouth's NTW. e.spire will be required to place a cross-box, terminal, or other similar device and deliver a cable to this cross-connect panel. e.spire will then connect their cable to the cross-connect panel to access the requested UNTW pairs.

# 7. <u>Switching</u>

BellSouth agrees to offer access to local switching pursuant to the following terms and conditions and at the rates set forth in this Attachment.

# 7.1 Definition

- 7.1.1 Subject to applicable and effective FCC rules and orders, BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in FCC Rule 51.319(c)(1)(B), to e.spire for the provision of a telecommunications service. Subject to applicable and effective FCC rules and orders, BellSouth shall be required to provide nondiscriminatory access in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act to packet switching capability on an unbundled basis to e.spire for the provision of a telecommunications service as described in Rule 51.319(c)(3)(B).
- 7.1.1.1 Local Circuit Switching Capability, including Tandem Switching Capability. The local circuit switching capability network element is defined as:
  - 1. Line-side facilities, which include, but are not limited to, the connection between a loop termination at a main distribution frame and a switch line card:
  - 2. Trunk-side facilities, which include, but are not limited to, the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; and
  - 3. All features, functions and capabilities of the switch, which include, but are not limited to:
    - a. The basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to the incumbent LEC's customers, such as a telephone number, white page listing and dial tone, and
    - b. All other features that the switch is capable of providing, including but not limited to, customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch.

- 7.1.1.2 Subject to applicable and effective FCC rules and orders, notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for e.spire in cases where e.spire intends to use such facilities to serve End Users with four or more voice grade (DS0) equivalents or lines, BellSouth provides nondiscriminatory, unrestricted, cost-based access to the enhanced extended link ("EEL") throughout Density Zone 1, and BellSouth's local circuit switches are located in:
  - 1. The top 50 Metropolitan Statistical Areas as set forth in Appendix B of the Third Report and Order and Fourth Further Notice of Proposed Rulemaking in CC Docket No. 96-98, and
  - 2. Density Zone I, as defined in FCC Rule 69.123, as of January 1, 1999.
- 7.1.1.3 Local Tandem Switching Capability. The tandem switching capability network element is defined as:
  - (A) Trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card:
  - (B) The basic switch trunk function of connecting trunks to trunks; and
  - (C) The functions that are centralized in tandem switches (as distinguished from separate end office switches), including but not limited, to call recording, the routing of calls to operator services, and signaling conversion features.

Tandem Switching is the function that establishes a communications path between two switching offices through a third switching office (the Tandem switch).

- 7.1.1.4 Packet Switching Capability. The packet switching capability network element is defined as the basic packet switching function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units, and the functions that are performed by Digital Subscriber Line Access Multiplexers, including but not limited to:
  - 1. The ability to terminate copper customer loops (which includes both a low band voice channel and a high-band data channel, or solely a data channel);
  - 2. The ability to forward the voice channels, if present, to a circuit switch or multiple circuit switches;
  - 3. The ability to extract data units from the data channels on the loops, and
  - 4. The ability to combine data units from multiple loops onto one or more trunks connecting to a packet switch or packet switches.

- 7.1.1.5 Subject to applicable and effective FCC rules and orders, BellSouth shall provide nondiscriminatory access to unbundled packet switching capability only in cases where each of the following conditions are satisfied:
  - 1. BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the distribution section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);
  - 2. There are no spare copper loops capable of supporting the xDSL services the requesting carrier seeks to offer;
  - 3. BellSouth has not permitted a requesting carrier to deploy a Digital Subscriber Line Access Multiplexer at the remote terminal, pedestal or environmentally controlled vault or other interconnection point, nor has the requesting carrier obtained a virtual collocation arrangement at these subloop interconnection points as defined by FCC Rule 51.319(b); and
  - 4. BellSouth has deployed packet switching capability for its own use.
- A featureless port is one that has a line port, switching functionality, and an interoffice port. A featured port is a port that includes all features then capable or a number of then capable features specifically requested by e.spire. Any features that are not currently then capable but are technically feasible through the switch can be requested through the BFR process.
- Where required to do so in order to comply with an effective Commission order, BellSouth will provide to e.spire purchasing local BellSouth switching and reselling BellSouth local exchange service under Attachment 1, selective routing of calls to a requested directory assistance services platform or operator services platform. e.spire customers may use the same dialing arrangements as BellSouth customers, but obtain a e.spire branded service.

# 7.2 <u>Technical Requirements</u>

- 7.2.1 The requirements set forth in this Section apply to Local Switching, but not to the Packet Switching function of Local Switching.
- 7.2.1.1 Local Switching shall be equal to or better than the requirements for Local Switching set forth in Telcordia (formerly BellCore)'s Local Switching Systems General Requirements (FR-NWT-000064).
- 7.2.1.2 When applicable, BellSouth shall route calls to the appropriate trunk or lines for call origination or termination.

- Subject to this section, BellSouth shall route calls on a per line or per screening class basis to (1) BellSouth platforms providing Network Elements or additional requirements (2) Operator Services platforms, (3) Directory Assistance platforms, and (4) Repair Centers. Any other routing requests by e.spire will be made pursuant to the Bona Fide Request/ New Business Request Process as set forth in General Terms and Conditions.
- 7.2.1.4 BellSouth shall provide unbranded recorded announcements and call progress tones to alert callers of call progress and disposition.
- 7.2.1.5 BellSouth shall activate service for an e.spire customer or network interconnection on any of the Local Switching interfaces. This includes provisioning changes to change a customer from BellSouth's services to e.spire's services without loss of switch feature functionality as defined in this Agreement.
- 7.2.1.6 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 7.2.1.7 BellSouth shall repair and restore any equipment or any other maintainable component that may adversely impact Local Switching.
- 7.2.1.8 BellSouth shall control congestion points such as those caused by radio station call-ins, and network routing abnormalities. All traffic shall be restricted in a non discriminatory manner.
- 7.2.1.9 BellSouth shall perform manual call trace and permit customer originated call trace.
- 7.2.1.10 Special Services provided by BellSouth will include the following:
- 7.2.1.10.1 Telephone Service Prioritization;
- 7.2.1.10.2 Related services for handicapped;
- 7.2.1.10.3 Soft dial tone where required by law; and
- 7.2.1.10.4 Any other service required by law.
- 7.2.1.11 BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STP). These capabilities shall adhere to Telcordia (formerly BellCore) specifications TCAP (GR-1432-CORE), ISUP(GR-905-CORE), Call Management (GR-1429-CORE), Switched Fractional DS1 (GR-1357-CORE), Toll Free Service (GR-1428-CORE), Calling Name (GR-1597-CORE), Line Information Database (GR-954-CORE), and Advanced Intelligent Network (GR-2863-CORE).

7.2.1.12 BellSouth shall provide interfaces to adjuncts through Telcordia (formerly BellCore) standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall provide performance data regarding a customer line, traffic 7.2.1.13 characteristics or other measurable elements to e.spire, upon a reasonable request from e.spire. CLEC will pay BellSouth for all costs incurred to provide such performance data through the Business Opportunity Request process. BellSouth shall offer Local Switching that provides feature offerings at parity to 7.2.1.14 those provided by BellSouth to itself or any other Party. Such feature offerings shall include but are not limited to: 7.2.1.14.1 Basic and primary rate ISDN; 7.2.1.14.2 Residential features: 7.2.1.14.3 Customer Local Area Signaling Services (CLASS/LASS); 7.2.1.14.4 CENTREX (including equivalent administrative capabilities, such as customer accessible reconfiguration and detailed message recording); and 7.2.1.14.5 Advanced intelligent network triggers supporting e.spire and BellSouth service applications. BellSouth shall offer to e.spire all AIN triggers in connection with its SMS/SCE offering which are supported by BellSouth for offering AIN-based services. Triggers that are currently available are: 7.2.1.14.5.1 Off-Hook Immediate 7.2.1.14.5.2 Off-Hook Delay 7.2.1.14.5.3 Termination Attempt 7.2.1.14.5.4 6/10 Public Office Dialing Plan 7.2.1.14.5.5 Feature Code Dialing 7.2.1.14.5.6 Customer Dialing Plan 7.2.1.14.6 When the following triggers are supported by BellSouth, BellSouth will make these triggers available to e.spire: 7.2.1.14.6.1 Private EAMF Trunk 7.2.1.14.6.2 Shared Interoffice Trunk (EAMF, SS7) 7.2.1.14.6.3 N11

7.2.1.14.6.4	Automatic Route Selection
7.2.1.15	Where capacity exists, BellSouth shall assign each e.spire customer line the class of service designated by e.spire (e.g., using line class codes or other switch specific provisioning methods), and shall route directory assistance calls from e.spire customers to e.spire directory assistance operators at e.spire's option.
7.2.1.16	Where capacity exists, BellSouth shall assign each e.spire customer line the class of services designated by e.spire (e.g., using line class codes or other switch specific provisioning methods) and shall route operator calls from e.spire customers to e.spire operators at e.spire's option. For example, BellSouth may translate 0- and 0+ intraLATA traffic, and route the call through appropriate trunks to an e.spire Operator Services Position System (OSPS). Calls from Local Switching must pass the ANI-II digits unchanged.
7.2.1.17	Local Switching shall be offered in accordance with the requirements of the following technical references:
7.2.1.17.1	Telcordia (formerly BellCore) GR-1298-CORE, AIN Switching System Generic Requirements, as implemented in BellSouth's switching equipment;
7.2.1.17.2	Telcordia (formerly BellCore) GR-1299-CORE, AIN Switch-Service Control Point (SCP)/Adjunct Interface Generic Requirements;
7.2.1.17.3	Telcordia (formerly BellCore) TR-NWT-001284, AIN 0.1 Switching System Generic Requirements;
7.2.1.17.4	Telcordia (formerly BellCore) SR-NWT-002247, AIN Release 1 Update.
7.2.2	Interface Requirements
7.2.2.1	BellSouth shall provide the following interfaces to loops:
7.2.2.2	Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
7.2.2.3	Coin phone signaling;
7.2.2.4	Basic Rate Interface ISDN adhering to appropriate Telcordia (formerly BellCore) Technical Requirements;
7.2.2.5	Two-wire analog interface to PBX;
7.2.2.5.1	Four-wire analog interface to PBX;
7.2.2.6	Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);

- 7.2.2.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia (formerly BellCore) Technical Requirements;
- 7.2.2.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 7.2.2.9 Loops adhering to Telcordia (formerly BellCore) TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 7.2.2.10 BellSouth shall provide access to the following but not limited to:
- 7.2.2.11 SS7 Signaling Network or Multi-Frequency trunking if requested by e.spire;
- 7.2.2.12 Interface to e.spire operator services systems or Operator Services through appropriate trunk interconnections for the system; and
- 7.2.2.13 Interface to e.spire directory assistance services through the e.spire switched network or to Directory Assistance Services through the appropriate trunk interconnections for the system; and 950 access or other e.spire required access to interexchange carriers as requested through appropriate trunk interfaces.

## 8. Interoffice Transmission Facilities

BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to espire for the provision of a telecommunications service.

- 8.1 Interoffice transmission facility network elements include:
  - Dedicated transport, defined as BellSouth's transmission facilities, including all technically feasible capacity-related services including, but not limited to, DS1, DS3 and OCn levels, dedicated to a particular customer or carrier, that provide telecommunications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and e.spire;
  - 2. Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached multiplexing, aggregation or other electronics;
  - 3. Shared transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network...
- 8.1.1 BellSouth shall:

- 1. Provide e.spire exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 2. Provide all technically feasible transmission facilities, features, functions, and capabilities that e.spire could use to provide telecommunications services;
- 3. Permit, to the extent technically feasible, e.spire to connect such interoffice facilities to equipment designated by e.spire, including but not limited to, e.spire's collocated facilities; and
- 4. Permit, to the extent technically feasible, e.spire to obtain the functionality provided by BellSouth's digital cross-connect systems in the same manner that BellSouth provides such functionality to interexchange carriers.

# 8.2 <u>Technical Requirements of Common (Shared) Transport</u>

- 8.2.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office ("CO to CO") connections in the appropriate industry standards.
- 8.2.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the appropriate industry standards.
- 8.2.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the following technical references (as applicable for the transport technology being used):
- 8.2.4.1 ANSI T1.101-1994, American National Standard for Telecommunications Synchronization Interface Standard Performance and Availability;
- 8.2.4.2 ANSI T1.102-1993, American National Standard for Telecommunications Digital Hierarchy Electrical Interfaces;
- 8.2.4.3 ANSI T1.102.01-199x, American National Standard for Telecommunications Digital Hierarchy VT1.5;

8.2.4.4 ANSI T1.105-1995, American National Standard for Telecommunications -Synchronous Optical Network (SONET) - Basic Description including Multiplex Structure, Rates and Formats; 8.2.4.5 ANSI T1.105.01-1995, American National Standard for Telecommunications -Synchronous Optical Network (SONET) - Automatic Protection Switching; 8.2.4.6 ANSI T1.105.02-1995, American National Standard for Telecommunications -Synchronous Optical Network (SONET) - Payload Mappings; 8.2.4.7 ANSI T1.105.03-1994, American National Standard for Telecommunications -Synchronous Optical Network (SONET) - Jitter at Network Interfaces: 8.2.4.8 ANSI T1.105.03a-1995, American National Standard for Telecommunications -Synchronous Optical Network (SONET): Jitter at Network Interfaces - DS1 Supplement; 8.2.4.9 ANSI T1.105.05-1994, American National Standard for Telecommunications -Synchronous Optical Network (SONET) - Tandem Connection; 8.2.4.10 ANSI T1.105.06-199x, American National Standard for Telecommunications -Synchronous Optical Network (SONET) - Physical Layer Specifications; 8.2.4.11 ANSI T1.105.07-199x, American National Standard for Telecommunications -Synchronous Optical Network (SONET) - Sub STS-1 Interface Rates and Formats: 8.2.4.12 ANSI T1.105.09-199x, American National Standard for Telecommunications -Synchronous Optical Network (SONET) - Network Element Timing and Synchronization; 8.2.4.13 ANSI T1.106-1988, American National Standard for Telecommunications -Digital Hierarchy - Optical Interface Specifications (Single Mode); 8.2.4.14 ANSI T1.107-1988, American National Standard for Telecommunications -Digital Hierarchy - Formats Specifications; 8.2.4.15 ANSI T1.107a-1990 - American National Standard for Telecommunications -Digital Hierarchy - Supplement to Formats Specifications (DS3 Format Applications); 8.2.4.16 ANSI T1.107b-1991 - American National Standard for Telecommunications -Digital Hierarchy - Supplement to Formats Specifications; ANSI T1.117-1991, American National Standard for Telecommunications -8.2.4.17 Digital Hierarchy - Optical Interface Specifications (SONET) (Single Mode -Short Reach):

8.2.4.18 ANSI T1.403-1989, Carrier to Customer Installation, DS1 Metallic Interface Specification; 8.2.4.19 ANSI T1.404-1994, Network-to-Customer Installation - DS3 Metallic Interface Specification: 8.2.4.20 ITU Recommendation G.707, Network node interface for the synchronous digital hierarchy (SDH); 8.2.4.21 ITU Recommendation G.704, Synchronous frame structures used at 1544, 6312, 2048, 8488 and 44736 kbit/s hierarchical levels; 8.2.4.22 Telcordia (formerly BellCore) FR-440 and TR-NWT-000499, Transport Systems Generic Requirements (TSGR): Common Requirements; 8.2.4.23 Telcordia (formerly BellCore) GR-820-CORE, Generic Transmission Surveillance: DS1 & DS3 Performance: 8.2.4.24 Telcordia (formerly BellCore) GR-253-CORE, Synchronous Optical Network Systems (SONET); Common Generic Criteria; 8.2.4.25 Telcordia (formerly BellCore) TR-NWT 000507, Transmission, Section 7, Issue 5 (Telcordia (formerly BellCore), December 1993). (A module of LSSGR, FR-NWT-000064.); 8.2.4.26 Telcordia (formerly BellCore) TR-NWT-000776, Network Interface Description for ISDN Customer Access; 8.2.4.27 Telcordia (formerly BellCore) TR-INS-000342, High-Capacity Digital Special Access Service-Transmission Parameter Limits and Interface Combinations, Issue 1 February 1991; 8.2.4.28 Telcordia (formerly BellCore) ST-TEC 000052, Telecommunications Transmission Engineering Textbook, Volume 2: Facilities, Third Edition, Issue I May 1989; 8.2.4.29 Telcordia (formerly BellCore) ST-TEC-000051, Telecommunications Transmission Engineering Textbook Volume 1: Principles, Third Edition. Issue 1 August 1987. 8.3 Dedicated Transport 8.3.1. BellSouth shall offer Dedicated Transport in each of the following ways: 8.3.1.1 As capacity on a shared facility. 8.3.1.2 As a circuit (e.g., DS0, DS1 or DS3) dedicated to e.spire.

- 8.3.2 When Dedicated Transport is provided as a system it shall include:
- 8.3.2.1 Transmission equipment such as multiplexers, line terminating equipment, amplifiers, and regenerators;
- 8.3.2.2 Inter-office transmission facilities such as optical fiber, copper twisted pair, and coaxial cable.
- 8.3.3 Unbundled Local Channel
- 8.3.3.1 The Unbundled Local Channel is the dedicated transmission path between e.spire's Point of Presence and the BellSouth Serving Wire Center.
- 8.3.3.2 BellSouth currently offers Unbundled Local Channels for switched traffic. Rates for these elements are listed in this Attachment. For those states that do not contain rates in this Attachment for DS1 and DS3 switched Local Channels, the rates in the applicable State Access Tariff will apply as interim rates. When final rates are developed, these interim rates will be subject to true-up, and the Parties will amend the Agreement to reflect the new rates.
- 8.3.3.3 BellSouth currently offers Unbundled Local Channels for non-switched traffic at DS1 and DS3 levels at rates as set forth in Exhibit C to this Attachment.
- 8.3.4 <u>Technical Requirements</u>

This Section sets forth technical requirements for all Dedicated Transport.

- When BellSouth provides Dedicated Transport as a circuit or a system, the entire designated transmission circuit or system (e.g., DS0, DS1,DS3) shall be dedicated to e.spire designated traffic.
- BellSouth shall offer Dedicated Transport in all technologies that become available including, but not limited to. DS1 and DS3 transport systems, SONET (or SDH) Bi-directional Line Switched Rings, SONET (or SDH) Unidirectional Path Switched Rings, and SONET (or SDH) point-to-point transport systems (including linear add-drop systems), at all available transmission bit rates. While SONET Ring facilities are not available in every application, they are typically available in the major metropolitan areas.
- For DS1 or VT1.5 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office ("CI to CO") connections in the appropriate industry standards.
- Where applicable, for DS3 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the appropriate industry standards.

8.3.4.5	BellSouth shall offer the following interface transmission rates for Dedicated Transport:
8.3.4.5.1	DS0 Equivalent;
8.3.4.5.2	DS1 (Extended SuperFrame - ESF and D4 channel bank shall be provided);
8.3.4.5.3	DS3 where applicable (M13 multiplexer shall be provided);
8.3.4.5.4	SDH Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
8.3.4.6	When Dedicated Transport is provided as a system, BellSouth shall design the system according to our network infrastructure to allow for the termination points specified by e.spire.
8.3.5	At a minimum, Dedicated Transport shall meet each of the requirements set forth in the following technical references:
8.3.5.1	ANSI T1.231-1993 -American National Standard for Telecommunications - Digital Hierarchy - Layer 1 In-Service Digital Transmission performance monitoring.
8.3.5.1.1	ANSI T1.102-1993, American National Standard for Telecommunications - Digital Hierarchy - Electrical Interfaces;
8.3.5.1.2	ANSI T1.106-1988, American National Standard for Telecommunications - Digital Hierarchy - Optical Interface Specifications (Single Mode);
8.3.5.1.3	ANSI T1.107-1988, American National Standard for Telecommunications - Digital Hierarchy - Formats Specifications;
8.3.5.1.4	ANSI T1.107a-1990 - American National Standard for Telecommunications - Digital Hierarchy - Supplement to Formats Specifications (DS3 Format Applications);
8.3.5.1.5	ANSI T1.107b-1991 - American National Standard for Telecommunications - Digital Hierarchy - Supplement to Formats Specifications;
8.3.5.1.6	Telcordia (formerly BellCore) FR-440 and TR-NWT-000499, Transport Systems Generic Requirements (TSGR): Common Requirements;
8.3.5.1.7	Telcordia (formerly BellCore) GR-820-CORE, Generic Transmission Surveillance: DS1 & DS3 Performance;
8.3.5.1.8	Telcordia (formerly BellCore) TR-NWT 000507, Transmission, Section 7, Issue 5 (Telcordia (formerly BellCore), December 1993). (A module of LSSGR, FR-NWT-000064.);

8.3.5.1.9 Telcordia (formerly BellCore) TR-INS-000342, High-Capacity Digital Special Access Service-Transmission Parameter Limits and Interface Combinations, Issue 1 February 1991; 8.3.5.1.10 Telcordia (formerly BellCore) ST-TEC 000052, Telecommunications Transmission Engineering Textbook, Volume 2: Facilities, Third Edition, Issue I May 1989; 8.3.5.1.11 Telcordia (formerly BellCore) ST-TEC-000051, Telecommunications Transmission Engineering Textbook Volume 1: Principles, Third Edition. Issue 1 August 1987; 9. **Tandem Switching** 9.1 Tandem Switching is as defined in Section 7.1.1.3 of this Attachment. 9.2 Technical Requirements 9.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Bell Communications Research TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include. but are not limited to the following: 9.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection; 9.2.1.2 Tandem Switching will provide screening as jointly agreed to by e.spire and BellSouth; 9.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability; 9.2.1.4 Tandem Switching shall provide access to Toll Free number portability database as designated by e.spire; 9.2.1.5 Tandem Switching shall provide all trunk interconnections discussed under the "Network Interconnection" section (e.g., SS7, MF, DTMF, DialPulse, PRI-ISDN, DID, and CAMA-ANI (if appropriate for 911)); 9.2.1.6 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and 9.2.1.7 Where appropriate, Tandem Switching shall provide connectivity to transit traffic to and from other carriers. 9.2.2 Tandem Switching shall accept connections (including the necessary signaling and trunking interconnections) between end offices, other tandems, IXCs, ICOs,

CAPs and CLEC switches.

9.2.3 Tandem Switching shall provide local tandeming functionality between two end offices including two offices belonging to different CLEC's (e.g., between a CLEC end office and the end office of another CLEC). 9.2.4 Tandem Switching shall preserve CLASS/LASS features and Caller ID as traffic is processed. 9.2.5 Tandem Switching shall record billable events and send them to the area billing centers designated by e.spire. Tandem Switching will provide recording of all billable events as jointly agreed to by e.spire and BellSouth. 9.2.6 Upon a reasonable request from e.spire, BellSouth shall perform routine testing and fault isolation on the underlying switch that is providing Tandem Switching and all its interconnections. The results and reports of the testing shall be made immediately available to e.spire. 9.2.7 BellSouth shall maintain e.spire's trunks and interconnections associated with Tandem Switching at least at parity to its own trunks and interconnections. BellSouth shall control congestion points and network abnormalities. All traffic 9.2.8 will be restricted in a non discriminatory manner. 9.2.9 Selective Call Routing through the use of line class codes is not available through the use of tandem switching. Selective Call Routing through the use of line class codes is an end office capability only. Detailed primary and overflow routing plans for all interfaces available within BellSouth switching network shall be mutually agreed to by e.spire and BellSouth. 9.2.10 Tandem Switching shall process originating toll-free traffic received from e.spire local switch. 9.2.11 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element, to the extent such Tandem Switch has such capability. 9.3 Interface Requirements 9.3.1 Tandem Switching shall provide interconnection to the E911 PSAP where the underlying Tandem is acting as the E911 Tandem. 9.3.2 Tandem Switching shall interconnect, with direct trunks, to all carriers with which BellSouth interconnects 9.3.3 BellSouth shall provide all signaling necessary to provide Tandem Switching with no loss of feature functionality. 9.3.4 Tandem Switching shall interconnect with e.spire's switch, using two-way trunks, for traffic that is transiting via BellSouth network to interLATA or intraLATA

carriers. At e.spire's request, Tandem Switching shall record and keep records of traffic for billing.

- 9.3.5 Tandem Switching shall provide an alternate final routing pattern for e.spire traffic overflowing from direct end office high usage trunk groups.
- 9.4 Tandem Switching shall meet or exceed (i.e., be more favorable to e.spire) each of the requirements for Tandem Switching set forth in the following technical references:
- 9.4.1 Bell Communications Research TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90;
- 9.4.2 GR-905-CORE covering CCSNIS;
- 9.4.3 GR-1429-CORE for call management features; and GR-2863-CORE and Telcordia (formerly BellCore) GR-2902-CORE covering CCS AIN interconnection

### 10. Operator Systems

BellSouth agrees to offer access to operator systems pursuant to the terms and conditions following and at the rates set forth in this Attachment.

### 10.1 Definition

Operator Systems is the Network Element that provides operator and automated call handling and billing, special services, end user telephone listings and optional call completion services. The Operator Systems, Network Element provides two types of functions: Operator Service functions and Directory Assistance Service functions, each of which are described in detail below.

### 10.2 Operator Service

### 10.2.1 Definition

Operator Service provides: (1) operator handling for call completion (for example, collect, third number billing, and manual credit card calls), (2) operator or automated assistance for billing after the end user has dialed the called number (for example, credit card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, Operator-assisted Directory Assistance, and Rate Quotes.

### 11.2.2 Requirements

10.2.2.1 When e.spire requests BellSouth to provide Operator Services, the following requirements apply:

10.2.2.1.1	BellSouth shall complete 0+ and 0- dialed local calls.
10.2.2.1.2	BellSouth shall complete 0+ intraLATA toll calls.
10.2.2.1.3	BellSouth shall complete calls that are billed to e.spire end user's calling card that can be validated by BellSouth.
10.2.2.1.4	BellSouth shall complete person-to-person calls.
10.2.2.1.5	BellSouth shall complete collect calls.
10.2.2.1.6	BellSouth shall provide the capability for callers to bill to a third party and complete such calls.
10.2.2.1.7	BellSouth shall complete station-to-station calls.
10.2.2.1.8	BellSouth shall process emergency calls.
10.2.2.1.9	BellSouth shall process Busy Line Verify and Emergency Line Interrupt requests.
10.2.2.1.10	BellSouth shall process emergency call trace, as they do for their End users prior to the Effective Date. Call must originate from a 911 provider.
10.2.2.1.11	BellSouth shall process operator-assisted directory assistance calls.
10.2.2.2	BellSouth shall adhere to equal access requirements, providing e.spire local end users the same IXC access as provided to BellSouth end users.
10.2.2.3	BellSouth shall exercise at least the same level of fraud control in providing Operator Service to e.spire that BellSouth provides for its own operator service.
10.2.2.4	BellSouth shall perform Billed Number Screening when handling Collect, Person to-Person, and Billed-to-Third-Party calls.
10.2.2.5	BellSouth shall direct customer account and other similar inquiries to the customer service center designated by e.spire.
10.2.2.6	BellSouth shall provide a feed of customer call records in "EMI" format to e.spire in accordance with CLECODUF standards specified in Attachment 7.
10.2.3	Interface Requirements
	With respect to Operator Services for calls that originate on local switching capability provided by or on behalf of e.spire, the interface requirements shall conform to the then current established system interface specifications for the platform used to provide Operator Service and the interface shall conform to industry standards.

10.3

**Directory Assistance Service** 

## 10.3.1 Definition

Directory Assistance Service provides local end user telephone number listings with the option to complete the call at the callers direction separate and distinct from local switching.

### 10.3.2 Requirements

Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by e.spire's end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings, equal to that which BellSouth provides its end users. If not available, e.spire may request such requirement pursuant to the Bona Fide Request/New Business Process as set forth in General Terms and Conditions.

# 10.3.2.2 <u>Directory Assistance Service Updates</u>

- 10.3.2.2.1 BellSouth shall update end user listings changes daily. These changes include:
- 10.3.2.2.1.1 New end user connections: BellSouth will provide service to e.spire that is equal to the service it provides to itself and its end users;
- 10.3.2.2.1.2 End user disconnections: BellSouth will provide service to e.spire that is equal to the service it provides to itself and its end users; and
- 10.3.2.2.1.3 End user address changes: BellSouth will provide service to e.spire that is equal to the service it provides to itself and its end users;
- These updates shall also be provided for non-listed and non-published numbers for use in emergencies.

# 10.4 Branding for Operator Call Processing and Directory Assistance

- The BellSouth Operator Systems Branding Feature provides a definable announcement to e.spire end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing them in queue or connecting them to an available operator or automated operator system. This feature allows e.spire to have its calls custom branded with e.spire name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for Custom Branding, Operator Call Process and Directory Assistance are set forth in this Attachment.
- BellSouth offers four service levels of branding to e.spire when ordering Directory Assistance and/or Operator Call Processing.
- 10.4.2.1 Service Level 1 BellSouth Branding

10.4.2.2	Service Level 2 - Unbranded
10.4.2.3	Service Level 3 - Custom Branding
10.4.2.4	Service Level 4 - Self Branding (applicable only to e.spire for Resale or use with an Unbundled Port when routing to an operator service provider other than BellSouth).
10.4.3	For Resellers and Use with an Unbundled Port
10.4.3.1	BellSouth Branding is the Default Service Level.
10.4.3.2	Unbranding, Custom Branding, and Self Branding require e.spire to order selective routing for each originating BellSouth end office identified by e.spire. Rates for Selective Routing are set forth in this Attachment.
10.4.3.3	Customer Branding and Self Branding require e.spire to order dedicated trunking from each BellSouth end office identified by e.spire, to either the BellSouth Traffic Operator Position System (TOPS) or e.spire Operator Service Provider. Rates for trunks are set forth in applicable BellSouth tariffs.
10.4.3.4	Unbranding - Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by e.spire to the BellSouth TOPS. These calls are routed to "No Announcement."
10.4.4	For Facilities Based Carriers
10.4.4.1	All Service Levels require e.spire to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.
10.4.4.2	Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch, IVS and NAV equipment for which e.spire requires service

Directory Assistance customized branding uses:

- the recording of the name;
- the front-end loading of the Digital Recorded Announcement Machine (DRAM) in each TOPS switch.

Operator Call Processing customized branding uses:

- the recording of the name;
- the front-end loading of the DRAM in the TOPS Switch;

- the back-end loading in the audio units in the Automated Alternate Billing System (AABS) in the Interactive Voice Subsystem (IVS);
- the 0- automation loading for the audio units in the Enhanced Billing and Access Service (EBAS) in the Network Applications Vehicle (NAV).
- 10.4.4.3 BellSouth will provide to e.spire purchasing local BellSouth switching and reselling BellSouth local exchange service, selective routing of calls to a requested directory assistance services platform or operator services platform. e.spire end users may use the same dialing arrangements as BellSouth end users, but obtain a e.spire branded service.

## 10.5 <u>Directory Assistance Database Service (DADS)</u>

- 10.5.1 BellSouth shall make its Directory Assistance Database Service (DADS) available solely for the expressed purpose of providing Directory Assistance type services to e.spire end users. The term "end user" denotes any entity which obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted and Electronic Directory Assistance (Data System assisted)). e.spire agrees that Directory Assistance Database Service (DADS) will not be used for any purpose which violates federal or state laws, statutes, regulatory orders or tariffs. Except for the permitted users, e.spire agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS. Further, e.spire authorizes the inclusion of e.spire Subscriber listings in the BellSouth Directory Assistance products.
- BellSouth shall provide e.spire initially with a base file of subscriber listings which reflect all listing change activity occurring since e.spire's most recent update via magnetic tape, and subsequently using electronic connectivity such as Network Data Mover to be developed mutually by e.spire and BellSouth. e.spire agrees to assume the costs associated with CONNECT: Direct TM connectivity, which will vary depending upon volume and mileage.
- BellSouth will require approximately one month after receiving an order to prepare the Base File. BellSouth will provide daily updates which will reflect all listing change activity occurring since CLEC's most recent update. BellSouth shall provide updates to e.spire on a Business, Residence, or combined Business and Residence basis. e.spire agrees that the updates shall be used solely to keep the information current. Delivery of Daily Updates will commence the day after e.spire receives the Base File.
- BellSouth is authorized to include e.spire Subscriber List Information in its Directory Assistance Database Service (DADS) and its Directory Publishers Database Service (DPDS). Any other use by BellSouth of e.spire Subscriber List Information is not authorized and with the exception of a request for DADS or DPDS, BellSouth shall refer any request for such information to e.spire.

10.5.5 Rates for DADS are as set forth in this Attachment.

## 10.6 <u>Direct Access to Directory Assistance Service</u>

- Direct Access to Directory Assistance Service (DADAS) will provide e.spire's directory assistance operators with the ability to search all available BellSouth's subscriber listings using the Directory Assistance search format. Subscription to DADAS will allow e.spire to utilize its own switch, operator workstations and optional audio subsystems.
- BellSouth will provide DADAS from its DA location. e.spire will access the DADAS system via a telephone company provided point of availability. e.spire has the responsibility of providing the physical links required to connect to the point of availability. These facilities may be purchased from the telephone company as rates and charges billed separately from the charges associated with this offering.
- A specified interface to each e.spire subsystem will be provided by BellSouth.

  Interconnection between e.spire system and a specified BellSouth location will be pursuant to the use of e.spire owned or e.spire leased facilities and shall be appropriate sized based upon the volume of queries being generated by e.spire.
- The specifications for the three interfaces necessary for interconnection are available in the following documents:
- 10.6.4.1 DADAS to Subscriber Operator Position System—Northern Telecom Document CSI-2300-07; Universal Gateway/ Position Message Interface Format Specification
- DADAS to Subscriber Switch—Northern Telecom Document Q210-1 Version A107; NTDMS/CCIDAS System Application Protocol; and AT&T Document 250-900-535 Operator Services Position System Listing Service and Application Call Processing Data Link Interface Specification
- DADAS to Audio Subsystem (Optional)—Directory One Call Control to Audio Response Unit system interface specifications are available through Northern Telecom as a licensed access protocol—Northern Telecom Document 355-004424 and Gateway/Interactive Voice subsystem Protocol Specification
- 10.6.5 Rates for DADAS are as set forth in this Attachment.

### 11. Signaling

BellSouth agrees to offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling

systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

## 11.1 <u>Definition of Signaling Link Transport</u>

Signaling Link Transport is a set of two or four dedicated 56 Kbps. transmission paths between CLEC-designated Signaling Points of Interconnection (SPOI) that provides appropriate physical diversity.

- 11.2 <u>Technical Requirements</u>
- Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths.
- Of the various options available, Signaling Link Transport shall perform in the following two ways:
- 11.2.2.1 As an "A-link" which is a connection between a switch or SCP and a home Signaling Transfer Point Switch (STP) pair; and
- 11.2.2.2 As a "B-link" which is a connection between two STP pairs in different company networks (e.g., between two STP pairs for two Competitive Local Exchange Carriers (CLECs)).
- Signaling Link Transport shall consist of two or more signaling link layers as follows:
- 11.2.3.1 An A-link layer shall consist of two links.
- 11.2.3.2 A B-link layer shall consist of four links.
- 11.2.4 A signaling link layer shall satisfy a performance objective such that:
- There shall be no more than two minutes down time per year for an A-link layer; and
- There shall be negligible (less than 2 seconds) down time per year for a B-link layer.
- 11.2.5 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 11.2.5.1 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and

No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).

## 11.3 <u>Interface Requirements</u>

There shall be a DS1 (1.544 Mbps) interface at the e.spire-designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.

# 12. <u>Signaling Transfer Points (STPs)</u>

- 12.1 <u>Definition</u> Signaling Transfer Points is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links which enable the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches
- 12.2 <u>Technical Requirements</u>
- STPs shall provide access to Network Elements connected to BellSouth SS7 network. These include:
- 12.2.1.1 BellSouth Local Switching or Tandem Switching;
- 12.2.1.2 BellSouth Service Control Points/DataBases;
- 12.2.1.3 Third-party local or tandem switching;
- 12.2.1.4 Third-party-provided STPs.
- The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to BellSouth SS7 network. This explicitly includes the use of BellSouth SS7 network to convey messages which neither originate nor terminate at a signaling end point directly connected to BellSouth SS7 network (*i.e.*, transient messages). When BellSouth SS7 network is used to convey transient messages, there shall be no alteration of the Integrated Services Digital Network User Part (ISDNUP) or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- If a BellSouth tandem switch routes calling traffic, based on dialed or translated digits, on SS7 trunks between an e.spire local switch and third party local switch, BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between e.spire local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.

- STPs shall provide all functions of the MTP as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements. This includes:
- 12.2.4.1 Signaling Data Link functions, as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements,
- 12.2.4.2 Signaling Link functions, as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements, and
- 12.2.4.3 Signaling Network Management functions, as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements.
- STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements. In particular, this includes Global Title Translation (GTT) and SCCP Management procedures, as specified in T1.112.4. In cases where the destination signaling point is a e.spire or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network, and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a e.spire database, then e.spire agrees to provide BellSouth with the Destination Point Code for the e.spire database.
- STPs shall provide on a non-discriminatory basis all functions of the OMAP commonly provided by STPs, as specified in the reference in Section 12.4.5 of this Attachment. All OMAP functions will be on a "where available" basis and can include:
- 12.2.6.1 MTP Routing Verification Test (MRVT) and
- 12.2.6.2 SCCP Routing Verification Test (SRVT).
- In cases where the destination signaling point is a BellSouth local or tandem switching system or database, or is an e.spire or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement shall be superseded by the specifications for Internetwork MRVT and SRVT if and when these become approved ANSI standards and available capabilities of BellSouth STPs, and if mutually agreed upon by e.spire and BellSouth.
- 12.2.8 STPs shall be on parity with BellSouth.

## 12.2.9 <u>SS7 Advanced Intelligent Network (AIN) Access</u>

- When technically feasible and upon request by e.spire, SS7 Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with the e.spire SS7 network to exchange TCAP queries and responses with an e.spire SCP.
- SS7 AIN Access shall provide e.spire SCP access to BellSouth local switch in association with switching via interconnection of BellSouth SS7 and e.spire SS7 Networks. BellSouth shall offer SS7 access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the e.spire SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

## 12.3 <u>Interface Requirements</u>

- BellSouth shall provide the following STPs options to connect e.spire or e.spiredesignated local switching systems or STPs to BellSouth SS7 network:
- 12.3.1.1 An A-link interface from e.spire local switching systems; and,
- 12.3.1.2 A B-link interface from e.spire local STPs.
- Each type of interface shall be provided by one or more sets (layers) of signaling links.
- The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element, such as a DSX-1, in the Central Office (CO) where BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface. BellSouth shall offer higher rate DS1 signaling for interconnecting e.spire local switching systems or STPs with BellSouth STPs as soon as these become approved ANSI standards and available capabilities of BellSouth STPs. BellSouth and e.spire will work jointly to establish mutually acceptable SPOIs.
- BellSouth CO shall provide intraoffice diversity between the SPOIs and BellSouth STPs, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP. BellSouth and e.spire will work jointly to establish mutually acceptable SPOIs.
- BellSouth shall provide MTP and SCCP protocol interfaces that shall conform to all sections relevant to the MTP or SCCP in the following specifications:

- 12.3.5.1 Telcordia (formerly BellCore) GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP);
- 12.3.5.2 Telcordia (formerly BellCore) GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP).

## 12.3.6 <u>Message Screening</u>

- BellSouth shall set message screening parameters so as to accept valid messages from e.spire local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the e.spire switching system has a legitimate signaling relation.
- BellSouth shall set message screening parameters so as to pass valid messages from e.spire local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the e.spire switching system has a legitimate signaling relation.
- BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from e.spire from any signaling point or network interconnected through BellSouth's SS7 network where the e.spire SCP has a legitimate signaling relation.
- STPs shall be equal to or better than all of the requirements for STPs set forth in the following technical references:
- 12.4.1 ANSI T1.111-1992 American National Standard for Telecommunications Signaling System Number 7 (SS7) Message Transfer Part (MTP);
- 12.4.2 ANSI T1.111A-1994 American National Standard for Telecommunications Signaling System Number 7 (SS7) Message Transfer Part (MTP) Supplement;
- 12.4.3 ANSI T1.112-1992 American National Standard for Telecommunications Signaling System Number 7 (SS7) Signaling Connection Control Part (SCCP);
- 12.4.4 ANSI T1.115-1990 American National Standard for Telecommunications Signaling System Number 7 (SS7) Monitoring and Measurements for Networks;
- 12.4.5 ANSI T1.116-1990 American National Standard for Telecommunications Signaling System Number 7 (SS7) Operations, Maintenance and Administration Part (OMAP);
- 12.4.6 ANSI T1.118-1992 American National Standard for Telecommunications Signaling System Number 7 (SS7) Intermediate Signaling Network Identification (ISNI);

- 12.4.7 Telcordia (formerly BellCore) GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP); and
- Telcordia (formerly BellCore) GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP).

# 13. <u>Service Control Points/DataBases</u>

## 13.1 <u>Definition</u>

- Databases are the Network Elements that provide the functionality for storage of, access to, and manipulation of information required to offer a particular service and/or capability. Databases include, but are not limited to: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, Calling Name Database, access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- A Service Control Point (SCP) is a specific type of Database functionality deployed in a Signaling System 7 (SS7) network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

# 13.2 <u>Technical Requirements for SCPs/Databases</u>

Requirements for SCPs/Databases within this section address storage of information, access to information (e.g. signaling protocols, response times), and administration of information (e.g., provisioning, administration, and maintenance). All SCPs/Databases shall be provided to e.spire in accordance with the following requirements.

- BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- The reliability of interconnection options shall be consistent with requirements for diversity and survivability.
- 13.2.4 <u>Database Availability</u>

Call processing databases shall have a maximum unscheduled availability of 30 minutes per year. Unavailability due to software and hardware upgrades shall be scheduled during minimal usage periods and only be undertaken upon proper notification to providers which might be impacted. Any downtime associated with the provision of call processing related databases will impact all service providers, including BellSouth, equally.

The operational interface provided by BellSouth shall complete Database transactions (i.e., add, modify, delete) for e.spire customer records stored in BellSouth databases within 3 days, or sooner where BellSouth provisions its own customer records within a shorter interval.

### 13.3 Local Number Portability Database

### 13.3.1 <u>Definition</u>

The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. PNP is currently being worked in industry forums. The results of these forums will dictate the industry direction of PNP. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

## 13.4 <u>Line Information Database (LIDB)</u>

BellSouth will store in its LIDB only records relating to service in the BellSouth region. The LIDB Storage Agreement is included in this Attachment.

### 13.4.1 Definition

The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. It contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth CCS network and other CCS networks. LIDB also interfaces to administrative systems.

### 13.4.2 Technical Requirements

BellSouth will offer to e.spire any additional capabilities that are developed for LIDB during the life of this Agreement.

- BellSouth shall process e.spire's Customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to e.spire what additional functions (if any) are performed by LIDB in the BellSouth network.
- Within two (2) weeks after a request by e.spire, BellSouth shall provide e.spire with a list of the customer data items which e.spire would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function, and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked, shall not exceed 30 minutes per year.
- BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.
- 13.4.2.5 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.
- All additions, updates and deletions of e.spire data to the LIDB shall be solely at the direction of e.spire. Such direction from e.spire will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 13.4.2.7 BellSouth shall provide priority updates to LIDB for e.spire data upon e.spire's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- BellSouth shall provide LIDB systems such that no more than 0.01% of e.spire customer records will be missing from LIDB, as measured by e.spire audits. BellSouth will audit e.spire records in LIDB against DBAS to identify record mismatches and provide this data to a designated e.spire contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mis-matches to e.spire within one business day of audit. Once reconciled records are received back from e.spire, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact e.spire to negotiate a time frame for the updates, not to exceed three business days.
- BellSouth shall perform backup and recovery of all of e.spire's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs

backups of the LIDB for itself on a weekly basis and when a new software release is scheduled, a backup is performed prior to loading the new release.

- BellSouth shall provide e.spire with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between e.spire and BellSouth.
- BellSouth shall prevent any access to or use of e.spire data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by e.spire in writing.
- BellSouth shall provide e.spire performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by e.spire at least at parity with BellSouth Customer Data. BellSouth shall obtain from e.spire the screening information associated with LIDB Data Screening of e.spire data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to e.spire under the Bona Fide Request/New Business Process as set forth in General Terms and Conditions.
- BellSouth shall accept queries to LIDB associated with e.spire customer records, and shall return responses in accordance with industry standards.
- BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 13.4.2.15 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 13.4.3 <u>Interface Requirements</u>

BellSouth shall offer LIDB in accordance with the requirements of this subsection.

- 13.4.3.1 The interface to LIDB shall be in accordance with the technical references contained within.
- 13.4.3.2 The CCS interface to LIDB shall be the standard interface described herein.
- The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 13.5 <u>Toll Free Number Database</u>

The Toll Free Number Database is a SCP that provides functionality necessary for toll free (e.g., 800 and 888) number services by providing routing information and additional so-called vertical features during call set-up in response to queries from SSPs. BellSouth shall provide the Toll Free Number Database in accordance with the following:

### 13.5.1 <u>Technical Requirements</u>

- BellSouth shall make BellSouth Toll Free Number Database available for e.spire to query with a toll-free number and originating information.
- The Toll Free Number Database shall return carrier identification and, where applicable, the queried toll free number, translated numbers and instructions as it would in response to a query from a BellSouth switch.
- The SCP shall also provide, at e.spire's option, such additional feature as described in SR-TSV-002275 (BOC Notes on BellSouth Networks, SR-TSV-002275, Issue 2, (Telcordia (formerly BellCore), April 1994)) as are available to BellSouth. These may include but are not limited to:
- 13.5.1.3.1 Network Management;
- 13.5.1.3.2 Customer Sample Collection; and
- 13.5.1.3.3 Service Maintenance

## 13.6 <u>Automatic Location Identification/Data Management System (ALI/DMS)</u>

The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point (PSAP) to route the call. The ALI/DMS database is used to provide more routing flexibility for E911 calls than Basic 911. BellSouth shall provide the Emergency Services Database in accordance with the following:

### 13.6.1 <u>Technical Requirements</u>

- 13.6.1.1 BellSouth shall offer e.spire a data link to the ALI/DMS database or permit e.spire to provide its own data link to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to e.spire immediately after e.spire inputs information into the ALI/DMS database. Alternately, e.spire may utilize BellSouth, to enter end user information into the data base on a demand basis, and validate end user information on a demand basis.
- 13.6.1.2 The ALI/DMS database shall contain the following end user information:
- 13.6.1.2.1 Name;

13.6.1.2.2 Address; 13.6.1.2.3 Telephone number; and Other information as appropriate (e.g., whether a end user is blind or deaf or has 13.6.1.2.4 another disability). When BellSouth is responsible for administering the ALI/DMS database in its 13.6.1.3 entirety, ported number NXXs entries for the ported numbers should be maintained unless e.spire requests otherwise and shall be updated if e.spire requests, provided e.spire supplies BellSouth with the updates. 13.6.1.4 When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record. 13.6.1.5 If BellSouth is responsible for configuring PSAP features (for cases when the PSAP or BellSouth supports an ISDN interface) it shall ensure that CLASS Automatic Recall (Call Return) is not used to call back to the ported number. Although BellSouth currently does not have ISDN interface, BellSouth agrees to comply with this requirement once ISDN interfaces are in place. 13.6.2 Interface Requirements The interface between the E911 Switch or Tandem and the ALI/DMS database for e.spire end users shall meet industry standards. 13.7 Calling Name (CNAM) Database Service. The Agreement for Calling Name (CNAM) with standard pricing is included as Exhibit B to this Attachment. e.spire must provide to its account manager a written request with a requested activation date to activate this service. If e.spire is interested in requesting CNAM with volume and term pricing, e.spire must contact its account manager to request a separate CNAM volume and term Agreement. 13.8 SCPs/Databases shall be equal to or better than all of the requirements for SCPs/Databases set forth in the following technical references: 13.8.1 GR-246-CORE, Bell Communications Research Specification of Signaling System Number 7, ISSUE 1 (Telcordia (formerly BellCore), December 199); 13.8.2 GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP). (Telcordia (formerly BellCore), March 1994);

13.8.3 GR-954-CORE, CCS Network Interface Specification (CCSNIS) Supporting Line Information Database (LIDB) Service 6, Issue 1, Rev. 1 (Telcordia (formerly BellCore), October 1995); 13.8.4 GR-1149-CORE, OSSGR Section 10: System Interfaces, Issue 1 (Telcordia (formerly BellCore), October 1995) (Replaces TR-NWT-001149); 13.8.5 Telcordia (formerly BellCore) GR-1158-CORE, OSSGR Section 22.3: Line Information Database 6, Issue (Telcordia (formerly BellCore), October 1995): 13.8.6 Telcordia (formerly BellCore) GR-1428-CORE, CCS Network Interface Specification (CCSNIS) Supporting Toll Free Service (Telcordia (formerly BellCore), May 1995); and 13.8.7 BOC Notes on BellSouth Networks, SR-TSV-002275, ISSUE 2, (Telcordia) (formerly BellCore), April 1994). 13.9 Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access. 13.9.1 BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide e.spire the capability that will allow e.spire and other third parties to create service applications in a BellSouth Service Creation Environment and deploy those applications in a BellSouth SMS to a BellSouth SCP. The third party service applications interact with AIN triggers provisioned on a BellSouth SSP. 13.9.2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware. software, testing and technical support (e.g., help desk, system administrator) resources available to e.spire. Scheduling procedures shall provide e.spire equivalent priority to these resources 13.9.3 BellSouth SCP shall partition and protect e.spire service logic and data from unauthorized access, execution or other types of compromise. 13.9.4 When e.spire selects SCE/SMS AIN Access, BellSouth shall provide training. documentation, and technical support to enable e.spire to use BellSouth's SCE/SMS AIN Access to create and administer applications. Training. documentation, and technical support will address use of SCE and SMS access and administrative functions, but will not include support for the creation of a specific service application. 13.9.5 When e.spire selects SCE/SMS AIN Access, BellSouth shall provide for a secure, controlled access environment in association with its internal use of AIN

components. e.spire access will be provided via remote data connection (e.g.,

dial-in, ISDN).

When e.spire selects SCE/SMS AIN Access, BellSouth shall allow e.spire to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth (e.g., service customization and end user subscription).

### 14. **DARK FIBER**

BellSouth agrees to offer access to Dark Fiber pursuant to the terms and conditions following and at the rates set forth in this Attachment.

Dark Fiber is defined as BellSouth's optical transmission facilities without attached multiplexing, aggregation or other electronics. e.spire may utilize Dark Fiber for either loops or transport. Dark Fiber does not have electronics on either end of the Dark Fiber segment. It may be strands of optical fiber existing in aerial or underground structure. No regeneration or optical amplification will be included with this element.

### 14.2 Requirements

- BellSouth shall make available Dark Fiber where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available.

  BellSouth shall offer all Dark Fiber to e.spire pursuant to the prices set forth in this Attachment.
- e.spire may test the quality of the Dark Fiber to confirm its usability and performance specifications.
- BellSouth shall use its best efforts to provide to e.spire information regarding the location, availability and performance of Dark Fiber within ten (10) business days for a records based answer and twenty (20) business days for a field based answer, after receiving a request from e.spire ("Request"). Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber ("Confirmation").
- BellSouth shall use its best efforts to make Dark Fiber available to e.spire within thirty (30) business days after it receives written confirmation from e.spire that the Dark Fiber previously deemed available by BellSouth is wanted for use by e.spire. This includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX) or splice points) to enable e.spire to connect or splice e.spire provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber.

# 15. <u>SS7 Network Interconnection</u>

## 15.1.1 Definition

SS7 Network Interconnection is the interconnection of e.spire local Signaling Transfer Point Switches (STP) and e.spire local or tandem switching systems with BellSouth STPs. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases (DBs), e.spire local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

### 15.1.2 <u>Technical Requirements</u>

- 15.1.2.1 SS7 Network Interconnection shall provide connectivity to all components of the BellSouth SS7 network. These include:
- 15.1.2.1.1 BellSouth local or tandem switching systems;
- 15.1.2.1.2 BellSouth DBs; and
- 15.1.2.1.3 Other third-party local or tandem switching systems.
- The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and DBs and e.spire or other third-party switching systems with A-link access to the BellSouth SS7 network.

If traffic is routed based on dialed or translated digits between an e.spire local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the e.spire local STPs and BellSouth or other third-party local switch.

- When the capability to route messages based on Intermediate Signaling Network Identifier (ISNI) is generally available on BellSouth STPs, the BellSouth SS7 Network shall also convey TCAP messages using SS7 Network Interconnection in similar circumstances where the BellSouth switch routes traffic based on a Carrier Identification Code (CIC).
- SS7 Network Interconnection shall provide all functions of the MTP as specified in ANSI T1.111. This includes:
- 15.1.2.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 15.1.2.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 15.1.2.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as specified in ANSI T1.112. In particular, this includes Global Title Translation (GTT) and SCCP Management

procedures, as specified in T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is an e.spire local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of e.spire local STPs, and shall not include SCCP Subsystem Management of the destination.

- SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part (ISDNUP), as specified in ANSI T1.113.
- SS7 Network Interconnection shall provide all functions of the TCAP, as specified in ANSI T1.114.
- 15.1.2.8 If and when Internetwork MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT) become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection shall provide these functions of the OMAP.
- SS7 Network Interconnection shall be equal to or better than the following performance requirements:
- 15.1.2.9.1 MTP Performance, as specified in ANSI T1.111.6;
- 15.1.2.9.2 SCCP Performance, as specified in ANSI T1.112.5; and
- 15.1.2.9.3 ISDNUP Performance, as specified in ANSI T1.113.5.
- 15.1.3 <u>Interface Requirements</u>
- BellSouth shall offer the following SS7 Network Interconnection options to connect e.spire or e.spire-designated local or tandem switching systems or STPs to the BellSouth SS7 network:
- 15.1.3.1.1 A-link interface from e.spire local or tandem switching systems; and
- 15.1.3.1.2 B-link interface from e.spire STPs.
- The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element, such as a DSX-1, in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface. BellSouth shall offer higher rate DS1 signaling links for interconnecting e.spire local switching systems or STPs with BellSouth STPs as soon as these become approved ANSI standards and available capabilities of BellSouth STPs. BellSouth and e.spire will work jointly to establish mutually acceptable SPOI.

- 15.1.3.3 BellSouth CO shall provide intraoffice diversity between the SPOIs and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP. BellSouth and e.spire will work jointly to establish mutually acceptable SPOI.
   15.1.3.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the following specifications:
- Telcordia (formerly BellCore) GR-905-CORE, Common Channel Signaling
  Network Interface Specification (CCSNIS) Supporting Network Interconnection,
  Message Transfer Part (MTP), and Integrated Services Digital Network User Part
  (ISDNUP);
- 15.1.3.4.2 Telcordia (formerly BellCore) GR-1428-CORE, CCS Network Interface Specification (CCSNIS) Supporting Toll Free Service;
- 15.1.3.4.3 Telcordia (formerly BellCore) GR-1429-CORE, CCS Network Interface Specification (CCSNIS) Supporting Call Management Services; and
- 15.1.3.4.4 Telcordia (formerly BellCore) GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP).
- 15.1.3.5 BellSouth shall set message screening parameters to block accept messages from e.spire local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the e.spire switching system has a legitimate signaling relation.
- SS7 Network Interconnection shall be equal to or better than all of the requirements for SS7 Network Interconnection set forth in the following technical references:
- 15.1.4.1 ANSI T1 110-1992 American National Standard Telecommunications Signaling System Number 7 (SS7) General Information;
- ANSI T1.111-1992 American National Standard for Telecommunications Signaling System Number 7 (SS7) Message Transfer Part (MTP);
- 15.1.4.3 ANSI T1.111A-1994 American National Standard for Telecommunications Signaling System Number 7 (SS7) Message Transfer Part (MTP) Supplement;
- ANSI T1.112-1992 American National Standard for Telecommunications Signaling System Number 7 (SS7) Signaling Connection Control Part (SCCP);
- 15.1.4.5 ANSI T1.113-1995 American National Standard for Telecommunications Signaling System Number 7 (SS7) Integrated Services Digital Network (ISDN) User Part:

- 15.1.4.6 ANSI T1.114-1992 American National Standard for Telecommunications Signaling System Number 7 (SS7) Transaction Capabilities Application Part (TCAP);
- 15.1.4.7 ANSI T1.115-1990 American National Standard for Telecommunications Signaling System Number 7 (SS7) Monitoring and Measurements for Networks;
- 15.1.4.8 ANSI T1.116-1990 American National Standard for Telecommunications Signaling System Number 7 (SS7) Operations, Maintenance and Administration Part (OMAP);
- 15.1.4.9 ANSI T1.118-1992 American National Standard for Telecommunications Signaling System Number 7 (SS7) Intermediate Signaling Network Identification (ISNI);
- Telcordia (formerly BellCore) GR-905-CORE, Common Channel Signaling
  Network Interface Specification (CCSNIS) Supporting Network Interconnection,
  Message Transfer Part (MTP), and Integrated Services Digital Network User Part
  (ISDNUP);
- 15.1.4.11 Telcordia (formerly BellCore) GR-954-CORE, CCS Network Interface Specification (CCSNIS) Supporting Line Information Database (LIDB) Service;
- Telcordia (formerly BellCore) GR-1428-CORE, CCS Network Interface Specification (CCSNIS) Supporting Toll Free Service;
- 15.1.4.13 Telcordia (formerly BellCore) GR-1429-CORE, CCS Network Interface Specification (CCSNIS) Supporting Call Management Services; and,
- 15.1.4.14 Telcordia (formerly BellCore) GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP).

### 16. <u>Basic 911 and E911</u>

If e.spire orders network elements and other services, then e.spire is also responsible for providing E911 to its end users. BellSouth agrees to offer access to the 911/E911 network pursuant to the following terms and conditions set forth in this Attachment.

### 16.1 Definition

Basic 911 and E911 is an additional requirement that provides a caller access to the applicable emergency service bureau by dialing a 3-digit universal telephone number (911).

## 16.2 Requirements

- Basic 911 Service Provisioning. For Basic 911 service, BellSouth will provide to e.spire a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. e.spire will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. e.spire will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, e.spire will be required to discontinue the Basic 911 procedures and being using E911 procedures.
- 16.2.2 E911 Service Provisioning. For E911 service, e.spire will be required to install a minimum of two dedicated trunks originating from the e.spire serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS-0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMAtype signaling with multifrequency ("MF") pulsing that will deliver automatic number identification ("ANI") with the voice portion of the call. If the user interface is digital, MF pulses, as well as other AC signals, shall be encoded per the u-255 Law convention. e.spire will be required to provide BellSouth daily updates to the E911 database. e.spire will be required to forward 911 calls to the appropriate E911 tandem, along with ANI, based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, e.spire will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point ("PSAP"). This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. e.spire shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.
- Rates. Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on e.spire beyond applicable charges for BellSouth trunking arrangements.
- Basic 911 and E911 functions provided to e.spire shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.

<u>Detailed Practices and Procedures</u>. The detailed practices and procedures contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement will determine the appropriate practices and procedures for BellSouth and e.spire to follow in providing 911/E911 services.

#### 17. Combinations

For purposes of this Section, references to "Already Combined" network elements shall mean that such network elements are in fact already combined by BellSouth in the BellSouth network to provide service to a particular end user at a particular location.

### 17.2 **EELs**

- Where necessary to comply with an effective FCC and/or State Commission order, or as otherwise mutually agreed by the Parties, BellSouth shall offer access to loop and transport combinations, also known as the Enhanced Extended Link ("EEL") as defined in Section 17.3 below.
- Subject to Section 17.2.3 below, BellSouth will provide access to the EEL in the combinations set forth in 17.3 following. This offering is intended to provide connectivity from an end user's location through that end user's SWC to e.spire's POP serving wire center. The circuit must be connected to e.spire's switch for the purpose of provisioning telecommunications services, including telephone exchange service, to e.spire's end-user customers. Except as provided for in paragraph 22 of the FCC's Supplemental Order Clarification, released June 2, 2000, in CC Docket No. 96-98 ("June 2, 2000 Order"), the EEL will be connected to e.spire's facilities in e.spire's collocation space at the POP SWC. e.spire may purchase BellSouth's access facilities between e.spire's POP and e.spire's collocation space at the POP SWC.
- 17.2.3 BellSouth shall provide EEL combinations to e.spire in the state of Georgia regardless of whether or not such EELs are Already Combined. In all other states, BellSouth shall make available to e.spire those EEL combinations described in Section 4.3 below only to the extent such combinations are Already Combined.
- BellSouth will make available EEL combinations to e.spire in density Zone 1, as defined in 47 C.F.R. 69.123 as of January 1, 1999, in the Miami, Orlando, Fort Lauderdale, Charlotte, New Orleans, Greensboro and Nashville MSAs, regardless of whether or not such EELs are Already Combined.
- 17.2.5 Additionally, BellSouth shall make available to e.spire a combination of an unbundled loop and tariffed special access interoffice facilities. To the extent e.spire will require multiplexing functionality in connection with such combination, BellSouth will provide access to multiplexing within the central office pursuant to the terms, conditions and rates set forth in its Access Services Tariffs. The combination of an unbundled loop and tariffed special access interoffice facilities and any associated tariffed services, including but not limited to multiplexing, shall not be eligible for conversion to UNEs as described in Section 17.5 below. Where

multiplexing functionality is required in connection with loop and transport combinations, such multiplexing will be provided at the rates and on the terms set forth in this Agreement.

1 /.3	EEL Combinations
17.3.1	DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop
17.3.2	DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop
17.3.3	DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop
17.3.4	DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop
17.3.5	DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop
17.3.6	DS1 Interoffice Channel + DS1 Local Loop
17.3.7	DS3 Interoffice Channel + DS3 Local Loop
17.3.8	STS-1 Interoffice Channel + STS-1 Local Loop
17.3.9	DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop
17.3.10	STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop
17.3.11	2-wire VG Interoffice Channel + 2-wire VG Local Loop
17.3.12	4wire VG Interoffice Channel + 4-wire VG Local Loop
17.3.13	4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop
17.3.14	4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop

# 17.4 Other Network Element Combinations

In the state of Georgia, BellSouth shall make available to e.spire, in accordance with Section 17.6 below: (1) combinations of network elements other than EELs that are Already Combined; and (2) combinations of network elements other than EELs that are not Already Combined but that BellSouth ordinarily combines in its network. In all other states, BellSouth shall make available to e.spire, in accordance with Section 17.6 below, combinations of network elements other than EELs only to the extent such combinations are Already Combined.

# 17.5 Special Access Service Conversions

- e.spire may not convert special access services to combinations of loop and transport network elements, whether or not e.spire self-provides its entrance facilities (or obtains entrance facilities from a third party), unless e.spire uses the combination to provide a "significant amount of local exchange service" (as described in Section 17.5.2 below), in addition to exchange access service, to a particular customer.
- 17.5.2 For the purpose of special access conversions, a "significant amount of local exchange service" is as defined in the FCC's June 2, 2000 Order. The Parties agree to incorporate by reference paragraph 22 of the June 2, 2000 Order. When e.spire requests conversion of special access circuits, e.spire will self-certify to BellSouth in the manner specified in paragraph 29 of the June 2, 2000 Order that the circuits to be converted qualify for conversion. In addition there may be extraordinary circumstances where e.spire is providing a significant amount of local exchange service, but does not qualify under any of the three options set forth in paragraph 22 of June 2, 2000 Order. In such case, e.spire may petition the FCC for a waiver of the local usage options set forth in the June 2, 2000 Order. If a waiver is granted, then upon e.spire's request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.
- 17.5.3 Upon request for conversions of up to 15 circuits from special access to EELs, BellSouth shall perform such conversions within seven (7) days from BellSouth's receipt of a valid, error free service order from e.spire. Requests for conversions of fifteen (15) or more circuits from special access to EELs will be provisioned on a project basis. Conversions should not require the special access circuit to be disconnected and reconnected because only the billing information or other administrative information associated with the circuit will change when e.spire requests a conversion. The Access Service Request process will be used for conversion requests.
- BellSouth may, at its sole expense, and upon thirty (30) days notice to e.spire, audit e.spire's records not more than once in any twelve month period, unless an audit finds non-compliance with the local usage options referenced in the June 2, 2000 Order, in order to verify the type of traffic being transmitted over combinations of loop and transport network elements. If, based on its audits, BellSouth concludes that e.spire is not providing a significant amount of local exchange traffic over the combinations of loop and transport network elements, BellSouth may file a complaint with the appropriate Commission, pursuant to the dispute resolution process set forth in this Agreement. In the event that BellSouth prevails, BellSouth may convert such combinations of loop and transport network elements to special access services and may seek appropriate retroactive reimbursement from e.spire.

- 17.6 Rates
- 17.6.1 Georgia
- 17.6.1.1 The non-recurring and recurring rates for the EEL Combinations of network elements set forth in 17.3, whether Already Combined or new, are as set forth in this Attachment.
- 17.6.1.2 On an interim basis, for combinations of loop and transport network elements not set forth in Section 17.3, where the elements are not Already Combined but are ordinarily combined in BellSouth's network, the non-recurring and recurring charges for such UNE combinations shall be the sum of the stand-alone non-recurring and recurring charges of the network elements which make up the combination. These interim rates shall be subject to true-up based on the Commission's review of BellSouth's cost studies.
- 17.6.1.3 To the extent that e.spire seeks to obtain other combinations of network elements that BellSouth ordinarily combines in its network which have not been specifically priced by the Commission when purchased in combined form, e.spire, at its option, can request that such rates be determined pursuant to the Bona Fide Request/New Business Request (NBR) process set forth in this Agreement.
- 17.6.2 All Other States
- 17.6.2.1 Subject to Section 17.2.3 and 17.4 preceding, all other states, the rates for (1)
  Already Combined EEL combinations set forth in Section 17.3, and (2) other
  combinations of network elements that are Already Combined in the network will be
  the sum of the recurring rates for the individual network elements plus a nonrecurring
  charge as specified in Exhibit A hereto.
- 17.6.2.2 Rates for new EEL combinations in Density Zone 1 in the Miami, Orlando, Fort Lauderdale, Charlotte, New Orleans, Greensboro and Nashville MSAs shall be as set forth in Exhibit A hereto; provided, however, that to the extent a rate is not established in Exhibit A, the rate shall be the sum of the recurring and nonrecurring charges for the individual network elements as set forth in Exhibit A to this Attachment, unless otherwise established by the Commission.

# 17.7 Port/Loop Combinations

- 17.7.1 At e.spire's request, BellSouth shall provide access to combinations of port and loop network elements, as set forth in Section 17.7.4 below, that are Already Combined in BellSouth's network except as specified in Sections 17.7.1.1 and 17.7.1.2 below, consistent with the requirements of 47 C.F.R. 315(b) and all applicable FCC and Commission rules and policies.
- 17.7.1.1 BellSouth shall not provide access to combinations of unbundled port and loop network elements in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as an unbundled network element.

- 17.7.1.2 In accordance with effective and applicable FCC rules, BellSouth shall not provide unbundled circuit switching in density Zone 1, as defined in 47 C.F.R. 69.123 as of January 1, 1999, of the Atlanta, Miami, Orlando, Fort Lauderdale, Charlotte, New Orleans, Greensboro and Nashville MSAs to e.spire if e.spire's customer has 4 or more DS0 equivalent lines.
- 17.7.2 In Georgia, BellSouth shall provide combinations of port and loop network elements to e.spire regardless of whether or not such combinations are Already Combined except in those locations where BellSouth is not required to provide unbundled circuit switching, as set forth in Section 17.7.1.1 above. In all other states, and subject to Sections 17.7.1.1 and 17.7.1.2 above, BellSouth shall provide combinations of port and loop network elements to e.spire only to the extent such elements are Already Combined.
- 17.7.3 Rates for Combinations of Loop and Port Network Elements
- 17.7.3.1 Rates for combinations of loop and port network elements, as set forth in Section 17.7.4, are provided in Exhibit A of this Attachment.
- 17.7.3.2 Rates for Circuit Switching
- 17.7.3.2.1 Rates for circuit switching, where BellSouth is not required, pursuant to Sections 17.7.1.1 and 17.7.1.2, to provide circuit switching are as set forth in Exhibit A of this Attachment.
- 17.7.4 Combination Offerings
- 2-wire voice grade port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 17.7.4.2 2-wire voice grade DID port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 17.7.4.3 2-wire CENTREX port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 17.7.4.4. 2-wire ISDN Basic Rate Interface, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 17.7.4.5 2-wire ISDN Primary Rate Interface, DS1 loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

17.7.4.6 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

# 18. Rates

## 18.1. General

The prices that e.spire shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

# 18.2. Operations Support Systems ("OSS")

BellSouth shall provide nondiscriminatory access in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act to OSS on an unbundled basis to e.spire for the provision of a telecommunications service. OSS functions consist of preordering, ordering, provisioning, maintenance and repair, and billing functions supported by BellSouth's databases and information. Subject to applicable and effective FCC rules and orders, BellSouth, as part of its duty to provide access to the pre-ordering function, shall provide e.spire with nondiscriminatory access to the same detailed information about the loop that is available to its own retail unit. The rate associated with BellSouth's provision of loop qualification information shall be as set forth in this Attachment.

All Local Service Requests ("LSRs") submitted for products and services under this Attachment will be subject to the OSS charges set forth in the General Terms and Conditions of this Agreement.

# 18.3 **True-up**

## This section applies only to Tennessee.

The interim prices for Network Elements and Other Services and Local Interconnection shall be subject to true-up according to the following procedures:

1. The interim prices shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission which final order meets the criteria of (3) below. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with interim prices for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body

having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions of Section 16 of the General Terms and Conditions and Attachment 1 of the Agreement.

- 2. The Parties may continue to negotiate toward final prices, but in the event that no such Agreement is reached within nine (9) months, either Party may petition the Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in Section 16 of the General Terms and Conditions and Attachment 1 of the Agreement, so long as they file the resulting Agreement with the Commission as a "negotiated Agreement" under Section 252(e) of the Act.
- 3. A final order of this Commission that forms the basis of a true-up shall be the final order as to prices based on appropriate cost studies, or potentially may be a final order in any other Commission proceeding which meets the following criteria:
  - (a) BellSouth and CLEC is entitled to be a full Party to the proceeding;
  - (b) It shall apply the provisions of the federal Telecommunications
    Act of 1996, including but not limited to Section 252(d)(1) (which
    contains pricing standards) and all then-effective implementing
    rules and regulations; and,
  - (c) It shall include as an issue the geographic deaveraging of network element and other services prices, which deaveraged prices, if any are required by said final order, shall form the basis of any true-up.

## 18.4 Geographic Deaveraging

The Parties acknowledge that this Agreement contains geographically deaveraged rates consistent with 47 C.F.R. 51.507(f) for all states except North Carolina. Upon adoption of geographically deaveraged rates by the North Carolina Utilities Commission, the Parties shall amend this Agreement to include such rates. Prior thereto, rates for the state of North Carolina shall be as set forth in this Agreement.

# LINE INFORMATION DATA BASE (LIDB) STORAGE AGREEMENT

# I. SCOPE

- A. This Agreement sets forth the terms and conditions pursuant to which BST agrees to store in its LIDB certain information at the request of the Local Exchange Company and pursuant to which BST, its LIDB customers and Local Exchange Carrier shall have access to such information. Local Exchange Carrier understands that BST provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Local Exchange Carrier, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained in the attached Addendum(s) are hereby made a part of this Agreement as if fully incorporated herein.
  - B. LIDB is accessed for the following purposes:
    - 1. Billed Number Screening
    - 2. Calling Card Validation
    - 3. Fraud Control
- C. BST will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BST's LIDB, provided that such information is included in the LIDB query. BST will establish fraud alert thresholds and will notify the Local Exchange Company of fraud alerts so that the Local Exchange Company may take action it deems appropriate. Local Exchange Company understands and agrees BST will administer all data stored in the LIDB, including the data provided by Local Exchange Company pursuant to this Agreement, in the same manner as BST's data for BST's end user customers. BST shall not be responsible to Local Exchange Company for any lost revenue which may result from BST's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BST in its sole discretion from time to time.

Local Exchange Company understands that BST currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses. Local Exchange Company further understands that these billing and collection customers of BST query BST's LIDB to determine whether to accept

various billing options from end users. Additionally, Local Exchange Company understands that presently BST has no method to differentiate between BST's own billing and line data in the LIDB and such data which it includes in the LIDB on Local Exchange Company's behalf pursuant to this Agreement. Therefore, until such time as BST can and does implement in its LIDB and its supporting systems the means to differentiate Local Exchange Company's data from BST's data and the Parties to this Agreement execute appropriate amendments hereto, the following terms and conditions shall apply:

- telecommunications services billed by BST for its billing and collection customers for Local Exchange Customer's end user accounts which are resident in LIDB pursuant to this Agreement. Local Exchange Company authorizes BST to place such charges on Local Exchange Company's bill from BST and agrees that it shall pay all such charges. Charges for which Local Exchange Company hereby takes responsibility include, but are not limited to, collect and third number calls.
- (b) Charges for such services shall appear on a separate BST bill page identified with the name of the entity for which BST is billing the charge.
- (c) Local Exchange Company shall have the responsibility to render a billing statement to its end users for these charges, but Local Exchange Company's obligation to pay BST for the charges billed shall be independent of whether Local Exchange Company is able or not to collect from the Local Exchange Company's end users.
  - (d) BST shall not become involved in any disputes between Local Exchange Company and the entities for which BST performs billing and collection. BellSouth will not issue adjustments for charges billed on behalf of an entity to Local Exchange Company. It shall be the responsibility of the Local Exchange Company and the other entity to negotiate and arrange for any appropriate adjustments.

#### II. TERM

This Agreement will be effective as of \_\_\_\_\_\_\_, 199\_\_\_, and will continue in effect for one year, and thereafter may be continued until terminated by either Party upon thirty (30) days written notice to the other Party.

# III. FEES FOR SERVICE AND TAXES

- A. The Local Exchange Company will not be charged a fee for storage services provided by BST to the Local Exchange Company, as described in Section I of this Agreement.
- B. Sales, use and all other taxes (excluding taxes on BST's income) determined by BST or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by the Local Exchange Company. The Local Exchange Company shall have the right to have BST contest with the imposing jurisdiction, at the Local Exchange Company's expense, any such taxes that the Local Exchange Company deems are improperly levied.

#### IV. INDEMNIFICATION

To the extent not prohibited by law, each Party will indemnify the other and hold the other harmless against any loss, cost, claim, injury, or liability relating to or arising out of negligence or willful misconduct by the indemnifying Party or its agents or contractors in connection with the indemnifying Party's provision of services, provided, however, that any indemnity for any loss, cost, claim, injury or liability arising out of or relating to errors or omissions in the provision of services under this Agreement shall be limited as otherwise specified in this Agreement. The indemnifying Party under this Section agrees to defend any suit brought against the other Party for any such loss, cost, claim, injury or liability. The indemnified Party agrees to notify the other Party promptly, in writing, of any written claims, lawsuits, or demands for which the other Party is responsible under this Section and to cooperate in every reasonable way to facilitate defense or settlement of claims. The indemnifying Party shall not be liable under this Section for settlement by the indemnified Party of any claim, lawsuit, or demand unless the defense of the claim, lawsuit, or demand has been tendered to it in writing and the indemnifying Party has unreasonably failed to assume such defense.

#### V. LIMITATION OF LIABILITY

Neither Party shall be liable to the other Party for any lost profits or revenues or for any indirect, incidental or consequential damages incurred by the other Party arising from this Agreement or the services performed or not performed hereunder, regardless of the cause of such loss or damage.

#### VI. MISCELLANEOUS

- A. It is understood and agreed to by the Parties that BST may provide similar services to other companies.
- B. All terms, conditions and operations under this Agreement shall be performed in accordance with, and subject to, all applicable local, state or federal legal and regulatory tariffs, rulings, and other requirements of the

federal courts, the U. S. Department of Justice and state and federal regulatory agencies. Nothing in this Agreement shall be construed to cause either Party to violate any such legal or regulatory requirement and either Party's obligation to perform shall be subject to all such requirements.

- C. The Local Exchange Company agrees to submit to BST all advertising, sales promotion, press releases, and other publicity matters relating to this Agreement wherein BST's corporate or trade names, logos, trademarks or service marks or those of BST's affiliated companies are mentioned or language from which the connection of said names or trademarks therewith may be inferred or implied; and the Local Exchange Company further agrees not to publish or use advertising, sales promotions, press releases, or publicity matters without BST's prior written approval.
- D. This Agreement constitutes the entire Agreement between the Local Exchange Company and BST which supersedes all prior Agreements or contracts, oral or written representations, statements, negotiations, understandings, proposals and undertakings with respect to the subject matter hereof.
- E. Except as expressly provided in this Agreement, if any part of this Agreement is held or construed to be invalid or unenforceable, the validity of any other Section of this Agreement shall remain in full force and effect to the extent permissible or appropriate in furtherance of the intent of this Agreement.
- F. Neither Party shall be held liable for any delay or failure in performance of any part of this

  Agreement for any cause beyond its control and without its fault or negligence, such as acts of God, acts of civil or
  military authority, government regulations, embargoes, epidemics, war, terrorist acts, riots, insurrections, fires,
  explosions, earthquakes, nuclear accidents, floods, strikes, power blackouts, volcanic action, other major
  environmental disturbances, unusually severe weather conditions, inability to secure products or services of other
  persons or transportation facilities, or acts or omissions of transportation common carriers.
- G. This Agreement shall be deemed to be a contract made under the laws of the State of Georgia, and the construction, interpretation and performance of this Agreement and all transactions hereunder shall be governed by the domestic law of such State.

# FACILITIES BASED ADDENDUM TO LINE INFORMATION DATA BASE (LIDB) STORAGE AGREEMENT

	i his is	a Facilities Based Addendum to the Line Information Data Base Storage Agreement dated
		, 199, between BellSouth Telecommunications, Inc. ("BST"), and
		("Local Exchange Company"), effective the day of
		, 199
I.	GENEI	RAL
	This Ac	Idendum sets forth the terms and conditions for Local Exchange Company's provision of billing
number	informat	tion to BST for inclusion in BST's LIDB. BST will store in its LIDB the billing number
informa	ition prov	rided by Local Exchange Company, and BST will provide responses to on-line, call-by-call queries
to this i	nformatio	on for purposes specified in Section I.B. of the Agreement.
II.	DEFIN	ITIONS
	A.	Billing number - a number that the Local Exchange Company creates for the purpose of
identify	ring an ac	count liable for charges. This number may be a line or a special billing number.
	B.	Line number - a ten digit number that identifies a telephone line administered by the Local
Exchan	ge Comp	any.
	C.	Special billing number - a ten digit number that identifies a billing account established by the
Local E	xchange	Company.
	D.	Calling Card number - a billing number plus PIN number.
	E.	PIN number - a four digit security code assigned by the Local Exchange Company which is added
to a bill	ing numb	per to compose a fourteen digit calling card number.
	F.	Toll billing exception indicator - associated with a billing number to indicate that it is considered
invalid	for billing	g of collect calls or third number calls or both, by the Local Exchange Company.

H. Calling Card Validation - refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.

Billed Number Screening - refers to the activity of determining whether a toll billing exception

indicator is present for a particular billing number.

G.

I. Billing number information - information about billing number, Calling Card number and toll billing exception indicator provided to BST by the Local Exchange Company.

## III. RESPONSIBILITIES OF PARTIES

- A. The Local Exchange Company will provide its billing number information to BST's LIDB each business day by a method that has been mutually agreed upon by both Parties.
- B. BST will store in its LIDB the billing number information provided by the Local Exchange Company. Under normal operating conditions, BST shall include the Local Exchange Company's billing number information in its LIDB no later than two business days following BST's receipt of such billing number information, provided that BST shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BST's reasonable control. BST will store in its LIDB an unlimited volume of the Local Exchange Company's working telephone numbers.
- C. BST will provide responses to on-line, call-by-call queries to the stored information for the specific purposes listed in the next paragraph.
- D. BST is authorized to use the billing number information provided by the Local Exchange Company to perform the following functions for authorized users on an on-line basis:
- 1. Validate a 14 digit Calling Card number where the first 10 digits are a line number or special billing number assigned by the Local Exchange Company, and where the last four digits (PIN) are a security code assigned by the Local Exchange Company.
- 2. Determine whether the Local Exchange Company or the subscriber has identified the billing number as one which should not be billed for collect or third number calls, or both.
- E. The Local Exchange Company will provide its own billing number information to BST for storage and to be used for Billed Number Screening and Calling Card Validation. The Local Exchange Company will arrange and pay for transport of updates to BST.

## IV. COMPLIANCE

Unless expressly authorized in writing by the Local Exchange Company, all billing number information provided pursuant to this Addendum shall be used for no purposes other than those set forth in this Addendum.

# CALLING NAME DELIVERY (CNAM) DATABASE SERVICES

#### 1.00 DEFINITIONS

For the purpose of this Attachment, the following terms shall be defined as:

CALLING NAME DELIVERY DATABASE SERVICE (CNAM) - The ability to associate a name with the calling party number, allowing the end user subscriber (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides e.spire the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.

CALLING PARTY NUMBER (CPN) - The number of the calling party that is delivered to the terminating switch using common channel signaling system 7 (CCS7) technology, and that is contained in the Initial Address Message (IAM) portion of the CCS7 call setup.

COMMON CHANNEL SIGNALING SYSTEM 7 (CCS7) - A network signaling technology in which all signaling information between two or more nodes is transmitted over high-speed data links, rather than over voice circuits.

SERVICE CONTROL POINTs (SCPs) - The real-time data base systems that contain the names to be provided in response to queries received from CNAM SSPs.

**SERVICE MANAGEMENT SYSTEM (SMS)** - The main operations support system of CNAM DATABASE SERVICE. CNAM records are loaded into the SMS, which in turn downloads into the CNAM SCP.

SERVICE SWITCHING POINTs (SSPs) - Features of computerized switches in the telephone network that determine that a terminating line has subscribed to CNAM service, and then communicate with CNAM SCPs in order to provide the name associated with the calling party number.

SUBSYSTEM NUMBER (SSN) - The address used in the Signaling Connection Control Part (SCCP) layer of the SS7 protocol to designate an application at an end signaling point. A SSN for CNAM at the end office designates the CNAM application within the end office. BellSouth uses the CNAM SSN of 232.

# 2.0 ATTACHMENT

- 2.01 This Attachment contains the terms and conditions where BellSouth will provide to the e.spire access to the BellSouth CNAM SCP for query or record storage purposes.
- 2.02 e.spire shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services pursuant to the terms and conditions of this Attachment. Said notice shall be in writing, no less than 60 days prior to e.spire's access to BellSouth's CNAM Database Services and shall be addressed to e.spire's Account Manager.

## 3.00 PHYSICAL CONNECTION AND COMPENSATION

- 3.01 BellSouth's provision of CNAM Database Services to e.spire requires interconnection from e.spire to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement. The appropriate charge for access to and use of the BellSouth CNAM Database service shall be as set forth in this Attachment.
- 3.02 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, e.spire e.spire shall provide its own CNAM SSP. e.spire's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 3.03 If e.spire elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia (formerly BellCore)'s CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that e.spire desires to query.

# 3.04 Out-Of-Region Customers

If the customer queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Bellcore's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and writing shall, by this reference become an integral part of this Agreement.

### 4.00 CNAM RECORD INITIAL LOAD AND UPDATES

4.01 The mechanism to be used by e.spire for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by e.spire in the BellSouth specified format and shall contain records for every working

- telephone number that can originate phone calls. It is the responsibility of e.spire to provide accurate information to BellSouth on a current basis.
- 4.02 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 4.03 e.spire CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

BELLSOUTH/e.spire RATES
NETWORK ELEMENTS
AND OTHER SERVICES

\$0.56 ¥ Y Z Z Z Y Y Y Y Z Z Z ž ž ž ZZZ ž ž ZZ ž ₹ž ¥ ž ¥ × ž YZZZ ≨ ž Z AAAAA ¥ × \$44.42 \$13.55 \$1.36 \$1.36 NA NA 844.42 \$13.55 NA \$13.55 \$1.25 \$1.35 \$1.35 NA NA 844.06 \$13.55 NA NA NA \$13.55 \$13.55 NA \$1.13 \$1.36 \$1.36 \$1.13 \$1.36 \$1.36 \$1.36 NA NA NA 1.13 ž ž ¥ ž ž ပ္တ ž \$12.76 \$12.76 NA NA NA NA NA NA S16.94 \$26.94 \$12.76 NA NA \$26.94 \$26.94 \$12.76 \$1.14 \$1.14 \$1.42 \$1.42 \$1.42 NA NA S26.94 \$12.76 S1 42 NA NA \$1.01 ž \$0.52 AN AN TO ž 2 \$25.52 \$11.34 \$2.84 \$2.84 \$2.84 \$2.84 \$2.84 \$11.34 \$11.34 \$11.34 \$11.34 \$11.34 \$2.84 \$ \$25.52 \$11.34 \$16.06 \$2.84 \$2.84 \$2.84 \$16.06 \$1.22 \$2.84 \$2.84 \$2.84 \$1.34 MS ž \$18.14 \$11.41 \$1.09 \$2.02 \$2.02 \$2.01 \$1.14 \$1.03 \$2.02 \$2.02 \$2.02 \$2.02 \$2.02 \$2.03 \$8.08 \$11.41 \$2.02 \$2.02 \$2.01 \$2.01 \$2.01 \$2.01 \$2.01 \$2.01 \$2.01 \$18.14 \$2.02 \$2.02 \$2.01 \$1.14 \$1.22 \$1.22 \$2.02 \$2.01 \$2.01 \$2.01 \$18.14 \$8.06 \$2.01 3 ž ¥ ž \$1.80 ž žž X X X X X X X X Y Z Z Z Z Z Z Z ž ž ZZZZZZZZZZZZ ž ž ž ₹ NA NA 818.94 \$18.94 \$18.94 88.42 NA 88.42 \$2.10 \$2.10 \$8.42 NA NA NA NA \$8.42 NA \$2.10 \$2.10 \$8.45 \$1.10 \$2.10 \$2.10 \$2.10 \$18.94 \$1.21 ž ¥ ž ž 8 ž \$70.32 \$54.35 SE 15 \$1.08 ¥ žž ž ANANANAN ž ž ž A A A A A A A ž ¥ ž ž ž F ı₹ \$1.44 \$27.37 \$12.97 \$17.77 \$1.30 \$27.37 \$27.37 \$12.97 \$1.18 \$1.44 \$1.44 \$1.44 \$1.44 \$17.77 \$1.44 NA NA S1 18 \$1 44 \$1 44 \$1 44 \$1 44 \$1 44 \$12.97 \$17.77 \$1.30 \$12.97 \$12.97 \$17.77 \$1.18 \$1.44 \$1 44 \$1.44 \$1.44 \$1.44 \$1.44 \$1.44 \$1.44 ž ᄫ UNDAX UNDAX SOMAN SOMAN UNDAX UNDAX SOMAN SOMAN UNDAX UNDAX UNDAX SOMAN SOMAN SOMAN SOMAN UNDAX UNDAX UNDAX SOMAN UNDAX SOMAN UNDAX UNDAX UNDAX UNDAX SOMAN UNDAX UNDAX UNDAX UNDAX UNDAX USOC NRC - Incremental Charge - Manual Service Order - 1st
NRC - Incremental Charge - Manual Service Order - Add'1
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st
NRC - 1st NRC - Incremental Charge - Manual Service Order - Add'l NRC - Incremental Charge - Manual Service Order - Disconnect - 1st NID per 2-Wire Asymmetrical Dig Subscriber Line (ADSL) Loop, Per Mo. NRC - Disconnect Charge - 1st
NRC - Disconnect Charge - Add1
NRC - Incremental Charge - Manual Service Order - 1st
NRC - Incremental Charge - Manual Service Order - 1st
NRC - Incremental Charge - Manual Service Order - 1st
NRC - Incremental Charge - Manual Service Order - 1st
NRC - Incremental Charge - Manual Service Order - 1st
NRC - Incremental Charge - Manual Service Order - 1st NRC - Disconnect Charge - 1st
NRC - Disconnect Charge - Add¹
NRC - Incremental Charge - Manual Service Order - 1st
NRC - Incremental Charge - Manual Service Order - 4dd¹l
NRC - Incremental Charge - Manual Service Order - Add¹l
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st NHC - Add'i
NHC - Disconnect Charge - 1st
NHC - Disconnect Charge - Add'i
NHC - Incremental Charge - Manual Service Order - 1st
NHC - Incremental Charge - Manual Service Order - Add'i
NHC - Incremental Charge - Manual Service Order - Disconnect - 1st NID per 2-Wire High Bit Rate Dig Subscriber Line (HDSL) Loop NRC - Disconnect Charge - 1st NRC - Disconnect Charge - Add'l NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - 1st NID to NID Cross Connect, 2-Wire or 4-Wire, NRC NID per 2-Wire Analog VG Loop, Per Month per 4-Wire Analog VG Loop, Per Month NID (all types), per month installation of 2-Wire/4Wire CLEC NID NRC - Disconnect Charge - Add<sup>1</sup> NRC - Disconnect Charge - Add'l NRC - Disconnect Charge - 1st NRC - Disconnect Charge - 1st NRC - Add'I NRC - Add'I NRC - Add NRC - Add NRC 1st DESCRIPTION

Attach 2 - NIDS-LOOPS

BELLSOUTHO.spire RATES NETWORK ELEMENTS AND OTHER SERVICES

	-	AND OTHER SERVICES								
DESCRIPTION	!!	AL		<b>V</b> S	KY	2	MS	S S	SC	Z
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$12.97	Y.	\$8.42	¥	\$8.06	\$11.34	\$12.76	\$13.55	Y Z
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	Ϋ́	Y.	¥	\$11.41	\$16.06	V.	YY.	4
NID per 4-Wire 56 Kbps Dig Grade Loop	UNDAX	\$1.30	ΑN	\$1.21	V V	\$1.21	\$1.34	\$1.14	\$1.25	Ž
NRC - 1st	UNDAX	\$1.44	Y Y	\$2.10	¥	\$2.02	\$2.84	\$1.42	\$1.35	¥ :
NRC - Add'I	UNDAX	\$1.44	۷A	\$2.10	¥	\$2.02	\$2.84	\$1.42	\$1.35	ď:
NRC - Disconnect Charge - 1st	UNDAX	\$1.44	Ϋ́	¥	¥	\$2.01	\$2.84	ď.	YZ.	٧.
NRC - Disconnect Charge - Add'l	UNDAX	\$1.44	Y.	AN .	¥ :	\$2.01	\$2.84	NA Poe oc	Z V	4 2
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	¥.	\$18.94	¥	\$18.14	\$20.02	\$20.34	244.00 643.66	Y Z
NRC - Incremental Charge - Manual Service Order - Add'i	SOMAN	\$12.97	Y S	38.42	2 2	90.00	20.00	NA NA	SC.SI &	¥2
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	917.77	V2	20.0	Y A	61.01	21.34	\$1.14	\$1.25	Y.
NID per 4-Wire 64 Kbps Dig Grade Loop	UNDAX	31.30	42	\$ 10	Y A	60 63	22 P.4	\$1.42	\$1.35	A N
NRC - 1st	ONDAX	21.44	414	\$2.10 \$2.10	42	50.05	£2.84	61 42	\$1.35	YZ.
NRC - Add	NOND	21 44	Y Y	NA NA	Y X	\$2.01	\$2.84	¥	Š	4Z
NHC - Disconnect Charge - 1st	INDAX	\$144	Ą	¥	¥	\$2.01	\$2.84	Ϋ́	٧	¥
NPC - Discompated Charge - Manual Svc Ord - 1st	SOMAN	\$27.37	ž	\$18.94	ĄZ	\$18.14	\$25.52	\$26.94	\$44.06	¥
NRC : Incremental Charge - Manual Svc Ord - Add"	SOMAN	\$12.97	AN	\$8.42	ΑN	\$8.06	\$11.34	\$12.76	\$13.55	٧X
NRC - Incremental Charge - Manual Svc Ord - Disconnect - 1st	SOMAN	\$17.77	ΨN	ΑN	¥X	\$11.41	\$16.06	ΥN	۷V	¥
NID per 2-Wire Unbundled Copper Loop, per month	UNDAX	\$1.55	\$1.55	\$1.55	\$1.55	\$1.55	\$1.55	\$1.55	\$1.55	\$1.55
NRC · 1st	UNDAX	\$5.60	\$5.60	\$5.60	\$5.60	\$5.60	\$5.60	\$5.60	\$5.60	\$5.60
NRC - Add'i	UNDAX	\$5.60	\$5.60	\$5.60	\$5.60	\$5.60	\$5.60	\$5.60	\$5.60	\$5.60
NRC - Disconnect Charge - 1st	UNDAX	ΝA	Ϋ́	¥	¥Z	¥Z.	¥	¥	¥	¥ Z
NRC - Disconnect Charge - Add'I	UNDAX	Ϋ́	¥	¥	¥	Š	¥	¥	¥	¥Z :
NRC - Incremental Charge - Manual Svc. Ord - 1st	SOMAN	\$47.00	\$47.00	\$47.00	\$47.00	\$47.00	\$47.00	\$47.00	00.72	27.00
NRC - Incremental Charge - Manual Svc. Ord - Add'l	SOMAN	\$21.00	\$21.00	\$21.00	\$21.00	\$21.00	\$21.00	\$21.00	\$21.00	221.00
NRC - Incremental Charge - Manual Svc. Ord Disconnect	SOMAN	Ϋ́	Ϋ́	¥	¥	¥	ž	ď.	Y.	X Z
		30	4.4		414	AM	200	ΨN	ĄN	AN
Nonrecurring Charge - customer transfer, feature additions, changes (1)		\$5.00	ď.	2	2	2	3.5	2		
THE COLUMN TIME										
LOUP, EXCLUDING NID	TBD	ž	Ϋ́	ΥZ	\$18.20	Ϋ́	A	Ν	ΥN	ΥN
NBC . 1st		Ϋ́	ΑN	Ϋ́	\$86.08	Ϋ́	ΝA	٧V	¥	¥
NRC - Add'I		Ϋ́	Ϋ́	ΥN	\$58.57	Y.	¥	¥	¥Z	¥
2-Wire Analog VG Loop (Customized), per month	TBD	Ϋ́	Ϋ́	YZ.	\$21.41	¥	¥	¥.	¥Z.	¥.
NRC - 1st		¥ Z	¥ Z	¥	\$236.75	¥	¥	¥.	¥ .	¥ S
NRC - Add'I		Y :	Š	¥ :	\$177.10	Ž.	¥ S	42	4 2	¥2
4-Wire Analog VG Loop (Standard), per month	180	Y S	¥ 2	Y Z	<b>24</b> 57 14	2 2	S S	Y X	Z Z	Y Z
NBC - ISI		¥Z	¥	Ϋ́	\$348.83	¥	NA V	NA	NA	NA
Wise ISDN Digital Grade Loop (Standard) per month	180	¥Z	Y.	٧X	\$29.65	Ϋ́	ΥV	NA	٧×	ΝA
NRC 1st		Ϋ́	Ϋ́	٧V	\$541.28	ΑN	¥.	Y Y	¥	¥
NPC - Add'I		ΝA	ΑA	¥	\$431.61	Ϋ́	¥	¥N.	¥Z.	¥.
2-Wire ADSL Loop (Standard), per month	TBD	NA	ΑN	¥	\$10.63	¥	¥2	¥	¥ Z	¥Z
NRC - 1st		AN A	¥	Y V	\$713.50	Ϋ́	¥	¥	¥ Z	¥.
NRC - Add'I		Ϋ́	¥	¥	\$609.44	¥	¥ :	¥ :	¥ 3	¥ S
2-Wire HDSL Loop (Standard), per month	T80	¥	Y.	¥Z.	\$7.40	Y S	Y S	2 2	2 2	42
NRC · 1st		¥.	Y S	<b>4 4 4 4 4 4 4 4 4 4</b>	\$713.50	Y Z	42	Y Z	Y Z	¥
NRC - Add"		2	2	2	60 70	42	AN	¥Z	Ϋ́	Y.
4-Wire HDSL Loop (Standard), per month	081	X X	42	¥ Z	\$3.70 \$748 93	Y Z	Y X	¥.	Š	¥2
NRC - 1st		2 2	Y N	V V	\$646 17	ĄZ	Ϋ́	¥	¥	¥Z
NRC - Add"		2	ζ.	5	-	5				

Attach 2 · NIDS·LOOPS

BELLSOUTH/6.spire RATES NETWORK ELEMENTS AND OTHER SERVICES

	TO DE LA CONTRACTION DE LA CON		AND OTHER SERVICES				•	9	1	3	
	DESCRIPTION	OSOC	AL	1	Y5	K	5	S.	) N	ည္က	Z
× ×	2-Wire Analog VG Loop										
	IRC - Statewide, per month	UEAL2	Š	Ä	Ϋ́	¥	Ϋ́Z	Ϋ́Z	\$16.71	Ϋ́Z	\$18.00
	RC · Zone 1, per month (Note 2)	180	AN AN	\$13.75	Ϋ́	Ϋ́	AN	٧Z	T80	Ϋ́Z	\$15.54
	RC - Zone 2, per month (Note 2)	TB0	Ϋ́	\$20.13	ΑN	Ϋ́	ΨN	٧X	TBD	٧×	\$19.55
	RC · Zone 3, per month (Note 2)	TBD	Ν	\$44.40	NA	NA	NA	ΥA	TBD	ΑN	\$28.02
	RC - Zone 4, per month (Note 2)	TBD	AN	NA	۷V	Ϋ́	ΝA	ΝA	ΥN	Ϋ́	¥
	NRC - 1st	UEAL2	¥N	\$140.00	¥	¥	¥2	¥	\$86.50	¥Z	\$58.50
	NRC - Add'I	UEAL2	¥	\$42.00	¥	¥	¥Z	¥	\$27.80	¥Z	\$31.00
$\exists$	NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOSI	Ą	\$55.00	¥N.	¥	ΑN	¥Z	\$55.00	Y Z	\$55.00
2-€	2-Wire Analog VG Loop-SL1										
	RC - Statewide, per month	UEAL2	A N	Ϋ́	Ϋ́	¥	ΥN	¥Z	\$15.88	¥	¥
	RC - Zone 1, per month (Note 2)	TB0	\$15.24	\$13.75	\$14.21	\$14.79	\$14.96	\$15.58	180	\$18.48	\$15.92
	RC - Zone 2, per month (Note 2)	TB0	\$24.75	\$20.13	\$16.41	\$27.68	\$25.69	\$20.65	TB0	\$27.87	\$20.79
$\pm$	RC - Zone 3, per month (Note 2)	180	\$44.85	\$44.40	\$26.08	\$47.78	\$52.47	\$29.51	180	\$36.91	\$27.18
$\pm$	HC - Zone 4, per monin (Note Z)	IBU	650 03	CBO OO	NA C42	4 2	40 FO	\$50.94 \$50.95	\$57.90	\$70.44	£78 93
$\pm$	NBC - Add'l	LIFAI 2	\$43.14	\$55.00	\$31.33	ΨZ.	96 628	543.67	\$42.37	\$44.05	\$50.98
+	NRC - Disconnect Charge - 1st	UEAL2	\$15.21	¥	¥	¥	\$16.48	\$16.35	Ϋ́	¥	¥
-	NRC - Disconnect Charge - Add"I	UEAL2	\$3.22	ΑN	ΨX	ΑN	\$3.36	\$4.06	٧×	ΑN	ΨX
$\vdash$	NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	ΑN	\$18.94	ΑN	\$18.14	\$25.52	\$26.94	\$44.22	¥
-	NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	\$12.97	٧×	\$8.42	¥	\$8.06	\$11.34	\$12.76	\$13.55	۷A
	NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	۷A	NA	NA	\$11.41	\$16.06	ΥN	ΑN	٧A
	NRC · Manual Order Coordination · 1st	TB0	Ϋ́	ΑN	ΑN	Y.	¥	Ϋ́	\$61.38	Y Y	¥
	NRC - Manual Order Coordination - addl	TB0	¥ V	¥	Ϋ́	¥	¥	Y V	\$61.38	¥	¥
	NRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	TB0	٧	¥	¥	ž	¥	¥	\$45.34	V.	¥
$\exists$	NRC - Loop Make-Up	UEANM	TBO	180	180	180	TBD	780	TBD	TBD	180
7.€	2-Wire Analog VG Loop-SL2 w/loop or ground start signaling								0.00		
$\pm$	HC - Statewide, per montin	UEALZ	NA 217.05	NA 613 75	AZ ST	NA 647.07	NA 617 CE	NA 619.25	\$19.50	NA 624 67	A 4 5 6 5 6 5 6 5 6 5 6 5 6 5 6 5 6 5 6 5
+	NC - Lone 1, per month (Note 2)	O T	\$17.93	620.13	\$10.04 610.45	\$17.67	630.32	624 33	200	£30 53	620 70
+	RC: Zone 3, per month (Note 2)	TBO	\$52.84	\$44.40	\$30.92	\$55.78	\$6193	234.77	180	\$43.08	\$27.18
+	RC - Zone 4, per month (Note 2)	TB0	Ϋ́	¥	¥	Ϋ́	٧Z	\$45.88	¥	Ϋ́	¥
-	NRC - 1st	UEAL2	\$145.46	\$140.00	\$104.17	NA	\$99.69	\$144.01	\$142.97	\$178.12	\$192.97
Н	NRC - Add'i	UEAL2	\$108.40	\$42.00	\$78.10	Y.	\$74.73	\$107.70	\$106.56	\$128.80	\$140.72
	NRC - Disconnect Charge - 1st	UEAL2	\$40.31	Ϋ́	¥	¥	\$28.73	\$40.98	¥2	¥.	¥
_	NRC - Disconnect Charge - Add'l	UEAL2	\$26.01	¥	¥	ž	\$18.87	\$26.95	¥	¥N.	¥
_	INRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	¥ Z	\$18.94	¥	\$18.14	\$25.52	\$26.94	\$44.42	ž
+	NHC - Incremental Charge - Manual Service Order - Add I	SOMAN	\$12.97	¥ ×	38.42	¥ S	20.00	\$11.34 \$20.05	312.70	\$13.55	2 2
+	NHC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	NA PER ON	Z 7 22	¥ ¥	311.41	\$40.90	NA 34	A 4 4 4 2 4 2 4 2 4 2 4 2 4 2 4 2 4 2 4	200
- A	Wise Analog VC Loos St 2 w/ reverse hattery elemeting	OCCUSE	<b>84</b> 5.33	933.00	324.66	5	436.11	13.04	10.01	20.00	33.00
-	IRC - Statewide per month	UEAR2	Ϋ́	Ą	Ϋ́	¥	¥Z	ž	\$19.50	Ϋ́	¥
	RC - Zone 1, per month (Note 2)	TBO	\$17.95	\$13.75	\$16.84	\$17.27	\$17.65	\$18.35	TBD	\$21.57	\$15.92
L	RC · Zone 2, per month (Note 2)	TB0	\$29.16	\$20.13	\$19.45	\$32.32	\$30.32	\$24.33	180	\$32.53	\$20.79
	RC - Zone 3, per month (Note 2)	TB0	\$52.84	\$44.40	\$30.92	\$55.78	\$61.93	\$34.77	TBD	\$43.08	\$27.18
	RC - Zone 4, per month (Note 2)	TBD	NA	٧A	٧¥	٧V	ΝA	\$45.88	¥	¥ ¥	¥
Н	NRC - 1st	UEAR2	\$145.46	\$140.00	\$104.17	¥	\$99.69	\$144.01	\$142.97	\$178.12	\$192.97
1	NHC - Add'I	UEARZ	\$108.40	\$42.00	\$/8.10	¥ ×	\$/4./3	\$10/./0	\$100.50	\$128.8U	\$140.72 MA
+	NAC - Disconnect Charge - 1st	UCANZ	40.31	4	2 2	2 2	61007	626.05	42	2 4	42
+	NHC - Disconnect Charge - Add I	UEAHZ	\$26.01	¥ ×	AZ O	۲×۲	\$18.87	\$20.90 \$05.50	E20 64	644.42	X X
$\exists$	NHC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	Z.	\$16.94	۲ <u>۲</u>	\$10.14	3C.C24	953.04	20.00	ζ.

Attach 2 - NIDS-LOOPS

Attachment 2 Exhibit C Rates - Page 4

BELLSOUTH/0.spire RATES
NETWORK ELEMENTS
AND OTHER SERVICES

DESCRIPTION	2001	AND OTHER SERVICES								
NRC - Incremental Charge - Manual Service Order - Add1	SOMAN	AL 412.07	4	ď	¥	۲	WS	S	SC	T
MrtC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	61777	¥.	\$8.42	¥	\$8.06	\$11.34	\$12.76	\$13.55	AM
INTIC. Incremental Charge - Order Coordination - Time Specific (per LSR)		917.7	YZ.	¥	۷	\$11.41	\$26.95	Y.	AN	2
Z-Wire Analog VG Loop (Standard)		940.39	\$55.00	\$34.22	AA	\$32.77	\$45.27	\$45.34	\$45.43	455 OO
11C - Statewide, per month	LIEAL 2	414								30.00
HC - 2one 1, per month (Note 2)	TRD	4 4	¥.	Y Y	٧×	ΥV	¥.	Y.	AN	AM
PC - 20ne 2, per month (Note 2)	180	Y A	¥ × ×	¥.	\$14.79	Ϋ́	Ϋ́	AN	¥2	Y Y
NO 2004 3, per month (Note 2)	180	ΨN.	2 2	ď.	\$27.68	¥	AN	ΑN	¥Z	ĄZ
NBC 121	TB0	¥.	2 2	¥ :	\$47.78	¥	¥	AN A	٧V	¥
NBC - DAM	UEAL2	V V	2 2	¥ :	¥	¥	٧	٧N	ΥN	¥
NBC - Com Make	UEAL2	NA.	Y N	¥ .	80.08 80.08	¥	٧×	Y Y	ΥN	¥
NBC - Manual Order Condition	UEANM	Y.	2 2	¥ 4	\$58.57	¥Z.	NA NA	٧V	AN	¥
NBC Incompated Ch.	UEAMC	AN	Y V	2	28	YY.	NA	٧V	A N	¥
2-Wire Analog VG I con (Creater II at 1)	OCOSE	NA A	AN	2 2	OB .	¥ <sub>N</sub>	¥	AN	¥	¥
RC - Statewide ner month				5	\$33.00	Ψ <sub>Z</sub>	¥Z	ΑN	٧	¥
RC - Zone 1 per month (Note 2)	UEAL2	AN	Ą	4Z	AM					
RC - Zone 2. per month (Note 2)	TB0	ΑN	¥	ΨN	617.07	¥ .	¥.	¥	٧	Ϋ́
RC - Zone 3 per month (Note 2)	TB0	ΑN	¥	ΨN	630 30	¥ .	¥ :	ž	NA	Ϋ́
RC - Zone 4, per month (Note 2)	TB0	Ϋ́	Y.	Ą	\$55.78	4 2	V S	¥.	Ϋ́	Ϋ́
NRC 1st	TB0	AN	Ϋ́	¥2	ΨN	S AN	Ž	¥.	¥	¥
NRC - Add'I	UEAL2	AN	ΑN	Ϋ́	\$236.75	2 42	\$ 3	Ý.	¥	¥
NRC - Incremental Charge - Order Coordination - Time Specific (page 152)	UEAL2	AN	AN.	٧×	\$177.10	Z Z	2 2	Y.	¥.	ž
2-Wire Analog VG Loop (Customized) w/ reverse have standing	OCOSE	ΝA	¥.	¥	\$55.00	NA.	5	¥.	¥	¥
RC - Statewide, per month						5	2	¥.	¥2	<b>Y</b>
RC - Zone 1, per month (Note 2)	UEAR2	NA	¥	¥	Y.	AM	44			
RC - Zone 2, per month (Note 2)	98	Ϋ́	ΝA	Ϋ́	\$17.27	¥N	<b>4</b>	¥ 4	¥.	¥.
RC · Zone 3, per month (Note 2)	8	Ϋ́	NA NA	Ϋ́	\$32.32	ž	Y Y	2 2	Y.	¥
RC - Zone 4, per month (Note 2)	180	Ϋ́	٧	NA NA	\$55.78	٧×	¥	Q N	<b>X X X X</b>	Ž
NRC - 1st	1EADS	Ϋ́	Ϋ́	Ϋ́	٧	ΥN	×	AZ.	5 2	4
NRC · Add'i	UEARZ	¥.	Ϋ́	٧	\$236.75	¥	ž	Y AZ	\$ \s	4
INRC - Incremental Charge - Order Coordination - Time Specific (per LSR)	OCOCI	¥.	¥	Ϋ́	\$177.10	ΑN	¥.	AN AN	2 2	¥ .
4-Wire Analog VG Loop	Tenan I	¥Z.	¥.	Ψ.	\$55.00	¥	ΥN	¥	Y Y	42
no statewide, per month	UEAL4	NA NA	***							
PC - 2one 1, per month (Note 2)	180	\$24.01	NA 26	V S	¥.	Ϋ́	Ϋ́	\$27.49	¥X	¥
BC. Zone 3, per month (Note 2)	TB0	\$39.00	£35.50	\$22.20	¥ :	\$24.36	\$22.38	TBD	\$29.47	\$15.92
RC - Zone 4 per month (Note 2)	TBD	\$70.67	\$78.35	C40 B5	\$ 3	541.85	\$29.67	TB0	\$44.44	\$20.79
NRC - 1st	TBD	٨	Ϋ́	AN	Z Z	M5.4/	\$42.40	TB0	\$58.85	\$27.18
NRC - Add'l	UEAL4	\$293.70	\$141.00	\$206.95	NA N	C100 10	\$25.96	V S	٧×	V.
NRC - Disconnect Charge - 1st	UEAL4	\$241.76	\$43.00	\$170.57	¥	\$163.26	\$238 10	\$288.47	\$383.39	\$58.50
NRC - Disconnect Charge - Add'I	UEAL4	\$108.96	¥	ΑN	Ϋ́	\$74.27	\$108.14	AN	NA NA	3.5
NHC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$57.01	¥.	¥	¥	\$39.44	\$57.28	Ϋ́	¥ ×	Z Z
NRC - Incremental Charge - Manual Service Order - Add'i	SOMAN	\$12.97	Y Y	\$18.94	¥.	\$18.14	\$25.52	\$26.94	\$44.06	Y X
NDC Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$17.77	5 2	30.42	¥.	\$8.08	\$11.34	\$12.76	\$13.55	Y.
4-Wine Analogy VC I control Charge - Order Coordination - Time Specific (per LSR)	0000	\$45.00	655.00	NA S	¥	\$11.41	\$18.06	ΑN	٧×	Ž
BC Statemen			30.00	324.55	¥	\$32.77	\$45.27	\$45.34	\$45.43	\$55.00
BC - Zone 1 per month	UEAL4	AN	NA.	414					-	
RC - Zone 2 per month (Note 2)	180	Ϋ́	ΑN	V V	XX	¥.	Y.	¥.	ΝA	¥
RC - Zone 3, per month (Note 2)	TBD	AN	NA N	Y A	\$20.92	W S	Y.	¥N.	ΑA	Y.
RC - Zone 4 per month (Note 2)	TBD	AN	Ž	Y X	\$33.14 \$67.56	Y Y	¥.	ΨZ.	NA	¥ X
the state of the s	TB0	ΑN	¥X	AN A	AN AN	¥ 4	¥.	٧×	¥ Z	Y Y
Version 1000 Rickon						<u> </u>	Y Y	AN.	¥	٧

Affach 2 - NIDS LOOPS

DESCRIPTION		BELLSOUTH/6.8pire RATES NETWORK ELEMENTS	RATES							Attachment 2 Exhibit C
NPC - 1st	nsoc	AND OTHER SERVICES	ICES						T.	ies - Page 5
NHC - Add'I	UEAL4	NA AN		¥ :	Κ¥	Ц	MS	CN	3	
2.Wire ISBN 51 Specific (her I Sp.	UEAL4	AN	Y Y	¥ ×	\$457.14	4	AN	Z Z	2 2	Z
RC Statewish and a state of the	ISOOO	AN AN	AN AN	Z Z	\$348.83	4	Ϋ́	Y.	Y Y	<b>4 2 2 2</b>
RC - Zone 1 per month (Mar. 2)	VC 1111				00.00	¥ Ž	¥Z	٩N	¥2	2 2
RC - Zone 2, per month (Note 2)	TBD	VA.	AN	AN AN	AN	412				
RC · Zone 3. per month (Note 2)	S S	\$23.23	\$32.34	\$21.89	\$23.66	100 AAA	YN.	\$24.98	ΥN	V.
AC - Zone 4, per month (Note 2)	CE L	937.74	\$47.35	\$25.27	\$44.28	£36.22	\$21.86	TB0	\$26.68	\$15.92
NRC - 1st	180	\$68.38	\$104.47	\$40.17	\$76.42	\$74 10	\$28.97	TBD	\$40.24	\$20.79
NRC - Add'I	U112X	NA 100	¥.	٩V	AN	AN	041.40 064.64	180	\$53.29	\$27.18
NRC - Disconnect Charge - 1st	U1L2X	\$255 B7	\$306.00	\$233.38	Ϋ́	\$223.27	\$358.30	V S	Y V	¥Z
NRC - Disconnect Charge - Add'i	U1L2X	\$108.95	\$283.00	\$180.35	Y Y	\$172.63	\$252.00	9325.91	\$423.04	\$58.50
INRC - Incremental Charge - Manual Service Order - 1st	U1L2X	\$57.01	¥ 2	¥	Y V	\$74.27	\$108.14	NA NA	\$301.75	\$31.00
NHC - Incremental Charge - Manual Service Order - Add1	SOMAN	\$27.37	Y AN	NA STORY	Ϋ́	\$39.44	\$57.27	Y X	4 4	Y.
NRC : Incremental Charge : Manual Service Order - Disconnect : 1st	SOMAN	\$12.97	Y.	58.42	Y .	\$18.14	\$25.52	\$26.94	244.45	ď.
2-Wire ISDN Dinital Grade 1	SOMAN	\$17.77	Ϋ́	¥	<b>X X X X X X X X X X</b>	\$8.06	\$11.34	\$12.76	\$13.55	X X
IRC - Statewide per month	OCOSE	\$45.99	\$55.00	\$34.22	\$55.00	\$11.41	\$16.06	¥	¥	Z AZ
RC - Zone 1, per month (Note 2)	1111 28				8000	935.11	\$45.27	\$45.34	\$45.43	\$55.00
RC - Zone 2, per month (Note 2)	TRO	Y :	¥	Ϋ́	¥	NA NA				
RC - Zone 3, per month (Note 2)	<u> </u>	¥ ×	¥N.	Y.	\$23.66	Y X	42	YN.	٧	¥ N
RC - Zone 4, per month (Note:2)	8	2 2	Y.	NA NA	\$44.28	Ą	4	Ϋ́	ΝA	ΑN
NRC - 1st	E	2	Y N	٧	\$76.42	ΨN	¥2	¥	VΑ	¥
NPC - Add1	U1L2X	Y Y	¥	ΝA	AN	AN A	<b>X X X X X X X X X X</b>	¥X.	ΑN	¥X
NRC - Incremental Charge - Order Coordination	U11.2X	2 4	ď.	¥	\$541.28	¥		¥.	Ϋ́	Y.
2-Wire Asymmetrical Dig Subscriber Line (ADSI) Commented (per LSR)	SOSO	Y AV	Z Z	¥	\$431.61	¥	Q Z	Y S	AN	¥
HC - Statewide, per month			4	¥Z	\$55.00	٧	Y.	<b>X X X</b>	¥.	NA
HC - Zone 1, per month (Note 2)	UAL2X	NA	AN.	414				5	ď.	Y X
INC : 20ne 2, per month (Note 2)	TB0	\$12.09	\$12.78	611.00	¥.	NA	٨	\$14.60	V.V	
BC 2008 3, per month (Note 2)	180	\$19.64	\$18.72	\$12.07	¥.	\$11.90	\$10.87	TBD	\$17.10	\$18.46
NBC : 1cl	180	\$35.59	\$41.29	\$20.62	Y S	\$20.43	\$14.40	TB0	\$25.70	\$15.93
NBC - Addi	081	NA	AA	AN	¥ \$	\$41.73	\$20.58	TB0	\$34.15	320.05
NAC - Disconnect Charge 121	UMLZX	\$514.21	\$113.85	\$359.73	Y X	AA 42	\$27.16	ΑN	AN.	NA NA
NRC - Disconnect Charge - 1st	UALEX IIAI 2V	\$464.58	\$99.61	\$325.15	AN	2343.13	\$504.82	\$504.90	\$600.61	\$640.70
NRC - Incremental Charge Manual C	SOMAN	\$106.65	Y.	¥Z	Y.	2010.03	\$456.24	\$456.17	\$507.33	\$54194
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	850.38	¥Z	ΥN	Y.	\$30.42	\$105.86	¥	¥	¥2
NRC - Incremental Charge - Manual Service Order - Add1	SOMAN	\$27.37	¥.	\$18.94	NA	\$18.14	207.23	YN S	NA NA	Y.
NRC - Incremental Charge - Order Coordination - Time Specific (22)	SOMAN	\$17.77	S AN	\$8.42	Š	\$8.06	\$11.34	\$12.76	544.42	¥
RO Statement	18000	\$45.99	\$55.00	\$34.22	¥ S	\$11.41	\$16.06	¥	NA NA	Y S
RC Zone 1 per month 41 - 2	NO INT					\$32.77	\$45.27	\$45.34	\$45.43	\$55 m
RC - Zone 2, per month (Note 2)	TBD	¥.	NA	AN	AN AN	NA.				2000
RC - Zone 3, per month (Note 2)	EBL	Y S	¥Z.	ΑN	\$8.79	AN	¥ S	Y.	VA	¥.
RC - Zone 4, per month (Note 2)	TBD	2 2	¥.	NA	\$16.46	₩.	<b>X X X X X X X X X X</b>	¥2	ΑN	AA
NRC · 1st	TB0	42	¥.	VΑ	\$28.40	NA	S A	¥.	¥.	Y.
NRC - Add'I	UAL2X	ΨN	¥ .	Y.	AN	ΑN	ΝΑ	£ :	Y Y	NA
INRC - Incremental Charge - Order Coordination - Time Specific (co. 1 Sc. 1)	UAL2X	AN	4 A	¥.	\$713.50	Y.	AN AN	Y AN	Y.	NA NA
Z-Wire High Bit Rate Dig Subscriber Line (HDSL) Compatible Loon	JSOOO	NA	NA N	+	\$609.44	ΑN	AN	NA N	Y Z	¥Z :
RC 2004 to the month			+	¥	\$55.00	ΑĀ	٧¥	ž	Y Y	Y X
I I'ro · zone I, per month (Note 2)	UHL2X	NA NA	NA	AA	AM	+		-	+	¥ 2
Vanian sone mine	IBU	\$9.41	\$9.80		\$6.29	S8.97	NA Ca 50		H	\$13.46
Version 1,000 6/5/00 7/7/00 Filefolder .					1	$\frac{1}{2}$	96.50	180	\$12.21	\$11.62

DESCRIPTION		BELLSOUTWe.spire RATES NETWORK ELEMENTS	• RATES MENTS							Attachment 2 Exhibit of
RC: Zone 2, per month (Note 2)	OSA	٦	-						-	lates - Page 6
RC - Zone 4, per month (Note 2)	TB0	\$15.29	+	+	Н					
NRC - 1st	員	\$27.70	\$31.65	+	+	15	MS 411 26	+		N.
NRC · Add'I	OBI	$\dashv$	$\vdash$	3 14.46	8	Н	+		+	is
NRC - Disconnect Charge - 1st	OHLZX	+	55	15	4	ž	+	$\downarrow$	66	H
NHC - Disconnect Charge - Add'i	N I I I	1	Н	+	1	\$343.13	-	15	+	+
INRC - Incremental Charge - Manual Service Order	X HIT	+	Н	+	Y Z	\$310.03	3 \$456.24	+	+	\$640.79
NDC - Incremental Charge - Manual Service Order - 1St	SOMAN	+	Y.	Y.	¥ 42	\$72.54	4	-	\$507.33	+
NRC Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$27.37	+	\$18.94	V V	\$39.42	\$57.25	YZ	Y AV	¥.
2-Wire HDS: 1.52-75.	SOMAN	1	¥.	-	AZ AZ	918.14	+	Н		¥.
IRC Statemed Standard)	18000	\$45.00	AA	+	¥.	90.00	\$11.34	\$12.76	+	Ž
RC - Zone 1 per month			\$25.00	\$34.22	Ϋ́	630 77	+	4	Y.	¥ 3
RC - Zone 2 per month (Note 2)	UHLZX	AN					\$45.27	\$45.34	\$45.43	CER OF
RC - Zone 3. per month (Note 2)	TBO	¥	2 2	Y.	Ϋ́	AN A				W.C.
RC - Zone 4, Der month, (Note 2)	<u></u>	Ϋ́	2	Y.	\$6.29	NA.		¥	AN.	N N
NRC 1st	<u></u>	٩N	Z Z	¥.	\$11.78	¥	2 2	¥	¥.	NA N
NRC - Add'I	08	Y.	AN	¥ .	\$20.33	¥	42	¥	¥X	¥
NRC - Incremental Charge - Order Coordings	CHICX	¥.	¥.	ž ž	ΨV	٧	¥ Z	¥.	Y Y	¥
4-Wire High Bit Rate Dig Subscriber Line (Hor LSR)	X JUNE	¥ Z	¥Z	S A	\$713.50	ΥN	¥2	5	¥	¥ <sub>N</sub>
HC - Statewide, per month	10000	V	AN	Z A	3009.44	Y.	Ϋ́	2 2	¥.	¥
HC - Zone 1, per month (Note 2)	VA HI	-			903:00	¥	AN AN	42	ž	¥
DC - 20ne 2, per month (Note 2)	E 2	¥Z	٨	N.					V.	¥
Inc. 2 cone 3, per month (Note 2)	E E	\$11.52	\$14.75	\$10.39	2 2	Y.	¥	\$13.97		
NBC 124	180	\$18.71	\$21.59	\$12.00	AN AN	\$12.97	\$10.36	185	616.01	\$17.91
NRC. Addi	180	NA NA	\$47.64	\$19.07	A.	921.78	\$13.73	180	\$24.45	\$15.46
NRC - Discoupart Ct	UHL4X	\$541 13	VA.	Ϋ́	¥X	NA NA	\$19.62	180	\$32.38	319.46
NRC - Disconnect Charge - 1st	UHL4X	\$491.50	\$116.91	\$378.86	٧V	£361 AE	\$25.90	V.	¥	96./38 NA
NRC Incremental Charge	UHL4X	\$106.65		\$344.28	NA	\$328 35	3531.21	\$531.35	\$625.11	CERE TO
NRC - Incremental Change - Manual Service Order - 1st	UHL4X	\$56.98	¥ i	VΑ	ΑN	\$72.54	3482.63	\$482.62	\$532.78	6560 00
NRC - Incremental Charge - Manual Service Order - Add'i	SOMAN	\$27.37	AN AN	NA .	VA	\$39.42	\$105.86	¥	AN	NA.
NRC - Incremental Charge - Order - Order - Disconnect - 1st	SOMAN	\$12.97	AN	20.00	¥	\$18.14	25.50	¥N.	٧×	Y.
4-Wire HDSL Loop (Standard)	SOMAN	\$17.77	¥	28.42 NA	¥	\$8.06	\$1134	\$26.94	\$44.06	¥
HC - Statewide, per month	1603	\$45.99	\$55.00	\$34.22	¥ .	\$11.41	\$16.06	NA NA	\$13.55	Y.
PC - Zone 1, per month (Note 2)	UHI 4X				¥.	\$32.77	\$45.27	\$45.34	AN ST	Y.
RC 2003	180	YA S	Ϋ́	NA	AN				240.43	\$55.00
RC - Zone 4 nor month (Note 2)	TB0	V V	¥.	Y Y	\$7.68	¥ 2	Ϋ́	Ϋ́	ΑN	
NRC - 1st	TB0	Y.	AN AN	٧	\$14.38	NA N	¥.	NA	Y.	<b>4 2 2</b>
NRC - Add'i	TB0	AN	Y A	¥Z	\$24.82	¥	¥ 42	¥.	NA NA	Y X
NRC - Incremental Charge - Order Condition	CHL4X	¥	A N	+	٧V	¥	V V	¥.	٧V	Y.
4-Wire DS1 Digital Loop	OHLAX	AN	¥ <sub>N</sub>	$\dagger$	\$748.93	٧×	¥	Y.	Ϋ́	¥
RC - Statewide, per month	Jeon Jeon	NA	¥	+	\$646.17	VA	¥.	¥ 4	¥	Y.
HC · Zone 1, per month (Note 2)	22 101			$\dagger$	\$55.00	A	Y.	<b>V</b>	¥.	Y.
HC - Zone 2, per month (Note 2)	TBD	NA.	AN	AN				5	AA	Y.
RC 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	180	\$51.74	Н	+	-	¥	NA	\$62.78	NAME OF THE PERSON OF THE PERS	
NRC 1st	180	+	+	\$64.13	+	\$20.32	\$50.99	TB0	\$59.61	200
NRC - Add!	TBD	+	8	-	-	+	\$67.58	-	06 68\$	200
NRC - Disconnect Charge 121	USLXX	+	SS40 OO	Н	+	+	596.58	Н	\$119.06	
ISI - adia - ISI	USLXX	+	+	+	\$849.80	┿	+	4	NA NA	NA NA
Version 1000 fixing	USLXX	Н	+	3268.18 NA	Н	+	\$373.90	5/14.84	\$715.77	180
77/00 Filefolder			1	<u> </u>	NA	Н	+	+	\$421.50	180
									¥ N	NA

DESCRIPTION  NRC - Disconnect Charge - Add1		BELLSOUTHO Spire RATES NETWORK ELEMENTS AND OTHER SERVICES	Epire RATES ELEMENTS SERVICES							Attachment 2 Exhibit C
NRC - Incremental Charge - Manual Service Order - 1st	NSTXX	, ,	Ш	H	GA	<b>X</b>				Rates - Page 7
NRC - Incremental Charge - Manual Service Order - Add'i	MOS	H	+	AN AN	<u> </u>	+	A)	F	NC	
4-Wire 56 Kbps Dig Grade   Order Coordination - Time Specific /	SOMAN	+		+	Ц	+	+		NA	+
RC - Statewide, per month	NEWS O	1		NA NA		-	+	Ч	13	+
RC - Zone 1, per month (Note 2)		\$49.18	35	00 <b>\$34</b> 52	+	Н	+	\$16.06	9,	NA NA
Inc Zone 2, per month (Note 2)	UDL56	+	+		905:00	+	+	+	4	+
RC - Zona 4			+	H	AN	+	Н	848.31	31 \$48.47	H
NIC. 1st Note 2)		\$44.40	0	+		$\dagger$	+	NA \$32.67	+	
NIIC Addi		\$80.45	+	+	H	27/20	50 \$25.61	$\vdash$	+	4
NRC - Disconnect Charge 4	200	$\dagger$		1	4	$\vdash$	+	H	551 67	+
NRC - Disconnect Charge - 1st	UDLS6	+	Н	72 S.348 E.E.	4	H	28.51	1		\$45.87
NAC - Incremental Charge - Magnal S.	UDLS6	\$120.63	+	$\vdash$	20	\$333.28	1	+	Н	+
NADC - Incremental Charge - Manual Service Order - 1st	UDL56		+	NA	$\downarrow$	+	Н	93	+	1
NRC : Incremental Charge - Manual Service Order - Add'i	SOMAN		Ž	Ϋ́	Z	\$87.99	Н	+	\$393.50	\$421.28
4-Wire 64 Khas Die C. J. Order Coordination - Time C.	SOMAN	4	+	\$18.94	H	+	+	L	244.06	4
RC - Statewide nor month	OCOG	+		\$8.42	Y Y	\$ 0. 88 80. 88	+	Н	813.55 NA	٧×
RC - Zone 1, per month (Note 2)		\$45.99	36	\$34 93	¥.	\$11.4	+	8	L	¥.
IRC - Zone 2, per month (Note 2)	MDL64			$\vdash$	¥Z	\$32.77	245.27	+	H	Y .
HC - Zone 3, per month (Note 2)	題	527 33	AN	Ϋ́			$\vdash$	\$45.34	\$45.43	\$55 m
NBC - Zone 4, per month (Note 2)	TB0	\$44.40	\$39.08	\$25.75	¥ ×	¥	¥	15000		3
NBC. Addi	- TBO	\$80.45	\$57.21	\$29.74	Z Z	\$27.50	Н	ASK BY	\$41.70	\$42.23
WRC. Discon		ΥN	\$126.22	\$47.27	Y Y	\$47.24	\$33.94	+	\$34.26	\$36.45
NRC - Discourse Charge - 1st	COLEG	\$498.05	AN AN	٧×	¥	256.48	+	$\vdash$	\$51.67	\$45.87
NRC : Increment Charge - Add'i	UDI 64	\$343.70	6420.42	\$348.55	Ž	AN SECTION	+	1	\$68.43	\$65.75
NRC - Incremental Change - Manual Service Order - 1st	2000	\$129.62	NA NA	\$241.20	¥	\$250.58	+	3	NA Second	VA
NRC - Incremental Charge - Manual Service Order - Addit	SOMAN	\$64.25	X X	Ž	Y.	887.99	\$337.93	$\dashv$	\$393.50	\$643.00
NRC - Incremental Charge - Order - Disconnect - 1st	SOMAN	\$27.37	AN A	\$18.04	¥Z.	\$44.24	+	+	\$44.06	3421.26
Compared Copper Loop (18th Co.)	SOMAN	\$12.97	۸×	\$8.42	¥	\$18.14	+	¥	\$13.55	X X
Inc. Statewide, per month	15000	545.00	¥	Ž	¥ .	\$8.06	\$11.32	\$26.94	V.	42
RC - Zone 1, per month (Note 2)		66.51	\$55.00	\$34.22	¥ X	\$11.41	\$16.06	912.76 NA	NA	Y.
RC - Zone 3 2	UCL PB	\$15.11	610 00			332.77	\$45.27	<b>SA5</b> 24	٧×	٧×
RC - Zone 4 nor manth (Note 2)	9	180	\$18.60	\$13.97	\$11.89	20100			\$45.43	\$55.00
NRC - 1st	001	TB0	\$27.23	\$19.80	TBN	2000	¥	\$19.00	1000	
NPC - Add'I	E E	TB0	\$60.07	\$22.86	TBN	\$25.85	\$16.85	180	\$18.00	\$12.16
NRC - Disconnect Charge - 1st	UCLPB	NA	VA V	N N	NB	\$39.14	\$31.00	TB0	\$28.50	\$19.85
NHC - Disconnect Charge - Add'i	UCLPB	\$464 FB	\$340.00	\$395.16	AN 6212	¥	\$42.13	180	\$37.75	\$35 B1
NDC Incremental Charge - Manual Service C	UCLPB	AN	\$300.00	\$217.39	06.61	\$340.00	\$504.82	AN S	¥	NA
NRC - Incremental Charge - Manual Service Order	UCLPB	¥X	Y S	VA	NA	\$300.00	\$456.24	204.30	Н	\$270.01
NRC : Incremental Charge - Manual Service Order - Add1	SOMAN	\$47.00	× 2	Α×	NA N	\$72.54	\$105.86	NA	\$507.33	\$234.63
INRC - Incremental Charge - Manual Service Order Disconnect - 1st	SOMAN	\$21.00	31.5	\$18.94	\$47.00	339.42	\$57.25	NAN NA	4	574.54
2-Wire Unbundled Const.	SOMAN	NA NA	+	\$8.42	\$21.00	\$18.14	\$25.52	\$26.94	AN	\$39.14
RC - Statewide Act	SOMAN	\$17.77	$\dagger$	5142.27	AN	8 42	\$11.34	\$12.76	4	¥X
RC - Zone 1, per month / Moto 2:	CCLIMC	\$16.00	\$16.00	\$37.86 \$36.46	\$17.77	\$11.41	V S	Y.	NA NA	NA NA
RC - Zone 2, per month (Note 2)	UCLZL	+		920.40	NA	\$32.77	910.06	$\vdash$	\$21.00	¥ :
(7 30)	180	78D	\$35.00	+	+	H	1	\$45.34	\$45.43	\$34.29
Version 1000 6/5/00	T80	+	+	Н	+	\$37.00	\$45.00	+	Н	
r voor metolder			4	\$22.86	+	+	\$16.85	+	+	5.00
					$\frac{1}{2}$	$\dashv$	\$22.34	180	\$28 50 S	\$19.85
								$\frac{1}{2}$	$\dashv$	4.98

BELLSOUTHWO.spire RATES
NETWORK ELEMENTS
AND OTHER SERVICES
IC AL

\$400.21 \$126.16 \$103.36 \$100.59 \$53.03 \$53.03 \$53.03 \$52.95 \$22.95 \$30.53 \$400.21 \$726.16 \$103.36 \$100.59 \$53.03 \$52.95 \$22.95 \$9.79 TBD TBD TBD \$586.00 \$255.00 NA NA NA \$80.55 \$880.08 \$27.30 \$121.14 \$35.81 NA \$270.01 \$234.63 \$74.54 \$39.14 \$34.29 \$233.75 ¥ × ž ž \$510.30 \$1,091.00 \$654.13 NA NA \$92.52 \$92.52 NA NA NA \$600.61 \$507.33 NA NA NA NA \$25.52 \$47.00 \$56.71 \$510.30 \$1,091 \$654.13 NA NA \$92.52 \$92.52 NA NA \$80.55 \$880.08 \$27.30 \$121.14 \$233.75 SC \$37.75 \$21.00 \$45.43 \$56.71 ž 8 NC TBD NA \$504.90 \$456.17 NA NA \$26.94 \$12.76 \$32.53 \$387.01 \$964.04 \$542.73 NA NA \$69.34 \$69.34 \$29.76 \$32.53 \$387.01 \$964.04 \$542.73 NA NA \$69.34 \$69.34 \$29.76 \$80.55 \$880.08 \$27.30 \$121.14 NA NA 845.34 \$233.75 \$31.92 \$42.13 \$504.82 \$456.24 \$105.86 \$57.25 \$25.52 \$427.81 \$975.22 \$549.17 \$134.07 \$130.59 \$68.62 \$68.62 \$28.59 \$54.39 \$427.81 \$975.22 \$134.07 \$130.59 \$68.62 \$68.62 \$68.62 \$68.62 \$28.59 \$80.55 \$880.08 \$27.30 \$121.14 \$16.06 \$45.27 \$233.75 \$54.39 \$99.46 \$50.25 • \$50.25 \$20.94 \$38.98 \$497.08 \$402.63 \$102.16 \$99.46 \$50.25 \$50.25 \$20.94 \$20.94 \$38.98 \$497.08 \$709.14 \$402.63 \$102.16 \$340.00 \$300.00 \$72.54 \$39.42 \$18.14 \$8.06 \$80.55 \$880.08 \$27.30 \$121.14 \$32.77 \$233.75 LA \$39.14 ž Ž \$43.69 \$1,091.00 \$661.23 NA NA \$93.12 \$93.12 \$93.12 \$93.12 \$43.69 \$436.95 \$1,091 \$661.23 NA NA \$93.12 \$93.12 NA NA KY TBN NA \$609.44 NA NA NA S21.00 \$10.83 TBD TBD TBD \$459.85 \$352.89 NA NA NA \$80.55 \$880.08 \$27.30 \$121.14 \$17.77 NA \$233.75 ¥ \$29.96 \$392.61 \$770.96 \$437.71 \$395.16 NA NA NA \$18.94 \$8.42 \$142.27 \$37.86 \$29.96 \$392.61 \$437.71 \$111.07 \$108.14 \$54.64 \$22.77 \$54.64 \$54.64 \$22.77 \$22.77 \$80.55 \$880.08 \$27.30 \$121.14 \$9.12 TBD TBD \$207.01 \$171.32 NA NA \$8.42 NA \$233.75 \$36.34 NA \$36.46 GA \$60.07 NA \$340.00 \$300.00 NA NA \$47.00 \$21.00 \$40.01 \$4770.83 \$770.47 \$108.95 NA NA NA NA \$40.01 \$470.83 \$170.47 \$108.95 \$108.95 NA NA \$16.00 \$80.55 \$880.08 \$27.30 \$121.14 \$233.75 \$8.57 TBD TBD \$78.28 \$58.33 NA NA NA NA ž \$456.18 \$973.58 \$547.59 \$132.56 \$70.10 \$70.10 \$30.09 \$43.96 \$973.58 \$973.58 \$132.56 \$129.07 \$70.10 \$70.10 \$30.09 TBD NA NA S514.21 NA NA NA NA NA NA S21.00 \$21.00 \$80.55 \$880.08 \$27.30 \$121.14 \$233.75 \$17.77 \$43.96 ž USOC TBD TBD UCL2L UCL2L UCL2L UCL2L UCL2L SOMAN UE3PX UE3PX UE3PX UE3PX UE3PX UE3PX SOMAC SOMAC 1L5ND UDLS1 UDLS1 UDLS1 UDLS1 UDLS1 SOMAC SOMAC SOMAC USBNZ USBSB USBNZ USBNZ USBNZ USBNZ USBNZ USBNZ SOMAN SOMAN SOMAN ULM2L ULM2G ULM2G ULMBT UCLMC UMKLP SOMAN STS-1 Unbundled Local Loop - per mile

STS-1 Unbundled Local Loop - per mile

STS-1 Unbundled Local Loop - per mile

STS-1 Unbundled Local Loop - per Facility Termination

NRC - STS-1 - Facility Termination - 1st

NRC - STS-1 - Facility Termination - Disconnect - 1st

NRC - STS-1 - Facility Termination - Disconnect - 1st

NRC - STS-1 - Facility Termination - Disconnect - 1st

NRC - STS-1 - Facility Termination - Disconnect - 1st

NRC - STS-1 - Incremental Charge--Manual Svc Order - Add1

NRC - STS-1 - Incremental Cost - Manual Svc. Order - Add1

NRC - STS-1 - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st

NRC - STS-1 - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-1st DS3 Unbundled Local Loop - per mile
DS3 Unbundled Local Loop - per Facility Termination
NRC - Facility Termination - 1st
NRC - Facility Termination - 0 Disconnect - 1st
NRC - Facility Termination - Disconnect - 1st
NRC - Facility Termination - Disconnect - 1st
NRC - Recility Termination - Disconnect - 1st
NRC - Incremental Charge - Manual Svc Order - 1st
NRC - Incremental Charge - Manual Svc Order - Add'I
NRC - Incremental Cost - Manual Svc Order vs. Elect-Disconnect-1st
NRC - Incremental Cost - Manual Svc. Order vs. Elect-Disconnect-4dd'I Unbundled Sub-Loops
Sub-Loop Analog
Sub-Loop Analog
Loop Analog
Loop Distribution per 2-Wire Analog VG Loop (Including NID), per month
Loop Distribution per 2-Wire Analog VG Loop (Including NID), per month
NRC - Set-Up per Cross Box location - CLEC Feeder Facility set-up
NRC - Set-Up per Cross Box location - per 25 pair panel set-up NRC - Incremental Charge - Manual Service Order - Disconnect - 1st NRC - Incremental Charge - Manual Order Coordination - per loop NRC - Incremental Charge - Manual Service Order - Disconnect NRC - Disconnect Charge - 1st
NRC - Disconnect Charge - Add¹¹
NRC - Incremental Charge - Manual Service Order - 1st
NRC - Incremental Charge - Manual Service Order - 4dd¹¹
NRC - Incremental Charge - Manual Service Order - Add¹¹ Unbundled Loop Modification - Note 3

Load Coil/Equipment Removal per pair - Loops up to 18kft

Load Coil/Equipment Removal per pair - Loops > 18kft - 1st

Load Coil/Equipment Removal per pair - Loops > 18kft - Add'

Bridged Tap Removal per pair unloaded NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - Add Loop Make-Up Service Inquiry - Note 3
Per Service Inquiry RC · Zone 3, per month (Note 2) RC · Zone 4, per month (Note 2) NRC · 1st NRC - Disconnect Charge - 1st NRC - Disconnect Charge - Add DS3 Unbundled Local Loop · Add'I

Attach 2 - NIDS LOOPS

	S. C.	S S S S S S S S S S S S S S S S S S S							Affachment 2
OSO	· 1								Exhibit C
NBSN		1	+	H		-	į		S and a
081	1		+	$\mathbb{H}$	$\perp$	1	H	-	
USBS	+		+	+		+	1		2
	+		+	+		1	+		+
18E	Y Z	4	-	+	Н	+	+	H	S Cal
USBMC	1	+		+	4	$\vdash$	$\dagger$	-	+
USBN4	1	+	-	+	4	$\vdash$	+	+	t
USBSA	1	+		+	+		+	+	+
USBSB	1	1	TBN	N I	+	L	+	4	
1	1	180	H	NO.	TBN		+	+	╀
+	-	\$112.07		VOL	TBN		NO.	TBN	L
1		\$92.11	4	Nat	NB.	$\sqcup$	NO L	TBN	180
1			TBN	TBN	NO.	4	TRN	NB.	180
USBSC	TBN	T NOT			NO	TBN	NO.	NO.	TB0
OSBSO	TBN	Val.	TBN	TBN				NO	180
CSBRZ	TBN	Mar	T BN	TBN	Z Z	TBN	TBN		
SHER	TBN	IBN	NB.	TBN	IBN	NB.	TBN	Net	TBN
ISBD	TBN	TBN	NO.	1BN	18N	NE P	TBN	TBN	IBN
SOMAN	NB.	TBN	Nat	TBN	TBN	NO P	1BN	TBN	NO.
SOMAN	NB.	TBN	No.	TBN	TBN		TBN	TBN	NO
SOMAN	LBN	TBN	NOT	TBN	TBN	NO.	18N	TBN	NA .
USBAC	NB.	TBN	Nat	TBN	TBN	NO	TBN	IBN	NO.
USBR4	NB.	TBN	TAN	NB.	TBN	Nat	TBN	TBN	NO
· USBSC	NE P	TBN	BN	NB.	TBN	IBN	TBN	TBN	Na.
USBSD	Na P	TBN	TBN	NB.	TBN	I NE	-BN	1BN	NO
USBR4	NO	TBN	IBN	NA	TBN	ABN	BN	18N	No.
USBR4	NO.	1BN	TBN	NA	TBN	IBN	IBN	TBN	Na Na
USBR4	NOT	TBN	TBN	NO.	TBN	IBN	NO.	TBN	IBN
USBR4	TAN	NB.	TBN	Nat	TBN	TBN	NO	TBN	1BN
SOMAN	TBN	NB.	TBN	TBN	-BN	TBN	Nat	1BN	1BN
SOMAN	18N	NO.	TBN	IBN	NB	TBN	Na	NB.	-BN
SOMAN	TBN	NO	1BN	TBN	NO.	TBN	IBN	NO.	1BN
USBMC	TBN	NO	TBN	TBN	NO	TBN	TBN	NS C	TBN
20131			NB.	TBN	IBN	TBN	1BN	NO	TBN
LIENVO	1BN	+				NB	TBN	NA.	-BN
	1BN	+	\$225.00	\$1.24	AN	1		+	N
UENSS	1	$\vdash$	3	\$225.00	AN	42	ž	$\dagger$	
UENSS	7	Н	\$98.00	000		5	AN	$\dagger$	\$225.00
UEN1T	+		╀	20.00	TBN	TBN	Nat		3
UEN2T	$\dagger$	+	+	\$11000	18N	TBN	NA.	H	\$98.00
UENPP	TBN	+	-	\$35 m	BN	+			65.00
UENSV	TBN	+	┝	20.03	NB	+	TBN	$\mid$	10.00
MOCLA	TBN	+	Н	\$55.00	IBN.		TRN	H	35.00
		+	Н	\$45.00	NO S		TBN	1	00.6
COMMAN	\$27.37	+	Н	-	ND	H	NB.	+	55.00
LICTOR	\$12.97	+	26.95	-	BFR	+		+	200
UCTBA	H	+-	+	Н	+	+	Н	+	Car
UCTBA	+	+	+	4	<u> </u>	+	4	$\perp$	180
	1	Н	+	4		+	+		\$683.78
			4	$\downarrow$	H	+	+	Н	431
						$\left\{ \right.$	$\downarrow$	H	1 78
NINC - Set Up per Cross Box location - Det Z5 pair panel set up   NINC - Set Up per Cross Box location - Det Z5 pair panel set up   NINC - Set Up per Cross Box location - Det Z5 pair panel set up   NINC - Ist   NINC - Set Up per Cross Box location - Det Z5 pair panel set up   NINC - Set Up per Cross Box location - Det Z5 pair panel set up   NINC - Set Up per Cross Box location - Det Z5 pair panel set up   NINC - Set Up per Cross Box location - Det Z5 pair panel set up   NINC - Set Up per Cross Box location - Det Z5 pair panel set up   NINC - Set Up per Building Betwork Cable (INC) (Tester Cable) 2W manage per month   NINC - Set Up per Building Equipment Room - Det Z5 pair panel set up   NINC - Set Up per Building Equipment Room - Det Z5 pair panel set up   NINC - Set Up per Building Equipment Room - Det Z5 pair panel set up   NINC - Set Up per Building Equipment Room - Det Z5 pair panel set up   NINC - Set Up per Building Equipment Room - Det Z5 pair panel set up   NINC - Set Up per Building Equipment Room - Det Z5 pair panel set up   NINC - Set Up per Building Equipment Room - Det Z5 pair panel set up   NINC - Set Up per Building Equipment Room - Det Z5 pair panel set up   NINC - Set Up per Building Equipment Room - Det Z5 pair panel set up   NINC - Set Up per Building Equipment Room - Det Z5 pair panel set up   NINC - Set Up per Building Equipment Room - Det Z5 pair panel set up   NINC - Set Up per Building Equipment Room - Det Z5 pair panel set up   NINC - Set Up per Building Equipment Room - Det Z5 pair panel set up   NINC - Set Up per Building Equipment Room - Det Z5 pair panel set up   NINC - Set Up per Building Equipment Room - Det Z5 pair panel set up   NINC - Set Up per Building Equipment Room - Det Z5 pair panel set up   NINC - Set Up per Building Equipment Room - Det Z5 pair panel set up   NINC - Set Up per Building Equipment Room - Det Z5 pair panel set up   NINC - Set Up per Building Equipment Room - Det Z5 pair panel Set up   NINC -	USBNA   USBN	USBNC   USBNC   TBD   TBD	USBNC         TBN         NA         NA           USBSA         NA         NA         NA           USBSA         NA         NA         NA           USBSA         NA         NA         NA           USBNA         TBN         TBN         TBN           USBNA         TBN	USBMC         TBN         TBN </td <td>USBNC         TAL         FL         GA         KA           USBSA         NA         NA         NA         893           USBSA         NA         NA         NA         893           USBSA         NA         NA         NA         893           USBNC         TBN         TBN         TBN         1893           USBNC         TBN         TBN         TBN         TBN           USBNA         TBN         TBN         TBN         TBN           SBRA         TBN         TBN         TBN         TBN           SBRA         &lt;</td> <td>USBNC         TAL         FL         GA         KY         TBD         TBD</td> <td>  1588/15   1588/15   1589   1</td> <td>  USBNC   FAN</td> <td>  USBNC   NA</td>	USBNC         TAL         FL         GA         KA           USBSA         NA         NA         NA         893           USBSA         NA         NA         NA         893           USBSA         NA         NA         NA         893           USBNC         TBN         TBN         TBN         1893           USBNC         TBN         TBN         TBN         TBN           USBNA         TBN         TBN         TBN         TBN           SBRA         TBN         TBN         TBN         TBN           SBRA         <	USBNC         TAL         FL         GA         KY         TBD         TBD	1588/15   1588/15   1589   1	USBNC   FAN	USBNC   NA

Version 1000 6/5/00 7/7/00 Filefolder

Attachment 2 Exhibit C Rates - Page 10

BELLSOUTWO.spire RATES
NETWORK ELEMENTS
AND OTHER SERVICES

DESCRIPTION	ONY COST	AND OTHER SERVICES								
TR008 - System B (96 channel capacity - channels 97, 192), per month	nsoc	A.L.	F. F.	CA CA	χ	۲,	MS	Ş	၁င	Y.
NRC 1st	CTOD	414	\$155.32	\$92.91	\$95.60	Y :	YZ.	ΑN	ΑN	\$102.12
NRC - Add'I	UCTAB	Z Z	\$315.03	\$032.30 €310.82	\$633.94	Y S	¥ S	¥ .	Y.	\$634.31
TR303 - System A (96 channel capacity - channels 1-96), per month			\$835.72	\$764.42	\$21.00	42	X X	¥ ×	Y S	\$311.78
NPC - 1st	UCT3A	AN	\$640.93	\$632.36	\$633.94	4		¥	¥ S	\$726.87
NPC - Add'I	UCT3A	NA	\$315.03	\$310.82	\$311.60	Y X	Y Y	2 2	2 2	\$034.31
TR303 - System B (96 channel capacity - channels 97-192), per month	UCT3B	NA	\$198.55	\$132.54	\$138.55	¥.	¥	Y Y	Z Z	\$145.21
NRC - 1st	UCT3B	NA	\$640.93	\$632.36	\$633.94	NA	AN A	٧×	ž	\$634.31
INITC - Add I	UCT3B	Ϋ́	\$315.03	\$310.82	\$311.60	ΑN	Ą	Ϋ́	Ϋ́	\$311.78
UST Feeder Interface, per month	UCTFS	Ϋ́	\$78.43	\$72.12	\$77.02	۷A	¥	Ϋ́	ΑΝ	\$76.73
NHC 1St	UCTFS	Ϋ́Α	\$422.74	\$425.74	\$418.13	Ϋ́	ΑN	ΥN	Ϋ́	\$418.37
NHC Addi	UCTFS	¥	\$200.74	\$198.06	\$198.56	AN	ΑN	Ϋ́	Ϋ́	\$198.67
Channel Interface - 2 Wire Voice - Loop Start, per month	180	Ϋ́	\$2.62	\$2.38	\$2.68	ΑN	ΑN	Ϋ́	Ϋ́	\$2.61
NED AND	180	¥.	\$42.39	\$41.82	\$41.92	٧	٩V	٧V	Ϋ́	\$41.95
Channel Interface - 2 Wise ICON security	180	¥Z	\$42.15	\$41.58	\$41.69	Ϋ́	¥	۷¥	٧¥	\$41.71
INFC 1st		Y Y	\$10.49	\$9.53	\$10.72	¥	¥.	¥2	ž	\$10.43
NPC Add'I		4 A	\$42.39	\$41.82	26.15	¥ :	¥ :	¥.	¥.	\$41.95
Channel Interface - 2 Wire Voice - Ground Start or Reverse Battery, per month	TBD	Z Z	\$15.59	\$14.17	\$15.09	Y Y	Y Y	4 2	¥ 2	2.12
NPC 1st	TBD	ΥN	\$42.39	\$41.82	\$41.92	AZ	AN	42	<b>S</b>	641.06
NRC Add'I	TBD	NA	\$42.15	\$41.58	\$41.69	Y.	¥	¥	Y Y	2 2
Channel Interface - 4 Wire Voice, per month	ULCC4	NA	\$9.30	\$8.45	\$9.50	ΑN	Ϋ́	¥	ď.	\$9.26
NPC 1St	ULCC4	ΑN	\$42.39	\$41.82	\$41.92	Ϋ́	ΨN	¥	¥Z	\$41.95
INFC Add1	ULCC4	V.	\$42.15	\$41.58	\$41.69	ΑN	¥2	ΑN	٧X	\$41.71
lest Circuit, per month		Ϋ́	\$45.46	\$41.30	\$46.44	¥	٧×	ΨN	٧X	\$45.22
NHC 1St	UCTTC	ΥN	\$42.39	\$41.82	\$41.92	ΥV	ΥN	N A	Y.	\$41.95
INTO ADDI	UCTTC	ΑN	\$42.15	\$41.58	\$41.69	ΝA	AN	٧V	Ϋ́	17.12
Charmel menace - Digital bokops, per month	ULCCS	¥.	\$13.78	\$12.51	\$14.08	Y.	ΑN	ΥN	ΥN	\$13.71
NEC DAY.	OLCC:	Y.	\$42.39	\$41.82	\$41.92	¥	¥2	¥ Z	Y.	\$41.95
Channel Interface - Diothal 64Khns ner month	OLCC3	V V	242.15	\$41.58	\$41.69	¥.	¥.	¥	¥	\$41.71
NPC 1et		¥ 5	\$13.78	\$12.51	\$14.08	ž	¥.	¥N.	¥	\$13.71
NRC Add'I	OLCC6	42	\$42.39 642.46	28.2	\$41.92	¥.	¥	¥Z.	¥	\$41.95
Loop Concentration System (Inside C.O.)	OFFICE	5	346.13	96.156	60.14	¥ Z	¥ Ž	¥Z	¥	\$41.71
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	CBT	£18 94	TAD	619 14	COE EO	TO	9777	
NRC - Incremental Charge - Manual Service Order - Add'i	SOMAN	\$12.97	TBD	\$8.42	TBD	88.06	\$1134	CE CE	613 55	Car
Loop Channelization System - Digital Loop Carrier	TBD	AN	NA	ΑN	¥Z	ΥN	¥	¥.	NA.	S V
HC - Loop Channelization System - Digital Loop Carrier	TBD	NA	NA	Y.	Y.	AN	¥X	\$315.16	Y.	Ϋ́Α
NHC-1SI	180	¥	¥	¥	ΥZ	Ϋ́	Ϋ́	\$426.48	Ν	¥χ
NRC. Incremental Cost - Manaul Control Order, 191	081	Y .	¥	¥.	Y.	YZ.	¥Z	\$103.42	٧V	Ϋ́
NRC, Incremental Oct - Manaul Service Order 180	200	ď.	¥.	ž	¥.	¥Z.	¥Z	\$42.19	٧	¥
TROOR -System A (96 channel canacity - channels 1.96) per month	IBU	NA	VAN S	VAN CO	AN	YN S	¥Z	\$12.76	¥Z	NA
NAC 1st	LICTRA	\$1115.10	\$400.33 \$1 128 75	\$310.03	\$394.00 61 16 16	\$308.74	\$454.79	\$375.96	\$399.21	\$380.06
NRC - Add'i	UCTBA	AN	NAN T	AN AN	NAN C	NA NA	01.C11.10	91,13,00	05.611.14	\$1,114.05
TR008 -System B (96 channel capacity - channels 97-192), per month	UCT8B	\$67.41	\$70.48	\$65.27	\$72.21	\$76.5R	\$73.30	665 OB	£71 01	NA 023
NRC - 1st	UCT8B	\$464.57	\$470.41	\$463.37	\$465.11	\$465.64	\$464.71	\$463.74	\$466.38	5464 21
NRC - Add'I	UCT8B	AA	Ν	A'A	¥.	Ϋ́	Ϋ́	¥	AN	V.
1 H303 - System A (96 channel capacity - channels 1-96), per month	UCT3A	\$375.18	\$450.24	\$362.87	\$445.14	\$385.97	\$506.70	\$422.68	\$450.13	\$428.73
NRC - IST	UCT3A	\$1,115.10	\$1,128.75	\$1,111.95	\$1,116.15	\$1,117.20	\$1,115.10	\$1,113.00	\$1,119.30	\$1,114.05
TR303 - System B (96 channel capacity - channels 97-192), per month	UCISA	NA 6111 30	NA 6110 76	NA S	NA Projection	NA S	Y S	¥.	¥.	ΥN
	20.00	200		90.00	CT.1310	\$163.03	\$163.36	11.11	3121.16	\$115.79

Attach 2 - NIDS LOOPS

Attach 2 - NIDS LOOPS

	138	BELLSOUTHIG. Spire RATES	ATES						∢	Attachment 2 Exhibit C
DESCRIPTION	- 1	AND OTHER SERVICES	CES						Rate	Rates - Page 11
NPC 1St		AL	1 1	₽ <b>S</b>	KA					
DSI International	UCLIBB	\$464.57	\$470.41	\$463.37	CARS 11	4 10 10 10 10 10 10 10 10 10 10 10 10 10	MS	S	သွ	Z
MD 4.	BC 100	NA NA	Y Y	Ϋ́	ΔN	9400.04	\$464.71	\$463.74	\$466.38	\$464.21
INTIC ISI	00100	\$6.42	\$6.47	\$6 15	2000	¥ .	٧×	Y.	¥	AN
NHC Add	UCTCO	\$367.70	\$372.32	\$366.72	£132 18	\$7.35	\$6.99	\$6.27	\$6.79	\$6.49
Criannel Interface - 2 Wire Voice - Loop Start, per month	UCTCO	\$132.03	\$133.69	\$130.63	6132.10	9308.54	\$367.80	\$367.04	\$369.13	\$367.41
NHC 1SI	081	\$2.55	\$2.66	\$2.44	\$2.70	\$132.33	\$132.07	\$131.79	\$132.54	\$131.92
Others Add	B S	\$35.77	\$36.23	\$35.68	£35.82	96.31	\$2.77	\$0.89	\$2.69	\$2.58
Criamel Interface - 2 Wire ISDN, per month	080	\$35.55	\$36.02	\$35.48	\$35.62	\$35.86	\$35.78	\$35.73	\$35.91	\$35.74
INTO ISI	OLCCI	\$10.19	\$10.67	\$9.76	\$11.10	933.00	\$35.37	\$35.49	\$35.71	\$35.54
Channel Linds	OF CC	\$35.77	\$36.23	\$35.68	\$35 R2	30 100	\$11.10	\$9.95	\$10.76	\$10.30
NAC 1st March 1st Mire Voice - Ground Start or Reverse Battery, per month	Jan	\$35.55	\$36.02	\$35.48	\$35.62	\$35.66	935.78	\$35.71	\$35.91	\$35.74
NBC Add"	Tal.	\$15.15	\$15.85	\$14.51	\$16.62	\$17.33	455.37	\$35.51	\$35.71	\$35.54
Channel Interface - 4 Wire Voice	180	435.77	\$36.23	\$35.68	\$35.82	\$35.86	\$35.78	314.80	\$16.01	\$15.32
NAC 1st	DI CC4	200	20.0Z	\$35.48	\$35.62	\$35.66	\$35.37	200	935.91	\$35.74
NRC Add'I	ULCC4	£3£ 77	\$9.44	\$8.65	\$9.91	\$10.34	\$9 83	60.00	\$35.71	\$35.54
Test Circuit per month	700	435.77	\$36.23	\$35.68	\$35.82	\$35 A6	626 70	20.02	\$9.55	\$9.13
NRC 1et	STOP OF	\$35.55	\$36.02	\$35.48	\$35.62	\$35.66	626.27	\$35.71	\$35.91	\$35.74
NBC Addi		344.16	\$46.14	\$42.30	\$48.43	\$50.53	1000	\$35.51	\$35.71	\$35.54
Channel Life	2 2 2	\$35.77	\$36.23	\$35.68	\$35.82	20.00	247.83	\$43.13	\$46.66	\$44.65
Miles merace - Digital 56Kbps, per month	2 2 2	\$35.55	\$36.02	\$35.48	£35.62	633.00	\$35.78	\$35.71	\$35.91	\$35.74
INDO AS III	ULCCS	<b>1</b> 80	TB0	TBD	TRO	933.00	\$35.37	\$35.51	\$35.71	\$35,54
PINC A001	ULCCS	TB0	180	TBD	TBO	200	180	TBO	TB0	TBD
Cliannel Interface - Digital 64Kbps, per month	ULCCS	TBD	180	780	200	200	180	TBD	TBD	TBD
INHC ISI	OLCC6	TB0	180	TBD	Car	200	180	TBD	180	TBO
NHC Add'i	9 OLCC6	TBD	180	CEL	001	2	TBD	TBD	780	2
DANK FIBER	ULCC6	180	180	CEL	200	OB.	TBD	TBD	180	S S S S S S S S S S S S S S S S S S S
Fer rour fiber strands, per route mile or fraction thereof, per month					100	98	TB0	TBO	180	TE CE
AND Ber each four-fiber dark fiber arrangement - 1st	1LSDF	\$59.84	\$55.35	\$44.22	SEA EA	00.00				
IND Fer each lour-liber dark fiber arrangement - Add'i	11.50F	\$2,518.66	\$1,715.61	\$1,355.29	\$2,304,00	\$1,685.10	\$70.35	\$49.88	\$72.45	\$52.67
NOTES	ורטטי	\$835.08	\$622.68	\$273.69	\$740.93	\$580 11	92,303.33	\$2,277.00	\$2,406.00	\$1,672.44
1 In states where a constitution of						1	\$604.32	\$733.08	\$765.30	\$509.09
is not stated, the annificable NDC from 12.										
2 Effective May 1, 2000 statewide rates will be perfect.										
Zone where available. Until approximately December 31, 2000 C										
BellSouth billing systems have been developed to handle the new room and										
Structure, BellSouth will bill at the Zone 1 Deaveraged I on rate lavel cat.										
December 31, 2000 or such time that the billing systems have been develored to										
Induction processing agreement of the contraction o									-	
3 All rales are interin and cubicate			-						-	
						•				-
Where the state Commission has adonted rates for the same at									+	
Containedherein, it is the intent of the Parties to reflect such rates in this Exhibit and the										
7							_	_	_	_

Attachment 2 Exhibit C Rates - Page 12

BELLSOUTIVE spire RATES
NETWORK ELEMENTS

SZ 07   SZ 00   SI 165   SZ 01   SZ 11   SZ 15   SZ 05   SZ 11   SZ 15   SZ 05   SZ			-	AND OTHER SERVICES								
The contracted forms are and was called the contracted forms are and contracted forms are an are	ال	ESCRIPTION	nsoc	AF	7	GA	Κ¥	LA	MS	Ş	SC	Z
The contributing for the section of the contribution of the contri	٢-	NCAL EXCHANGE SWITCHING (PORTS)										
The controlled formers are Ana Chaire for the Chair	+	This Analog Line Fold (ness, busy, per monni	10011		٠,	4		000		0,00	20.04	
The controlled founded formersee Area Callery port with Caller 10 - residence 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10	$\pm$	Z. Wire voice undurdied port - residence	UEFRIC	\$2.07	- 1	910N - CB.16	52.01 - Note	\$2.20	32.11	9Z.19	\$2.35	91.90 - NOIB
The controlled persone controlled for the controlle	$\exists$	2 wire voice unbundled port with caller ID - residence	UEPHC	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
Controlled Tensese Area Calleg port with Caller Di tradicione Controlled Tensese Area Caller Di tradicione Controlled Tenses Area Caller Di tradicione Caller Di tradicione Controlled Tenses Area Caller Di tradicione Caller Di		2-wire voice unbundled port outgoing only - residence	UEPHO	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
Learnended Frenessee Area Caling port with Caler ID - residence  Tearnended Tearnessee Area Caling port with Caler ID - residence  Learnended Tearnessee Area Caling port with Caler ID - residence  Learnended Tearnessee Area Caling port with Caler ID - residence  Learnended Tearnessee Area Caling port with Caler ID - residence  Learnended Tearnessee Area Caling port with Caler ID - residence  Learnended Tearnessee Area Caling port with Caler ID - residence  Learnended Tearnessee Area Caling port with Caler ID - residence  Learnended Tearnessee Area Caling port with Caler ID - residence  Learnended Tearnessee Area Caling port with Caler ID - residence  Learnended Tearnessee Area Caling port with Caler ID - residence  Learnended Tearnessee Area Caling port with Caler ID - residence  Learnended Tearnessee Area Caling port with Caler ID - residence  Learnended Tearnessee Area Caling port with Caler ID - residence  Learnended Tearnessee Area Caling port with Caler ID - residence  Learnended Tearnessee Area Caling port with Caler ID - residence  Learnended Tearnessee Area Caling port with Caler ID - residence  Learnended Tearnessee Area Caling port with Caler ID - residence  Learnended Tearnessee Area Caling port with Caler ID - residence  Learnended Tearnessee Area Caling port with Caler ID - residence  Learnended Tearnessee Area Caling port with Caler ID - residence  Learnended Tearnessee Area Caling port with Caler ID - residence  Learnended Tearnessee Area Caling port with Caler ID - residence  Learnended Tearnessee Area Caling port with Caler ID - residence  Learnended Tearnessee Area Caling port with Caler ID - residence  Learnended Tearnended T		2-wire voice unbundled area plus port with caller ID - residence	UEPRIM	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
Note the brunded fouriers when called pot with Called 10 terbads in a man was a few and the set and with called 10 terbads in a man was a few and with called 10 terbads in a man was a few and with called 10 terbads in a man was a man wa		2-wire voice unbundled Florida area calling with caller ID - residence	UEPAF	N A	\$2.00	¥	¥.	Y V V	Ϋ́	Y V	V V	٧
Ace unbrunded Standard Temperature (Standard Temperature) Standard Temperature) Standar	L	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL)	UEPAG	Ą	AN	ΑA	¥	\$2.20	Ϋ́	NA	Ϋ́	ĄX
Rec unbuilded South Condrete Area Calling port with Callier ID - residence         UEPAM         NA		2 wire voice unbundled Louisiana Area Plus with caller ID · residence (AC7)	UEPAH	Ϋ́	Ϋ́	Ϋ́Α	¥	\$2.20	¥	Ą	¥	¥Z
see unbunded Ferressee Area Calling port with Caller ID - residence         LIEPAK         NA		voice unbundled South Carolina Area Calling port with Caller ID - resider	I IFPA.I	Ą	ΨN	ΨN	4	ĄN	ΨN	ΨN	£0.35	ΨN
curbunded Temessee And Caller Desidence         UEPAK         NA         NA<	$\pm$	2:wire voice unbundled Tennessee Area Calling port with Caller ID - residence	21.20								201	
te urbunded femerssee Area Caling port with Calier 1D - residence UEPAM NA	_	(F2R)	UEPAK	NA	NA	NA	NA NA	NA	NA	NA NA	NA	\$1.90
tic urbunded formessee Area Caling port with Calier ID - residence         UEPAN         NA		2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER)	UEPAL	ν V	A A	N A	Ą	¥2	V.	NA	¥	\$1.90
Lor unbundled Temessee Area Calling port with Caller 1D - residence         UEPAD         NA		2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACSR)	UEPAM	Υ V	¥.	A N	¥	¥ Z	ΑN	¥2	₹ Z	\$1.90
ce unbunded Famessee Area Calling port with Caller ID . residence         UEPAD         \$2.07         \$2.00         \$1.85         \$2.61         \$2.00         \$2.35           Liu MEER PORTI ABILITY (RECUIRES ONE PER PORTI)         LUPPAD         \$2.07         \$2.00         \$1.85         \$2.61         \$2.00         \$2.35           Liu MEER PORTI ABILITY (RECUIRES ONE PER PORTI)         LUPPAD         \$2.07         \$2.00         \$1.85         \$2.61         \$2.00         \$2.35           Liu MEER PORTI ABILITY (RECUIRES ONE PER PORTI)         LUPPAD         \$2.07         \$2.00         \$1.85         \$2.61         \$2.00         \$2.35           Liu MEER PORTI ABILITY (RECUIRES ONE PER PORTI)         LUPPAD         \$2.07         \$2.00         \$1.85         \$2.61         \$2.00         \$2.35           Liu MEER PORTI ABILITY (RECUIRES ONE PER PORTI)         LUPPAD         \$2.07         \$2.00         \$1.85         \$2.61         \$2.00         \$2.35           Liu Meer Porti Abili Liu M	<u> </u>	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (1MF2X)	UEPAN	ν V	¥ Z	Ą	¥	¥ Z	Ϋ́	ΥN	Ą	\$1.90
te urbundled for with caller ID (LUM) UEPAR \$2.07 \$2.07 \$2.00 \$1.85 \$2.61 \$2.20 \$2.11 \$2.00 \$2.35 \$2.65 \$2.00 \$2.00 \$2.35 \$2.00 \$2.00 \$2.35 \$2.00 \$2.00 \$2.35 \$2.00 \$2.00 \$2.35 \$2.00 \$2.35 \$2.00 \$2.35 \$2.00 \$2.35 \$2.00 \$2.35 \$2.35 \$2.00 \$2.35 \$2.3		2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (2MR)	UEPAO	ΝΑ	A A	N.	٧×	¥	NA AN	NA	¥ Z	\$1.90
to the third charge of the Port Net Nath Reculters One PER PORT)  LINDER PORT Net Linder Port Net Nath Reculters One PER PORT)  LINDER PORT Net Inchmided port with Caller 10 UEPBH  SE or inchmided port with unbunded port with Caller 10 UEPBH  SE or inchmided port with unbunded port with Caller 10 UEPBH  SE or inchmided port with unbunded port with Caller 10 UEPBH  SE or inchmided port with unbunded port with Caller 10 UEPBH  SE or inchmided port with unbunded port with Caller 10 UEPBH  SE or inchmided port with unbunded port with Caller 10 UEPBH  SE or inchmided port with caller 10 UEPBH  SE or inchmided port with Caller 10 UEPBH  SE or inchmided port with Caller 10 UEPBH  NA N		2-wire voice unbundled res, low usage line port with Caller ID (LUM)	UEPAP	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
te unbundled don' with Caller ID	$\pm$	1 OCAL NILLIANTED PODITABLE LTV (PETOL UPER ONE PETOL UNILLIANTED	AU0141									
ce unbundled port without Caller ID         UEPBIL         \$2.07         \$2.00         \$1.85         \$2.61         \$2.00         \$2.35	$\pm$	LOCAL NOMBER TORINBILLIT (NECOINES) ONE TEN TORI)	ראורא									
ce unbunded port with caller FEGAH 1D         UEPBG         \$2.07         \$2.00         \$1.85         \$2.01         \$2.00         \$2.35           ce unbunded port with unbunded port with unbunded port with unbunded port with unbunded or with caller ID         UEPBM         \$2.07         \$2.00         \$1.85         \$2.61         \$2.00         \$2.35           ce unbunded or with unbunded or with caller ID         UEPBM         \$2.07         \$2.00         \$1.85         \$2.61         \$2.00         \$2.35           ce unbunded or with caller ID         UEPBM         \$2.07         \$2.00         \$1.85         \$2.61         \$2.00         \$2.35           ce unbunded No bus a calling Port with Caller ID (BUC)         UEPAB         NA         <	$\pm$	2-wire voice unbundled port without Caller ID	UEPBL	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
ce unburded outgoing only port         UEPBM         \$2.07         \$2.00         \$1.85         \$2.61         \$2.20         \$2.13         \$2.00         \$2.35           ce unburded outgoing only port with Caller ID         UEPBM         \$2.07         \$2.00         \$1.85         \$2.61         \$2.20         \$2.11         \$2.00         \$2.35           ce unburded LA Bus Area Calling Port with Caller ID (BUC)         UEPBM         NA	Е	2-wire voice unbundled port with unbundled port with Caller+E484 ID	UEPBC	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
the curbunded TN Bus 2-WaY Area Caling Port Method Face unbunded TN Bus 2-WaY Area Caling Port Method Face unbunded Forder port with caler ID Caling Port Standard Option  UEPAG  NA  NA  NA  NA  NA  NA  NA  NA  NA		2-wire voice unbundled outgoing only port	UEPBO	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
Ce unbundled IN Bus 2-WaY Area Calling Port with Caller         UEPRIL         \$2.07         \$2.00         \$1.85         \$2.50         \$2.11         \$2.00         \$2.35           Fe unbundled IN Bus 2-WaY Area Calling Port with Caller ID (LMB)         UEPAB         NA         N		2-wire voice unbundled area plus port with Caller ID	UEPBM	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
ce unbundled TN Bus 2-Way Area Calling Port with Caller ID (ENCI)         UEPAG         NA         <	$\pm$	2-wire voice unbundled incoming only port with Caller ID	UEPB1	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
ce unbundled TN Bus 2-Way Area Calling Pord Economy Option         UEPAD         NA         NA </td <th><math>\pm</math></th> <td>2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC)</td> <td>UEPAA</td> <td>¥ :</td> <td>¥ :</td> <td>ď.</td> <td>¥ :</td> <td>\$2.20</td> <td>¥ :</td> <td>¥</td> <td>AN O</td> <td>Ž</td>	$\pm$	2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC)	UEPAA	¥ :	¥ :	ď.	¥ :	\$2.20	¥ :	¥	AN O	Ž
Ce unbundled TN Bus 2-WaY Collerville and Memphis Local Calling Port Standard Option         UEPAD         NA         NA <t< td=""><th><math>\pm</math></th><td>2-wire voice unburndled SC bus Area Calling Port with Caller ID (LMb)</td><td>UEFAB</td><td>Y Y</td><td>¥ 2</td><td>¥.</td><td>42</td><td>4</td><td><b>C</b></td><td>2</td><td>\$2.35</td><td>2</td></t<>	$\pm$	2-wire voice unburndled SC bus Area Calling Port with Caller ID (LMb)	UEFAB	Y Y	¥ 2	¥.	42	4	<b>C</b>	2	\$2.35	2
tce unbundled TN Bus 2-WAY Collierville and Memphis Local Calling Port Standard Option         UEPAE         NA		Z-Wie Voice unburined in bus Z-Way Area Calling Fort Economy Option (TACC1)	UEPAC	N A	NA	NA	N	NA	NA	NA	NA	\$1.90
ice unbundled TN Bus 2:WAY Collierville and Memphis Local Calling Port         UEPAE         NA		2-wire voice unbundled TN Bus 2-Way Area Calling Port Standard Option	IEDAN	ΨN	ΨN.	W.	ΨN	N.A	N.A	ΨN	ΑN	9
UMBER PORTABILITY (REQUIRIES ONLE PER PORT)         LNPCX         NA         NA <th< td=""><th><math>\pm</math></th><td>2-wire voice unbundled TN Bus 2-WAY Collierville and Memohis Local Calling Port</td><td>00.130</td><td>S.</td><td>2</td><td>2</td><td>2</td><td>4</td><td></td><td>5</td><td>4</td><td>06:19</td></th<>	$\pm$	2-wire voice unbundled TN Bus 2-WAY Collierville and Memohis Local Calling Port	00.130	S.	2	2	2	4		5	4	06:19
unring Charges (NRC) - 1st (Residence)         UEPRL         \$21.93         \$38.00         \$17.16         \$37.78         \$16.43         \$22.98         \$24.04         \$24.98           ice unbundled port vesidence         UEPRC         \$21.93         \$38.00         \$17.16         \$37.78         \$16.43         \$22.98         \$24.04         \$24.98           ice unbundled port vilti caller ID - residence         UEPRC         \$21.93         \$38.00         \$17.16         \$37.78         \$16.43         \$22.98         \$24.04         \$24.98           ice unbundled port vilti caller ID - residence         UEPRC         \$21.93         \$38.00         \$17.16         \$37.78         \$16.43         \$22.98         \$24.04         \$24.98           ice unbundled port outgoing only - residence         UEPRC         \$21.93         \$38.00         \$17.16         \$37.78         \$16.43         \$22.98         \$24.04         \$24.98           ice unbundled Florida area calling with caller ID - residence         UEPAF         NA         NA <td< td=""><th></th><td>(82F)</td><td>UEPAE</td><td>Y Y</td><td>ΑN</td><td>Ą</td><td>¥</td><td>NA</td><td>¥</td><td>AN</td><td>¥</td><td>\$1.90</td></td<>		(82F)	UEPAE	Y Y	ΑN	Ą	¥	NA	¥	AN	¥	\$1.90
working Charges (NRC) - 1st (Residence)       UEPRL       \$21.93       \$38.00       \$17.16       \$37.78       \$16.43       \$22.98       \$21.60       \$24.98         ice unbundled port viril caller ID residence       UEPRO       \$21.93       \$38.00       \$17.16       \$37.78       \$16.43       \$22.98       \$24.04       \$24.98         ice unbundled port with caller ID residence       UEPRO       \$21.93       \$38.00       \$17.16       \$37.78       \$16.43       \$22.98       \$24.04       \$24.98         ice unbundled area plus port with caller ID residence       UEPRO       \$21.93       \$38.00       \$17.16       \$37.78       \$16.43       \$22.98       \$24.04       \$24.98         ice unbundled Florida area calling with caller ID residence       UEPAF       NA       NA       NA       NA       NA       NA       NA       NA	$\pm$	LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT)	LNPCX									
wirling Charges (NRC) - 1st (Residence)       UEPRL       \$21.93       \$38.00       \$17.16       \$37.78       \$16.43       \$22.98       \$21.60       \$24.98         ice unbundled port viril caller ID residence       UEPRC       \$21.93       \$38.00       \$17.16       \$37.78       \$16.43       \$22.98       \$24.04       \$24.98         ice unbundled port with caller ID residence       UEPRO       \$21.93       \$38.00       \$17.16       \$37.78       \$16.43       \$22.98       \$24.04       \$24.98         ice unbundled area plus port with caller ID residence       UEPRM       \$21.93       \$38.00       \$17.16       \$37.78       \$16.43       \$22.98       \$24.04       \$24.98         ice unbundled Florida area calling with caller ID residence       UEPAF       NA       \$38.00       \$17.16       \$37.78       \$16.43       \$22.98       \$24.04       \$24.98         ice unbundled Florida area calling with caller ID residence (RUL)       UEPAF       NA       NA       NA       NA       NA       NA       NA	$\vdash$											
tice unbundled port - residence         UEPRL         \$21.93         \$38.00         \$17.16         \$37.78         \$16.43         \$22.98         \$21.60         \$24.98           ice unbundled port with caller ID - residence         UEPRG         \$21.93         \$38.00         \$17.16         \$37.78         \$16.43         \$22.98         \$24.04         \$24.98           ice unbundled port with caller ID - residence         UEPRM         \$21.93         \$38.00         \$17.16         \$37.78         \$16.43         \$22.98         \$24.04         \$24.98           ice unbundled area plus port with caller ID - residence         UEPAF         NA         \$38.00         \$17.16         \$37.78         \$16.43         \$22.98         \$24.04         \$24.98           ice unbundled Florida area calling with caller ID - residence (RUL)         UEPAF         NA	L	Non-Recurring Charges (NRC) - 1st (Residence)										
Ke unbundled port with caller ID - residence         UEPRC         \$21.93         \$38.00         \$17.16         \$37.78         \$16.43         \$22.98         \$24.04         \$24.98           Ke unbundled port outgoing only - residence         UEPRM         \$21.93         \$38.00         \$17.16         \$37.78         \$16.43         \$22.98         \$24.04         \$24.98           Ke unbundled Florida area calling with caller ID - residence         UEPRM         \$21.93         \$38.00         \$17.16         \$37.78         \$16.43         \$22.98         \$24.04         \$24.98           Ke unbundled Florida area calling with caller ID - residence (RUL)         UEPAF         NA		2- wire voice unbundled port - residence	UEPRL	\$21.93	\$38.00	\$17.16	\$37.78	\$16.43	\$22.98	\$21.60	\$24.98	BST GSST A4.3.1
ice unbundled port outgoing only - residence         UEPRO         \$21.93         \$38.00         \$17.16         \$37.78         \$16.43         \$22.98         \$24.04         \$24.98           ce unbundled area plus port with caller ID - residence         UEPAF         NA         \$38.00         NA	<u> </u>	2-wire voice unbundled port with caller ID - residence	UEPRC	\$21.93	\$38.00	\$17.16	\$37.78	\$16.43	\$22.98	\$24.04	\$24.98	BST GSST A4.3.1
ice unbundled area plus port with caller ID - residence UEPRM \$21.93 \$38.00 \$17.16 \$37.78 \$16.43 \$22.98 \$24.04 \$24.98 ice unbundled Florida area calling with caller ID - residence (RUL) UEPAG NA		2-wire voice unbundled port outgoing only - residence	UEPRO	\$21.93	\$38.00	\$17.16	\$37.78	\$16.43	\$22.98	\$24.04	\$24.98	BST GSST A4.3.1
ice unbundled Florida area calling with caller ID - residence (RUL) UEPAG NA NA NA NA NA \$16.43 NA NA NA NA NA		2-wire voice unbundled area plus port with caller ID - residence	UEPRM	\$21.93	\$38.00	\$17.16	\$37.78	\$16.43	\$22.98	\$24.04	\$24.98	BST GSST A4.3.1
ice unbundled Louisiana Area Plus with caller ID - residence (RUL) UEPAG NA NA NA NA S16.43 NA NA NA NA		2-wire voice unbundled Florida area calling with caller ID - residence	UEPAF	Ϋ́	\$38.00	Ϋ́	Ϋ́	٧×	¥	¥	¥	¥
	$\exists$	2-wire voice unbundled Louisiana Area Plus with caller ID · residence (RUL)	UEPAG	ď Z	NA NA	۷¥	¥	\$16.43	Ϋ́	Ϋ́	¥N	Y Y

PORTS

BELLSOUTWO.spire RATES
NETWORK ELEMENTS
AND OTHER SERVICES

Attachment 2 Exhibit C Rates - Page 13

D	DESCRIPTION	NA COST	AND OTHER SERVICES	-	• 6						
E	2-wire voice unbundled Louisiana Area Plus with caller ID . residence (ACZ)	USOC	¥ 4	1 4	8 2	X .	LA	MS	S	သွ	Z
E	2-wire voice unbundled South Carolina Area Calling nort with Caller ID - residence		2	2	ď	¥ Z	\$16.43	Y.	Y.	YY.	¥Z
$\exists$	(LWB)	UEPAJ	N N	¥ V	A A	¥	¥	¥	Ϋ́ X	\$24.98	¥ X
$\exists$	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R)	UEPAK	Z A	A Z	¥	¥ Z	₹ Z	₹ Z	AN	ΨN	BST GSST
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER)	UEPAL	Z Z	A Z	¥ Z	¥ z	¥ Z	₹ Z	NA.	Q Z	BST GSST
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACSR)	UEPAM	A N	A N	¥	¥ Z	¥ Z	¥ Z	¥2	ĄZ	BST GSST A4.3.1
3	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (1MF2X)	UEPAN	٧V	A N	¥	٧	¥	¥ Z	¥2	AZ Z	BST GSST A4.3.1
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (2MR)	UEPAO	Ϋ́	ΑN	٧	N A	Ą	¥	٧×	NA NA	BST GSST A4.3.1
$\exists$	2-wire voice unbundled Res Low Usage Line Port with Caller+E563 ID (LUM)	UEPAP	\$21.93	\$38.00	\$17.16	\$37.78	\$16.43	\$22.98	\$24.04	\$24.98	BST GSST A4.3.1
	NRC - Add'l (Residence)										
	2. wire voice unbundled port - residence -	UEPRL	\$21.93	\$15.00	\$17.16	\$37.78	\$16.43	\$22.98	\$21.60	\$24.98	BST GSST A4.3.1
	2-wire voice unbundled port with caller ID - residence	UEPRC	\$21.93	\$15.00	\$17.16	\$37.78	\$16.43	\$22.98	\$9.08	\$24.98	BST GSST A4.3.1
	2-wire voice unbundled port outgoing only - residence	UEPRO	\$21.93	\$15.00	\$17.16	\$37.78	\$16.43	\$22.98	\$9.08	\$24.98	BST GSST A4.3.1
	2-wire voice unbundled area plus port with caller ID - residence	UEPRM	\$21.93	\$15.00	\$17.16	\$37.78	\$16.43	\$22.98	89.08	\$24.98	BST GSST A4.3.1
	2-wire voice unbundled Florida area calling with caller ID - residence	UEPAF	Y.	\$15.00	۷N	¥	Ϋ́	ΑN	Ϋ́	ΥN	¥Z
1	2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL)	UEPAG	Y Y	Y.	NA	٧V	\$16.43	٧¥	ΑN	Ϋ́	Y.
1	2 wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7)	UEPAH	ΑN	ĄZ	¥	¥	\$16.43	۸A	٧X	ΝA	¥
	2-wire voice unburioled South Carolina Area Calling port with Caller ID - residence (LW8)	UEPAJ	N	¥ Z	¥	Š	A A	¥	¥ Z	\$24.98	Ą
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (F2R)	UEPAK	AN	A N	¥ Z	¥	¥2	٧	₹ Z	ĄZ	BST GSST
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACER)	UEPAL	A N	Ą	¥	¥ Z	¥	₹ Z	¥ Z	¥ Z	BST GSST
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (TACSR)	UEPAM	¥ Z	A N	¥	Ą	¥ Z	٩٧	¥2	AN.	BST GSST
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (1MF2X)	UEPAN	٧	ΝA	٧	¥	¥	¥ Z	¥Z	¥ Z	BST GSST A4.3.1
	2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (2MR)	UEPAO	N	ΝA	. VA	NA	¥ Z	¥	¥ Z	A'N	BST GSST A4.3.1
	2-wire voice unbundled Res Low Usage Line Port with Caller ID (LUM)	UEPAP	\$21.93	\$15.00	\$17.16	\$37.78	\$16.43	\$22.98	\$9.08	\$24.98	BST GSST A4.3.1
	NRC - 1st (Business)										
	2-wire Voice Unbundled Port without Caller ID	UEPBL	\$21.93	\$38.00	\$17.16	\$37.55	\$16.43	\$22.98	\$21.60	\$24.98	BST GSST A4.3.1
	2-wire voice unbundled port with Caller ID	UEPBC	\$21.93	\$38.00	\$17.16	\$37.55	\$16.43	\$22.98	\$24.04	\$24.98	BST GSST A4.3.1
	2-wire voice unbundled outgoing only port	UEPBO	\$21.93	\$38.00	\$17.16	\$37.55	\$16.43	\$22.98	\$24.04	\$24.98	BST GSST A4.3.1
	2-wire voice unbundled Area Plus Port with Caller ID	UEPBM	\$21.93	\$38.00	\$17.16	\$37.55	\$16.43	\$22.98	\$24.04	\$24.98	BST GSST A4.3.1
Version 7/7/00 I	Version 1,000 6/5/00 7/7/00 Fieloider										

PORTS

₹

¥ ž

ž ž

٤ ž

ž ž

۲

ž ž

ž ž

ž ž

2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence (1MF2X)

ž

ž

TN BST GSST NA NA BST GSST A4.3.1 BST GSST A4.3.1 BST GSST A4.3.1 BST GSST A4.3.1 A4.3.1 BST GSST A4.3.1 BST GSST Attachment 2 Exhibit C Rates - Page 14 BST GSS A4.3.1 BST GSST A4.3.1 BST GSST A4.3.1 NA NA BST GSST A4.3.1 A4.3.1 A4.3.1 BST GSS BST GSS A4.3.1 A4.3.1 A4.3.1 A Z Z Z Z Z Z Z ž ž ž NA \$24.98 \$24.98 \$24.98 \$24.98 \$24.98 \$24.98 \$24.98 \$24.98 NA \$24.98 သွ ž Y ž ž ž ž X X X X X X X X ž ž ž \$21.60 \$9.08 \$9.08 ž ¥ ¥ \$9.08 \$9.08 \$9.08 ž ž ž ž ž ž ž ž A Z Z Z Z Z Z ٤ ž ž \$22.98 \$22.98 \$22.98 \$22.98 \$22.98 \$22.98 \$22.98 SE ž ž \$6.56 \$6.56 \$6.56 ž ž ٤ žž ž ž ¥ ZZZ ž ٤ ž \$16.43 NA \$16.43 \$16.43 \$16.43 NA \$16.43 \$16.43 \$16.43 5 ž ž ž A 28 38 AN \$4.38 ž **£** 38 ž ž ž ž ž \$37.55 \$37.55 \$37.55 \$37.55 \$37.55 \$37.55 \$37.55 ⋩ Y Y ž ž ž ž ž ž ž ž A A A A A A A ž ž ž \$17.16 \$17.16 \$17.16 \$17.16 \$17.16 \$17.16 \$17.16 S Y X ž ž ž Z Z Ž, ž ž Y Y Y Y Y Y ž ž ž \$38.00 \$15.00 \$15.00 \$15.00 \$15.00 \$15.00 \$15.00 교 ž ž ž ž ž ٤ž ž ş ž BELLSOUTHO. spire RATES
NETWORK ELEMENTS
AND OTHER SERVICES A S S S S S S ž ž ž \$21.93 \$21.93 \$21.93 \$21.93 \$21.93 \$21.93 Y X \$21.93 ž ž ž ٧ ž ž ž \$6.21 \$6.21 \$6.21 ۲ ž ž ž ž ž ž UEPB1 UEPAB UEPAD USOC JEPAA UEPAC UEPAE UEPBL UEPBL UEPBO UEPB1 UEPAA UEPAB UEPAC UEPBC UEPBM UEPAD UEPAE 2-wire voice unbundled TN Bus 2-way Area Calling Port Economy Option (TACC1) 2-wire voice unbundled TN Bus 2-way Area Calling Port Standard Option (TACC2) 2-wire voice unbundled TN Bus 2-way Collierville and Memphis Local Calling Port (B2F) 2-wire voice unbundled TN Bus 2-way Area Calling Port Standard Option (TACC2) 2-wire voice unbundled TN Bus 2-way Collierville and Memphis Locall Calling Port (B2F) 2-wire voice unbundled TN Bus 2-way Area Calling Port Economy Option (TACC1) wire voice unbundled South Carolina Area Calling port with Cafter ID - residence 2-wire voice unbundled Incoming only Port with Caller ID 2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC) 2-wire voice unbundled SC Bus Area Calling Port with Caller ID+ES87 (LMB) wire voice unbundled Tennessee Area Calling port with Caller ID - residence wire voice unbundled Tennessee Area Calling port with Caller ID - residence 2 wire voice unbundled Tennessee Area Calling port with Caller ID - residence TACSR) 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (RUL) 2-wire voice unbundled Louisiana Area Plus with caller ID - residence (AC7) 2-wire voice unbundled incoming only port with Caller ID
2-wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC)
2-wire voice unbundled SC Bus Area Calling Port with Caller ID (LMB) 2-wire voice unbundled Florida area calling with caller ID - residence 2-wire voice unbundled port outgoing only - residence 2-wire voice unbundled area plus port with caller ID - residence 2-wire voice unbundled port with caller ID - residence wire voice unbundled Area Plus Port with Caller ID 2-wire voice unbundled port without Caller ID 2-wire voice unbundled port with Caller ID wire voice unbundled outgoing only port 2- wire voice unbundled port - residence NRC - Disconnect Charge - 1st NRC - Add'I (Business) DESCRIPTION TACER) (LWB)

Version 1000 6/5/00 7/7:00 Filefolder

ž

ž

ž

ž

ž

ž

ž

٤

ž

2-wire voice unbundled TN Bus 2-way Area Calling Port Standard Option (TACC2)

BELLSOUTH/6.spire RATES
NETWORK ELEMENTS
AND OTHER SERVICES

Attachment 2 Exhibit C Rates - Page 15

ĸ ٤ ž ž **XXXXXX** ž ž Z Z Z Z Z Z Z Z ž ž ž ž ž ¥ Z Z A A A A A A A ž ၁၄ ž ž ă AAAAAA ž ž ž ž ž ž ŽŽ X X X X X X X ž ž AAAAAAA ž Ž ž Ž Ž Z Z Z Z Z Z Z ž ž Z Z Z Z Z Z ž ž ž ž ž ž ZZ žŽ YYYY ž \$6.56 \$6.56 \$6.56 NA \$6.56 \$6.56 \$6.56 NA NA NA \$6.56 \$6.56 \$6.56 \$6.56 \$6.56 \$6.56 \$6.56 ₽ ž ž ž ž ž ž ž ž ž ž ž ž NA \$4.38 **27 27** 86.38 \$4.38 3 ž ž ž ž ž ž ž ž ž ž ž ¥ Z Z Z Z Z Z Z Z Z ž ž ž AZZZZZZZ ž ž ž ž ž ₹ A A A A A A A ž GA **XXXX** Z Z AAAAAAA ž ¥ ž **44444** ž ž ž ž ž ž ZZZ ž ž ž 교 **44444** ž ž ٤ AAAAAA ž ¥ ž ž ž ž ž AZZZZZZ ž AND OTHER SERVICES NA \$6.21 \$6.21 \$6.21 NA NA \$6.21 \$6.21 NA NA NA NA \$6.21 \$6.21 \$621 \$621 \$621 \$621 ₹ ž ž ž ž ž ž ž ž ž ZZ USOC 2.wire voice unbundled TN Bus 2.way Area Calling Port Standard Option (TACC2) 2.wire voice unbundled TN Bus 2.Way Collierville and Memphis Local Calling Port (B2F) 2-wire voice unbundled Florida area calling with caller ID · residence
2-wire voice unbundled Louisiana Area Plus with caller ID · residence (RUL)
2-wire voice unbundled Louisiana Area Plus with caller ID · residence (AC7)
2-wire voice unbundled South Carolina Area Calling port with Caller ID · residence wire voice unbundled TN Bus 2-way Area Calling Port Economy Option (TACC1) 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence 2-wire voice unbundled Tennessee Area Calling port with Caller ID - residence wire voice unbundled Tennessee Area Calling port with Caller ID - residence wire voice unbundled Tennessee Area Calling port with Caller ID - residence -wire voice unbundled TN Bus 2-way Area Calling Port Economy Option 2 wire voice unbundled Res Low Usage Line Port with Caller ID (LUM 2 wire voice unbundled Incoming only Port with Caller ID
2 wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC)
2 wire voice unbundles SC Bus Area Calling Port with Caller ID (LMB) 2-wire voice unbundled Res Low Usage Line Port with Caller ID (LUM) wire voice unbundled LA Bus Area Calling Port with Caller ID (BUC) wire voice unbundled SC Bus Area Calling Port with Caller ID (LMB 2-wire voice unbundled area plus port with caller ID - residence wire voice unbundled incoming only port with Caller ID 2-wire voice unbundled port with caller ID - residence 2-wire voice unbundled port outgoing only - residence 2 wire voice unbundled outgoing only Port 2 wire voice unbundled Area Plus Port with Caller ID wire voice unbundled port with Caler ID

wire voice unbundled outgoing only port

wire voice unbundled Area Plus Port with Caller ID wire voice unbundled port without Caller ID wire voice unbundled port without Caller ID 2-wire voice unbundled port with Caller ID wire voice unbundled port - residence NRC - Disconnect Charge - Add' DESCRIPTION (TACER) (TACSR) (1MF2X) TACC1) (2MR) (LW8) (F2R) (2MR)

PORTS

BELLSOUTH/e.spire RATES

Altachment 2

DESCRIPTION	İ	NETWORK ELE	MENTS							Exhibit C
ice unbundled TN Birs 2 mai. C	OSO	AND OTHER SERVICES	- 1						_	lates - Page 16
(B2F) Collectifie and Memphis Local Calling Port		¥		Ą	¥	Y]	N	9		
MRC - Incremental Ca		A A	A A	Z A			-	2	ည	Z
NRC - Incremental Charge - Manual Service Order - 1st	1000				Z Z	Y Y	N N	٧	Ž	2
NRC - Incremental Charge - Manual Service Order - Add'i	SOMAN	\$27.37	Y Y	\$18.94	$\perp$	77.013	+	+		¥.
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$12.97	+	\$8.42	×	20.00	+	\$26.94	\$44.42	AN
35 manual Service Order - Disconnect - Addi	SOMAN	77.79	+	NA	Y V	\$10.30	2000	+	8	¥
All available features, per month		9	₹ Z	¥ X	۸N	AN	+	+	۸	Ϋ́
NPIC - 1st (all types)	UEPVF	CK FF	+				2	¥2	AA	٩V
NRC - Add" (all types)		93.33	+	٧	Y.	CR 28	+	+		
NRC - Disconnect Charne - 1st		324.12	+	Y.	٧	AN	+	+	\$6.29	¥
NRC - Disconnect Charge - Add'i		354.72	¥ Z	AN.	ΥN	Y N	+	+	\$36.24	¥
NRC - Incremental Charge - Manual Carrell		918.41	Y N	Ϋ́	ž	N N	321.42	+	\$36.24	¥X
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$18.41	¥Z	Ϋ́	ž	Z Z	+	+	Ϋ́	Ž
NRC - Incremental Charge - Manual Screen Addit	SOMAN	967.37	¥.	ΑN	¥	AZ	+	+	¥N	Ϋ́
NRC - Incremental Charge - Magnal Science Officer - Disconnect - 1st	SOMAN	916.3/	¥.	ΑN	Ϋ́	ΔN	\$63.36	+	\$44.42	¥
Three available feature, per month	SOMAN	77.75	ž	Ϋ́	۸	Ą	+	¥.	\$14.63	٩×
NRC - 1st (all types)	UEPVF	NA NA	¥.	Š	٨	Y.	+	ž	¥	AN
INRC - Add'I (all types)		Y Z	¥ :	¥Z	ΥZ	\$8.28		Ž.	ž	Y.
NRC - Disconnect Charge - 1st		V V	¥.	¥	Ϋ́	Y.	$\downarrow$	¥ .	\$3.03	¥
NRC - Disconnect Charge - Add'i			¥ i	¥	NA NA	Y.	3 5	¥.	\$4.53	A'N
NRC - Incremental Charge - Manual Service Oct		2 2	¥.	¥	NA	Y.	00.00	¥	\$4.53	¥N
INRC Incremental Charge - Manual Science Order - 1st	SOMAN		ž	ΑN	٧×	Ą	20.50	ž	¥	Ϋ́
NRC - Incremental Charge - Manual Service Order - Add'i	SOMAN	2	¥.	ΝA	ΥN	AN A	07.06	¥Z	Ϋ́	٧X
NRC - Incremental Charge - Manua	SOMAN		¥Z	Y.	¥	Ψ.	\$63.32	¥	\$44.42	¥
G Order - Disconnect - Add'il	SOMAN	2	V.	¥	Ϋ́	¥	90 95	Ž	\$14.63	AN A
4-Wire Analog VG Port, per month		5	Y Z	¥	Ϋ́	¥	30	ž	Ϋ́	¥
NRC - 1st	UEP4A	414					2	¥Z	¥	ΑN
NRC - Add'I	UEP4A		\$9.14	\$8.47	Y.	\$10.13	60 60			
NRC - Disconnect Charge - 1st	UEP4A		90.80	\$17.16	¥	\$16.43	30.00	99.69	\$2.28	¥
NRC - Disconnect Charge - Add'i	BFR	4 4	\$5.86	\$17.16	٧	\$16.43	\$22.98	\$21.69	\$3.50	AN.
NRC - Incremental Charge - Manual Service Oct	BFR	Y AN	ž	NA A	¥Z	\$3.77	\$62.30	\$21.69	\$3.50	ΥN
NAC - Incremental Charge - Manual Service Order - 1st	SOMAN	Y A	¥ Z	¥	¥	\$3.77	S 50	Y .	¥ N	¥
INRC - Incremental Charge - Manual Service Order - Add I	SOMAN	AN	Y Y	\$18.94	AN	\$18.14	\$25.52	NA NA	ΨN	¥
Z-Wire DID Port, per month	SOMAN	ΑN		\$8.42	NA	\$8.06	2113	\$20.03	٧×	V.
	UEPP2	\$12.08	200	¥	٧¥	\$8.94	\$16.06	\$12.0/	¥.	٧
NHC - 1st			3	311.35	¥	\$13.12	\$14.63	612 36	¥.	¥
NPC . bdd.	UEPP2	\$50.00	180	\$6191				00.31	\$12.08	\$12.68
NRC - Disconnect Charge 121	LIEDDO				Š	\$59.28	\$83.09	\$81.84	\$50.00	A4.3.1
NRC - Disconnect Charge - Add"	UEPP2	NA NA	20 5	\$61.91	Y.	\$59.28	\$83.00	60.07	-	BST GSST
NRC - Incremental Charge - Manual Service Order 1-1	UEPP2	AN	<u> </u>	¥ Z	AA	\$9.20	\$13.48	00.104	\$50.00	A4.3.1
NRC Incremental Charge - Manual Service Order Addit	SOMAN	AN	¥ *	¥Z.	۸A	\$9.20	\$13.48	2 2	VA.	¥
NRC - Incremental Charge - Manual Service Order Disco	SOMAN	¥	¥ 4	\$18.94	AN	\$18.14	\$25.52	VA.	¥.	٧
4-Wire DS1 Port w/DiD capability, per month	SOMAN	AN	¥ 4	\$8.42	NA	\$8.06	\$11.34	950.34	¥Z.	AA
	UEPDD	\$130.23	12E 00	¥	٧	\$10.39	\$16.07	NA NA	¥Z	NA V
NHC - 1st			9153.00	\$120.80	Ϋ́	\$149.27	\$146.46	\$123.6E	+	¥
NBC - Addi	UEPDO	\$50.00	\$112.00	\$89.44		00.00		200	9130.23	\$120.00
NRC - Disconnect Charge - 1st	UEPDD	\$18.00	5			20.00	5117.81	\$116.59	\$60.00 n	negotiated
Version (1000 6.6.00)	UEPDD	¥	NAN W	\$52.46	¥:	\$50.23	\$71.18	\$69.92	- 00 09	To be
7/7/00 Filefolder	UEPDD	NA	¥	Y A	Y S	\$8.82	\$12.94	AN	+	Pegotiated
				5	NA A	\$8.82	\$12.94	AN	V V	V ·
									5	Y.

BELLSOUTH/e.spire RATES
NETWORK ELEMENTS

DESCRIPTION	- 1	AND OTHER SERVICES	- 1							
MDC Incompated Change Manual Control of the Control	nsoc	AL	7	ВA	Κλ	Γ¥	MS	S	၁၄	N.
MDC Incremental Charge - manual Service Order - 1St	SOMAN	ΨV	Ϋ́	\$18.94	ΝA	\$18.14	\$25.52	\$26.94	ΑN	¥X
Mrno - Inclemental Charge - Manual Service Order - Add1	SOMAN	¥ Z	ΝA	\$8.42	ΑN	\$8.06	\$11.34	\$12.76	ž	¥X
Manual Service Order - Disconnect - 1st	SOMAN	۷	ΑN	NA	Ϋ́	\$10.39	\$16.06	¥N	ž	Y.
z-wire ISUN Por(2) (3), per month	UIPMA	\$16.42	\$13.00	\$13.47	\$12.33	\$23.33	\$51.91	\$24.50	\$33.74	\$1.90
NPC - 1st	U1PMA	\$63.24	\$88.00	\$47.37	\$90.48	\$45.35	\$63.59	\$62.29	\$65.79	BST GSST A4 3 1
NRC - Add'i	HIPMA	46.0 2A	00 99		1	10 11				BST GSST
NRC · Disconnect Charge · 1st	UIPMA	\$5.60	NAN AN	NA NA	804.33	240.30	\$63.59	\$62.29	\$65.79	A4.3.1
NRC - Disconnect Charge - Add'I	UIPMA	\$5.69	Q A	Z Z	2 2	2.4.0	20.75	¥ .	ď.	¥ Z
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$56.19	Y Y	£30 0B	42	638.30	\$7.04	NA PER 20	NA POT CO	¥Z.
NPC - Incremental Charge - Manual Service Order - Add"	SOMAN	\$56.19	Ϋ́Υ	\$39.98	Z Z	\$38.29	\$53.87	\$55.30	\$67.52	₹ ₹
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$12.97	AN	ž	¥	\$6.65	\$11.34	AN	AN AN	2 2
NRC - Incremental Charge - Manual Service Order - Disconnect - Add'l	SOMAN	\$12.97	AN	¥N	٧Z	\$6.65	\$11.34	Y.	Y Z	Y A
NRC - User Profile per B Channel (4)	U1UMA	ΑN	¥	ΑN	\$5.61	Ϋ́	¥Z	¥2	YZ.	ΨX
2-Wire ISDN Port(2) (3) including all available features, per month	U1PMA	ΑΝ	¥	Ϋ́	NA	ΨX	AN	Ϋ́	\$38.68	Ž
NHC · ISI	UIPMA	۷¥	ΝA	AN	٧N	٧×	AN	Ϋ́	\$106.40	¥Z
INFIC: Add I	U1PMA	Ϋ́	ΑĀ	٧V	¥	Ϋ́	ΥN	٧X	\$106.40	Ž
MAC - incremental Charge - Manual Service Order - 1st	SOMAN	Ϋ́	¥.	¥	NA	۷V	Ą	Ϋ́	\$67.52	Ϋ́Z
MHC - Incremental Charge - Manual Service Order - Addi	SOMAN	¥	¥	Ϋ́	NA	۷N	ΑN	ΑN	\$67.52	Ϋ́Z
A-Wire ISUN Port(z) (3) including three available features, per month	U1PMA	Ϋ́	¥	¥	ΑN	NA	ΝA	ΑN	\$36.01	٧Z
ISI - OLIV	U1PMA	Ϋ́	¥	¥	NA	۷V	٧V	V.	\$70.32	Ϋ́
INTO - ADDI	UIPMA	Ϋ́	Ϋ́	Ϋ́	NA	ΥN	ΑN	V.	\$70.32	¥
MAC - incremental Charge - Manual Service Order - 1st	SOMAN	V.	¥ Z	Ϋ́	NA	NA	¥	Ϋ́	\$67.52	Ϋ́
INTIC - Incremental Charge - Manual Service Order - Add1	SOMAN	Ϋ́	Ϋ́	Y.	NA	Ϋ́	ΥA	AN	\$67.52	XX
4-Wire ISUN UST Port, per month	UEPEX	\$186.02	Ϋ́	\$163.16	٧V	\$194.72	\$213.21	\$179.75	\$214.79	\$308.00
NPC - 1st	UEPEX	\$244.85	¥ Z	\$186.80	AN	\$181.89	£244 12	£241 R3	<b>€</b> 070 27	To be
								200	65,000	Tobalogo
NRC · Add'i	UEPEX	\$244.85	NA	\$186.80	Ą Z	\$181.89	\$244.12	\$241.63	\$278.37	negotiated
MAC Disconnect Charge - 1st	UEPEX	\$51.19	VΑ	¥	¥	\$27.11	\$53.32	Ϋ́	¥2	¥
MDC - Disconnect Charge - Add I	UEPEX	\$51.19	¥2	¥	Ϋ́	\$27.11	\$53.32	AN	Ϋ́	¥
NDC Incremental Charge - Manual Service Order - 151	SOMAN	\$54.75	A A	\$37.88	٧	\$33.18	\$51.03	\$53.89	\$65.48	¥
NRC : Incremental Charge : Manual Service Order Discourse 151	SOMAN	\$54.75	¥ :	\$37.88	Y.	\$33.18	\$51.03	\$53.89	\$65.48	¥.
NRC - Incremental Charge - Manual Service Order - Discounce - 1St	SOMAN	\$11.53	ž	¥.	Y.	\$7.73	\$8.51	٧	Y.	¥.
4-Wire ISDN DS1 Port including all evellshie festures are month	SOMAN	511.53	¥.	¥.	¥.	\$7.73	\$8.51	٧	¥	¥
NRC · 1st	LEPEX	Y Y	42	4 2	\$2/5.48	¥ S	YZ S	¥.	\$251.00	¥Z.
NRC - Add'i	UEPEX	Ą	¥.	Y Z	\$116.42	Y N	V V	42	\$311.73	¥ S
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	ΑN	Ϋ́	Ϋ́	¥	ΨN	ΨZ	V V	C65.48	42
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	ΑN	Ą	Ϋ́	Ϋ́	Ϋ́	¥	¥	\$65.48	Z Z
2-Wire Analog Line Port (PBX), per month										
Z WIRE VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - Residence	UEPRD	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.18	\$2.35	\$1.90
LINE SIDE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS	UEPPC	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
LINE SIDE UNBUNDLED OUTWAND PBX THONK - BUSINESS	UEPPO	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
LINE SIDE UNBUNDLED INCOMING PBX I HUNK - BUSINESS	UEPP1	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
TN 2-WAY CALLING PLAN DRY TRUNK BLIGINESS	UEPLD	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
TN OLITWARD CALLING PLAN PRY TRINK - BUSINESS	UEPT2	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PRY ALABAMA CALLING	OEPTO	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
PORT	UEPA2	\$2.07	Y Y	¥.	¥ Z	¥	¥	×	- V	¥Z
			***************************************		A				1	-

PORTS

ine RATES

Attachment 2 Exhibit C Rates - Page 18

BELLSOUTHO.spire RATES
NETWORK ELEMENTS

NA	Č	Incitation	- 1									
VOICE UNBUNDED PRED TERMAN CONTROLLED PRED TERMA CONTROLLED PRED TERMAN CONTROLLED PRED TERMA CONT	5	19-WITE VOICE LINBLIND ED 3 WAY COMPINATION DES LOUISIANA	nsoc	AL	7	₽5	KY	ΓA	MS	NC	၁၄	N.
VOICE UNBUNDLED PAIN OF BOTH ENAMESSEE CALLING FOR THE AND A NA N	$\exists$	CALLING PORT	UEPL2	¥	¥	ΨN	<b>4</b> 2	60 20	ΨN	414	1	1
VOICE UNBAUNCED SAWY FOR KENNICKY RECOVERY  UNDER VOICE UNBAUNCED SAWY POX KENNICKY RECOVERY  UN	$\exists$	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS	UEPLD	\$2.07	\$2.00	£1.85	20	\$2.20	¥	¥ 2	AN CO	YN.
VOICE WIRNINGED VAN COMENUAL DEPART SETE CALLING   VOICE WIRNINGED VAN COMENUAL DEPART SETE CALLING   VOICE WIRNINGED VAN COMENUAL DEPART SETE CALLING   VOICE WIRNINGED VAN COMENUAL DEPART CALLING PORT   VOICE WIRNINGED VAN VERTICAL DEPART CALLING PORT   VOIC		2 WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE CALLING PORT	I IEPT?	42				27.7	95.11	0.24	\$6.35	96.16
VOICE DIRECTORED PARK FOLDER		2-WINE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE CALLING	3000	2	2	ď2	4	Y Y	¥ Z	¥ Z	¥ Z	\$1.90
VOICE UNBUNDED PART OF TENNING, SMAPER ALLING PORT UPPER SEOT 8200 8186 8261 8220 8211 8200 8236 8236 9237 9230 9236 9236 9236 9236 9236 9236 9236 9236	$\perp$	2.WIRE VOICE INBLIND ED 3.WAY COMBINATION BBY 1154CF BOST	UEPTO	AN	Ψ.	Y V	NA N	Ϋ́	Ϋ́	NA	Y Y	\$1.90
VOICE INBUNDLED PRIX (ENTITION TERMINAL SWITCHEONING DOTT)  VOICE INBUNDLED PRIX (ENTITION TERMINAL SWITCHEONING DOTT)  VOICE INBUNDLED PRIX (ENTITON PERMINAL SWITCHEONING DOTT)  LEPORT  VOICE INBUNDLED PRIX (ENTITON PERMINAL SWITCHEONING DOTT)  VOICE INBUNDLED PRIX (ENTITON PERMINAL SWITCHEONING DOTT)  LEPORT  VOICE INBUNDLED PRIX (ENTITON PERMINAL COLLING PORT)  LEPORT  VOICE UNBUNDLED PRIX (ENTITON PERMINAL ENTITON PERMINAL PERMINA	I	2-WIRE VOICE LINE INDIED BRY TOLL TEDMINAL LOTEL BOOTS	UEPXA	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
VOICE INBUINDLED PLANT PER KENTLUCKY LID PAREA CALLING POINT   UEPYZ   NA NA NA NA KENTLUCKY LID PAREA CALLING POINT   UEPYZ   NA NA NA KENTLUCKY LID PAREA CALLING POINT   UEPYZ   NA NA NA KENTLUCKY LID PAREA CALLING POINT   UEPYZ   NA NA NA KENTLUCKY LID PAREA CALLING POINT   UEPYZ   NA NA NA KENTLUCKY LID PAREA CALLING POINT   UEPYZ   NA NA NA NA KENTLUCKY LID PAREA CALLING POINT   UEPYZ   NA NA NA NA KENTLUCKY LID PAREA CALLING POINT   UEPYZ   NA NA NA NA KENTLUCKY LID PAREA CALLING POINT   UEPYZ   NA NA NA NA NA KENTLUCKY LID PAREA CALLING POINT   UEPYZ   NA	E	2.WIRE VOICE INBUINDLED BRY ID DON TEDMINAL DOLE PORTS	UEPXB	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
VOICE UNBAUNCED PORK ENTITION PREMIUMS CONTINUED PORK ENTITION PORK ENTITION PREMIUMS CONTINUED PORK ENTITION PREMIUMS CONTINUED PRINCE AND PRINCE PRINCE AND PRINCE AND PRINCE AND PRINCE AND PRINCE AND PRINCE PRINCE AND PRINCE AN	$oxed{I}$	2-WIRE VOICE INBIINDLED BOX IN TENAMINALS PORT	UEPXC	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
VOICE UNBUNDED DE VANTABLE COLUNG PORT   LIEPZA   NA	$\perp$	2:WINE VOICE UNBUIND ED BRY I D'TERMINAL SWITCHBOARD FOR	UEPXD	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
VOICE UNBUNDLED 2 WAY PBX KENTUCKY ROUA MEGA CALLING VOICE UNBUNDLED 2 WAY PBX KENTUCKY ROUA MEGA CALLING PORT UEPYS  NA  NA  NA  NA  NA  NA  NA  NA  NA  N		CAPABLE PORT	UEPXE	\$2.07	200	£1.85	£3 £4	6000	•	8		
VOICE UNBUNDLED PARK ENTILOCAL FOLD FORT UPERAYS NA NA NA NA 8261 NA		2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA CALLING			20.2	60.19	10.24	96.60	36.11	\$2.00	\$2.35	21.90
USE UNIONDEED EXAMY PERVICIONE PERMINA CALLING PORTITION CONTINUED TO THE VOICE UNBUNDEED EXAMY PERVICIONE PERMINA CALLING PORTITION CALLI	1	PORT WITHOUT LUD	UEPXF	¥ Z	Ϋ́	¥2	\$2.61	¥	Ž	¥	ž	Ž
VOICE UNBUNDLED 2-WAY PER VOILGE PER PORT   LEPYE   NA	1	2-WIHE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT	UEPXG	ΑN	ΥN	AN	\$2.61	Ϋ́	¥	¥	Y.	¥2
VOICE UNBUNDLED Z.WAY PEX LOUGHAN FOATH NO PORT ANAL ACALING PORT NA NA NA KEZO NA NA NA NA NA KEZO NA	$\pm$	2 WINE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT	UEPXH	ΝΑ	ΥN	ΑN	\$2.61	Ϋ́	ΑN	¥	Ϋ́	ž
OUCE UNBUNDLED 2.WAY PBX FOLISH LANG FORTER LECONOMY  UEPXI  NA NA NA NA SE20 NA NA NA NA SE20 NA		Z-WINE VOICE UNBUNDLED Z-WAY KENTUCKY AREA CALLING PORT WITHOUT LUD	UEPXJ	¥ Z	Ą.	Ą	1978	Ą	42	₩.	42	1
STRATIVE CALLING PORT LECHOSPITAL ECONOMY  URPXM  \$2.07 \$2.00 \$1.85 \$2.61 \$2.20 \$2.11 \$2.00 \$2.35  AUXOUGE UNBUNDLED 2-WAY PEX HOTEL-HOSPITAL  URPXM  URPXM  \$2.07 \$2.00 \$1.85 \$2.61 \$2.20 \$2.11 \$2.00 \$2.35  AUXOUGE UNBUNDLED 1-WAY OUTGOING PEX HOTEL-HOSPITAL  URPXM  WY ADMINIATION ECALLING PORT TENNESSEE FIGURE PEX HOTEL-HOSPITAL  URPXM  WY ADMINIATION ECALLING PORT TENNESSEE FIGURE PEX HOTEL-HOSPITAL  URPXM  WY ADMINIATION ECALLING PORT TENNESSEE PICCALLING PORT TENNESSEE PICCAL TENNESSEE PICCALLING PORT TE		2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL CALLING PORT	UEPXK	A N	¥Z	Ą	¥2	\$2.20	<b>A</b> N	Ą	<b>A</b> N	4
VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY  VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL  UEPXD  S2 07 \$2 00 \$1.85 \$2.51 \$2.20 \$2.11 \$2.00 \$2.35  VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL  UEPXD  NA N		2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ADMINISTRATIVE CALLING PORT	IX OUT	5	8	10.1					S	5
VOICE UNBUNDLED : WAY OUTGOING PBX HOLEH/OSPITAL   UEPXI	E	2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY	OET AL	95.07	95.00	<b>28.18</b> 5	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL         UEPXID         \$2.07         \$2.08         \$1.85         \$2.51         \$2.00         \$2.35           VOICE UNBUNDLED 2-WAY PEX MISSISSIPPLICAL ECONOMY         UEPXID         \$2.07         \$2.07         \$2.07         \$2.00         \$2.31         \$2.00         \$2.35           VOICE UNBUNDLED 2-WAY PEX MISSISSIPPLICAL ECONOMY         UEPXID         NA	1	HOOM CALLING PORT	URPXM	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL  UEPXP  NA ROOM CALLING PORT  UEPXP  NA N		2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CALLING PORT	UEPXN	¥ Z	¥.	¥	¥.	¥.	¥ Z	Ą	Ψ.V	8
NT CALLING DOTT TO THE CONDINE DE LAY OUTGOING PBX LOUISIANA LOCAL  NT CALLING DOTT TO THE CONDINE DE LAY PBX MISSISSIPPI LOCAL ECONOMY  S PORT  NOICE UNBUNDLE DE LAY PBX MISSISSIPPI LOCAL OPTIONAL  UEPXR  NOICE UNBUNDLE DE LAY PBX MISSISSIPPI LOCAL OPTIONAL  UEPXR  NOICE UNBUNDLE DE LAY PBX MISSISSIPPI LOCAL OPTIONAL  UEPXR  NOICE UNBUNDLE DE LAY PBX MISSISSIPPI LOCAL OPTIONAL  UEPXR  NOICE UNBUNDLE DE LAY PBX MISSISSIPPI LOCAL OPTIONAL  UEPXR  NOICE UNBUNDLE DE LAY PBX MISSISSIPPI LOCAL OPTIONAL  UEPXR  NOICE UNBUNDLE DE LAY PBX MISSISSIPPI LOCAL OPTIONAL  UEPXR  NOICE UNBUNDLE DE LAY PBX MISSISSIPPI LOCAL OPTIONAL  UEPXR  NOICE UNBUNDLE DE LAY PBX MISSISSIPPI LOCAL OPTIONAL  UEPXR  NA N		2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL DIACOUNT ROOM CALLING PORT	UEPXO	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	11.63	\$0 W	£0 35	8
VOICE UNBUNDLED 2-WAY PBX MISSISSIPPL LOCAL ECONOMY         UEPXG         NA         NA         NA         R2.11         NA         NA           3 PORT VOICE UNBUNDLED 2-WAY PBX MISSISSIPPL LOCAL OPTIONAL         UEPXG         \$2.07         \$2.00         \$1.85         \$2.61         \$2.21         NA         NA           YONCE UNBUNDLED 2-WAY PBX MISSISSIPPL LOCAL OPTIONAL         UEPXG         \$2.07         \$2.00         \$1.85         \$2.61         \$2.20         \$2.35           YONCE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS         UEPXT         NA		2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL DISCOUNT CALLING PORT	UEPXP	Ą	<b>4</b>	ΨN	4N	62.50	413			
SPORTE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL   UEPXR   NA   NA   NA   NA   NA   NA   NA   N		2:WIRE VOICE UNBUNDLED 2:WAY PBX MISSISSIPPI LOCAL ECONOMY					5	92.20	2	<u> </u>	¥ 2	ž
SPORT	#	CALLING PORT	UEPXO	ΨN	Ϋ́	Ą	¥	¥	\$2.11	NA	N A	Y.
VOICE UNBUNDLED T-WAY POLTGOING PBXMEASURED PORT         UEPXS         \$2.07         \$1.85         \$2.61         \$2.20         \$2.35           VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS         UEPXT         NA		CALLING PORT	UEPXR	NA	ΑN	Y.	¥ Z	¥	\$2.11	Š	Ą	Ą
VOICE UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS         UEPYC         NA	$^{+}$	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT	UEPXS	\$2.07	\$2.00	\$1.85	\$2.61	\$2.20	\$2.11	\$2.00	\$2.35	\$1.90
VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING PORT         UEPXV         NA		CALLING PORT	UEPXT	N	Y.	NA	AN AN	¥	A N	۸A	\$2.35	¥
VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV   UEPXV   NA   NA   NA   NA   NA   NA   NA   N		2 WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING PORT	UEPXU	A N	NA AN	A'A	A N	¥	¥ Z	₹ Z	ĄZ	8
LED LOOP BILLING USOC (REQUIRES ONE PER PORT)         UEPLX         LINDCP         \$21.93         \$38.00         \$17.16         \$36.47         \$16.43         \$22.98         \$24.04         \$24.36         N           Identification 2-WAY PBX TRUNK - BUSINESS         UEPPC         \$21.93         \$38.00         \$17.16         \$36.47         \$16.43         \$22.98         \$24.04         \$24.36         N           E UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS         UEPPC         \$21.93         \$38.00         \$17.16         \$36.47         \$16.43         \$22.98         \$24.04         \$24.36         N           E UNBUNDLED COMBINATION 2-WAY PBX TRUNK - BUSINESS         UEPPC         \$21.93         \$38.00         \$17.16         \$36.47         \$16.43         \$22.98         \$24.04         \$24.36         N	_	2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV CALLING PORT	UEPXV	Y.	V.	NA	AN	¥	ž	¥ Z	Y X	06.12
HATTER PORTABILITY (REQUIRES ONE PER PORT)  14  16  17  18  18  18  18  18  18  18  18  18	$\parallel$	UNBUNDLED LOOP BILLING USOC (REQUIRES ONE PER PORT)	UEPLX									
the volume of the combination 2-way PBX TRUNK - Residence UEPPO \$21.93 \$38.00 \$17.16 \$36.47 \$16.43 \$22.98 \$24.04 \$24.36	+	LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT)	NPCP									
CONCECTIVE   COMBINATION 2-WAY PBX TRUNK - Residence   LEPPO   \$21.93   \$38.00   \$17.16   \$36.47   \$16.43   \$22.98   \$24.04   \$24.36   \$24.36   \$24.04   \$		, total	5									
E UNBUNDLED OUTWARD PBX TRUNK - BUSINESS UEPPO \$21.93 \$38.00 \$17.16 \$36.47 \$16.43 \$22.98 \$21.60 \$24.36 E UNBUNDLED OUTWARD PBX TRUNK - BUSINESS UEPPO \$21.93 \$38.00 \$17.16 \$36.47 \$16.43 \$22.98 \$24.04 \$24.36 E UNBUNDLED OUTWARD PBX TRUNK - BUSINESS UEPPO \$21.93 \$38.00 \$17.16 \$36.47 \$16.43 \$22.98 \$24.04 \$24.36	#	2 WIDE VOICE HABINDLED COMPLATIONS WAS DESTRUMED.	UEPPC	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22.98	\$24.04	\$24.36	Ϋ́
E UNBUNDLED OUTWARD PBX TRUNK - BUSINESS UEPPO \$21.93 \$38.00 \$17.16 \$36.47 \$16.43 \$22.98 \$24.04 \$24.36	1	LINE SIDE UNBUNDLED COMBINATION 2-WAY PRY TRI INK - BISINESS	UEPHO	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22.98	\$21.60	\$24.36	¥
00.124 00.124 00.124		LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS	UEPPO	\$21.93	238.00	\$17.16	\$36.47	\$16.43	\$22.90	\$24.04	\$24.36	Y :
	Version	1000 6/5/00									954.30	2

Attachment 2 Exhibit C BELLSOUTHIO SPING RATES NETWORK ELEMENTS DESCRIPTION

	DESCRIPTION	A A	NETWORK ELEMENTS	SMTS						Rai	Exhibit C Rates - Page 19
	LINE SIDE UNBUNDLED INCOMING PRY TRI INIV. BUSINESS	nsoc	AI	CES EI							1
	LONG DISTANCE TERMINAL PBX TRINK, BICINESS	UEPP1	\$2193	£30 W	ĕ.	χ	Ŋ	MS	SA.	3	
	TN 2-WAY CALLING PLAN PBX TRINK - BLISINESS	UEPLD	\$2193	20.00	\$17.16	\$36.47	\$16.43	\$22.98	20.00	28	Z
	TN OUTWARD CALLING PLAN PRX TRIMIK BISINESS	UEPT2	\$2103	200.00	917.16	\$36.47	\$16.43	\$22.98	20.65	324.30	Ϋ́
	E VOICE UNBUNDLED 2-WAY COMBINATION BRY 4: 55	UEPTO	\$2193	20.00	\$17.16	\$36.47	\$16.43	\$22.98	20.00	324.36	¥
	PORT			920:00	\$17.16	\$36.47	\$16.43	\$22.98	2040	324.36	٧
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA	UEPA2	\$21.93	¥	¥	<b>A</b>				364.30	¥
	2-WIRE VOICE UNBLIND ED PRY I D. TFRAME	UEPL2	1			2	¥	¥	¥.	V V	¥ X
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PRY TENNIESSEE	UEPLD	\$21.93	838.00	NA 21.7.15	V S	\$16.43	¥	ž	<b>4</b> 2	
	2-WIRE VOICE INDIVIDUAL TRANSPORT	LEBTO			01.719	\$36.47	\$16.43	\$22.98	\$24.04	\$24.36	Y X
	PORT PORT	OCTIZ	¥2	¥	AA	N A	N A	ž	42	3	
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LISAGE PORT	UEPTO	NA	¥	NA	3				42	Ž
	2-WINE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS	UEPXA	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	AA S	¥	NA	V V
L	2-WIRE VOICE UNBUNDLED PRY IN TERMINALS PORT	UEPXC	50103	\$38.00	\$17.16	\$36.47	\$16.43	\$22.08	\$24.04	\$24.36	¥
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT	UEPXD	\$21.93	28.00	\$17.16	\$36.47	\$16.43	\$22.98	\$24.04	\$24.36	ž
I	CAPABLE PORT			20:00	01./10	\$36.47	\$16.43	\$22.98	\$24.04	\$24.30	¥
	PORT WITHOUT LUD	UEPXE	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22.98	\$24.04	20.00	2
1	2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CAI LING PORT	UEPXF	A	V.	¥	<b>\$36.47</b>	414		5	924.36	¥
	2-WIRE VOICE UNBLIND FD 2-WAY SENTING PREMIUM CALLING PORT	UEPXH	¥ S	¥.	¥	\$36.47	Ž	Y Y	¥.	¥	V
	WITHOUT LUD		5	¥2	٧V	\$36.47	Ž	V A	¥Z.	٧	Y.
	2-WIFE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL	UEPXJ	NA	Ą	¥.	£36.47			¥2	¥	Ϋ́Α
		UEPXK	V.	:		40004	¥Z	¥	¥	Ā	¥
$\pm$			5	ď Z	¥.	¥.	\$16.43	NA	¥	¥	V.V
=	ROOM CALLING PORT	UEPXIL	\$21.93	\$38.00	\$17.16	\$36.47	\$16.43	\$22.98	20.00		Š
	+	URPXM	\$21.93	\$38.00	\$17.16	\$36.47	616.43		50.59	324.36	¥Z
_	ECONOMY ADMINIATRATIVE CALLING PORTECTION						610.43	\$22.98	\$24.04	\$24.36	¥
	E	UEPXN	AA	NA	NA	¥	× ×	2			
	Y OUTGOING PBX LOUISIANA LOCAL	UEPXO	\$21.93	\$38.00	\$17.16	\$36.47	618.43	5	¥.	¥.	NA
	UNBUNDLED 2-WAY PBX MISSISSIPPI OCAL FORMER	UEPXP	¥ X	Ą	42		200	96.22	\$24.04	\$24.36	Y.
$\pm$		EBYO	-			YZ	\$16.43	¥	NA A	NA	¥
$\perp$	-		¥ Z	Y.	NA NA	¥.	NA	\$22.98	¥2	<b>₹</b>	
$oxed{L}$	JNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT	UEPXR	NA (2) (9)	NA	-	N A	¥	\$22.08	:		<b>X</b>
1		+	+	+	\$17.16	\$36.47	\$16.43	\$22.98	\$24.04	NA 24.36	¥
		UEPXT	AN	AA	NA	Ā	N A	AZ	44	000	Y.
		UEPXU	NA A	NA A	NA	NA	A N	A Z	5 2	324.36	Y Y
1		UEPXV	NA	Ą	- Y	NA NA	-		5	¥ Z	¥
	2 WIRE VOICE UNBUNDLED COMBINATIONS WAS SELECTED TO SE						Y Y	Y Y	¥.	Y.	Y Y
Version	5/00	UEPRD \$2	\$21.93	\$15.00	617.10		H				
00/4//2	7/7/00 Fueloider		$\left  \right $	$\frac{1}{2}$	$\dashv$	\$36.47	\$16.43	\$22.98	\$21.60	\$24.36	NA N
										$\left  {} \right $	

BELLSOUTH/6.spire RATES
NETWORK ELEMENTS
AND OTHER SERVICES

Attachment 2 Exhibit C Rates - Page 20

2	DESCRIPTION	- 1	AND OTHER SERVICES	- 1							
<u> </u>	I INE SIDE LINBLINDS ED COMBINATION 3 MAY 50X TOURS DISENTES	OSOC	AL	4	ď	ΚĄ	ΓA	MS	NC	SC	NT
Ŀ	LINE SIDE UNBUNDLED OUTWARD PRY TRIVINK - BISINESS	UEPPC	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	Ϋ́
	LINE SIDE UNBUNDI ED INCOMING PRY TRI INK. BI ISINESS	OLLINO Pagail	\$21.93	00.614	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	ΑN
	LONG DISTANCE TERMINAL PRY TRUNK BLICINESS	ייייייייייייייייייייייייייייייייייייייי	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	Ϋ́
E	TN 2-WAY CALLING PLAN DRY TOLINIV DICINICS	UEPLU	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	Ϋ́
1	TNO ITWADD CALLING DIAN DEVICE AND	UEPT2	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	ΥZ
1	2 WINT VOICE INDIVIDUES TO THE CONTROLL OF THE CONTROL OF T	UEPTO	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	ΑN
	Z-WHE VOICE UNBUNDLED Z-WAY COMBINATION PBX ALABAMA CALLING PORT	1 150 43	52	3	3		:				
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA	DELAK	\$21.93	ď Z	Y Y	Y Y	¥ X	ž	¥.	Ϋ́Z	ΝΑ
	CALLING PORT	UEPL2	¥	ž	¥	¥	\$16.43	¥.	<b>Y</b>	<b>A</b> Z	ĄV
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS	UEPLD	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	42
_	Z-WIHE VOICE UNBUNDLED Z-WAY COMBINATION PBX TENNESSEE										
E	2-WIRE VOICE UNBLINDLED 1-WAY OLITICATING PRY TENNESSEE CALLING	UEP12	ΥN	Y Z	¥ N	¥	¥	Ϋ́	Ϋ́	ΥZ	٧A
		UEPTO	¥ V	¥ V	ž	ž	ž	Ž	<b>4</b> 2	<b>4</b> 2	<b>AM</b>
$\pm$	2-WIHE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT	UEPXA	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	V.
1	2 WINE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS	UEPXB	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	¥
#	2 WIDE VOICE UNBUIND ED BBY IN TERMINALS PORT	UEPXC	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	ΑN
‡	2-WIRE VOICE INRIANI EN PRY INTERMINAL SWITCHBOARD FOR	UEPXD	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	ΑN
	CAPABLE PORT	UEPXE	\$21.93	\$15.00	\$17.16	£36.47	£16.43	\$33.00	9	90.70	
	2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA CALLING					1	200	\$55.30	00.68	354.30	4
1	PORT WITHOUT LUD	UEPXF	A A	N A	¥ Z	\$36.47	¥Z	ž	¥	¥	¥ Z
1	2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT	UEPXG	Ϋ́	ΑN	٧V	\$37.47	AN	¥	ž	¥	Ψ.V
$\pm$	2 WIRE VOICE UNBONDLED PBX KENTUCKY PHEMIUM CALLING PORT	UEPXH	Ϋ́	٧×	ΑN	\$38.47	NA	ΑN	NA NA	AN.	ΑN
	WITHOUT LUD	UEPXJ	Ž V	×	¥ Z	£39 47	ΨN	42	47	44	
	2-WIHE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL CALLING PORT	HEPXK	Ą	42	4	2	3			5	2
	2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY				5	2	610.43	ž	¥	¥Z	¥ Ž
1	ADMINISTRATIVE CALLING PORT	UEPXL	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	\$24.36	¥.
	ROOM CALLING PORT	URPXM	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	\$22.98	\$9.05	3c 7c3	4N
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CALLING PORT	UEPXN	¥ Z	Ą Z	ĄN	42	42	AM	44		
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL DIACOUNT ROOM CALLING PORT	UEPXO	\$21.93	\$15.00	\$17.16	£36.47	£16.43	\$20 GB	900	AV.	£ :
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL DISCOUNT CALLING PORT	dy di						33	20:20	00.436	٤
	2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY	DEFAR	Y.	¥ Z	¥	Y Y	\$16.43	¥	Y.	NA NA	¥
#	CALLING PORT	UEPXQ	NA	¥ Z	٧	¥Z	٧¥	\$22.98	¥	ď Z	Ą
	2-WITE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL OPTIONAL CALLING PORT	UEPXR	Ϋ́	Ą	Ą	42	<b>A</b> N	<b>\$</b> 33.00	474		
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT	UEPXS	\$21.93	\$15.00	\$17.16	\$36.47	\$16.43	622.00	50.05	20 100	<u> </u>
	2-WIRE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS CALLING PORT	UEPXT	A N	ΝΑ	Ϋ́	₹ Z	¥2	Ą	₩.	96 96	5 4
	2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING PORT	UEPXU	ΝΑ	¥ Z	ď Ž	<b>V</b>	Ą	₹N	42	¥N	4
	2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV CALLING PORT	IFPXV	<b>A</b> N	42	Q N	44		:			
				<u> </u>	٢	2	¥Z	YZ	¥	AN	¥

Version 1000 6/5/00 7/7/00 Filefolder

BELLSOUTH/6.spire RATES NETWORK ELEMENTS

Attachment 2 Exhibit C Rates - Page 21

č	OCHRECON	- 1	NETWORK ELEMENTS AND OTHER SERVICES	တတ							
5	NRC - Disconnect Charas - 1et	nsoc	¥	교	ВA	Κ	ΓA	MS	NC	SC	N.
$oxed{\mathbb{F}}$	TO STATE OF THE ST										
$\pm$	INTERIOR FUNDING TO COMBINATION 2:WAY PBX I HUNK - Residence		\$6.21	¥	٧V	ΑN	\$3.77	\$6.56	ΑN	Ϋ́	Ϋ́
$\pm$	CLINE SIDE UNBUNDLED COMBINATION 2-WAY PBX IRUNK - BUSINESS		\$6.21	Ϋ́	NA	٧V	\$3.77	\$6.56	¥	Ϋ́	AN
1	LINE SIDE UNBUNDLED OUTWARD PBX TRUNK - BUSINESS		\$6.21	۸A	Ϋ́	Ą Z	\$3.77	\$6.56	¥Z	Y.	AN
-	LINE SIDE UNBUNDLED INCOMING PBX TRUNK - BUSINESS		\$6.21	AN	ΑN	ΨZ.	\$3.77	\$6.56	¥	Y.	AN
$\perp$	LONG UISTANCE LEHMINAL PBX THUNK-BUSINESS		\$6.21	ΑN	ΥN	Ϋ́	\$3.77	\$6.56	¥	AA	AN
$\perp$	IN 2:WAY CALLING PLAN PBX TRUNK - BUSINESS		\$6.21	ΑN	Ϋ́	ΑN	\$3.77	\$6.56	Y.	AN	AN
$\exists$			\$6.21	ΨX	ΑN	٧×	\$3.77	\$6.56	AN	Ą	42
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING									5	2
$oxed{I}$	2 WIDE VOICE THIS INDIED 3 WAY COMPANIATION BEXT SHIPS		\$6.21	٧X	Ϋ́Α	¥	ν	٧×	¥ Z	Ϋ́	¥
_	CALLING PORT		42	•			1				
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL PORTS		AV 24	¥ 5	¥2	¥.	\$3.77	Ϋ́	¥Z.	¥	¥
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX TENNESSEE		40.5	2	\$	<b>4</b>	23.77	\$6.56	¥Z	¥ X	¥
1	CALLING POHI		Ϋ́	NA	NA NA	Š	¥.	¥2	٧	Š	¥
	Z-WHE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE CALLING PORT		A N	¥ Z	Ą	Ą	Ą	ΑN	42	42	2
7	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX USAGE PORT		\$6.21	Ϋ́	ž	Y.	\$3.77	\$6.56	Y Z	2 2	\$ 2
1	2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS		\$6.21	Ϋ́Z	ď.	Y.	23 77	8 5	4		2
7	2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT		\$6.21	¥2	Ϋ́Z	¥	\$3.77	\$6.56	Y Z	2 2	2 2
$\downarrow$	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD PORT		\$6.21	٧×	Ϋ́Z	Ϋ́	\$3.77	8,58	ΨZ	V V	
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD							00:00	5	2	2
T	2-WIRE VOICE UNBUINDLED 2-WAY PRX KENTLICKY BOOM ABEA CALLING		\$6.21	¥Z	Ϋ́	¥	\$3.77	\$6.56	¥	ΑN	٧
	PORT WITHOUT LUD		¥	¥	ž	ď	Ą	4	4	Ą	
	2-WIRE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT		ΥZ	Ϋ́Z	¥	¥	ΑN	₹ Z	Į.	2	
$\exists$	2-WIRE VOICE UNBUNDLED PBX KENTUCKY PREMIUM CALLING PORT		Ϋ́	Ϋ́	¥	AN	ΨZ	42	42	2 2	2
	2-WIRE VOICE UNBUNDLED 2-WAY KENTUCKY AREA CALLING PORT WITHOUT LUD		42	4 N	₹N	V V	1			£ :	5
	2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL		4 2	2	1	<b>S</b> 3	2	<u> </u>	ž :	¥ :	¥Z
	2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY		5	5	5	ž	93.77	¥Z	¥Z	¥.	¥
$\rightrightarrows$	ADMINISTRATIVE CALLING PORT		\$6.21	NA	¥.	¥	\$3.77	\$6.56	×	¥	¥ Z
	2-WIHE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ROOM CALLING PORT		\$6.21	ΨX	ĄN	Ą.	23 77	68 55	42	42	
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL ECONOMY ADMINIATRATIVE CALLING PORTTENNESSEE CALLING PORT		4 2	Ą.	42	42	4	3			
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL DIACOUNT ROOM CALLING PORT		\$6.21	<b>4</b> 2	42	4 2	£ 5	VN 94	£ :	¥ :	¥Z :
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX LOUISIANA LOCAL DISCOUNT CALLING PORT		<b>6</b> 6.21	47	3	1		00.00	<u> </u>	<u> </u>	ď.
	2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY					5	200	90.30	<b>S</b>	4	¥ 2
	2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPLI OCAL OPTIONAL		¥ Z	¥Z.	V.	Y.	¥X	\$6.56	¥.	٧X	Y.
$\pm$	CALLING PORT		Ą	NA	Ą	¥	¥	\$6.56	¥	ž	¥
$\pm$	2 WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT		\$6.21	ΑA	NA	Ϋ́	\$3.77	\$6.56	Ϋ́	ΑN	¥
$\exists$	CALLING PORT		V V	NA	NA	VA	V V	Y X	NA	¥2	¥ Z
	2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING PORT		A Z	A A	۷	٧X	₹ Z	¥ Z	¥2	Ą	42
								581	-	5	V.

BELLSOUTHO.spire RATES
NETWORK ELEMENTS
AND OTHER SERVICES

Ċ	DESCRIPTION		AND OTHER SERVICES								
5	2 WIRE VOICE LINBLINDLED 2 WAY PRY TENNESSEE DECID: SEDIO	nsoc	AL	7	ВA	ΚX	FΑ	SW	SC	SC	N.
	CALLING PORT		NA	Ą	¥ Z	X Y	¥.	ĄZ	ΨN	AM	4
+	NBC Discourse Character 1441										2
+	Owing Voice Into India Po Constitution										
_	I INE SIDE IMPLIANCE OF COMBINATION 2 WAY PBX TRUNK - Residence		\$6.21	NA	ΥN	NA	\$3.77	\$6.56	ΑN	ΑN	Ą
1	I INF SIDE LINE INDIED OF THAT DO STORING DISTRICTS		\$6.21	ΥZ	Ϋ́	٧A	\$3.77	\$6.56	ΑN	¥X	Y.
L	LINE SIDE UNBLINDI ED INCOMING PRY TRITINK - BLISINESS		\$6.21	¥Z.	Y.	Ϋ́	\$3.77	\$6.56	ΑN	Ą	ΑN
L	LONG DISTANCE TERMINAL PBX TRUNK-BUSINESS		702	V.	¥.	Y.	\$3.77	\$6.56	NA	NA	¥
E	TN 2-WAY CALLING PLAN PBX TRUNK - BUSINESS		17.00	Y.	¥.	¥.	\$3.77	\$6.56	Ϋ́	ΝA	۷A
	TN OUTWARD CALLING PLAN PBX TRUNK - BUSINESS		20.21	¥.	¥.	¥.	\$3.77	\$6.56	¥Z	ΝA	۷V
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PBX ALABAMA CALLING		20.0	4	¥Z	¥ Z	\$3.77	\$6.56	¥	٧Z	ΝA
$\exists$			\$6.21	¥	Ą	Ą	2	4		1	
	2-WHE VOICE UNBUNDLED 2-WAY COMBINATION PBX LOUISIANA							2	5	Y.	Y Y
L	2-WIRE VOICE UNBLINDI ED PRX I D TERMINAI PODTE		¥.	¥	¥Z.	NA NA	\$3.77	NA	٧	¥	¥2
L	2-WINE VOICE UNBUNDLED 2-WAY COMBINATION PRY TENNESSEE		26.21	¥N	ΨZ.	٧Z	\$3.77	\$6.56	ΝA	ΑN	Y.
1	CALLING PORT		¥	¥	¥	¥ Z	¥ Z	¥ Z	Ą	ĄV	414
	2-WHYE VOICE UNBUNDLED 1-WAY OUTGOING PBX TENNESSEE CALLING PORT		47		:						
	2-WIRE VOICE UNBUNDLED 2-WAY COMBINATION PRX LISAGE PORT		W. 50 54	¥:	¥.	¥.	ΨN	¥	¥	AA	٧
	2-WIRE VOICE UNBUNDLED PBX TOLL TERMINAL HOTEL PORTS		700	¥.	¥.	ž	\$3.77	\$6.56	Ϋ́	٧A	¥Z
L	2-WIRE VOICE UNBUNDLED PBX LD DDD TERMINALS PORT		30.21	¥.	¥	¥.	\$3.77	\$6.56	NA NA	Ϋ́	٧
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHROAD PORT		30.4	Š.	ž	¥.	\$3.77	\$6.56	¥	NA.	Ϋ́
	2-WIRE VOICE UNBUNDLED PBX LD TERMINAL SWITCHBOARD IDD		17.00	ď.	¥Z	¥	\$3.77	\$6.56	¥	V.	¥
	CAPABLE PORT		\$6.21	¥	¥	4	53 73	40.50	-	:	
	2-WIRE VOICE UNBUNDLED 2-WAY PBX KENTUCKY ROOM AREA CALLING						200	90.30	¥2	¥.	¥Z
#	POHI WITHOUT LUB		NA	Ą	¥	Š	¥	Ž	¥2	42	42
‡	2 WINE VOICE UNBUNDLED PBX KENTUCKY LUD AREA CALLING PORT		¥	AN	¥Z	Ϋ́Z	¥X	¥	¥	AZ	Y Y
‡	2 WIRE VOICE UNBUNDLED PBX KENIUCKY PREMIUM CALLING PORT		NA	ΑN	٧V	Ą	٧	AN.	ž	Y.	Y Z
	WITHOUT LUD		- AN	V V	414	:					
	2-WIRE VOICE UNBUNDLED 2-WAY PBX LOUISIANA LOCAL OPTIONAL		5	¥2	YZ.	ď.	¥.	ΨX	ΨX	ΨX	¥
#	CALLING PORT		NA	ΑN	¥	¥	\$3.77	¥	Y.		
	ADMINISTRATIVE CALLING PORT		£6.21	42	4						
	2-WIRE VOICE UNBUNDLED 2-WAY PBX HOTEL/HOSPITAL ECONOMY ROOM CALLING PORT		10 9	1		5	17.26	90.00	¥ Z	Y Y	₹ Z
	2.WIRE VOICE LINBLIND ED 1.WAY OUTCOINC BBY LOTTE	5		5	5	£	77.52	\$6.56	¥ Z	¥Z	¥
	ECONOMY ADMINISTRATIVE CALLING PORTTENNESSEE CALLING PORT								•		
	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBX HOTEL/HOSPITAL			5	5	Š	<b>₹</b>	ď.	₹ 2	¥.	<b>V</b>
+	2-WIRE VOICE LINE INDITION ED 1-WAY OF TECHNIC BBY 1-01 ISTAN 1-00 II	35	\$6.21	٧X	¥	V.	\$3.77	\$6.56	¥	¥	Š
	DISCOUNT CALLING PORT		\$6.21	A N	Ą	Ψ.	23.77	92 93	4		
	2-WIRE VOICE UNBUNDLED 2-WAY PBX MISSISSIPPI LOCAL ECONOMY					5	20.0	00.00	42	YZ	ď Z
‡	2-WIRE VOICE LINELINDLED 2-WAY PRY MISSISSIPPLIONAL		¥	ΑN	ΑN	٧	¥ V	\$6.56	NA	A N	¥ Z
#	CALLING PORT		<b>∀</b> Z	¥ ¥	¥ X	¥	<b>4</b>	<b>\$6.56</b>	42	42	4
$^{\dagger}$	2-WIRE VOICE UNBUNDLED 1-WAY OUTGOING PBXMEASURED PORT	\$6	\$6.21	ΑA	AN	ΑN	\$3.77	\$6.56	Ą	AN	42
_	C-WINE VOICE UNBUNDLED 2-WAY PBX SOUTH CAROLINA AREA PLUS CALLING PORT		4		:					5	
/ersion	Version 1000 6/5/00		¥	Y Y	Y V	¥2	¥N	¥	¥N	¥N	NA A

PORTS

BELLSOUTHO. spire RATES NETWORK ELEMENTS AND OTHER SERVICES

Attachment 2 Exhibit C Rates · Page 23

A4.3.1 E ž ž **\$ \$ \$ \$** X X X X X X ž ž ₹ ž ž \$ \$ \$ \$ ž Z Z ZZ X X X X See features See features See features \$1.10 \$1.51 NA \$8.67 \$60.60 \$41.86 \$14.46 \$5.38 \$28.89 \$14.46 \$14.46 NA \$14.57 NA NA \$41.86 \$24.75 \$2.77 \$24.75 ž ၁င ž ž ž X X X X X X X X X X \$12.76 NA NA \$26.94 \$2.59 \$21.60 \$21.60 NA NA \$26.94 \$12.76 NA NA 80.89 NA 151 2 ž ž ž Z Z Z Z Z Z Z Z Z Z Z ZZZZ ž X X X X X See features See features See features \$2.32 \$1.32 \$1.02 \$0.5466 \$16.06 NA \$6.56 \$6.56 \$25.52 \$11.34 \$25.52 \$11.34 \$16.06 NA \$22.98 Z. ¥ ž A A A A A A A ž |ž|ž X X X X X X X X X X \$16.43 \$18.14 \$18.14 \$8.94 NA NA S2.50 \$4.15 \$9.86 NA **2** 5 88.28 NA NA 2222222222 5 ž ž ¥ X X X X X ž ž Z Z \$0.29 \$2.14 \$3.04 \$40.71 No add'i charge NA NA NA NA X X X X X X X X ¥ ž ZZZZ ž ž ZZZZ ≥ X X X X X X Y Z Z \$8.42 NA \$17.16 \$18.94 NA NA NA \$2.05 \$18.94 \$8.42 NA GA ž ž ž A A A A A A A A ¥ ž X X X X X X X X X M M M M NA NA No add ž ž **XXXX** 교 X X X X X X X X X X X X ZZZZ ž AZZZZZZ Z Z Z Z Z Z Z Z Z Z See features
See features
See features
\$2.34 \$12.97 \$17.77 \$0.48 \$21.93 \$21.93 \$5.21 \$5.21 \$27.37 \$25.93 \$12.97 \$16.33 A A A A A A A A \$0.48 \$1.12 \$1.03 \$0.55 ž ž ž ž A A A A A A A A A SOMAN SOMAN SOMAN UEPPC UEPPC SOMAN SOMAN UEPPC UEPPC UEPPC SOMAN HTGUX HTGUX SOMAN SOMAN SOMAN USOC SOMAN ¥ 2-WIRE VOICE UNBUNDLED PBX COLLIERVILLE & MEMPHIS CALLING PORT 2-WIRE VOICE UNBUNDLED 2-WAY PBX TENNESSEE REGIONSERV CALLING PORT NRC - Add1
NRC - Incremental Charge - Manual Service Order - 1st
NRC - Incremental Charge - Manual Service Order - Add1
2-Wire Analog Line Port (PBX) Including three available features, per month NRC - Incremental Charge - Manual Service Order - 1st
NRC - Incremental Charge - Manual Service Order - Add'i
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st
NRC - Incremental Charge - Manual Service Order - Disconnect - Add'i 2-Wire Analog Line Port (PBX) including all available features, per month NHC - Disconnect Charge - 1st
NHC - Disconnect Charge - Add1
NHC - Incremental Charge - Manual Service Order - 1st
NHC - Incremental Charge - Manual Service Order - Add1
NHC - Incremental Charge - Manual Service Order - Disconnect - 1st
NHC - Incremental Charge - Manual Service Order - Disconnect - 1st
NHC - Incremental Charge - Manual Service Order - Disconnect - Add1 NHC - Disconnect Charge - 1st
NHC - Disconnect Charge - Add'i
NHC - Incremental Charge - Manual Service Order - 1st
NHC - Incremental Charge - Manual Service Order - Add'i
NHC - Incremental Charge - Manual Service Order - Disconnect - 1st
NHC - Incremental Charge - Manual Service Order - Disconnect - 1st NRC - Add'i NRC - Incremental Charge - Manual Service Order - 1st NRC - Incremental Charge - Manual Service Order - Add'i Local Switching Features offered with Port, Per month 2-Wire Analog Hunting, per line per month Three-Way Calling, per month 4- Wire Coin Port, per month | NRC - Disconnect Version 1000 6/5/00 7/7/00 Filefolder VERTICAL FEATURES Coln Port, per month NPC - Add's NPC - Add'l NRC - Add NPC 1st NRC - 1st NRC - 1st DESCRIPTION NRC - 1st

FI	DESCRIPTION	BELLSO	BELLSOUTHO. Spire RATES NETWORK ELEMENTS	RATES						•	Attachment 2 Exhibit C
Fig.	Customer Changeable Speed Calling, per month	USOC	OTHER SERV	CES							ares - Page 2
Fig. 20   Part	NAC		\$0.08	J &	YS:	Κ	Y)	SM	24		
March   Marc	NRC - Disconnect		\$103	¥ .	Y Y	AN	Y.	\$0.0755	$\downarrow$	သွင	Z
No. Comment	Call Walting		\$0.55	¥.	ΨX	VA	Ž	5100	+	\$0.1247	NA
No. of the control	NRC		\$0.03	¥.	Ϋ́	AN	AN	\$1.02 \$0.5456	+	\$1.51	Z
State between the control of the c	NRC - Disconnect		20.00	ď.	¥N	Ϋ́	¥Z	£0.032	4	¥	Ž
State   Stat	Remote Activation of Call Fordwarding per month		20.00	Y .	ž	AN AN	A'N	20.55	+	\$0.0665	¥.
Comparison   Com	NRC MORE		\$0.33	¥.	٧	AN	¥ X	\$0.16	+	\$1.51	Y Y
State   Market permenting   State   Stat	NRC - Disconnect		90.10	Ϋ́	٧N	Ϋ́	NA.	*O.3400	+	٧V	Ž
Note Decembed:   Note	Cancel Call Walting, per month		91.03	٧	¥	¥X	2	30.4859	4	\$0.3743	Ž
	INRC		\$0.55	¥	Ϋ́	AN	2	\$1.02	4	\$1.51	Ž
No.   Decorated   19,000   No.   N	NRC - Disconnect		\$0.01	AA	ΨN	AN	¥ 2	\$0.5466	4	Ϋ́	Ž
No. Concorned   No.	Automatic Calibach man		\$1.03	¥	Ž	VN	٤!:	\$0.0082	4	\$0,000	A
State   No.   No	NBC Month per month		\$0.55	Ą	AN		¥ .	\$1.02	L	\$151	
State   No.   No	NBC - Discourse		\$0.29	AN	AN		¥N.	\$0.5466	L	AN	
State   March   Marc	Automatic Dazaii		\$1.03	¥	ΨZ	5	¥	\$0.9977	L	SO BOIL	
Stock	NBC Necall, per month		\$0.55	¥Z	AM	¥ :	¥	\$1.02	\$1.51	6151	¥ :
National Control Con			\$0.28	AM		Ž.	¥.	\$0.5466	AN.		Ž
Stock of the control of the contro	INHC - Disconnect		\$1.03	AN	¥ .	Y.	ΑN	\$0.3164	\$ 20	Y S	ž
RECOmment   RECO	Calling Number Delivery, per month		\$0.55	Y.V	4	Y Y	¥	\$1.02	200	30.3102	ž
Strict Decoment   Strict Dec	NHC		\$0.22	S N	¥2	¥	¥	\$0.5466		10.10	ž
Name	INHC - Disconnect		\$1.03		¥2	¥	Y.	\$0.1817	200	¥2	ž
Fig. Decoment   Fig. Decomen	Calling Number Delivery Blocking, per month		\$0.55	5	Š	AN	Ϋ́	21.00	3	\$0.3272	Ϋ́
Fig. Disconnect	NAC		\$1.17	¥ :	¥Z.	٧V	ΑN	SO FARE	0	\$1.51	¥
Collectioned   Coll	NRC - Disconnect		200	¥ :	٧×	¥	¥	5	NA C	¥	¥
Richard   Rich	Customer Originated Trace, per month		50.55	¥.	ΥN	¥	¥	200	20.02	\$0.3684	¥
Control Recommendation	NRC		25	¥.	¥	ΥN	ž	£0 5468	10.16	\$1.51	¥
Control of Control o	NRC - Disconnect		61.03	¥.	¥.	Ϋ́	Y.	4010	¥Z.	¥	¥
Stock   Stoc	Selective Call Rejection, per month		£0.55	¥ :	٧	Ϋ́	¥	61.010	20.14	\$0.1402	Y Y
Colleconnect	NRC		50.5	¥.	Ϋ́	Ϋ́	NA NA	£0 5466	10.15	\$1.51	Ž
Coll Converding, per month  Coll Coll Coll Coll Coll Coll Coll Col	NRC - Disconnect		2103	¥.	¥	ΑN	Ϋ́	\$0 1721	AN C	٧×	ΑN
Stock   Control Cont	Selective Call Forwarding, per month		60 EE	¥.	٧	¥	Ą	2013	20.13	\$0.1528	¥
Collection	NRC		50.05	¥.	Y.	¥	Y.	\$0.00 \$0.5466	15.15	\$1.51	¥
Collectoration	NRC - Disconnect			¥.	¥	¥Z	AN	20.2100	Y.	Ϋ́	ž
Control of the cont	Selective Call Acceptance, per month		20.00	¥.	¥	٧×	Ϋ́	2000	\$0.28	\$0.1287	¥
C	NRC		20.03	Y.	٩V	Y.	ž	\$0.54E	15.15	\$1.51	٧
Hunt Service (Rotary)  4 0.555  NA NA NA 81.02  1 0.5151  1 0.555 NA NA NA NA 81.02  1 0.5151  1 0.5151  1 0.5151  1 0.5151  2 0.5151  1	NRC - Disconnect		1 03	¥.	ΝΑ	Ϋ́	Y.	0,070	¥Z.	¥	ž
Solid	Multiline Hunt Service (Rotary)		55.03	¥.	Y.	¥	¥	200	30.33	\$0.3283	¥
C. Disconnect         \$0.11         NA         S0.127         \$0.141         \$0.101	Service per line, (in addition to port)		3	Υ×	Y Y	V.	AN	20.10	15.15	\$1.51	ž
C. Disconnect         St.03         NA         NA         NA         St.103         NA         NA         St.103         NA         NA         NA         St.103         NA         NA         NA         St.103         NA         NA         NA         St.102         St.151         NA         <	NAC NAC		1					30.3400	¥	٧×	¥
Solid Decompct	NRC - Disconnect		200	ď.	Y Y	¥	Y.	\$5 1531			
3.05connect         Name         NA         NA         NA         ST.51         ST.51           3.05connect         3.05connect         NA	all Forwarding Variable, per month		25.0	Y.	¥.	ΑN	¥	200	80.14	\$0.1301	٧
Stoomect         Stoomect         NA	NRC		300	¥ .	¥	ΑN	$\dagger$	20 5466	10.14	\$1.51	¥
Solid	NRC - Disconnect		103	Y.	¥N.	ΑN	T	2270	NA C	ΨN	¥
Stock	all Forwarding Busy Line, per month		55	V.	۷¥	Y.	$\dagger$	200	20.10	\$0.0768	¥
Disconnect	NAC		200	¥Z.	ΑN	Ϋ́	$\dagger$	\$0.54EE	10.15	\$1.51	٨
riding Don't Answer All Calls, per month         For Each Part (Colls)         NA         NA         NA         NA         S0.057         S0.08         S0.0603         S0.03         NA         NA         NA         NA         S0.045         NA	NRC - Disconnect		3 8	YZ :	Ä	Y.	t	2000	YN.	¥	¥
Control	all Forwarding Don't Answer All Calls, ner month	5	35.5	¥.	NA NA	AN	+	6100	80.08	\$0.0603	Ϋ́
Disconnect         Disconnect         NA	NAC	\$ 5	3 8	¥.	NA	AN	Y.	\$0 5466	10.16	\$1.51	Ϋ́
Forwarding, per month	NRC - Disconnect		3 8	V.	Y.	ΑN	+	\$0.030g	AN S	Ϋ́	¥
Disconnect Na Na Na Na S0.5466 Na NA NA NA NA S1.51 \$1	emote Call Forwarding, per month		3	VA.	Y Y	AN AN	+	2000	80.08	\$0.0655	¥
Stock of the contract of the c	NAC		8 8	¥.	NA	NA	+	\$1.02 \$0.5466	51.51	\$1.51	Y.
\$0.55 NA NA NA \$1.02 \$1.51 \$1.51	NRC - Disconnect	5	3 8	Y X	≨ :	NA.	+	\$147	NA PO OF	V.	Ą
NA NA NA SOSSES NA STATE	O Filefolder	Ş	55	¥ .	Y.	NA NA	+	\$100	60.33	51.41	Ϋ́
				5	Y Z	Y.	$\vdash$	0.5466	0.14	\$1.51	¥
											1

BELLSOUTHING.Spire RATES NETWORK ELEMENTS

Attachment 2 Exhibit C Rates - Page 25

	- 1	AND OTHER SERVICES								
DESCRIPTION	nsoc	AL	ı	GA	ΚY	۲	MS	ည	သွ	N.
Call Transfer, per month		\$0.12	¥ .	Y Z	Y Y	¥.	\$0.1404	\$0.14	\$0.1392	¥ S
NRC		\$1.03	42	Y S	Y S	¥ S	\$1.02	10.14	10.14	¥ 2
NrC - Disconnect		\$0.55	Ϋ́	¥.	ΥN	Y.	\$0.5466	Ϋ́	V.	¥.
Call Hold, per month		\$0.03	¥.	¥ :	ΥN	Y .	\$0.0190	\$0.15	\$0.0677	¥ :
NAC		\$1.03	Y.	Y.	Y.	¥.	\$1.02	\$1.51	15.18	¥ .
NRC - Disconnect		\$0.55	Ϋ́	AN	YN.	¥.	\$0.5466	¥	YY.	Y Z
Toll Restricted Service, per month		\$0.04	¥.	Y.	Y.	¥.	\$0.0387	\$0.10	\$0.0743	¥ :
NRC		\$1.03	ž	¥.	Y.	Y.	\$1.02	15.13	16.18	¥2
NRC - Disconnect		\$0.55	V.	NA	NA	¥2	\$0.5466	¥	¥	Ž
Message Walting Indicator – Stutter Dial Tone, per month		\$0.03	¥.	Y N	Ϋ́	٧	\$0.0356	\$0.03	\$0.0318	¥Ζ
INRC		\$1.03	۷V	NA	NA	Ϋ́	\$1.02	\$1.51	\$1.51	¥Z
NRC · Disconnect		\$0.55	۷V	NA	NA	NA NA	\$0.5466	٧	Ϋ́	¥
Anonymous Call Rejection, per month		\$0.93	Ϋ́	٧N	VΝ	٧V	\$0.9519	\$1.29	\$1.13	٧V
NAC		\$1.03	ΑN	ΑN	Ϋ́	Ϋ́	\$1.02	\$1.51	\$1.51	ΑN
NRC - Disconnect		\$0.55	¥	ΥN	٧N	٧V	\$0.5466	٧N	٧A	٧
Shared Call Appearances of a DN. per month		\$0.41	Ϋ́	AA	AN	Ϋ́	\$0.5015	\$0.29	\$0.3513	Y Y
INRC		\$1.03	Ϋ́	ΝA	٧×	Ϋ́	\$1.02	\$1.47	\$1.47	Y.
NRC - Disconnect		\$0.55	Ϋ́	AN	NA	Ϋ́	\$0.5466	Ϋ́	¥	¥Z
Multiple Call Appearances, per month		\$0.09	Ϋ́	Y.	Ϋ́	¥	\$0.0932	20.0\$	\$0.0891	NA NA
NRC		\$1.03	Ą	ΑN	¥	¥	\$1.02	21.47	\$1.47	٧V
NRC - Disconnect		\$0.55	Y Y	Ϋ́	ΥN	٧V	\$0.5466	۷N	ΝA	AN
ISDN Bridged Call Exclusion, per month		\$0.00	¥.	٧Z	۷N	ΥN	\$0.0013	\$0.0011	\$0.0013	Ϋ́
NRC		\$1.03	٧×	٧V	۷N	ΝA	\$1.02	\$1.47	\$1.47	¥
NRC - Disconnect	1	\$0.55	ΑN	NA	٧N	NA	\$0.5466	VΝ	٧V	¥
Call by Call Access, per month		\$28.29	¥	ΥN	٧N	۷N	\$50.89	\$19.83	\$0.3621	Ϋ́
NRC		\$28.94	ΝA	ΝA	¥Z	٧	\$28.61	\$33.33	\$33.36	AN
NRC - Disconnect		\$5.22	۷N	ΝA	٧V	NA	\$5.16	٧	¥	ž
Privacy Release, per month		\$0.01	νV	AN	ΝA	٧V	\$0.0030	\$0.0041	\$0.0116	ž
NRC		\$1.03	٧V	NA	٧N	٧N	\$1.02	\$1.51	\$1.51	¥
NRC - Disconnect		\$0.55	NA	ΥN	Ϋ́	Ϋ́	\$0.5466	٧	٧	¥
Multi Appearance Directory Number Calls, per month		\$0.10	ΝA	ΥN	∢ Z	¥	\$0.1115	\$0.13	\$0.1048	¥
NRC		\$1.03	ΝA	٧¥	¥	Y Y	\$1.02	\$1.51	\$1.51	¥
NRC - Disconnect		\$0.55	¥	Ϋ́	¥Z	V V	\$0.5466	¥	Ϋ́	¥
Make Set Busy, per month		\$0.01	¥	¥.	¥2	YZ.	\$0.0013	\$0.0020	\$0.010	V V
NRC		\$1.03	¥	Ϋ́	¥2	Y Z	\$1.02	13.13	10.18	ď.
NRC - Disconnect		\$0.55	¥	AN	¥	¥	\$0.5466	¥	¥ 2	ž
Teen Service (Res. Dist. Alerting Service), per month		\$0.15	¥Z.	Y.	¥ .	Y :	\$0.1071	\$0.26	\$0.2149	¥ :
NRC		\$1.03	¥ :	YZ.	Ž	¥ 2	\$1.02	10.16	0.14	2 2
NRC - Disconnect		\$0.55	¥ S	¥ 2	¥ Z	2 2	\$0.2400	200	\$0.070B	Y AN
Code Restriction and Diversion, per month		100	V V	42	2 2	2	210	5151	6151	Y Z
NHC Discounsed		50.55	¥ Z	Y X	Z Z	Y Z	\$0.5466	Ϋ́	¥	ž
Total Dark age and the Company of th		\$0.04	ΑN	YZ.	Ą	₹ Z	\$0.0443	<b>\$</b> 0.09	\$0.0694	¥
NBC		\$1.03	Ą	Ϋ́Z	¥Z	ΥZ	\$1.02	\$1.51	\$1.51	٧V
NRC · Disconnect		\$0.55	ΑN	Ϋ́	¥Z	Ϋ́	\$0.5466	ΥN	NA	۷¥
Automatic Line, per month		\$0.09	AN	ΥN	¥	¥ Z	\$0.1111	\$0.14	\$0.1179	Ϋ́
INRC		\$1.03	ΝA	NA	Ϋ́	Ϋ́	\$1.02	\$1.51	\$1.51	Ϋ́
NRC - Disconnect		\$0.55	NA	٧N	ΑN	٧	\$0.5466	¥	Ϋ́	¥
2-WIRE ISDN BRI FEATURES				40.	100	107	100	Car	Car	COL
Shared Primary Number-First Appr On Each Add I Terminal	USIFJ	OB C	180		160	001	Car	Car	Cal	Cal
Secondary Only Dn (Shared/Non-Shared) First Appearance	LLUST	IBU	001	001	001	200	001	3	201	2
Version 1 COC CO.CO.										PORTS

BELLSOUTWO pire RATES
NETWORK ELEMENTS
AND OTHER SERVICES

	JUSII	٨	ī	GA	Υ	3	SE	2	ပ္တ	N.
DESCRIPTION	DS1F1	180	180	180	TBD	TBD	TBD	TBD	TBD	180
Shared Secondary Unity Uti-rist Appl Off Each Add Lettin	DOE	180	TBD	TBD	TBD	180	TBD	180	180	180
Shared NorthSulv UN	DS1FU	180	180	TBD	180	180	TBO	180	180	180
FIVE devices	DS1FM	180	180	TBD	180	180	180	180	180	OR S
Manual Exclusion	LLNCV	TBD	TBD	TB0	180	180	TB0	180	180	180
Call Forwarding Variable - Data	TLOCD	TBD	TBD	TB0	TBD	180	180	TBD	180	9 5
Call Forwarding Variable - Feature Button - Voice	GJXCF	TBD	180	TBD	180	180	TBO	180	200	180
Call Forwarding Variable - Feature Button - Data	LLPCD	TBD	180	180	180	TBD	180	200	180	
Call Forwarding Busy Line – Voice Or Voice/Data	ווסכא	180	180	180	180	180	2 5	180	Cat	200
Call Forwarding Busy Line - Data	LLACD	180	180	180	180	180	LBD CBT	TBD	180	180
Call Frwdng Busy Line-Prgrmmbl-Voice Or Voice/Data	M6AVA	180		160	Car	200	TBD	180	180	180
Call Forwarding Busy Line - Programmable - Data	MEADE	180	2 2	200	200		CEL	TBO	180	180
Call Forwarding Don't Answer - Voice Or Voice/Data	LLSCV	180	200	001	Car	TBD	180	TBD	180	TBD
Call Forwarding Don't Answer – Data	LLUCO	180		200		2 2	TBD	TBD	TBD	TBD
Call Forwdng Don't Answer-Prgrmmble Voice Or Voice/Data	MEBVA	180	180		S C S	IBD	TBD	TBD	180	180
Call Forwarding Don't Answer - Programmable - Data	MEBUF	091	Car	Car	TE CE	CEL	TBD	180	TBD	TBD
Call Frwdng Muttiple Simultaneous - Voice Or Voice/Data	Mecvo	180	201	200	200	TBD	180	180	TBD	TBD
Call Forwarding Multiple Simultaneous – Data	MBCDS	001		2 2	TBD	180	180	180	TBD	TBD
Conference, Drop, Hold And Transfer	NAISO 11 VED	200	S CEL	TBD	180	180	180	TBD	180	TBD
Six-Way Conference, Drop, Hold And Transfer	יידטר	200	TBD	TBO	TBD	TBD	180	TBD	TBD	TBD
Multi-Line Hunt Group - Voice Or Voice/Data	HTGSD	180	TBD	180	180	TBD	TBD	TBD	TBD	180
Multi-Line Hunt Group – Data	11750	180	180	180	TBD	TBD	180	TBD	<b>TBD</b>	180
Speed Calling	I AVP	180	180	TBD	180	TBD	TBO	180	180	180
Visual Message Waiting Indicator	MMM	180	TBD	TBD	180	TBD	180	180	180	180
Audible Message Warting Indicator	DS1FG	TBD	TBD	TBD	TB0	TB0	180	180	180	180
Additional Call Appearance, Pulv Of Div	NST	180	TBD	TBO	TB0	180	180	180	190	081
Call Tracing	NSS	TBO	180	TBD	TB0	TBD	TB0	081		180
Deferred Call Forwarding	NCE	180	TBD	TBO	180	180	180	200	001	
Call Block	NSY	TBD	TBD	TB0	180	180		200	Car	Cal
Dozost Disting	OSN	TB0	180	180	TBD	081	2 2	200	202	
Per I ine Rhokina For Agencies/Law Enforcement	NOB	180	TBD	TBD	180		200	100	SEL	
Per Line Blocking For Non-Pub Customers	NOBNN	180	TBD	TBD	180		100	Car	TEC	GE
Per Line Blocking For General Public	NOBPC	180	180	180	3 5	Tab	Da Car	E CE	TBO	180
Per Line Blocking For Non-Pub, And Non-Listed Customer	NOBPP	180	180	200	001		Car	TBO	180	180
Per Line Blocking For Non-Pub Customers	NOBNP	9 5	180	Cal		CEL	CBT	TB0	TB0	180
Per Line Blocking For Non-Pub Customers	HUGON		TB)	TBD	180	180	180	TBD	TBD	TBD
Call Return Denial Of, Per Activation	L G	GE	180	180	180	TBD	TBD	TBD	TB0	TBD
Repeat Dialing, Denial Of, Per Activation	W6GN9	180	TBD	TBD	TBD	TBD	TBD	180	180	180
Automatic Line/Office: Coffice.	M6MPD	180	TBD	180	180	180	TBD	180	081	Dat Cat
Selective Call Acceptance	M6K16	TBD	180	180	180	180	190	Car	200	S S
Call Park/Call Retrieve	W6HP6	180	180	081	200	Car		E CE	180	180
Call Transfer System Exception	MEOTD	200		Cal	Cal	CBT CBT	180	180	180	180
Make Set Busy – Intragroup	MoMGD		200	E	180	180	TBD	180	TBD	TBD
All Customized Code Restrictions	- CAEX+		TBD	180	TBD	180	T80	180	TB0	180
Additional Listings	1	CEL	TBO	180	TBD	180	TBD	TBD	180	180
Additional Listing No Rate	1	180	180	180	TBD	TBD	180	180	180	180
Cross Reference Listing	NP3	180	180	180	TBD	180	180	180	180	082
Non-Pub Listing no Hate	NLT	TBD	TB0	180	TBD	180	180	081	082	
Non-List Listing No Bate	NLE	180	180	TB0	180	180	200	180	Cal	
Atternate Call Listing	FNA	TBD	180	180	180	2 2	100	Car	SE	TBD
Manual Service Order Charge	SOMAN	TB0	TB0	180	TBD	IBD	180	n n	200	201
Version 1000 6/5/00										4
7/7/00 Filefolder										PORTS

BELLSOUTH/6.spire RATES

Attachment 2 Exhibit C Rates - Page 27

> NETWORK ELEMENTS AND OTHER SERVICES

\$0.000676 \$0.0019 <u>1</u> Z žž ž žž ZZZZ ž ž \$0.0006843 \$0.0004034 \$0.0019295 \$0.0002581 \$0.0138 \$1.36 \$0.71 \$0.95 \$1.47 \$1.51 38 180 ž ž ž × \$0.0009 NA \$0.0017000 \$0.0107 图 žΣ Š ž \$0.0007834 \$0.0002834 \$0.0023771 \$0.0001927 \$0.0105 \$1.02 NA \$1.02 \$0.5466 \$0.5466 \$0.95 \$2.84 \$2.84 \$2.84 \$2.84 \$2.84 題 ¥ NA \$0.0002 \$0.0008 \$0.0021 四四 X X X X X X X X X X X X X ž \$0.001096 NA \$0.002562 180 Y X Κ ž ž ž \$0.0006757 \$0.0002126 \$0.0016333 \$0.0001564 GA 180 ž ž \$0.00029 NA \$0.0175 \$0.005 교원 Y Y Y Y Y Y Y Y Y Y X X ž \$0.0018 \$0.00063 \$0.0002 \$1.03 \$0.55 180 \$0.01 ž ž ₹ nsoc SRG++ Ž X X ž containedherein, it is the intent of the Parties to reflect such rates in this Exhibit and Port rate includes all available features.
 Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-This rate element is for those states which have a specific rate for User Profile per through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. to apply the same consistent with applicable FCC and Commissionrules and Access to B Channel or D Channel Packet capabilities will be avail- able only B Channel. This rate element is for use in those states with a different rate for additional Where the state Commission has adopted rates for the rate elements Tandem Switching (Port Usage) (Local or Access Tandem) ISDN Message Walting Indication-Lamp, per month Subsequent Ordering Charge - (per order, per line) End Office Switching Function, per mou End Office Switching Function, add'l mou (5) End Office Interoffice Trunk Port—Shared, per mou Tandem Switching Function per mou Tandem Interoffice Trunk Port - Shared per mou Channels associated with 2-wire ISDN ports. All Selective Class Of Call Screening End Office Switching (Port Usage) ISDN Feature Function Buttons NRC - Electronic - Add' NRC - Manual - 1st NRC - Manual - Add'I NRC - Disconnect NRC - Electronic - 1st NRC - Disconnect NRC - Disconnect DESCRIPTION 6 orders. NEG NOTES:

BELLSOUTH\0.spire RATES NETWORK ELEMENTS AND OTHER SERVICES

Attachment 2 Exhibit C Rates - Page 28

			2							
OFSCRIPTION	nsoc	AL.	F	ВA	Κ	r.	MS	ž	သွ	Z
NTEROFFICE TRANSPORT										
Common (Shared) Transport								1	100000	A00000
Common (Shared) Transport per mile per mou	N/A	\$0.00001	\$0.000012	\$0.000008	\$0.0000049	\$0.0000083		\$0.00001	\$0.0000121	\$0,000
Common (Shared) Transport Facilities Termination per mou	A/N	\$0.00045	\$0.0005	\$0.0004152	\$0.000426	\$0.00047	\$0.0004281		30.000407£	2000
Interoffice Channel - Dedicated Transport - VG		00000		40.0000	60.03	£0.0384	€0.0323	\$0.02R2	\$0.0373	\$0.0173
Interoffice Channel - Dedicated Transport - 2-Wire VG - per mile	1L5XX	\$0.03390	¥ Z	\$0.0ccc	\$0.03	10000	0.000	-		
Interoffice Channel - Dedicated Transport - 2-Wire VG - facility termination per	SVT	\$18.49	ž	\$17.07	\$27.66	\$19.10	\$21.33	\$18.00	\$21.42	\$18.33
month	UITV2	\$144.27	Ϋ́	\$79.61	\$142.31	\$104.23	\$144.77	\$137.48	\$136.44	\$83.35
NHC - 1St	UITVS	\$54.15	AN A	\$36.08	\$56.21	\$39.91	\$56.06	\$52.58	\$51.37	\$20.88
NHC - Add   Charae Manual Service Order - 1st	SOMAC	\$40.34	Ϋ́	\$18.94	\$37.21	\$26.20	\$36.86	\$38.07	\$39.63	\$30.15
NHC : Incremental Charge : Manual Service Order - Add'l	SOMAC	\$40.54	Ϋ́	\$18.94	\$37.21	\$26.20	\$36.86	\$38.07	\$39.63	\$31.63
Intervalue Channel - Dedicated Transport - DS0 - 56/64 KBPS									0100	
Interoffice Channel - Dedicated Transport - DS0 - per mile per month	1L5XX	\$0.0339	\$0.0252	\$0.0222	\$0.03	\$0.0384	\$0.0323	\$0.0282	\$0.0373	30.17
Interoffice Channel - Dedicated Transport - DS0 - facility termination per month	U1TD6	\$17.81	\$21.33	\$16.45	\$26.95	\$18.37	\$20.64	\$17.40	\$400.71	403 2E
NPC - 1st	U1TD6	\$144.27	\$137.15	\$79.61	\$142.31	\$104.23	\$144.//	\$137.40	\$130.44	\$20.53
NRC - Add'I	U1TD6	\$54.15	\$64.45	836.08	\$30.21	939.91	\$30.00 \$36.86	\$38.00	£30 £3	\$30.15
NRC - Incremental Charge - Manual Service Order - 1st	SOMAC	\$40.34	¥.	\$18.94	12.75	\$20.20	\$30.00 \$36.06	£38.07	630.63	53163
NRC - Incremental Charge - Manual Service Order - Add'i	SOMAC	\$40.34	ď.	\$18.94	\$37.21	\$20.20	900.00	0.00	20:00	
Interoffice Channel - Dedicated Transport - DS1			0,000	0000	40.46	£0 7034	£0.6508	<b>\$0 5753</b>	\$0.7598	\$0.3525
Interoffice Channel - Dedicated Transport - DS1- per mile per month	1L5XX	\$0.69	\$0.6013	\$0.4523	\$0.43	\$0.703 \$03.40	674 40	\$71.29	894.98	\$75.83
Interoffice Channel - Dedicated Transport - DS1 facility termination per month	UTF1	\$79.69	6/668	3/8.4/	\$33.03	6160 40	\$222 R1	\$217.17	\$216.27	\$166.53
NRC · 1st	UITEI	\$223.59	\$45.91	\$147.07	\$234.00	6100.43	£168 02	\$163.75	\$162.70	\$124.84
NRC - Add'I	UITF1	\$168.60	244.18	2111.73	\$231.23	626.20	436 R3	\$38.07	\$39.63	\$30.15
NRC - Incremental Charge - Manual Service Order - 1st	SOMAC	\$40.34	¥2	\$10.04	\$ 2	00.000	\$36.96	£38.07	£39 E3	\$31.63
NRC - Incremental Charge - Manual Service Order - Add'I	SOMAC	\$40.34	42	\$18.9	2	350.50	200.00	200		
Interoffice Channel - Dedicated Transport - DS3	1	00,10	940.05	67.07	\$12.06	\$16.15	\$15.02	\$12.98	\$19.14	\$6.88
Interoffice Channel - Dedicated Transport - DS3 - per mile per month	1L5XX	\$11.93	\$10.23 6004 83	\$743.41	\$1112.02	\$1,131,09	\$744.38	\$720.38	\$904.49	\$840.61
Interoffice Channel - Dedicated Transport - US3 - facility termination per month	114753	\$1,00.00 \$877.36	\$884 71	\$978.95	\$858.75	\$883.62	\$812.30	\$794.94	\$856.96	\$877.70
NRC - 1st	111153	\$540.46	\$552.81	\$542.61	\$524.95	\$545.50	\$596.55	\$579.55	\$522.20	\$540.32
NRC - Add'I	COMAC	\$101.60	AN	\$98.49	\$94.57	\$99.02	\$92.05	\$91.26	60.66\$	\$102.75
NRC - Incremental Charge - Manual Service Order - 1st	SOMAC	\$101.69	¥	\$98.49	\$94.57	\$101.69	\$92.05	\$91.26	60'66\$	\$102.75
NHC - incremental charge - marinal service characteristics										
Intercentice Channel - Dedicated Transport - STS-1 - per mile per month	1L5XX	\$11.93	\$10.25	\$7.07	\$12.06	\$16.15	\$13.48	\$11.62	\$19.14	\$6.88
Intercention Channel - Dedicated Transport - STS-1 - facility termination per month	U1TFS	\$733.93	\$966.49	\$733.72	\$1,088.67	\$1,114.68	\$692.52	\$814.72	\$944.40	2838.65
INDC: 1st	U1TFS	\$858.02	\$868.23	\$856.62	\$858.75	\$861.17	\$858.15	\$857.29	\$861.20	\$458.20 \$656.56
NBC - Add"	UITES	\$524.50	\$530.74	\$523.64	\$524.94	\$526.42	\$524.58	\$524.05	\$320.44	\$363.63
NRC - Incremental Charge - Manual Service Order - 1st	SOMAC	\$94.49	\$95.61	\$94.34	594.57	200	200	404 A1	607.03	200
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAC	\$94.49	\$95.61	894.34	10.45°	#34.04	00.450	5	101:01	200
Local Channel - Dedicated Transport										
Local Channel - Dedicated Transport - 2-Wire VG	2/0/11	614 61	\$18.02	\$13.91	\$22.26	\$14.94	\$17.83	\$14.82	\$16.83	\$19.02
Monthly Recurring	OLDVZ	\$14.01	\$477.33	\$382.95	\$597 14	\$401.17	\$565.31	\$553.80	\$554.00	\$254.14
NRC - 1st	III DV2	\$92.07	\$124.32	\$62.40	\$110.52	\$66.35	\$93.30	\$86.69	\$88.58	\$28.96
NHC - Add	SOMAC	\$45.12	Y.	\$18.94	\$41.46	\$29.54	\$41.57	\$42.17	\$43.75	\$33.65
NHC - Incremental Charge - Manual Service Order - 131	SOMAC	\$18.73	ΑN	\$8.42	٧	\$19.46	\$27.39	\$12.76	\$13.55	\$23.84
Cost Channel - Dedicated Transport - 4-Wire VG									20 010	**
Monthly Recurring	OLDD6	\$15.77	\$19.01	\$14.99	\$23.38	\$16.21	\$19.03	\$15.87	\$18.05	\$20.14
INDC 1st	ULDD6	\$581.14	\$77.33	\$368.44	\$585.15	\$407.11	\$573.83	\$502.23	\$302.40	\$530.03
NRC - Add'I	900'IN	\$95.21	\$124.32	\$64.05	\$98.53	\$68.61	390.40	\$92.07	23.54	\$33.65
NRC - Incremental Charge - Manual Service Order - 1st	SOMAC	\$45.12	Y S	\$18.94	\$98.33	\$19.46	\$27.39	\$12.76	\$13.55	\$23.84
NRC - Incremental Charge - Manual Service Order - Add I	SOMAC	910.73	٤	200						

BELLSOUTH/6.spire RATES NETWORK ELEMENTS

Attachment 2 Exhibit C Rates - Page 29

Local Channel - Dedicated Transport - DS1  Monthly Recurring  NRC - 1st  NRC - 1st  NRC - Incremental Charge - Manual Ser  Local Channel - Dedicated Transport - DS3  DS3 - Per mile per month  NRC - Incremental Charge - Manual Ser  NRC - Ist  NRC - Ist  NRC - Ist  NRC - Ist  NRC - Incremental Charge - Manual Ser  NRC - Ist  NRC - Add1  NRC - Ist	Monthly Recurring   Monthly Recurring   Monthly Recurring   NRC - 1st     NRG - 1st   NRG - 4dd1     NRG - 4dd1     NRG - 4dd1     NRG - Incremental Charge - Manual Service Order - 1st     NRG - Incremental Charge - Manual Service Order - 4dd1     NRG - Incremental Charge - Manual Service Order - 1st     NRG - Incremental Charge - Manual Service Order - 1st     NRG - Incremental Charge - Manual Service Order - 1st     NRG - Incremental Charge - Manual Service Order - 4dd1     NRG - Incremental Charge - Manual Service Order - 4dd1     NRG - Ist     NRG - 1st     NRG -	TMECS TMECS TMECS SOMAC SOMAC ULDF3 SOMAC	\$35.52 \$549 85 \$475.02 \$91.22 NA NA \$34.21 \$556.23 \$101.69 \$101.69 \$101.69 \$101.69 \$502.62 \$502.62 \$502.62 \$502.62 \$506.08 \$502.62 \$506.08 \$50	\$44.35 \$246.50 NA NA NA NA NA S598.84 \$552.81 NA NA NA NA S691.61 \$690.14 \$97.23 \$97.23 \$97.23	\$38.36 \$312.89 \$44.22 NA NA \$43.28 \$45.30 \$54.26 \$54.61 \$98.49 \$96.93 \$95.93 \$95.93 \$199.98	\$538.96 \$464.94 \$87.71 NA NA NA NA NA NA NA NA NA NA S34.00 \$524.95 \$524.95 \$524.95 \$524.95 \$524.95 \$524.95 \$524.95 \$524.95 \$524.95 \$56.04 \$610.64 \$61	\$43.80 \$396.86 \$5342.92 \$61.82 \$61.82 \$669.01 \$689.02 \$99.02 \$99.02 \$99.02 \$99.02 \$99.02 \$99.02 \$99.02 \$99.02 \$99.04 \$99.	\$588.53 \$501.32 \$501.32 \$81.30 NA NA NA NA NA NA NA NA NA NA S224.58 \$524.58 \$524.58 \$524.58 \$524.58 \$524.58 \$524.58 \$524.58 \$524.58 \$524.58 \$524.58 \$524.58 \$524.58 \$524.58 \$527.39 \$525.30 \$56.10 \$5	\$35.68 \$534.48 \$462.69 \$86.15 \$1.77 NA \$498.87 \$562.25 \$562.25 \$562.25 \$56.25 \$	\$37.20 \$87.29 \$3.11 \$44.13 \$522.20 NA NA NA S26.44 \$96.44 \$96.44 \$96.44 \$96.44 \$96.44 \$96.44 \$96.44 \$96.44 \$96.44	\$40.27 \$343.71 \$277.86 \$23.51 \$21.75 \$23.76 \$23.76 \$60.728 \$102.75 \$102.75 \$102.75 \$102.75 \$61.065.73 \$61.065.73 \$66.22 \$96.22 \$96.22 \$96.22 \$96.22 \$96.22 \$96.22 \$96.22
Nonthly Recurring NRC - 1st NRC - 1st NRC - Incremental Ch NRC - Incremental Ch NRC - Incremental Ch DS3 - per mile per mo NRC - 1st NRC - 1st Channel - Dedicated STS1 - per mile per mo Channel - Dedicated STS1 - per mile per mo Channel - Dedicated STS1 - per mile per mile per mo Channel - Dedicated STS1 - per mile per mile per mo Channel - Dedicated Channel - Dedicated STS1 - per mile per	Charge - Manual Service Order - 1st Charge - Manual Service Order - Add'I ed Transport - DS3 month ination per month ination per month mination per month  S3 to DS1)  S3 to DS1) m per month met month	TMECS TMECS TMECS TMECS TMECS TMECS SOMAC SOMAC TLSNC ULDF3 ULDF3 ULDFS SOMAC		\$44.35 \$2246.50 NA NA NA NA NA NA NA NA NA NA NA NA NA	\$38.36 \$3126.15 \$31289 \$44.22 NA NA \$23.06 \$53.06 \$53.06 \$542.61 \$98.49 \$98.49 \$96.93 \$95.93 \$95.93 \$95.93 \$95.93 \$95.93	\$43.80 \$538.96 \$464.94 \$87.71 NA NA NA NA NA NA NA NA S98.75 \$524.95 NA NA NA S98.75 \$50.04 \$610.64 \$610.64 \$610.64 \$610.64 \$617 \$610.64 \$661.75 \$610.64 \$661.75 \$610.64 \$661.75 \$610.64 \$661.75 \$610.64 \$610.	\$43.80 \$542.92 \$61.82 NA \$30.34 \$883.62 \$545.50 \$99.02 \$99.02 \$1.088.15 \$684.53 \$96.44 \$28.63.02 \$1.088.15 \$684.53 \$684.53 \$684.63	\$588.53 \$501.32 \$501.32 NA NA NA S858.15 \$524.58 NA NA NA S524.58 \$1084.33 \$1084.33 \$1084.33 \$96.10 \$96.10 \$96.10	\$5.54.48 \$462.69 \$86.15 \$1.77 \$1.77 \$1.77 \$1.77 \$562.25 \$562.25 \$562.25 \$562.25 \$56.25	<del>╎╎╎╎╎╎┼┼┞╏╏</del> ╀ <del>╏╏╏╏</del>	\$343.71.86 \$21.75.86 \$21.75.85 \$21.75.86 \$607.22 \$102.77 \$102.77 \$56.03 \$61.09 \$61.09 \$61.09
NRC - 1st NRC - Add1 NRC - Incremental Ch NRC - Incremental Ch Channel - Dedicated DS3 - per mile per mo DS3 - Facility Termina NRC - 1st NRC - 1st NRC - Incremental Ch STS-1 - per mile per n STS-1 - per mile per n STS-1 - Facility Termin NRC - 1st	Charge - Manual Service Order - 1st Charge - Manual Service Order - 1st  ed Transport - DS3 month ination per month ination per month mination per month  Charge - Manual Service Order - 1st  Charge - Manual Service Order - 1st  Charge - Manual Service Order - 1st  Charge - Manual Service Order - 1st  Charge - Manual Service Order - 1st  Charge - Manual Service Order - 1st  Example - Manual Service Order - 1st  Charge - Manual Service Order - 1st	TMECS TMECS SOMAC SOMAC 115NC ULDF3 ULDF3 ULDFS ULDFS ULDFS ULDFS ULDFS ULDFS SOMAC		\$246.50 NA	\$356.15 \$4122 NA NA R222 \$53.06 \$531.90 \$687.95 \$587.95 \$587.95 \$586.93 \$55.93	\$538.95 \$464.94 \$87.71 NA \$534.00 \$635.09 \$8524.95 NA NA NA \$50.04 \$610.64 \$610.64 \$610.64 \$610.64 \$610.64 \$610.64 \$610.64 \$610.64	\$345.86 \$61.82 NA NA \$30.34 \$883.62 \$545.50 \$99.02 \$90.02	\$588.53 \$61.30 NA NA NA NA NA NA NA NA NA NA NA NA NA	\$5.4.46 \$402.69 \$86.15 \$1.77 \$498.87 \$562.25 \$56.25 \$56.25 \$56.25 \$56.25 \$56.25 \$56.25 \$56.25 \$56.25 \$56.25 \$56.25 \$56.25 \$56.25 \$56.25 \$56.00 \$96.00 \$96.00	<del>╃╃╃╃╇╇╇╇╇╇╇╇╇╇╇╇╇╇╇╇╇╇</del>	\$27.5.1 \$23.76 \$23.76 \$507.27 \$102.77 \$102.77 \$102.77 \$102.77 \$61.09 \$61.09
NHC - Add1 NHC - Incremental Ch Channel - Dedicated Ch Channel - Dedicated Ch DS3 - Facility Termina NHC - Ist NHC - Incremental Ch NHC - Incremental Ch NHC - Incremental Ch NHC - Incremental Ch Channel - Dedicated STS-1 - per mile per n NHC - Ist NHC - Channel System	Charge - Manual Service Order - 1st  Charge - Manual Service Order - Add'I  ed Transport - DS3  month Ination per month	TOMACC SOMAC		\$230.49 NA NA NA \$50.65 \$598.84 \$884.71 \$552.81 NA NA NA NA \$690.14 \$97.23 \$97.23 \$97.23 \$97.23	\$312.89 \$44.22 NA \$44.22 \$46.22 \$523.06 \$523.06 \$5531.90 \$98.49 \$19.93 \$19.93 \$19.93 \$95.93 \$95.93 \$95.93 \$95.93 \$95.93 \$95.93 \$95.93 \$95.93	\$464.94 \$87.71 NA \$24.00 \$635.09 \$858.75 \$858.75 \$124.95 NA NA NA NA S610.64 \$1,085.09 \$610.64 \$1,085.09 \$66.17 \$96.17 \$96.17	\$542.92 \$61.82 NA \$50.34 \$669.01 \$893.02 \$545.50 \$99.02 \$599.02 \$10.08.15 \$664.53 \$96.44 \$96.44 \$96.44 \$22.89	\$501.32 \$81.30 NA NA NA S224.58 \$524.58 NA NA NA NA S51.39 \$1.084.33 \$682.13 \$5610 \$5610 \$5610 \$5610 \$5610 \$5610 \$5610 \$5610 \$5610 \$5610 \$5610	\$406.09 \$86.15 \$1.77 NA \$498.87 \$562.25 \$562.25 \$56	<del>╡╎╎╡┩╄╄╂╂╂╇╃╃╃╇┼┼┼</del> ┼┼	\$23.57 \$23.57 \$21.75 \$521.75 \$540.30 \$102.75 \$102.75 \$615.66 \$1085.00 \$610.99 \$610.99 \$610.99
NRC - Incremental Ch Channel - Dedicated DS3 - per mile per mo DS3 - Facility Termina DS3 - Facility Termina NRC - 1st NRC - Incremental Ch NRC - Incremental Ch NRC - Incremental Ch STS-1 - Facility Termin NRC - 1st NRC - 1st NRC - Incremental Ch NRC - Ist NRC - 1st NRC - 1st	Charge - Manual Service Order - 1st Charge - Manual Service Order - Add'I ed Transport - DS3 month ination per month mination per month  S3 to DS1) m per month met month	SOMAC		NA N	\$44.22 NA \$23.06 \$531.90 \$678.95 \$678.95 \$98.49 \$19.93 \$19.93 \$95.93 \$19.99 \$95.93 \$19.99	897.71 NA \$34.00 \$635.09 \$888.75 \$524.95 NA NA NA NA S30.04 \$1.085.09 \$610.64 \$1.085.09 \$682.61 \$96.17 \$96.17	\$61.82 830.34 \$669.01 \$843.62 \$599.02 \$99.02 \$99.02 \$1,088.16 \$1,088.16 \$96.44 \$96.44 \$28.45.84	\$81.30 NA NA NA S224.58 NA NA NA NA NA S682.13 \$1084.33 \$582.13 \$582.13 \$582.13 \$582.13 \$582.13 \$582.10 \$582.13 \$582.10 \$582.10 \$582.10 \$582.13	\$1.77 NA \$498.87 \$562.25 \$562.25 \$562.5 \$56.25 \$56.25 \$56.25 \$1,083.24 \$681.44 \$96.00 \$96.00 \$96.00	<del>┤┤┧┩╏┩╏╏┩┪┩┪┩┪</del> ┼┼┼┼	\$23.76 \$23.76 \$807.28 \$807.28 \$102.75 \$102.75 \$108.7 \$61.085.9 \$185.9 \$185.9 \$185.9 \$185.9 \$185.9 \$185.9
NHC - Incremental Channel - Dedicated DS3 - per mile per mo NGC - 1st NHC - Channel Syste NHC - Channel Syste	Charge - Manual Service Order - Add'I  ed Transport - DS3  month ination per month  rimonth mination per month  Charge - Manual Service Order - 1st  Est in per month  m per month	115NC		\$30.65 \$598.84 \$588.471 \$5552.81 NA NA NA NA NA NA S27.61 \$690.14 \$97.23 \$97.23 \$97.23 \$97.23	\$23.06 \$873.06 \$878.95 \$542.61 \$98.49 \$98.49 \$19.93 \$55.93 \$95.93 \$95.93 \$95.93 \$199.98	\$34.00 \$635.09 \$8524.95 NA NA NA S90.04 \$50.	\$30.34 \$669.01 \$883.62 \$545.50 \$99.02 \$29.02 \$1.088.15 \$684.53 \$96.44 \$256.44 \$259.76	NA N	\$1.77 \$498.87 \$562.25 \$562.25 \$562.25 \$56.25 \$56.25 \$56.25 \$1.083.24 \$681.44 \$96.00 \$96.00 \$96.00	<del>┤┤╃┞╏╏╏╏╏╏╏╏</del>	\$23.76 \$607.28 \$102.77 \$102.77 \$25.11 \$25.11 \$61.08 \$61.09 \$61.09
Channel - Dedicated DS3 - Per mile per mo DS3 - Facility Termina NRC - Ist NRC - Adri NRC - Incremental Ch NRC - Incremental Ch STS-1 - Per mile per m STS-1 - Facility Termi NRC - Ist NRC - STS-1 - Facility Termi NRC - STS-1 - Facility Termi NRC - STS-1	month ination per month ination per month  Charge - Manual Service Order - 1st  S3 to DS1)  m per month meet	115NC ULDF3 ULDF3 ULDF3 ULDF3 ULDFS SOMAC SOMAC ULDFS SOMAC		\$30.65 \$598.84 \$884.71 NA NA NA NA NA NA S27.61 \$691.61 \$97.23 \$97.23 \$97.23 \$97.23	\$23.06 \$53.06 \$578.95 \$542.61 \$98.49 \$98.49 \$19.93 \$1082.37 \$660.91 \$95.93 \$95.93 \$199.98	\$34.00 \$635.09 \$8524.95 NA NA NA \$30.04 \$610.64 \$1,085.09 \$96.17 \$96.17	\$30.34 \$669.01 \$883.62 \$545.50 \$99.02 \$1.088.15 \$683.02 \$1.088.15 \$684.53 \$28.44 \$28.45.84	8858.15 \$524.58 NA NA NA NA NA S38.98 \$1,084.33 \$1,084.33 \$682.13 \$96.10 \$96.10 \$96.10 \$96.10	\$498.87 \$562.25 \$527.88 \$56.25 \$56.25 \$56.25 \$24.39 \$555.92 \$1,083.24 \$60.00 \$96.00 \$96.00 \$226.81 \$326.81	<del>╡╡╏╏╏╏╏╏╏╏╏╏</del>	\$23.76 \$877.72 \$877.77 \$102.72 \$102.72 \$102.72 \$108.72 \$61.09 \$61.09 \$60.21
DS3 - Per mile per mo DS3 - Facility Termina NRC - 1st NRC - 1st NRC - Incremental Ch Channel - Dedicated STS-1 - per mile per n NRC - 1st NRC - 4dd1 NRC - 1st NRC - Channel System	month  Charge - Manual Service Order - 1st  Charge - Manual Service Order - 1st  Charge - Manual Service Order - Add't  re month  mination per month  Charge - Manual Service Order - 1st  Charge - Manual Service Order - 1st  Charge - Manual Service Order - 1st  Charge - Manual Service Order - Add't  S3 to DS1)  m per month  met ct	115NC ULDF3 ULDF3 ULDF3 ULDF3 ULDFS SOMAC SOMAC ULDFS ULDFS ULDFS SOMAC		\$30.65 \$598.84 \$894.71 \$854.71 NA NA NA NA NA NA S27.61 \$680.14 \$97.23 \$97.23 \$97.23 \$97.23	\$23.06 \$871.90 \$878.95 \$584.95 \$98.49 \$19.93 \$19.93 \$10.23 \$95.93 \$95.93 \$95.93 \$95.93 \$95.93 \$95.93 \$95.93 \$95.93	\$34.00 \$858.75 \$524.95 NA NA NA NA \$30.04 \$1,085.09 \$610.64 \$62.61 \$682.61 \$682.61 \$682.61 \$682.61 \$682.61 \$682.61 \$682.61 \$682.61 \$682.61 \$682.61 \$682.61	\$30.34 \$683.01 \$683.02 \$545.50 \$99.02 \$29.89 \$693.02 \$1.088.15 \$684.53 \$96.44 \$96.44 \$256.76	\$858.15 \$858.15 \$524.56 \$524.56 NA NA NA \$1084.33 \$682.13 \$96.10 \$96.10 \$96.10	\$562.25 \$562.25 \$562.25 \$56.25 \$56.25 \$56.25 \$24.39 \$55.92 \$1.083.24 \$681.44 \$881.44 \$96.00 \$96.00 \$326.81 \$326.81	<del>╡╏╏╸</del>	\$23.76 \$877.72 \$102.72 \$102.75 \$102.75 \$615.66 \$96.22 \$96.
NEC - 1st NRC - 1st NRC - 1st NRC - Add! NRC - Incremental Channel STS-1 - per mile per incremental Channel STS-1 - per mile per incremental Channel STS-1 - per mile per incremental Channel NRC - 1st NRC - 1st NRC - incremental Channel NRC - incremental Channel STS-1 - become NRC - 1st NRC - Channel Syste	Charge - Manual Service Order - 1st Charge - Manual Service Order - 1st Charge - Manual Service Order - Add'I ed Transport - STS-1 rmonth mination per month mination per month Charge - Manual Service Order - 1st Charge - Manual Service Order - Add'I S3 to DS1) m per month met contract	ULDF3 ULDF3 ULDF3 ULDF3 ULDF3 ULDFS ULDFS ULDFS ULDFS ULDFS ULDFS ULDFS ULDFS SOMAC		\$598.84 \$552.81 NA NA NA S27.61 \$681.61 \$690.14 \$97.23 \$97.23 \$97.23 \$97.23	\$531.90 \$547.61 \$584.95 \$584.99 \$519.93 \$19.93 \$516.91 \$55.93 \$55.93 \$55.93 \$55.93 \$55.93 \$55.93 \$55.93 \$55.93 \$55.93 \$55.93 \$55.93 \$55.93	\$858.75 \$824.95 NA NA NA S30.04 \$1.085.09 \$610.64 \$1.085.09 \$682.61 \$96.17 \$96.17	\$669.01 \$843.62 \$545.50 \$99.02 \$29.02 \$1,089.12 \$1,089.12 \$1,089.12 \$1,089.12 \$1,089.14 \$264.44 \$264.53	\$8958.15 \$524.58 NA NA NA NA S38.98 \$531.39 \$1084.33 \$68.10 \$96.10 \$96.10 \$96.10 \$96.10 \$96.10	\$498.87 \$562.25 \$52.25 \$56.25 \$56.25 \$24.39 \$556.92 \$1,083.24 \$681.44 \$96.00 \$96.00 \$3226.81 \$3226.81	<del>╶╏┋╏┋┋</del>	\$807.72 \$102.03 \$102.03 \$102.77 \$100.7
NRC - 1st NRC - Add1 NRC - Incremental Ch NRC - Incremental Ch Channel - Dedicated Channel - Dedicated STS-1 - Pacility Termi NRC - 1st NRC - 1st NRC - Incremental Ch NRC - 1st NRC - Incremental Ch NRC - 1st NRC - Channel Syste	Charge - Manual Service Order - 1st Charge - Manual Service Order - 1st  ed Transport - STS-1  r month mination per month Charge - Manual Service Order - 1st Charge - Manual Service Order - 1st  S3 to DS1)  m per month met the contract of	ULDF3 ULDF3 ULDF3 SOMAC SOMAC ULDFS ULDFS ULDFS ULDFS SOMAC SOMAC SOMAC MQ3 MQ3 MQ3 MQ3 MQ3 MQ3 SOMAC		\$552.81 NA NA NA NA NA S27.61 \$81.097.06 \$691.61 \$97.23 \$97.23 \$97.23 \$97.23	\$976.95 \$98.49 \$98.49 \$19.93 \$516.91 \$51.082.37 \$95.93 \$95.93 \$95.93 \$95.93 \$95.93	\$524.95 NA NA NA NA S30.04 \$610.64 \$1,085.09 \$982.61 \$96.17 \$96.17	\$683.62 \$545.50 \$99.02 \$29.02 \$29.02 \$1.088.15 \$684.53 \$96.44 \$96.44 \$256.76	\$524.58 NA NA NA NA S28.98 \$531.39 \$1,084.33 \$682.13 \$96.10 \$96.10 \$96.10 \$96.10	\$562.25 \$527.88 \$56.25 \$56.25 \$56.25 \$1.083.24 \$681.44 \$96.00 \$96.00 \$96.00 \$351.95	<del>╃╏╏╏╏╏╏╏</del>	\$540.37.77 \$102.77 \$102.77 \$25.11 \$61.095 \$62.25 \$96.22 \$96.22 \$96.22 \$96.22 \$185.9 \$185.9 \$61.09
NHC - 1611 NHC - Incremental Ch NHC - Incremental Ch NHC - Incremental Ch Channel - Dedicated STS-1 - per mile per n STS-1 - per mile per n STS-1 - Facility Termi NHC - 1st NHC - 1st NHC - Incremental Ch NHC - 1st NHC - Channel System NHC - Channel System NHC - Channel System	Charge - Manual Service Order - 1st Charge - Manual Service Order - 1st  Transport - STS-1  r month mination per month  Charge - Manual Service Order - 1st  Est in DES1)  m per month meet	SOMAC SOMAC SOMAC SOMAC ILISNC UILDFS UILDFS UILDFS SOMAC SOMAC SOMAC MQ3 MQ3 MQ3 MQ3 MQ3 SOMAC		\$552.81 NA NA NA NA \$27.61 \$691.61 \$690.14 \$97.23 \$97.23 \$97.23 \$97.23 \$97.23	\$542.61 \$98.49 \$98.49 \$119.93 \$516.91 \$680.91 \$95.93 \$95.93 \$95.93 \$95.93 \$95.93 \$95.93	\$524.95 NA NA NA S30.04 \$610.64 \$1,085.09 \$96.17 \$96.17	\$545.50 \$99.02 \$29.02 \$22.69 \$683.02 \$1.088.15 \$96.44 \$264.44 \$255.76	\$524.58 NA NA NA \$38.98 \$1,084.33 \$682.13 \$96.10 \$96.10 \$96.10 \$36.00 \$36.00 \$36.00 \$36.00 \$36.00	\$527.88 \$56.25 \$26.25 \$24.39 \$555.92 \$1,083.24 \$681.44 \$96.00 \$96.00 \$96.00 \$351.95		\$102.77 \$102.77 \$102.77 \$615.66 \$1085.7 \$96.22 \$96.22 \$96.22 \$96.22 \$185.9 \$185.9 \$61.09
NHC - Add1 NHC - Incremental Ch NHC - Incremental Ch Channel - Dedicated STS-1 - per mile per n STS-1 - per n STS-1 - per mile per n STS-1 - per n STS-1	Charge - Manual Service Order - 1st Charge - Manual Service Order - Add¹! ed Transport - STS-1 rmonth mination per month mination per month Charge - Manual Service Order - 1st Charge - Manual Service Order - 1st Charge - Manual Service Order - Add¹! S3 to DS¹) m per month met month met month	SOMAC SOMAC SOMAC ULDFS ULDFS ULDFS SOMAC	<del>                                     </del>	827.61 \$891.61 \$97.23 \$97.23 \$97.23 \$97.23 \$97.23 \$97.23	\$98.49 \$19.93 \$19.93 \$516.91 \$108.37 \$660.91 \$95.93 \$95.93 \$95.93 \$173.51 \$284.43 \$199.98	830.04 \$30.04 \$610.64 \$1,085.09 \$682.61 \$96.17 \$96.17	\$99.02 \$99.02 \$29.89 \$693.02 \$1.088.15 \$684.53 \$96.44 \$96.44 \$96.44 \$256.76	\$38.98 \$531.39 \$1,084.33 \$681.0 \$96.10 \$96.10 \$229.30	\$56.25 \$56.25 \$24.39 \$55.92 \$1,083.24 \$681.44 \$96.00 \$96.00 \$96.00	<del>▎▐▗▋▗▋▗▋▗▋▗▋▗▋▗▋</del>	\$102.77 \$102.77 \$615.61 \$615.61 \$96.22 \$96.22 \$96.22 \$96.22 \$96.22 \$96.22 \$96.22 \$96.22 \$96.22 \$96.22 \$96.22 \$96.22 \$96.22
NHC - Incremental Ch NHC - Incremental Ch Channel - Dedicated STS-1 - per mile per In STS-1 - Facility Termin NHC - 1st NHC - Incremental Ch NHC - 1st NHC - Channel System NHC - Channel System NHC - Channel System	Charge - Manual Service Order - 1st Charge - Manual Service Order - 4dd'I  Charge - Manual Service Order - 1st  Charge - M	SOMAC  1L5NC  ULDFS  ULDFS  ULDFS  SOMAC  SOMAC  SOMAC  MQ3  MQ3  MQ3  MQ3  MQ3  SOMAC		827.61 \$1,097.06 \$97.23 \$97.23 \$97.23 \$97.23 \$97.23 \$97.23	\$98.49 \$19.33 \$1.082.37 \$60.93 \$95.93 \$95.93 \$284.43 \$199.98	\$30.04 \$30.04 \$610.64 \$1.085.09 \$682.61 \$96.17 \$96.17	\$99.02 \$29.89 \$693.02 \$1.088.15 \$664.53 \$96.44 \$96.44 \$286.84	\$38.98 \$531.39 \$1.084.33 \$68.10 \$96.10 \$96.10 \$229.30 \$356.80	\$56.25 \$24.39 \$555.92 \$1,083.24 \$881.44 \$96.00 \$96.00 \$351.95 \$351.95	<del>                                     </del>	\$102.77 \$\$5.11 \$615.61 \$683.0 \$96.22 \$96.22 \$96.22 \$185.9 \$185.9 \$61.09
NFIC - Incremental Ch Channel - Dedicated STS-1 - Pacifity Territy STS-1 - Facifity Territy NFC - 1st NFC - 1st NFC - Incremental Ch NFC - Incremental Ch NFC - Incremental Ch NFC - Incremental Ch NFC - 1st NFC - Channel Syste	Charge · Manual Service Order · Add'I  ed Transport - STS-1  r month mination per month  Charge · Manual Service Order · 1st  Charge · Manual Service Order · 1st  S3 to DS1)  m per month  met month  ect	SOMAC  115NC  ULDFS  ULDFS  ULDFS  SOMAC  SOMAC  MQ3  MQ3  MQ3  MQ3  MQ3  MQ3  SOMAC  SOMAC  SOMAC  SOMAC  SOMAC  SOMAC  SOMAC		\$27.61 \$81.61 \$1.097.06 \$97.23 \$97.23 \$97.23 \$213.22 \$280.12	\$19.93 \$10.93 \$680.91 \$95.93 \$95.93 \$95.93 \$173.51 \$199.98	\$30.04 \$610.64 \$1,085.09 \$98.17 \$96.17	\$29.02 \$29.89 \$693.02 \$1.088.15 \$96.44 \$96.44 \$96.44 \$26.84	\$18.98 \$1084.33 \$1084.33 \$682.13 \$96.10 \$96.10 \$36.00 \$3229.30	\$24.39 \$55.92 \$1,083.24 \$681.44 \$96.00 \$96.00 \$361.95 \$226.81 \$351.95	<del>┨╏╏</del> ╃╫┼┼┼┼	\$615.6 \$615.6 \$615.6 \$683.0 \$96.22 \$96.22 \$225.5 \$185.9 \$61.00 \$61.00
STS-1 - per mile per m STS-1 - per mile per m STS-1 - Facility Termir STS-1 - Facility Termir NRC - 1st NRC - Incremental Ch NRC - Incremental Ch NRC - Incremental Ch NRC - Incremental Ch NRC - Ist NRC - 1st NRC - 1st - Disconnec NRC - 1st - Disconnec NRC - Channel System NRC - Channel System NRC - Channel System	r month mination per month Charge - Manual Service Order - 1st Charge - Manual Service Order - 1st S3 to DS1) m per month met	LLSNC ULDFS ULDFS ULDFS SOMAC SOMAC SOMAC SOMAC MQ3 MQ3 MQ3 MQ3 MQ3 SOMAC SOMAC SOMAC SOMAC SOMAC SOMAC SOMAC SOMAC		\$27.61 \$681.61 \$1.097.06 \$890.14 \$97.23 \$97.23 \$7.23 \$7.23 \$7.23 \$7.23 \$7.23 \$7.23	\$19.93 \$516.91 \$1,082.37 \$680.91 \$95.93 \$95.93 \$173.51 \$189.98	\$30.04 \$610.64 \$1,085.09 \$682.61 \$96.17 \$236.32	\$29.89 \$693.02 \$1,088.15 \$684.53 \$96.44 \$96.44 \$245.84 \$225.76	\$38.98 \$531.39 \$1,084.33 \$682.13 \$96.10 \$96.10 \$96.10 \$229.30	\$24.39 \$555.92 \$1,083.24 \$66.00 \$96.00 \$96.00 \$226.81 \$351.95	<del>╂╏┩╃╏┼╬╃╃╃╃</del>	\$55.11 \$615.6 \$615.6 \$96.22 \$96.22 \$96.22 \$96.22 \$225.5 \$185.9 \$61.06
STS-1 - per mile per m STS-1 - Facility Termit NRC - 1st NRC - Incremental Ch NRC - Ist NRC - 1st NRC - 1st NRC - 1st NRC - 1st NRC - 1st NRC - 1st NRC - 1st Disconne NRC - 1st Disconne NRC - Channel Syste NRC - Channel Syste	r month mination per month Charge - Manual Service Order - 1st Charge - Manual Service Order - Add1 S3 to DS1) m per month meet	ULDFS ULDFS ULDFS ULDFS ULDFS ULDFS SOMAC SOMAC SOMAC MQ3 MQ3 MQ3 MQ3 MQ3 SOMAC		\$27.61 \$81.61 \$1.097.06 \$97.23 \$97.23 \$97.23 \$97.23 \$97.23	\$19.93 \$516.91 \$680.91 \$95.93 \$95.93 \$95.93 \$173.51 \$128.43	\$50.04 \$610.64 \$1,085.09 \$682.61 \$96.17 \$96.17	\$29.89 \$693.02 \$1,088.15 \$684.53 \$96.44 \$96.44 \$96.44 \$245.84	\$38.98 \$531.39 \$1,084.33 \$682.13 \$96.10 \$96.10 \$229.30 \$356.80	\$24.39 \$555.92 \$1,083.24 \$881.44 \$96.00 \$96.00 \$226.81 \$351.95 \$2243.76	<del>+                                    </del>	\$515.6 \$615.6 \$96.22 \$96.22 \$96.22 \$96.22 \$185.9 \$10.00 \$50.31
STS-1 - Facility Termin NRC - 1st NRC - Incremental Ch NRC - Incremental Ch NRC - Incremental Ch NRC - Incremental Ch Schamelized System NRC - 1st NRC - 1st NRC - 1st NRC - 1st NRC - 3connec NRC - Add'! - Disconnec NRC - Add'! - Disconnec NRC - Channel System NRC - Channel System NRC - Channel System	Charge - Manual Service Order - 1st Charge - Manual Service Order - 4dd1  S3 to DS1)  m per month  ect  ect	ULDFS ULDFS ULDFS SOMAC SOMAC SOMAC MQ3 MQ3 MQ3 MQ3 MQ3 MQ3 SOMAC		\$681,61 \$1,097.06 \$690.14 \$97.23 \$97.23 \$213.22 \$280.12	\$516.91 \$680.91 \$95.93 \$95.93 \$173.51 \$184.43	\$610.64 \$1,085.09 \$682.61 \$96.17 \$96.17	\$1,088.15 \$684.53 \$96.44 \$96.44 \$26.44 \$245.84 \$245.84	\$1,084.33 \$1,084.33 \$682.13 \$96.10 \$96.10 \$229.30 \$356.80	\$555.92 \$1.083.24 \$681.44 \$96.00 \$96.00 \$226.81 \$351.95 \$243.76	<del></del>	\$1,085. \$683.0 \$96.22 \$96.22 \$225.5 \$185.9 \$61.00
NEC - 1st memoral Charles NRC - 1st NRC - 1st NRC - Incremental Charles NRC - Incremental Charles NRC - Incremental Charles NRC - 1st NRC - Channel Syste NRC - Channel Syste	Charge - Manual Service Order - 1st Charge - Manual Service Order - 1st S3 to DS1) m per month meet	ULDFS ULDFS ULDFS SOMAC SOMAC SOMAC MQ3 MQ3 MQ3 MQ3 MQ3 SOMAC SOMAC		\$1,097.06 \$690.14 \$97.23 \$97.23 \$213.22 \$280.12	\$1,082.37 \$680.91 \$95.93 \$95.93 \$173.51 \$284.43 \$199.98	\$1,085.09 \$682.61 \$96.17 \$96.17 \$236.32	\$1,088.15 \$684.53 \$96.44 \$96.44 \$245.84 \$245.84	\$1,084.33 \$682.13 \$96.10 \$96.10 \$96.10 \$229.30 \$356.80	\$1,083.24 \$681.44 \$96.00 \$96.00 \$226.81 \$351.95 \$243.76	<del>- - - - - - - - - - - - - - - - - - - </del>	\$1,085. \$683.0 \$96.22 \$96.22 \$225.5 \$185.9 \$50.31
VIC ISI NRC - Incremental Ch NRC - Incremental Ch NRC - Incremental Ch VELIZATION 3 Channelized System NRC - 1st NRC - 1st NRC - 1st NRC - 4drl - Disconne NRC - 3drl - Channel System	Charge - Manual Service Order - 1st  Charge - Manual Service Order - Add'l  S3 to DS1)  m per month  ect  innect	NO3 WO3 WO3 WO3 WO3 WO3 WO3 SOMAC		\$97.23 \$97.23 \$97.23 \$213.22 \$280.12	\$95.93 \$95.93 \$173.51 \$173.51 \$199.98	\$96.17 \$96.17 \$96.17 \$236.32	\$684.53 \$96.44 \$96.44 \$245.84	\$96.10 \$96.10 \$96.10 \$229.30 \$356.80	\$681.44 \$96.00 \$96.00 \$226.81 \$351.95 \$243.76	<del>╒╏╸╏╶╏╶╏</del>	\$683.0 \$96.2 \$96.2 \$225.5 \$225.5 \$185.9 \$61.00 \$61.00
HC - Add I MRC - Incremental Ch WRC - Incremental Ch WELIZATION 3 Channelization (DS3 Channelized System NRC - 1st NRC - 1st NRC - 1st - Disconne NRC - Add I - Disconne NRC - Channel Syste	Charge - Manual Service Order - 1st Charge - Manual Service Order - Add1 S3 to DS1) m per month meet	SOMAC SOMAC SOMAC MO3 MO3 MO3		\$97.23 \$97.23 \$213.22 \$280.12 \$196.07	\$95.93 \$95.93 \$173.51 \$184.43	\$96.17	\$96.44 \$96.44 \$245.84 \$259.76	\$96.10 \$96.10 \$229.30 \$356.80	\$96.00 \$96.00 \$226.81 \$351.95 \$243.76	\$96.44 \$96.44 \$204.07 \$423.77 NA NA	\$96.2 \$96.2 \$225.5 \$225.6 \$185.9 \$61.0 \$60.3
VRC - Incremental Ch VELIZATION 3 Channelizad System 1 Channelized System NRC - 1st NRC - 1st NRC - 3 Disconne NRC - 3 Disconne NRC - 3 Disconne NRC - Channel System NRC - Channel System	Charge - Manual Service Order - 1st  Charge - Manual Service Order - Add't  M. per month  ect  inect	SOMAC SOMAC MQ3 MQ3 MQ3 MQ3 MQ3 SOMAC	\$96.08 \$210.87 \$355.25 \$78.43 \$63.70	\$97.23 \$97.23 \$213.22 \$280.12 \$196.07	\$95.93 \$173.51 \$284.43 \$199.98	\$96.17	\$96.44 \$245.84 \$259.76	\$96.10 \$229.30 \$356.80	\$96.00 \$226.81 \$351.95 \$243.76	\$96.44 \$204.07 \$423.77 \$295.21 NA	\$96.2 \$225.5 \$185.9 \$61.0 \$50.3
VINC - Incremental Ch VELIZATION 3. Channelization (DS3 Channelized System NNC - 1st NNC - 1st NNC - Add'! NNC - Add': Disconne NNC - Add': Disconne NNC - Channel System NNC - Channel System	Charge - Manual Service Order - Add I S3 to DS1) m per month ect nnect	MO3 MO3 MO3 MO3	\$20.08 \$355.25 \$245.86 \$78.43 \$63.70	\$213.22 \$280.12 \$196.07	\$173.51 \$284.43 \$199.98	\$236.32	\$245.84 \$259.76	\$229.30 \$356.80	\$226.81 \$351.95 \$243.76	\$204.07 \$423.77 \$295.21 NA	\$225.5 \$265.0 \$185.9 \$61.0 \$50.3
3 Channelization (DS3 Channelized System NRC - 1st NRC - 1st - Disconnec NRC - 4dd1 - Disconnec NRC - Channel System NRC - Channel System	S3 to DS1)  m per month  ect  innect	MQ3 MQ3 MQ3 MQ3 MQ3 SOMAC	\$210.87 \$355.25 \$245.86 \$78.43 \$63.70	\$213.22 \$280.12 \$196.07	\$173.51 \$284.43 \$199.98	\$236.32	\$245.84 \$259.76	\$229.30	\$226.81 \$351.95 \$243.76	\$204.07 \$423.77 \$295.21 NA	\$225.5 \$265.0 \$185.9 \$61.0 \$50.3
Channelization (DS3 Channelized System) NRC - 1st NRC - 1st NRC - 1st - Disconnec NRC - 3st - Disconnec NRC - Channel System NRC - Channel System	m per month m per month ect mnect	MQ3 MQ3 MQ3 MQ3 MQ3	\$210.87 \$355.25 \$245.86 \$78.43 \$63.70	\$213.22 \$280.12 \$196.07	\$173.51 \$284.43 \$199.98	\$236.32	\$245.84 \$259.76	\$356.80	\$226.81 \$351.95 \$243.76	\$204.07 \$423.77 \$295.21 NA	\$225.5 \$265.0 \$185.9 \$61.0 \$50.3
Channelized System NRC - 1st NRC - Add1 NRC - Add1 NRC - Add1 NRC - Add1 - Disconnec NRC - Channel System NRC - Channel System NRC - Channel System	m per month ect inect	MQ3 MQ3 MQ3 MQ3 MQ3 MQ3	\$210.87 \$355.25 \$245.86 \$78.43 \$63.70	\$213.22 \$280.12 \$196.07	\$173.51 \$284.43 \$199.98	\$236.32	\$245.84	\$356.80	\$243.76	\$295.21 NA NA	\$265.0 \$185.0 \$61.0 \$50.3
NRC - 1st NRC - Add'I NRC - 1sr - Disconnec NRC - Add'I - Disconne NRC - Channel Syste NRC - Channel Syste	ect Tirect	MO3 MO3 MO3 MO3	\$355.25 \$245.86 \$78.43 \$63.70	\$196.07	\$284.43 \$199.98		\$259.76	\$356.80	\$243.76	\$295.21 NA NA	\$185.9 \$61.0 \$50.3
NRC - Add'I NRC - Add'I - Disconnec NRC - Add'I - Disconne NRC - Channel Syste	ect inect	MQ3 MQ3 MQ3	\$245.86 \$78.43 \$63.70	\$196.07	\$199.98	\$425.41		OF LFC3	\$243.76	\$295.21 NA	\$185.6 \$61.0
NRC - Isr - Disconnec NRC - Add'l - Disconne NRC - Channel Syste NRC - Channel Syste	ect mect mect Manual Sur Order 1et	MQ3 MQ3 SOMAC	\$78.43	20100		\$303.33	\$182.64	3541.40		Y Y	\$50.3
NRC - Channel System NRC - Channel System NRC - Channel System	nnect	MQ3 SOMAC	\$63.70	5.45	\$66.76	¥Z	\$60.96	\$79.94	\$77.90	¥N	\$50.3
WHC - Add I - Disconne NRC - Channel Syster NRC - Channel Syster	inect	SOMAC		\$52.60	\$55.25	Ϋ́	\$50.46	\$65.20	\$63.32		
NHC - Channel Syster			K2R 44	4Z	\$21.61	\$41.47	\$19.74	\$26.95	\$28.13	\$43.41	\$21.7
AHC - Channel System	rem - incremental cost - maintal svc. Crost - 1st	SOMAC	\$13.47	AN	19.61	ž	\$8.77	\$11.98	\$13.33	\$15.36	\$10.46
	, -	COMAC	\$18 4E	ĄZ	\$13.61	¥	\$12.43	\$16.97	\$18.26	Y.	\$14.21
NRC - Channel System		COMPOS	200	V N	AN	Ą	AN AN	¥	\$1.48	¥	\$1.46
NHC - Channel System	NHC - Channel System - Incremenali Cost - Manual Syc. Order - Disconnect - Aud	SOMO?	25.53	£ 31	\$7.13	\$8.52	\$7.55	\$5.58	\$4.61	69.68	\$3.91
per Interface per month		1000	6 4 F OF	613 30	£13.45	\$15 AB	\$12.29	\$15.85	\$15.76	\$15.54	\$12.6
NRC - 1st		1200	20.00	60.50	£9 63	\$11.36	<b>58 80</b>	\$11.35	\$11.28	\$11.13	\$9.03
NRC Add!		בוסטו	9	20.09	2						
DS1 Channelization (DS1 to DS0)	to DSO)	,0,1	6130 50	£163 88	£137 07	\$200.01	\$200 R7	\$146.87	\$177.72	\$179.81	\$165.
per Channelized System per month	m per month	2	\$139.00	6200 64	10010	\$300 B2	\$193.63	\$271.52	\$267.19	\$304.00	\$197.21
NRC - 1st		2	\$203.30	£126.61	C120 60	\$184 20	\$118.37	\$164.58	\$161.43	\$178.92	\$119
NRC - Add'I			\$100.00 \$34 BB	CD 40	\$28 Q5	NA	\$26.44	\$36.38	\$34.55	Ϋ́	\$25.66
NRC -1sr - Disconnect	lect		65133	615.05	\$18.43	Ą	\$16.83	\$22.82	\$21.14	ΥN	\$15.81
NRC -Add'i - Disconnect	mect	24400	620 44	AN AN	621.61	541 47	\$19.74	\$26.95	\$28.13	\$43.41	\$21.71
NRC - Channel Syste	NRC - Channel System - Incremental Cost - Manual Svc. Order -1st	COMMO	612.47	Y Z	<b>6</b> 9 61	6113	77.83	\$11.98	\$13.33	\$15.36	\$10.46
NRC - Channel Syste	NRC - Channel System - Incremental Cost - Manual Syc. Order -Add I	COMMO	618 46	Y Z	\$13.61	AN	\$12.43	\$16.97	\$18.26	٩×	\$14.21
NRC - Channel Syste	NRC - Channel System - Incremental Cost - Manual Svc. Order - Disconnect - 1st	COMPC	61.50	V A	AN	¥2	YZ.	ž	\$1.48	٧×	\$1.46
NHC - Channel Syste	stem - incremental Cost - Manual SVC. Cidel - Disconnect - Add	COMPOS	200								
US1 Channization Interfaces	(8S	00101	1963	\$3 13	\$2.65	\$2.94	\$3.12	\$2.86	\$2.88	\$3.36	\$2.46
er OCU-DP(data) carc	per OCU-UP(data) card per month(2.4-04kbps)		615.05	613 30	\$13.45	£15 86	\$12.29	\$15.85	\$15.76	\$15.54	\$12.61
NRC - 1st			913.03	60.50	<b>6</b> 063	\$1136	SB 80	\$11.35	\$11.28	\$11.13	\$9.03
NHC - Add I			26.13	61.78	\$148	\$1.40	\$1.62	\$1.45	\$1.64	\$1.93	\$1.25
per VG card per month	ulu .	200	615.05	613 30	\$13.45	\$15 A6	\$12.29	\$15.85	\$15.76	\$15.54	\$12.61
NHC - 1st		20170	\$11.35	\$9.59	\$9.63	\$11.36	\$8.80	\$11.35	\$11.28	\$11.13	\$9.03
NHC - AGG											
DADK EIRED											
Version 1000 6/2/00											

BELLSOUTH/e.spire RATES
NETWORK ELEMENTS
AND OTHER SERVICES

			AND OTHER SERVICES	S							
ᆱ	DESCRIPTION	nsoc	AL	7	ΑĐ	¥	5	WS	Š	သွ	N.
e e	Per four fiber strands, per route mile or fraction thereof, per month	1L5DF	\$59.84	\$55.35	\$44.22	\$64.64	\$65.29	\$70.35	\$49.88	\$72.45	\$52.67
	NRC · Per each four-fiber dark fiber arrangement · 1st	1L5DF	\$2,518.66	\$1,715.61	\$1,355.29	\$2,304.00	\$1,685.19	\$2,389.99	\$2,277.00	\$2,406.00	\$1,672.44
	NRC - Per each four-liber dark liber arrangement - Add'i	1LSDF	\$835.08	\$622.68	\$273.69	\$740.93	\$580.11	\$804.32	\$733.08	\$765.30	\$509.09
	Where the state Commission has adopted rates for the rate elements containedherein, it is the intent of the Parties to reflect such rates in thisExhibit and to apply the same consistent with applicable FCC and Commissionrules and orders.										

BELLSOUTH/6.spire RATES NETWORK ELEMENTS AND OTHER SERVICES

International Companying			8	AND OTHER SERVICES	CES							
Proper 4 E. 9)   Proper 6 E. 9)   Proper 6 E. 9)   Proper 6 E. 9)   Proper 7 E. 9)   Proper 9 E. 9)   Prop	2	SCRIPTION	nsoc	Ą	<b>F</b>	GA	K	LA	MS	SC	သင	Z
STATE FORTY   LEFLY   This LISCO to be used for Underfined Loop when ordering Loop/Port Combinations   LEFLY   This LISCO to be used for Underfined Loop when ordering Loop/Port Combinations   LEFLY   This LISCO to be used for Local Number Portablely when ordering Loop/Port Combinations   LEFLY   This LISCO to be used for Local Number Portablely when ordering Loop/Port Combinations   LEFLY   This LISCO to be used for Local Number Portablely when ordering Loop/Port Combinations   LEFLY   This LISCO to be used for Local Number Portablely when ordering Loop/Port Combinations   LEFLY   This LISCO to be used for Local Number Portablely when ordering Loop/Port Combinations   LEFLY   This LISCO to be used for Local Number Portable   LEFLY   This LISCO to be used for	2	UNDLED LOOP COMBINATIONS										
State Detail   UFPCX   The USOC to be used for Unburnded Loop when ordering Loop*Port Combination		Late of the Complement of the A. F.										
Figure   F		Indied Looping to Combinations (1908s 1 & 0)										
FOUNDES DNE PER PORT)	$\Box$	UNBUNDLED LOOP BILLING USOC (REQUIRES ONE PER PORT)	UEPLX	This USOC to	be used for t	Inbundled Loop v	when ordering	Loop/Port Cor	nbination			
Parketine Perf.   Parketine		LOCAL NUMBER PORTABILITY (REQUIRES ONE PER PORT)	LNPCX	This USOC to	be used for L	ocal Number Por	tability when c	ordering Loop/	Port Combinati	ons		
Particular   Par		A C C B MP & L DallS and Darlow										
View Force Grade Loop with 2-West Line Port Combination - State State	Ē .	1 / Top a Move in Bellsoun Region										
Vive Grade Lopp mily With the Port Combination - School Bill Bill Sissis NA 512.99 NA	3	Customers with less than 4 DS0 Equivalent										
Were Overe Grade Loop mily Where Lee Port Competent Code and East Code Loop will a Wile Lee Port Competent Code Code Loop will a Wile Lee Port Competent Code Code Loop will a Wile Lee Port Competent Code Code Loop will a Wile Lee Port Competent Code Code Loop will a Wile Lee Port Competent Code Code Loop will a Wile Lee Port Competent Code Code Loop will a Wile Lee Port Competent Code Code Loop will a Wile Lee Port Competent Code Loop will a Wile Lee Port Competent Code Code Loop will a Wile Lee Port Competent Code Loop will a Wile Vole Code Loop will a Wile Lee Port Lee Port Competent Code Loop will a Wile Lee Port Wile Lee Port Lee Port Competent Code Loop will a Wile Lee Port Wile Lee Port Lee Port Competent Code Loop will a Wile Lee Port Wile Lee Port Lee Port Competent Code Loop will a Wile Lee Port Wile Lee Port Lee Port Competent Code Loop will a Wile Lee Port Wile Lee Port Lee Port Competent Code Loop will a Wile Lee Port Competent Code Loop will a Wile Lee Port Competent Code Loop will a Wile Lee		e Port		3000		03 03	<b>AM</b>	£18.60	\$16.71	ΥN	\$20.71	YZ
Wee vote clase Loop with 2 miles   Section   Name		RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 1 (Note 6)	180	\$10.33	Y Z	\$14.26	Y X	\$26.69	\$21.45	٧Z	\$29.35	ΥN
Vive Group   Vive Control Log   Vive   Vi	Т	RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, 20ne 2, (Note b)	OBT CHARLE	\$44.44	¥Z	\$21.62	Ą	\$51.85	\$29.75	ΑN	\$37.68	ΥN
Wile Vice Code Loop Zone 1         UEPTX         \$19.04         \$17.00         \$10.00         \$10.00         \$14.07         \$17.00           Wile Vice Code Loop Zone 2         UEPTX         NA         \$10.00         \$10.00         \$20.11         \$20.50         NA         \$20.50           Wile Vice Code Loop Zone 2         UEPTX         NA	T	DC 2 With Voice Grade Loop with 2 Wire Line Port Zone 4 (Note 6)	180	Ϋ́	¥	¥	NA	Ϋ́	\$38.59	¥2	¥	¥
Wile Voted Grade Loopy His Port Combination - Excitation State Stat	Т	RC - 2. Wire Voice Grade Loop - Zone 1	UEPLX	\$19.04	\$17.00	\$10.80	\$20.00	\$14.05	\$14.59	\$14.27	\$17.02	00.8T&
Wile Vote Grade Loop. Table 1 Light X NA		RC - 2- Wire Voice Grade Loop - Zone 2	UEPLX	Y Z	Y Z	\$12.47	Y S	\$24.14	\$19.33	4 2	00.024	Z Z
Wite Voice Grade Loop Line Port Combination - 1st, with change   USACC   \$10.00   \$1	П	RC · 2· Wire Voice Grade Loop · Zone 3	UEPLX	¥ ×	Y AN	AN AN	Z Z	Y Y	\$36.47	Š	¥Z	¥Z
Exercise Section (1970)  Strong Section (1970		RC - 2- Wire Voice Grade Loop - Zone 4	720	2								
Character Grade Loop/Live Port Combination - State Active Active Grade Loop/Live Port Combination - State Active Active Active Active Grade Loop/Live Port Combination - State Active Active Active Grade Loop/Live Port Combination - State Active Active Active Grade Loop/Live Port Combination - State Active Active Grade Loop With 2-Were Liv	T	BC - Exchange Port - 2-Wire Line Port	180	\$2.07	\$2.00	\$1.79	\$2.61	\$2.20	\$2.11	\$2.19	\$2.35	21.90
State   Use Grade Loop/Line Port Combination - State   Usacc   State		NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, with change	USACC	\$10.00	\$10.00	\$2.01	\$10.00	\$10.00	\$10.00	\$2.77	\$10.00	20.00
2.Vive Voice Grade Loop Line Port Combination - Incremental Cost - SOMAN S10.00 \$10.00	T	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add'l, with change	USACC	\$10.00	\$10.00	\$0.3108000	210.00	210.00	\$10.00	52.40	2000	\$10.00
2-Were Voice Grade Loop/Line Port Combination - Subsequent Database - TBD		NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, no change	USACZ	20.00	\$10.00	\$2.01 \$0.3108000	200	21000	\$10.00	\$0.40	\$10.00	\$10.00
For the Voice Grade Loop Line Port Combination - Subsequent Database	1	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add I, 10 Change	USASC	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00
Second	1	INHC - 2-Wife Voice Grade Loop/Line Port Componention Geographics (MRC - 2-Wife Voice Grade Loop/Line Port Combination OSS LSR Charge, Electronic part of a pecked from the CI EC by one of the OSS Inferactive							•			
EWIRE Voice Grade Loop/Line Port Combination - Incremental Cost - Soul Native Voice Grade Loop/Line Port Combination - Incremental Cost - Soul Native Voice Grade Loop/Line Port Combination - Incremental Cost - Soul Native Voice Grade Loop/Line Port Combination - Incremental Cost - Soul Native Voice Grade Loop/Line Port Combination - Subsequent Database		interfaces	SOMEC	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
2.Wire Voice Grade Loop/Line Port Combination - Incremental Cost - SOMAN         SOMAN         \$19.99         \$19.99         NA         R19.99         \$19.99         NA         NA         NA         NA         NA         NA         NA         S19.99         NA         \$19.99         NA         \$19.99         S19.99         NA         \$19.99         NA         \$19.99         NA         \$19.99         NA         S19.99         NA         S19.99         NA         \$19.99         NA         \$19.99         NA         \$19.99         NA         \$19.99         NA         \$19.99         NA         \$19.99         NA		NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual Sur Ordanse Electronic - 1st	SOMAN	<b>₹</b>	¥ Z	\$33.67	Ϋ́	¥	ΥN	\$40.18	Ϋ́	¥
SOMAN   STIGNED   SOMAN   STIGNED   SOMAN   STIGNED   STIGNED   NA   STIGNED   STIGNED   NA   NA   NA   NA   NA   NA   NA   N	T	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost -		:	4	67 00	¥N	42	¥.	\$9.45	¥	¥
State Conders Electronic		Manual Svc. Order vs. Electronic - Add"l	SOMAN	4	2	00.79	5					
Wire Voice Grade Loop Line Port Combination - Subsequent Database TBD NA NA NA NA NA NA NA S13.26 NA S14.2 NA S10.27 NA S10.27 ST S14.2 NA S14.2 NA S10.27 ST S14.2 NA		Manual Svc.Order vs. Electronic	SOMAN	\$19.99	\$19.99	Ϋ́	\$19.99	\$19.99	\$19.99	¥Z	\$19.99	818.88
Wire Voice Grade Loop/Line Port Combination - Subsequent Database         TBD         NA         NA         NA         NA         St.0.27         NA           • · Manual Service Order         • Manual Service Order         • Wire Voice Grade Loop with 2 - Wire Line Port         • TBD         NA         NA <td></td> <td>NRC. 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Undate - Factionic</td> <td>180</td> <td>A A</td> <td>Ą</td> <td>V</td> <td>ΑN</td> <td>٧</td> <td>AN A</td> <td>\$1.42</td> <td>NA</td> <td>AN A</td>		NRC. 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Undate - Factionic	180	A A	Ą	V	ΑN	٧	AN A	\$1.42	NA	AN A
Voice Grade Loop with 2 - Wire DID Trunk Port         TBD         NA         NA <th< td=""><td>1</td><td>NRC: 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Manual Service Order</td><td>TB0</td><td>¥.</td><td>¥</td><td>ΝΑ</td><td>¥</td><td>¥</td><td>٩</td><td>\$10.27</td><td>Ϋ́</td><td>¥Z</td></th<>	1	NRC: 2 Wire Voice Grade Loop/Line Port Combination - Subsequent Database Update - Manual Service Order	TB0	¥.	¥	ΝΑ	¥	¥	٩	\$10.27	Ϋ́	¥Z
Vice Order Grade Loop with 2- Wire Line Port - 1st         TBD         NA		o min Value Contain and the Olive Did Trunk Bod										
2. Wire Voice Grade Loop with 2. Wire Line Port - 1st TBD NA NA NA NA NA NA NA SF3.96 NA SF3.99 NA SF3.96 NA SF3.96 NA SF3.96 NA SF3.96 NA SF3.99 NA SF3.96 NA SF3.96 NA SF3.96 NA SF3.96 NA	Т	2- Wire Voice Grade Loop Will 2 - Wire Lib Hour Ford	TBD	Ϋ́	¥Z	Y.	AN	¥	٧	\$23.79	¥ Z	¥
2. Wire Voice Grade Loop with 2. Wire Line Port - Addi TBD NA NA NA NA NA NA NA S53.89 NA SOlder - Use Loop with 2. Wire Line Port - Incremental Cost- Manual TBD NA S11.34 NA SOlder - Addi Solder - A	T	NRC. 2. Wire Voice Grade Loop with 2. Wire Line Port - 1st	TBD	Ϋ́	Ν	Ϋ́	٧V	¥ Z	¥	\$13.26	¥	¥.
2- Wire Voice Grade Loop with 2- Wire Line Port - Incremental Cost- Manual  2- Wire Voice Grade Loop with 2- Wire Line Port - Incremental Cost- Manual  3- Wire Voice Grade Loop with 2- Wire Line Port - Incremental Cost- Manual  3- Wire Voice Grade Loop with 2- Wire Line Port - Incremental Cost- Manual  3- Wire Voice Grade Loop with 2- Wire Line Port - Incremental Cost- Manual  3- Wire Voice Grade Loop with 2- Wire Line Port - Incremental Cost- Manual  3- Wire Voice Grade Loop with 2- Wire ISDN Digital Port  3- Wire Voice Grade Loop with 2- Wire ISDN Digital Port  3- Wire Voice Grade Loop with 2- Wire ISDN Digital Port  3- Wire Voice Grade Loop with 2- Wire ISDN Digital Port  3- Wire Voice Grade Loop with 2- Wire ISDN Digital Port		NRC. 2. Wire Voice Grade Loop with 2. Wire Line Port - Addl		Ϋ́	¥	¥	AN	¥ Z	¥2	<b>88</b> .36	4 2	4
2. Wire Voice Grade Loop with 2. Wire Line Port - Incremental Cost- Manual TBD NA NA NA NA NA NA NA S11.34 NA NA SOlder - Addl SOlder - Addl Sign Digital Grade Loop with 2-wire ISDN Digital Port COMP	1	NRC. 2. Wire Voice Grade Loop with 2. Wire Line Port - Incremental Cost- Manual Service Order - 1st		NA	Y V	Ϋ́	N A	AN.	¥	\$53.89	Ϋ́	A Z
JSDN Digital Grade Loop with 2-wire ISDN Digital Port		NRC. 2. Wire Voice Grade Loop with 2. Wire Line Port - Incremental Cost- Manua Service Order - Addl		Y Y	Ā	¥ N	Y Y	A N	¥N.	\$11.34	ΑΝ	¥Z
SON Digital Grade Loop with 2-wire ISDN Digital For	IT	to distance and the second sec										
	3 2	OD Filelolder									LOOP-PORT	COMBOS

BELLSOUTH'S.spire RATES
NETWORK ELEMENTS
AND OTHER SERVICES

		AND	AND OTHER SERVICES	ES							
2	NOILEIGE	nsoc	Ą	교	<b>GA</b>	KY	Z	MS	Ş	သွ	N.
1	DESCRIPTION   Division   Control   C	USL2X	\$19.08	\$19.08	\$19.08	\$19.08	\$19.08	\$19.08	\$19.08	\$19.08	\$18.32
1	D. Evchana Dot - 2. Wire ISDN I in Side Port	UEPPB	\$24.37	\$24.37	\$24.37	\$24.37	\$24.37	\$24.37	\$24.37	\$24.37	\$15.72
$^{\dagger}$	IRC: 2:Wire ISDN Digital Grade Loop with 2:wire ISDN Digital Port	TBD	NA	ΝA	ΨN	ΝA	¥.	Ϋ́	\$43.45	Y X	¥Z
1	NRC - 2-Wire ISDN Diotial Grade Loop/2-wire ISDN Digital Port - 1st conversion	USACB	\$174.35	\$174.35	\$174.35	\$174.35	\$174.35	\$174.35	\$174.35	\$174.35	\$117.23
	NDC - 3-Wire ISDN Dieital Grade Lono/2-wire ISDN Digital Port - Add'I conversion	USACB	\$174.35	\$174.35	\$174.35	\$174.35	\$174.35	\$174.35	\$174.35	\$174.35	\$117.23
	NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Non Feature Subsequent Activity	USASB	\$286.15	\$286.15	\$286.15	\$286.15	\$286.15	\$286.15	\$286.15	\$286.15	\$212.88
T											
	4-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port	IICI AD	<b>CE</b> 2 71	<b>C</b> E2 71	\$62.71	\$62.71	\$62.71	\$62.71	\$62.71	\$62.71	\$61.74
#	RC - 4-Wire ISDN Digital Grade Loop RC - Fychange Port - 4-Wire ISDN Digital Trunk Port	UEPPP	\$179.01	\$179.01	\$179.01	\$179.01	\$179.01	\$179.01	\$179.01	\$179.01	\$73.62
1	NRC - 4-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Trunk Port Combination 1st Connection	USACP	\$481.51	\$481.51	\$481.51	\$481.51	\$481.51	\$481.51	\$481.51	\$481.51	\$328.53
	NRC - 4-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Trunk Port	USACP	\$481.51	\$481.51	\$481.51	\$481.51	\$481.51	\$481.51	\$481.51	\$481.51	\$328.53
İ	Combination - Subsequent Channel Activity - Per Channel	USASP	\$36.92	\$36.92	\$36.95	\$36.92	\$36.92	\$36.92	\$36.92	\$36.92	\$28.39
	NRC - 4-Wire ISDN Digital Grade Loop/4-wire ISDN Digital Trunk Port Combination - Subsequent Inward2-way Telephone Numbers	PR7TG	\$1.17	\$1.17	\$1.17	\$1.17	\$1.17	\$1.17	\$1.17	\$1.17	\$0.94
	NICC - 4. Wire ISDN Digital Grade Loop/4-wire ISDN Digital Trunk Port	PR7TP	\$28.17	\$28.17	\$28.17	\$28.17	\$28.17	\$28.17	\$28.17	\$28.17	\$22.36
	NITC -4-Wire ISDN Digital Conditions of the ISDN Digital Trunk Port Combination - Subsectional Inward Telephone Numbers	PR7ZT	\$56.33	\$56.33	\$56.33	\$56.33	\$56.33	\$56.33	\$56.33	\$56.33	\$44.71
	NRC - 4 Wire ISDN Digital Grade Loop/4 wire ISDN Digital Trunk Port Combination - Subsequent Service Order Per Order	USASP	\$255.25	\$255.25	\$255.25	\$255.25	\$255.25	\$255.25	\$255.25	\$255.25	\$189.76
	4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port	TBD	ĄN	ĄZ	Ϋ́	Ϋ́	AN	¥	\$241.72	NA	Ϋ́
	RC - 4 - Wire US1 Urgital Loop with 4 - Wire ISUN US1 Digital Hunk For				1	2	42	Ą	\$481.51	N A	¥ Z
$\downarrow$	NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port - 1st	180	Y.	¥2	Š	£ :				3	
	NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port - Addl	TBD	ΑN	ΨN	Y.	¥	¥	¥	16.187	¥2	Ž
	NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port - Subsequent Channel Activation - Per Channel	180	٧	N	NA	¥	۸A	¥	\$36.92	¥2	<b>A</b> N
	NRC-4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port -	TBD	Y V	¥ Z	¥ Z	¥ Z	V.	A A	\$1.17	Y V	¥
1_	Subsequent invaluezeraj respirante remonare. NGC 4. Ville DS1 Digital Loop with 4. Ville ISDN DS1 Digital Trunk Port -	180	¥ Z	Ą	A.	¥	Ϋ́	Ą	\$28.17	Ϋ́	٧V
$\perp$	NGC 4 - Wite DSI Digital Copy with 4 - Wire ISDN DS1 Digital Trunk Port - Caboound Inward Elephone Numbers	180	¥	¥	Y.	¥ Z	¥2	¥ Z	\$56.33	¥.	¥Z
	NDC-4-Vitre DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port Subsequent Service Order Per Order	180	ΑN	Ą	A N	4	ž	¥Z	\$255.25	ΨZ.	Ψ
$\Box$											
7	4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port	TBO	AN	AN	Ϋ́	٧×	۸	٧	\$186.23	٩	¥
1	NC - 4 - Wire DS1 Digital Loop with 4 - Wire DID Trunk Port - 1st	180	¥	NA	ΑΝ	ΑN	¥ V	Y V	\$490.38	¥	ď Z
-	NDC 4 Wise DS1 Divital I con with 4 · Wire ISDN DS1 Digital Trunk Port · Addl	180	¥.	¥ Z	٧	N	Ą	Y Y	\$490.38	YZ	¥.
-	NRC 4 · Wire DS1 Digital Loop with 4 · Wire DIDTrunk Port · Subsequent	180	A'A	Z A	¥	A A	Ą	Š	\$146.91	٧	Y Y
7	Charmel Activation - rej Originasi										

LOOP PORT COMBOS

BELLSOUTIVE.spire RATES NETWORK ELEMENTS AND OTHER SERVICES

ł		ANG	AND OTHER SERVICES	ES							
د	DESCRIPTION	nsoc	AL	£	ВA	Κ	4	MS	SC.	သင	ĸ
	NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port - Subsequent Telephone Numbers	180	Š	N A	Ϋ́	V V	Ϋ́	¥ Z	\$120.96	V V	NA
	NRC -4 - Wire DS1 Digital Loop with 4 - Wire ISDN DS1 Digital Trunk Port - Subsequent Signaling Changes	180	N.	Ϋ́	Ϋ́	ΑN	Ϋ́	Ą	\$29.65	NA	NA
	NRC .4 · Wire DS1 Digital Loop with 4 · Wire ISDN DS1 Digital Trunk Port - Subsequent Service Order Per Order	TBD	NA	۷A	ΑN	NA A	٧V	۷¥	\$127.63	ΝΑ	NA
	C. categories with A or grove DCO Excellent										
	2-Wire Voice Grade Loop with 2-Wire Line Port	180	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
	All Other Loop/Port Combinations	180	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN	TBN
	Not Combland										
$\pm$	Customers with less than 4 DS0 Equivalent										
Н	2-Wire Voice Grade Loop with 2-Wire Line Port										
$\pm$	RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 1 (Note 6)	180	¥ .	Y S	Y S	¥ 2	¥ ×	¥ ×	4 ×	¥ ×	4 2
$\pm$	HC - 2-Wire Voice Grade Loop with 2-Wire Line Port, 20fe 2 (Note 6)	Car	V V	42	42	2	42	Q Z	Y Y	¥ Z	Y Z
$\pm$	RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 4 (Note 6)	180	¥ Z	Ϋ́	Ϋ́	Š	ž	Š	Ą	ΝA	٧×
上	RC - 2. Wire Voice Grade Loop	UEPLX	\$19.04	\$17.00	\$12.55	\$20.00	\$19.35	\$21.26	\$14.27	\$22.49	\$18.00
Ł	RC · Exchange Port · 2·Wire Line Port	180	\$14.00	\$14.00	\$1.79	\$14.00	\$14.00	\$14.00	\$14.00	\$14.00	\$14.00
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, with change	USACC	Note 3	Note 3	\$2.01	Note 3					
$\exists$	NRC · 2-Wire Voice Grade Loop/Line Port Combination · Add'l, with change	USACC	Note 3	Note 3	\$0.3108000	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
$\exists$	NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, no change	USAC2	Note 3	Note 3	\$2.01	Note 3					
$\exists$	INRC - 2-Wire Voice Grade Loop/Line Port Combination - Add1, no change	USAC2	Note 3	Note 3	\$0.3108000	Note 3	Note 3	Note 3	NOIB 3	NOIB 3	Nois 3
$\pm$	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent NBC - 3-Wire Voice Grade Loop/Line Port Combination - Incremental Cost	USASC	\$10.00	\$10.00	\$10.00	00.0L\$	\$10.00	\$10.00	\$10.00	910.00	310.00
	Manual Svc.Order vs. Electronic - 1st	TB0	Note 3	Note 3	\$33.67	Note 3					
<u> </u>	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual Svc.Order vs. Electronic - Add'l	1BO	Note 3	Note 3	\$7.88	Note 3					
$\vdash$											
Н	2-Wire ISDN Digital Grade Loop with 2-wire ISDN Digital Port										
$\exists$	RC - 2-Wire ISDN Digital Grade Loop	USL2X	\$19.08	\$19.08	\$19.08	\$19.08	\$19.08	\$19.08	\$19.08	\$19.08	\$18.32
$\pm$	RC - Exchange Port - 2-Wire ISDN Line Side Port	UEPPB	\$24.37	\$24.37	\$24.37	\$24.37	\$24.37	\$24.37	324.37	\$24.3/	2/:014
	NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - 1st conversion	USACB	\$174.35	\$174.35	\$174.35	\$174.35	\$174.35	\$174.35	\$174.35	\$174.35	\$117.23
	NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Add1 conversion	USACB	\$174.35	\$174.35	\$174.35	\$174.35	\$174.35	\$174.35	\$174.35	\$174.35	\$117.23
	NRC - 2-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Port - Non Feature Subsequent Activity	USASB	\$286.15	\$286.15	\$286.15	\$286.15	\$286.15	\$286.15	\$286.15	\$286.15	\$212.88
$\pm$	4-Wire ISDN Digital Grade Long with 2-wire ISDN Digital Port										
$\pm$	RC - 4-Wire ISON Diotal Grade Loop	USL4P	\$62.71	\$62.71	\$62.71	\$62.71	\$62.71	\$62.71	\$62.71	\$62.71	\$61.74
$\perp$	RC - Exchange Port - 4-Wire ISDN Digital Trunk Port	UEPPP	\$179.01	\$179.01	\$179.01	\$179.01	\$179.01	\$179.01	\$179.01	\$179.01	\$73.62
	NRC - 4-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Trunk Port Combination - 1st conversion	USACP	\$481.51	\$481.51	\$481.51	\$481.51	\$481.51	\$481.51	\$481.51	\$481.51	\$328.53
<u> </u>	NRC - 4-Wire ISDN Digital Grade Loop/2-wire ISDN Digital Trunk Port	USACP	\$481.51	\$481.51	\$481.51	\$481.51	\$481.51	\$481.51	\$481.51	\$481.51	\$328.53
$\pm$	Combination - Subsequent Channel Activity - Per Channel	USASP	\$36.92	\$36.95	\$36.92	\$36.92	\$36.92	\$36.92	\$36.92	\$36.92	\$28.39
	NRC - 4 Wire ISDN Digital Grade Loop/4 wire ISDN Digital Trunk Port Combination - Subsequent Inward/2 way Telephone Numbers	PR7TG	\$1.17	\$1.17	\$1.17	\$1.17	\$1.17	\$1.17	\$1.17	\$1.17	\$0.94
1											

LOOP-PORT COMBOS

BELLSOUTWe.spire RATES NETWORK ELEMENTS AND OTHER SERVICES

E		₹	AND OTHER SERVICES	ICES							
	DESCRIPTION	OSOC	AL	교	<b>₽</b> 5	¥	2	MS	S	သ	Z
	INHC - 4-Wire ISDN Digital Grade Loop/4-wire ISDN Digital Trunk Furl Combination - Subsequent Outward Telephone numbers	PR7TP	\$28.17	\$28 17	£28 17	<b>6</b> 28 17	<b>€</b> 28 17	€28 17	6.30 1.1	100	JC 00#
	NRC - 4-Wire ISDN Digital Grade Loop/4-wire ISDN Digital Trunk Port					- 07	650.17	\$20.17	\$40.17	\$28.17	\$22.30
$\pm$	NRC: 4-Wire ISDN Digital Grade Loop/4-wire ISDN Digital Trunk Doct	PH721	\$56.33	\$56.33	\$56.33	\$56.33	\$56.33	\$56.33	\$56.33	\$56.33	\$44.71
	Combination - Subsequent Service Order Per Order	USASP	\$255.25	\$255.25	\$255.25	\$255.25	\$255.25	\$255.25	\$255.25	\$255.25	\$189.76
1	All Other I combant Combinations	dat									
$oldsymbol{oldsymbol{eta}}$		l BD	NO.	NO.	Note 2	1BN	18N	18N	TBN	TBN	TBN
Н	Customers with 4 or more DS0 Equivalent										
$\pm$	2-Wire Voice Grade Loop with 2-Wire Line Port	TBD	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
$\pm$	All Other Loop/Port Combinations	TRO	Nat	TOX	TOT	101	1				
Ы		3	20			NO.	202	NS I	282	NB	1BN
¥	All other MSAs in BellSouth Region										
١	2-Wire Volce Grade Loop with 2-Wire Line Dort										
L	RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 1 (Note 6)	CBT	AN A	ΨN	ΨN	ΨN	A IV	414		414	
	RC · 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 2 (Note 6)	180	¥	Y X	AN	Y Z	42	Z Z	Y Z	¥ 2	¥ :
$\exists$	PC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 3 (Note 6)	TBD	ΑN	ĄZ	Ϋ́Α	Ž	Ą	Y V	Z Z	42	2 2
1	RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 4 (Note 6)	180	Ϋ́	ΑN	ΑN	ž	Y.	Ą	AN	Y A	42
$\perp$	RC - 2. Wire Voice Grade Loop	UEPLX	\$19.04	\$17.00	\$12.55	\$20.00	\$19.35	\$21.26	\$14.27	\$22.49	218 00
$\perp$	RC - Exchange Port - 2-Wire Line Port	180	\$2.07	\$2.00	\$1.79	\$2.61	\$2.20	\$2.11	\$2.19	\$2.35	21.90
$\exists$	NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, with change	USACC	\$10.00	\$10.00	\$2.01	\$10.00	\$10.00	\$10.00	\$2.77	\$10.00	\$10.00
$\frac{1}{2}$	NHC - 2-Wire Voice Grade Loop/Line Port Combination - Add't, with change	USACC	\$10.00	\$10.00	\$0.3108000	\$10.00	\$10.00	\$10.00	\$0.40	\$10.00	\$10.00
$oldsymbol{oldsymbol{oldsymbol{eta}}}$	NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, no change	USAC2	\$10.00	\$10.00	\$2.01	\$10.00	\$10.00	\$10.00	\$2.77	\$10.00	\$10.00
$oxed{I}$	NHC - 2-Wire Voice Grade Loop/Line Port Combination - Add'l, no change	USAC2	\$10.00	\$10.00	\$0.3108000	\$10.00	\$10.00	\$10.00	\$0.40	\$10.00	\$10.00
$\pm$	MPC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent	USASC	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00
	Electronic, per LSR received from the CLEC by one of the OSS interactive										
$\exists$	interfaces	SOMEC	\$3.50	\$3.50	.\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
	NRC · 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost · Manual Sur Order ve Electronic . 1et	4	3								
F	INRC - 2-Wire Voice Grade Loop ine Port Combination - Incremental Cost	180	ΥN	¥Z	\$33.67	¥	¥Z	٧×	\$40.18	٧	NA NA
	Manual Svc. Order vs. Electronic - Add'i	TBD	Š	Ž	\$7.88	X V	Ą	Ą	<b>C</b> 0 45	8	4
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Incremental Cost - Manual Svc.Order vs. Electronic	SOMAN	\$19.99	\$19.99	<b>A</b> V	\$19.99	\$10.00	9001	42	9	8
								200		613.33	919:99
7	All Other Loop/Port Combinations	TBD	TBN	TBN	Note 2	TBN	TBN	TBN	TBN	TBN	TBN
Ž	Not Currently Combined										
F	2-Wire Voice Grade Loop with 2-Wire Line Port										
П	RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 1 (Note 6)	TBD	Ϋ́	ΨN	ĄZ	<b>A</b> Z	42	4N	4N	414	
$\exists$	RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 2 (Note 6)	180	Ϋ́	¥	ΑN	Ž	Y X	2	Y Y	Y Y	Y Y
7	RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 3 (Note 6)	TBD	NA	AN	AN	ΥN	ž	¥	¥.V	V V	Z Z
1	RC - 2-Wire Voice Grade Loop with 2-Wire Line Port, Zone 4 (Note 6)	TBD	ΑN	NA	NA	٧N	AN	¥	Ϋ́	¥	Ž
7	HC - 2. Wire Voice Grade Loop	UEPLX	\$19.04	\$17.00	\$12.55	\$20.00	\$19.35	\$21.26	\$14.27	\$22.49	\$18.00
$\mp$	HC · Exchange Port · 2-Wire Line Port	TBD	\$14.00	\$14.00	\$1.79	\$14.00	\$14.00	\$14.00	\$14.00	\$14.00	\$14.00
1	NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, with change - Res	UEPAL	\$90.00	\$90.00	\$59.70	\$90.00	\$90.00	\$90.00	\$90.00	\$90.00	\$90.00
$\Rightarrow$	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Add1, w/change - Res	UEPRIL	\$41.50	\$41.50	\$59.70	\$41.50	\$41.50	\$41.50	\$41.50	\$41.50	241.50

Version 1 000 6 5000 7/7/00 Filefolder

LOOP-PORT COMBOS

DECOMMENT		<b></b>	BELLSOUTH'6.spire RATES NETWORK ELEMENTS AND OTHER SERVICES	I'N RATES MENTS RVICES						Rai	Attachment 2 Exhibit C Rates - Page 35
NOI JUNE		OSOC	¥								
NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, with change - Bus	h change - Bus	10031			ğ	≱	5	MS	Ş	သွ	Y.
NRC : 2-Wire Voice Grade Loop/Line Port Combination - Addil w/change	Change D		\$30.00	\$90.00	\$59.70	\$90.00	\$90.00	\$90.00	\$90.00	\$90.00	00.06\$
E TORK LIGHTLE	wendinge - Bus	UEPBL	\$41.50	\$41.50	\$59.70	\$41.50	\$41.50	\$41.50	\$41.50	\$41.50	2
NRC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, no change -Res	change -Res	UEPAL	\$90.00	\$90.00	\$59.70	2008		9			
INHC - 2: Wire Voice Grade Loop/Line Port Combination - Add1, no change - Res	o change - Res	UEPAL	\$41.50	\$41.50	\$59.70	2.5	-	930.06	\$90.00	\$90.00	\$90.00
NHC - 2-Wire Voice Grade Loop/Line Port Combination - 1st, no change - Bus	change - Bus	UEPBL	\$90.00	\$90.00	\$59.70	\$90.00	-	\$90.00	22 22 33 35 35 35 35 35 35 35 35 35 35 35 35	241.50	\$41.50
NRC - 2-Wire Voice Grade LoopLine Port Combination - Add't, no change - Bus NRC - 2-Wire Voice Grade LoopLine Port Combination - Subsequent NRC - 2-Wire Voice Grade I onn't ins Port Combination - Subsequent	change - Bus uent	UEPBL	\$10.00	\$41.50	\$59.70	\$41.50	\$41.50	\$41.50	\$41.50	24150	24.50
Manual Svc. Order vs. Electronic - 1st	ntal Cost -	180	Note of the		9	00.01	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00
Manual Svc.Order vs. Electronic - Add'i	ntal Cost -	TBD	Note 3	Note 3	\$33.67	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
All Other Loop/Port Combinations				CBO	98.76	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
		OBI	1BN	TBN	Note 2	TBN	TBN	TBN	TBN	TBN	NBL
MARKET RATES (INCLUDING ALL VERTICAL FEATURES)						+					
Currently Combined											
2-Wire Analog Line Port (Res., Bus.), per month		COL									
Analog Loop, per month		IFPI X	\$14.00	\$14.00	\$14.00	\$14.00	\$14.00	\$14.00	3		
NRC - 2. Wire Voice Grade 1		180	2150	217.00	Ϋ́	\$20.00	\$19.35	\$21.26	NAN PAR	\$14.00	\$14.00
NRC - 2-Wire Voice Grade Loop/ ine Port Combination - Subsequent	ent	USASC	\$10.00	\$10.00	25.50	\$41.50	\$41.50	\$41.50	\$41.50	\$41.50	218.00
Electronic, per LSR received from the CLEC by one of the OSS interactive	Charge,			200	0.016	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00
NRC - Incremental Manual Service Octor		SOMEC	\$3.50	63.50	£						
NRC - Incremental Manual Service Order Disconnect		SOMAN	\$19.99	\$19.99	\$19.90	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
		T80	\$20.00	\$20.00	\$20.00	\$20.00	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99
Not Currently Combined							960.00	950.00	\$20.00	\$20.00	\$20.00
2-Wire Analog Line Port (Res., Bus.), per month	-	TBD	90,713								
NRC NIGHT LOOP, per month		UEPLX	21978	\$14.00	\$14.00	\$14.00	\$14.00	\$14.00	\$14.00	200	
NAC - 2-Wire Voice Grade Local in Bod C.		TBD	290.00	800	V S	\$20.00	\$19.35	\$21.26	¥	\$22.40	214.00
NAC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent	= 0	USASC	\$10.00	\$10.00	\$10.00	20000	\$90.00	\$90.00	\$90.00	\$90.00	2000
Electronic, per LSR received from the CLEC by one of the OSS interactive interfaces	cnarge, active				8	910.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00
NRC - Incremental Manual Service Order		SOMEC	\$3.50	\$3.50	\$3.50	63.50	5				
NOTES.		SOMAN	\$19.99	\$19.99	\$19.99	\$19.99	\$ 19.90	\$3.50	\$3.50	\$3.50	\$3.50
		3	950.00	\$20.00	\$20.00	\$20.00	\$20.00	\$20.00	\$20.00	82000	\$19.99
In the absence of ordered rates by a State Commission, the rates for Currently Combined combinations of loop and port network elements will he the comment of the comment o	r Currently										00.00
stand alone recurring rates of the UNEs which make up the combinations.	sum of the ions.										
			-			1					

Version 1000 6/5/00 7/7/00 Filefolder

LOOP PORT COMBOS

BELLSOUTWO.spire RATES
NETWORK ELEMENTS
AND OTHER SERVICES

Attachment 2 Exhibit C Rates · Page 36

Ļ				25.0							
٥	DESCRIPTION	nsoc	AL	<u>н</u>	GA	¥	4	SIA S	Ş	SC	Z
	2 For Georgia, on an interim basis, for those currently combined port/loop combinations defined by the Georgia Public Service Commission as not currently combined, the non-recurring and recurring rates for such UNE combinations shall be the sum of the stand										
	3 Where BellSouth is not required to provide combinations of loop/port network elements, the rates for the 2-wire voice grade loop with 2-wire line port combination will be as follows: the recurring charges will be the sum of the stand- alone UNE loop rates										
Н											
	4 Usage and Common Transport rates associated with the stand-atone UNE port elements will apply to all combinations of loop/port network elements.										
_											
	5 The Extended Area Calling Plans set forth in the stand-alone UNE Port rates section will apply to combinations of the loop/port network elements.										
	Effective May 1, 2000 statewide rates will be replaced by Deaveraged Loop Rates by Zone where available. Until approximately December 31, 2000 or until such time that BellSouth billing systems have been developed to handle the new zone										
	rate structure, BellSouth will bill at the Zone 1 Deaveraged Loop rate level only.  After December 31, 2000 or such time that the billing systems have been developed to handle the new zone rate structure. BellSouth will begin billing.										
	6 pursuant to CLEC-1's interconnection agreement.							<u></u>			
	Where the state Commission has adopted rates for the rate elements containedherein, it is the intent of the Parties to reflect such rates in thisExhibit and										
	to apply the same consistent with applicable FCC and Commissionrules and orders.										

BELLSOUTHO.spire RATES
NETWORK ELEMENTS
AND OTHER SERVICES

DESCRIPTION	nsoc	AND OTHER SERVICES	VICES	48	Ž	•	NC	2	S	2
Unbundled Loop / Transport Combinations				5		5	P. F.	2	2	2
Enhanced Extended Link ("EEL")										
DOCAL DOCAL - ALMEAUT COMBINED										
Statewide	LIEALS	600 43	617.00	647.00	2000	4000	0000	20.254		
Zone 1 (Note 1)	180	AN	AN	\$15.40	NA NA	NAN	453.03	AN AM	\$26.25 NA	\$26.02
Zone 2 (Note 1)	180	ď	Ϋ́	\$17.78	¥	Y.	Ϋ́	Y X	Y N	2 2
Zone 3 (Note 1)	180	٩٧	ΑN	\$28.26	¥	¥	¥2	¥X	Y N	Y AV
Zone 4 (Note 1)	TBD	ΑN	Ϋ́	ΑN	Ϋ́	NA	ΝA	AN	Ą	¥ Z
1 ocal loop - 4-wire VG - per month										
Statewide	UEAL4	\$30.00	\$30.00	\$26.58	ΑN	\$31.52	£30 55	697.40	£3£ 8£	9
Zone 1 (Note 1)	TBD	Ϋ́	¥.	\$22.88	¥ X	AN	AN	NA NA	NA	90.01 V
Zone 2 (Note 1)	180	NA	Ϋ́	\$26.42	¥	¥	Ą	ž	Y.	Y X
Zone 3 (Note 1)	TBD	ΝA	NA	\$41.99	Ϋ́	ΨN	٧N	¥X	ž	Ž
Zone 4 (Note 1)	180	¥	Ϋ́	ΝΑ	ΑN	Ϋ́	۷	ΑN	Ϋ́	٧×
Local Loop · 56kbps · per month										
Statewide	NDL56	\$34.15	\$48.33	\$29.92	Š	\$35.58	\$34.95	\$32.67	\$41.70	\$42.23
Zone 1 (Note 1)	TBD	AN	Ϋ́	\$26.44	Ϋ́	¥	¥	Ϋ́	Y.	NA
Zone 2 (Note 1)	TBD	٧A	Ϋ́	\$30.53	Ϋ́	ΑN	Ϋ́	¥	Ϋ́	¥
Zone 3 (Note 1)	TBD	٧	AN	\$48.53	Ϋ́	ΑN	ΑN	٧	Ϋ́	¥
Zone 4 (Note 1)	180	Y Y	Ϋ́	NA	٧N	¥	Ϋ́	Ν	ΑN	AN
Local Loop - 64 Kops - per monin	-		3000	300						
Zone 1 (Note 1)	TES	10 m	M48.33	\$29.22	¥ :	\$35.58	\$34.95	\$32.67	27.70	\$42.23
Zone 2 (Note 1)	LEGIT CELL	42	Y Z	\$20.44	¥ ×	¥ S	≨:	Y S	¥:	¥:
Zone 3 (Note 1)	CBI	Y Y	Q Z	<b>CAR</b> 53	2	2 2	<b>X X X</b>	¥ 2	4 4	<b>4</b> 2
Zone 4 (Note 1)	182	Ϋ́	¥	Y.	¥	Y Y	Y X	YZ Y	Z Z	2 2
Local Loop - DS1 - per month										
Statewide	NSLXX	\$64.65	\$80.00	\$60.88	\$67.96	\$72.86	\$69.59	\$62.78	\$72.55	180
Zone 1 (Note 1)	TBD	٧	¥	\$52.40	NA	ΝA	٧V	٧	٧V	¥
Zone 2 (Note 1)	TBD	YN:	¥	\$60.51	¥	Ϋ́	¥	Ϋ́	٧A	¥
Zone 3 (Note 1)	180	Y .	¥.	\$96.18	¥	Y.	¥	Ϋ́	¥	ž
	001	¥2	4	Y.	ž	YN.	ΨN	YZ Z	¥	¥
Local Loop - DS3 - per Mile	1L5ND	\$43.96	\$40.01	\$29.96	\$43.69	\$36.98	\$54.39	\$32.53	\$56.71	\$30.53
Local Loop - DS3 - per Facility Termination	UE3PX	\$456.18	\$470.83	\$392.61	\$436.95	\$497.08	\$427.81	\$387.01	\$510.30	\$400.21
Local Loop - STS-1 - per Mile	1L5ND	\$43.96	\$40.01	\$29.96	\$43.69	\$38.98	\$54.39	\$32.53	\$56.71	\$30.53
Local Loop - STS-1 - per Facility Termination	UDLS1	\$456.18	\$470.83	\$392.61	\$436.95	\$497.08	\$427.81	\$387.01	\$510.30	\$400.21
Local Channel · Dedicated · 2-Wire VG per month	OLDV2	\$14.61	\$18.02	\$16.28	\$22.26	\$14.94	\$17.83	\$14.82	£16.83	\$19.00
				<u>}</u>	,			417.06	20.01	413.02
Local Channel - Dedicated - 4-Wire VG per month	ULDV4	\$15.77	\$19.01	\$17.18	\$23.38	\$16.21	\$19.03	\$15.87	\$18.05	\$20.14
Local Channel - Dedicated - DS1 per month	TMECS	\$35.52	\$44.35	\$38.57	\$43.80	\$43.80	\$38.91	\$35.68	\$37.20	\$40.27
1 and Channel Budianted DOS and mile and month		10,100								
Local Channel - Dedicated - US3 - per mile per month	1LSNC	\$34.21	\$30.65	\$23.06	\$34.00	\$30.34	¥	ΨV	\$44.13	\$23.76
Local Cramer Deutsted - DS3 - Facility Termination per month	I ULUFO	\$536.23	\$598.84	DS:150	80.053¢	\$669.01	\$526.67	\$498.87	\$582.93	\$607.28

EELS

**BELLSOUTH/6.8pire RATES** NETWORK ELEMENTS

\$6.88 \$838.65 \$615.65 \$0.02 \$18.33 \$17.74 \$75.83 \$6.88 \$3.91 \$0.35 \$75.83 \$165.21 \$3.91 NA \$0.17 \$17.74 \$0.35 \$165.21 \$2.46 \$1.25 \$54.13 ĸ NA NA NA ZZZ \$29.97 \$556.66 \$19.14 \$944.40 \$264.80 \$275.76 \$286.31 NA \$0.04 \$0.76 \$94.98 \$204.07 20.02 \$0.04 \$179.81 \$3.36 \$1.93 \$54.26 \$32.25 ပ္တ \$21.57 \$32.53 \$43.08 \$94.98 \$179.81 \$9.69 \$23.33 ž \$24.39 \$555.92 \$0.0282 \$0.57530 \$12.98 \$720.38 \$0.0282 \$11.62 \$32.10 \$17.40 \$177.72 \$2.88 \$1.64 \$226.81 \$0.5753 \$71.29 \$177.72 \$4.61 NA Ž 2.6 NA NA NA ZZZZ \$38.98 \$531.39 \$21.33 \$13.48 \$686.84 \$229.30 \$20.03 \$20.03 \$692.52 \$146.87 \$2.86 \$1.45 \$229.90 \$235.88 \$246.32 \$257.43 \$13.48 \$54.09 \$32.16 \$74.40 SE \$18.35 \$24.33 \$34.77 \$45.88 \$74.40 \$146.87 \$5.58 \$0.66 ž \$16.15 \$16.15 \$29.89 \$0.04 \$18.37 \$0.04 \$245.84 \$208.13 \$220.80 \$252.41 NA \$209.87 \$3.12 \$1.62 \$93.40 \$54.23 \$7.55 \$17.65 \$30.32 \$61.93 NA \$0.78 \$93.40 \$209.87 \$7.55 \$19.07 5 \$12.06 \$30.04 \$12.06 \$0.03 \$27.66 \$0.03 \$26.95 \$0.45 \$55.05 \$236.32 \$8.52 \$54.09 \$32.16 \$200.01 \$2.94 \$1.40 \$0.45 \$55.05 \$200.01 \$8.52 NA ⋩ NA NA NA NA Z Z Z Z \$0.02 \$717.60 \$19.93 \$516.91 \$0.02 \$0.02 \$733.72 \$202.91 \$137.97 \$1.06 \$2.20 \$63.39 \$99.22 \$101.60 \$112.08 NA \$71.04 \$39.60 8 NA \$15.40 \$17.78 \$28.26 \$0.31 \$63.39 \$137.97 \$2.20 \$17.60 ¥ \$966.49 \$213.22 \$6.31 \$27.61 \$0.03 21.33 \$10.25 \$0.03 21.33 \$99.79 \$163.88 \$63.73 \$33.10 \$3.13 Χ× \$99.79 \$163.88 \$6.31 NA 日日日日 ž ZZZ AND OTHER SERVICES \$24.82 \$502.62 \$0.03 \$18.49 \$11.93 \$733.93 \$17.81 \$0.69 \$79.69 \$139.58 \$2.61 \$1.26 \$17.81 \$11.93 736.6 \$196.90 \$208.11 \$231.79 \$210.87 \$79.69 \$139.58 \$4.53 \$19.21 \$54.03 \$32.11 \$4.53 \$22.43 NA \$0.69 ž Z Z Z USOC 1L5NC ULDS1 1.5XX UTTVZ 1L5XX U1TD5 1L5XX U1TD6 1L5XX U1TFS 1L5XX U1TF1 1L5XX U1TF3 MO1 1D1DD 1D1VG UNCCC MO3 图图图 1L5XX TOE J UITF1 | NRC - 'Switch As is' Conversion Charge - 1st |
| NRC - 'Switch As is' Conversion Charge - Add'! |
| (NRC rates above, if not ordered, are subject to true-up.) |
| Enhanced Examined Life (LEEP) | State (State (Life (LEEP) State (LIFE) | State (LIFE) |
| 2-wire VG Loop/DS1 Interoffice Channel - Dedicated Transport EEL DS1 Interoffice Channel · Dedicated Transport EEL · Per Mile per month DS1 Interoffice Channel · Dedicated Transport EEL · Facility Termination per month DS1 Channelization System per system per month DS1 Channelization Interface · VG per month Per additional circuit in same DS1. Recurring · Zone 1 Interoffice Channel - Dedicated - DS0 - 56kbps - per mile per month Interoffice Channel - Dedicated - DS0 - 56 kbps - Facility Termination per month Interoffice Channel - Dedicated - DS0 - 64kbps - per mile per month Interoffice Channel - Dedicated - DS0 - 64 kbps - Facility Termination per month Interoffice Channel - Dedicated - 2-Wire VG - per mile per month Interoffice Channel - Dedicated - 2-Wire VG - Facility Termination per month 2-wire analog voice grade loop SL2 and DS1 ded interoffice transport with NRC - All Existing UNE Combination "Switch As Is" Conversion Charge Interoffice Channel - Dedicated - STS-1 - per mile per month Interoffice Channel - Dedicated - STS-1 - Facility Termination per month Interoffice Channel - Dedicated - DSI - per mile per month Interoffice Channel - Dedicated - DSI - Facility Termination per month Interoffice Channel - Dedicated - DS3 - per mile per month Interoffice Channel - Dedicated - DS3 - Facility Termination per month Local Channel - Dedicated - STS-1 - per mile per month Local Channel - Dedicated - STS-1 - Facility Termination per month DSI Channelized System per month
OCU-DP(data) interface card per month (2.4-64kbs)
VG interface card per month (DSO) 2-wire VG Loop per month, Zone 1 (Noie 1)
2-wire VG Loop per month, Zone 2 (Noie 1)
2-wire VG Loop per month, Zone 3 (Noie 1)
2-wire VG Loop per month, Zone 4 (Noie 1) DS3 Channelized System per month DS3 Interface per month (DS1 COCI) wire VG Loop per month, statewide channelization DESCRIPTION Zone 2 Zone 3 Zone 4 Zone 1

7/7/00 Filefolder

EELS

\$18.35

EELS

DECOUNTION	·		BELLSOUTH® spire RATES NETWORK ELEMENTS AND OTHER CERVISES	re RATES MENTS						A Rate	Attachment 2 Exhibit C Rates - Page 39
dditional circuit in came DC 1 D		OSOC	AL	FL	₽ <sup>©</sup>	7.7					
Per additional circuit in same DS1 Becurring - Zone 2		TBD	\$30.42	ΑN	\$19.08	2 2	LA	SMS	2	သင	N
Per additional circuit in same DS1 Becurring - Zone 3		TBD	\$54.10	AN	\$30.46	¥ Z	\$63.35	\$24.33	ď.	\$34.29	¥
NRC - Switch As Is - EEL - 1st		180	¥Z	ΥV	Ϋ́	Ϋ́ Z	AN	645 80	Y S	\$44.84	¥
NRC - Switch As Is - EEL - Add'I		CCC	\$14.37	\$16.86	\$12.97	\$16.86	\$12.70	615.41	NA 00 00 00 00 00 00 00 00 00 00 00 00 00	¥Z	¥
NRC - Switch As Is - EEL - Disconnect - 1st		ONCCC	\$13.33	\$15.48	\$11.27	\$15.48	\$11.10	\$13.33	310.86	\$28.87	\$16.86
NPC - Switch As Is - EEL - Disconnect - Add't			\$15.21	\$13.92	\$12.61	\$13.92	\$12.66	\$15.21	\$13.00	\$28.35 TBA	\$15.48
NRC - Switch As is - EEL - Manual vs. Elect - 1st		CONCCC	\$15.21	\$13.92	\$12.61	\$13.92	\$12.66	\$15.21	\$13.92	Z Z	\$13.92
NRC - Switch As Is - EEL - Manual vs. Elect - Add'I		COMPAC	\$50.43	\$51.31	\$45.46	\$51.31	\$42.70	\$55.41	\$51.31	C56 64	\$13.92
		SCMAC	\$19.15	\$17.56	\$15.72	\$17.56	\$14.77	\$19.16	\$17.56	\$19.00 \$19.00	\$31.31
INTEDIM NDC COLOR NICE				Mlami Fr			:				00.71
NRC - 2-wire VG Loon - 1et				Laud FL			New Orleans		Greensboro		
NRC - 2-wire VG Loop - Add'I		SOMAC	Ϋ́	\$195.00	\$157.33	ΨZ	\$100.2		Charlotte NC	1	NashvilleTN
INPC - Interoffice Channel - DS1. Eacility Termination		SOMAC	AN	\$97.00	\$120.74	AZ.	6130.74	4	\$57.99	ž	\$247.97
NAC - Interoffice Channel - DS1 - Facility Termination - 1St		SOMAC	Y.	\$45.91	\$166.01	Y Z	6186.43	¥ :	\$42.37	¥	\$195.72
NRC - DS1 Channelization System - 1st		SOMAC	¥.	\$44.18	\$130.69	AN	\$140.23	2	321/17	YZ.	\$195.68
NRC - DS1 Channelization System - Addit		SOMAC	ΑN	\$235.06	\$240.96	¥2	\$149.63	2 2	\$163.75	Y.	\$156.47
NRC - DS1 Channelization System - VG Interface 128		SOMAC	Y Y	\$142.56	\$148.03	¥.	\$135.20	2 2	\$301.74	Y.	\$222.87
NRC - DS1 Channelization System - VG Interface Addit		SOMAC	Y Y	\$13.39	\$13.45	Y.	\$12.20	\$ \$	\$162.5/	¥.	\$135.80
4-wire VG Loop/DS1 Interoffice Channel - Dedicated Transcript	1	SOMAC	Ϋ́	\$9.59	\$9.63	¥	S B	2 2	213.70	¥.	\$12.61
4-wire analog voice grade from and DS1 ded information.	ת בבר						20.00	2	\$11.28	¥	\$9.03
channelization	ort with										
Zone 1											
Zone 2		90	\$204.34	Ϋ́	\$101.17	¥X	\$216.32	\$235.35	VN		
Zone 3		180	\$129.33	Ϋ́	\$110.71	¥	\$233.81	\$242.64	Y Z	6200 44	Ž
Zone 4		9	\$251.00	¥	\$126.28	¥	\$277.43	\$255.37	V V	\$209.11	¥.
		200	¥	¥	Ϋ́Α	Ϋ́	۸N	\$268.93	AN AN	NA NA	<b>4</b> 2
4-wire VG Loop, per month, statewide		115414	50 504								<b>X</b>
		UEAL4	\$30.00	\$30.00	\$26.58	ΥN	ΑN	¥	\$27.40	NA.	000
4-wire VG Loop, per month, Zone 1 (Note 1)		TBD	<b>Y</b>	44	000				2	<u> </u>	00.BL
4-wire VG Loop, per month, Zone 2 (Note 1)		TBD	2 2	4	\$22.88	¥	\$24.36	\$22.38	¥.	\$29.47	¥
4-wire VG Loop, per month, Zone 3 (Note 1)		TBD	AN	Z Z	360.42	Y.	\$41.85	\$29.67	Ϋ́	\$44.44	ž
DS1 Interpating Change 19		TBO	Ž	AN	NA N	Z Z	\$85.47	\$42.40	¥.	\$58.85	¥
DS1 Interoffice Channel - Dedicated Transport EEL - Per Mile per month	per month	1L5XX	\$0.69	\$0.60	£0.31	NA 04	Y S	\$55.96	¥	NA	٧
DS1 Channelization System per existem por month	ermination per mont	U1TF1	\$79.69	\$99.79	\$63.39	\$55.05	603.40	20.06	\$0.5753	\$0.76	\$0.35
DS1 Channelization Interface -VG ner month		MO1	\$139.58	\$163.88	\$137.97	\$200.01	\$209 R7	6146.07	271.29	\$94.98	\$75.83
Per additional circuit in same DS1. Recurring - Zone 1		1D1VG	\$1.26	\$1.78	\$2.20	\$1.40	\$1.62	\$145	6167	31/9.81	\$165.21
Per additional circuit in same DS1, Recurring - Zone 2		Ten	26.65	¥.	\$24.93	Ϋ́	\$27.26	\$22.38	AN	£32 R7	21.63
Per additional circuit in same DS1, Recurring . Zone 3		CE L	40.7	¥.	\$28.37	¥	\$44.75	\$29.67	¥	\$47.64	2 2
Per additional circuit in same DS1, Recurring - Zone 4		CEL	- AN	V.	\$43.52	ž	\$88.37	\$42.40	٧×	\$62.05	2
NHC - Switch As is - EEL - 1st		UNCCC	\$14.37	14 OF	AN COL	¥N.		\$55.96	Ϋ́	٧X	Y Z
NDC Switch As Is - EEL - Add:		ONCCC	\$13.33	\$15.48	\$12.97	\$16.86	\$12.70	\$15.41	\$16.86	\$28.87	\$16.86
NRC : Switch As Is - EEL - Disconnect - 1st		UNCCC	\$15.21	\$13.92	\$12.61	\$15.48	\$11.10	\$13.33	\$15.48	\$28.35	\$15.48
NBC - Switch As le - EEL - Utscorniect - Add		UNCCC	\$15.21	\$13.92	\$12.61	613 02	912.00	\$15.21	\$13.92	TBA	\$13.92
NBC - Switch As is need Magnetic Flag		SOMAC	\$56.43	\$51.31	\$45.46	CE 1 21	912.00	12.515	\$13.92	TBA	\$13.92
CELL MAILER VS. ERCI - AUGI		SOMAC	\$19.15	\$17.56	\$15.72	\$17.56	\$14.77	\$55.41	\$51.31	\$56.54	\$51.31
				Ortando,				9.10	317.30	\$19.02	\$17.56
INTERIM NRCS FOR NEW EEL SUBJECT TO TRUE-UP:				Mami, Ft			New		Greensboro		
NPC 4-wireVC LOOP - 1St		SOMAC	AN	\$141.00	£260 11	AN	Cheans LA		Charlotte NC		NashvilleTN
Version 1000 6/8:00		SOMAC	NA	\$43.00	\$213.21	Y Y	\$334.69	¥ S	\$288.47		\$113.50
7/7/00 Filefolder						5	95.40.00	ZZ.	\$237.45	AN.	\$86.00

BELLSOUTH/6.spire RATES NETWORK ELEMENTS

Attachment 2 Exhibit C Rates - Page 40

Proceedings   Process	E		]	NETWORK ELEMENTS AND OTHER SERVICES	1							•
SONAC		ESCRIPTION	nsoc	AL	7	ВA	Κλ	LA	MS	NC	၁ၭ	N
SOMAC   NA   \$4416   \$130.09   NA   \$149.23   NA   \$501.75   NA   S201.74   NA	4	NRC - DS1 - Interoffice Channel - Facility Termination - 1st	SOMAC	ΑN	\$45.91	\$166.01	¥ Z	\$186.69	Ą	\$217.17	ΑN	\$195.68
SONMC	$\pm$	NRC · DS1 · Interoffice Channel · Facility Termination · Add'l	SOMAC	Ϋ́	\$44.18	\$130.69	ΥN	\$149.23	۷V	\$163.75	Ą	\$156.47
SOMAC         NA         \$112.56         \$114.00         NA         \$122.90         NA         \$15.75         NA           SOMAC         NA         \$12.36         \$13.46         NA         \$12.29         NA         \$15.75         NA           SOMAC         NA         \$12.36         NA         \$13.46         NA         \$15.75         NA           100         \$224.73         NA         \$110.21         NA         \$250.20         \$266.31         NA         \$15.73           100         \$224.73         NA         \$110.21         NA         \$276.89         NA         \$15.73           100         \$224.73         NA         \$110.21         NA         \$276.99         \$266.39         NA         \$13.21         NA         \$276.99         NA         \$13.10         NA         \$276.99         NA         \$13.10         NA         NA         \$276.99         NA         \$13.10         NA         NA         \$276.99         NA	╛	NRC · DS1 Channelization System · 1st	SOMAC	٧X	\$235.06	\$240.96	AN	ΑN	¥	\$301.74	¥	\$222.87
SOMAC         NA         \$13.36         \$13.46         NA         \$12.29         NA         \$15.76         NA           SOMAC         NA         \$109.12         NA         \$109.12         NA         \$109.46         \$279.46         \$10.80         NA         \$11.28         NA           TBD         \$207.76         NA         \$110.21         NA         \$213.21         NA         \$279.46         \$279.89         NA         \$278.93           TBD         \$207.76         NA         \$110.21         NA         \$279.94         \$278.93         NA         \$278.93           TBD         NA         NA         \$10.21         NA         \$10.21         NA         \$27.80         \$28.64         NA         \$27.80           TBD         NA         NA         NA         NA         NA         NA         NA         \$20.83         \$20.83         \$20.83         \$20.83         \$20.83		NRC - DS1 Channelization System - Add'i	SOMAC	ΥN	\$142.56	\$148.03	ΑN	Ϋ́	¥	\$182.57	¥	\$135.80
Top   E2076   NA   S10212   NA   S21946   S289.59   NA   S279.53		NRC · DS1 Channelization System · Interface VG · 1st	SOMAC	ΑN	\$13.39	\$13.45	NA	\$12.29	NA	\$15.76	NA	\$12.61
The couract   The couract	_	NO OCT Channitration Control	0	3		9						
TBD   \$207.66   NA   \$1102.1   NA   \$219.46   \$228.58   NA   \$278.93   \$228.64   NA   \$278.94   S228.64   S228.65   S228.65   S228.64   S228.65   S228.65   S228.64   S228.65   S22	$\pm$	4-wire 56 khne I con/DC1 Interoffice Channel - Dedicated Transport FEI	SOMAC	2	88.58	29.03	Y.	98.80	ď.	\$11.28	¥Z	\$9.03
TBD   \$207.66   NA   \$1109.12   NA   \$219.46   \$229.89   NA   \$279.80	1	DS0 digital 56 or 64 kbps loop and DS1 ded interoffice transport with										
TBD   \$227.66   NA   \$119.12   NA   \$279.20   \$266.91   NA   \$279.83   NA   \$27		channelization										
The color of the	$\exists$	Zone 1	180	\$207.66	¥	\$109.12	ΝΑ	\$219.46	\$238.58	٧N	\$278.93	٧
TBD   \$280.78   NA   \$131.21   NA   \$286.44   \$261.48   NA   \$431.3.10		Zone 2	TB0	\$224.73	Y.	\$113.21	NA	\$239.20	\$246.91	٧N	\$296.34	¥Z
The color of the	$\exists$	Zone 3	TB0	\$280.78	ΝA	\$131.21	NA	\$288.44	\$261.48	٧V	\$313.10	Ϋ́
UNICOS   NA	$\pm$	Zone 4	TB0	¥.	Ϋ́Α	NA	NA	NA NA	\$276.99	٧×	ΝA	Ϋ́
The color of the	$\pm$											
TBD	1	4-wire 56 kbps Loop, per month, statewide	UNCDS	¥	Ϋ́	ΑN	¥	¥	٧	\$32.67	¥	\$42.23
TBD	$\pm$	4-wire 56 kbps Loop, per month, Zone 1 (Note 1)	180	¥	¥	\$26.44	¥	\$27.50	\$25.61	ΝΑ	\$34.26	٧
TED	$\perp$	4-wire 56 kbps Loop, per month, Zone 2 (Note 1)	180	¥Z.	¥	\$30.53	ž	\$47.24	\$33.94	¥	\$51.67	٧
11500   NAA   NAA   NAA   NAA   S64.02   S0.753	$\pm$	4-wire 56 kops Loop, per month, Zone 3 (Note 1)	180	¥Z.	Y.	\$48.53	¥	\$96.48	\$48.51	¥	\$68.43	<b>₹</b>
Dermont   ULXXX   SUB9   SUB	$\pm$	4-wile 56 kDpS Loop, per month, Zone 4 (Note 1)	180	AA	NA	¥	¥	¥	\$64.02	¥	¥	₹ Z
Definition   1000c1   131936   15838   153.09   155.06   153.09   154.09	+	UST INTEROTICE Channel - Dedicated Transport EEL - Per Mile per month	1L5XX	\$0.69	20.60	\$0.31	\$0.45	\$0.78	\$0.66	\$0.5753	\$0.76	\$0.35
UNICID   \$45.39   \$173.97   \$50.001   \$50.98   \$45.80   \$46.11   \$177.72   \$19.98   \$17.72   \$19.98   \$17.72   \$19.98   \$17.72   \$19.98   \$17.72   \$19.98   \$17.72   \$19.98   \$17.72   \$19.98   \$17.72   \$19.98   \$17.72   \$19.98   \$17.72   \$19.98   \$17.92   \$17.92   \$17.63   \$17.63   \$17.63   \$17.63   \$17.63   \$17.63   \$17.63   \$17.63   \$17.63   \$17.63   \$17.63   \$17.63   \$17.63   \$17.63   \$17.63   \$17.63   \$17.63   \$17.63   \$17.63   \$17.54   \$17.93   \$17.63   \$17.63   \$17.63   \$17.54   \$17.55   \$17.54   \$17.55	$\pm$	UST Interoffice Channel - Dedicated Transport EEL - Facility Termination per mont	UNCB1	879.69	\$99.79	\$63.39	\$55.05	\$93.40	\$74.40	\$71.29	\$94.98	\$75.83
The color of the	$\pm$	UST Channelization System per system per month	UNCN1	\$139.58	\$163.88	\$137.97	\$200.01	\$209.87	\$146.87	\$177.72	\$179.81	\$165.21
TED   \$2.097   NA   \$2.042   NA   \$50.14   \$50	$\pm$	DSI Channelization Interface - OCU-UP per month	UNCID	\$4.53	\$6.31	\$2.20	\$8.52	\$7.55	\$5.58	\$4.61	\$9.69	\$3.91
TBD   \$1.04   NA   \$1.04   NA   \$59.38   NA   \$1.05	+	Per additional circuit in same US1, Recurring - Lone 1		\$29.97	Š.	\$28.42	¥.	\$30.40	\$28.48	YN.	\$37.46	Y.
TBD	+	Per additional circuit in same DS1 Recurring - Zone 3	TBO	673 31	42	\$32.41	42	\$50.14	8.00.81	¥ ×	\$54.87	¥ :
UNCCC \$11.37 \$16.86 \$11.27 \$16.86 \$11.10 \$13.33 \$16.48 \$22.87  UNCCC \$113.33 \$15.46 \$11.27 \$16.46 \$11.10 \$13.33 \$15.48 \$228.35  UNCCC \$15.21 \$13.92 \$12.61 \$13.92 \$12.66 \$15.21 \$13.39 \$15.48 \$20.85  UNCCC \$15.21 \$13.92 \$12.61 \$13.92 \$12.66 \$15.21 \$13.92 \$13.85  UNCCC \$15.21 \$13.92 \$12.66 \$12.10 \$13.33 \$15.48 \$20.85  SOMAC \$10.15 \$17.56 \$17.56 \$17.56 \$14.77 \$10.16 \$17.56 \$19.02  SOMAC \$10.15 \$17.56 \$15.72 \$17.56 \$14.77 \$10.16 \$17.56 \$19.02  NIAmi, FI Laud FL And FL Channel A ST09.72 \$401.71 NA \$483.59 NA \$20.00 NA \$20.00 NA \$130.00 \$130.00 NA \$130.00 NA \$130.00 \$130.00 NA \$130.00 \$130.00 NA \$130.00 \$130.00 NA \$130.00 \$130.00 NA \$130.00 \$130.00 NA \$130.00 \$130.00 NA \$130.00 \$130.00 NA \$130.00 \$130.00 NA \$130.00	$\pm$	Per additional circuit in came DS1 Becurring 2 2016 3	2 2	NA NA	2 2	NIA	414	999.30	00.108	42	20.1/2	¥
UNCCC   \$13.33   \$15.64   \$11.10   \$13.31   \$15.64   \$15.21   \$13.92   \$15.24   \$1	+	NBC - Switch &c le . FEI . 1et	JOUR !	14 37	NA 616 06	NA 612 07	NA 6 16 06	NA NA	\$00.89	NA O	NA S	NA V
UNCCC \$15.21 \$13.92 \$12.61 \$13.92 \$12.66 \$15.21 \$13.92 TBA  UNCCC \$15.21 \$13.92 \$12.61 \$13.92 \$12.66 \$15.21 \$13.92 TBA  UNCCC \$15.21 \$13.92 \$12.61 \$13.92 \$12.66 \$15.21 \$13.92 TBA  SOMAC \$56.43 \$15.13 \$42.46 \$51.31 \$42.70 \$55.41 \$51.31 \$56.54  SOMAC NA \$17.56 \$11.72 \$17.56 \$14.77 \$19.16 \$17.56 \$19.02  SOMAC NA \$483.45 \$401.71 NA \$483.59 NA \$489.04 NA \$180.00  SOMAC NA \$43.91 \$10.60 NA \$180.69 NA \$180.00 NA \$10.00	╀	INRC - Switch As Is - FFI - Add'I		613 33	615 48	611 27	\$10.00 \$45.40	\$12.70	913.4	\$10.00 \$45.40	\$20.07	\$10.00
SOMAC   \$16.21   \$13.92   \$12.61   \$15.22   \$15.21   \$13.92   \$15.64   \$15.21   \$13.92   \$15.64   \$15.21   \$13.92   \$15.64   \$15.21   \$13.92   \$15.64   \$15.21   \$13.92   \$15.64   \$15.21   \$13.92   \$15.64   \$15.13   \$26.54   \$15.13   \$26.54   \$15.13   \$15.65   \$13.31   \$15.65   \$14.77   \$19.16   \$19.15   \$19.02   \$19.02   \$19.02   \$19.02   \$19.02   \$19.02   \$19.02   \$19.02   \$10.02   \$19.02   \$1	+	NRC - Switch As Is - EEL - Disconnect - 1st	COOK	\$15.21	\$13.00	\$12.61	613 02	612 AB	615.33	613.00	#20.33	613.40
SOMAC         \$56.43         \$61.31         \$45.46         \$51.31         \$42.70         \$55.41         \$51.31         \$56.54           SOMAC         \$19.16         \$17.56         \$15.72         \$17.56         \$17.56         \$17.56         \$17.56         \$17.56         \$19.16         \$19.02           Miami, Filt         Miami, Filt         Miami, Filt         Miami, Filt         Miami, Filt         Charlotte bor         Charlotte bor         Charlotte bor         \$19.02           SOMAC         NA         \$483.45         \$283.84         NA         \$483.50         NA         \$489.04         NA           SOMAC         NA         \$44.18         \$130.69         NA         \$149.23         NA         \$183.75         NA           SOMAC         NA         \$149.24         NA         \$181.39         NA         \$15.76         NA           SOMAC         NA         \$134.20         NA         \$112.8         NA         \$11.28         NA           SOMAC         NA         \$134.20         NA         \$11.29         NA         \$11.28         NA           SOMAC         NA         \$13.245         NA         \$11.29         NA         \$11.28         NA           SO	$\vdash$	NRC - Switch As Is - EEL - Disconnect - Add'I	ONCCC	\$15.21	\$13.92	\$12.61	\$13.92	\$12.66	\$15.21	\$13.92	TBA	\$13.92
SOMAC         \$19.16         \$17.56         \$15.72         \$17.56         \$17.56         \$17.56         \$19.00           Mlamfi, Final, Final, Final SOMAC         Laud Final,		NRC - Switch As Is - EEL - Manual vs. Elect - 1st	SOMAC	\$56.43	\$51.31	\$45.46	\$51.31	\$42.70	\$55.41	\$51.31	\$56.54	\$51.31
SOMAC   NA \$13.05   SOMAC   NA \$13.50   NA \$183.50   NA \$183.60   NA	4	NRC - Switch As Is - EEL- Manual vs. Elect - Add'i	SOMAC	\$19.15	\$17.56	\$15.72	\$17.56	\$14.77	\$19.16	\$17.56	\$19.02	\$17.56
Comac		٠			Orlando,							
SOMAC         NA         \$709.72         \$401.71         NA         \$483.59         NA         \$489.04         NA           SOMAC         NA         \$46.91         \$166.01         NA         \$186.69         NA         \$217.17         NA           SOMAC         NA         \$44.18         \$130.69         NA         \$149.23         NA         \$163.75         NA           SOMAC         NA         \$238.43         \$302.82         NA         \$149.23         NA         \$163.75         NA           SOMAC         NA         \$134.20         NA         \$181.39         NA         \$200.06         NA           SOMAC         NA         \$184.20         NA         \$18.39         NA         \$15.76         NA           SOMAC         NA         \$134.20         NA         \$12.29         NA         \$11.28         NA           J- 1st         SOMAC         NA         \$9.59         \$9.53         \$9.50         \$9.50         \$9.50         \$9.50         \$9.50         \$9.50         \$9.50         \$9.50         \$9.50         \$9.50         \$9.50         \$9.50         \$9.50         \$9.50         \$9.50         \$9.50         \$9.50         \$9.50         \$9.50		INTERIM NRCS FOR NEW EEL SUBJECT TO TRUE-UP:			Laud FL			Orleans LA		Charlotte NC		NeshvilleTN
SOMAC         NA         \$483.45         \$283.84         NA         \$315.57         NA         \$337.51         NA           SOMAC         NA         \$45.91         \$166.01         NA         \$186.69         NA         \$217.17         NA           SOMAC         NA         \$44.18         \$130.69         NA         \$149.23         NA         \$163.75         NA           SOMAC         NA         \$238.43         \$302.82         NA         \$181.39         NA         \$15.76         NA           SOMAC         NA         \$133.9         \$13.45         NA         \$12.29         NA         \$15.76         NA           SOMAC         NA         \$9.59         \$9.63         NA         \$12.29         NA         \$11.28         NA           SOMAC         NA         \$19.59         \$9.63         NA         \$10.00         NA         \$11.28         NA         \$11.28         NA           TBD         \$204.34         NA         \$109.12         NA         \$239.20         \$246.48         \$226.34         118D         \$213.10         NA         \$289.44         \$229.20         NA         \$313.10	$\vdash$	NRC - 4-wire 56 kbps Loop - 1st	SOMAC	ΑN	\$709.72	\$401.71	Ϋ́	\$483.59	Ϋ́	\$489.04	¥2	\$698.42
SOMAC NA \$45.91 \$166.01 NA \$186.69 NA \$217.17 NA SOMAC NA \$44.18 \$130.69 NA \$149.23 NA \$163.75 NA SOMAC NA \$1338.43 \$302.82 NA \$181.39 NA \$200.06 NA SOMAC NA \$13.39 \$13.45 NA \$12.29 NA \$15.76 NA SOMAC NA \$19.59 \$13.45 NA \$12.29 NA \$15.76 NA SOMAC NA \$19.59 \$13.45 NA \$18.20 NA \$11.28 NA \$11.28 NA \$11.28 NA \$11.28 NA SOMAC NA \$19.59 \$13.45 NA \$13.29 NA \$11.28 NA \$11.28 NA \$11.28 NA \$229.20 \$246.91 NA \$229.33 NA \$113.21 NA \$229.20 \$246.91 NA \$229.34 \$13.21 NA \$229.20 \$246.91 NA \$313.10	Н	NRC - 4-wire 56 kbps Loop - Add'I	SOMAC	¥	\$483.45	\$283.84	Ϋ́	\$315.57	¥Z	\$337.51	¥	¥
SOMAC         NA         \$44.16         \$130.69         NA         \$149.23         NA         \$163.75         NA           SOMAC         NA         \$238.43         \$302.82         NA         \$297.96         NA         \$338.55         NA           SOMAC         NA         \$145.55         \$184.20         NA         \$161.39         NA         \$200.06         NA           SOMAC         NA         \$13.39         \$13.45         NA         \$12.29         NA         \$15.76         NA           Add1         SOMAC         NA         \$9.59         \$9.63         NA         \$8.80         NA         \$11.28         NA           Add1         SOMAC         NA         \$10.91         NA         \$219.46         \$238.58         NA         \$278.93           TBD         \$2204.34         NA         \$113.21         NA         \$229.20         \$246.91         NA         \$2206.34           TBD         \$251.00         NA         \$131.21         NA         \$288.44         \$261.48         NA         \$313.10	4	NRC - DS-1 Interoffice Channel - Facility Termination - 1st	SOMAC	NA	\$45.91	\$166.01	ΑN	\$186.69	Ϋ́	\$217.17	¥	\$195.68
SOMAC NA \$238.43 \$302.82 NA \$297.96 NA \$338.55 NA SOMAC NA \$13.59 \$13.45 NA \$12.59 NA \$12.29 NA \$15.76 NA \$15.76 NA \$12.29 NA \$15.76 NA \$12.29 NA \$12.29 NA \$12.76 NA \$12.76 NA \$12.29 NA \$12.89 NA \$12.29 NA \$22.93 NA \$13.21 NA \$23.920 \$246.91 NA \$22.83.31 NA \$13.21 NA \$22.920 \$246.91 NA \$33.3.10		NRC · DS · 1 Interoffice Channel · Facility Termination · Add'l	SOMAC	¥ Z	\$44.18	\$130.69	¥	\$149.23	Ž	\$163.75	¥Z	\$156.47
SOMAC NA \$238.43 \$302.82 NA \$297.96 NA \$338.55 NA S. S. S. S. S. S. S. S. S. S. S. S. S.	L	NRC: New - DS1 Channelization System										
SOMAC   NA   \$145.55   \$184.20   NA   \$181.39   NA   \$200.06   NA	$\vdash$	NRC - DS1 Channelization System - 1st	SOMAC	ΑN	\$238.43	\$302.82	Ϋ́	\$297.96	¥	\$338.55	Y.	\$222.87
) - 151 SOMAC NA \$13.39 \$13.45 NA \$12.29 NA \$15.76 NA   S15.76 NA   S10.04 NA   S10.04 NA   S10.04 NA   S10.04 NA   S10.04 NA   S10.04 NA   S10.04 NA   S10.04 NA   S20.04 34 NA   S20.04 NA   S20.04 NA   S20.04 NA   S20.05.34 NA   S20.05.	Ц	NRC - DS1 Channelization System - Add1	SOMAC	¥	\$145.55	\$184.20	ΝA	\$181.39	¥	\$200.06	٧X	\$135.80
)-Add'i SOMAC NA \$9.59 \$9.63 NA \$8.80 NA \$11.28 NA   Part Na   Par	4	NRC · DS1 Channelization Interface OCU-DP card per month(2.4-64kbps) · 1st	SOMAC	NA	\$13.39	\$13.45	AN A	\$12.29	Ϋ́	\$15.76	Ϋ́	\$12.61
TBD \$204.34 NA \$109.12 NA \$219.46 \$238.58 NA \$278.93 TBD \$219.33 NA \$113.21 NA \$239.20 \$246.91 NA \$296.34 TBD \$251.00 NA \$131.21 NA \$288.44 \$261.48 NA \$313.10	$\dashv$	NRC - DS1 Channelization Interface OCU-DP card per month(2.4-64kbps) - Add'I	SOMAC	NA	\$9.59	\$9.63	٧A	\$8.80	۸A	\$11.28	٧¥	\$9.03
Inabog voice grade kop and DS1 ded interoffice transport with lization         TBD         \$204.34         NA         \$109.12         NA         \$219.46         \$238.58         NA         \$278.93           Item         \$219.33         NA         \$133.21         NA         \$239.20         \$246.91         NA         \$296.34           Item         \$251.00         NA         \$131.21         NA         \$261.48         NA         \$313.10	4	4-wire 64 kbps Loop/DS1 Interoffice Channel - Dedicated Transport EEL										
TBO \$204.34 NA \$109.12 NA \$219.46 \$238.58 NA \$278.93 TBO \$219.03 NA \$113.21 NA \$239.20 \$246.91 NA \$296.34 TBO \$251.00 NA \$131.21 NA \$288.44 \$261.48 NA \$313.10		4-wire analog voice grade loop and DS1 ded interoffice transport with channelization										
TBD \$219.33 NA \$113.21 NA \$239.20 \$246.91 NA \$296.34 NA \$296.34 NA \$2913.10	Н	Zone 1	TB0	\$204.34	ΑN	\$109.12	¥	\$219.46	\$238.58	Υ×	\$278.93	ΥZ
TBD \$251.00 NA \$131.21 NA \$288.44 \$261.48 NA \$313.10	_	Zone 2	180	\$219.33	Ą	\$113.21	Ϋ́	\$239.20	\$246.91	¥	\$296.34	٧V
	4	Zone 3	180	\$251.00	Ą	\$131.21	Ϋ́	\$288.44	\$261.48	ΑN	\$313.10	ΑA
	:	ianolaria por la la contra del la contra de la contra del la contra del la contra de la contra de la contra del la cont										8 6 6 1 8

BELLSOUTHO.spire RATES
NETWORK ELEMENTS
AND OTHER SERVICES

1	DESCRIPTION	7001	AND OTHER SERVICES	CES	43	3	•	700	J.N	50	N
\$	Zone 4	TBO	NA VA	Y Y	Y X	¥	Y AN	\$276.99	Q X	Ϋ́	ž
	4-wire 64 kbps Loop, per month, statewide	UDL64	AN	\$48.33	Ϋ́	ΑN	۸N	ΥN	\$32.67	ΥN	\$42.23
	4-wire 64 kbps Loop, per month, Zone 1 (Note 1)	180	AN	AN	\$26.44	ΑN	\$27.50	\$25.61	ΑN	\$34.26	¥
	4-wire 64 kbps Loop, per month, Zone 2 (Note 1)	TBD	AN	ΑN	\$30.53	ΑN	\$47.24	\$33.94	ΥN	\$51.67	Y V
	4-wire 64 kbps Loop, per month, Zone 3 (Note 1)	TBD	NA	ΝA	\$48.53	NA	\$96.48	\$48.51	NA	\$68.43	Y V
	4-wire 64 kbps Loop, per month, Zone 4 (Note 1)	TBD	ΝA	Ϋ́Α	ΑΝ	ΝA	ΝA	\$64.02	ΝA	٧٧	Y Y
	DS1 Interoffice Channel - Dedicated Transport EEL - Per Mile per month	1L5XX	\$0.69	\$0.60	\$0.31	\$0.45	\$0.78	\$0.66	\$0.5753	\$0.76	\$0.35
	DS1 Interoffice Channel - Dedicated Transport EEL - Facility Termination per mont	UITFI	\$79.69	\$99.79	\$63.39	\$55.05	\$93.40	\$74.40	\$71.29	\$94.98	\$75.83
	DS1 Channelization System per system per month	MQ1	\$139.58	\$163.88	\$137.97	\$200.01	\$209.87	\$146.87	\$177.72	\$179.81	\$165.21
	DS1 Channelization Interface - OCU-DP per month	10100	\$2.61	\$3.13	Ϋ́	\$2.94	\$3.12	\$2.86	\$2.88	\$3.36	\$2.46
	Per additional circuit in same DS1, Recurring · Zone 1	TB0	\$29.97	¥.	\$28.42	¥	\$30.40	\$28.48	٧×	\$37.46	¥
	Per additional circuit in same DS1, Recurring - Zone 2	180	\$47.04	¥	\$32.41	¥	\$50.14	\$36.81	¥	\$54.87	¥
	Per additional circuit in same DS1, Recurring - Zone 3	180	\$73.31	¥	\$49.94	¥	\$99.38	\$51.38	¥	\$71.63	ž
	Per additional circuit in same DS1, Recurring - Zone 4		¥	¥	¥	¥	ΑN	\$66.89	Y <sub>N</sub>	¥	¥
	NRC - Switch As Is - EEL- 1st	UNCCC	\$14.37	\$16.86	\$12.97	\$16.86	\$12.70	\$15.41	\$16.86	\$28.87	\$16.86
	NRC - Switch As Is - EEL - Add'I	UNCCC	\$13.33	\$15.48	\$11.27	\$15.48	\$11.10	\$13.33	\$15.48	\$28.35	\$15.48
	NRC · Switch As Is · EEL · Disconnect · 1st	CNCCC	\$15.21	\$13.92	\$12.61	\$13.92	\$12.66	\$15.21	\$13.92	ТВА	\$13.92
	NRC - Switch As is - EEL - Disconnect - Add'l	ONCCC	\$15.21	\$13.92	\$12.61	\$13.92	\$12.66	\$15.21	\$13.92	TBA	\$13.92
	NRC - Switch As Is - EEL - Manual vs. Elect - 1st	SOMAC	\$56.43	\$51.31	\$45.46	\$51.31	\$42.70	\$55.41	\$51.31	\$56.54	\$51.31
	NRC - Switch As is - EEL - Manual vs. Elect - Add'i	SOMAC	\$19.15	\$17.56	\$15.72	\$17.56	\$14.77	\$19.16	\$17.56	\$19.02	\$17.56
				Orlando, Mlami, Ft			New		Greensboro		
	INTERIM NRCs FOR NEW EEL SUBJECT TO TRUE-UP:			Laud FL			Orleans LA		Charlotte NC		NashvilleTN
_	NRC - 4-wire 64 kbps Loop - 1st	SOMAC	NA	\$709.72	\$401.71	¥	\$483.59	¥	\$489.04	š	\$698.42
	NRC - 4-wire 64 kbps Loop - Add'l	SOMAC	NA NA	\$483.45	\$283.84	Ϋ́	\$315.57	¥	\$337.51	¥	¥
	NRC - DS1- Interoffice Channel - Facility Termination - 1st	SOMAC	Ϋ́	\$45.91	\$166.01	¥	\$186.69	¥	\$217.17	¥	\$195.68
	NRC · DS1 · Interoffice Channel · Facility Termination · Add'l	SOMAC	NA	\$44.18	\$130.69	¥	\$149.23	¥	\$163.75	¥	\$156.47
	NRC - DS1 Channelization System - 1st	SOMAC	Ϋ́Α	\$238.43	\$331.77	ΥN	\$297.96	٧	\$338.55	¥	\$222.87
	NRC - DS1 Channelization System - Add'I	SOMAC	ΑN	\$145.55	\$202.63	¥	\$181.39	¥	\$200.06	¥	\$135.80
	NRC - DS1 Channelization Sys. Interface OCU DP card per month(2.4-64kbps) - 1	SOMAC	۸A	\$13.39	\$13.45	¥	\$12.29	¥	\$15.76	Ϋ́	\$12.61
	NRC - DS1 Channelization Sys. Interface OCU-DP card per month(2.4-64kbps) - A	SOMAC	¥	\$9.59	\$9.63	YZ Z	\$8.80	٧Z	\$11.28	<b>∀</b> Z	\$9.03
7	2-wire VG Local Channel/DS1 Interoffice Channel - Dedicated Transport EEL			00 014	00 014	0000			30,110	0000	90
	2-wire VG Local Channel per month	ULDV2	\$14.61	\$18.02	\$16.28	\$22.20	\$14.94	\$17.83	\$14.82	\$16.83	20.61
1	DS1 Interoffice Channel - Dedicated Transport EEL - Per Mile per month	11.5XX	\$0.69	\$0.60	\$0.31	\$0.45 66.60	\$0.78	\$0.66	\$0.5753	\$0.70	\$0.35 €75.83
#	DS1 Channelization System per eystem per month	- CW	\$139.58	\$163.88	\$137.97	\$200.01	\$209.87	\$146.87	\$177.72	\$179.81	\$165.21
	DS1 Channelization Interface ·VG per month	101VG	\$1.26	\$1.78	\$2.20	\$1.40	\$1.62	\$1.45	\$1.64	\$1.93	\$1.25
E	NPC - Switch As Is - EEL- 1st	UNCCC	\$14.37	\$16.86	\$12.97	\$16.86	\$12.70	\$15.41	\$16.86	\$28.87	\$16.86
	NRC - Switch As Is - EEL - Add'I	ONCCC	\$13.33	\$15.48	\$11.27	\$15.48	\$11.10	\$13.33	\$15.48	\$28.35	\$15.48
	NRC - Switch As is - EEL - Disconnect - 1st	UNCCC	\$15.21	\$13.92	\$12.61	\$13.92	\$12.66	\$15.21	\$13.92	TBA	\$13.92
	NRC - Switch As Is - EEL - Disconnect - Add'I	ONCCC	\$15.21	\$13.92	\$12.61	\$13.92	\$12.66	\$15.21	\$13.92	TBA	\$13.92
E	NRC - Switch As Is - EEL - Manual vs. Elect - 1st	SOMAC	\$56.43	\$51.31	\$45.46	\$51.31	\$42.70	\$55.41	\$51.31	\$56.54	\$51.31
	NRC - Switch As Is - EEL- Manual vs. Elect - Add'i	SOMAC	\$19.15	\$17.56	\$15.72	\$17.56	\$14.77	\$19.16	\$17.56	\$19.02	\$17.56
				Orlando, Mlami, Ft			\$ 0 Z		Greensboro		
	INTERIM NRCS FOR NEW EEL SUBJECT TO TRUE-UP:			Laud FL			Orleans LA		Charlotte NC		NashvilleTN
	NRC - 2-wire VG - Local Channel - 1st	SOMAC	ΥN	\$477.33	\$401.69	ΝA	\$430.71	٧V	\$553.80	٧¥	\$287.79
	NPC - 2-wire VG - Local Channel - Add'l	SOMAC	¥.	\$124.32	\$70.82	¥	\$74.41	¥	\$86.69	¥	\$39.50
	NRC - DS1 - Facility Termination - 1st	SOMAC	ž	\$45.91	\$166.01	¥.	\$186.69	Y.	\$217.17	¥.	\$195.68
1	NRC - DS1 - Facility Termination - Add1	SOMAC	¥.	\$44.18	\$130.69	Y.	\$149.23	Ψ.	\$163.75	¥.	\$156.47
_ <b>[</b>	JABG & D& Channelization System - 1st	SOMAC	¥ Z	\$235.06	\$240.96	AA	\$220.07	AA A	\$301.74	NA A	\$222.87

EELS

BELLSOUTWe.spire RATES **NETWORK ELEMENTS** 

NashvijeTN \$135.80 \$12.61 \$9.03 \$54.18 \$195.68 \$156.47 \$222.87 \$135.80 \$12.61 \$9.03 \$3.91 \$15.48 \$13.92 \$13.92 \$13.92 \$17.56 \$20.14 \$16.86 \$13.92 \$13.92 \$13.92 \$51.31 \$0.35 \$75.83 \$165.21 N N N N ž ž ž ž \$154.59 \$184.88 \$214.04 859.61 \$89.90 \$119.06 \$0.76 \$94.98 \$179.81 \$9.69 \$28.87 \$28.35 TBA TBA \$56.54 \$18.05 \$28.87 \$28.35 TBA TBA \$56.54 \$19.02 ž ž NA NA NA ž Greensboro Charlotte NC \$562.23 \$92.67 \$217.17 \$163.75 \$301.74 \$182.57 \$15.76 \$0.5753 \$71.29 \$177.72 \$16.86 \$13.92 \$13.92 \$13.92 \$17.56 \$182.57 \$15.76 \$11.28 \$62.78 NA NA \$0.5753 \$71.29 \$16.86 \$13.92 \$13.92 \$51.31 \$15.87 ž YZZZ ž Y Z Z Z \$125.39 \$141.98 \$170.98 \$201.87 \$19.03 \$0.66 \$74.40 \$146.87 \$50.99 \$67.58 \$96.58 \$5.58 \$13.33 \$15.21 \$15.21 \$55.41 \$19.16 \$13.33 \$13.33 \$15.21 \$15.21 \$55.41 \$127.47 \$0.66 NA NA NA NA ZZZ X X X X X X X X \$433.31 \$88.07 \$186.69 \$149.23 \$220.07 \$135.20 \$12.29 \$8.80 \$135.20 \$12.29 \$8.80 \$16.21 \$0.78 \$93.40 \$209.87 \$149.72 \$190.13 \$290.97 NA \$1.55 \$12.70 \$12.66 \$12.66 \$42.70 \$12.70 \$11.10 \$12.66 \$42.70 \$56.32 \$96.73 \$197.57 80.78 893.40 NA NA NA Š \$23.38 \$0.45 \$55.05 \$200.01 \$8.52 \$16.86 \$13.92 \$13.92 \$13.92 \$17.56 \$16.86 \$13.92 \$13.92 \$13.92 \$51.31 \$67.96 YZZZ ž 222222 ZZZZ ZZZ \$0.31 \$63.39 \$137.97 \$387.38 \$72.47 \$166.01 \$130.69 \$240.96 \$148.03 \$13.45 \$9.63 \$115.79 \$123.90 \$159.57 NA \$13.45 \$2.20 \$12.97 \$11.27 \$12.61 \$45.46 \$15.72 \$52.40 \$60.51 \$96.18 \$148.03 \$12.97 \$11.27 \$12.61 \$12.61 \$45.46 \$15.72 \$9.63 \$17.18 \$63.07 \$63.07 \$61.18 \$96.85 βĀ ž ž \$142.56 \$13.39 \$9.59 \$19.01 \$0.60 \$99.79 \$163.88 Mlami, Ft \$77.33 \$124.32 \$45.91 \$44.18 \$235.06 \$142.56 \$13.39 \$9.59 \$16.86 \$15.48 \$13.92 \$13.92 \$16.86 \$15.48 \$13.92 \$13.92 \$51.31 \$51.31 Ortando \$17.56 Laud FL \$80.00 \$6.31 Z Z Z Z Z Z Z AND OTHER SERVICES \$15.77 \$0.69 \$79.69 \$139.58 \$14.53 \$13.33 \$15.21 \$15.21 \$15.21 \$15.21 \$15.21 80.69 879.69 NA NA NA \$14.37 \$13.33 \$15.21 \$15.21 \$56.43 \$64.65 NA NA ž AZZZZZZZ AZZZZ Z Z Z SOMAC 1D1VG UNCCC UNCCC UNCCC SOMAC SOMAC UNCCC UNCCC UNCCC SOMAC ULDV4 1L5XX U1TF1 SOMAC SOMAC SOMAC SOMAC SOMAC SOMAC SOMAC nsoc USLXX TBD TBD 15XX 1-15XX 1-15 Š 图图图图 4-wire VG Local Channel per month
DS1 Interoffice Channel - Dedicated Transport EEL - Per Mile per month
DS1 Interoffice Channel - Dedicated Transport EEL - Facility Termination per mont
DS1 Channelization System per system per month DS1 Interoffice Channel - Dedicated Transport EEL - Per Mile per month DS1 Interoffice Channel - Dedicated Transport EEL - Facility Termination per month NRC - DS1 Channelization System - Add1
NRC - DS1 Channelization VG Interface - 1st
NRC - DS1 Channelization VG Interface - Add1
4-wire VG Local Channel/DS1 Interoffice Channel - Dedicated Transport EEL NRC - 4 wire Local Channel - VG - 1st
NRC - 4 wire Local Channel - VG - 1st
NRC - DS1 - Facility Termination - 1st
NRC - DS1 - Facility Termination - 1st
NRC - DS1 Channelization System - 1st
NRC - DS1 Channelization System - 1st
NRC - DS1 Channelization System - 1st
NRC - DS1 Channelization System Interface VG - 1st
NRC - DS1 Channelization System Interface - Add1
DS1 Loop/DS1 Interoffice Channel - Dedicated Transport EEL INTERIM NRCS FOR NEW EEL SUBJECT TO TRUE-UP NRC - Switch As Is - EEL - 1st
NRC - Switch As Is - EEL - Add1
NRC - Switch As Is - EEL - Disconnect - 1st
NRC - Switch As Is - EEL - Disconnect - 4dd1
NRC - Switch As Is - EEL - Manual vs. Eect - 1st
NRC - Switch As Is - EEL - Manual vs. Eect - Add1 NHC - Switch As Is - EEL - 1st
NHC - Switch As Is - EEL - Add1
NHC - Switch As Is - EEL - Disconnect - 1st
NHC - Switch As Is - EEL - Disconnect - Add1
NHC - Switch As Is - EEL - Manual vs. Elect - 1st
NHC - Switch As Is - EEL - Manual vs. Elect - 1st
NHC - Switch As Is - EEL - Manual vs. Elect - 1st Per additional circuit in same DS3 - Zone 1
Per additional circuit in same DS3 - Zone 2
Per additional circuit in same DS3 - Zone 3
Per additional circuit in same DS3 - Zone 4 DS1 Channelization Interface -VG per month DS1 Loop, per month, statewide
DS1 Loop, per month, Zone 1 (Note 1)
DS1 Loop, per month, Zone 2 (Note 1)
DS1 Loop, per month, Zone 3 (Note 1) DS1 Loop, per month, Zone 4 (Note 1) DESCRIPTION Zone 1 Zone 2 Zone 3 Zone 4

EELS

\$17.56

BELLSOUTH/6.spire RATES
NETWORK ELEMENTS
AND OTHER SERVICES

Attachment 2 Exhibit C Rates - Page 43

	AN	AND OTHER SERVICES	CES	45	NA.	4	SM	CX	SC	Z
DESCHIPTION	2000		Opposito	5						
			Mismi Fr			Nex		Greensboro		
INTERNANCE COD NEW CEL CITO TO TO TO ID.			Laud FL			Orleans LA		Charlotte NC		NashvilleTN
MDC DG1 long 1st	SOMAC	AN	Ą	\$448.92	AN	Ϋ́	Ϋ́	\$714.84	ΑN	¥
INDC: DS: Loop : Add!	SOMAC	AN	ΑN	\$276.60	NA	NA	٧	\$421.47	Ϋ́	¥
NBC - DS1 Interoffice Channel - Facility Termination - 1st	SOMAC	ΝA	\$45.91	\$166.01	NA	\$186.69	¥	\$217.17	¥	\$195.68
NRC - DS1Interoffice Channel - Facility Termination - Add1	SOMAC	ΑN	\$44.18	\$130.69	Ϋ́	\$149.23	¥	\$163.75	¥.	\$156.47
DS1 Loop/DS3 Interoffice Channel - Dedicated Transport EEL										473
Zone	TB0	NA	Y V	\$973.58	ΑN.	¥N	ž	¥.	¥ Z	¥Z:
Zone 2	180	۷V	٧A	\$981.69	¥2	¥ V	¥	¥	¥	¥
Zone 3	180	Ϋ́	٧×	\$1,017.36	ΝΑ	¥.	Y V	¥	Y.	¥
Zone 4	TBD	NA	۷A	ΥN	ΝΑ	٧×	¥	AN A	YZ	¥2
									22 024	4
DS1 Loop, per month, statewide	NSLXX	\$64.65	\$80.00	Ϋ́	\$67.96	\$72.86	\$69.59	\$62.78	\$72.55	180
DS1 Loop, per month, Zone 1 (Note 1)	TBO	ΥN	Ϋ́	\$52.40	YY.	¥.	¥.	¥2	¥ 5	<b>X X X X</b>
DS1 Loop, per month, Zone 2 (Note 1)	180	Ϋ́	¥	\$60.51	¥.	¥ :	¥.	¥ :	42	414
DS1 Loop, per month, Zone 3 (Note 1)	180	YZ.	¥	\$96.18	ď.	Y.	Y S	¥ 4.2		2 2
DS1 Loop, per month, Zone 4 (Note 1)	180	YN.	VA V	AN C	AN CO	NA P16 15	NA C14	410.00	610 14	88 88
DS3 Interoffice Channel - Dedicated Transport EEL - Per Mile per month	1L5XX	\$11.93	\$10.25	\$6.46	\$12.00	\$10.15	\$13.40	\$12.30	\$13.14 \$004 40	\$840.61
DS3 Interoffice Channel - Dedicated Transport EEL - Facility Termination per mont	U1TF3	736.6	994.83	\$717.60	\$0.211,18	\$1,131.09	\$080.84	\$7.20.30	\$304.45	6225 50
DS3 Channelization System per system per month	MO3	\$210.87	\$213.22	\$202.91	\$230.32	\$243.64	\$223.30 er ro	64.61	\$0 GO	\$3.01
DS3 Channelization Interface -DS1 per month	1POE1	54.53	80.31	\$0.07	30.32	610.70	615.41	£16.86	\$28 R7	\$16 A6
NRC - Switch As Is - EEL- 1st	ONCCO.	\$14.37	\$10.80	\$12.97	910.00	611.10	613 33	£15.48	\$28.35	\$15.48
NPC · Switch As Is · EEL · Add'I	COCO	513.33	\$13.48	311.27	613.40	612.66	615.01	\$13.92	TBA	\$13.92
NRC · Switch As Is · EEL · Disconnect · 1st	2000	313.21	413.32	61261	613 00	£12 66	\$15.21	\$13.92	TBA	\$13.92
NRC - Switch As Is - EEL - Disconnect - Add1	20200	913.21	\$10.92 \$54.94	CAE AE	651 31	642.70	\$55.41	\$51.31	\$56.54	\$51.31
INRC - Switch As is - EEL - Manual vs. Elect - 1st	SOMAC	\$19.15	\$17.56	\$15.72	\$17.56	\$14.77	\$19.16	\$17.56	\$19.02	\$17.56
NAIC - SWILLI AS IS - EEL- Mailda VS. L'ECT. ACC.			Orlando.							
			Maml, Ft			New		Greensboro		Machinita
INTERIM NRCS FOR NEW EEL SUBJECT TO TRUE-UP:			Laud FL	9, 616		Oreans LA	414	Chanone NC	414	AM
NRC - DS1 Loop - 1st	SOMAC	Y.	¥.	\$53.46	¥ S	4 4	42	\$47.47	Z AZ	¥Z
NRC · DS1 Loop · Add'I	SOMAC	ď.	NA 4070.40	\$319.54	42	CBR2 40	Z Z	\$794 94	Y.	\$905.50
NRC - DS3 - Interoffice Channel - Facility Termination - 1st	SOMAC	2 2	\$5.42.41	\$623.26	AN AN	\$573.28	ž	\$579.55	Ϋ́	\$565.26
NRC - US3 - Interoffice Channel - Facility Termination - Audit	SOMAC	¥ Z	\$408.24		¥z	\$413.85	٧X	\$428.07	ΝA	\$423.18
NAC - DOS CHAIRMENTAINS Sucham Addit	SOMAC	¥	\$301.27	1	¥	\$292.33		\$298.37	ΥN	\$298.48
MDC - DS3 Channelization System DS1 Interface - 1st	SOMAC	Ϋ́	\$13.39	\$13.45	Y.	\$12.29		\$15.76	¥	\$12.61
NRC - DS3 Channelization System DS1 Interface - Add1	SOMAC	Ϋ́	\$9.59	\$9.63	٧V	\$8.80	¥	\$11.28	ΥX	\$9.03
DS-1 Local Channel/ DS-3 Interoffice Channel - Dedicated Transport EEL										10000
DS1 Local Channel per month	TMECS	\$35.52	\$44.35	\$38.57	\$43.80	\$43.80	\$38.91	\$35.68	\$37.20	\$40.27
DS3 Interoffice Channel - Dedicated Transport EEL - Per Mile per month	1L5XX	\$11.93	\$10.25	\$6.46	\$12.06	\$16.15	\$13.48	\$12.98	\$19.14	20.08
DS3 Interoffice Channel - Dedicated Transport EEL - Facility Termination per mont	U1TF3	\$736.60	\$994.83	\$717.60	\$1,112.02	\$1,131.09	\$686.84	\$720.38	\$904.49	\$640.51
DS3 Channelization System per system per month	MQ3	\$210.87	\$213.22	\$202.91	\$2.94	\$3.12	22.80	\$2.88	25.30	36.40
DS3 Channelization Interface -DS1 per month	1P0E1	\$4.53	\$6.31	\$0.67	\$1.40	\$1.62	\$1.45	20.05	\$1.93	00 01 0
NRC - Switch As Is - EEL- 1st	ONCCC	\$14.37	\$16.86	\$12.97	\$16.86	\$12.70	\$15.41	\$16.86	\$28.87	\$15.86
NRC - Switch As Is - EEL - Add'I	ONCCC	\$13.33	\$15.48	\$11.27	\$15.48	\$11.10	\$13.33	\$15.48	\$28.35	\$15.48
NRC - Switch As Is - EEL - Disconnect - 1st	UNCCC	\$15.21	\$13.92	\$12.61	\$13.92	\$12.66	\$15.21	\$13.92	TBA	\$13.92
NRC - Switch As Is - EEL - Disconnect - Add'i	CINCCC	\$15.21	\$13.92	\$12.61	\$13.92	\$12.66	\$15.21	\$13.92	\$56.54	\$51.31
NRC · Switch As Is · EEL · Manual vs. Elect · 1st	SOMAC	\$56.43	\$51.31	\$45.40	\$51.51	614 77	61916	\$17.56	\$19.02	\$17.56
NRC - Switch As Is - EEL- Manual vs. Elect - Add'i	SOMAC	919.10	917.30	21.0.16	20					

BELLSOUTWe.spire RATES
NETWORK ELEMENTS
AND OTHER SERVICES

_	_				_				,	-	_	~~	-	_	_	
	Z	_		NashvilleTN	\$377.96	\$277.31	980.45	643.07	\$362.09	\$248.17	\$12.61	\$9.03				
	သင				Y.	NA	NA	٧¥	NA	Ϋ́	NA	٧				
	ပ္		Greensboro	Charlotte NC	\$534.48	\$462.69	\$794.94	\$579.55	\$476.24	\$321.89	\$15.76	\$11.28				
	MS				¥	٧V	٧X	Ą	NA	NA	٧V	VA				
	ΓA		New	Orleans LA	\$434.53	\$341.09	982.64	644.52	\$352.89	\$241.87	\$12.29	\$8.80				
	Κλ				ΑN	Ϋ́Z	Ϋ́	Ϋ́	ΥN	Ϋ́	٧X	¥				
	QA				\$400.37	\$312.89	977.44	-1.19	\$386.41	\$264.84	\$13.45	\$9.63				
_ !	4	Orfando,	Mlaml, Ft	Laud FL	\$246.50	\$230.49	\$884.71	\$552.81	\$344.18	\$248.67	\$13.39	\$9.59				
AND OTHER SERVICES	AL				AN	ΑN	Ϋ́	¥	Ϋ́	ΝA	¥	Ϋ́				
	nsoc				SOMAC	SOMAC	SOMAC	SOMAC	SOMAC	SOMAC	SOMAC	SOMAC				
	DESCRIPTION			INTERIM NRCs FOR NEW EEL SUBJECT TO TRUE-UP:	NBC -DS11 ocal Channel - 1st	INBC -DS1 Local Channel - Add1	NBC. DS3 Interoffice Channel - Facility Termination - 1st	NBC, DC3 Interoffice Channel - Facility Termination - Add'l	NRC - DS3 Channelization System - 1st	NRC - DS3 Channelization System - Add'l	NBC - DS3 Channelization System DS1 Interface - 1st	NRC - DS3 Channelization System DS1 Interface - Add'l			Notes	Effective May 1, 2000 statewide rates will be replaced by Deaveraged Loop Rates by Zone where available. Until approximately December 31, 2000 or until such time that BeltSouth billing systems have been developed to handle the new zone rate structure. BeltSouth will bill at the Zone 1 Deaveraged Loop rate kerel only. After December 31, 2000 or such time that the billing systems have been developed to handle the new zone rate structure, BeltSouth will begin billing pursuant to CLEC.1's interconnection agreement. The status of the rates shown 1 by state is as follows:  Where the state Commission has adopted rates for the rate elements containedherein, it is the intent of the Parties to reflect such rates in thisExhibit and to apply the same consistent with applicable FCC and Commissionrules and
	ഥ	+			+	+	+	+	+-	+-	+	+	+	+	4	+

BELLSOUTHO. Spire RATES
NETWORK ELEMENTS
AND OTHER SERVICES

\$0.004 \$47.30 \$0.0000364 \$1.50 \$0.00 \$30.00 \$0.50 NA \$67.50 \$0.008 \$0.004 \$54.95 \$0.004 \$54.95 \$0.001 \$0.004 \$3.00 \$1.50 ž Y Y Y Z Z ZZ ZZ ž **\$ \$ \$ \$** ž \$0.0002862 \$0.0032344 \$54.72 \$0.0000357 \$0.004 \$47.30 \$0.0000364 \$0.0005227 \$6.38 \$0.9583 \$27.84 NA \$22.63 \$22.63 \$2.73 \$42.95 \$0.004 \$54.95 \$0.001 \$5.64 \$2.82 **X** X X X ZZ ZZ žž ZZ ပ္တ ž \$0.004 \$47.30 \$0.0000364 \$305.00 \$0.0003 \$0.0032 \$54.61 \$0.00004 \$0.00050 \$0.00365 \$0.00383 \$23.82 \$2.73 NA NA \$41.35 \$0.004 \$54.95 \$0.001 \$23.82 \$2.73 NA NA \$5.63 \$2.82 \$7.05 \$0.96 \$26.94 NA \$41.35 ž ž ₹ ž ž ž ž ž \$0.0001179 \$0.0032089 \$54.62 \$0.0000354 \$0.004 \$47.30 \$0.0000364 \$0.0005321 \$0.004 \$54.95 \$0.001 \$11.32 \$0.96 \$25.52 NA \$16.05 \$17.04 \$1.93 \$1.32 \$0.96 \$25.52 \$16.05 \$0.96 \$25.52 NA \$5.63 \$1.93 ž ₹ž Σ ZZ ΣĮΣ ŽŽ ¥ \$0.004 \$47.30 \$0.0000364 \$0.0000300 \$0.00019 \$0.0024 \$47.3000 \$0.0005305 \$0.004 \$54.95 \$0.001 \$6.29 \$0.73 NA \$8.30 \$0.73 \$18.14 NA \$11.40 \$18.14 NA \$11.40 \$12.27 \$12.27 \$1.39 \$8.30 \$0.73 \$2.14 Ž Ž ZZ ¥ ž 5 žΣ \$0.004 \$47.30 \$0.0000364 \$0.0008611 \$0.0032357 \$55.68 \$0.0000365 \$0.0010 \$0.0010 \$0.004 \$54.95 \$0.001 \$10.05 \$30.59 \$30.59 \$6.97 \$3.22 \$3.22 NA NA ž ž Ž ž Y Z Z Z Z Y Z Z ⋩ ž ŽŽ \$0.0001275 \$0.0062548 \$28.25 \$0.0000434 \$0.0034555 \$47.30 \$0.0004868 \$0.0136327 \$0.0000434 \$28.85 \$18.94 NA \$18.94 NA \$4.46 \$2.23 \$6.57 \$12.81 \$12.81 ¥ ž ž Š ž ž ž ž ž ž ž ž ٧ \$0.004 \$47.30 \$0.0000364 \$0.004 \$54.95 \$0.001 \$0.004 \$54.95 \$0.001 8 ₹ ž ž ž ₹ ž ž ž Z Z ž ž ZZZ ž AZZZZZZ Y Y Y ž ZZZ 교 \$0.004 \$47.30 \$0.0000364 \$0.00004 \$0.0002 \$0.0033 \$0.004 \$54.95 \$0.0005 \$15.88 \$0.97 \$27.37 NA \$17.75 \$10.04 \$0.001 \$7.13 \$0.97 \$27.37 \$15.88 \$27.37 \$5.69 \$2.85 \$1.97 \$1.97 \$17.75 ¥ × ¥ × ¥ Z Z žž ž ž N/A N/A SOMAN SOMAN SOMAN SOMAN SOMAN N8FCX N8FCX SOMAN SOMAN NBFTX USOC N8R1X NBFTX **N8FTX** 888 **B B B** ¥ × ¥X X X × Ž Ž × Enhanced Optional Daily Usage File (EODUF)

Enhanced Optional Daily Usage File: Message Processing , Per Message
Enhanced Optional Daily Usage File: Message Processing, per magnetic tape
Enhanced Optional Daily Usage File: Data Transmision (CONNECT DIRECT), per RC - OSS OLEC Daily Usage File: Message Distribution, Per Magnetic Tape
RC - OSS OLEC Daily Usage File: Data Transmission (CONNECT:DIRECT), Per Recovery of incremental OSS costs, per CLP, per month RC · OSS OLEC Daily Usage File: Recording, Per Message RC · OSS OLEC Daily Usage File: Message Processing, Per Message Access Daily Usage File (ADUF)
RC - ADUF, Message Processing, per message
RC - ADUF, Message Distribution, per Magnetice Tape provision: Grown RC - ADUF, Data Transmision (CONNECT DIRECT), per message NRC - Disconnect Charge - 1st
NRC - Disconnect Charge - Add1
NRC - Incremental Charge - Manual Service Order - 1st
NRC - Incremental Charge - Manual Service Order - 1st
NRC - Incremental Charge - Manual Service Order - Add1
NRC - Incremental Charge - Manual Service Order - Disconnect NRC - Disconnect Charge - Add'i
NRC - Incremental Charge - Manual Service Order - 1st
NRC - Incremental Charge - Manual Service Order - Add'i
NRC - Incremental Charge - Manual Service Order - Disconnect
Customized Area of Service per 8XX Number for 8XX Numbers, w/Optional Complex Features, per message 8XX Access Ten Digit Screening Svc. W/POTS No. Delivery Ior 8XX Numbers, with Optional Complex Features, per query 8XX Access Ten Digit Screening Svc. W/POTS No. Delivery SWA 8XX Toli Free Disling Ten Digit Screening Service (Note 1)
8XX Access Ten Digit Screening (all types), per call (Note 2)
8XX Access Ten Digit Screening Svc. W/8XX No. Delivery NHC - 1st
NHC - Addri
NHC - Incremental Charge - Manual Service Order - 1st
NHC - Incremental Charge - Manual Service Order - 1st
NHC - Incremental Charge - Manual Service Order - 4ddri
Per 8XX # Established w/e POTS (w/8XX No.) Translations | | with Optional Complex Features, per query | 8XX Access Ten Digit Screening Svc. W/800 No. Delivery per message
with Optional Complex Features, per message
Reservation Charge per 8XX number reserved NRC - Disconnect Charge - 1st Operational Support Systems per message NRC - Addr NRC - 1st DESCRIPTION per quer

OSS-8XX-DATABASES

BELLSOUTHIO. Spiro RATES
NETWORK ELEMENTS
AND OTHER SERVICES

	2	AND DINER SERVICES	CES							
DESCRIPTION	OSOC	AL	7	GA	KY		MS	2	ပ္တ	Z.
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	Ϋ́	¥	¥	¥N.	Y Z	Y :	¥Z.	ď.	¥ 2
NRC - Incremental Charge - Manual Service Order - Add'l	SOMAN	Ϋ́	Ϋ́	¥	¥N	ď Z	ΨN	¥Z	4	¥2
Multiple Inter LATA Carrier Routing per Carrier Requested per 8XX #				00.14	9,04	8	0000	66.60	66.60	63.50
NRC - 1st	NBLMX	\$6.66	ď.	35.22	20.10	30.00	\$0.33	#0.33	20.00	200
NRC - Addil	NBFMX	\$3.81	¥ S	\$22.99	79.67	\$2.80 NA	93.77 NA	NA.	NA NA	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	Y S	42	¥ ×	2 2	Q AN	2 4	Q A	Y N	Y Z
NRC - Incremental Charge - Manual Service Order - Add I	SOMAIN	2	2	2	2	2				
Change Charge per request	NBEAY	01 83	ΔN	£7.33	\$11.24	\$7.01	\$9.42	\$8.01	\$7.34	\$48.50
NIC - ISI	NBEAX	20.03	Y Y	\$0.76	\$1.19	\$0.73	96.0%	\$0.96	\$0.9583	\$0.50
MIDC Incremental Change Manual Service Order , 1st	SOMAN	\$27.37	Ą	\$18.94	¥	\$18.14	\$25.52	\$26.94	\$27.84	¥Z
NDC Incomputal Charge - Manual Service Order - 131	SOMAN	AN AN	¥	¥	NA NA	Ϋ́Z	Ϋ́	AN	Ϋ́	ΑN
Call Handling and Destination Festinate										
NBC 1st	NBFDX	\$5.69	¥	\$4.72	\$6.97	\$4.27	\$5.63	\$5.63	\$5.64	\$3.00
NPC - Add'I	NBFDX	ΑN	NA	\$4.46	\$6.97	\$4.27	\$5.63	Ϋ́	\$5.64	\$3.00
1821 7 002004 2078774 1003111 2111										
LINE INFORMATION DATABASE ACCESS (LICE)	100	\$0,00004	\$0,0003	\$0,0000338	\$0.00006	\$0.0000418	\$0.0000446	1	\$0.0000442	\$0.0003
LIDE Common Hansport per query	ē	\$0.041003	\$0.041003	\$0.0105974	\$0.00938	\$0.0103774	\$0.0142132	5	\$0.0141003	\$0.041003
Libb Varidation Point Code Petablishment or Change - NRC	YN V	\$64.36	¥X	\$50.30	\$107.60		\$63.63		\$61.62	٧
IND. Incremental Change - Flectronic Service Order	180	¥	¥	¥	AN	Ϋ́	¥	\$62.26	ΑN	NA
NBC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$25.93	ΑN	\$18.94	Ϋ́	\$18.14	\$25.52	\$26.94	\$27.84	\$91.00
NRC - Incremental Charge - Manual Service Order - Add'I	SOMAN	AN	¥.	ΝA	NA	NA	¥	Y Y	\$27.84	¥
CCS7 SIGNALING TRANSPORT SERVICE										
CCS7 Signaling Connection, per link (A link) per month		\$18.79	\$5.00	\$17.05	\$16.31	\$19.48	\$21.58	\$155.00	\$21.79	\$155.00
NRC		\$171.98	\$400.00	\$131.96	\$354.95	\$126.34	\$169.72	\$510.00	\$277.07	3510.00
NRC - Disconnect		\$135.70	Ϋ́	Ϋ́	¥	\$101.10	\$134.08	¥ :	\$42.95	¥ 2
NRC - Incremental Charge - Manual Service Order	SOMAN	\$25.93	¥	\$18.94	¥.	\$18.14	\$25.52	¥ S	V S	¥ 2
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$16.31	¥	Y.	ΥN	\$11.40	\$10.03	¥2	¥2.	Adding out
CCS7 Signaling Connection, per link (B link) (also known as D link) per month		\$18.79	\$5.00	\$17.05	\$16.31	\$19.48	821.28	\$155.00	321.79	NOT SVSHADIN
NAC		\$171.98	\$400.00	\$131.96	\$354.95	\$126.34	\$169.72	\$510.00	\$277.07	30.00 30.00
NRC - Disconnect		\$135.70	ΑN	ΥN	¥Z.	\$101.10	\$134.08	ž	\$42.95	2
NRC - Incremental Charge - Manual Service Order	SOMAN	\$25.93	¥2	\$18.94	YZ.	\$18.14	\$25.52	4	¥ 2	¥ ×
NRC - Incremental Charge - Manual Service Order - Disconnect	SOMAN	\$16.31	VAN S	AN CO.	VA V	\$11.40	\$16.05	NA 6133 88	NA €156 23	4355 OO
CCS7 Signaling Termination, per STP port per month		\$148.72	313.00	\$ 133.39	\$1/4.00	12	\$101.12	\$0,000	\$0,0000452	\$0,000023
CCS7 Signaling Usage, per ISOP message		1	00000	40.00000	000000000000000000000000000000000000000	-				
CCC Cinvalina Heade per TCAP message		\$0.0001	\$0.00004	\$0.0000870	\$0.000102042	\$0.0001052	\$0.0001115	\$0.0000	\$0.0001108	\$0.00005
(applicable when measurement and billing capability exists.)										
CCS7 Signaling Usage Surrogate, per link per LATA per mo (9)		\$376.12	\$64.00	\$340.67	\$329.98	\$406.71	\$406.53	\$338.98	\$396.55	\$395.00
CCS7 Signaling Point Code, Establishment or Change, per STP affected										0000
INRC		\$62.00	\$62.00	\$62.00	\$62.00	\$62.00	\$62.00	\$62.00	\$62.00	<b>3</b> 62.00
Original processing										
OPERATOR CALL PROCESSING	A/N	\$121	\$100	\$0.9680296	\$1,6016	\$0.91	\$1.19	\$1.20	\$1.21	Ϋ́
Operator Provided Call nandling per Illin - Using Bot Libbs	Y A	\$0.08	NA NA	Ϋ́	Ϋ́	¥X	٧X	NA	\$0.08	¥
Operator Provided Call Handling per min - Using Foreign LIDB	N/A	\$1.25	\$1.00	\$1.02	\$1.6249	\$0.96	\$1.24	\$1.24	\$1.25	٧V
Call Completion Access Termination Charge per call attempt	N/A	\$0.08	NA	ΥN	ΨN	Ϋ́	Ϋ́	ΑN	\$0.08	¥
Operator Provided Call Handling, per call	N/A	NA	NA	٧×	۷V	Ϋ́Z	٧×	¥Z	ΨV	\$0.30
Fully Automated Call Handling per call - Using BST LIDB	N/A	\$0.11	\$0.10	\$0.0776409	\$0.0856	\$0.10	\$0.1072884	\$0.11	\$0.1115808	20.15
Fully Automated Call Handling per call - Using Foreign LIDB	N/A	\$0.13	\$0.10	\$0.0976984	\$0.1071	\$0.12	\$0.1253666	20000	67 000 00	\$0.15
Professional recording of name (OCP alone)	USOD1	\$7,000.00	\$7,000.00	\$7,000,00	\$7,000,00	\$7,000,00	\$7,000,00	\$7,000.00	\$7,000,00	\$7,000 00
Professional recording of name (DA and OCP alone)	USODI	\$/,000.0v	\$7,000.00	W.WW./	DO: 0001/	٠٠٠٠٠٠٠	٠٠٠٠٠٠٠	** , vec . ve	22:220,1	22:222
On its Description										

OSS-8XX-DATABASES

> BELLSOUTHVE. Spire RATES NETWORK ELEMENTS AND OTHER SERVICES

	NA .	AND OTHER SERVICES	SES							
DESCRIPTION	nsoc	Ą	교	₹S	K	Y.	MS	NC	သွ	Z.
DRAM or front-end loading, per TOPS switch	USOD2	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00
AABS or back-end loading, per IVS	USOD2	\$225.00	\$225.00	\$225.00	\$225.00	\$225.00	\$225.00	\$225.00	\$225.00	\$225.00
EBAS or 0- automation loading, per NAV shelf	USOD2	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00
Recording Charge per Branded Announcement - Disconnect - Initial	N/A	\$9.61	VΑ	۸A	AN	NA	٧¥	¥	¥	¥
Recording Charge per Branded Announcement - Disconnect Subsequent	N/A	\$9.61	ΑN	ΑN	NA	ΝA	ΑN	٧¥	¥	<b>₹</b>
WALLES AGENTATOR										
INWARD OPERATOR SERVICES	N/A	\$1.16	ΑN	£0 921083	AN	\$0.86	\$1.14	\$1.15	\$1.15	¥
Verification, per minute	A/N	\$1.16	¥ X	\$0.921083	Ϋ́	\$0.86	\$1.14	\$1.15	\$1.15	Y.
Vernication per cell	NI.	NA	\$0.80	ΥN	\$1.00	ΥN	ΥN	\$0.54	Ϋ́	\$0.90
Verification and Emergency Interrupt, per call	N/A	AN	\$1.00	AN	\$1.111	Υ	NA	\$0.65	٧V	\$1.95
DIRECTORY ASSISTANCE SERVICES								000	0,00	0,00
Directory Assist Call Completion Access Svc (DACC), per call attempt	N/A	\$0.10	\$0.10	\$0.10	\$0.10	\$0.10	\$0.10	290.062	20.10	20.10
Call Completion Access Term charge per completed call	A/A	AN	AN C	NA POSTOS	AN O	V S	NA	AN CO	\$0.08	NA 60 15
Number Services intercept per query	N/A	\$0.0235	90.04	\$0.003/49/	\$0.000 \$0.000 \$0.000 \$0.000	#0.0¢	#0.0166200	NAN CAN	NA	AN
Number Services Intercept per Intercept Query Update	N/A	*0.27E	NA En 27E	60 27E	\$0.0035 \$0.975	\$0.975	\$0.275	\$0.260000	\$0.275	\$0.275
Disfersional properties of parts (DA alone)		\$0.275 \$3,000,00	\$3,000,00	\$3,000,00	\$3,000,00	\$3,000,00	\$3,000,00	\$3,000.00	\$3,000.00	\$3,000.00
Professional recording of name (DA and OCP alone)		\$7,000,00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00
DRAM or front and loading ner TOPS switch		\$250.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00
AARS or back and loading ner IVS		\$225.00	\$225.00	\$225.00	\$225.00	\$225.00	\$225.00	\$225.00	\$225.00	\$225.00
EBAS or 0- automation loading, per NAV shelf		\$270.00	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00	\$270.00
Recording Charge per Branded Announcement - Disconnect - Initial	N/A	\$9.61	NA	NA	NA	٧¥	ΑN	۷N	NA	¥ Z
Recording Charge per Branded Announcement - Disconnect - Subsequent	N/A	\$9.61	¥	ΝA	NA	۸A	٧¥	¥.	¥	¥ Z
Directory Transport	2013	03.504	19 613	\$20.26	636 30	643 03	£30 01	£35 68	637.20	£133.81
Directory Transport - Local Channel UST, per month	Y/2	\$35.52	\$43.04 \$242.45	\$356.30	\$30.3¢	£330 60	C404 83	\$534.48	\$534.81	\$868.97
NHC - ISI	A/A	C442 84	\$226 44	£312 AG	\$546 94	\$298.29	\$435.28	\$462.69	\$462.81	\$486.83
NRC - Disconnect Charge - 1st	Y/X	\$46.28	AN	ΝΑ	ΑN	\$33.02	\$46.85	¥X	Ϋ́	¥Z
NRC - Disconnect Charge - Add"	N/A	\$32.18	AN	ΨN	AN	\$23.32	\$33.02	۸A	Ϋ́	ΥV
NRC - Incremental Charge-Manual Svc Order - NRC - 1st	SOMAN	\$61.99	ΝA	\$44.22	NA	\$42.34	\$59.58	\$86.15	\$87.99	VΑ
NRC - Incremental Charge-Manual Svc Order - NRC -addl	TBD	AA	ΑN	ΥN	ΝA	۷A	ΥA	\$1.77	NA	٧×
NRC - Incremental Charge-Manual Svc Order - NRC-Disconnect	SOMAN	\$29.27	NA	ΝA	ΝA	\$19.48	\$27.41	۸A	\$3.11	¥ Z
Directory Transport - Dedicated DS1 Level Interoffice per mile per mo	N/A	\$0.6923	\$0.6013	\$0.4523	\$0.45	\$0.78	\$0.6598	\$0.5753	\$0.7598	\$23.00
Directory Transport - Dedicated DS1 Level Interoffice per facility termination per md	N/A	\$79.69	\$99.79	\$78.47	\$55.05	\$93.40	\$74.40	\$71.29	\$94.98	290.00
NRC - 1st	Z/A	\$198.15 6148.15	240.91	611175	\$230.10 €231.18	6106.60	\$147.31	\$163.75	\$162.70	\$100.49
NAC - Nicrophert Charge - 1st	Y X	\$25.44	AN AN	Ϋ́	NA	\$20.00	\$26.56	٧×	ΨN	ĄX
NRC Disconnect Charge - Add1	N/A	\$20.42	AN	Ϋ́	Ϋ́	\$16.34	\$21.61	NA	٧V	NA
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	\$27.37	ΝA	\$18.94	ΥN	\$18.14	\$25.52	\$38.07	\$39.63	¥
NRC - Incremental Charge - Manual Service Order - Add'i	SOMAN	\$27.37	ΑN	Ϋ́	Ϋ́	\$18.14	\$25.52	\$38.07	\$39.63	ž
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	SOMAN	\$12.97	ΥN	Y :	¥	90.8	\$11.34	¥ S	¥ S	ď.
NRC - Incremental Charge - Manual Service Order - Disconnect - Add"	SOMAN	\$12.97	VΑ	VA V	VA.	90.98	\$11.34	VN COO	NA 000000	<b>S</b>
Switched Common Transport per DA Access Service per call	YN.	\$0.0003	\$0.0003	\$0.0002906	\$0.0001/5	\$0.0003274	\$0.0002997	\$0.00020	\$0.000327	42
Switched Common Transport per DA Access Service per call per mile	Y/A	\$0.0003	\$0.0001	\$0.0000186	\$0.00004	\$0.00001/3	\$0.0000202 \$0.0003713	-1	\$0,0000303	2
Access Tandem Switching per DA Access Service per call	V/A	\$0.0023	600000	\$0.0019152	\$0.000/83	*0.002000	NA NA	1	\$0,000,4809	AN
Disciplination of the Community of the Call	Y X	\$0.00269	Y.	\$0.00509	V <u>N</u>	2		200	000000	
NECOTA I fall sport-installation tand, befugging of median	Y X	\$260.69	\$206.06	\$204.23	\$501.98	\$195.54	\$257.73	NA	\$407.81	Ϋ́
NRC - Add'I	A/N	\$5.95	\$4.71	\$4.42	\$13.32	\$4.23	\$5.85	Ϋ́	\$11.00	۸A
NRC - Disconnect Charge - 1st	N/A	\$173.46	NA	۸N	ΥN	Ϋ́Α	¥.	NA	¥ Z	¥.
NBC : Disconnect Charge - Add1	N/A	\$5.95	¥	Y Y	ΥN	Ψ¥	¥	¥	¥ 2	¥Z
	:									

BELLSOUTHO. spire RATES
NETWORK ELEMENTS
AND OTHER SERVICES

	2	AND OTHER SERVICES	CES							
DESCRIPTION	OSOC	AL	7	ВA	ΚY	LA	MS	SC	သွ	T.
NRC - Incremental Charge - Manual Service Order - 1st	SOMAN	NA	NA	\$44.22	NA	\$130.05	\$171.49	٧	٧	¥
NRC - Incremental Charge - Manual Service Order - Add'i	SOMAN	ΝA	ΑN	V.	ΑN	\$4.23	\$5.85	Ϋ́	٧	¥
NRC - Manual Service Order - 1st	TB0	٧X	ΑN	ΥA	Ϋ́	NA	٧¥	\$407.53	ΑN	Ϋ́
NRC - Manual Service Order - Add'I	180	ΑN	Ϋ́	Ϋ́	Ϋ́Z	Ϋ́	٧V	\$10.98	٧V	NA
Directory Assistance Database Service (DADS)										
Directory Assistance Database Service charge per listing	N/A	\$0.0446	\$0.001	\$0.0445	\$0.0193	\$0.0443	\$0.0447	\$0.04460	\$0.0444	¥Z
Directory Assistance Database Service, per month	DBSOF	\$128.55	\$100.00	\$95.50	\$120.76	\$90.54	\$126.17	\$126.26	\$127.23	¥
Direct Access to Directory Assistance Service (DADAS)										
Direct Access to Directory Assistance Service, per month	DBSDS	\$7,055.00	\$5,000.00	\$5,254.00	\$7,235.01	\$4,982.00	\$6,926.00	00'066'9\$	\$6,983.00	¥
Direct Access to Directory Assistance Service, per query	DBSDA	\$0.0472685	\$0.01	\$0.0469016	\$0.0052	\$0.0460	\$0.0461336	\$0.0456	\$0.0468212	¥
Direct Access to Directory Assistance Service, svc estab charge	DBSDE					00000	00 500 14	00 101	00 01	414
NRC	DBSDE	\$1,118.00	\$820.00	\$788.24	\$1,186.94	\$/86.82	\$1.097.00	30.19	31.1/3.00	¥ :
NRC - Disconnect NRC Incommodal Charge Manual Society Order - 1st	SOMAN	\$81.83 NA	Y Y	Y Z	Y Z	\$57.23	\$80.52	ž Ž	( 4 2 2	ž
AN (Note 4)										180
AlN, per message	CAM	Ϋ́	\$0.00004	Ϋ́	Ϋ́	٧×	Ϋ́	ΑN	NA	ΝA
AIN - BellSouth AIN SMS Access Service	CAM								ΝA	VA VA
Service Establishment Charge, per state, initial set-up										
NRC	CAMSE	\$197.49	AN	\$90.25	NA	\$153.31	\$174.03	\$294.77	\$296.16	¥
NRC - Disconnect	CAMSE	\$114.22	¥	ΥN	NA	\$78.06	\$135.96	¥	Ϋ́	¥
Port Connection - Dial/Shared Access										
NRC	CAMDP	\$64.05	¥	\$29.66	¥	\$50.07	\$53.47	\$86.94	82.78	¥:
NRC - Disconnect	CAMDP	\$27.04	¥	Ϋ́Α	¥Z	\$18.61	237.70	42	Y.	Š.
Port Connection - ISDN Access	43340	964.06	414	\$20 GG	VIA.	650.07	EE2 47	608.04	687.20	AM
NHC	Z SW	204.03	2	363.00	2 3	40.00	627.70	AIA	NA AN	Y N
NRC - Disconnect	CAMIL	\$27.04	4	Y.	42	10.01	07.70	٤	Ş	5
User ID Codes - per User ID Code	CAMALI	\$141.84	Ą	\$84.43	¥.	\$104.95	\$129.83	\$200.83	\$202.08	ΥN
NBC - Disconnect	CAMAU	\$70.05	¥	Ϋ́Z	¥	\$48.95	\$79.91	ΑN	٧×	٧N
Security Card per User ID Code, initial or replacement										
NRC	CAMRC	\$142.13	NA	\$35.44	٧¥	\$125.33	\$131.54	\$172.05	\$172.26	٧V
NRC - Disconnect	CAMRC	\$35.26	Ϋ́	Ϋ́	Y.	\$24.40	\$45.77	¥	٧×	¥Z
Storage, per unit (100Kb)	N/A	\$0.0026	ž	\$0.0023	Y.	\$0.0029	\$0.0029	- 1	\$0.0028	ž
Session per minute	Ψ/X	\$0.0892	¥2	\$0.0795604	¥ ×	20.10	000000	90.0/8	\$0.0342300	4 4 2
AIN - Relicouth Ain Toolkit Service					S			1		
AIN, Service Creation Tools	CAMBP	NA	TBD	ΥZ	ΥN	Ϋ́	ΥN	ΑN	Ϋ́	٧
Service Establishment Charge, per state, initial set-up						30 027		10000	.,	
NRC	BAPSC	\$192.69	ž	\$86.74	¥.	\$153.25	\$169.31	C0.0624	\$291.41	¥ :
NRC - Disconnect	BAPSC	\$114.22	¥	¥Z	₹ Z	\$78.05	\$135.96	¥Z	ď.	¥Z
Training Session, per customer	RAPVX	SR 363 00	NA NA	\$8.348.00	¥.	\$8.315.00	\$8,379.00	\$8,363.00	\$8,333.00	A N
NRC · Disconnect	BAPVX	Ϋ́Z	V.	AN	Ϋ́	ΥZ	ΨX	NA NA	٧X	ΥN
Trigger Access Charge, per trigger, per DN, Term. Attempt										
NAC	BAPTT	\$49.64	ΝA	\$19.13	Y.	\$41.08	\$39.30	\$72.76	\$73.02	Υ×
NRC - Disconnect	BAPTT	\$27.04	¥	Ą	<b>V</b>	\$18.60	\$37.70	¥	٧×	¥
Trigger Access Charge, per trigger per DN, Off-Hook Delay	RAPTO	<b>240 64</b>	ΨN	C114 RO	NA N	\$41.08	08 683	\$72.76	\$73.02	WA
NAC	BAPTD	\$27.04	Z Z	NA NA	Y X	\$18.60	\$37.70	NA N	AN	¥
Tigger Access Charge, per trigger, per DN, Off-Hook Immediate										
L Verbiert (CRR CS/CO										

> BELLSOUTH/6.spire RATES NETWORK ELEMENTS AND OTHER SERVICES

	Y Y	AND OTHER SERVICES	SES							
DESCRIPTION	USOC	AL	F	ΒA	ΚX	4	MS	S	သင	Z.
NRC	BAPTM	\$49.64	Ϋ́	\$19.13	Ϋ́	\$41.08	\$39.30	\$72.76	\$73.02	¥ :
NRC - Disconnect	BAPTM	\$27.04	Š	Ϋ́	¥	\$18.60	\$37.70	¥Z	ΨZ.	¥
Trigger Access Charge, per trigger, per DN, 10-Digit PODP									30000	
NRC	BAPTO	\$117.98	AN	\$70.06	¥	\$92.99	\$100.90	\$149.95	\$150.65	2
NRC - Disconnect	BAPTO	\$37.90	¥	¥ Z	Ϋ́	\$26.73	\$48.44	¥	<b>∀</b> N	YZ
Trigger Access Charge, per trigger, per DN, CDP										
NRC	BAPTC	\$117.98	¥	\$70.06	¥	\$92.99	\$106.90	\$149.95	\$150.25	¥.
NRC · Disconnect	BAPTC	\$37.90	¥2	Ϋ́	Y.	\$26.73	\$48.44	¥2	₹ Z	ď.
Trigger Access Charge, per trigger, per DN, Feature Code						00 000	30,0	10000	90 03	414
NRC	BAPTF	\$117.98	¥.	\$70.06	¥.	\$92.99	\$106.90	\$149.95	\$150.25	2 2
NRC · Disconnect	BAPTF	\$37.90	¥	ΨN	¥	\$26.73	\$48.44	Т	AN OCCUPA	<b>X</b>
Query Charge, per query		\$0.024	¥	\$0.0209223	Y.	\$0.03	\$0.0256138	Т	\$0.0250662	4 4 Z
Type 1 Node Charge, per AIN Toolkit Subscription, per node, per query		900.0\$	¥X	\$0.0053137	Y.	\$0.0065	\$0.005161	\$0.00	\$0.00029/9	2
	A1/A	63.63	MA	£1.46	ΑN	\$1.70	\$1.79	\$1.45	\$1.73	¥ Z
SCP Storage Charge, per SMS Access Acce, per 100 No	074040	20.00	44	90 913	MA	C15 80	\$16.01	\$15 OR	\$15.93	¥Z
Monthly Heport - per Ain Looikit Service Subscription	DADAG	644 56	Z V	622.64	Y Y	234 61	\$44.02	\$71.80	\$72.15	ž
NHC	DADMC	631 BA	Y V	NA	Z Z	20107	\$31.28	Y.	¥	Š
NHC · Disconnect	SADIC	\$0.10¢	V V	\$0.0861100	Y Z	80.08	\$0.0810536	\$0.08	\$0.0872769	¥
Special Study - per Air Louisi Service Subscription	BAPIS	247.74	AN	\$22 64	AN	\$37.77	\$47.21	\$47.20	\$47.35	¥
O CONTRACTOR	BAPIS	615 90	AN	AN	AX	¥	¥	Ϋ́	ΑN	Ϋ́
NAC - Discornieci	DAPAG	645.00	NA	£15 R7	AZ	\$15.81	\$15.93	\$15.90	\$15.84	¥
Call Event Report - per Ain Looikit Service Subscription	SOLVE	\$13.30 \$44.56	VAN	\$22 64	AZ	S34 61	\$44.02	\$71.80	\$72.15	¥
NHC	SOLVO	62104	NA	NAN.	ĄZ	\$21.07	\$31.28	¥N	¥	¥
NHC - Disconnect	BADEC	60003	VAN	\$0 0028704	ĄZ	\$0,000	\$0.0027018	\$0.003	\$0,0029092	¥
Call Event special Study - per Ain Looinit Service Subscription	RAPES	247 74	Ą	\$22.64	ž	\$37.77	\$47.21	\$47.20	\$47.35	¥X
NBC Disconnect	BAPES	\$15.90	¥	¥	٧X	\$37.77	٧X	¥2	¥	¥
CALLING NAME (CNAM) QUERY SERVICE										
CNAM (Database Owner), Per Query	N/A	\$0.016	\$0.016	\$0.016	\$0.016	\$0.016	\$0.016	\$0.016	\$0.016	\$0.016
CNAM (Non-Database Owner), Per Query	N/A	\$0.01	\$0.01	\$0.01	\$0.01	\$0.01	\$0.01	\$0.01	\$0.01	10.03
NRC, applicable when CLEC-1 uses the Character Based User Interface (CHUI)	N/A	\$595.00	\$595.00	\$595.00	\$595.00	\$595.00	\$595.00	\$595.00	\$595.00	\$595.00
· Volume and term arrangements are also available.										
The state of the s										
Best of the cobby Tempt And h		ĄZ	¥X	ž	\$10.00 (Interim	¥	٧X	AN	Ϋ́	180
		Ϋ́	Ϋ́	Ϋ́	٧V		¥	Ϋ́	¥Z	TBD
Customized routing per unique line class code, per request, per switch						¥	AN	NA	ΝA	¥Z
INRC	USRCR	\$230.60	\$229.65	\$180.62	\$229.62	\$229.65	\$227.99	\$229.65	\$226.22	\$229.65
NRC - Incremental Charge - Manual Service Order		\$25.93	AN	\$18.94	¥Z	¥	\$253.51	¥	\$27.84	¥
VIRTUAL COLLOCATION	Cat	VN	AM	ΨM	AM	ΨN	ΨN	\$3 622 00	Ą.	Y.
NHC - Virtual Collocation - Application Cost - Marrual	Car	V V	42	Y V	AN	¥	¥N.	\$2,305,00	¥	¥
NHC - Virtual Collocation - Cable Installation Cost per Cable - Maintain	CE L	Y Y	Y.	Ą	¥ Z	ž	¥	\$3.45	ΥN	¥Z
DC Vidual Calibration - Floor space por ampera	TBO	Ϋ́	¥	¥	AN	ž	Ϋ́	\$6.65	Ϋ́	¥
Inc. Vidual Collocation - Cable support structure per entrance cable	180	Ϋ́	¥Z	Ϋ́	ΑN	Ϋ́	ΑN	\$18.66	ΝA	٧V
2-wire Cross-Connect										
l l	UEAC2	\$0.28	\$0.524	\$0.30	\$0.31	\$0.26	\$0.3996	\$0.09	\$0.3648	\$0.30
NRC - 1st	UEAC2	\$30.76	\$11.57	\$12.60	\$54.21	\$23.04	\$30.93	\$41.78	\$41.50	\$19.20
NRC - Add'i	UEAC2	\$29.40	\$11.57	\$12.60	\$51.07	\$22.11	\$29.59	\$39.23	\$38.94	\$19.20
NRC - 1st - Manual Service Order	180	Ϋ́	Ϋ́	Ϋ́	¥Z.	¥.	ž	37.75	4	¥ ×
NRC - Add'i - Manual Service Order	TBD	¥N.	Y Z	¥ :	ď.	AN CO	NA 040	C/ 14	V 414	V N
Velocin NBC & Disconnect - 1st	UEACZ	\$12.75	42	NA.	£	99:40	316.10	5	500	

BELLSOUTH%.spire RATES
NETWORK ELEMENTS
AND OTHER SERVICES

\$28.11 \$50.53 \$38.78 NA \$15.64 \$41.56 \$29.82 NA \$19.20 ž ₹ ¥ ¥ ž ž ZZ \$15.06 \$69.28 \$48.89 NA \$27.08 \$84.07 NA NA NA NA NA NA NA NA NA NA \$41.56 **\$\$\$\$**\$ **\$**\$\$\$ ž SE \$69.84 \$69.43 \$49.43 \$4.70 \$28.74 \$82.35 NA NA \$0.97 \$71.02 \$51.08 \$4.70 \$15.99 \$67.34 \$48.55 NA NA 839.25 NA 73 NA NA NA \$0.18 S \$15.64 \$41.56 \$12.96 \$10.34 \$28.11 \$50.53 \$38.78 \$16.97 \$14.35 NA 812.83 \$11.43 MS \$11.43 \$0.7992 \$29.77 **XXXXX** XXXXX If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the parties upon request by either party \$19.13 \$41.07 \$29.63 \$12.84 \$10.29 \$34.38 \$49.81 \$16.75 \$14.20 \$0.52 \$23.23 \$22.24 NA NA NA \$9.53 \$8.55 \$8.54 YYYY \$15.64 \$41.56 \$29.82 NA \$28.11 \$50.53 NA NA \$0.62 \$54.23 NA NA NA NA **XXXX** ZZZZZ ŽĮŽ \$28.11 \$50.53 \$38.78 NA \$15.64 \$41.56 \$29.82 NA NA \$0.50 \$12.60 NA NA NA NA ¥ Z AZZZZ X X X X X \$0.524 \$11.57 NA NA NA NA 리돌 ZZZZZ **XXXXX** ZZZZZ **XXXXX** \$12.10 \$55.46 \$39.18 \$16.83 \$11.38 \$0.56 \$66.71 NA NA NA S12.82 \$11.39 \$21.75 \$66.71 \$50.43 \$21.86 \$18.31 **XXXXX** X X X X X USOC UEAC2 UEACA UEACA 1BD 1BD UEACA UEACA CNC4F CNC4F CNC4F CNC4F Where the state Commission has adopted rates for the rate elements containedherein, it is the intent of the Parties to reflect such rates in thisExhibit and to apply the same consistent with applicable FCC and Commissionrules and Delivery vs. POTS No. Delivery and calls with Optional Complex Features vs. w/o Florida PSC to settle the disputed charge or charges. (FL)
This rate element is for those states w/o separate rates for 800 calls with 800 No. capability does not exist.

Prices for AIN to be determined upon development of mediation device. (TN)

Price for Line Class Codes for Selective Routing shall be determined by the TRA. reached within sixty (60) days of the Effective Date, either party may petition the BellSouth and CLEC shall negotiate rates for this offering. If agreement is not Optional Complex Features. This charge is only applicable where signaling usage measurement or billing NRC - Add'I NRC - Manual Service Order - 1st NRC - Manual Service Order - AddI DS3 Cross-Connects NRC - Add'I - Manual Service Order NRC - Manual Service Order - Add' NRC - Add'i NRC - 1st - Manual Service Order NRC - Manual Service Order - 1st NRC - Disconnect - 1st
NRC - Disconnect - Add'l
2-fiber Cross-Connect 4-wire Cross-Connect 4-fiber Cross-Connect NRC - Disconnect - Add'l NRC - Add'l NRC - Disconnect - 1st NRC - Disconnect - 1st NRC - Disconnect - 1st DS1 Cross-Connects NRC - Add'i NRC - Add'I DESCRIPTION orders. Ź 4 8 2

# Attachment 3

**Local Interconnection** 

# TABLE OF CONTENTS

1.	NETWORK INTERCONNECTION	3
	INTERCONNECTION TRUNKING AND ROUTING	
	NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION	
	PARITY IN ORDERING AND PROVISIONING	
	LOCAL DIALING PARITY	
6.	INTERCONNECTION COMPENSATION	12
7.	FRAME RELAY SERVICE	19
R	OPERATIONAL SUPPORT SYSTEMS (OSS) RATES	22

## **Network Interconnection**

The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (local) and exchange access (intraLATA toll and switched access) on the following terms:

#### 1. NETWORK INTERCONNECTION

- 1.1 Interconnection is available to both Parties through: (1) delivery of a Party's facilities to a collocation arrangement or Fiber Meet arrangement as defined in this Agreement; or (2) interconnection via purchase of facilities from the other Party. Interconnection may be provided by the Parties at any other technically feasible point. Requests to BellSouth for interconnection at other points may be made through the Bona Fide Request/New Business Request process set out in Attachment 12.
- e.spire must establish, at a minimum, a single Point of Presence, Interface, and 1.2 Interconnection with BellSouth within the LATA for the delivery of traffic originated by espire. Each party hereto is free to define its own local calling area, subject to state commission approval where required. If e.spire chooses to interconnect at a single Point of Interconnection within a LATA, the interconnection must be at a BellSouth Access Tandem. Furthermore, for LATAs served by multiple Access Tandems, e.spire must establish trunks from the Point of Interconnection to the remaining Access Tandems where e.spire's NXXs are homed. It is e.spire's responsibility to enter its own NPA/NXX access homing arrangements into the LERG. In order for e.spire to home its NPA/NXXs on a BellSouth tandem, e.spire's NPA/NXX must be assigned within the Exchange Rate Center areas served by that BellSouth Tandem as specified by BellSouth. Any new Rate Centers established by either Party within a BellSouth tandem serving area must be approved by the Commission and defined in the Local Exchange Routing Guide ("LERG"). The specified association between BellSouth tandems and Exchange Rate Center areas will be defined in the LERG. A "Homing" arrangement is defined by a "Final" Trunk Group between the BellSouth Tandem and e.spire 's End Office switch. A "Final" Trunk Group is the last choice telecommunications path between the Tandem and End Office switch. It is e.spire's responsibility to enter its own NPA/NXX access and/or local tandem "homing" arrangements into the national Local Exchange Routing Guide (LERG).

- A <u>Point of Presence (POP)</u> is the physical location (a structure where the environmental, power, air conditioning, etc. specifications for a Party's terminating equipment can be met) at which a Party establishes itself for obtaining access to the other Party's network. The POP is the physical location within which the Point of Interfaces occur.
- A <u>Point of Interface</u> is the physical telecommunications interface between BellSouth and e.spire's interconnection functions. It establishes the technical interface and point of operational responsibility. The primary function of the Point of Interface is to serve as the terminus for the interconnection service. The Point of Interface has the following main characteristics:
  - 1. It is a cross-connect point to allow connection, disconnection, transfer or restoration of service.
  - 2. It is a point where BellSouth and e.spire can verify and maintain specific performance objectives.
  - 3. It is specified according to the interface offered in the tariff or local interconnection agreement (for example: for DS1 service the FCC # 1 tariff specifies that the interface meets the technical specifications detailed in Generic Requirements GR-342-CORE, Issue 1, December 1995.)
  - 4. The Parties provide their own equipment (CPE) to interface with the DS0, DS1, DS3, STS1 and/or OCn circuits on the customer premises.
- 1.5 The **Point of Interconnection** is the point at which the originating Party delivers its originated traffic to the terminating Party's first point of switching on the terminating Party's common (shared) network for call transport and termination. Points of Interconnection are available at either Access Tandems, Local Tandems, or End Offices as described in this Agreement. e.spire's requested Point of Interconnection will also be used for the receipt and delivery of transit traffic at BellSouth Access and Local Tandems. Points of Interconnection established at the BellSouth Local Tandem shall not be used to interconnect for the exchange of Switched Access Traffic.
- e.spire, at its option, shall establish Points of Presence and Points of Interface for the delivery of traffic originated by e.spire to BellSouth. The Point of Interface may not necessarily be established at the Point of Interconnection.
- 1.7 BellSouth shall designate the Points of Presence and Points of Interface for the delivery of traffic originated by BellSouth to espire for call transport and termination by espire.

### 1.8 Interconnection via Purchase of Facilities

1.8.1 Either Party may purchase Local Channel facilities from the Party's specified Point of Interface to its designated serving wire center. The Parties agree that charges for such Local Channel facilities are as set forth in Exhibit A to this Attachment. If a nonrecurring or recurring rate is not identified in Exhibit A for a Local Channel, the rate shall be as set forth in the appropriate Party's intrastate or

interstate tariff for switched access services as filed and effective with the appropriate Commission.

Additionally, either Party may purchase Dedicated Transport facilities from its designated serving wire center to the other Party's first point of switching. The Parties agree that charges for such Dedicated Transport facilities are as set forth in Exhibit A to this Attachment. If a nonrecurring or recurring rate is not identified in Exhibit A for Dedicated Transport, the rate shall be as set forth in the appropriate Party's intrastate or interstate tariff for switched access services services as filed and effective with the appropriate Commission.

- 1.8.2 For the purposes of this Attachment, Local Channel is defined as a switched transport facility between a Party's Point of Presence and its designated serving wire center.
- 1.8.3 For the purposes of this Attachment, Serving Wire Center is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its Point of Presence.
- 1.8.4 For the purposes of this Attachment, Dedicated Transport is defined as a switch transport facility between a Party's designated serving wire center and the first point of switching on the other Party's common (shared) network.
- 1.9 BellSouth Multiple Tandem Access (MTA) provides for LATA wide BellSouth transport and termination of e.spire-originated local and intraLATA toll traffic by establishing a Point of Interconnection at a BellSouth access tandem with routing through multiple BellSouth access tandems as required. However, e.spire must still establish Points of Interconnection at all BellSouth access tandems where e.spire NXXs are "homed". MTA shall be provisioned in accordance with BellSouth's reasonable and nondiscriminatory Ordering Guidelines.
- 1.9.1 MTA does not include switched access traffic that transits the BellSouth network to an Interexchange Carrier (IXC). Switched Access traffic will be delivered to and by IXCs based on e.spire's NXX Access Tandem homing arrangement as specified by e\_spire in the national Local Exchange Routing Guide (LERG).
- 1.9.2 For e.spire-originated local and intraLATA toll traffic that BellSouth transports but is destined for termination by a third party network (transit traffic), BellSouth MTA is required if multiple BellSouth access tandems are necessary to deliver the call to the third Party network.
- 1.9.3 To the extent e.spire does not purchase MTA in a calling area that has multiple access tandems serving the calling area as defined by BellSouth, e.spire must establish Points of Interconnection to every access tandem in the calling area in order to serve the entire calling area. To the extent e.spire does not purchase MTA and provides intraLATA toll service to its customers, it may be necessary for it to establish a Point of Interconnection to additional BellSouth access tandems that serve end offices outside the local calling area.

- Local Tandem Interconnection. This interconnection arrangement allows e.spire to establish a Point of Interconnection at BellSouth local tandems for: (1) the delivery of e.spire -originated local traffic transported and terminated by BellSouth to BellSouth end offices within the local calling area as defined in BellSouth's GSST, section A3 served by those BellSouth local tandems, and (2) for local transit traffic transported by BellSouth for third party network providers who have also established Points of Interconnection at those BellSouth local tandems.
- 1.10.1 If e.spire opts for local tandem interconnection when a specified local calling area is served by more than one BellSouth local tandem, e.spire must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, e.spire may choose to establish a Point of Interconnection at the BellSouth local tandems where it has no codes homing but is not required to do so. e.spire may deliver local traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where e.spire does not choose to establish a Point of Interconnection. It is e.spire's responsibility to enter its own NPA/NXX local tandem homing arrangements into the Local Exchange Routing Guide (LERG) either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to e.spire's codes. Likewise, e.spire shall obtain its routing information from the LERG.
- 1.10.2 Notwithstanding establishing Points of Interconnection to BellSouth's local tandems, e.spire must also establish Points of Interconnection to BellSouth access tandems within the LATA on which e.spire has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access (SWA) and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth cannot switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's A35 General Subscriber Services Tariff.)
- 1.10.3 BellSouth's provisioning of local tandem interconnection assumes that e.spire has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.

#### 1.11 Fiber Meet

1.11.1 "Fiber-Meet" is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface (as opposed to an electrical interface) at a mutually agreed upon location, at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends (i.e. Point Of Interface).

- If e.spire elects to establish a Point of Interconnection with BellSouth pursuant to a Fiber Meet, e.spire and BellSouth shall jointly engineer and operate a Synchronous Optical Network ("SONET") transmission system by which they shall interconnect networks and routing of local traffic via a Local Channel facility at either the DS0, DS1, or DS3 level and shall be ordered via an Access Services Request ("ASR") in the initial phase of this offering. The Parties shall work jointly to determine the specific transmission system. However, e.spire's SONET transmission must be compatible with BellSouth's equipment in the serving wire center and the Data Communications Channel (DCC) must be turned off.
- 1.11.3 BellSouth shall, wholly at its own expense, procure, install and maintain the agreed upon SONET equipment in the BellSouth Interconnection Wire Center ("BIWC").
- e.spire shall, wholly at its own expense, procure, install and maintain the agreed upon SONET equipment in the e.spire Interconnection Wire Center (""e.spire Wire Center").
- BellSouth shall designate a Point of Interface outside the BIWC as a Fiber Meet point, and shall make all necessary preparations to receive, and to allow and enable e.spire to deliver, fiber optic facilities into the Point of Interface with sufficient spare length to reach the fusion splice point at the Point of Interface. BellSouth shall, wholly at its own expense, procure, install, and maintain the fusion splicing point in the Point of Interface. A Common Language Location Identification ("CLLI") code will be established for each Point of Interface. The code established must be a building type code. All orders shall originate from the Point of Interface (i.e., Point of Interface to e.spire, Point of Interface to BellSouth).
- e.spire shall deliver and maintain such strands wholly at its own expense. Upon verbal request by e.spire, BellSouth shall allow e.spire access to the Fiber Meet entry point for maintenance purposes as promptly as possible and in a reasonable and nondiscriminatory manner.
- 1.11.7 The Parties shall jointly coordinate and undertake maintenance of the SONET transmission system. Each Party shall be responsible for maintaining the components of their own SONET transmission system.
- 1.11.8 Each Party will be responsible for (i) providing its own transport facilities to the Fiber Meet, and (ii) the cost to build-out its facilities to such Fiber Meet.
- 1.11.9 Neither Party shall charge the other for its portion of the Fiber Meet facility used exclusively for non-transit local traffic (i.e. the Local Channel). Charges incurred for other services including dedicated transport facilities to the Point of Interconnection if applicable will apply. Charges for Switched and Special Access Services shall be billed in accordance with the applicable Access Service

tariff (i.e., the providing Party's Interstate or Intrastate Access Services Tariff as filed and in effect with the FCC or appropriate Commission).

## 2. INTERCONNECTION TRUNKING AND ROUTING

- 2.1 BellSouth and e.spire shall establish interconnecting trunk groups and trunking configurations between networks including the establishment of one-way or two-way trunks in accordance with applicable, reasonable and nondiscriminatory requirements of BellSouth Call Transport & Termination Service For Facility Based CLECs section of the Facility Based CLEC Activation Requirements Customer Guide as it is revised from time to time.
- Any e.spire interconnection request that deviates from the reasonable and nondiscriminatory standard trunking configurations as described in the BellSouth Call Transport & Termination Service For Facility Based CLECs section of the Facility Based CLEC Activation Requirements Customer Guide that affects traffic delivered to e.spire from a BellSouth switch that requires special BellSouth switch translations and other network modifications will require e.spire to submit a Bona Fide Request/New Business Request via the Bona Fide Request/New Business Request Process set forth in General Terms and Conditions.
  - 2.3 All terms and conditions, as well as charges, both non-recurring and recurring. associated with interconnecting trunk groups between BellSouth and e.spire not addressed in Exhibit A shall be as set forth in the appropriate Party's intrastate or interstate tariff for switched access services as filed and in effect with the FCC or appropriate state Commission. For two-way trunking that carries the Parties' local and intraLATA toll traffic only, excluding trunking that carries Transit Traffic, the Parties shall be compensated for the recurring charges for transport facilities and nonrecurring charges for facility additions based on the percentage of the total traffic originated by each Party. BellSouth shall determine the applicable percentages twice per year based on the previous 6 months' minutes of use billed by each Party. The Parties shall be compensated for nonrecurring charges for initial facilities based on the joint forecasts for circuits required by each Party. Each Party shall be responsible for ordering and paying for any facilities for twoway trunks carrying its transit traffic. Furthermore, each Party shall be responsible for the compensation for transport facilities for two-way trunking that it orders for its traffic but utilizes unidirectionally.
- 2.4 The Parties shall utilize direct end office trunking under the following conditions:
  - (1) Tandem Exhaust If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between e.spire's and BellSouth's subscribers.

(2) Traffic Volume –To the extent either Party has the capability to measure the amount of traffic between a e.spire switching center and a BellSouth end office, either Party shall install and retain direct end office trunking sufficient to handle actual or reasonably forecasted traffic volumes, whichever is greater, between a e.spire switching center and a BellSouth end office where the traffic exceeds or is forecasted to exceed a single DS1 of local traffic per month. Either Party will install additional capacity between such points when overflow traffic between e.spire's switching center and BellSouth's end office exceeds or is forecasted to exceed a single DS1 of local traffic per month. In the case of one way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.

Mutual Agreement - The Parties may install direct end office trunking upon mutual agreement in the absence of the conditions (1) or (2) above and agreement will not unreasonably be withheld.

- 2.5 Switched Access traffic will be delivered to and by IXCs based on e.spire's NXX Access Tandem homing arrangement as specified by e.spire in the national Local Exchange Routing Guide (LERG).
- All trunk groups will be provisioned as Signaling System 7 (SS7) capable where technically feasible.
- Subject to Section 2.8 below, the standard interval used for the provision of local interconnection trunk groups shall in no event be longer than forty-five (45) working days from the receipt of an error-free ASR for the establishment of new local interconnection trunk groups comprised of 96 or fewer new trunks, or ten (10) working days from the receipt of an error-free ASR for orders of 96 or fewer trunks for additions to existing local interconnection trunk groups.
- 2.8 For orders that comprise a major project, the implementation and intervals shall be jointly planned and coordinated. Major projects are those that require the coordination and execution of multiple orders or related activities between and among BellSouth and e.spire work groups, including but not limited to the initial establishment of interconnection or transit trunk groups in a service area, NXX code moves, re-homes, facility grooming or network rearrangements. Major projects also include orders for more than 96 new or additional trunks.

## 3. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION

Network Management and Changes. Both Parties will work cooperatively with each other to install and maintain the most effective and reliable interconnected telecommunications networks, including but not limited to, the exchange of toll-free maintenance contact numbers and escalation procedures. Both Parties agree

to provide public notice of changes in the information necessary for the transmission and routing of services using its local exchange facilities or networks, as well as of any other changes that would affect the interoperability of those facilities and networks.

- Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to BellCore Standard No. TR-NWT-00499. Signal transfer point, Signaling System 7 ("SS7") connectivity is required at each interconnection point. BellSouth will provide out-of-band signaling using Common Channel Signaling Access Capability where technically and economically feasible, in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall hand off calling number ID (Calling Party Number) when technically feasible.
- Quality of Interconnection. The local interconnection for the transmission and routing of telephone exchange service and exchange access that each Party provides to each other will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible, or to any other Party to which each Party provides local interconnection.
- Network Management Controls. Both Parties will work cooperatively and in good faith to exchange applicable information and to apply sound network management principles by invoking appropriate network management controls, e.g., call gapping, to alleviate or prevent trunk blocking and network congestion.
- Common Channel Signaling. Both Parties will provide LEC-to-LEC Common Channel Signaling ("CCS") to each other, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All CCS signaling parameters will be provided, including automatic number identification ("ANI"), originating line information ("OLI") calling company category, charge number, etc. All privacy indicators will be honored, and each Party will cooperate with each other on the exchange of Transactional Capabilities Application Part ("TCAP") messages to facilitate full interoperability of CCS-based features between the respective networks.

## 3.6 Forecasting Requirements.

3.6.1 The Parties shall exchange technical descriptions and forecasts of their interconnection and traffic requirements in sufficient detail necessary to establish the interconnections required to assure traffic completion to and from all customers in their respective designated service areas. In order for BellSouth to provide as accurate reciprocal trunking forecasts as possible to e.spire, e.spire must timely inform BellSouth of any known or anticipated events that may affect BellSouth reciprocal trunking requirements. If e.spire refuses to provide such

information, BellSouth shall provide reciprocal trunking forecasts based only on existing trunk group growth and BellSouth's annual estimated percentage of BellSouth subscriber line growth.

- 3.6.2 Both Parties shall meet every six months or at otherwise mutually agreeable intervals for the purpose of exchanging non-binding forecast of its traffic and volume requirements for the interconnection and network elements provided under this Agreement, in the form and in such detail as agreed by the Parties. The Parties agree that each forecast provided under this Section shall be deemed "Confidential Information" in the General Terms and Conditions Part A of this Agreement.
- 3.6.3 The trunk forecast should include trunk requirements for all of the interconnecting trunk groups for the current year plus the next two future years. The forecast meeting between the two companies may be a face-to-face meeting, video conference or audio conference. It may be held regionally or geographically. Ideally, these forecast meetings should be held at least semi-annually, or more often if the forecast is no longer usable. Updates to a forecast or portions thereof should be made whenever the Party providing the forecast deems that the latest trunk requirements exceed the original quantities by 24 trunks or 10%, whichever is greater. Either Party should notify the other Party if they have measurements indicating that a trunk group is exceeding its designed call carrying capacity and is impacting other trunk groups in the network. Also, either Party should notify the other Party if they know of situations in which the traffic load is expected to increase significantly and thus affect the interconnecting trunk requirements as well as the trunk requirements within the other Party's network. The Parties agree that the forecast information provided under this Section shall be deemed "Confidential Information" as set forth in the General Terms and Conditions of this Agreement.
- For a non-binding trunk forecast, agreement between the two Parties on the trunk quantities and the timeframe of those trunks does not imply any liability for failure to perform if the trunks are not available for use at the required time.
- 3.6.5 <u>Signaling Call Information</u>. BellSouth and e.spire will send and receive 10 digits for local traffic. Additionally, BellSouth and e.spire will exchange the proper call information, i.e. originated call company number and destination call company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.

## 4. PARITY IN ORDERING AND PROVISIONING

Each Party shall provide interconnection ordering and provisioning services to the other Party that are Equal in Quality to the ordering and provisioning services the Parties provide themselves. "Equal in Quality" shall have the meaning accorded in Section 51.305(a)(3) of the FCC's Rules, 47 C.F.R. § 51.305(a)(3).

Reasonable and nondiscriminatory procedures for ordering and provisioning BellSouth interconnection services are set forth in the BellSouth Call Transport & Termination Service For Facility Based CLECs section of the Facility Based CLEC Activation Requirements Customer Guide.

## 5. LOCAL DIALING PARITY

Each Party shall provide local dialing parity, meaning that each Party's customers will not have to dial any greater number of digits than the other Party's customers to complete the same call. In addition, under equivalent interconnection arrangements, e.spire local service customers will experience at least the same quality as BellSouth local service customers regarding post-dial delay, call completion rate and transmission quality.

## 6. INTERCONNECTION COMPENSATION

- 6.1 Compensation for Call Transportation and Termination for Local Traffic and Inter-Carrier Compensation for ISP-Bound Traffic
- 6.1.1 Local Traffic is defined as any telephone call that originates in one exchange and terminates in either the same exchange, or a corresponding Extended Area Service ("EAS") exchange.
- 6.1.2 The Parties will compensate each other on a mutual and reciprocal basis for the transport and termination of Local Traffic at the following rates:

1/1/00 - 12/31/00	\$.00200 per MOU
1/1/01 - 12/31/01	\$.00175 per MOU
1/1/02 - 12/31/02	\$.00150 per MOU

The Parties recognize and agree that they negotiated these annual rates together as a complete rate structure to apply over the full three-year term of this Agreement and that the parties would not have mutually agreed to accept a single annual rate in any single year. Nothing in this Paragraph shall limit e.spire's rights pursuant to Paragraph 6.1.3.3.

The Parties have been unable to agree upon whether dial up calls to Information Service Providers ("ISPs") should be considered Local Traffic for purposes of this Agreement. Dial-up Calls are defined as calls to an ISP that are dialed by using a local dialing pattern (7 or 10 digits) by the calling party (hereinafter referred to as "ISP-bound traffic"). However, without prejudice to either Party's position concerning the application of reciprocal compensation to ISP-bound traffic, the Parties agree for purposes of this Agreement only to compensate each other for ISP-

bound traffic at the same per minute of use rates set forth in Paragraph 6.1.2. It is expressly understood and agreed that this inter-carrier compensation mechanism for ISP-bound traffic is being established: (1) in consideration for a waiver and release by each party for any and all claims for reciprocal compensation for ISP-bound traffic exchanged between the parties prior to December 31, 1999, which is hereby given; and (2) subject to the terms and conditions in section 6.1.4.

- 6.1.3.1 The Parties recognize and agree that the FCC, courts of competent jurisdiction, or state commissions with jurisdiction over the Parties will issue subsequent decisions on ISP-bound traffic ("Subsequent Decisions"). Notwithstanding any provision in this Agreement to the contrary, the inter-carrier compensation mechanism established in section 6.1.3 shall continue at the rates set forth in section 6.1.2 for the full term of this Agreement without regard to such Subsequent Decisions, except as provided for in sections 6.1.3.2 and 6.1.3.3.
- 6.1.3.2 To the extent such Subsequent Decisions render the inter-carrier compensation mechanism for ISP-bound traffic set forth in section 6.1.3 in violation of applicable federal or state law, the Parties agree to amend this Agreement within thirty (30) days of the effective date of any such Subsequent Decision to conform the inter-carrier compensation mechanism set forth in section 6.1.3 with such Subsequent Decision. In the event of such an amendment, there will no true-up for compensation paid prior to the amendment.
- or Section 252(i) of the 1996 Act and applicable FCC regulations to elect rates, terms, and conditions with respect to the payment of reciprocal compensation from any other approved interconnection agreement executed by BellSouth under which BellSouth is paying reciprocal compensation for ISP-bound traffic other than on an interim basis. The Parties recognize and agree that this provision is intended to ensure that e.spire is treated in the same manner with respect to the payment of reciprocal compensation for ISP-bound traffic as the competing local exchange carrier from whose interconnection agreement e.spire seeks to elect rates, terms, and conditions. Accordingly, e.spire agrees that it will not seek to elect reciprocal compensation rates, terms, or conditions from another interconnection agreement unless those rates, terms, and conditions apply to ISP-bound traffic (other than on an interim basis), either by the express terms of that agreement, by voluntary action by BellSouth, or pursuant to an effective state commission or court order.
- The Parties recognize and agree that the compensation for the transport and termination of Local Traffic set forth in section 6.1.2 and the inter-carrier compensation mechanism for ISP-bound traffic set forth in section 6.1.3 are intended to allow each Party to recover costs associated with such traffic. Accordingly, the Parties recognize and agree that such compensation will not be billed and shall not be paid for a call placed by an end user customer, or placed on behalf of an end user

customer, to establish or maintain a network connection if: (1) such call is not recognized by industry practice to constitute traffic (voice or data) which results from a telephone call; (2) the end user customer does not control the dialed number destination and content of that call; and (3) the primary purpose of that call is to generate the payment of reciprocal compensation as a result of establishing or maintaining the network connection.

- Neither Party shall represent switched access traffic as Local Traffic for purposes of payment of reciprocal compensation.
- Unidentifiable traffic. e.spire shall utilize its NPA/NXXs in such a way and will provide the necessary information so that BellSouth shall be able to distinguish Local from IntraLATA Toll traffic for BellSouth originated traffic. e.spire end users' assigned NPA/NXX line numbers shall be physically located in the BellSouth rate center with which the NPA/NXX has been associated. Whenever BellSouth delivers traffic to e.spire for termination on the e.spire 's network, if BellSouth cannot determine, because of the manner in which e.spire has utilized its NXX codes whether the traffic is local or toll, BellSouth will charge the applicable rates for originating intrastate network access service as reflected in BellSouth's Intrastate Access Service Tariff. BellSouth will make appropriate billing adjustments if e.spire can provide sufficient information for BellSouth to determine whether said traffic is local or toll.
- Percent Local Use. Each Party will report to the other a Percentage Local Usage ("PLU"). The application of the PLU will determine the amount of local minutes to be billed to the other Party. For purposes of developing the PLU, each Party shall consider every local call and every long distance call, excluding transit traffic. By the first of January, April, July and October of each year, BellSouth and e.spire shall provide a positive report updating the PLU. Notwithstanding the foregoing, where the terminating company has message recording technology that identifies the traffic terminated, such information, in lieu of the PLU factor, shall at the company's option be utilized to determine the appropriate local usage compensation to be paid.
- Percentage Interstate Usage. For combined interstate and intrastate e.spire traffic terminated by BellSouth over the same facilities, e.spire will be required to provide a projected Percentage Interstate Usage ("PIU") to BellSouth. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to e.spire. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU factor will be used for application and billing of local interconnection. Notwithstanding the foregoing, where the terminating company has message recording technology that identifies the traffic terminated, such information, in lieu of the PLU factor, shall at the company's option be utilized to determine the appropriate local usage compensation to be paid.

6.6

Audits. On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and e.spire shall retain records of call detail for a minimum of nine months from which a PLU and/or PIU can be ascertained. The audit shall be accomplished during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditory paid for by the Party requesting the audit. The PLU and/or PIU shall be adjusted based upon the audit results and shall apply to the usage for the quarter the audit was completed, to the usage for the quarter prior to the completion of the audit, and to the usage for the two quarters following the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.

## 6.7 Rate True-up

## This section applies only to Tennessee.

- 6.7.1 The interim prices for Unbundled Network Elements and Other Services and Local Interconnection shall be subject to true-up according to the following procedures:
- 6.7.2 The interim prices shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by an effective order of the Commission which order meets the criteria of Section 6.7.4 below. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with interim prices for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions of Section 16 of the General Terms and Conditions and Attachment 1 of the Agreement.
- The Parties may continue to negotiate toward final prices, but in the event that no such agreement is reached within nine (9) months, either Party may petition the Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in the General Terms and Conditions of the Agreement, so long as they file the resulting Agreement with the Commission as a "negotiated agreement" under Section 252(e) of the Act.
- A final order of this Commission that forms the basis of a true-up shall be the final order as to prices based on appropriate cost studies, or potentially may be a

final order in any other Commission proceeding which meets the following criteria:

- (a) BellSouth and CLEC is entitled to be a full Party to the proceeding;
- (b) It shall apply the provisions of the federal Telecommunications Act of 1996, including but not limited to Section 252(d)(1) (which contains pricing standards) and all then-effective implementing rules and regulations; and,(c) It shall include as an issue the geographic deaveraging of unbundled element prices, which deaveraged prices, if any are required by said final order, shall form the basis of any true-up.
- 6.8 Compensation for IntraLATA Toll Traffic
- 6.8.1 <u>IntraLATA Toll Traffic</u>. IntraLATA Toll Traffic is defined as any traffic that originates and terminates within a single LATA, excluding Local Traffic or EAS.
- Compensation for intraLATA toll traffic. For terminating its intraLATA toll traffic on the other company's network, the originating Party will pay the terminating Party's current intrastate or interstate, whichever is appropriate, terminating switched access tariff rates as set forth in the terminating Party's Intrastate or Interstate Access Services Tariff as filed and in effect with the FCC or state Commission. The appropriate charges will be determined by the routing of the call. If one Party is the other Party's end user's presubscribed interexchange carrier or if one Party's end user uses the other Party as an interexchange carrier on a 101XXXXX basis, the originating Party will charge the other Party the appropriate originating switched access tariff rates as set forth in the originating Party's Intrastate or Interstate Access Services Tariff as filed and in effect with the FCC or appropriate state Commission.
- 6.8.3 <u>Compensation for 800 Traffic</u>. Each Party shall compensate the other pursuant to the appropriate switched access charges, including the database query charge as set forth in the providing Party's tariff as filed and in effect with the FCC or appropriate state Commission.
- Records for 800 Billing. Each Party will provide to the other the appropriate records necessary for billing intraLATA 800 customers. The records provided will be in a standard EMI format for a fee of \$0.013 per record.
- 6.8.5 800 Access Screening. Should e.spire require 800 Access Ten Digit Screening Service from BellSouth, it shall have signaling transfer points connecting directly to BellSouth's local or regional signaling transfer point for service control point database query information. e.spire shall utilize SS7 signaling links, ports and usage as set forth in Attachment 2. e.spire will not utilize switched access FGD service. 800 Access Ten Digit Screening Service is an originating service that is provided via 800 Switched Access Service trunk groups from BellSouth's SS7 equipped end office or access tandem providing an IXC identification function

and delivery of a call to the IXC based on the dialed ten digit number. The terms and conditions for this service are set out in BellSouth's Intrastate Access Services Tariff as amended.

- 6.9 Mutual Provision of Switched Access Service
- 6.9.1 Switched Access Traffic. Switched Access Traffic is defined as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 800/877/888), 900 access, and their successors or similar Switched Exchange Access Services. The Parties have been unable to agree as to whether "Voice-Over-Internet Protocol" transmissions ("VOIP") which cross LATA boundaries constitute Switched Access Traffic. Notwithstanding the foregoing, and without waiving any rights with respect to either Party's position as to the jurisdictional nature of VOIP, the Parties agree to abide by any effective and applicable FCC rules and orders regarding the nature of such traffic and the compensation payable by the Parties for such traffic, if any.
- 6.9.2 When BellSouth and e.spire provide an access service connection between an interexchange carrier ("IXC") and each other, each Party will provide its own access services to the IXC on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by the Party providing the end office function. The Parties will use the Multiple Exchange Carrier Access Billing (MECAB) system to establish meet point billing for all applicable traffic including traffic terminated to ported numbers via INP and nongeographic NPAs. Thirty (30)-day billing periods will be employed for these arrangements. The recording Party agrees to provide to the initial billing company, at no charge, the switched access detailed usage data within no more than sixty (60) days after the recording date. The initial billing company will provide the switched access summary usage data to all subsequent billing companies within 10 days of rendering the initial bill to the IXC. Each company will notify the other when it is not feasible to meet these requirements so that the customers may be notified for any necessary revenue accrual associated with the significantly delayed recording or billing. As business requirements change data reporting requirements may be modified as necessary by mutual agreement of the Parties.
- In the event that either Party fails to provide switched access detailed usage data to the other Party within 90 days after the recording date and the receiving Party is unable to bill and/or collect access revenues due to the sending Party's failure to provide such data within said time period, then the Party failing to send the data as specified herein shall be liable to the other Party in an amount equal to the unbillable or uncollectible revenues. Each company will provide complete documentation to the other to substantiate any claim of unbillable access revenues. A negotiated settlement will be agreed upon between the companies.

- 6.9.4 Each company will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data which is lost or damaged by their company or any third party involved in processing or transporting data.
- 6.9.5 In the event of a loss of data, both Parties shall cooperate to reconstruct the lost data and shall make best efforts to do so within 48 hours. If such reconstruction is not possible, the Parties shall use a reasonable estimate of the lost data, based on twelve (12) months of prior usage data; provided that if twelve (12) months of prior usage data is not available, the Parties shall base the estimate on as much prior usage data that is available; and further provided, however, that if reconstruction is required prior to the availability of at least three (3) months of prior usage data, the Parties shall defer such reconstruction until three (3) months of prior usage data is available. If the estimated billing is not accepted for payment by the affected Access Services Customer(s), the responsible Party shall be liable to the other Party for any resulting lost revenue. Lost revenue is revenue that could not be billed to Access Service customers. Lost revenue will be calculated by subtracting the amount actually paid by the affected Access Services Customer(s) from the estimated billing derived pursuant to the process set forth in this section.
- Each company also agrees to process the recreated data within forty-eight (48) hours of receipt at its data processing center.
- 6.9.7 All claims should be filed with the other company within 120 days of the receipt of the date of the unbillable usage.
- The Initial Billing Company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Company to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial billing Company. Each company agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.
- 6.10 Transit Traffic Service. Each Party shall provide tandem switching and transport services for the other's transit traffic. Transit traffic is traffic originating on one carrier's network that is switched and transported by a second carrier's network and terminates on a third carrier's network. Rates for local transit traffic shall be the applicable call transport and termination charges for Local Traffic, as set forth in Exhibit A to this Attachment. Rates for intraLATA toll and Switched Access transit traffic shall be the applicable call transport and termination rates as set forth in the providing Party's Intrastate or Interstate switched access tariff as filed and in effect with the FCC or appropriate state Commission. Wireless Type 1 traffic shall not be treated as transit traffic from a routing or billing perspective. Wireless Type 2A traffic shall not be treated as transit traffic from a routing or

billing perspective until either Party and the Wireless carrier have the capability to properly meet-point-bill in accordance with MECAB guidelines.

- The delivery of traffic originated by e.spire which transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees and will be delivered at the rates as set forth in Exhibit A to this Attachment. e.spire is responsible for establishing the necessary agreements or the placement of valid orders with the terminating carrier for the receipt of this traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier as a result of providing the transit function. Further, e.spire agrees to compensate BellSouth for any charges or costs for the delivery of transit traffic to a connecting carrier on behalf of e.spire for which a valid contract or order has not been established. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.
- Except for as provided in 6.10.3, transit charges shall only be assessed on the originating carrier and shall not be assessed on the terminating carrier.
- Transit charges associated with the provisioning of toll free services (e.g., 800/888/877) shall be assessed upon the terminating carrier and shall not be imposed on the originating carrier.

## 7. FRAME RELAY SERVICE

- In addition to the Local Interconnection services set forth above, BellSouth will offer a network to network Interconnection arrangement between BellSouth's and e.spire's frame relay switches as set forth below. The following provisions will apply only to Frame Relay Service and Exchange Access Frame Relay Service in those states in which e.spire is certified and providing Frame Relay Service as a Local Exchange Carrier and where traffic is being exchanged between e.spire and BellSouth Frame Relay Switches in the same LATA.
- 7.2 The Parties agree to establish two-way Frame Relay facilities between their respective Frame Relay Switches to the mutually-agreed upon Frame Relay Service point(s) of interconnection ("POIs") within the LATA.
- Upon the request of either Party, such interconnection will be established where BellSouth and e.spire have Frame Relay Switches in the same LATA. Where there are multiple Frame Relay switches in the central office of a Party, an interconnection with any one of the switches will be considered an interconnection with all of the switches at that central office for purposes of routing packet traffic.
- 7.2.2 The Parties agree to provision local and IntraLATA Frame Relay Service and Exchange Access Frame Relay Service (both intrastate and interstate) over Frame Relay Trunks between the respective Frame Relay switches and the POIs.

- 7.2.3 The Parties agree to assess each other reciprocal charges for the facilities that each provides to the other according to the Percent Local Circuit Use ("PLCU") factor PLCU, determined as follows:
  - (i) Frame Relay framed packet data is transported within Virtual Circuits ("VC"). For the purposes of calculating the PLCU, if all the data packets transported within a VC remain within the LATA, then consistent with the local definitions in this Agreement, the traffic on that VC is local ("Local VC").
  - (ii) If the originating and terminating locations of the two way packet data traffic are not in the same LATA, the traffic on that VC is interLATA.
  - (iii) The PLCU shall be determined by dividing the total number of Local VCs, by the total number of VCs on each Frame Relay facility at the end of the reporting period. The Parties agree to renegotiate the method for determining PLCU, at either Parties' request, and within 90 days, if either Party notifies the other that it has found that this method does not adequately represent the PLCU.
  - (iv) If there are no VCs on a facility when it is billed, the PLCU will be zero.
- BellSouth will provide the Frame Relay Trunk(s) between the Parties' respective Frame Relay Switches. The Parties will be compensated as follows: BellSouth will invoice, and e.spire will pay, the total non-recurring and recurring charges for the trunk facility. e.spire will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed charges for the trunk facility by one-half of e.spire's PLCU.
- If e.spire requests interconnection outside the serving area in which the POI is located, then e.spire may, at its option, purchase facilities and transport between Frame Relay Network Serving areas, as defined in Section A40 of the General Subscriber Service Tariff, according to the rates, terms and conditions of the applicable tariff General Subscriber Service Tariff for that state.
- Each Party will provide a Frame Relay network-to-network interface ("NNI") port to the other Party for each trunk facility provided pursuant to 7.2, above. Compensation for NNI ports shall be based upon the NNI rates set forth in the BellSouth F.C.C Tariff No. 1. Pursuant to that tariff, e.spire may select a month-to-month or term rate structure for the NNI ports BellSouth provides to e.spire. Whatever rate structure e.spire selects shall be deemed to be the same rate structure that applies to the NNI port e.spire provides to BellSouth. There shall be no termination liability to either party for the local portion of the NNI port as determined by the e.spire PLCU at the time of termination.
- 7.5 Compensation for the NNI ports shall be calculated as follows:

- 7.5.1 For NNI ports provided by BellSouth to e.spire, BellSouth will invoice, and e.spire will pay, the total non-recurring and recurring charges for the NNI port. e.spire will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed non-recurring and recurring charges for the NNI port by one-half of e.spire's PLCU.
- 7.5.2 For NNI ports provided by e.spire to BellSouth, e.spire will invoice, and BellSouth will pay, the total non-recurring and recurring charges for the NNI port. BellSouth will then invoice, and e.spire will pay, an amount determined as follows: e.spire's combined interLATA and local usage will be calculated by subtracting one-half of e.spire's PLCU factor from one hundred percent. The difference will then be multiplied by the total charges initially billed by e.spire for the NNI port. BellSouth will then invoice, and e.spire will pay, this amount to BellSouth.
- A Permanent Virtual Circuit ("PVC") is a logical channel from a frame relay network interface (e.g., NNI or User Network Interface) to another frame relay network interface. A PVC is created when a Data Link Channel Identifier ("DLCI") is mapped together with another DLCI. Neither Party will charge the other Party any DLCI or Committed Information Rate ("CIR") charges for the PVC from its Frame Relay switch to its own subscriber's premises.
- 7.7 For the PVC between the e.spire and BellSouth Frame Relay switches, compensation for the DLCI and CIR charges are based upon the rates in the BellSouth FCC Tariff No. 1. Compensation for PVC and CIR rate elements shall be calculated as follows:
- For PVCs between the BellSouth Frame Relay switch and the e.spire Frame Relay switch, BellSouth will invoice, and e.spire will pay, the total non-recurring and recurring DLCI and CIR charges. If the VC is a Local VC, e.spire will invoice and BellSouth will pay, 100% of the DLCI and CIR charges initially billed by BellSouth for that PVC. If the VC is not local, no compensation will be paid to e.spire for the PVC.
- 7.7.2 Each Party will compensate the other Party for any applicable Feature Change or Transfer of Service Charges as set forth in BellSouth's Tariff F.C.C. No. 1. A.6.3. The Parties agree to limit the sum of the CIR for the VCs on a given NNI port to not more than two times the port speed.
- Except as expressly provided herein, this Agreement does not address or alter in any way either Party's provision of Exchange Access Frame Relay Service or interLATA Frame Relay Service. All charges by each Party to the other for carriage of Exchange Access Frame Relay Service or interLATA Frame Relay Service are included in the BellSouth access tariffs.

- Until such time as BellSouth obtains authority to provide in-region, interLATA service, e.spire will identify and report its PLCU to BellSouth on a quarterly basis.
- 7.10 Either Party may request a review or audit of the various service components, including but not limited to a Party's determination of its PLCU, consistent with the provisions of section E2 of the BellSouth State Access Services tariffs or Section 2 of the BellSouth FCC No.1 Tariff.
- If during the term of this Agreement, BellSouth obtains authority to provide inregion, interLATA service, the Parties shall renegotiate the provisions of 7.3, 7.5, 7.7 and 7.9 to account for BellSouth's PLCU. In the event the parties are unable to reach agreement within one hundred eighty (180) days of the date BellSouth receives interLATA authority, the matter shall be resolved pursuant to the dispute resolution provisions set forth in the Interconnection Agreement.

## 8. OPERATIONAL SUPPORT SYSTEMS (OSS) RATES

All Local Service Requests ("LSRs") or Access Service Requests ("ASRs") submitted for products and services under this Attachment will be subject to the OSS charges set forth in the General Terms and Conditions of this Agreement.

# BELLSOUTH/e.spire RATES LOCAL INTERCONNECTION

						RATES BY STATE				
DESCRIPTION	nsoc	¥	<u></u>	5	\$	•	9	:		
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)				5	2	5	O.E.	2	3	N.
End Olice Switching, per mou	۸N	\$0.0018	Ą	\$0.0016333	\$0,000562	ΨZ	\$0,000,02774	700 03	40.001000	0,00
Direct Local Interconnection, per mou (same as End Office Switching in FL & LA)		¥	\$0.002	¥	ž	\$0,00209	AN	NAN	NA NA	30.00 B
landem Switching, per mou	N/A	\$0.00063	\$0.00029	\$0.0006757	\$0.001096	Ą	\$0,000,024	\$0 OOTS	£0 0006943	92,9000
landem Switching (assumes 5 miles of transport per mou)	NA	Ϋ́	¥	¥	ĄZ	\$0.00430	AM	2	NA	NA NA
landem Local Interconnection, per mou (includes end office switching element)		٧V	\$0.00325	¥	¥	\$0.00639	¥	Ž	AN.	Z Z
Multiple Landern Switching, per mou (applies to initial tandern only), effective 10/99		Ϋ́	\$0.00125	ž	ž	\$0.00430	YZ.	¥2	NA.	12
Local intermediary, per mou (applies to transit only)		AN	\$0.00125	¥	¥	\$0.00430	Ž	¥	AN.	2
All terms and conditions, as well as charges, both non-recurring and recurring, associated with		BST State	BST State	RST State	RCT State	RCT Clata				
interconnecting trunk groups between BellSouth and e spire shall be as set forth in Section E 6 of		Access Tariff	Access Tariff	Access Tariff	Access Tariff	Access Tariff	Access Tariff	Access Tariff	Access Tariff	Access Tariff
Trade appropriate Democratic Actions and Trade		Rates	Rates	Rates	Rates	Rates	Rates	Rates	Rates	Rates
Landern memediary Charge, per mou	WA	\$0.0015	ΝA	٧N	\$0.001096	ΨZ	ž	¥	¥	A
(This charge is applicable only to intermediary traffic and is applied in addition to applicable										
MITERIORIES TRANSPORT										
Common (Shared) Transport						1	The Cartie	1 Pr	化氢化甲基二氯化二苯二	理論しても
Common (Shared) Transport ner mile ner mou	4714	10000								
Common (Shared) Transport Facilities Termination per mou	N/A	\$0.0001	\$0.000012	\$0.000008	\$0.0000049	\$0.0000083	\$0.0000091	\$0.00004	\$0.0000121	\$0.00004
Interoffice Transport - Dedicated - VG	2	\$0.00043	20,000	\$0.0004152	\$0.000426	\$0.00047	\$0.0004281	\$0.00036	\$0.0004672	\$0.00036
Interoffice Transport . Dedicated - 2. Wire VG - per mile	IEA	60.03300	472	00000						
Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month	UFA	\$18.49	42	\$0.0552	42	\$0.0384	\$0.0323	¥.	\$0.0373	ž
NRC · 1st	UEA	\$107.11	¥Z	£79.61	Y N	676.30	321.33	¥ :	\$21.42	ž
NRC - Add1	UEA	\$48.27	Y.	\$36.08	Y V	270.60	\$100.72	¥ :	\$136.44	ž
NRC - Disconnect Charge - 1st	UEA	\$37.16	Ą	W	Y N	20 00 00 00 00 00 00 00 00 00 00 00 00 0	940.03	¥ 2	/E 102	ž:
NRC - Disconnect Charge - Add'i	UEA	\$5.88	Ä	¥	Ž	\$5.37	67.53	2	<u> </u>	ž
NHC - Incremental Charge - Manual Service Order - 1st	UEA	\$27.37	ΑN	\$18.94	¥	\$18.14	225.50	2	630.63	2
NHC - Incremental Charge - Manual Service Order - Add'i	UEA	\$27.37	¥	\$18.94	ž	\$18.14	\$25.52	2	20.63	2
NHC - incremental Charge - Manual Service Order - Disconnect - 1st	UEA	\$12.97	NA	¥	¥X	\$8.06	\$11.34	¥	NA N	2
Inter-incremental Charge - Manual Service Order - Disconnect - Add'i	UEA	\$12.97	٧V	V.	¥	\$8.06	\$11.34	¥	¥	Y Z
Interdition Transport - Definition One - 120 - 500 - 120 - 1										
Interchlica Transport - Dedicated - Dealisted - Dealis	3	\$0.0339	ž	\$0.0222	¥	\$0.0384	\$0.0323	\$3.95	\$0.0373	\$1.90
materials and sport Dedicated - DSO - racinities termination per month	JON S	\$17.81	¥	\$16.45	¥	\$18.37	\$20.64	\$38.37	\$20.71	\$38.37
NRC - Add 1	JON S	\$107.11	¥.	\$79.61	¥	\$76.20	\$106.72	\$24.01	\$138.44	<b>DBT</b>
NRC - Disconnect Charme - 1st		2482/	¥:	\$36.08	¥	\$34.54	\$48.83	\$24.01	\$51.37	TBD
NRC - Disconnect Charge - Add'l	3	\$37.10	¥ Z	Y S	ž.	\$28.03	\$38.05	¥	ž	¥
NRC - Incremental Charge - Manual Service Order - 1st	T G	27.37	42	2000	ž ž	\$5.37	\$7.23	ž	¥	ž
NRC - Incremental Charge - Manual Service Order - Add'i	TON	\$27.37	ĄZ	200	¥2	\$10.14 648.44	223.32	Ž	\$39.63	¥
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	nor	\$12.97	¥	¥	¥	\$8.06	\$11.24	2	209.00	Ž
INHC - Incremental Charge - Manual Service Order - Disconnect - Add'i	UDL	\$12.97	Ϋ́	NA	٧Z	\$8.06	\$11.34	ž	¥ X	Z Z
meromice transport Dedicated - DSI										
Inleroffice Transport - Dedicated - DS t - per mile per month	USL	\$0.69	\$0.6013	\$0.4523	\$0.45	\$0.7831	\$0.6598	\$23.00	\$0.7598	\$23.00
Intercence Transport - Dedicated - US1 - facilities fermination per month	USL	\$79.69	\$99.79	\$78.47	\$55.05	\$93.40	\$74.40	290.00	894.98	0000
NEC - Add:	TSD.	\$198.15	\$45.91	\$147.07	\$298.18	\$140.49	\$196.28	\$100.49	\$216.27	\$100.49
NRC Disconnert Charna , 1et	3	\$148.18	\$44.18	\$111.75	\$231.23	\$108.69	\$147.31	\$100.49	\$162.70	\$100.49
NRC - Disconnect Charge 131	JSI.	\$25.44	¥	¥	¥	\$20.00	\$26.56	V.	¥	¥
NRC - Incremental Charge - Manual Service Order - 1st	702	350.42	¥.	¥	ž	\$16.34	\$21.61	Ϋ́	¥	¥
NRC - incremental Charge - Manual Service Order - Addi	OSE	\$27.37	¥.	518 94	¥	\$18.14	\$25.52	¥	\$39 63	¥
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	151	\$27.37	¥ ×	200	Ž	\$18.14	\$25.52	¥.	\$39.63	¥
NRC - Incremental Charge - Manual Service Order - Disconnect - Add1	USI	\$12.97	4	Y Y	¥ 2	90 90	3	Ž	¥.	¥.
Interoffice Transport - Dedicated - DS3					5	8.9	5	٤	¥	¥
Interoffice Transport - Dedicated - DS3 - per mile per month	UE3	NA	Ą	Ϋ́	¥	NA	\$15.02	\$175.00	\$40.00	NAM.
	UE3	Ϋ́	VA	AN	٧	¥X	\$744.38	\$1,200,00	00 009\$	Y X
NEC - ISI	UE3	NA	٧	Ϋ́	Ϋ́	NA	\$686.74	\$67.19	\$67.19	ž
INHC - A00 I	UE3	AN	ΨX	VA V	AA	AN	\$477.76	\$67.19	\$67.19	¥

BELLSOUTH/e.spire RATES LOCAL INTERCONNECTION

						RATES BY STATE	<u> </u>			
NRC - Disconnect Charge - 1sl	UE3	Y.	AA	AN			\$125 S.R	<b>A</b> N	AM	AM
NRC · Disconnect Charge · Add'i	UE3	Ž	NA NA	Ą	Ą	Ą	\$118 70	42	NA N	2
NRC - Incremental Charge - Manual Service Order - 1st	UE3	Ϋ́	AN	Ą	AN	Ą	\$64 07	¥Z	NA.	42
NRC - Incremental Charge - Manual Service Order - Add1	UE3	¥Z	Ϋ́	¥	ž	¥	\$64.97	¥Z	Y Z	Ž
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	UE3	ž	¥X	¥	¥	¥X	\$27.08	¥	Ž	¥
NRC - Incremental Charge - Manual Service Order - Disconnect - Add'i	UE3	Ϋ́	¥	¥	¥	Ž	\$27.08	NA NA	¥	YZ.
Local Channel - Dedicated										
Local Channel - Dedicated - 2-Wire VG	٧N	\$14.61	¥	\$13.91	¥	\$14.94	\$17.83	ž	\$16.83	ž
NRC · 1st	ΝA	\$494.65	¥.	\$362.95	¥	\$347.49	\$487.62	ž	\$554.00	ž
NRC - Add'I	WA	\$84.44	¥	\$62.40	¥	\$59.75	\$84.35	ž	\$88.58	ž
NRC - Disconnect Charge - 1st	NA	\$77.81	¥	Ϋ́	¥	\$53.68	\$77.69	ž	¥	ž
NRC - Disconnect Charge - Add'l	N/A	\$7.63	¥	¥	¥	\$6.60	\$8.95	ž	ž	ž
NRC - Incremental Charge - Manual Service Order - 1st	ΝΆ	\$27.37	¥	\$18.94	¥	\$18.14	\$25.52	ž	\$43.75	ž
NRC - Incremental Charge - Manual Service Order - Add'i	NA	\$18.73	ΥN	\$8.42	¥	\$8.06	\$11.34	¥	\$13.55	¥
NRC - Incremental Charge - Manual Service Order - Disconnect	NA	\$17.75	¥	¥	¥	\$11.40	\$16.05	¥	¥	ž
Local Channel - Dedicated - 4-Wire VG	NA	\$15.77	¥	\$14.99	¥	\$16.21	\$19.03	¥	\$18.05	ž
NRC 1st	N/A	\$502.43	¥	\$368.44	¥	\$352.75	\$495.25	¥	\$562.46	ž
NRC - Add'I	WA	\$99.98\$	AN	\$64.05	¥	\$61.33	\$86.56	ž	\$91.57	¥
NRC · Disconnect Charge · 1st	NA	\$78.71	¥	¥	¥	\$54.36	\$78.58	ž	¥	¥
NRC - Disconnect Charge - Add'I	N/A	\$8.53	٧×	¥	¥	\$7.28	\$9.84	¥	¥	ž
NRC - Incremental Charge - Manual Service Order - 1st	NA	\$27.37	¥	\$18.94	¥	\$18.14	\$25.52	ž	\$43.75	ž
NRC - Incremental Charge - Manual Service Order - Add'i	NA	\$18.73	¥	\$8.42	٧×	\$8.06	\$11.34	ž	\$13.55	ž
NRC - Incremental Charge - Manual Service Order - Disconnect	NA	\$17.75	¥	¥	Ą	\$11.40	\$16.05	ž	¥	ž
Local Channel - Dedicated - DS1	NA	\$35.52	\$44.35	\$38.36	V.	\$43.80	\$38.91	¥	\$37.20	\$133.81
NRC - 1st	NA	\$503.57	\$246.50	\$356.15	¥	\$348.56	\$494.83	¥	\$534.81	\$868.97
NRC - Add'i	ΝA	\$442.84	\$230.49	\$312.89	¥	\$300.30	\$435.28	¥	\$462.81	\$486.83
NRC - Disconnect Charge - 1st	N.	\$46.28	AN	NA	¥	\$24.15	\$46.85	ž	¥	¥
NRC · Disconnect Charge · Add'l	N.A	\$32.18	NA	¥	ΥN	\$21.31	\$33.02	¥X	٧×	¥
NRC - Incremental Charge - Manual Service Order - 1st	N.A	\$6195	AN	\$44.22	Υ¥	\$42.34	\$59.58	¥	\$87.99	¥
NRC - Incremental Charge - Manual Service Order - Add1	NA	¥	¥	¥	NA	. YY	Ϋ́	¥	\$3.11	Y.
INHC - Incremental Charge - Manual Service Order - Disconnect	NA	\$29.27	Ϋ́	¥	ΝA	\$19.48	\$27.41	AN	Ą	¥
Local Channel - Dedicated - DS3	NA	Ϋ́	Ā	¥	ΝA	٧¥	\$533.33	VV	٧×	¥
NHC - 1st	ΥA	AA.	AA	٧V	ΥA	NA	\$526.67	¥	¥	¥
NRC - Add'I	NA	NA	۸A	¥	¥	¥	\$493.71	¥	٧×	¥
NRC - Disconnect Charge - #st	NA	NA	AA	¥	¥	ž	\$42.41	¥N.	¥	ž
NRC · Disconnect Charge · Add'i	NA	ΝA	٧¥	V.	¥	¥	\$40.87	¥	¥	¥
NRC - Incremental Charge - Manual Service Order - 1st	ΥN	ΝΑ	¥	¥	¥	¥	\$31.49	ž	¥	ž
NRC - Incremental Charge - Manual Service Order - Add"	NA	¥	¥	ΑN	ΝA	٧V	\$31.49	ž	ž	¥
NHC - Incremental Charge - Manual Service Order - Disconnect - 1st	Y.	¥	¥	¥	¥	٧×	\$25.35	Ϋ́	¥	¥
INHC - Incremental Charge - Manual Service Order - Disconnect - Add'i	¥%	٩×	Ϋ́	Ϋ́	¥	¥	\$25.35	¥	¥	¥
NOTES					The state of the s					

If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the parties upon request by either party.

## Attachment 4 Physical Collocation

## PHYSICAL COLLOCATION

## 1. SCOPE OF ATTACHMENT

- 1.1 <u>Scope of Attachment.</u> The rates, terms, and conditions contained within this Attachment shall only apply when e.spire is occupying the collocation space as a sole occupant or as a Host pursuant to Section 4.
- 1.2 Right to Occupy. Subject to Section 4 of this Attachment, BellSouth hereby grants to e.spire a right to occupy that certain area designated by BellSouth within a BellSouth Premises, of a size which is specified by e.spire and agreed to by BellSouth (hereinafter "Collocation Space").

Premises is defined as BellSouth's central offices and serving wire centers, as well as all buildings or similar structures owned or leased by BellSouth that house its network facilities, and all structures that house BellSouth facilities on public rights-of-way, including but not limited to vaults containing loop concentrators or similar structures.

To the extent this Attachment does not include all the necessary rates, terms and conditions for BellSouth Premises other than BellSouth Central Offices, the Parties will negotiate said rates, terms, and conditions in accordance with the Bona Fide Request process specified in Attachment 12 of this Agreement. Notwithstanding the foregoing, BellSouth shall consider in its designation for cageless collocation any unused space within the BellSouth Premises. The size specified by e.spire may contemplate a request for space sufficient to accommodate e.spire's growth within a two year period unless otherwise agreed to by the Parties.

- 1.2.1 <u>Space Reclamation.</u> In the event of space exhaust within a BellSouth Premises, e.spire may be required to release space to BellSouth to be allocated to other physical collocation applicants when 100% of the total amount of space is not being utilized by the end of the second year of operation.
- 1.3 <u>Use of Space.</u> e.spire shall use the Collocation Space for the purposes of installing, maintaining and operating e.spire's equipment (to include testing and monitoring equipment) used or useful primarily to interconnect with BellSouth services and facilities, including access to unbundled network elements, for the provision of Telecommunications Services. Pursuant to Section 5 following, e.spire may at its option, place e.spire owned or leased entrance facilities to the Collocation Space. In addition to, and not in lieu of, interconnection to BellSouth services and facilities, e.spire may connect to other interconnectors within the designated BellSouth Premises (including to its other Virtual or Physical Collocation arrangements) through co-carrier cross connect facilities designated by e.spire pursuant to Section 5 following. The Collocation Space may be used for any purpose consistent with FCC Rules and Orders regarding use of the

ILECs premises and generic state Commission Orders that are not in conflict therewith.

1.4 <u>Rates and Charges.</u> e.spire agrees to pay the rates and charges identified at Exhibit A attached hereto.

## 2. SPACE NOTIFICATION

- Availability of Space. Upon submission of an application pursuant to Section 6, BellSouth will permit e spire to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Premises, unless there is no space available due to space limitations or no space available due to technical infeasibility. BellSouth will respond to an application within ten (10) business days as to whether space is available or not available within a BellSouth Premises.
- 2.2 Reporting. Upon request from e.spire, BellSouth will provide a written report specifying the amount of Collocation Space available at Premises requested, the number of collocators present at the Premises, any modifications in the use of the space since the last report or the Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements.
  - 2.2.1 The request from e.spire must be written and must include the Premises and Common Language Location Identification (CLLI) code of the Premises. If applicable, information regarding central office premises and CLLI code is located in the National Exchange Carriers Association (NECA) Tariff FCC No. 4.
  - 2.2.2 BellSouth will respond to a request for such a report for a particular Premises location within ten (10) business days of receipt of such request. BellSouth will make best efforts to respond in ten (10) business days to such a request when the request includes up to and including five (5) Premises locations within the same state. The response time for requests of more than five (5) shall be negotiated between the Parties, but BellSouth shall use best efforts to respond within thirty (30) days. If BellSouth cannot meet the specified response times, BellSouth shall notify e.spire and inform e.spire of the time frame under which it can respond.
- 2.3 <u>Denial of Application.</u> After notifying e.spire that BellSouth has no available space in the requested Central Office ("Denial of Application"), BellSouth will allow e.spire, upon request, to tour the entire Central Office within ten (10) business days of such Denial of Application. In order to schedule said tour within ten (10) business days, the request for a tour of the Central Office must be received by BellSouth within five (5) business days of e.spire's receipt of the Denial of Application.
- 2.4 <u>Filing of Petition for Waiver.</u> Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6), and the FCC's

rules. Such petition shall include detailed floor plans or diagrams of the BellSouth Premises.

- Waiting List. On a first come first served basis, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the Telecommunications Carriers on the waiting list when space becomes available according to how much space becomes available and the position of Telecommunications Carrier on said waiting list. Upon request, BellSouth will advise e.spire as to its position on the list.
- 2.6 <u>Public Notification.</u> BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Central Office Premises that are without available space. BellSouth shall update such document within ten (10) business days of the Denial of Application date. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Central Office previously on the space exhaust list. BellSouth shall allocate said available space pursuant to the waiting list referenced in Section 2.5.
- 2.7 <u>State Agency Procedures.</u> Notwithstanding the foregoing, should any state regulatory agency impose a procedure different than procedures set forth in this section, that procedure shall supersede the requirements set forth herein, provided that such state agency procedures are not in conflict with FCC rules and Orders.

## 3. COLLOCATION OPTIONS

3.1 <u>Cageless</u>. BellSouth shall allow e.spire to collocate e.spire's equipment and facilities without requiring the construction of a cage or similar structure and without requiring the creation of a separate entrance to the Collocation Space. BellSouth shall allow e.spire to have direct access to its equipment and facilities but may require e.spire to use a central entrance to the BellSouth Premises. BellSouth shall make cageless collocation available in single bay increments pursuant to Section 7.

Except where e.spire's equipment requires special technical considerations (e.g., special cable racking, isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where technically feasible on a space-available basis, in accordance with the FCC's Rules. For equipment requiring special technical considerations, e.spire must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in BellCore (Telcordia) GR-63-Core and shall be responsible for constructing all special technical requirements associated with such equipment pursuant to Section 6.5 following.

3.2 <u>Caged Enclosures</u>. BellSouth shall authorize the enclosure of e.spire's equipment and facilities at e.spire's option. e.spire, at its sole expense, must arrange with a BellSouth certified contractor to construct a collocation

arrangement enclosure in accordance with BellSouth's guidelines and specifications ("BellSouth Guidelines") provided that such BellSouth Guidelines are reasonable, nondiscriminatory, and consistent with applicable laws, rules and Orders. BellSouth will provide BellSouth Guidelines upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard enclosure specification, e.spire and e.spire's BellSouth certified contractor must comply with such applicable and enforceable building code requirements to the same extent BellSouth complies with such building code requirements. e.spire's BellSouth certified contractor shall be responsible for filing and receiving any and all necessary permits and/or licenses for such The Certified Vendor shall bill e.spire directly for all work construction. performed for e.spire pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the Certified Vendor. e.spire must provide the local BellSouth building contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access e.spire's locked enclosure prior to notifying e.spire.

- 3.2.1 BellSouth has the right to review e.spire's plans and specifications prior to allowing construction to start. BellSouth has the right to inspect the enclosure after construction to make sure it is designed and constructed according to BellSouth's Guidelines and to require e.spire to remove or correct at e.spire's cost any structure that does not meet these standards.
- 3.3 Shared Collocation. e.spire may allow other Telecommunications Carriers to sublease, license or otherwise share e.spire's caged collocation arrangement pursuant to terms and conditions agreed to by e.spire ("Host") and other Telecommunications Carriers ("Guests") and pursuant to this section except where BellSouth Premises is located within a leased space and BellSouth is not authorized by the lessor to offer such an option. e.spire shall provide written notification within ten (10) business days of execution of any such agreement. Such notification shall identify the Guest and shall include appropriate contact information for the Guest.
  - 3.3.1 A shared collocation cage is a caged collocation space shared by two or more competitive LECs pursuant to terms and conditions agreed to by the competitive LECs. In making shared cage arrangements available, BellSouth may not increase the cost of site preparation or nonrecurring charges above the cost for provisioning such a cage of similar dimensions and material to a single collocating party. In addition, the incumbent must prorate the charge for site conditioning and preparation undertaken by the incumbent to construct the shared collocation cage or condition the space for collocation use, regardless of how many carriers actually collocate in that cage, by determining the total charge for site preparation and allocating that charge to a collocating carrier based on the percentage of the total space utilized by that carrier. BellSouth must make shared collocation available in single-bay increments or their equivalent, i.e., a competing carrier can purchase space in increments small enough to collocate a single rack, or bay, of equipment.

- 3.3.2 e.spire shall be the sole interface and responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment placements of Guest; for assessment of rates and charges contained within this Attachment; and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. The initial Guest application shall require the assessment of an Application Fee, as set forth in Exhibit A. Notwithstanding the foregoing, Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and Guest and for the provisions of the services and access to unbundled network elements.
- 3.3.3 e.spire shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of e.spire's Guests in the Collocation Space, according to the terms of Section 19 of the General Terms and Conditions.

e.spire and e.spire's Guest(s) shall maintain, throughout the term of this Agreement, the insurance coverage required under Section 8 of this Attachment and shall name BellSouth as an additional insured in all such policies as set forth in Section 8 hereof. In the event e.spire's Guest(s) fails to maintain such insurance as specified and/or to name BellSouth as an additional insured, e.spire shall indemnify and hold harmless BellSouth from any and all claims, actions, and causes of action, of whatever kind or nature, arising out of the presence of e.spire's Guest(s) in the Collocation Space.

## 4. OCCUPANCY

- 4.1 <u>Commencement Date.</u> The "Commencement Date" shall be the day e.spire's equipment becomes operational as described in Section 4.2, following.
- 4.2 Occupancy. BellSouth will notify e.spire in writing that the Collocation Space is ready for occupancy. e.spire must place operational telecommunications equipment in the Collocation Space and connect with BellSouth's network within one hundred eighty (180) days after receipt of such notice. e.spire must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for interconnected service until receipt of such notice. If e.spire fails to place operational telecommunications equipment in the Collocation Space within 180 calendar days and such failure continues for a period of thirty (30) days after receipt of written notice from BellSouth, then and in that event e.spire's right to occupy the Collocation Space terminates and BellSouth shall have no further obligations to e.spire with respect to said Collocation Space. Termination of e.spire's rights to the Collocation Space pursuant to this paragraph shall not operate to release e.spire from its obligation to reimburse BellSouth for all costs reasonably incurred by BellSouth in preparing the Collocation Space, but rather such obligation shall survive this Attachment. For purposes of this paragraph, e.spire's telecommunications equipment will be deemed operational when crossconnected to BellSouth's network for the purpose of service provision.

4.3 Termination. Except where otherwise agreed to by the Parties, e.spire may terminate occupancy in a particular Collocation Space upon thirty (30) days' prior written notice to BellSouth. Upon termination of such occupancy, e.spire at its expense shall remove its equipment and other property from the Collocation Space. e.spire shall have thirty (30) days from the termination date to complete such removal, including the removal of all equipment and facilities of e.spire's Guests; provided, however, that e.spire shall continue payment of monthly fees to BellSouth until such date as e.spire has fully vacated the Collocation Space. Should e.spire fail to vacate the Collocation Space within thirty (30) days from the termination date, BellSouth shall have the right to remove the equipment and other property of e.spire at e.spire's expense and with no liability for damage or injury to e.spire's property unless caused by the gross negligence or intentional misconduct of BellSouth. Upon expiration of e.spire's Arrangement(s) pursuant to this Attachment, e.spire shall surrender the Collocation Space to BellSouth in the same condition as when first occupied by the e.spire except for ordinary wear and tear. e.spire shall be responsible for the cost of removing any enclosure, together with all support structures (e.a., racking, conduits), of an Adjacent Collocation arrangement at the termination of occupancy and restoring the grounds to their original condition.

## 5. USE OF COLLOCATION SPACE

5.1 Equipment Type. BellSouth shall permit the collocation of any type of equipment used or useful for interconnection or access to unbundled network elements. Whenever BellSouth objects to collocation of equipment by e.spire for the purposes within the scope of section 251(c)(6) of the Act, BellSouth shall prove to the state commission that the equipment will not be actually used by e.spire for the purpose of obtaining interconnection or access to unbundled network elements.

BellSouth may not object to the collocation of equipment on the grounds that the equipment does not comply with safety or engineering standards that are more stringent than the safety or engineering standards than BellSouth applies to its own equipment. BellSouth may not object to the collocation of equipment on the ground that the equipment fails to comply with National Equipment and Building Specifications performance standards.

If BellSouth denies collocation of e.spire's equipment, citing safety standards, BellSouth must provide to e.spire within five (5) business days of the denial, a list of all equipment that BellSouth locates within the central office premises in question, together with an affidavit attesting that all of that equipment meets or exceeds the safety standard that BellSouth contends e.spire's equipment fails to meet.

Equipment used for interconnection and access to unbundled network elements includes, but is not limited to: (1) Transmission equipment including, but not limited to, optical terminating equipment and multiplexers. (2) Equipment being collocated to terminate basic transmission facilities pursuant to §§ 64.1401 and 64.1402 of Title 47 of the Code of Federal Regulations as of August 1, 1996, and

(3) Digital subscriber line access multiplexers, routers, asynchronous transfer mode multiplexers, and remote switching modules.

Nothing in this section requires BellSouth to permit collocation of equipment used solely for switching or solely to provide enhanced services; provided, however, that BellSouth may not place any limitations on the ability of e.spire to use all the features, functions, and capabilities of equipment collocated pursuant to the above, including, but not limited to, switching and routing features and functions and enhanced services functionalities.

- 5.1.1 e.spire shall not use the Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Collocation Space or on the grounds of the BellSouth Premises.
- 5.1.2 e.spire shall place a plaque or other identification affixed to e.spire's equipment necessary to identify e.spire's equipment, including a list of emergency contacts with telephone numbers.
- 5.2 Entrance Facilities. e.spire may elect to place e.spire owned or e.spire leased fiber entrance facilities into the Collocation Space. BellSouth will designate the point of interconnection in close proximity to the Premises building housing the Collocation Space, such as an entrance manhole or a cable vault which are physically accessible by both parties. e.spire will provide and place cable at the point of interconnection of sufficient length to be pulled through conduit and into the splice location. e.spire will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced, which will extend from the splice location to the e.spire's equipment in the Collocation Space. In the event e.spire utilizes a non-metallic, riser-type entrance facility, a splice will not be required. e.spire must contact BellSouth for instructions prior to placing the entrance facility cable in the manhole. e.spire is responsible for maintenance of the entrance facilities.
  - 5.2.1 <u>Dual Entrance</u>. BellSouth will provide at least two interconnection points at each BellSouth Premises where there are at least two such interconnection points available and where capacity exists. Upon receipt of a request for Physical Collocation under this Attachment, BellSouth shall provide e.spire with information regarding BellSouth's capacity to accommodate dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose for utilization within 12 months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for installing a second entrance facility to e.spire's arrangement. The location of the serving manhole(s) will be determined at the reasonable and nondiscriminatory discretion of BellSouth. Where dual entrance is not available due to lack of capacity, BellSouth will so state in the Application Response. BellSouth shall not deny a collocation application solely for the reason that dual entrance facilities are not available.

- 5.2.2 <u>Shared Use.</u> e.spire may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to another e.spire collocation arrangement within the same BellSouth Premises. e.spire must arrange with BellSouth for BellSouth to splice the utilized entrance facility capacity to e.spire provided riser cable.
- Splicing in the Entrance Manhole. Should e.spire request a splice to occur in the entrance manhole(s), BellSouth shall grant such a request, provided that BellSouth will not unreasonably withhold approval of requests to make such a splice where technically feasible. When the request for a splice is granted to e.spire by BellSouth, e.spire shall ensure its employees or agents entering and/or performing work in the entrance manhole(s) are trained and comply with BellSouth procedures and OSHA requirements regarding access to manholes and that BellSouth personnel are notified and present for all entrances and work performed in the entrance manhole(s). Manhole covers shall be properly closed and secured at the conclusion of entry and/or work. Advance notification to BellSouth shall occur at a minimum of 48 hours prior to desired entry for normal work activities and at a minimum of 2 hours prior to desired entry in an out of service condition.
- 5.4 <u>Demarcation Point.</u> BellSouth will designate the point(s) of interconnection between e.spire's equipment and/or network and BellSouth's network. BellSouth shall designate the closest demarcation point available. Each party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on the BellSouth designated conventional distributing frame. e.spire shall be responsible for providing, and e.spire's BellSouth Certified Vendor shall be responsible for installing and properly labeling/stenciling, the common block, and necessary cabling. For all other terminations BellSouth shall designate a demarcation point on a per arrangement basis. e.spire or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Subsection 5.5, following, and may self-provision cross-connects that may be required within the collocation space to activate service requests. At e.spire's option, a Point of Termination (POT) bay or frame may be placed in the Collocation Space.
- e.spire's Equipment and Facilities. e.spire, or if required by this Attachment, e.spire's BellSouth Certified Vendor, is solely responsible for the design, engineering, installation, testing, provisioning, monitoring, maintenance and repair of the equipment and facilities used by e.spire. Such equipment and facilities may include but are not limited to cable(s); equipment; and point of termination connections.
- 5.6 <u>Co-Carrier Cross-connect.</u> In addition to, and not in lieu of, obtaining interconnection with, or access to, BellSouth telecommunications services, unbundled network elements, and facilities, e.spire may directly connect to other Interconnectors within the designated BellSouth Premises (including to its other virtual or physical collocated arrangements) through facilities owned by e.spire or through BellSouth facilities designated by e.spire, at e.spire's option. Such

connections to other carriers may be made using either optical or electrical facilities. e.spire may deploy such optical or electrical connections directly between its own facilities and the facilities of other interconnector(s) without being routed through BellSouth equipment. BellSouth shall permit such connections with third-party carriers at any time during the term of this agreement.

- 5.6.1 If e.spire requests a co-Carrier cross-connect after the initial installation, e.spire must submit an application with a Subsequent Application Fee. e.spire must use a Certified Vendor to place the co-Carrier cross connect, except in cases where the e.spire equipment and the equipment of the other interconnector are located within contiguous collocation spaces. In cases where e.spire's equipment and the equipment of the other interconnector are located in contiguous collocation spaces, e.spire will have the option to deploy the co-Carrier cross connects between the sets of equipment. Where cable support structure exists for such connection there will be a recurring charge per linear foot of support structure used. When cable support structures do not exist and must be constructed a non-recurring charge for the individual case will be assessed.
- Right to Access Collocation Space. From time to time BellSouth may require access to the Collocation Space. BellSouth retains the right to access such space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cables). BellSouth will give reasonable notice to e.spire when access to the Collocation Space is required. e.spire may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that e.spire will not bear any of the expense associated with this work.
- Access. Pursuant to Section 11, e.spire shall have unescorted access to the Collocation Space twenty-four (24) hours a day, seven (7) days a week. e.spire agrees to provide the name and one of the following: social security number, date of birth, or drivers license number of each employee, contractor, or agent provided with Access Keys or cards ("Access Keys") prior to the issuance of said Access Keys. Access Keys shall not be duplicated under any circumstances. e.spire agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of e.spire employees, contractors, Guests or agents after termination of the employment relationship, contractual obligation with e.spire or upon the termination of this Attachment or the termination of occupancy of an individual collocation arrangement.
  - Lost or Stolen Access Keys. e.spire shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. e.spire will reimburse BellSouth for the cost of replacing Access Key(s) lost or stolen. Should it become necessary for BellSouth to re-key buildings as a result of a lost Access Key(s) or for failure to return an Access Key(s), e.spire shall pay for all reasonable costs directly associated with the re-keying.

Interference or Impairment. Notwithstanding any other provisions of this Attachment, equipment and facilities placed in the Collocation Space shall not interfere with or impair service provided by BellSouth or by any other Interconnector located in the Premises; shall not endanger or damage the facilities of BellSouth or of any other Interconnector, the Collocation Space, or the Premises; shall not compromise the privacy of any communications carried in, from, or through the Premises; and shall not create an unreasonable risk of injury or death to any individual or to the public.

BellSouth shall not treat equipment deployed by e.spire as interfering with or impairing service provided by BellSouth or another interconnector solely on the basis that such equipment is of a different type that has not previously been utilized in a BellSouth Premise.

If BellSouth determines in a reasonable and nondiscriminatory manner that any equipment or facilities of violates the provisions of this paragraph, BellSouth shall give written notice to e.spire, which notice shall direct e.spire to cure the violation within forty-eight (48) hours of e.spire's actual receipt of written notice or, at a minimum, to commence curative measures within twenty-four (24) hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement. The Parties will act in good faith and in a cooperative manner to determine or isolate the source of the interference or impairment.

- Personalty and its Removal. Subject to requirements of this Attachment, e.spire may place or install in or on the Collocation Space such facilities and equipment, including storage for and spare equipment, as it deems desirable for the conduct of business; provided that such equipment is telecommunications equipment, does not violate floor loading requirements, imposes or could impose or contains or could contain environmental conditions or hazards. Personal property, facilities and equipment placed by e.spire in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personalty and may be removed by e.spire at any time. Any damage caused to the Collocation Space by e.spire's employees, agents or representatives during the removal of such property shall be promptly repaired by e.spire at its expense.
- Alterations. In no case shall e.spire or any person acting on behalf of e.spire make any rearrangement, modification, improvement, addition, repair, or other alteration to the Collocation Space or the BellSouth Central Office without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any such specialized alterations shall be paid by e.spire.
- 5.12 <u>Janitorial Service.</u> e spire is responsible for keeping its Caged Collocation Space free of debris and in good order. e.spire may elect to contract with a BellSouth certified vendor for the general upkeep and cleaning of the Caged Collocation Space. e.spire shall arrange directly with the certified vendor for such janitorial services. BellSouth shall provide a list of such contractors on a site-specific basis upon request.

## 6. ORDERING AND PREPARATION OF COLLOCATION SPACE

- 6.1 <u>Application for Space.</u> e.spire shall submit an application document when e.spire, or e.spire's Guest(s), as defined in Section 3.3, desires to request or modify the use of the Collocation Space.
  - 6.1.1 Initial Application. For e.spire's or e.spire's Guest(s) initial equipment placement, e.spire shall submit to BellSouth a complete and accurate Application and Inquiry document (Bona Fide Application), together with payment of the Application Fee as stated in Exhibit A. The Bona Fide Application shall contain a detailed description and schematic drawing of the equipment to be placed in e.spire's Collocation Space(s) and an estimate of the amount of square footage required.
  - 6.1.2 Subsequent Application Fee. In the event e.spire or e.spire's Guest(s) desire to modify the use of the Collocation Space, e.spire shall complete an Application document detailing all information regarding the modification to the Collocation Space together with payment of the minimum Subsequent Application Fee as stated in Exhibit A. Said minimum Subsequent Application Fee shall be considered a partial payment of the applicable Subsequent Application Fee, which shall be calculated as set forth below. BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by e.spire in the Application. Such necessary modifications to the Premises may include but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, and equipment additions. The fee paid by e.spire for its request to modify the use of the Collocation Space shall be dependent upon the modification requested. subsequent application does not require provisioning or construction work by BellSouth, no Subsequent Application Fee will be required and the pre-paid fee shall be refunded to e.spire. The fee for an application where the modification requested has limited effect (e.g., does not require capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit A. All other modifications shall require a Subsequent Application Fee assessed at the applicable application fee. In the event such modifications require the assessment of a full Application Fee as set forth in Exhibit A, the outstanding balance shall be due by e.spire within thirty (30) calendar days following e.spire's receipt of a bill or invoice from BellSouth.
- Application Response. In addition to the notice of space availability pursuant to Section 2.1, BellSouth will respond within ten (10) business days of receipt of an Application whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available, BellSouth will provide a comprehensive written response within thirty (30) business days of receipt of a complete application. When multiple applications are submitted within a fifteen (15) business day window, BellSouth will respond to the applications as soon as

possible on a non-discriminatory basis, but no later than the following: within thirty (30) business days for applications 1-5; within thirty-six (36) business days for applications 6-10; within forty-two (42) business days for applications 11-15; within forty-five (45) business days for more than 15 applications.

The Application Response will detail whether the amount of space requested is available or if the amount of space requested is not available, the amount of space that is available. The response will also include the configuration of the space.

When BellSouth's response includes an amount of space less than that requested by e.spire or differently configured, e.spire must amend its application to reflect the actual space available prior to submitting a Bona Fide Firm Order. Such amendment by e.spire will not require a supplemental application fee.

- Bona Fide Firm Order. e.spire shall indicate its intent to proceed with equipment 6.3 installation in a BellSouth Central Office by submitting a Bona Fide Firm Order to A Bona Fide Firm Order requires e.spire to complete the BellSouth. Application/Inquiry process described in Subsection 6.1, preceding, and submit the Expanded Interconnection Bona Fide Firm Order document (BSTEI-1P-F) indicating acceptance of the written application response provided by BellSouth ("Bona Fide Firm Order") and all appropriate fees. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days after BellSouth's response to e.spire's Application/Inquiry. If e.spire makes changes to its application in light of BellSouth's written Application Response, BellSouth will be required to re-evaluate and respond to the change(s). In this event, BellSouth's provisioning interval will not start until the re-evaluation and response to the change(s) is complete and the Bona Fide Firm Order is received by BellSouth and all appropriate fees and duties have been executed. If BellSouth needs to reevaluate e.spire's application as a result of changes requested by e.spire to e.spire's original application, then BellSouth will charge e.spire a fee based upon the additional engineering hours required to do the reassessment.
  - 6.3.1 BellSouth will establish a firm order date, per request, based upon the date BellSouth is in receipt of a Bona Fide Firm Order. BellSouth will acknowledge the receipt of e.spire's Bona Fide Firm Order within five (5) business days of receipt indicating that the Bona Fide Firm Order has been received. A BellSouth response to a Bona Fide Firm Order will include a Firm Order Confirmation containing the firm order date.
  - 6.3.2 BellSouth will permit one accompanied site visit to e.spire's designated collocation arrangement location after receipt of the Bona Fide Firm Order and prior to completing the Security Training requirements without charge to e.spire.
  - 6.3.3 Space preparation for the Collocation Space will not begin until BellSouth receives the Bona Fide Firm Order and all applicable fees.
  - 6.3.4 e.spire must submit to BellSouth the completed Access Control Request Form (RF-2906-C) for all employees or agents requiring access to the

BellSouth Central Office a minimum of thirty (30) calendar days prior to the date e.spire desires access to the Collocation Space.

- 6.4 Construction and Provisioning Intervals. BellSouth shall complete construction and provisioning intervals per request on an individual case basis. Excluding the time interval required to secure the appropriate government licenses and permits. BellSouth will use best efforts to complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 90 business days from receipt of a complete and accurate Bona Fide Firm Order. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will use best efforts to complete construction of all other collocation space ("extraordinary conditions") within 130 business days of the receipt of a complete and accurate Bona Fide Firm Order. Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement.
  - Joint Planning Meeting. Unless otherwise agreed to by the Parties, a joint planning meeting or other method of joint planning between BellSouth and e.spire will commence within a maximum of fifteen (15) business days from BellSouth's receipt of a Bona Fide Firm Order and the payment of the agreed upon fees. At such meeting, the Parties will agree to the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Application and affirmed in the Bona Fide Firm Order. The Collocation Space Completion time period will be provided to e.spire during the joint planning meeting or as soon as possible thereafter. BellSouth will complete all design work following the joint planning meeting.
  - 6.4.2 <u>Permits.</u> Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within seven (7) business days of the completion of finalized construction designs and specifications.
  - 6.4.3 Acceptance Walk Through. e.spire and BellSouth will complete an acceptance walk through of each Collocation Space requested from BellSouth by e.spire. BellSouth will correct any deviations to e.spire's original or jointly amended requirements within five (5) business days after the walk through, unless the Parties jointly agree upon a different time frame.
- 6.5 <u>Use of Certified Vendor.</u> e.spire shall select a vendor which has been approved as a BellSouth Certified Vendor to perform all engineering and installation work required in the Collocation Space, or utilize its own employees to perform such work provided that e.spire has been certified by BellSouth to perform such work. In some cases, e.spire must select separate BellSouth Certified Vendors for transmission equipment, switching equipment and power equipment. BellSouth

shall provide e.spire with a list of Certified Vendors and a statement of the criteria to qualify Certified Vendor, upon request. BellSouth shall not unreasonably withhold approval of any contractor proposed by e.spire that meets the standard BellSouth criteria. The Certified Vendor(s) shall be responsible for installing e.spire's equipment and components, installing co-carrier cross connects, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and e.spire upon successful completion of installation. The Certified Vendor shall bill e.spire directly for all work performed for e.spire pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the Certified Vendor. BellSouth shall consider certifying e.spire or any vendor proposed by e.spire.

- Alarm and Monitoring. BellSouth shall place environmental alarms in the Central Office for the protection of BellSouth equipment and facilities. e.spire shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service e.spire's Collocation Space. Upon request, BellSouth will provide e.spire with applicable tariffed services(s) to facilitate remote monitoring of collocated equipment by e.spire. Both parties shall use best efforts to notify the other of any verified environmental hazard known to that party. The parties agree to utilize and adhere to the Environmental Hazard Guidelines identified as Exhibit B attached hereto.
- 6.7 <u>Basic Telephone Service.</u> Upon request of e.spire, BellSouth will provide basic telephone service to the Collocation Space under the rates, terms and conditions of the current tariff offering for the service requested.
- Space Preparation. BellSouth shall pro-rate the costs of any renovation or upgrade to Central Office space or support mechanisms which is required to accommodate Physical Collocation. e.spire's pro rated share will be calculated by multiplying such cost by a percentage equal to the amount of square footage occupied by e.spire divided by the total Central Office square footage receiving renovation or upgrade. For this section, support mechanisms provided by BellSouth may include, but not be limited to heating/ventilation/air conditioning (HVAC) equipment, HVAC duct work, cable support structure, fire wall(s), mechanical upgrade, asbestos abatement, or ground plane addition. Such renovation or upgrade will be evaluated and the charges assessed on a per Central Office basis. BellSouth will reimburse e.spire in an amount equal to e.spire reasonable, demonstrative and mitigated expenditures incurred as a direct result of delays to the completion and turnover dates caused by BellSouth.
- 6.9 <u>Virtual Collocation Transition.</u> BellSouth offers Virtual Collocation pursuant to the rates, terms and conditions set forth in its F.C.C. Tariff No. 1. For the interconnection to BellSouth's network and access to BellSouth unbundled network elements, e.spire may purchase 2-wire and 4-wire Cross-Connects as set forth in Exhibit A, and e.spire may place within its Virtual Collocation arrangements the telecommunications equipment set forth in Section 5.1.

In the event Physical Collocation Space was previously denied at a location due to technical reasons or space limitations, and that Physical Collocation Space

has subsequently become available, e.spire may transition its Virtual Collocation arrangement to a Physical Collocation arrangement and pay the appropriate non-recurring fees for Physical Collocation and for the rearrangement or reconfiguration of services terminated in the Virtual Collocation arrangement.

In the event that BellSouth knows when additional space for Physical Collocation may become available at the location requested by e.spire, such information will be provided to e.spire in BellSouth's written denial of Physical Collocation. To the extent that (i) Physical Collocation Space becomes available to e.spire within one-hundred and eighty (180) days of BellSouth's written denial of e.spire's request for Physical Collocation, and (ii) e.spire was not informed in the written denial that Physical Collocation Space would become available within such one-hundred and eighty (180) days, then e.spire may transition its Virtual Collocation arrangement to a Physical Collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such Virtual Collocation.

- 6.10 <u>Cancellation.</u> If, at anytime, e.spire cancels its order for the Collocation Space(s), e.spire will reimburse BellSouth for any expenses incurred up to the date that written notice of the cancellation is received. In no event will the level of reimbursement under this paragraph exceed the maximum amount e.spire would have otherwise paid for work undertaken by BellSouth if no cancellation of the order had occurred.
- 6.11 <u>Licenses.</u> e.spire, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Collocation Space.

## 7. RATES AND CHARGES

- Non-recurring Fees. In addition to the Application Fee referenced in Section 6, preceding, e.spire shall remit payment of a Cable Installation Fee and one-half (1/2) of the estimated Space Preparation Fee, as applicable, coincident with submission of a Bona Fide Firm Order. The outstanding balance of the actual Space Preparation Fee shall be due thirty (30) calendar days following e.spire's receipt of a bill or invoice from BellSouth. Once the installation of the initial equipment arrangement is complete, a subsequent application fee may apply, as described in Subsection 7.4, when e.spire requests a modification to the arrangement.
- 7.2 <u>Documentation.</u> BellSouth shall provide documentation to establish the actual Space Preparation Fee. The Space Preparation Fee will be pro-rated as prescribed in Section 6, preceding.
- 7.3 <u>Cable Installation.</u> Cable Installation Fee(s) are assessed per entrance facility placed.

- 7.4 Floor Space. The floor space charge includes reasonable charges for lighting, heat, air conditioning, ventilation and other allocated expenses associated with maintenance of the Central Office but does not include amperage necessary to power e.spire's equipment. When the Collocation Space is enclosed, e.spire shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, e.spire shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 x wiring aisle depth)] X (width of rack and spacers)]. For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event e.spire's collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, e.spire shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement. Floor space charges are due beginning with the date on which BellSouth releases the Collocation Space for occupancy or on the date e.spire first occupies the Collocation Space, whichever is sooner.
- 7.5 <u>Power.</u> BellSouth shall supply 48 Volt (-48V) DC power for e.spire's Collocation Space within the BellSouth Premises and shall make available AC power at e.spire's option for Adjacent Arrangement collocation.
  - 7.5.1 Charges for -48V DC power will be assessed per ampere per month based upon the certified vendor engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and cable rack to e.spire's equipment or space enclosure. When obtaining power from a BellSouth Battery Distribution Fuse Bay, fuses and power cables (A&B) must be engineered (sized), and installed by e.spire's certified vendor. When obtaining power from a BellSouth Power Board, power cables (A&B) must be engineered (sized), and installed by e.spire's certified power vendor. e.spire's certified vendor must also provide a copy of the engineering power specification prior to the Commencement Date. In the event BellSouth shall be required to construct additional DC power plant or upgrade the existing DC power plant in a Central Office as a result of e.spire's request to collocate in that Central Office ("Power Plant Construction"), e.spire shall pay its pro-rata share of costs associated with the Power Plant Construction. determination of whether Power Plant Construction is necessary shall be within BellSouth's sole, but reasonable, discretion, BellSouth shall comply with all BellCore (Telcordia) and ANSI Standards regarding power cabling, including BellCore (Telcordia) Network Equipment Building System (NEBS) Standard GR-63-CORE. BellSouth will notify e.spire of the need for the Power Plant Construction and will estimate the costs associated with the Power Plant Construction if BellSouth were to perform the Power Plant Construction. The costs of power plant construction shall be pro-rated and shared among all who benefit from that construction. e.spire shall pay BellSouth one-half of its prorata share of the estimated Power Plant Construction costs prior to commencement

of the work. e.spire shall pay BellSouth the balance due (actual cost less one-half of the estimated cost) within thirty (30) days of completion of the Power Plant Construction. e.spire has the option to perform the Power Plant Construction itself; provided, however, that such work shall be performed by a BellSouth certified contractor and such contractor shall comply with BellSouth's guidelines and specifications. Where the Power Plant Construction results in construction of a new power plant room, upon termination of this Attachment e.spire shall have the right to remove its equipment from the power plant room, but shall otherwise leave the room intact. Where the Power Plant Construction results in an upgrade to BellSouth's existing power plant, upon termination of this Attachment, such upgrades shall become the property of BellSouth.

- 7.5.2 Charges for AC power will be assessed per breaker ampere per month based upon the certified vendor engineered and installed power feed fused ampere capacity. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth Service Panel, fuses and power cables must be engineered (sized), and installed by e.spire's certified vendor. e.spire's certified vendor must also provide a copy of the engineering power specification prior to the Commencement Date. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit A. AC power voltage and phase ratings shall be determined on a per location basis.
- 7.6 Security Escort. A security escort will be required whenever e.spire or its approved agent desires access to the entrance manhole or must have access to the Central Office Premises after the one accompanied site visit allowed pursuant to subsection 6.3.2 prior to completing BellSouth's Security Training requirements and/or prior to Space Acceptance. Rates for a security escort are assessed in one-half (1/2) hour increments according to the schedule appended hereto as Exhibit A.
- Rate "True-Up." The Parties agree that the prices reflected as interim herein 7.8 shall be "trued-up" (up or down) based on final prices either determined by further agreement or by final order, including any appeals, in a proceeding involving BellSouth before the regulatory authority for the state in which the services are being performed or any other body having jurisdiction over this agreement (hereinafter "Commission"). Under the "true-up" process, the interim price for each service shall be multiplied by the volume of that service purchased to arrive at the total interim amount paid for that service ("Total Interim Price"). The final price for that service shall be multiplied by the volume purchased to arrive at the total final amount due ("Total Final Price"). The Total Interim Price shall be compared with the Total Final Price. If the Total Final Price is more than the Total Interim Price, e.spire shall pay the difference to BellSouth. If the Total Final Price is less than the Total Interim Price, BellSouth shall pay the difference to e.spire. Each party shall keep its own records upon which a "true-up" can be based and any final payment from one party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of

- such "true-up," the Parties agree that the Commission shall be called upon to resolve such differences.
- 7.9 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the parties upon request by either party. Payment of all other charges under this Attachment shall be due thirty (30) days after receipt of the bill (payment due date). e.spire will pay a late payment charge of one and one-half percent (1-1/2%) assessed monthly on any balance which remains unpaid after the payment due date.

## 8. INSURANCE

- e.spire shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Article VI and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a BEST Insurance Rating of B ++ X (B ++ ten).
- 8.2 e.spire shall maintain the following specific coverage:
  - 8.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an ADDITIONAL INSURED on ALL applicable policies as specified herein.
  - 8.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
  - 8.2.3 e.spire may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 8.3 All policies purchased by e.spire shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Central Office and shall remain in effect for the term of this Attachment or until all e.spire's property has been removed from BellSouth's Central Office, whichever period is longer. If e.spire fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from e.spire.
- e.spire shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. e.spire shall arrange for BellSouth to receive thirty (30) days advance notice of cancellation from e.spire's

insurance company. e.spire shall forward a certificate of insurance and notice of cancellation to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 600 N. 19<sup>th</sup> Street, 18B3 Birmingham, Alabama 35203

#### 9. MECHANICS LIENS

9.1 If any mechanics lien or other liens shall be filed against property of either party (BellSouth or e.spire), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other party or by reason of any changes, or additions to said property made at the request or under the direction of the other party, the other party directing or requesting those changes shall, within thirty (30) days after receipt of written notice from the party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

#### 10. INSPECTIONS

10.1 BellSouth shall conduct an inspection of e.spire's equipment and facilities in the Collocation Space(s) prior to the activation of facilities between e.spire's equipment and equipment of BellSouth. BellSouth may conduct an inspection if e.spire adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide e.spire with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

### 11. SECURITY AND SAFETY REQUIREMENTS

Only BellSouth employees, BellSouth Certified Vendors and authorized employees, authorized Guests, pursuant to Section 3.3, preceding, or authorized agents of e.spire will be permitted in the BellSouth Premises. e.spire shall provide its employees and agents with picture identification which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo Identification card shall bear, at a minimum, the employee's name and photo, and the e.spire name. BellSouth reserves the right to remove from its Premises any employee of e.spire not possessing identification issued by e.spire. e.spire shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Premise. e.spire shall be solely responsible for ensuring that any Guest of e.spire is in compliance with all subsections of this Section 11.

- 11.1.1 e.spire will be required, at its own expense, to conduct a statewide investigation of criminal history records for each e.spire employee being considered for work on the BellSouth Premises, for the states/counties where the e.spire employee has worked and lived for the past five (5) years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable.
- 11.1.2 e.spire will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- 11.1.3 e.spire shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. e.spire shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, without advising BellSouth of the nature and gravity of the offense(s).

BellSouth reserves the right to refuse building access to any e.spire personnel who have been identified to have misdemeanor criminal convictions.

- 11.1.4 For each e.spire employee requiring access to a BellSouth Premises pursuant to this agreement, e.spire shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, e.spire will disclose the nature of the convictions to BellSouth at that time. In the alternative, e.spire may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 11.1.5 At BellSouth's request, e.spire shall promptly remove from the BellSouth's Premises any employee of e.spire BellSouth does not wish to grant access to its Premises pursuant to any investigation conducted by BellSouth.
- Notification to BellSouth. BST reserves the right to interview e.spire's employees, agents, or contractors. e.spire and its contractors shall cooperate fully with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by or involving e.spire's employees, agents, or contractors. Additionally, BellSouth reserves the right to bill e.spire for all costs associated with reasonable and nondiscriminatory investigations involving its employees, agents, or contractors if it can be reasonably established that e.spire's employees, agents, or contractors are responsible for the alleged act. BellSouth shall bill e.spire for BellSouth property which is stolen or damaged where an investigation determines the culpability of e.spire's employees, agents, or contractors. e.spire shall notify BellSouth in writing immediately in the event that the CLEC discovers one of its employees already working on the BellSouth

Premises is a possible security risk. BellSouth reserves the right to permanently remove from its Premises any employee of e.spire identified as posing a security risk to BellSouth or any other CLEC, or having violated BellSouth policies set forth in the BellSouth CLEC Security Training.

- 11.2.1 <u>Use of BellSouth Supplies by e.spire Employees.</u> Use of any BellSouth supplies by a e.spire employee, whether or not used routinely to provide telephone service (e.g., plug-in cards,) will be considered theft and will be handled accordingly. Costs associated with such unauthorized use of BellSouth property may be charged to e.spire as may be all associated investigative costs. At BellSouth's request, e.spire shall promptly and permanently remove from BellSouth's Central Office any employee of e.spire found to be in violation of this rule.
- 11.3 <u>Use of Official Lines by e.spire Employees.</u> Except for local calls necessary or, in the performance of their work, e.spire employees shall not use the telephones on BellSouth Central Office. Charges for unauthorized telephone calls made by a e.spire's employees may be charged to e.spire as may be all associated investigative costs. At BellSouth's request, e.spire shall promptly and permanently remove from BellSouth's Premises any employee of e.spire found to be in violation of this rule.
- 11.4 <u>Accountability.</u> Full compliance with the security requirements of this section shall in no way limit the accountability of any CLEC for the improper actions of its employees.

#### 12. DESTRUCTION OF COLLOCATION SPACE

12.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for e.spire's permitted use hereunder, then either party may elect within ten (10) days after such damage, to terminate this Attachment, and if either party shall so elect, by giving the other written notice of termination, both parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for e.spire's permitted use, or is damaged and the option to terminate is not exercised by either party, BellSouth covenants and agrees to proceed promptly without expense to e.spire, except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. e.spire may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a certified vendor is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If e.spire's acceleration of the project increases the cost of the project, then those additional charges will be incurred by e.spire. Where allowed and where practical, e.spire may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, e.spire shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for e.spire's permitted use, until such Collocation Space is fully repaired and restored and e.spire's equipment installed therein (but in not event shall the abatement period extend beyond thirty (30) days after the Collocation Space is fully repaired and restored). Where e.spire has placed an Adjacent Arrangement pursuant to section 3.4, e.spire shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this section, BellSouth will restore the associated services to the Adjacent Arrangement.

#### 13. EMINENT DOMAIN

13.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such collocation arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and e.spire shall each have the right to terminate this Attachment and declare the same null and void, by written notice of such intention to the other party within ten (10) days after such taking with respect to the affected Collocation arrangement.

### 14. NONEXCLUSIVITY

14.1 e.spire understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

## EXHIBIT A: BELLSOUTH/e.spire RATES - ALABAMA PHYSICAL COLLOCATION

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1BA	Application Fee	Per Request	NA	\$7,124.00 Disconnect Charge \$1.73
PE1CA	Subsequent Application Fee (Note 1)	Per Request	NA	\$1600.00 Minimum
PE1BB	Space Preparation Fee (Note 2)			
	Mechanical / HVAC*	Per ton (one ton minimum)		\$2,400.00
	Ground Bar*	Per Connection		\$720.00
	Project Management*	Per arrangement		\$1675.00
	Cable Racking / Fiber Duct	Per arrangement, square foot		ICB
	Frame / Aisle Lighting	Per arrangement, square foot		ICB
	Framework Ground Conductors	Per arrangement		ICB
	Extraordinary Modifications	Per arrangement		ICB
	Space Enclosure (Note 3) Requested Prior to 6/1/99			
PE1BW PE1CW	Welded Wire-mesh Welded Wire-mesh	Per first 100 sq. ft. Per add'l 50 sq. ft.	\$189.86 \$19.29	NA NA
PE1PJ	Floor Space	Per square foot	\$3.85	NA
PE1BD	Cable Installation	Per Cable	NA	\$2,335.00 Disconnect Charge \$54.39
PE1PM	Cable Support Structure	Dor ontrop	222.55	
· L	Loanie Support Structure	Per entrance cable	\$23.23	NA

## EXHIBIT A: BELLSOUTH/e.spire RATES - ALABAMA PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1PL	Power -48V DC Power 120V AC Power single phase* 240V AC Power single phase* 120V AC Power three phase* 277V AC Power three phase*	Per amp Per breaker amp Per breaker amp Per breaker amp Per breaker amp	\$7.14 \$5.50 \$11.00 \$16.50 \$38.20	ICB ICB ICB ICB ICB
•				
PE1P2 PE1P4 PE1P1 PE1P3 PE1F2 PE1F4	Cross Connects (Note 4) 2-wire 4-wire DS-1 DS-3 2-fiber 4-fiber	Per Cross Connect	\$.28 \$.56 \$2.14 \$38.63 \$10.44 \$18.76	First / Additional \$30.76 / \$29.40 \$31.01 / \$29.58 \$60.81 / \$41.71 \$57.80 / \$39.81 \$73.00 / \$52.00 \$88.00 / \$67.00
	2-wire 4-wire DS-1 DS-3			Disconnect Charges First / Additional \$12.75 / \$11.38 \$12.82 / \$11.39 \$12.85 / \$11.50 \$14.93 / \$11.76
	Co Consider Conson Consons			
	Co-Carrier Cross-Connect (Note 5)			
PE1ES Fiber	Fiber Arrangement	Cable Support Structure, per linear foot	\$0.06	NA
PE1DS Copper	Copper or Coaxial	(existing)	\$0.03	NA
		Cable Support Structure (new)	NA	ICB
PE1A1	Security Access System Security system* New Access Card Activation* Administrative change, existing card* Replace lost or stolen card*	Per Central Office Per Card Per Card	\$52.00	\$55.00 \$35.00 \$250.00
	Space Availability Report*	Per Central Office Requested	·	\$550.00

## EXHIBIT A: BELLSOUTH/e.spire RATES - ALABAMA PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
	POT Bay Arrangements  Prior to 6/1/99	Per Cross Connect		
PE1PE	2 Wire Cross-Connect		\$0.08	NA
PE1PF	4 Wire Cross-Connect		\$0.17	NA
PE1PG	DS1 Cross-Connect		\$0.69	NA
PE1PH	DS3 Cross-Connect		\$4.74	NA
PE1B2	2 Fiber Cross-Connect		\$25.89	NA
PE1B4	4 Fiber Cross-Connect		\$34.91	NA NA
AEH	Additional Engineering Fee	Per request,		First / Additional
ALII	(Note 6)	First half hour/Add'l		Basic Time -
	(11010 0)	Half hour		\$31.00 / \$22.00
		l lan noan		Overtime -
				\$37.00 / \$26.00
	Security Escort			
PE1BT	Basic Time	Per 1/2	NA	\$43.47/\$25.82
PE1OT	Overtime	hour/Additional	NA NA	\$55.25/\$32.79
PE1PT	Premium Time	Half-hour	NA NA	\$67.03/\$39.76
· <b>_</b> · · ·		11001		φοτ.σο/φοσ.το

## EXHIBIT A: BELLSOUTH/e.spire RATES - ALABAMA PHYSICAL COLLOCATION (cont.)

#### Note(s):

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, e.spire will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers the costs associated with the shared physical collocation area within a Central Office, which include survey, engineering, design and modification costs for network, building and support systems. In the event e.spire opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to e.spire as prescribed in Section 7 of the Collocation Attachment.
- (3) Space Enclosure: For cages requested prior to June 1, 1999, the Space Enclosure Construction Fee is a monthly recurring fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. e.spire may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the contractor shall directly bill e.spire for the space enclosure, and this fee shall not be applicable.
- (4) **Cross Connects:** The charges for cross connects are for orders placed electronically. Cross connect elements may also be ordered manually for which there is an additional charge per element.

	<b>-</b> :	Disconnect Charges
	First / Additional	First / Additional
2-wire	\$34.03 / \$32.67	\$14.48 / \$13.11
4-wire	\$34.28 / \$32.85	\$14.55 / \$13.12
DS-1	\$64.08 / \$44.98	\$14.58 / \$13.23
DS-3	\$61.07 / \$43.08	\$16.66 / \$13.49

- (5) Co-Carrier Cross-Connect: As stated in Section 1.2 of the Collocation Attachment, e.spire may connect to other CLECs within the designated Central Office in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross connection, construction charges will be applied on an individual case basis. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross connection requested, the recurring charges as stated in this Exhibit A shall apply.
- (6) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling e.spire requested modifications to requests in progress or augmentations to existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, e.spire agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

## EXHIBIT A: BELLSOUTH/e.spire RATES - FLORIDA PHYSICAL COLLOCATION

USOC	Rate Element Description	and are subject to t Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1BA	Application Fee	Per Request.	\$15.53	\$3,248.00
PE1CA	Subsequent Application Fee (Note 1)	Per Request	NA	\$1600.00 Minimum
PE1BB	Space Preparation Fee (Note 2)			
	Mechanical / HVAC*	Per ton		\$2,400.00
	Ground Bar*	(one ton minimum) Per Connection		\$720.00
	Project Management*	Per arrangement		\$1675.00
	Cable Racking / Fiber Duct	Per arrangement, square foot		ICB
	Frame / Aisle Lighting	Per arrangement, square foot		ICB
	Framework Ground Conductors	Per arrangement		ICB
	Extraordinary Modifications	Per arrangement		ICB
	Space Enclosure (Note 3) Requested Prior to 6/1/99			
PE1BW PE1BC PE1BF	Wire Cage Gypsum Board Cage Fire Rated Cage	Per first 100 sq. Ft. Per first 100 sq. Ft. Per first 100 sq. Ft.	\$41.99 \$84.10 \$99.73	NA NA NA
PE1CW PE1CC PE1CF	Wire Cage Gypsum Board Cage Fire Rated Cage	Per add'l 50 sq. Ft. Per add'l 50 sq. Ft. Per add'l 50 sq. Ft.	\$4.14 \$9.35 \$11.30	NA NA NA
PE1PJ	Floor Space	Per sq. Ft.	\$4.25	NA
PE1BD	Cable Installation	Per Cable	\$2.77	\$1,056.00
PE1PM	Cable Support Structure		\$22.94	NA

## EXHIBIT A: BELLSOUTH/e.spire RATES - FLORIDA PHYSICAL COLLOCATION (cont.)

120V AC Power single phase	USOC	Rate Element Description	Unit	Recurring Rate	Non-Recurring
ABV DC Power   120V AC Power single phase   240V AC Power single phase   120V AC Power single phase   120V AC Power three phase   120V AC Po				(RC)	Rate (NRC)
120V AC Power single phase* 240V AC Power three phase* 120V AC Power three phase* 120V AC Power three phase* 277V AC Power thre	PE1PL	1			
240 V AC Power single phase*   120 V AC Power three phase*   277 V AC Power three phase*   277 V AC Power three phase*   Per breaker amp   \$11.00   100					ICB
120		120V AC Power single phase	Per breaker amp		ICB
Per breaker amp   \$38.20   IC		240V AC Power single phase	Per breaker amp		ICB
Per Cross Connects (Note 4)   Per Cross Connect   S.0524   S11.5			Per breaker amp	b .	ICB
PE12C PE14C         2-wire 4-wire         \$.0524 \$.0524 \$.11.5         \$11.5           PE11S PE11X DS-1/DCS DS-1/DSX DS-1/DSX         \$8.085 \$.4110 \$.69.6         \$69.6           PE13S PE13X DS-3/DCS DS-3/DSX DS-3/DSX DS-3/DSX         \$56.97 \$.528.0         \$528.0           PE1F2 Optical Cross Connects         \$6.46 \$.2,431.0         \$2,431.0           Co-Carrier Cross-Connect (Note 5)         Per linear foot         \$0.06 N.           PE1DS Copper or Coaxial Cable Support Structure, existing         Per linear foot         \$0.03 N.           (TBD) Cable Support Structure Construction, new         Per new construction         NA         ICI           PE1A2 Security Access System Security System New Access Card Activation Administrative change, existing card Replace lost or stolen card Per Card         Per Central Office Per request-5 cards Per Card         \$95.00 NA         \$85.1: \$.250.0           Space Availability Report Per Card         Per Central Office Requested         \$550.0		277 v AC Power three phase	Per breaker amp	\$38.20	ICB
PE12C PE14C         2-wire 4-wire         \$.0524 \$.0524 \$.11.5         \$11.5           PE11S PE11X DS-1/DCS DS-1/DSX DS-1/DSX         \$8.085 \$.4110 \$.69.6         \$69.6           PE13S PE13X DS-3/DCS DS-3/DSX DS-3/DSX DS-3/DSX         \$56.97 \$.528.0         \$528.0           PE1F2 Optical Cross Connects         \$6.46 \$.2,431.0         \$2,431.0           Co-Carrier Cross-Connect (Note 5)         Per linear foot         \$0.06 N.           PE1DS Copper or Coaxial Cable Support Structure, existing         Per linear foot         \$0.03 N.           (TBD) Cable Support Structure Construction, new         Per new construction         NA         ICI           PE1A2 Security Access System Security System New Access Card Activation Administrative change, existing card Replace lost or stolen card Per Card         Per Central Office Per request-5 cards Per Card         \$95.00 NA         \$85.1: \$.250.0           Space Availability Report Per Card         Per Central Office Requested         \$550.0		Cross Connects (Note 4)	Per Cross Connect		
PE14C	PE12C			\$ 0524	¢11 57
PE11S	PE14C	-			
PE11X DS-1/DSX \$.4110 \$69.6  PE13S DS-3/DCS DS-3/DSX \$56.97 \$528.0  PE172 Optical Cross Connects \$6.46 \$2,431.0  Co-Carrier Cross-Connect (Note 5)  PE1ES Fiber Cable Support Structure, existing  PE1DS Copper or Coaxial Cable Support Structure, existing  (TBD) Cable Support Structure Construction, new Construction NA ICI  PE1A2 Security Access System Security System New Access Card Activation Administrative change, existing Card Replace lost or stolen card Per Card \$95.00  Space Availability Report Per Central Office Requested Per Card \$550.00				Ψ.0324	φ11.57
PE11X DS-1/DSX \$.4110 \$69.6  PE13S DS-3/DCS DS-3/DSX \$56.97 \$528.0  PE172 Optical Cross Connects \$6.46 \$2,431.0  Co-Carrier Cross-Connect (Note 5)  PE1ES Fiber Cable Support Structure, existing  PE1DS Copper or Coaxial Cable Support Structure, existing  (TBD) Cable Support Structure Construction, new Construction NA ICI  PE1A2 Security Access System Security System New Access Card Activation New Access Card Activation Administrative change, existing Card Replace lost or stolen card Per Card \$95.00  Space Availability Report Per Central Office Requested \$95.00  POT Ray (Note 5)		DS-1/DCS		\$8.085	\$60.64
PE13X DS-3/DSX \$10.06 \$528.0  PE1F2 Optical Cross Connects \$6.46 \$2,431.0  Co-Carrier Cross-Connect (Note 5)  PE1ES Fiber Cable Support Structure, existing Per linear foot \$0.06 N.  PE1DS Copper or Coaxial Cable Support Structure, existing Per linear foot \$0.03 N.  Cable Support Structure Per new construction NA ICI  PE1A2 Security Access System Security System' New Access Card Activation' Administrative change, existing card' Replace lost or stolen card Per Card \$250.00  Space Availability Report Per Central Office Requested \$550.00	PE11X			1 ' 1	\$69.64
PE13X DS-3/DSX \$10.06 \$528.0  PE1F2 Optical Cross Connects \$6.46 \$2,431.0  Co-Carrier Cross-Connect (Note 5)  PE1ES Fiber Cable Support Structure, existing Per linear foot Support Structure, existing Per linear foot Support Structure, existing Per linear foot Support Structure, existing Per new construction, new Per new construction NA ICI  PE1A2 Security Access System Security System' New Access Card Activation' Administrative change, existing card' Replace lost or stolen card' Per Card \$250.00  Space Availability Report Per Central Office Requested \$550.00	PF13S	DS-3/DCS		0-0-0-	
PE1F2 Optical Cross Connects \$6.46 \$2,431.0  Co-Carrier Cross-Connect (Note 5)  PE1ES Fiber Cable Support Structure, existing  PE1DS Copper or Coaxial Cable Support Structure, existing  (TBD) Cable Support Structure Construction, new Construction NA ICI  PE1A2 Security Access System Security System New Access Card Activation Administrative change, existing card Replace lost or stolen card Per Card Space Availability Report Per Central Office Requested  POT Rev. (Note 5)  Per Central Office Requested Space Availability Report Per Central Office Requested \$550.00					\$528.00
Co-Carrier Cross-Connect (Note 5)  PE1ES Fiber Cable Support Structure, existing  PE1DS Copper or Coaxial Cable Support Structure, existing  (TBD) Cable Support Structure Construction, new Construction  Per new Construction, new Construction  Per Central Office Per request-5 cards NA Separate Naministrative change, existing card Replace lost or stolen card Per Central Office Requested  POT Box (Note 6)	LIOX	D3-3/D3A		\$10.06	\$528.00
PE1ES Fiber Cable Support Structure, existing  PE1DS Copper or Coaxial Cable Support Structure, existing  (TBD) Cable Support Structure Construction, new  Per new construction  NA ICI  PE1A2 Security Access System Security System* New Access Card Activation* Administrative change, existing card* Replace lost or stolen card*  Per Card  Space Availability Report *  Per Central Office Per request-5 cards Per Card  Space Availability Report *  Per Central Office Requested  Per Central Office Requested	PE1F2	Optical Cross Connects		\$6.46	\$2,431.00
PE1ES Fiber Cable Support Structure, existing  PE1DS Copper or Coaxial Cable Support Structure, existing  (TBD) Cable Support Structure Construction, new  Per new construction  NA ICI  PE1A2 Security Access System Security System* New Access Card Activation* Administrative change, existing card* Replace lost or stolen card*  Per Card  Space Availability Report *  Per Central Office Per request-5 cards Per Card  Space Availability Report *  Per Central Office Requested  Per Central Office Requested					
PE1DS Copper or Coaxial Cable Support Structure, existing  (TBD) Cable Support Structure Construction, new Construction  Per new Construction, new Construction  Per Central Office Per request-5 cards Per Card  Space Availability Report Per Central Office Requested  Per Central Office \$95.00  Per Card \$250.00  Space Availability Report Per Central Office Requested					
Support Structure, existing  (TBD) Cable Support Structure Construction, new  Per new construction  NA  ICI  PE1A2 Security Access System Security System* New Access Card Activation* Administrative change, existing card* Replace lost or stolen card*  Space Availability Report*  Per Central Office Per Card  Space Availability Report*  Per Central Office Requested  Per Central Office Space Availability Report*  Per Central Office Requested  Space Availability Report*	PE1ES		Per linear foot	\$0.06	NA
Construction, new construction NA ICI  PE1A2 Security Access System Security System* New Access Card Activation* Administrative change, existing card* Replace lost or stolen card*  Space Availability Report *  Per Central Office Per request-5 cards Per Card  Per Card  Space Availability Report *  Per Central Office Requested  Per Card  \$250.00	PE1DS		Per linear foot	\$0.03	NA
Construction, new construction NA ICI  PE1A2 Security Access System Security System* New Access Card Activation* Administrative change, existing card* Replace lost or stolen card*  Space Availability Report *  Per Central Office Per request-5 cards Per Card  Per Card  Space Availability Report *  Per Central Office Requested  Per Card  \$250.00	(TBD)	Cable Support Structure	Per new		
Security System* New Access Card Activation* Administrative change, existing card* Replace lost or stolen card*  Space Availability Report *  Per Central Office Per request-5 cards Per Card  Per Card  Per Card  Space Availability Report *  Per Central Office Per request-5 cards Per Card  Per Card  \$250.00  \$550.00	` ,			NA	ICB
Security System* New Access Card Activation* Administrative change, existing card* Replace lost or stolen card*  Space Availability Report *  Per Central Office Per request-5 cards Per Card  Per Card  Per Card  Space Availability Report *  Per Central Office Per request-5 cards Per Card  Per Card  Space Availability Report *  Per Central Office Space S					
New Access Card Activation* Administrative change, existing card* Replace lost or stolen card*  Space Availability Report *  Per request-5 cards Per Card  Per Card  \$35.00  \$250.00  \$250.00  \$250.00	PE1A2				
New Access Card Activation* Administrative change, existing card* Replace lost or stolen card*  Space Availability Report *  Per request-5 cards Per Card  Per Card  \$250.06  Per Central Office Requested  \$550.06			Per Central Office	\$95.00	
Administrative change, existing card* Replace lost or stolen card* Per Card  \$35.00  Space Availability Report *  Per Central Office Requested  \$550.00			Per request-5 cards	1	\$85.12
Space Availability Report * Per Card \$250.00  Space Availability Report * Per Central Office Requested \$550.00					
Space Availability Report * Per Central Office Requested \$550.00					Ψ00.00
Requested \$550.00		Heplace lost or stolen card*	Per Card		\$250.00
Requested \$350.50		Space Availability Report *	Per Central Office		\$550.00
POT Bay (Note 6) NA NA					Ψ330.00
NA NA		POT Bay (Note 6)		B1A	
				INA	NA NA

### EXHIBIT A: BELLSOUTH/e.spire RATES - FLORIDA PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
AEH	Additional Engineering Fee (Note 7)	Per request, First half hour/Add'l half hour	·	First /Add'l Basic Time - \$31.00/\$22.00 Overtime - \$37.00/\$26.00
	Security Escort Basic Time Overtime Premium Time	Per ¼ hour Per ¼ hour Per ¼ hour	NA NA NA	\$10.89 \$13.64 \$16.40

#### Note(s):

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, e.spire will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers costs associated with the shared physical collocation area within a Central Office, which include survey, engineering, design and modification costs for network, building and support systems. BellSouth will pro rate the total shared space preparation costs among the collocators at each location based on the amount of square footage occupied by each collocator. This charge may vary depending on the location and type of arrangement requested.
- (3) Space Enclosure Fee: For cages requested prior to June 1, 1999, the Space Enclosure Construction Fee is a monthly recurring fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. e.spire may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the contractor shall directly bill e.spire for the space enclosure, and this fee shall not be applicable.
- (4) Cross Connects: Rates shown are the equivalent per cross connect rates based on the Florida PSC Ordered rates as follows:

Cross Connects	Per Cross Connect	<u>RC</u>	NRC
2-wire	Per 100 X-Connects	\$5.24	\$1,157.00
4-wire	Per 100 X-Connects	\$5.24	\$1,157.00
DS-1/DCS	Per 28 X-Connects	\$226.39	\$1,950.00
DS-1/DSX	Per 28 X-Connects	\$11.51	\$1,950.00
DS-3/DCS	Per Cross Connect	\$56. <b>9</b> 7	\$ 528.00
DS-3/DSX	Per Cross Connect	\$10.06	\$528.00
Optical Cross Connects	Per Cross Connect	\$6.46	\$2,431.00
		Ψ00	Ψ <u>2,</u> 701.00

### EXHIBIT A: BELLSOUTH/e.spire RATES - FLORIDA PHYSICAL COLLOCATION (cont.)

- (5) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, e.spire may connect to other CLECs within the designated Central Office in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the direct connection, construction charges will be applied on an individual case basis. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the direct connection requested, the recurring charges as stated in this Exhibit A shall apply.
- (6) POT Bays: BellSouth's Florida specific rates were established in the Florida Public Service Commission Docket No. 960833. The Commission did not set permanent rates for <u>POT Bays</u>, given the assumption by the parties to the Proceeding that they will always provide their own POT Bays. It will be necessary for e.spire to provide its own POT Bays per BellSouth specifications and provide the necessary information from which BellSouth can inventory.
- (7) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling e.spire requested modifications to requests in progress or augmentations to existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, e.spire agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

### **EXHIBIT A:** BELLSOUTH/e.spire RATES - GEORGIA PHYSICAL COLLOCATION

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1BA	Application Fee	Per Request	NA	\$3,850.00
PE1CA	Subsequent Application Fee (Note 1)	Per Request	NA	\$1600.00 Minimum
PE1BB	Space Preparation Fee (Note 2)	Per square foot	NA	\$100.00
PE1BW PE1CW	Space Enclosure (Note 3)  Cages Prior to 6/1/99  Welded Wire-mesh  Welded Wire-mesh	Per first 100 sq. ft. Per add'l 50 sq. ft.	\$170.64 \$17.33	NA NA
-				
PE1PJ PE1PK	Floor Space Zone A Zone B	Per square foot Per square foot	\$7.50 \$6.75	NA NA
PE1BD	Cable Installation	Per Cable	NA	\$2,750.00
PE1PM	Cable Support Structure	Per entrance cable	\$13.35	NA
PE1PL	Power -48V DC Power 120V AC Power single phase* 240V AC Power single phase* 120V AC Power three phase* 277V AC Power three phase*	Per amp Per breaker amp Per breaker amp Per breaker amp Per breaker amp	\$7.14 \$5.50 \$11.00 \$16.50 \$38.20	ICB ICB ICB ICB ICB
PE1P2 PE1P4 PE1P1 PE1P3 PE1F2 PE1F4	Cross Connects 2-wire 4-wire DS-1 DS-3 2-fiber 4-fiber	Per Cross Connect	\$.30 \$.50 \$8.00 \$72.00 \$10.29 \$18.50	First / Additional \$12.60 / \$12.60 \$12.60 / \$12.60 \$155.00 / \$27.00 \$155.00 / \$27.00 \$73.00 / \$52.00 \$88.00 / \$67.00

## EXHIBIT A: BELLSOUTH/e.spire RATES - GEORGIA PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1ES	Co-Carrier Cross-Connect (Note 4) Fiber Cable Support Structure, existing	Per linear foot	\$0.06	NA
PE1DS	Copper or Coaxial Cable Support Structure, existing	Per linear foot	\$0.03	NA .
(TBD)	Cable Support Structure Construction, new	Per new construction	NA	ICB
PE1A1	Security Access System Security system* New Access Card Activation* Administrative change, existing card* Replace lost or stolen card*	Per Central Office Per Card Per Card Per Card	\$52.00	\$55.00 \$35.00 \$250.00
	Space Availability Report*	Per Central Office Requested		\$550.00
PE1PE PE1PF PE1PG PE1PH PE1B2 PE1B4	POT Bay Arrangements  Prior to 6/1/99  2 Wire Cross-Connect  4 Wire Cross-Connect  DS1 Cross-Connect  DS3 Cross-Connect  2 Fiber Cross-Connect  4 Fiber Cross-Connect	Per Cross Connect	\$0.40 \$1.20 \$1.20 \$8.00 \$25.53 \$34.43	NA NA NA NA NA
AEH	Additional Engineering Fee (Note 5)	Per request, First half hour/Add'l Half hour		First /Add'l Basic Time - \$31.00/\$22.00 Overtime - \$37.00/\$26.00
PE1BT PE1OT PE1PT	Security Escort Basic Time Overtime Premium Time	Per 1/2 hour/Additional Half-hour	NA NA NA	\$41.00/\$25.00 \$48.00/\$30.00 \$55.00/\$35.00

### EXHIBIT A: BELLSOUTH/e.spire RATES - GEORGIA PHYSICAL COLLOCATION (cont.)

#### Note(s)

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, e.spire will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers a portion of costs associated with the shared physical collocation area within a Central Office, which include survey, engineering, design and modification costs for network, building and support systems. This is a set fee of \$100 per square foot as established by the Georgia Public Service Commission Order in Docket No. 7061-U. In the event e.spire opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to e.spire as prescribed in Section 7 of the Collocation Attachment.
- (3) Space Enclosure Fee: For cages requested prior to June 1, 1999, the Space Enclosure Construction Fee is a one-time fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. e.spire may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the contractor shall directly bill e.spire for the space enclosure, and this fee shall not be applicable.
- (4) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, e.spire may connect to other CLECs within the designated Central Office in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross connection, construction charges will be applied on an individual case basis. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross-connection requested, the recurring charges as stated in this Exhibit A shall apply.
- (5) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling e.spire requested modifications to requests in progress or augmentations to existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, e.spire agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

## EXHIBIT A: BELLSOUTH/e.spire RATES - KENTUCKY PHYSICAL COLLOCATION

USOC	Rate Element Description	Unit	Recurring Rate	Non-Recurring
			(RC)	Rate (NRC)
PE1BA	Application Fee	Per Request	: NA	\$9,926.72
PE1CA	Subsequent Application Fee	Per Request	NA	£4.000.00
. 2.0,	(Note 1)	remequest	INA	\$1600.00 Minimum
				William
PE1BB	Space Preparation Fee (Note 2)			
	Mechanical / HVAC*	Per ton (one ton minimum)		\$2,100.00
	Ground Bar*	Per Connection		\$720.00
	Project Management*	Per arrangement		\$1,675.00
	Cable Racking/Fiber Duct	Per arrangement, per square foot		ICB
	Frame / Aisle lighting	Per arrangement,		ICB
	Framework Ground Conductors	per square foot Per arrangement		ICB
	Extraordinary Modifications	Per arrangement		ICB
	Space Enclosure (Note 3)			
	Prior to 6/1/99			
PE1BW	Welded Wire-mesh	Per first 100 sq. ft.	\$201.02	NA
PE1CW	Welded Wire-mesh	Per add'l 50 sq. ft.	\$20.42	NA
PE1PJ	Floor Space	Per square foot	\$5.00	NA
	·		ψ5.00	IVA
PE1BD	Cable Installation	Per Cable	NA NA	\$2,327.08
PE1PM	Cable Support Structure	Per entrance cable	\$24.23	NA
PE1PL	Power 48V DC D	_		
	-48V DC Power single phase*	Per amp	\$7.68	ICB
Ì	120V AC Power single phase* 240V AC Power single phase*	Per breaker amp	\$5.50	ICB
	120V AC Power three phase*	Per breaker amp	\$11.00	ICB
	277V AC Power three phase*	Per breaker amp	\$16.50	ICB
	Zi i v AC Fower three phase	Per breaker amp	\$38.20	ICB
			:	

## EXHIBIT A: BELLSOUTH/e.spire RATES - KENTUCKY PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1P2 PE1P4 PE1P1 PE1P3 PE1F2 PE1F4	Cross Connects 2-wire 4-wire DS-1 DS-3 2-fiber 4-fiber	Per Cross Connect	\$.31 \$.62 \$1.92 \$39.94 \$13.28 \$23.87	\$99.23/\$69.15 \$97.48/\$66.90
	Co-Carrier Cross-Connect (Note 5)			
PE1ES Fiber	Fiber Arrangement Cable Support Structure	Per linear foot (existing)	\$0.06	NA
PE1DS Copper	Copper or Coaxial Arrangement	Per linear foot (existing)	\$0.03	NA
TBD	Cable Support Structure Construction	Per new construction	NA	ICB
PE1A1	Security Access System Security system New Access Card Activation Administrative change, existing card Replace lost or stolen card	Per Central Office Per Card Per Card	\$52.00	\$55.00 \$35.00 \$250.00
TBD	Space Availability Report	Per Central Office Requested	NA	\$550.00
PE1PE PE1PF PE1PG PE1PH PE1B2 PE1B4	POT Bay Arrangements Prior to 6/1/99  2 Wire Cross-Connect 4 Wire Cross-Connect DS1 Cross-Connect DS3 Cross-Connect 2 Fiber Cross-Connect 4 Fiber Cross-Connect	Per Cross Connect	\$0.06 \$0.15 \$0.58 \$4.51 \$32.94 \$44.42	NA NA NA NA NA
PE1BT PE1OT PE1PT	Security Escort Basic Time Overtime Premium Time	Per 1/2 hour/Additional Half-hour	NA NA NA	\$56.09/\$31.99 \$67.75/\$39.00 \$79.41/\$46.01

### EXHIBIT A: BELLSOUTH/e.spire RATES - KENTUCKY PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
AEH	Additional Engineering Fee (Note 5)	Per request, First half hour/Add'l Half hour		First /Add'I Basic Time - \$31.00/\$22.00 Overtime - \$37.00/\$26.00

#### Note(s):

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, e.spire will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers the costs associated with the shared physical collocation area within a Central Office, which include survey, engineering, design and modification costs for network, building and support systems. In the event e.spire opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to e.spire as prescribed in Section 7 of the Collocation Attachment.
- (3) Space Enclosure Fee: For cages requested prior to June 1, 1999, the Space Enclosure Construction Fee is a one-time fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. e.spire may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the contractor shall directly bill e.spire for the space enclosure, and this fee shall not be applicable.
- (4) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, e.spire may connect to other CLECs within the designated Central Office in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross-connection, construction charges will be applied on an individual case basis. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross-connection requested, the recurring charges as stated in this Exhibit A shall apply.
- (5) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling e.spire requested modifications to requests in progress or augmentations to existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, e.spire agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

## EXHIBIT A: BELLSOUTH/e.spire RATES – LOUISIANA PHYSICAL COLLOCATION

USOC	Rate Element Description	Unit	Recurring Rate	Non-Recurring
			(RC)	Rate (NRC)
PE1BA	Application Fee	Per Request	NA	\$4,910.00
55.64				
PE1CA	Subsequent Application Fee	Per Request	NA	\$1600.00
	(Note 1)			Minimum
PE1BB	Cross Branavation Fac			
LEÍDD	Space Preparation Fee (Note 2)			
	Mechanical / HVAC*	Per ton		\$2,100.00
	0	(one ton minimum)		
	Ground Bar*	Per Connection		\$720.00
	Project Management*	Per arrangement		\$1,675.00
	Cable Racking/Fiber Duct	Per arrangement,		ICB
	Frame / Aigle lighting	per square foot		
	Frame / Aisle lighting	Per arrangement,		ICB
	Framework Ground	per square foot		
	Conductors	Per arrangement		ICB
	Extraordinary Modifications	Per arrangement		ICB
-	Space Enclosure (Note 3)			
	Prior to 6/1/99			
PE1BW	Welded Wire-mesh	Per first 100 sq. ft.	\$197.55	ALA
PE1CW	Welded Wire-mesh	Per add'l 50 sq. ft.	\$20.07	NA NA
			Ψ20.07	INA
PE1PJ	Floor Cross			
PEIPJ	Floor Space	Per square foot	\$4.01	NA
55.55				
PE1BD	Cable Installation	Per Cable	NA	\$1,706.00
				Disconnect charge
				\$36.00
PE1PM	Cable Support Structure	Deserve		
11 141	Cable Support Structure	Per entrance cable	\$24.05	NA NA
PE1PL	Power			
_	-48V DC Power	Per amp	<b>67.45</b>	
	120V AC Power single phase*		\$7.15	ICB
	240V AC Power single phase*	Per breaker amp	\$5.50	ICB
	120V AC Power three phase*	Per breaker amp	\$11.00	ICB
	277V AC Power three phase*	Per breaker amp	\$16.50	ICB
	zi i v Ao i owel tillee pliase.	Per breaker amp	\$38.20	ICB

## EXHIBIT A: BELLSOUTH/e.spire RATES - LOUISIANA PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit		Man Danimi
0300	hate Element Description	Offic	Recurring Rate	Non-Recurring
	0	D 0	(RC)	Rate (NRC)
DEADO	Cross Connects (Note 4)	Per Cross Connect	•	First / Additional
PE1P2	2-wire		\$.26	\$23.04/\$22.11
PE1P4	4-wire		\$.52	
PE1P1	DS-1	1	\$2.03	\$43.61/\$30.60
PE1P3	DS-3	1	\$36.27	• •
PE1F2	2-fiber		\$10.20	\$73.00/\$52.00
PE1F4	4-fiber		\$18.34	\$88.00/\$67.00
l				Disconnect
				charges
				First / Additional
	2-wire			\$9.48/\$8.54
	4-wire			\$9.53/\$8.55
	DS-1			\$9.56/\$8.63
	DS-3			\$11.06/\$8.86
				, , , , , , , , , , , , , , , , , , , ,
	Co-Carrier Cross-Connect			
	(Note 5)			
PE1ES	Fiber Arrangement Cable	Per linear foot	\$0.06	NA
Fiber	Support Structure	(existing)	Ψ0.00	INA
		(GXIGUI19)		
PE1DS	Copper or Coaxial	Per linear foot	\$0.03	NA
Copper	Arrangement	(existing)	Ψ0.00	147
TDD	J			
TBD	Cable Support Structure	Per new	NA	ICB
	Construction	construction		
554				
PE1A1	Security Access System			
	Security system*	Per Central Office	\$52.00	
	New Access Card Activation*	Per Card		\$55.00
	Administrative change,	Per Card		\$35.00
	existing card*			723.00
-	Replace lost or stolen card	Per Card		\$250.00
TBD	Space Availability Report*	Per Central Office		\$550.00
		Requested		Ψ330.00

### EXHIBIT A: BELLSOUTH/e.spire RATES - LOUISIANA PHYSICAL COLLOCATION (cont.)

Rates marked with an asterisk (\*) are interim and are subject to true-up.

Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
POT Bay Arrangements Prior to 6/1/99  2 Wire Cross-Connect 4 Wire Cross-Connect DS1 Cross-Connect DS3 Cross-Connect 2 Fiber Cross-Connect 4 Fiber Cross-Connect	Per Cross Connect	\$0.0776 \$0.1552 \$0.6406 \$4.75 \$25.30 \$34.12	NA NA NA NA NA
Security Escort Basic Time Overtime Premium Time	Per 1/2 hour/Additional Half-hour	NA NA NA	\$32.35/\$19.95 \$40.50/\$25.00 \$48.66/\$30.05
Additional Engineering Fee (Note 6)	Per request, First half hour/Add'l Half hour		First /Add'l Basic Time - \$31.00/\$22.00 Overtime - \$37.00/\$26.00
	POT Bay Arrangements Prior to 6/1/99  2 Wire Cross-Connect 4 Wire Cross-Connect DS1 Cross-Connect DS3 Cross-Connect 2 Fiber Cross-Connect 4 Fiber Cross-Connect Security Escort Basic Time Overtime Premium Time  Additional Engineering Fee	POT Bay Arrangements Prior to 6/1/99  2 Wire Cross-Connect 4 Wire Cross-Connect DS1 Cross-Connect DS3 Cross-Connect 2 Fiber Cross-Connect 4 Fiber Cross-Connect Per 1/2 Nour/Additional Premium Time  Per 1/2 hour/Additional Half-hour  Additional Engineering Fee (Note 6)  Per request, First half hour/Add'l	POT Bay Arrangements Prior to 6/1/99  2 Wire Cross-Connect 4 Wire Cross-Connect DS1 Cross-Connect DS3 Cross-Connect 2 Fiber Cross-Connect 4 Fiber Cross-Connect 50.0776 \$0.0776 \$0.1552 \$0.6406 \$0.6406 \$0.6406 \$4.75 \$25.30 \$4.75 \$25.30 \$34.12  Security Escort Basic Time Overtime Per 1/2 hour/Additional Half-hour NA  Additional Engineering Fee (Note 6)  Per request, First half hour/Add'i

#### Note(s):

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, e.spire will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers the costs associated with the shared physical collocation area within a Central Office, which include survey, engineering, design and modification costs for network, building and support systems. In the event e.spire opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to e.spire as prescribed in Section 7 of the Collocation Attachment.

### EXHIBIT A: BELLSOUTH/e.spire RATES - LOUISIANA PHYSICAL COLLOCATION (cont.)

- (3) Space Enclosure Fee: For cages requested prior to June 1, 1999, the Space Enclosure Construction Fee is a monthly recurring fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. e.spire may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the contractor shall directly bill e.spire for the space enclosure, and this fee shall not be applicable.
- (4) Cross Connects: The charges for cross connects are for orders placed electronically. Cross connect elements may also be ordered manually for which there is an additional charge per element.

	•	Disconnect Charges
	First / Additional	First / Additional
2-wire	\$24.92/\$23.99	\$10.56/\$9.62
4-wire	\$25.11/\$24.12	\$10.61/\$9.63
DS-1	\$45.49/\$32.48	\$10.64/\$9.71
DS-3	\$43.34/\$31.08	\$12.14/\$9.94

- (5) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, e.spire may connect to other CLECs within the designated Central Office in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross-connection, construction charges will be applied on an individual case basis. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross-connection requested, the recurring charges as stated in this Exhibit A shall apply.
- (6) Additional Engineering Fee. BellSouth's additional engineering, and other labor costs associated with handling e.spire -requested modifications to requests in progress or augmentations to existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, e.spire agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

## EXHIBIT A: BELLSOUTH/e.spire RATES - MISSISSIPPI PHYSICAL COLLOCATION

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1BA	Application Fee	Per Request	NA NA	\$6,993.00 Disconnect charge \$1.70
PE1CA	Subsequent Application Fee (Note 1)	Per Request	NA	\$1600.00 Minimum
PE1BB	Space Preparation Fee (Note 2)			
	Mechanical / HVAC*	Per ton (one ton minimum)		\$2,100.00
	Ground Bar*	Per Connection		\$720.00
	Project Management*	Per arrangement		\$1,675.00
	Cable Racking/Fiber Duct	Per arrangement, per square foot		ICB
	Frame / Aisle lighting	Per arrangement, per square foot		ICB
	Framework Ground Conductors	Per arrangement		ICB
	Extraordinary Modifications	Per arrangement		ICB
	Space Enclosure (Note 3) Prior to 6/1/99			
PE1BW PE1CW	Welded Wire-mesh Welded Wire-mesh	Per first 100 sq. ft. Per add'l 50 sq. ft.	\$205.08 \$20.83	NA NA
PE1PJ	Floor Space	Per square foot	\$3.45	Disconnect charge \$53.24
PE1BD	Cable Installation	Per Cable	NA	\$2,419.00
PE1PM	Cable Support Structure	Per entrance cable	\$22.90	NA
PE1PL	Power -48V DC Power 120V AC Power single phase* 240V AC Power single phase* 120V AC Power three phase* 277V AC Power three phase*	Per amp Per breaker amp Per breaker amp Per breaker amp Per breaker amp	\$6.93 \$5.50 \$11.00 \$16.50 \$38.20	ICB ICB ICB ICB ICB

## EXHIBIT A: BELLSOUTH/e.spire RATES - MISSISSIPPI PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description   Unit   Recurring Rate   Non-Recurri				
USUC	Hate Element Description	Unit	Recurring Rate	Non-Recurring	
			(RC)	Rate (NRC)	
	Cross Connects (Note 4)	Per Cross Connect		First / Additional	
PE1P2	2-wire		\$.3996	\$30.93/\$29.59	
PE1P4	4-wire		\$.7992	\$31.17/\$29.77	
PE1P1	DS-1		\$2.90	\$60.42/\$41.68	
PE1P3	DS-3		\$53.31	\$57.45/\$39.81	
PE1F2	2-fiber		\$15.82	\$73.00/\$52.00	
PE1F4	4-fiber		\$28.43	\$88.00/\$67.00	
				Diagram	
	j			Disconnect	
				Charges	
	2-wire			First / Additional	
	4-wire			\$12.76/\$11.43	
	DS-1			\$12.83/\$11.43	
	DS-3			\$12.87/\$11.54	
				\$14.92/\$11.80	
	Co-Carrier Cross-Connect (Note 5)				
PE1ES	Fiber Arrangement Cable	Per linear foot	\$0.06	NA	
Fiber	Support Structure	(existing)	\$0.00	INA	
PE1DS	Copper or Coaxial	Dor linear foot	•••		
Copper	Arrangement	Per linear foot	\$0.03	NA	
Ооррсі	Arrangement	(existing)			
TBD	Cable Support Structure	Per new	NA	ICB	
	Construction	construction	140	ICB	
PE1A1	Security Access States				
	Security Access System	D O 1 O#			
	Security system* New Access Card Activation*	Per Central Office	\$52.00		
		Per Card		\$55.00	
	Administrative change,	Per Card		\$35.00	
	existing card*	D. O. I			
	Replace lost or stolen card	Per Card		\$250.00	
TBD	Carana A. M. Lillia				
טם ו	Space Availability Report*	Per Central Office		\$550.00	
		Requested			

### EXHIBIT A: BELLSOUTH/e.spire RATES - MISSISSIPPI PHYSICAL COLLOCATION (cont.)

Rates marked with an asterisk (\*) are interim and are subject to true-up.

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
	POT Bay Arrangements Prior to 6/1/99	Per Cross Connect		
PE1PE PE1PF	2 Wire Cross-Connect 4 Wire Cross-Connect		\$0.1195	NA
PE1PG	DS1 Cross-Connect		\$0.2389 \$0.9862	NA NA
PE1PH PE1B2	DS3 Cross-Connect 2 Fiber Cross-Connect		\$5.81	NA NA
PE1B4	4 Fiber Cross-Connect		\$39.23 \$52.91	NA NA
AEH	Additional Engineering Fee (Note 6)	Per request, First half hour/Add'l Half hour		First /Add'l Basic Time - \$31.00/\$22.00 Overtime - \$37.00/\$26.00
PE1BT PE1OT PE1PT	Security Escort Basic Time Overtime Premium Time	Per 1/2 hour/Additional Half-hour	NA NA NA	\$42.87/\$25.54 \$54.43/\$32.41 \$65.99/\$39.28
				, , , , , , , , , , , , , , , , , , ,

#### Note(s):

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, e.spire will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers the costs associated with the shared physical collocation area within a Central Office, which include survey, engineering, design and modification costs for network, building and support systems. In the event e.spire opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to e.spire as prescribed in Section 7 of the Collocation Attachment.

## EXHIBIT A: BELLSOUTH/e.spire RATES - MISSISSIPPI PHYSICAL COLLOCATION (cont.)

- (3) Space Enclosure Fee: For cages requested prior to June 1, 1999, the Space Enclosure Construction Fee is a monthly recurring fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. e.spire may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the contractor shall directly bill e.spire for the space enclosure, and this fee shall not be applicable.
- (4) Cross Connects: The charges for cross connects are for orders placed electronically. Cross connect elements may also be ordered manually for which there is an additional charge per element.

<b>5</b>	Disconnect Charges
First / Additional	First / Additional
\$33.58 / \$32.24	\$14.27 / \$12.94
\$33.82 / \$32.42	\$14.34 / \$12.94
\$63.07 / \$44.33	\$14.38 / \$13.05
\$60.10 / \$42.46	\$16.43 / \$13.31
	\$33.82 / \$32.42 \$63.07 / \$44.33

- (5) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, e.spire may connect to other CLECs within the designated Central Office in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross-connection, construction charges will be applied on an individual case basis. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross-connection requested, the recurring charges as stated in this Exhibit A shall apply.
- (6) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling e.spire -requested modifications to requests in progress or augmentations for existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, e.spire agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

## EXHIBIT A: BELLSOUTH/e.spire RATES – NORTH CAROLINA PHYSICAL COLLOCATION

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1BA	Application Fee	Per request	NA	\$3,850.00
PE1CA	Subsequent Application Fee (Note 1)	Per request	NA	\$1,600.00 Minimum
	Space Preparation Fee Central Office Modification Common Systems Modification – Cageless	Per sq. ft. Per sq. ft.	\$1.57 \$3.26	
	Common Systems Modification – Caged	Per cage	\$110.79	
	Power	Per nominal –48v DC Amp	\$5.76	
	Space Enclosure (Note 2)		-	
PE1BW PE1CW	Welded Wire-mesh Welded Wire-mesh	Per first 100 sq. ft.	\$102.76	NA
	Weided Whe-mesh	Per add'l 50 sq. ft.	\$10.44	NA
PE1PJ	Floor Space	Per sq. ft.	\$3.45	NA
PE1BD	Cable Installation	Per cable	NA	\$2,305.00
PE1PM	Cable Support Structure	Per entrance cable	\$21.33	NA
	Power			
PE1PL PE1FB	-48V DC Power 120V AC Power single phase*	Per amp Per breaker amp	\$6.65	ICB
PE1FD	240V AC Power single phase*	Per breaker amp	\$5.50 \$11.00	ICB
PE1FE	120V AC Power three phase*	Per breaker amp	\$16.50	ICB ICB
PE1FG	277 AC Power three phase*	Per breaker amp	\$38.20	ICB
	Cross Connects (Note 3)	Per cross connect		Einst/A 1321
PE1P2	2-wire		\$0.32	First/Add'l \$41.78/\$39.23
PE1P4	4-wire		\$0.64	\$41.76/\$39.25
PE1P1	DS-1		\$2.34	\$71.02/\$51.08
PE1P3	DS-3		\$42.84	\$69.84/\$49.43
PE1F2	2-fiber		\$15.99	\$67.34/\$48.55
PE1F4	4-fiber		\$28.74	\$82.35/\$63.56

	NORTH	CAROLINA (continu	ied)	
USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
	Co-Carrier Cross-Connect (Note			ridic (Mic)
	4)			
PE1ES	Fiber Cable Support Structure,	Per linear ft.	\$0.06	NA
Fiber	existing	•		
PEIDS	Copper or Coaxial Cable Support	Per linear ft.	\$0.03	NA
Copper	Structure, existing			
(TBD)	Cable Support Structure	Per new	NA	ICB
	Construction, new	construction		
PEIAX	Security Access System Security	Per premises	\$52.00	
	System*	Ter premises	\$52.00	
	New Access Card Activation*	Per card		<b>CEE</b> 00
PEIAA	Administrative change, existing	Per card		\$55.00 \$35.00
	card*	1 or card		\$35.00
PE1AR	Replace lost or stolen card	Per card		\$250.00
PE1SR	Space Availability Report*	<b>D</b>		
ILISK	Space Availability Report	Per premises		\$550.00
		requested		
	POT Bay Arrangements	Per cross-connect		
	Prior to 6/1/99			
PE1PE	2-Wire Cross-Connect		\$0.10	NA
PE1PF	4-Wire Cross-Connect		\$0.19	NA NA
PE1PG	DS1 Cross-Connect		\$0.79	NA NA
PE1PH	DS3 Cross-Connect		\$4.85	NA NA
PE1B2	2 Fiber Cross-Connect		\$39.67	NA NA
PE1B4	4 Fiber Cross-Connect		\$53.49	NA
	Security Escort	Per half hr./Add'l		
	Security Escort	half hr.		
PE1BT	Basic Time	naii nr.		
PEIOT	Overtime	,	NA	\$42.92/\$25.56
PEIPT	Premium Time		NA NA	\$54.51/\$32.44
1 LII I	1 Tellium Time		NA	\$66.10/\$39.32
AEH	Additional Engineering Fee (Note	Per request, first		First/Add'l
	5)	half hr/add'l half hr.		i i
				Basic Time
				\$31.00/\$22.00
				Overtime
		1		\$37.00/\$26.00

### EXHIBIT A: BELLSOUTH/e.spire RATES – NORTH CAROLINA PHYSICAL COLLOCATION (continued)

### Note(s):

N/A refers to rate elements which do not have a negotiated rate.

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, e.spire will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Enclosure Fee: The Space Enclosure Construction Fee is a monthly recurring fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. e.spire may, at its option, arrange with a BellSouth Certified Contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the BellSouth Certified Contractor shall directly bill e.spire for the space enclosure, and this fee shall not be applicable.
- (3) Cross Connect: The charges for cross connects are for orders placed electronically. Cross connect elements may also be ordered manually for which there is an additional charge per element.

First/Additional
\$46.53/\$43.98
\$46.64/\$43.98
\$75.72/\$55.78
\$74.54/\$54.13

(4) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, e.spire may connect to other CLECs within the designated Premises in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross-connection, construction charges will be applied on an individual case basis as described in Section 5.6.1 of the Collocation Attachment. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross-connection requested, the recurring charges as stated in this Exhibit A shall apply.

### EXHIBIT A: BELLSOUTH/e.spire RATES – SOUTH CAROLINA PHYSICAL COLLOCATION

USOC	Rate Element Description	Unit	Recurring Rate	Non-Recurring
	•		(RC)	Rate (NRC)
PE1BA	Application Fee	Per Request	NA	\$4,850.00
PE1CA	Subsequent Application Fee	Per Request	NA	\$1600.00
	(Note 1)			Minimum
PE1BB	Space Preparation Fee			
	(Note 2)			
	Mechanical / HVAC*	Per ton		\$2,100.00
		(one ton minimum)		
	Ground Bar*	Per Connection	÷	\$720.00
		Per arrangement		
	Project Management*	D		\$1,675.00
	Cable Decking/Fiber Duck	Per arrangement,		ICB
	Cable Racking/Fiber Duct	per square foot Per arrangement,		ICB
	Frame / Aisle lighting	per square foot		ICB
	Trame / Alsie lighting	Per arrangement		105
	Framework Ground	i or arrangement		ICB
	Conductors			
		Per arrangement		,
:	Extraordinary Modifications	_		ICB
	Space Englasure (Nate 2)	1		
	Space Enclosure (Note 3)  Prior to 6/1/99			
PE1BW	Welded Wire-mesh	Per first 100 sq. ft.	\$224.60	NA
PE1CW	Welded Wire-mesh	Per add'l 50 sq. ft.	\$22.81	NA NA
			<b>—</b>	
PE1PJ	Floor Space	Per square foot	\$3.90	NA
	1 loof opace	r er square root	φυ.30	INO.
DEADD				
PE1BD	Cable Installation	Per Cable	NA	\$2,217.00
254214	0.11.0			
PE1PM	Cable Support Structure	Per entrance cable	\$24.55	NA
PE1PL	Dower			
PEIPL	Power -48V DC Power	Por amp	\$7.09	ICB
	120V AC Power single phase*	Per amp Per breaker amp	\$5.50	ICB
	240V AC Power single phase*	Per breaker amp	\$11.00	ICB
<u> </u> 	120V AC Power three phase*	Per breaker amp	\$16.50	ICB
1	277V AC Power three phase*	Per breaker amp	\$38.20	ICB

# EXHIBIT A: BELLSOUTH/e.spire RATES – SOUTH CAROLINA PHYSICAL COLLOCATION (cont.)

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1P2 PE1P4 PE1P1 PE1P3 PE1F2 PE1F4	Cross Connects (Note 4) 2-wire 4-wire DS-1 DS-3 2-fiber 4-fiber	Per Cross Connect Per Cross Connect Per Cross Connect Per Cross Connect Per Cross Connect Per Cross Connect	\$.3648 \$.7297 \$2.70 \$49.24 \$13.75 \$24.71	First / Additional \$41.50/\$38.94 \$41.56/\$38.90 \$70.79/\$50.78 \$69.60/\$49.14 \$73.00/\$52.00 \$88.00/\$67.00
	Co-Carrier Cross-Connect (Note 5)			
PE1ES Fiber	Fiber Arrangement Cable Support Structure	Per linear foot (existing)	\$0.06	NA
PE1DS Copper	Copper or Coaxial Arrangement	Per linear foot (existing)	\$0.03	NA
TBD	Cable Support Structure Construction	Per new construction	NA	ICB
PE1A1	Security Access System Security system* New Access Card Activation* Administrative change, existing card* Replace lost or stolen card	Per Central Office Per Card Per Card	\$52.00	\$55.00 \$35.00 \$250.00
TBD	Space Availability Report*	Per Central Office Requested		\$550.00
PE1PE PE1PF PE1PG PE1PH PE1B2 PE1B4	POT Bay Arrangements Prior to 6/1/99  2 Wire Cross-Connect 4 Wire Cross-Connect DS1 Cross-Connect DS3 Cross-Connect 2 Fiber Cross-Connect 4 Fiber Cross-Connect	Per Cross Connect	\$.1091 \$.2181 \$.9004 \$5.64 \$34.09 \$45.97	NA NA NA NA NA
PE1BT PE1OT PE1PT	Security Escort Basic Time Overtime Premium Time	Per 1/2 hour/Additional Half-hour	NA NA NA	\$54.62/\$32.46

## EXHIBIT A: BELLSOUTH/e.spire RATES – SOUTH CAROLINA PHYSICAL COLLOCATION (cont.)

AEH	Additional Engineering Fee (Note 6)	Per request, First half hour/Add'l Half hour	First /Add'l Basic Time - \$31.00/\$22.00 Overtime - \$37.00/\$26.00

#### Note(s):

N/A refers to rate elements which do not have a negotiated rate.

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, e.spire will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers the costs associated with the shared physical collocation area within a Central Office, which include survey, engineering, design and modification costs for network, building and support systems. In the event e.spire opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to e.spire as prescribed in Section 7 of the Collocation Attachment.
- (3) Space Enclosure Fee: For cages requested prior to June 1, 1999, the Space Enclosure Construction Fee is a monthly recurring fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. e.spire may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the contractor shall directly bill e.spire for the space enclosure, and this fee shall not be applicable.
- (4) Cross Connects: The charges for cross connects are for orders placed electronically. Cross connect elements may also be ordered manually for which there is an additional charge per element.

	First / Additiona
2-wire	\$46.66 / \$44.10
4-wire	\$46.68 / \$44.02
DS-1	\$75.88 / \$55.87
DS-3	\$74.69 / \$54.23

(5) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, e.spire may connect to other CLECs within the designated Central Office in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross-connection, construction charges will be applied on an individual case basis. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross-connection requested, the recurring charges as stated in this Exhibit A shall apply.

## EXHIBIT A: BELLSOUTH/e.spire RATES - SOUTH CAROLINA PHYSICAL COLLOCATION (cont.)

(6) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling e.spire - requested modifications to requests in progress or augmentations to existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, e.spire agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

## EXHIBIT A: BELLSOUTH/e.spire RATES – TENNESSEE\* PHYSICAL COLLOCATION

USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
PE1BA	Application Fee	Per Request .	, NA	\$3,850.00
PE1CA	Subsequent Application Fee	Per Request	NA NA	\$1,600.00
	(Note 1)			Minimum
PE1BB	Space Preparation Fee (Note 2)			
	Mechanical / HVAC	Per ton (one ton minimum)		\$2,100.00
	Ground Bar	Per Connection		\$720.00
	Project Management	Per arrangement		\$1,675.00
	Cable Racking/Fiber Duct	Per arrangement, per square foot		ICB
	Frame / Aisle lighting	Per arrangement,		ICB
	Framework Ground Conductors	per square foot Per arrangement		ICB
	Extraordinary Modifications	Per arrangement		ICB
	Space Enclosure (Note 3)  Prior to 6/1/99			
PE1BW PE1CW	Welded Wire-mesh Welded Wire-mesh	Per first 100 sq. ft. Per add'l 50 sq. ft.	\$190.79 \$19.38	NA NA
PE1PJ	Floor Space	Per square foot	\$7.50	NA NA
PE1BD	Cable Installation	Per Cable	NA	\$2,750.00
PE1PM	Cable Support Structure	Per entrance cable	\$13.35	NA NA
	Sable Support Structure	1 Cr Critianice cable	\$10.00	
PE1PL	Power			-
	-48V DC Power	Per amp	\$5.00	ICE
	120V AC Power single phase	Per breaker amp	\$5.50	ICE
	240V AC Power single phase	Per breaker amp	\$11.00	ICE
	120V AC Power three phase	Per breaker amp	\$16.50	ICE
	277V AC Power three phase	Per breaker amp	\$38.20	ICE

# EXHIBIT A: BELLSOUTH/e.spire RATES - TENNESSEE\* PHYSICAL COLLOCATION (cont.)

Cross Connects	*Rates at	*Rates are interim and subject to true-up.				
PE1P2	USOC	Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)	
PE1P2		Cross Connects	Per Cross Connect		First / Additional	
PE1P2	DE1D2			\$.30	\$19.20/\$19.20	
PE1P1   DS-1   DS-3   S155.00/\$27.00   S72.00   S73.00/\$52.00   S73.00   S73.00   S73.00		<b></b>			1 ' '	
PE1P3						
PE1F2						
PE1F4		!		•		
Co-Carrier Cross-Connect (Note 4)  PE1ES Fiber cable support structure, existing  PE1DS Copper or Coaxial cable support structure, existing  TBD Cable Support Structure Construction  Per linear foot \$0.03 N/A  Copper structure, existing  TBD Cable Support Structure Construction  Per new construction  Per new construction  Per Card S55.00  Per Card S55.00  Per Card S55.00  TBD Space Availability Report Per Card S250.00  TBD Space Availability Report Per Central Office Requested  POT Bay Arrangements  Prior to 6/1/99  Per Per Cross Connect S0.40 N.  PE1PE PETPE SWire Cross-Connect Per Cross Connect S1.20 N.  PE1PG DS1 Cross-Connect Per Cross Connect S1.20 N.  PE1PB 2 2 Fiber Cross-Connect Per Cross Connect S8.00 N.		l .				
PE1ES Fiber cable support structure, existing  PE1DS Copper or Coaxial cable support structure, existing  PE1DS Copper or Coaxial cable support structure, existing  TBD Cable Support Structure Construction (new)  Per new construction  Per new construction  Per new construction  Per Card  Per Car	PE1F4	4-fiber		\$20.50	\$66.00/\$67.00	
PE1ES Fiber cable support structure, existing  PE1DS Copper or Coaxial cable support structure, existing  TBD Cable Support Structure Construction (new)  Per new construction  Per new construction  Per Card		Co-Carrier Cross-Connect				
PE1DS Copper or Coaxial cable support structure, existing  TBD Cable Support Structure Construction (new)  Per new construction  Per new construction  Per new construction  Per Central Office Per Card S250.00  TBD Space Availability Report Per Central Office Requested  POT Bay Arrangements Prior to 6/1/99  PE1PE 2 Wire Cross-Connect Per Cross Connect S1.20 N. PE1PG DS1 Cross-Connect Per Cross Connect S8.00 N. PE1B2  2 Fiber Cross-Connect Per Cross Connect S8.00 N. PE1B2  2 Fiber Cross-Connect Per Cross Connect S8.00 N. Pet Cross Connect S9.30 N. Pet Cross		(Note 4)	·			
Copper structure, existing  TBD Cable Support Structure Construction (new)  Per new construction  Per new construction  Per Central Office Per Card \$52.00  Administrative change, existing card Replace lost or stolen card  Per Card Per Card \$250.00  TBD Space Availability Report Per Card \$250.00  POT Bay Arrangements Prior to 6/1/99  PE1PE PE1PG PS1 Cross-Connect Per Cross Connect S1.20  PE1B2 2 Fiber Cross-Connect Per Cross Connect \$80.00  No. No. No. No. No. No. No. No. No. No.		• • •	Per linear foot	\$0.06	NA	
PE1A1 Security Access System Security system New Access Card Activation Administrative change, existing card Replace lost or stolen card  Per Card Per Card Per Card Per Card Per Card Per Card Per Card S250.00  TBD Space Availability Report  Per Central Office Requested  Per Card S250.00  Per Card Per Card S250.00  Per Per Card Per Card Per Card Per Card S250.00  Per Per Card S250.00  Per Per Card S250.00  Per Central Office Requested  Per Construction  No. 400 No. 500 No. 6/1/99  Per Per Cross Connect Per Cross Connect Per Cross Connect Per Cross Connect Per Cross Connect Per Cross Connect Per Cross Connect Per Cross Connect Per Cross Connect Per Cross Connect Per Cross Connect Per Cross Connect Per Cross Connect S1.20 No. 500 No. 5			Per linear foot	\$0.03	NA	
PE1A1 Security Access System Security system New Access Card Activation Administrative change, existing card Replace lost or stolen card Per Card Per Card Per Card Per Card Per Card  Per Card  Per Card  Per Card  \$55.00 \$55.00 \$35.00  Per Card  Per Card  \$250.00  TBD Space Availability Report  Per Central Office Requested  Per Card  \$550.00  Per Card  \$550.00  No. 10  Per Per Cross Connect	TBD			NA	ICB	
Security system New Access Card Activation Administrative change, existing card Replace lost or stolen card  TBD Space Availability Report  Per Central Office Per Card Per Card  Per Card  S250.0  Per Card  \$55.0  \$55.0  \$55.0  \$55.0  Per Card  \$250.0  Per Card  \$250.0  Per Card  \$55.0  \$5						
New Access Card Activation Administrative change, existing card Replace lost or stolen card  Per Card Per Card  Per Card  Per Card  \$55.00 \$35	PE1A1			050.00		
Administrative change, existing card Replace lost or stolen card Per Card \$250.00  TBD Space Availability Report Per Central Office Requested \$550.00  POT Bay Arrangements Prior to 6/1/99  PE1PE 2 Wire Cross-Connect Per Cross Connect S1.20 No. No. No. No. No. No. No. No. No. No.				\$52.00	055.00	
existing card Replace lost or stolen card  Per Card  S250.0  TBD Space Availability Report  Per Central Office Requested  POT Bay Arrangements Prior to 6/1/99  PE1PE 2 Wire Cross-Connect PE1PF 4 Wire Cross-Connect PE1PG DS1 Cross-Connect Per Cross Connect S1.20 N. PE1PH DS3 Cross-Connect Per Cross Connect S8.00  N. PE1B2  2 Fiber Cross-Connect Per Cross Connect S39.30  N.						
Replace lost or stolen card  Per Card  \$250.00  TBD Space Availability Report  Per Central Office Requested  POT Bay Arrangements  Prior to 6/1/99  PE1PE 2 Wire Cross-Connect Per Cross Connect \$0.40  PE1PF 4 Wire Cross-Connect Per Cross Connect \$1.20  PE1PG DS1 Cross-Connect Per Cross Connect \$1.20  PE1PH DS3 Cross-Connect Per Cross Connect \$1.20  PE1B2 2 Fiber Cross-Connect Per Cross Connect \$8.00  No. 10  No.			Per Card		\$35.00	
TBD Space Availability Report Per Central Office Requested \$550.0  POT Bay Arrangements  Prior to 6/1/99  PE1PE 2 Wire Cross-Connect Per Cross Connect \$0.40  PE1PF 4 Wire Cross-Connect Per Cross Connect \$1.20  PE1PG DS1 Cross-Connect Per Cross Connect \$1.20  PE1PH DS3 Cross-Connect Per Cross Connect \$1.20  PE1B2 2 Fiber Cross-Connect Per Cross Connect \$39.30						
POT Bay Arrangements		Replace lost or stolen card	Per Card		\$250.00	
POT Bay Arrangements	TBD	Space Availability Report	Per Central Office		\$550.00	
PE1PE         2 Wire Cross-Connect         Per Cross Connect         \$0.40         No.40           PE1PF         4 Wire Cross-Connect         Per Cross Connect         \$1.20         No.40           PE1PF         4 Wire Cross-Connect         Per Cross Connect         \$1.20         No.40           PE1PG         DS1 Cross-Connect         Per Cross Connect         \$1.20         No.40           PE1PG         DS3 Cross-Connect         Per Cross Connect         \$1.20         No.40           PE1PH         DS3 Cross-Connect         Per Cross Connect         \$8.00         No.40           PE1B2         2 Fiber Cross-Connect         Per Cross Connect         \$39.30         No.40			1			
PE1PE         2 Wire Cross-Connect         Per Cross Connect         \$0.40         No.40           PE1PF         4 Wire Cross-Connect         Per Cross Connect         \$1.20         No.40           PE1PF         4 Wire Cross-Connect         Per Cross Connect         \$1.20         No.40           PE1PG         DS1 Cross-Connect         Per Cross Connect         \$1.20         No.40           PE1PG         DS3 Cross-Connect         Per Cross Connect         \$1.20         No.40           PE1PH         DS3 Cross-Connect         Per Cross Connect         \$8.00         No.40           PE1B2         2 Fiber Cross-Connect         Per Cross Connect         \$39.30         No.40		POT Pay Arrangements				
PE1PF         4 Wire Cross-Connect         Per Cross Connect         \$1.20         N.           PE1PG         DS1 Cross-Connect         Per Cross Connect         \$1.20         N.           PE1PH         DS3 Cross-Connect         Per Cross Connect         \$8.00         N.           PE1B2         2 Fiber Cross-Connect         Per Cross Connect         \$39.30         N.		Prior to 6/1/99				
PE1PG PE1PHDS1 Cross-Connect DS3 Cross-ConnectPer Cross Connect Per Cross Connect\$1.20 					NA	
PE1PHDS3 Cross-ConnectPer Cross Connect\$8.00N.PE1B22 Fiber Cross-ConnectPer Cross Connect\$39.30N.	PE1PF	4 Wire Cross-Connect	Per Cross Connect	1	NA NA	
PE1PHDS3 Cross-ConnectPer Cross Connect\$8.00NPE1B22 Fiber Cross-ConnectPer Cross Connect\$39.30N	PE1PG	DS1 Cross-Connect	Per Cross Connect	\$1.20	NA	
1	1	1		,	NA	
1	PE1B2	2 Fiber Cross-Connect	Per Cross Connect	\$39.30	NA NA	
11.00.0.00.00.00.00.00.00.00.00.00.00.00	1		1	1	NA NA	
				0.00		

### EXHIBIT A: BELLSOUTH/e.spire RATES – TENNESSEE\* PHYSICAL COLLOCATION (cont.)

\*Rates are interim and subject to true-up.

Rate Element Description	Unit	Recurring Rate (RC)	Non-Recurring Rate (NRC)
Security Escort Basic Time Overtime Premium Time	Per 1/2 hour/Additional Half-hour	NA NA NA	\$41.00/\$25.00 \$48.00/\$30.00 \$55.00/\$35.00
Additional Engineering Fee (Note 5)	Per request, First half hour/Add'l Half hour		First /Add'l Basic Time - \$31.00/\$22.00 Overtime - \$37.00/\$26.00
	Security Escort Basic Time Overtime Premium Time  Additional Engineering Fee	Security Escort Basic Time Overtime Premium Time  Additional Engineering Fee (Note 5)  Per 1/2 hour/Additional Half-hour  Per request, First half hour/Add'I	Security Escort Basic Time Overtime Premium Time  Additional Engineering Fee (Note 5)  Per 1/2 hour/Additional Half-hour  Per nequest, First half hour/Add'I

#### Note(s):

- (1) Subsequent Application Fee: BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation. Should the Subsequent Application Fee not be included as part of this Attachment, e.spire will be assessed the full Application Fee for all subsequent activity for completed arrangements.
- (2) Space Preparation Fee: The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers the costs associated with the shared physical collocation area within a Central Office, which include survey, engineering, design and modification costs for network, building and support systems. In the event e.spire opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to e.spire as prescribed in Section 7 of the Collocation Attachment.
- (3) Space Enclosure Fee: For cages requested prior to June 1, 1999, the Space Enclosure Construction Fee is a monthly recurring fee, assessed per enclosure, per location with a one-hundred (100) square foot minimum enclosure. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. The cost for additional square feet is applicable only when ordered with the first 100 square feet and must be requested in fifty (50) square foot increments. e.spire may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the contractor shall directly bill e.spire for the space enclosure, and this fee shall not be applicable.

# EXHIBIT A: BELLSOUTH/e.spire RATES – TENNESSEE\* PHYSICAL COLLOCATION (cont.)

- (4) Co-Carrier Cross-Connect. As stated in Section 5 of the Collocation Attachment, e.spire may connect to other CLECs within the designated Central Office in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Where BellSouth must construct a cable rack structure to house the co-Carrier cross-connection, construction charges will be applied on an individual case basis. BellSouth shall provide an estimate of these charges in the Application Response. Where an existing cable rack structure is in place and has sufficient capacity to accommodate the co-Carrier cross-connection requested, the recurring charges as stated in this Exhibit A shall apply.
- (5) Additional Engineering Fee: BellSouth's additional engineering, and other labor costs associated with handling e.spire -requested modifications to requests in progress or augmentations for existing arrangements shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. Should Additional Engineering rates not be included, e.spire agrees not to make changes to collocation arrangement after a Bona Fide Firm Order is submitted.

**EXHIBIT B** Page 1 of 6

# ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

## 1. **GENERAL PRINCIPLES**

- 1.1 Compliance with Applicable Law. BellSouth and e.spire agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this agreement.
- Notice. BellSouth and e.spire shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. Each party is required to provide specific notice for known potential Imminent Danger conditions. e.spire should contact 1-800-743-6737 for BellSouth MSDS sheets.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for e.spire to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and contractors of BellSouth for environmental protection. e.spire will require its contractors, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by CLEC when operating in the BellSouth Premises.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the e.spire space with proper notification. BellSouth reserves the right to stop any e.spire work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Facility.

- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Premises by e.spire are owned by e.spire. e.spire will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by e.spire or different hazardous materials used by e.spire at BellSouth Facility. e.spire must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Facility.
- 1.6 <u>Spills and Releases.</u> When contamination is discovered at a BellSouth Premises, the party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by e.spire to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and e.spire will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and e.spire will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, e.spire must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and e.spire shall indemnify, defend and hold harmless the other party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying party, its agents, contractors, or employees concerning its operations at the Facility.

**EXHIBIT B** Page 3 of 6

# 2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

When performing functions that fall under the following Environmental categories on BellSouth's Premises, e.spire agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. e.spire further agrees to cooperate with BellSouth to ensure that e.spire's employees, agents, and/or subcontractors are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by e.spire, its employees, agents and/or subcontractors.

The most current version of reference documentation must be requested from BellSouth.

# 2. <u>Categories for Consideration of Environmental Issues</u> (cont.)

ENVIRONMENTAL	ENVIRONMENTAL	ADDRESSED BY THE
CATEGORIES	ISSUES	FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning materials)	Pollution liability insurance EVET approval of contractor	Std T&C 450 GU-BTEN-001BT, Chapter 4 Std T&C 660-3 GU-BTEN-001BT, Chapter 10
Emergency response	Hazmat/waste release/spill firesafety emergency	GU-BTEN-001BT, Chapter Building Emergency Operations Plan (EOP) (specific to Premises)
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Performance of services in accordance with BST's environmental M&Ps Insurance	Std T&C 450 Std T&C 450-B (Contact E/S or your DEC/LDEC for copy of appropriate E/S M&Ps.) Std T&C 660
Transportation of hazardous material	Pollution liability insurance EVET approval of contractor	Std T&C 450 GU-BTEN-001BT, Chapter 4 Std T&C 660-3 GU-BTEN-001BT, Chapter 10
Maintenance/operations work which may produce a waste  Other maintenance work	Protection of BST employees and equipment	Std T&C 450 GU-BTEN-001BT, Chapter 10 29CFR 1910.147
Carer maintenance work		29CFR 1910 Subpart O

Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations  All HazMat & Waste Asbestos notification protection of BST employees and equipment	P&SM Manager – Procurement GU-BTEN-001BT, Chapter 4, GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)
Manhole cleaning	Pollution liability insurance  Manhole entry requirements  EVET approval of contractor	Std T&C 450 Std T&C 660-3 BSP 620-145-011PR Issue A, August 1996 GU-BTEN-001BT, Chapter 10 RL9706008BT
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3

Page 6 of 6

# 3. **DEFINITIONS**

Generator. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

# 4. ACRONYMS

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

**EVET** - Environmental Vendor Evaluation Team

P&SM - Property & Services Management

Std. T&C - Standard Terms & Conditions

NESC - National Electrical Safety Codes

# Attachment 5

Access to Numbers and Number Portability

## TABLE OF CONTENTS

1.	NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS	3
2.	LOCAL NUMBER PORTABILITY	3
3.	TRANSITION TO PERMANENT NUMBER PORTABILITY	9
4.	TRUE-UP	9
5.	OPERATIONAL SUPPORT SYSTEM (OSS) RATES	10

## ACCESS TO NUMBERS and NUMBER PORTABILITY

#### 1. Non-Discriminatory Access to Telephone Numbers

- 1.1 Nothing in this Agreement shall be construed to limit or otherwise adversely affect in any manner either Party's right to employ, or to request and be assigned, any Central Office (NXX) Codes pursuant to the Central Office Code Assignment Guidelines, as may be amended from time to time, or to establish, by Tariff or otherwise, Rate Center and Rating Points corresponding to such NXX Codes.
- 1.2 During the term of this Agreement, the Parties shall contact the applicable numbering resource administrator as determined by the FCC, for the assignment of numbering resources. In order to be assigned a Central Office Code, e.spire will be required to complete the Central Office Code (NXX) Assignment Request and Confirmation Form (Code Request Form) in accordance with Industry Numbering Committee's Central Office Code (NXX) Assignment Guidelines (INC 95-0407-008).
- 1.3 For the purposes of the resale of BellSouth's telecommunications services by e.spire, BellSouth will provide e.spire with on line access to telephone numbers for reservation on a first come first served basis. Such reservations of telephone numbers, on a pre-ordering basis shall be for a period of nine (9) days.
- 1.4 Further, upon e.spire's request and for the purposes of the resale of BellSouth's telecommunications services by e.spire, BellSouth will reserve up to 100 telephone numbers per Common Language Location Identifier Code (CLLIC), for e.spire 's sole use. Such telephone number reservations shall be transmitted to e.spire via electronic file transfer. Such reservations shall be valid for ninety (90) days from the reservation date. e.spire acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and in such instances BellSouth shall use its best efforts to reserve for a ninety (90) day period a sufficient quantity for e.spire 's reasonable need in that particular CLLIC.

## 2. Local Number Portability

- 2.1 The Parties shall provide local number portability on a reciprocal basis to each other to the extent technically feasible, and in accordance with the applicable rules and regulations as prescribed from time to time by the FCC and/or the Commission.
- 2.2 Permanent Number Portability

- 2.2.1 <u>Deployment of LNP.</u> Local Number Portability ("LNP") is a permanent number portability solution that allows End Users to keep their existing Telephone Line Numbers ("TLNs") when switching LECs. The Parties shall implement and deploy the Location Routing Number ("LRN") solution for LNP in accordance with orders, rulings and policies regarding LNP issued by the FCC and the applicable State Commissions, including, without limitation, the FCC prescribed permanent LNP geographic deployment schedules.
- 2.2.2 Description of LNP. LNP uses the industry standard LRN that assigns a unique 10-digit number to each Wire Center. To support LNP, LRN data is stored, and LNP services are provisioned on Advanced Intelligent Network ("AIN") elements that replace the dialed TLN with the LRN so that LNP calls can be routed to the proper Wire Center for connection to the dialed party. To obtain the LRN data and properly provision LNP services, carriers must be connected to independently operated Regional Number Portability Administration Centers ("NPACs"), which will manage LNP services and provide LNP call routing data to carriers.
- 2.2.3 Once LNP is implemented, either Party may withdraw its Interim Number Portability ("INP") offerings (as described in Section 2.8 hereafter), subject to (i) provision of reasonable advance notice to the other Party; and (ii) coordination to allow the seamless and transparent conversion of INP Customers to LNP.
- 2.2.4 End User Line Charge Recovery of charges associated with implementing Number Portability through a monthly charge assessed to end users has been authorized by the FCC. This end user line charge will be as filed in the BellSouth FCC No. 1 Tariff and will be billed to e.spire where e.spire is a subscriber to local switching or where e.spire is a reseller of BellSouth telecommunications services. This charge will not be discounted.

# 2.3 <u>Interim Number Portability</u>

- 2.3.1 Service Provider Number Portability
  - 2.3.1.1 Until the industry-wide permanent solution is implemented in an end office, BellSouth shall provide Service Provider Number Portability ("SPNP"). SPNP is an interim service arrangement whereby an end user who switches subscription of his local exchange service from BellSouth to a CLEC, or vice versa, is permitted to retain the use of his existing assigned telephone number, provided that the end user remains at the same location for his local exchange service or changes locations and service providers but stays within the same Rate Center for his Local Exchange Service.

- 2.3.1.2 SPNP is available through either remote call forwarding or direct inward dialing trunks, at the election of e.spire. Remote call forwarding (SPNP-RCF) is an existing switch-based BellSouth service that redirects calls within the telephone network. Direct inward dialing trunks (SPNP-DID) allow calls to be routed over a dedicated facility to the e.spire switch that serves the subscriber. SPNP-DID Service requires ordering consecutive telephone numbers in blocks of twenty. To order non-consecutive telephone numbers or telephone numbers in less than blocks of twenty, the NBR process must be used. SS7 Signaling is required for the provision of either of these services.
- 2.3.1.3 SPNP-DID is available from BellSouth on a per DS0, DS1, or DS3 basis. Where SPNP-DID is technically feasible and is provided on a DS1 or a DS3 basis, the applicable channelization rates are those specified in Section E6 in BellSouth's Intrastate Access Tariffs, incorporated herein by this reference. SPNP is available only for basic Local Exchange Service.
- 2.3.1.4 SPNP is available only where e.spire or BellSouth is currently providing, or will begin providing concurrent with provision of SPNP, basic Local Exchange Service to the affected End User. SPNP for a particular telephone number is available only from the Central Office originally providing Local Exchange Service to the End User. SPNP for a particular assigned telephone number will be disconnected when any End User, Commission, BellSouth, or e.spire initiated activity (e.g., a change in exchange boundaries) would normally result in a telephone number change had the End User retained his initial Local Exchange Service.
- SPNP-RCF, as contemplated by this Agreement, is a 2.3.1.5 telecommunications service whereby a call dialed to an SPNP-RCF equipped telephone number is automatically forwarded to an assigned seven- or ten- digit telephone number within the local calling area as defined in the Commission filed e.spire or BellSouth Local Exchange Tariff(s) of the Party porting the SPNP-RCF telephone number. The forwarded-to number shall be specified by the e.spire or BellSouth, as appropriate. The forwarding Party will provide identification of the originating telephone number, via SS7 signaling, to the receiving Party. Identification of the originating telephone number to the SPNP-RCF End User cannot be guaranteed, however. SPNP-RCF provides a single call path for the forwarding of no more than one simultaneous call to the receiving Party's specified forwarded-to number. Additional call paths for the forwarding

of multiple simultaneous calls are available on a per path basis at separate rates in addition to the rates for SPNP-RCF.

- SPNP-DID service, as contemplated by this Agreement, 2.3.1.6 provides trunk side access to End Office switches for direct inward dialing to the other company's premises equipment from the telecommunications network to lines associated with the other company's switching equipment and must be provided on all trunks in a group arranged for inward service. A SPNP-DID trunk termination charge, provided with SS7 Signaling only, applies for each trunk voice grade equivalent. In addition, direct facilities are required from the end office where a ported number resides to the end office serving the ported end user customer. The rates for a switched local channel and switched dedicated transport apply as contained in Attachment 2. Transport mileage will be calculated as the airline distance between the end office where the number is ported and the Point of Interface ("POI") using the V&H coordinate method. SPNP-DID must be established with a minimum configuration of two channels and one unassigned telephone number per switch, per arrangement for control purposes. Transport facilities arranged for SPNP-DID may not be mixed with any other type of trunk group, with no outgoing calls placed over said facilities. SPNP-DID will be provided only where such facilities are available and where the switching equipment of the ordering company is properly equipped. Where SPNP-DID service is required from more than one wire center or from separate trunk groups within the same wire center, such service provided from each wire center or each trunk group within the same wire center shall be considered a separate service. Only customer-dialed sent-paid calls will be completed to the first number of a SPNP-DID number group; however, there are no restrictions on calls completed to other numbers of a SPNP-DID number group. Interface group arrangements provided for terminating the switched transport at the Party's terminal location are as set forth in of BellSouth's Intrastate Access Services Tariff, § E6.1.3.A, as amended from time to time.
  - 2.3.1.7 The calling Party shall be responsible for payment of the applicable charges for sent-paid calls to the SPNP number. For collect, third-Party, or other operator-assisted non-sent paid calls to the ported telephone number, BellSouth or e.spire shall be responsible for the payment of charges under the same terms and conditions for which the end user would have been liable for those charges. Either company may request that the other block collect and third company non-sent paid calls to the SPNP-assigned telephone number. If a company does not

request blocking, the other company will provide itemized local usage data for the billing of non-sent paid calls on the monthly bill of usage charges provided at the individual end user account level. The detail will include itemization of all billable usage. Each company shall have the option of receiving this usage data on a daily basis via a data file transfer arrangement. This arrangement will utilize the existing industry uniform standard, known as EMR standards, for exchange of billing data. Files of usage data will be created daily for the optional service. Usage originated and recorded in the sending BellSouth RAO will be provided in unrated or rated format, depending on processing system. e.spire usage originated elsewhere and delivered via CMDS to the sending BellSouth RAO shall be provided in rated format.

- Each Party shall be responsible for obtaining authorization from 2.3.1.8 the End User for the handling of the disconnection of the End User's service, the provision of new local service and the provision of SPNP services. Each Party shall be responsible for coordinating the provision of service with the other to assure that its switch is capable of accepting SPNP ported traffic. Each Party shall be responsible for providing equipment and facilities that are compatible with the other's service parameters, interfaces, equipment and facilities and shall be required to provide sufficient terminating facilities and services at the terminating end of an SPNP call to adecuately handle all traffic to that location and shall be solely responsible to ensure that its facilities, equipment and services do not interfere with or impair any facility, equipment, or service of the other Party or any of its end users. In the event that either Party determines in its reasonable judgment that the other company will likely impair or is impairing, or interfering with any equipment, facility or service or any of its end users, that company may either refuse to provide SPNP service or may terminate SPNP service to the other Party after providing appropriate notice.
- 2.3.1.9 Each Party shall be responsible for providing an appropriate intercept announcement service for any telephone numbers subscribed to SPNP services for which it is not presently providing local exchange service or terminating to an end user. Where either Party chooses to disconnect or terminate any SPNP service, that Party shall be responsible for designating the preferred standard type of announcement to be provided.
- 2.3.1.10 Each Party shall be the other Party's single point of contact for all repair calls on behalf of each company's end user. Each

- Party reserves the right to contact the other company's customers if deemed necessary for maintenance purposes.
- 2.3.1.11 Neither Party shall be responsible for adverse effects on any service, facility or equipment from the use of SPNP services. End-to-end transmission characteristics may vary depending on the distance and routing necessary to complete calls over SPNP facilities and the fact that another carrier is involved in the provisioning of service. Therefore, end-to-end transmission characteristics cannot be specified by either Party for such calls. Neither Party shall be responsible to the other if any necessary change in protection criteria or in any of the facilities, operation, or procedures of either renders any facilities provided by the other company obsolete or renders necessary modification of the other Party's equipment.
- For terminating IXC traffic ported to either Party which requires 2.3.1.12 use of either Party's Tandem switching, the Tandem provider will bill the IXC Tandem switching and a pro rata portion of the transport, and the other Party will bill the IXC local switching, the carrier common line (CCL), the Interconnection Charge and a portion of the transport. If the Tandem provider is unable to provide the necessary access records to permit the other Party to bill the IXC directly for terminating access to ported numbers, then the Tandem provider will bill the IXC full terminating switched access charges at the tandem provider's rate and will compensate the other company at the tandem company's tariffed rates and remit the local switching, the Interconnection Charge, a pro rata portion of transport and CCL revenues to the other Party. If an intraLATA toll call is delivered, the delivering Party will pay terminating access rates to the other Party. This subsection does not apply in cases where SPNP-DID is utilized for number portability. 2.3.1.13 If, through a final and effective order, the Federal Communications Commission ("FCC") issues regulations pursuant to 47 U.S.C. § 251 to require number portability different than that provided pursuant to this section, BellSouth will comply with that order.
- 2.3.1.14 Charges for INP shall be as specified in Exhibit A, provided that interim rates will be replaced or trued-up in accordance with regulatory requirements.

#### 2.4 INP Requirements

2.4.1 Either Party will exchange with the other SS7 TCAP messages as required for the implementation of Customer Local Area Signaling Services (CLASS) or other features available. 2.4.2 Either Party shall notify the

- other of any technical or capacity limitations that would prevent use of a requested INP implementation in a particular End Office or Wire Center.
- 2.4.3 Either Party shall pass all Calling Party Number ("CPN") or Automatic Number Identification ("ANI") information to and from the ported number, whenever technically feasible.
- 2.4.4 Unless approved by e.spire, BellSouth agrees not to issue Telephone Line Number ("TLN") based calling card numbers to End Users that port their numbers to e.spire.
- 2.4.5 BellSouth and e.spire shall cooperate in resolving all service calls involving the other Party's service, to avoid unnecessary service outages.

# 2.5 Number Portability Through NXX Migration

2.5.1 If the Parties mutually agree to use Local Exchange Routing Guide ("LERG") reassignment as the method to move an End User's telephone numbers from one Party's switch to the other Party's switch in a particular instance, the Parties shall enter into a separate written agreement that must address terms and conditions of the reassignment, including, but not limited to, ordering processes and specific implementation procedures for the reassignment of the appropriate NXX as shown in the LERG, to the new service providers switch, and any applicable rates.

# 3. Transition to Permanent Number Portability

Once a long-term database method of providing Local Number Portability (LNP) is implemented in an end office pursuant to Federal Communications Commission or State commission orders, rules or regulations, with advance written notice, both Parties must withdraw its Interim Number Portability (INP) offerings. The transition from existing INP arrangements to LNP shall occur within one hundred twenty (120) days from the date LNP is implemented in the end office serving the telephone number. Neither Party shall charge the other Party for conversion from INP to LNP. The Parties shall comply with any INP/LNP transition processes established by the FCC and State commissions and appropriate industry number portability work groups.

Notwithstanding the foregoing, the Parties acknowledge that the FCC has determined once LNP has been deployed pursuant to the FCC's orders, rules and regulations, that all local exchange carriers (LECs) have the duty to provide LNP. Therefore, either Party, at any time, may seek appropriate legal or regulatory relief concerning the transition from INP to LNP or other related issues.

# 4. True-up

# This section applies only to Tennessee.

The interim prices for Network Elements and Other Services and Local Interconnection shall be subject to true-up according to the following procedures:

- 4.1 The interim prices shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission which final order meets the criteria of (3) below. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with interim prices for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions in the General Terms and Conditions and Attachment 1 of this Agreement.
- 4.2. The Parties may continue to negotiate toward final prices, but in the event that no such agreement is reached within nine (9) months, either Party may petition the Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in the General Terms and Conditions and Attachment 1 of the Agreement, so long as they file the resulting Agreement with the Commission as a "negotiated Agreement" under Section 252(e) of the Act.
- 4.3. A final order of this Commission that forms the basis of a true-up shall be the final order as to prices based on appropriate cost studies, or potentially may be a final order in any other Commission proceeding which meets the following criteria:
  - (a) BellSouth and e.spire is entitled to be a full Party to the proceeding;
  - (b) It shall apply the provisions of the federal Telecommunications Act of 1996, including but not limited to Section 252(d)(1) (which contains pricing standards) and all then-effective implementing rules and regulations; and,
  - (c) It shall include as an issue the geographic deaveraging of network element prices, which deaveraged prices, if any are required by said final order, shall form the basis of any true-up.
- 5. Operational Support System (OSS) Rates

All Local Service Requests ("LSRs") submitted for products and services under this Attachment will be subject to the OSS charges set forth in the General Terms and Conditions of this Agreement.

# BELLSOUTH/e.spire RATES SERVICE PROVIDER NUMBER PORTABILITY

						DATEC BY CTATE				
									1	7
	nsoc	AL	7	СА	KY	3	MS	NC.	3	E
DESCRIPTION								1000	42	AN A
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF (1) (2)	TAIDBI	AZ	Ϋ́	¥	¥	Ϋ́	¥	\$2.20	2 2	4N
ace normber ported (Business Line), 10 paths	10.1	414	V.	Ą	¥	¥	¥	51.15	4	
DCF nor number norted (Residence Line), 6 paths	INPAIL	200	V V	£2 03	¥	\$2.29	\$2.34	Ϋ́	\$2.17	3
not be miner for the last (he)	INPBL	27.13		200	AN	\$0.49	\$0.6441	Ϋ́	\$0.7046	Ž
HCF, per number ported (bosiness and)	TNPBL	\$0.65	Ž	10.00		20.03	\$0.0644	\$0.50	¥	¥
N.T.C.	TNPBL	\$0.07	¥	¥2	4	200	202	¥	\$2.17	\$1.25
NRC Disconnect Charge	TNPRI	\$2.13	¥	\$2.03	Υ×	32.63	2000	V.	\$0.7046	¥
RCF, per number ported (Residence Line)	HODIL	\$0.65	¥	\$0.51	Y Y	\$0.49	\$0.044	5	NAM.	AN.
CHZ	TANDO.	\$0.07	Y.	Ϋ́	Ϋ́	\$0.05	\$0.0644	20.00	7300	25
NRC Disconnet Charge	THE STATE OF THE S	60.33	AN	\$0.2836	¥	\$0.38	\$0.3838	¥	\$0.3834	300
RCF, addit capacity for simultaneous call forwarding, per additional path	TNPRD	30.00								
	OSCILLA POCE									625.00
BCE ner service order per location	CHANGE SAL	61.44	AN	\$2.10	¥	\$2.02	\$2.84	None	10.10	300
NOT THE	++	-	MA	62 10	¥	\$2.05	\$2.84	None	\$1.3/	363.00
THE CONTRACTOR	TNP#	21.44		NA NA	¥2	\$2.01	\$2.84	¥	¥2	ž
NAC - Add	TNP++	\$1.44	4		VIA.	10.03	\$2.84	¥	¥	¥
NHC - Usconnect - 1st	± dN1	\$1.44	YZ.	Y.	2	C18 14	\$25.52	¥	ΥN	¥
NRC - Disconnect - Add I	SOMAN	\$27.37	¥Ζ	¥.	ž		606.60	AN	¥	¥
NRC - Incremental Charge - Manual Service Order - 151	SOMAN	\$27.37	¥	ď	ď.	218 14	20.036	42	544 70	ž
NHC - Incremental Charge - Manual Service Order - Add I	NAMOS	\$17.77	¥	Ϋ́	¥	\$11.41	\$10.00	٤	644.70	¥
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	NAMO	\$17.77	ž	¥	¥	\$11.41	\$16.06	Š		A STATE OF THE STATE OF
NRC - Incremental Charge - Manual Service Order - Disconnect - Add1	COMPA					1 1 1				413
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - OID		9	ΝA	\$0.63	¥	\$0.89	\$1.17	ž	\$2.25	5
DID CONTROLLED TO THE CONTROL OF THE	HOANI	9	44	AM	WA	80.90	\$1.17	¥	Y.	¥.
Old per number ported. Residence - NRC - Disconnect	TNPDR	2	2	6003	AN	\$0.89	\$1.17	Ϋ́	\$2.25	ž
DID per number porce, respectively and	TNPDB	81.18	5	AIN AIN	¥Z	06.03	\$1.17	٧	Y.	¥
UID Der number Porteu, business MPC. Disconnect	TNPDB	\$1.18	42	٤						
UID per number ported, user lesses and a state of the sta				9	VIZ.	200	\$2.84	¥	\$1.37	¥
DID per service order, per rocarion	TNPRD	\$1.44	¥	20, 20	2 4	200	\$2.84	ž	\$1.37	¥
NHC - 1st	TNPRD	\$1.44	¥	32.10	2	20.53	28.02	¥	\$44.70	¥
NRC · Add'	TNPRD	\$1.44	¥N	YZ:	Y S	20.03	28.0	ž	\$44.70	¥
NRC - Disconnect - 1st	TNPRD	\$1.44	¥	ž	2	25.07.4	£25.52	¥	¥	٧×
NRC - Disconnect - Add I	SOMAN	\$27.37	¥	\$18.5	Y .	1000	625.63	¥	Ϋ́	¥
NRC - Incremental Charge - Manual Service Other - 151	SOMAN	\$27.37	¥	ž	¥.	910.14	6 46 06	¥Z	ž	¥
NRC - Incremental Charge - Manual Service Order - Add I	SOMAN	\$17.77	ΑA	ž	¥	\$11.41	300	NA.	ΨZ	¥
NRC - Incremental Charge - Manual Service Order - Disconnect - 1st	COMAN	\$17.77	Ϋ́	¥	¥	511.41	310.00		613 16	YZ.
NRC - Incremental Charge - Manual Service Order - Disconnect - Add I	TNDT2	\$11.84	AN	\$10.73	¥	\$12.46	\$13/8	5	6018 03	YZ.
DID per trunk termination, initial	CICIAL	€17773	Ž	\$135.47	¥	\$129.69	\$171.68	Š.	25.00	V.
DID, per trunk termination, Initial - NRC	TAIDIT	\$50.43	¥	ΑN	Ϋ́	\$37.85	\$49.86	¥.	NA CO	2 2
Din ner frunk termination, initial - Disconnect	21 111	70	ΨN	\$10.73	ž	\$12.46	\$13.78	ž	213.10	
Din per trank termination. Subsequent	INPIZ	2011.04	42	\$39.53	ž	\$37.85	\$50.69	ž	\$73.63	ž
DIO, per reminential Scheening - NBC	SILANI	201.00		ΨN	Ą	\$18.75	\$24.71	¥	ΑN	¥2
UIU) per irum terminatoria.	TNP12	\$25.00	72							
OID, Ber truik termination, Socsepoor										

# NOTES:

If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

I Until the FCC issues its order implementing a cost recovery mechanism for permanent number portability, the Company will track its costs of providing interim SPNP with sufficient detail to verify the costs. This will facilitate the Florida PSCs consideration of the recovery of these costs in Docket 950/337-1P (EL).

2 BeitSouth and CLEC will each bear their own costs of providing remote call forwarding as an interim number portability option. (KY)

# Attachment 6

**Ordering and Provisioning** 

# TABLE OF CONTENTS

	QUALITY OF ORDERING AND PROVISIONING	
	ACCESS TO OPERATIONAL SUPPORT SYSTEMS	
3	MISCELLANEOUS ORDERING AND PROVISIONING GUIDELINES	6

# ORDERING AND PROVISIONING

# 1. Quality of Ordering and Provisioning

- BellSouth shall provide ordering and provisioning services to e.spire that are equal to the ordering and provisioning services BellSouth provides to itself or any other CLEC. Detailed guidelines for ordering and provisioning are set forth in BellSouth's Local Interconnection and Facility Based Ordering Guide and Resale Ordering Guide, as appropriate, and as they are amended from time to time during this Agreement. To the extent the Terms of this Attachment differ from BellSouth's Local Interconnection and Facilities Based Ordering Guide and Resale Guide, the rate terms and conditions of this Attachment shall take precedence.
- BellSouth will perform provisioning services in the UNE Centers during the following normal hours of operation:

Monday - Friday - 8:00AM - 5:00PM Eastern time (excluding holidays)

(Resale/Network Element non coordinated, coordinated orders and order coordinated - Time Specific)

Saturday - 8:00 AM - 5:00 PM Eastern time (excluding holidays)
(Resale/Network Element non coordinated orders)

Field provisioning services shall be performed on the same schedule as set forth above; provided, however, that times shall be based upon location time rather than Eastern time.

All other e.spire requests for provisioning and installation services are considered outside of the normal hours of operation and may be performed subject to the application of overtime billing charges at the labor rates set forth in BellSouth's FCC No. 1 tariff.

If BellSouth begins working on an order which is scheduled to be completed during standard hours, but, due solely to BellSouth's delay, completes the work after standard hours, no such additional charges shall apply. If e.spire requests such provisioning services outside of normal hours of operation, BellSouth shall quote within three (3) Business Days of the request, a rate for such services in accordance with BellSouth's FCC No. 1 tariff. If e.spire accepts BellSouth's quote, BellSouth shall provide the requested services. If BellSouth agrees to provide expanded standard coverage hours to any other Telecommunications Carrier, e.spire shall be able immediately to avail itself of the same expanded hours on the same terms as made available to such other Telecommunications Carrier.

# 2. Access to Operational Support Systems

- BellSouth shall provide e.spire with access to OSS pre-order functions at parity to that provided by BellSouth to itself, its Affiliates, or any other Telecommunications Carrier. Access to these support systems is available through a variety of means, including electronic interfaces. BellSouth also provides the option of placing orders manually (e.g., via facsimile) through the Local Carrier Service Center. The operations support systems available are:
- Pre-Ordering. Pre-ordering includes the activities undertaken by e.spire to gather and verify information necessary to formulate an accurate order for End Users. BellSouth provides electronic access to the following pre-ordering functions: service address validation, telephone number selection, including vanity number selection and reservations, service and feature availability at serving wire center, due date information, serving facilities information and Customer Service Record ("CSR") information. Access is provided through the Local Exchange Navigation System (LENS) and the Telecommunications Access Gateway (TAG). CSR information includes any and all customer specific information, including but not limited to, customer specific information in CRIS and RSAG. e.spire agrees not to view, copy, or otherwise obtain access to the CSR of any customer without that customer's permission and further agrees that e.spire will obtain access to CSR information only in strict compliance with applicable FCC Rules and Orders and other laws, rules, or regulations of the State in which the service is provided.
- 2.2.1 Interfaces. BellSouth shall make available the following interfaces to e.spire for access to pre-order functions: LENS; and TAG. Each such interface shall be available on a non-discriminatory basis in connection with pre-ordering for Resale services and UNES that are available electronically.
- The Parties acknowledge that ordering requirements necessitate the use of current, real time pre-order information to accurately build service orders. Each pre-order interface shall be available except for downtime attributable to maintenance and upload, twenty-four (24) hours a day, seven (7) days a week.
- e.spire shall be permitted to reserve a number, including, without limitation, a vanity number, for up to thirty (30) days for End Users.
- All CSR data exchanged must be in English text, and not only USOC or FID format, provided that such information is maintained in textual format by BellSouth. All other data shall be in a mutually agreed upon nomenclature.
- Upon request, BellSouth shall provide e.spire with pre-order information in batch transmission to the extent available or provided to any other Telecommunications Carrier on the same terms and conditions and at the same rates.
- 2.2.6 Pre-ordering functions shall be provided at parity as measured by the Performance Measurement metrics included in Attachment 9 hereto.

- Service Ordering and Provisioning. BellSouth provides electronic options for the exchange of ordering and provisioning information. BellSouth provides an Electronic Data Interchange (EDI) arrangement for certain resale requests and certain network elements and other services. The EDI interface can be integrated with the TAG pre-ordering interface by e.spire. As an alternative to the EDI arrangement, BellSouth also provides ordering and provisioning capability through TAG that can be integrated with the TAG pre-ordering capability by e.spire. Also, as an alternative, BellSouth provides integrated pre-ordering, ordering, and provisioning capability through the LENS interface. Ordering and provisioning intervals shall be at provisioned at parity to what BellSouth provides to itself, its affiliates and/or other CLECs. Parity in performance shall be measured by the performance measurement metrics set forth in Attachment 9.
- For generation of Resale service orders, ordering flows shall be available via such electronic interfaces for each of the following ordering functions: Conversion ("as is" or "with changes"); Change (features, listings, long distance); New Connect; Disconnect; From and To (change of premises with same service).
- BellSouth shall provide to e.spire an electronic interface for transmitting of orders, and receiving Firm Order Confirmation ("FOC"), completion notices, Due-Date Jeopardies, and, as available, other provisioning data and information. ellSouth shall provide e.spire with a FOC for each Resale and UNE order. The FOC includes: purchase order number, telephone number, Local Service Request number, due date, and Service Order number.
- BellSouth shall provision Resale Services and UNEs as prescribed in e.spire service order requests. Access to status on electronically-submitted Resale services and UNEs shall be provided via the electronic interfaces. Access to status on manually-submitted service order requests shall be provided manually or via the Purchase Order Number ("PON") report on the internet.
- BellSouth shall provide notice of a lack of facilities availability at parity to that BellSouth provides to itself, its Affiliates, or any other Telecommunications Carrier.
- Order Flow Through. "Order Flow Through" is defined as the process whereby e.spire's orders are transmitted electronically through the gateway and accepted into BellSouth's back office order systems without manual intervention. BellSouth shall provide Flow Through of electronic processes in a manner consistent with, at a minimum, at a level of quality equivalent to itself or to any CLEC with comparable systems.
- Service Trouble Reporting and Repair. Service trouble reporting and repair allows espire to report and monitor service troubles and obtain repair services. BellSouth shall offer espire service trouble reporting in a non-discriminatory manner that provides espire the equivalent ability to report and monitor service troubles that BellSouth provides to itself. BellSouth also provides espire an estimated time to repair, an appointment time or a commitment time, as

appropriate, on trouble reports. BellSouth provides two options for electronic trouble reporting. For exchange services, BellSouth offers e.spire access to the Trouble Analysis Facilitation Interface (TAFI). For individually designed services, BellSouth provides electronic trouble reporting through an electronic communications gateway. If the CLEC requests BellSouth to repair a trouble after normal working hours, the CLEC will be billed the appropriate overtime charges associated with this request pursuant to BellSouth's tariffs.

- Migration of e.spire to New BellSouth Software Releases. BellSouth will issue new software releases for its electronic interfaces as needed to improve operations and meet standards and regulatory requirements. When a new release is implemented, BellSouth will continue to support both the new release (N) and the prior release (N-1). When BellSouth makes the next release (N+1), BellSouth will eliminate support for the (N-1) release and support the two newest releases (N and N+1). Thus, BellSouth will always support the two most current releases.
- 2.5.1 BellSouth will issue documents to e.spire with sufficient notice to allow e.spire to make the necessary changes to their systems and operations to migrate to the newest release in a timely fashion.
- 2.5.2 With respect to any modification or discontinuation that materially affects e.spire's use of such interface, BellSouth shall provide e.spire with advance notice of such modification or discontinuation consistent with applicable FCC requirements.
- 2.6 <u>Rates.</u> Charges for use of Operational Support Systems shall be as set forth in the General Terms and Conditions of this Agreement.

## 3. Miscellaneous Ordering and Provisioning Guidelines

- Pending Orders. To ensure the most efficient use of facilities and resources, orders placed in the hold or pending status by e.spire will be held for a maximum of thirty (30) days from the date the order is placed on hold. After such time, if e.spire wishes to reinstate an order, e.spire may be required to submit a new service order. If an e.spire order is placed on hold by BellSouth then e.spire will not have to submit a new order.
- Single Point of Contact. e.spire will be the single point of contact with BellSouth for ordering activity for network elements and other services used by e.spire to provide services to its end users. BellSouth may accept an order directly from another CLEC, or BellSouth, acting with authorization of the affected end user. e.spire and BellSouth shall each execute a blanket letter of authorization with respect to customer orders. The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for orders, provided, however, that such processes shall comply with applicable state and federal law including, until superseded, the FCC guidelines and orders applicable to Presubscribed Interexchange Carrier (PIC) changes. Pursuant to such an order, BellSouth may disconnect any network element associated with the service to be

disconnected and being used by e.spire to provide service to that end user and reuse such network elements or facilities to enable such other LEC to provide service to the end user. BellSouth will notify e.spire that such an order has been processed, but will not be required to notify e.spire in advance of such processing. BellSouth will notify e.spire within (2) business days via OUTPLOC that such disconnect has been completed.

- Use of Facilities. When a customer of e.spire elects to discontinue service and transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to e.spire by BellSouth for retail or resale service, loop and/or port for that customer. In addition, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received an order to disconnect or transfer the e.spire service.
- 3.3.1 Upon receipt of a service order, BellSouth will do the following:
- Process disconnect and reconnect orders to provision the service which shall be due dated using nondiscriminatory procedures and intervals which are at parity to the provisioning intervals BellSouth provides itself or other CLECs;
- Reuse the serving facility for the retail, resale service, or network element at the same location; and
- 3.3.1.3 Notify e.spire subsequent to the disconnect order being completed in accordance with Section 3.2 above.

#### 3.4 Contact Numbers.

The Parties agree to provide one another with toll-free contact numbers for the purpose of ordering, provisioning and maintenance of services. BellSouth shall provide single points of contact ("SPOC") for the provisioning of Resale Services (LCSC) and UNEs (UNE Center) ordered by e.spire. Pre-ordering and ordering shall be available via an electronic interface seven (7) days a week, 24 hours a day.

BellSouth shall provide access to assistance for technical issues such as connectivity and passwords related to LENS, TAG and TAFI, and to the "EDI Central Group" for technical problems with EDI. Assistance will be available by telephone during normal business hours and through other contacts on nights, weekends and holidays.

- 3.5 <u>Disaster Recovery Plan.</u> BellSouth's Disaster Recovery Plan is as set forth in Exhibit A of this Attachment.
- Subscription Functions. In cases where BellSouth performs subscription functions for an inter-exchange carrier (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will provide the affected inter-exchange carriers with the Operating Company Number (OCN) of the local

provider for the purpose of obtaining end user billing account and other end user information required under subscription requirements.

- 3.7 <u>Cancellation Charges.</u> If e.spire cancels an order for network elements or other services, any costs incurred by BellSouth in conjunction with the provisioning of that order will be recovered in accordance with FCC No. 1 Tariff, Section 5.4.
- 3.8 Ordering and Provisioning Information: BellSouth shall provide the following to e.spire upon request:
- 3.8.1 Design Layout Records ("DLRs") for designed unbundled Network Elements;
- 3.8.2 Advance information on the details and requirements for planning and implementation of NPA splits; and
- 3.8.3 Access to the Regional Street Address Guide ("RSAG") information via LENS or TAG pre-ordering.
- BellSouth and e.spire shall establish mutually acceptable methods and procedures for handling all misdirected calls from e.spire End Users. All misdirected calls to BellSouth from e.spire End Users shall be given a recording (or a live statement) directing them to call an e.spire-designated toll free number. e.spire, on a reciprocal basis, shall refer all misdirected calls that e.spire receives from BellSouth End Users to a BellSouth-designated number. e.spire and BellSouth each shall be responsible for providing the other party with its current toll free number. The foregoing shall apply only when the Party receiving such call knows or has reason to know that the call is misdirected from an End User of the other Party hereto.
- BellSouth shall provide order format specifications to e.spire for all available services, features, and functions and for ancillary data required by BellSouth to provision these services.
- 3.11 BellSouth shall provide e.spire with standard expected provisioning intervals for all unbundled Network Elements.
- BellSouth shall not reconfigure any e.spire service rearrangements of any e.spire End User for Resale services, UNEs or Combinations, unless so directed by e.spire. Any e.spire End User that contacts BellSouth regarding a change to its e.spire service (excluding changes in its local service provider) shall be advised to contact e.spire. Any BellSouth End User that contacts e.spire regarding a change in BellSouth service (excluding changes in its local service provider) shall be advised to contact BellSouth.
- The Parties shall provide a generic intercept referral message that includes any new telephone number of an End User for the same period of time that BellSouth currently provides such a message for its own End Users. The intercept message shall be similar in format to the intercept referral message currently provided by BellSouth for its own End Users.

- BellSouth shall perform all pre-testing necessary to ensure the services ordered meet the specifications outlined in the technical service description provided by BellSouth for the service being ordered.
- Any written "leave behind" materials that BellSouth technicians provide to e.spire End Users shall be non-branded materials that do not identify the work being performed as being by BellSouth. These materials shall include, without limitation, non-branded forms for the Customer and non-branded "not at home" cards.
- If an e.spire End User requests a change of service at the time of installation, BellSouth technicians shall direct them to contact e.spire directly and provide a toll-free number supplied by e.spire. When a BellSouth employee visits the premise of an e.spire End User, the BellSouth employee shall inform the Customer that he or she is acting on behalf of e.spire.
- 3.17 BellSouth shall provide telephone and/or facsimile notification of any e.spire end user service request and charges therefore not authorized on the e.spire service request, and obtain e.spire's approval prior to commencing work.
- Each Party shall train and direct its employees who have contact with End Users of the other Party in the process of provisioning, maintenance or repair not to disparage the other Party or its services in any way to the other Party's End Users.
- When e.spire places an LSR, e.spire shall specify a requested Due Date, and BellSouth shall specify a Due Date based on the applicable intervals. In the event e.spire's requested date is less than the standard interval, e.spire shall contact BellSouth by telephone and the Parties shall negotiate an expedited Due Date. This situation shall be considered an expedited order for which expedite charges will apply in accordance with BellSouth FCC No. 1 Tariff. BellSouth shall not complete the order prior to the Due Date unless authorized by e.spire. If BellSouth misses the Due Date, BellSouth shall promptly notify e.spire of the revised installation Due Date. If e.spire requests that an order be expedited, BellSouth shall notify e.spire of the status of the order (i) by the end of the same Business Day when such expedite requests are made prior to noon; or (ii) by noon the following Business Day otherwise.
- e.spire and BellSouth shall agree to escalation procedures and contacts for resolving questions and disputes related to ordering and provisioning procedures or to the processing of individual orders, subject ultimately to the dispute resolution provisions of this Agreement. The Parties shall use best efforts to notify each other of any modifications to these contacts within ten (10) days of any such modifications.
- BellSouth shall transmit to e.spire a FOC or, in the alternative, notification of the lack of available facilities within time periods specified hereafter after BellSouth's receipt of a complete and correct order from e.spire, provided, however, that an order for complex services requiring a service inquiry shall be

deemed received for these purposes only after completion of the service inquiry. The FOC shall contain a commitment date, which shall be established on a nondiscriminatory basis with respect to installation dates for comparable orders at such time. If e.spire uses LENS, EDI, or any other electronic interface for the submission of the order, the FOC or notification shall be posted by BellSouth in such interface within twenty four (24) hours of receipt of the order. If e.spire does not use these interfaces, or these interfaces are not available for the service or UNE being ordered, BellSouth shall transmit the FOC or notification by telecopier to a toll-free number provided by e.spire within forty eight (48) hours of BellSouth's receipt of the order. When e.spire submits a complete and correct LSR for SPNP and an associated unbundled Loop simultaneously, BellSouth shall likewise issue a FOC for both the Loop and the SPNP simultaneously.

For Local Service Requests submitted via an electronic interface, BellSouth shall notify e.spire via the same electronic interface, of Rejections/Errors contained in any of the data element(s) field(s) contained on any e.spire Local Service Request. For Local Service Requests submitted manually, BellSouth shall notify e.spire by facsimile of such Rejections and Errors. BellSouth will notify e.spire of Rejections or Errors in 95% of mechanized orders within one (1) hour from BellSouth's receipt of the order. BellSouth will notify e.spire of Rejections or Errors in 85% of non-mechanized and partially mechanized orders within forty-

eight (48) hours from BellSouth's receipt of the order.

BellSouth Disaster Recovery Plan

# 2000 BELLSOUTH

# DISASTER RECOVERY PLANNING

For

**CLECS** 

CONTENTS	PAGE
1.0 Purpose	4
2.0 Single Point of Contact	4
3.0 Identifying the Problem	4
3.1 Site Control	5
3.2 Environmental Concerns	6
4.0 The Emergency Control Center (ECC)	6
5.0 Recovery Procedures	7
5.1 CLEC Outage	7
5.2 BellSouth Outage	7
5.2.1 Loss of Central Office	8
5.2.2 Loss of a Central Office with Serving Wire Center Functions	8
5.2.3 Loss of a Central Office with Tandem Functions	8
5.2.4 Loss of a Facility Hub	9
5.3 Combined Outage (CLEC and BellSouth Equipment	9
6.0 T1 Identification Procedures	9
7.0 Acronyms	10

#### 1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a Competitive Local Exchange Carrier (CLEC), general procedures have been developed to hasten the recovery process. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

#### 2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's Emergency Control Center (ECC) and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

#### 3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only; BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

For long term outages, recovery efforts will be coordinated by the Emergency Control Center (ECC). Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

#### 3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire & life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to insure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

## 3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- 2. Asbestos containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

#### 4.0 THE EMERGENCY CONTROL CENTER (ECC)

The ECC is located in the Colonnade Building in Birmingham. Alabama. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involve with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available; leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

#### **5.0 RECOVERY PROCEDURES**

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of who's equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

#### **5.1 CLEC OUTAGE**

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

#### **5.2 BELLSOUTH OUTAGE**

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the Central Office is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the

completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

#### 5.2.1 Loss of a Central Office

When BellSouth loses a Central Office, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Begin restoring service to CLECs and other customers.

#### 5.2.2 Loss of a Central Office with Serving Wire Center Functions

The loss of a Central Office that also serves as a Serving Wire Center (SWC) will be restored as described in section 5.2.1.

#### 5.2.3 Loss of a Central Office with Tandem Functions

When BellSouth loses a Central Office building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)
- g) Begin restoring service to CLECs and other customers.

#### 5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Restoring service to CLECs and other customers. If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

## 5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

#### 6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently then normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

#### 7.0 ACRONYMS

CO - Central Office (BellSouth)

DS3 - Facility that carries 28 T1s (672 circuits)

ECC - Emergency Control Center (BellSouth)

CLEC - Competitive Local Exchange Carrier

NMC - Network Management Center

SWC - Serving Wire Center (BellSouth switch)

T1 - Facility that carries 24 circuits

#### Hurricane Information

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at <a href="http://www.interconnection.bellsouth.com/network/disaster/dis\_resp.htm">http://www.interconnection.bellsouth.com/network/disaster/dis\_resp.htm</a>. Information concerning Mechanized Disaster Reports can also be found at this website by clicking on CURRENT MDR REPORTS or by going directly to <a href="http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm">http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm</a>.

#### **BST Disaster Management Plan**

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

# Attachment 7

**Billing and Billing Accuracy Certification** 

#### TABLE OF CONTENTS

1.	PAYMENT AND BILLING ARRANGEMENTS	3
2.	BILLING AND BILLING ACCURACY CERTIFICATION	5
3.	BILLING DISPUTES	6
4.	RAO HOSTING	7
5.	OPTIONAL DAILY USAGE FILE	10
6.	ACCESS DAILY USAGE FILE	14
7.	ENHANCED OPTIONAL DAILY USAGE FILE	17
FYI	JIRIT A RATES	

#### **BILLING AND BILLING ACCURACY CERTIFICATION**

#### 1. PAYMENT AND BILLING ARRANGEMENTS

- Billing. BellSouth agrees to provide billing through the Carrier Access Billing System (CABS) and through the Customer Records Information System (CRIS) depending on the particular service(s) that e.spire requests. BellSouth will bill and record in accordance with this Agreement those charges e.spire incurs as a result of e.spire purchasing from BellSouth Network Elements and Other Services as set forth in this Agreement. BellSouth will format all bills in CBOS Standard or CLUB/EDI format, depending on the type of service ordered. For those services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the industry forum.
- 1.1.1 For any service(s) BellSouth orders from e.spire, e.spire shall bill BellSouth in CABS format or in accordance with industry standards.
- 1.1.2 If either Party requests multiple billing media or additional copies of bills, the Billing Party will provide these at a reasonable cost.
- Master Account. After receiving certification as a local exchange company from the appropriate regulatory agency, e.spire will provide the appropriate BellSouth account manager the necessary documentation to enable BellSouth to establish a master account for Local Interconnection, Network Elements and Other Services, and/or resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA"), Carrier Identification Code (CIC), Group Access Code (GAC), Access Customer Name and Address (ACNA) and a tax exemption certificate, if applicable.
- Payment Responsibility. Payment of all charges will be the responsibility of e.spire. e.spire shall make payment to BellSouth for all services billed. BellSouth is not responsible for payments not received by e.spire from e.spire's customer. BellSouth will not become involved in billing disputes that may arise between e.spire and its customer. Payments made to BellSouth as payment on account will be credited to an accounts receivable master account and not to an end user's account.
- Payment Due. The payment will be due by the next bill date (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.

If the payment due date falls on a Sunday or on a Holiday which is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment penalty, as set forth in Section 1.7, below, shall apply.

- 1.5 <u>Tax Exemption</u>. Upon proof of tax exempt certification from e.spire, the total amount billed to e.spire will not include those taxes or fees for which the CLEC is exempt. e.spire will be solely responsible for the computation, tracking, reporting and payment of all taxes and like fees associated with the services provided to the end user of e.spire.
- Late Payment. If any portion of the payment is received by BellSouth after the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment penalty shall be due to BellSouth. The late payment penalty shall be the portion of the payment not received by the payment due date times a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Service Tariff, Section B2 of the Private Line Service Tariff or Section E2 of the Intrastate Access Tariff, whichever BellSouth determines is appropriate.
- 1.7 <u>Discontinuing Service to e.spire</u>. The procedures for discontinuing service to e.spire are as follows:
- 1.7.1 BellSouth reserves the right to suspend or terminate service for nonpayment or in the event of prohibited, unlawful or improper use of BellSouth facilities or service or any other violation or noncompliance by e.spire of the rules and regulations contained in BellSouth's tariffs.
- 1.7.2 If payment of account is not received by the bill day in the month after the original bill day, BellSouth may provide written notice to espire that additional applications for service will be refused and that any pending orders for service will not be completed if payment is not received by the fifteenth day following the date of the notice. In addition, BellSouth may, at the same time, give thirty days notice to espire at the billing address to discontinue the provision of existing services to espire at any time thereafter.
- 1.7.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.
- 1.7.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and e.spire's noncompliance continues,

nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to e.spire without further notice.

- If payment is not received or satisfactory arrangements made for payment by the date given in the written notification, e.spire's services will be discontinued. Upon discontinuance of service on e.spire's account, service to the e.spire's end users will be denied. BellSouth will reestablish service at the request of the end user or e.spire for BellSouth to reestablish service upon payment of the appropriate connection fee and subject to BellSouth's normal application procedures. e.spire is solely responsible for notifying the end user of the proposed service disconnection. If within fifteen days after an end user's service has been denied and no arrangements to reestablish service have been made consistent with this subsection, the end user's service will be disconnected.
- When purchasing services from BellSouth, e.spire will be Deposit Policy. 1.8 required to complete the BellSouth Credit Profile and provide information regarding credit worthiness. Based on the results of the credit analysis, the Company reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or in its sole discretion some other form of security. Any such security deposit shall in no way release the customer from his obligation to make complete and timely payments of his bill. Such security shall be required prior to the inauguration of service. If, in the sole opinion of the Company, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security, the Company reserves the right to request additional security and/or file a Uniform Commercial Code (UCC1) security interest in e.spire's "accounts receivables and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff.
- Rates. Rates for Optional Daily Usage File (ODUF), Enhanced Optional Daily Usage File (EODUF), Access Daily Usage File (ADUF), and Centralized Message Distribution Service (CMDS) are set out in Exhibit A to this Attachment. If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

# 2. BILLING AND BILLING ACCURACY CERTIFICATION

Upon request, BellSouth and e.spire will agree upon a billing quality assurance program for all billing elements covered in this Agreement that will eliminate the need for post-billing reconciliation. Appropriate terms for access to any BellSouth documents, systems, records, and procedures for the recording and billing of charges will be part of that program.

As part of the billing quality assurance program, BellSouth and e.spire will develop standards, measurements, and performance requirements for a local billing measurements process. On a regular basis BellSouth will provide e.spire with mutually agreed upon performance measurement data that substantiates the accuracy, reliability, and integrity of the billing process for local billing. In return, e.spire will pay all bills received from BellSouth in full by the payment due date.

٠,٠

- Local billing discrepancies will be addressed in an orderly manner via a mutually agreed upon billing exemption process.
- Each Party agrees to notify the other Party upon identifying a billing discrepancy. The Parties shall endeavor to resolve any billing discrepancy within sixty (60) calendar days of the notification date. A mutually agreed upon escalation process will be established for resolving local billing discrepancies as part of the billing quality assurance program.
- Closure of a specific billing period will occur by joint agreement of the Parties whereby the Parties agree that such billing period is closed to any further analysis and financial transactions except those resulting from regulatory mandates. Closure will take place within a mutually agreed upon time interval from the Bill Date. The month being closed represents those charges that were billed or should have been billed by the designated Bill Date.

#### 3. BILLING DISPUTES

- Where the Parties have not agreed upon a billing quality assurance program, billing disputes shall be handled pursuant to the terms of this section.
- Each Party agrees to notify the other Party upon the discovery of a billing dispute. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the notification date.
- If a Party disputes a charge and does not pay such charge by the payment due date, or if a payment or any portion of a payment is received by either Party after the payment due date, or if a payment or any portion of a payment is received in funds which are not immediately available to the other Party, then a late payment penalty shall be assessed. For bills rendered by either Party for payment, the late payment charge for both Parties shall be calculated based on the portion of the payment not received by the payment due date times the late factor as set forth in the following BellSouth tariffs: for services purchased from the General Subscribers Services Tariff for purposes of resale and for ports and non-designed loops, Section A2 of the General Subscriber Services Tariff; for services purchased from the Private Line Tariff for purposes of resale, Section B2 of the

Private Line Service Tariff; and for network elements and other services and local interconnection charges, Section E2 of the Access Service Tariff. In no event, however, shall interest be assessed by either Party on any previously assessed late payment charges. The Parties shall assess interest on previously assessed late payment charges only in a state where it has the authority pursuant to its tariffs.

#### 4. RAO HOSTING

- RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to e.spire by BellSouth will be in accordance with the methods and practices regularly adopted and applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- e.spire shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- Applicable compensation amounts will be billed by BellSouth to e.spire on a monthly basis in arrears. Amounts due from one Party to the other (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- e.spire must have its own unique RAO code. Requests for establishment of RAO status where BellSouth is the selected Centralized Message Distribution System (CMDS) interfacing host, require written notification from e.spire to the BellSouth RAO Hosting coordinator at least eight (8) weeks prior to the proposed effective date. The proposed effective date will be mutually agreed upon between the Parties with consideration given to time necessary for the completion of required Telcordia (formerly BellCore) functions. BellSouth will request the assignment of an RAO code from its connecting contractor, currently Telcordia (formerly BellCore), on behalf of e.spire and will coordinate all associated conversion activities.
- BellSouth will receive messages from e.spire that are to be processed by BellSouth, another LEC or CLEC in the BellSouth region or a LEC outside the BellSouth region.
- BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from e.spire.
- All data received from e.spire that is to be processed or billed by another LEC or CLEC within the BellSouth region will be distributed to that LEC or CLEC in accordance with the Agreement(s) which may be in effect between BellSouth and the involved LEC or CLEC.

- All data received from e.spire that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) which may be in effect between BellSouth and its connecting contractor (currently Telcordia (formerly BellCore)).
- BellSouth will receive messages from the CMDS network that are destined to be processed by e.spire and will forward them to e.spire on a daily basis.
- 4.10 Transmission of message data between BellSouth and e.spire will be via CONNECT:Direct.
- All messages and related data exchanged between BellSouth and e.spire will be formatted in accordance with accepted industry standards for EMI formatted records and packed between appropriate EMI header and trailer records, also in accordance with accepted industry standards.
- e.spire will ensure that the recorded message detail necessary to recreate files provided to BellSouth will be maintained for back-up purposes for a period of three (3) calendar months beyond the related message dates.
- Should it become necessary for e.spire to send data to BellSouth more than sixty (60) days past the message date(s), e.spire will notify BellSouth in advance of the transmission of the data. If there will be impacts outside the BellSouth region, BellSouth will work with its connecting contractor and e.spire to notify all affected Parties.
- In the event that data to be exchanged between the two Parties should become lost or destroyed, both Parties will work together to determine the source of the problem. Once the cause of the problem has been jointly determined and the responsible Party (BellSouth or e.spire) identified and agreed to, the company responsible for creating the data (BellSouth or e.spire) will make every effort to have the affected data restored and retransmitted. If the data cannot be retrieved, the responsible Party will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the date of problem resolution, or as mutually agreed upon by the Parties.
- Should an error be detected by the EMI format edits performed by BellSouth on data received from e.spire, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify e.spire of the error condition. e.spire will correct the error(s) and will resend the entire pack to BellSouth for

processing. In the event that an out-of-sequence condition occurs on subsequent packs, e.spire will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.

- In association with message distribution service, BellSouth will provide e.spire with associated intercompany settlements reports (CATS and NICS) as appropriate.
- In no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Agreement.

# 4.18 RAO Compensation

- 4.18.1 Rates for message distribution service provided by BellSouth for e.spire are as set forth in Exhibit A to this Attachment.
- 4.18.2 Rates for data transmission associated with message distribution service are as set forth in Exhibit A to this Attachment.
- Data circuits (private line or dial-up) will be required between BellSouth and e.spire for the purpose of data transmission. Where a dedicated line is required, e.spire will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. e.spire will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to e.spire. Additionally, all message toll charges associated with the use of the dial circuit by e.spire will be the responsibility of e.spire. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties.
- All equipment, including modems and software, that is required on the e.spire end for the purpose of data transmission will be the responsibility of e.spire.

# 4.19 <u>Intercompany Settlements Messages</u>

This Section addresses the settlement of revenues associated with traffic originated from or billed by e.spire as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between e.spire and the involved company(ies), unless that company is participating in NICS.

- Both traffic that originates outside the BellSouth region by e.spire and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by e.spire, is covered by this Agreement (CATS). Also covered is traffic that either is originated by or billed by e.spire, involves a company other than e.spire, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).
- Once e.spire is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via Telcordia (formerly BellCore)'s, its successor or assign, NICS system.
- BellSouth will receive the monthly NICS reports from Telcordia (formerly BellCore), its successor or assign, on behalf of e.spire. BellSouth will distribute copies of these reports to e.spire on a monthly basis.
- 4.19.5 BellSouth will receive the monthly Calling Card and Third Number Settlement System (CATS) reports from Telcordia (formerly BellCore), its successor or assign, on behalf of e.spire. BellSouth will distribute copies of these reports to e.spire on a monthly basis.
- BellSouth will collect the revenue earned by e.spire from the Bell operating company in whose territory the messages are billed (CATS), less a per message billing and collection fee of five cents (\$0.05), on behalf of e.spire. BellSouth will remit the revenue billed by e.spire to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on e.spire. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to e.spire via a monthly Carrier Access Billing System (CABS) miscellaneous bill.
- BellSouth will collect the revenue earned by e.spire within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of e.spire. BellSouth will remit the revenue billed by e.spire within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to e.spire via a monthly Carrier Access Billing System (CABS) miscellaneous bill.

BellSouth and e.spire agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

# 5. OPTIONAL DAILY USAGE FILE

- Upon written request from e.spire, BellSouth will provide the Optional Daily Usage File (ODUF) service to e.spire pursuant to the terms and conditions set forth in this section.
- The e.spire shall furnish all relevant information required by BellSouth for the provision of the Optional Daily Usage File.
- The Optional Daily Usage Feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a e.spire customer.

Charges for delivery of the Optional Daily Usage File will appear on the e.spire's monthly bills.

The charges are as set forth in Exhibit A to this Attachment.

- The Optional Daily Usage Feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- Messages that error in the billing system of e.spire will be the responsibility of e.spire. If, however, e.spire should encounter significant volumes of errored messages that prevent processing by e.spire within its systems, BellSouth will work with e.spire to determine the source of the errors and the appropriate resolution.
- 5.6 The following specifications shall apply to the Optional Daily Usage Feed.
- 5.6.1 USAGE TO BE TRANSMITTED
- 5.6.1.1 The following messages recorded by BellSouth will be transmitted to the e.spire:
  - message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, ETC.)
  - measured billable Local
  - Directory Assistance messages
  - intraLATA Toll
  - WATS & 800 Service
  - N11
  - Information Service Provider Messages

- Operator Services Messages
- Operator Services Message Attempted Calls (Network Element only)

٠٠,٠

- Credit/Cancel Records
- Usage for Voice Mail Message Service
- Rated Incollects (originated in BellSouth and from other companies) can also be on Optional Daily Usage File. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- BellSouth will perform duplicate record checks on records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to e.spire.
- In the event that e.spire detects a duplicate on Optional Daily Usage File they receive from BellSouth, e.spire will drop the duplicate message (e.spire will not return the duplicate to BellSouth).
- 5.6.2 PHYSICAL FILE CHARACTERISTICS
- The Optional Daily Usage File will be distributed to e.spire via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a variable block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- Data circuits (private line or dial-up) may be required between BellSouth and e.spire for the purpose of data transmission. Where a dedicated line is required, e.spire will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. e.spire will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to e.spire. Additionally, all message toll charges associated with the use of the dial circuit by e.spire will be the responsibility of e.spire. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including

modems and software, that is required on e.spire end for the purpose of data transmission will be the responsibility of e.spire.

# 5.6.3 PACKING SPECIFICATIONS

- A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to e.spire which BellSouth RAO that is sending the message. BellSouth and e.spire will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by e.spire and resend the data as appropriate.

The data will be packed using ATIS EMI records.

#### 5.6.4 PACK REJECTION

e.spire will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. e.spire will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to e.spire by BellSouth.

#### 5.6.5 CONTROL DATA

e.spire will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate e.spire received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by e.spire for reasons stated in the above section.

#### 5.6.6 TESTING

Upon request from e.spire, BellSouth shall send test files to e.spire for the Optional Daily Usage File. The Parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that e.spire set up a production (LIVE) file. The live test may consist of e.spire's employees making test calls for the types of services e.spire requests on the Optional Daily Usage File. These test calls are logged by e.spire, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be

completed within 30 calendar days from the date on which the initial test file was sent.

# 6. ACCESS DAILY USAGE FILE

- Upon written request from e.spire, BellSouth will provide the Access Daily Usage File (ADUF) service to e.spire pursuant to the terms and conditions set forth in this section.
- The e.spire shall furnish all relevant information required by BellSouth for the provision of the Access Daily Usage File.
- The Access Daily Usage Feed will contain access messages associated with a port that e.spire has purchased from BellSouth.
- Charges for delivery of the Access Daily Usage File will appear on the e.spire's monthly bills. The charges are as set forth in Exhibit A to this Attachment. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- Messages that error in the billing system of the e.spire will be the responsibility of the e.spire. If, however, the e.spire should encounter significant volumes of errored messages that prevent processing by the e.spire within its systems, BellSouth will work with the e.spire to determine the source of the errors and the appropriate resolution.
- 6.6 USAGE TO BE TRANSMITTED
- The following messages recorded by BellSouth will be transmitted to e.spire:

Interstate and intrastate access records associated with a port.

Undetermined jurisdiction access records associated with a port.

When e.spire purchases Network Element ports from BellSouth and calls are made using these ports, BellSouth will handle the calls as follows:

Originating from Network Element and carried by Interexchange Carrier:

BellSouth will bill network element to CLEC and send access record to the CLEC via ADUF

Originating from network element and carried by BellSouth (e.spire is BellSouth's toll customer):

BellSouth will bill resale toll rates to e.spire and send toll record for the end user toll billing purposes via ODUF (Optional Daily Usage File). Access record will be sent to e.spire via ADUF.

Terminating on network element and carried by Interexchange Carrier:

BellSouth will bill network element to e.spire and send access record to e.spire.

Terminating on network element and carried by BellSouth:

BellSouth will bill network element to e.spire and send access record to e.spire.

- BellSouth will perform duplicate record checks on records processed to the Access Daily Usage File. Any duplicate messages detected will be dropped and not sent to e.spire.
- In the event that e.spire detects a duplicate on the Access Daily Usage File they receive from BellSouth, e.spire will drop the duplicate message (e.spire will not return the duplicate to BellSouth).

# 6.6.5 PHYSICAL FILE CHARACTERISTICS

- The Access Daily Usage File will be distributed to e.spire via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a fixed block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (210 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- Data circuits (private line or dial-up) may be required between BellSouth and e.spire for the purpose of data transmission. Where a dedicated line is required, e.spire will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. e.spire will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to e.spire. Additionally, all message toll charges associated with the use of the dial circuit by e.spire will be the responsibility of

e.spire. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including modems and software, that is required on e.spire end for the purpose of data transmission will be the responsibility of e.spire.

# 6.6.6 PACKING SPECIFICATIONS

- A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to e.spire which BellSouth RAO that is sending the message. BellSouth and e.spire will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by e.spire and resend the data as appropriate.

The data will be packed using ATIS EMI records.

#### 6.6.7 PACK REJECTION

e.spire will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. e.spire will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to e.spire by BellSouth.

#### 6.6.8 CONTROL DATA

e.spire will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate e.spire received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by e.spire for reasons stated in the above section.

#### 6.6.9 TESTING

Upon request from e.spire, BellSouth shall send test files to e.spire for the Access Daily Usage File. Testing shall consist of actual calls made from live accounts. A call log shall be supplied along with test request information. The Parties agree to review and discuss the file's content and/or format.

# 7. ENHANCED OPTIONAL DAILY USAGE FILE

- Upon written request from e.spire, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to e.spire pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- e.spire shall furnish all relevant information required by BellSouth for the provision of the Enhanced Optional Daily Usage File.
- 7.3 The Enhanced Optional Daily Usage File (EODUF) will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.

Charges for delivery of the Enhanced Optional Daily Usage File will appear on the e.spire's monthly bills. The charges are as set forth in Exhibit A to this Attachment.

- 7.4 All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- Messages that error in the billing system of e.spire will be the responsibility of e.spire. If, however, e.spire should encounter significant volumes of errored messages that prevent processing by e.spire within its systems, BellSouth will work with e.spire to determine the source of the errors and the appropriate resolution.
- 7.6 The following specifications shall apply to the Optional Daily Usage Feed.
- 7.6.1 USAGE TO BE TRANSMITTED
- 7.6.1.1 The following messages recorded by BellSouth will be transmitted to e.spire:

Customer usage data for flat rated local call originating from CLEC end user lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Date of Call
From Number
To Number
Connect Time
Conversation Time
Method of Recording
From RAO
Rate Class
Message Type
Billing Indicators

#### Bill to Number

7.6.1.2 BellSouth will perform duplicate record checks on EODUF records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to e.spire.

14

7.6.1.3 In the event that e.spire detects a duplicate on Enhanced Optional Daily Usage File they receive from BellSouth, e.spire will drop the duplicate message (e.spire will not return the duplicate to BellSouth).

# 7.6.2 PHYSICAL FILE CHARACTERISTICS

- 7.6.2.1 The Enhanced Optional Daily Usage Feed will be distributed to e.spire over their existing Optional Daily Usage File (ODUF) feed. The EODUF messages will be intermingled among e.spire's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format (2476) with an LRECL of 2472. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays).
- Data circuits (private line or dial-up) may be required between BellSouth and e.spire for the purpose of data transmission. Where a dedicated line is required, e.spire will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. e.spire will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to e.spire. Additionally, all message toll charges associated with the use of the dial circuit by e.spire will be the responsibility of e.spire. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including modems and software, that is required on e.spire end for the purpose of data transmission will be the responsibility of e.spire.

#### 7.6.3 PACKING SPECIFICATIONS

- 7.6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 7.6.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to espire which BellSouth RAO that is sending the message. BellSouth and espire will use the invoice sequencing to control data

exchange. BellSouth will be notified of sequence failures identified by e.spire and resend the data as appropriate.

The data will be packed using ATIS EMI records.

# BELLSOUTH/e.spire RATES ODUF/EDOUF/ADUF/CMDS

DATES BY STATE	NC SC SC	CANAL COMPANY OF THE PROPERTY		6/11000.04	\$0.004 \$0.0032357 \$0.0024 \$0.0032089 \$0.005	\$0.004 \$0.004 \$0.004 \$0.004	\$0.004 \$0.004 \$0.004 \$0.004	50.00 CO CO CO CO CO CO CO CO CO CO CO CO CO	\$0.00	\$54.05 \$54.95 \$55.68 \$47.30 \$54.02 \$37.83	\$47.30 \$47.30 \$47.30 \$47.30 \$47.30	247.30 47.50 664.05 654.95 \$54.95 \$54.95 \$54.95	\$24.92 \$2.000 \$0.0000357	\$0.000365 \$0.000054 \$0.000054	4 \$0,0000364 \$0,0000364 \$0,0000364 \$0,0000364	\$0.001 \$0.001 \$0.001	\$0.001 \$0.001 \$0.001 \$0.001	
		OSA	DESCRIPTION	ONLIFECONIFICADIFICADIS			ODUF: Message Processing, per message	EODUF: Message Processing, per message			para provisioned	ODUF: Message Processing, per magnetic appropriate NA	EODUF: Message Processing, per magnetic tape provisioned				FOLISE, Date Transmission (CONNECT: DIRECT), per message	

If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth lariff or as negotiated by the parties upon request by either party.

NOTES:

# Attachment 8

Rights-of-Way, Conduits and Pole Attachments

# Rights-of-Way, Conduits and Pole Attachments

Pursuant to terms and conditions negotiated between e.spire and BellSouth's Competitive Structure Provisioning Center and pursuant to 47 U.S.C. § 224, BellSouth will provide nondiscriminatory access to poles, ducts, conduit, and rights-of-way owned or controlled by BellSouth.

# Attachment 9

Performance Measurements

# TABLE OF CONTENTS

Serv	rice Performance Measurements And Enforcement Mechanisms	
1	Scope	,
1.	Reporting3	į
2.	Modifications to Measurements	Ł
4.	Enforcement Mechanisms	ļ
EX	HIBIT A10	)
EX	HIBIT B79	9
	HIBIT C8	
EX	HIBIT D10	1
EX	HIBIT E10	7

# Service Performance Measurements And Enforcement Mechanisms

#### 1. Scope

This Attachment includes Enforcement Measurements with corresponding Enforcement Mechanisms applicable to this Agreement.

# 2. Reporting

- In providing services pursuant to this Agreement, BellSouth will report its performance to e.spire in accordance with BellSouth's Service Quality Measurements, which are contained in this Attachment as Exhibit A and in accordance with BellSouth's Enforcement Measurements, which are contained in this Attachment as Exhibit B.
- BellSouth will make performance reports available to e.spire on a monthly basis. The reports will contain information collected in each performance category and will be available to e.spire through some electronic medium to be determined by BellSouth. BellSouth will also provide electronic access to the raw data underlying the performance measurements. Within thirty (30) days of execution of this Agreement, BellSouth will provide a detailed session of instruction to e.spire regarding access to the reports and to the raw data as well as the nature of the format of the data provided.

# 3. <u>Modifications to Measurements</u>

# 3.1 <u>Service Quality Measurements</u>

- BellSouth will update the Service Quality Measurements contained in Exhibit A of this Attachment each calendar quarter. BellSouth will not delete any Service Quality Measurement without prior written consent of e.spire. e.spire may provide input to BellSouth regarding any suggested additions, deletions or other modifications to the Service Quality Measurements. BellSouth will provide notice of all changes to the Service Quality Measurements via BellSouth's internet website.
- Notwithstanding the foregoing, BellSouth may, from time to time, be ordered by a regulatory or judicial body to modify or amend the Service Quality Measurements. BellSouth will make all such changes to the Service Quality Measurements pursuant to Section 34 of the General Terms and Conditions of this Agreement, incorporated herein by reference
- Notwithstanding any other provision of this Agreement, in the event a dispute arises regarding the modification or amendment of the

Service Quality Measurements, the parties will refer the dispute to the Commission.

# 3.2 Enforcement Measurements and Statistical Test

- In order for BellSouth to accurately administer the Enforcement Measurements contained in Exhibit B of this Attachment, the Enforcement Measurements shall be modified or amended only if BellSouth determines such modification or amendment is necessary. However, BellSouth will not delete any Enforcement Measurement without prior written consent of e.spire. BellSouth will notify e.spire of any such modification or amendment to the Enforcement Measurements via BellSouth's internet website.
- Notwithstanding the foregoing, BellSouth may, from time to time, be ordered by a regulatory or judicial body to modify or amend the Enforcement Measurements and/or Statistical Test. BellSouth will make all such changes to the Enforcement Measurements and/or Statistical Test pursuant to Section 34 of the General Terms and Conditions of this Agreement, incorporated herein by reference.
- Notwithstanding any other provision of this Agreement, in the event a dispute arises regarding the modification or amendment of the Enforcement Measurements and/or Statistical Test, the parties will refer the dispute to the Commission.

# 4. Enforcement Mechanisms

#### 4.1 <u>Purpose</u>

This section establishes meaningful and significant enforcement mechanisms voluntarily provided by BellSouth to verify and maintain compliance between BellSouth and e.spire's operations as well as to maintain access to Operational Support System (OSS) functions. This section provides the terms and conditions for such self-effectuating enforcement mechanisms.

# 4.2 <u>Effective Date</u>

The enforcement mechanisms set forth in this section shall only become effective upon an effective FCC order, which has not been stayed, authorizing BellSouth to provide interLATA telecommunications services under section 271 of the Act within any state and shall apply to BellSouth's performance in each state in the BellSouth region.

# 4.3 <u>Definitions</u>

- 4.3.1 Enforcement Measurement Elements means the performance measurements set forth in Exhibit B, attached hereto and incorporated herein by this reference.
- 4.3.2 Enforcement Measurement Benchmark means a competitive level of performance negotiated by BellSouth used to compare the performance of BellSouth and e.spire where no analogous process, product or service is feasible. See Exhibit B.
- Enforcement Measurement Compliance means comparing performance levels provided to BellSouth retail customers with performance levels provided by BellSouth to the CLEC customer, as set forth in Exhibit C, attached hereto and incorporated herein by this reference.
- 4.3.4 Test Statistic and Balancing Critical Value is the means by which enforcement will be determine using statistically valid equations. See Exhibit C.
- 4.3.5 Cell is the point (below the wire center level) at which like-to-like comparisons are made. For example, all BellSouth retail POTS services, for residential customers, requiring a dispatch in a particular wire center, at a particular point in time will be compared directly to e.spire resold services for residential customers, requiring a dispatch, in the same wire center, at a particular point in time. When determining compliance, these cells can have a positive or negative value. See Exhibit C.
- 4.3.6 Affected Volume means that proportion of the total e.spire volume or CLEC Aggregate volume for which remedies will be paid.
- 4.3.7 Parity Gap refers to the incremental departure from a compliant-level of service. (See Exhibit D). This is also referred to as "diff" in the Statistical paper (See Exhibit C).
- 4.3.8 Tier-1 Enforcement Mechanisms means self-executing liquidated damages paid directly to e.spire when BellSouth delivers non-compliant performance of any one of the Enforcement Measurement Elements for any month as calculated by BellSouth.
- 4.3.9 Tier-2 Enforcement Mechanisms means Assessments paid directly to a state Public Service Commission ("Commission") or its designee. Tier 2 Enforcement Mechanisms are triggered by three consecutive monthly failures in a quarter in which BellSouth performance is out of compliance or does not meet the benchmarks for the aggregate of all CLEC data as calculated by BellSouth for a particular Enforcement Measurement Element.

4.3.10 Tier-3 Enforcement Mechanisms means the voluntary suspension of additional marketing and sales of long distance services triggered by excessive repeat failures of those specific submeasures as defined in Exhibit D attached hereto and incorporated herein by this reference.

# 4.4 Application

- The application of the Tier-1, Tier-2, and Tier-3 Enforcement Mechanisms does not foreclose other non-contractual legal and regulatory claims and remedies available to e.spire.
- Proof of damages resulting from BellSouth's failure to maintain
  Enforcement Measurement Compliance would be difficult to ascertain
  and, therefore, liquidated damages are a reasonable approximation of any
  contractual damage. Liquidated damages under this provision are not
  intended to be a penalty.

# 4.5 Methodology

- 4.5.1 Tier-1 Enforcement Mechanisms will be triggered by BellSouth's failure to achieve Enforcement Measurement Compliance or Enforcement Measurement Benchmarks for the State for a given Enforcement Measurement Element in a given month based upon a test statistic and balancing critical value calculated by BellSouth utilizing BellSouth generated data. The method of calculation is attached hereto as Exhibit D and incorporated herein by this reference.
- 4.5.1.1 Tier-1 Enforcement Mechanisms apply on a per transaction basis for each negative cell and will escalate based upon the number of consecutive months that BellSouth has reported non-compliance.
- Fee Schedule for Tier-1 Enforcement Mechanisms is shown in Table-1 attached hereto as Exhibit E and incorporated herein by this reference. Failures beyond Month 6 (as set forth in Table 1) will be subject to Month 6 fees.
- Tier-2 Enforcement Mechanisms will be triggered by BellSouth's failure to achieve Enforcement Measurement Compliance or Enforcement Measurement Benchmarks for the State in a given calendar quarter based upon a statistically valid equation calculated by BellSouth utilizing BellSouth generated data. The method of calculation is attached hereto as Exhibit D and incorporated herein by reference.

7.7 (ii) Version

- 4.5.2.1 Tier- 2 Enforcement Mechanisms apply, for an aggregate of all CLEC data generated by BellSouth, on a per transaction basis for each negative cell for a particular Enforcement Measurement Element.
- Fee Schedule for Total Quarterly Tier-2 Enforcement Mechanisms is show in Table-2 attached hereto as Exhibit E and incorporated herein by this reference.
- Tier-3 Enforcement Mechanisms will be triggered by BellSouth's failure to achieve Enforcement Measurement Compliance or Enforcement Measurement Benchmarks for a State in a given calendar quarter. The method of calculation for specified submeasures is identical to the method of calculation for Tier-2 Enforcement Mechanisms as described above. The specific submeasures which are the mechanism for triggering and removing a Tier-3 Enforcement Mechanisms are described in more detail in Exhibit D attached hereto and incorporated herein by this reference.

# 4.6 Payment of Tier-1 and Tier-2 Amounts

- 4.6.1 If BellSouth performance triggers an obligation to pay Tier-1 Enforcement Mechanisms to e.spire or an obligation to remit Tier-2 Enforcement Mechanisms to the Commission, BellSouth shall make payment in the required amount on or before the thirtieth (30<sup>th</sup>) day following the due date of the performance measurement report for the month in which the obligation arose.
- For each day after the due date that BellSouth fails to pay e.spire the required amount, BellSouth will pay interest to e.spire at the maximum rate permitted by state law.
- For each day after the due date that BellSouth fails to pay the Tier-2 Enforcement Mechanisms, BellSouth will pay the Commission an additional \$1,000 per day.
- If e.spire disputes the amount paid to e.spire for Tier-1 Enforcement Mechanisms, e.spire shall submit a written claim to BellSouth within sixty (60) days after the date of the performance measurement report for which the obligation arose. BellSouth shall investigate all claims and provide e.spire written findings within thirty (30) days after receipt of the claim. If BellSouth determines e.spire is owed additional amounts, BellSouth shall pay e.spire such additional amounts within thirty (30) days after its findings along with interest paid at the maximum rate permitted by law.
- 4.6.5 At the end of each calendar year, BellSouth will have its independent auditing and accounting firm certify that the results of all Tier-1 and Tier-

2 Enforcement Mechanisms were paid and accounted for in accordance with Generally Accepted Account Principles (GAAP).

## 4.7 <u>Limitations of Liability</u>

- 4.7.1 BellSouth will not be responsible for e.spire acts or omissions that cause performance measures to be missed or fail, including but not limited to accumulation and submission of orders at unreasonable quantities or times or failure to submit accurate orders or inquiries. BellSouth shall provide e.spire with reasonable notice of such acts or omissions and provide e.spire any such supporting documentation.
- 4.7.2 BellSouth shall not be obligated for Tier-1, Tier-2 or Tier 3 Enforcement Mechanisms for non-compliance with a performance measure if such non-compliance was the result of an act or omission by e.spire that is in bad faith.
- 4.7.3 BellSouth shall not be obligated to pay Tier-1 Enforcement Mechanisms or Tier-2 Enforcement Mechanism for non-compliance with a performance measurement if such non-compliance was the result of any of the following: a Force Majeure event as set forth in the General Terms and Conditions of this Agreement; an act or omission by e.spire that is contrary to any of its obligations under its Interconnection Agreement with BellSouth; an act or omission by e.spire that is contrary to any of its obligations under the Act, Commission rule, or state law; an act or omission associated with third-party systems or equipment; or any occurrence that results from an incident reasonably related to the Y2K problem.
- 4.7.4 It is not the intent of the Parties that BellSouth be liable for both Tier-2 Enforcement Mechanisms and any other assessments or sanctions imposed by the Commission. e.spire will not oppose any effort by BellSouth to set off Tier-2 Enforcement Mechanisms from any additional assessment imposed by the Commission.
- 4.7.5 Payment of any Tier-1 or Tier-2 Enforcement Mechanisms shall not be considered as an admission against interest or an admission of liability or culpability in any legal, regulatory or other proceeding relating to BellSouth's performance. The payment of any Tier-1 Enforcement Mechanisms to e.spire shall release BellSouth for any liability associated with or related to the service performance measurement for the month for which the Enforcement Mechanisms was paid to e.spire.
- 4.7.6 e.spire acknowledges and argues that the Enforcement Mechanisms contained in this attachment have been provided by BellSouth on a completely voluntary basis in order to maintain compliance between

BellSouth and e.spire. Therefore, e.spire may not use the existence of this section or any payments of any Tier-1 or Tier-2 Enforcement Mechanisms under this section as evidence that BellSouth has not complied with or has violated any state or federal law or regulation.

# 4.8 <u>Enforcement Mechanism Caps</u>

BellSouth's liability for the payment of Tier-1 and Tier-2 Enforcement Mechanisms shall be collectively capped at \$625M per year for the entire BellSouth region as set forth below.

AL - \$54M	MS - \$44M
FL - \$122M	NC - \$77M
GA - \$131M	SC - \$47M
KY - \$34M	TN - \$57M
LA - \$59M	
Region	nal Total - \$625M

If BellSouth's liability for the payment of Tier-1 and Tier-2 Enforcement Mechanisms exceed the caps referenced in this attachment, e.spire may commence a proceeding with the Commission to demonstrate why BellSouth should pay any amount in excess of the cap. e.spire shall have the burden of proof to demonstrate why, under the circumstances, BellSouth should have additional liability.

# 4.9 <u>Dispute Resolution</u>

4.9.1 Notwithstanding any other provision of this Agreement, any dispute regarding BellSouth's performance or obligations pursuant to this Attachment shall be resolved by the Commission.

# EXHIBIT A

### **ORDERING**

Report/Measurement:		
O-7. Speed of Answer in Ordering Center		
Definition:		
Measures the average time a customer is in queue.		
Exclusions:		
None		
Business Rules:	1 for Possle Consumer 2 for Resale Multiline, and 3 for	
Business Rules:  The clock starts when the appropriate option is selected (i.e. 1 for Resale Consumer, 2 for Resale Multiline, and 3 for UNE-LNP, etc.) and the call enters the queue for that particular group in the LCSC. The clock stops when a BST service representative in the LCSC answers the call. The speed of answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC call into the BellSouth automatic call distributor (ACD) until the a service representative in BSTs Local Carrier Service Center (LCSC) answers the CLEC call.		
Colculation:		
(Total time in seconds to reach the LCSC) / (Total N	Number of Calls) in the Reporting Period.	
Report Structure:		
CLEC Aggregate     BST Aggregate (Combination of Residence Service Center and Business Service Center data under development)		
Level of Disaggregation:		
CLEC Aggregate     RST Aggregate (Combination of Residence Service Center and Business Service Center data under development)		
Data Retained Relating to CLEC Experience:	Data Retained Relating to BS1 Performance:	
Mechanized tracking through LCSC     Automatic Call Distributor	Mechanized tracking through BST Retail center support systems	
Retail Analog/Benchmark:		
For CLEC. Speed of Answer in Ordering Center (LCSC) is comparable to Speed of Answer in BST Business Offices.		
See Appendix D		

Revision Date: 02/16/00 (lg)

### ORDERING - (LNP)

### Report/Measurement:

### LNP-8. Percent Rejected Service Requests

#### Definition:

Percent Rejected Service Request is the percent of total Local Service Requests (LSRs) which are rejected due to error or omission. An LSR is considered valid when it is electronically submitted by the CLEC and passes LNP Gateway edit checks to insure the data received is correctly formatted and complete, i.e., fatal rejects are excluded.

#### **Exclusions:**

- Service Requests canceled by the CLEC
- Fatal Rejects
- Order Activities of BST or the CLEC associated with internal or administrative use of local services (Record Orders, Test Orders, etc.) where identifiable.

### **Business Rules:**

An LSR is considered "rejected" when it is submitted electronically but does not pass edit checks in the ordering systems (EDI, TAG, LNP Gateway, LAUTO) and is returned to the CLEC without manual intervention.

Fully Mechanized: There are two types of "Rejects" in the Fully Mechanized category:

- A Fatal Reject occurs when a CLEC attempts to electronically submit an LSR (via EDI or TAG) but required fields are not populated correctly and the request is returned to the CLEC. Fatal rejects are reported in a separate column, and for informational purposes ONLY. They are not considered in the calculation of the percent of total LSRs rejected or the total number of rejected LSRs.
- An Auto Clarification is a valid LSR which is electronically submitted (via EDI or TAG), but is rejected from LAUTO because it does not pass further edit checks for order accuracy. Auto Clarifications are returned without manual intervention.

Partially Mechanized: A valid LSR which is electronically submitted (via EDI or TAG), but cannot be processed electronically due to a CLEC error and "falls out" for manual handling. It is then put into "clarification", and sent back to the CLEC.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized rejects.

### Calculation

### Percent Rejected Service Requests:

[(Number of Service Requests Rejected in the Reporting Period) / (Number of Service Requests Received in the Reporting Period)] x 100

### Report Structure:

- Fully Mechanized, Partially Mechanized, Total Mechanized
- CLEC Specific
- CLEC Aggregate

### Level of Disaggregation:

- Product Reporting Levels
  - > LNP
  - UNE Loop with LNP
- Geographic Scope
  - > .State. Region

### Retail Analog/Benchmark:

See Appendix D

Revision Date: 02/16/00 (lg)

### ORDERING - (LNP)

### Report/Measurement:

# LNP-9. Reject Interval Distribution & Average Reject Interval

#### Definition:

Reject Interval is the average reject time from receipt of an LSR to the distribution of a Reject. An LSR is considered valid when it is electronically submitted by the CLEC and passes LNP Gateway edit checks to insure the data received is correctly formatted and complete, i.e., fatal rejects are excluded.

### **Exclusions:**

- Service Requests canceled by CLEC
- Fatal Rejects
- Order Activities of BST or the CLEC associated with internal or administrative use of local services (Record Orders, Test Orders, etc.) where identifiable.

### **Business Rules:**

The Reject interval is determined for each rejected LSR processed during the reporting period. The Reject interval is the elapsed time from when BST receives LSR until that LSR is rejected back to the CLEC. Elapsed time for each LSR is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of rejected LSRs to produce the reject interval distribution.

An LSR is considered "rejected" when it is submitted electronically but does not pass edit checks in the ordering systems (EDI, TAG, LNP Gateway, LAUTO) and is returned to the CLEC without manual intervention.

Fully Mechanized: There are two types of "Rejects" in the Fully Mechanized category:

- A Fatal Reject occurs when a CLEC attempts to electronically submit an LSR but required fields are not populated correctly and the request is returned to the CLEC.
  - Fatal rejects are reported in a separate column, and for informational purposes ONLY. They are not considered in the calculation of the percent of total LSRs rejected or the number of rejected LSRs.
- An Auto Clarification is a valid LSR which is electronically submitted (via EDI or TAG), but rejected from LAUTO because it does not pass further edit checks for order accuracy. Auto Clarifications are returned without manual intervention.

Partially Mechanized: A valid LSR which is electronically submitted (via EDI or TAG), but cannot be processed electronically due to a CLEC error and "falls out" for manual handling. It is then put into "clarification", and sent back to the CLEC.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized rejects.

### Calculation:

### Average Reject Interval:

 $\Sigma$ [ (Date & Time of Service Request Rejection) - (Date & Time of Service Request Receipt)] / (Total Number of Service Requests Rejected in Reporting Period)

### Reject Interval Distribution:

[2] (Service Requests Rejected in "X" minutes/hours) / (Total Number of Service Requests Rejected in Reporting Period)] X 100

### Report Structure:

- Fully Mechanized, Partially Mechanized, Total Mechanized
- CLEC Specific
- CLEC Aggregate

# ORDERING - (LNP) - Reject Interval Distribution & Average Reject Interval - Continued)

### Level of Disaggregation:

• Reported in intervals = 0 - 4 minutes, 4 - 8 minutes, 8 - 12 minutes, 12 - 60 minutes, 0 - 1 hours, 1 - 8 hours, 8 - 24 hours, >24 hours

٠.,

- Product Reporting Levels
  - ➤ LNP
  - UNE Loop with LNP
- Geographic Scope
  - > .State, Region
- Average Interval in Days

### Retail Analog/Benchmark:

See Appendix D

Revision Date: 02/16/00 (lg)

### ORDERING - (LNP)

### Report/Measurement:

# LNP-10. Firm Order Confirmation Timeliness Interval Distribution & Firm Order Confirmation Average Interval

#### Definition:

Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of a valid LSR to distribution of a firm order confirmation.

### Exclusions:

- Rejected LSRs (Clarifications or Fatal Rejects)
- Order Activities of BST or the CLEC associated with internal or administrative use of local services (Record Orders, Test Orders, etc.) where identifiable.

### **Business Rules:**

The Firm Order Confirmation interval is determined for each FOC'd LSR processed during the reporting period. The Firm Order Confirmation interval is the elapsed time from when BST receives an LSR until that LSR is confirmed back to the CLEC. Elapsed time for each LSR is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed to produce the Firm Order Confirmation timeliness interval distribution.

- Mechanized The elapsed time from receipt of a valid LSR until the LSR is processed and appropriate service orders are generated in SOCS without manual intervention.
- Partially Mechanized The elapsed time from receipt of an electronically submitted LSR which falls out for manual handling by the LCSC personnel until appropriate service orders are issued by a BST service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS).
- Total Mechanized Combination of Fully Mechanized and Partially Mechanized FOCs.

### Calculation:

### Average FOC Interval:

Σ [ (Date & Time of Firm Order Confirmation) - (Date & Time of Service Request Receipt)] / (Total number of Service Requests Confirmed in the Reporting Period)

### **FOC Interval Distribution:**

 $\Sigma$ [ (Service Requests Confirmed in "X" minutes/hours in the Reporting Period) / (Total Service Requests Confirmed in the Reporting Period)] X 100

### Report Structure:

- Fully Mechanized, Partially Mechanized, Total Mechanized
- CLEC Specific
- CLEC Aggregate

### Level of Disaggregation:

- Reported in intervals = 0 15 minutes. 15 30 minutes. 30 45 minutes. 45 60 minutes. 90 120 minutes. 120 -240 minutes, 4 - 8 hours, 8 - 12 hours, 12 - 16 hours, 16 - 20 hours, 20 - 24 hours, 24 - 48 hours, >48 hours
- Product Reporting Levels
  - ➤ LNP
  - UNE Loop with LNP
- Geographic Scope
  - State, Region

### Retail Analog/Benchmark:

See Appendix D

Revision Date: 02/16/00 (lg)

### **Provisioning Disaggregation**

### **Product Reporting Levels**

- Resale and Retail
  - ➤ Pots Residence
  - ➤ Pots Business
  - > Design
  - > PBX (Louisiana SQM)
  - > CENTREX (Louisiana SQM)
  - > ISDN (Louisiana SQM) (NOTE: ISDN included in POTS for Georgia Only)
  - ➤ ESSX (Louisiana SQM)
- Unbundled Network Elements
  - > UNE Design
  - > UNE Non Design
  - > UNE 2 Wire Loop (Louisiana SQM)
  - ➤ UNE Loop Other (Louisiana SQM)
  - Unbundled Ports (Louisiana SQM)
- Trunks
  - Local Interconnection Trunks
- Geographic Scope
  - > State, Region and further geographic disaggregation as required by State Commission Order (e.g. Metropolitan Service Area - MSA)

The following measure is the exception for all states:

Coordinated Customer Conversion

Which is disaggregated as follows:

UNE LOOPS with INP UNE LOOPS without INP

#### Report/Measurement:

# P-1. Mean Held Order Interval & Distribution Intervals

When delays occur in completing CLEC orders, the average period that CLEC orders are held for BST reasons, pending a delayed completion, should be no worse for the CLEC when compared to BST delayed orders.

#### **Exclusions:**

Order Activities of BST associated with internal or administrative use of local services.

#### **Business Rules:**

Mean Held Order Interval: This metric is computed at the close of each report period. The held order interval is established by first identifying all orders, at the close of the reporting interval, that both have not been reported as completed in SOCS and have passed the currently committed due date for the order. For each such order, the number of calendar days between the committed due date and the close of the reporting period is established and represents the held order interval for that particular order. The held order interval is accumulated by the standard groupings, unless otherwise noted, and the reason for the order being held. The total number of days accumulated in a category is then divided by the number of held orders within the same category to produce the mean held order interval. The interval is by calendar days with no exclusions for Holidays or Sundays.

CLEC Specific reporting is by type of held order (facilities, equipment, other), total number of orders held, and the total and average days.

Held Order Distribution Interval: This measure provides data to report total days held and identifies these in categories of >15 days and > 90 days. (orders counted in >90 days are also included in >15 days).

### Calculation:

### Mean Held Order Interval:

 $\Sigma$ (Reporting Period Close Date – Committed Order Due Date) / (Number of Orders Pending and Past The Committed Due Date) for all orders pending and past the committed due date.

### Held Order Distribution Interval:

(# of Orders Held for ≥90 days) / (Total # of Orders Pending But Not Completed) X 100 (# of Orders Held for ≥15 days) / (Total # of Orders Pending But Not Completed) X 100

### Report Structure:

- CLEC Specific
- CLEC Aggregate
- BST Aggregate

### Level of Disaggregation:

Circuit breakout < 10, > = 10

# PROVISIONING - Mean Held Order Interval & Distribution Intervals - Continued)

	Date Detained Polating to RST Experience
<ul> <li>Report Month</li> <li>CLEC Order Number and PON (PON)</li> <li>Order Submission Date (TICKET_ID)</li> <li>Committed Due Date (DD)</li> <li>Service Type(CLASS_SVC_DESC)</li> <li>Hold Reason</li> <li>Total line/circuit count</li> <li>Geographic Scope</li> </ul>	Data Retained Relating to BST Experience  Report Month BST Order Number Order Submission Date Committed Due Date Service Type Hold Reason Total line/circuit count Geographic Scope
NOTE: Code in parentheses is the corresponding header found in the raw data file.	
Retail Analog/Benchmark:	
CLEC Residence Resale / BST Residence Retail CLEC Business Resale / BST Business Retail CLEC Non-UNE Design / BST Design	
Interconnection Trunks-CLEC / Interconnection Trun	rks –R21

Revision Date: 02/24/00 (taf)

UNEs-(See Appendix D)

Report/Measurement:

Definition:	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
When BST can determine in advance that a committed due date is in jeopardy, it will provide advance notice to the CLEC.			
Exclusions:			
Orders held for CLEC end user reasons			
<ul> <li>Orders submitted to BST through non-mechanic</li> </ul>	zed methods		
Business Rules:	The state of the s		
When BST can determine in advance that a commi	tted due date is in jeopardy it will provide advance notice to the CLEC.		
The number of committed orders in a report period	is the number of orders that have a due date in the reporting period.		
Calculation:			
Average Jeopardy Interval = $\Sigma$ [ (Date and Time	e of Scheduled Due Date on Service Order) - (Date and Time of		
Jeopardy Notice)]/[Number of Orders Notified of	leopardy Notice)]/[Number of Orders Notified of Jeopardy in Reporting Period).		
Percent of Orders Given Jeopardy Notice = $\Sigma$ [	(Number of Orders Given Jeopardy Notices in Reporting Period) /		
(Number of Orders Confirmed (due) in Reporting Period)			
Report Structure:			
CLEC Specific			
CLEC Aggregate	CLEC Aggregate		
BST Aggregate			
Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience		
Report Month	Report Month		
CLEC Order Number and PON	BST Order Number		
<ul> <li>Date and Time Jeopardy Notice sent</li> </ul>	Date and Time Jeopardy Notice sent		
Committed Due Date	Committed Due Date		
Service Type	Service type		
<b>NOTE:</b> Code in parentheses is the corresponding			
header found in the raw data file.			
Retail Analog/Benchmark:			
95% > = 24  hours	Pavision Date: 01/05/00 (taf)		

P-2. Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices

Revision Date: 01/05/00 (taf)

### Report/Measurement:

### P-3. Percent Missed Installation Appointments

### Definition:

"Percent missed installation appointments" monitors the reliability of BST commitments with respect to committed due dates to assure that CLECs can reliably quote expected due dates to their retail customer as compared to BST.

#### **Exclusions:**

- Canceled Service Orders
- Order Activities of BST or the CLEC associated with internal or administrative use of local services (Record Orders, Test Orders, etc.)
- Disconnect (D) & From (F) orders
- End User Misses on Interconnection Trunks

### **Business Rules:**

Percent Missed Installation Appointments is the percentage of total orders processed for which BST is unable to complete the service orders on the confirmed due dates. Missed Appointments caused by end-user reasons will be included and reported separately. A business day is any time period within the same date frame, which means there cannot be a cutoff time for commitments as certain types of orders are requested to be worked after standard business hours. Also, during Daylight Savings Time, field technicians are scheduled until 9PM in some areas and the customer is offered a greater range of intervals from which to select.

### Calculation:

Percent Missed Installation Appointments =  $\Sigma$  (Number of Orders Not Complete by Committed Due Date in Reporting Period) / (Number of Orders Confirmed in Reporting Period) X 100

### Report Structure:

- CLEC Specific
- CLEC Aggregate
- BST Aggregate

Report explanation: The difference between End User MA and Total MA is the result of BST caused misses. Here, Total MA is the total % of orders missed either by BST or CLEC end user. The End User MA represents the percentage of orders missed by the CLEC or their end user.

### Level of Disaggregation:

- Reported in categories of <10 lines/circuits; > = 10 lines/circuits

Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
Report Month	Report Month
CLEC Order Number and PON (PON)	BST Order Number
Committed Due Date (DD)	Committed Due Date (DD)
Completion Date (CMPLTN DD)	Completion Date (CMPLTN DD)
Status Type	Status Type
Status Notice Date	Status Notice Date
Standard Order Activity	Standard Order Activity
Geographic Scope	Geographic Scope
- Geographic Scope	3332.25.25
NOTE: Code in parentheses is the corresponding	,
header found in the raw data file.	

### Retail Analog/Benchmark:

CLEC Residence Resale / BST Residence Retail

CLEC Business Resale / BST Business Retail

CLEC Non-UNE Design / BST Design

Interconnection Trunks-CLEC / Interconnection Trunks -BST

UNEs-(See Appendix D)

#### Report/Measurement:

# P-4. Average Completion Interval (OCI) & Order Completion Interval Distribution

### Definition:

The "average completion interval" measure monitors the interval of time it takes BST to provide service for the CLEC or its' own customers. The "Order Completion Interval Distribution" provides the percentage of orders completed within certain time periods.

### **Exclusions:**

- Canceled Service Orders
- Order Activities of BST or the CLEC associated with internal or administrative use of local services (Record Orders, Test Orders, etc.)
- D (Disconnect) and F (From) orders. (From is disconnect side of a move order when the customer moves to a new
- "L" Appointment coded orders (where the customer has requested a later than offered interval)

### **Business Rules:**

The actual completion interval is determined for each order processed during the reporting period. The completion interval is the elapsed time from when BST issues a FOC or SOCS date time stamp receipt of an order from the CLEC to BST's actual order completion date. The clock starts when a valid order number is assigned by SOCS and stops when the technician or system completes the order in SOCS. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed.

The interval breakout for UNE and Design is: 0-5 = 0-4.99, 5-10 = 5-9.99, 10-15 = 10-14.99, 15-20 = 15-19.99 20-25 = 10-14.99, 10-15 =20-24.99, 25-30 = 25-29.99, >=30 = 30 and greater.

### Calculation:

### Average Completion Interval:

Σ [ (Completion Date & Time) - (Order Issue Date & Time) ] / Σ (Count of Orders Completed in Reporting period)

### Order Completion Interval Distribution:

Σ (Service Orders Completed in "X" days) / (Total Service Orders Completed in Reporting Period) X 100

### Report Structure:

- CLEC Specific
- CLEC Aggregate
- BST Aggregate

### Level of Disaggregation:

- ISDN Orders included in Non Design GA Only
- Dispatch/No Dispatch categories applicable to all levels except trunks.
- Residence & Business reported in day intervals = 0.1,2,3,4, 5, 5+
- UNE and Design reported in day intervals = 0-5, 5-10, 10-15, 15-20, 20-25, 25-30, >=30
- All Levels are reported <10 line/circuits; >=10 line/circuits

# PROVISIONING (Average Completion Interval (OCI) & Order Completion Interval Distribution - Continued)

D. D. L. and Deleting to CLEC Experience	Data Retained Relating to BST Experience
• Report Month • CLEC Company Name • Order Number (PON) • Submission Date & Time (TICKET_ID) • Completion Date (CMPLTN_DT) • Service Type (CLASS_SVC_DESC) • Geographic Scope	<ul> <li>Report Month</li> <li>BST Order Number</li> <li>Order Submission Date &amp; Time</li> <li>Order Completion Date &amp; Time</li> <li>Service Type</li> <li>Geographic Scope</li> </ul>
NOTE: Code in parentheses is the corresponding	
header found in the raw data file.	
Retail Analog/Benchmark	
CLEC Residence Resale / BST Residence Retail	. •
CLEC Business Resale / BST Business Retail	. •
CLEC Non-UNE Design / BST Design	
Interconnection Trunks-CLEC / Interconnection T	runks-BST
UNEs-(See Appendix D)	

### Report/Measurement:

### P-5. Average Completion Notice Interval

#### Definition:

The Completion Notice Interval is the elapsed time between the BST reported completion of work and the issuance of a valid completion notice to the CLEC.

#### **Exclusions:**

- Non-mechanized Orders
- Cancelled Service Orders
- Order Activities of BST associated with internal or administrative use of local services
- D&F orders

### **Business Rules:**

Measurement of interval of completion date and time by a field technician on dispatched orders, and 5PM start time on the due date for non-dispatched orders; to the release of a notice to the CLEC/BST of the completion status. The field technician notifies the CLEC the work was complete and then he enters the completion time stamp information in his computer. This information switches through to the SOCS systems either completing the order or rejecting the order to the Work Management Center (WMC). If the completion is rejected, it is manually corrected and then completed by the WMC. The notice is returned on each individual order submitted and as the notice is sent electronically, it can only be switched to those orders that were submitted by the CLEC electronically. The start time is the completion stamp either by the field technician or the 5PM due date stamp; the end time is the time stamp the notice was submitted to the CLEC/BST

### Calculation:

 $\Sigma$  (Date and Time of Notice of Completion) – (Date and Time of Work Completion) / (Number of Orders Completed in Reporting Period)

### Report Structure:

- CLEC Specific
- CLEC Aggregate
- BST Aggregate

#### Level of Disaggregation:

- Reporting intervals in Hours: 0-1, 1-2, 2-4, 4-8, 8-12, 12-24, > 24, plus Overall Average Hour Interval
- Reported in categories of <10 line/circuits; >= 10 line/circuits

### Data Retained Relating to CLEC Experience

- Report Month
- CLEC Order Number
- Work Completion Date
- Work Completion Time
- Completion Notice Availability Date
- Completion Notice Availability Time
- Service Type
- Activity Type
- Geographic Scope

### Data Retained Relating to BST Experience

- Report Month
- BST Order Number
- Work Completion Date
- Work Completion Time
- Completion Notice Availability Date
- Completion Notice Availability Time
- Service Type
- Activity Type
- Geographic Scope

NOTE: Code in parentheses is the corresponding header found in the raw data file.

NOTE: Code in parentheses is the corresponding header found in the raw data file.

### Retail Analog/Benchmark:

- CLEC Residence Resale / BST Residence Retail
- CLEC Business Resale / BST Business Retail
- CLEC Non-UNE Design / BST Design

Interconnection Trunks-CLEC / Interconnection Trunks-BST

UNEs – (See Appendix D)

Revision Date 02/24/00 (taf)

### Report/Measurement:

### P-6. Coordinated Customer Conversions

#### Definition:

This category measures the average time it takes BST to disconnect an unbundled loop from the BST switch and cross connect it to a CLEC's equipment. This measurement applies to service orders with and without INP, and where the CLEC has requested BST to provide a coordinated cutover.

#### **Exclusions:**

- Any order canceled by the CLEC will be excluded from this measurement.
- Delays due to CLEC following disconnection of the unbundled loop
- Unbundled Loops where there is no existing subscriber loop and loops where coordination in not requested.

#### **Business Rules:**

Where the service order includes INP, the interval includes the total time for the cutover including the translation time to place the line back in service on the ported line. The interval is calculated for the entire cutover time for the service order and then divided by items worked in that time to give the average per item interval for each service order.

### Calculation:

Σ [(Completion Date and Time for Cross Connection of an Coordinated Unbundled Loop)- (Disconnection Date and Time of an Coordinated Unbundled Loop)] / Total Number of Unbundled Loop with Coordinated Conversions (items) for the reporting period.

### Report Structure:

- CLEC Specific
- CLEC Aggregate

Level of Disaggregation:

Reported in intervals <=5 minutes; >5,<=15 minutes; >15 minutes, plus Overall Average interval

### Data Retained Relating to BST Experience Data Retained Relating to CLEC Experience No BST Analog Exists • Report Month • CLEC Order Number • Committed Due Date (DD) • Service Type (CLASS\_SVC\_DESC) • Cutover Start Time • Cutover Completion time • Portability start and completion times (INP orders) • Total Conversions (Items) NOTE: Code in parentheses is the corresponding header found in the raw data file.

### Retail Analog/Benchmark:

There is no retail analog for this measurement because it measures cutting loops to the CLEC.

Benchmark - See Appendix D

### Report/Measurement:

# P-7. % Provisioning Troubles within 30 days of Service Order Activity

### Definition:

Percent Provisioning Troubles within 30 days of Installation measures the quality and accuracy of installation activities.

### **Exclusions:**

- Canceled Service Orders
- Order Activities of BST or the CLEC associated with internal or administrative use of local services (R Orders, Test Orders, etc.)
- D & F orders

### **Business Rules:**

Measures the quality and accuracy of completed orders. The first trouble report from a service order after completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed service orders and following 30 days after completion for a trouble report.

D & F orders are excluded as there is no subsequent activity following a disconnect.

#### Calculation:

% Provisioning Troubles within 30 days of Service Order Activity =  $\Sigma$  (Trouble reports on all completed orders  $\leq$  30 days following service order(s) completion) / (All Service Orders completed in the report calendar month) X 100

### Report Structure:

- CLEC Specific
- CLEC Aggregate
- BST Aggregate

### Level of Disaggregation:

• Reported in categories of <10 line/circuits; > = 10 line/circuits

Dispatch / No Dispatch

Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience	
<ul> <li>Report Month</li> <li>CLEC Order Number and PON</li> <li>Order Submission Date(TICKET_ID)</li> <li>Order Submission Time (TICKET_ID)</li> <li>Status Type</li> <li>Status Notice Date</li> <li>Standard Order Activity</li> <li>Geographic Scope</li> <li>NOTE: Code in parentheses is the corresponding header found in the raw data file.</li> </ul>	<ul> <li>Report Month</li> <li>BST Order Number</li> <li>Order Submission Date</li> <li>Order Submission Time</li> <li>Status Type</li> <li>Status Notice Date</li> <li>Standard Order Activity</li> <li>Geographic Scope</li> </ul>	

### Retail Analog/Benchmark:

CLEC Residence Resale / BST Residence Retail

CLEC Business Resale / BST Business Retail

CLEC Non-UNE Design / BST Design

Interconnection Trunks-CLEC / Interconnection Trunks -BST

UNEs-(See Appendix D)

### Report/Measurement:

### P-8. Total Service Order Cycle Time (TSOCT)

#### Definition:

This report measures the total service order cycle time from receipt of a valid service order request to the completion of the service order.

### **Exclusions:**

- Canceled Service Orders
- Order Activities of BST or the CLEC associated with internal or administrative use of local services (Record Orders, Test Orders, etc.)
- D (Disconnect) and F (From) orders. (From is disconnect side of a move order when the customer moves to a new address).
- "L" Appointment coded orders (where the customer has requested a later than offered interval)
- Orders with CLEC/Subscriber caused delays or CLEC/Subscriber requested due date changes.

### **Business Rules:**

The interval is determined for each order processed during the reporting period. This measurement combines two reports: FOC (Firm Order Confirmation) with Average Order Completion Interval.

This interval starts with the receipt of a valid service order request and stops when the technician or system completes the order in SOCS. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed.

### Calculation:

### Total Service Order Cycle Time

Σ(Date and Time of Service Request Receipt) – (Completion Date and Time of Service Order) (SOCS HIST-CD DATE) / (Count of Orders Completed in Reporting Period)

### Report Structure:

- CLEC Specific
- CLEC Aggregate
- BST Aggregate

### Level of Disaggregation:

- Reported in categories of < 10 line/circuits; > = 10 line/circuits
- Dispatch/No Dispatch categories applicable to all levels except trunks.
- Intervals 0-5, 5-10, 10-15, 15-20, 20-25, 25-30, > = 30 Days

Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
<ul> <li>Report Month</li> <li>Interval for FOC</li> <li>CLEC Company Name</li> <li>Order Number (PON)</li> <li>Submission Date &amp; Time (TICKET_ID)</li> <li>Completion Date (CMPLTN_DT)</li> <li>Service Type (CLASS_SVC_DESC)</li> <li>Geographic Scope</li> </ul>	<ul> <li>Report Month</li> <li>BST Order Number</li> <li>Order Submission Date &amp; Time</li> <li>Order Completion Date &amp; Time</li> <li>Service Type</li> <li>Geographic Scope</li> </ul>
NOTE: Code in parentheses is the corresponding header found in the raw data file.  Retail Analog/Benchmark	

Revision Date: 02/28/00 (taf)

See Appendix D

Report/Measurement:	
P-9. Service Order Accuracy GEORGIA ONLY	
1-9. Betwee Grade 12-1	
<b>Definition:</b> The "service order accuracy" measurement measures the accuracy	racy and completeness of BST service orders by comparing
what was ordered and what was completed.	
Exclusions:	
Cancelled Service Orders	,
Order Activities of BST associated with internal or admin	istrative use of local services
& F orders	
A manual sampling of service orders, completed during a mo- profile and the order that the CLEC sent to BST. An order is account detail changes (as determined by comparing the original specified on the original order and any supplemental CLEC of	nal order) completely and accurately reflect the activity
G. L. Ardinan	
Percent Service Order Accuracy = $\Sigma$ (Orders Completed with	out Error) / Σ (Orders Completed in Reporting Period) x 100
Report Structure:	
CLEC Aggregate	
Level of Disaggregation:	
• Reported in categories of <10 line/circuits; > = 10 line/c	ircuits
Dispatch / No Dispatch	
Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
Report Month	Being investigated at this time
<ul> <li>CLEC Order Number and PON</li> </ul>	
<ul> <li>Local Service Request (LSR)</li> </ul>	
Order Submission Date	
Committed Due Date	
Service Type	
Standard Order Activity	
NOTE: Code in parentheses is the corresponding header found in the raw data file.  Retail Analog/Benchmark:	
(Under Investigation)	

Revision Date: 01/05/00 (taf)

### Report/Measurement:

### LNP - 10. Percent Missed Installation Appointments

Percent Missed Installation Appointments monitors the reliability of BST commitments with respect to committed due dates to assure that CLECs can reliably quote expected due dates to their retail customer as compared to BST.

#### **Exclusions:**

- Canceled Service Orders
- Order Activities of BST or the CLEC associated with internal or administrative use of local services (Record Orders, Test Orders, etc.) where identifiable.

### **Business Rules:**

Percent Missed Installation Appointments (PMI) is the percentage of total orders processed for which BST is unable to complete the service orders on the committed due dates. Missed Appointments caused by end-user reasons will be included and reported in a separate category. A business day is any time period within the same date frame, which means there cannot be a cutoff time for commitments as certain types of orders are requested to be worked after standard business hours. Also, during Daylight Savings Time, field technicians are scheduled until 9PM in some areas and the customer is offered a greater range of intervals from which to select.

### Calculation:

### Percent Missed Installation Appointments:

[ (Number of Orders Not Completed by Committed Due Date in Reporting Period) / (Number of Orders Completed in Reporting Period)] X 100

### Report Structure:

- Mechanized (service orders generated by LSRs submitted via EDI or TAG)
- CLEC Specific
- CLEC Aggregate

Report explanation: Total Missed Appointments is the total % of orders missed either by BST or the CLEC end user. End User MA represents the percentage of orders missed by the CLEC end user. The difference between End User Missed Appointments and Total Missed Appointments is the result of BST caused misses.

### Level of Disaggregation:

- Product Reporting Levels
  - > LNP
  - UNE Loop Associated w/LNP
  - Geographic Scope
    - > State, Region

### Retail Analog/Benchmark:

See Appendix D

Revision Date: 02/16/00 (taf)

### PROVISIONING - (LNP)

#### Report/Measurement:

# LNP-11. Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distribution

#### **Definition:**

Disconnect Timeliness is defined as the interval between the time the LNP Gateway receives the 'Number Ported' message from NPAC (signifying the CLEC 'Activate') until the time that the Disconnect service order for an LSR is completed in SOCS. This interval effectively measures BST responsiveness by isolating it from impacts that are caused by CLEC related activities.

#### Exclusions:

- •. Canceled Service Orders
- •. Order Activities of BST or the CLEC associated with internal or administrative use of local services (Record Orders, Test Orders, etc.) where identifiable.

### **Business Rules:**

The Disconnect Timeliness interval is determined for the last Disconnect service order processed on an LSR during the reporting period. The Disconnect Timeliness interval is the elapsed time from when BST receives the last 'Number Ported' message for an LSR from NPAC (signifying the CLEC 'Activate') until the last Disconnect service order is completed in SOCS. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the total number of selected disconnect orders which have been completed.

### Calculation:

### Average Disconnect Timeliness Interval:

 $\Sigma$ [ (Disconnect Service Order Completion Date & Time) - ('Number Ported' Message Received Date & Time) ] /  $\Sigma$ (Total Number of Disconnect Service Orders Completed in Reporting Period)

### Disconnect Timeliness Interval Distribution:

[2 (Disconnect Service Orders Completed in "X" days) / (Total Disconnect Service Orders Completed in Reporting Period)] X 100

### Report Structure:

- Mechanized (service orders generated by LSRs submitted via EDI or TAG)
- **CLEC Specific**
- **CLEC** Aggregate

### Level of Disaggregation:

- Reported in day intervals = 0,1,2,3,4,5,>5 days
- Product Reporting Levels "
  - >LNP
- Geographic Scope
  - >State, Region

### Retail Analog/Benchmark:

See Appendix D

Revision Date: 02/16/00 (taf)

### Report/Measurement:

### LNP-12. Total Service Order Cycle Time

#### Definition:

Total Service Order Cycle Time measures the interval from receipt of a valid service order request to the completion of the final service order associated with that service request.

#### **Exclusions:**

- Canceled Service Orders
- Order Activities of BST or the CLEC associated with internal or administrative use of local services (Record Orders, Test Orders, etc.) where identifiable
- "L" appointment coded orders (indicating the customer has requested a later than offered interval)
- "S" missed appointment coded orders (indicating subscriber missed reasons), except for "SP" codes (indicating subscriber prior due date requested).

#### **Business Rules:**

The interval is determined for each service request processed during the reporting period. This measurement combines two reports: FOC (Firm Order Confirmation) with Average Order Completion Interval.

This interval starts with the receipt of a valid service request and stops when the technician or system completes all the related service orders for the LSR in SOCS. Elapsed time for each service request is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of service requests completed to produce the total service order cycle time.

#### Calculation:

#### Average Total Service Order Cycle Time:

Σ[ (Service Order Completion Date & Time) - (Service Request Receipt Date & Time) ] / Σ (Total Number Service Requests Completed in Reporting Period)

### Total Service Order Cycle Time Interval Distribution:

[2 (Total Number of Service Requests Completed in "X" minutes/hours) / (Total Number of Service Requests Received in Reporting Period)] X 100

### Report Structure:

- Mechanized (service orders generated by LSRs submitted via EDI or TAG)
- **CLEC Specific**
- CLEC Aggregate
- "W" Appointment Code Only (Company Offered)

### Level of Disaggregation:

- Reported in day intervals 0 5, 5 10, 10 15, 15 20, 20 25, 25 30, >30 days
- Product Reporting Levels
  - > LNP
  - UNE Loop with LNP
- Geographic Scope
  - > State, Region

### Retail Analog/Benchmark:

See Appendix D

Revision Date: 02/16/00 (taf)

### Maintenance and Repair Level of Disaggregation

### **Product Reporting Levels**

- Resale / Retail
  - ➢ Pots − Residence
  - Pots Business
  - > PBX (Louisiana SQM)
  - > ESSX (Louisiana SQM)
  - CENTREX (Louisiana SQM)
  - > ISDN (Louisiana SQM) (NOTE: ISDN Troubles included in Non-Design Georgia Only)
  - Design
- Unbundled Network Elements
  - UNE Design
  - UNE Non Design
  - UNE 2 Wire Loop (Louisiana SQM)
  - UNE Loop Other (Louisiana SQM)
  - Unbundled Ports (Louisiana SQM)
  - UNE Other Non Design (Louisiana SQM)
- Trunks
  - Local Interconnection Trunks
- Dispatch/No Dispatch categories applicable to all product levels
- Geographic Scope

> State, Region and further geographic disaggregation as required by State Commission Order (e.g. Metropolitan Service Area – MSA)

### Report/Measurement:

### M&R-1. Missed Repair Appointments

#### Definition:

The percent of trouble reports not cleared by the committed date and time.

### **Exclusions:**

- Trouble tickets canceled at the CLEC request.
- BST trouble reports associated with internal or administrative service.
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble.

### **Business Rules:**

The negotiated commitment date and time is established when the repair report is received. The cleared time is the date and time that BST personnel clear the trouble and closes the trouble report in his Computer Access Terminal (CAT) or workstation. If this is after the Commitment time, the report is flagged as a "Missed Commitment" or a missed repair appointment. When the data for this measure is collected for BST and a CLEC, it can be used to compare the percentage of the time repair appointments are missed due to BST reasons. Note: Appointment intervals vary with force availability in the POTS environment. Specials and Trunk intervals are standard interval appointments of no greater than 24 hours.

### Calculation:

Percentage of Missed Repair Appointments =  $\Sigma$  (Count of Customer Troubles Not Cleared by the Quoted Commitment Date and Time) /  $\Sigma$  (Total Trouble reports closed in Reporting Period) X 100

#### Report Structure:

- •. CLEC Specific
- •. CLEC Aggregate
- BST Aggregate

Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
Report Month  CLEC Company Name  Submission Date & Time (TICKET_ID)  Completion Date (CMPLTN_DT)  Service Type (CLASS_SVC_DESC)  Disposition and Cause (CAUSE_CD & CAUSE_DESC)  Geographic Scope	<ul> <li>Report Month</li> <li>BST Company Code</li> <li>Submission Date &amp; Time</li> <li>Completion Date</li> <li>Service Type</li> <li>Disposition and Cause (Non-Design /Non-Special Only)</li> <li>Trouble Code (Design and Trunking Services)</li> <li>Geographic Scope</li> </ul>
NOTE: Code in parentheses is the corresponding header found in the raw data file.	

### Retail Analog/Benchmark

- CLEC Residence-Resale / BST Residence-Retail
- CLEC Business-Resale / BST Business-Retail
- CLEC Design-Resale / BST Design-Retail
- CLEC PBX. Centrex, and ISDN Resale/ BST PBX, Centrex, and ISDN Retail
- CLEC Trunking-Resale / BST Trunking-Retail
- UNEs (See Appendix D)

### Report/Measurement:

### M&R-2. Customer Trouble Report Rate

#### Definition:

Initial and repeated customer direct or referred troubles reported within a calendar month per 100 lines/ circuits in service.

### **Exclusions:**

- Trouble tickets canceled at the CLEC request.
- BST trouble reports associated with administrative service.
- Customer provided Equipment (CPE) troubles or CLEC equipment troubles.

### **Business Rules:**

Customer Trouble Report Rate is computed by accumulating the number of maintenance initial and repeated trouble reports during the reporting period. The resulting number of trouble reports are divided by the total "number of service" lines, ports or combination that exist for the CLEC's and BST respectively at the end of the report month.

#### Calculation:

Customer Trouble Report Rate = (Count of Initial and Repeated Trouble Reports in the Current Period) / (Number of Service Access Lines in service at End of the Report Period) X 100

### Report Structure:

- CLEC Specific
- CLEC Aggregate
- BST Aggregate

D31 Aggicgaic	DCT F
Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
<ul> <li>Report Month</li> <li>CLEC Company Name</li> <li>Ticket Submission Date &amp; Time (TICKET_ID)</li> <li>Ticket Completion Date (CMPLTN_DT)</li> <li>Service Type (CLASS_SVC_DESC)</li> <li>Disposition and Cause (CAUSE_CD &amp; CAUSE_DESC)</li> <li># Service Access Lines in Service at the end of period</li> <li>Geographic Scope</li> <li>NOTE: Code in parentheses is the corresponding header</li> </ul>	<ul> <li>Report Month</li> <li>BST Company Code</li> <li>Ticket Submission Date &amp; Time</li> <li>Ticket Completion Date</li> <li>Service Type</li> <li>Disposition and Cause (Non-Design / Non-Special Only)</li> <li>Trouble Code (Design and Trunking Services)</li> <li># Service Access Lines in Service at the end of period</li> <li>Geographic Scope</li> </ul>
found in the raw data file.	

### Retail Analog/Benchmark:

- CLEC Residence-Resale / BST Residence -Retail
- CLEC Business-Resale / BST Business-Retail
- CLEC Design-Resale / BST Design-Retail
- CLEC PBX, Centrex and ISDN Resale/ BST PBX, Centrex, and ISDN Retail
- CLEC Trunking-Resale / BST Trunking-Retail
- UNEs (See Appendix D)

### Report/Measurement:

M&R-3. Maintenance Average Duration

### Definition:

The Average duration of Customer Trouble Reports from the receipt of the Customer Trouble Report to the time the trouble report is cleared.

#### **Exclusions:**

- Trouble reports canceled at the CLEC request
- BST trouble reports associated with administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Troubles.
- Trouble reports greater than 10 days

### **Business Rules:**

For Average Duration the clock starts on the date and time of the receipt of a correct repair request. The clock stops on the date and time the service is restored and the customer notified (when the technician completes the trouble ticket on his/her CAT or work system).

NOTE: Customer can be BST or CLEC

### Calculation:

Maintenance Average Duration = Σ(Date and Time of Service Restoration) – (Date and Time Trouble Ticket was Opened) /  $\Sigma$ ( Total Closed Troubles in the reporting period)

### Report Structure:

- CLEC Specific
- BST Aggregate
- CLEC Aggregate

Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
<ul> <li>Report Month</li> <li>Total Tickets (LINE_NBR)</li> <li>CLEC Company Name</li> <li>Ticket Submission Date &amp; Time (TIME_ID)</li> <li>Ticket Completion Date (CMPLTN_DT</li> <li>Service Type (CLASS_SVC_DESC)</li> <li>Disposition and Cause (CAUSE_CD &amp; CAUSE_DESC)</li> <li>Geographic Scope</li> </ul>	<ul> <li>Report Month</li> <li>Total Tickets</li> <li>BST Company Code</li> <li>Ticket Submission Date</li> <li>Ticket submission Time</li> <li>Ticket completion Date</li> <li>Ticket Completion Time</li> <li>Total Duration Time</li> <li>Service Type</li> </ul>
NOTE: Code in parentheses is the corresponding header found in the raw data file.	<ul> <li>Disposition and Cause (Non – Design /Non-Special Only)</li> <li>Trouble Code (Design and Trunking Services)</li> <li>Geographic Scope</li> </ul>

### Retail Analog/Benchmark:

- CLEC Residence-Resale / BST Residence-Resale
- CLEC Business-Resale / BST Business-Retail
- CLEC Design-Resale / BST Design-Retail
- CLEC PBX, Centrex and ISDN Resale / BST PBX, Centrex and ISDN Retail
- CLEC Trunking-Resale /BST Trunking-Retail
- UNEs (See Appendix D)

### Report/Measurement:

# M&R-4. Percent Repeat Troubles within 30 Days

#### Definition:

Trouble reports on the same line/circuit as a previous trouble report received within 30 calendar days as a percent of total troubles reported.

### Exclusions:

- Trouble Reports canceled at the CLEC request
- BST Trouble Reports associated with administrative service
- Customer Provided Equipment (CPE) Troubles or CLEC Equipment Troubles.

#### **Business Rules:**

Includes Customer trouble reports received within 30 days of an original Customer trouble report.

### Calculation:

Percent Repeat Troubles within 30 Days = (Count of Customer Troubles where more than one trouble report was logged for the same service line within a continuous 30 days) / ( Total Trouble Reports Closed in Reporting Period) X 100

### Report Structure:

- **CLEC Specific**
- CLEC Aggregate
- BST Aggregate

### Retail Analog/Benchmark:

- CLEC Residence-Resale / BST Residence-Retail
- CLEC Business- Resale / BST Business-Retail
- CLEC Design-Resale / BST Design-Retail
- CLEC PBX, Centrex and ISDN Resale / BST PBX, Centrex and ISDN Retail
- CLEC Trunking-Resale / BST Trunking-Retail
- UNEs Retail Analog (See Appendix D)

### Report/Measurement:

### M&R-5. Out of Service (OOS) > 24 Hours

#### Definition:

For Out of Service Troubles (no dial tone, cannot be called or cannot call out) the percentage of troubles cleared in excess of 24 hours. (All design services are considered to be out of service).

### **Exclusions:**

- Trouble Reports canceled at the CLEC request
- BST Trouble Reports associated with administrative service
- Customer Provided Equipment (CPE) Troubles or CLEC Equipment Troubles.

#### **Business Rules:**

Customer Trouble reports that are out of service and cleared in excess of 24 hours. The clock begins when the trouble report is created in LMOS and the trouble is counted if the time exceeds 24 hours.

#### Calculation:

Out of Service (OOS) > 24 hours = ( Total Troubles OOS > 24 Hours) / Total OOS Troubles in Reporting Period) X 100

### Report Structure:

- CLEC Specific
- BST Aggregate
- CLEC Aggregate

Data Retained Relating to BST Experience
<ul> <li>Report Month</li> <li>Total Tickets</li> <li>BST Company Code</li> <li>Ticket Submission Date</li> <li>Ticket Submission time</li> <li>Ticket Completion Date</li> <li>Ticket Completion Time</li> <li>Percent of Customer Troubles out of Service &gt; 24 Hours</li> <li>Service type</li> <li>Disposition and Cause (Non – Design/Non-Special only)</li> <li>Trouble Code (Design and Trunking Services)</li> <li>Geographic Scope</li> </ul>

### Retail Analog/Benchmark:

- CLEC Residence-Resale / BST Residence- Retail
- CLEC Business-Resale / BST Business-Retail
- CLEC Design-Resale / BST Design-Retail
- CLEC PBX, Centrex and ISDN Resale / BST PBX, Centrex and ISDN Retail
- CLEC Trunking-Resale /BST Trunking- Retail
- UNEs Retail Analog (See Appendix D)

Report/Measurement:

M&R-6. Average Answer Time - Repair Centers

Definition:

This measures the average time a customers is in Que.

**Exclusions:** 

None

### **Business Rules:**

This measure is designed to measure the time required for CLEC & BST from the time of the ACD choice to the time of being answered. The clock starts when the CLEC Rep makes a choice to be put in queue for the next repair attendant and the clock stops when the repair attendant answers the call.

(NOTE: The Column is a combined BST Residence and Business number)

Level of Disaggregation:

Region. CLEC/BST Service Centers and BST Repair Centers are regional.

Calculation:

Average Answer Time for BST's Repair Centers = (Time BST Repair Attendant Answers Call) – (Time of entry into queue until ACD Selection) / (Total number of calls by reporting period)

### Report Structure:

- CLEC Aggregate
- BST Aggregate

Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
CLEC Average Answer Time	BST Average Answer Time

Retail Analog/Benchmark:

For CLEC. Average Answer Times in UNE Center and BRMC are comparable to the Average Answer Times in the BST Repair Centers.

See Appendix D

### Report/Measurement:

**B-1.** Invoice Accuracy

### Definition:

This measure provides the percentage of accuracy of the billing invoices rendered to CLECs during the current month.

Adjustments not related to billing errors (e.g., credits for service outage, special promotion credits, adjustments to satisfy the customer)

### **Business Rules:**

The accuracy of billing invoices delivered by BST to the CLEC must enable them to provide a degree of billing accuracy comparative to BST bills rendered to retail customers BST. CLECs request adjustments on bills determined to be incorrect. The BellSouth Billing verification process includes manually analyzing a sample of local bills from each bill period. The bill verification process draws from a mix of different customer billing options and types of service. An end-to-end auditing process is performed for new products and services. Internal measurements and controls are maintained on all billing processes.

### Calculation:

Invoice Accuracy = (Total Billed Revenues during current month) - (Billing Related Adjustments during current month) / Total Billed Revenues during current month X 100

### Report Structure:

- **CLEC Specific**
- CLEC Aggregate
- **BST** Aggregate

### Level of Disaggregation:

- Product / Invoice Type
  - > Resale
  - UNE
  - Interconnection
- Geographic Scope
  - > Region

Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
Report Month	Report Month
<ul> <li>Invoice Type</li> </ul>	Retail Type
<ul> <li>Total Billed Revenue</li> </ul>	> CRIS
Billing Related Adjustments	~ CABS
·	Total Billed Revenue
	Billing Related Adjustments
Retail Analog/Benchmark	

CLEC Invoice Accuracy is comparable to BST Invoice Accuracy

See Appendix D

Report/Measurement:

B-2. Mean Time to Deliver Invoices

Definition:

This measure provides the mean interval for billing invoices

**Exclusions:** 

Any invoices rejected due to formatting or content errors.

**Business Rules:** 

Measures the mean interval for timeliness of billing records delivered to CLECs in an agreed upon format. CRIS-based invoices are measured in business days, and CABS-based invoices in calendar days.

Calculation:

Mean Time To Deliver Invoices =  $\Sigma$ \_[(Invoice Transmission Date)— (Close Date of Scheduled Bill Cycle)] / (Count of Invoices Transmitted in Reporting Period)

Report Structure:

- CLEC Specific
- CLEC Aggregate
- BST Aggregate

### Level of Disaggregation:

- Product / Invoice Type
  - > Resale
  - > UNE
  - Interconnection
- Geographic Scope
  - Region

Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
Report Month	Report Month
Invoice Type	Retail Type
Invoice Transmission Count	> CRIS
<ul> <li>Date of Scheduled Bill Close</li> </ul>	> CABS
	Invoice Transmission Count
	Date of Scheduled Bill Close
Data!! Analan/Danah manla	

Retail Analog/Benchmark:

CRIS-based invoices will be released for delivery within six (6) business days

CABS-based invoices will be released for delivery within eight (8) calendar days.

CLEC Average Delivery Intervals for both CRIS and CABS Invoices are comparable to BST Average delivery for both systems.

See Appendix D

Report/Measurement:	
B-3. Usage Data Delivery Accuracy	
Definition:	
the appropriate Competitive Local Exchange Carrie	ded usage that is delivered error free and in an acceptable format to er (CLEC). These percentages will provide the necessary data for use rmance. This measurement captures Data Delivery Accuracy rather g.
Exclusions:	
Noñe	
Business Rules:	
of accuracy comparative to BST bills rendered to the	delivered by BST to the CLEC must enable them to provide a degree heir retail customers. If errors are detected in the delivery process, Errors are corrected and the data retransmitted to the CLEC.
Calculations:	
Usage Data Delivery Accuracy = $\Sigma$ [(Total number usage data packs requiring retransmission during courrent month) X 100	er of usage data packs sent during current month) – (Total number of current month)] / (Total number of usage data packs sent during
Report Structure:	
CLEC Specific	
CLEC Aggregate	
BST Aggregate	
Level of Disaggregation:	
Geographic Scope	
Region	
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
Report Month	Report Month
Record Type	Record Type
➤ BellSouth Recorded	
➤ Non BellSouth Recorded	
Retail Analog/Benchmark:	DOTAL DE DE
CLEC Usage Data Delivery Accuracy is comparable to BST Usage Data Delivery Accuracy	
See Appendix D	

### Report/Measurement:

### **B-4.** Usage Data Delivery Completeness

#### Definition:

This measurement provides percentage of complete and accurately recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BST for billing) that is processed and transmitted to the CLEC within thirty (30) days of the message recording date. A parity measure is also provided showing completeness of BST messages processed and transmitted via CMDS. BellSouth delivers its own retail usage from recording location to billing location via CMDS as well as delivering billing data to other companies. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

#### **Exclusions:**

None

#### **Business Rules:**

The purpose of these measurements is to demonstrate the level of quality of usage data delivered to the appropriate CLEC. Method of delivery is at the option of the CLEC.

#### Calculation

Usage Data Delivery Completeness =  $\Sigma$ (Total number of Recorded usage records delivered during the current month that are within thirty (30) days of the message recording date) /  $\Sigma$ (Total number of Recorded usage records delivered during the current month) X 100

### **Report Structure**

- CLEC Specific
- CLEC Aggregate
- BST Aggregate

### Level of Disaggregation:

- Geographic Scope
  - Region

Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
Report Month	Report Monthly
<ul> <li>Record Type</li> <li>BellSouth Recorded</li> <li>Non BellSouth Recorded</li> </ul>	Record Type
Retail Analog/Benchmark:	

CLEC Usage Delivery Completeness is comparable to BST Usage Delivery Completeness See Appendix D

### Report/Measurement:

### **B-5.** Usage Data Delivery Timeliness

### Definition:

This measurement provides a percentage of recorded usage data (usage recorded by BST and usage recorded by other companies and sent to BST for billing) that is delivered to the appropriate CLEC within six (6) calendar days from the receipt of the initial recording. A parity measure is also provided showing timeliness of BST messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

### **Exclusions:**

None

#### **Business Rules:**

The purpose of this measurement is to demonstrate the level of timeliness for processing and transmission of usage data delivered to the appropriate CLEC. The usage data will be mechanically transmitted or mailed to the CLEC data processing center once daily. The Timeliness interval of usage recorded by other companies is measured from the date BST receives the records to the date BST distributes to the CLEC. Method of delivery is at the option of the CLEC.

#### Calculation

Usage Data Delivery Timeliness =  $\Sigma$ (Total number of usage records sent within six (6) calendar days from initial recording/receipt) /  $\Sigma$ (Total number of usage records sent) X 100

#### Report Structure:

- CLEC Aggregate
- CLEC Specific
- BST Aggregate

### Level of Disaggregation:

- Geographic Scope
  - Region

Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
Report Month	Report Monthly
Record Type	Record Type
BellSouth Recorded	
Non-BellSouth Recorded	

### Retail Analog/Benchmark:

CLEC Usage Data Delivery Timeliness is comparable to BST Usage Data Delivery Timeliness See Appendix D

Report/Measurement:	
B-6. Mean Time to Deliver Usage	
Definition:	
provided showing timeliness of BST messages pro	tes to deliver Usage Records to a CLEC. A parity measure is also occessed and transmitted via CMDS. Timeliness, Completeness and
Mean Time to Deliver Usage measures are reporte	d on the same report.
Exclusions:	
None	
Business Rules:	
The purpose of this measurement is to demonstrate appropriate CLEC. Usage data is mechanically transfer Method of delivery is at the option of the CLEC.	e the average number of days it takes BST to deliver Usage data to the ansmitted or mailed to the CLEC data processing center once daily.
Calculation:	
Mean Time to Deliver Usage = Σ_(Record volume record volume	e X estimated number of days to deliver the Usage Record) / total
Report Structure:	
CLEC Aggregate     CLEC Services	
CLEC Specific     DST Appropriate	
BST Aggregate  Level of Disaggregation:	
Geographic Scope	
Region	
Data Retained Relating to CLEC Experience:	Data Retained Relating to BST Performance:
Report Month	Report Monthly
Record Type	Record Type
BellSouth Recorded	
Non-BellSouth Recorded	
Retail Analog/Benchmark:	

Mean Time to Deliver Usage to CLEC is comparable to Mean Time to Deliver Usage to BST

 $\mathcal{O}_{\chi^{\infty}}$ 

Revision Date: 02/28/00 (dg)

See Appendix D

### **OPERATOR SERVICES**

### Report/Measurement:

OS-1. Speed to Answer Performance/Average Speed to Answer - Toll

### Definition:

Measurement of the average time in seconds calls wait before answered by a toll operator.

#### **Exclusions:**

Calls abandoned by customers are not reflected in the average speed to answer but are reflected in the conversion tables where the percent answered within "X" seconds is determined.

#### **Business Rules:**

The call waiting measurement scan starts when the customer enters the queue and ends when a BST representative answers the call. The average speed to answer is determined by measuring and accumulating the seconds of wait time from the entry of a customer into the BST call management system queue until the customer is transferred to a BST representative. No distinction is made between CLEC customers and BST customers.

### Calculation:

The Average Speed to Answer for toll is calculated by using data from monthly system measurement reports taken from the centralized call routing switches. The "total call waiting seconds" is a sub-component of this measure which BST systems calculate by monitoring the number of calls in queue throughout the day multiplied by the time (in seconds) between monitoring events. The "total calls served" is the other sub-component of this measure, which BST systems record as the total number of calls handled by Operator Services toll centers. Since calls abandoned are not reflected in the calculation, the percent answered within the required timeframe is determined by using conversion tables with input for the abandonment rate.

### Report Structure:

- Reported for the aggregate of BST and CLECs
  - > State

### Level of Disaggregation:

None

### Data Retained (on Aggregate Basis)

For the items below, BST's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP.

- Month
- Call Type (Toll)
- Average Speed of Answer

### Retail Analog/Benchmark

Parity by Design

See Appendix D

### **OPERATOR SERVICES**

### Report/Measurement:

### OS-2. Speed to Answer Performance/Percent Answered within "X" Seconds - Toll

### Definition:

Measurement of the percent of toll calls that are answered in less than "X" seconds. The number of seconds represented by "X" is thirty, except where a different regulatory benchmark has been set against the Average Speed to Answer by a State Commission.

#### **Exclusions:**

Calls abandoned by customers are not reflected in the average speed to answer but are reflected in the conversion tables where the percent answered within "X" seconds is determined.

### **Business Rules:**

The call waiting measurement scan starts when the customer enters the queue and ends when a BST representative answers the call. The average speed to answer is determined by measuring and accumulating the seconds of wait time from the entry of a customer into the BST call management system queue until the customer is transferred to a BST representative. No distinction is made between CLEC customers and BST customers.

### Calculation:

The Percent Answered within "X" Seconds measurement for toll is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

### Report Structure:

- Reported for the aggregate of BST and CLECs
  - > State

### Level of Disaggregation:

None

### Data Retained (on Aggregate Basis)

For the items below, BST's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP.

- Month
- Call Type (Toll)
- Average Speed of Answer

### Retail Analog/Benchmark

Parity by Design

See Appendix D

#### **OPERATOR SERVICES**

## Report/Measurement:

OS-3. Speed to Answer Performance/Average Speed to Answer - Directory Assistance (DA)

#### **Definition:**

Measurement of the average time in seconds calls wait before answer by a DA operator.

#### **Exclusions:**

Calls abandoned by customers are not reflected in the average speed to answer but are reflected in the conversion tables where the percent answered within "X" seconds is determined.

#### Rusiness Rules

The call waiting measurement scan starts when the customer enters the queue and ends when a BST representative answers the call. The average speed to answer is determined by measuring and accumulating the seconds of wait time from the entry of a customer into the BST call management system queue until the customer is transferred to a BST representative. No distinction is made between CLEC customers and BST customers.

## Calculation:

The Average Speed to Answer for DA is calculated by using data from monthly system measurement reports taken from the centralized call routing switches. The "total call waiting seconds" is a sub-component of this measure which BST systems calculate by monitoring the number of calls in queue throughout the day multiplied by the time (in seconds) between monitoring events. The "total calls served" is the other sub-component of this measure, which BST systems record as the total number of calls handled by Operator Services DA centers. Since calls abandoned are not reflected in the calculation, the percent answered within the required timeframe is determined by using conversion tables with input for the abandonment rate.

#### Report Structure:

- Reported for the aggregate of BST and CLECs
  - > State

#### Level of Disaggregation:

None

#### Data Retained (on Aggregate Basis)

For the items below, BST's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP.

- Month
- Call Type (DA)
- Average Speed of Answer

## Retail Analog/Benchmark

Parity by Design

See Appendix D

#### **OPERATOR SERVICES**

#### Report/Measurement:

# OS-4. Speed to Answer Performance/Percent Answered within "X" Seconds - Directory Assistance (DA)

#### Definition:

Measurement of the percent of DA calls that are answered in less than "X" seconds. The number of seconds represented by "X" is twenty, except where a different regulatory benchmark has been set against the Average Speed to Answer by a State Commission.

#### **Exclusions:**

Calls abandoned by customers are not reflected in the average speed to answer but are reflected in the conversion tables where the percent answered within "X" seconds is determined.

#### **Business Rules:**

The call waiting measurement scan starts when the customer enters the queue and ends when a BST representative answers the call. The average speed to answer is determined by measuring and accumulating the seconds of wait time from the entry of a customer into the BST call management system queue until the customer is transferred to a BST representative. No distinction is made between CLEC customers and BST customers.

#### Calculation:

The Percent Answered within "X" Seconds measurement for DA is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

#### Report Structure:

- Reported for the aggregate of BST and CLECs
  - > State

#### Level of Disaggregation:

None

## Data Retained (on Aggregate Basis)

For the items below, BST's Performance Measurement Analysis Platform (PMAP) receives a final computation: therefore, no raw data file is available in PMAP.

- Month
- Call Type (DA)
- Average Speed of Answer

## Retail Analog/Benchmark

Parity by Design

See Appendix D

#### E911

#### Report/Measurement:

#### E-1. Timeliness

#### Definition:

Measures the percentage of batch orders for E911 database updates (to CLEC resale and BST retail records) processed successfully within a 24-hour period.

#### **Exclusions:**

- Any resale order canceled by a CLEC
- Facilities-based CLEC orders

#### **Business Rules:**

The 24-hour processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Mechanical processing starts when SCC (BST's E911 vendor) receives E911 files containing batch orders extracted from BST's Service Order Communication System (SOCS). Processing stops when SCC loads the individual records to the E911 database. No distinctions are made between CLEC resale records and BST retail records.

#### Calculation:

E911 Timeliness = Σ (Number of batch orders processed within 24 hours ÷ Total number of batch orders submitted) X 100

#### Report Structure:

- Reported for the aggregate of CLEC resale updates and BST retail updates
  - > State
  - Region

#### Levels of Disaggregation:

None

#### Data Retained

- Report month
- Aggregate data

#### Retail Analog/Benchmark

Parity by Design

See Appendix D

## E911

#### Report/Measurement:

#### E-2. Accuracy

#### **Definition:**

Measures the individual E911 telephone number (TN) record updates (to CLEC resale and BST retail records) processed successfully for E911 with no errors.

. . .

#### **Exclusions:**

- Any resale order canceled by a CLEC
- Facilities-based CLEC orders

#### **Business Rules:**

Accuracy is based on the number of records processed without error at the conclusion of the processing cycle. Mechanical processing starts when SCC (BST's E911 vendor) receives E911 files containing telephone number (TN) records extracted from BST's Service Order Communication System (SOCS). No distinctions are made between CLEC resale records and BST retail records.

#### Calculation:

E911 Accuracy =  $\Sigma$ (Number of record individual updates processed with no errors ÷ Total number of individual record updates) X 100

#### Report Structure:

- Reported for the aggregate of CLEC resale updates and BST retail updates
  - > State
  - > Region

#### Level of Disaggregation:

None

## Data Retained

- Report month
- Aggregate data

# Retail Analog/Benchmark

Parity by Design

See Appendix D

#### E911

#### Report/Measurement:

#### E-3. Mean Interval

#### Definition:

Measures the mean interval processing of E911 batch orders (to update CLEC resale and BST retail records).

#### Exclusions:

- Any resale order canceled by a CLEC
- Facilities-based CLEC orders

#### **Business Rules:**

The processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Data is posted in 4-hour increments up to and beyond 24 hours. No distinctions are made between CLEC resale records and BST retail records.

#### Calculation:

E911 Mean Interval =  $\Sigma$  (Date and time of batch order completion – Date and time of batch order submission) ÷ (Number of batch orders completed)

#### Report Structure:

- Reported for the aggregate of CLEC resale updates and BST retail updates
  - > State
  - Region

## Level of Disaggregation:

None

#### Data Retained (on Aggregate Basis)

- Report month
- Aggregate data

## Retail Analog/Benchmark

Parity by Design

See Appendix D

#### TRUNK GROUP PERFORMANCE

Report/Measurement:

TGP-1. Trunk Group Performance-Aggregate

#### Definition:

A report of aggregate blocking information for CLEC trunk groups and BellSouth trunk groups.

#### **Exclusions:**

- Trunk Groups for which valid data is not available for an entire study period
- Duplicate trunk group information

#### **Business Rules:**

- Aggregate blocking results are created using the statistical analysis package and are output into Excel with separate table for each geographic area.
- For each geographic area, plots are generated for: a) the monthly blocking by hour for each affecting group (BellSouth or CLEC), and b) the difference between BellSouth blocking data and CLEC blocking data is calculated and plotted.
- The TCBH blocking is calculated by determining the monthly averaging blocking for each hour for each trunk. The hour with the highest usage is selected as the TCBH and the blocking for that hour is reported.
- Trunk Categorization: This report displays, over a reporting cycle, aggregate, weighted average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups to that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows:

#### **CLEC Affecting Categories:**

	Point A	Point B
Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 3:	BellSouth End Office	CLEC Switch
	BellSouth Local Tandem	CLEC Switch
Category 5:	BellSouth Access Tandem	CLEC Switch
Category 10:	BellSouth End Office	BellSouth Local Tandem
Category 16:	BellSouth Tandem	BellSouth Tandem

#### **BellSouth Affecting Category:**

•	Point A	Point B
Category 9:	BellSouth End Office	BellSouth End Office

# TRUNK GROUP PERFORMANCE - (Trunk Group Performance-Aggregate - Continued)

#### Calculation:

# Monthly Weighted Average Blocking:

(Blocking data for each hour X number of valid measurement days within each week) /  $\Sigma$  (Total number of valid measurement days within each week)

Example:		Week 1	Week 2	Week 3	Week 4	<b>Monthly</b>
Hour						
1	Blocking	1%	0.5%	2%	1.5%	1.8%
	# Days	7	7	5	6	
2	Blocking	0%	0%	0.2%	0.3%	.1%
	# Days	7	5	5	7	
3	Blocking	1%	1%	0.5%	2%	1.1%
• •	# Days	7	7	7	7	
24	Blocking	1%	0.5%	2%	1.5%	1.2%
	# Days	7	7	5	6	

The monthly weighted average blocking for hour 1 for a particular trunk group is calculated as follows: (1x5)+(0.5x5)+(2x4)+(1.5x4) = 1.2%

(5+5+4+4)

Aggregate Monthly Blocking:

(Monthly weighted average blocking value for each trunk group) X (number of trunks within each trunk group) /  $\Sigma$  (number of trunks in the aggregate group)

I	Example:	Trunk	Trunks in	Blocking	Blocking	Blocking	Blocking	Blocking
	•	Group	Service	Hour 1	Hour 2	Hour 3	Hour 4	<u>Hour 24</u>
İ		A	24	3%	0%	1%	0%	0%
l		В	144	2%	0%	1%	0.5%	0.5%
		C	528	0%	0.5%	1%	1%	1%
۱		D	316	1%	0%	1%	0.1%	0%
1		E	940	1%	1%	4%	0%	0%
		Aggregate		0.8%	0.6%	. 2.4%	0.3%	0.3%

The aggregate weighted monthly blocking for hour 1 is calculated as follows:

(3x24)+(2x144)+(0x528)+(1x316)+(1x940) = 0.8%

(24+144+528+316+940)

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BST trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering.

#### Report Structure:

- CLEC Aggregate
  - > State

#### Level of Disaggregation:

Trunk Group

Trunk Group		
Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience	
Report Month	Report Month	
Total Trunk Groups	Total Trunk Groups	
Number of Trunk Groups by CLEC	Aggregate Hourly average blocking	
Hourly average blocking per trunk group		

#### Retail Analog/Benchmark:

Any 2 hour period in 24 hours where CLEC blockage exceeds BST blockage by more than 0.5% = a miss using trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for BST.

# TRUNK GROUP PERFORMANCE

#### Report/Measurement:

TGP-2. Trunk Group Performance-CLEC Specific

#### Definition:

A report of blocking information for CLEC trunk groups.

#### **Exclusions:**

- Trunk Groups for which valid data is not available for an entire study period
- Duplicate trunk group information

#### **Business Rules:**

- Aggregate blocking results are created using the statistical analysis package and are output into Excel with separate table for each geographic area.
- For each geographic area, plots are generated for the monthly blocking by hour
- The TCBH blocking is calculated by determining the monthly averaging blocking for each hour for each trunk. The hour with the highest usage is selected as the TCBH and the blocking for that hour is reported.
- Trunk Categorization: This report displays, over a reporting cycle, aggregate, weighted average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for CLEC trunk groups. In order to assign trunk groups to the CLEC group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups to that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows:

#### **CLEC Affecting Categories:**

Point A	<u>Point B</u>
BellSouth End Office	BellSouth Access Tandem
BellSouth End Office	CLEC Switch
BellSouth Local Tandem	CLEC Switch
BellSouth Access Tandem	CLEC Switch
BellSouth End Office	BellSouth Local Tandem
BellSouth Tandem	BellSouth Tandem
	BellSouth End Office BellSouth End Office BellSouth Local Tandem BellSouth Access Tandem BellSouth End Office

# TRUNK GROUP PERFORMANCE - (Trunk Group Performance-CLEC Specific - Continued)

#### Calculation:

# Monthly Weighted Average Blocking:

(Blocking data for each hour X number of valid measurement days within each week) /  $\Sigma$  (Total number of valid measurement days within each week)

Example:		Week 1	Week 2	Week 3	Week 4	<b>Monthly</b>
Hour						
1	Blocking	1%	0.5%	2%	1.5%	1.8%
	# Days	7	7	5	6	
2	Blocking	0%	0%	0.2%	0.3%	.1%
	# Days	7	5	5	7	
3	Blocking	1%	1%	0.5%	2%	1.1%
	# Days	7	7	7	. 7	5
24	Blocking	1%	0.5%	2%	1.5%	1.2%
	# Days	7	7	5	6	

The monthly weighted average blocking for hour 1 for a particular trunk group is calculated as follows: (1x5)+(0.5x5)+(2x4)+(1.5x4) = 1.2%

 $\frac{(1x5)+(0.5x5)+(2x4)+(1.5x4)}{(5+5+4+4)}$ 

Aggregate Monthly Blocking:

(Monthly weighted average blocking value for each trunk group) X (number of trunks within each trunk group) /  $\Sigma$  (number of trunks in the aggregate group)

Example:	Trunk	Trunks in	Blocking	Blocking	Blocking	Blocking	Blocking
-	Group	Service	Hour 1	Hour 2	Hour 3	Hour 4	<u>Hour 24</u>
	Α	24	3%	0%	1%	0%	0%
	В	144	2%	0%	1%	0.5%	0.5%
	C	528	0%	0.5%	1%	1%	1%
	D	316	1%	0%	1%	0.1%	0%
	E	940	1%	1%	4%	0%	0%
	Aggregate		0.8%	0.6%	2.4%	0.3%	0.3%

The aggregate weighted monthly blocking for hour 1 is calculated as follows:

(3x24)+(2x144)+(0x528)+(1x316)+(1x940) = 0.8%

(24+144+528+316+940)

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BST trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering.

#### Report Structure:

- CLEC Specific
- Trunk Group

## Level of Disaggregation:

Trunk Group

Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience	
Report Month	Report Month	
<ul> <li>Total Trunk Groups</li> </ul>	Total Trunk Groups	
<ul> <li>Number of Trunk Groups by CLEC</li> </ul>	Aggregate Hourly average blocking	
<ul> <li>Hourly average blocking per trunk group</li> </ul>		

#### Retail Analog/Benchmark:

Any 2 hour period in 24 hours where CLEC blockage exceeds BST blockage by more than 0.5% = a miss using trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for BST.

# TRUNK GROUP PERFORMANCE

#### Report/Measurement:

#### TGP-3. Trunk Group Service Report

#### Definition

A report of the percent blocking above the Measured Blocking Threshold (MBT) on all final trunk groups between CLEC Points of Termination and BST end offices or tandems.

#### **Exclusions:**

- Trunk groups for which valid traffic data is not available
- High use trunk groups

#### **Business Rules:**

Traffic trunking data measurements are validated and processed by the Total Network Data System/Trunking (TNDS/TK), a Telcordia (BellCore) supported application, on an hourly basis for Average Business Days (Monday through Friday). The traffic load sets, including offered load and observed blocking ratio (calls blocked divided by calls attempted), are averaged for a 20 day period, and the busy hour is selected. The busy hour average data for each trunk group is captured for reporting purposes. Although all trunk groups are available for reporting, the report highlight those trunk groups with blocking greater than the Measured Blocking Threshold (MBT) and the number of consecutive monthly reports that the trunk group blocking has exceeded the MBT. The MBT for CTTG is 2% and the MBT for all other trunk groups is 3%.

#### Calculation:

Measured blocking = (Total number of blocked calls) / (Total number of attempted calls) X 100

#### Report Structure:

- BST Aggregate
  - ➤ CTTG
  - > Local
  - CLEC Aggregate
    - BST Administered CLEC Trunk
    - CLEC Administered CLEC Trunk
- CLEC Specific
  - ➤ BST Administered CLEC Trunk
  - CLEC Administered CLEC Trunk

#### Level of Disaggregation:

#### State

Data Retained Relating to CLEC Experience	Data Retained Relating to BST Experience
<ul> <li>Report month</li> <li>Total trunk groups</li> <li>Total trunk groups for which data is available</li> <li>Trunk groups with blocking greater than the MBT</li> <li>Percent of trunk groups with blocking greater than the MBT</li> </ul>	<ul> <li>Report month</li> <li>Total trunk groups</li> <li>Total trunk groups for which data is available</li> <li>Trunk groups with blocking greater than the MBT</li> <li>Percent of trunk groups with blocking greater than the MBT</li> </ul>

Retail Analog/Benchmark:

CLEC Trunk Blockage/BST Trunk Blockage

See Appendix D

#### TRUNK GROUP PERFORMANCE

#### Report/Measurement:

#### TGP-4. Trunk Group Service Detail

#### Definition

A detailed list of all final trunk groups between CLEC Points of Presence and BST end offices or tandems, and the actual blocking performance when the blocking exceeds the Measured Blocking Threshold (MBT) for the trunk groups.

#### **Exclusions:**

- Trunk groups for which valid traffic data is not available
- High use trunk groups

#### **Business Rules:**

Traffic trunking data measurements are validated and processed by the Total Network Data System/Trunking (TNDS/TK), a Telcordia (BellCore) supported application, on an hourly basis for Average Business Days (Monday through Friday). The traffic load sets, including offered load and observed blocking ratio (calls blocked divided by calls attempted), are averaged for a 20 day period, and the busy hour is selected. The busy hour average data for each trunk group is captured for reporting purposes. Although all trunk groups are available for reporting, the report highlight those trunk groups with blocking greater than the Measured Blocking Threshold (MBT) and the number of consecutive monthly reports that the trunk group blocking has exceeded the MBT. The MBT for CTTG is 2% and the MBT for all other trunk groups is 3%.

#### Calculation:

Measured Blocking = (Total number of blocked calls) / (Total number of attempted calls) X 100

#### **Report Structure:**

- . BST Specific
  - > .Traffic Identity
  - ➤ TGSN
  - > Tandem
  - End Office
  - Description
  - Observed Blocking
  - Busy Hour
  - Number Trunks
  - Valid study days
  - Number reports
  - Remarks

- CLEC Specific
  - Traffic Identity
  - **TGSN**
  - Tandem
  - CLEC POT
  - Description
  - Observed Blocking
  - Busy Hour
  - Number Trunks
  - Valid study days
  - Number reports
  - Remarks

## Level of Disaggregation:

#### State

#### Data Retained Relating to CLEC Experience

- Report month
- Total trunk groups
- Total trunk groups for which data is available
- Trunk groups with blocking greater than the MBT
- Percent of trunk groups with blocking greater than the MBT
- Traffic identity, TGSN, end points, description, busy hour, valid study days, number reports

#### Data Retained Relating to BST Experience

- Report month
- Total trunk groups
- Total trunk groups for which data is available
- Trunk groups with blocking greater than the MBT
- Percent of trunk groups with blocking greater than the MBT
- Traffic identity, TGSN, end points, description, busy hour, valid study days, number reports

#### Retail Analog/Benchmark:

CLEC Trunk Blockage/BST Blockage

See Appendix D

## **COLLOCATION**

#### Report/Measurement:

#### C-1. Average Response Time

#### Definition:

Measures the average time (counted in business days) from the receipt of a complete and accurate collocation application (including receipt of application fees) to the date BellSouth responds in writing.

- Requests to augment previously completed arrangements
- Any application cancelled by the CLEC

#### **Business Rules:**

The clock starts on the date that BST receives a complete and accurate collocation application accompanied by the appropriate application fee. The clock stops on the date that BST returns a response. The clock will restart upon receipt of changes to the original application request.

Average Response Time =  $\Sigma$ (Request Response Date) – (Request Submission Date) / Count of Responses Returned within Reporting Period.

#### Report Structure:

- Individual CLEC (alias) aggregate
- Aggregate of all CLECs

#### Level of Disaggregation:

- State, Region and further geographic disaggregation as required by State Commission Order (e.g. Metropolitan Service Area - MSA)
- Virtual
- Physical

# Data Retained:

- Report period
- Aggregate data

# Retail Analog/Benchmark:

See Appendix D

#### COLLOCATION

#### Report/Measurement:

C-2. Average Arrangement Time

#### **Definition:**

Measures the average time from the receipt of a complete and accurate Bona Fide firm order (including receipt of appropriate fee) to the date BST completes the collocation arrangement.

#### **Exclusions:**

- Any Bona Fide firm order cancelled by the CLEC
- Bona Fide firm orders to augment previously completed arrangements
- Time for BST to obtain permits
- Time during which the collocation contract is being negotiated

#### **Business Rules:**

The clock starts on the date that BST receives a complete and accurate Bona Fide firm order accompanied by the appropriate fee. The clock stops upon submission of the permit request and restarts upon receipt of the approved permit. Changes (affecting the provisioning interval or capital expenditures) that are submitted while provisioning is in progress may alter the completion date. The clock stops on the date that BST completes the collocation arrangement.

#### Calculation:

Average Arrangement Time =  $\Sigma$ (Date Collocation Arrangement is Complete) – (Date Order for Collocation Arrangement Submitted) / Total Number of Collocation Arrangements Completed during Reporting Period.

#### Report Structure:

- Individual CLEC (alias) aggregate
- Aggregate of all CLECs

#### Level of Disaggregation:

- State, Region and further geographic disaggregation as required by State Commission Order (e.g. Metropolitan Service Area MSA)
- Virtual
- Physical

#### Data Retained:

- Report period
- Aggregate data

#### Retail Analog/Benchmark:

See Appendix D

## **COLLOCATION**

#### Report/Measurement:

# C-3. Percent of Due Dates Missed

#### Definition:

Measures the percent of missed due dates for collocation arrangements.

#### Exclusions:

- Any Bona Fide firm order cancelled by the CLEC
- Bona Fide firm orders to augment previously completed arrangements
- Time for BST to obtain permits
- Time during which the collocation contract is being negotiated

## **Business Rules:**

The clock starts on the date that BST receives a complete and accurate Bona Fide firm order accompanied by the appropriate fee. The clock stops on the date that BST completes the collocation arrangement.

#### Calculation:

% of Due Dates Missed = Σ (Number of Orders not completed w/i ILEC Committed Due Date during Reporting Period) / Number of Orders Completed in Reporting Period) X 100

#### Report Structure:

- Individual CLEC (alias) aggregate
- Aggregate of all CLECs

## Level of Disaggregation:

- State, Region and further geographic disaggregation as required by State Commission Order (e.g. Metropolitan Service Area-MSA)
- Virtual
- Physical

#### Data Retained:

- Report period
- Aggregate data

#### Retail Analog/Benchmark:

90% ≤ Commit Date

# Appendix A: Reporting Scope\*

Standard Service Groupings	Pre-Order, Ordering	
Z. L. L. L. L. L. L. L. L. L. L. L. L. L.	> Resale Residence	
	➤ Resale Business	
	➤ Resale Special	
	➤ Local Interconnection Trunks	
	> UNE	
	➤ UNE - Loops w/LNP	
	Provisioning	
	➤ UNE Non-Design	• 1
	➤ UNE Design	
	➤ Local Interconnection Trunks	
	➤ Resale Residence	
	➤ Resale Business	
	➤ Resale Design	
	➤ BST Trunks	
	➤ BST Residence Retail	
	➤ BST Business Retail	
••	➤ BST Design Retail	
	Maintenance and Repair	
	➤ Local Interconnection Trunks	
	➤ UNE Non-Design	
	➤ UNE Design	
	➤ Resale Residence	
	➤ Resale Business	
	➤ Resale Design	
	➤ BST Interconnection Trunks	
	➤ BST Residence Retail	
	➤ BST Business Retail	
	> BST Design Retail	
	Local Interconnection Trunk Group Blockage	
	➤ BST CTTG Trunk Groups	
	CLEC Trunk Groups	

# Appendix A: Reporting Scope\*

. . . .

	> New Service Installations
Standard Service Order Activities	
	> Service Migrations Without Changes
These are the generic BST/CLEC service	> Service Migrations With Changes
order activities which are included in the	➤ Move and Change Activities
Pre-Ordering, Ordering, and Provisioning sections of this document. It is not meant to indicate specific reporting categories.	> Service Disconnects (Unless noted otherwise)
Pre-Ordering Query Types:	➢ Address
	➤ Telephone Number
	> Appointment Scheduling
	Customer Service Record
	> Feature Availability
Maintenance Query Types:	
Report Levels	> CLEC RESH
Report Levels	CLEC MSA
	CLEC State
	> CLEC Region
	Aggregate CLEC State
	Aggregate CLEC Region
	> BST State
	> BST Region

<sup>\*</sup> Scope is report, data source and system dependent, and, therefore, will differ with each report.

# Appendix B: Glossary of Acronyms and Terms

A	ACD	Automatic Call Distributor - A service that provides status monitoring of agents in a call center and routes high volume incoming telephone calls to available agents while collecting management information on both callers and attendants.
	AGGREGATE	Sum total of all items in like category, e.g. CLEC aggregate equals the sum total of all CLECs' data for a given reporting level.
	ASR	Access Service Request - A request for access service terminating delivery of carrier traffic into a Local Exchange Carrier's network.
	ATLAS	Application for Telephone Number Load Administration System - The BellSouth Operations System used to administer the pool of available telephone numbers and to reserve selected numbers from the pool for use on pending service requests/service orders.
	ATLASTN	ATLAS software contract for Telephone Number
	AUTO CLARIFICATION	The number of LSRs that were electronically rejected from LESOG and electronically returned to the CLEC for correction.
В	BILLING	The process and functions by which billing data is collected and by which account
		information is processed in order to render accurate and timely billing.
	BOCRIS	Business Office Customer Record Information System - A front-end presentation manager used by BellSouth organizations to access the CRIS database.
	BRC	Business Repair Center – The BellSouth Business Systems trouble receipt center which serves large business and CLEC customers.
	BST	BellSouth Telecommunications, Inc.
С	CKTID	A unique identifier for elements combined in a service configuration
	CLEC	Competitive Local Exchange Carrier
	CMDS	Centralized Message Distribution System - BellCore administered national system used to transfer specially formatted messages among companies.
	COFFI	Central Office Feature File Interface - A BellSouth Operations System database which maintains Universal Service Order Code (USOC) information based on current tariffs.

С	COFIUSOC	COFFI software contract for feature/service information
	CRIS	Customer Record Information System - The BellSouth proprietary corporate database
		and billing system for non-access customers and services.
	CRSACCTS	CRIS software contract for CSR information
	CSR	Customer Service Record
	CTTG	Common Transport Trunk Group - Final trunk groups between BST & Independent end offices and the BST access tandems.
D	DESIGN	Design Service is defined as any Special or Plain Old Telephone Service Order which requires BellSouth Design Engineering Activities
	DISPOSITION & CAUSE	Types of trouble conditions, e.g. No Trouble Found, Central Office Equipment, Customer Premises Equipment, etc.
	DLETH	Display Lengthy Trouble History - A history report that gives all activity on a line record for trouble reports in LMOS
	DLR	Detail Line Record - All the basic information maintained on a line record in LMOS, e.g. name, address, facilities, features etc.
	DOE	Direct Order Entry System - An internal BellSouth service order entry system used by BellSouth Service Representatives to input business service orders in BellSouth format.
	DSAP	DOE (Direct Order Entry) Support Application - The BellSouth Operations System which assists a Service Representative or similar carrier agent in negotiating service provisioning commitments for non-designed services and UNEs.
	DSAPDDI	DSAP software contract for schedule information
E	E911	Provides callers access to the applicable emergency services bureau by dialing a 3-digit universal telephone number.
	EDI	Electronic Data Interchange - The computer-to-computer exchange of inter and/or intra company business documents in a public standard format.
F	FATAL REJECT	The number of LSRs that were electronically rejected from LEO, which checks to see of the LSR has all the required fields correctly populated
·	FLOW- THROUGH	In the context of this document, LSRs submitted electronically via the CLEC mechanized ordering process that flow through to the BST OSS without manual or human intervention.
	FOC	Firm Order Confirmation - A notification returned to the CLEC confirming that the LSR has been received and accepted, including the specified commitment date.

	T	
G		"Hands Off" Assignment Logic - Front end access and error resolution logic used in
Н	HAL	interfacing BellSouth Operations Systems such as ATLAS, BOCRIS, LMOS, PSIMS, RSAG and SOCS.
	HALCRIS	HAL software contract for CSR information
I	ISDN	Integrated Services Digital Network
K		
L	LCSC	Local Carrier Service Center - The BellSouth center which is dedicated to handling CLEC LSRs, ASRs, and Preordering transactions along with associated expedite requests and escalations.
	LEGACY SYSTEM	Term used to refer to BellSouth Operations Support Systems (see OSS)
	LENS	Local Exchange Negotiation System - The BellSouth LAN/web server/OS application developed to provide both preordering and ordering electronic interface functions for CLECs.
	LEO	Local Exchange Ordering - A BellSouth system which accepts the output of EDI, applies edit and formatting checks, and reformats the Local Service Requests in BellSouth Service Order format.
	LESOG	Local Exchange Service Order Generator - A BellSouth system which accepts the service order output of LEO and enters the Service Order into the Service Order Control System using terminal emulation technology.
	LMOS	Loop Maintenance Operations System - A BellSouth Operations System that stores the assignment and selected account information for use by downstream OSS and BellSouth personnel during provisioning and maintenance activities.
	LMOS HOST	LMOS host computer
	LMOSupd	LMOS updates
	LNP	Local Number Portability - In the context of this document, the capability for a subscriber to retain his current telephone number as he transfers to a different local service provider.
	LOOPS	Transmission paths from the central office to the customer premises.
	LSR	Local Service Request – A request for local resale service or unbundled network elements from a CLEC.
M	MAINTENANCE & REPAIR	The process and function by which trouble reports are passed to BellSouth and by which the related service problems are resolved.
	MARCH	A BellSouth Operations System which accepts service orders, interprets the coding contained in the service order image, and constructs the specific switching system Recent Change command messages for input into end office switches.

N	NC	"No Circuits" - All circuits busy announcement
O	OASIS	Obtain Availability Services Information System - A BellSouth front-end processor, which acts as an interface between COFFI and RNS. This system takes the USOCs in COFFI and translates them to English for display in RNS.
	OASISBSN OASISCAR OASISLPC OASISMTN OASISNET OASISOCP	OASIS software contract for feature/service OASIS software contract for feature/service OASIS software contract for feature/service OASIS software contract for feature/service OASIS software contract for feature/service OASIS software contract for feature/service
	ORDERING	The process and functions by which resale services or unbundled network elements are ordered from BellSouth as well as the process by which an LSR or ASR is placed with BellSouth.
	OSPCM	Outside Plant Contract Management System - Provides Scheduling Information.
	oss	Operations Support System - A support system or database which is used to mechanize the flow or performance of work. The term is used to refer to the overall system consisting of hardware complex, computer operating system(s), and application which is used to provide the support functions.
	OUT OF SERVICE	Customer has no dial tone and cannot call out.
P	POTS	Plain Old Telephone Service
	PREDICTOR	The BellSouth Operations system which is used to administer proactive maintenance and rehabilitation activities on outside plant facilities, provide access to selected work groups (e.g. RRC & BRC) to Mechanized Loop Testing and switching system I/O ports, and provide certain information regarding the attributes and capabilities of outside plant facilities.
	PREORDERING	The process and functions by which vital information is obtained, verified, or validated prior to placing a service request.
	PROVISIONING	The process and functions by which necessary work is performed to activate a service requested via an LSR or ASR and to initiate the proper billing and accounting functions.
	PSIMS	Product/Service Inventory Management System - A BellSouth database Operations System which contains availability information on switching system features and capabilities and on BellSouth service availability. This database is used to verify the availability of a feature or service in an NXX prior to making a commitment to the customer.
	PSIMSORB	PSIN: software contract for feature/service

Q R	RNS	Regional Negotiation System - An internal BellSouth service order entry system used by BellSouth Consumer Services to input service orders in BellSouth format.
	RRC	Residence Repair Center - The BellSouth Consumer Services trouble receipt center which serves residential customers.
	RSAG	Regional Street Address Guide - The BellSouth database, which contains street addresses validated to be accurate with state and local governments.
		RSAG software contract for address search
	RSAGADDR	RSAG software contract for telephone number search
	RSAGTN	
S	SOCS	Service Order Control System - The BellSouth Operations System which routes service order images among BellSouth drop points and BellSouth Operations Systems during the service provisioning process.
	SOIR	Service Order Interface Record - any change effecting activity to a customer account by service order that impacts 911/E911.
T	TAFI	Trouble Analysis Facilitation Interface - The BellSouth Operations System that supports trouble receipt center personnel in taking and handling customer trouble reports.
	TAG	Telecommunications Access Gateway – TAG was designed to provide an electronic interface, or machine-to-machine interface for the bi-directional flow of information between BellSouth's OSSs and participating CLECs.
	TN	Telephone Number
	TOTAL MANUAL FALLOUT	The number of LSRs which are entered electronically but require manual entering into a service order generator.
U	UNE	Unbundled Network Element
	UNL	
V	UNL	
V W	WTN	A unique identifier for elements combined in a service configuration
		A unique identifier for elements combined in a service configuration
W		A unique identifier for elements combined in a service configuration
W X		A unique identifier for elements combined in a service configuration  Sum of:

# Appendix C

#### **BELLSOUTH'S AUDIT POLICY:**

BellSouth currently provides many CLECs with certain audit rights as a part of their individual interconnection agreements. However, it is not reasonable for BellSouth to undergo an audit of the SQM for every CLEC with which it has a contract. BellSouth has developed a proposed Audit Plan for use by the parties to an audit. If requested by a Public Service Commission or by a CLEC exercising contractual audit rights, BellSouth will agree to undergo a comprehensive audit of the aggregate level reports for both BellSouth and the CLEC(s) for each of the next five (5) years (2000 – 2005), to be conducted by an independent third party. The results of that audit will be made available to all the parties subject to proper safeguards to protect proprietary information. This aggregate level audit includes the following specifications:

- 1. The cost shall be borne 50% by BellSouth and 50% by the CLEC or CLECs.
- 2. The independent third party auditor shall be selected with input from BellSouth, the PSC, if applicable, and the CLEC(s).
- 3. BellSouth, the PSC and the CLEC(s) shall jointly determine the scope of the audit.

BellSouth reserves the right to make changes to this audit policy as growth and changes in the industry dictate.

	APPENDIX D			
	Analogs and Benchmarks			
BST SQM	MEASURES AND SUB-METRICS	RESALE	UNES Betail Analogue	Benchmark*
Category		Analogue		
Pre-Ordering	Percent Response Received within "X" seconds	Par	Parity w/ retail where applicable.	
	OSS Interface Availability			99.5%
Ordering	Percent Flow-Through Service Request			%U0
	Residence			%06 %06
	Business     INF     INF			%08 80%
	Percent Rejected Service Request	Diagnosti		Diagnostic.
	Reject Interval (Mechanized)	an	an	95% within 1 hrs
	Reject Interval (Non-Mechanized and Partially Mechanized)	an	an	85% < 24 hrs
	5	an	ON	95% within 4
	(Non-Mechanized and Partially			hrs
	Mechanized)			85% <48 Hrs
	Speed of Answer in Ordering Center	×	×	
-				
Provisioning	Mean Held Order Interval			
	Resale Residence	×		
	Resale Business	×		
	Resale Design	×		
	Resale PBX	×		
	Resale Centrex	×		
	Resale IDSN	×		
	UNE Loop and Port Combos		Retail Residence and Business	
	UNE 2w Loop with NP – Non-Design		Retail Residence and Business	
	UNE 2w Loop without NP – Non-Design		Retail Residence and Business	
	UNE Loop Other with NP Non-Design		Retail Residence and Business	
	UNE Loop Other without NP Non-Design		Retail Residence and Business	
	UNE Other Non Design		Retail Residence and Business	
	UNE 2w Loop with NP – Design		Retail Residence and Business	
	UNE 2w Loop without NP – Design		Retail Residence and Business	
	UNE Loop Other with NP – Design		Retail Design	,

BST SOM	EASURES AND SUB-METRICS  ithout NP - Design  ton Trunks  vitice Interval (Mechanized)  t Combos  NP - Non-Design  out NP - Non-Design	Retail Analogue X	Retail Design Retail Design Retail Design	Benchmark*  95% >=24 Hrs
		Analogue X	Retail Design Retail Design	95% >=24 Hrs
UNE Loop     UNE Other     Local Interc     Average Jeops     Resale Res     Resale Bus     Resale Des     Resale Des     Resale PB)     Resale Cer     Resale Cer     Resale IDS     Resale IDS		×	Retail Design	95% >=24 Hrs
Local Intercent Average Jeopé     Average Jeopé     Resale Res     Resale Bus     Resale Des     Resale Des     Resale Cer     Resale Cer     Resale IDS     Resale IDS	r Design connection Trunks ardy Notice Interval (Mechanized) sidence siness sign X ntrex Sign Artex Sign and Port Combos sop with NP – Non-Design	×	Retail Design	95% >=24 Hrs 95% >=24 Hrs
Average Jeops     Average Jeops     Resale Res     Resale Bus     Resale Des     Resale Des     Resale Cer     Resale Cer     Resale Cer     Resale IDS     Resale IDS	ardy Notice Interval (Mechanized) sidence siness sign X A Intex SN and Port Combos oop with NP – Non-Design	×		95% >=24 Hrs 95% >=24 Hrs
Average Jeops     Resale Res     Resale Bus     Resale Des     Resale PB)     Resale Cer     Resale Cer     Resale IDS	ardy Notice Interval (Mechanized) sidence siness sign X Intex SN and Port Combos oop with NP – Non-Design			95% >=24 Hrs 95% >=24 Hrs
	sidence siness sign X ntrex and Port Combos sop with NP – Non-Design			95% >=24 Hrs 95% >=24 Hrs
	sign  Sign  X  Intex  SIN  and Port Combos  Sop with NP – Non-Design			95% >=24 Hrs
	sign X Intrex SIN and Port Combos Sop with NP – Non-Design			
	ntrex SN and Port Combos sop with NP – Non-Design			95% >=24 Hrs
	sN and Port Combos oop with NP – Non-Design			95% >=24 Hrs
	and Port Combos  op with NP – Non-Design  oop without NP – Non-Design			95% >=24 Hrs
	and Port Combos  Sop with NP – Non-Design  Sop without NP – Non-Design			95% >=24 Hrs
	oop with NP – Non-Design oop without NP – Non-Design			95% >=24 Hrs
UNE 2w Lo	oop without NP - Non-Design			95% >=24 Hrs
UNE 2w Lo				95% >=24 Hrs
UNE Loop (	UNE Loop Other with NP Non-Design			95% >=24 Hrs
UNE Loop (	UNE Loop Other without NP Non-Design			95% >=24 Hrs
UNE Other	UNE Other Non Design			95% >=24 Hrs
UNE 2w Lo	UNE 2w Loop with NP – Design			95% >=24 Hrs
UNE 2w Lo	UNE 2w Loop without ivP – Design			95% >=24 Hrs
NNE Loop (	UNE Loop Other with NP – Design			95% >=24 Hrs
UNE Loop (	UNE Loop Other without NP - Design			95% >=24 Hrs
· UNE Other Design	Design			95% >=24 Hrs
Local Interc	Local Interconnection Trunks			95% >=24 Hrs
% of Orders gi	% of Orders given jeopardy notice (Mechanized)			
Resale Residence	sidence	×		
Resale Business	siness	×		
Resale Design	sign	×		
Resale PBX	×	×		
Resale Centrex	ntrex	×		
Resale IDSN	No.	×		
• ONE Loop	UNE Loop and Port Combos		Retail Residence and Business	
UNE 2w Lo	UNE 2w Loop with NP – Non-Design		Retail Residence and Business	
UNE 2w Lo	UNE 2w Loop without NP – Non-Design		Retail Residence and Business	
UNE Loop (	UNE Loop Other with NP Non-Design		Retail Residence and Business	

Person		Analogs and Benchmarks			
Hetail Residence and Business	BST SQM	MEASURES AND SUB-METRICS	RESALE		*/*
UNE Loop Otherithout NP Non-Design UNE Zw Loop with NP - Design UNE Zw Loop with NP - Design UNE Loop Other with NP - Design UNE Loop Other with NP - Design UNE Loop Other with NP - Design UNE Loop Other with NP - Design UNE Loop Other with NP - Design UNE Contract Missed Installation Appointments Resale Business Resale Business Resale Design Resale Centrex Resale Design UNE Loop other with NP - Non-Design UNE Loop Other with NP - Design UNE Zw Loop with NP - Design UNE Zw Loop with NP - Design UNE Zw Loop with NP - Design UNE Zw Loop with NP - Design UNE Zw Loop with NP - Design UNE Zw Loop with WP - Design UNE Zw Loop with WP - Design UNE Zw Loop with WP - Design UNE Zw Loop with WP - Design UNE Zw Loop with WP - Design UNE Zw Loop with WP - Design UNE Zw Loop with WP - Design UNE Zw Loop with WP - Design UNE Zw Loop with WP - Design UNE Zw Loop With WP - Design UNE Zw Loop With WP - Design UNE Zw Loop With WP - Design UNE Zw Loop With WP - Design UNE Zw Loop With WP - Design UNE Zw Loop With WP - Design UNE Zw Loop With WP - Design UNE Zw Loop With WP - Design UNE Zw Loop With WP - Design UNE Zw Loop With WP - Design UNE Zw Loop With WP - Design UNE Zw Loop With WP - Design UNE Zw Loop With WP - Design UNE Zw Loop With WP - Design UNE Zw Loop With WP - Design UNE Zw Loop With WP - Design UNE Zw Loop With WP - Design UNE Zw Loop With WP - WE - WE - WE - WE - WE - WE - WE -	Category		Retail Analogue	Hetail Analogue	benchinark
UNE Corpoler Non Design UNE Zw Loop with NP – Design UNE Zw Loop with NP – Design UNE Loop Other without NP - Design UNE Chler Design Local Interconnection Trunks Areale Design Resale Business Resale Business Resale Centrex Resale Centrex Resale Centrex Resale Centrex Resale Down With NP – Non-Design UNE Loop Other without NP – Non-Design UNE Zw Loop with NP – Non-Design UNE Loop Other without NP – Non-Design UNE Loop Other without NP – Design UNE Loop Other without NP – Resign				Retail Residence and Business	
UNE 2w Loop with NP - Design UNE 2w Loop without NP - Design UNE 2w Loop Other with NP - Design UNE Loop Other without NP - Design UNE Other Design UNE Other Design Local Interconnection Trunks Resale Business Resale Business Resale Business Resale Design UNE Loop and Port Combos UNE 2w Loop with NP - Non-Design UNE Loop Other with NP Non-Design UNE Loop Other with NP Non-Design UNE Loop Other without NP Non-Design UNE Loop Other without NP Non-Design UNE Loop Other without NP - Design UNE Loop Other without NP - Sesign UNE Completion Interval Resale Business  X Resale Business X Resale Post				Retail Residence and Business	
UNE 2w Loop without NP - Design         UNE 2w Loop without NP - Design           UNE Loop Other with NP - Design         N           UNE Cop Other with NP - Design         X           Presale Missed Installation Appointments         X           Resale Business         X           Resale Business         X           Resale Design         X           Resale Design         X           Resale Centrex         X           Resale Centrex         X           Resale Centrex         X           Resale Centrex         X           Resale Design         X           UNE Loop with NP - Non-Design         X           UNE Zw Loop with NP - Design         UNE Zw Loop without NP - Design           UNE Zw Loop without NP - Design         X           UNE Zw Loop without NP - Design         UNE Zw Loop without NP - Design           UNE Cother without NP - Design         X           Resale Residence         X           Resale Residence         X           Resale Business         X           Resale Business         X           Resale Business         X           Resale Business         X           Resale Centrex         X				Retail Residence and Business	
UNE Loop Other with NP - Design         X           UNE Loop Other without NP - Design         X           Local Interconnection Trunks         X           Resale Business         X           Resale Design         X           Resale Design         X           Resale Design         X           Resale Design         X           Resale Centrex         X           Resale Design         X           Resale Design         X           NUE Loop with NP - Non-Design         X           UNE Zev Loop with NP - Non-Design         X           UNE Loop Other with NP Non-Design         X           UNE Zev Loop with NP - Design         X           UNE Zev Loop with NP - Design         X           UNE Zev Loop with NP - Design         X           UNE Cother with NP - Design         X           UNE Loop Other with NP - Design         X           UNE Loop Other with NP - Design         X           UNE Completion Interval         X           Resale Residence         X           Resale Residence         X           Resale Business         X           Resale PBX         X           Resale Centrex         X           Re		İ		Retail Residence and Business	
UNE Loop Other without NP - Design         X           UNE Other Design         X           Recal Interconnection Trunks         X           Resale Residence         X           Resale Business         X           Resale Design         X           Resale Design         X           Resale Design         X           Resale Centrex         X           Resale Design         X           Resale Centrex         X           Resale Dosign         X           UNE Loop and Port Combos         X           UNE Loop with NP - Non-Design         X           UNE Zw Loop with NP - Non-Design         X           UNE Carbon without NP - Design         X           UNE Carbon without NP - Design         X           UNE Loop Other without NP - Design         X           UNE Loop Other without NP - Design         X           Local Interconnection Trunks         X           Resale Residence         X           Resale Business         X           Resale Design         X				Retail Design	
UNE Other Design         X           Local Interconnection Trunks         X           Resale Residence         X           Resale Business         X           Resale Business         X           Resale Design         X           Resale Design         X           Resale Design         X           Resale Dos Numbers         X           Resale IDSN         X           UNE Loop and Port Combos         X           UNE Loop and Port Combos         X           UNE Zw Loop with NP - Non-Design         X           UNE Loop Other with NP - Design         X           UNE Zw Loop with NP - Design         X           UNE Loop Other with NP - Design         X           UNE Loop Other with NP - Design         X           Local Interconnection Trunks         X           Resale Residence         X           Resale Business         X           Resale Design         X           Re				Retail Design	
Local Interconnection Trunks         X           Resale Residence         X           Resale Business         X           Resale Business         X           Resale Design         X           Resale Design         X           Resale Centrex         X           Resale PBX         X           Resale PBX         X           Resale PBX         X           NESale Centrex         X           NESale Contrex         X           UNE Zu Loop with NP - Non-Design         X           UNE Zu Loop with NP - Non-Design         X           UNE Loop Other with NP - Design         X           UNE Cother Non Design         X           UNE Loop Other with NP - Design         X           UNE Loop Other without NP - Design         X           UNE Condition of the without NP - Design         X           Coral Interconnection Trunks         X           Resale Business         X           Resale Design         X           Resale Centrex         X				Retail Design	
Easale Design         X           Resale Business         X           Resale Business         X           Resale Business         X           Resale Design         X           Resale Design         X           Resale DSN         X           Resale DSN         X           UNE Loop and Port Combos         X           UNE Loop with NP - Non-Design         X           UNE Zw Loop with NP - Non-Design         X           UNE Loop Other without NP Non-Design         X           UNE Loop Other without NP - Design         X           UNE Loop Other without NP - Design         X           UNE Loop Other without NP - Design         X           Coral Interconnection Trunks         X           Resale Residence         X           Resale Business         X           Resale Design         X           Resale Design         X           Resale Design         X           Resale Centrex         X           Resale Centrex         X			×		
××××××  × ×××××		Percent Missed Installation Appointments			
Resale Business		Resale Residence	×		
Resale Design			×		
Resale PBX			×		
Resale Centrex		ļ	×		
Resale IDSN  UNE Loop and Port Combos  UNE 2w Loop with NP – Non-Design  UNE Loop Other without NP Non-Design  UNE Loop Other without NP Non-Design  UNE 2w Loop with NP – Design  UNE 2w Loop with NP – Design  UNE 2w Loop without NP – Design  UNE 2w Loop without NP – Design  UNE Loop Other with NP – Design  UNE Loop Other without NP – Design  UNE Loop Other without NP – Design  UNE Loop Other without NP – Design  UNE Loop Other without NP – Design  UNE Loop Other without NP – Design  Where Completion Interval  Resale Residence  Resale Business  Resale Business  Resale Design  X  Resale PBX  Resale PBX  Resale Centrex			×		
UNE 2w Loop and Port Combos  UNE 2w Loop with NP – Non-Design  UNE 2w Loop with NP – Non-Design  UNE Loop Other with NP Non-Design  UNE 2w Loop with NP – Design  UNE 2w Loop with NP – Design  UNE 2w Loop with NP – Design  UNE 2w Loop Other with NP – Design  UNE 2w Loop Other with NP – Design  UNE 2w Loop Other with NP – Design  UNE Coop Other without NP – Design  UNE Coop Other without NP – Design  UNE Coop Other without NP – Design  UNE Coop Other without NP – Design  UNE Coop Other without NP – Design  UNE Coop Other without NP – Design  UNE Coop Other without NP – Design  UNE Coop Other without NP – Design  UNE Loop Other without NP – Desig		1	×		
UNE 2w Loop with NP – Non-Design  UNE Loop Other with NP Non-Design  UNE Loop Other with NP Non-Design  UNE Cother Non Design  UNE 2w Loop with NP – Design  UNE 2w Loop with NP – Design  UNE 2w Loop with NP – Design  UNE 2w Loop other with NP – Design  UNE Loop Other with NP – Design  UNE Loop Other without NP – Design  UNE Loop Other without NP – Design  UNE Completion Trunks  Local Interconnection Trunks  Resale Residence  Resale Business  Resale Business  Resale Design  X  Resale Design  X  Resale Design  X  Resale Design  X  Resale Design  X  Resale Design  X  Resale Design  X  Resale Design  X  Resale Design  X  Resale Design  X  Resale Design  X				Retail Residence and Business	
UNE 2w Loop without NP – Non-Design  UNE Loop Other with NP Non-Design  UNE Loop Other without NP Non-Design  UNE 2w Loop with NP – Design  UNE 2w Loop with NP – Design  UNE 2w Loop without NP – Design  UNE Loop Other with NP – Design  UNE Loop Other without NP – Design  UNE Loop Other without NP – Design  UNE Copher without NP – Design  Escale Interconnection Trunks  Resale Residence  Resale Business  Resale Business  Resale Design  X  Resale Design  X  Resale PBX  Resale Centrex				Retail Residence and Business	
UNE Loop Other with NP Non-Design  UNE Loop Other without NP Non-Design  UNE Other Non Design  UNE 2w Loop with NP – Design  UNE Loop Other without NP – Design  UNE Loop Other without NP – Design  UNE Loop Other without NP – Design  UNE Completion Trunks  Local Interconnection Trunks  Local Interconnection Trunks  Resale Residence  Resale Residence  Resale Business  Resale Design  X  Resale Design  X  Resale Design  X  Resale Design  X  Resale Design  X  Resale Design  X  Resale Design  X  Resale Centrex				Retail Residence and Business	
UNE Loop Other without NP Non-Design UNE 2w Loop with NP – Design UNE 2w Loop with NP – Design UNE Loop Other with NP – Design UNE Loop Other without NP – Design UNE Loop Other without NP – Design UNE Coher Design UNE Coher Design UNE Coher Design UNE Coher Design UNE Coher Design UNE Coher Design UNE Coher Design UNE Coher Without NP – Design UNE Coher Design UNE Coher Without NP – Design UNE				Retail Residence and Business	
UNE Other Non Design UNE 2w Loop with NP – Design UNE 2w Loop without NP – Design UNE Loop Other with NP – Design UNE Loop Other without NP – Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Other Design  Local Interconnection Trunks  Resale Residence Resale Residence Resale Business Resale Business Resale Design X Resale Design X Resale Design X Resale Design X Resale Design X Resale Design X Resale Centrex				Retail Residence and Business	
UNE 2w Loop with NP – Design UNE 2w Loop without NP – Design UNE Loop Other without NP – Design UNE Cop Other without NP – Design UNE Other Design Local Interconnection Trunks Local Interconnection Trunks Resale Residence Resale Business Resale Business Resale Business Resale Design X Resale PBX Resale Centrex				Retail Residence and Business	
UNE 2w Loop without NP – Design  UNE Loop Other with NP – Design  UNE Loop Other without NP – Design  UNE Completion Trunks  Local Interconnection Trunks  Resale Residence  Resale Business  Resale Business  Resale Design  Resale PBX  Resale Centrex		Ì		Retail Residence and Business	
UNE Loop Other with NP – Design UNE Loop Other without NP – Design UNE Other Design Local Interconnection Trunks  Local Interconnection Trunks  Resale Residence Resale Business Resale Business Resale Design Resale PBX Resale PBX Resale Centrex				Retail Residence and Business	
UNE Loop Other without NP – Design         X           UNE Other Design         X           rder Completion Interval         X           Resale Residence         X           Resale Business         X           Resale Design         X           Resale PBX         X           Resale Centrex         X				Retail Design	
UNE Other Design         X           Local Interconnection Trunks         X           Resale Residence         X           Resale Business         X           Resale Design         X           Resale PBX         X           Resale Centrex         X				Retail Design	
Local Interconnection Trunks  rder Completion Interval  Resale Residence Resale Business Resale Design Resale PBX Resale Centrex				Retail Design	
Resale Residence Resale Business Resale Design Resale PBX Resale Centrex			×		
Resale Residence Resale Business Resale Design Resale PBX Resale Centrex		Order Completion Interval			
Resale Business Resale Design Resale PBX Resale Centrex			×		
Resale Design Resale PBX Resale Centrex			×		
Resale PBX Resale Centrex			×		
Resale Centrex			×		
			×		

	AppENDIX D			
BST SQM	MEASURES AND SUB-METRICS	RESALE	UNES	Bonobmark*
Category		Hetail Analogue	Hetall Analogue	Delicinary
	Resale IDSN	×		
			Retail Residence and Business	
	UNE 2w Loop with NP – Non-Design		Retail Residence and Business	
	UNE 2w Loop without NP – Non-Design		Retail Residence and Business	
			Retail Residence and Business	
			Retail Residence and Business	
			Retail Residence and Business	
			Retail Residence and Business	
	1		Retail Residence and Business	
			Retail Design	
			Retail Design	
			Retail Design	
	1	×		
	18			
	Resale Residence	×		
		×		
	Resale Design	×	•	
	Resale PBX	×		
	Resale Centrex	×		
	Resale IDSN	×		
	UNE Loop and Port Combos		Retail Residence and Business	`
	UNE 2w Loop with NP – Non-Design		Retail Residence and Business	
	UNE 2w Loop without NP – Non-Design		Retail Residence and Business	
	UNE Loop Other with NP Non-Design		Retail Residence and Business	
	UNE Loop Other without NP Non-Design		Retail Residence and Business	
	UNE Other Non Design		Retail Residence and Business	
	UNE 2w Loop with NP – Design		Retail Residence and Business	
			Retail Residence and Business	
			Retail Design	
	UNE Loop Other without NP - Design		Retail Design	
	UNE Other Design		Retail Design	
	Local Interconnection Trunks	×		
	Percent Provisioning Troubles within 30 Days			

Analogy Calegory  • Resale Business • Resale Design • UNE Loop and Port Combos • UNE Zw Loop with NP - Non-Design • UNE Zw Loop with NP - Design • UNE Loop Other with NP - Design • UNE Zw Loop with NP - Design • UNE Loop Other with NP - Design • UNE Loop Other with NP - Design • UNE Loop Other with NP - Design • UNE Loop Other With NP - Design • UNE Loop Other With NP - Design • UNE Loop Other With NP - Design • UNE Loop Other Non-Design • UNE Loop Other Non-Design • UNE Zw Loop Other - Non-Design • UNE Zw Loop Other - Non-Design • UNE Zw Loop Other - Design • UNE Zw Loop Other - Design • UNE Zw Loop Other - Design	APPENDIX D			
Resale Business     Resale Business     Resale Design     Resale Design     Resale Design     Resale Design     UNE Loop and F     UNE Loop Othe     UNE Cal Interconn     Desale Busines     Resale Design     Resale Centre     Resale Centre     Resale Centre     Resale Cop and     UNE Loop and     UNE Loop Othe	Analogs and Dencimality	BESAI F	UNES	
	MEASURES AND SUB-METHICS	Retail	Retail Analogue	Benchmark*
		Analogue		
		×		
	sale Hesiderice	×		
	ale Business	×		
	ale Design	<>		
	sale PBX	< >		
	ale Centrex	× ;		
	NSUI ole:	×	Social Day Concerns	
	E I on and Port Combos		Hetall Hesiderice and Business	
	E LOUD AILU I ON COMPANION		Retail Residence and business	
	E 2w Loop with NP - Noil-Design		Retail Residence and Business	
	E 2w Loop without NP - Non-Design		Retail Residence and Business	
	E Loop Other with NP Non-Design		Retail Residence and Business	
	E Loop Other without NP Non-Design		Retail Residence and Business	
	F Other Non Design		Designation and Business	
	E 2w I oon with NP – Design		Helail nesidence and business	
	T SW LOOP WILLIAM DOGS		Refail Residence and business	
	E 2W Loop Willout INF - Design		Retail Design	
	E Loop Omer will the - Design		Retail Design	
Total Total	IE Loop Other without NP - Design		Retail Design	
Total	E Other Design	×		
Total	cal Interconnection Trunks	Seic	Diagnostic	Diagnostic
Cns	Service Order Cycle Time	Diay.		
	mer Trouble Report Rate	>		
	sale Residence	< >		
	sale Business	< >		
	sale Design	< >		
	sale PBX	<>		
	sale Centrex	< >		
	sale IDSN	<	Betail Besidence and Business	
	JE Loop and Port Combos		Doto: Docidence and Business	
1 1 1	JE 2w I pop – Non-Design		netall nesidence and Business	
	VE I non Other - Non-Design		Retail Residence and Business	
	NE Other Non Design		Helall Residence and Ducinoss	
-			Retail Residence and business	
	VE ZW Loop – Design		Retail Design	
	VE Loop Uniel – Design		Retail Design	
UNE Other Design	NE Other Design			

Local Interconnection Trunks     Resale Residence     Resale Business     Resale Business     Resale Design     Resale Centrex     Resale Contrex     Resale IDSN     UNE Loop and Port Combos     UNE Loop Other - Non-Design     UNE Cother Design     Resale Business     Resale Design     Resale Design     UNE Loop Other - Non-Design     UNE Loop Other - Non-Design     UNE Cother Non Design     UNE Cother Non Design     UNE Loop Other - Design     UNE Cother Non Design     UNE Cother Design     UNE Cother Design     UNE Loop Other - Design     UNE Cother Non Design     UNE Cother Design     UNE Cother Design     UNE Cother Design     UNE Cother Design     UNE Cother Design     UNE Cother Design     UNE Cother Design     UNE Cother Design     UNE Cother Design     UNE Cother Design     UNE Cother Design     UNE Cother Design     UNE Cother Design     UNE Cother Design     UNE Cother Design     UNE Cother Design     UNE Cother Design					
Necessary   Percent Missed Repair Analogue				NEC	
Percent Inferconnection Trunks	BST SQM		Retail		Benchmark*
× ×××× × × × × × × × × × × × × × × × ×	Category		Analogue		
			×		
		Percent Missed Repair Appointments			
Resale Business		Resale Residence	×		
Resale Design			×		
Resale Centrex			×		
Resale Centrex			×		
Resale IDSN UNE Loop and Port Combos UNE Loop of Other - Non-Design UNE 2w Loop - Non-Design UNE 2w Loop - Design UNE 2w Loop - Design UNE 2w Loop Other - Non-Design UNE Coop Other - Design UNE Coop of Universe Average Duration X Resale Residence Resale Business A Resale Design UNE Loop and Port Combos UNE Loop and Port Combos UNE Loop and Port Combos UNE Loop of Universe Average UNE Loop Other - Non-Design UNE 2w Loop - Design UNE 2w Loop - Design UNE 2w Loop - Design UNE Loop Other - Design UNE Loop Other - Design UNE Loop Other - Design UNE Loop Other - Design UNE Loop Other - Design UNE Loop Other - Design UNE Loop Other - Design UNE Loop Other - Design UNE Code Interconnection Trunks  A Resale Interconnection Trunks A Resale Interconnection Tr			×		
UNE Loop and Port Combos  UNE 2w Loop - Non-Design  UNE Loop Other - Non-Design  UNE Cher Non Design  UNE Cher Non Design  UNE Cher Design  UNE Cher Design  UNE Cher Design  UNE Cher Design  UNE Cop Other - Design  UNE Loop Other - Design  UNE Loop Other - Design  UNE Loop and Port Combos  UNE Loop and Port Combos  UNE Loop Other - Non-Design  UNE Loop Other - Non-Design  UNE Loop Other - Design  UNE Cop Other - Design  UNE Cop Other - Design  UNE Cop Other - Design  UNE Cop Other - Design  UNE Cop Other - Design  UNE Cop Other - Design  UNE Cop Other - Design  UNE Cop Other - Design  UNE Cop Other - Design  UNE Cop Other - Design  UNE Cop Other - Design  UNE Cop Other - Design  UNE Cop Other - Design  UNE Cop Other - Design  UNE Cop Other - Design  UNE Cop Other - Design  UNE Cop Other - Design  UNE Cop Other - Design  UNE Cher Design  UNE Cher Design  UNE Cher Design  UNE Cher Design  UNE Cher Design  UNE Cher Design  UNE Cher Design  UNE Cher Design  UNE Cher Design  UNE Cher Design  UNE Cher Design  UNE Cher Design  UNE Cher Design  UNE Cher Design  UNE Cher Design			×	Social bac southing in the	
UNE Zw Loop – Non-Design UNE Loop Other - Non-Design UNE Cother Non Design UNE Cother Non Design UNE Cother Design UNE Loop Other – Design UNE Cother Design UNE Cother Design UNE Loop Other – Design UNE Loop Other – Design Waintenance Average Duration Resale Residence Resale Business Resale Business Resale Business Resale Design X Resale Design X Resale Design X Resale Design UNE Loop Other - Non-Design UNE Loop other - Non-Design UNE Zw Loop – Design UNE Loop Other – Design UNE Loop Other – Design UNE Loop Other – Design UNE Loop Other – Design UNE Loop Other – Design UNE Loop Other – Design UNE Loop Other – Design UNE Loop Other – Design UNE Loop Other – Design UNE Loop Other – Design UNE Loop Other – Design UNE Loop Other – Design UNE Loop Other – Design UNE Loop Other – Design UNE Loop Other – Design				Hetail Residence and Dusiness	
UNE Loop Other - Non-Design UNE Cother Non Design UNE Cother Non Design UNE Cother Design UNE Loop Other - Design UNE Loop Other - Design UNE Loop Other - Design UNE Loop Other - Design UNE Loop Other - Design UNE Loop Other - Non-Design UNE Loop Other - Non-Design UNE Loop Other - Design UNE Loop Other - Design UNE Loop Other - Design UNE Cother Other - Design UNE Cother Other - Design UNE Cother Other - Design UNE Cother Other - Design UNE Cother Other - Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Other Design		1		Retail Residence and business	
UNE City Control Control         UNE City Control         Exercises         Exe				Retail Residence and business	
UNE 2w Loop Design         N           UNE 2w Loop Other - Design         N           UNE 2w Loop Other - Design         X           UNE Other Design         X           Waintenance Average Duration         X           Resale Residence         X           Resale Business         X           Resale Business         X           Resale Design         X           Resale Design         X           Resale Dosign         X           Resale IDSN         X           Resale IDSN         X           UNE Loop and Port Combos         X           UNE Loop Other - Non-Design         V           UNE Loop Other - Design         V           UNE Cother Non Design         V           UNE Cother Design         V           UNE Cother Design         V           UNE Cother Design         V           UNE Cother Design         V           UNE Cother Design         V           UNE Cotal Interconnection Trunks         X           Percent Repeat Troubles within 30 Days         X				Retail Residence and Business	
UNE Loop Other - Design UNE Loop Other - Design UNE Loop Other - Design UNE Loop Other - Design UNE Loop Other - Design UNE Loop Other - Design UNE Loop Other - Design UNE Loop Other - Design UNE Loop Other - Design UNE Loop Other - Design UNE Loop Other - Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Other Design				Retail Residence and Business	
UNE Loop Orner - Design           UNE Other Design           Local Interconnection Trunks           Maintenance Average Duration           Resale Residence           Resale Business           Resale Business           Resale Design           Resale Design           Resale Design           UNE Loop and Port Combos           UNE Loop Other - Non-Design           UNE Cop Other - Non-Design           UNE Cop Other - Design           UNE Loop Other - Design           UNE Cother Design           UNE Cother Design           UNE Cother Design           UNE Other Design		UNE ZW LOOP = Design		Retail Design	
UNE Other Design  Local Interconnection Trunks  Maintenance Average Duration  Resale Residence Resale Business Resale Business Resale Design Resale Design Resale Centrex Resale Centrex Resale Centrex Resale Centrex Resale Centrex Resale Centrex Resale Door Combos UNE Loop Other - Non-Design UNE Zw Loop - Design UNE Zw Loop Other - Design UNE Zw Loop Other - Design UNE Loop Other - Design UNE Loop Other - Design UNE Loop Other - Design UNE Loop Other - Design UNE Control Interconnection Trunks Percent Repeat Troubles within 30 Days  A Design Control Interconnection Trunks Design Control Interconn				Retail Design	
Maintenance Average Duration  Maintenance Average Duration  Resale Residence Resale Business Resale Business Resale Design Resale Centrex Resale Centrex Resale Lopo and Port Combos UNE Loop and Port Combos UNE Loop Other - Non-Design UNE Loop Other - Non-Design UNE Coulter Non Design UNE Loop Other - Design UNE Coulter Non Design UNE Coulter Design UNE Coulter Design UNE Coulter Design UNE Coulter Design UNE Coulter Design UNE Coulter Design UNE Other Design UNE Other Design UNE Other Design UNE Other Design UNE Other Design UNE Other Design UNE Other Design UNE Other Design UNE Other Design UNE Other Design UNE Other Design UNE Other Design UNE Other Design UNE Other Design		ŀ	×		
Maintenance Average Duration         X           Resale Residence         X           Resale Business         X           Resale Business         X           Resale Design         X           Resale PBX         X           UNE Loop ond Port Combos         X           UNE Loop and Port Combos         X           UNE Zw Loop – Non-Design         UNE Cother Non-Design           UNE Loop Other – Design         X           UNE Loop Other – Design         X           UNE Cother Design         X           UNE Cother Design         X           Local Interconnection Trunks         X           Design Design         X			<		
Resale Residence Resale Business Resale Design Resale Centrex Resale Centrex Resale Centrex Resale Compos UNE Loop and Port Combos UNE Loop Other - Non-Design UNE 2w Loop - Design UNE 2w Loop Other - Design UNE 2w Loop Other - Design UNE 2w Loop Other - Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Cother Design UNE Other Design UNE Design		Maintenance Average Duration	>		
Resale Business Resale Design Resale Design Resale PBX Resale PBX Resale PBX Resale DSN UNE Loop and Port Combos UNE Zw Loop – Non-Design UNE Zw Loop – Design UNE Zw Loop – Design UNE Zw Loop – Design UNE Zw Loop Design UNE Zw Loop – Design UNE Zw Loop other – Design UNE Zw Loop – Design			< >		
Resale Design Resale PBX Resale PBX Resale Centrex Resale Contrex Resale IDSN UNE Loop and Port Combos UNE Zw Loop – Non-Design UNE Zw Loop – Design UNE Zw Loop – Design UNE Zw Loop Design UNE Zw Loop – Design UNE Zw Loop – Design UNE Zw Loop – Design UNE Zw Loop – Design UNE Zw Loop – Design UNE Zw Loop – Design UNE Zw Loop – Design UNE Zw Loop – Design UNE Zw Loop – Design UNE Zw Loop – Design UNE Zw Loop – Design UNE Zw Loop – Design UNE Loop Other – Design UNE Jw Loop – Design			<b>&lt;</b> ;		
Resale PBX Resale Centrex Resale Centrex Resale IDSN UNE Loop and Port Combos UNE 2w Loop – Non-Design UNE 2w Loop Other - Non-Design UNE 2w Loop Design UNE 2w Loop – Design UNE 2w Loop Design UNE 2w Loop – Design UNE 2w Loop – Design UNE 2w Loop – Design UNE Loop Other – Design UNE Loop Other – Design UNE Loop Other – Design UNE Loop Other – Design UNE Loop Other – Design UNE Loop Other – Design UNE Loop Other – Design UNE Loop Other – Design UNE Loop Other – Design UNE Loop Other – Design UNE Loop Other – Design UNE Loop Other – Design UNE Attention Other – Design UNE Other Design UNE Other Design UNE Other Design UNE Other Design UNE Other Design			×		
Resale Centrex Resale IDSN UNE Loop and Port Combos UNE 2w Loop – Non-Design UNE Loop Other - Non-Design UNE 2w Loop – Design UNE 2w Loop – Design UNE Loop Other – Design UNE Loop Other – Design UNE Loop Other – Design UNE Control Composition UNE Composition UNE Composition UNE Loop Other – Design UNE Loop Other – Design UNE Loop Other – Design UNE Loop Other – Design UNE Composition UNE Composition X Local Interconnection Trunks Percent Repeat Troubles within 30 Days			×		
NE Sale IDSN UNE Loop and Port Combos UNE Zw Loop – Non-Design UNE Loop Other - Non-Design UNE Zw Loop – Design UNE Loop Other – Design			× ;		
UNE Loop and Port Combos  UNE 2w Loop – Non-Design  UNE Loop Other - Non-Design  UNE 2w Loop – Design  UNE Loop Other – Design  UNE Loop Other – Design  UNE Loop Other – Design  UNE Loop Other Design  UNE Loop Other – Design  UNE Loop Other – Design  UNE Loop Other – Design  UNE Loop Other – Design  UNE Loop Other – Design  UNE Other Design  X  Percent Repeat Troubles within 30 Days  X			<	Bosidence and Business	
UNE 2w Loop – Non-Design  UNE Loop Other - Non-Design  UNE 2w Loop – Design  UNE Loop Other – Design  UNE Cother Design  UNE Other Design  Local Interconnection Trunks  Percent Repeat Troubles within 30 Days  X				Dotail Decidence and Business	
UNE Loop Other - Non-Design UNE Other Non Design UNE Loop Other - Design UNE Loop Other - Design UNE Other Design Local Interconnection Trunks  Local Interconnection Trunks  Percent Repeat Troubles within 30 Days  X				Detail Desidence and Business	
UNE Other Non Design  UNE 2w Loop – Design  UNE Loop Other – Design  UNE Other Design  Local Interconnection Trunks  Local Interconnection Trunks  Percent Repeat Troubles within 30 Days  X				helall hesidelice and business	
UNE 2w Loop – Design UNE Loop Other – Design UNE Other Design  Local Interconnection Trunks  Percent Repeat Troubles within 30 Days  X				Hetail Residence and Dusiness	
UNE Loop Other – Design UNE Other Design Local Interconnection Trunks  Ercent Repeat Troubles within 30 Days  X				Retail Hesidence and business	
UNE Other Design  Local Interconnection Trunks  ercent Repeat Troubles within 30 Days  X				Retail Design	
Local Interconnection Trunks  ercent Repeat Troubles within 30 Days		-		Hetall Design	
		1	×		
		Percent Repeat Troubles within 30 Days			
		Donalo Desidence	×		

	APPENDIX D			•
	Analogs and benchmarks	BESAI F	INES	
BSTSQM	MEASURES AND SUB-MEINICS	Retail	Retail Analogue	Benchmark*
Category		Analogue		
	- Bocala Businass	×		
		×		
	Resale Design	×		
		×		
	Hesale Centrex	×		
	Resale IDSN		Retail Residence and Business	
	<ul> <li>UNE Loop and Port Combos.</li> </ul>		Botal Besidence and Business	
	UNE 2w Loop – Non-Design		Detail Desidence and Business	
	UNE Loop Other - Non-Design		Helall Residence and Business	
	LINE Other Non Design		Hetall Residence and Dushiness	
	-		Retail Residence and business	
			Hetall Design	
			Hetail Design	
		×		
	Cocal Intercention of the Commercial Commerc			
	Out of Service > 24ms	×		
	Resale Residence	< >		
	Resale Business	<>		
	Resale Design	<b>\</b>		
	Resale PBX	<b>&lt;</b>		
	Resale Centrex	×		
	1	×		
			Retail Residence and Business	
			Hetail Residence and business	
	UNE Loop Other - Non-Design		Retail Residence and Business	
	INF Other Non Design		Hetail Hesidence and business	
			Retail Residence and Business	
			Retail Design	
	INF Other Design		Retail Design	
	I ocal Interconnection Trunks	×		
	S	·		
	All systems except ECTA	<b>&lt;</b>		99.5%
	• ECTA			
	OSS Response Interval and %	×		
	• I AFI (FIGIR EIIU)			

	Appendix D			
BST SQM	MEASURES AND SUB-METRICS	ш	UNES	Benchmark*
Category		Retail Analogue	Hetall Analogue	
	CRIS, DLETH, DLR, OSPCM, LMOS, LMOSUP, MARCH, Predictor, SOCS, 1 NP (Parity by Design)	PBD		
	Average Answer Time – Repair Center	×		
		>		
Billing	Invoice Accuracy	<>>		
	Mean Time To Deliver Invoices	Χ;		
	Usage Data Delivery Accuracy	×		
	Usage Data Delivery Timeliness	×		
	Usage Data Delivery Completeness	×		
	Mean Time to Deliver Usage	×		
Operator Services	Average Speed to Answer	PBD		
(1011)	% Answered in "X" Seconds	PBD		
Directory	Average Speed to Answer	PBD		
Assistance	% Answered in "X" Seconds	PBD		
E911	Timeliness	PBD		
	Accuracy	PBD		
•	Mean Interval	PBD		
Trunk Group	Trunk Group Service Report (Percent Trunk Blockage)	×		
Performance	Any 2 hour period in 24 hours where CLEC blockage exceeds BST			•••
(Blockage)	blockage by more than 0.5% = a miss using trunk groups 1, 3, 4, 5, 10, 16 for CI FCs and 9 for BST.			
	Trunk Group Service Report (Percent Trunk Blockage)	×		
dN	Average Disconnect Timeliness Interval			
	Percent Missed Installation Appointments		Retail Residence and Business	+
	FOC Mechanized			95% ≤4 hours
	% Reject Service Request		Diagnostic	050/ /1 bour
	Average Reject Interval Mechanized			INOIL I ≤ 0/ CB
	TS0C		Diagnostic	7000
	% Flow Through			9/00
· —				

	APPENDIX D				
BSTSOM	Analogs and Benchmarks MEASURES AND SUB-METRICS	RESALE	UNES	Retail Analogue	Benchmark*
Category		Analogue			
					Oro, 4Emin
Customer	Coordinated Customer Conversions - UNE Loop				95% 5 1311111
Coordinated					95% < 15 min
Conversions	Coordinated Customer Conversions – LINF				
					90% < Commi
Collocation +	% of Due Dates Missed				Date
	-		FL PS	FL PSC is addressing this in	
	Average Response Time		  -	generic docket	
			FL PS	FL PSC is addressing this in	
+A contract with	Average Arrangement Time			generic docket	
each CLEC				'n	
required.		Pologo Appleas	are comple	a	

Note 1: PBD = Parity by Design. UD = Under Development - Benchmarks will be replaced when Analogs are complete.

Note2: The retail analog for UNE Non-Design and UNE 2w Loops – Design is the average of Retail Residence Dispatch and Retail Business Dispatch transactions for the particular month. The retail analog for other UNE Design is Retail Design Dispatch.

Note3: Analogs and Benchmarks will be re-evaluated periodically, at least once a year, to validate applicability.

# Appendix E Modification of Performance Measurements

In the event that the FCC or any State Commission adopts, orders, or imposes on BellSouth any standards, measurements, or performance requirements in addition to or different from the standards, measurements, and performance requirements contained in this attachment, the Parties shall amend this Attachment to incorporate such standards, measurements, or performance requirements at either Party's request in accordance with Section 35 of the General Terms and Conditions of this Agreement; provided, however, that if e-spire elects to retain the performance measurements set forth in this Attachment rather than to adopt the standards, measurements, or performance measurements so ordered or imposed, BellSouth will continue to provide to e-spire the performance measurements set forth herein.

# EXHIBIT B

# **VSEEMIII TIER-1 SUBMETRICS**

- FOC Timeliness (Mechanized only)
- Reject Interval (Mechanized only)
- Order Completion Interval (Dispatch only) Resale POTS
- □ Order Completion Interval (Dispatch only) Resale Design
- Order Completion Interval (No Dispatch only) UNE Loop and Port Combos
- Order Completion Interval ('w' code orders, Dispatch only) UNE Loops
- □ Order Completion Interval (Dispatch only) IC Trunks
- Percent Missed Installation Appointments Resale POTS
- Percent Missed Installation Appointments Resale Design
- Percent Missed Installation Appointments UNE Loop and Port Combos
- Percent Missed Installation Appointments UNE Loops
- Percent Provisioning Troubles within 4 Days Resale POTS
- Percent Provisioning Troubles within 4 Days Resale Design
- Percent Provisioning Troubles within 4 Days UNE Loop and Port Combos
- □ Percent Provisioning Troubles within 4 Days UNE Loops
- Customer Trouble Report Rate Resale POTS
- Customer Trouble Report Rate Resale Design
- Customer Trouble Report Rate UNE Loop and Port Combos
- Customer Trouble Report Rate UNE Loops
- Percent Missed Repair Appointments Resale POTS
- Percent Missed Repair Appointments Resale Design
- Percent Missed Repair Appointments UNE Loop and Port Combos
- Percent Missed Repair Appointments UNE Loops
- Maintenance Average Duration Resale POTS
- Maintenance Average Duration Resale Design
- Maintenance Average Duration UNE Loop and Port Combos
- Maintenance Average Duration UNE Loops
- □ Maintenance Average Duration IC Trunks
- Percent Repeat Troubles within 30 Days Resale POTS
- Percent Repeat Troubles within 30 Days Resale Design
- Percent Repeat Troubles within 30 Days UNE Loop and Port Combos
- Percent Repeat Troubles within 30 Days UNE Loops
- □ Percent Trunk Blockage
- LNP Disconnect Timeliness
- LNP Percent Missed Installation Appointment
- Coordinated Customer Conversions for UNE Loops
- Coordinated Customer Conversions for LNP
- Percent Missed Collocation Due Dates

# **VSEEMIII TIER-2 SUBMETRICS**

- Percent Response Received within "X" seconds Pre-Order OSS
- OSS Interface Availability
- Order Process Percent Flow-Through (Mechanized only)
- □ Order Completion Interval (Dispatch only) Resale POTS
- □ Order Completion Interval (Dispatch only) Resale Design
- □ Order Completion Interval (No Dispatch only) UNE Loop and Port Combos
- Order Completion Interval ('w' code orders, Dispatch only) UNE Loops
- □ Order Completion Interval (Dispatch only) IC Trunks
- Percent Missed Installation Appointments Resale POTS
- Percent Missed Installation Appointments Resale Design
- Percent Missed Installation Appointments UNE Loop and Port Combos
- Percent Missed Installation Appointments UNE Loops
- Percent Provisioning Troubles within 4 Days Resale POTS
- Percent Provisioning Troubles within 4 Days Resale Design
- Percent Provisioning Troubles within 4 Days UNE Loop and Port Combos
- Percent Provisioning Troubles within 4 Days UNE Loops
- Customer Trouble Report Rate Resale POTS
- □ Customer Trouble Report Rate Resale Design
- Customer Trouble Report Rate UNE Loop and Port Combos
- Customer Trouble Report Rate UNE Loops
- □ Percent Missed Repair Appointments Resale POTS
- Percent Missed Repair Appointments Resale Design
- Percent Missed Repair Appointments UNE Loop and Port Combos
- Percent Missed Repair Appointments UNE Loops
- Maintenance Average Duration Resale POTS
- Maintenance Average Duration Resale Design
- Maintenance Average Duration UNE Loop and Port Combos
- Maintenance Average Duration UNE Loops
- □ Maintenance Average Duration IC Trunks
- Percent Repeat Troubles within 30 Days Resale POTS
- Percent Repeat Troubles within 30 Days Resale Design
- Percent Repeat Troubles within 30 Days UNE Loop and Port Combos
- Percent Repeat Troubles within 30 Days UNE Loops
- Billing Timeliness
- Billing Accuracy
- Usage Data Delivery Timeliness
- Usage Data Delivery Accuracy
- □ Percent Trunk Blockage
- □ LNP Disconnect Timeliness
- LNP Percent Missed Installation Appointment
- Coordinated Customer Conversions for UNE Loops
- Coordinated Customer Conversions for LNPPercent Missed Collocation Due Dates
- Version 1Q00: 3-6-00 DC01 HEITJ 115887.1

# **VSEEMIII TIER-3 SUBMETRICS**

- Percent Missed Installation Appointments Resale POTS
- □ Percent Missed Installation Appointments Resale Design
- □ Percent Missed Installation Appointments UNE Loop and Port Combos
- □ Percent Missed Installation Appointments UNE Loops
- □ Percent Missed Repair Appointments Resale POTS
- □ Percent Missed Repair Appointments Resale Design
- □ Percent Missed Repair Appointments UNE Loop and Port Combos
- □ Percent Missed Repair Appointments UNE Loops
- Billing Timeliness
- Billing Accuracy
- Percent Trunk Blockage
- Percent Missed Collocation Due Dates

MARK		%06	95% ≤ 4	hrs 95% < 1	hrs						1														
RETAIL ANALOGUE Resale (x) and UNEs	Retail Analogue + 4 sec	<b>V</b>				×	×	Design: Retail Design Dispatch 'w' Orders	×	×	<b>X</b>	Retail Residence and Business	Design: Retail Design \ Non-Design: Retail Res, Bus \	×	×	Retail Residence and Business	Design: Retail Design \ Non-Design: Retail Res, Bus \	×	×	Retail Residence and Business	Design: Retail Design   Non-Design: Retail Res, Bus	×	×	Retail Residence and Business	Design: Retail Design Non-Design: Retail Res, Bus
MEASURES AND SUB-METRICS	Percent Besponse Received within "X" seconds	OSS Interface Availability	Percent Flow-Through Service Request (Fully Mechanized only)	Firm Order Confirmation Timeliness (Mechanized only)	Reject Interval (Mechanized only)	Output (Dispatch only) - Resale POTS	Order Completion Interval (Dispatch only) - Resale Design	1 🗆	- 1	Order Completion Interval (Dispatch only) - IC Trunks	11	Percent Missed Installation Appointments – Resale Design	Percent Missed Installation Appointments – UNE Loop and Port Corrigos Percent Missed Installation Appointments – UNE Loops	OTOG - L	Percent Provisioning Troubles within 4 Days - Resale POLS	Percent Provisioning Troubles within 4 Days - Resale Design Percent Provisioning Troubles within 4 Days - UNE Loop and Port	Combos Percent Provisioning Troubles within 4 Days - UNE Loops	SIVO	Customer Trouble Report Rate - Resale POTS	Customer Trouble Report Hate - Resale Design	Customer Trouble Report Rate - UNE Loops  Customer Trouble Report Rate - UNE Loops	STOG pleased streethings and a	Percent Missed Repair Appointments - nesale 1 or 5	Percent Missed Repair Appointments - Nesaic Cost.	Percent Missed Repair Appointments - UNE Loops
VSEEM III	Dairoby O	Ale-Oldeling	Ordering				Provisioning										•		Maintenance						

<sup>1</sup> The retail analog for UNE Non-Design is the average of all retail residence and retail business transactions for the particular month. NOTES:

analog for UNE Design is calculated similarly using retail residence, business and design results. <sup>2</sup> UD = Under Development The retail

Maintenance Average Duration – Resale Maintenance Average Duration – Resale I	e POTS e Design	x x Retail Residence and Business	
Maintenar	Maintenance Average Duration - UNE Loop and Port Combos Maintenance Average Duration - UNE Loops	Non-Design: Retail Res, Bus	
Maintenal Percent B	Maintenance Average Duration – IC Trunks Descript Repeat Troubles within 30 Days – Resale POTS	××	
Percent F	Percent Repeat Troubles within 30 Days – Resale Design	X Retail Residence and Business	
Percent F	Percent Repeat Troubles within 30 Days - UNE Loops	Design: Retail Design   Non-Design: Retail Res, Bus	
Invoice Accuracy	ccuracy	×	
Mean Tir	Mean Time To Deliver Invoices	×	
Usage Do	Usage Data Delivery Accuracy	×	
Usage Di	Usage Data Delivery Timeliness	×	2011
Average 1	Average Disconnect Timeliness Interval		200
Percent N	Percent Missed Installation Appointments		95% <
Coordina	Coordinated Customer Conversions – UNE Loop		· 15min
			≥ %56
Coordina	Coordinated Customer Conversions – LNP		15 min
			× 10%
% of Due	% of Due Dates Missed		

<sup>1</sup> The retail analog for UNE Non-Design is the average of all retail residence and retail business transactions for the particular month. The retail NOTES:

analog for UNE Design is calculated similarly using retail residence, business and design results. <sup>2</sup> UD = Under Development

## EXHIBIT C

## Statistical Methods for BellSouth Performance Measure Analysis

## I. Necessary Properties for a Test Methodology

The statistical process for testing if competing local exchange carriers (CLECs) customers are being treat equally with BellSouth (BST) customers involves more than just a mathematical formula. Three key elements need to be considered before an appropriate decision process can be developed. These are

- the type of data,
- the type of comparison, and
- the type of performance measure.

Once these elements are determined a test methodology should be developed that complies with the following properties.

- <u>Like-to-Like Comparisons</u>. When possible, data should be compared at appropriate levels, e.g. wire center, time of month, dispatched, residential, new orders. The testing process should:
  - Identify variables that may affect the performance measure.
  - Record these important confounding covariates.
  - Adjust for the observed covariates in order to remove potential biases and to make the CLEC and the ILEC units as comparable as possible.
- Aggregate Level Test Statistic. Each performance measure of interest should be summarized by one
  overall test statistic giving the decision maker a rule that determines whether a statistically significant
  difference exists. The test statistic should have the following properties.
  - The method should provide a single overall index, on a standard scale.
  - If entries in comparison cells are exactly proportional over a covariate, the aggregated index should be very nearly the same as if comparisons on the covariate had not been done.
  - The contribution of each comparison cell should depend on the number of observations in the cell.
  - Cancellation between comparison cells should be limited.
  - The index should be a continuous function of the observations.
- <u>Production Mode Process</u>. The decision system must be developed so that it does not require intermediate manual intervention, i.e. the process must be a "black box."
  - Calculations are well defined for possible eventualities.
  - The decision process is an algorithm that needs no manual intervention.
  - Results should be arrived at in a timely manner.
  - The system must recognize that resources are needed for other performance measure-related processes that also must be run in a timely manner.
  - The system should be auditable, and adjustable over time.
- Balancing. The testing methodology should balance Type I and Type II Error probabilities.
  - P(Type I Error) = P(Type II Error) for well defined null and alternative hypotheses.
  - The formula for a test's balancing critical value should be simple enough to calculate using standard mathematical functions, i.e. one should avoid methods that require computationally intensive techniques.

Little to no information beyond the null hypothesis, the alternative hypothesis, and the number of
observations should be required for calculating the balancing critical value.

In the following sections we describe appropriate testing processes that adhere as much as possible to the testing principles.

## Measurement Types

The performance measures that will undergo testing are of three types:

- 1) means
- 2) proportions, and
- 3) rates

While all three have similar characteristics (a proportion is the average of a measure that takes on only the values of 0 or 1), a proportion or rate is derived from count data while a mean is generally an average of interval measurements.

## II. Testing Methodology - The Truncated Z

Many covariates are chosen in order to provide deep comparison levels. In each comparison cell, a Z statistic is calculated. The form of the Z statistic may vary depending on the performance measure, but it should be distributed approximately as a standard normal, with mean zero and variance equal to one. Assuming that the test statistic is derived so that it is negative when the performance for the CLEC is worse than for the ILEC, a positive truncation is done – i.e. if the result is negative it is left alone, if the result is positive it is changed to zero. A weighted average of the truncated statistics is calculated where a cell weight depends on the volume of BST and CLEC orders in the cell. The weighted average is re-centered by the theoretical mean of a truncated distribution, and this is divided by the standard error of the weighted average. The standard error is computed assuming a fixed effects model.

## Proportion Measures

For performance measures that are calculated as a proportion, in each adjustment cell, the truncated Z and the moments for the truncated Z can be calculated in a direct manner. In adjustment cells where proportions are not close to zero or one, and where the sample sizes are reasonably large, a normal approximation can be used. In this case, the moments for the truncated Z come directly from properties of the standard normal distribution. If the normal approximation is not appropriate, then the Z statistic is calculated from the hypergeometric distribution. In this case, the moments of the truncated Z are calculated exactly using the hypergeometric probabilities.

## Rate Measures

The truncated Z methodology for rate measures has the same general structure for calculating the Z in each cell as proportion measures. For a rate measure, there are a fixed number of circuits or units for the CLEC,  $n_{2j}$  and a fixed number of units for BST,  $n_{1j}$ . Suppose that the performance measure is a "trouble rate." The modeling assumption is that the occurrence of a trouble is independent between units and the number of troubles in n circuits follows a Poisson distribution with mean  $\lambda$  n where  $\lambda$  is the probability of a trouble in 1 circuit and n is the number of circuits.

In an adjustment cell, if the number of CLEC troubles is greater than 15 and the number of BST troubles is greater than 15, then the Z test is calculated using the normal approximation to the Poisson. In this case, the moments of the truncated Z come directly from properties of the standard normal distribution. Otherwise, if there are very few troubles, the number of CLEC troubles can be modeled using a binomial distribution with n equal to the total number of troubles (CLEC plus BST troubles.) In this case, the moments for the truncated Z are calculated explicitly using the binomial distribution.

## Mean Measures

For mean measures, an adjusted t statistic is calculated for each like-to-like cell which has at least 7 BST and 7 CLEC transactions. A permutation test is used when one or both of the BST and CLEC sample sizes is less than 6. Both the adjusted t statistic and the permutation calculation are described in the technical appendix.

## APPENDIX TECHNICAL DESCRIPTION

We start by assuming that any necessary trimming of the data is complete, and that the data are disaggregated so that comparisons are made within appropriate classes or adjustment cells that define "like" observations.

## NOTATION AND EXACT TESTING DISTRIBUTIONS

Below, we have detailed the basic notation for the construction of the truncated z statistic. In what follows the word "cell" should be taken to mean a like-to-like comparison cell that has both one (or more) ILEC observation and one (or more) CLEC observation.

L = the total number of occupied cells

i = 1,...,L; an index for the cells

 $n_{ij}$  = the number of ILEC transactions in cell j

 $n_{2j}$  = the number of CLEC transactions in cell j

 $n_i$  = the total number transactions in cell j;  $n_{ij}$ +  $n_{2j}$ 

 $X_{1jk}$  = individual ILEC transactions in cell j; k = 1,...,  $n_{1j}$ 

 $X_{2jk}$  = individual CLEC transactions in cell j; k = 1,...,  $n_{2j}$ 

 $Y_{jk}$  = individual transaction (both ILEC and CLEC) in cell j

$$= \begin{cases} X_{1jk} & k = 1, K, n_{1j} \\ X_{2jk} & k = n_{1j} + 1, K, n_{j} \end{cases}$$

 $\Phi^{-1}(\cdot)$  = the inverse of the cumulative standard normal distribution function

For Mean Performance Measures the following additional notation is needed.

 $\overline{X}$  = the ILEC sample mean of cell j

 $\overline{X}_{j}$  = the CLEC sample mean of cell j

 $S_1^2$  = the ILEC sample variance in cell j

 $S_2^2$  = the CLEC sample variance in cell j

 $y_{jk} = a \text{ random sample of size } n_{2j} \text{ from the set of } Y_{j1}, K, Y_{jn_1}; k = 1,...,n_{2j}$ 

 $M_j$  = the total number of distinct pairs of samples of size  $n_{1j}$  and  $n_{2j}$ ;

$$= \begin{pmatrix} n_{j} \\ n_{1j} \end{pmatrix}$$

The exact parity test is the permutation test based on the "modified Z" statistic. For large samples, we can avoid permutation calculations since this statistic will be normal (or Student's t) to a good approximation. For small samples, where we cannot avoid permutation calculations, we have found that the difference between "modified Z" and the textbook "pooled Z" is negligible. We therefore propose to use the permutation test based on pooled Z for small samples. This decision speeds up the permutation computations considerably, because for each permutation we need only compute the sum of the CLEC sample values, and not the pooled statistic itself.

A permutation probability mass function distribution for cell j, based on the "pooled Z" can be written as

$$PM(t) = P(\sum_{k} y_{jk} = t) = \frac{\text{the number of samples that sum to t}}{M_{j}},$$

and the corresponding cumulative permutation distribution is

$$CPM(t) = P(\sum_{k} y_{jk} \le t) = \frac{\text{the number of samples with sum } \le t}{M_{j}}$$

For Proportion Performance Measures the following notation is defined

the number of ILEC cases possessing an attribute of interest in cell  $\boldsymbol{j}$  $a_{1i}$ =

the number of CLEC cases possessing an attribute of interest in cell j  $a_{2i}$ 

the number of cases possessing an attribute of interest in cell j;  $a_{1j}$ +  $a_{2j}$ a,

The exact distribution for a parity test is the hypergeometric distribution. The hypergeometric probability mass function distribution for cell j is

$$HG(h) = P(H = h) = \begin{cases} \frac{\binom{n_{1j}}{h} \binom{n_{2j}}{a_j - h}}{\binom{n_j}{a_j}}, \max(0, a_j - n_{2j}) \le h \le \min(a_j, n_{1j}), \\ \binom{n_j}{a_j} & \text{otherwise} \end{cases}$$

and the cumulative hypergeometric distribution is

$$CHG(x) = P(H \le x) = \begin{cases} 0 & x < max(0, a_{j} - n_{1j}) \\ \sum_{h=max(0, a_{j} - n_{1j})}^{x} HG(h), & max(0, a_{j} - n_{1j}) \le x \le min(a_{j}, n_{2j}). \\ 1 & x > min(a_{j}, n_{2j}) \end{cases}$$

For Rate Measures, the notation needed is defined as

the number of ILEC base elements in cell j

 $b_{2j}$  = the number of CLEC base elements in cell j  $b_j$  = the total number of base elements in cell j;  $b_{1j} + b_{2j}$   $\vec{P}_{1j}$  = the ILEC sample rate of cell j;  $n_{1j}/b_{1j}$ 

 $\vec{p}_{j}$  = the CLEC sample rate of cell j;  $n_{2j}/b_{2j}$ 

the relative proportion of CLEC elements for cell j; b2j/b,

The exact distribution for a parity test is the binomial distribution. The binomial probability mass function distribution for cell j is

$$BN(k) = P(B = k) = \begin{cases} \binom{n_j}{k} q_j^k (1 - q_j)^{n_j - k}, & 0 \le k \le n_j \\ 0 & \text{otherwise} \end{cases}$$

and the cumulative binomial distribution is

$$CBN(x) = P(B \le x) = \begin{cases} 0 & x < 0 \\ \sum_{k=0}^{x} BN(k), & 0 \le x \le n_{j}. \\ 1 & x > n_{j} \end{cases}$$

## CALCULATING THE TRUNCATED Z

The general methodology for calculating an aggregate level test statistic is outlined below.

1. Calculate cell weights, W<sub>j</sub>. A weight based on the number of transactions is used so that a cell which has a larger number of transactions has a larger weight. The actual weight formulae will depend on the type of measure.

Mean Measure

$$W_j = \sqrt{\frac{n_{1j}n_{2j}}{n_j}}$$

Proportion Measure

$$W_{j} = \sqrt{\frac{n_{2j}n_{1j}}{n_{j}} \cdot \frac{a_{j}}{n_{j}} \cdot \left(1 - \frac{a_{j}}{n_{j}}\right)}$$

Rate Measure

$$W_{j} = \sqrt{\frac{b_{1j}b_{2j}}{b_{j}} \cdot \frac{n_{j}}{b_{j}}}$$

- 2. In each cell, calculate a Z value, Z<sub>j</sub>. A Z statistic with mean 0 and variance 1 is needed for each cell.
  - If  $W_j = 0$ , set  $Z_j = 0$ .
  - Otherwise, the actual Z statistic calculation depends on the type of performance measure.

Mean Measure

$$Z_i = \Phi^{-1}(\alpha)$$

where  $\alpha$  is determine by the following algorithm.

If  $min(n_{11}, n_{21}) > 6$ , then determine  $\alpha$  as

$$\alpha = P(t_{n_{1i}-1} \leq T_j).$$

that is,  $\alpha$  is the probability that a t random variable with  $n_{lj}$  - 1 degrees of freedom, is less than

$$T_{j} = t_{j} + \frac{g}{6} \left( \frac{n_{1j} + 2n_{2j}}{\sqrt{n_{1j} n_{2j}(n_{1j} + n_{2j})}} \right) \left( t^{2} + \frac{n_{2j} - n_{1j}}{2n_{1j} + n_{2j}} \right),$$

where

$$t_{j} = \frac{\bar{X}_{1j} - \bar{X}_{2j}}{s_{1j}\sqrt{\frac{1}{n_{1j}} + \frac{1}{n_{2j}}}}$$

and the coefficient g is an estimate of the skewness of the parent population, which we assume is the same in all cells. It can be estimated from the ILEC values in the largest cells. This needs to be done only once for each measure. We have found that attempting to estimate this skewness parameter for each cell separately leads to excessive variability in the "adjusted" t. We therefore use a single compromise value in all cells.

Note, that  $t_j$  is the "modified Z" statistic. The statistic  $T_j$  is a "modified Z" corrected for the skewness of the ILEC data.

If  $min(n_{1j}, n_{2j}) \le 6$ , and

- a)  $M_j \le 1,000$  (the total number of distinct pairs of samples of size  $n_{1j}$  and  $n_{2j}$  is 1,000 or less).
  - Calculate the sample sum for all possible samples of size n<sub>2j</sub>.
  - Rank the sample sums from smallest to largest. Ties are dealt by using average ranks.
  - Let R<sub>0</sub> be the rank of the observed sample sum with respect all the sample sums.

$$\alpha = 1 - \frac{R_0 - 0.5}{M_j}$$

b)  $M_j > 1,000$ 

- Draw a random sample of 1,000 sample sums from the permutation distribution.
- Add the observed sample sum to the list. There is a total of 1601 sample sums. Rank the sample sums from smallest to largest. Ties are dealt by using average ranks.
- Let R<sub>0</sub> be the rank of the observed sample sum with respect all the sample sums.

$$\alpha = 1 - \frac{R_0 - 0.5}{1001}.$$

Proportion Measure

$$Z_{j} = \frac{n_{j} a_{1j} - n_{1j} a_{j}}{\sqrt{\frac{n_{1j} n_{2j} a_{j} (n_{j} - a_{j})}{n_{i} - 1}}}.$$

Rate Measure

$$Z_{j} = \frac{n_{1j} - n_{j} q_{j}}{\sqrt{n_{j} q_{j} (1 - q_{j})}}$$

3. Obtain a truncated Z value for each cell,  $Z_j^{\bullet}$ . To limit the amount of cancellation that takes place between cell results during aggregation, cells whose results suggest possible favoritism are left alone. Otherwise the cell statistic is set to zero. This means that positive equivalent Z values are set to 0, and negative values are left alone. Mathematically, this is written as

$$Z_i^{\bullet} = \min(0, Z_i).$$

- 4. Calculate the theoretical mean and variance of the truncated statistic under the null hypothesis of parity,  $E(Z_j^*|H_0)$  and  $Var(Z_j^*|H_0)$ . In order to compensate for the truncation in step 3, an aggregated, weighted sum of the  $Z_j^*$  will need to be centered and scaled properly so that the final aggregate statistic follows a standard normal distribution.
  - If  $W_j = 0$ , then no evidence of favoritism is contained in the cell. The formulae for calculating  $E(Z_i^* | H_0)$  and  $Var(Z_i^* | H_0)$  cannot be used. Set both equal to 0.
  - If  $\min(n_{1j}, n_{2j}) > 6$  for a mean measure,  $\min\left\{a_{1j}\left(1 \frac{a_{1j}}{n_{1j}}\right), a_{2j}\left(1 \frac{a_{2j}}{n_{2j}}\right)\right\} > 9$  for a proportion measure, or  $\min\left(n_{1j}, n_{2j}\right) > 15$  and  $n_j q_j (1 q_j) > 9$  for a rate measure then

$$E(Z_{j}^{\bullet} | H_{0}) = -\frac{1}{\sqrt{2\pi}}$$
, and

$$Var(Z_j^* | H_0) = \frac{1}{2} - \frac{1}{2\pi}.$$

• Otherwise, determine the total number of values for  $Z_j^{\bullet}$ . Let  $z_{ji}$  and  $\theta_{ji}$ , denote the values of  $Z_j^{\bullet}$  and the probabilities of observing each value, respectively.

$$E(Z_j^* \mid H_0) = \sum_i \theta_{ji} z_{ji}$$
 ,and

$$Var(Z_{j}^{*} | H_{0}) = \sum_{i} \theta_{ji} Z_{ji}^{2} - [E(Z_{j}^{*} | H_{0})]^{2}.$$

The actual values of the z's and  $\theta$ 's depends on the type of measure, and the sums in the equations are over all possible values of the index i.

Mean Measure

$$\begin{split} N_{j} &= min(M_{j}, 1,000), \ i = 1, K \ , N_{j} \\ z_{ji} &= min\left\{0, 1 - \Phi^{-1}\left(\frac{R_{i} - 0.5}{N_{j}}\right)\right\} \quad \text{where } R_{i} \text{ is the rank of sample sum i} \\ \theta_{j} &= \frac{1}{N_{j}} \end{split}$$

Proportion Measure

$$z_{ji} = \min \left\{ 0, \frac{n_{j} i - n_{1j} a_{j}}{\sqrt{\frac{n_{1j} n_{2j} a_{j} (n_{j} - a_{j})}{n_{j} - 1}}} \right\}, \quad i = \min(a_{j}, n_{2j}), K, \max(0, a_{j} - n_{1j})$$

$$\theta_{ii} = HG(i)$$

Rate Measure

$$z_{ji} = \min \left\{ 0, \frac{i - n_j q_j}{\sqrt{n_j q_j (1 - q_j)}} \right\}, \quad i = 0, K, n_j$$

$$\theta_{ji} = BN(i)$$

5. Calculate the aggregate test statistic,  $Z^T$ .

$$Z^{T} = \frac{\sum_{j} W_{j} Z_{j}^{*} - \sum_{j} W_{j} E(Z_{j}^{*} | H_{0})}{\sqrt{\sum_{j} W_{j}^{2} Var(Z_{j}^{*} | H_{0})}}$$

## The Balancing Critical Value

There are four key elements of the statistical testing process:

- 1. the null hypothesis, H<sub>0</sub>, that parity exists between ILEC and CLEC services
- 2. the alternative hypothesis, H<sub>a</sub>, that the ILEC is giving better service to its own customers
- 3. the Truncated Z test statistic,  $Z^{T}$ , and
- 4. a critical value, c

The decision rule is

• If  $Z^T \le c$  then accept  $H_a$ . • If  $Z^T \ge c$  then accept  $H_0$ .

There are two types of error possible when using such a decision rule:

<sup>&</sup>lt;sup>1</sup> This decision rule assumes that a negative test statistic indicates poor service for the CLEC customer. If the opposite is true, then reverse the decision rule.

Type I Error: Deciding favoritism exists when there is, in fact, no favoritism.

Type II Error: Deciding parity exists when there is, in fact, favoritism.

The probabilities of each type of each are:

Type I Error:  $\alpha = P(Z^T < c \mid H_0)$ .

Type II Error:  $\beta = P(Z^T \ge c | H_a)$ .

We want a balancing critical value,  $c_B$ , so that  $\alpha = \beta$ .

It can be shown that.

$$c_{B} = \frac{\sum_{j} W_{j} M(m_{j}, se_{j}) - \sum_{j} W_{j} \frac{-1}{\sqrt{2\pi}}}{\sqrt{\sum_{j} W_{j}^{2} V(m_{j}, se_{j})} + \sqrt{\sum_{j} W_{j}^{2} \left(\frac{1}{2} - \frac{1}{2\pi}\right)}}$$

where

$$M(\mu, \sigma) = \mu \Phi(\frac{-\mu}{\sigma}) - \sigma \phi(\frac{-\mu}{\sigma})$$

$$V(\mu,\sigma) = (\mu^2 + \sigma^2)\Phi(\frac{-\mu}{\sigma}) - \mu \sigma \phi(\frac{-\mu}{\sigma}) - M(\mu,\sigma)^2$$

 $\Phi(\cdot)$  is the cumulative standard normal distribution function, and  $\phi(\cdot)$  is the standard normal density function.

This formula assumes that  $Z_j$  is approximately normally distributed within cell j. When the cell sample sizes,  $n_{1j}$  and  $n_{2j}$ , are small this may not be true. It is possible to determine the cell mean and variance under the null hypothesis when the cell sample sizes are small. It is much more difficult to determine these values under the alternative hypothesis. Since the cell weight,  $W_j$  will also be small (see calculate weights section above) for a cell with small volume, the cell mean and variance will not contribute much to the weighted sum. Therefore, the above formula provides a reasonable approximation to the balancing critical value.

The values of m<sub>j</sub> and se<sub>j</sub> will depend on the type of performance measure.

Mean Measure

For mean measures, one is concerned with two parameters in each cell, namely, the mean and variance. A possible lack of parity may be due to a difference in cell means, and/or a difference in cell variances. One possible set of hypotheses that capture this notion, and take into account the assumption that transaction are identically distributed within cells is:

$$H_0$$
:  $\mu_{1j} = \mu_{2j}$ ,  $\sigma_{1j}^2 = \sigma_{2j}^2$ 

$$H_{a^{*}}\;\mu_{2j}=\mu_{1j}+\delta_{j}\cdot\sigma_{1j},\;\sigma_{2j}^{-2}=\lambda_{j}\cdot\sigma_{1j}^{-2} \qquad \qquad \delta_{j}>0,\;\lambda_{j}\geq 1\;\text{and}\;j\equiv 1,\ldots,L.$$

Under this form of alternative hypothesis, the cell test statistic Z<sub>i</sub> has mean and standard error given by

$$m_{j} = \frac{-\delta_{j}}{\sqrt{\frac{1}{n_{1j}} + \frac{1}{n_{2j}}}}$$
, and

$$se_{j} = \sqrt{\frac{\lambda_{j}n_{1j} + n_{2j}}{n_{1j} + n_{2j}}}$$

## Proportion Measure

For a proportion measure there is only one parameter of interest in each cell, the proportion of transaction possessing an attribute of interest. A possible lack of parity may be due to a difference in cell proportions. A set of hypotheses that take into account the assumption that transaction are identically distributed within cells while allowing for an analytically tractable solution is:

$$H_0: \frac{p_{2j}(1-p_{1j})}{(1-p_{2j})p_{1j}} = 1$$

$$H_{a:} \ \frac{p_{2j}(1-p_{1j})}{(1-p_{2j})p_{1j}} = \psi_{j} \qquad \qquad \psi_{j} > 1 \ \text{and} \ j=1,...,L.$$

These hypotheses are based on the "odds ratio." If the transaction attribute of interest is a missed trouble repair, then an interpretation of the alternative hypothesis is that a CLEC trouble repair appointment is  $\psi_j$  times more likely to be missed than an ILEC trouble.

Under this form of alternative hypothesis, the within cell asymptotic mean and variance of a<sub>1j</sub> are given by<sup>2</sup>

$$E(a_{1j}) = n_j \pi_j^{(1)}$$

$$var(a_{1j}) = \frac{n_j}{\frac{1}{\pi_j^{(1)}} + \frac{1}{\pi_j^{(2)}} + \frac{1}{\pi_j^{(4)}} + \frac{1}{\pi_j^{(4)}}}$$

where

<sup>&</sup>lt;sup>2</sup> Stevens, W. L. (1951) Mean and Variance of an entry in a Contingency Table. *Biometrica*, **38**, 468-470. Version 1Q00: 3/6/00 DC01 HEITJ 115887.1

$$\pi_{j}^{(1)} = f_{j}^{(1)} \left( n_{j}^{2} + f_{j}^{(2)} + f_{j}^{(3)} - f_{j}^{(4)} \right)$$

$$\pi_{j}^{(2)} = f_{j}^{(1)} \left( -n_{j}^{2} - f_{j}^{(2)} + f_{j}^{(3)} + f_{j}^{(4)} \right)$$

$$\pi_{j}^{(3)} = f_{j}^{(1)} \left( -n_{j}^{2} + f_{j}^{(2)} - f_{j}^{(3)} + f_{j}^{(4)} \right)$$

$$\pi_{j}^{(4)} = f_{j}^{(1)} \left( n_{j}^{2} \left( \frac{2}{\psi_{j}} - 1 \right) - f_{j}^{(2)} - f_{j}^{(3)} - f_{j}^{(4)} \right)$$

$$f_{j}^{(1)} = \frac{1}{2n_{j}^{2} \left( \frac{1}{\psi_{j}} - 1 \right)}$$

$$f_{j}^{(2)} = n_{j} n_{1j} \left( \frac{1}{\psi_{j}} - 1 \right)$$

$$f_{j}^{(3)} = n_{j} a_{j} \left( \frac{1}{\psi_{j}} - 1 \right)$$

$$f_{j}^{(4)} = \sqrt{n_{j}^{2} \left[ 4n_{1j} \left( n_{j} - a_{j} \right) \left( \frac{1}{\psi_{j}} - 1 \right) + \left( n_{j} + \left( a_{j} - n_{1j} \right) \left( \frac{1}{\psi_{j}} - 1 \right) \right)^{2}} \right]$$

Recall that the cell test statistic is given by

$$Z_{j} = \frac{n_{j} a_{1j} - n_{1j} a_{j}}{\sqrt{\frac{n_{1j} n_{2j} a_{j} (n_{j} - a_{j})}{n_{j} - 1}}}.$$

Using the equations above, we see that Z<sub>j</sub> has mean and standard error given by

$$m_{j} = \frac{n_{j}^{2} \pi_{j}^{(1)} - n_{1j} a_{j}}{\sqrt{\frac{n_{1j} n_{2j} a_{j} (n_{j} - a_{j})}{n_{j} - 1}}}, \text{ and}$$

$$se_{j} = \sqrt{\frac{n_{j}^{3}(n_{j} - 1)}{n_{1j} n_{2j} a_{j} (n_{j} - a_{j}) \left(\frac{1}{\pi_{j}^{(1)}} + \frac{1}{\pi_{j}^{(2)}} + \frac{1}{\pi_{j}^{(4)}} + \frac{1}{\pi_{j}^{(4)}}\right)}}$$

Rate Measure

A rate measure also has only one parameter of interest in each cell, the rate at which a phenomenon is observed relative to a base unit, e.g. the number of troubles per available line. A possible lack of parity may be due to a difference in cell rates. A set of hypotheses that take into account the assumption that transaction are identically distributed within cells is:

$$H_0: r_{1j} = r_{2j}$$
 
$$H_a: r_{2j} = \epsilon_i r_{1j}$$
 
$$\epsilon_1 > 1 \text{ and } j = 1, \dots, L.$$

Given the total number of ILEC and CLEC transactions in a cell,  $n_j$ , and the number of base elements,  $b_{1j}$  and  $b_{2j}$ , the number of ILEC transaction,  $n_{1j}$ , has a binomial distribution from  $n_j$  trials and a probability of

$$q_{j}^{\bullet} = \frac{r_{lj}b_{lj}}{r_{lj}b_{lj} + r_{2j}b_{2j}}.$$

Therefore, the mean and variance of  $n_{lj}$ , are given by

$$E(n_{1j}) = n_j q_j^*$$
  
 $var(n_{1j}) = n_j q_j^* (1 - q_j^*)$ 

Under the null hypothesis

$$q_j^* = q_j = \frac{b_{1j}}{b_j},$$

but under the alternative hypothesis

$$q_{j}^{*} = q_{j}^{a} = \frac{b_{1j}}{b_{1j} + \epsilon_{j}b_{2j}}$$

Recall that the cell test statistic is given by

$$Z_{j} = \frac{n_{1j} - n_{j} q_{j}}{\sqrt{n_{i} q_{j} (1 - q_{j})}}$$

Using the relationships above, we see that Z<sub>j</sub> has mean and standard error given by

$$m_{j} = \frac{n_{j} (q_{j}^{a} - q_{j})}{\sqrt{n_{i}q_{i}(1 - q_{i})}} = (1 - \epsilon_{j}) \sqrt{\frac{n_{j}b_{1j}b_{2j}}{b_{1j} + \epsilon_{j}b_{2j}}}$$
, and

$$se_{j} = \sqrt{\frac{q_{j}^{a}(1-q_{j}^{a})}{q_{i}(1-q_{i})}} = \sqrt{\varepsilon_{j}} \frac{b_{j}}{b_{1j} + \varepsilon_{i}b_{2j}}.$$

## Determining the Parameters of the Alternative Hypothesis

In this appendix we have indexed the alternative hypothesis of mean measures by two sets of parameters,  $\lambda_j$  and  $\delta_j$ . Proportion and rate measures have been indexed by one set of parameters each,  $\psi_j$  and  $\epsilon_j$  respectively. While statistical science can be used to evaluate the impact of different choices of these parameters, there is not much that an appeal to statistical principles can offer in directing specific choices. Specific choices are best left to telephony experts. Still, it is possible to comment on some aspects of these choices:

• Parameter Choices for λ<sub>j</sub>. The set of parameters λ<sub>j</sub> index alternatives to the null hypothesis that arise because there might be greater unpredictability or variability in the delivery of service to a CLEC customer over that which would be achieved for an otherwise comparable ILEC customer. While concerns about differences in the variability of service are important, it turns out that the truncated Z testing which is being recommended here is relatively insensitive to all but very large values of the λ<sub>j</sub>. Put another way, reasonable differences in the values chosen here could make very little difference in the balancing points chosen.

- Parameter Choices for  $\delta_j$ . The set of parameters  $\delta_j$  are much more important in the choice of the balancing point than was true for the  $\lambda_j$ . The reason for this is that they directly index differences in average service. The truncated Z test is very sensitive to any such differences; hence, even small disagreements among experts in the choice of the  $\delta_j$  could be very important. Sample size matters here too. For example, setting all the  $\delta_j$  to a single value  $-\delta_j = \delta$  might be fine for tests across individual CLECs where currently in Louisiana the CLEC customer bases are not too different. Using the same value of  $\delta$  for the overall state testing does not seem sensible, however, since the state sample would be so much larger.
- Parameter Choices for ψ<sub>i</sub> or ε<sub>j</sub>. The set of parameters ψ<sub>j</sub> or ε<sub>j</sub> are also important in the choice of the balancing point for tests of their respective measures. The reason for this is that they directly index increases in the proportion or rate of service performance. The truncated Z test is sensitive to such increases; but not as sensitive as the case of δ<sub>j</sub> for mean measures. Sample size matters here as well. As with mean measures, using the same value of ψ or ε for the overall state testing does not seem sensible since the state sample would be so much larger.

The bottom line here is that beyond a few general considerations, like those given above, a principled approach to the choice of the alternative hypotheses to guard against, must come from elsewhere.

## **DECISION PROCESS**

Once  $Z^T$  has been calculated, it is compared to the balancing critical value to determine if the ILEC is favoring its own customers over a CLEC's customers.

This critical value changes as the ILEC and CLEC transaction volume change. One way to make this transparent to the decision maker, is to report the difference between the test statistic and the critical value,  $diff = Z^T - c_B$ . If favoritism is concluded when  $Z^T < c_B$ , then the diff < 0 indicates favoritism.

This make it very easy to determine favoritism: a positive diff suggests no favoritism, and a negative diff suggests favoritism.

## EXHIBIT D

## BST VSEEM REMEDY PROCEDURE

## TIER-1 CALCULATION FOR RETAIL ANALOGUES:

- 1. Calculate the overall test statistic for each CLEC;  $z^T_{CLEC1}$  (See Exhibit C)
- 2. Calculate the balancing critical value(  $^{\text{C}}_{\text{B}_{\text{QLEC}1}}$ ) that is associated with the alternative hypothesis (for fixed parameters  $\delta$ ,  $\psi$  or  $\epsilon$ ). (See Exhibit C)
- 3. If the overall test statistic is equal to or above the balancing critical value, stop here. Otherwise, go to step 4.
- 4. Calculate the Parity Gap by subtracting the value of step 2. from that of step 1.;

  ZTCLEC1 B QLEC1
- 5. Calculate the Volume Proportion using a linear distribution with slope of ¼. This can be accomplished by taking the absolute value of the Parity Gap from step 4. divided by 4; ABS((z<sup>T</sup><sub>CLEC1</sub> <sup>C</sup><sub>B QLEC1</sub>) / 4). All parity gaps equal or greater to 4 will result in a volume proportion of 100%.
- 6. Calculate the Affected Volume by multiplying the Volume Proportion from step 5. by the Total CLEC<sub>1</sub> Volume in the negatively affected cell; where the cell value is negative. (See Exhibit C)
- 7. Calculate the payment to e.spire by multiplying the result of step 6. by the appropriate dollar amount from the fee schedule.

So, e.spire payment = Affected Volume<sub>CLEC1</sub> \* \$\$ from Fee Schedule

Example: e.spire Missed Installation Appointments (MIA) for Resale POTS

3/4-1-1-P-1-1									
	n ı	n c	MIA	MIAc	Z <sup>T</sup> CLEC1	Св	Parity Gap	Volume Proportion	Affected Volume
State	50000	600	9%	16%	-1.92	-0.21	1.71	0.4275	
Cell					Z <sub>CLEC1</sub>				
1		150	0.091	0.112	-1.994				64
2		75	0.176	0.098	0.734				4
3		10	0.128	0.333	-2.619				21
4		50	0.158	0.242	-2.878				21
5		15	0.245	0.075	1.345				
6		200	0.156	0.130	0.021				13
7		30	0.166	0.233	-0.600		•		9
8		20	0.106	0.127	-0.065				
9		40	0.193	0.218	-0.918		٠.		17
10		10	0.160	0.235	-0.660				133

where  $n_c = ILEC$  observations and  $n_C = e$ .spire observations

## Payout for e.spire is (133 units) \* (\$100/unit) = \$13,300 TIER-2 CALCULATION for RETAIL ANALOGUES:

- 1. Tier-2 is triggered by three monthly failures of any VSEEM submetric in the same quarter.
- 2. Calculate the overall test statistic for the CLEC Aggregate using all transactions from the calendar quarter;  $z^{T}_{CLECA}$
- 3. Calculate the balancing critical value ( $^{C}_{B_{\alpha E c i}}$ ) that is associated with the alternative hypothesis (for fixed parameters  $\delta$ ,  $\psi$  or  $\epsilon$ ). (See Exhibit C)
- 4. If the overall test statistic is equal to or above the balancing critical value for the calendar quarter, stop here. Otherwise, go to step 5.
- 5. Calculate the Parity Gap by subtracting the value of step 3. from that of step 2.;  $z^{T}_{CLECA} B_{CLECA}$
- 6. Calculate the Volume Proportion using a linear distribution with slope of ¼. This can be accomplished by dividing the Parity Gap from step 5. by 4; ABS((z<sup>T</sup>CLECA BCLECA ) / 4). All parity gaps equal or greater to 4 will result in a volume proportion of 100%.
- 7. Calculate the Affected Volume by multiplying the Volume Proportion from step 6. by the Total CLEC<sub>A</sub> Volume (CLEC Aggregate) in the negatively affected cell; where the cell value is negative (See Exhibit C).
- 8. Calculate the payment to State Designated Agency by multiplying the result of step 7. by the appropriate dollar amount from the fee schedule.

So, State Designated Agency payment = Affected Volume<sub>CLECA</sub> \* \$\$ from Fee Schedule

Example: CLEC-A Missed Installation Appointments (MIA) for Resale POTS

State Quarter1	n ;	n <sub>C</sub> 2100	MIA,	MIA <sub>C</sub>	Z <sup>T</sup> CLECA	C <sub>B</sub>	Parity Gap	Volume Proportion 0.4275	Affected Volume
Cell					ZCLECA				
1		500	0.091	0.112	-1.994				214
2		300	0.176	0.098	0.734				
3		80	0.128	0.333	-2.619				34
4		205	0.158	0.242	-2.878				88
5		45	0.245	0.075	1.345		•		
6		605	0.156	0.130	0.021				
7		80	0.166	0.233	-0.600				34
8		40	0.106	0.127	-0.065				17

9		0.193 0.160		
10	80	0.160	0.233	-0.000

71 34 492

where  $n_i$  = ILEC observations and  $n_C$  = CLEC-A observations

Payout for CLEC-A is (492 units) \* (\$300/unit) = \$147,600

Tier-3

Tier-3 uses the monthly CLEC Aggregate results in a given State. Tier-3 is triggered when five of the twelve Tier-3 sub-metrics experience consecutive failures in a given calendar quarter. The table below displays a situation that would trigger a Tier-3 failure, and one that would not.

		TIET-3 FAILURE X = Miss			NOT A TIET-3 FAILURE X = Miss			
Process	Measures	Jan	Feb	Mar	Jan	Feb	Mar	
Percent Missed Installation Appointments	Plesale POTS	X	Х	Х	X			
r di Calif Nadaro a la california de la	Resale Design	X			∐ ×	. <b>X</b>	X	
	UNE Loop & Port Combo		X					
	UNE Loops	×	×	X				
Percent Missed Repair Appointments	Resale POTS	X	X	X	X		X	
FOLGOLA WINGOLD I WHAT PEPONING	Resale Design		X	×		X		
	UNE Loop & Port Combo					X	X	
	UNE Loops				X			
Billing	Billing Accuracy	X	X	. <b>X</b>		•	-	
	Billing Timeliness				∐ ×	. X	. X	
Trunk Blockage	Percent Trunk Blockage	X	X	X		,		
Collocation	Percent Missed Collocation Due Dates							

Tier-3 is effective immediately after quarter results, and can only be lifted when two of the five failed sub-metrics show compliance for two consecutive months in the following quarter.

All tiers standalone, such that triggering Tier-3 will not cease payout of any Tier-1 or Tier-2 failures.

## TIER-1 CALCULATION FOR BENCHMARKS:

- 1. For each CLEC, with five or more observations, calculate monthly performance results for the State.
- 2. CLECs having observations (sample sizes) between 5 and 30 will use Table I below:

Sample Size	Equivalent 90% Benchmark	Equivalent 95% Benchmark
5	60.00%	80.00%
6	66.67%	83.33%
7	71.43%	85.71%
8	75.00%	75.00%
9	66.67%	77.78%
10	70.00%	80.00%
11	72.73%	81.82%
12	75.00%	83.33%
13	76.92%	84.62%
14	78.57%	85.71%
15	73.33%	86.67%

Sample Size	Equivalent 90% Benchmark	Equivalent 95% Benchmark
16	75.00%	87.50%
17	76.47%	82.35%
18	77.78%	83.33%
19	78.95%	84.21%
20	80.00%	85.00%
21	76.19%	85.71%
22	77.27%	86.36%
23	78.26%	86.96%
24	79.17%	87.50%
25	80.00%	88.00%
26	80.77%	88.46%
27	81.48%	88.89%
28	78.57%	89.29%
29	79.31%	86.21%
30	80.00%	86.67%

- 3. If the percentage (or equivalent percentage for small samples) is equal to or below the benchmark standard, stop here. Otherwise, go to step 4.
- 4. Determine the Volume Proportion by taking the difference between the benchmark and the actual performance result.
- 5. Calculate the Affected Volume by multiplying the Volume Proportion from step 4. by the Total CLEC<sub>1</sub> Volume.
- 6. Calculate the payment to e.spire by multiplying the result of step 5. by the appropriate dollar amount from the fee schedule.

So, e.spire payment = Affected Volume<sub>CLEC1</sub> \* \$\$ from Fee Schedule

## Example: e.spire Missed Installation Appointments (MIA) for UNE Loops

	n c	Benchmark	MIA <sub>C</sub>	Volume Proportion	Affected Volume
State	600	9%	12%	.03	18

Payout for e.spire is (18 units) \* (\$400/unit) = \$7,200

## TIER-1 CALCULATION FOR BENCHMARKS (IN THE FORM OF A TARGET):

- 1. For each, with five or more observations, CLEC calculate monthly performance results for the State.
- 2. CLECs having observations (sample sizes) between 5 and 30 will use Table I above.
- 3. Calculate the interval distribution based on the same data set used in step 1.
- 4. If the 'percent within' is equal to or exceeds the benchmark standard, stop here. Otherwise, go to step 5.
- 5. Determine the Volume Proportion by taking the difference between 100% and the actual performance result.
- 6. Calculate the Affected Volume by multiplying the Volume Proportion from step 5. by the Total CLEC<sub>1</sub> Volume.
- 7. Calculate the payment to e.spire by multiplying the result of step 6. by the appropriate dollar amount from the fee schedule.

So, e.spire payment = Affected Volume<sub>CLEC1</sub> \* \$\$ from Fee Schedule

## Example: e.spire Reject Timeliness

	n <sub>c</sub>	Benchmark	Reject Timeliness <sub>C</sub>	Volume Proportion	Affected Volume
State	600	95% within 1 hour	93% within 1 hour	.07	42

Payout for e.spire is (42 units) \* (\$100/unit) = \$4,200

## TIER-2 CALCULATIONS for BENCHMARKS:

Tier-2 calculations for benchmark measures are the same as the Tier-1 benchmark calculations except the CLEC Aggregate data having failed for three months in a given calendar quarter is being assessed.

## EXHIBIT E

Table-1

<u>LIQUIDATED DAMAGES TABLE FOR TIER-1 MEASURES</u>

	PER AFFECTED ITEM										
	Month 1	Month 2	Month3	Month4	Month 5	Month 6					
Ordering	\$40	\$50	\$60	\$70	\$80	<b>\$9</b> 0					
Provisioning	\$100	\$125	\$175	\$250	\$325	\$500					
Provisioning UNE (Coordinated Customer Conversions)	\$400	\$450	\$500	\$550	\$650	\$800					
Maintenance and Repair	\$100	\$125	\$175	\$250	\$325	\$500					
Maintenance and Repair UNE	\$400	\$450	\$500	\$550	\$650	\$800					
LNP	\$150	\$250	\$500	\$600	\$700	\$800					
IC Trunks	\$100	\$125	\$175	\$250	\$325	\$500					
Collocation	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000					

Table-2 VOLUNTARY PAYMENTS FOR TIER-2 MEASURES

	Per Affected Item
OSS	\$20
Pre-Ordering	
Ordering	\$60
Provisioning	\$300
UNE Provisioning	\$875
(Coordinated Customer Conversions)	J075
Maintenance and Repair	\$300
UNE Maintenance and Repair	\$875
Billing	\$1.00
LNP	\$500
IC Trunks	\$500
Collocation	\$15,000

101

e•spire

## **BellSouth Standard Interconnection Agreement**

V 50 50 50 50 50 50 50 50 50 50 50 50 50	Date		Agreement Expiration Date:
Agreement Ellective Date.	Date:		
Account Manager:			Account Manager 1 et 100:
Attachment	Section	Version	Planned Activities
Name/Number	Number	Date	
Terms/Conditions PartA	_		
	2		
	3		
	4		
	5		
	9		
	7		
	œ		
	6	,	
	01		~
	12		
	13		
	14		
	15		
	91		
	17		
	81		
	61		
	20		
	21		
	22		
	23		
	24		
	25		
	26		
Terms/Conditions Part B			
1-Resale	-		
Version2009-06/08/99			Attachment 10-Residence

Version2Q99:06/08/99

Page 1

for e•spire

## **BellSouth Standard Interconnection Agreement**

Attachment	Coction	Vorsion	Plannad Activities
Name/Number	Number	Date	
	2		
	3		
	4		
	5		
	9		
	7		
	8		
	6		
	10		
	1		
	12		
	13		
	Exhibit A		
	Exhibit B		
	Exhibit C		
	Exhibit D		
	Exhibit E		
•	Exhibit F		
	Exhibit G		
	Exhibit H		
2-Network Elements & Other Sørvices			
	2		
	3		
	4		
	5		
	9		
	L		
	&		
	6		
	10		

Attachment 10-Residence Page 2

e•spire

## **BellSouth Standard Interconnection Agreement**

Planned Activities																															
Version	Date																														
Section	Number	12	13	14	15	91	17	Exhibit A	Exhibit B	Exhibit C		2	3	4	5	9	7	. ∞	Exhibit A	-	2	3	4	5	9	7	~	6	10	-	12
Attachment	Namc/Number										3-Local Interconnection									4-Physical Collocation											

Attachment 10-Residence Page 3

Version2Q99:06/08/99

**BellSouth Standard Interconnection Agreement** e•spire

Attachment	Section	Version	Planned Activities
Name/Number	Number	Date	
	13		
	14		
	Exhibit A		
	Exhibit B		
5-Access to Numbers &			
Number Portability	-		
	2		
	3		
	4		
	5		
	9		
	7		
	8		
	Exhibit A		
6-Ordering/Provisioning	_		
	2		
	3		
7-Billing & Billing			
Accuracy commensur	2		
	3		
	4		
	5		
	9		
	7		
	Exhibit A		
8-ROW/Conduits/PoleAtt	-		
9-Perf Measurement	Pre-Ordering		
	Ordering		
	Provisioning		
	Maint/Repair		

Attachment 10-Residence Page 4

## Attachment 10-Residence Page 5

# AGREEMENT IMPLEMENTATION TEMPLATE (Residence)

e•spire

BellSouth Standard Interconnection Agreement

Planned Activities								
Version Date				•				
Section Number	Billing	Opr Svcs/DA	E911	Trunk Grp Perf	Collocation	Appendix A	Appendix B	Appendix C
Attachment Namc/Number								

## AGREEMENT IMPLEMENTATION TEMPLATE (Business) for e-spire BellSouth Standard Interconnection Agreement

Agreement Effective Date:	Agreement Expiration Date:
Account Manager:	Account Manager Tel No:

Attachment	Section No.	Version	Planned Activities
Name		Date	
Terms/Conditions PartA			
	2		
	3		
	4		
	5		
	9		
	7		
	8		
	6		
	10		
	-		•
	12		
	13		
	14		
	15		
	91		
	17		
	18		
	61		
	20		
	21		
	22		
	23		
	24		
	25		
	26		
Terms/Conditions Part B			
1-Resale	-		

Attachment 10-Business Page 6

## AGREEMENT IMPLEMENTATION TEMPLATE (Business)

## eospire BellSouth Standard Interconnection Agreement

Attachment	Section No.	Version	Planned Activities
Name		Date	
	2		
	3		
	4		
	5		
	9		
	7		
	8		
	6		
	10		
	Ξ		
	12		
	13		
	Exhibit A		
	Exhibit B		
	Exhibit C		
	Exhibit D		
	Exhibit E		
•	Exhibit F		
	Exhibit G		
	Exhibit H		
2-Network Elements & Other Services	_		
	2		
	3		
	4		
	5		
	9		
	7		
	8		
	6		
	01		

Attachment 10-Business Page 7

AGREEMENT IMPLEMENTATION TEMPLATE (Business)
for
e-spire
BellSouth Standard Interconnection Agreement

Attachment	Section No.	Version	Planned Activities
Name		Date	
	=		
	12		
	13		
	14		
	15		
	91		
	17		
	Exhibit A		
	Exhibit B		
	Exhibit C		
3-Local Interconnection	-		
	2		
	3		
	4		
	S		
	9		
	7		
•	8		
	Exhibit A		
4-Physical Collocation	1		
	2		
	3		
	4		
	5		
	9		
	7		
	8		
	6		
	01		
	=		
	12		

## AGREEMENT IMPLEMENTATION TEMPLATE (Business) for

## e•spire BellSouth Standard Interconnection Agreement

Attachment	Section No.	Version	Planned Activities
Name		Date	
	13		
	14		
	Exhibit A		
	Exhibit B		
5-Access to Numbers & Number Portability	_		
	2		
	3		
	4		
	5		
	9		
	7		
	œ		
	Exhibit A		
6-Ordering/Provisioning	1		
	2		
	3		
7-Billing & Billing Accuracy Certification	-		
	2		
	3		
	4		
	5		
****	9		
	7		
	Exhibit A		
8-ROW/Conduits/PoleAtt			
9-Perf Measurement	Pre-Ordering		
	Ordering		
	Provisioning		
	Maint/Repair		

Attachment 10-Business Page 9

## Attachment 10-Business Page 10

# AGREEMENT IMPLEMENTATION TEMPLATE (Business)

e•spire

**BellSouth Standard Interconnection Agreement** 

## **AGREEMENT**

In consideration of the mutual promises contained herein, BellSouth Advertising & Publishing Corporation, a Georgia corporation ("BAPCO") and American Communications Services, Inc., a Delaware corporation ("CARRIER") agree as follows:

1. <u>RECITALS</u>. BAPCO is the publisher of alphabetical (or White Pages) and classified (or Yellow Pages) directories for certain communities in the southeastern region of the U.S (the "Directories"). CARRIER provides, or intends to provide, local exchange telephone service in communities in which BAPCO publishes Directories. BAPCO and CARRIER hereby establish the terms by which BAPCO will include listings of CARRIER subscribers in such Directories and by which BAPCO will provide such Directories to CARRIER subscribers.

## 2. CARRIER OBLIGATIONS. CARRIER agrees as follows:

- (a) CARRIER shall provide to BAPCO, or its designee, at CARRIER's expense and at no charge, listing information concerning its subscribers (designating any who do not desire published listings), consisting of customer name, address, telephone number and all other information reasonably requested by BAPCO as set forth on Exhibit A in a mutually acceptable format for use by BAPCO or its affiliates in publishing Directories of whatever type and format and for other derivative purposes. Such subscriber listing information shall be provided in the format and on the schedule set forth in said Exhibit, or as otherwise mutually agreed between the parties from time to time.
- (b) CARRIER shall also provide directory delivery information to BAPCO as set forth in Exhibit A for all subscribers.
- (c) CARRIER shall advise BAPCO promptly of any directory-related inquiries, requests or complaints which it may receive from CARRIER subscribers and shall provide reasonable cooperation to BAPCO in response to or resolution of the same.
- (d) CARRIER shall respond promptly regarding corrections or queries raised by BAPCO to process listing changes requested by subscribers.

## 3. BAPCO OBLIGATIONS. BAPCO agrees as follows:

(a) BAPCO shall include one standard listing for each CARRIER subscriber per hunting group in BAPCO's appropriate local alphabetical Directory as published periodically by BAPCO unless nonlisted or nonpublished status is designated by subscribers. Such listings shall be interfiled with the listings of other local exchange telephone company subscribers and otherwise published in the manner of such other

listings according to BAPCO's generally applicable publishing policies and standards. BAPCO shall provide a process whereby CARRIER is afforded a reasonable opportunity to review and correct its subscribers' alphabetical listings in advance of publication.

- (b) Provided CARRIER establishes appropriate resale arrangements with BellSouth Telecommunications, Inc. ("BellSouth"), BAPCO shall publish additional listings, foreign listings and other alphabetical Directory listings offered by BellSouth, for CARRIER subscribers upon their request consistent with BAPCO's generally applicable policies in BAPCO's alphabetical Directories.
- (c) BAPCO will distribute its regularly published alphabetical and classified Directories to local CARRIER subscribers at no charge to CARRIER or CARRIER's subscribers in accordance with BAPCO's prevailing practices, including delivery following Directory publication and upon establishment of new CARRIER service, if a current Directory for that geographic area has not previously been provided. Such deliveries may include separate advertising materials accompanying the Directories.
- (d) BAPCO will include CARRIER information in the customer guide pages of its alphabetical Directories for communities where CARRIER provides local exchange telephone service at the time of publication in accordance with BAPCO's prevailing standards for the same. CARRIER will provide information requested by BAPCO for such purpose on a timely basis.
- (e) BAPCO shall make available at no charge to CARRIER or its subscribers one listing for CARRIER business customers per hunting group in one appropriate heading in BAPCO's appropriate local classified directory as published periodically by BAPCO. Such listings shall be published according to BAPCO's generally applicable publishing policies and standards.
- (f) BAPCO agrees to solicit, accept and publish directory advertising from business subscribers for CARRIER in communities for which BAPCO publishes classified Directories in the same manner and upon substantially the same terms as it solicits, accepts and publishes advertising from advertisers who are not CARRIER subscribers.
- (g) BAPCO will not provide information obtained from CARRIER concerning its subscribers to other local exchange telephone service providers without CARRIER approval, except as may be required in relation to publishing of Directories or as may be permitted by CARRIER for directory assistance or other purposes.
- (h) BAPCO and CARRIER acknowledge that mutual cooperation will be required to successfully serve the needs of their common customers and therefore agree to use reasonable efforts to provide such cooperation to achieve the highest quality of service for both parties' customers.

4. <u>PUBLISHING POLICIES</u>. BAPCO shall maintain full authority over its publishing schedules, policies, standards, and practices and over the scope and publishing schedules of its Directories. BAPCO shall periodically provide CARRIER with changes by BAPCO in the same which in BAPCO's judgment affect CARRIER's conduct in BAPCO's publishing of listings for CARRIER's subscribers.

## 5. LIABILITY AND INDEMNITY.

.,., ,, ,, ... ... -- --

- (a) BAPCO's liability to CARRIER for any errors or omissions in directories or for any default otherwise arising hereunder shall be limited to One Dollar (\$1) for errors or omissions in any subscriber listing in any directory published by BAPCO.
- (b) Each party agrees to defend, indemnify and hold harmless the other from all damages, claims, suits, losses or expenses, including without limitation costs and attorneys fees, to the extent of such party's relative fault, arising out of or resulting from any error, omission or act of such party hereunder. CARRIER agrees to limit its liability and that of BAPCO by contract with CARRIER's subscribers or by tariff to no more than the cost of service for any errors or omissions in any listings published hereunder for CARRIER subscribers. Each party shall notify in writing the other promptly of any claimed error or omission affecting this paragraph and of any claim or suit arising hereunder or relating to this Agreement and shall provide reasonable and timely cooperation in its resolution of the same. Without waiver of any rights hereunder, the indemnified party may at its expense undertake its own defense in any such claim or suit.
- 6. <u>TERM</u>. This Agreement shall be effective on the date of the last signature hereto for a term of two (2) years and shall relate to Directories published by BAPCO during such period. Thereafter, it shall continue in effect unless terminated by either party upon sixty days prior written notice.
- 7. <u>ASSIGNMENT</u>. This Agreement shall be binding upon any successors or assigns of the parties during its Term.
- 8. <u>RELATIONSHIP OF THE PARTIES</u>. This Agreement does not create any joint venture, partnership or employment relationship between the parties or their employees, and the relationship between the parties shall be that of an independent contractor. There shall be no intended third party beneficiaries to this Agreement.

## 9. NONDISCLOSURE.

(a) During the term of this Agreement it may be necessary for the parties to provide each other with certain information ("Information") considered to be private or proprietary. The recipient shall protect such Information from distribution, disclosure or dissemination to anyone except its employees or contractors with a need to know such Information in conjunction herewith, except as otherwise authorized in writing. All such Information shall be in writing or other tangible form and clearly marked with a confidential or proprietary legend. Information conveyed orally shall be designated as

proprietary or confidential at the time or such oral conveyance and shall be reduced to writing within forty-five (45) days.

- (b) The parties will not have an obligation to protect any portion of Information which: (1) is made publicly available lawfully by a nonparty to this Agreement; (2) is lawfully obtained from any source other than the providing party; (3) is previously known without an obligation to keep it confidential; (4) is released by the providing party in writing; or (5) commencing two (2) years after the termination date of this Agreement if such Information is not a trade secret under applicable law.
- (c) Each party will make copies of the Information only as necessary for its use under the terms hereof, and each such copy will be marked with the same proprietary notices as appear on the originals. Each party agrees to use the Information solely in support of this Agreement and for no other purpose.
- 10. FORCE MAJEURE. Neither party shall be responsible to the other for any delay or failure to perform hereunder to the extent caused by fire, flood, explosion, war, strike, riot, embargo, governmental requirements, civic or military authority, act of God, or other similar cause beyond its reasonable control. Each party shall use best efforts to notify the other promptly of any such delay or failure and shall provide reasonable cooperation to ameliorate the effects thereof.
- 11. <u>PUBLICITY</u>. Neither party shall disclose the terms of this Agreement nor use the trade names or trademarks of the other without the prior express written consent of the other.

## 12. REPRESENTATIVES AND NOTICES.

- (a) Each party shall name one or more representatives for contacts between the parties which shall be authorized to act on its behalf. Such representatives may be changed from time to time upon written notice to the other party.
- (b) Notices required by law or under this Agreement shall be given in writing by hand delivery, certified or registered mail, or by facsimile followed by certified or registered mail, addressed to the named representatives of the parties with copies to:

If to BAPCO:

Director-LEC/BST Interface
BellSouth Advertising & Publishing Corporation
Room 270
59 Executive Park South
Atlanta, GA 30329

With Copy to:

MONTED DO THE COLLECTION

Vice President and General Counsel

BellSouth Advertising & Publishing Corporation

Room 430

59 Executive Park South Atlanta, GA 30329

If to CARRIER:

Vice President - Network Services and Administration

141 National Business Parkway

Suite 120

Annapolis Junction, MA 20701

MISCELLANEOUS. This Agreement represents the entire Agreement between the parties with respect to the subject matter hereof and supersedes any previous oral or written communications, representations, understandings, or agreements with respect thereto. It may be executed in counterparts, each of which shall be deemed an original. All prior and contemporaneous written or oral agreements, representations, warranties, statements, negotiations, and /or understandings by and between the parties, whether express or implied, are superseded, and there are no representations or warranties, either oral or written, express or implied, not herein contained. This Agreement shall be governed by the laws of the state of Georgia.

IN WITNESS WHEREOF, the parties have executed this Agreement by their duly authorized representatives in one or more counterparts, each of which shall constitute an original, on the dates set forth below.

BELLSOUTH ADVERTISING & PUBLISHING CORPORATION	AMERICAN COMMUNICATIONS SERVICES, INC.:
By: Datemb	By Breide Renne
Title: Diedo - LEC Satelico	Title: Uce Presided - Sur Adr
0 24: 100	51.101

Date: 011196

APPROVED AS TO FORME

RANDALY I CADENHEAD MENTAN

With Copy to:

Vice President and General Counsel

BellSouth Advertising & Publishing Corporation

Room 430

59 Executive Park South Atlanta, GA 30329

If to CARRIER:

Vice President - Network Services and Administration

141 National Business Parkway

Suite 120

Annapolis Junction, MA 20701

13. MISCELLANEOUS. This Agreement represents the entire Agreement between the parties with respect to the subject matter hereof and supersedes any previous oral or written communications, representations, understandings, or agreements with respect thereto. It may be executed in counterparts, each of which shall be deemed an original. All prior and contemporaneous written or oral agreements, representations, warranties, statements, negotiations, and /or understandings by and between the parties, whether express or implied, are superseded, and there are no representations or warranties, either oral or written, express or implied, not herein contained. This Agreement shall be governed by the laws of the state of Georgia.

IN WITNESS WHEREOF, the parties have executed this Agreement by their duly authorized representatives in one or more counterparts, each of which shall constitute an original, on the dates set forth below.

BELLSOUTH ADVERTISING & PUBLISHING CORPORATION

By: By

Title: Diedor - LEC Saterpe

Date July Wy 1996

AMERICAN COMMUNICATIONS SERVICES, INC.:

 $\mathbf{P}_{\mathbf{n}}$ 

Title: 1) vce transled -Si

Date: 81196

APPROVED AS TO FORME

RANDALY I CADENHEAD

## EXHIBIT A

## ACCOUNT INFORMATION SECTION (Items in this section are mandatory)

- 1. Main Telephone Number: Main line of telephone service that all other numbers are associated to. (Area Code/NXX/Line Numbers)
- 2. Published Telephone Number: Telephone number to appear in the directory.
- 3. Old Telephone Number: If the number is changing, enter the OLD Telephone Number.
- 4. Type of Directory Service: Bus (Business) or Res (Residence)
- 5. Order Type: N New connect order; D Disconnect service order; C Change of listings; R Directory deliver
- 6. <u>Due Date</u>: Date that service is requested.
- 7. Carrier Name: The name of the local exchange carrier and operating company code.
- 8. Carrier Number: Operating Company Number

## PRIMARY LISTING INFORMATION SECTION (Items in this section are mandatory)

- 9. Listed Name: The way the listing is to appear in the directory. (maximum 1,000 characters including spaces) Caption arrangements should be formatted per guidelines. Non-Pub or Non-List situations should be indicated.
- 10. Listed Address: Current address may include street number street name, city, state, and zip code. (Note: P.O. Box or Route not acceptable). Omitted address shown as (OAD). (maximum 250 characters)
- 11. Service Address: Physical location of the telephone.
- 12. Community Name: The name of the community where the listing appears. (i.e.: the Atlanta Directory may have a Community name of Buckhead).
- 13. Zip code: 5 or 9 character code.
- 14. Yellow Pages Heading: The Yellow Page heading where customer wants his listing to appear. (Valid for Business Primary Listings only).
- 15. Directory Name: Name of the directory where Customer desires listing to appear (including town section if applicable). If consistent with existing central office and directory configuration, listing will be included. If different, a Foreign Listing will be charged. Directory appearance entitled free is based on the central office prefix. Entitlement for appearance in other directories will be at the rate of a Foreign Listing (FL).

## BILLING INFORMATION SECTION (Items in this section are requested but optional)

- 16. Billing: Name to appear on bill.
- 17. Billing Address: Street number, street name, city, state, zip.
- 18. Contact Telephone Number: Telephone number to contact regarding billing.
- 19. Responsible Person: Owner's name or partners' names or 2 corporate officers.
- 20. Type of Ownership: Sole owner; Partnership or Corporation-
- 21. Tax ID Number or Social Security Number: If sole owner, must have social security number.

## DIRECTORY DELIVERY INFORMATION SECTION (Items in this section are mandatory)

- 22. Name: Personal or business name.
- 23. Delivery Address: Street number, street name, city, state, zip code of where directories are to be delivered.
- 24. Directory (Book ID): Bolt code of the directory.
- 25. Number of books now: for immediate delivery/replacement.
- 26. Number of books annually: 0 3 residence, 0 5 business, then negotiated.

## REMARKS SECTION (As required)

27. Remarks: Free flow field used by Carrier for any additional information

## PRIVATE/PROPRIETARY

Contains private and/or proprietary information. May not be used or disclosed outside the BellSouth companies except pursuant to a written agreement.

## ATTACHMENT 11 BAPCO AGREEMENT

## Attachment 12

Bona Fide Request and New Business Requests Process

## BONA FIDE REQUEST AND NEW BUSINESS REQUESTS PROCESS

- 1.0 The Parties agree that e.spire is entitled to order any Network Element, Interconnection option, service option or Resale Service required to be made available by the Communications Act of 1934, as modified by the Telecommunications Act of 1996 (the "Act"), FCC requirements or State Commission requirements. e.spire also shall be permitted to request the development of new or revised facilities or service options which are not required by the Act. Procedures applicable to requesting the addition of such facilities or service options are specified in this Attachment 12.
- Bona Fide Requests ("BFR") are to be used when e.spire makes a request of BellSouth to provide a new or modified network element, interconnection option, or other service option pursuant to the Act that was not previously included in the Agreement. New Business Requests ("NBRs") are to be used when e.spire makes a request of BellSouth to provide a new or custom capability or function to meet e.spire's business needs that was not previously included in the Agreement. The BFR/NBR process is intended to facilitate the two-way exchange of information between e.spire and BellSouth, necessary for accurate processing of requests in a consistent and timely fashion.
- 3.0 A BFR shall be submitted in writing by e.spire and shall specifically identify the required service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request also shall include a e.spire's designation of the request as being (i) pursuant to the Telecommunications Act of 1996 (i.e. a "BFR") or (ii) pursuant to the needs of the business (i.e. a "NBR"). The request shall be sent to e.spire's Account Executive.
- e.spire may cancel a BFR or NBR at any time. If e.spire cancels the request more than three (3) business days after submitting it, e.spire shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the BFR or NBR up to the date of cancellation. If e.spire does not cancel a BFR or NBR, e.spire shall pay BellSouth's reasonable and demonstrable costs of processing and implementing the request.
- Within fifteen (15) business days of its receipt of a BFR or NBR from e.spire, BellSouth shall respond to e.spire by providing a preliminary analysis of such Interconnection, Network Element, or other facility or service option that is the subject of the BFR or NBR. The preliminary

analysis shall confirm that BellSouth will either offer access to the Interconnection, Network Element, or other facility or service option, or provide an explanation of why it is not technically feasible and/or why the request does not qualify as an Interconnection, Network Element, or is not otherwise required to be provided under the Act.

- 6.0 If BellSouth determines that the Interconnection, Network Element, or other facility or service option that is the subject of the BFR is technically feasible, BellSouth shall propose a firm price and a detailed implementation plan within forty (40) business days after receipt of the BFR. BellSouth may, but shall not be required, to provide a firm time and cost proposal for a NBR.
- 7.0 Within thirty (30) business days after its receipt of (i) a refusal of BellSouth to provide a BFR or NBR price quote, or (ii) the BFR or NBR price quote and implementation plan from BellSouth, e.spire must either confirm or cancel its order for such facility or service option. If it believes such quote is not consistent with the requirements of the Act, e.spire may at that time seek FCC or state Commission arbitration of its request, as appropriate. Any such arbitration applicable to Network Elements and/or Interconnection shall be conducted in accordance with standards prescribed in Section 252 of the Act.
- Unless e.spire agrees otherwise, all prices shall be consistent with the pricing principles of the Act, FCC and/or the State Commission.
- 9.0 If either Party to a BFR or NBR believes that the other Party is not requesting, negotiating, or processing the Bona Fide Request in good faith, or disputes a determination, or price or cost quote, such Party may seek FCC or state Commission resolution of the dispute, as appropriate.
- Upon agreement to the terms of a BFR or NBR, an amendment to the Agreement may be required.