

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Momentum Business Solutions, Inc. agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- 1.2 Notice. BellSouth and Momentum Business Solutions, Inc. shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Momentum Business Solutions, Inc. should contact 1-800-743-6737 for BellSouth MSDS sheets.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Momentum Business Solutions, Inc. to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and contractors of BellSouth for environmental protection. Momentum Business Solutions, Inc. will require its contractors, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Momentum Business Solutions, Inc. when operating in the BellSouth Premises.
- 1.4 Environmental and Safety Inspections. BellSouth reserves the right to inspect the Momentum Business Solutions, Inc. space with proper notification. BellSouth reserves the right to stop any Momentum Business Solutions, Inc. work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Facility.

- 1.5 Hazardous Materials Brought On Site. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Premises by Momentum Business Solutions, Inc. are owned by Momentum Business Solutions, Inc.. Momentum Business Solutions, Inc. will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Momentum Business Solutions, Inc. or different hazardous materials used by Momentum Business Solutions, Inc. at BellSouth Facility. Momentum Business Solutions, Inc. must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Facility.
- 1.6 Spills and Releases. When contamination is discovered at a BellSouth Premises, the Party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by Momentum Business Solutions, Inc. to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and Momentum Business Solutions, Inc. will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Momentum Business Solutions, Inc. will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Momentum Business Solutions, Inc. must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and Momentum Business Solutions, Inc. shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, contractors, or employees concerning its operations at the Facility.

2. **CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES**

When performing functions that fall under the following Environmental categories on BellSouth's Premises, Momentum Business Solutions, Inc. agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Momentum Business Solutions, Inc. further agrees to cooperate with BellSouth to ensure that Momentum Business Solutions, Inc.'s employees, agents, and/or subcontractors are

knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Momentum Business Solutions, Inc., its employees, agents and/or subcontractors.

The most current version of reference documentation must be requested from BellSouth.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning materials)	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of contractor	• Std T&C 450 • Fact Sheet Series 17000 • Std T&C 660-3 • Approved Environmental Vendor List (Contact E/S Management)
Emergency response	Hazmat/waste release/spill firesafety emergency	• Fact Sheet Series 1700 • Building Emergency Operations Plan (EOP) (specific to and located on Premises)
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Compliance with all applicable local, state, & federal laws and regulations Performance of services in accordance with BST's environmental M&Ps Insurance	• Std T&C 450 • Std T&C 450-B • (Contact E/S for copy of appropriate E/S M&Ps.) • Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of contractor	• Std T&C 450 • Fact Sheet Series 17000 • Std T&C 660-3 • Approved Environmental Vendor List (Contact E/S Management)

Maintenance/operations work which may produce a waste Other maintenance work	Compliance with all application local, state, & federal laws and regulations Protection of BST employees and equipment	• Std T&C 450 • 29CFR 1910.147 (OSHA Standard) • 29CFR 1910 Subpart O (OSHA Standard)
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations All Hazardous Material and Waste Asbestos notification and protection of employees and equipment	• P&SM Manager - Procurement • Fact Sheet Series 17000 • GU-BTEN-001BT, Chapter 3 • BSP 010-170-001BS (Hazcom)
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of contractor	• Std T&C 450 • Fact Sheet 14050 • BSP 620-145-011PR Issue A, August 1996 • Std T&C 660-3 • Approved Environmental Vendor List (Contact E/S Management)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	• GU-BTEN-001BT, Chapter 3

3. DEFINITIONS

Generator. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

Hazardous Chemical. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

Imminent Danger. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

E/S – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

DEC/LDEC - Department Environmental Coordinator/Local Department Environmental Coordinator

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std. T&C - Standard Terms & Conditions

Interval Matrix

State	Type	Space Availability/Bona Fide Firm Order	Application Response/Price Quote	Construction and Provisioning	
				Ordinary	Extraordinary
Alabama ¹	Cageless	10 Calendar Days	23 Business Days	60 Cal	90 Cal
Florida	Cageless	15 Calendar Days	15 Calendar Days*	90 Cal	NA
Georgia	Cageless	10 Calendar Days	30 Calendar Days	60 Cal	90 Cal
Kentucky ¹	Cageless	10 Calendar Days	23 Business Days	76 Bus.	91 Bus
Louisiana	Cageless	10 Calendar Days*	30 Calendar Days*	90 Cal	120 Cal
Mississippi	Cageless	10 Business Days	30 Business Days*	120 Cal	180Cal
North Carolina ¹	Cageless	10 Calendar Days	23 Business Days	76 Bus.	91 Bus
South Carolina	Cageless	10 Calendar Days	30 Calendar Days*	90 Cal	NA Cal
Tennessee ¹	Cageless	10 Calendar Days	23 Business Days	76 Bus.	91 Bus

* Extended intervals shall apply when multiple applications are submitted.

Note 1: The intervals were set by the FCC's Order in Docket No. 98-147 released February 20, 2001.

The construction and provisioning intervals, as listed for these states, will apply if a forecast is submitted three (3) months prior to the application date. Extended intervals shall apply if the forecast is not received three (3) months in advance.

requested.

COLLOCATION - Alabama													Attachment: 4				Exhibit: D			
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per L&R	Svc Order Submitted Manually per L&R	Incremental Charge - Manual Svc Order vs. Electronic- 1st				Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st				
						Recurring		Nonrecurring				Nonrecurring Disconnect Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
						First	Add'l	First	Add'l											
	PHYSICAL COLLOCATION																			
	Physical Collocation - Application Fee - Initial																			
	Physical Collocation - Application Fee - Subsequent			CLO	PEIBA				3,760.00											
	Physical Collocation Reduced Rate - Application Fee - Subsequent			CLO	PEICA				3,134.00											
	Physical Collocation - Space Preparation - Firm Order			CLO	PEIBL				742.15											
	Physical Collocation - Space Preparation - C.O. Modification per square ft.	I		CLO	PEISJ				1,211.00											
	Physical Collocation - Space Preparation - Common Systems Modification per square ft. - Cageless	I		CLO	PEISK	2.24														
	Physical Collocation - Space Preparation - Common Systems Modification per Cage	I		CLO	PEISL	3.01														
	Physical Collocation - Cable Installation			CLO	PEISM	102.18														
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PEIBD				1,761.00											
	Physical Collocation - Cable Support Structure			CLO	PEIPJ	3.68														
	Physical Collocation - Power - 48V DC Power, per Fused Amp			CLO	PEIPM	19.67														
	Physical Collocation - Power Reduction, Application Fee			CLO	PEIPL	7.14														
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PEIPR	399.51														
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PEIFB	5.63														
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PEIFD	11.26														
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PEIFE	16.89														
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,UDL,UNCVX, UNLDX,UNCNK	PEIP2	0.031		33.68	31.79											
	Physical Collocation - 4-Wire Cross-Connects			CLO,UAL,UDL, UDN,UEA,UHL, UNCVX,UNCODX, UCL	PEIP4	0.062		33.63	31.67											
	Physical Collocation - DS1 Cross-Connects			CLO,UEANL,UEQ,W DS1LWDS1S,USL, UITD1,UKTD1, UNCIX,ULDD1, USLEL,UNLD1, UDL	PEIP1	1.28		52.93	39.87											
	Physical Collocation - DS3 Cross-Connects			CLO,UEANL,UEQ,W DS1LWDS1S,USL, UITD1,UKTD1, UNCIX,ULDD1, USLEL,UNLD1, UDL	PEIP3	16.27		51.99	39.59											
	Physical Collocation - 2-Fiber Cross-Connect			CLO,UDLDO3, ULD12,ULD48, UIT03,UIT12, UIT48,UDLO3, UDL12,UDF, CLO,UDLO3, ULD12,ULD48, UIT03,UIT12, UIT48,UDLO3, UDL12,UDF	PEIF2	3.23		52.00	39.60											
	Physical Collocation - 4-Fiber Cross-Connect			CLO,UDLDO3, ULD12,ULD48, UIT03,UIT12, UIT48,UDLO3, UDL12,UDF	PEIF4	5.73		64.54	51.14											
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PEIBW	178.65														

COLLOCATION - Alabama														Attachment: 4				Exhibit: D			
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	OSS Rates(\$)			Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l					
						Recurring	Nonrecurring		Nonrecurring Disconnect Add'l		SOMEK	SOMAN	SOMAN				SOMAN				
							First	Add'l													
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PEICW	17.52															
	Physical Collocation - Security Access System - Security System per Central Office			CLO	PEIAX	54.14															
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PEIAI	0.0607	48.20	48.20	8.72	8.72											
	Physical Collocation - Security Access System - Administrative Change, existing Access Card, per Card			CLO	PEIAA		15.40	15.40													
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PEIAR		45.02	45.02													
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PEIAK		28.19	28.19													
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PEIAL		28.19	28.19													
	Physical Collocation - Space Availability Report per premises			CLO	PEISR		2,150.00	2,150.00													
	POT Bay Arrangements prior to 8/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX	PEIPE	0.08															
	POT Bay Arrangements prior to 8/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,USL, UNCVX, UNCDX	PEIPF	0.17															
	POT Bay Arrangements prior to 8/1/99 - DS1 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,WDSIL,W DS1S,USL,UITD1, UKTD1,UNC1X, ULD01,USLEL, UNLD1	PEIPG	0.89															
	POT Bay Arrangements prior to 8/1/99 - DS3 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UE3, UITD3,UKTD3, UKTS1,UNC3X, UNCSX,ULD03, UITTS1,ULDS1, UNLD3,UDL, UDL3X	PEIPH	4.74															
	POT Bay Arrangements prior to 8/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,ULD03, ULD12,ULD48, UITD3,UIT12, UIT48,UDL03, UDL12,UDF	PEIB2	32.02															
	POT Bay Arrangements prior to 8/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,ULD03, ULD12,ULD48, UITD3,UIT12, UIT48,UDL03, UDL12,UDF	PEIB4	40.48															
	Physical Collocation - Request Resend of CFA Information, per CLI			CLO	PEIC9		77.56														
	Collocation Cable Records - per request			CLO	PEICR		1,518.57														
	Collocation Cable Records - VG/DSO Cable, per cable record			CLO	PEICD		633.83														
	Collocation Cable Records - VG/DSO Cable, per each 100 pair			CLO	PEICO		9.82	9.82	11.79	11.79											
	Collocation Cable Records - DS1, per T1/E1			CLO	PEIC1		4.50	4.50	5.52	5.52											

COLLOCATION - Alabama										Attachment: 4				Exhibit: D		
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-1st		
						Recurring	Nonrecurring		Disconnect Add'l			SOMEC	SOMAN	OSS Rates(\$)	SOMAN	SOMAN
							First	Add'l								
	Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3			15.75	19.32							
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1C8			168.97	164.25							
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT			33.85	21.45							
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT			44.09	27.71							
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT			54.33	33.98							
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33.00										
	V to P Conversion, Per Customer Request-DS0			CLO	PE1B0	33.00										
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	62.00										
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	62.00										
	V to P Conversion, Per Customer Request per VG Circuit			CLO	PE1BR	23.00										
	Reconfigured															
	V to P Conversion, Per Customer Request per DS0 Circuit			CLO	PE1BP	23.00										
	Reconfigured															
	V to P Conversion, Per Customer Request per DS1 Circuit			CLO	PE1BS	33.00										
	Reconfigured															
	V to P Conversion, Per Customer Request per DS3 Circuit			CLO	PE1BE	37.00										
	Reconfigured															
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 pairs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.0011										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0018										
	Physical Collocation - Co-Carrier Cross Connects - Application Fee, per application			CLO	PE1DT		594.22									
ADJACENT COLLOCATION																
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.2542										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.44										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0598	24.95	23.97	12.80	11.67						
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UH,UJ,UCL	PE1P4	0.1198	25.14	24.11	13.18	11.98						
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.04	44.19	32.13	12.94	11.82						
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	14.12	41.93	30.69	14.72	12.05						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.39	41.93	30.69	14.72	12.05						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.57	51.14	39.90	18.97	16.30						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,555.00		0.99							
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.39										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.79										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	18.18										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.37										
PHYSICAL COLLOCATION IN THE REMOTE SITE																
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		608.17	608.17	323.44	323.44						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB		224.82									
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		25.88	25.88								
	Physical Collocation in the Remote Site - Space Availability			CLORS	PE1SR		229.02	229.02								
	Report per Premises Requested			CLORS	PE1SR		229.02	229.02								
	Physical Collocation in the Remote Site - Remote Site CILI			CLORS	PE1RE		74.22	74.22								
	Code Request, per CILI Code Requested			CLORS	PE1RR		233.38									
	Remote Site DLEC Data (BRDD), per Compact Disk, per CO			CLORS	PE1RR											
PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT																
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										

COLLOCATION - Florida															
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Elec per LSR	Attachment: 4			Exhibit: D		
						Recurring	Nonrecurring Add'l	Nonrecurring Disconnect First		OSS Rates(\$)			Incremental Charge - Manual Svc Order vs. Electroni- c Add'l	Incremental Charge - Manual Svc Order vs. Electroni- c 1st	Incremental Charge - Manual Svc Order vs. Electroni- c Disc 1st
										SOME	SOMAN	SOMAN			
	PHYSICAL COLLOCATION														
	Physical Collocation - Application Fee - Initial														
	Physical Collocation - Application Fee - Subsequent				PEIBA		2,597.00								
	Physical Collocation - Reduced Rate - Application Fee - Subsequent				PEICA		2,235.00								
	Physical Collocation - Space Preparation - Firm Order				PEIBL		742.00								
	Physical Collocation - Space Preparation - C.O. Modification per square ft.				PEISJ		288.93								
	Physical Collocation - Space Preparation - Common Systems Modification per square ft. - Cables				PEISK	2.38									
	Physical Collocation - Space Preparation - Common Systems Modification per Cable				PEISL	2.88									
	Physical Collocation - Floor Space per Sq. Ft.				PEISM	92.55									
	Physical Collocation - Cable Support Structure				PEIBD		1,750.00								
	Physical Collocation - Power, per Fused Amp				PEIPJ	7.88		45.16							
	Physical Collocation - Power Reduction, Application Fee				PEIPM	18.98									
	Physical Collocation - 120V, Single Phase Standby Power Rate				PEIPL	7.80									
	Physical Collocation - 240V, Single Phase Standby Power Rate				PEIPR	399.43									
	Physical Collocation - 120V, Three Phase Standby Power Rate				PEIFB	5.58									
	Physical Collocation - 240V, Three Phase Standby Power Rate				PEIFD	11.14									
	Physical Collocation - 120V, Three Phase Standby Power Rate				PEIFE	16.70									
	Physical Collocation - 277V, Three Phase Standby Power Rate				PEIFG	38.57									
	Physical Collocation - 2-Wire Cross-Connects				UEANL,UEA,UDN,U EQ,UDL,UNCVX, UNLDX,UNCVX, CLO,UAL,UDL, UDN,UEA,UHL, UNCVX,UNCDX, UCL		6.22	7.22	5.74	4.58					
	Physical Collocation - 4-Wire Cross-Connects				CLO,UEANL,UEA,W DS1L,WDS1S,USL, UITD1, UXTD1, UNCVX, ULDD1, USLEL, UNLD1, UDL		0.0552	8.42	7.38	5.90	4.88				
	Physical Collocation - DS1 Cross-Connects				CLO,UE3,UITD3, UXTD3, UXTS1, UNC3X, UNC3X, ULDD3, UITTS1,ULDS1, UNLD3,UDL, CLO, ULDO3, ULD12, ULD48, UIT03, UIT12, UIT48, UDLO3, UDL12, UDF		1.32	27.77	15.52	5.93	4.77				
	Physical Collocation - DS3 Cross-Connects				CLO,ULDO3, ULD12,ULD48, UIT03,UIT12, UIT48,UDLO3, UDL12,UDF		16.81	25.48	14.05	7.77	5.01				
	Physical Collocation - 2-Fiber Cross-Connect				CLO,ULDO3, ULD12,ULD48, UIT03,UIT12, UIT48,UDLO3, UDL12,UDF		3.34	41.94	30.62	13.91	11.16				
	Physical Collocation - 4-Fiber Cross-Connect				CLO,ULDO3, ULD12,ULD48, UIT03,UIT12, UIT48,UDLO3, UDL12,UDF		5.92	51.30	39.87	18.28	15.54				
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.				PEIF4 PEIBW	189.45									

COLLOCATION - Florida										Attachment: 4		Exhibit: D	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)		Svc Order Submitted Manually per LBR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st		
						Recurring	Nonrecurring						
												First	Add'l
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PEICW	18.58							
	Physical Collocation - Security System Per Central Office Per Assignable Sq. Ft.			CLO	PEIAY	0.0105							
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PEIAI	0.0577	55.60						
	Physical Collocation - Security Access System - Administrative Change, existing Access Card, per Card			CLO	PEIAA		15.65						
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PEIAR		45.75						
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PEIAK		28.30						
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PEIAL		2,150.00						
	Physical Collocation - Spaces Availability Report per premises			CLO	PEISR								
	Physical Collocation - Request Resend of CFA Information, per CLI			CLO	PEIC9		77.54						
	Collocation Cable Records - per request			CLO	PEICR		1,626.00	267.08					
	Collocation Cable Records - VGRDSD Cable, per cable record			CLO	PEICD		656.50	378.78					
	Collocation Cable Records - VGRDSD Cable, per each 100 pair			CLO	PEICO		9.66	11.84					
	Collocation Cable Records - DS1, per T1TIE			CLO	PEIC1		4.52	5.54					
	Collocation Cable Records - DS3, per T3TIE			CLO	PEIC3		15.82	19.40					
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PEICB		169.67	154.69					
	Physical Collocation - Security Escort - Basic, Per Quarter Hour			CLO	PEIBQ		10.89						
	Physical Collocation - Security Escort - Overline, Per Quarter Hour			CLO	PEIOQ		13.84						
	Physical Collocation - Security Escort - Premium, Per Quarter Hour			CLO	PEIPQ		18.40						
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PEIBT		33.99	21.54					
	Physical Collocation - Security Escort - Overline, per Half Hour			CLO,CLORS	PEIOT		44.27	27.82					
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PEIPT		54.55	34.10					
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PEIBV		33.00						
	V to P Conversion, Per Customer Request-DS0			CLO	PEIBO		33.00						
	V to P Conversion, Per Customer Request-DS1			CLO	PEIB1		62.00						
	V to P Conversion, Per Customer Request-DS3			CLO	PEIB3		62.00						
	V to P Conversion, Per Customer Request per VG Circuit			CLO	PEIBR		23.00						
	Reconfigured												
	V to P Conversion, Per Customer Request per DS0 Circuit			CLO	PEIBP		23.00						
	Reconfigured												
	V to P Conversion, Per Customer Request per DS1 Circuit			CLO	PEIBS		33.00						
	Reconfigured												
	V to P Conversion, Per Customer Request per DS3 Circuit			CLO	PEIBE		37.00						
	Reconfigured												
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 pairs or fraction thereof			CLO	PEIB7		592.00						
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PEIBS		0.001						
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO,UES,USL	PEIDS		0.0014						
	Physical Collocation - Co-Carrier Cross Connects - Application Fee, per application			CLO	PEIDT		594.11						
ADJACENT COLLOCATION													
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PEIJA		0.1635						
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PEIJC		5.11						
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PEIP2		24.68	23.69	11.77	23.79			
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PEIP4		24.68	23.63	12.04	10.80			

COLLOCATION - Florida										Attachment: 4				Exhibit: D			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
						Nonrecurring		Nonrecurring Disconnect				SOMEC	SOMAN	SOMAN	SOMAN		
						Recurring	Add'l	First	Add'l								
	Adjacent Collocation - DS1 Cross-Connects			USLC CLOAC	PE1P1	1.22	44.24	31.98	12.07	10.91							
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	16.56	41.94	30.62	13.91	11.15							
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.81	41.94	30.62	13.91	11.15							
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	5.36	81.30	39.87	18.29	15.54							
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		2,785.00		1.01								
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.38											
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.77											
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.15											
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.30											
	Adjacent Collocation - Cable Support Structure per Entrance Cable			CLOAC	PE1PM	18.96											
PHYSICAL COLLOCATION IN THE REMOTE SITE																	
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		617.91										
	Cabinet Space in the Remote Site per Bay/Rack			CLORS	PE1RB		219.49			328.61							
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.30										
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		232.69										
	Physical Collocation in the Remote Site - Remote Site CLI			CLORS	PE1RE		75.41										
	Remote Site OLC Data (BRSD), per Compact Disk, per CO			CLORS	PE1RR		233.51										
PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT																	
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27											
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134											
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62									
NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates.																	

COLLOCATION - Georgia													
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Elec per LSR	Attachment: 4		Exhibit: D	
						Recurring	Nonrecurring			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st
							First	Add'l					
					</								

COLLOCATION - Georgia																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)			Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Attachment: 4			Exhibit: D	
						Recurring	Nonrecurring Add'l					Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-Add'l
							SOMAN	SOMAN								
				UEAN,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, UIT03, UIT12, UIT48, UDX03, ULD12, UDF												
	POT Bay Arrangements prior to 8/1/99 - 4-Fiber Cross-Connect, per cross-connect						52.31									
	Physical Collocation - Request Resend of CFA Information, per CLI				PE1B4											
	Collocation Cable Records - per request				PE1C9			77.42								
	Collocation Cable Records - VGD50 Cable, per cable record				PE1CR			1,708.00								
	Collocation Cable Records - DS1, per T1T1E				PE1CD			922.38								
	Collocation Cable Records - DS1, per T1T1E				PE1CO			18.00								
	Collocation Cable Records - DS3, per T3T3E				PE1C1			8.43								
	Collocation Cable Records - Fiber Cable, per 98 fiber records				PE1C3			29.49								
	Physical Collocation - Security Escort - Bands, per Half Hour				PE1CB			278.61								
	Physical Collocation - Security Escort - Bands, per Half Hour				PE1BT			41.00								
	Physical Collocation - Security Escort - Overtime, per Half Hour				PE1OT			48.00								
	Physical Collocation - Security Escort - Premium, per Half Hour				PE1PT			55.00								
	V to P Conversion, Per Customer Request-Voice Grade				PE1BV		33.00									
	V to P Conversion, Per Customer Request-DS0				PE1BO		33.00									
	V to P Conversion, Per Customer Request-DS1				PE1B1		82.00									
	V to P Conversion, Per Customer Request-DS3				PE1B3		82.00									
	V to P Conversion, Per Customer Request per VG Circuit				PE1BR		23.00									
	V to P Conversion, Per Customer Request per DS0 Circuit				PE1BP		23.00									
	V to P Conversion, Per Customer Request per DS1 Circuit				PE1BS		33.00									
	V to P Conversion, Per Customer Request per DS3 Circuit				PE1BE		37.00									
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 pairs or fraction thereof				PE1B7		592.00									
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable				PE1ES		0.001									
	Support Structure, per cable, per linear ft.				PE1DS		0.0015									
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax				PE1DT			593.18								
	Cable Support Structure, per cable, per lin. ft.															
	Physical Collocation - Co-Carrier Cross Connects - Application Fee, per application															
ADJACENT COLLOCATION																
	Adjacent Collocation - Space Charge per Sq. Ft.				PE1JA		0.2542									
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.				PE1JC		5.44									
	Adjacent Collocation - 2-Wire Cross-Connects				PE1P2		0.568	24.85	23.97	11.90	10.67					
	Adjacent Collocation - 4-Wire Cross-Connects				PE1P4		0.1198	25.14	24.11	12.15	10.93					
	Adjacent Collocation - DS1 Cross-Connects				PE1P1		1.04	44.19	32.13	11.93	10.81					
	Adjacent Collocation - DS3 Cross-Connects				PE1P3		14.12	41.93	30.68	13.71	11.04					
	Adjacent Collocation - 2-Fiber Cross-Connect				PE1F2		2.39	41.93	30.68	13.71	11.05					
	Adjacent Collocation - 4-Fiber Cross-Connect				PE1F4		4.57	51.14	39.90	17.96	15.28					
	Adjacent Collocation - Application Fee				PE1JB			1,555.00								
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp				PE1FB		5.39									
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp				PE1FD		10.70									
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp				PE1FE		16.18									

COLLOCATION - Georgia															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 4		Exhibit: D	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Recurring	Nonrecurring First	Nonrecurring Add'l			SOMEK	SOMAN			
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp					38.27									
	Adjacent Collocation - 240V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PEIFG	37.37									
				CLOAC	PEUD										
PHYSICAL COLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PEIRA	224.82	608.18	608.17	323.63	323.63					
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PEIRB										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PEIRD		25.88	25.88							
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PEISR		229.02	229.02							
	Physical Collocation in the Remote Site - Remote Site CLI Code Request, per CLI Code Requested			CLORS	PEIRE		74.22	74.22							
	Remote Site DIEC Data (BRSDD), per Compact Disk, per CO			CLORS	PEIRR		232.88								
PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PEIRS	6.27									
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PEIRT	0.134									
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PEIRU		755.62	755.62							
NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates.															

COLLOCATION - Kentucky																				
CATEGORY	RATE ELEMENTS	Intrm	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per L&R	Svc Order Submitted Manually per L&R	Attachment: 4				Exhibit: D				
						Nonrecurring		Disconnect				Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st					
						First	Add'l	First	Add'l							SOMAN	SOMAN	SOMAN	SOMAN	
	PHYSICAL COLLOCATION																			
	Physical Collocation - Application Fee - Initial																			
	Physical Collocation - Application Fee - Subsequent																			
	Physical Collocation - Application Fee - Subsequent																			
	Physical Collocation - Space Preparation - Firm Order																			
	Physical Collocation - Space Preparation - C.O. Modification per square ft.																			
	Physical Collocation - Space Preparation - Common Systems Modification per square ft. - Cables																			
	Physical Collocation - Space Preparation - Common Systems Modification per Cable																			
	Physical Collocation - Cable Installation																			
	Physical Collocation - Floor Space per Sq. Ft.																			
	Physical Collocation - Cable Support Structure																			
	Physical Collocation - Power -48V DC Power, per Fused Amp																			
	Physical Collocation - Power Reduction, Application Fee																			
	Physical Collocation - 120V, Single Phase Standby Power Rate																			
	Physical Collocation - 240V, Single Phase Standby Power Rate																			
	Physical Collocation - 120V, Three Phase Standby Power Rate																			
	Physical Collocation - 277V, Three Phase Standby Power Rate																			

COLLOCATION - Kentucky															
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Attachment: 4		Exhibit: D		
						Recurring	Nonrecurring		Nonrecurring Disconnect First		Add'l	Incremental Charge - Manual Svc Order vs. Electroni- 1st	Incremental Charge - Manual Svc Order vs. Electroni- Add'l	Incremental Charge - Manual Svc Order vs. Electroni- Disc 1st	Incremental Charge - Manual Svc Order vs. Electroni- Disc Add'l
							First	Add'l							
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	18.14									
	Physical Collocation - Security Access System - Security System per Central Office			CLO	PE1AX	78.10									
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1AI	0.068		55.79	55.79						
	Physical Collocation - Security Access System - Administrative Change, existing Access Card, per Card			CLO	PE1AA			15.64	15.64						
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR			45.74	45.74						
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK			28.29	28.29						
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL			28.29	28.29						
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR			2,158.67	2,158.67						
	POT Bay Arrangements prior to 8/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCN	PE1PE	0.113									
	POT Bay Arrangements prior to 8/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX, UEANL,UEA,UDN,U	PE1PF	0.23									
	POT Bay Arrangements prior to 8/1/99 - DS1 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,WDSL,W DS18, USL, UTID1, UKTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1.80									
	POT Bay Arrangements prior to 8/1/99 - DS3 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UE3, UITD3, UXTD3, UKTS1, UNC3X, UNCSX, ULDS1, UIT81, ULDS1, UNLD3, UDL, UDLSX	PE1PH	14.23									
	POT Bay Arrangements prior to 8/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULDA8, UIT03, UT112, UIT48, UDLO3, UDL12, UDF	PE1B2	48.57									
	POT Bay Arrangements prior to 8/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULDA8, UIT03, UT112, UIT48, UDLO3, UDL12, UDF	PE1B4	65.50									
	Physical Collocation - Request Resend of CFA Information, per CLI			CLO	PE1C9			77.55							
	Collocation Cable Records - per request			CLO	PE1CR			1,524.46	980.01	287.02					
	Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD			656.37	656.37	379.70					
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO			9.85	9.85	11.84	11.84				
	Collocation Cable Records - DS1, per T1T1E			CLO	PE1CI			4.62	4.62	5.64	5.64				

COLLOCATION - Kentucky															
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Elec per LSR	Attachment: 4		Exhibit: D			
						Recurring	Nonrecurring			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
							First	Add'l							
	Collocation Cable Records - DS3, per 131E			CLO	PE1C3		15.81	19.39							
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB		169.83	164.85							
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33.98	21.53							
	Physical Collocation - Security Escort - Overline, per Half Hour			CLO,CLORS	PE1OT		44.28	27.81							
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT										
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33.00		34.09							
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00									
	V to P Conversion, Per Customer Request-DS1			CLO	PE1BT	52.00									
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00									
	V to P Conversion, Per Customer Request per VG Circuit			CLO	PE1BR	23.00									
	Reconfigured														
	V to P Conversion, Per Customer Request per DS0 Circuit			CLO	PE1BP	23.00									
	Reconfigured														
	V to P Conversion, Per Customer Request per DS1 Circuit			CLO	PE1BS	33.00									
	Reconfigured														
	V to P Conversion, Per Customer Request per DS3 Circuit			CLO	PE1BE	37.00									
	Reconfigured														
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 pairs or fraction thereof			CLO	PE1BT	592.00									
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.0012									
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0018									
	Physical Collocation - Co-Carrier Cross Connects - Application Fee, per application			CLO	PE1DT		594.20								
ADJACENT COLLOCATION															
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0173									
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.35									
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0258	24.68	23.68	12.14	10.95					
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UH,UDL,UCL	PE1P4	0.0516	24.88	23.82	12.77	11.46					
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.37	44.23	31.98	12.81	11.57					
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	18.61	41.93	30.51	14.75	11.83					
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	3.15	41.93	30.51	14.78	11.84					
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	6.02	51.29	39.87	19.41	18.49					
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		3,165.50		1.01						
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.44									
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.88									
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.32									
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.68									
PHYSICAL COLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		617.78		338.89						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	219.67									
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.29								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		232.64								
	Physical Collocation in the Remote Site - Remote Site CLI Code Request, per CLI Code Requested			CLORS	PE1RE		76.40								
	Remote Site Data (BRSD), per Compact Disk, per CO			CLORS	PE1RR		233.42								
PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27									

COLLOCATION - Louisiana														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Elec per LSR	Attachment: 4			Exhibit: D	
						Recurring	Nonrecurring			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-1st
							First	Add'l						
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PEICW	18.10								
	Physical Collocation - Security System Per Central Office Per Assignable Sq. Ft.			CLO	PEIAY	0.0224								
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PEIAI	0.0579	27.50							
	Physical Collocation - Security Access System - Administrative Change, existing Access Card, per Card			CLO	PEIAA		7.74	7.74						
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PEIAR		22.84	22.84						
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PEIAK		13.01	13.01						
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PEIAL		13.01	13.01						
	Physical Collocation - Space Availability Report per premises			CLO	PEISR		1,044.07	1,044.07						
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX	PEIPE	0.079								
	POT Bay Arrangements prior to 8/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,USL, UNCVX, UNCDX	PEIPF	0.158								
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,WDSIL,W DSIS,USL,UITD1, UXTD1,UNC1X, ULD01,USLEL, UNLD1	PEIPG	1.12								
	POT Bay Arrangements prior to 8/1/99 - DS1 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UE3, UITD3,UNTD3, UXTS1,UNC3X, UNCSX,ULDD3, UITS1,ULDS1, UNLD3,UDL, UNLSX	PEIPH	9.95								
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,ULDD3, ULD12,ULD48, UIT03,UIT12, U1T48,UDLO3, UDL12,UDF	PEIB2	33.98								
	POT Bay Arrangements prior to 8/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,ULDD3, ULD12,ULD48, UIT03,UIT12, U1T48,UDLO3, UDL12,UDF										
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,ULDD3, ULD12,ULD48, UIT03,UIT12, U1T48,UDLO3, UDL12,UDF	PEIB4	45.80								
	POT Bay Arrangements prior to 8/1/99 - 4-Fiber Cross-Connect, per cross-connect			CLO	PEIC9		77.43							
	Physical Collocation - Request Resend of CFA Information, per CLI			CLO	PEICR	10.97								
	Collocation Cable Records - per request			CLO	PEICD	5.28								
	Collocation Cable Records - VCI/DSO Cable, per cable record													
	Collocation Cable Records - VCI/DSO Cable, per each 100 pair			CLO	PEICO	0.08								
	Collocation Cable Records - DS1, per 111IE			CLO	PEICI	0.04								

COLLOCATION - Louisiana																	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)			Nonrecurring Disconnect First	Add'l	Svc Order Submitted Elec per LSR	Sub Order Submitted Manually per LSR	Attachment: 4			Exhibit: D	
						Recurring	First	Add'l					Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st		
	Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3	0.13											Incremental Charge - Manual Svc Order vs. Electronic-1st
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB	1.37											Incremental Charge - Manual Svc Order vs. Electronic-1st
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		18.44	10.42									Incremental Charge - Manual Svc Order vs. Electronic-1st
	Physical Collocation - Security Escort - Overline, per Half Hour			CLO,CLORS	PE1OT		21.41	13.45									Incremental Charge - Manual Svc Order vs. Electronic-1st
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		26.38	16.49									Incremental Charge - Manual Svc Order vs. Electronic-1st
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33.00											Incremental Charge - Manual Svc Order vs. Electronic-1st
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00											Incremental Charge - Manual Svc Order vs. Electronic-1st
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00											Incremental Charge - Manual Svc Order vs. Electronic-1st
	V to P Conversion, Per Customer Request-DS3			CLO	PE1B3	52.00											Incremental Charge - Manual Svc Order vs. Electronic-1st
	V to P Conversion, Per Customer Request per VG Circuit			CLO	PE1BR	23.00											Incremental Charge - Manual Svc Order vs. Electronic-1st
	Reconfigured																Incremental Charge - Manual Svc Order vs. Electronic-1st
	V to P Conversion, Per Customer Request per DS0 Circuit			CLO	PE1BP	23.00											Incremental Charge - Manual Svc Order vs. Electronic-1st
	Reconfigured																Incremental Charge - Manual Svc Order vs. Electronic-1st
	V to P Conversion, Per Customer Request per DS1 Circuit			CLO	PE1BS	33.00											Incremental Charge - Manual Svc Order vs. Electronic-1st
	Reconfigured																Incremental Charge - Manual Svc Order vs. Electronic-1st
	V to P Conversion, Per Customer Request per DS3 Circuit			CLO	PE1BE	37.00											Incremental Charge - Manual Svc Order vs. Electronic-1st
	Reconfigured																Incremental Charge - Manual Svc Order vs. Electronic-1st
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 pairs or fraction thereof			CLO	PE1B7	592.00											Incremental Charge - Manual Svc Order vs. Electronic-1st
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001											Incremental Charge - Manual Svc Order vs. Electronic-1st
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO,UES,USL	PE1DS	0.0015											Incremental Charge - Manual Svc Order vs. Electronic-1st
	Physical Collocation - Co-Carrier Cross Connects - Application Fee, per application			CLO	PE1DT	593.30											Incremental Charge - Manual Svc Order vs. Electronic-1st
ADJACENT COLLOCATION																	
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0552											Incremental Charge - Manual Svc Order vs. Electronic-1st
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.61											Incremental Charge - Manual Svc Order vs. Electronic-1st
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0245	11.94	11.46									Incremental Charge - Manual Svc Order vs. Electronic-1st
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UH,UCL,UCL	PE1P4	0.0491	12.04	11.53									Incremental Charge - Manual Svc Order vs. Electronic-1st
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	0.9605	21.39	15.47									Incremental Charge - Manual Svc Order vs. Electronic-1st
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	13.01	20.28	14.76									Incremental Charge - Manual Svc Order vs. Electronic-1st
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.20	20.28	14.76									Incremental Charge - Manual Svc Order vs. Electronic-1st
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.21	24.81	19.29									Incremental Charge - Manual Svc Order vs. Electronic-1st
	Adjacent Collocation - Application Fee			CLOAC	PE1JB	1,543.20											Incremental Charge - Manual Svc Order vs. Electronic-1st
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.45											Incremental Charge - Manual Svc Order vs. Electronic-1st
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.92											Incremental Charge - Manual Svc Order vs. Electronic-1st
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.37											Incremental Charge - Manual Svc Order vs. Electronic-1st
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.80											Incremental Charge - Manual Svc Order vs. Electronic-1st
PHYSICAL COLLOCATION IN THE REMOTE SITE																	
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA	225.39	288.60	288.60									Incremental Charge - Manual Svc Order vs. Electronic-1st
	Cabinet Space in the Remote Site per Bay/Rack			CLORS	PE1RB												Incremental Charge - Manual Svc Order vs. Electronic-1st
	Physical Collocation in the Remote Site - Security Access - Key Report per Premises Requested			CLORS	PE1RD		13.01	13.01									Incremental Charge - Manual Svc Order vs. Electronic-1st
	Physical Collocation in the Remote Site - Space Availability			CLORS	PE1SR		112.52	112.52									Incremental Charge - Manual Svc Order vs. Electronic-1st
	Physical Collocation in the Remote Site - Remote Site CLI Code Request, per CLI Code Requested			CLORS	PE1RE		38.47	38.47									Incremental Charge - Manual Svc Order vs. Electronic-1st
	Remote Site DEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.21										Incremental Charge - Manual Svc Order vs. Electronic-1st
PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT																	
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27											Incremental Charge - Manual Svc Order vs. Electronic-1st

COLLOCATION - Louisiana													
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCB	USOC	RATES(\$)		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 4		Exhibit: D	
						Recurring	Nonrecurring First Add'l			Incremental Charge - Manual Svc Order vs. Electroni- 1st	Incremental Charge - Manual Svc Order vs. Electroni- Disc 1st	Incremental Charge - Manual Svc Order vs. Electroni- Disc 1st	Incremental Charge - Manual Svc Order vs. Electroni- Disc Add'l
										SOMAN	SOMAN	SOMAN	SOMAN
	Remote Site-Adjacent Collocation - Real Estate, per square foot				PE1RT	0.134							
	Remote Site-Adjacent Collocation-Application Fee			CLORS CLORS	PE1RU		755.62						
	NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates.												

COLLOCATION - Miscellaneous															
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Attachment: 4		Exhibit: D		
						Nonrecurring		Disconnect Add'l	SOME		SOMAN	SOMAN	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Add'l
						First	Add'l								
	PHYSICAL COLLOCATION														
	Physical Collocation - Application Fee - Initial														
	Physical Collocation - Application Fee - Subsequent			CLO	PE1BA		1,890.38								
	Physical Collocation Reduced Rate - Application Fee - Subsequent			CLO	PE1CA		1,575.69		0.061						
	Physical Collocation - Space Preparation - Firm Order			CLO	PE1BL		740.76								
	Processing														
	Physical Collocation - Space Preparation - C.O. Modification per square ft.			CLO	PE1SJ		804.19								
	Physical Collocation - Space Preparation - Common Systems			CLO	PE1SK		2.30								
	Modification per square ft. - Capless														
	Physical Collocation - Space Preparation - Common Systems			CLO	PE1SL		2.62								
	Modification per Cable														
	Physical Collocation - Cable Installation			CLO	PE1SM		65.87								
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1SD		928.27		22.82						
	Physical Collocation - Cable Support Structure			CLO	PE1PJ		6.74								
	Physical Collocation - Power 48V DC Power, per Fused Amp			CLO	PE1PM		17.42								
	Physical Collocation - Power Reduction, Application Fee			CLO	PE1PL		7.33								
				CLO	PE1PR		388.76								
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB		5.29								
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD		10.68								
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE		15.87								
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG		36.65								
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,UDL,UNCVX, UNLDX,UNCNX CLO,UAL,UDL, UDN,UEA,UHL, UNCVX,UNCDX, UCL											
	Physical Collocation - 2-Wire Cross-Connects				PE1P2		0.0288	12.37	11.87	8.04	5.45				
	Physical Collocation - 4-Wire Cross-Connects				PE1P4		0.0576	12.47	11.94	6.59	5.91				
				CLO,UEANL,UEQ,W DS1L,WDS1S,USL, UNITD1,UKTD1, UNC1X,ULDD1, USLEL,UNLD1, UDL											
	Physical Collocation - DS1 Cross-Connects				PE1P1		1.14	22.16	16.02	6.60	5.97				
				CLO,UE3,UITD3, UKTD3,UKTS1, UNC3X,UNC3X, ULDD3, UITTS1,ULDS1, UNLD3,UDL, CLO,ULDD3, ULD12,ULD48, UITD3,UIT12, UIT48,UDLO3, UDL12,UDF											
	Physical Collocation - DS3 Cross-Connects				PE1P3		14.49	21.01	15.29	7.61	6.10				
	Physical Collocation - 2-Fiber Cross-Connect				PE1F2		2.87	21.01	15.28	7.61	6.10				
				CLO,ULDD3, ULD12,ULD48, UITD3,UIT12, UIT48,UDLO3, UDL12,UDF											
	Physical Collocation - 4-Fiber Cross-Connect														
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.				PE1F4 PE1BW		5.10 183.20	25.70	19.97	10.01	8.50				

COLLOCATION - Mississippi																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 4			Exhibit: D	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Recurring	Nonrecurring		Disconnect			Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
							First	Add'l								
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	17.97										SOMAN
	Physical Collocation - Security Access System - Security System per Central Office	I		CLO	PE1AX	75.23										
	Physical Collocation - Security Access System - New Access Card Activation, per Card	I		CLO	PE1A1	0.0578	27.95	27.95								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card	I		CLO	PE1AA		7.84	7.84								
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		22.91	22.91								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.17	13.17								
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13.17	13.17								
	Physical Collocation - Space Availability Report per premises	I		CLO	PE1SR		1,081.40	1,081.40								
	POT Bay Arrangements prior to 8/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNGVX,UNCODX, UNCNX	PE1PE	0.0887										
	POT Bay Arrangements prior to 8/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,USL, UNGVX,UNCODX	PE1PF	0.1734										
	POT Bay Arrangements prior to 8/1/99 - DS1 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,WDSL,W DS18,USL,UTD1, UXTD1,UNC1X, ULDD1,USLEL, UNLD1	PE1PG	1.22										
	POT Bay Arrangements prior to 8/1/99 - DS3 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UE3, U1TD3, UXTD3, UXTS1,UNC3X, UNCSX,ULDD3, U1TS1,ULDS1, UNLD3,UDL, UDL3X	PE1PH	10.91										
	POT Bay Arrangements prior to 8/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,ULDD3, ULDD12,ULD48, U1T03,U1T12, U1T48,UDLO3, UDL12,UDF	PE1B2	37.28										
	POT Bay Arrangements prior to 8/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,ULDD3, ULDD12,ULD48, U1T03,U1T12, U1T48,UDLO3, UDL12,UDF	PE1B4	50.24										
	Physical Collocation - Request Resend of CFA Information, per CFI			CLO	PE1C9		77.41									
	Collocation Cable Records - per request			CLO	PE1CR		763.69		133.77							
	Collocation Cable Records - VGI/DSO Cable, per cable record			CLO	PE1CD		328.81		190.22							
	Collocation Cable Records - VGI/DSO Cable, per each 100 pair			CLO	PE1CO		4.84	4.84	5.93							
	Collocation Cable Records - DS1, per 1111E			CLO	PE1CI		2.27	2.27	2.78							

COLLOCATION - Mississippi																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 4		Exhibit: D	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
						Recurring	Nonrecurring First	Add'l	Nonrecurring Disconnect First			Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st			
	Collocation - Cable Records - DS3, per 13TIE			CLO	PEIG3		7.92	7.92	9.72	9.72						SOMAN
	Collocation - Cable Records - Fiber Cable, per 99 fiber records			CLO	PEIC3		84.98	84.98	77.58	77.58						
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLOIRS	PEIBT		17.02	10.78								
	Physical Collocation - Security Escort - Overlaid, per Half Hour			CLO,CLOIRS	PEIOT		22.17	13.94								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLOIRS	PEIPT		27.32	17.08								
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PEIBV	33.00										
	V to P Conversion, Per Customer Request-DS0			CLO	PEIBO	33.00										
	V to P Conversion, Per Customer Request-DS1			CLO	PEIB1	52.00										
	V to P Conversion, Per Customer Request-DS3			CLO	PEIB3	52.00										
	V to P Conversion, Per Customer Request per VG Circuit															
	Reconfigured			CLO	PEIBR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit															
	Reconfigured			CLO	PEIBP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit															
	Reconfigured			CLO	PEIBS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit															
	Reconfigured			CLO	PEIBE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 Pairs or fraction thereof			CLO	PEIB7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PEIES	0.001										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO,UE3,USL	PEIDS	0.0015										
	Physical Collocation - Co-Carrier Cross Connects - Application Fee, per application			CLO	PEIDT	593.13										
ADJACENT COLLOCATION																
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PEIUA	0.0078										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PEIJC	4.68										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PEIP2	0.0223	12.37	11.87	6.04	5.45						
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UH4,UD4,UCL												
	Adjacent Collocation - DS1 Cross-Connects			CLOAC	PEIP4	0.0446	12.47	11.94	6.59	5.91						
	Adjacent Collocation - DS3 Cross-Connects			USL,CLOAC	PEIP1	1.05	22.16	16.02	6.60	5.97						
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PEIP3	14.27	21.01	16.29	7.81	6.10						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PEIP2	2.42	21.01	15.29	7.81	6.10						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PEIP4	4.92	26.70	19.97	10.01	8.50						
	Adjacent Collocation - Application Fee			CLOAC	PEIJB	1,595.83			0.51							
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PEIFB	5.29										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PEIFD	10.58										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PEIFE	15.87										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PEIFG	36.65										
PHYSICAL COLLOCATION IN THE REMOTE SITE																
	Physical Collocation in the Remote Site - Application Fee			CLOIRS	PEIRA	309.48			168.63							
	Cabinet Space in the Remote Site per Bay/ Rack			CLOIRS	PEIRB	210.05										
	Physical Collocation in the Remote Site - Security Access - Key Report per Premises Requested			CLOIRS	PEIRD	13.17		13.17								
	Physical Collocation in the Remote Site - Remote Site CILI			CLOIRS	PEISR	118.54		118.54								
	Remote Site DIEC Data (BRSD), per Compact Disk, per CO			CLOIRS	PEIRE	37.77		37.77								
PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT																
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLOIRS	PEIRS	6.27										

COLLOCATION - Mississippi

[illegible]

COLLOCATION - North Carolina																
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 4			Exhibit: D	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Recurring	Nonrecurring		Incremental Charge - Manual Svc Order vs. Electronic- 1st			Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- 1st			
							First	Add'l						SOMAN		
PHYSICAL COLLOCATION																
	Physical Collocation - Application Fee - Initial															
	Physical Collocation - Application Fee - Subsequent				PE1BA											
	Physical Collocation Reduced Rate - Application Fee - Subsequent				PE1CA											
	Physical Collocation - Space Preparation - C.O. Modification per square ft.				PE1BL											
	Physical Collocation - Space Preparation - Common Systems Modification per square ft. - Coreless				PE1SK											
	Physical Collocation - Space Preparation - Common Systems Modification per Cage				PE1SL											
	Space Preparation Fees - Power Per Nominal 48V Dc Amp				PE1SM											
	Physical Collocation - Cable Installation				PE1FH											
	Physical Collocation - Floor Space per Sq. Ft.				PE1BD											
	Physical Collocation - Cable Support Structure				PE1PJ											
	Physical Collocation - Power 48V Dc Power per Fused Amp				PE1PM											
	Physical Collocation - Power Reduction, Application Fee				PE1PL											
	Physical Collocation - 120V, Single Phase Standby Power Rate				PE1PR											
	Physical Collocation - 240V, Single Phase Standby Power Rate				PE1FB											
	Physical Collocation - 120V, Three Phase Standby Power Rate				PE1FD											
	Physical Collocation - 277V, Three Phase Standby Power Rate				PE1FE											
	Physical Collocation - 2-Wire Cross-Connects				PE1FG											
	Physical Collocation - 4-Wire Cross-Connects				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,UDL,UNCVX, UNLDX,UNCXK, CLO,UAL,UDL, UDN,UEA,UHL, UNCVX,UNCDX, UCL											
	Physical Collocation - DS1 Cross-Connects				CLO,UEANL,UEQ,W DS1L,WDS1S,USL, UXTD1,UXTD1, UNCXK,ULDD1, USLEL,UNLD1, UDL											
	Physical Collocation - DS3 Cross-Connects				CLO,UEANL,UEQ,W UXTD3,UXTS1, UNCXK,UNCXK, ULDD3, UXTS1,ULDS1, UNLD3,UDL											
	Physical Collocation - 2-Fiber Cross-Connect				CLO,UDL03, ULD12,ULD48, UITO3,UIT12, UIT48,UDL03, UDL12,UDF											
	Physical Collocation - 4-Fiber Cross-Connect				CLO,UDL03, ULD12,ULD48, UITO3,UIT12, UIT48,UDL03, UDL12,UDF											
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.				PE1F4											
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.				PE1BW											
					PE1CW											

COLLOCATION - North Carolina										Attachment: 4				Exhibit: D					
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Manually per L8R	Svc Order Submitted Manually per L8R	Incremental Charge - Manual Svc Order vs. Electronic-1st				Incremental Charge - Manual Svc Order vs. Electronic-1st				
						Recurring	Nonrecurring				Nonrecurring Disconnect First	Add'l	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
							First	Add'l											
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PEICB			278.82											
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PEIBT			42.92											
	Physical Collocation - Security Escort - Overline, per Half Hour			CLO,CLORS	PEIOT			54.51											
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PEIPT			68.10											
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PEIBV	33.00													
	V to P Conversion, Per Customer Request-DS0			CLO	PEIBO	33.00													
	V to P Conversion, Per Customer Request-DS1			CLO	PEIB1	52.00													
	V to P Conversion, Per Customer Request-DS3			CLO	PEIB3	52.00													
	V to P Conversion, Per Customer Request per VG Circuit			CLO	PEIBR	23.00													
	Reconfigured			CLO	PEIBP	23.00													
	Reconfigured			CLO	PEIBS	33.00													
	Reconfigured			CLO	PEIBE	37.00													
	Reconfigured			CLO	PEIB7	592.00													
	V to P Conversion, Cable Pairs Assigned to Cello Space per 700 pairs or fraction thereof			CLO	PEIES	0.0018													
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PEIDS	0.0027													
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PEIDS	0.0027													
	Physical Collocation - Co-Carrier Cross Connects - Application Fee, per application			CLO	PEIDT		593.66												
ADJACENT COLLOCATION																			
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.178													
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	6.98													
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.32	41.76	39.23											
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UH,UOL,UCL	PE1P4	0.84	41.91	39.25											
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	2.34	71.02	51.06											
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	42.84	69.84	49.43											
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.84	51.97	38.59											
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	5.82	64.53	51.16											
	Adjacent Collocation - Application Fee			CLOAC	PE1UB		3,163.00												
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	6.50													
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	11.01													
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	18.51													
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	38.12													
PHYSICAL COLLOCATION IN THE REMOTE SITE																			
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		865.34	865.34											
	Cabinet Space in the Remote Site per Bay/Rack			CLORS	PE1RB	254.02													
	Physical Collocation in the Remote Site - Security Access - Key Report per Premises Requested			CLORS	PE1RD		26.06	26.06											
	Physical Collocation in the Remote Site - Remote Site CLI Code Request, per CLI Code Requested			CLORS	PE1SR		230.80	230.80											
	Remote Site DEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RE		74.74	74.74											
	Remote Site DEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		232.94	232.94											
PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT																			
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27													

COLLOCATION - North Carolina																	
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 4		Exhibit: D	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Recurring	Nonrecurring First	Nonrecurring Add'l			SOMEK	SOMAN					SOMAN
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PEIRT	0.134											
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PEIRU		755.62	755.62									
NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates.																	

COLLOCATION - South Carolina																			
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 4			Exhibit: D					
						Recurring	Nonrecurring				Nonrecurring Disconnect Add'l	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st				
							First	Add'l								SOMECH	SOMAN	SOMAN	SOMAN
	PHYSICAL COLLOCATION																		
	Physical Collocation - Application Fee - Initial																		
	Physical Collocation - Application Fee - Subsequent			CLO	PEIBA			1,893.67											
	Physical Collocation Reduced Rate - Application Fee - Subsequent			CLO	PEICA			1,970.10											
	Physical Collocation - Space Preparation - Firm Order			CLO	PEIBL			743.68											
	Physical Collocation - Space Preparation - C.O. Modification per square ft.			CLO	PEISJ			602.05											
	Physical Collocation - Space Preparation - Common Systems			CLO	PEISK		2.75												
	Physical Collocation - Space Preparation - Common Systems Modification per square ft. - Cables			CLO	PEISL		3.24												
	Physical Collocation - Space Preparation - Common Systems Modification per Cable			CLO	PEISM		110.16												
	Physical Collocation - Cable Installation			CLO	PEIBD														
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PEIPJ			784.22		22.64									
	Physical Collocation - Cable Support Structure			CLO	PEIPM		3.95												
	Physical Collocation - Power 48V DC Power, per Fused Amp			CLO	PEIPL		21.33												
	Physical Collocation - Power Reduction, Application Fee			CLO	PEIPR		9.19												
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PEIFB		5.67												
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PEIFD		11.38												
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PEIFE		17.03												
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PEIFG		39.33												
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,UDL,UNCVX, UNLDX,UNCNXX, CLO,UAL,UDL, UDN,UEA,UHL, UNCVX,UNCDX, UCL	PEIP2		0.0341	12.32	11.83	6.04	5.46								
	Physical Collocation - 4-Wire Cross-Connects			CLO,UEANL,UEG,W DS1L,WDS18,USL, UITD1,UKTD1, UNCXK,ULDD1, USLEL,UNLD1, UDL	PEIP4		0.0682	12.42	11.80	6.40	5.74								
	Physical Collocation - DS1 Cross-Connects			CLO,UE3,UITD3, UKTD3,UKTS1, UNC3K,UNC3X, UIDD3, UIT31,ULDS1, UNLD3,UDL	PEIP1		1.12	22.08	15.98	8.42	5.90								
	Physical Collocation - DS3 Cross-Connects			CLO,ULDD3, ULD12,ULD48, UITD3,UIT12, UIT48,UDLO3, UDL12,UDF	PEIP3		14.21	20.94	15.23	7.39	5.93								
	Physical Collocation - 2-Fiber Cross-Connect			CLO,ULDD3, ULD12,ULD48, UITD3,UIT12, UIT48,UDLO3, UDL12,UDF	PEIF2		2.82	20.94	15.23	7.40	5.93								
	Physical Collocation - 4-Fiber Cross-Connect			CLO,ULDD3, ULD12,ULD48, UITD3,UIT12, UIT48,UDLO3, UDL12,UDF	PEIF4		5.01												
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PEIBW		219.19	25.61	19.90	9.73	8.26								

COLLOCATION - South Carolina																		
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Elec per L&R	Svc Order Submitted Manually per L&R	Attachment: 4			Exhibit: D	Incremental Charge - Manual Svc Order vs. Electroni- Disc Add'l			
						Recurring	Nonrecurring				SOMEC	SOMAN	SOMAN			OSS Rate(\$)	SOMAN	SOMAN
							First	Add'l										
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PEICW	21.50												
	Physical Collocation - Security Access System - Security System per Central Office			CLO	PEIAX	74.72												
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PEIAI	0.0801	27.85	27.85										
	Physical Collocation - Security Access System - Administrative Change, adding Access Card, per Card			CLO	PEIAA		7.81	7.81										
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PEIAR		22.83	22.83										
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PEIAK		13.13	13.13										
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PEIAL		13.13	13.13										
	Physical Collocation - Space Availability Report per premises			CLO	PEISR		1,077.57	1,077.57										
	POT Bay Arrangements prior to 8/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,UEAUDNU, DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX,UNCDOX, UNCNK	PEIPE	0.085												
	POT Bay Arrangements prior to 8/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL,UEAUDNU, DC,UAL,UHL,UCL,U EQ,CLO,USL, UNCVX,UNCDOX	PEIPF	0.1701												
	POT Bay Arrangements prior to 8/1/99 - DS1 Cross-Connect, per cross-connect			UEANL,UEAUDNU, DC,UAL,UHL,UCL,U EQ,CLO,WDSL,W DSIS,USL,UITD1, UKTD1,UNC1X, ULDD1,USLEL, UNLD1	PEIPG	1.20												
	POT Bay Arrangements prior to 8/1/99 - DS3 Cross-Connect, per cross-connect			UEANL,UEAUDNU, DC,UAL,UHL,UCL,U EQ,CLO,UE3, UITD3,UKTD3, UKTS1,UNC3X, UNC3X,ULDD3, UIT81,ULDS1, UNLD3,UDL, UDLSX	PEIPH	10.71												
	POT Bay Arrangements prior to 8/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEAUDNU, DC,UAL,UHL,UCL,U EQ,CLO,ULDO3, ULD12,ULD48, UIT03,UIT12, UIT48,UDLO3, UDL12,UDF	PEI82	36.55												
	POT Bay Arrangements prior to 8/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEAUDNU, DC,UAL,UHL,UCL,U EQ,CLO,ULDO3, ULD12,ULD48, UIT03,UIT12, UIT48,UDLO3, UDL12,UDF	PEI84	49.29												
	Physical Collocation - Request Resend of CFA Information, per CLI			CLO	PEIC9		77.71											
	Collocation Cable Records - per request			CLO	PEICR		760.98		133.28									
	Collocation Cable Records - VCI/DSO Cable, per cable record			CLO	PEICD		327.85		189.54									
	Collocation Cable Records - VCI/DSO Cable, per each 100 pair			CLO	PEICO		4.82	4.82	5.91									
	Collocation Cable Records - DS1, per T1T1E			CLO	PEIC1		2.28	2.28	2.77									

COLLOCATION - South Carolina										Attachment: 4		Exhibit: D	
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	
						Recurring	Nonrecurring First	Nonrecurring Add'l					
						Disconnect Add'l	OSR Rates(\$)	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	Collocation Cable Records - DS3, per T3TIE			CLO	PEIC3		7.90	7.90	9.68	9.68			
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PEICB		84.68	84.68	77.30	77.30			
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PEIBT		16.96	10.75					
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PEIOT		22.10	13.89					
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PEIPT		27.23	17.02					
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PEIBV	33.00							
	V to P Conversion, Per Customer Request-DS0			CLO	PEIBO	33.00							
	V to P Conversion, Per Customer Request-DS1			CLO	PEIB1	62.00							
	V to P Conversion, Per Customer Request-DS3			CLO	PEIB3	62.00							
	V to P Conversion, Per Customer Request per VG Circuit			CLO	PEIBR	23.00							
	Reconfigured												
	V to P Conversion, Per Customer Request per DS0 Circuit			CLO	PEIBP	23.00							
	Reconfigured												
	V to P Conversion, Per Customer Request per DS1 Circuit			CLO	PEIBS	33.00							
	Reconfigured												
	V to P Conversion, Per Customer Request per DS3 Circuit			CLO	PEIBE	37.00							
	V to P Conversion, Cable Pairs Assigned to Cello Space per 700 pairs or fraction thereof			CLO	PEIB7	592.00							
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PEIES	0.001							
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PEIDS	0.0015							
	Physical Collocation - Co-Carrier Cross Connects - Application Fee, per application			CLO	PEIDT	594.42							
ADJACENT COLLOCATION													
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PEIJA	0.0839							
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PEIJC	6.40							
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PEIP2	0.0264	12.32	11.83	6.04	5.45			
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UJL,UCL	PEIP4	0.0527	12.42	11.90	6.40	5.74			
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PEIP1	1.03	22.08	15.96	6.42	5.80			
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PEIP3	14.00	20.94	15.23	7.39	5.93			
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PEIF2	2.37	20.94	15.23	7.40	5.93			
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PEIF4	4.63	26.61	19.90	9.73	8.28			
	Adjacent Collocation - Application Fee			CLOAC	PEIJB	1,580.20			0.51				
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PEIFB	5.67							
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PEIFD	11.36							
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PEIFE	17.03							
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PEIFG	39.33							
PHYSICAL COLLOCATION IN THE REMOTE SITE													
	Physical Collocation in the Remote Site - Application Fee			CLORS	PEIRA	248.44	308.38	308.38	168.60	168.60			
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PEIRB								
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PEIRD		13.13	13.13					
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PEISR		116.13	116.13					
	Physical Collocation in the Remote Site - Remote Site CLI Code Request, per CLI Code Requested			CLORS	PEIRE		37.64	37.64					
	Remote Site DLEC Data (BRSD), per Compact Disk, per CO			CLORS	PEIRR		234.50						
PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT													
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PEIRS	6.27							

COLLOCATION - South Carolina												
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 4		Exhibit: D
						Recurring	Nonrecurring First Add'l			Nonrecurring First Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PEIRT	0.134						
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PEIRU	755.62	755.62					
	NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates.											

COLLOCATION - Tennessee										Attachment: 4		Exhibit: D				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-1st	
						Recurring	Nonrecurring First	Add'l			OSS Rates(\$)		OSS Rates(\$)			
											SOME	SOMAN	SOME	SOMAN		
	Collocation Cable Records - DS3, per 1311E			CLO	PE1C3			29.57								
	Collocation Cable Records - Fiber Cable, per 98 fiber records			CLO	PE1CB			279.42								
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT			33.91								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT			27.76								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT			54.42								
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV		33.00									
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO		33.00									
	V to P Conversion, Per Customer Request-DS1			CLO	PE1BT		52.00									
	V to P Conversion, Per Customer Request-DS3			CLO	PE1B3		52.00									
	V to P Conversion, Per Customer Request per VG Circuit			CLO	PE1BR		23.00									
	Reconfigured															
	V to P Conversion, Per Customer Request per DS0 Circuit			CLO	PE1BP		23.00									
	Reconfigured															
	V to P Conversion, Per Customer Request per DS1 Circuit			CLO	PE1BS		33.00									
	Reconfigured															
	V to P Conversion, Per Customer Request per DS3 Circuit			CLO	PE1BE		37.00									
	Reconfigured															
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 pairs or fraction thereof			CLO	PE1B7		592.00									
	Physical Caged Collocation-App Co-Initial & sub-Planning, per request			CLO	PE1AC		16.16	2,903.66	2,903.66							
	Physical Caged Collocation-Space Prep-Grounding, per location			CLO	PE1BB		4.32									
	Physical Caged Collocation-Space Prep-Power Delivery, per 40 amp feed			CLO	PE1SN			142.40								
	Physical Caged Collocation-Space Prep-Power Delivery, per 100 amp feed			CLO	PE1SO			185.72								
	Physical Caged Collocation-Space Prep-Power Delivery, per 200 amp feed			CLO	PE1SP			242.05								
	Physical Caged Collocation-Space Enclosure-Cage Preparation, per first 100 sq. ft.			CLO	PE1S1		110.97									
	Physical Caged Collocation-Space Enclosure-Cage Preparation, per add'l 50 sq. ft.			CLO	PE1S5		55.49									
	Physical Caged Collocation-Cable Installation-Entrance Fiber Structure, Interrupt per ft.			CLO	PE1CP		0.0158									
	Physical Caged Collocation-Cable Installation-Entrance Fiber, per cable			CLO	PE1CO		2.58	944.27								
	Physical Caged Collocation-Floor Space-Land & Buildings, per sq. ft.			CLO	PE1FS		5.94									
	Physical Caged Collocation-Cable Support Structure-Cable Racking, per entrance cable			CLO	PE1CS		21.47									
	Physical Caged Collocation-Power-Power Consumption, per amp DC plant			CLO	PE1PN		3.55									
	Physical Caged Collocation-Power-Power Consumption, per amp AC usage			CLO	PE1PO		2.03									
	Physical Caged Collocation-2-wire Cross Connects-Voice Grade ckt, per ckt.			CLO	PE1ZC		0.0475	7.68								
	Physical Caged Collocation-4-wire Cross Connects-Voice Grade ckt, per ckt.			CLO	PE1MC		0.0475	7.68								
	Physical Caged Collocation-DS1 Cross Connects-connection to DCS, per ckt.			CLO	PE1IS		7.68	41.65								
	Physical Caged Collocation-DS1 Cross Connects-Connection to DSX, per ckt.			CLO	PE1IX		0.38	41.65								
	Physical Caged Collocation-DS3 Cross Connects-Connection to DCS, per ckt.			CLO	PE1IS		53.98	288.03								
	Physical Caged Collocation-DS3 Cross Connects-Connection to DSX, per ckt.			CLO	PE1IX		9.32	288.03								

COLLOCATION - Tennessee										Attachment: 4				Exhibit: D					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l				Incremental Charge - Manual Svc Order vs. Electronic-Add'l				
						Recurring	Nonrecurring First	Add'l	Nonrecurring Disconnect First		SOME	SOMAN	SOMAN	SOMAN	SOME	SOMAN	SOMAN	SOMAN	
	Physical Caged Collocation-Security Access-Access Cards, per 5 Cards			CLO	PEIA2		76.10												
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PEIES	0.0013													
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PEIDS	0.0019													
	Physical Collocation - Co-Carrier Cross Connects - Application Fee, per application			CLO	PE1DT		585.09												
ADJACENT COLLOCATION	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0656													
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.53													
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.034	11.12	10.16	11.33	10.23					1.77	1.77	1.12	1.12	
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL	PE1P4	0.33	11.30	10.31	11.62	10.44					1.77	1.77	1.12	1.12	
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.70	28.39	16.88	11.65	10.54					1.77	1.77	1.12	1.12	
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	19.03	28.23	15.51	13.41	10.77					1.77	1.77	1.12	1.12	
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	3.49	28.23	15.51	13.41	10.78					1.77	1.77	1.12	1.12	
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	6.50	28.75	19.02	17.60	14.97					1.77	1.77	1.12	1.12	
	Adjacent Collocation - Application Fee			CLOAC	PE1UB		2,973.00		0.9475										
	Adjacent Collocation - 120V, Single Phase Standby Power Rate			CLOAC	PE1FB	5.81													
	Adjacent Collocation - 240V, Single Phase Standby Power Rate			CLOAC	PE1FD	11.64													
	Adjacent Collocation - 120V, Three Phase Standby Power Rate			CLOAC	PE1FE	17.45													
	Adjacent Collocation - 277V, Three Phase Standby Power Rate			CLOAC	PE1FG	40.30													
	PHYSICAL COLLOCATION IN THE REMOTE SITE	Physical Collocation in the Remote Site - Application Fee			CLOAC	PE1RA		580.20		312.78									
Cabinet Space in the Remote Site per Bay/Rack				CLOAC	PE1RB	220.41													
Physical Collocation in the Remote Site - Security Access - Key				CLOAC	PE1RD		24.69												
Physical Collocation in the Remote Site - Space Availability				CLOAC	PE1SR		218.49												
Report per Premises Requested				CLOAC	PE1RE		70.81												
Physical Collocation in the Remote Site - Remote Site CLI Code Request, per CLI Code Requested				CLOAC	PE1RR		234.15												
Remote Site DLEC Data (BRSD), per Compact Disk, per CO				CLOAC	PE1RS														
Remote Site-Adjacent Collocation - AC Power, per breaker amp				CLOAC	PE1RT	6.27													
Remote Site-Adjacent Collocation - Real Estate, per square foot				CLOAC	PE1RU	0.134	755.62	755.62											
NOTE: If Security Eject and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates.																			

NOTE: If Security Eject and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates.

ATTACHMENT 5
ACCESS TO NUMBERS AND NUMBER PORTABILITY

TABLE OF CONTENTS

1. NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS.....	3
2. NUMBER PORTABILITY PERMANENT SOLUTION.....	3
3. SERVICE PROVIDER NUMBER PORTABILITY	4
4. SPNP IMPLEMENTATION	5
5. OPERATIONAL SUPPORT SYSTEM (OSS) RATES.....	7
Rates.....	Exhibit A

ACCESS TO NUMBERS AND NUMBER PORTABILITY

1. NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS

- 1.1 During the term of this Agreement, where Momentum Business Solutions, Inc. is utilizing its own switch, Momentum Business Solutions, Inc. shall contact the North American Numbering Plan Administrator, NeuStar, for the assignment of numbering resources. In order to be assigned a Central Office Code, Momentum Business Solutions, Inc. will be required to complete the Central Office Code (NXX) Assignment Request and Confirmation Form (Code Request Form) in accordance with Industry Numbering Committee's Central Office Code (NXX) Assignment Guidelines (INC 95-0407-008).
- 1.2 Where BellSouth provides local switching or resold services to Momentum Business Solutions, Inc., BellSouth will provide Momentum Business Solutions, Inc. with on-line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Momentum Business Solutions, Inc. acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. Momentum Business Solutions, Inc. acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center; and in such instances, BellSouth may request that Momentum Business Solutions, Inc. return unused intermediate numbers to BellSouth. Momentum Business Solutions, Inc. shall return unused intermediate numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- 1.3 BellSouth will allow Momentum Business Solutions, Inc. to designate up to 100 intermediate telephone numbers per rate center for Momentum Business Solutions, Inc.'s sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. Momentum Business Solutions, Inc. acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.

2. NUMBER PORTABILITY PERMANENT SOLUTION

- 2.1 The Parties will offer local number portability in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry fora. Interim Service Provider Number Portability (SPNP) will be available only in those end offices where no carrier has requested implementation of permanent local number

portability (PNP). Once PNP is implemented in an end office pursuant to the request of a carrier, both Parties must withdraw their SPNP offerings. The transition from existing SPNP arrangements to PNP shall occur within ninety (90) days from the date PNP is implemented in the end office. Neither Party shall charge the other Party for conversion from SPNP to PNP.

- 2.2 **End User Line Charge.** Where Momentum Business Solutions, Inc. subscribes to BellSouth's local switching, BellSouth shall bill and Momentum Business Solutions, Inc. shall pay the end user line charge associated with implementing PNP as set forth in BellSouth's FCC Tariff No. 1. This charge is not subject to the resale discount set forth in Attachment 1 of this Agreement.
- 2.3 To limit service outage, BellSouth and Momentum Business Solutions, Inc. will adhere to the process flows and cutover guidelines for porting numbers as outlined in the LNP Reference Guide, as amended from time to time. The LNP Reference Guide, incorporated herein by reference, is accessible via the Internet at the following site: <http://www.interconnection.bellsouth.com>. All intervals referenced in the LNP Reference Guide shall apply to both BellSouth and Momentum Business Solutions, Inc..
- 2.4 The Parties will set Local Routing Number (LRN) unconditional or 10-digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.
- 2.5 A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.
- 2.6 Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the end user.
- 2.7 BellSouth and Momentum Business Solutions, Inc. will work cooperatively to implement changes to PNP process flows ordered by the FCC or as recommended by standard industry forums addressing PNP.

3. SERVICE PROVIDER NUMBER PORTABILITY

- 3.1 Where PNP has not been implemented in an end office, the Parties shall provide SPNP. SPNP is a service arrangement whereby an end user who switches subscription of his local exchange service from BellSouth to a CLEC, or vice versa, is permitted to retain the use of his existing assigned telephone number, provided that the end user remains at the same location for his local exchange service or changes locations and service providers but stays within the same BellSouth local calling area of his existing number. Except as otherwise expressly provided herein, SPNP is available only where the local exchange carrier is currently providing basic local exchange service to the end user. SPNP for a

particular assigned telephone number will be disconnected when any end user, Commission, BellSouth, or CLEC initiated activity (e.g., a change in exchange boundaries) would normally result in a telephone number change had the end user retained his initial local exchange service.

3.2 Methods of Providing SPNP. SPNP is available through either remote call forwarding or direct inward dialing trunks. Remote call forwarding (SPNP-RCF) is an existing switch-based service that redirects calls within the telephone network. Direct inward dialing trunks (SPNP-DID) allow calls to be routed over a dedicated facility to the switch that serves the subscriber.

3.3 Signaling Requirements. SS7 Signaling is required for the provision of SPNP services.

3.4 Rates

3.4.1 Rates for SPNP are set out in Exhibit A to this Attachment. If no rate is identified in the Attachment, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

4. **SPNP IMPLEMENTATION**

4.1 SPNP-RCF is a telecommunications service whereby a call dialed to an SPNP-RCF equipped telephone number is automatically forwarded to an assigned seven- or ten- digit telephone number within the local calling area as defined in BellSouth's General Subscriber Services Tariff. The forwarded-to number shall be specified by Momentum Business Solutions, Inc. or BellSouth, as appropriate. The forwarding Party will provide identification of the originating telephone number, via SS7 signaling, to the receiving Party. Identification of the originating telephone number to the SPNP-RCF end user cannot be guaranteed, however. SPNP-RCF provides a single call path for the forwarding of no more than one call to the receiving Party's specified forwarded-to number. Additional call paths for the forwarding of multiple simultaneous calls are available on a per path basis at rates as outlined in this Attachment.

4.2 SPNP-DID service provides trunk side access to end office switches for direct inward dialing to the other Party's premises equipment from the telecommunications network to lines associated with the other Party's switching equipment and must be provided on all trunks in a group arranged for inward service. SPNP-DID is available from BellSouth on a per DS0, DS1 or DS3 basis. A SPNP-DID trunk termination charge, provided with SS7 Signaling only, applies for each trunk voice grade equivalent. In addition, direct facilities are required from the end office where a ported number resides to the end office serving the ported end user customer. The rates for a switched local channel and switched dedicated transport apply as contained in BellSouth's Intrastate Access Services

tariff, as amended from time to time. Transport mileage will be calculated as the airline distance between the end office where the number is ported and the Point of Interface ("POI") using the V&H coordinate method. SPNP-DID must be established with a minimum configuration of two channels and one unassigned telephone number per switch, per arrangement for control purposes. Transport facilities arranged for SPNP-DID may not be mixed with any other type of trunk group, with no outgoing calls placed over said facilities. SPNP-DID will be provided only where such facilities are available and where the switching equipment of the ordering Party is properly equipped. Where SPNP-DID service is required from more than one wire center or from separate trunk groups within the same wire center, such service provided from each wire center or each trunk group within the same wire center shall be considered a separate service. Only customer-dialed sent-paid calls will be completed to the first number of a SPNP-DID number group; however, there are no restrictions on calls completed to other numbers of a SPNP-DID number group. Sent-paid calls refer to those calls placed by an end user who physically deposits currency in a public telephone. Interface group arrangements provided for terminating the switched transport at the Party's terminal location are as set forth in BellSouth's Intrastate Access Services Tariff, § E6.1.3.A as amended from time to time.

- 4.3 SPNP-DID Service requires ordering consecutive telephone numbers in blocks of twenty. Momentum Business Solutions, Inc. may order non-consecutive telephone numbers or telephone numbers in less than blocks of twenty pursuant to BellSouth's tariffs.
- 4.4 The calling Party shall be responsible for payment of the applicable charges for sent-paid calls to the SPNP number. For collect, third-party, or other operator-assisted non-sent paid calls to the ported telephone number, BellSouth or Momentum Business Solutions, Inc. shall be responsible for the payment of charges under the same terms and conditions for which the end user would have been liable. Either Party may request that the other Party block collect and third party non-sent paid calls to the SPNP-assigned telephone number. If a Party does not request blocking, the other Party will provide itemized local usage detail for the billing of non-sent paid calls on the monthly bill of usage charges provided at the individual end user account level. The detail will include itemization of all billable usage. Each Party shall have the option of receiving this usage data on a daily basis via a data file transfer arrangement. This arrangement will utilize the existing industry uniform standard, known as EMI standards, for exchange of billing data. Files of usage data will be created daily for the optional service. Usage originated and recorded in the sending BellSouth RAO will be provided in unrated or rated format, depending on the processing system. Momentum Business Solutions, Inc. usage originated elsewhere and delivered via CMD5 to the sending BellSouth RAO shall be provided in rated format.
- 4.5 The new service provider shall be responsible for obtaining authorization from the end user for the handling of the disconnection of the end user's service, the provision of new local service and the provision of SPNP services. Each Party

shall be responsible for coordinating the provision of service with the other to assure that its switch is capable of accepting SPNP ported traffic. Each Party shall be solely responsible to ensure that its facilities, equipment and services do not interfere with or impair any facility, equipment, or service of the other Party or any of its end users. In the event that either Party determines in its reasonable judgment that the other Party will likely impair or is impairing or interfering with any equipment, facility or service of any of its end users, that Party may either refuse to provide SPNP service or may terminate SPNP service to the other Party after providing appropriate notice.

- 4.6 Each Party shall be responsible for providing an appropriate intercept announcement service for any telephone numbers subscribed to SPNP-DID services for which it is not presently providing local exchange service or terminating to an end user. Where either Party chooses to disconnect or terminate any SPNP service, that Party shall be responsible for designating the preferred standard type of announcement to be provided.
- 4.7 End-to-end transmission characteristics may vary depending on the distance and routing necessary to complete calls over SPNP facilities and the fact that another carrier is involved in the provisioning of service. Neither Party shall specify end-to-end transmission characteristics for SPNP calls.
- 4.8 Where SPNP-RCF is utilized for SPNP, for terminating IXC traffic ported to either Party which requires use of either Party's tandem switching, the tandem provider will bill the IXC tandem switching, the interconnection charge, and a portion of the transport, and the other Party will bill the IXC local switching, the carrier common line and a portion of the transport. If the tandem provider is unable to provide the necessary access records to permit the other Party to bill the IXC directly for terminating access to ported numbers, then the tandem provider will bill the IXC full terminating switched access charges at the tandem provider's rate and will compensate the other Party at the tandem Party's tariff rates via a process used by BellSouth to estimate the amount of ported switched access revenues due the other Party. If an intraLATA toll call is delivered, the delivering Party will pay terminating access rates to the other Party.

5. OPERATIONAL SUPPORT SYSTEM (OSS) RATES

- 5.1 The terms, conditions and rates for OSS are as set forth in Attachment 2.

INTERIM SERVICE PROVIDER NUMBER PORTABILITY - Alabama												
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 5		Exhibit: A
					Nonrecurring		Disconnect Add'l			Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	
					Recurring	First Add'l						
INTERIM SERVICE PROVIDER NUMBER PORTABILITY												
	RCF, per number ported (Business Line)			TNPBL	2.13	0.65	0.07	3.50		18.99	19.99	18.99
	RCF, per number ported (Residence Line)			TNPRL	2.13	0.65	0.07	3.50		18.99	19.99	18.99
	RCF, add'l capacity for simultaneous call forwarding, per additional path				0.32							
	RCF, per service order, per location (Business)			TNPBD	1.44	1.44	1.44	1.44	3.50	18.99	19.99	18.99
	RCF, per service order, per location (Residence)			TNP RD	1.44	1.44	1.44	1.44	3.50	18.99	19.99	18.99
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID												
	DID per number ported (Residence)			TNPDR	1.18	1.18	1.18		3.50	18.99	19.99	18.99
	DID per number ported (Business)			TNPDB	1.18	1.18	1.18		3.50	18.99	19.99	18.99
	DID per service order, per location (Residence)			TNP RD	1.44	1.44	1.44	1.44	3.50	18.99	19.99	18.99
	DID per service order, per location (Business)			TNPBD	1.44	1.44	1.44	1.44	3.50	18.99	19.99	18.99
	DID, per trunk termination, Initial			TNP T2	11.84	173.73	51.00	50.43	3.50	18.99	19.99	18.99
Note: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.												
NOTE: Any element that can be ordered electronically will be billed according to the SOMEC rate listed. Please refer to BellSouth's Business Rules for Local Ordering (BBR-LO) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the BBR-LO, the listed SOMEC rate reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be												

INTERIM SERVICE PROVIDER NUMBER PORTABILITY - Florida

INTERIM SERVICE PROVIDER NUMBER PORTABILITY - FORTIOR																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
CATEGORY	RATE ELEMENTS	Interim	BCS	USOC	RATES(\$)		Nonrecurring		Nonrecurring Disconnect		Attachment: 5		Exhibit: A																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
											Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
					Recurring	First	Add'l	First	Add'l	SOMEK	SOMAN	SOMAN	SOMAN																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	RCF, per number ported (Business Line)					2.05	0.4145	0.4145	0.0415	0.0415	3.50	11.90		1.83																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	RCF, per number ported (Residence Line)					2.05	0.4145	0.4145	0.0415	0.0415	3.50	11.90		1.83																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	RCF, Per Additional Path					0.7179																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	DID per number ported (Residence)						0.6923	0.6923	0.6923	0.6923	3.50	11.90																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
	DID per number ported (Business)						0.6923	0.6923	0.6923	0.6923	3.50	11.90		1.83																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	DID, per trunk termination, Initial					54.95	161.29	80.58	32.73	32.73	3.50	11.90		1.83																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
SERVICE PROVIDER NUMBER PORTABILITY (RIPH)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	RIPH, Functionality, Per Rearrangement																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
	RIPH, Per Number Ported					1.83	20.08	20.08	0.0216	0.0216	3.50	11.90		1.83																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	RIPH, Functionality, Per Central Ofc						0.2165	0.2165	0.0216	0.0216	3.50	11.90		1.83																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
NOTE: Any element that can be ordered electronically will be billed according to the SOMEK rate listed. Please refer to BellSouth's Business Rules for Local Ordering (BBR-LO) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the BBR-LO, the listed SOMEK rate reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

INTERIM SERVICE PROVIDER NUMBER PORTABILITY - Georgia

INTERIM SERVICE PROVIDER NUMBER PORTABILITY - Georgia														
CATEGORY	RATE ELEMENTS	Interim	BCS	USOC	RATES(\$)			Svc Order Submitted Manually per LBR	Svc Order Submitted Elec per LBR	Attachment: 5	Exhibit: A	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
					Recurring	Nonrecurring First	Nonrecurring Add'l	Disconnect Add'l	SOMECH	SOMAN	SOMAN	SOMAN		
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF	RCF, per number ported (Business Line)				2.03									
	RCF, per number ported (Residence Line)			TNPBL	2.03	0.51			3.50		18.94	18.94		
	RCF, add'l capacity for simultaneous call forwarding, per additional path			TNPRL		0.51			3.50		18.94	18.94		
	RCF, per service order, per location (Business)			TNPBD	0.2838									
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID	RCF, per service order, per location (Residence)			TNPRD		2.10	2.10		3.50		18.94	18.94		
	DID per number ported (Residence)			TNPDR		0.93								
	DID per service order, per location (Residence)			TNPDR		0.93			3.50		18.94	18.94		
	DID per service order, per location (Business)			TNPBD		2.10	2.10		3.50		18.94	18.94		
	DID, per trunk termination, Initial			TNPT2	10.73	135.47	40.00		3.50		18.94	18.94		
	Note: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.													
	NOTE: Any element that can be ordered electronically will be billed according to the SOMECH rate listed. Please refer to BellSouth's Business Rules for Local Ordering (BBR-LO) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the BBR-LO, the listed SOMECH rate reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be													

INTERIM SERVICE PROVIDER NUMBER PORTABILITY - Louisiana

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 5		Exhibit: A	
					Recurring	Nonrecurring	First	Discontinued	SOME	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF												
	RCF, per number ported (Business Line)				2.91	0.25	0.25		3.50	15.20		
	RCF, per number ported (Residence Line)				2.91	0.25	0.25		3.50	15.20		
	RCF, Per Additional Path				1.24							
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID												
	DID, per number ported (Residence)					0.42	0.42		3.50	15.20		
	DID, per number ported (Business)					0.42	0.42		3.50	15.20		
	DID, per trunk termination, Initial				68.47	185.13	88.79		3.50	15.20		
SERVICE PROVIDER NUMBER PORTABILITY (RIPH)												
	RIPH, Functionality, Per Rearrangement				1.62	18.24	18.24		3.50	15.20		
	RIPH, Per Number Ported					0.19	0.19		3.50	15.20		
	RIPH, Functionality, Per Central Ofc					78.87	78.87		3.50	15.20		
NOTE: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable Louisiana tariff or as negotiated by the Parties upon request by either Party.												
NOTE: Any element that can be ordered electronically will be billed according to the SOME rate listed. Please refer to Louisiana's Business Rules for Local Ordering (BBR-LO) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the BBR-LO, the listed SOME rate reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be												

INTERIM SERVICE PROVIDER NUMBER PORTABILITY - Mississippi

INTERIM SERVICE PROVIDER NUMBER PORTABILITY - Mississppi														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 5		Exhibit: A	
						Recurring	Nonrecurring				Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st		
							First	Add'l					First	Add'l
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF														
	RCF, per number ported (Business Line)				TNPBL	3.08	0.2598	0.2598	0.0282	3.50	15.75			
	RCF, per number ported (Residence Line)				TNPRL	3.08	0.2598	0.2598	0.0282	3.50	15.75			
	RCF, Per Additional Path					1.17								
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID														
	DID, per number ported (Residence)				TNPDR		0.4335	0.4335	0.4701	3.50	15.75			
	DID, per number ported (Business)				TNPDB		0.4335	0.4335	0.4701	3.50	15.75			
	DID, per trunk termination, Initial				TNP72	58.41	191.75	71.25	28.94	3.50	15.75			
SERVICE PROVIDER NUMBER PORTABILITY (RIPH)														
	RIPH, Functionality, Per Reassignment					1.98	19.93	19.93		3.50	15.75			
	RIPH, Per Number Ported						0.1972	0.1972	0.0214	3.50	15.75			
	RIPH, Functionality, Per Central Ofc						85.52	85.52	2.51	3.50	15.75			
NOTE: Any element that can be ordered electronically will be billed according to the SOMECH rate listed. Please refer to BellSouth's Business Rules for Local Ordering (BBR-LO) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the BBR-LO, the listed SOMECH rate reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be														

INTERIM SERVICE PROVIDER NUMBER PORTABILITY - South Carolina

CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Elec per L&R	Svc Order Submitted Manually per L&R	Attachment: 5		Exhibit: A	
						Recurring	Nonrecurring				Svc Order Submitted Elec per L&R	Svc Order Submitted Manually per L&R	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st
							First	Add'l						
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF														
	RCF, per number ported (Business Line)				TNPBL	2.68	0.26	0.26	0.03	3.50	15.69			
	RCF, per number ported (Residence Line)				TNPRL	2.68	0.26	0.26	0.03	3.50	15.69			
	RCF, Per Additional Path					1.04								
	RCF, add'l capacity for simultaneous call forwarding, per additional path					0.3854								
	RCF, per service order, per location (Business)				TNPBD	1.37	1.37	1.37	44.70	3.50	15.69			
	RCF, per service order, per location (Residence)				TNPRD	1.37	1.37	1.37	44.70	3.50	15.69			
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID														
	DID, per number ported (Residence)				TNPDR	0.43	0.43	0.43	0.47	3.50	15.69			
	DID, per number ported (Business)				TNPDB	0.43	0.43	0.47	0.47	3.50	15.69			
	DID, per service order, per location (Residence)				TNPRD	1.37	1.37	1.37	44.70	3.50	15.69			
	DID, per service order, per location (Business)				TNPBD	1.37	1.37	1.37	44.70	3.50	15.69			
	DID, per trunk termination, Initial				TNPDI	73.62	191.07	191.07	28.84	3.50	15.69			
	DID, per trunk termination, Subsequent				TNPDS	73.62	71.00	71.00	28.84	3.50	15.69			
SERVICE PROVIDER NUMBER PORTABILITY (RIPH)														
	RIPH, Functionality, Per Central Ofc					82.23	82.23	82.23	2.50	3.50	15.69			
	RIPH, Functionality, Per Rearrangement					19.98	19.98	19.98		3.50	15.69			
	RIPH, Per Number Ported					2.02	0.20	0.20	0.02	3.50	15.69			
Note: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.														
NOTE: Any element that can be ordered electronically will be billed according to the SOMECH rate listed. Please refer to BellSouth's Business Rules for Local Ordering (BSR-LO) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the BSR-LO, the listed SOMECH rate reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMECH, will be														

INTERIM SERVICE PROVIDER NUMBER PORTABILITY - Tennessee

INTERIM SERVICE PROVIDER NUMBER PORTABILITY - Tennessee															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 5		Exhibit: A	
						Recurring	Nonrecurring First	Add'l	Nonrecurring Disconnect First			Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF															
	RCF, per number ported (Business Line)				TNPBL	1.50									
	RCF, per number ported (Residence Line)				TNPRL	1.25									
	RCF, add'l capacity for simultaneous call forwarding, per additional path					0.50									
	RCF, per service order, per location (Business)				TNPBD		25.00	25.00							
	RCF, per service order, per location (Residence)				TNPRD		25.00	25.00							
Note: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.															
NOTE: Any element that can be ordered electronically will be billed according to the SOMECH rate listed. Please refer to BellSouth's Business Rules for Local Ordering (BBR-LO) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the BBR-LO, the listed SOMECH rate reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be															

Attachment 6

**Pre-Ordering, Ordering and Provisioning,
Maintenance and Repair**

TABLE OF CONTENTS

**1. QUALITY OF PRE-ORDERING, ORDERING AND PROVISIONING, MAINTENANCE
AND REPAIR.....3**

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS.....3

3. MISCELLANEOUS.....5

PRE-ORDERING, ORDERING AND PROVISIONING, MAINTENANCE AND REPAIR**1. QUALITY OF PRE-ORDERING, ORDERING AND PROVISIONING, MAINTENANCE AND REPAIR**

1.1 BellSouth shall provide pre-ordering, ordering and provisioning and maintenance and repair services to Momentum Business Solutions, Inc. that are equivalent to the pre-ordering, ordering and provisioning and maintenance and repair services BellSouth provides to itself or any other CLEC, where technically feasible. The guidelines for pre-ordering, ordering and provisioning and maintenance and repair are set forth in the various guides and business rules, as appropriate, and as they are amended from time to time during this Agreement. The guides and business rules are found at <http://www.interconnection.bellsouth.com> and are incorporated herein by reference.

1.2 For purposes of this Agreement, BellSouth's regular working hours for provisioning are defined as follows:

Monday – Friday – 8:00 a.m. – 5:00 p.m. (Excluding Holidays)
(Resale/UNE non-coordinated,
coordinated orders and order
coordinated-time specific)
Saturday - 8:00 a.m. – 5:00 p.m. (Excluding Holidays)
(Resale/UNE non-coordinated
orders)

1.2.1 The above hours represent the hours, either Eastern or Central Time, of where the physical work is being performed.

1.2.2 To the extent Momentum Business Solutions, Inc. requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians to work outside regular working hours, overtime billing charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Momentum Business Solutions, Inc., BellSouth will not assess Momentum Business Solutions, Inc. additional charges beyond the rates and charges specified in this Agreement.

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

2.1 BellSouth shall provide Momentum Business Solutions, Inc. access to operations support systems ("OSS") functions for pre-ordering, ordering and provisioning, maintenance and repair, and billing. BellSouth shall provide access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is

the sole responsibility of Momentum Business Solutions, Inc. to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for Momentum Business Solutions, Inc.'s access and use of BellSouth's electronic interfaces are set forth at www.interconnection.bellsouth.com and are incorporated herein by reference.

- 2.1.1 **Pre-Ordering.** In accordance with FCC and Commission rules and orders, BellSouth will provide electronic access to the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Access is provided through the Local Exchange Navigation System (LENS) interface and the Telecommunications Access Gateway (TAG) interface. Customer record information includes customer specific information in CRIS and RSAG. In addition, Momentum Business Solutions, Inc. shall provide to BellSouth access to customer record information including electronic access where available. If electronic access is not available, Momentum Business Solutions, Inc. shall provide paper copies of customer record information within the same intervals that BellSouth provides paper copies to Momentum Business Solutions, Inc.. The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. Momentum Business Solutions, Inc. will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the State in which the service is provided. BellSouth reserves the right to audit Momentum Business Solutions, Inc.'s access to customer record information. If a BellSouth audit of Momentum Business Solutions, Inc.'s access to customer record information reveals that Momentum Business Solutions, Inc. is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to Momentum Business Solutions, Inc. may take corrective action, including but not limited to suspending or terminating Momentum Business Solutions, Inc.'s electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.2 **Service Ordering.** BellSouth will make available the Electronic Data Interchange (EDI) interface and the TAG ordering interface for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Momentum Business Solutions, Inc. may integrate the EDI interface or the TAG ordering interface with the TAG pre-ordering interface. In addition, BellSouth will provide integrated pre-ordering and ordering capability through the LENS interface for non-complex and certain complex resale service requests and certain network element requests.
- 2.1.3 **Maintenance and Repair.** Momentum Business Solutions, Inc. may report and monitor service troubles and obtain repair services from BellSouth via electronic interfaces. BellSouth provides several options for electronic trouble reporting.

For exchange services, BellSouth will offer Momentum Business Solutions, Inc. non-discriminatory access to the Trouble Analysis Facilitation Interface (TAFI). In addition, BellSouth will offer an industry standard, machine-to-machine Electronic Communications Trouble Administration (ECTA) Gateway interface. For designed services, BellSouth will provide non-discriminatory trouble reporting via the ECTA Gateway. BellSouth will provide Momentum Business Solutions, Inc. an estimated time to repair, an appointment time or a commitment time, as appropriate, on trouble reports. Requests for trouble repair will be billed in accordance with the provisions of this Attachment. BellSouth and Momentum Business Solutions, Inc. agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via the Internet at <http://www.interconnection.bellsouth.com>.

2.2 Change Management. BellSouth provides a collaborative process for change management of the electronic interfaces through the Change Control Process (CCP). Guidelines for this process are set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at <http://www.interconnection.bellsouth.com>.

2.3 BellSouth's Versioning Policy for Electronic Interfaces. BellSouth's Versioning Policy is part of the Change Control Process (CCP). Pursuant to the CCP, BellSouth will issue new software releases for new industry standards for its EDI and TAG electronic interfaces. The Versioning Policy, including the appropriate notification to Momentum Business Solutions, Inc., is set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at <http://www.interconnection.bellsouth.com>.

2.4 Rates. Charges for use of OSS shall be as set forth in Attachments 1 and 2 of this Agreement and are incorporated herein by reference.

3. MISCELLANEOUS

3.1 Pending Orders. Orders placed in the hold or pending status by Momentum Business Solutions, Inc. will be held for a maximum of thirty (30) days from the date the order is placed on hold. After such time, Momentum Business Solutions, Inc. shall be required to submit a new service order. Incorrect or invalid orders returned to Momentum Business Solutions, Inc. for correction or clarification will be held for ten (10) days. If Momentum Business Solutions, Inc. does not return a corrected order within ten (10) days, BellSouth will cancel the order.

3.2 Single Point of Contact. Momentum Business Solutions, Inc. will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Momentum Business Solutions, Inc. to provide services to its end users, except that BellSouth may accept an order directly from another CLEC, or BellSouth, acting with authorization of the affected end user.

Momentum Business Solutions, Inc. and BellSouth shall each execute a blanket letter of authorization with respect to customer orders. The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for orders, provided, however, that such processes shall comply with applicable state and federal law including, until superseded, the FCC guidelines and orders applicable to Presubscribed Interexchange Carrier (PIC) changes, including Un-PIC. Pursuant to an order from another carrier, BellSouth may disconnect any network element being used by Momentum Business Solutions, Inc. to provide service to that end user and may reuse such network elements or facilities to enable such other carrier to provide service to the end user. BellSouth will notify Momentum Business Solutions, Inc. that such an order has been processed, but will not be required to notify Momentum Business Solutions, Inc. in advance of such processing.

- 3.3 Use of Facilities. When a customer of Momentum Business Solutions, Inc. elects to discontinue service and transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Momentum Business Solutions, Inc. by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received an order to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify Momentum Business Solutions, Inc. that such an order has been processed after the disconnect order has been completed.
- 3.4 Contact Numbers. The Parties agree to provide one another with toll-free nationwide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 Subscription Functions. In cases where BellSouth performs subscription functions for an interexchange carrier ("IXC") (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining end user billing account and other end user information required under subscription requirements.
- 3.6 Cancellation Charges. If Momentum Business Solutions, Inc. cancels an order for Network Elements or other services, any costs incurred by BellSouth in conjunction with the provisioning of that order will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5, as applicable.
- 3.7 Service Date Advancement Charges (a.k.a. Expedites). For Service Date Advancement requests by Momentum Business Solutions, Inc., Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as

outlined in BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff,
Section 5, will apply as applicable.

Attachment 7

Billing

TABLE OF CONTENTS

1. PAYMENT AND BILLING ARRANGEMENTS.....	3
2. BILLING DISPUTES.....	6
3. RAO HOSTING.....	7
4. OPTIONAL DAILY USAGE FILE	11
5. ACCESS DAILY USAGE FILE	13
Rates.....	Exhibit A

BILLING

1. PAYMENT AND BILLING ARRANGEMENTS

The terms and conditions set forth in this Attachment shall apply to all services ordered and provisioned pursuant to this Agreement.

1.1 Billing. BellSouth will bill through the Carrier Access Billing System (CABS) and through the Customer Records Information System (CRIS) depending on the particular service(s) provided to Momentum under this Agreement. BellSouth will format all bills in CBOS Standard or CLUB/EDI format, depending on the type of service provided. For those services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the applicable industry forum.

1.1.1 For any service(s) BellSouth receives from Momentum, Momentum shall bill BellSouth in CABS format.

1.1.2 If either Party requests multiple billing media or additional copies of bills, the Billing Party will provide these at a reasonable cost.

1.1.3 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to BellSouth.

1.1.4 BellSouth will render bills each month for resold lines on established bill days for each of Momentum's accounts. If either Party requests multiple billing media or additional copies of the bills, the Billing Party will provide these at a reasonable cost.

1.1.5 BellSouth will bill Momentum in advance for all resold services to be provided during the ensuing billing period except charges associated with service usage, which will be billed in arrears. Charges will be calculated on an individual End User account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill Momentum, and Momentum will be responsible for and remit to BellSouth, all charges applicable to resold services including but not limited to 911 and E911 charges, End Users common line charges, federal subscriber line charges, telecommunications relay charges (TRS), and franchise fees.

1.1.6 BellSouth will not perform billing and collection services for Momentum as a result of the execution of this Agreement. All requests for billing services should be referred to the appropriate entity or operational group within BellSouth.

1.2 Establishing Accounts. After receiving certification as a local exchange carrier from the appropriate regulatory agency, Momentum will provide the appropriate BellSouth account manager the necessary documentation to enable BellSouth to establish accounts for Local Interconnection, Network Elements and Other

Services, Collocation and/or resold services. Such documentation shall include the Application for Master Account, if applicable, proof of authority to provide telecommunications services, the appropriate Operating Company Number (OCN) assigned by the National Exchange Carriers Association (NECA), Carrier Identification Code (CIC), Group Access Code (GAC), Access Customer Name and Abbreviation (ACNA), as applicable, and a tax exemption certificate, if applicable.

- 1.2.1 Payment Responsibility. Payment of all charges will be the responsibility of Momentum. Momentum shall make payment to BellSouth for all services billed. Payments made by Momentum to BellSouth as payment on account will be credited to Momentum's accounts receivable master account. BellSouth will not become involved in billing disputes that may arise between Momentum and Momentum's customer.
- 1.3 Payment Due. Payment for services provided will be due on or before the next bill date (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.
- 1.4 If the payment due date falls on a Sunday or on a Holiday that is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 1.6, below, shall apply.
- 1.5 Tax Exemption. Upon BellSouth's receipt of tax exemption certificate, the total amount billed to Momentum will not include those taxes or fees from which Momentum is exempt. Momentum will be solely responsible for the computation, tracking, reporting and payment of all taxes and like fees associated with the services provided to the end user of Momentum.
- 1.6 Late Payment. If any portion of a payment is received by either Party after the payment due date, or if any portion of the payment is received by the receiving Party in funds that are not immediately available, then a late payment charge shall be due to the receiving Party. The late payment charge shall be the portion of the payment not received by the payment due date multiplied by a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Services Tariff, Section B2 of the Private Line Service Tariff or Section E2 of the Intrastate Access Tariff, as appropriate. In addition to any applicable late payment charges, either Party may be charged a fee for all returned checks as set forth in Section A2 of the General Subscriber Services Tariff or pursuant to the applicable state law.

- 1.7 Discontinuing Service to Momentum. The procedures for discontinuing service to Momentum are as follows:
- 1.7.1 BellSouth reserves the right to suspend or terminate service in the event of prohibited, unlawful or improper use of BellSouth facilities or service, abuse of BellSouth facilities, or any other violation or noncompliance by Momentum of the rules and regulations of BellSouth's tariffs.
- 1.7.2 BellSouth reserves the right to suspend or terminate service for nonpayment. If payment of amounts not subject to a billing dispute, as described in Section 2, is not received by the bill date in the month after the original bill date, BellSouth will provide written notice to Momentum that additional applications for service may be refused, that any pending orders for service may not be completed, and/or that access to ordering systems may be suspended if payment is not received by the fifteenth day following the date of the notice. In addition, BellSouth may, at the same time, provide written notice to the person designated by Momentum to receive notices of noncompliance that BellSouth may discontinue the provision of existing services to Momentum if payment is not received by the thirtieth day following the date of the initial notice.
- 1.7.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.
- 1.7.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and Momentum's noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to Momentum without further notice.
- 1.7.5 Upon discontinuance of service on Momentum's account, service to Momentum's end users will be denied. BellSouth will reestablish service for Momentum upon payment of all past due charges and the appropriate connection fee subject to BellSouth's normal application procedures. Momentum is solely responsible for notifying the end user of the proposed service disconnection. If within fifteen (15) days after Momentum has been denied and no arrangements to reestablish service have been made consistent with this subsection, Momentum's service will be disconnected.
- 1.8 Deposit Policy. When purchasing services from BellSouth, Momentum will be required to complete the BellSouth Credit Profile and provide information regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in its sole discretion, some other form of security. Any such security deposit shall in no way release Momentum from its obligation to make complete and timely payments of its bill. Such security shall be required prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has

increased beyond the level initially used to determine the level of security, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC1) security interest in Momentum's "accounts receivables and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing.

- 1.8.1 When BellSouth requests a deposit, BellSouth is willing to provide Momentum a written explanation as to why a deposit has been requested. BellSouth shall apply all credit standards to Momentum on a non-discriminatory basis. The Parties will work together to determine the amount of a reasonable deposit. If the Parties are unable to agree, either party may petition the Commission for resolution of the dispute. In the event that the dispute is not resolved within sixty days, and Momentum fails to remit to BellSouth any deposit requested pursuant to this Section, service to Momentum may be terminated in accordance with the terms of Section 1.7 of this Attachment, and any security deposits will be applied to Momentum's account(s).

- 1.9 **Notices.** Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, including notices relating to security deposits, disconnection of services for nonpayment of charges, and rejection of additional orders from Momentum, shall be forwarded to the individual and/or address provided by Momentum in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by Momentum as the contact for billing information. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, upon written notice from Momentum to BellSouth's billing organization, a final notice of disconnection of services purchased by Momentum under this Agreement shall be sent via certified mail to the individual(s) listed in the Notices provision of the General Terms and Conditions of this Agreement at least 30 days before BellSouth takes any action to terminate such services.

- 1.10 **Rates.** Rates for Optional Daily Usage File (ODUF), Access Daily Usage File (ADUF), and Centralized Message Distribution Service (CMD5) are set out in Exhibit A to this Attachment. If no rate is identified in this Attachment, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

2. BILLING DISPUTES

- 2.1 Each Party agrees to notify the other Party in writing upon the discovery of a billing dispute. In the event either Party disputes any portion of an invoice, they shall notify the other in writing within ninety (90) days of the date of the invoice. Each Party agrees that such dispute period is reasonable and hereby waives its

right to dispute any amount if they fail to notify the other within such period. A dispute as to any portion of an invoice does not relieve the other Party from timely payment of the undisputed portion. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the notification date. If the Parties are unable within the sixty (60) day period to reach resolution, then the aggrieved Party may pursue dispute resolution in accordance with the General Terms and Conditions of this Agreement.

Momentum shall report all its billing disputes to BellSouth using the Billing Adjustment Request Form (RF 1461) provided by BellSouth.

2.2 For purposes of this Section 2, a billing dispute means a reported dispute of a specific amount of money actually billed by either Party. The dispute must be clearly explained by the disputing Party and supported by written documentation, which clearly shows the basis for disputing charges. By way of example and not by limitation, a billing dispute will not include the refusal to pay all or part of a bill or bills when no written documentation is provided to support the dispute, nor shall a billing dispute include the refusal to pay other amounts owed by the billed Party until the dispute is resolved. Claims by the billed Party for damages of any kind will not be considered a billing dispute for purposes of this Section. If the billing dispute is resolved in favor of the billing Party, the disputing Party will make immediate payment of any of the disputed amount owed to the billing Party or the billing Party shall have the right to pursue normal treatment procedures. Any credits due to the disputing Party, pursuant to the billing dispute, will be applied to the disputing Party's account by the billing Party immediately upon resolution of the dispute.

2.1 If a Party disputes a charge and does not pay such charge by the payment due date, or if a payment or any portion of a payment is received by either Party after the payment due date, or if a payment or any portion of a payment is received in funds which are not immediately available to the other Party, then a late payment charge and interest, where applicable, shall be assessed. For bills rendered by either Party for payment, the late payment charge for both Parties shall be calculated based on the portion of the payment not received by the payment due date multiplied by the late factor as set forth in the following BellSouth tariffs: for services purchased from the General Subscribers Services Tariff for purposes of resale and for ports and non-designed loops, Section A2 of the General Subscriber Services Tariff; for services purchased from the Private Line Tariff for purposes of resale, Section B2 of the Private Line Service Tariff; and for designed network elements and other services and local interconnection charges, Section E2 of the Access Service Tariff. The Parties shall assess interest on previously assessed late payment charges only in a state where it has the authority pursuant to its tariffs.

3. **RAO HOSTING**

- 3.1 RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to Momentum by BellSouth will be in accordance with the methods and practices regularly applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 3.2 Momentum shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 3.3 Charges or credits, as applicable, will be applied by BellSouth to Momentum on a monthly basis in arrears. Amounts due (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- 3.4 Momentum must have its own unique hosted RAO code. Where BellSouth is the selected CMDS interfacing host, Momentum must request that BellSouth establish a unique hosted RAO code for Momentum. Such request shall be in writing to the BellSouth RAO Hosting coordinator and must be submitted at least eight (8) weeks prior to provision of services pursuant to this Section. Services shall commence on a date mutually agreed by the Parties.
- 3.5 BellSouth will receive messages from Momentum that are to be processed by BellSouth, another LEC in the BellSouth region or a LEC outside the BellSouth region. Momentum shall send all messages to BellSouth no later than sixty (60) days after the message date.
- 3.6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from Momentum.
- 3.7 All data received from Momentum that is to be processed or billed by another LEC within the BellSouth region will be distributed to that LEC in accordance with the Agreement(s) in effect between BellSouth and the involved LEC.
- 3.8 All data received from Momentum that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) in effect between BellSouth and its connecting contractor.
- 3.9 BellSouth will receive messages from the CMDS network that are destined to be processed by Momentum and will forward them to Momentum on a daily basis for processing.
- 3.10 Transmission of message data between BellSouth and Momentum will be via CONNECT:Direct.
- 3.10.1 Data circuits (private line or dial-up) will be required between BellSouth and Momentum for the purpose of data transmission. Where a dedicated line is required, Momentum will be responsible for ordering the circuit and coordinating

the installation with BellSouth. Momentum is responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit data will be negotiated on a individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Momentum. Additionally, all message toll charges associated with the use of the dial circuit by Momentum will be the responsibility of Momentum. Associated equipment on the BellSouth end, including a modem, will be negotiated on a individual case basis between the Parties. All equipment, including modems and software, that is required on the Momentum end for the purpose of data transmission will be the responsibility of Momentum.

- 3.11 All messages and related data exchanged between BellSouth and Momentum will be formatted in accordance with industry standards for EMI formatted records and packed between appropriate EMI header and trailer records in accordance with accepted industry standards.
- 3.12 Momentum will maintain recorded message detail necessary to recreate files provided to BellSouth for a period of three (3) calendar months beyond the related message dates.
- 3.13 Should it become necessary for Momentum to send data to BellSouth more than sixty (60) days past the message date(s), Momentum will notify BellSouth in advance of the transmission of the data. BellSouth will work with its connecting contractor and/or Momentum, where necessary, to notify all affected LECs.
- 3.14 In the event that data to be exchanged between the two Parties should become lost or destroyed, both Parties will work together to determine the source of the problem. Once the cause of the problem has been jointly determined, the Party responsible for creating the data will make every effort to restore and retransmit such data. If the data cannot be retrieved, the Party responsible for losing or destroying the data will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the resolution of the amount owed, or as mutually agreed upon by the Parties.
- 3.15 Should an error be detected by the EMI format edits performed by BellSouth on data received from Momentum, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify Momentum of the error. Momentum will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on

subsequent packs, Momentum will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.

- 3.16 In association with message distribution service, BellSouth will provide Momentum with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 3.17 Notwithstanding anything in this Agreement to the contrary, in no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Section 3.
- 3.18 Intercompany Settlements Messages
 - 3.18.1 Intercompany Settlements Messages facilitate the settlement of revenues associated with traffic originated from or billed by Momentum as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between Momentum and the involved company(ies), unless that company is participating in NICS.
 - 3.18.2 Both traffic that originates outside the BellSouth region by Momentum and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by Momentum, is covered by CATS. Also covered is traffic that either is originated by or billed by Momentum, involves a company other than Momentum, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).
 - 3.18.3 Once Momentum is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via NICS.
 - 3.18.4 BellSouth will receive the monthly NICS reports from Telcordia on behalf of Momentum. BellSouth will distribute copies of these reports to Momentum on a monthly basis.
 - 3.18.5 BellSouth will receive the monthly CATS reports from Telcordia on behalf of Momentum. BellSouth will distribute copies of these reports to Momentum on a monthly basis.
 - 3.18.6 BellSouth will collect the revenue earned by Momentum from the Bell operating company in whose territory the messages are billed via CATS, less a per message billing and collection fee of five cents (\$0.05), on behalf of Momentum. BellSouth will remit the revenue billed by Momentum to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on Momentum. These two amounts will be

netted together by BellSouth and the resulting charge or credit issued to Momentum via a monthly Carrier Access Billing System (CABS) miscellaneous bill.

3.18.7 BellSouth will collect the revenue earned by Momentum within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of Momentum. BellSouth will remit the revenue billed by Momentum within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Momentum via a monthly CABS miscellaneous bill.

3.18.8 BellSouth and Momentum agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

4. OPTIONAL DAILY USAGE FILE

4.1 Upon written request from Momentum, BellSouth will provide the Optional Daily Usage File (ODUF) service to Momentum pursuant to the terms and conditions set forth in this section.

4.2 Momentum shall furnish all relevant information required by BellSouth for the provision of the ODUF.

4.3 The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Momentum customer.

4.4 Charges for the ODUF will appear on Momentums' monthly bills. The charges are as set forth in Exhibit A to this Attachment.

4.5 The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.

4.6 Messages that error in the billing system of Momentum will be the responsibility of Momentum. If, however, Momentum should encounter significant volumes of errored messages that prevent processing by Momentum within its systems, BellSouth will work with Momentum to determine the source of the errors and the appropriate resolution.

4.7 The following specifications shall apply to the ODUF feed.

4.7.1 ODUF Messages to be Transmitted

- 4.7.1.1 The following messages recorded by BellSouth will be transmitted to Momentum:
- 4.7.1.1.1 Message recording for per use/per activation type services (examples:
Three -Way Calling, Verify, Interrupt, Call Return, etc.)
- 4.7.1.1.2 Measured billable Local
- 4.7.1.1.3 Directory Assistance messages
- 4.7.1.1.4 IntraLATA Toll
- 4.7.1.1.5 WATS and 800 Service
- 4.7.1.1.6 N11
- 4.7.1.1.7 Information Service Provider Messages
- 4.7.1.1.8 Operator Services Messages
- 4.7.1.1.9 Operator Services Message Attempted Calls (Network Element only)
- 4.7.1.1.10 Credit/Cancel Records
- 4.7.1.1.11 Usage for Voice Mail Message Service
- 4.7.1.2 Rated Incollects (messages BellSouth receives from other revenue accounting offices) can also be on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 4.7.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Momentum.
- 4.7.1.4 In the event that Momentum detects a duplicate on ODUF they receive from BellSouth, Momentum will drop the duplicate message and will not return the duplicate to BellSouth.
- 4.7.2 ODUF Physical File Characteristics
- 4.7.2.1 ODUF will be distributed to Momentum via CONNECT:Direct or another mutually agreed medium. The ODUF feed will be a variable block format (2476) with a Logical Record Link (LRECL) of 2472. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.

- 4.7.2.2 Data circuits (private line or dial-up) will be required between BellSouth and Momentum for the purpose of data transmission as set forth in Section 3.10.1 above,
- 4.7.3 ODUF Packing Specifications
 - 4.7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
 - 4.7.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Momentum which BellSouth RAO that is sending the message. BellSouth and Momentum will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Momentum and resend the data as appropriate.
The data will be packed using ATIS EMI records.
- 4.7.4 ODUF Pack Rejection
 - 4.7.4.1 Momentum will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. Momentum will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Momentum by BellSouth.
- 4.7.5 ODUF Control Data
 - 4.7.5.1 Momentum will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Momentum's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Momentum for reasons stated in the above section.
- 4.7.6 ODUF Testing
 - 4.7.6.1 Upon request from Momentum, BellSouth shall send ODUF test files to Momentum. The Parties agree to review and discuss the ODUF content and/or format. For testing of usage results, BellSouth shall request that Momentum set up a production (live) file. The live test may consist of Momentum's employees making test calls for the types of services Momentum requests on ODUF. These test calls are logged by Momentum, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

5. ACCESS DAILY USAGE FILE

- 5.1 Upon written request from Momentum, BellSouth will provide the Access Daily Usage File (ADUF) service to Momentum pursuant to the terms and conditions set forth in this section.
- 5.2 Momentum shall furnish all relevant information required by BellSouth for the provision of ADUF.
- 5.3 ADUF will contain access messages associated with a port that Momentum has purchased from BellSouth
- 5.4 Charges for ADUF will appear on Momentum's monthly bills. The charges are as set forth in Exhibit A to this Attachment. All messages will be in the standard ATIS EMI record format.
- 5.5 Messages that error in the billing system of Momentum will be the responsibility of Momentum. If, however, Momentum should encounter significant volumes of errored messages that prevent processing by Momentum within its systems, BellSouth will work with Momentum to determine the source of the errors and the appropriate resolution.
- 5.6 ADUF Messages To Be Transmitted
 - 5.6.1 The following messages recorded by BellSouth will be transmitted to Momentum:
 - 5.6.1.1 Recorded originating and terminating interstate and intrastate access records associated with a port.
 - 5.6.1.2 Recorded terminating access records for undetermined jurisdiction access records associated with a port.
 - 5.6.2 BellSouth will perform duplicate record checks on records processed to ADUF. Any duplicate messages detected will be dropped and not sent to Momentum.
 - 5.6.3 In the event that Momentum detects a duplicate on ADUF they receive from BellSouth, Momentum will drop the duplicate message and will not return the duplicate to BellSouth.
 - 5.6.4 ADUF Physical File Characteristics
 - 5.6.4.1 ADUF will be distributed to Momentum via CONNECT:Direct or another mutually agreed medium. The ADUF feed will be a fixed block format (2476) with an LRECL of 2472. The data on the ADUF feed will be in a non-compacted EMI format (210 byte). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.

- 5.6.4.2 Data circuits (private line or dial-up) will be required between BellSouth and Momentum for the purpose of data transmission as set forth in Section 3.10.1 above.
- 5.6.5 ADUF Packing Specifications
 - 5.6.5.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
 - 5.6.5.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Momentum which BellSouth RAO is sending the message. BellSouth and Momentum will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Momentum and resend the data as appropriate.

The data will be packed using ATIS EMI records.
- 5.6.6 ADUF Pack Rejection
 - 5.6.6.1 Momentum will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. Momentum will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Momentum by BellSouth.
- 5.6.7 ADUF Control Data
 - 5.6.7.1 Momentum will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Momentum's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Momentum for reasons stated in the above section.
- 5.6.8 ADUF Testing
 - 5.6.8.1 Upon request from Momentum, BellSouth shall send a test file of generic data to Momentum via Connect:Direct or Text File via E-Mail. The Parties agree to review and discuss the test file's content and/or format.

ODUF/ADUF/CMDS - Alabama													
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Elec per L&R	Attachment: 7		Exhibit: A	
										Incremental Charge - Manual Svc Order vs. Electroni- c 1st	Incremental Charge - Manual Svc Order vs. Electroni- c 1st	Incremental Charge - Manual Svc Order vs. Electroni- c 1st	Incremental Charge - Manual Svc Order vs. Electroni- c 1st
						Rec	Nonrecurring First	Nonrecurring Add'l		SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/CMDS													
	ACCESS DAILY USAGE FILE (ADUF)												
	ADUF: Message Processing, per message				N/A	0.004							
	ADUF: Data Transmission (CONNECT/DIRECT), per message				N/A	0.001							
OPTIONAL DAILY USAGE FILE (ODUF)													
	ODUF: Recording, per message				N/A	0.002							
	ODUF: Message Processing, per message				N/A	0.003							
	ODUF: Message Processing, per Magneto Tape provisioned				N/A	88.19							
	ODUF: Data Transmission (CONNECT/DIRECT), per message				N/A	0.00004							
CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)													
	CMDS: Message Processing, per message				N/A	0.004							
	CMDS: Data Transmission (CONNECT/DIRECT), per message				N/A	0.001							
Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.													

ODUF/ADUF/CMD5 - Louisiana															
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES(\$)		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 7		Exhibit: A			
										Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
						Nonrecurring				Nonrecurring Disconnect		OSS Rates(\$)			
						First	Add'l			First	Add'l	SOMECC	SOMAN	SOMAN	SOMAN
						Rec									
ODUF/ADUF/CMD5															
	ACCESS DAILY USAGE FILE (ADUF)														
	ADUF: Message Processing, per message				N/A	0.007683									
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012881									
OPTIONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000117									
	ODUF: Message Processing, per message				N/A	0.0004641									
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.45									
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010668									
CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMD5)															
	CMD5: Message Processing, per message				N/A	0.004									
	CMD5: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001									
Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.															

ODUF/ADUF/CMDs - Mississippi													
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 7		Exhibit: A
											Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
						Rec	Nonrecurring First	Disconnect Add'l			SOMAN	SOMAN	
ODUF/ADUF/CMDs													
	ACCESS DAILY USAGE FILE (ADUF)												
	ADUF: Message Processing, per message				N/A	0.000007							
	ADUF: Data Transmission (CONNECT/DIRECT), per message				N/A	0.00012803							
	OPTIONAL DAILY USAGE FILE (ODUF)												
	ODUF: Recording, per message				N/A	0.0000063							
	ODUF: Message Processing, per message				N/A	0.004707							
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	49.04							
	ODUF: Data Transmission (CONNECT/DIRECT), per message				N/A	0.00010669							
	CMDs: Message Processing, per message				N/A	0.004							
	CMDs: Data Transmission (CONNECT/DIRECT), per message				N/A	0.001							
Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable Bell South tariff or as negotiated by the Parties upon request by either Party.													

ODUF/ADUF/CMD5 - North Carolina														
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 7		Exhibit: A	
						Rec	Nonrecurring First	Add'l			Nonrecurring First	Add'l	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l
ODUF/ADUF/CMD5														
	ACCESS DAILY USAGE FILE (ADUF)													
	ADUF: Message Processing, per message				N/A	0.004								
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001								
OPTIONAL DAILY USAGE FILE (ODUF)														
	ODUF: Recording, per message				N/A	0.0003								
	ODUF: Message Processing, per message				N/A	0.0032								
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	54.81								
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0004								
CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMD5)														
	CMD5: Message Processing, per message				N/A	0.004								
	CMD5: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001								
(Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.														

ODUF/ADUF/CMD5 - Tennessee												
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Elec per LSR	Attachment: 7		Exhibit: A
						Rec	Nonrecurring First	Add'l		Nonrecurring First	Add'l	
ODUF/ADUF/CMD5												
	ACCESS DAILY USAGE FILE (ADUF)											
	ADUF: Message Processing, per message				N/A	0.004						
					N/A	0.001						
	OPTIONAL DAILY USAGE FILE (ODUF)											
	ODUF: Recording, per message				N/A	0.0000044						
	ODUF: Message Processing, per message				N/A	0.002388						
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	52.75						
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000339						
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMD5)											
	CMD5: Message Processing, per message				N/A	0.004						
	CMD5: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001						
Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.												

Attachment 8

Rights-of-Way, Conduits and Pole Attachments

Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a license agreement subsequently negotiated with BellSouth's Competitive Structure Provisioning Center.

ATTACHMENT 9

PERFORMANCE MEASUREMENTS

PERFORMANCE MEASUREMENTS

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission.

Attachment 10

BellSouth Disaster Recovery Plan

CONTENTS



PAGE

1.0	Purpose	2
2.0	Single Point of Contact	2
3.0	Identifying the Problem	2
3.1	Site Control	3
3.2	Environmental Concerns	4
4.0	The Emergency Control Center (ECC)	4
5.0	Recovery Procedures	5
5.1	CLEC Outage	5
5.2	BellSouth Outage	5
5.2.1	Loss of Central Office	6
5.2.2	Loss of a Central Office with Serving Wire Center Functions	6
5.2.3	Loss of a Central Office with Tandem Functions	6
5.2.4	Loss of a Facility Hub	6
5.3	Combined Outage (CLEC and BellSouth Equipment)	7
6.0	T1 Identification Procedures	7
7.0	Acronyms	8

1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a Competitive Local Exchange Carrier (CLEC), general procedures have been developed to hasten the recovery process. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's Emergency Control Center (ECC) and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only; BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

For long term outages, recovery efforts will be coordinated by the Emergency Control Center (ECC). Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to insure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
2. Asbestos containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
4. Mercury and other regulated compounds resident in telephone equipment.
5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

4.0 THE EMERGENCY CONTROL CENTER (ECC)

The ECC is located in the Colonnade Building in Birmingham, Alabama. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available; leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of who's equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

5.2 BELL SOUTH OUTAGE

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the Central Office is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the

completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

5.2.1 Loss of a Central Office

When BellSouth loses a Central Office, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Begin restoring service to CLECs and other customers.

5.2.2 Loss of a Central Office with Serving Wire Center Functions

The loss of a Central Office that also serves as a Serving Wire Center (SWC) will be restored as described in Section 5.2.1.

5.2.3 Loss of a Central Office with Tandem Functions

When BellSouth loses a Central Office building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)
- g) Begin restoring service to CLECs and other customers.

5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Restoring service to CLECs and other customers. If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in Section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently than normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

7.0 ACRONYMS

CO	-	Central Office (BellSouth)
DS3	-	Facility that carries 28 T1s (672 circuits)
ECC	-	Emergency Control Center (BellSouth)
CLEC	-	Competitive Local Exchange Carrier
NMC	-	Network Management Center
SWC	-	Serving Wire Center (BellSouth switch)
T1	-	Facility that carries 24 circuits

Hurricane Information

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at http://www.interconnection.bellsouth.com/network/disaster/dis_resp.htm. Information concerning Mechanized Disaster Reports can also be found at this website by clicking on CURRENT MDR REPORTS or by going directly to <http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm>.

BST Disaster Management Plan

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

Attachment 11

Bona Fide Request and New Business Requests Process

BONA FIDE REQUEST AND NEW BUSINESS REQUESTS PROCESS

- 1.0 The Parties agree that Momentum Business Solutions, Inc. is entitled to order any Network Element, Interconnection option, service option or Resale Service required to be made available by the Communications Act of 1934, as modified by the Telecommunications Act of 1996 (the "Act"), FCC requirements or State Commission requirements. Momentum Business Solutions, Inc. also shall be permitted to request the development of new or revised facilities or service options which are not required by the Act. Procedures applicable to requesting the addition of such facilities or service options are specified in this Attachment 12.
- 2.0 Bona Fide Requests ("BFR") are to be used when Momentum Business Solutions, Inc. makes a request of BellSouth to provide a new or modified network element, interconnection option, or other service option pursuant to the Act that was not previously included in the Agreement. New Business Requests ("NBRs") are to be used when Momentum Business Solutions, Inc. makes a request of BellSouth to provide a new or custom capability or function to meet Momentum Business Solutions, Inc.'s business needs that was not previously included in the Agreement. The BFR/NBR process is intended to facilitate the two-way exchange of information between Momentum Business Solutions, Inc. and BellSouth, necessary for accurate processing of requests in a consistent and timely fashion.
- 3.0 A BFR shall be submitted in writing by Momentum Business Solutions, Inc. and shall specifically identify the required service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request also shall include a Momentum Business Solutions, Inc.'s designation of the request as being (i) pursuant to the Telecommunications Act of 1996 (i.e. a "BFR") or (ii) pursuant to the needs of the business (i.e. a "NBR"). The request shall be sent to Momentum Business Solutions, Inc.'s Account Executive.
- 4.0 Within thirty (30) business days of its receipt of a BFR or NBR from Momentum Business Solutions, Inc., BellSouth shall respond to Momentum Business Solutions, Inc. by providing a preliminary analysis of such Interconnection, Network Element, or other facility or service option that is the subject of the BFR or NBR. The preliminary analysis shall confirm that BellSouth will either offer access to the Interconnection, Network Element, or other facility or service option, or provide an explanation of why it is not technically feasible and/or why the request does not qualify as an Interconnection, Network Element, or is otherwise not required to be provided under the Act.

- 5.0 Momentum Business Solutions, Inc. may cancel a BFR or NBR at any time. If Momentum Business Solutions, Inc. cancels the request more than three (3) business days after submitting it, Momentum Business Solutions, Inc. shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the BFR or NBR up to the date of cancellation. If Momentum Business Solutions, Inc. does not cancel a BFR or NBR, Momentum Business Solutions, Inc. shall pay BellSouth's reasonable and demonstrable costs of processing and implementing the request.
- 6.0 BellSouth shall propose a firm price quote and a detailed implementation plan within twenty-five (25) business days of Momentum Business Solutions, Inc.'s acceptance of the preliminary analysis.
- 7.0 If Momentum Business Solutions, Inc. accepts the preliminary analysis, BellSouth shall proceed with Momentum Business Solutions, Inc.'s BFR/NBR, and Momentum Business Solutions, Inc. agrees to pay the non-refundable amount identified in the preliminary analysis for the initial work required to develop the project plan, create the design parameters, and establish all activities and resources required to complete the BFR/NBR. These costs will be referred to as "development" costs. The development costs identified in the preliminary analysis are fixed. If Momentum Business Solutions, Inc. cancels a BFR/NBR after BellSouth has received Momentum Business Solutions, Inc.'s acceptance of the preliminary analysis, Momentum Business Solutions, Inc. agrees to pay BellSouth the reasonable, demonstrable, and actual costs, if any, directly related to complying with Momentum Business Solutions, Inc.'s BFR/NBR up to the date of cancellation, to the extent such costs were not included in the non-refundable amount set forth above.
- 8.0 If Momentum Business Solutions, Inc. believes that BellSouth's firm price quote is not consistent with the requirements of the Act, Momentum Business Solutions, Inc. may seek FCC or state Commission arbitration of its request, as appropriate. Any such arbitration applicable to Network Elements and/or Interconnection shall be conducted in accordance with standards prescribed in Section 252 of the Act.
- 9.0 Unless Momentum Business Solutions, Inc. agrees otherwise, all prices shall be consistent with the pricing principles of the Act, FCC and/or the State Commission.
- 10.0 If either Party to a BFR or NBR believes that the other Party is not requesting, negotiating, or processing the Bona Fide Request in good faith, or disputes a determination, or price or cost quote, such Party may seek FCC or state Commission resolution of the dispute, as appropriate.

- 11.0 Upon agreement to the terms of a BFR or NBR, an amendment to the Agreement may be required.

**AMENDMENT
TO THE
AGREEMENT BETWEEN
MOMENTUM BUSINESS SOLUTIONS, INC.
AND
BELL SOUTH TELECOMMUNICATIONS, INC.
DATED JUNE 12, 2002**

Pursuant to this Amendment, (the "Amendment"), Momentum Business Solutions, Inc. ("Momentum"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated June 12, 2002 ("Agreement").

WHEREAS, BellSouth and Momentum entered into the Agreement on June 12, 2002, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

1. The Parties agree to amend Attachment 2 by adding provisions for Remote Call Forwarding, by adding Section 4.2.11.5, attached hereto and incorporated by reference as Exhibit 1. The associated rates are as set forth in Exhibit 1.
2. The Parties agree that this Amendment will be effective on June 12, 2002.
3. All of the other provisions of the Agreement, dated June 12, 2002, shall remain in full force and effect.
4. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

Momentum Business Solutions, Inc.

By: 

Name: Alan Creighton

Title: President & CEO

Date: 5/30/2002

BellSouth Telecommunications, Inc.

By: 

Name: Patrick C. Finlen

Title: Managing Director

Date: 6/10/2002

Exhibit 1

4.2.11.5 Remote Call Forwarding

- 4.2.11.5.1 As an option, BellSouth shall make available to Momentum an unbundled port with Remote Call Forwarding capability ("URCF service"). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, Momentum will ensure that the following conditions are satisfied:
- 4.2.11.5.2 That the end user of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such end user is different from the URCF service end user);
- 4.2.11.5.3 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.11.5.4 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.11.5.5 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.11.5.6 In addition to the charge for the URCF service port, BellSouth shall charge Momentum the rates set forth in Exhibit B for unbundled local switching, tandem switching, and common transport, including all associated usage, incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward- to number (service).

UNEs - Alabama		Attachment 2										Exhibit C	
CATEGORY	RATE ELEMENTS	Intrm	Zone	BCS	USOC	RATES(\$)				OSS RATES(\$)			
						Res	Non-Res	Adst	Non-Res	Discont	Per	Adst	
											</		

UNES - Florida														Attachment 2		Exhibit C		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	UBOC	RATES(\$)				OSS RATES(\$)				See Order Submitted Monthly per LER	See Order Submitted Monthly per LER	Incremental Charge - Manual Disconnection - 1st Electronic-Add'l	Incremental Charge - Manual Disconnection - 2nd Electronic-Add'l	Incremental Charge - Manual Disconnection - 3rd Electronic-Add'l
						Nonrecurring	Nonrecurring	Nonrecurring	Nonrecurring	Incremental Charge - Manual Disconnection - 1st Electronic-Add'l	Incremental Charge - Manual Disconnection - 2nd Electronic-Add'l	Incremental Charge - Manual Disconnection - 3rd Electronic-Add'l						
						</												

UNEs - Georgia		Attachment 2				Exhibit C													
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				OSS RATES(\$)									
						Ree	Nonrecurring		Nonrecurring Disconnected Fee	Svc Order Submitted Manually per LER	Svc Order Submitted Manually per LER	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Diso						
							First	Addl						First	Addl				

[illegible]

[illegible]

Attachment 2										Exhibit C					
CATEGORY	RATE ELEMENTS	Interim	BOS	USOC	RATES(\$)					OSS RATES(\$)					
					First	Addl	Per Adst	SOMEK	SOMNH	SOMNH	Incremental Charge - Manual v.s. Electronic-Duo per LSR	Incremental Charge - Manual v.s. Electronic-Duo per LSR	Incremental Charge - Manual v.s. Electronic-Duo per LSR		
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)	UNBUNDLED PORT WITH REMOTE CALL FORWARDING CAPABILITY														
	UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE														
	Unbundled Remote Call Forwarding Service, Area Calling - Bus		UEVRV	UEVRAC	2.19	21.60	21.60				26.94	12.76			
	Unbundled Remote Call Forwarding Service, Local Calling - Bus		UEPVB	UEPVLG	2.19	21.60	21.60				26.94	12.76			
	Unbundled Remote Call Forwarding Service, Intra-LATA - Bus		UEPVR	UEPRTL	2.19	21.60	21.60				26.94	12.76			
	Unbundled Remote Call Forwarding Service, Inter-LATA - Bus		UEPVR	UEPRLA	2.19	21.60	21.60				26.94	12.76			
	Non-Recalling														
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is (PIC and LPIC)		UEPVR	USAC22		2.77	0.40				26.94	12.76			
	Unbundled Remote Call Forwarding Service - Conversion with allowed charge (PIC and LPIC)		UEPVR	USACC		2.77	0.40								
	UNBUNDLED REMOTE CALL FORWARDING - BUS	Unbundled Remote Call Forwarding Service - Bus													
Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UEBRAC	2.19	21.60	21.60								
Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UEBLG	2.19	21.60	21.60				26.94	12.76			
Unbundled Remote Call Forwarding Service, Intra-LATA - Bus			UEPVB	UEBTLA	2.19	21.60	21.60				26.94	12.76			
Unbundled Remote Call Forwarding Service, Inter-LATA - Bus			UEPVB	UEBILA	2.19	21.60	21.60				26.94	12.76			
Unbundled Remote Call Forwarding Service Expanded and Exceptional Local Calling															
Non-Recalling															
Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is (PIC and LPIC)			UEPVB	USAC2	2.19	21.60	21.60				26.94	12.76			
Unbundled Remote Call Forwarding Service - Conversion with allowed charge (PIC and LPIC)			UEPVB	USACC		2.77	0.40				26.94	12.76			

[illegible]

**AMENDMENT
TO THE
AGREEMENT BETWEEN
MOMENTUM BUSINESS SOLUTIONS, INC.
AND
BELLSOUTH TELECOMMUNICATIONS, INC.
DATED JUNE 12, 2002**

Pursuant to this Amendment, (the "Amendment"), Momentum Business Solutions, Inc. ("Momentum"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated June 12, 2002, ("Agreement").

WHEREAS, BellSouth and Momentum entered into the Agreement on June 12, 2002, and;


NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

1. The Parties agree to delete in their entirety the rates for Attachments 1, 2, 3, 4, and 7 for the state of Alabama and replace with the rates as set forth in Exhibit 1 attached hereto and incorporated herein by this reference.
2. The Parties agree to delete the language in Sections 5.6.2.1, 5.6.2.2, and 5.6.2.3 of Attachment 2 and replaced with the following:
 - 5.6.2.1 Except as set forth in section 5.6.3 below, in Alabama, Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee, BellSouth shall provide UNE port/loop combinations that are ordinarily combined in BellSouth's network, regardless of whether such combinations are Currently Combined at the cost-based rates in Exhibit B.
 - 5.6.2.2 In Florida and North Carolina, BellSouth shall provide UNE port/loop combinations that are not Currently Combined but that are ordinarily combined in BellSouth's network at the market rates in Exhibit B. If a market rate is not set forth in Exhibit B for a UNE port/loop combination, such rate shall be negotiated by the Parties.
 - 5.6.2.3 In Florida and North Carolina, BellSouth shall provide UNE port/loop combinations that are Currently Combined at the cost-based rates in Exhibit B.
3. All of the other provisions of the Agreement, dated June 12, 2002, shall remain in full force and effect.

4. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

Momentum Business Solutions, Inc.

By: 

Name: ADAM L. CREIGHTON

Title: PRESIDENT + CEO

Date: 7-17-2002

BellSouth Telecommunications, Inc.

By: 

Name: PATRICIA C. FIDLER

Title: MANAGING DIRECTOR

Date: 7/27/02

Attachment I
Page 1
Exhibit E

[illegible]

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment: 2		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interl m	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- 1st
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	SOMECSOMAN	SOMECSOMAN	SOMECSOMAN	SOMECSOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zones, refer to Internet Website: http://www.interconnection.bellsouth.com/become_a_dslc/html/interconnection.htm													
OPERATIONAL SUPPORT SYSTEMS													
NOTE: (1) Electronic Service Order: CLEC should contact its contract regulator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions. The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge. CLEC may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC may elect the regional electronic service ordering charge.													
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMECS rate listed in this category. Please refer to BellSouth's Business Rules for Local Ordering (BBR-LO) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the BBR-LO, the listed SOMECS rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLEC's bill when it submits an LSR to BellSouth.													
Electronic OSS Charge, per LSR, submitted via BSR's OSS													
Interactive Interfaces (Regional)													
Manual Service Order Charge, per LSR, Disconnect Only (AL)													
UNE SERVICE DATE ADVANCEMENT CHARGE													
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No. 1 Tariff, Section 8 as applicable.													
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day													
ALL UNE													
SDASP													
UNBUNDLED EXCHANGE ACCESS LOOP													
2-WIRE ANALOG VOICE GRADE LOOP													
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1													
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2													
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3													
Loop Testing - Basic 1st Half Hour													
Loop Testing - Basic Additional Half Hour													
CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-NO)													
Engineering Information Document (EID)													
Manual Order Coordination for UCL-SL1a (per loop)													
Order Coordination for Specified Conversion Time for UCL-SL1 (per LSR)													
2-WIRE UNBUNDLED COPPER LOOP													
2-Wire Unbundled Copper Loop - Non-Designed Zone 1													
2-Wire Unbundled Copper Loop - Non-Designed - Zone 2													
2-Wire Unbundled Copper Loop - Non-Designed - Zone 3													
Order Coordination 2-Wire Unbundled Copper Loop - Non-Designed (per loop)													
Engineering Information Document													
Loop Testing - Basic 1st Half Hour													
Loop Testing - Basic Additional Half Hour													
CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-NO)													
UNBUNDLED EXCHANGE ACCESS LOOP													
2-WIRE ANALOG VOICE GRADE LOOP													
2-Wire Analog Voice Grade Loop - Service Level 1-Line Splitting - Zone 1													
2-Wire Analog Voice Grade Loop - Service Level 1-Line Splitting - Zone 2													
2-Wire Analog Voice Grade Loop - Service Level 1-Line Splitting - Zone 3													
2-Wire Analog Voice Grade Loop - Service Level 1-Line Splitting - Zone 3													
2-Wire Analog Voice Grade Loop - Service Level 1-Line Splitting - Zone 3													
2-Wire Analog Voice Grade Loop - Service Level 1-Line Splitting - Zone 3													
2-Wire Analog Voice Grade Loop - Service Level 1-Line Splitting - Zone 3													
UNBUNDLED EXCHANGE ACCESS LOOP													
2-WIRE ANALOG VOICE GRADE LOOP													
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1													
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2													

UNBUNDLED NETWORK ELEMENTS - Alabama														
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Attachment: 2		Exhibit: B	
						Rec	Nonrecurring		Disconnect Add'l		OSS Rates(\$)		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st
							First	Add'l			SOMAN	SOMAN		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	38.14	88.00	55.00	47.24	7.44	15.66			
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44	15.66			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44	15.66			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	38.14	88.00	55.00	47.24	7.44	15.66			
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09							
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36			15.66			
	4-WIRE ANALOG VOICE GRADE LOOP													
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50	15.66			
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	38.68	131.97	94.51	59.14	14.50	15.66			
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50	15.66			
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09							
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36			15.66			
	2-WIRE ISDN DIGITAL GRADE LOOP													
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	UUL2X	21.88	117.24	79.77	52.88	10.54	15.66			
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	UUL2X	32.85	117.24	79.77	52.88	10.54	15.66			
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	UUL2X	46.65	117.24	79.77	52.88	10.54	15.66			
	Order Coordination for Specified Conversion Time (per LSR)			UDN	OCOSL		18.09							
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16			15.66			
	2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP													
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1		1	UDC	UDC2X	21.88	117.24	79.77	52.88	10.54	15.66			
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2		2	UDC	UDC2X	32.85	117.24	79.77	52.88	10.54	15.66			
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3		3	UDC	UDC2X	48.55	117.24	79.77	52.88	10.54	15.66			
	CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		91.63	44.16			15.66			
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP													
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44	15.66			
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44	15.66			
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44	15.66			
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09							
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44	15.66			
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44	15.66			
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44	15.66			
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09							
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40			15.66			
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP													
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44	15.66			
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44	15.66			
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44	15.66			
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09							
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44	15.66			
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44	15.66			

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: B	
						Rec	Nonrecurring		Disconnect Add'l			OSS Rate(\$)		Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st
							First	Add'l				SOMEK	SOMAN		
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44	15.66				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09								
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40			15.66				
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	13.95	148.35	68.00	51.70	9.73	15.66				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	15.56	148.35	68.00	51.70	9.73	15.66				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	15.25	148.35	68.00	51.70	9.73	15.66				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09								
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73	15.66				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73	15.66				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73	15.66				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09								
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40			15.66				
	4-WIRE DS1 DIGITAL LOOP														
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	82.55	252.47	157.54	44.70	11.71	15.66				
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	154.18	252.47	157.54	44.70	11.71	15.66				
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	314.52	252.47	157.54	44.70	11.71	15.66				
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.09								
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.06	43.05			15.66				
	4-WIRE 19.2, 66 OR 64 Kbps DIGITAL GRADE LOOP														
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	26.09	126.27	88.80	59.14	14.50	15.66				
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	35.95	126.27	88.80	59.14	14.50	15.66				
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	37.88	126.27	88.80	59.14	14.50	15.66				
	4 Wire Unbundled Digital Loop 66 Kbps - Zone 1		1	UDL	UDL56	26.09	126.27	88.80	59.14	14.50	15.66				
	4 Wire Unbundled Digital Loop 66 Kbps - Zone 2		2	UDL	UDL56	35.95	126.27	88.80	59.14	14.50	15.66				
	4 Wire Unbundled Digital Loop 66 Kbps - Zone 3		3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50	15.66				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	26.09	126.27	88.80	59.14	14.50	15.66				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	35.95	126.27	88.80	59.14	14.50	15.66				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	37.88	126.27	88.80	59.14	14.50	15.66				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09								
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	48.75			15.66				
	2-WIRE UNBUNDLED COPPER LOOP														
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44	15.66				
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44	15.66				
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44	15.66				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15							
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44	15.66				
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44	15.66				
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.30	91.46	54.30	47.24	7.44	15.66				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15							
	2-Wire Unbundled Copper Loop/Long - Includes manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL2L	31.42	112.46	65.30	47.24	7.44	15.66				
	2-Wire Unbundled Copper Loop/Long - Includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL2L	55.01	112.46	65.30	47.24	7.44	15.66				

UNBUNDLED NETWORK ELEMENTS - Alabama													Attachment: 2		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st		
						Rec	Nonrecurring Add'l		Disconnect Add'l							
							First									
	2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL2L	80.00	112.48	65.30	47.24	7.44	15.68					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCL1MC		8.15	8.15								
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1	1	1	UCL	UCL2W	31.42	91.46	54.30	47.24	7.44	15.68					
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2	1	2	UCL	UCL2W	55.01	91.46	54.30	47.24	7.44	15.68					
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3	1	3	UCL	UCL2W	80.00	91.48	54.30	47.24	7.44	15.68					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCL1MC		8.15	8.15								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Dcs)			UCL	UREWO		97.23	42.48			15.68					
	4-WIRE COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	17.38	135.21	88.05	51.70	9.73	15.68					
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73	15.68					
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73	15.68					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCL1MC		8.15	8.15								
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1	1	1	UCL	UCL4W	17.38	114.21	67.05	51.70	9.73	15.68					
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2	1	2	UCL	UCL4W	20.76	114.21	67.05	51.70	9.73	15.68					
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3	1	3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73	15.68					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCL1MC		8.15	8.15								
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4L	49.35	135.21	88.05	51.70	9.73	15.68					
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4L	92.45	135.21	88.05	51.70	9.73	15.68					
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4L	127.39	135.21	88.05	51.70	9.73	15.68					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCL1MC		8.15	8.15								
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1	1	1	UCL	UCL4O	49.35	114.21	67.05	51.70	9.73	15.68					
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 2	1	2	UCL	UCL4O	92.45	114.21	67.05	51.70	9.73	15.68					
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3	1	3	UCL	UCL4O	127.39	114.21	67.05	51.70	9.73	15.68					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCL1MC		8.15	8.15								
	CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		97.23	42.48			15.68					
	LOOP MODIFICATION															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft	1		UCL, UHL, UCL, UEQ, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULM2L		0.00	0.00			15.68					
	Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft	1		UCL, ULS, UEQ	ULM2G		170.51	170.51			15.68					
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft	1		UHL, UCL	ULM4L		0.00	0.00			15.68					
	Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft	1		UCL	ULM4G		170.51	170.51			15.68					
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	1		UCL, UHL, UCL, UEQ, UEL, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULMBT		32.41	32.41			15.68					
SUB-LOOPS																

UNBUNDLED NETWORK ELEMENTS - Alabama																	
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: B			
						Rec	Nonrecurring		Nonrecurring Disconnect Add'l			SOMECH	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st
							First	Add'l									
	Sub-Loop Distribution																
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up				UEANL			244.42				15.68					
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up				UEANL			22.64				15.68					
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up				UEANL			177.45				15.68					
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up				UEANL			55.15				15.68					
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1		UEANL	11.21		85.80	30.96	45.25	6.70	15.68					
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2		UEANL	11.94		65.80	30.96	45.25	6.70	15.68					
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3		UEANL	16.86		65.80	30.96	45.25	6.70	15.68					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair				UEANL			8.15	8.15								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1		UEANL	8.46		79.03	44.19	49.71	9.07	15.68					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2		UEANL	16.87		79.03	44.19	49.71	9.07	15.68					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3		UEANL	32.57		79.03	44.19	49.71	9.07	15.68					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair				UEANL			8.15	8.15								
	Sub-Loop 2-Wire Intra-building Network Cable (INC)				UEANL	2.27		53.01	16.17	45.25	6.70	15.68					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair				UEANL			8.15	8.15								
	Sub-Loop 4-Wire Intra-building Network Cable (INC)				UEANL	5.16		59.25	24.41	49.71	9.07	15.68					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair				UEANL			8.15	8.15								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1		UEANL	6.22		65.80	30.96	45.25	6.70	15.68					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2		UEF	8.76		65.80	30.96	45.25	6.70	15.68					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3		UEF	11.27		65.80	30.96	45.25	6.70	15.68					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair				UEF			8.15	8.15								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1		UCS4X	6.11		79.03	44.19	49.71	9.07	15.68					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2		UCS4X	12.61		79.03	44.19	49.71	9.07	15.68					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3		UCS4X	15.36		79.03	44.19	49.71	9.07	15.68					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair				UEF			8.15	8.15								
	Unbundled Sub-Loop Modification				USBMC												
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load				ULM2X			175.78	6.10			15.68					
	Call/Equip Removal per 2-W PR				UEF												
	Unbundled Sub-loop Modification - 4-W Copper Dist Load				ULM4X			175.78	5.10			15.68					
	Call/Equip Removal per 4-W PR				UEF												
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded				ULM4T			278.20	6.11			15.68					
	Unbundled Network Terminating Wire (UNTW)				UEANL												
	Unbundled Network Terminating Wire (UNTW) per Pair				UEANL	0.40		30.01				15.68					
	Network Interface Device (NID)				UNL12			43.23	28.38			15.68					
	Network Interface Device (NID) - 1-2 lines				UNL16			63.97	48.11			15.68					
	Network Interface Device (NID) - 1-8 lines				UNL22			5.87	5.87			15.68					
	Network Interface Device Cross Connect - 2 W				UNL24			5.87	5.87			15.68					
	Network Interface Device Cross Connect - 4W																
	SUB-LOOPS																
	Sub-Loop Feeder				UEA			244.42				15.68					
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up				UDN, LCL, UDL, UDC												

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment: 2		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Rec	First	Add'l	Nonrecurring Disconnect	SOMEC	SOMAN	SOMAN	SOMAN
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UEA									
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			UDN	UDL		22.64	22.64			15.66		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice			USL			519.95	11.32			15.66		
	Grade - Zone 1		1	UEA		8.03	93.00	56.48	54.51	13.67	15.66		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice												
	Grade - Zone 2		2	UEA		12.00	93.00	56.48	54.51	13.67	15.66		
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice												
	Grade - Zone 3		3	UEA		20.39	93.00	56.48	54.51	13.67	15.66		
	Order Coordination for Specified Conversion Time, per LSR			UEA			18.09						
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice												
	Grade - Zone 1		1	UEA		8.03	93.00	56.48	54.51	13.67	15.66		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice												
	Grade - Zone 2		2	UEA		12.00	93.00	56.48	54.51	13.67	15.66		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice												
	Grade - Zone 3		3	UEA		20.39	93.00	56.48	54.51	13.67	15.66		
	Order Coordination for Specified Time Conversion, per LSR			UEA			18.09						
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice												
	Grade - Zone 1		1	UEA		8.03	93.00	56.48	54.51	13.67	15.66		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice												
	Grade - Zone 2		2	UEA		12.00	93.00	56.48	54.51	13.67	15.66		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice												
	Grade - Zone 3		3	UEA		20.39	93.00	56.48	54.51	13.67	15.66		
	Order Coordination for Specified Conversion Time, per LSR			UEA			18.09						
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice												
	Grade - Zone 1		1	UEA		19.21	107.56	70.09	62.05	17.40	15.66		
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice												
	Grade - Zone 2		2	UEA		23.47	107.56	70.09	62.05	17.40	15.66		
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice												
	Grade - Zone 3		3	UEA		39.63	107.56	70.09	62.05	17.40	15.66		
	Order Coordination For Specified Conversion Time, Per LSR			UEA			18.09						
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice												
	Grade - Zone 1		1	UEA		19.21	107.56	70.09	62.05	17.40	15.66		
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice												
	Grade - Zone 2		2	UEA		23.47	107.56	70.09	62.05	17.40	15.66		
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice												
	Grade - Zone 3		3	UEA		39.63	107.56	70.09	62.05	17.40	15.66		
	Order Coordination For Specified Conversion Time, Per LSR			UEA			18.09						
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1			UDN		14.67	106.16	68.69	55.64	13.29	15.66		
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2			UDN		21.60	106.16	68.69	55.64	13.29	15.66		
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3			UDN		32.51	106.16	68.69	55.64	13.29	15.66		
	Order Coordination For Specified Conversion Time, Per LSR			UDN			18.09						
	Unbundled Sub-Loop Feeder, 2 Wire UDC (DSL compatible)			UDC		14.67	106.16	68.69	55.64	13.29	15.66		
	Unbundled Sub-Loop Feeder, 2 Wire UDC (DSL compatible)			UDC		21.60	106.16	68.69	55.64	13.29	15.66		
	Unbundled Sub-Loop Feeder, 2 Wire UDC (DSL compatible)			UDC		32.51	106.16	68.69	55.64	13.29	15.66		
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			USL		55.09	101.85	64.38	82.05	17.40	15.66		
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			USL		124.69	101.85	64.38	82.05	17.40	15.66		
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3			USL		204.82	101.85	64.38	82.05	17.40	15.66		
	Order Coordination For Specified Conversion Time, Per LSR			USL			18.09						
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1			UCL		6.76	83.78	46.32	53.02	10.67	15.66		
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2			UCL									
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3			UCL		4.93	83.78	46.32	53.02	10.67	15.66		
	Order Coordination For Specified Conversion Time, per LSR			UCL			18.09						
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1			UCL		3.96	83.78	46.32	53.02	10.67	15.66		
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL		12.71	100.99	63.53	57.90	13.26	15.66		
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL		9.69	100.99	63.53	57.90	13.26	15.66		
	Order Coordination For Specified Conversion Time, per LSR			UCL		14.37	100.99	63.53	57.90	13.26	15.66		

UNBUNDLED NETWORK ELEMENTS - Alabama													Attachment: 2		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
						Rec	First	Add'l	Nonrecurring Disconnect							
SUB-LOOPS	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	19.20	101.85	64.38	62.05	17.40	15.66			SOMAN		
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	21.64	101.85	64.38	62.05	17.40	15.66			SOMAN		
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	23.76	101.85	64.38	62.05	17.40	15.66			SOMAN		
	Zone 1		1	UDL	USBFO	19.20	101.85	64.38	62.05	17.40	15.66					
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	21.64	101.85	64.38	62.05	17.40	15.66					
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFO	23.76	101.85	64.38	62.05	17.40	15.66					
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		18.09									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFP	19.20	101.85	64.38	62.05	17.40	15.66					
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP	21.64	101.85	64.38	62.05	17.40	15.66					
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	23.76	101.85	64.38	62.05	17.40	15.66					
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		18.09									
	Sub-Loop Feeder															
	Sub-Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	13.65										
	Sub-Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	332.40	3,384.00	407.00	160.47	90.97	15.66					
	UNBUNDLED LOOP CONCENTRATION	Sub-Loop Feeder - STS-1 - Per Mile Per Month			UDLSX	1L5SL	13.65									
Sub-Loop Feeder - STS-1 - Facility Termination Per Month				UDLSX	USBF7	357.36	3,384.00	407.00	160.47	90.97	15.66					
Sub-Loop Feeder - OC-3 - Per Mile Per Month				UDLO3	1L5SL	10.28										
Sub-Loop Feeder - OC-3 - Facility Termination Protection Per Month				UDLO3	USBF5	54.89										
Sub-Loop Feeder - OC-3 - Facility Termination Per Month				UDLO3	USBF2	538.69	3,384.00	407.00	160.47	90.97	15.66					
Sub-Loop Feeder - OC-12 - Per Mile Per Month				UDL12	1L5SL	12.68										
Sub-Loop Feeder - OC-12 - Facility Termination Protection Per Month				UDL12	USBF6	620.18										
Sub-Loop Feeder - OC-12 - Facility Termination Per Month				UDL12	USBF3	1,729.00	3,384.00	407.00	160.47	90.97	15.66					
Sub-Loop Feeder - OC-48 - Per Mile Per Month				UDL48	1L5SL	41.51										
Sub-Loop Feeder - OC-48 - Facility Termination Protection Per Month				UDL48	USBF9	310.30										
Sub-Loop Feeder - OC-48 - Facility Termination Per Month				UDL48	USBF4	1,495.00	3,570.00	407.00	160.47	90.97	15.66					
Sub-Loop Feeder - OC-12 Interface On OC-48				UDL48	USBF8	350.09	788.09	407.00	160.47	90.97	15.66					
Unbundled Loop Concentration - System A (TR008)				ULC	UCT8A	344.17	325.41	325.41			15.66					
Unbundled Loop Concentration - System B (TR008)				ULC	UCT8B	43.70	135.59	135.59			15.66					
Unbundled Loop Concentration - System A (TR303)				ULC	UCT3A	395.12	325.41	325.41			15.66					
Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	73.64	135.59	135.59			15.66						
Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	4.16	63.29	48.07	16.79	4.70	15.66						
Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	6.60	10.54	10.48	5.39	5.36	15.66						
Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	6.60	10.54	10.48	5.39	5.38	15.66						
Unbundled Loop Concentration - 2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	1.65	10.54	10.48	5.39	5.36	15.66						
Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	9.81	10.54	10.48	5.39	5.36	15.66						
Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Speedate Card)			UEA	ULCCA	5.85	10.54	10.48	5.39	5.36	15.66						
Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	28.60	10.54	10.48	5.39	5.36	15.66						
Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	8.67	10.54	10.48	5.39	5.38	15.66						
Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	8.67	10.54	10.48	5.39	5.38	15.66						
Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	8.67	10.54	10.48	5.39	5.38	15.66						

UNBUNDLED NETWORK ELEMENTS - Alabama																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Attachment: 2		Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Exhibit: B	
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First		Add'l	SOME				SOMAN
UNE OTHER, PROVISIONING ONLY - NO RATE	NID - Dispatch and Service Order for NID Installation															
	UNTW Circuit to Establishment, Provisioning Only - No Rate			UNTW	UNDBX	0.00	0.00									
				UNTW	UEUCE	0.00	0.00									
	Unbundled Contract Name, Provisioning Only - No Rate			UNTW	UEANL,UEF,UEQ,U	0.00	0.00									
UNE OTHER, PROVISIONING ONLY - NO RATE																
	Unbundled Contract Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,UCL	UNEUCN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL,USL	USBFR	0.00	0.00									
HIGH CAPACITY UNBUNDLED LOCAL LOOP	Unbundled DST Loop - Superframe Format Option - no rate			CCOSF	0.00	0.00										
	Unbundled DST Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00									
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	8.38										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	308.98	451.52	283.94	119.49	83.58	15.66					
LOOP MAKE-UP	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	8.38										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	319.83	451.52	283.94	119.49	83.58	15.66					
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLV		20.00	20.00								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		21.00	21.00								
HIGH FREQUENCY SPECTRUM	Loop Makeup-With or Without Reservation, per working or spare facility queried (Mechanized)			UMK	PSUMK		0.59	0.59								
SPLITTER-CENTRAL OFFICE BASED	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	155.97	188.79	0.00	177.98	0.00						
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.99	188.79	0.00	177.98	0.00	15.66					
	Line Sharing Splitter, per System, 8 Line Capacity			ULS	ULSDB	12.73	377.58	0.00	355.96	0.00	15.66					
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-desactivation (per LSOD)			ULS	ULSDG		86.47	0.00	49.84	0.00	15.66					
END USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPECTRUM AKA LINE SHARING	Line Sharing - per Line Activation (BST Owned Splitter)			ULS	ULSDC	0.61	18.51	10.60	10.01	4.92	15.66					
	Line Sharing - per Subsequent Activity per Line			ULS	ULSDS		16.39	8.19			15.66					
	Reassignment(BST Owned Splitter)			ULS	ULSDS		16.39	8.19			15.66					
	Reassignment(DLEC Owned Splitter)			ULS	ULSDC	0.61	47.44	19.31	20.02	9.83	15.66					
LINE SPLITTING	Line Sharing - per Line Activation (DLEC owned Splitter)			ULS	ULSDC	0.61	47.44	19.31	20.02	9.83	15.66					
END USER ORDERING-CENTRAL OFFICE BASED	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.01	21.19	20.02	9.83	15.66					
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83	15.66					
REMOTE SITE HIGH FREQUENCY SPECTRUM																
SPLITTERS-REMOTE SITE																
	Remote Site Line Share Splitter, 24 Port			ULS	ULSRB	38.18	221.09	0.00	254.79	0.00	15.66					
	Remote Site Line Share Cable Pair Activation CLEC Owned at RS and Deactivation			ULS	ULSTG		74.38	0.00	46.77	0.00	15.66					
END USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM AKA REMOTE SITE LINE SHARING																

UNBUNDLED NETWORK ELEMENTS - Alabama																						
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2			Exhibit: 8						
						Nonrecurring		Nonrecurring Add'l	First	Disconnect Add'l			SOME	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						Rec	First															
	Remote Site Line Share Line Activation for End User Served at RS, BST Splitter	I	ULS	ULSRC			0.61	37.01	21.19	20.02	9.83	15.66										
	RS Line Share Line Activation for End User served at RS, CLEC Splitter	I	ULS	ULSTC			0.61	37.01	21.19	20.02	9.83	15.66										
UNBUNDLED DEDICATED TRANSPORT																						
NOTE: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3/STS-1=four months																						
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			UITVX	1L5XX		0.008938															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination			UITVX	UITV2		21.13	40.54	27.41	16.74	6.90	15.66										
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat. - Per Mile per month			UITVX	1L5XX		0.008938															
	Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat. - Facility Termination			UITVX	UITR2		21.13	40.54	27.41	16.74	6.90	15.66										
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			UITVX	1L5XX		0.008938															
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination			UITVX	UITV4		18.73	40.54	27.41	16.74	6.90	15.66										
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			UITDX	1L5XX		0.008938															
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			UITDX	UITD5		15.12	40.54	27.41	16.74	6.90	15.66										
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			UITDX	1L5XX		0.008938															
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			UITDX	UITD8		15.12	40.54	27.41	16.74	6.90	15.66										
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			UITD1	1L5XX		0.18															
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination			UITD1	UITF1		60.16	89.27	81.81	16.35	14.44	15.66										
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			UITD3	1L5XX		4.09															
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			UITD3	UITF3		703.52	278.75	182.76	60.20	58.46	15.66										
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			UITS1	1L5XX		4.09															
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			UITS1	UITF5		701.37	278.75	182.76	60.20	58.46	15.66										
LOCAL CHANNEL - DEDICATED TRANSPORT																						
NOTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3/STS-1=four months																						
	Local Channel - Dedicated - 2-Wire Voice Grade			ULDVX	ULDV2		13.97	193.10	33.17	36.64	3.20	15.66										
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2		13.97	193.10	33.17	36.64	3.20	15.66										
	Local Channel - Dedicated - 4-Wire Voice Grade			ULDVX	ULDV4		14.93	193.63	33.60	27.11	3.67	15.66										
	Local Channel - Dedicated - DS1 - Zone 1	1		ULDD1	ULDF1		35.76	177.47	153.72	22.19	15.28	15.66										
	Local Channel - Dedicated - DS1 - Zone 2	2		ULDD1	ULDF1		49.68	177.47	153.72	22.19	15.28	15.66										
	Local Channel - Dedicated - DS1 - Zone 3	3		ULDD1	ULDF1		107.63	177.47	153.72	22.19	15.28	15.66										
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC		6.92															
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3		416.64	451.52	483.94	119.49	83.58	15.66										
	Local Channel - Dedicated - STS-1 - Per Mile per month			ULDS1	1L5NC		6.92															
	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1	ULDFS		408.49	451.52	483.94	119.49	83.58	15.66										
DARK FIBER																						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF	1L5DC		60.32															
	NRC Dark Fiber - Local Channel			UDF	UDFC4			639.09	137.87	317.06	197.66	15.66										
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF	1L5DF		22.34															
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14			639.09	137.87	317.06	197.66	15.66										

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: B	
						Rec	Nonrecurring		Disconnect Add'l			Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disac 1st	
							First	Add'l							SOMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction														
	Threed per month - Local Loop			UDF	116DL	60.32									
	NRCC Dark Fiber - Local Loop			UDF	UDFL4		639.09	137.87	317.08	197.66		15.66			
8XX ACCESS TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.00056									
	Number Reserved														
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OHD	N8R1X		2.58	0.44				15.66			
	POTS Translations			OHD			5.94	0.81	4.57	0.54		15.66			
	8XX Access Ten Digit Screening, Per 8XX No. Established With			OHD	N8FTX		5.94	0.81	4.57	0.54		15.66			
	POTS Translations			OHD	N8FCX		2.58	1.29				15.66			
	8XX Access Ten Digit Screening, Multiple InterLATA CXR			OHD	N8FMX		3.02	1.73				15.66			
	Routing Per CXR Requested Per 8XX No.			OHD	N8FAX		3.02	0.44				15.66			
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD											
	8XX Access Ten Digit Screening, Call Handling and Destination			OHD	N8FDX		2.58					15.66			
	Features														
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery			OHD		0.000565									
	8XX Access Ten Digit Screening, w/ POTS No. Delivery			OHD		0.000565									
LINE INFORMATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			QQT		0.00002									
	LIDB Validation Per Query			QQU		0.012002									
	LIDB Originating Point Code Establishment or Change			QQT, QQU	NRPBX		34.32		42.08			15.66			
SIGNALING (CCS7)															
	CCS7 Signaling Connection, Per 56Kbps Facility					15.48									
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	130.83	35.53	35.53	16.44	16.44		15.66			
	CCS7 Signaling Usage, Per Call Setup Message					0.0000142									
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000569									
	CCS7 Signaling Connection, Per Link (A link)			UDB	TPP++	15.48	35.53	35.53	16.44	16.44		15.66			
	CCS7 Signaling Connection, Per Link (B link) (also known as D link)														
	CCS7 Signaling Usage, Per ISUP Message			UDB	TPP++	15.48	35.53	35.53	16.44	16.44		15.66			
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU58	0.0000142									
	CCS7 Signaling Point Code, per Originating Point Code			UDB		650.33									
	Establishment or Change, per STP affected														
EO11 SERVICE															
	Local Channel - Dedicated - 2-wr Voice Grade														
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					13.97	193.10	33.17	36.64	3.20		15.66			
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility					0.009838									
	Termination														
	Local Channel - Dedicated - DS1 - Zone 1					21.13	40.54	27.41	16.74	6.90		15.66			
	Local Channel - Dedicated - DS1 - Zone 2					35.76	177.47	153.72	22.19	15.28		15.66			
	Local Channel - Dedicated - DS1 - Zone 3					49.98	177.47	153.72	22.19	15.28		15.66			
	Interoffice Transport - Dedicated - DS1 Per Mile					107.63	177.47	153.72	22.19	15.28		15.66			
	Interoffice Transport - Dedicated - DS1 Per Facility					0.18									
CALLING NAME (CNAM) SERVICE															
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					60.16	89.27	81.81	16.35	14.44		15.66			
	CNAM For DB Owners - Service Establishment			QQV			22.95		21.11						
	CNAM For Non DB Owners - Service Establishment			QQV			22.95		21.11						
	CNAM For DB Owners - Service Provisioning With Point Code														
	Establishment			QQV			990.88	732.84	288.93	197.74					
	CNAM For Non DB Owners - Service Provisioning With Point														
	Code Establishment			QQV			342.33	245.14	275.25	197.74					
	CNAM for DB Owners, Per Query			QQV		0.000902									
	CNAM for Non DB Owners, Per Query			QQV		0.000902									
LNP Query Service															
	LNP Charge Per query														
	LNP Service Establishment Manual						12.52		11.51			15.66			

UNBUNDLED NETWORK ELEMENTS - Alabama																		
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: B				
						Rec	Nonrecurring		Nonrecurring Disconnect			Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- 1st			
							First	Add'l	First							Add'l		
	LNP Service Provisioning with Point Code Establishment																	
OPERATOR CALL PROCESSING	Oper. Call Processing - Oper. Provided, Per Min. - Using BST LDB					1.20												
	Oper. Call Processing - Oper. Provided, Per Min. - Using Foreign LDB					1.24												
	Oper. Call Processing - Fully Automated, per Call - Using BST LDB					0.20												
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LDB					0.20												
INWARD OPERATOR SERVICES	Inward Operator Services - Verification, Per Minute					1.15												
	Inward Operator Services - Verification and Emergency Interrupt - Per Minute					1.15												
BRANDING - OPERATOR CALL PROCESSING	Facility based CLEC																	
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00										
	Loading of Custom Branded OA Announcement per shell/NAV per OCN				CBAOL		500.00	500.00										
UNEP CLEC	Recording of Custom Branded OA Announcement						7,000.00	7,000.00										
	Loading of Custom Branded OA Announcement per shell/NAV per OCN						500.00	500.00										
	Unbranding via OLS for UNEP CLEC						7,000.00	7,000.00										
	Loading of OA per OCN (Regional)						500.00	500.00										
DIRECTORY ASSISTANCE SERVICES	Directory Assistance Services						1,200.00	1,200.00										
DIRECTORY ASSISTANCE ACCESS SERVICE	Directory Assistance Access Service																	
DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0.275												
NUMBER SERVICES INTERCEPT ACCESS SERVICE	Number Services Intercept Access Service					0.10												
DIRECTORY ASSISTANCE SERVICES	Directory Assistance Services																	
DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)	Directory Assistance Data Base Service Charge Per Listing					0.04												
DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)	Directory Assistance Data Base Service, per month				DBSOF	150.00												
BRANDING - DIRECTORY ASSISTANCE	Facility Based CLEC																	
	Recording and Provisioning of DA Custom Branded Announcement				CBADA		6,000.00	6,000.00										
	Loading of Custom Branded Announcement per DRAM Card/Switch				CBADC		1,170.00	1,170.00										
UNEP CLEC	Recording of DA Custom Branded Announcement						3,000.00	3,000.00										
	Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN						1,170.00	1,170.00										
Unbranding via OLS for UNEP CLEC	Loading of DA per OCN (1 OCN per Order)						420.00	420.00										
	Loading of DA per Switch per OCN						16.00	16.00										
SELECTIVE ROUTING	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		84.70	84.70	14.11	14.11								
VIRTUAL COLLOCATION	Virtual Collocation - Application Cost				EAF		1,205.26	1,205.26	0.51	0.51								
	Virtual Collocation - Cable Installation Cost, per cable				ESPCX		859.71	859.71	22.49	22.49								
	Virtual Collocation - Floor Space, per sq. ft.				ESPPX	3.22												
	Virtual Collocation - Power, per fused amp				ESPAX	7.83												
	Virtual Collocation - Cable Support Structure, per entrance cable				ESPSX	14.97												

UNBUNDLED NETWORK ELEMENTS - Alabama																
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: B		
						Rec	Nonrecurring		Nonrecurring First			Discontinued Add'l	OSS Rates(\$)		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st
							First	Add'l					SOMAN	SOMAN		
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,AMTFS,UDL, UNCVX,UNCDX, UNCNK	UEAC2	0.03	12.30	11.80	6.03	5.44	15.66					
	Virtual Collocation - 2-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, AMTFS,UAL,UDN, UNCVX,UNCDX UDLO3,UT748, UIT12,UIT03, ULDO3,ULD12, ULD48,UDF	UEAC4	0.05	12.39	11.87	6.39	5.73	15.66					
	Virtual Collocation - 4-wire Cross Connects (loop)			AMTFS,UDL12, UDLO3,UT748, UIT12,UIT03, ULDO3,ULD12, ULD48,UDF	CNC2F	2.84	20.89	15.20	7.39	5.82	15.66					
	Virtual Collocation - 2-Fiber Cross Connects			AMTFS,UDL12, UDLO3,UT748, UIT12,UIT03, ULDO3,ULD12, ULD48,UDF	CNC4F	5.89	25.55	19.86	9.71	8.25	15.66					
	Virtual Collocation - 4-Fiber Cross Connects			USL,UCL,AMTFS, ULC,UXTD1, UNCXK,ULDD1, UITD1,USLEL, UNLD1	CNC1X	1.11	22.03	15.93	6.40	5.79	15.66					
	Virtual collocation - DS1 Cross Connects			USL,UCL,AMTFS,U E3,UITD3,UXTS1, UXTD3,UNC3X, UNC3X,ULD03, UIT51,ULD51, UDLSX,UNLD3	CND3X	14.16	20.89	15.20	7.39	5.92	15.66					
	Virtual collocation - DS3 Cross Connects			AMTFS	VE1CB	0.0028										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	VE1CD	0.0038										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CC		535.37				15.66					
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CE		535.37				15.66					
	Cable Support Structure, per cable			AMTFS	VE1BA		1,518.57	1,518.57	265.99	265.99	15.66					
	Virtual Collocation Cable Records - per request			AMTFS	VE1BB		653.83	653.83	378.24	378.24	15.66					
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BC		9.82	9.82	11.79	11.79	15.66					
	Virtual Collocation Cable Records - DS1, per T1TIE 100 pair			AMTFS	VE1BD		4.50	4.50	5.52	5.52	15.66					
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		15.75	15.75	19.32	19.32	15.66					
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		168.97	168.97	154.25	154.25	15.66					
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		16.93	16.93	10.73	10.73	15.66					
	Virtual collocation - Security Escort - Overline, per half hour			AMTFS	SPTOX		22.05	22.05	13.86	13.86	15.66					
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		27.17	27.17	18.98	18.98	15.66					
	Virtual collocation - Maintenance In CO - Basic, per half hour			AMTFS	CTRLX		27.63	27.63	10.73	10.73	15.66					
	Virtual collocation - Maintenance In CO - Overline, per half hour			AMTFS	SPTOM		36.47	36.47	13.86	13.86	15.66					
	Virtual collocation - Maintenance In CO - Premium per half hour			AMTFS	SPTPM		45.02	45.02	18.98	18.98	15.66					
VIRTUAL COLLOCATION	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEFSR	VE1R2	0.03	12.30	11.80	6.03	5.44	15.66					

UNBUNDLED NETWORK ELEMENTS - Alabama																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec par LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: B		
						Rec	Nonrecurring		Nonrecurring First			Disconnect Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
							First	Add'l								
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus			UEPSP	VEIR2	0.03	12.30	11.80	6.03	5.44						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VEIR2	0.03	12.30	11.80	6.03	5.44						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VEIR2	0.03	12.30	11.80	6.03	5.44						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPSX	VEIR2	0.03	12.30	11.80	6.03	5.44						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTY	VEIR2	0.03	12.30	11.80	6.03	5.44						
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VEIR4	0.05	12.39	11.87	6.39	5.44						
	VIRTUAL COLOCATION															
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44						
	PHYSICAL COLOCATION															
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44						
	AIN SELECTIVE CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		101,098.91		8,590.70							
	End Office Establishment			SRC	SRCEO		169.88		1.70	1.70						
	Query NRC, per query			SRC		0.002749										
	AIN - BELL SOUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			AIN	CANSE		39.44	39.44	40.69	40.69						
	AIN SMS Access Service - Port Connection - Dial/Shared Access			AIN	CAMPD		7.83	7.83	9.09	9.09						
	AIN SMS Access Service - Port Connection - ISDN Access			AIN	CANIP		7.83	7.83	9.09	9.09						
	AIN SMS Access Service - User Identification Codes - Per User ID Code			AIN	CANAU		35.00	35.00	27.08	27.08						
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			AIN	CANRC		41.88	41.88	11.71	11.71						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.002188										
	AIN SMS Access Service - Session, Per Minute					0.59										
	AIN SMS Access Service - Company Performed Session, Per Minute					0.73										
	AIN - BELL SOUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		39.44	39.44	40.69	40.69						
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,202.17	4,202.17								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term, Attempt				BAPT		7.83	7.83	9.09	9.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		7.83	7.83	9.09	9.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		7.83	7.83	9.09	9.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PDP				BAPTO		34.47	34.47	14.38	14.38						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		34.47	34.47	14.38	14.38						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		34.47	34.47	14.38	14.38						
	AIN Toolkit Service - Query Charge, Per Query					0.05										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.00592										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.05										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS	10.17	7.83	7.83	5.50	5.50						

UNBUNDLED NETWORK ELEMENTS - Alabama

CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: B	
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First			Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
	AN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	2.87	8.66	8.66							
	AN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS	7.39	7.83	7.83	5.50	5.50					
	AN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription			CAM	BAPES	0.10	8.66	8.66							
ENHANCED EXTENDED LINK (EEL)															
NOTE: NEW EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL;															
NOTE: Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As is Charge.															
NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As is Charge applies to currently combined facilities converted to UNEs (Non-recurring rates do not apply.)															
2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 2-Wire VG Loop (SL2) in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44	15.66				
	First 2-Wire VG Grade Loop (SL2) in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44	15.66				
	First 2-Wire VG Grade Loop (SL2) in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	38.14	88.00	55.00	47.24	7.44	15.66				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNCVX	1L5XX	0.18					15.66				
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNCVX	U1TF1	60.16	89.27	81.81	16.35	14.44	15.66				
	DS1 Channelization System Per Month			UNCVX	MO1	107.19	91.04	82.57	10.54	9.79	15.66				
	Voice Grade COCI - DS1 to DS0 Interface - Per Month			UNCVX	1D1VG	0.56	8.66	4.72			15.66				
	Each Additional 2-Wire VG Loop (SL2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44	15.66				
	Each Additional 2-Wire VG Loop (SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44	15.66				
	Each Additional 2-Wire VG Loop (SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	38.14	88.00	55.00	47.24	7.44	15.66				
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.56	8.66	4.72			15.66				
	Nonrecurring Currently Combined Network Elements Switch - As is Charge			UNCVX	UNCCC		5.59	5.59	6.98	6.98	15.66				
4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50	15.66				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50	15.66				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50	15.66				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per Month			UNCVX	1L5XX	0.18					15.66				
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNCVX	U1TF1	60.16	89.27	81.81	16.35	14.44	15.66				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNCVX	MO1	107.19	91.04	82.57	10.54	9.79	15.66				
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.56	8.66	4.72			15.66				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50	15.66				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50	15.66				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50	15.66				
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.56	8.66	4.72			15.66				

UNBUNDLED NETWORK ELEMENTS - Alabama

CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Attachment: 2		Exhibit: B			
						Rec	Nonrecurring		Disconnect Add'l		SOME	SOMAN	OSS Rate(\$) SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							First	Add'l								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC			5.59	5.59	6.98	6.98		15.66			
4-WIRE 64 Kbps EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1		UNC1X	UDL66	28.09	128.27	88.80	59.14	14.50			15.66			
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2		UNC1X	UDL66	35.95	128.27	88.80	59.14	14.50			15.66			
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3		UNC1X	UDL66	37.88	128.27	88.80	59.14	14.50			15.66			
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.18							15.66			
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44			15.66			
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	107.19	91.04	62.57	10.54	9.79			15.66			
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UNC1X	1D1DD	1.19	6.58	4.72					15.66			
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1		UNC1X	UDL66	28.09	128.27	88.80	59.14	14.50			15.66			
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2		UNC1X	UDL66	35.95	128.27	88.80	59.14	14.50			15.66			
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3		UNC1X	UDL66	37.88	128.27	88.80	59.14	14.50			15.66			
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs)			UNC1X	1D1DD	1.19	6.58	4.72					15.66			
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98			15.66			
4-WIRE 64 Kbps EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1		UNC1X	UDL64	28.09	128.27	88.80	59.14	14.50			15.66			
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2		UNC1X	UDL64	35.95	128.27	88.80	59.14	14.50			15.66			
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3		UNC1X	UDL64	37.88	128.27	88.80	59.14	14.50			15.66			
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.18							15.66			
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44			15.66			
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	107.19	91.04	62.57	10.54	9.79			15.66			
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNC1X	1D1DD	1.19	6.58	4.72					15.66			
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1		UNC1X	UDL64	28.09	128.27	88.80	59.14	14.50			15.66			
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2		UNC1X	UDL64	35.95	128.27	88.80	59.14	14.50			15.66			
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3		UNC1X	UDL64	37.88	128.27	88.80	59.14	14.50			15.66			
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNC1X	1D1DD	1.19	6.58	4.72					15.66			
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98			15.66			
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1	1		UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71			15.66			

UNBUNDLED NETWORK ELEMENTS - Alabama																
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Elec per LSR	Attachment: 2		Exhibit: B		
						Nonrecurring		Disconnect Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st			Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st			
						First	Add'l		SOMAN	SOMAN				SOMAN	SOMAN	
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71	15.68					
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71	15.68					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1LSXX	0.18					15.68					
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44	15.68					
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNC1X	UNCOC		5.59	5.59	6.98	6.98	15.68					
											15.68					
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
	First DS1 Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71	15.68					
	First DS1 Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71	15.68					
	First DS1 Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71	15.68					
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1LSXX	4.09					15.68					
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	703.52	278.75	192.76	60.20	58.46	15.68					
	DS3 to DS1 Channel System combination per month			UNC3X	UCQ3	176.20	178.14	93.97	33.28	31.83	15.68					
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 1			UNC1X	UC1D1	13.47	6.59	4.72			15.68					
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71	15.68					
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71	15.68					
	DS3 Interoffice Unit (DS1 COC) combination per month			UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71	15.68					
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNC1X	UC1D1	13.47	6.59	4.72			15.68					
				UNC3X	UNCOC		5.59	5.59	6.98	6.98	15.68					
											15.68					
	2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44	15.68					
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44	15.68					
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44	15.68					
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1LSXX	0.008938					15.68					
	Interoffice Transport - Dedicated - 2-Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90	15.68					
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNCVX	UNCOC		5.59	5.59	6.98	6.98	15.68					
											15.68					
	4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50	15.68					
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	36.58	131.97	94.51	59.14	14.50	15.68					
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50	15.68					
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1LSXX	0.008938					15.68					
	Interoffice Transport - Dedicated - 4-Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90	15.68					

UNBUNDLED NETWORK ELEMENTS - Alabama														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: B	
						Rec	Nonrecurring		Disconnect Add'l		OSS Rates(\$)		Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
							First	Add'l			SOMAN	SOMAN		
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge			UNCVX	UNCCC			5.59	5.59	6.98	6.98	15.66	15.66	15.66
	DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)											15.66	15.66	
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNCSX	1L5ND	8.89						15.66	15.66	
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month			UNCSX	UE3PX	327.71	451.52	263.94	119.49	83.58	15.66	15.66	15.66	
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNCSX	1L5XX	4.09					15.66	15.66	15.66	
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNCSX	U1TF3	703.52	278.75	162.76	60.20	58.46	15.66	15.66	15.66	
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98	15.66	15.66	15.66	
	ST31 DIGITAL EXTENDED LOOP WITH DEDICATED ST31 INTEROFFICE TRANSPORT (EEL)											15.66	15.66	
	High Capacity Unbundled Local Loop - ST31 combination - Per Mile per month			UNCSX	1L5ND	8.89						15.66	15.66	
	High Capacity Unbundled Local Loop - ST31 combination - Facility Termination per month			UNCSX	UDLS1	339.21	451.52	263.94	119.49	83.58	15.66	15.66	15.66	
	Interoffice Transport - Dedicated - ST31 combination - Per Mile per month			UNCSX	1L5XX	4.09					15.66	15.66	15.66	
	Interoffice Transport - Dedicated - ST31 combination - Facility Termination per month			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46	15.66	15.66	15.66	
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98	15.66	15.66	15.66	
	2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)											15.66	15.66	
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination				U1L2X	21.88	117.24	79.77	52.88	10.54	15.66	15.66	15.66	
	Transport - Zone 1	1	UNCNK		U1L2X	32.85	117.24	79.77	52.88	10.54	15.66	15.66	15.66	
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination				U1L2X	48.55	117.24	79.77	52.88	10.54	15.66	15.66	15.66	
	Transport - Zone 2	2	UNCNK		U1L2X	0.18					15.66	15.66	15.66	
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination				U1TF1	80.16	89.27	81.81	16.35	14.44	15.66	15.66	15.66	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNCIX	MQ1	107.19	91.04	62.57	10.54	9.79	15.66	15.66	15.66	
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNCIX	UCICA	2.56	6.58	4.72			15.66	15.66	15.66	
	Channelization - Channel System DS1 to DS0 combination - per month			UNCIX	U1L2X	21.88	117.24	79.77	52.88	10.54	15.66	15.66	15.66	
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCIX	U1L2X	32.85	117.24	79.77	52.88	10.54	15.66	15.66	15.66	
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCNK		U1L2X	48.55	117.24	79.77	52.88	10.54	15.66	15.66	15.66	
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCNK		U1L2X	0.18					15.66	15.66	15.66	
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCNK		U1L2X	80.16	89.27	81.81	16.35	14.44	15.66	15.66	15.66	
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNK	UCICA	2.56	6.58	4.72			15.66	15.66	15.66	
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge			UNCIX	UNCCC		5.59	5.59	6.98	6.98	15.66	15.66	15.66	
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED ST31 INTEROFFICE TRANSPORT (EEL)											15.66	15.66	
	First DS1 Loop in ST31 Interoffice Transport Combination - Zone 1	1	UNCIX		USLXX	82.65	252.47	157.54	44.70	11.71	15.66	15.66	15.66	
	First DS1 Loop in ST31 Interoffice Transport Combination - Zone 2	2	UNCIX		USLXX	154.18	252.47	157.54	44.70	11.71	15.66	15.66	15.66	
	First DS1 Loop in ST31 Interoffice Transport Combination - Zone 3	3	UNCIX		USLXX	314.52	252.47	157.54	44.70	11.71	15.66	15.66	15.66	

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
						Rec	Nonrecurring First	Nonrecurring Add'l			SOMECH	SOMAN	SOMAN
	Interface Transport - Dedicated - STS1 combination - Per Mile			UNCSX	1L5XX	4.09					15.66		
	Interface Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	701.37	278.75	162.76	59.46		15.66		
	STS1 to DS1 Channel System combination per month			UNCSX	U1TFS	176.20	176.14	93.97	31.83		15.66		
	DS1 Interface Unit (DS1 COC) combination per month			UNCSX	U1TFS	13.47	6.58	4.72			15.66		
	Additional DS1 Loop in STS1 Interface Transport Combination - Zone 1		1	UNCSX	U1TFS	82.55	252.47	167.54	11.71		15.66		
	Additional DS1 Loop in STS1 Interface Transport Combination - Zone 2		2	UNCSX	U1TFS	154.16	252.47	167.54	11.71		15.66		
	Additional DS1 Loop in STS1 Interface Transport Combination - Zone 3		3	UNCSX	U1TFS	314.52	252.47	167.54	11.71		15.66		
	DS1 Interface Unit (DS1 COC) combination per month			UNCSX	U1TFS	13.47	6.58	4.72			15.66		
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNCSX	U1TFS		5.59	5.59	6.98		15.66		
	4-WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH 56 Kbps INTEROFFICE TRANSPORT (EEL)												
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport												
	Combination - Zone 1		1	UNCSX	U1TFS	26.09	126.27	88.80	14.50		15.66		
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport												
	Combination - Zone 2		2	UNCSX	U1TFS	35.95	126.27	88.80	14.50		15.66		
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport												
	Combination - Zone 3		3	UNCSX	U1TFS	37.88	126.27	88.80	14.50		15.66		
	Interface Transport - Dedicated - 4-wire 56 kbps combination - Per Mile			UNCSX	U1TFS	0.008838					15.66		
	Interface Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCSX	U1TFS	15.12	40.54	27.41	6.90		15.66		
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNCSX	U1TFS		5.59	5.59	6.98		15.66		
	4-WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH 64 Kbps INTEROFFICE TRANSPORT (EEL)												
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport												
	Combination - Zone 1		1	UNCSX	U1TFS	26.09	126.27	88.80	14.50		15.66		
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport												
	Combination - Zone 2		2	UNCSX	U1TFS	35.95	126.27	88.80	14.50		15.66		
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport												
	Combination - Zone 3		3	UNCSX	U1TFS	37.88	126.27	88.80	14.50		15.66		
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCSX	U1TFS	0.008838					15.66		
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCSX	U1TFS	15.12	40.54	27.41	6.90		15.66		
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNCSX	U1TFS		5.59	5.59	6.98		15.66		
	ADDITIONAL NETWORK ELEMENTS												
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. When used as an ordinarily combined network element in Tennessee, the non-recurring charges apply and the Switch As Is charge does not.												
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)												
	Is Charge - 2 wire/4-wire VG			UNCSX	U1TFS	5.59	5.59	5.59	6.98		15.66		
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge - 60/64 kbps			UNCSX	U1TFS	5.59	5.59	5.59	6.98		15.66		
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge - DS1			UNCSX	U1TFS	5.59	5.59	5.59	6.98		15.66		
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge - DS3			UNCSX	U1TFS	5.59	5.59	5.59	6.98		15.66		
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge - STS1			UNCSX	U1TFS	5.59	5.59	5.59	6.98		15.66		
	NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3-one month, DS3 and above-four months			UNCSX	U1TFS	5.59	5.59	5.59	6.98		15.66		

UNBUNDLED NETWORK ELEMENTS - Alabama

UNBUNDLED NETWORK ELEMENTS - Alabama														
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Manually Elec per LSR	Attachment: 2		Exhibit: B
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect Add'l	SOMECH	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- 1st
	Local Channel - Dedicated - 2-Wire Voice Grade			UNCXV	ULDV2	13.97	193.10	33.17	36.64		15.66			
	Local Channel - Dedicated - 4-Wire Voice Grade			UNCXV	ULDV4	14.93	193.53	33.60	37.11		15.66			
	Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDF1	35.76	177.47	153.72	22.19		15.66			
	Local Channel - Dedicated - DS1 per month Zone 2		2	UNC1X	ULDF1	49.98	177.47	153.72	22.19		15.66			
	Local Channel - Dedicated - DS1 per month Zone 3		3	UNC1X	ULDF1	107.63	177.47	153.72	22.19		15.66			
	Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	ULNKC	6.92								
	Local Channel - Dedicated - DS3 - Facility Termination			UNC3X	ULDF3	416.64	451.52	263.94	83.58		15.66			
	Local Channel - Dedicated - STS-1 - Per Mile per month			UNC3X	ULNKC	5.51								
	Local Channel - Dedicated - STS-1 - Facility Termination			UNC3X	ULDFS	872.27	483.08	204.38	60.20		15.66			
	Optional Features & Functions:													
	MULTIPLXERS													
	Channelization - DS1 to DS0 Channel System			UXTD1		101.06	91.04	62.57	10.54		15.66			
	OC3-DP COCI (date) - DS1 to DS0 Channel System - per month (2.44kbps)			UDL	ID1DD	1.12	6.58	4.72			15.66			
	2-Wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month			UDN	UC1CA	2.41	6.58	4.72			15.66			
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	ID1VG	0.63	6.58	4.72			15.66			
	DS3 to DS1 Channel System per month			UXTD3	MQ3	168.13	178.14	93.97	31.93		15.66			
	STS1 to DS1 Channel System per month			UXTS1	MQ3	168.13	178.14	93.97	31.93		15.66			
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	12.70	6.58	4.72			15.66			
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	12.70	6.58	4.72			15.66			
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per month			U1TD1	UC1D1	12.70	6.58	4.72			15.66			
	UNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)													
	Exchange Ports													
	NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs													
	2-WIRE VOICE GRADE LINE PORT RATES (RES)													
	Exchange Ports - 2-Wire Analog Line Port - Res.			UEPSR	UEPRL	1.38	2.38	2.27	1.42		15.66			
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.38	2.38	2.27	1.42		15.66			
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.38	2.38	2.27	1.42		15.66			
	Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Res.			UEPSR	UEPAR	1.38	2.38	2.27	1.42		15.66			
	Exchange Ports - 2-Wire VG unbundled res. low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.38	2.38	2.27	1.42		15.66			
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00			15.66			
	FEATURES													
	All Available Vertical Features			UEPSR	UEPVF	1.98	0.00	0.00			15.66			
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)													
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1.38	2.38	2.27	1.42		15.66			
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.38	2.38	2.27	1.42		15.66			
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.38	2.38	2.27	1.42		15.66			
	Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus.			UEPSB	UEPAW	1.38	2.38	2.27	1.42		15.66			
	Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.38	2.38	2.27	1.42		15.66			
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00			15.66			
	FEATURES													
	All Available Vertical Features			UEPSB	UEPVF	1.98	0.00	0.00			15.66			
	EXCHANGE PORT RATES (DID & PBX)													
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.38	31.27	14.65	13.94		15.66			
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.38	31.27	14.65	13.94		15.66			
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.38	31.27	14.65	13.94		15.66			

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment: 2		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interim	BCS	USOC	RATES(\$)					Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	SOMEC	SOMAN	SOMAN	SOMAN
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus												
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus												
	2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port												
	2-Wire Voice Unbundled PBX LD Terminal Ports												
	2-Wire Voice Unbundled 2-Way PBX Usage Port												
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports												
	2-Wire Voice Unbundled PBX LD DDD Terminal Hotel Ports												
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port												
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD												
	Capable Port												
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy												
	Administrative Calling Port												
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy												
	Room Calling Port												
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital												
	Discount Room Calling Port												
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port												
	Subsequent Activity												
	FEATURES												
	All Available Vertical Features												
	EXCHANGE PORT RATES (CON)												
	Exchange Ports - Con Port												
	Exchange Ports - 2-Wire DID Port												
	Exchange Ports - DOTS Port - 4-Wire DSI Port with DID capability												
	Exchange Ports - 2-Wire ISDN Port (See Notes below)												
	All Features Offered												
	NOTE: Transmission/usage charges associated with POT's circuit switched usage will also apply to circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.												
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.												
	UNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)												
	EXCHANGE PORT RATES												
	Exchange Ports - 2-Wire DID Port												
	Exchange Ports - DOTS Port - 4-Wire DSI Port with DID capability												
	Exchange Ports - 2-Wire ISDN Port (See Notes below)												
	All Features Offered												
	NOTE: Transmission/usage charges associated with POT's circuit switched usage will also apply to circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.												
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.												
	UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE												
	Unbundled Remote Call Forwarding Service, Area Calling, Res												
	Unbundled Remote Call Forwarding Service, Local Calling - Res												
	Unbundled Remote Call Forwarding Service, IntraLATA - Res												
	Unbundled Remote Call Forwarding Service, InterLATA - Res												
	Non-Recurring												
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is												
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)												
	UNBUNDLED REMOTE CALL FORWARDING - BUS												
	Unbundled Remote Call Forwarding Service, Area Calling - Bus												
	Unbundled Remote Call Forwarding Service, Local Calling - Bus												
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus												
	Unbundled Remote Call Forwarding Service, InterLATA - Bus												
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling												
	Non-Recurring												
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is												

UNBUNDLED NETWORK ELEMENTS - Alabama																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: B		
						Rec	Nonrecurring		Nonrecurring Disconnect Add'l			Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
							First	Add'l								
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIG)															
UNBUNDLED LOCAL SWITCHING, PORT USAGE	End Office Switching (Port Usage)															
	End Office Switching Function, Per MOU															
	End Office Trunk Port - Shared, Per MOU															
	Tandem Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU															
	Tandem Trunk Port - Shared, Per MOU															
	Common Transport															
	Common Transport - Per Mile, Per MOU															
	Common Transport - Facilities Termination Per MOU															
	Common Transport - Facilities Termination Per MOU															
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES	Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Standard Unbundled Port section of this Rate Exhibit. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations. For Alabama, Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combs. The first and additional Port nonrecurring charges apply to Not Currently Combined Combs for all states. In AL, GA, KY, LA, MS, SC and TN these nonrecurring charges are commission ordered cost based rates and in FL and NC these nonrecurring charges are Market Rates and are also listed in the Market Rate section. For Currently Combined Combs in all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.															
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1														
	2-Wire VG Loop/Port Combo - Zone 2	2														
	2-Wire VG Loop/Port Combo - Zone 3	3														
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX		UEPLX	11.55										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX		UEPLX	20.04										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX		UEPLX	33.65										
2-Wire Voice Grade Line Port Rates (Res)	2-Wire voice unbundled port - residence															
	2-Wire voice unbundled port with Caller ID - res															
	2-Wire voice unbundled port outgoing only - res															
	2-Wire voice grade unbundled Alabama extended local dialing party port with Caller ID - res															
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)															
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)															
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)															
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)															
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)															
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)															
FEATURES	All Features Offered															
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)															
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is															
	ADDITIONAL NRCS															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity															
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1														
2-Wire VG Loop/Port Combo - Zone 2	2															
2-Wire VG Loop/Port Combo - Zone 3	3															
UNE Loop Rates	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX		UEPLX	11.55										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX		UEPLX	20.04										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX		UEPLX	33.65										
	2-Wire Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus															
	2-Wire voice unbundled port with Caller + E464 ID - bus															
	2-Wire voice unbundled port outgoing only - bus															
	2-Wire voice unbundled port outgoing only - bus															
	2-Wire voice unbundled port outgoing only - bus															
	2-Wire voice unbundled port outgoing only - bus															

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: B	
						Nonrecurring		Nonrecurring Disconnect				Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- 1st
						Rec	Add'l	First	Add'l						
	2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - bus														
	2-Wire voice unbundled incoming only port with Caller ID - Bus														
	LOCAL NUMBER PORTABILITY														
	Local Number Portability (1 per port)														
	FEATURES														
	All Features Offered														
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is														
	ADDITIONAL NRCs														
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity														
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)														
	UNE Port Loop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1	1													
	2-Wire VG Loop/Port Combo - Zone 2	2													
	2-Wire VG Loop/Port Combo - Zone 3	3													
	UNE Loop Rates														
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1													
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2													
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3													
	2-Wire Voice Grade Line Port Rates (RES - PBX)														
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res														
	LOCAL NUMBER PORTABILITY														
	Local Number Portability (1 per port)														
	FEATURES														
	All Features Offered														
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is														
	ADDITIONAL NRCs														
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity														
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group														
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)														
	UNE Port Loop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1	1													
	2-Wire VG Loop/Port Combo - Zone 2	2													
	2-Wire VG Loop/Port Combo - Zone 3	3													
	UNE Loop Rates														
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1													
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2													
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3													
	2-Wire Voice Grade Line Port Rates (BUS - PBX)														
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus														
	Line Side Unbundled Outward PBX Trunk Port - Bus														
	Line Side Unbundled Incoming PBX Trunk Port - Bus														
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama														
	Calling Port														
	2-Wire Voice Unbundled PBX LD Terminal Ports														
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port														
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports														
	2-Wire Voice Unbundled PBX LD DDD Terminal Ports														
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port														

UNBUNDLED NETWORK ELEMENTS - Alabama																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: B		
						Rec	Nonrecurring		Nonrecurring First			Disconnect Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
							First	Add'l								
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX		1.15	69.08	32.41	37.43	6.20	15.66					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX		1.15	69.08	32.41	37.43	6.20	15.66					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX		1.15	69.08	32.41	37.43	6.20	15.66					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX		1.15	69.08	32.41	37.43	6.20	15.66					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX		1.15	69.08	32.41	37.43	6.20	15.66					
	LOCAL NUMBER PORTABILITY			UEPPX		3.15	0.00	0.00			15.66					
	Local Number Portability (1 per port)			UEPPX		1.98	0.00	0.00			15.66					
	FEATURES			UEPPX												
	All Features Offered			UEPPX												
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED			UEPPX												
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversation - Switch-As-Is			UEPPX			7.91	1.90			15.66					
	ADDITIONAL NRCS			UEPPX												
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX		0.00	0.00	0.00			15.66					
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group			UEPPX			7.32	7.32			15.66					
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
	UNE Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo - Zone 1	1				12.70										
	2-Wire VG Coin Port/Loop Combo - Zone 2	2				21.19										
	2-Wire VG Coin Port/Loop Combo - Zone 3	3				34.60										
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	1		UEPCO		11.55										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2		UEPCO		20.04										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3		UEPCO		33.65										
	2-Wire Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)			UEPCO		1.15	40.19	19.83	24.91	6.63	15.66					
	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO		1.15	40.18	19.83	24.91	6.63	15.66					
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 800/978, 1+DDD (AL, KY, LA, MS)			UEPCO		1.15	40.19	19.83	24.91	6.63	15.66					
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)			UEPCO		1.15	40.19	19.83	24.91	6.63	15.66					
	2-Wire Coin 2-Way with Operator Screening & Blocking: 800/978, 1+DDD, 011*, & Local (AL, KY, LA, MS)			UEPCO		1.15	40.19	19.83	24.91	6.63	15.66					
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO		1.15	40.19	19.83	24.91	6.63	15.66					
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/978, 1+DDD (AL, KY, LA, MS)			UEPCO		1.15	40.19	19.83	24.91	6.63	15.66					
	2-Wire Coin Outward Operator Screening & Blocking: 800/978, 1+DDD, 011*, and Local (AL, KY, LA, MS)			UEPCO		1.15	40.19	19.83	24.91	6.63	15.66					
	2-Wire 2-Way Smartline with 800/978 (all states except LA)			UEPCO		1.15	40.19	19.83	24.91	6.63	15.66					
	2-Wire Coin Outward Smartline with 800/978 (all states except LA)			UEPCO		1.15	40.19	19.83	24.91	6.63	15.66					
	ADDITIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO		1.56	40.19	19.83	24.91	6.63	15.66					
	LOCAL NUMBER PORTABILITY			UEPCO		0.35										
	Local Number Portability (1 per port)			UEPCO												
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversation - Switch-as-is			UEPCO			0.10	0.10			15.66					
	ADDITIONAL NRCS															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO			0.00	0.00			15.66					

UNBUNDLED NETWORK ELEMENTS - Alabama													
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Charge - Manual Svc Order vs. Electronic- Disc 1st Add'l	Exhibit: B Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st Add'l
	User Terminal Profile (EWSD only)			UEPPB UEPPR	UTUNA	Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOMECH	SOMAN	SOMAN	SOMAN
	VERTICAL FEATURES			UEPPB UEPPR	UTUNA	- 0.00	0.00	0.00					
	All Vertical Features - One per Channel B User Profile			UEPPB UEPPR	UEPVF	1.98	0.00	0.00					
	INTEROFFICE CHANNEL MILEAGE												
	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB UEPPR	MTGNC	21.14	40.54	27.41	16.74				
	Interoffice Channel mileage each, additional mile			UEPPB UEPPR	MTGNM	0.008838	0.00	0.00	6.90		0.00		
	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT												
	UNE Port Loop Combination Rates												
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP		168.87							
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP		238.50							
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP		398.85							
	UNE Loop Rates												
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	82.55							
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	154.18							
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	314.52							
	UNE Port Rate												
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	84.32	458.28	289.10	31.77		15.66		
	NONRECURRING CHARGES - CURRENTLY COMBINED												
	4-Wire DS1 Digital Loop - 4-Wire ISDN DS1 Digital Trunk Port			UEPPP	USACP	0.00	119.07	78.58			15.66		
	Combination - Conversion - Switch-as-is												
	ADDITIONAL NRCS												
	4-Wire DS1 Loop/4W ISDN Digit Trk Port - Subseqt Activ-Inward/way tel not within Std Allowance (except NC)			UEPPP	PR7TF		0.49						
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		11.51						
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7TZ		23.02						
	LOCAL NUMBER PORTABILITY												
	Local Number Portability (1 per port)			UEPPP	LNFCN	1.75							
	INTERFACE (Preveloning Only)												
	Voice/Data			UEPPP	PR7IV	0.00	0.00	0.00					
	Digital Data			UEPPP	PR7ID	0.00	0.00	0.00					
	Inward Data			UEPPP	PR7IE	0.00	0.00	0.00					
	New or Additional "B" Channel			UEPPP	PR7BV	0.00	14.53						
	New or Additional - Voice/Data B Channel			UEPPP	PR7BF	0.00	14.53						
	New or Additional - Digital Data B Channel			UEPPP	PR7BD	0.00	14.53						
	New or Additional Inward Data B Channel			UEPPP	PR7C1	0.00	0.00	0.00					
	CALL TYPES			UEPPP	PR7C0	0.00	0.00	0.00					
	Inward			UEPPP	PR7CC	0.00	0.00	0.00					
	Outward			UEPPP	LNIA	60.32	89.27	61.81	16.35		15.66		
	Two-way			UEPPP	LNIB	0.16			14.44				
	Interoffice Channel Mileage												
	Fixed Each Including First Mile			UEPPC		142.64							
	Each Airline-Fractional Additional Mile			UEPPC		214.28							
	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT												
	UNE Port Loop Combination Rates												
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPPC		142.64							
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPPC		214.28							
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPPC		374.61							
	UNE Loop Rates												
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPC	USLDC	82.55							
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPC	USLDC	154.18							
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPC	USLDC	314.52							
	UNE Port Rate												
	4-Wire DDITS Digital Trunk Port			UEPPC	UDDIT	80.09	454.49	253.23	117.29		15.66		

UNBUNDLED NETWORK ELEMENTS - Alabama																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: B		
						Nonrecurring First	Add'l	Nonrecurring First	Add'l			Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	
																SOME
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is				UEPDC	USAC4	129.49	87.02			15.66					
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes				UEPDC	USAWA	129.49	87.02			15.66					
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk				UEPDC	USAWB	129.49	87.02			15.66					
	ADDITIONAL NRCS															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk				UEPDC	UDTTA	14.48	14.48			15.66					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk				UEPDC	UDTTB	14.48	14.48			15.66					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel															
	Activation/Chan - Inward Trunk without DID				UEPDC	UDTTC	14.48	14.48			15.66					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Chan															
	Activation Per Chan - Inward Trunk with DID				UEPDC	UDTDD	14.48	14.48			15.66					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Chan															
	Activation / Chan - 2-Way DID w User Trans				UEPDC	UDTTE	14.48	14.48			15.66					
	BIPOLAR 8 ZERO SUBSTITUTION															
	8B25 - Superframe Format				UEPDC	CCOSF	0.00	600.00			15.66					
	8B25 - Extended Superframe Format				UEPDC	CCOEF	0.00	600.00								
	Alternate Mark Inversion															
	AMI - Superframe Format				UEPDC	MCOSF	0.00	0.00								
	AMI - Extended Superframe Format				UEPDC	MCOPQ	0.00	0.00								
	Telephone Number/Trunk Group Establishment Charges															
	Telephone Number for 2-Way Trunk Group				UEPDC	UDTGA	0.00									
	Telephone Number for 1-Way Outward Trunk Group				UEPDC	UDTGY	0.00									
	Telephone Number for 1-Way Inward Trunk Group Without DID				UEPDC	UDTIZ	0.00									
	DID Numbers for each Group of 20 DID Numbers				UEPDC	ND4	0.00									
	DID Numbers, Non-consecutive DID Numbers, Per Number				UEPDC	ND5	0.00									
	Reserve Non-Consecutive DID Not.				UEPDC	ND6	0.00									
	Reserve DID Numbers				UEPDC	NDV	0.00									
	Dedicated DS1 (Interoffice Channel Mileage) - FX/FQ for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)				UEPDC	1LNO1	60.16	89.27	81.81	16.35	14.44					
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles				UEPDC	1LNOA	0.16	0.00	0.00							
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)				UEPDC	1LNO2	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles				UEPDC	1LNOB	0.16	0.00	0.00							
	Interoffice Channel Mileage - Fixed rate 26+ miles (Facilities Termination)				UEPDC	1LNO3	0.00	0.00	0.00	0.00						
	Interoffice Channel Mileage - Additional rate per mile - 26+ miles				UEPDC	1LNO4	0.16	0.00	0.00							
	Local Number Portability, per DSO Activated				UEPDC	LNPOC	3.15	0.00	0.00	0.00						
	Central Office Terminating Point				UEPDC	CTG	0.00									
	4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	(System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations)															
	(Each System can have up to 24 combinations of rates depending on type and number of ports used)															
	UNE DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1	1		UEPMG	USLDC	82.55	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2	2		UEPMG	USLDC	164.16	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3	3		UEPMG	USLDC	314.52	0.00	0.00								
	UNE DSO Channelization Capacities (D4 Channel Bank Configurations)															
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	101.40	0.00	0.00								
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	202.80	0.00	0.00								
	96 DSO Channel Capacity - 1 per 4 DS1s			UEPMG	VUM96	405.60	0.00	0.00								
	144 DSO Channel Capacity - 1 per 6 DS1s			UEPMG	VUM144	608.40	0.00	0.00								

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment: 2		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect Add'l	SOMECH	SOMAN	SOMAN	SOMAN
	182 DSO Channel Capacity - 1 per 8 DS1s			UEPMG		811.20	0.00	0.00					
	240 DSO Channel Capacity - 1 per 10 DS1s			UEPMG		1,041.00	0.00	0.00					
	288 DSO Channel Capacity - 1 per 12 DS1s			UEPMG		1,216.80	0.00	0.00					
	384 DSO Channel Capacity - 1 per 16 DS1s			UEPMG		1,622.40	0.00	0.00					
	480 DSO Channel Capacity - 1 per 20 DS1s			UEPMG		2,028.00	0.00	0.00					
	576 DSO Channel Capacity - 1 per 24 DS1s			UEPMG		2,433.60	0.00	0.00					
	672 DSO Channel Capacity - 1 per 28 DS1s			UEPMG		2,839.20	0.00	0.00					
	Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System												
	A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations.												
	Multiple of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.												
	NRC - Conversion (Currently Combined) with or without			UEPMG	USAC4	0.00	150.48	8.36					
	BelSouth Allowed Changes												
	System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and												
	New (Not Currently Combined) in all states, except in Denali Zone 1 of Top 8 MSA's												
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port			UEPMG		0.00	716.11	488.04	148.75	17.65			
	Bipolar & Zero Substitution												
	Clear Channel Capability Format, superframe - Subsequent												
	Activity Only			UEPMG		0.00	0.00	600.00					
	Clear Channel Capability Format - Extended Superframe -												
	Subsequent Activity Only			UEPMG		0.00	0.00	600.00					
	Alternate Mark Inversion (AMI)												
	Superframe Format			UEPMG		0.00	0.00	0.00					
	Extended Superframe Format			UEPMG		0.00	0.00	0.00					
	Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port			UEPMG		0.00	0.00	0.00					
	Exchange Ports												
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX		1.15	0.00	0.00	0.00	0.00			
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX		1.15	0.00	0.00	0.00	0.00			
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX		1.15	0.00	0.00	0.00	0.00			
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX		8.05	0.00	0.00	0.00	0.00			
	2-Wire Channelized PBX Area Ceiling Service Combination Port			UEPPX		1.15	0.00	0.00	0.00	0.00			
	(AL Only)												
	2 Wire Channelized PBX Area Ceiling Service Outgoing Only			UEPPX		1.15	0.00	0.00	0.00	0.00			
	Port (AL Only)												
	Feature Activations - Unbundled Loop Concentration												
	Feature (Service) Activation for each Line Side Port Terminated												
	In D4 Bank			UEPPX		0.66	64.55						
	Feature (Service) Activation for each Trunk Side Port Terminated												
	In D4 Bank			UEPPX		0.56	77.03						
	Telephone Number/Group Establishment Charges for DID Service												
	DID Trunk Termination (1 per Port)			UEPPX		0.00	0.00	0.00					
	DID Numbers - groups of 20 - Valid all States			UEPPX		0.00	0.00	0.00					
	Non-Consecutive DID Numbers - per number			UEPPX		0.00	0.00	0.00					
	Reserve Non-Consecutive DID Numbers			UEPPX		0.00	0.00	0.00					
	Reserve DID Numbers			UEPPX		0.00	0.00	0.00					
	Local Number Portability												
	Local Number Portability - 1 per port			UEPPX		3.15	0.00	0.00					
	Local Number Portability - Vertical and Optional												
	Local Switching Features Offered with Line Side Ports Only												
	All Features Available			UEPPX		1.98	0.00	0.00					
	UNE Loop Rates												
	UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES												
	1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rules to provide Unbundled Local Switching or Switch Ports.												
	2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Standard Unbundled Port section of this Rate Exhibit.												
	3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.												

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Attachment: 2		Exhibit: B		
						Rec	First	Add'l	Nonrecurring Disconnect First	Add'l	SOMAN	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
	4. For Alabama, Georgia, Kentucky, Louisiana, Mississippi, South Carolina, and Tennessee, the recurring UNE Port and Loop charges listed apply to currently combined and not currently combined combs. The first and additional port nonrecurring charges apply to not currently combined combs for all states. In AL, GA, KY, LA, MS, SC, and TN these nonrecurring charges are commission ordered cost based rates and are listed in the Market Rate section. For currently combined combs in all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.														
	5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an individual case basis, until further notice.														
	UNE-P CENTREX - 1AESS - (Valid in AL, GA, KY, LA, MS, & TN only)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
	UNE Port/Loop Combination Rates (Non-Design)														
	Non-Design														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP81		12.70									
	Non-Design		2	UEP81		21.19									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP81		34.80									
	Non-Design														
	UNE Port/Loop Combination Rates (Design)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP81		15.53									
	Design		2	UEP81		24.00									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP81		37.29									
	Design														
	UNE Loop Rate														
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP81	UECS1	11.55									
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP81	UECS1	20.04									
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP81	UECS1	33.65									
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP81	UECS2	14.38									
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP81	UECS2	22.65									
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP81	UECS2	36.14									
	UNE Ports														
	All States (Except North Carolina and South Carolina)														
	2-Wire Voice Grade Port (Centrex) Basic Local Area				UEPVA	1.15	40.18	19.83	24.91	6.63		15.66			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area				UEPVB	1.15	40.19	19.83	24.91	6.63		15.66			
	2-Wire Voice Grade Port (Centrex with Caller ID)Basic Local Area				UEPVH	1.15	40.19	19.83	24.91	6.63		15.66			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center/2 Basic Local Area				UEPYM	1.15	90.38	57.27	48.68	8.77		15.66			
	Term - Basic Local Area				UEPYZ	1.15	90.38	57.27	48.68	8.77		15.66			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area				UEPYB	1.15	40.19	19.83	24.91	6.63		15.66			
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area				UEPV2	1.15	40.19	19.83	24.91	6.63		15.66			
	AL, KY, LA, MS, & TN Only														
	2-Wire Voice Grade Port (Centrex)				UEPOA	1.15	40.19	19.83	24.91	6.63		15.66			
	2-Wire Voice Grade Port (Centrex 800 termination)				UEPOB	1.15	40.19	19.83	24.91	6.63		15.66			
	2-Wire Voice Grade Port (Centrex with Caller ID)				UEPOH	1.15	40.19	19.83	24.91	6.63		15.66			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center/2				UEPOM	1.15	90.38	57.27	48.68	8.77		15.66			
	Term				UEPOZ	1.15	90.38	57.27	48.68	8.77		15.66			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent				UEPOB	1.15	40.19	19.83	24.91	6.63		15.66			
	2-Wire Voice Grade Port Terminated on 800 Service Term				UEPO2	1.15	40.19	19.83	24.91	6.63		15.66			
	Local Switching				UEPCS	0.5488									
	Centrex Intercom Functionality, per port				LNPPC	0.35									
	Local Number Portability				UEPVF	1.98									
	Local Number Portability (1 per port)														
	Features														
	All Standard Features Offered, per port														

UNBUNDLED NETWORK ELEMENTS - Alabama																	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES(\$)				Svc Order/ Submitted Elec per LSR	Svc Order/ Submitted Manually per LSR	Attachment: 2			Exhibit: B		
						Nonrecurring		Nonrecurring Disconnect First	Add'l			Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
						Rec	First			SONEC	SONAN					SONAN	SONAN
	All Select Features Offered, per port				UEP91												
	All Centrex Control Features Offered, per port				UEP91												
NARS					UEP91												
	Unbundled Network Access Register - Combination				UEP91												
	Unbundled Network Access Register - Individual				UEP91												
	Unbundled Network Access Register - Outdial				UEP91												
Miscellaneous Terminations																	
2-Wire Trunk Side																	
	Trunk Side Terminations, each				UEP91												
	Interoffice Channel Mileage - 2-Wire				UEP91												
	Interoffice Channel Facilities Termination - Voice Grade				UEP91												
	Interoffice Channel Mileage, per mile or fraction of mile				UEP91												
Feature Activations (DS9) Centrex Loops on Channelized DS1 Service																	
D4 Channel Bank Feature Activations																	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot				UEP91												
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot				UEP91												
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot				UEP91												
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center				UEP91												
	Feature Activation on D-4 Channel Bank Private Line Loop Slot				UEP91												
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot				UEP91												
Feature Activation on D-4 Channel Bank WATS Loop Slot																	
Non-Recurring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-Ae-is with allowed changes, per port																	
	Conversion of Existing Centrex Common Block				UEP91												
	New Centrex Standard Common Block				UEP91												
	New Centrex Customized Common Block				UEP91												
	Secondary Block, per Block				UEP91												
	NAR Establishment Charge, Per Occasion				UEP91												
	UNE-P CENTREX - 6ESS (Valid in All States)				UEP91												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																
	UNE Port/Loop Combination Rates (Non-Design)																
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1		UEP95												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		2		UEP95												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		3		UEP95												
UNE Port/Loop Combination Rates (Design)																	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1		UEP95												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		2		UEP95												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		3		UEP95												
UNE Loop Rate																	
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1		UEP95												
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2		UEP95												
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3		UEP95												
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1		UEP95												
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2		UEP95												
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3		UEP95												
UNE Port Rate																	

UNBUNDLED NETWORK ELEMENTS - Alabama														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Exhibit: B
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SONEC	SONAN	SONAN	SOMAN
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95		1.15	40.19	19.83	40.19	24.91	6.63	15.68		SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95		1.15	40.19	19.83	40.19	24.91	6.63	15.68		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP95		1.15	40.19	19.83	40.19	24.91	6.63	15.68		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Basic Local Area			UEP95		1.15	40.19	19.83	40.19	24.91	6.63	15.68		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP95		1.15	90.38	57.27	90.38	48.68	8.77	15.68		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95		1.15	90.38	57.27	90.38	48.68	8.77	15.68		
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95		1.15	40.19	19.83	40.19	24.91	6.63	15.68		
	AL, KY, LA, MS, SC, & TN Only			UEP95		1.15	40.19	19.83	40.19	24.91	6.63	15.68		
	2-Wire Voice Grade Port (Centrex)			UEP95		1.15	40.19	19.83	40.19	24.91	6.63	15.68		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95		1.15	40.19	19.83	40.19	24.91	6.63	15.68		
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP95		1.15	40.19	19.83	40.19	24.91	6.63	15.68		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP95		1.15	90.38	57.27	90.38	48.68	8.77	15.68		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP95		1.15	90.38	57.27	90.38	48.68	8.77	15.68		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95		1.15	40.19	19.83	40.19	24.91	6.63	15.68		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95		1.15	40.19	19.83	40.19	24.91	6.63	15.68		
Local Switching	Centrex Intercom Functionality, per port			UEP95		0.5488								
Local Number Portability	Local Number Portability (1 per port)			UEP95		0.35								
Features	All Standard Features Offered, per port			UEP95		1.98								
	All Select Features Offered, per port			UEP95			405.52							
	All Centrex Control Features Offered, per port			UEP95		1.98								
NARS	Unbundled Network Access Register - Combination			UEP95		0.00	0.00	0.00	0.00					
	Unbundled Network Access Register - Initial			UEP95		0.00	0.00	0.00	0.00					
	Unbundled Network Access Register - Outdial			UEP95		0.00	0.00	0.00	0.00					
Miscellaneous Terminations				UEP95										
2-Wire Trunk Side	Trunk Side Terminations, each			UEP95		8.05	119.31	18.74	119.31	59.90	3.76	15.68		
4-Wire Digital (1.544 Megabits)	DS1 Circuit Terminations, each			UEP95		60.09	202.02	95.69	202.02	72.59	2.46	15.68		
	DSO Channels Activated, each			UEP95		0.00	14.46		14.46			15.68		
Interoffice Channel Mileage - 2-Wire	Interoffice Channel Facilities Termination			UEP95		21.13	40.54	27.41	40.54	16.74	6.90	15.68		
	Interoffice Channel mileage, per mile or fraction of mile			UEP95		0.00838								
Feature Activations (DSO) Centrex Loops on Channelized DS1 Service				UEP95										
D4 Channel Bank Feature Activations	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95		0.56								
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95		0.56								
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95		0.56								
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95		0.56								
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95		0.56								
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP95		0.56								
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95		0.56								
Non-Recurring Charges (NRC) Associated with UNE-P Centrex				UEP95		0.56								

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Attachment: 2		Exhibit: B			
						Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st		
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	SOMAN	SOMAN	SOMAN	SOMAN	
	NRC Conversion Currently Combined Switch-Ae-Is with allowed changes, per port							0.10	0.10					15.66	
	Conversion of Existing Centrex Common Block, each				USAC2			37.75	16.66					15.66	
	New Centrex Standard Common Block				UEP95			667.21						15.66	
	New Centrex Customized Common Block				UEP95			667.21						15.66	
	NAR Establishment Charge, Per Occasion				UEP95			72.73						15.66	
	UNE-P CENTREX - DHS100 (Valid in All States)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
	UNE Port/Loop Combination Rates (Non-Design)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9D		12.70									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		2	UEP9D		21.19									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		3	UEP9D		34.80									
	UNE Port/Loop Combination Rates (Design)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9D		15.53									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		2	UEP9D		24.00									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		3	UEP9D		37.29									
	UNE Loop Rate														
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UECS1		11.55									
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UECS1		20.04									
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UECS1		33.65									
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UECS2		14.38									
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UECS2		22.85									
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UECS2		36.14									
	UNE Port Rate														
	ALL STATES														
	2-Wire Voice Grade Port (Centrex) Basic Local Area				UEPYA	1.15	40.19	19.83	24.91	6.63				15.66	
	2-Wire Voice Grade Port (Centrex 800 termination) Basic Local Area				UEPYB	1.15	40.19	19.83	24.91	6.63				15.66	
	2-Wire Voice Grade Port (Centrex / EBS-PSET) Basic Local Area				UEPYC	1.15	40.19	19.83	24.91	6.63				15.66	
	2-Wire Voice Grade Port (Centrex / EBS-M5009) Basic Local Area				UEPYD	1.15	40.19	19.83	24.91	6.63				15.66	
	2-Wire Voice Grade Port (Centrex / EBS-M5209) Basic Local Area				UEPYE	1.15	40.19	19.83	24.91	6.63				15.66	
	2-Wire Voice Grade Port (Centrex / EBS-M5112) Basic Local Area				UEPYF	1.15	40.19	19.83	24.91	6.63				15.66	
	2-Wire Voice Grade Port (Centrex / EBS-M5312) Basic Local Area				UEPYG	1.15	40.19	19.83	24.91	6.63				15.66	
	2-Wire Voice Grade Port (Centrex / EBS-M5008) Basic Local Area				UEPYT	1.15	40.19	19.83	24.91	6.63				15.66	
	2-Wire Voice Grade Port (Centrex / EBS-M5209) Basic Local Area				UEPYU	1.15	40.19	19.83	24.91	6.63				15.66	
	2-Wire Voice Grade Port (Centrex / EBS-M5216) Basic Local Area				UEPYV	1.15	40.19	19.83	24.91	6.63				15.66	
	2-Wire Voice Grade Port (Centrex / EBS-M5316) Basic Local Area				UEPY3	1.15	40.19	19.83	24.91	6.63				15.66	
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area				UEPYH	1.15	40.19	19.83	24.91	6.63				15.66	
	2-Wire Voice Grade Port (Centrex/Caller ID) Mag Wig Lamp Indication) Basic Local Area				UEPYW	1.15	40.19	19.83	24.91	6.63				15.66	
	2-Wire Voice Grade Port (Centrex/Mag Wig Lamp Indication) Basic Local Area				UEPYJ	1.15	40.19	19.83	24.91	6.63				15.66	

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Attachment: 2		Exhibit: B	
						Nonrecurrent Add'l	First	Disconnect Add'l	SOMAN	SOME	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
						Rec								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)													
	2 Basic Local Area			UEP9D	UEPYM	1.15	90.38	57.27	48.66	8.77	15.66	15.66		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPYO	1.15	90.38	57.27	48.66	8.77	15.66	15.66		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPYP	1.15	90.38	57.27	48.66	8.77	15.66	15.66		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPYQ	1.15	90.38	57.27	48.66	8.77	15.66	15.66		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPYR	1.15	90.38	57.27	48.66	8.77	15.66	15.66		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M512)2, 3			UEP9D	UEPYS	1.15	90.38	57.27	48.66	8.77	15.66	15.66		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5006)2, 3			UEP9D	UEPY4	1.15	90.38	57.27	48.66	8.77	15.66	15.66		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPY5	1.15	90.38	57.27	48.66	8.77	15.66	15.66		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPY6	1.15	90.38	57.27	48.66	8.77	15.66	15.66		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPY8	1.15	90.38	57.27	48.66	8.77	15.66	15.66		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M516)2, 3			UEP9D	UEPY7	1.15	90.38	57.27	48.66	8.77	15.66	15.66		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M516)2, 3			UEP9D	UEPYZ	1.15	90.38	57.27	48.66	8.77	15.66	15.66		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M516)2, 3			UEP9D	UEPY9	1.15	40.19	19.83	24.91	6.63	15.66	15.66		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M516)2, 3			UEP9D	UEPY2	1.15	40.19	19.83	24.91	6.63	15.66	15.66		
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPOA	1.15	40.19	19.83	24.91	6.63	15.66	15.66		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPOB	1.15	40.19	19.83	24.91	6.63	15.66	15.66		
	2-Wire Voice Grade Port (Centrex /EBS-PSET)3			UEP9D	UEPOC	1.15	40.19	19.83	24.91	6.63	15.66	15.66		
	2-Wire Voice Grade Port (Centrex /EBS-M5009)3			UEP9D	UEPOD	1.15	40.19	19.83	24.91	6.63	15.66	15.66		
	2-Wire Voice Grade Port (Centrex /EBS-M5209)3			UEP9D	UEPOE	1.15	40.19	19.83	24.91	6.63	15.66	15.66		
	2-Wire Voice Grade Port (Centrex /EBS-M5112)3			UEP9D	UEPOF	1.15	40.19	19.83	24.91	6.63	15.66	15.66		
	2-Wire Voice Grade Port (Centrex /EBS-M512)3			UEP9D	UEPOG	1.15	40.19	19.83	24.91	6.63	15.66	15.66		
	2-Wire Voice Grade Port (Centrex /EBS-M5006)3			UEP9D	UEPOT	1.15	40.19	19.83	24.91	6.63	15.66	15.66		
	2-Wire Voice Grade Port (Centrex /EBS-M5208)3			UEP9D	UEPOV	1.15	40.19	19.83	24.91	6.63	15.66	15.66		
	2-Wire Voice Grade Port (Centrex /EBS-M5216)3			UEP9D	UEPOW	1.15	40.19	19.83	24.91	6.63	15.66	15.66		
	2-Wire Voice Grade Port (Centrex /EBS-M516)3			UEP9D	UEPO3	1.15	40.19	19.83	24.91	6.63	15.66	15.66		
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPOH	1.15	40.19	19.83	24.91	6.63	15.66	15.66		
	2-Wire Voice Grade Port (Centrex/Caller ID/Mag Wig Lamp)			UEP9D	UEPOW	1.15	40.19	19.83	24.91	6.63	15.66	15.66		
	2-Wire Voice Grade Port (Centrex/Mag Wig Lamp)			UEP9D	UEPOJ	1.15	40.19	19.83	24.91	6.63	15.66	15.66		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPOM	1.15	90.38	57.27	48.66	8.77	15.66	15.66		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPOO	1.15	90.38	57.27	48.66	8.77	15.66	15.66		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPOP	1.15	90.38	57.27	48.66	8.77	15.66	15.66		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5209)2, 3			UEP9D	UEPOQ	1.15	90.38	57.27	48.66	8.77	15.66	15.66		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPOR	1.15	90.38	57.27	48.66	8.77	15.66	15.66		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M512)2, 3			UEP9D	UEPOS	1.15	90.38	57.27	48.66	8.77	15.66	15.66		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5006)2, 3			UEP9D	UEPO4	1.15	90.38	57.27	48.66	8.77	15.66	15.66		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPO5	1.15	90.38	57.27	48.66	8.77	15.66	15.66		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPO8	1.15	90.38	57.27	48.66	8.77	15.66	15.66		

UNBUNDLED NETWORK ELEMENTS - Alabama																			
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Attachment: 2	Exhibit: B						
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	SOMECH	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP8D	UEPQ7	1.15	90.38	67.27	48.68	8.77		15.68							
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP8D	UEPQZ	1.15	90.38	67.27	48.68	8.77		15.68							
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP8D	UEPQ9	1.15	40.19	19.83	24.91	6.63		15.68							
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP8D	UEPQ2	1.15	40.19	19.83	24.91	6.63		15.68							
	Local Switching			UEP8D	URECS	0.5488													
	Centrex Intercom Functionality, per port			UEP8D															
	Local Number Portability			UEP8D	LNPC	0.35													
	Local Number Portability (1 per port)			UEP8D															
	Features			UEP8D	UEPVF	1.98													
	All Standard Features Offered, per port			UEP8D	UEPVS	0.00	405.52												
	All Select Features Offered, per port			UEP8D	UEPVC	1.98													
	All Centrex Control Features Offered, per port			UEP8D															
	NARS			UEP8D	UARCX	0.00	0.00												
	Unbundled Network Access Register - Combination			UEP8D	UARTX	0.00	0.00												
	Unbundled Network Access Register - Inward			UEP8D	UAROY	0.00	0.00												
	Unbundled Network Access Register - Outdial			UEP8D		0.00	0.00												
	Miscellaneous Terminations																		
	2-Wire Trunk Side			UEP8D	CEND6	8.05	119.31	16.74	69.90	3.76		15.68							
	Trunk Side Terminations, each			UEP8D	MHDT	60.09	202.02	95.69	72.59	2.46		15.68							
	4-Wire Digital (1.544 Megabits)			UEP8D	MHDO	0.00	14.46					15.68							
	D50 Circuit Terminations, each			UEP8D	MIGBC	21.13	40.54	27.41	16.74	6.90		15.68							
	D50 Channels Activated per Channel			UEP8D	MIGBM	0.008638													
	Interoffice Channel Miteggs - 2-Wire																		
	Interoffice Channel Facilities Termination																		
	Interoffice Channel miteggs, per mile or fraction of mile																		
	Feature Activations (D50) Centrex Loops on Channelized D51 Service																		
	D4 Channel Bank Feature Activations																		
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP8D	1PQWS	0.56													
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP8D	1PQW6	0.56													
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP8D	1PQW7	0.56													
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP8D	1PQWP	0.56													
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP8D	1PQWV	0.56													
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP8D	1PQWQ	0.56													
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP8D	1PQWA	0.56													
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex																		
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP8D	USAC2		0.10	0.10											
	Conversion of existing Centrex Common Block, each			UEP8D	USACN		37.75	18.58				15.68							
	New Centrex Standard Common Block			UEP8D	MIACS	0.00	687.21					15.68							
	New Centrex Customized Common Block			UEP8D	MIACC	0.00	687.21					15.68							
	NAR Establishment Charge, Per Occasion			UEP8D	URECA	0.00	72.73					15.68							
	UNE-P CENTREX - EW8D (Valid in AL, FL, KY, LA, MS & TN)																		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																		
	UNE Port/Loop Combination Rates (Non-Design)																		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP8E		12.70													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP8E		21.19													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP8E		34.80													
	UNE Port/Loop Combination Rates (Design)																		

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Attachment: 2	Exhibit: B		
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'l	SOME	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP8E		15.53									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP8E		24.00									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP8E		37.29									
	UNE Loop Rate														
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP8E	UECS1	11.55									
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP8E	UECS1	20.04									
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP8E	UECS1	33.65									
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP8E	UECS2	14.38									
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP8E	UECS2	22.85									
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP8E	UECS2	36.14									
	UNE Port Rate														
	AL, FL, KY, LA, MS, & TN only														
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP8E	UEPYA	1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP8E	UEPYB	1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex with Caller ID)Basic Local Area			UEP8E	UEPYH	1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)Basic Local Area			UEP8E	UEPYM	1.15	90.38	57.27	48.66	8.77					
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP8E	UEPYZ	1.15	90.38	57.27	48.66	8.77					
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP8E	UEPY9	1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP8E	UEPY2	1.15	40.19	19.83	24.91	6.63					
	AL, KY, LA, MS, & TN Only														
	2-Wire Voice Grade Port (Centrex)			UEP8E	UEPQA	1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP8E	UEPQB	1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP8E	UEPQH	1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)/2			UEP8E	UEPQM	1.15	90.38	57.27	48.66	8.77					
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP8E	UEPQZ	1.15	90.38	57.27	48.66	8.77					
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP8E	UEPQB	1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP8E	UEPQ2	1.15	40.19	19.83	24.91	6.63					
	Local Switching			UEP8E	UEPCS	0.5488									
	Centrex Intercom Functionality, per port			UEP8E	LNPOC	0.35									
	Local Number Portability			UEP8E	UEPVF	1.98									
	Local Number Portability (1 per port)			UEP8E	UEPVS	0.00	405.82								
	All Standard Features Offered, per port			UEP8E	UEPVC	1.98									
	All Select Features Offered, per port			UEP8E	UEPVC	1.98									
	All Centrex Control Features Offered, per port			UEP8E	UEPVC	1.98									
	NARS			UEP8E	UARCX	0.00	0.00	0.00							
	Unbundled Network Access Register - Combination			UEP8E	UARIK	0.00	0.00	0.00							
	Unbundled Network Access Register - Initial			UEP8E	UARIK	0.00	0.00	0.00							
	Unbundled Network Access Register - Outdial			UEP8E	UAROY	0.00	0.00	0.00							
	Miscellaneous Terminations			UEP8E	UARCX	0.00	0.00	0.00							
	2-Wire Trunk Side			UEP8E	UARCX	0.00	0.00	0.00							
	Trunk Side Terminations, each			UEP8E	UARCX	0.00	0.00	0.00							
	Digital (1,544 Megabits)			UEP8E	UARCX	0.00	0.00	0.00							
	DS1 Circuit Terminations, each			UEP8E	UARCX	0.00	0.00	0.00							
	DSO Channel Activated Per Channel			UEP8E	UARCX	0.00	0.00	0.00							
	Interface Channel Mileage - 2-Wire			UEP8E	UARCX	0.00	0.00	0.00							
	Interface Channel Facilities Termination			UEP8E	UARCX	0.00	0.00	0.00							

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment: 2		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- 1st
						Rec	Nonrecurring Add'l	Nonrecurring First	Disconnect Add'l	SOMECH	SOMAN	SOMAN	SOMAN
	Interface Channel mileage, per mile or fraction of mile			UEP8E	MGBM	0.008938							
	Feature Activations (DSO) Centrex Loops on Channelized DS1 Service												
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP8E	1PQWS	0.56							
	Feature Activation on D-4 Channel Bank FX Side Loop Slot			UEP8E	1PQW6	0.56							
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP8E	1PQW7	0.56							
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP8E	1PQWP	0.56							
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP8E	1PQWV	0.56							
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP8E	1PQWQ	0.56							
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP8E	1PQWA	0.56							
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-is with allowed changes, per port			UEP8E	USAC2		0.10	0.10					
	Conversion of Existing Centrex Common Block, each			UEP8E	USACN		37.75	16.58				15.66	
	New Centrex Standard Common Block			UEP8E	MTACS	0.00	687.21					15.66	
	New Centrex Customized Common Block			UEP8E	MTACC		687.21					15.66	
	NAC Establishment Charge, Per Occasion			UEP8E	URECA	0.00	72.73					15.66	
	UNE-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo												
	UNE Port/Loop Combination Rates (Non-Design)												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP83		12.70							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		2	UEP83		21.19							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		3	UEP83		34.80							
	UNE Port/Loop Combination Rates (Design)												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP83		15.63							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		2	UEP83		24.00							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		3	UEP83		37.20							
	UNE Loop Rate												
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP83	UECS1	11.55							
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP83	UECS1	20.04							
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP83	UECS1	33.65							
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP83	UECS2	14.38							
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP83	UECS2	22.85							
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP83	UECS2	36.14							
	UNE Port Rate												
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP83	UEPYA	1.15	40.19	19.83	24.91	6.63		15.66	
	2-Wire Voice Grade Port (Centrex 800 termination) Basic Local Area			UEP83	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66	
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP83	UEPYH	1.15	40.19	19.83	24.91	6.63		15.66	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Basic Local Area			UEP83	UEPYM	1.15	90.38	57.27	48.66	8.77		15.66	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP83	UEPYZ	1.15	90.38	57.27	48.66	8.77		15.66	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP83	UEPY8	1.15	40.19	19.83	24.91	6.63		15.66	

UNBUNDLED NETWORK ELEMENTS - Alabama																		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: B			
						Rec	Nonrecurring		Nonrecurring Disconnect	Incremental Charge - Manual Svc Order vs. Electronic-1st			Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st			
							First	Add'l								First	Add'l	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area																	
	2-Wire Voice Grade Port (Centrex)				UEP93	1.15	40.19	19.83	24.91	6.63		15.66						
	2-Wire Voice Grade Port (Centrex 800 termination)				UEP93	1.15	40.19	19.83	24.91	6.63		15.66						
	2-Wire Voice Grade Port (Centrex with Caller ID)				UEP93	1.15	40.19	19.83	24.91	6.63		15.66						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2				UEP93	1.15	40.19	19.83	24.91	6.63		15.66						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term				UEP93	1.15	90.38	57.27	48.66	8.77		15.66						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent				UEP93	1.15	90.38	57.27	48.66	8.77		15.66						
	2-Wire Voice Grade Port Terminated on 800 Service Term				UEP93	1.15	40.19	19.83	24.91	6.63		15.66						
	Local Switching				UEP93	1.15	40.19	19.83	24.91	6.63		15.66						
	Centrex Intercom Functionality, per port				UEP93	0.5488												
	Local Number Portability				UEP93													
	Local Number Portability (1 per port)				UEP93	0.35												
	All Standard Features Offered, per port				UEP93	1.98												
	All Centrex Control Features Offered, per port				UEP93	1.98												
	NARS				UEP93													
	Unbundled Network Access Register - Combination				UEP93	0.00	0.00	0.00	0.00									
	Unbundled Network Access Register - Initial				UEP93	0.00	0.00	0.00	0.00									
	Unbundled Network Access Register - Outdial				UEP93	0.00	0.00	0.00	0.00									
	Miscellaneous Terminations																	
	2-Wire Trunk Side																	
	Trunk Side Terminations, each				UEP93	8.05	119.31	18.74	59.90	3.76		15.66						
	4-Wire Digital (1.544 Megabits)				UEP93													
	DS1 Circuit Terminations, each				UEP93	60.09	202.02	95.69	72.59	2.46		16.66						
	DS0 Channels Activated, Per Channel				UEP93	0.00	14.46					15.66						
	Interoffice Channel Mileage - 2-Wire				UEP93													
	Interoffice Channel Facilities Termination				UEP93	21.13	40.54	27.41	16.74	6.90		15.66						
	Interoffice Channel mileage, per mile or fraction of mile				UEP93	0.006838												
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																	
	D4 Channel Bank Feature Activations																	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot				UEP93	0.56												
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot				UEP93	0.56												
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot				UEP93	0.56												
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center				UEP93	0.56												
	Feature Activation on D-4 Channel Bank Private Line Loop Slot				UEP93	0.56												
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot				UEP93	0.56												
	Feature Activation on D-4 Channel Bank WATS Loop Slot				UEP93	0.56												
	Feature Activation on D-4 Channel Bank WATS Loop Slot - Non-Recurring Charges (NRC) Associated with UNE-P Centrex				UEP93	0.56												
	NRC Conversion Currently Combined Switch-As-is with allowed changes, per port				UEP93		0.10	0.10				15.66						
	Conversion of Existing Centrex Common Block, each				UEP93		37.75	18.56				15.66						
	New Centrex Standard Common Block				UEP93	0.00	667.21					15.66						
	New Centrex Customized Common Block				UEP93	0.00	667.21					15.66						
	NARS Establishment Charge, Per Occasion				UEP93	0.00	72.73					15.66						
	Note 1 - Required Port for Centrex Control In TAESS, BESS & EWSD				UEP93	0.00						15.66						
	Note 2 - Requires Interoffice Channel Mileage																	
	Note 3 - Requires Specific Customer Premises Equipment																	
	Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.																	

LOCAL INTERCONNECTION - Alabama																	
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 3			Exhibit: A		
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect Add'l			SOMEC	SOMAN	SOMAN	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- 1st
	LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION) (NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element pursuant to the terms and conditions in Attachment 3.)																
	TANDEM SWITCHING																
	Tandem Switching Function Per MOU																
	Multiple Tandem Switching, per MOU (applies to initial tandem only)			OHD			0.000498bk										
	Tandem Intermediary Charge, per MOU*			OHD			0.000498										
	* This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges.			OHD			0.0015										
	TRUNK CHARGE																
	Installation Trunk Side Service - per DS0			OHD	TPP++		333.69	59.91									
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEP		0.00										
	Dedicated End Office Trunk Port Service-per DS1**			OH1 OHIMS	TDEIP		0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP		0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OHIMS	TDWIP		0.00										
	** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																
	COMMON TRANSPORT (Shared)																
	Common Transport - Per Mile, Per MOU			OHD			0.0000023bk										
	Common Transport - Facilities Termination Per MOU			OHD			0.000324bk										
	LOCAL INTERCONNECTION (DEDICATED TRANSPORT)																
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT																
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month				OHL, OHM	1L5NF	0.008938										
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination per month				OHL, OHM	1L5NF	21.13	40.54	16.74								
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month				OHL, OHM	1L5NK	0.008938										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month				OHL, OHM	1L5NK	15.12	40.54	16.74								
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month				OHL, OHM	1L5NK	0.008938										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month				OHL, OHM	1L5NK	15.12	40.54	16.74								
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month				OH1, OH1MS	1L5NL	0.18										
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination per month				OH1, OH1MS	1L5NL	60.16	89.27	16.35								
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month				OH3, OH3MS	1L5NM	4.09										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month				OH3, OH3MS	1L5NM	703.52	278.75	60.20								
	LOCAL CHANNEL - DEDICATED TRANSPORT																
	Local Channel - Dedicated - 2-Wire Voice Grade per month				TEFV2		13.97	193.10	33.17								
	Local Channel - Dedicated - 4-Wire Voice Grade per month				TEFV4		183.53	33.60	3.20								
	Local Channel - Dedicated - DS1 per month				TEFHG	OH1	35.76	177.47	153.72								
	Local Channel - Dedicated - DS3 per month				TEFHJ	OH3	416.54	451.52	119.49								
	LOCAL INTERCONNECTION MID-SPAN MEET																
	(NOTE: If Access service is Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.)																
	Local Channel - Dedicated - DS1 per month				OH1MS		0.00	0.00									
	Local Channel - Dedicated - DS3 per month				OH3MS		0.00	0.00									
	MULTIPLXERS																
	Channelization - DS1 to DS0 Channel System				OH1, OH1MS	SATN1	101.06	91.04	62.57								
	DS3 to DS1 Channel System per month				OH3, OH3MS	SATN3	168.13	176.14	93.97								
	DS3 Interface Unit (DS1 COC) per month				OH1, OH1MS	SATCO	12.70	6.59	4.72								
	Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff.																

COLLOCATION - Alabama													Attachment: 4			Exhibit: D			
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l				
						Nonrecurring		First	Add'l							Fees	SOMAN	SOMAN	SOMAN
						Rec	First		Add'l	Add'l									
PHYSICAL COLLOCATION																			
	Physical Collocation - Application Fee - Initial																		
	Physical Collocation - Application Fee - Subsequent																		
	Physical Collocation - Cables - Application Fee - Initial																		
	Physical Collocation - Administrative Only - Application Fee																		
	Physical Collocation - Space Preparation - Firm Order																		
	Processing																		
	Physical Collocation - Space Preparation - C.O. Modification per square ft.																		
	Physical Collocation - Space Preparation - Common Systems																		
	Modification per square ft. - Cageless																		
	Physical Collocation - Space Preparation - Common Systems																		
	Modification per Cgte																		
	Physical Collocation - Cable Installation																		
	Physical Collocation - Floor Space per Sq. Ft.																		
	Physical Collocation - Cable Support Structure																		
	Physical Collocation - Cageless - Cable Support Structure																		
	Physical Collocation - Power - 48V DC Power, per Fused Amp																		
	Physical Collocation - Power Reduction, Application Fee																		
	Physical Collocation - 120V, Single Phase Standby Power Rate																		
	Physical Collocation - 240V, Single Phase Standby Power Rate																		
	Physical Collocation - 120V, Three Phase Standby Power Rate																		
	Physical Collocation - 277V, Three Phase Standby Power Rate																		
	Physical Collocation - 2-Wire Cross-Connects																		
	Physical Collocation - 4-Wire Cross-Connects																		
	Physical Collocation - DS1 Cross-Connects																		
	Physical Collocation - DS3 Cross-Connects																		
	Physical Collocation - 2-Fiber Cross-Connect																		
	Physical Collocation - Cageless - 2-Fiber Cross Connect																		

COLLOCATION - Alabama																			
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 4			Exhibit: D				
						Rec	Nonrecurring		First			Add'l	SOMEC	SOMAN	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	POT Bay Arrangements prior to 8/1/89 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,ULDO3, ULD12,ULD48, UIT03,UIT12, UIT48,UDLO3, UDL12,UDF		49.09													
	Physical Collocation - Request Resend of CFA Information, per CLI			CLO	PE1C9		77.56												
	Nonrecurring Collocation Cable Records - per request			CLO	PE1CR		759.28	488.11	133.00	133.00									
	Nonrecurring Collocation Cable Records - VG/DSO Cable, per cable record			CLO	PE1CD		328.92	328.92	189.12	189.12									
	Nonrecurring Collocation Cable Records - VG/DSO Cable, per each 100 pair			CLO	PE1CO		4.81	4.81	5.90	5.90									
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		2.25	2.25	2.76	2.76									
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		7.88	7.88	9.68	9.68									
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB		84.49	84.49	77.13	77.13									
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		16.93	10.73											
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22.05	13.86											
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT														
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33.00	27.17	16.98											
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00													
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	62.00													
	V to P Conversion, Per Customer Request-DS3			CLO	PE1B3	62.00													
	V to P Conversion, Per Customer Request per VG Circuit			CLO	PE1BR	23.00													
	Reconfigured			CLO	PE1BP	23.00													
	V to P Conversion, Per Customer Request per DS1 Circuit			CLO	PE1BS	33.00													
	V to P Conversion, Per Customer Request per DS3 Circuit			CLO	PE1BE	37.00													
	Reconfigured			CLO	PE1B7	692.00													
	V to P Conversion, Cable Pairs Assigned to Cello Space per 700 pairs or fraction thereof			CLO	PE1ES	0.0011													
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.0011													
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO,UE3,USL	PE1DS	0.0016													
	Physical Collocation - Co-Carrier Cross Connects - Application Fee, per application			CLO	PE1DT		584.22												
PHYSICAL COLLOCATION																			
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog - Res			UEPSR	PE1R2	0.03	12.30	11.80	6.03	5.44	15.66								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.03	12.30	11.80	6.03	5.44	15.66								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.03	12.30	11.80	6.03	5.44	15.66								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog - Bus			UEPSB	PE1R2	0.03	12.30	11.80	6.03	5.44	15.66								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPSX	PE1R2	0.03	12.30	11.80	6.03	5.44	15.66								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	PE1R2	0.03	12.30	11.80	6.03	5.44	15.66								
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	PE1R4	0.05	12.39	11.87	6.39	5.73	15.66								
ADJACENT COLLOCATION																			

COLLOCATION - Alabama													
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES(\$)					Svc Order		
						Nonrecurring					Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 4 Incremental Charge - Manual Svc Order vs. Electronic- 1st
						Rec	First	Add'l	First	Add'l			
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1A	0.14							Incremental Charge - Manual Svc Order vs. Electronic- 1st
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1C	5.41							Incremental Charge - Manual Svc Order vs. Electronic- 1st
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.02	12.30	11.80	6.03	5.44			Incremental Charge - Manual Svc Order vs. Electronic- 1st
	Adjacent Collocation - 4-Wire Cross-Connects			USAUHL, UDL, UCL	PE1P4	0.04	12.39	11.87	6.39	5.73			Incremental Charge - Manual Svc Order vs. Electronic- 1st
	Adjacent Collocation - DS1 Cross-Connects			USL, CLOAC	PE1P1	1.03	22.03	15.83	6.40	5.78			Incremental Charge - Manual Svc Order vs. Electronic- 1st
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	13.65	20.89	15.20	7.38	5.92			Incremental Charge - Manual Svc Order vs. Electronic- 1st
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.38	20.89	15.20	7.38	5.92			Incremental Charge - Manual Svc Order vs. Electronic- 1st
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.52	25.55	19.68	9.71	8.25			Incremental Charge - Manual Svc Order vs. Electronic- 1st
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,516.89		0.51				Incremental Charge - Manual Svc Order vs. Electronic- 1st
	Adjacent Collocation - 120V, Single Phase Standby Power Rate			CLOAC	PE1FB	4.91							Incremental Charge - Manual Svc Order vs. Electronic- 1st
	per AC Breaker Amp			CLOAC	PE1FD	9.84							Incremental Charge - Manual Svc Order vs. Electronic- 1st
	Adjacent Collocation - 240V, Single Phase Standby Power Rate			CLOAC	PE1FD	9.84							Incremental Charge - Manual Svc Order vs. Electronic- 1st
	per AC Breaker Amp			CLOAC	PE1FE	14.74							Incremental Charge - Manual Svc Order vs. Electronic- 1st
	Adjacent Collocation - 120V, Three Phase Standby Power Rate			CLOAC	PE1FE	14.74							Incremental Charge - Manual Svc Order vs. Electronic- 1st
	per AC Breaker Amp			CLOAC	PE1FG	34.08							Incremental Charge - Manual Svc Order vs. Electronic- 1st
	Adjacent Collocation - DC power provisioning			CLOAC	PE1FG	34.08							Incremental Charge - Manual Svc Order vs. Electronic- 1st
	Note: ICB means Individual Case Basis			CLOAC	PE1FG	34.08							Incremental Charge - Manual Svc Order vs. Electronic- 1st
	Physical Collocation IN THE REMOTE SITE												Incremental Charge - Manual Svc Order vs. Electronic- 1st
	Physical Collocation in the Remote Site - Application Fee				PE1RA		307.70	307.70	188.22	188.22			Incremental Charge - Manual Svc Order vs. Electronic- 1st
	Cabinet Space in the Remote Site per Bay/ Rack				PE1RB	201.42							Incremental Charge - Manual Svc Order vs. Electronic- 1st
	Physical Collocation in the Remote Site - Security Access - Key				PE1RD		13.10	13.10					Incremental Charge - Manual Svc Order vs. Electronic- 1st
	Physical Collocation in the Remote Site - Space Availability				PE1RD		13.10	13.10					Incremental Charge - Manual Svc Order vs. Electronic- 1st
	Report per Premises Requested				PE1SR		115.87	115.87					Incremental Charge - Manual Svc Order vs. Electronic- 1st
	Physical Collocation in the Remote Site - Remote Site CLI				PE1SR		115.87	115.87					Incremental Charge - Manual Svc Order vs. Electronic- 1st
	Code Request, per CLI Code Requested				PE1RE		37.58	37.58					Incremental Charge - Manual Svc Order vs. Electronic- 1st
	Remote Site DED Data (BRSD), per Compact Disk, per CO				PE1RR		233.38						Incremental Charge - Manual Svc Order vs. Electronic- 1st
	PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT												Incremental Charge - Manual Svc Order vs. Electronic- 1st
	Remote Site-Adjacent Collocation - AC Power, per breaker amp				PE1RS	6.27							Incremental Charge - Manual Svc Order vs. Electronic- 1st
	Remote Site-Adjacent Collocation - Real Estate, per square foot				PE1RT	0.134							Incremental Charge - Manual Svc Order vs. Electronic- 1st
	Remote Site-Adjacent Collocation-Application Fee				PE1RU		755.62	755.62					Incremental Charge - Manual Svc Order vs. Electronic- 1st
	NOTE: If Security Eject and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates.												Incremental Charge - Manual Svc Order vs. Electronic- 1st

ODUF/ADUF/EODUF/CMD5 - Alabama																		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 7			Exhibit: A			
						Rec	Nonrecurring		Disconnecting			Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	
							First	Add'l	First									Add'l
ODUF/ADUF/EODUF/CMD5																		
	ACCESS DAILY USAGE FILE (ADUF)																	
	ADUF: Message Processing, per message				N/A	0.007037												
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.000113												
	OPTIONAL DAILY USAGE FILE (ODUF)																	
	ODUF: Recording, per message				N/A	0.000011												
	ODUF: Message Processing, per message				N/A	0.004101												
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	42.87												
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.000084												
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMD5)																	
	CMD5: Message Processing, per message				N/A	0.004												
	CMD5: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001												
	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)																	
	EODUF: Message Processing, per message				N/A	0.22												
Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.																		

**AMENDMENT
TO THE
AGREEMENT BETWEEN
MOMENTUM BUSINESS SOLUTIONS, INC.
AND
BELL SOUTH TELECOMMUNICATIONS, INC.
DATED JUNE 12, 2002**

Pursuant to this Amendment, (the "Amendment"), Momentum Business Solutions, Inc., ("Momentum"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated June 12, 2002, ("Agreement") to be effective upon the date of the last signature executing the Amendment.

WHEREAS, BellSouth and Momentum entered into the Agreement on June 12, 2002, and;


NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:


1. The Parties agree to add to the rates in Exhibit B of Attachment 2, the rates set forth in Exhibit 1 of this Amendment, attached hereto and incorporated herein by this reference.
2. All of the other provisions of the Agreement, dated June 12, 2002, shall remain in full force and effect.
3. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.
4. Neither party waives any right to seek clarification from the Commission regarding retroactive application of the rates contained in this Amendment.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

Momentum Business Solutions, Inc.

BellSouth Telecommunications, Inc.

By: 

By: 

Name: Alan L. Creighton

Name: Elizabeth R. A. Shiroishi

Title: President + CEO

Title: Assistant Director

Date: 9/4/02

Date: 9/5/02

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment: 2		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	SOMAN
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	SOMECS	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zones, refer to Internet Website: http://www.interconnection.bellsouth.com/become_a_dechtml/interconnection.htm													
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)													
Exchange Ports													
NOTE: Although the Port Rate Includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs													
2-WIRE VOICE GRADE LINE PORT RATES (RES)													
Alabama Extended Local Dialing Port without Caller ID capability													
Low Usage Line Port without Caller ID capability													
FEATURES													
All Available Vertical Features													
2-WIRE VOICE GRADE LINE PORT RATES (BUS)													
Alabama Extended Local Dialing Port without Caller ID capability													
Incoming Only without Caller ID capability													
FEATURES													
All Available Vertical Features													
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES													
> Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.													
> Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.													
> End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.													
> The first and additional Port nonrecurring charges apply to Not Currently Combined Combs. For Currently Combined Combs, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. Additional NRCS may apply also and are categorized accordingly.													
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)													
UNE Port/Loop Combination Rates													
2-Wire VG Loop/Port Combo - Zone 1													
2-Wire VG Loop/Port Combo - Zone 2													
2-Wire VG Loop/Port Combo - Zone 3													
UNE Loop Rates													
2-Wire Voice Grade Loop (SL1) - Zone 1													
2-Wire Voice Grade Loop (SL1) - Zone 2													
2-Wire Voice Grade Loop (SL1) - Zone 3													
2-Wire Voice Grade Line Port Rates (Res)													
Alabama Extended Local Dialing Port without Caller ID capability													
Low Usage Line Port without Caller ID capability													
FEATURES													

Exhibit 1

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Attachment: 2			Exhibit: B		
					Rec	Nonrecurring		Nonrecurring Disconnect Add'l		Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l		
						First	Add'l							SOMAN	SOMAN
	All Features Offered		UEPRX	UEPVF	1.98	0.00	0.00								
LOCAL NUMBER PORTABILITY	Local Number Portability (1 per port)		UEPRX	LNPCH	0.35										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPRX	USAC2		0.10	0.10					15.68			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with charge		UEPRX	USACC		2.80	0.41					15.68			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update					1.44						15.68			
ADDITIONAL NRCs	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPRX	USAS2	0.00	0.00	0.00					15.68			
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE Port Loop Combination Rates	2-Wire VG Loop/Port Combo - Zone 1	1			12.70										
	2-Wire VG Loop/Port Combo - Zone 2	2			21.19										
	2-Wire VG Loop/Port Combo - Zone 3	3			34.80										
UNE Loop Rates	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	11.55										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX	20.04										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	33.65										
2-Wire Voice Grade Line Port (Bus)															
Alabama Extended Local Dialing Port without Caller ID capability			UEPBX	UEPWB	1.15	40.19	19.83	24.91				15.68			
Incoming Only without Caller ID capability			UEPBX	UEPBE	1.15	40.19	19.83	24.91				15.68			
LOCAL NUMBER PORTABILITY	Local Number Portability (1 per port)		UEPBX	LNPCH	0.35										
FEATURES	All Features Offered		UEPBX	UEPVF	1.98	0.00	0.00					15.68			
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPBX	USAC2		0.10	0.10					15.68			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with charge		UEPBX	USACC		2.80	0.41					15.68			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update					1.44						15.68			
ADDITIONAL NRCs	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPBX	USAS2		0.00	0.00								

UNBUNDLED NETWORK ELEMENTS - Florida													Attachment: 2		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Electronically per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l			
					Nonrecurring	First	Final									
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website: http://www.interconnection.bellsouth.com/become_a_dech/interconnection.htm																
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																
Exchange Ports																
NOTE: Although the Port Rate Includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs																
2-WIRE VOICE GRADE LINE PORT RATES (RES)																
	Florida Area Calling Port without Caller ID capability		UEPSR	UEPA9	1.40	3.74	1.88									
	Florida Extended Dialing for use with CREX7 and Caller ID		UEPSR	UEPA1	1.40	3.74	1.88									
	Florida Extended Dialing for use with CREX7 and without Caller ID capability		UEPSR	UEPA8	1.40	3.74	1.88									
	Low Usage Line Port without Caller ID capability		UEPSR	UEPRT	1.40	3.74	1.88									
FEATURES																
	All Available Vertical Features		UEPSR	UEPVF	2.28	0.00	0.00									
2-WIRE VOICE GRADE LINE PORT RATES (BUS)																
	Incoming Only without Caller ID capability		UEPSB	UEPBE	1.40	3.74	1.88									
FEATURES																
	All Available Vertical Features		UEPSB	UEPVF	2.28	0.00	0.00									
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
> Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.																
> Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.																
> End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.																
> The first and additional Port nonrecurring charges apply to Not Currently Combined Combs. For Currently Combined Combs, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.																
Additional NRCs may apply also and are categorized accordingly.																
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			14.11											
	2-Wire VG Loop/Port Combo - Zone 2	2			18.23											
	2-Wire VG Loop/Port Combo - Zone 3	3			33.04											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	12.94											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	17.08											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	31.87											
2-Wire Voice Grade Line Port Rates (Res)																
	Florida Area Calling Port without Caller ID capability		UEPRX	UEPA9	1.17	63.31	28.48									
	Florida Extended Dialing for use with CREX7 and Caller ID		UEPRX	UEPA1	1.17	63.31	28.48									
	Florida Extended Dialing for use with CREX7 and without Caller ID capability		UEPRX	UEPA8	1.17	63.31	28.48									
	ID capability		UEPRX	UEPA8	1.17	63.31	28.48									

Exhibit 1

UNBUNDLED NETWORK ELEMENTS - Florida													
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: B
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect Add'l	SOME	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
	Low Usage Line Port without Caller ID capability		UEPRX	UEPRT	1.17	53.31	28.46				11.90		
FEATURES													
	All Features Offered		UEPRX	UEPVF	2.26	0.00	0.00				11.90		
LOCAL NUMBER PORTABILITY													
	Local Number Portability (1 per port)		UEPRX	LNPCX	0.35								
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED													
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPRX	USAC2		0.102	0.102				11.90		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPRX	USACC		0.102	0.102				11.90		
ADDITIONAL NRCs													
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPRX	USAS2	0.00	0.00	0.00				11.90		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)													
UNE Port/Loop Combination Rates													
	2-Wire VG Loop/Port Combo - Zone 1	1			14.11								
	2-Wire VG Loop/Port Combo - Zone 2	2			18.23								
	2-Wire VG Loop/Port Combo - Zone 3	3			33.04								
UNE Loop Rates													
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	12.84								
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX	17.08								
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	31.87								
2-Wire Voice Grade Line Port (Bus)													
	Incoming Only without Caller ID capability		UEPBX	UEPBE	1.17	53.31	28.46				11.90		
LOCAL NUMBER PORTABILITY													
	Local Number Portability (1 per port)		UEPBX	LNPCX	0.35								
FEATURES													
	All Features Offered		UEPBX	UEPVF	2.26	0.00	0.00				11.90		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED													
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPBX	USAC2		0.102	0.102				11.90		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPBX	USACC		0.102	0.102				11.90		
ADDITIONAL NRCs													
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPBX	USAS2	0.00	0.00	0.00				11.90		
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES													
> Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules. This includes unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAs in BellSouth's region for end users with 4 or more DSO equivalent lines. > The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami), GA (Atlanta), NC (Greensboro-Winston-Salem-Highpoint/Charlotte-Gastonia-Rock Hill), TN (Nashville). BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section. In the interim where BellSouth cannot bill Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. > The Market Rate for unbundled ports includes all available features in all states.													

Exhibit 1

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
					Rec	Nonrecurring First Add'l	Nonrecurring First Add'l	Nonrecurring First Add'l	SOMECSOMAN	SOMECSOMAN	SOMECSOMAN	SOMECSOMAN	SOMECSOMAN
> End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop combinations which have a flat rate usage charge													
> For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly.													
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)												
	UNE Port/Loop Combination Rates												
	2-Wire VG Loop/Port Combo - Zone 1	1			28.64								
	2-Wire VG Loop/Port Combo - Zone 2	2			31.08								
	2-Wire VG Loop/Port Combo - Zone 3	3			45.87								
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	17.06								
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	31.87								
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX									
	2-Wire Voice Grade Line Port (Res)												
	Florida Area Calling Port without Caller ID capability		UEPRX	UEPA9	14.00	90.00	90.00	90.00					
	Florida Extended Dialing for use with CREX7 and Caller ID		UEPRX	UEPAT	14.00	90.00	90.00	90.00					
	Florida Extended Dialing for use with CREX7 and without Caller ID capability		UEPRX	UEPA9	14.00	90.00	90.00	90.00					
	Low Usage Line Port without Caller ID capability		UEPRX	UEPRT	14.00	90.00	90.00	90.00					
	LOCAL NUMBER PORTABILITY												
	Local Number Portability (1 per port)		UEPRX	LNPCX	0.35								
	FEATURES												
	AI Features Offered		UEPRX	UEPVF	0.00	0.00	0.00	0.00					
	NONRECURRING CHARGES - CURRENTLY COMBINED												
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is		UEPRX	USAC2		41.50	41.50	41.50					
	2-Wire Voice Grade Loop / Line Port Combination - Switch with charge		UEPRX	USACC		41.50	41.50	41.50					
	ADDITIONAL NRCs												
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPRX	USAS2		0.00	0.00	0.00					
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)												
	UNE Port/Loop Combination Rates												
	2-Wire VG Loop/Port Combo - Zone 1	1			28.64								
	2-Wire VG Loop/Port Combo - Zone 2	2			31.08								
	2-Wire VG Loop/Port Combo - Zone 3	3			45.87								
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	12.64								
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX	17.06								
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	31.87								
	2-Wire Voice Grade Line Port (Bus)												
	Incoming Only without Caller ID capability		UEPBX	UEPBE	14.00	90.00	90.00	90.00					
	LOCAL NUMBER PORTABILITY												
	Local Number Portability (1 per port)		UEPBX	LNPCX	0.35								

UNBUNDLED NETWORK ELEMENTS - Florida																			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: B				
					Rec	Nonrecurring		Nonrecurring Disconnect First			Add'l	SOMECD	SOMAN	OSS Rate(\$)		Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						First	Add'l							SOMAN	SOMAN				
	FEATURES																		
	All Features Offered		UEPBX	UEPVF	0.00	0.00	0.00												
	NONRECURRING CHARGES - CURRENTLY COMBINED																		
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is		UEPBX	USAC2		41.50	41.50												
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change		UEPBX	USACC		41.50	41.50						11.90						
	ADDITIONAL NRCs																		
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPBX	USAS2		0.00	0.00									11.90			

Exhibit 1

Exhibit 1

UNBUNDLED NETWORK ELEMENTS - Georgia																
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: B			
					Rec	Nonrecuring Add'l		Disconnect Add'l			OSS Rates(\$)		Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						First	Add'l				SOMEc	SOMAN				
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website: http://www.interconnection.bellsouth.com/become_a_dch/interconnection.htm																
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																
Exchange Ports																
NOTE: Although the Port Rate Includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs																
2-WIRE VOICE GRADE LINE PORT RATES (RES)																
	2-Wire Voice Grade Georgia Basic Dialing Port without Caller ID capability		UEPSR	UEPWC	1.85	17.16	17.16				18.94	8.42				
	2-Wire Voice Grade Georgia Basic Dialing Port for use with Caller ID		UEPSR	UEPWC	1.85	17.16	17.16				18.94	8.42				
	2-Wire voice unbundled Georgia basic dialing port - outgoing only		UEPSR	UEPWR	1.85	17.16	17.16				18.94	8.42				
	Low Usage Line Port without Caller ID capability		UEPSR	UEPRT	1.85	17.16	17.16				18.94	8.42				
FEATURES																
	All Available Vertical Features		UEPSR	UEPVF	0.00	0.00	0.00				18.94	8.42				
2-WIRE VOICE GRADE LINE PORT RATES (BUS)																
	2-Wire voice unbundled Georgia basic dialing port without Caller ID - bus		UEPSB	UEPWD	1.85	17.16	17.16				18.94	8.42				
	2-Wire voice unbundled Georgia basic dialing port with Caller ID - bus		UEPSB	UEPWP	1.85	17.16	17.16				18.94	8.42				
	Incoming Only without Caller ID capability		UEPSB	UEPBE	1.85	17.16	17.16				18.94	8.42				
FEATURES																
	All Available Vertical Features		UEPSB	UEPVF	0.00	0.00	0.00				18.94	8.42				
EXCHANGE PORT RATES (DID & PBX)																
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX Trunk		UEPSE	UEPPQ	1.85	17.16	17.16				18.94	8.42				
	2-Wire voice unbundled Georgia basic dialing port - 1-Way Outdial Trunk		UEPSP	UEPWS	1.85	17.16	17.16				18.94	8.42				
	2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk		UEPSP	UEPWT	1.85	17.16	17.16				18.94	8.42				
FEATURES																
	All Available Vertical Features		UEPSP	UEPVF	0.00	0.00	0.00				18.94	8.42				
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
> Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.																
> Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.																
> End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.																

UNBUNDLED NETWORK ELEMENTS - Georgia												
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Manually per LSR	Attachment: 2	Exhibit: B		
					Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOMECH SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Add'l 1st	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Add'l 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l 1st
> The first and additional Port nonrecurring charges apply to Not Currently Combined Combos, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. Additional NRCs may apply also and are categorized accordingly.												
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)												
UNE Port/Loop Combination Rates												
	2-Wire VG Loop/Port Combo - Zone 1	1			12.59							
	2-Wire VG Loop/Port Combo - Zone 2	2			14.26							
	2-Wire VG Loop/Port Combo - Zone 3	3			21.62							
UNE Loop Rates												
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	10.80							
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	12.47							
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	19.83							
2-Wire Voice Grade Line Port Rates (Res)												
	2-Wire Voice Grade Georgia Basic Dialing Port without Caller ID capability		UEPRX	UEPWC	1.79	22.14	8.45	3.91		33.67	7.88	11.17
	2-Wire Voice Grade Georgia Basic Dialing Port for use with Caller ID		UEPRX	UEPWQ	1.79	22.14	8.45	3.91		33.67	7.88	11.17
	2-Wire voice unbundled Georgia basic dialing port - outgoing only		UEPRX	UEPWR	1.79	22.14	8.45	3.91		33.67	7.88	11.17
	Low Usage Line Port without Caller ID capability		UEPRX	UEPRT	1.79	22.14	8.45	3.91		33.67	7.88	11.17
FEATURES												
	All Features Offered		UEPRX	UEPVF	0.00	0.00				33.67	7.88	11.17
LOCAL NUMBER PORTABILITY												
	Local Number Portability (1 per port)		UEPRX	LNPCX	0.35							
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED												
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPRX	USAC2	2.01	0.3108				33.67	7.88	11.17
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPRX	USACC	2.01	0.3108				33.67	7.88	11.17
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update											
ADDITIONAL NRCs												
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPRX	USAS2	0.00	0.00				33.67	7.88	11.17
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)												
UNE Port/Loop Combination Rates												
	2-Wire VG Loop/Port Combo - Zone 1	1			12.59							
	2-Wire VG Loop/Port Combo - Zone 2	2			14.26							
	2-Wire VG Loop/Port Combo - Zone 3	3			21.62							
UNE Loop Rates												
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	10.80							
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX	12.47							
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	19.83							
2-Wire Voice Grade Line Port (Bus)												

Exhibit 1

Exhibit 1

UNBUNDLED NETWORK ELEMENTS - Georgia												
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2	Exhibit: B
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Adtl	SOMECSOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
	2-Wire voice unbundled Georgia basic dialing port without Caller ID - bus		UEPBX	UEPWD	1.79	22.14	15.25	8.45	3.91		33.67	7.88
	2-Wire voice unbundled Georgia basic dialing port with Caller ID - bus		UEPBX	UEPWP	1.79	22.14	15.25	8.45	3.91		33.67	7.88
	Incoming Only without Caller ID capability		UEPBX	UEPBE	1.79	22.14	15.25	8.45	3.91		33.67	7.88
LOCAL NUMBER PORTABILITY												
	Local Number Portability (1 per port)		UEPBX	LNPCX	0.35							
FEATURES												
	All Features Offered		UEPBX	UEPVF	0.00	0.00	0.00			33.67	7.88	11.17
NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED												
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPBX	USAC2								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPBX	USACC	2.01	0.3108				33.67	7.88	11.17
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update		UEPBX	USACC	2.01	0.3108				33.67	7.88	11.17
ADDITIONAL NRCS												
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPBX	USAS2	0.00	0.00	0.00			33.67	7.88	11.17
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)												
UNE Port/Loop Combination Rates												
	2-Wire VG Loop/Port Combo - Zone 1	1			12.69							
	2-Wire VG Loop/Port Combo - Zone 2	2			14.28							
	2-Wire VG Loop/Port Combo - Zone 3	3			21.62							
UNE Loop Rates												
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEPRG	UEPLX	10.80							
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEPRG	UEPLX	12.47							
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEPRG	UEPLX	19.83							
2-Wire Voice Grade Line Port Rates (RES - PBX)												
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX Trunk		UEPRG	UEPPQ	1.79	22.14	15.25	8.45	3.91		33.67	7.88
LOCAL NUMBER PORTABILITY												
	Local Number Portability (1 per port)		UEPRG	LNPCP	3.15							
FEATURES												
	All Features Offered		UEPRG	UEPVF	0.00	0.00	0.00			33.67	7.88	11.17
NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED												
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-is		UEPRG	USAC2								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change		UEPRG	USACC	2.01	0.3108				33.67	7.88	11.17
ADDITIONAL NRCS												
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		UEPRG	USAS2	0.00	0.00	0.00			33.67	7.88	11.17
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group				14.64	14.64				19.99	19.99	19.99

Exhibit 1

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Attachment: 2				Exhibit: B			
						Nonrecurring Add'l	First	Nonrecurring Disconnect Add'l	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
						Rec	First	First	SOME	SOME	SOME	SOME	SOME	SOME	SOME	SOME	SOME
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
	UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1				12.59											
	2-Wire VG Loop/Port Combo - Zone 2	2				14.28											
	2-Wire VG Loop/Port Combo - Zone 3	3				21.62											
	UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1		UEPPX	UEPLX	10.80											
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2		UEPPX	UEPLX	12.47											
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3		UEPPX	UEPLX	19.63											
	2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	2-Wire voice unbundled Google basic dialing port - 1-Way			UEPPX	UEPWS	1.79	22.14	15.25	3.91								
	2-Wire voice unbundled Google basic dialing port - 2-Way			UEPPX	UEPWT	1.79	22.14	15.25	3.91								
	2-Wire voice unbundled Google basic dialing port - 2-Way Trunk			UEPPX	UEPWT	1.79	22.14	15.25	3.91								
	LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)					3.15											
	FEATURES																
	All Features Offered					0.00	0.00	0.00									
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		2.01	0.3108									
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		2.01	0.3108									
	ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00									
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64									
	UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES																
	Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules.																
	This includes unbundled port/loop combinations that are currently combined or not currently combined in Zone 1 of the Top 8 MSAs in BellSouth's region for end users with 4 or more DSO equivalent lines.																
	The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nashville).																
	BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section. In the interim where BellSouth cannot bill Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference.																
	The Market Rate for unbundled ports includes all available features in all states.																
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge.																
	For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly.																
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
	UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1				24.60											
	2-Wire VG Loop/Port Combo - Zone 2	2				28.47											
	2-Wire VG Loop/Port Combo - Zone 3	3				33.63											

Exhibit 1

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)		Svc Order Submitted Elec per LSR	Attachment: 2		Exhibit: B	
								Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l		Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
					Nonrecurring Add'l	First		SOME	SOMAN	SOMAN	SOMAN
					Rec						
UNBUNDLED NETWORK ELEMENTS - Georgia	UNE Loop Rates										
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	10.80						
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	12.47						
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	19.83						
2-Wire Voice Grade Line Port (Ras)	2-Wire Voice Grade Georgia Basic Dialing Port without Caller ID capability		UEPRX	UEPWC	14.00	90.00	90.00		33.67	7.88	11.17
	2-Wire Voice Grade Georgia Basic Dialing Port for use with Caller ID		UEPRX	UEPWC	14.00	90.00	90.00		33.67	7.88	11.17
	2-Wire voice unbundled Georgia basic dialing port - outgoing only		UEPRX	UEPWC	14.00	90.00	90.00		33.67	7.88	11.17
LOCAL NUMBER PORTABILITY	Low Usage Line Port without Caller ID capability		UEPRX	UEPRT	14.00	90.00	90.00		33.67	7.88	11.17
	Local Number Portability (1 per port)		UEPRX	LNPCX	0.35						
	All Features Offered		UEPRX	UEPVF	0.00	0.00	0.00		33.67	7.88	11.17
NONRECURRING CHARGES - CURRENTLY COMBINED	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is		UEPRX	USAC2	0.00	41.50	41.50		33.67	7.88	11.17
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change		UEPRX	USACC		41.50	41.50		33.67	7.88	11.17
	Additional NRCs		UEPRX	USAS2		0.00	0.00		33.67	7.88	11.17
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	UNE Port/Loop Combination Rates										
	2-Wire VG Loop/Port Combo - Zone 1	1			24.80						
	2-Wire VG Loop/Port Combo - Zone 2	2			28.47						
	2-Wire VG Loop/Port Combo - Zone 3	3			33.83						
UNE Loop Rates	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	10.80						
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	12.47						
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	19.83						
2-Wire Voice Grade Line Port (Bus)	2-Wire voice unbundled Georgia basic dialing port without Caller ID - bus		UEPRX	UEPWB	14.00	90.00	90.00		33.67	7.88	11.17
	2-Wire voice unbundled Georgia basic dialing port with Caller ID - bus		UEPRX	UEPWB	14.00	90.00	90.00		33.67	7.88	11.17
	Incoming Only without Caller ID capability		UEPRX	LNPCX	0.35						
LOCAL NUMBER PORTABILITY	Local Number Portability (1 per port)		UEPRX	UEPVF	0.00	0.00	0.00		33.67	7.88	11.17
	All Features Offered		UEPRX	UEPVF	0.00	0.00	0.00		33.67	7.88	11.17
	Nonrecurring Charges - Currently Combined		UEPRX	USAC2		41.50	41.50		33.67	7.88	11.17
NONRECURRING CHARGES - CURRENTLY COMBINED	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is		UEPRX	USAC2		41.50	41.50		33.67	7.88	11.17
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change		UEPRX	USACC		41.50	41.50		33.67	7.88	11.17
	Additional NRCs		UEPRX	USAS2		0.00	0.00		33.67	7.88	11.17

Exhibit 1

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment: 2		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st
						Rec	Nonrecurring Add'l	Nonrecurring First	Nonrecurring Disconnect Add'l			SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPBX	USACC		41.50	41.50				33.67	11.17
	ADDITIONAL NRCS												
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2		0.00	0.00				33.67	11.17
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)												
	UNE Port/Loop Combination Rates												
	2-Wire VG Loop/Port Combo - Zone 1	1				24.80							
	2-Wire VG Loop/Port Combo - Zone 2	2				26.47							
	2-Wire VG Loop/Port Combo - Zone 3	3				33.63							
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1		UEPRG	UEPLX	10.80							
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2		UEPRG	UEPLX	12.47							
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3		UEPRG	UEPLX	19.83							
	2-Wire Voice Grade Line Port Rates (RES - PBX)												
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX Trunk			UEPRG	UEPPQ	14.00	90.00	90.00				33.67	11.17
	LOCAL NUMBER PORTABILITY												
	Local Number Portability (1 per port)			UEPRG	LNCP	3.15							
	FEATURES												
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				33.67	11.17
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED												
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Convention - Switch-As-is			UEPRG	USAC2		41.50	41.50				33.67	11.17
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Convention - Switch with Change			UEPRG	USACC		41.50	41.50				33.67	11.17
	ADDITIONAL NRCS												
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				33.67	11.17
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.04	14.04				19.99	19.99
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)												
	UNE Port/Loop Combination Rates												
	2-Wire VG Loop/Port Combo - Zone 1	1				24.80							
	2-Wire VG Loop/Port Combo - Zone 2	2				26.47							
	2-Wire VG Loop/Port Combo - Zone 3	3				33.63							
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1		UEPPX	UEPLX	10.80							
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2		UEPPX	UEPLX	12.47							
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3		UEPPX	UEPLX	19.83							
	2-Wire Voice Grade Line Port Rates (BUS - PBX)												

Exhibit 1

UNBUNDLED NETWORK ELEMENTS - Georgia															
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2			Exhibit: B	
					Nonrecurring		Nonrecurring Disconnect First	Add'l			Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	
					Rec	First									SOME
	2-Wire voice unbundled Georgia basic dialing port - 1-Way Outdial Trunk		UEPPX	UEPWS	14.00	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk		UEPPX	UEPWT	14.00	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	LOCAL NUMBER PORTABILITY		UEPPX	LNPCP	3.15										
	Local Number Portability (1 per port)														
	FEATURES														
	All Features Offered		UEPPX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is		UEPPX	USAC2		41.50	41.50					33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change		UEPPX	USACC		41.50	41.50					33.67	7.88	11.17	3.91
	ADDITIONAL NRCS														
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		UEPPX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.91
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					14.64	14.64					19.99	19.99	19.99	19.99

Exhibit 1

Exhibit 1

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment: 2		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATE(S)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
					Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	SOMEK	SOMAN	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as a part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website: http://www.kentuckyinterconnection.com/belkouth.com/belkouth_a_clickhereinterconnection.htm													
UNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)													
Exchange Ports													
NOTE: Although the Port Rate Includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs													
2-WIRE VOICE GRADE LINE PORT RATES (RES)													
	Kentucky Extended Local Dialing Port without Caller ID capability		UEPSR	UEPWE	1.49	3.74	2.23	2.13					
	Low Usage Line Port without Caller ID capability		UEPSR	UEPRT	1.49	3.74	2.23	2.13					
FEATURES													
	All Available Vertical Features		UEPSR	UEPVF	0.00	0.00							
2-WIRE VOICE GRADE LINE PORT RATES (BUS)													
	Kentucky Extended Local Dialing Port without Caller ID capability		UEPSB	UEPWF	1.49	3.74	2.23	2.13					
	Incoming Only without Caller ID capability		UEPSB	UEPBE	1.49	3.74	2.23	2.13					
FEATURES													
	All Available Vertical Features		UEPSB	UEPVF	0.00	0.00							
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES													
> Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.													
> Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit													
> End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.													
> The first and additional Port nonrecurring charges apply to Not Currently Combined Combs. For Currently Combined Combs, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. Additional NRCs may apply also and are categorized accordingly.													
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)													
UNE Port/Loop Combination Rates													
	2-Wire VG Loop/Port Combo - Zone 1	1			10.79								
	2-Wire VG Loop/Port Combo - Zone 2	2			15.52								
	2-Wire VG Loop/Port Combo - Zone 3	3			31.74								
UNE Loop Rates													
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	9.64								
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	14.37								
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	30.59								
2-Wire Voice Grade Line Port Rates (Res)													
	Kentucky Extended Local Dialing Port without Caller ID capability		UEPRX	UEPWE	1.15	21.29	2.85	2.67					
	Low Usage Line Port without Caller ID capability		UEPRX	UEPRT	1.15	21.29	2.85	2.67					
FEATURES													

Exhibit 1

UNBUNDLED NETWORK ELEMENTS - Kentucky															Attachment: 2		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st				
					Rec	Nonrecurring Add'l		Nonrecurring Disconnect First	Add'l			OSS Rates(\$)		SOMAN	SOMAN			
						First												
	AI Features Offered		UEPRX	UEPVF	0.00	0.00	0.00				7.88							
	LOCAL NUMBER PORTABILITY		UEPRX	LNPCX	0.35													
	Local Number Portability (1 per port)																	
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPRX	USAC2		0.10	0.10				7.88							
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPRX	USACC		0.10	0.10				7.88							
	ADDITIONAL NRCS																	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPRX	USAS2	0.00	0.00	0.00				7.88							
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																	
	UNE Port Loop Combination Rates					10.78												
	2-Wire VG LoopPort Combo - Zone 1	1				15.52												
	2-Wire VG LoopPort Combo - Zone 2	2				31.74												
	2-Wire VG LoopPort Combo - Zone 3	3																
	UNE Loop Rates					9.64												
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX		14.37												
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX		30.69												
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX														
	2-Wire Voice Grade Line Port (Bus)																	
	Kentucky Extended Local Dialing Port without Caller ID capability		UEPBX	UEPWF	1.15	21.29	15.49	2.85	2.67		7.88							
	Incumbent Only without Caller ID capability		UEPBX	UEPBE	1.15	21.29	15.49	2.85	2.67		7.88							
	LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)		UEPBX	LNPCX	0.35													
	FEATURES																	
	AI Features Offered		UEPBX	UEPVF	0.00	0.00	0.00				7.88							
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPBX	USAC2		0.10	0.10				7.88							
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPBX	USACC		0.10	0.10				7.88							
	ADDITIONAL NRCS																	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPBX	USAS2	0.00	0.00	0.00				7.88							

Exhibit 1

UNBUNDLED NETWORK ELEMENTS - Louisiana										Attachment: 2		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	
					Nonrecurring First	Nonrecurring Add'l	Disconnect Add'l						
													SOMECH
					Rec	First	Add'l	First	Add'l	SOMAN	SOMAN	SOMAN	
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zones, refer to Internet Website: http://www.interconnection.bellsouth.com/bcme_p_dch/interconnection.htm													
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)													
Exchange Ports													
NOTE: Although the Port Rate Includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs													
2-WIRE VOICE GRADE LINE PORT RATES (RES)													
	Louisiana Extended Local Dialing Port without Caller ID		UEPSR	UEPWG	1.62	2.31	2.21			15.20			
	Louisiana Calling Plan Port without Caller ID capability		UEPSR	UEPRT	1.62	2.31	2.21			15.20			
	Low Usage Line Port without Caller ID capability		UEPSR										
FEATURES													
	All Available Vertical Features		UEPSR	UEPVF	0.00	0.00	0.00			15.20			
2-WIRE VOICE GRADE LINE PORT RATES (BUS)													
	Louisiana Extended Local Dialing Port without Caller ID capability		UEPSB	UEPWH	1.62	2.31	2.21			15.20			
	Louisiana Business Area Calling Port without Caller ID capability		UEPSB	UEPBA	1.62	2.31	2.21			15.20			
	Incoming Only without Caller ID capability		UEPSB	UEPBE	1.62	2.31	2.21			15.20			
FEATURES													
	All Available Vertical Features		UEPSB	UEPVF	0.00	0.00	0.00			15.20			
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES													
> Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.													
> Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.													
> End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.													
> The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. Additional NRCA may apply also and are categorized accordingly.													
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)													
UNE Port/Loop Combination Rates													
	2-Wire VG Loop/Port Combo - Zone 1	1				13.13							
	2-Wire VG Loop/Port Combo - Zone 2	2				23.75							
	2-Wire VG Loop/Port Combo - Zone 3	3				48.62							
UNE Loop Rates													
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX		11.77							
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX		22.39							
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX		48.28							
2-Wire Voice Grade Line Port Rates (Res)													

Exhibit 1

Exhibit 1

UNBUNDLED NETWORK ELEMENTS - Louisiana														
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: B	
					Nonrecurring		Nonrecurring				Incremental Charge - Manual Svc Order vs. Electronic-Add'l		Incremental Charge - Manual Svc Order vs. Electronic-Add'l	
					First	Add'l	First	Add'l			SOMAN	SOMAN	SOMAN	SOMAN
	Louisiana Extended Local Dialing Port without Caller ID capability		UEPRX	UEPWG	1.36	38.85	19.08			15.20				
	Louisiana Calling Plan Port without Caller ID capability		UEPRX	UEPRQ	1.36	38.85	19.08			15.20				
	Low Usage Line Port without Caller ID capability		UEPRX	UEPRT	1.36	38.85	19.08			15.20				
FEATURES	All Features Offered		UEPRX	UEPVF	0.00	0.00	0.00			15.20				
LOCAL NUMBER PORTABILITY	Local Number Portability (1 per port)		UEPRX	LNPCX	0.35									
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPRX	USAC2		0.10	0.10			15.20				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPRX	USACC		0.10	0.10			15.20				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update													
ADDITIONAL NRCs	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPRX	USAS2	0.00	0.00	0.00			15.20				
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)														
UNE Port/Loop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1	1			13.13									
	2-Wire VG Loop/Port Combo - Zone 2	2			23.76									
	2-Wire VG Loop/Port Combo - Zone 3	3			48.62									
UNE Loop Rates														
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	11.77									
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX	22.39									
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	48.28									
2-Wire Voice Grade Line Port (Bus)														
Louisiana Extended Local Dialing Port without Caller ID capability			UEPBX	UEPWH	1.36	38.85	19.08			15.20				
Louisiana Business Area Calling Port without Caller ID capability			UEPBX	UEPBA	1.36	38.85	19.08			15.20				
Incoming Only without Caller ID capability			UEPBX	UEPBE	1.36	38.85	19.08			15.20				
LOCAL NUMBER PORTABILITY	Local Number Portability (1 per port)		UEPBX	LNPCX	0.35									
FEATURES	All Features Offered		UEPBX	UEPVF	0.00	0.00	0.00			15.20				
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPBX	USAC2		0.10	0.10			15.20				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPBX	USACC		0.10	0.10			15.20				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update													
ADDITIONAL NRCs	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPBX	USAS2	0.00	0.00	0.00			15.20				

Exhibit 1

UNBUNDLED NETWORK ELEMENTS - Louisiana														
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2			Exhibit: B	
					Nonrecurring First	Add'l	Nonrecurring First			Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
					Rec									
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES														
> Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules. This includes unbundled port/loop combinations that are currently combined or not currently combined in Zone 1 of the Top 8 MSAs in BellSouth's region for end users with 4 or more DSO equivalent lines. > The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nashville). > BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section. In the interim where BellSouth cannot bill Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. > The Market Rates for unbundled ports includes all available features in all states. > End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge. > For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly.														
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (REG)														
UNE Port/Loop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1	1			25.77									
	2-Wire VG Loop/Port Combo - Zone 2	2			38.39									
	2-Wire VG Loop/Port Combo - Zone 3	3			62.28									
UNE Loop Rates														
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	11.77									
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	22.39									
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	48.28									
2-Wire Voice Grade Line Port (Reg)														
	Louisiana Extended Local Dialing Port without Caller ID capability		UEPRX	UEPWG	14.00	90.00		90.00				31.92	7.32	
	Louisiana Calling Plan Port without Caller ID capability		UEPRX	UEPRQ	14.00	90.00		90.00				31.92	7.32	
	Low Usage Line Port without Caller ID capability		UEPRX	UEPRT	14.00	90.00		90.00				31.92	7.32	
LOCAL NUMBER PORTABILITY														
	Local Number Portability (1 per port)		UEPRX	LNPOX	0.35									
FEATURES														
	All Features Offered		UEPRX	UEPVF	0.00	0.00		0.00				31.92	7.32	
NONRECURRING CHARGES - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is change		UEPRX	USAC2		41.50		41.50				31.92	7.32	
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change		UEPRX	USACC		41.50		41.50				31.92	7.32	
ADDITIONAL NRCs														
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPRX	USAS2	0.00	0.00		0.00				31.92	7.32	
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)														
UNE Port/Loop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1	1			25.77									
	2-Wire VG Loop/Port Combo - Zone 2	2			38.39									
	2-Wire VG Loop/Port Combo - Zone 3	3			62.28									
UNE Loop Rates														
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	11.77									
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	22.39									
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	48.28									

Exhibit 1

Exhibit 1

UNBUNDLED NETWORK ELEMENTS - Louisiana																			
CATEGORY	RATE ELEMENTS	Interim	Zones	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: B			
						Nonrecurring		Nonrecurring Disconnect				Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l		
						Rec	First	Add'l	First									SOBEC	SOBMAN
	2-Wire Voice Grade Line Port (Bus)																		
	Louisiana Extended Local Dialing Port without Caller ID capability			UEPBX	UEPWH	14.00	90.00	90.00						31.92	7.32				
	Louisiana Business Area Calling Port without Caller ID capability			UEPBX	UEPBA	14.00	90.00	90.00						31.92	7.32				
	Incoming Only without Caller ID capability			UEPBX	UEPBE	14.00	90.00	90.00						31.92	7.32				
	LOCAL NUMBER PORTABILITY																		
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35													
	FEATURES																		
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00						31.92	7.32				
	NONRECURRING CHARGES - CURRENTLY COMBINED																		
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50						31.92	7.32				
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPBX	USACC		41.50	41.50						31.92	7.32				
	ADDITIONAL NRCs																		
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2		0.00	0.00						31.92	7.32				

Amendment Vamjon 08/25/2002

Exhibit 1

UNBUNDLED NETWORK ELEMENTS - Mississippi													
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order/ Submitted Elec per LSR	Attachment: 2		Exhibit: B	
					Nonrecurring First Add'l	Nonrecurring Disconnected Add'l	SOMECH	SOMAN		Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	10.88								
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	15.91								
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	25.04								
	2-Wire Voice Grade Loop (SL1) - Zone 4	4	UEPRX	UEPLX	43.68								
	2-Wire Voice Grade Line Port Rates (Res)												
	Mississippi Extended Local Dialing Port without Caller ID capability		UEPRX	UEPWJ	1.23	40.31	19.84	24.90	6.58	15.75			
	Low Usage Line Port without Caller ID capability		UEPRX	UEPRT	1.23	40.31	19.84	24.90	6.58	15.75			
	FEATURES		UEPRX	UEPVF	2.56	0.00	0.00			15.75			
	All Features Offered												
	LOCAL NUMBER PORTABILITY		UEPRX	LNPCX	0.35								
	Local Number Portability (1 per port)												
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED												
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPRX	USAC2		0.0988	0.0988			15.75			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPRX	USACC		0.0988	0.0988			15.75			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update												
	ADDITIONAL NRCs												
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPRX	USAS2	0.00	0.00	0.00			15.75			
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)												
	UNE Port/Loop Combination Rates												
	2-Wire VG Loop/Port Combo - Zone 1	1			12.22								
	2-Wire VG Loop/Port Combo - Zone 2	2			17.13								
	2-Wire VG Loop/Port Combo - Zone 3	3			26.28								
	2-Wire VG Loop/Port Combo - Zone 4	4			44.91								
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	10.88								
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX	15.91								
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	25.04								
	2-Wire Voice Grade Loop (SL1) - Zone 4	4	UEPBX	UEPLX	43.68								
	2-Wire Voice Grade Line Port (Bus)												
	Mississippi Extended Local Dialing Port without Caller ID capability		UEPBX	UEPBX	1.23	40.31	19.84	24.90	6.58	15.75			
	Incoming Only without Caller ID capability		UEPBX	UEPBE	1.23	40.31	19.84	24.90	6.58	15.75			
	LOCAL NUMBER PORTABILITY		UEPBX	LNPCX	0.35								
	Local Number Portability (1 per port)												
	FEATURES		UEPBX	UEPVF	2.56	0.00	0.00			15.75			
	All Features Offered												
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED												

Exhibit 1

Exhibit 1

UNBUNDLED NETWORK ELEMENTS - Mississippi																		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Attachment: 2				Exhibit: B Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l			
						Nonrecurring		First	Add'l		Nonrecurring First	Add'l	OSS Rates(\$)			SOMAN	SOMAN	SOMAN
						Rec	First						SOMEK	SOMAN				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		0.0988	0.0988			15.75							
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		0.0988	0.0988			15.75							
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update																	
	ADDITIONAL NRCs																	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2	0.00	0.00	0.00			15.75							
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																	
	UNE Port/Loop Combination Rates																	
	2-Wire VG Loop/Port Combo - Zone 1		1			12.22												
	2-Wire VG Loop/Port Combo - Zone 2		2			17.13												
	2-Wire VG Loop/Port Combo - Zone 3		3			26.28												
	2-Wire VG Loop/Port Combo - Zone 4		4			44.91												
	UNE Loop Rates																	
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10.98												
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	15.91												
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	25.04												
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPPX	UEPLX	43.68												
	2-Wire Voice Grade Line Port Rates (BUS - PBX)																	
	PBX 2-Way Combo MS Local Opt 2 Calling Port			UEPPX	UEPA5	1.23	69.37	32.48	37.88	6.17	15.75							
	LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00										
	FEATURES																	
	All Features Offered			UEPPX	UEPVF	2.58	0.00	0.00			15.75							
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		7.96	1.91			15.75							
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		7.96	1.91			15.75							
	ADDITIONAL NRCs																	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00			15.75							
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					7.38	7.38				15.75							

Exhibit 1

Exhibit 1

UNBUNDLED NETWORK ELEMENTS - North Carolina													Attachment: 2				Exhibit: B			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st				Incremental Charge - Manual Svc Order vs. Electronic-1st					
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect Add'l			SOME	SOMAN	SOMAN	SOMAN	SOME	SOMAN	SOMAN	SOMAN		
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internal Website: http://www.interconnection.bellsouth.com/become_a_deaf/interconnection.htm																				
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																				
Exchange Ports																				
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs																				
2-WIRE VOICE GRADE LINE PORT RATES (RES)																				
Low Usage Line Port without Caller ID capability																				
UEPSR 2.19 21.60 21.60																				
FEATURES																				
All Available Vertical Features																				
UEPSR 3.40 0.00 0.00																				
2-WIRE VOICE GRADE LINE PORT RATES (BUS)																				
Incoming Only without Caller ID capability																				
UEPSB 2.19 21.60 21.60																				
FEATURES																				
All Available Vertical Features																				
UEPSB 3.40 0.00 0.00																				
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																				
> Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.																				
> Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.																				
> End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.																				
> The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. Additional NRCA may apply also and are categorized accordingly.																				
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																				
UNE Port/Loop Combination Rates																				
2-Wire VG Loop/Port Combo - Zone 1 13.03																				
2-Wire VG Loop/Port Combo - Zone 2 21.33																				
2-Wire VG Loop/Port Combo - Zone 3 32.61																				
UNE Loop Rates																				
2-Wire Voice Grade Loop (SL1) - Zone 1 10.75																				
2-Wire Voice Grade Loop (SL1) - Zone 2 19.05																				
2-Wire Voice Grade Loop (SL1) - Zone 3 30.33																				
2-Wire Voice Grade Line Port Rates (Res)																				
Low Usage Line Port without Caller ID capability																				
UEPRX 2.28 79.59 63.97																				
FEATURES																				
All Features Offered																				
UEPRX 3.40 0.00 0.00																				
40.18 9.45																				
40.18 9.45																				

Exhibit 1

UNBUNDLED NETWORK ELEMENTS - North Carolina															
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: B		
					Rec	Nonrecurring Add'l		Nonrecurring Disconnect First			Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
						First	Add'l								
	LOCAL NUMBER PORTABILITY														
	Local Number Portability (1 per port)		UEPRX	LNPCX	0.35										
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPRX	USAC2		2.77	0.40				40.18	9.45			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPRX	USACC		2.77	0.40				40.18	9.45			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update					1.42					40.18	9.45			
	ADDITIONAL NRCs														
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPRX	USAS2	0.00	0.00	0.00				40.18	9.45			
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)														
	UNE Port/Loop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1	1			13.03										
	2-Wire VG Loop/Port Combo - Zone 2	2			21.33										
	2-Wire VG Loop/Port Combo - Zone 3	3			32.81										
	UNE Loop Rates														
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	10.75										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX	18.05										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	30.33										
	2-Wire Voice Grade Line Port (Bus)														
	Incoming Only without Caller ID capability		UEPBX	UEPBE	2.28	78.69	63.97				40.18	9.45			
	LOCAL NUMBER PORTABILITY														
	Local Number Portability (1 per port)		UEPBX	LNPCX	0.35										
	FEATURES														
	All Features Offered					3.40	0.00	0.00			40.18	9.45			
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPBX	USAC2		2.77	0.40				40.18	9.45			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPBX	USACC		2.77	0.40				40.18	9.45			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update					1.42					40.18	9.45			
	ADDITIONAL NRCs														
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPBX	USAS2	0.00	0.00	0.00				40.18	9.45			
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES															
> Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules. This includes unbundled port/loop combinations that are currently combined or not currently combined in Zone 1 of the Top 8 MSAs in BellSouth's region for end users with 4 or more DSO equivalent lines. > The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Rock Hill); TN (Nashville). > BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section. In the interim where BellSouth cannot bill Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference. > The Market Rate for unbundled ports includes all available features in all states. > End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge															

Exhibit 1

UNBUNDLED NETWORK ELEMENTS - North Carolina										Attachment: 2		Exhibit: 8	
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)	Nonrecurring		Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	OSS Rates(\$)		Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						First	Add'l			SOME	SOMAN		
> For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly.													
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)													
UNE Port/Loop Combination Rates													
	2-Wire VG Loop/Port Combo - Zone 1	1											
	2-Wire VG Loop/Port Combo - Zone 2	2											
	2-Wire VG Loop/Port Combo - Zone 3	3											
UNE Loop Rates													
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX									
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX									
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX									
2-Wire Voice Grade Line Port (Res)													
	Low Usage Line Port without Caller ID capability		UEPRX	UEPRT		14.00	90.00			90.00	40.18	9.45	
LOCAL NUMBER PORTABILITY													
	Local Number Portability (1 per port)		UEPRX	LNPCX		0.35							
FEATURES													
	All Features Offered		UEPRX	UEPVF		0.00	0.00			0.00	40.18	9.45	
NONRECURRING CHARGES - CURRENTLY COMBINED													
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is		UEPRX	USAC2		0.00	41.50			41.50	40.18	9.45	
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change		UEPRX	USACC			41.50			41.50	40.18	9.45	
ADDITIONAL NRCs													
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPRX	USAS2		0.00	0.00			0.00	40.18	9.45	
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)													
UNE Port/Loop Combination Rates													
	2-Wire VG Loop/Port Combo - Zone 1	1											
	2-Wire VG Loop/Port Combo - Zone 2	2											
	2-Wire VG Loop/Port Combo - Zone 3	3											
UNE Loop Rates													
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX									
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX									
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX									
2-Wire Voice Grade Line Port (Bus)													
	Incoming Only without Caller ID capability		UEPBX	UEPBE		14.00	90.00			90.00	40.18	9.45	
LOCAL NUMBER PORTABILITY													
	Local Number Portability (1 per port)		UEPBX	LNPCX		0.35							
FEATURES													
	All Features Offered		UEPBX	UEPVF		0.00	0.00			0.00	40.18	9.45	
NONRECURRING CHARGES - CURRENTLY COMBINED													

Exhibit 1

Exhibit 1

UNBUNDLED NETWORK ELEMENTS - North Carolina															
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATE (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2			Exhibit: B		
					Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First			Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
														Rec	QoS Rates(\$)
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is		UEPBX	USAC2	41.50	41.50					40.18	9.45			
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change		UEPBX	USACC	41.50	41.50					40.18	9.45			
	ADDITIONAL NRCs														
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPBX	USAS2	0.00	0.00					40.18	9.45			

Amendment Version 08/25/2002

Exhibit 1

UNBUNDLED NETWORK ELEMENTS - South Carolina										Attachment: 2		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
					Rec	Nonrecurring Add'l	Nonrecurring Disconnect First						
	South Carolina Extended Local Dialing Port without Caller ID capability		UEPRX	UEPWL	1.13	37.93	18.72		15.69				
	South Carolina Area Calling Port without Caller ID capability		UEPRX	UEPRS	1.13	37.93	18.72		15.69				
	Low Usage Line Port without Caller ID capability		UEPRX	UEPRT	1.13	37.93	18.72		15.69				
	FEATURES												
	All Features Offered		UEPRX	UEPVF	3.04	0.00	0.00		15.69				
	LOCAL NUMBER PORTABILITY												
	Local Number Portability (1 per port)		UEPRX	LNPCX	0.35								
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED												
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPRX	USAC2		0.10	0.10		15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPRX	USACC		0.10	0.10		15.69				
	ADDITIONAL NRCs												
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPRX	USAS2	0.00	0.00	0.00		15.69				
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)												
	UNE Port Loop Combination Rates												
	2-Wire VG Loop/Port Combo - Zone 1	1			14.89								
	2-Wire VG Loop/Port Combo - Zone 2	2			21.52								
	2-Wire VG Loop/Port Combo - Zone 3	3			27.17								
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SLT) - Zone 1	1	UEPBX	UEPLX	13.76								
	2-Wire Voice Grade Loop (SLT) - Zone 2	2	UEPBX	UEPLX	20.38								
	2-Wire Voice Grade Loop (SLT) - Zone 3	3	UEPBX	UEPLX	26.04								
	2-Wire Voice Grade Line Port (Bus)												
	South Carolina Extended Local Dialing Port without Caller ID capability		UEPBX	UEPWM	1.13	37.93	18.72		15.69				
	South Carolina Business Area Calling Port without Caller ID capability		UEPBX	UEPBB	1.13	37.93	18.72		15.69				
	Incoming Only without Caller ID capability		UEPBX	UEPBE	1.13	37.93	18.72		15.69				
	LOCAL NUMBER PORTABILITY												
	Local Number Portability (1 per port)		UEPBX	LNPCX	0.35								
	FEATURES												
	All Features Offered		UEPBX	UEPVF	3.04	0.00	0.00		15.69				
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED												
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPBX	USAC2		0.10	0.10		15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPBX	USACC		0.10	0.10		15.69				
	ADDITIONAL NRCs												
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPBX	USAS2	0.00	0.00	0.00		15.69				

Exhibit 1

UNBUNDLED NETWORK ELEMENTS - Tennessee										Attachment: 2				Exhibit: B					
CATEGORY	RATE ELEMENTS	Interim Zone	BCB	USOC	RATES(\$)				Svc Order Submitted Manually per LBR	Svc Order Submitted Manually per LBR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l				Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l				
					Nonrecurring First	Add'l	Nonrecurring First	Add'l			SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internal Website: http://www.interconnection.bellsouth.com/become_a_customer/interconnection.htm																			
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																			
Exchange Ports																			
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs																			
2-WIRE VOICE GRADE LINE PORT RATES (RES)																			
				UEPSR	1.89	9.93					3.66	2.92			10.54	13.32	1.40		
				UEPSR	1.89	9.93					3.66	2.92			10.54	13.32	1.40		
				UEPSR	1.89	9.93					3.66	2.92			10.54	13.32	1.40		
FEATURES																			
				UEPSR	0.00	0.00									10.54	13.32	1.40		
2-WIRE VOICE GRADE LINE PORT RATES (BUS)																			
				UEPSB	1.89	9.93					3.66	2.92			10.54	13.32	1.40		
				UEPSB	1.89	9.93					3.66	2.92			10.54	13.32	1.40		
				UEPSB	1.89	9.93					3.66	2.92			10.54	13.32	1.40		
				UEPSB	1.89	9.93					3.66	2.92			10.54	13.32	1.40		
FEATURES																			
				UEPSB	0.00	0.00									10.54	13.32	1.40		
EXCHANGE PORT RATES (DID & PBX)																			
				UEP8P	1.79	9.93					3.66	2.92			10.54	13.32	1.40		
				UEP8P	1.79	9.93					3.66	2.92			10.54	13.32	1.40		
FEATURES																			
				UEP8P	0.00	0.00									10.54	13.32	1.40		
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																			
> Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.																			
> Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.																			
> End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.																			
> The first and additional Port nonrecurring charges apply to Not Currently Combined Combs. For Currently Combined Combs, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. Additional NRCs may apply also and are categorized accordingly.																			
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																			
UNE Port/Loop Combination Rates																			

UNBUNDLED NETWORK ELEMENTS - Tennessee														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2			Exhibit: B
						Nonrecurring First	Add'l	Nonrecurring Disconnect Add'l			SOMEK	SOMAN	SOMAN	
						Rec								
	2-Wire VG Loop/Port Combo - Zone 1		1			14.18								
	2-Wire VG Loop/Port Combo - Zone 2		2			16.01								
	2-Wire VG Loop/Port Combo - Zone 3		3			23.02								
	UNE Loop Rates													
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12.48								
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	16.31								
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	21.32								
	2-Wire Voice Grade Line Port Rates (Res)													
	Tennessee Area Plus Port without Caller ID capability			UEPRX	UEPRR	1.70	22.14	15.25	8.45	3.91		30.89	7.03	
	Tennessee Extended Local Dialing Port without Caller ID			UEPRX	UEPWN	1.70	22.14	15.25	8.45	3.91		30.89	7.03	
	Low Usage Line Port without Caller ID capability			UEPRX	UEPRT	1.70	22.14	15.25	8.45	3.91		30.89	7.03	
	FEATURES													
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				30.89	7.03	
	LOCAL NUMBER PORTABILITY													
	Local Number Portability (1 per port)			UEPRX	LNPX	0.35								
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED													
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		1.03	0.29				30.89	7.03	
	Switch with change			UEPRX	USACC		1.03	0.29				30.89	7.03	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0.78					30.89	7.03	
	ADDITIONAL NRCs													
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00				30.89	7.03	
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)													
	UNE Port/Loop Combination Rates													
	2-Wire VG Loop/Port Combo - Zone 1		1			14.18								
	2-Wire VG Loop/Port Combo - Zone 2		2			16.01								
	2-Wire VG Loop/Port Combo - Zone 3		3			23.02								
	UNE Loop Rates													
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	12.48								
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	16.31								
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	21.32								
	2-Wire Voice Grade Line Port (Bus)													
	Tennessee Extended Local Dialing Port without Caller ID capability			UEPBX	UEPWO	1.70	22.14	15.25	8.45	3.91		30.89	7.03	
	Tennessee (BUS) Inward Collville and Memphis Local Calling Plan			UEPBX	UEPB2	1.70	22.14	15.25	8.45	3.91		30.89	7.03	
	Tennessee (BUS) 2-Way Collville and Memphis Local Calling Plan			UEPBX	UEPB3	1.70	22.14	15.25	8.45	3.91		30.89	7.03	
	Incoming Only without Caller ID capability			UEPBX	UEPBE	1.70	22.14	15.25	8.45	3.91		30.89	7.03	
	LOCAL NUMBER PORTABILITY													
	Local Number Portability (1 per port)			UEPBX	LNPX	0.35								

Exhibit 1

UNBUNDLED NETWORK ELEMENTS - Tennessee												
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Elec per LSR	Attachment: 2		Exhibit: B	
					Nonrecurring First	Add'l	Nonrecurring Disconnect First		Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
	FEATURES											
	All Features Offered		UEPBX		0.00	0.00	0.00			30.89	7.03	
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED											
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPBX	USAC2		1.03	0.29			30.89	7.03	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPBX	USACC		1.03	0.29			30.89	7.03	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update					0.78				30.89	7.03	
	ADDITIONAL NRCs											
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPBX	USAS2	0.00	0.00	0.00			30.89	7.03	
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)											
	UNE Port Loop Combination Rates											
	2-Wire VG Loop/Port Combo - Zone 1	1			14.18							
	2-Wire VG Loop/Port Combo - Zone 2	2			18.01							
	2-Wire VG Loop/Port Combo - Zone 3	3			23.02							
	UNE Loop Rates											
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEPPX	UEPLX	12.48							
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEPPX	UEPLX	16.31							
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEPPX	UEPLX	21.32							
	2-Wire Voice Grade Line Port Rates (BUS - PBX)											
	PBX Trunk Combination, Collierville and Memphis Local Plan		UEPPX	UEPA6	1.70	22.14	15.25	8.45	3.91	30.89	7.03	
	PBX 2-Way Combo First Trunk Collierville and Memphis Local Calling Plan		UEPPX	UEPA7	1.70	22.14	15.25	8.45	3.91	30.89	7.03	
	LOCAL NUMBER PORTABILITY											
	Local Number Portability (1 per port)		UEPPX	LNPCL	3.15	0.00	0.00			30.89	7.03	
	FEATURES											
	All Features Offered		UEPPX	UEPVF	0.00	0.00	0.00			30.89	7.03	
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED											
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is		UEPPX	USAC2		1.03	0.29			30.89	7.03	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change		UEPPX	USACC		1.03	0.29			30.89	7.03	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change					0.78				30.89	7.03	
	ADDITIONAL NRCs											
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		UEPPX	USAS2	0.00	0.00	0.00			30.89	7.03	
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					14.64	14.64			30.89	7.03	
	UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES											
> Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules.												
This includes unbundled portloop combinations that are currently combined or not currently combined in Zone 1 of the Top 8 MSAs in BellSouth's region for end users with 4 or more DS0 equivalent lines.												

> Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules. This includes unbundled port loop combinations that are currently combined or not currently combined in Zone 1 of the Top 9 MSAs in BellSouth's region for end users with 4 or more DSO equivalent lines.

Exhibit 1

UNBUNDLED NETWORK ELEMENTS - Tennessee													
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Attachment: 2			Exhibit: B
					Nonrecurring First	Add'l	Nonrecurring First	Add'l		Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	
					Rec					SOMECH	SOMAN	SOMAN	SOMAN
> The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami), GA (Atlanta), LA (New Orleans), NC (Greensboro-Winston Salem-HighPoint/Charlotte-Gastonia-Rock Hill), TN (Nashville).													
> BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section. In the interim where BellSouth cannot bill Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference.													
> The Market Rate for unbundled ports includes all available features in all states.													
> End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge													
> For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly.													
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)													
UNE Port/Loop Combination Rates													
	2-Wire VG Loop/Port Combo - Zone 1	1			28.48								
	2-Wire VG Loop/Port Combo - Zone 2	2			30.31								
	2-Wire VG Loop/Port Combo - Zone 3	3			35.32								
UNE Loop Rates													
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	12.48								
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	16.31								
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	21.32								
2-Wire Voice Grade Line Port (Res)													
	Tennessee Area Plus Port without Caller ID capability		UEPRX	UEPRR	14.00		90.00	90.00			30.89	7.03	
	Tennessee Extended Local Dialing Port without Caller ID capability		UEPRX	UEPWN	14.00		90.00	90.00			30.89	7.03	
	Low Usage Line Port without Caller ID capability		UEPRX	UEPRT	14.00		90.00	90.00			30.89	7.03	
LOCAL NUMBER PORTABILITY													
	Local Number Portability (1 per port)		UEPRX	LNPX	0.35								
FEATURES													
	All Features Offered		UEPRX	UEPVF	0.00		0.00	0.00			30.89	7.03	
NONRECURRING CHARGES - CURRENTLY COMBINED													
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is		UEPRX	USAC2			41.50	41.50			30.89	7.03	
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change		UEPRX	USACC			41.50	41.50			30.89	7.03	
ADDITIONAL NRCs													
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPRX	USAS2	0.00		0.00	0.00			30.89	7.03	
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)													
UNE Port/Loop Combination Rates													
	2-Wire VG Loop/Port Combo - Zone 1	1			28.48								
	2-Wire VG Loop/Port Combo - Zone 2	2			30.31								
	2-Wire VG Loop/Port Combo - Zone 3	3			35.32								
UNE Loop Rates													
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	12.48								
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX	16.31								
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	21.32								
2-Wire Voice Grade Line Port (Bus)													
	Tennessee Extended Local Dialing Port without Caller ID capability		UEPBX	UEPWO	14.00		90.00	90.00			30.89	7.03	
	Tennessee (BUS) Inward Collierville and Memphis Local Calling Plan		UEPBX	UEPB2	14.00		90.00	90.00			30.89	7.03	

Exhibit 1

UNBUNDLED NETWORK ELEMENTS - Tennessee										Attachment: 2			Exhibit: B		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-1st	
						Rec	Nonrecurring First	Add'l	Nonrecurring First			SON EC	SOMAN	OSS Rates(\$)	SOMAN
	Tennessee (BUS) 2-Way Collierville and Memphis Local Calling Plan			UEPBX	UEPB3	14.00	90.00	90.00					30.89	7.03	
	Incoming Only without Caller ID capability			UEPBX	UEPBE	14.00	90.00	90.00					30.89	7.03	
	LOCAL NUMBER PORTABILITY			UEPBX	LNPBX	0.35									
	Local Number Portability (1 per port)														
	FEATURES			UEPBX	UEPVF	0.00	0.00	0.00					30.89	7.03	
	All Features Offered														
	NONRECURRING CHARGES - CURRENTLY COMBINED			UEPBX	USAC2		41.50	41.50					30.89	7.03	
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USACC		41.50	41.50					30.89	7.03	
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change														
	ADDITIONAL NRCs			UEPBX	USAS2	0.00	0.00	0.00					30.89	7.03	
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent														
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)														
	UNE Port/Loop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1		1			28.48									
	2-Wire VG Loop/Port Combo - Zone 2		2			30.31									
	2-Wire VG Loop/Port Combo - Zone 3		3			35.32									
	UNE Loop Rates			UEPPX	UEPLX	12.48									
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	18.31									
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	21.32									
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX										
	2-Wire Voice Grade Line Port Rates (BUS - PBX)			UEPPX	UEPA6	14.00	90.00	90.00					30.89	7.03	
	PBX Trunk Combination, Collierville and Memphis Local Calling Plan			UEPPX	UEPA7	14.00	90.00	90.00					30.89	7.03	
	PBX 2-Way Combo First Trunk Collierville and Memphis Local Calling Plan			UEPPX	LNPBP										
	LOCAL NUMBER PORTABILITY			UEPPX	LNPBP	3.15	0.00	0.00							
	Local Number Portability (1 per port)														
	FEATURES			UEPPX	UEPVF	0.00	0.00	0.00					30.89	7.03	
	All Features Offered														
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPPX	USAC2		41.50	41.50					30.89	7.03	
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Conversion - Switch-As-is			UEPPX	USACC		41.50	41.50					30.89	7.03	
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Conversion - Switch with Change														
	ADDITIONAL NRCs			UEPPX	USAS2	0.00	0.00	0.00					30.89	7.03	
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Subsequent Activity														
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					14.64	14.64	14.64					30.89	7.03	

EXHIBIT 2

GENERAL TERMS AND CONDITIONS

8. Liability and Indemnity

- 8.1 Liabilities of BellSouth – Unless expressly stated otherwise in this Agreement, the financial liability of BellSouth to LecStar during any Contract Year resulting from any and all causes of action arising under this Agreement shall not exceed the amount due and owing by LecStar to BellSouth during the Contract Year in which such cause arises or accrues.
- 8.2 Liabilities of LecStar – Unless expressly stated otherwise in this Agreement, the financial liability of LecStar to BellSouth during any Contract Year resulting from any and all causes of action arising under this Agreement shall not exceed the amount due and owing by LecStar to BellSouth during the Contract Year in which such cause arises or accrues.
- 8.3 Each Party shall, to the greatest extent permitted by Applicable Law, include in its local switched service tariff (if it files one in a particular State) or in any State where it does not file a local service tariff, in an appropriate contract with its end users that relates to the Services and Elements provided under this Agreement, a limitation of liability (i) that covers the other Party to the same extent the first Party covers itself and (ii) that limits the amount of damages a customer may recover to the amount charged the applicable customer for the service that gave rise to such loss.
- 8.4 No Consequential Damages – NEITHER LECSTAR NOR BELL SOUTH SHALL BE LIABLE TO THE OTHER PARTY FOR ANY INDIRECT, INCIDENTAL, CONSEQUENTIAL, RELIANCE, OR SPECIAL DAMAGES SUFFERED BY SUCH OTHER PARTY (INCLUDING WITHOUT LIMITATION DAMAGES FOR HARM TO BUSINESS, LOST REVENUES, LOST SAVINGS, OR LOST PROFITS SUFFERED BY SUCH OTHER PARTIES). REGARDLESS OF THE FORM OF ACTION, WHETHER IN CONTRACT, WARRANTY, STRICT LIABILITY, OR TORT, INCLUDING WITHOUT LIMITATION NEGLIGENCE OF ANY KIND WHETHER ACTIVE OR PASSIVE, AND REGARDLESS OF WHETHER THE PARTIES KNEW OF THE POSSIBILITY THAT SUCH DAMAGES COULD RESULT. EACH PARTY HEREBY RELEASES THE OTHER PARTY AND SUCH OTHER PARTY'S SUBSIDIARIES AND AFFILIATES, AND THEIR RESPECTIVE OFFICERS, DIRECTORS, EMPLOYEES AND AGENTS FROM ANY SUCH CLAIM. NOTHING CONTAINED IN THIS SECTION 8 SHALL LIMIT BELL SOUTH'S OR LECSTAR'S LIABILITY TO THE OTHER FOR (i) WILLFUL OR INTENTIONAL MISCONDUCT (INCLUDING GROSS NEGLIGENCE); (ii) BODILY INJURY, DEATH OR DAMAGE TO TANGIBLE REAL OR TANGIBLE PERSONAL PROPERTY PROXIMATELY CAUSED BY BELL SOUTH'S OR LECSTAR'S NEGLIGENT ACT OR OMISSION OR THAT OF THEIR RESPECTIVE AGENTS, SUBCONTRACTORS OR EMPLOYEES, NOR SHALL ANYTHING CONTAINED IN THIS SECTION 8 LIMIT THE PARTIES' INDEMNIFICATION OBLIGATIONS

AS SPECIFIED HEREIN. FOR PURPOSES OF THIS SECTION 8, BELL SOUTH'S FAILURE TO MEET PERFORMANCE STANDARDS OR MEASUREMENTS PURSUANT TO ATTACHMENT 9 OF THIS AGREEMENT, TO THE EXTENT APPLICABLE, SHALL NOT BE CONSIDERED TO BE INDIRECT, INCIDENTAL, CONSEQUENTIAL, RELIANCE, OR SPECIAL DAMAGES.

- 8.5 **Obligation to Indemnify** – Except as provided in Section 9 (Intellectual Property Rights and Indemnification), each Party shall, and hereby agrees to, defend at the other's request, indemnify and hold harmless the other Party and each of its officers, directors, employees and agents (each, an "Indemnitee") against and in respect of any loss, debt, liability, damage, obligation, claim, demand, judgment or settlement of any nature or kind, known or unknown, liquidated or unliquidated, including without limitation all reasonable costs and expenses incurred (legal, accounting or otherwise) (collectively, "Damages") arising out of, resulting from or based upon any pending or threatened claim, action, proceeding or suit by any third Party (a "Claim") (i) alleging any breach of any representation, warranty or covenant made by such indemnifying Party (the "Indemnifying Party") in this Agreement, or (ii) based upon injuries or damage to any person or property or the environment arising out of or in connection with this Agreement that are the result of the Indemnifying Party's actions, breach of Applicable Law, or status of its employees, agents and subcontractors.
- 8.6 **Obligation to Defend; Notice; Cooperation** – Whenever a Claim shall arise for indemnification under this Section 8, the relevant Indemnitee, as appropriate, shall promptly notify the Indemnifying Party and request the Indemnifying Party to defend the same. Failure to so notify the Indemnifying Party shall not relieve the Indemnifying Party of any liability that the Indemnifying Party might have, except to the extent that such failure prejudices the Indemnifying Party's ability to defend such Claim. The Indemnifying Party shall have the right to defend against such liability or assertion in which event the Indemnifying Party shall give written notice to the Indemnitee of acceptance of the defense of such Claim and the identity of counsel selected by the Indemnifying Party. Except as set forth below, such notice to the relevant Indemnitee shall give the Indemnifying Party full authority to defend, adjust, compromise or settle such Claim with respect to which such notice shall have been given, except to the extent that any compromise or settlement shall prejudice the Intellectual Property Rights of the relevant Indemnitees. The Indemnifying Party shall consult with the relevant Indemnitee prior to any compromise or settlement that would affect the Intellectual Property Rights or other rights of any Indemnitee, and the relevant Indemnitee shall have the right to refuse such compromise or settlement and, at the refusing Party's or refusing Parties' cost, to take over such defense, provided that in such event the Indemnifying Party shall not be responsible for, nor shall it be obligated to indemnify the relevant Indemnitee against, any cost or liability in excess of such refused compromise or settlement. With respect to any defense accepted by the Indemnifying Party, the relevant Indemnitee shall be entitled to participate with the Indemnifying Party in such defense if the Claim requests equitable relief or other relief that could affect the rights of the Indemnitee and also shall be entitled to employ separate counsel for such defense at such Indemnitee's expense. In the event the Indemnifying Party does not accept the defense of any

indemnified Claim as provided above, the relevant Indemnatee shall have the right to employ counsel for such defense at the expense of the Indemnifying Party. Each Party agrees to cooperate and to cause its employees and agents to cooperate with the other Party in the defense of any such Claim and the relevant records of each Party shall be available to the other Party with respect to any such defense.

9.1.5 **Service Identification.** LecStar shall provide the exclusive interface to LecStar end users, except as LecStar shall otherwise specify. In those instances where LecStar requires BellSouth personnel or systems to interface with LecStar end users, such personnel shall identify themselves as representing LecStar, and shall not identify themselves as representing BellSouth. Except for material provided by LecStar, all forms, business cards or other business materials furnished by BellSouth to LecStar end users shall be subject to LecStar's prior review and approval. In no event shall BellSouth, acting on behalf of LecStar pursuant to this Agreement, provide information to LecStar local service Customers about BellSouth products or services. BellSouth agrees to provide in sufficient time for LecStar to review and provide comments, the methods and procedures, training and approaches, to be used by BellSouth to assure that BellSouth meets LecStar's service identification requirement.

10.8 **Assignments**

Any assignment by either Party to any entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void, except as otherwise hereinafter provided. A Party may assign this Agreement to an Affiliate of the Party or any entity succeeding a Party by sale, merger, and acquisition or otherwise without the consent of the other Party; provided, however, that the assignee is authorized as a CLEC in all states covered by this Agreement. The assigning Party shall notify the other Party in writing of such assignment thirty (30) days prior to the effective date thereof and, provided further, if the assignee is an assignee of LecStar, the assignee must provide evidence of Commission CLEC certification. The Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations. In addition to the foregoing, either Party may assign its rights to payments hereunder to a commercial lending institution (a "Commercial Lender") upon sixty (60) days notice to the other Party; provided that any such assignment shall not affect either Party's obligations under this Agreement, regardless of whether the assigning Party is in default as to the assignee. In the event that a Party to this Agreement (the "Assigning Party") assigns its rights to receive payment hereunder to

a Commercial Lender pursuant to the previous sentence, the other Party hereto (the Obligated Party) shall retain the right to set-off against such assigned payment obligations any amounts owed to the Obligated Party by the Assigning Party, notwithstanding any notification given by the Commercial Lender to the Obligated Party, and notwithstanding any other provision set forth in Section 9-404(a) or (b) of the Uniform Commercial Code or equivalent thereof as in effect pursuant to the Governing Law section of this Agreement. Any such assignment to a Commercial Lender that could result in the assignee or a designee of the assignee operating as a carrier under this Agreement shall be void.

EXHIBIT 3

LINE INFORMATION DATA BASE (LIDB)
RESALE STORAGE AGREEMENT

I. Definitions (from Addendum)

- A. Billing number - a number used by BellSouth for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number - a ten-digit number assigned by BellSouth that identifies a telephone line associated with a resold local exchange service, or with a SPNP arrangement.
- C. Special billing number - a ten-digit number that identifies a billing account established by BellSouth in connection with a resold local exchange service or with a SPNP arrangement.
- D. Calling Card number - a billing number plus PIN number assigned by BellSouth.
- E. PIN number - a four-digit security code assigned by BellSouth that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator - associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by LecStar.
- G. Billed Number Screening - refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation - refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information - information about billing number or Calling Card number as assigned by BellSouth and toll billing exception indicator provided to BellSouth by LecStar.

II. General

- A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of LecStar and pursuant to which BellSouth, its LIDB customers and LecStar shall have access to such information. In addition, this Agreement sets forth the terms and conditions for LecStar's provision of billing number information to BellSouth for inclusion in

BellSouth's LIDB. LecStar understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of LecStar, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection/Resale Agreement upon notice to LecStar's account team and/or Local Contract Manager to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement. The terms and conditions contained in the attached Addendum are hereby made a part of this LIDB Storage Agreement as if fully incorporated herein.

B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:

1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether LecStar has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth, and where the last four digits (PIN) are a security code assigned by BellSouth.

3. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify LecStar of fraud alerts so that LecStar may take action it deems appropriate.

III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by LecStar pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's End User customers. BellSouth shall not be responsible to LecStar for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from End Users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate LecStar's data from BellSouth's data, the following shall apply:

- (1) BellSouth will identify LecStar end user originated long distance charges and will return those charges to the interexchange carrier as not covered by the existing B&C agreement. LecStar is responsible for entering into the appropriate agreement with interexchange carriers for handling of long distance charges by their end users.
- (2) BellSouth shall have no obligation to become involved in any disputes between LecStar and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to LecStar. It shall be the responsibility of LecStar and the B&C Customers to negotiate and arrange for any appropriate adjustments.

C. SPNP ARRANGEMENTS

1. BellSouth will include billing number information associated with resold exchange lines or SPNP arrangements in its LIDB. LecStar will request any toll billing exceptions via the Local Service Request (LSR) form used to order resold exchange lines, or the SPNP service request form used to order SPNP arrangements.
2. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the resold local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the resold local exchange lines or the SPNP arrangements. For resold local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of LecStar. BellSouth will not issue line-based calling cards in the name of LecStar's individual End Users. In the event that LecStar wants to include calling card numbers assigned by LecStar in the BellSouth LIDB, a separate agreement is required.

IV. Fees for Service and Taxes

- A. LecStar will not be charged a fee for storage services provided by BellSouth to LecStar, as described in this LIDB Resale Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by LecStar in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.