



RECEIVED

BellSouth Telecommunications, Inc.

333 Commerce Street

Suite 2101

Nashville, TN 37201-3300

guy.hicks@bellsouth.com

2003 APR 11 PM 1:38

T.R.A. DOCKET ROOM

Guy M. Hicks

General Counsel

615 214 6301

Fax 615 214 7406

April 9, 2003

VIA HAND DELIVERY

Hon. Sara Kyle  
Chairman  
Tennessee Regulatory Authority  
460 James Robertson Parkway  
Nashville, Tennessee 37243-0505


Re: *Approval of the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc. and Global Connection Inc. of America Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996*  
Docket No. 03-00282

Dear Chairman Kyle:

Enclosed are six paper copies and a CD Rom of the executed interconnection agreement between BellSouth Telecommunications, Inc. and Global Connection Inc. of America ("Global Connection"). Global Connection is adopting the Level 3 Interconnection Agreement.

Thank you for your attention to this matter.

Sincerely yours,



Guy M. Hicks

cc: Bassam Abdallah, Director of Operations, Global Connection Inc. of America

BEFORE THE TENNESSEE REGULATORY AUTHORITY  
Nashville, Tennessee

In re: *Approval of the Interconnection Agreement Negotiated by  
BellSouth Telecommunications, Inc. and Global Connection Inc. of  
America Pursuant to Sections 251 and 252 of the  
Telecommunications Act of 1996*

Docket No. \_\_\_\_\_

**PETITION FOR APPROVAL OF THE  
INTERCONNECTION AGREEMENT NEGOTIATED  
BETWEEN BELL SOUTH TELECOMMUNICATIONS, INC.  
AND GLOBAL CONNECTION INC. OF AMERICA  
PURSUANT TO THE TELECOMMUNICATIONS ACT OF 1996**

COME NOW, Global Connection Inc. of America ("Global Connection") and BellSouth Telecommunications, Inc., ("BellSouth"), and file this request for approval of the Interconnection Agreement (the "Agreement") negotiated between the two companies pursuant to Sections 251 and 252 of the Telecommunications Act of 1996, (the "Act"). In support of their request, Global Connection and BellSouth state the following:

1. Global Connection and BellSouth have recently negotiated an agreement for interconnection of their networks, the unbundling of specific network elements offered by BellSouth and the resale of BellSouth's telecommunications services to Global Connection. A copy of the Agreement is attached hereto and incorporated herein by reference.

2. Pursuant to Section 252(e) of the Telecommunications Act of 1996, Global Connection and BellSouth are submitting their Agreement to the TRA for its consideration and approval.

3. In accordance with Section 252(e) of the Act, the TRA is charged with approving or rejecting the negotiated Agreement between BellSouth and Global Connection within 90 days of its submission. The Act provides that the TRA may only reject such an agreement if it finds that the agreement or any portion of the agreement discriminates against a telecommunications carrier not a party to the agreement or the implementation of the agreement or any portion of the agreement is not consistent with the public interest, convenience and necessity.

4. Global Connection and BellSouth aver that the Agreement is consistent with the standards for approval.


5. Pursuant to Section 252(i) of the Act, BellSouth shall make the Agreement available upon the same terms and conditions contained therein.

Global Connection and BellSouth respectfully request that the TRA approve the Agreement negotiated between the parties.

This 9<sup>th</sup> day of April, 2003.

Respectfully submitted,

BELLSOUTH TELECOMMUNICATIONS, INC.


By: 

Guy M. Hicks  
333 Commerce Street, Suite 2101  
Nashville, Tennessee 37201-3300  
(615) 214-6301  
Attorney for BellSouth

**CERTIFICATE OF SERVICE**

I, Guy M. Hicks, hereby certify that I have served a copy of the foregoing Petition for Approval of the Interconnection Agreement on the following via United States Mail on the 9<sup>th</sup> day of April, 2003.

Bassam Abdallah  
Director of Operations  
Global Connection Inc. of America  
3947 Pleasantdale Road  
Atlanta, GA 30340



Guy M. Hicks

# **BELLSOUTH® / CLEC Agreement**

***Customer Name: Global Connection of America, Inc.***

|                                                          |     |
|----------------------------------------------------------|-----|
| Global Connection Adoption of Level 3 With Modifications | 2   |
| Adoption Papers                                          | 3   |
| ADOPTION EXHIBIT 1                                       | 7   |
| ADOPTION EXHIBIT 2                                       | 8   |
| EXH 2 - Att 1 Exh H GA DUF Rates from SGAT               | 9   |
| EXH 2 - Att 7 Exh A GA DUF Rates from SGAT               | 10  |
| ADOPTION EXHIBIT 3                                       | 11  |
| EXH 3 - Att 2 Network Elements                           | 12  |
| EXH 3 - Att 2 Exh B KY UNE Rates                         | 90  |
| ADOPTION EXHIBIT 4                                       | 128 |
| EXH 4- Att 3 Ntwk Interconnection                        | 129 |
| EXH 4 - Att 3 Exh C Ntwk Inter Rates                     | 160 |
| ADOPTION EXHIBIT 5                                       | 169 |
| EXH 5 - Att 1 Att 7 Deposit                              | 170 |

**By and Between**  
**BellSouth Telecommunications, Inc.**  
**And**  
**Global Connection Inc. of America**

## AGREEMENT

This Agreement, which shall become effective thirty (30) days following the date of the last signature of both Parties ("Effective Date"), is entered into by and between Global Connection Inc. of America ("Global Connection"), a Georgia corporation on behalf and its certified operating affiliates identified in Exhibit A hereof, and BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, having an office at 675 W. Peachtree Street, Atlanta, Georgia, 30375, on behalf of itself and its successors and assigns.

**WHEREAS**, the Telecommunications Act of 1996 (the "Act") was signed into law on February 8, 1996; and

**WHEREAS**, section 252(i) of the Act requires BellSouth to make available any interconnection, service, or network element provided under an agreement approved by the appropriate state regulatory body to any other requesting telecommunications carrier upon the same terms and conditions as those provided in the agreement in its entirety; and

**WHEREAS**, Global Connection has requested that BellSouth make available the interconnection agreement in its entirety executed between BellSouth and Level 3 Communications, LLC ("Level 3") dated January 1, 2001 for the states of AL, FL, GA, KY, LA, MS, NC, SC, and TN and to make available certain Statement of Generally Available Terms' (SGAT) rates for the state of GA, as approved May 31, 2001 by the Georgia Public Service Commission, and for the state of KY as approved March 28, 2002 by the Kentucky Public Service Commission.

**NOW, THEREFORE**, in consideration of the promises and mutual covenants of this Agreement, Global Connection and BellSouth hereby agree as follows:

1. Global Connection and BellSouth shall adopt, with exceptions noted below, the Level 3 Interconnection Agreement dated January 1, 2001 and any and all amendments to said agreement executed and approved by the appropriate state regulatory commission as of the date of the execution of this Agreement. The Level 3 Interconnection Agreement and all amendments are attached hereto as Exhibit 1 and incorporated herein by this reference. The adoption of this agreement with amendment(s) consists of the following:

| ITEM                                                                | NO.<br>PAGES |
|---------------------------------------------------------------------|--------------|
| Adoption Papers                                                     | 4            |
| Adoption Exhibit 1 - Title Page                                     | 1            |
| Exhibit 1 – Level 3 Interconnection Agreement dated January 1, 2001 | 499          |
| Exhibit 1 – Amendment Dated May 24, 2001                            | 2            |
| Exhibit 1 – Amendment Dated June 7, 2002                            | 15           |
| Total                                                               | 521          |

2. The Parties hereby agree to replace GA Daily Usage File (ADUF/EODUF/ODUF) rates shown in both Attachment 1, Exhibit H and Attachment 7 Exhibit A with those reflected in Exhibit 2, attached hereto and by reference made a part of this Agreement.

3. The Parties hereby agree to replace Attachment 2, Network Elements, for KY in its entirety and replace with the Attachment 2, Network Elements, shown in Exhibit 3, attached hereto and by reference made a part of this Agreement.

4. The Parties hereby agree to modify Attachment 2, Exhibit C, for AL, FL, GA, LA, MS, NC, SC, and TN as follows:

- a. Delete 'individual features' category and rates.
- b. Delete 'all available features' rates and replace with those rates shown for 'three available features'.
- c. Delete 'three available features' category and rates.

5. The Parties hereby agree to replace Attachment 3, Network Interconnection, in its entirety for all states with the Attachment 3 shown in Exhibit 4, attached hereto and by reference made a part of this Agreement.

6. The Parties hereby agree to replace security deposit language in Section 6.7 of Attachment 1 and Section 1.8 of Attachment 7 with language reflected in Exhibit 5, attached hereto and by reference made a part of this Agreement.

7. In the event that Global Connection consists of two (2) or more separate entities as set forth in the preamble to this Agreement, all such entities shall be jointly and severally liable for the obligations of Global Connection under this Agreement.

8. The term of this Agreement shall be from the Effective Date as set forth above and shall expire as set forth in section 2 of the Level 3 Interconnection Agreement. For the purposes of determining the expiration date of this Agreement pursuant to section 2 of the Level 3 Interconnection Agreement, the effective date shall be January 1, 2001.

9. Global Connection shall accept and incorporate any amendments to the Level 3 Interconnection Agreement executed as a result of any final judicial, regulatory, or legislative action.

10. Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered in person or given by postage prepaid mail, address to:

BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager  
600 North 19<sup>th</sup> Street, 8<sup>th</sup> floor  
Birmingham, Alabama 35203

and

ICS Attorney  
Suite 4300  
675 W. Peachtree St.  
Atlanta, GA 30375

Global Connection Inc. of America

Bassam Abdallah  
Director of Operations  
3947 Pleasantdale Road  
Atlanta, GA 30340  
Tel: 678-966-8507  
Fax: 770-458-6773

or at such other address as the intended recipient previously shall have designated by written notice to the other Party. Where specifically required, notices shall be by certified or registered mail. Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.

IN WITNESS WHEREOF, the Parties have executed this Agreement through their authorized representatives.

BellSouth Telecommunications, Inc.

Global Connection Inc. of America

By: Original Signed

By: Original Signed

Name: Elizabeth R. A. Shiroishi

Name: Bassam Abdallah

Title: Director

Title: Director of Operations

Date: 3/10/03

Date: 3/6/03

**Exhibit A****Schedule of Operating Affiliates for  
Global Connection Inc. of America (“Global Connection”)**

| State | Operating Affiliate Name                  |
|-------|-------------------------------------------|
| AL    | Global Connection Inc. of Alabama         |
| FL    | Global Connection, Inc. of America        |
| GA    | Global Connection Inc. of America         |
| KY    | Global Connection Inc. of Kentucky        |
| MS    | Global Connection of Mississippi, Inc.    |
| NC    | Global Connection, Inc. of North Carolina |
| SC    | Global Connection of South Carolina, Inc. |
| TN    | Global Connection Inc. of Tennessee       |

## **ADOPTION EXHIBIT 1**

## **ADOPTION EXHIBIT 2**

| ODUF/ADUF/EODUF - Georgia                                                                                                                                                                                        |                                                         |         |      |     |      |            |              |       |                         |                                  | Attachment: 7                        |                                                          | Exhibit: H                                                 |                                                               |                                                                 |       |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|---------|------|-----|------|------------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|-------|
| CATEGORY                                                                                                                                                                                                         | RATE ELEMENTS                                           | Interim | Zone | BCS | USOC | RATES (\$) |              |       |                         | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |       |
|                                                                                                                                                                                                                  |                                                         |         |      |     |      | Rec        | Nonrecurring |       | Nonrecurring Disconnect |                                  | OSS Rates (\$)                       |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                  |                                                         |         |      |     |      |            | First        | Add'l | First                   | Add'l                            | SOME C                               | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           | SOMAN |
| ODUF/ADUF/OEDUF/CMD5                                                                                                                                                                                             |                                                         |         |      |     |      |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                  | ACCESS DAILY USAGE FILE (ADUF)                          |         |      |     |      |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                  | ADUF: Message Processing, per message                   |         |      |     |      | N/A        | 0.0079506    |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                  | ADUF: Data Transmission (CONNECT:DIRECT), per message   |         |      |     |      | N/A        | 0.0000434    |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| OPTIONAL DAILY USAGE FILE (ODUF)                                                                                                                                                                                 |                                                         |         |      |     |      |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                  | ODUF: Recording, per message                            |         |      |     |      | N/A        | 0.0000090    |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                  | ODUF: Message Processing, per message                   |         |      |     |      | N/A        | 0.0046462    |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                  | ODUF: Message Processing, per Magnetic Tape provisioned |         |      |     |      | N/A        | 28.85        |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                  | ODUF: Data Transmission (CONNECT:DIRECT), per message   |         |      |     |      | N/A        | 0.0000434    |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                  |                                                         |         |      |     |      |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                  |                                                         |         |      |     |      |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                  |                                                         |         |      |     |      |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)                                                                                                                                                                       |                                                         |         |      |     |      |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                  | EODUF: Message Processing, per message                  |         |      |     |      | N/A        | 0.0034555    |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. |                                                         |         |      |     |      |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |

| ODUF/ADUF/EODUF - Georgia |               |  |  |  |  |         |      |     |      |            |  | Attachment: 7                    |                                      | Exhibit: A                                               |                                                            |                                                               |                                                                 |
|---------------------------|---------------|--|--|--|--|---------|------|-----|------|------------|--|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|
| CATEGORY                  | RATE ELEMENTS |  |  |  |  | Interim | Zone | BCS | USOC | RATES (\$) |  | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                           |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |

### **ADOPTION EXHIBIT 3**

## **Attachment 2**

### **Network Elements and Other Services**

**TABLE OF CONTENTS**

**1 INTRODUCTION..... 3**

**2 UNBUNDLED LOOPS..... 4**

**3 HIGH FREQUENCY SPECTRUM NETWORK ELEMENT..... 26**

**4 LOCAL SWITCHING..... 37**

**5 UNBUNDLED NETWORK ELEMENT COMBINATIONS..... 44**

**6 TRANSPORT, CHANNELIZATION AND DARK FIBER..... 50**

**7 BELLSOUTH SWITCHED ACCESS (“SWA”) 8XX TOLL FREE DIALING TEN DIGIT  
SCREENING SERVICE..... 55**

**8 LINE INFORMATION DATABASE (LIDB)..... 55**

**9 SIGNALING ..... 58**

**10 OPERATOR SERVICES (OPERATOR CALL PROCESSING AND DIRECTORY ASSISTANCE) . 64**

**11 AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)..... 70**

**12 CALLING NAME (CNAM) DATABASE SERVICE..... 71**

**13 SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS)  
ADVANCED INTELLIGENT NETWORK (AIN) ACCESS ..... 72**

**14 BASIC 911 AND E911 ..... 73**

**15 OPERATIONAL SUPPORT SYSTEMS (OSS)..... 74**

**LIDB Storage Agreement..... Exhibit A**

**Rates..... Exhibit B**

## ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

### 1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Global Connection in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other services BellSouth makes available to Global Connection. The rates for each Network Element and combination of Network Elements and other services are set forth in Exhibit B of this Agreement. Additionally, the provision of a particular Network Element or service may require Global Connection to purchase other Network Elements or services.
- 1.2 For purposes of this Agreement, “Network Element” is defined to mean a facility or equipment Global Connection used in the provision of a telecommunications service. For purposes of this Agreement, combinations of Network Elements shall be referred to as “Combinations.”
- 1.3 BellSouth shall, upon request of Global Connection, and to the extent technically feasible, provide to Global Connection access to its Network Elements for the provision of Global Connection’s telecommunications services. If no rate is identified in this Agreement, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 Global Connection may purchase Network Elements and other services from BellSouth for the purpose of combining such network elements in any manner Global Connection chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop Network Elements which are located outside of the central office, BellSouth shall deliver the Network Elements purchased by Global Connection to the demarcation point associated with Global Connection’s collocation arrangement.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 Global Connection may not purchase unbundled network elements (UNEs) or convert special access circuits to UNEs if such network elements will be used to provide wireless telecommunications services.
- 1.7 BellSouth shall not connect individual UNEs or combinations of UNEs to BellSouth tariffed services.

- 1.8 If Global Connection reports a trouble on a UNE and no trouble actually exists on the BellSouth portion, BellSouth will charge Global Connection for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the UNE's working status.
- 1.9 Rates
- 1.9.1 The prices that Global Connection shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit B to this Attachment. If Global Connection purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.9.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.9.3 If Global Connection modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Global Connection in accordance with FCC No. 1 Tariff, Section 5.
- 1.9.4 A one-month minimum billing period shall apply to all UNE conversions or new installations.

## **2 Unbundled Loops**

- 2.1 General
- 2.1.1 The local loop Network Element ("Loop") is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an end-user customer premises, including inside wire owned by BellSouth. The local Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including dark fiber and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers) and line conditioning.
- 2.1.2 The provisioning of a Loop to Global Connection's collocation space will require cross-office cabling and cross-connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross-connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 To the extent available within BellSouth's network at a particular location, BellSouth will offer Loops capable of supporting telecommunications services. If a requested Loop type is not available and cannot be made available through BellSouth's Unbundled Loop Modification process, then Global Connection can use the Special Construction process to request that BellSouth place facilities in

order to meet Global Connection's Loop requirements. Standard Loop intervals shall not apply to the Special Construction process.

- 2.1.4 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at <http://www.interconnection.bellsouth.com>. For orders of 15 or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.5 The Loop shall be provided to Global Connection in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.6 Global Connection may utilize the unbundled Loops to provide telecommunications services as long as such services are consistent with industry standards and BellSouth's TR73600.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered. In those cases where Global Connection has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.), the resulting Loop will be maintained as an unbundled copper Loop (UCL), and Global Connection shall pay the recurring and non-recurring charges for a UCL. For non-service specific Loops (e.g. UCL, Loops modified by Global Connection using the Unbundled Loop Modification (ULM) process), BellSouth will only support that the Loop has copper continuity and balanced tip-and-ring.
- 2.1.7.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the end user's location. If Global Connection wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, UCL-ND, Global Connection may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit B of this Attachment.
- 2.1.8 **Loop Testing/Trouble Reporting**
- 2.1.8.1 Global Connection will be responsible for testing and isolating troubles on the Loops. Global Connection must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. At the time of the trouble

report, Global Connection will be required to provide the results of the Global Connection test which indicate a problem on the BellSouth provided Loop.

2.1.8.2 Once Global Connection has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its end users.

2.1.8.3 If Global Connection reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge Global Connection for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.

2.1.9 **Order Coordination and Order Coordination-Time Specific**

2.1.9.1 "Order Coordination" (OC) allows BellSouth and Global Connection to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Global Connection's facilities to limit end user service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the end user. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.

2.1.9.2 "Order Coordination – Time Specific" (OC-TS) allows Global Connection to order a specific time for OC to take place. BellSouth will make every effort to accommodate Global Connection's specific conversion time request. However, BellSouth reserves the right to negotiate with Global Connection a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and Universal Digital Channel (UDC), and is billed in addition to the OC charge. Global Connection may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Global Connection specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.10 **CLEC to CLEC Conversions for Unbundled Loops**

2.1.10.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Global Connection when converting an existing unbundled Loop from another

CLEC for the same end user. The Loop type being converted must be included in Global Connection's Interconnection Agreement before requesting a conversion.

- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same end user location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.10.3 The Loops converted to Global Connection pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

## 2.1.10.4

|                                                                                                                  | <b>Order Coordination (OC)</b>          | <b>Order Coordination – Time Specific (OC-TS)</b>       | <b>Test Points</b>           | <b>DLR</b>                                                      | <b>Charge for Dispatch and Testing if No Trouble Found</b> |
|------------------------------------------------------------------------------------------------------------------|-----------------------------------------|---------------------------------------------------------|------------------------------|-----------------------------------------------------------------|------------------------------------------------------------|
| <b>SL-1 (Non-Designed)</b>                                                                                       | Chargeable Option                       | Chargeable Option                                       | Not available                | Chargeable Option – ordered as Engineering Information Document | Charged for Dispatch inside and outside Central Office     |
| <b>UCL-ND (Non-Designed)</b>                                                                                     | Chargeable Option                       | Not Available                                           | Not Available                | Chargeable Option – ordered as Engineering Information Document | Charged for Dispatch inside and outside Central Office     |
| <b>Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)</b>                                     | Included                                | Chargeable Option                                       | Included                     | Included                                                        | Charged for Dispatch outside Central Office                |
| <b>Unbundled Digital Loop (Designed)</b>                                                                         | Included                                | Chargeable Option (except on Universal Digital Channel) | Included (where appropriate) | Included                                                        | Charged for Dispatch outside Central Office                |
| <b>Unbundled Copper Loop (Designed)</b>                                                                          | Chargeable in accordance with Section 2 | Not available                                           | Included                     | Included                                                        | Charged for Dispatch outside Central Office                |
| For UVL-SL1 and UCLs, Global Connection must order and will be billed for both OC and OC-TS if requesting OC-TS. |                                         |                                                         |                              |                                                                 |                                                            |

## 2.2 **Unbundled Voice Loops (UVLs)**

2.2.1 BellSouth shall make available the following UVLs:

2.2.1.1 2-wire Analog Voice Grade Loop – SL1 (Non-Designed)

2.2.1.2 2-wire Analog Voice Grade Loop – SL2 (Designed)

- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- 2.2.2 Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Global Connection will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop - SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SLI Loops when reuse of existing facilities has been requested by Global Connection. Global Connection may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record. Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its end users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Global Connection may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.2.5 Unbundled Voice Loop – SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a Design Layout Record provided to Global Connection. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Global Connection to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.
- 2.3 **Unbundled Digital Loops**
- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will

come standard with OC and a Design Layout Record (DLR). The various UDLs are intended to support a specific digital transmission scheme or service.

- 2.3.2 BellSouth shall make available the following UDLs:
  - 2.3.2.1 2-wire Unbundled ISDN Digital Loop
  - 2.3.2.2 2-wire Universal Digital Channel (IDSL Compatible)
  - 2.3.2.3 2-wire Unbundled ADSL Compatible Loop
  - 2.3.2.4 2-wire Unbundled HDSL Compatible Loop
  - 2.3.2.5 4-wire Unbundled HDSL Compatible Loop
  - 2.3.2.6 4-wire Unbundled DS1 Digital Loop
  - 2.3.2.7 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below
  - 2.3.2.8 DS3 Loop
  - 2.3.2.9 STS-1 Loop
  - 2.3.2.10 OC-3 Loop
  - 2.3.2.11 OC-12 Loop
  - 2.3.2.12 OC-48 Loop
- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR. Global Connection will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and end user. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service. BellSouth will not reconfigure its ISDN-capable Loop to support IDSL service.
  - 2.3.3.1 The Universal Digital Channel (UDC) (also known as IDSL-compatible Loop) is intended to be compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable Loop. These specifications are listed in BellSouth's TR73600.
  - 2.3.3.2 The UDC may be provisioned on copper or through a Digital Loop Carrier (DLC) system. When UDC Loops are provisioned using a DLC system, the Loops will be provisioned on time slots that are compatible with data-only services such as IDSL.

- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that is provisioned according to Carrier Serving Area (CSA) criteria and may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.6 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the end-user's location.
- 2.3.7 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 OC-3 Loop/OC-12 Loop/OC-48 Loop. OC-3/OC-12/OC-48 Loops are optical two-point transmission paths that are dedicated to the use of the ordering CLEC in

its provisioning of local exchange and associated exchange access services. The physical interface for all optical transport is optical fiber. This interface standard allows for transport of many different digital signals using a basic building block or base transmission rate of 51.84 megabits per second (Mbps). Higher rates are direct multiples of the base rate. The following rates are applicable: OC-3 - 155.52 Mbps; OC-12 - 622.08 Mbps; and OC-48 - 2488 Mbps.

- 2.3.11 DS3 and above services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate<sup>®</sup> Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 and above services.

2.4 **Unbundled Copper Loops (UCL)**

- 2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 **Unbundled Copper Loop – Designed (UCL-D)**

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). The UCL-D will be offered in two versions - Short and Long.
- 2.4.2.2 A short UCL-D (18,000 feet or less) is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The long UCL-D (beyond 18,000 feet) is provisioned as a dry copper twisted pair longer than 18,000 feet and may have up to 12,000 feet of bridged tap and up to 2800 Ohms of resistance.
- 2.4.2.4 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Global Connection.
- 2.4.2.5 These Loops are not intended to support any particular services and may be utilized by Global Connection to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.2.6 BellSouth will make available the following UCL-Ds:

2.4.2.6.1 2-Wire UCL-D/short

2.4.2.6.2 2-Wire UCL-D/long

2.4.2.6.3 4-Wire UCL-D/short

2.4.2.6.4 4-Wire UCL-D/long

### 2.4.3 **Unbundled Copper Loop – Non-Designed (UCL-ND)**

2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines ("DAMLs"), and may have up to 6,000 feet of bridged tap between the end user's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Make Up process is not required to order and provision the UCL-ND. However, Global Connection can request Loop Make Up for which additional charges would apply.

2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Global Connection may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.

2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Global Connection to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.

2.4.3.5 Order Coordination (OC) will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. Order Coordination -Time Specific (OC-TS) does not apply to this product.

2.4.3.6 Global Connection may use BellSouth's Unbundled Loop Modification (ULM) offering to remove bridge tap and/or load coils from any Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

## 2.5 **Unbundled Loop Modifications (Line Conditioning)**

- 2.5.1 Line Conditioning is defined as the removal from the Loop of any devices that may diminish the capability of the Loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, bridged taps, low pass filters, and range extenders.
- 2.5.2 BellSouth shall condition Loops, as requested by Global Connection, whether or not BellSouth offers advanced services to the End User on that Loop.
- 2.5.3 In some instances, Global Connection will require access to a copper twisted pair Loop unfettered by any intervening equipment (e.g., filters, load coils, range extenders, etc.), so that Global Connection can use the Loop for a variety of services by attaching appropriate terminal equipment at the ends. Global Connection will determine the type of service that will be provided over the Loop. BellSouth's Unbundled Loop Modifications (ULM) process will be used to determine the costs and feasibility of conditioning the Loops as requested. Rates for ULM are as set forth in Exhibit B of this Attachment.
- 2.5.4 In those cases where Global Connection has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.), the resulting modified Loop will be ordered and maintained as a UCL.
- 2.5.5 ULM includes the following: 1) removal of devices on 2-wire or 4-wire Loops equal to or less than 18,000 feet; 2) removal of devices on 2-wire or 4-wire Loops longer than 18,000 feet; and 3) removal of bridged-taps on Loops of any length.
- 2.5.6 Global Connection shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Global Connection desires BellSouth to condition.
- 2.5.7 When requesting ULM for a Loop that BellSouth has previously provisioned for Global Connection, Global Connection will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by Global Connection is available at the location for which the ULM was requested, Global Connection will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Global Connection will not be charged for ULM but will only be charged the service order charges for submitting an order.

## 2.6 **Loop Provisioning Involving Integrated Digital Loop Carriers**

- 2.6.1 Where Global Connection has requested an Unbundled Loop and BellSouth uses Integrated Digital Loop Carrier (IDLC) systems to provide the local service to the end user and BellSouth has a suitable alternate facility available, BellSouth will

make such alternative facilities available to Global Connection. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Global Connection (e.g. hairpinning):

1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
3. If capacity exists, provide "side-door" porting through the switch.
4. If capacity exists, provide "DACS-door" porting (if the IDLC routes through a DACS prior to integration into the switch).

2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.

2.6.3 If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the Loop facilities. Global Connection will then have the option of paying the one-time SC rates to place the Loop.

## 2.7 **Network Interface Device (NID)**

2.7.1 The NID is defined as any means of interconnection of end-user customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the end user's customer-premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the end user each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.

2.7.2 BellSouth shall permit Global Connection to connect Global Connection's Loop facilities to the end-user's customer-premises wiring through the BellSouth NID or at any other technically feasible point.

## 2.7.3 **Access to NID**

2.7.3.1 Global Connection may access the end user's customer-premises wiring by any of the following means and Global Connection shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:

2.7.3.1.1 BellSouth shall allow Global Connection to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and

are not used by BellSouth or any other telecommunications carriers to provide service to the premises.

- 2.7.3.1.2 Where an adequate length of the end user's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Global Connection may request BellSouth to make other rearrangements to the end user customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Global Connection's responsibility to ensure there is no safety hazard, and Global Connection will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.
- 2.7.3.3 Global Connection shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Global Connection shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Global Connection to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements

- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the end user's customer premises and the distribution media and/or cross connect to Global Connection's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. Global Connection may request BellSouth to do additional work to the NID on a time and material basis. When Global Connection deploys its own local Loops in a multiple-line termination device, Global Connection shall specify the quantity of NIDs connections that it requires within such device.
- 2.8 **Sub-loop Elements**
- 2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) and Unbundled Sub-loop Concentration (USLC) System.
- 2.8.2 **Unbundled Sub-Loop Distribution**
- 2.8.2.1 The unbundled sub-loop distribution facility is a dedicated transmission facility that BellSouth provides from an end user's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:
- Unbundled Sub-Loop Distribution – Voice Grade  
Unbundled Copper Sub-Loop  
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)
- 2.8.2.2 Unbundled Sub-Loop Distribution – Voice Grade (USLD-VG) is a sub-loop facility from the cross-box in the field up to and including the point of demarcation at the end user's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the end-user's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the end-user and the cross-box.
- 2.8.2.4 If Global Connection requests a UCSL and it is not available, Global Connection may request the Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or bridged taps. If load coils and/or bridged taps are removed, the facility will be classified as a UCSL.

- 2.8.2.5 Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (USLD-INC) is the distribution facility inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the end user's premises.
- 2.8.2.6 BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Global Connection's use on this cross-connect panel. Global Connection will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.7 For access to Voice Grade USLD and UCSL, Global Connection shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Global Connection's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.8 Through the Service Inquiry (SI) process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Global Connection is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Global Connection's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the Website address:  
<http://www.interconnection.bellsouth.com/products/html/unec.html>. If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room to accommodate Global Connection's request for Unbundled Sub-Loops, Global Connection may request BellSouth's Special Construction (SC) process to determine additional costs required to provision the Unbundled Sub-Loops. Global Connection will have the option to proceed under the SC process to modify the BellSouth facilities.
- 2.8.2.9 The site set-up must be completed before Global Connection can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Global Connection's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.10 Once the site set-up is complete, Global Connection will request sub-loop pairs through submission of a Local Service Request (LSR) form to the Local Carrier Service Center (LCSC). Order Coordination is required with USL pair provisioning when Global Connection requests reuse of an existing facility, and the

Order Coordination charge shall be billed in addition to the USL pair rate. For expedite requests by Global Connection for sub-loop pairs, expedite charges will apply for intervals less than 5 days.

- 2.8.2.11 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8.3 **Unbundled Network Terminating Wire (UNTW)**

- 2.8.3.1 Unbundled Network Terminating Wire (UNTW) is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual end user's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.

- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the end-user's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the end-user's premises, where a third party owns the wiring to the end-user's premises or where the property owner will not allow the other Party to place its facilities to the end user.

2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party ("Requesting Party"), the Party owning the network terminating wire ("Provisioning Party") will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.

- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.

- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the end users premises, Global Connection will install UNTW Access Terminals for BellSouth at no additional charge.

- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Global Connection for each pair activated commensurate to the price specified in Global Connection's Agreement.

- 2.8.3.3.5 Upon receipt of the UNTW Service Inquiry (SI) requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning

Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the end user has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the end-user is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for non-recurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party each time it activates UNTW pairs using the LSR form.
- 2.8.3.3.9 The Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least one pair on the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within 6 months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a non-recurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the following charges shall apply:

- 2.8.3.3.11.1 If the Requesting Party issued a LSR to disconnect an end-user from the Provisioning Party in order to use a UNTW pair, the Requesting Party will be billed for the use of the pair back to the disconnect order date.
- 2.8.3.3.11.2 If the Requesting Party activated a UNTW pair on which the Provisioning Party was not previously providing service, the Requesting Party will be billed for the use of that pair back to the date the end-user began receiving service using that pair. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.
- 2.8.4 **Unbundled Sub-Loop Feeder**
- 2.8.4.1 Unbundled Sub-Loop Feeder (USLF) provides connectivity between BellSouth's central office and cross-box (or other access point) that serves one or more end user locations.
- 2.8.4.2 USLF utilized for voice traffic can be configured as 2-wire voice (USLF-2W/V) or 4-wire voice (USLF-4W/V).
- 2.8.4.3 USLF utilized for digital traffic can be configured as 2-wire ISDN (USLF-2W/I); 2-wire Copper (USLF-2W/C); 4-wire Copper (USLF-4W/C); 4-wire DS0 level Loop (USLF-4W/D0); or 4-wire DS1 and ISDN (USLF-4W/DI).
- 2.8.4.4 USLF will provide access to both the equipment and the features in the BellSouth central office and BellSouth cross box necessary to provide a 2-wire or 4-wire communications pathway from the BellSouth central office to the BellSouth cross-box. This element will allow for the connection of Global Connection's loop distribution elements onto BellSouth's feeder system.
- 2.8.4.5 Requirements
- 2.8.4.5.1 Global Connection will extend a compatible cable to BellSouth's cross-box. BellSouth will connect the cable to a cross-connect panel inside the BellSouth cross-box to the requested level of feeder element. In those cases in which there is no room in the BellSouth cross-box to accommodate the additional cross-connect panels mentioned above, Global Connection may request, through the BellSouth Special Construction process, a determination of costs to provide the sub-loop feeder element to Global Connection. Global Connection will then have the option of paying the special construction charges or canceling the order.
- 2.8.4.5.2 USLF will be a designed circuit and BellSouth will provide a Design Layout Record (DLR) for this element.

- 2.8.4.5.3 BellSouth will provide USLF elements in accordance with applicable industry standards for these types of facilities. Where industry standards do not exist, BellSouth's TR73600 will be used to determine performance parameters.
- 2.8.4.6 Unbundled Sub-Loop Feeder – DS3 and above
  - 2.8.4.6.1 USLF DS3 and above provides connectivity between a BellSouth Serving Wire Center (SWC) collocation arrangement and the Remote Terminal (RT) associated with the SWC that serves an end user location.
  - 2.8.4.6.2 The sub-loop feeder shall be utilized for voice and digital traffic. It may be configured at DS3, STS-1, OC-3, OC-12, or OC-48 transmission capacities and shall require a Service Inquiry.
  - 2.8.4.6.3 The OC-48 Sub-Loop Feeder will consist of four (4) OC12 interfaces.
  - 2.8.4.6.4 Both 2-fiber and 4-fiber-protect applications will be supported for OC-3 level and higher.
- 2.8.4.7 Requirements
  - 2.8.4.7.1 Access in the SWC and RT will be via a Collocation cross-connect.
  - 2.8.4.7.2 USLF DS3 and above will be a designed circuit. BellSouth will provide a Design Layout Record (DLR) for this network element.
  - 2.8.4.7.3 Rates. Rates for these services are as set forth in Exhibit B of this Attachment. Mileage is based on airline miles.
  - 2.8.4.7.4 BellSouth will provide USLF DS3 and above elements in accordance with applicable industry standards.
- 2.8.5 **Unbundled Loop Concentration (ULC)**
  - 2.8.5.1 BellSouth will provide to Global Connection Unbundled Loop Concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local Loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.
  - 2.8.5.2 ULC will be offered in two system options. System A will allow up to 96 BellSouth Loops to be concentrated onto two or more DS1s. The high-speed connection from the concentrator will be at the electrical DS1 level and will connect to Global Connection at Global Connection's collocation site. System B will allow up to 192 BellSouth Loops to be concentrated onto 4 or more DS1s. System A may be upgraded to a System B. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an

additional two DS1s or four in total). All DS1 interfaces will terminate to Global Connection's collocation space. ULC service is offered with concentration (2 DS1s for 96 channels) or without concentration (4 DS1s for 96 channels) and with or without protection. A Loop Interface element will be required for each Loop that is terminated onto the ULC system.

## 2.8.6 **Unbundled Sub-Loop Concentration (USLC)**

2.8.6.1 Where facilities permit, Global Connection may concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office.

2.8.6.2 USLC, using the Lucent Series 5 equipment, will be offered in two system options. System A will allow up to 96 of Global Connection's sub-loops to be concentrated onto two or more DS1s. System B will allow an additional 96 of Global Connection's sub-loops to be concentrated onto two or more additional DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the Remote Terminal site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to Global Connection's demarcation point associated with Global Connection's collocation space within the SWC that serves the remote terminal (RT). USLC service is offered with or without concentration and with or without a protection DS1.

2.8.6.3 Global Connection is required to deliver its sub-loops to its own cross-box, RT, or other similar device and deliver a single cable to the BellSouth RT. This cable shall be connected by a BellSouth technician to a cross-connect panel within the BellSouth RT/cross-box and shall allow Global Connection's sub-loops to be placed on the USLC and transported to Global Connection's collocation space at a DS1 level.

## 2.8.7 **Dark Fiber Loop**

2.8.7.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from an end user's premises connected via a cross connect to the demarcation point associated with Global Connection's collocation space in the end user's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Global Connection to utilize Dark Fiber Loops.

### 2.8.7.2 Requirements

2.8.7.2.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes

available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.

- 2.8.7.2.2 Global Connection is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.7.2.3 BellSouth shall use its commercially reasonable efforts to provide to Global Connection information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a Service Inquiry ("SI") from Global Connection.
- 2.8.7.2.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Global Connection within twenty (20) business days after Global Connection submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Global Connection to connect Global Connection provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

## 2.9 **Loop Makeup (LMU)**

### 2.9.1 Description of Service

- 2.9.1.1 BellSouth shall make available to Global Connection LMU information so that Global Connection can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Global Connection intends to install and the services Global Connection wishes to provide. This section addresses LMU as a preordering transaction, distinct from Global Connection ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) for preordering Loop Make-Up are likewise unique from other preordering functions with associated service inquiries (SI) as described in this Agreement.
- 2.9.1.2 BellSouth will provide Global Connection LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.

- 2.9.1.3 BellSouth's LMU information is provided to Global Connection as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC on facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI (Loop Makeup Service Inquiry) submitted by the requesting CLEC.
- 2.9.1.5 Global Connection may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Global Connection and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Global Connection's ability to provide advanced data services over the ordered Loop type. Further, if Global Connection orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Global Connection is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.
- 2.9.2 **Submitting Loop Makeup Service Inquiries**
- 2.9.2.1 Global Connection may obtain LMU information by submitting a LMU Service Inquiry (LMUSI) mechanically or manually. Mechanized LMUSIs should be submitted through BellSouth's Operational Support Systems interfaces. After obtaining the Loop information from the mechanized LMUSI process, if Global Connection needs further Loop information in order to determine Loop service capability, Global Connection may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit B of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted by electronic mail to BellSouth's Complex Resale Support Group (CRSG) utilizing the Preordering Loop Makeup Service Inquiry form. The service interval for the return of a Loop Makeup Manual Service Inquiry is three business days. Manual LMUSIs are not subject to

expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

### 2.9.3 **Loop Reservations**

2.9.3.1 For a Mechanized LMUSI, Global Connection may reserve up to ten Loop facilities. For a Manual LMUSI, Global Connection may reserve up to three Loop facilities.

2.9.3.2 Global Connection may reserve facilities for up to four (4) business days for each facility requested on a LMUSI from the time the LMU information is returned to Global Connection. During and prior to Global Connection placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Global Connection does not submit an LSR for a UNE service on a reserved facility within the four-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.

2.9.3.3 Charges for preordering LMUSI are separate from any charges associated with ordering other services from BellSouth.

### 2.9.4 **Ordering of Other UNE Services**

2.9.4.1 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Global Connection will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Global Connection does not reserve facilities upon an initial LMUSI, Global Connection's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include service inquiry and reservation per Exhibit B of this Attachment.

2.9.4.2 Where Global Connection has reserved multiple Loop facilities on a single reservation, Global Connection may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Global Connection, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Global Connection. If the ordered Loop type is not available, Global Connection may utilize the Unbundled Loop Modification process or the Special Construction process, as applicable, to obtain the Loop type ordered.

## 3 **High Frequency Spectrum Network Element**

### 3.1 General

3.1.1 BellSouth shall provide Global Connection access to the high frequency spectrum of the local Loop as an unbundled network element only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.

- 3.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Global Connection the ability to provide Digital Subscriber Line (“xDSL”) data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Global Connection shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.3 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.4 BellSouth will provide Loop Modification to Global Connection on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (Central Office Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (Central Office Based) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at <http://www.interconnection.bellsouth.com/html/unes.html>. Nonrecurring rates for this UNE offering are as set forth in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth’s voice service. If Global Connection requests that BellSouth modify a Loop longer than 18,000 ft. and such modification significantly degrades the voice services on the Loop, Global Connection shall pay for the Loop to be restored to its original state.
- 3.1.5 The High Frequency Spectrum shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user’s voice service pursuant to its tariffs or applicable law, and Global Connection desires to continue providing xDSL service on such Loop, Global Connection shall be required to purchase a full stand-alone Loop unbundled network element. To the extent commercially practicable, BellSouth shall give Global Connection notice in a reasonable time prior to disconnect, which notice shall give Global Connection an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the end user

and Global Connection purchases the full stand-alone Loop, Global Connection may elect the type of Loop it will purchase. Global Connection will pay the appropriate recurring and non-recurring rates for such Loop as set forth in Exhibit B to this Attachment. In the event Global Connection purchases a voice grade Loop, Global Connection acknowledges that such Loop may not remain xDSL compatible.

- 3.1.6 Only one competitive local exchange carrier (CLEC) shall be permitted access to the High Frequency Spectrum of any particular Loop.

3.2 **Provisioning of High Frequency Spectrum and Splitter Space**

- 3.2.1 BellSouth will provide Global Connection with access to the High Frequency Spectrum as follows:

- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Global Connection must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the end-user of such Loop.

- 3.2.1.2 Global Connection may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of Global Connection's submission of an error free Line Splitter Ordering Document ("LSOD") to the BellSouth Complex Resale Support Group.

- 3.2.1.3 Once a splitter is installed on behalf of Global Connection in a central office in which Global Connection is located, Global Connection shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and Global Connection shall pay the electronic or manual ordering charges as applicable when Global Connection orders High Frequency Spectrum for end-user service.

- 3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for Global Connection's data.

3.3 **BellSouth Provided Splitter**

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Global Connection access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Global Connection's xDSL equipment in Global Connection's collocation space. At least 30 days before making a change in splitter suppliers, BellSouth will provide Global Connection with a carrier notification letter, informing Global Connection of change. Global Connection shall purchase ports on the splitter in increments of 8, 24, or 96 ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. Global Connection shall purchase ports on the splitter in increments of 24 or 96 ports in Tennessee.

3.3.2 BellSouth will install the splitter in (i) a common area close to Global Connection's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Global Connection's DS0 termination point as possible. Global Connection shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Global Connection on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified Global Connection DS0 at such time that a Global Connection end user's service is established.

### 3.4 **CLEC Provided Splitter**

3.4.1 Global Connection may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Global Connection may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.

3.4.2 Any splitters installed by Global Connection in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Global Connection may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

### 3.5 **Ordering**

3.5.1 Global Connection shall use BellSouth's Line Splitter Ordering Document ("LSOD") to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.

3.5.2 BellSouth will provide Global Connection the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.

3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at <http://www.interconnection.bellsouth.com>.

3.5.4 BellSouth will provide Global Connection access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Global Connection shall pay the rates for such services, as described in Exhibit B.

### 3.6 **Maintenance and Repair**

- 3.6.1 Global Connection shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If Global Connection is using a BellSouth owned splitter, Global Connection may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If Global Connection provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Global Connection will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 Global Connection shall inform its end users to direct data problems to Global Connection, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Global Connection, BellSouth will notify Global Connection. Global Connection will provide at least one but no more than two (2) verbal connecting facility assignments (CFA) pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Global Connection will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Global Connection's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

### 3.7 **Line Splitting**

#### 3.7.1 General

- 3.7.2 Line splitting allows a provider of data services (a "Data LEC") and a provider of voice services (a "Voice CLEC") to deliver voice and data service to end-users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers. Global Connection shall provide BellSouth with a signed Letter of Authorization ("LOA") between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if Global Connection will not provide voice and data services.

3.7.3 End Users currently receiving voice service from a Voice CLEC through a UNE platform (UNE-P) may be converted to Line Splitting arrangements by Global Connection or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, port, and one collocation cross connection.

3.7.4 When end users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing Global Connection for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Global Connection or its authorized agent to determine if the Loop is compatible for Line Splitting Service. Global Connection or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and Global Connection or its authorized agent submits an LSR to BellSouth to change the Loop.

### 3.8 **Provisioning Line Splitting and Splitter Space**

3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Global Connection or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the network interface device (NID) at the end user's location; a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be individual stand-alone network elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog Loop from the serving wire center to the network interface device (NID) at the end user's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.

3.8.2 An unloaded 2-wire copper Loop must serve the end user. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.

3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.

3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

### **3.9 Ordering**

- 3.9.1 Global Connection shall use BellSouth's Line Splitter Ordering Document ("LSOD") to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with Line Splitting.
- 3.9.2 BellSouth shall provide Global Connection the Local Service Request ("LSR") format to be used when ordering Line Splitting service.
- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at <http://www.interconnection.bellsouth.com>.
- 3.9.4 BellSouth will provide Global Connection access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Global Connection shall pay the rates for such services as described in Exhibit B.
- 3.9.5 BellSouth will provide Loop modification to Global Connection on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at: <HTTP://www.interconnection.bellsouth.com/html/unes.html>. Nonrecurring rates for this UNE offering are as set forth in Exhibit B of this Attachment.

### **3.10 Maintenance**

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Global Connection will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.10.2 Global Connection shall inform its end users to direct data problems to Global Connection, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.10.3 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.10.4 When BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to owner of the collocation space, BellSouth will notify the owner of the collocation space. The owner of the collocation space will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event the CFA pair is changed, the owner of the collocation space will provide BellSouth an LSR with

the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue the owner of the collocation space access to the High Frequency Spectrum on such Loop.

- 3.10.5 If Global Connection is not the data provider, Global Connection shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

### **3.11 Remote Site High Frequency Spectrum**

#### **3.11.1 General**

- 3.11.2 BellSouth shall provide Global Connection access to the high frequency spectrum of the local sub-loop as an unbundled network element (UNE) only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.

- 3.11.3 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper sub-loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Global Connection the ability to provide Digital Subscriber Line (“xDSL”) data services to the end user for whom BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the sub-loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Global Connection shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.

- 3.11.4 Access to the High Frequency Spectrum requires an unloaded, 2-wire (Non-Designed) copper sub-loop. An unloaded copper sub-loop has no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.

- 3.11.5 BellSouth will provide Loop Modification to Global Connection on an existing sub-loop in accordance with procedures developed in the Line Sharing Collaborative. Procedures for High Frequency Spectrum (Remote Site) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at <http://www.interconnection.bellsouth.com/html/unes.html>. Nonrecurring rates for this UNE offering are as set forth in Exhibit B of this Attachment. BellSouth is

not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Global Connection requests modifications on a sub-loop longer than 18,000 ft. and requested modifications significantly degrades the voice services on the Loop, Global Connection shall pay for the Loop to be restored to its original state.

3.11.6 The High Frequency Spectrum shall only be available on sub-loops provided by BellSouth that continues to provide analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and Global Connection desires to continue providing xDSL service on such sub-loop, Global Connection shall be required to purchase a full stand-alone sub-loop. To the extent commercially practicable, BellSouth shall give Global Connection notice in a reasonable time prior to disconnect, which notice shall give Global Connection an adequate opportunity to notify BellSouth of its intent to purchase such sub-loop. In those cases where BellSouth no longer provides voice service to the end user and Global Connection purchases the full stand-alone sub-loop, Global Connection may elect the type of sub-loop it will purchase. Global Connection will pay the appropriate recurring and non-recurring rates for such sub-loop as set forth in Exhibit B to this Attachment. In the event Global Connection purchases a voice grade Loop, Global Connection acknowledges that such sub-loop may not remain xDSL compatible.

3.11.7 Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular sub-loop.

### 3.12 **Provisioning of High Frequency Spectrum and Splitter Space**

3.12.1 BellSouth will provide Global Connection with access to the High Frequency Spectrum as follows:

3.12.1.1 To order High Frequency Spectrum on a particular sub-loop, Global Connection must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated at the remote site that serves the end-user of such sub-loop.

3.12.1.2 Global Connection may provide its own splitters or may order splitters in a remote site once the Global Connection has installed its DSLAM at that remote site. BellSouth will install splitters within thirty-six (36) calendar days of Global Connection's submission of an error free Line Splitter Ordering Document ("LSOD") to the BellSouth Complex Resale Support Group.

3.12.1.3 Once a splitter is installed on behalf of Global Connection in a remote site in which Global Connection is located, Global Connection shall be entitled to order the High Frequency Spectrum on lines served out of that remote site. BellSouth will bill and Global Connection shall pay applicable for High Frequency Spectrum end-user activation.

### **3.13 BellSouth Owned Splitter**

- 3.13.1 BellSouth will select, purchase, install and maintain a splitter at the remote site. The Global Connection's meet point is at the BellSouth "cross connect" point located at the Feeder Distribution Interface (FDI). Global Connection will provide a cable facility to the BellSouth FDI. BellSouth will splice the Global Connection's cable to BellSouth's spare binding post in the FDI and use "cross connects" to connect the Global Connection's cable facility to the BellSouth splitter. The splitter will route the high frequency portion of the circuit to the Global Connection's xDSL equipment in their collocation space. Access to the high frequency spectrum is not compatible with foreign exchange (FX) lines, ISDN, and other services listed in the technical section of this document.
- 3.13.2 The BellSouth splitter bifurcates the digital and voice band signals. The low frequency voice band portion of the circuit is routed back to the BellSouth switch. The high frequency digital traffic portion of the circuit is routed to the xDSL equipment in the Global Connection's Remote Terminal (RT) collocation space and routed back to the Global Connection's network. At least 30 business days before making a change in splitter suppliers, BellSouth will provide Global Connection with a carrier notification letter informing Global Connection of change. Global Connection shall purchase ports on the splitter in increments of 24 ports.
- 3.13.3 BellSouth will install the splitter in (i) a common area close to Global Connection's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Global Connection's DS0 termination point as possible. Global Connection shall have access to the splitter for test purposes regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the remote site in which both Parties have access to a common test access point. BellSouth will cross-connect the splitter data ports to a specified Global Connection DS0 at such time that a Global Connection end user's service is established.

### **3.14 CLEC Owned Splitter**

- 3.14.1 Global Connection may at its option purchase, install and maintain splitters in its collocation arrangements. Global Connection may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures shall apply. Global Connection will be required to activate cable pairs in no less than 8 (eight) pair increments.
- 3.14.2 Any splitters installed by Global Connection in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Global Connection may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

**3.15 Ordering**

- 3.15.1 Global Connection shall use BellSouth's Remote Splitter Ordering Document ("RSOD") to order and activate splitters from BellSouth or to activate CLEC owned splitters at an RT for use with High Frequency Spectrum.
- 3.15.2 BellSouth will provide Global Connection the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.
- 3.15.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at <http://www.interconnection.bellsouth.com>.
- 3.15.4 BellSouth will provide Global Connection access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Global Connection shall pay the rates for such services as described in Exhibit B.
- 3.15.5 BellSouth shall test the data portion of the sub-loop to ensure the continuity of the wiring for Global Connection's data.

**3.16 Maintenance and Repair**

- 3.16.1 Global Connection shall have access for repair and maintenance purposes to any sub-loop for which it has access to the High Frequency Spectrum. If Global Connection is using a BellSouth owned splitter, Global Connection may access the sub-loop at the point where the data signal exits. If Global Connection provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.16.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Global Connection will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.16.3 Global Connection shall inform its end users to direct data problems to Global Connection, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.16.4 Once a Party has isolated a trouble to the other Party's portion of the sub-loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the sub-loop.
- 3.16.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Global Connection, BellSouth will notify Global Connection. Global Connection will provide at least one but no more than two (2) verbal connecting facility assignments (CFA) pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the

voice trouble, Global Connection will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Global Connection's access to the High Frequency Spectrum on such sub-loop. BellSouth will not be responsible for any loss of data as a result of this action.

#### **4 Local Switching**

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Global Connection for the provision of a telecommunications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to Global Connection for the provision of a telecommunications service only in the limited circumstance described below in Section 4.5.

#### **4.2 Local Circuit Switching Capability, including Tandem Switching Capability**

4.2.1 Local circuit switching capability is defined as: (A) line-side facilities, which include but are not limited to the connection between a Loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include but are not limited to the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; (C) switching provided by remote switching modules; and (D) all features, functions, and capabilities of the switch, which include but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's customers, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch. Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.

4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Global Connection when Global Connection serves an end-user with four (4) or more voice-grade (DS-0) equivalents or lines served by BellSouth in one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.

- 4.2.3 In the event that Global Connection orders local circuit switching for an end user with four (4) or more DS0 equivalent lines within Density Zone 1 in an MSA listed above, BellSouth shall charge Global Connection the market based rates in Exhibit B for use of the local circuit switching functionality for the affected facilities. If a market rate is not set forth in Exhibit B, such rate shall be negotiated by the Parties.
- 4.2.4 Unbundled Local Switching consists of three separate unbundled elements: Unbundled Ports, End Office Switching Functionality, and End Office Interoffice Trunk Ports.
- 4.2.5 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Global Connection's end user local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.6 Provided that Global Connection purchases unbundled local switching from BellSouth and uses the BellSouth CIC for its end users' LPIC or if a BellSouth local end user selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a Global Connection local end user, or originated by a BellSouth local end user and terminated to a Global Connection local end user, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge Global Connection the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Global Connection shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.2.7 Where Global Connection purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its end users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a Global Connection end user and terminate within the basic local calling area or within the extended local calling areas and that are dialed using 7 or 10 digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs. For such local calls, BellSouth will charge Global Connection the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Global Connection shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.2.8 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Global Connection the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

#### 4.2.9 **Unbundled Port Features**

4.2.9.1 Charges for Unbundled Port are as set forth in Exhibit B, and as specified in such exhibit, may or may not include individual features.

4.2.9.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.

4.2.9.3 Any features that are not currently available but are technically feasible through the switch can be requested through the- BFR/NBR process.

4.2.9.4 BellSouth will provide to Global Connection selective routing of calls to a requested Operator System platform pursuant to Section 10 of Attachment 2. Any other routing requests by Global Connection will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

#### 4.2.10 **Remote Call Forwarding**

4.2.10.1 As an option, BellSouth shall make available to Global Connection an unbundled port with Remote Call Forwarding capability ("URCF service"). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, Global Connection will ensure that the following conditions are satisfied:

4.2.10.1.1 That the end user of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such end user is different from the URCF service end user);

4.2.10.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;

4.2.10.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and

4.2.10.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).

4.2.10.2 In addition to the charge for the URCF service port, BellSouth shall charge Global Connection the rates set forth in Exhibit B for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward- to number (service).

#### 4.2.11 **Provision for Local Switching**

- 4.2.11.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.11.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.11.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.11.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Global Connection all AIN triggers in connection with its SMS/SCE offering.
- 4.2.11.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Global Connection.
- 4.2.12 **Local Switching Interfaces.**
  - 4.2.12.1 Global Connection shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit B. BellSouth shall provide the following local switching interfaces:
    - 4.2.12.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
    - 4.2.12.1.2 Coin phone signaling;
    - 4.2.12.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
    - 4.2.12.1.4 Two-wire analog interface to PBX;
    - 4.2.12.1.5 Four-wire analog interface to PBX;
    - 4.2.12.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
    - 4.2.12.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;

- 4.2.12.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.12.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.

### 4.3 **Tandem Switching**

- 4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

### 4.3.2 **Technical Requirements**

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include but are not limited to the following:
  - 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
  - 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Global Connection and BellSouth;
  - 4.3.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
  - 4.3.2.1.4 Tandem Switching shall provide access to Toll Free number database;
  - 4.3.2.1.5 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and
  - 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Global Connection.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.

- 4.3.2.4 Tandem Switching shall process originating toll-free traffic received from Global Connection's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.3.3 Upon Global Connection's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Global Connection's traffic overflowing from direct end office high usage trunk groups.
- 4.4 **AIN Selective Carrier Routing for Operator Services, Directory Assistance and Repair Centers**
- 4.4.1 BellSouth will provide AIN Selective Carrier Routing at the request of Global Connection. AIN Selective Carrier Routing will provide Global Connection with the capability of routing operator calls, 0+ and 0- and 0+ NPA (LNPA) 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 Global Connection shall order AIN Selective Carrier Routing through its Account Team and/or Local Contract Manager. AIN Selective Carrier Routing must first be established regionally and then on a per central office per state basis.
- 4.4.3 AIN Selective Carrier Routing is not available in DMS 10 switches.
- 4.4.4 Where AIN Selective Carrier Routing is utilized by Global Connection, the routing of Global Connection's end user calls shall be pursuant to information provided by Global Connection and stored in BellSouth's AIN Selective Carrier Routing Service Control Point database. AIN Selective Carrier Routing shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN Selective Carrier Routing is established.
- 4.4.5 Upon ordering AIN Selective Carrier Routing Regional Service, Global Connection shall remit to BellSouth the Regional Service Order non-recurring charges set forth in Exhibit B of this Attachment. There shall be a non-recurring End Office Establishment Charge per office due at the addition of each central office where AIN Selective Carrier Routing will be utilized. Said non-recurring charge shall be as set forth in Exhibit B of this Attachment. For each Global Connection end user activated, there shall be a non-recurring End User Establishment charge as set forth in Exhibit B of this Attachment. Global Connection shall pay the AIN Selective Carrier Routing Per Query Charge set forth in Exhibit B of this Attachment.
- 4.4.6 This Regional Service Order non-recurring charge will be non-refundable and will be paid with 1/2 due up-front with the submission of all fully completed required

forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN Selective Carrier Routing (SCR) Order Request - Form B, AIN\_SCR Central Office Identification Form - Form C, AIN\_SCR Routing Options Selection Form - Form D, and Routing Combinations Table - Form E. BellSouth has 30 days to respond to Global Connection's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Global Connection, BellSouth considers that the delivery schedule of this service commences. The remaining 1/2 of the Regional Service Order payment must be paid when at least 90% of the Central Offices listed on the original order have been turned up for the service.

- 4.4.7 The non-recurring End Office Establishment Charge will be billed to Global Connection following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The non-recurring End-User Establishment Charges will be billed to Global Connection following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN Selective Carrier Routing Per Query Charge will be billed to Global Connection following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

#### 4.5 **Packet Switching Capability**

- 4.5.1 The packet switching capability network element is defined as the function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units.
- 4.5.2 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:
  - 4.5.2.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the feeder section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);
  - 4.5.2.2 There are no spare copper Loops capable of supporting the xDSL services Global Connection seeks to offer;

- 4.5.2.3 BellSouth has not permitted Global Connection to deploy a DSLAM at the remote terminal, pedestal or environmentally controlled vault or other interconnection point, nor has Global Connection obtained a virtual collocation arrangement at these sub-loop interconnection points as defined by 47 CFR § 51.319 (b); and
- 4.5.2.4 BellSouth has deployed packet switching capability for its own use.
- 4.5.3 If there is a dispute as to whether BellSouth must provide Packet Switching, such dispute will be resolved according to the dispute resolution process set forth in Section 10 of the General Terms and Conditions of this Agreement incorporated herein by this reference.

## **5 Unbundled Network Element Combinations**

- 5.1 For purposes of this Section, references to “Currently Combined” network elements shall mean that the particular network elements requested by Global Connection are in fact already combined by BellSouth in the BellSouth network. References to “Ordinarily Combined” network elements shall mean that the particular network elements requested by Global Connection are not already combined by BellSouth in the location requested by Global Connection but are elements that are typically combined in BellSouth’s network. References to “Not Typically Combined” network elements shall mean that the particular network elements requested by Global Connection are not elements that BellSouth combines for its use in its network.

### **5.2 Enhanced Extended Links (EELs)**

- 5.2.1 EELs are combinations of unbundled Loops as defined in Section 2 and unbundled dedicated transport as defined in Section 6. BellSouth shall provide Global Connection with EELs where they are available.
- 5.2.2 EELs are intended to provide service connectivity from an end user’s location through that end user’s SWC to Global Connection’s collocation space in a BellSouth central office. The circuit must be connected to Global Connection’s switch for the purpose of provisioning circuit telephone exchange service to Global Connection’s end-user customers. Global Connection may connect EELs within Global Connection’s collocation space to other transport terminating into Global Connection’s switch. Global Connection may connect the local loops to an unbundled local channel to form an EEL provided that the entire EEL circuit meets the criteria set forth in Section 5.3.1.3 below. Provided that the entire EEL circuit meets the criteria set forth in Section 5.3.1.3 below, the circuit may, upon Global Connection’s request, terminate to a CLEC’s Point of Presence (“POP”). Global Connection will provide a significant amount of local exchange service over the requested combination, as described in Section 5.3.1 et seq. below. Upon BellSouth’s request, Global Connection shall indicate under what local usage option Global Connection seeks to qualify. Global Connection shall be deemed to

be providing a significant amount of local exchange service over the requested combination if one of the options listed in Section 5.3.1.1 through 5.3.1.3 is met. BellSouth shall have the right to audit Global Connection's EELs as specified in Section 5.3.3 below.

### **5.3 Conversions from Special Access Service to EELs**

5.3.1 Global Connection may convert existing (Currently Combined) special access services to combinations of Loop and transport network elements, whether or not Global Connection self-provides its entrance facilities (or obtains entrance facilities from a third party), unless Global Connection does not use the combination to provide a significant amount of local exchange service, in addition to exchange access service, to a particular customer. To the extent Global Connection requests to convert any special access services to combinations of Loop and transport network elements at UNE prices, Global Connection shall provide to BellSouth a certification that Global Connection is providing a significant amount of local exchange service (as described in this Section) over such combinations. The certification shall also indicate under what local usage option Global Connection seeks to qualify for conversion of special access circuits. Global Connection shall be deemed to be providing a significant amount of local exchange service over such combinations if one of the following options is met:

5.3.1.1 **Option 1:** Global Connection certifies that it is the exclusive provider of an end user's local exchange service. The Loop-transport combinations must terminate at Global Connection's collocation arrangement in at least one BellSouth central office. This option does not allow Loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, Global Connection is the end user's only local service provider, and thus is providing more than a significant amount of local exchange service. Global Connection can then use the Loop-transport combinations that serve the end user to carry any type of traffic, including using them to carry 100 percent interstate access traffic; or

5.3.1.2 **Option 2:** Global Connection certifies that it provides local exchange and exchange access service to the end user customer's premises and handles at least one third of the end user customer's local traffic measured as a percent of total end user customer local dial tone lines; and for DS1 circuits and above, at least 50 percent of the activated channels on the Loop portion of the Loop-transport combination have at least 5 percent local voice traffic individually, and the entire Loop facility has at least 10 percent local voice traffic. When a Loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criterion. The Loop-transport combination must terminate at Global Connection's collocation arrangement in at least one BellSouth central office. This option does not allow Loop-transport combinations to be connected to

BellSouth tariffed services; or

- 5.3.1.3 **Option 3:** Global Connection certifies that at least 50 percent of the activated channels on a circuit are used to provide originating and terminating local dial tone service and at least 50 percent of the traffic on each of these local dial tone channels is local voice traffic, and that the entire Loop facility has at least 33 percent local voice traffic. When a Loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criterion. This option does not allow Loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, collocation is not required. Global Connection does not need to provide a defined portion of the end user's local service, but the active channels on any Loop-transport combination, and the entire facility, must carry the amount of local exchange traffic specified in this option.
- 5.3.2 In addition, there may be extraordinary circumstances where Global Connection is providing a significant amount of local exchange service but does not qualify under any of the three options set forth in Section 5.3.1 et seq. In such case, Global Connection may petition the FCC for a waiver of the local usage options set forth above. If a waiver is granted, then upon either Party's request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.
- 5.3.3 BellSouth may, at its sole discretion, audit Global Connection's records in order to verify compliance with the local usage option provided by Global Connection pursuant to Section 5.3.1. The audit shall be conducted by a third party independent auditor, and Global Connection shall be given thirty days written notice of BellSouth's intent to audit. Such audit shall occur no more than one time in a calendar year unless results of an audit find noncompliance with the significant amount of local exchange service requirement. In the event of noncompliance, Global Connection shall reimburse BellSouth for the cost of the audit. If, based on the audit, Global Connection is not providing a significant amount of local exchange traffic over the combinations of Loop and transport network elements, BellSouth will convert such combinations of Loop and transport network elements to special access services in accordance with BellSouth's tariffs and will bill Global Connection for appropriate retroactive reimbursement. If the Parties disagree as to whether the audits indicate that Global Connection is not providing a significant amount of local exchange traffic, the dispute will be resolved according to the dispute resolution process set forth in Section 10 of the General Terms and Conditions of this Agreement. In the event Global Connection converts special access circuits to combinations of Loop and transport UNEs pursuant to the terms of this Section, Global

Connection shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

#### 5.4 Rates

5.4.1 Currently Combined EELs listed below in Sections 5.4.1.1-5.4.1.14 shall be billed at the nonrecurring switch-as-is charge and recurring charges for that combination as set forth in Exhibit B of this Attachment. Currently Combined EELs not listed below shall be billed at the sum of the nonrecurring and recurring charges for the individual network elements that comprise the combination as set forth in Exhibit B of this Attachment.

5.4.1.1 DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop

5.4.1.2 DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop

5.4.1.3 DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop

5.4.1.4 DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop

5.4.1.5 DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop

5.4.1.6 DS1 Interoffice Channel + DS1 Local Loop

5.4.1.7 DS3 Interoffice Channel + DS3 Local Loop

5.4.1.8 STS-1 Interoffice Channel + STS-1 Local Loop

5.4.1.9 DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop

5.4.1.10 STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop

5.4.1.11 2-wire VG Interoffice Channel + 2-wire VG Local Loop

- 5.4.1.12 4-wire VG Interoffice Channel + 4-wire VG Local Loop
- 5.4.1.13 4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop
- 5.4.1.14 4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop
- 5.4.2 Ordinarily Combined EELs listed above shall be billed the sum of the nonrecurring and recurring charges for that combination as set forth in Exhibit B of this Attachment. Ordinarily combined EELs not listed in Sections 5.4.1.1-5.4.1.14 shall be billed the sum of the nonrecurring charges and recurring charges for the individual network elements that comprise the combination as set forth in Exhibit B of this Attachment.
- 5.4.3 To the extent that Global Connection requests an EEL combination Not Typically Combined in the BellSouth network, the rates, terms and conditions shall be determined pursuant to the Bona Fide Request Process.

## **5.5 UNE Port/Loop Combinations**

- 5.5.1 Combinations of port and Loop unbundled network elements along with switching and transport unbundled network elements provide local exchange service for the origination or termination of calls. Port/ Loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment 2 and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.5.2 Except as set forth in Section 5.5.3 below, BellSouth shall provide UNE port/Loop combinations described in Section 5.5.5 below that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit B. Except as set forth in Section 5.5.3 below, BellSouth shall provide UNE port/Loop combinations not described in Section 5.5.5 below or Not Typically Combined Combinations in accordance with the Bona Fide Request process.
- 5.5.3 BellSouth is not required to provide combinations of port and Loop network elements on an unbundled basis in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as an unbundled network element.
- 5.5.3.1 BellSouth shall not be required to provide local circuit switching as an unbundled network element in density Zone 1, as defined in 47 CFR 69.123 as of January 1,

1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Global Connection if Global Connection's customer has 4 or more DS0 equivalent lines.

- 5.5.3.2 Notwithstanding the foregoing, BellSouth shall provide combinations of port and Loop network elements on an unbundled basis where, pursuant to FCC rules, BellSouth is not required to provide local circuit switching as an unbundled network element and shall do so at the market rates in Exhibit B. If a market rate is not set forth in Exhibit B for a UNE port/Loop combination, such rate shall be negotiated by the Parties.
- 5.5.4 BellSouth shall make 911 updates in the BellSouth 911 database for Global Connection's UNE port/Loop combinations. BellSouth will not bill Global Connection for 911 surcharges. Global Connection is responsible for paying all 911 surcharges to the applicable governmental agency.
- 5.5.5 Combination Offerings
  - 5.5.5.1 2-wire voice grade port, voice grade Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
  - 5.5.5.2 2-wire voice grade Coin port, voice grade Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
  - 5.5.5.3 2-wire voice grade DID port, voice grade Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
  - 5.5.5.4 2-wire CENTREX port, voice grade Loop, CENTREX intercom functionality, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
  - 5.5.5.5 2-wire ISDN Basic Rate Interface, voice grade Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
  - 5.5.5.6 4-wire ISDN Primary Rate Interface, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
  - 5.5.5.7 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.5.5.8 4-wire DS1 Loop with normal serving wire center channelization interface, 2-wire voice grade ports (PBX), 2-wire DID ports, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

## 5.6 **Other UNE Combinations**

5.6.1 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to Global Connection in addition to those specifically referenced in this Section 5 above, where available. Such combinations shall not be connected to BellSouth tariffed services. To the extent Global Connection requests a combination for which BellSouth does not have methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

### 5.6.2 Rates

5.6.3 The rates for Ordinarily Combined UNE Combinations provisioned pursuant to this Section 5.6 shall be the sum of the recurring rates and nonrecurring rates for the individual network elements as set forth in Exhibit B of this Attachment. The rates for Currently Combined UNE Combinations provisioned pursuant to this Section 5.6 shall be the sum of the recurring rates for the individual network elements as set forth in Exhibit B, in addition to a nonrecurring charge set forth in Exhibit B. To the extent Global Connection requests a Not Typically Combined Combination pursuant to this Section 5.6, or to the extent Global Connection requests any combination for which BellSouth has not developed methods and procedures to provide such combination, rates and/or methods and procedures for such combination shall be established pursuant to the BFR/NBR process.

## 6 **Transport, Channelization and Dark Fiber**

### 6.1 **Transport**

6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to Global Connection for the provision of a telecommunications service. Interoffice transmission facility network elements include:

6.1.1.1 Dedicated transport, defined as BellSouth's transmission facilities, is dedicated to a particular customer or carrier that provides telecommunications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and Global Connection.

6.1.1.2 Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics;

- 6.1.1.3 Common (Shared) transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide Global Connection exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible transmission facilities, features, functions, and capabilities of the transport facility for the provision of telecommunications services;
- 6.1.2.3 Permit, to the extent technically feasible, Global Connection to connect such interoffice facilities to equipment designated by Global Connection, including but not limited to, Global Connection's collocated facilities; and
- 6.1.2.4 Permit, to the extent technically feasible, Global Connection to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office ("CO to CO") connections in the applicable industry standards.
- 6.1.3.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the applicable industry standards.
- 6.1.3.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.4 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.
- 6.2 **Dedicated Transport**
- 6.2.1 Dedicated Transport is composed of the following Unbundled Network Elements:

- 6.2.1.1 Unbundled Local Channel, defined as the dedicated transmission path between Global Connection's Point of Presence ("POP") and Global Connection's collocation space in the BellSouth Serving Wire Center for Global Connection's POP, and
- 6.2.1.2 Unbundled Interoffice Channel, defined as the dedicated transmission path that provides telecommunication between BellSouth's Serving Wire Centers' collocations.
- 6.2.1.3 BellSouth shall offer Dedicated Transport in each of the following ways:
  - 6.2.1.3.1 As capacity on a shared UNE facility.
  - 6.2.1.3.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to Global Connection.
- 6.2.1.4 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 6.2.2 Technical Requirements
  - 6.2.2.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Global Connection designated traffic.
  - 6.2.2.2 For DS1 or VT1.5 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office ("CI to CO") connections in the applicable industry standards.
  - 6.2.2.3 For DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the applicable industry standards.
  - 6.2.2.4 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
    - 6.2.2.4.1 DS0 Equivalent;
    - 6.2.2.4.2 DS1;
    - 6.2.2.4.3 DS3; and
    - 6.2.2.4.4 SDH (Synchronous Digital Hierarchy) Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.

- 6.2.2.5 BellSouth shall design Dedicated Transport according to its network infrastructure. Global Connection shall specify the termination points for Dedicated Transport.
- 6.2.2.6 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.2.2.7 BellSouth Technical References:
  - 6.2.2.7.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
  - 6.2.2.7.2 TR 73501 LightGate<sup>®</sup> Service Interface and Performance Specifications, Issue D, June 1995.
  - 6.2.2.7.3 TR 73525 MegaLink<sup>®</sup> Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

### 6.3 **Unbundled Channelization (Multiplexing)**

- 6.3.1 Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Unbundled Network Element (UNE) or collocation cross-connect to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Global Connection may request channel activation on an as-needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility.
- 6.3.2 BellSouth shall make available the following channelization systems and COCIs:
  - 6.3.2.1 DS3/STS-1 Channelization System: channelizes a DS3 signal into 28 DS1s.
  - 6.3.2.2 DS1 COCI, which can be activated on a DS3 Channelization System.
  - 6.3.2.3 DS1 Channelization System: channelizes a DS1 signal into 24 DS0s.
  - 6.3.2.4 Voice Grade, Digital Data and ISDN can be activated on a DS1 Channelization System through the use of a COCI.
  - 6.3.2.5 Data COCI, which can be activated on a DS1 Channelization System.
  - 6.3.2.6 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.

### 6.3.3 Technical Requirements

6.3.3.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, Global Connection's channelization equipment must adhere strictly to form and protocol standards. Global Connection must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.

#### 6.3.3.2 DS0 to DS1 Channelization

6.3.3.2.1 The DS1 signal must be framed utilizing the framing structure defined in ANSI T1.107, Digital Hierarchy Formats Specifications and ANSI T1.403.02, DS1 Robbed-bit Signaling State Definitions.

#### 6.3.3.3 DS1 to DS3 Channelization

6.3.3.3.1 The DS3 signal must be framed utilizing the framing structure define in ANSI T1.107, Digital Hierarchy Formats Specifications. The asynchronous M13 multiplex format (combination of M12 and M23 formats) is specified for terminal equipment that multiplexes 28 DS1s into a DS3.

#### 6.3.3.4 DS1 to STS Channelization

6.3.3.4.1 The STS-1 signal must be framed utilizing the framing structure define in ANSI T1.105, Synchronous Optical Network (SONET) – Basic Description Including Multiplex Structure, Rates and Formats and T1.105.02, Synchronous Optical Network (SONET) – Payload Mappings.

### 6.4 **Dark Fiber Transport**

6.4.1 Dark Fiber Transport is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics. Dark Fiber Transport is offered in two configurations: Interoffice Channel, between Global Connection's collocation arrangement within the POP serving wire center and the end user service wire center and Local Channel, from Global Connection's POP to Global Connection's collocation arrangement in the POP serving wire center. It may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Global Connection to utilize Dark Fiber Transport.

#### 6.4.2 Requirements

6.4.2.1 BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use

pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.

- 6.4.2.2 Global Connection is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.2.3 BellSouth shall use its best efforts to provide to Global Connection information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from Global Connection. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.2.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Global Connection within twenty (20) business days after Global Connection submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Global Connection to connect Global Connection provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

## **7 BellSouth Switched Access (“SWA”) 8XX Toll Free Dialing Ten Digit Screening Service**

- 7.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (“8XX SCP Database”) is a Signaling control Point (“SCP”) that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the Switching Service Point (“SSP”) or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (“8XX TFD Service”) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Global Connection’s option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Global Connection.
- 7.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

## **8 Line Information Database (LIDB)**

- 8.1 The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to

LIDB, Global Connection must purchase appropriate signaling links pursuant to Section 9 of this Attachment. LIDB contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

8.2 Technical Requirements

8.2.1 BellSouth will offer to Global Connection any additional capabilities that are developed for LIDB during the life of this Agreement.

8.2.2 BellSouth shall process Global Connection's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Global Connection what additional functions (if any) are performed by LIDB in the BellSouth network.

8.2.3 Within two (2) weeks after a request by Global Connection, BellSouth shall provide Global Connection with a list of the customer data items, which Global Connection would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.

8.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.

8.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.

8.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.

8.2.7 All additions, updates and deletions of Global Connection data to the LIDB shall be solely at the direction of Global Connection. Such direction from Global Connection will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).

8.2.8 BellSouth shall provide priority updates to LIDB for Global Connection data upon Global Connection's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.

- 8.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Global Connection customer records will be missing from LIDB, as measured by Global Connection audits. BellSouth will audit Global Connection records in LIDB against DBAS to identify record mismatches and provide this data to a designated Global Connection contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to Global Connection within one business day of audit. Once reconciled records are received back from Global Connection, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Global Connection to negotiate a time frame for the updates, not to exceed three business days.
- 8.2.10 BellSouth shall perform backup and recovery of all of Global Connection's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 8.2.11 BellSouth shall provide Global Connection with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Global Connection and BellSouth.
- 8.2.12 BellSouth shall prevent any access to or use of Global Connection data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Global Connection in writing.
- 8.2.13 BellSouth shall provide Global Connection performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Global Connection at least at parity with BellSouth Customer Data. BellSouth shall obtain from Global Connection the screening information associated with LIDB Data Screening of Global Connection data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Global Connection under the BFR/NBR process as set forth in Attachment 11.
- 8.2.14 BellSouth shall accept queries to LIDB associated with Global Connection customer records and shall return responses in accordance with industry standards.
- 8.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.

- 8.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 8.3 Interface Requirements
- 8.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 8.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 8.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 8.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 8.3.5 The application of the LIDB rates contained in Exhibit B to this Attachment will be based on a Percent CLEC LIDB Usage ("PCLU") factor. Global Connection shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Global Connection shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

## **9 Signaling**

- 9.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

### **9.2 Signaling Link Transport**

- 9.2.1 Signaling Link Transport is a set of two or four dedicated 56 kbps transmission paths between Global Connection-designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 9.2.2 Technical Requirements
- 9.2.3 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:

- 9.2.3.1 As an “A-link” Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
- 9.2.3.2 As a “B-link” Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
- 9.2.4 Signaling Link Transport shall consist of two or more signaling link layers as follows:
  - 9.2.4.1 An A-link layer shall consist of two links.
  - 9.2.4.2 A B-link layer shall consist of four links.
  - 9.2.4.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
    - 9.2.4.4 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and
    - 9.2.4.5 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 9.2.5 Interface Requirements
  - 9.2.5.1 There shall be a DS1 (1.544 Mbps) interface at Global Connection’s designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 9.3 **Signaling Transfer Points (STPs)**
  - 9.3.1 A Signaling Transfer Point is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
  - 9.3.2 Technical Requirements
    - 9.3.2.1 Signaling Transfer Point s shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. Signaling Transfer Point also provide access to third-party local or tandem switching and Third-party-provided Signaling Transfer Points.

- 9.3.2.2 The connectivity provided by Signaling Transfer Points shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 9.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Global Connection local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Global Connection local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 9.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Global Connection or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Global Connection database, then Global Connection agrees to provide BellSouth with the Destination Point Code for Global Connection database.
- 9.3.2.5 STPs shall provide all functions of the OMAP as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 9.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Global Connection or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

9.4 **SS7 Advanced Intelligent Network (AIN) Access**

- 9.4.1 When technically feasible and upon request by Global Connection, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Global Connection's SS7 network to exchange TCAP queries and responses with a Global Connection SCP.
- 9.4.2 SS7 AIN Access shall provide Global Connection SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Global Connection SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Global Connection SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.
- 9.4.3 Interface Requirements
- 9.4.3.1 BellSouth shall provide the following STP options to connect Global Connection or Global Connection-designated local switching systems to the BellSouth SS7 network:
- 9.4.3.1.1 An A-link interface from Global Connection local switching systems; and,
- 9.4.3.1.2 A B-link interface from Global Connection local STPs.
- 9.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.
- 9.4.3.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.4.3.4 BellSouth shall provide intraoffice diversity between the Signaling Point of Interconnection and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 9.4.4 Message Screening
- 9.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from Global Connection local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Global Connection switching system has a valid signaling relationship.

9.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from Global Connection local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Global Connection switching system has a valid signaling relationship.

9.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Global Connection from any signaling point or network interconnected through BellSouth's SS7 network where the Global Connection SCP has a valid signaling relationship.

## 9.5 **Service Control Points/Databases**

9.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.

9.5.2 A Service Control Point (SCP) is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

9.5.3 Technical Requirements for SCPs/Databases

9.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.

9.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).

9.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

## 9.6 **Local Number Portability Database**

9.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

## 9.7 **SS7 Network Interconnection**

- 9.7.1 SS7 Network Interconnection is the interconnection of Global Connection local signaling transfer point switches or Global Connection local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Global Connection local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 9.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Global Connection or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 9.7.3 If traffic is routed based on dialed or translated digits between a Global Connection local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Global Connection local signaling transfer point switches and BellSouth or other third-party local switch.
- 9.7.4 SS7 Network Interconnection shall provide:
- 9.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
  - 9.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
  - 9.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 9.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes Global Title Translation (GTT) and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Global Connection local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Global Connection local STPs and shall not include SCCP Subsystem Management of the destination.
- 9.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 9.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.

- 9.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 9.7.9 Interface Requirements
- 9.7.9.1 The following SS7 Network Interconnection interface options are available to connect Global Connection or Global Connection-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 9.7.9.1.1 A-link interface from Global Connection local or tandem switching systems; and
- 9.7.9.1.2 B-link interface from Global Connection STPs.
- 9.7.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 9.7.9.5 BellSouth shall set message screening parameters to accept messages from Global Connection local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Global Connection switching system has a valid signaling relationship.
- 10 Operator Services (Operator Call Processing and Directory Assistance)**
- 10.1 Operator Call Processing provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls); (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, and Operator-assisted Directory Assistance.
- 10.2 Upon request for BellSouth Operator Call Processing, BellSouth shall:
- 10.2.1 Process 0+ and 0- dialed local calls.

- 10.2.2 Process 0+ and 0- intraLATA toll calls.
- 10.2.3 Process calls that are billed to Global Connection end user's calling card that can be validated by BellSouth.
- 10.2.4 Process person-to-person calls.
- 10.2.5 Process collect calls.
- 10.2.6 Provide the capability for callers to bill to a third party and shall also process such calls.
- 10.2.7 Process station-to-station calls.
- 10.2.8 Process Busy Line Verify and Emergency Line Interrupt requests.
- 10.2.9 Process emergency call trace originated by Public Safety Answering Points.
- 10.2.10 Process operator-assisted directory assistance calls.
- 10.2.11 Adhere to equal access requirements, providing Global Connection local end users the same IXC access as provided to BellSouth end users.
- 10.2.12 Exercise at least the same level of fraud control in providing Operator Service to Global Connection that BellSouth provides for its own operator service.
- 10.2.13 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-to-Third-Party calls.
- 10.2.14 Direct customer account and other similar inquiries to the customer service center designated by Global Connection.
- 10.2.15 Provide call records to Global Connection in accordance with ODUF standards specified in Attachment 7.
- 10.2.16 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards.
- 10.3 **Directory Assistance Service**
- 10.3.1 Directory Assistance Service provides local and non-local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.
- 10.3.2 Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by Global Connection's end user, BellSouth shall

provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings.

10.3.3 **Directory Assistance Service Updates**

10.3.3.1 BellSouth shall update end user listings changes daily. These changes include:

10.3.3.1.1 New end user connections;

10.3.3.1.2 End user disconnections;

10.3.3.1.3 End user address changes.

10.3.3.2 These updates shall also be provided for non-listed and non-published numbers for use in emergencies.

10.4 **Branding for Operator Call Processing and Directory Assistance**

10.4.1 BellSouth's branding feature provides a definable announcement to Global Connection end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows Global Connection to have its calls custom branded with Global Connection's name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for the branding features are set forth in this Attachment.

10.4.2 BellSouth offers three branding offering options to Global Connection when ordering BellSouth's Directory Assistance and Operator Call Processing: BellSouth Branding, Unbranding and Custom Branding.

10.4.3 Upon receipt of the custom branding order from Global Connection, the order is considered firm after ten business days. Should Global Connection decide to cancel the order, written notification to Global Connection's Local Contract Manager is required. If Global Connection decides to cancel after ten business days from receipt of the custom branding order, Global Connection shall pay all charges per the order.

10.4.4 **Selective Call Routing Using Line Class Codes (SCR-LCC)**

10.4.4.1 Where Global Connection purchases unbundled local switching from BellSouth and utilizes an Operator Services Provider other than BellSouth, BellSouth will route Global Connection's end user calls to that provider through Selective Call Routing.

10.4.4.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Global Connection to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its

own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.

- 10.4.4.3 Custom Branding for Directory Assistance is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- 10.4.4.4 Where available, Global Connection specific and unique line class codes are programmed in each BellSouth end office switch where Global Connection intends to serve end users with customized OCP/DA branding. The line class codes specifically identify Global Connection's end users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Global Connection intends to provide Global Connection -branded OCP/DA to its end users in these multiple rate areas.
- 10.4.4.5 BellSouth Branding is the default branding offering.
- 10.4.4.6 SCR-LCC supporting Custom Branding and Self Branding require Global Connection to order dedicated trunking from each BellSouth end office identified by Global Connection, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Global Connection Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for Directory Assistance. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.4.7 Unbranding - Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by Global Connection to the BellSouth TOPS. These calls are routed to "No Announcement."
- 10.4.4.8 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/Loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/Loop switch combinations.
- 10.4.4.9 UNE Provider Branding via Originating Line Number Screening (OLNS)

- 10.4.4.10 BellSouth Branding, Unbranding and Custom Branding are also available for Directory Assistance, Operator Call Processing or both via Originating Line Number Screening (OLNS) software. When utilizing this method of Unbranding or Custom Branding, Global Connection shall not be required to purchase dedicated trunking.
- 10.4.4.11 For BellSouth to provide Unbranding or Custom Branding via OLNS software for Operator Call Processing or for Directory Assistance, Global Connection must have its Operating Company Number (“OCN(s)”) and telephone numbers reside in BellSouth’s LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, Global Connection must submit a manual order form which requires, among other things, Global Connection’s OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. Global Connection shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Global Connection’s purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all Global Connection end users served by that TOPS will receive the Unbranded “no announcement” or the Custom Branded announcement.
- 10.4.4.12 BellSouth Branding is the default branding offering.
- 10.4.4.13 Rates for Unbranding and Custom Branding via OLNS software for Directory Assistance and for Operator Call Processing are as set forth in this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill Global Connection applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, Global Connection shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth’s Directory Assistance and Operator Call Processing platforms as set forth in this Attachment. Further, where Global Connection is purchasing unbundled local switching from BellSouth, UNE usage charges for end office switching, tandem switching and transport, as applicable, shall continue to apply.
- 10.4.5 **Facilities Based Carrier Branding**
- 10.4.5.1 All Service Levels require Global Connection to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.5.2 Unbranding is the default branding offering.
- 10.4.5.3 Rates for Custom Branded OCP/DA are set forth in this Attachment.

- 10.4.5.4 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicle (NAV) equipment for which Global Connection requires service.
- 10.4.5.5 Directory Assistance customized branding uses:
  - 10.4.5.5.1 the recording of Global Connection;
  - 10.4.5.5.2 the loading of the recording in each switch.
- 10.4.5.6 Operator Call Processing customized branding uses:
  - 10.4.5.6.1 the recording of Global Connection;
  - 10.4.5.6.2 the loading of the recording in each switch (North Carolina);
  - 10.4.5.6.3 the loading on the Network Applications Vehicle (NAV). All NAV shelves within the region where the customer is offering service must be loaded.
- 10.5 **Directory Assistance Database Service (DADS)**
  - 10.5.1 BellSouth shall make its Directory Assistance Database Service (DADS) available at the rates set forth in this Attachment solely for the expressed purpose of providing Directory Assistance type services to Global Connection end users. The term “end user” denotes any entity that obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted) and Electronic Directory Assistance (Data System assisted). Global Connection agrees that DADS will not be used for any purpose that violates federal or state laws, statutes, regulatory orders or tariffs. For the purposes of provisioning a Directory Assistance type service, all terms and conditions of GSST A38 apply and are incorporated by reference herein. Except for the permitted uses, Global Connection agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS.
  - 10.5.2 BellSouth shall initially provide Global Connection with a Base File of subscriber listings via magnetic tape. DADS is available and may be ordered on a Business, Residence or combined Business and Residence listings basis for each central office requested. BellSouth will require approximately 30-45 days after receiving an order from Global Connection to prepare the Base File.
  - 10.5.3 BellSouth will provide updates on either a daily or weekly basis reflecting all listing change activity occurring since Global Connection’s previous update. Delivery of updates will commence immediately after Global Connection receives the Base File. Updates will be provided via magnetic tape unless BellSouth and Global Connection mutually develop CONNECT: Direct™ electronic connectivity.

Global Connection will pay all costs associated with CONNECT: Direct™ connectivity, which will vary depending upon volume and mileage.

- 10.5.4 Global Connection authorizes the inclusion of Global Connection Directory Assistance listings in the BellSouth Directory Assistance products including but not limited to DADS. Any other use is not authorized.

10.6 **Direct Access to Directory Assistance Service**

- 10.6.1 Direct Access to Directory Assistance Service (DADAS) will provide Global Connection's directory assistance operators with the ability to search, using a standard directory assistance search format, the same listing information that is available to BellSouth operators including all available BellSouth subscriber listings, all available listings associated with lines resold by competitive local exchange carriers, and all available listings associated with lines provisioned by local exchange carriers that provide their listings to BellSouth. DADAS will also provide Global Connection with the ability to search all listings BellSouth obtains from sources other than the provider of the local exchange lines associated with the listings. The search format will be provided to Global Connection by BellSouth upon subscription to the service. Subscription to DADAS requires that Global Connection utilize its own switch, operator workstations, directory assistance operators, transport facilities, and optional audio subsystems.

- 10.6.2 Rates, terms and conditions for provisioning DADAS are as set forth in the FCC Tariff No. 1.

11 **Automatic Location Identification/Data Management System (ALI/DMS)**

- 11.1 The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point ("PSAP") to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911.

11.2 Technical Requirements

- 11.2.1 BellSouth shall provide Global Connection access to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Global Connection after Global Connection provides end user information for input into the ALI/DMS database.
- 11.2.2 When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless Global Connection requests otherwise and shall be updated if Global Connection requests, provided Global Connection supplies BellSouth with the updates.

11.2.3 When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.

### 11.3 Interface Requirements

11.3.1 The interface between the E911 Switch or Tandem and the ALI/DMS database for Global Connection end users shall meet industry standards.

## 12 Calling Name (CNAM) Database Service

12.1 CNAM is the ability to associate a name with the calling party number, allowing the end user (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides Global Connection the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.

12.2 Global Connection shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than 60 days prior to Global Connection's access to BellSouth's CNAM Database Services and shall be addressed to Global Connection's Local Contract Manager.

12.3 BellSouth's provision of CNAM Database Services to Global Connection requires interconnection from Global Connection to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement, incorporated herein by this reference.

12.4 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Global Connection shall provide its own CNAM SSP. Global Connection's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".

12.5 If Global Connection elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Global Connection desires to query.

12.6 If Global Connection queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7

signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.

- 12.7 The mechanism to be used by Global Connection for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Global Connection in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Global Connection to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 12.9 Global Connection CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

**13 Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access**

- 13.1 BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide Global Connection the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- 13.2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Global Connection. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- 13.3 BellSouth SCP shall partition and protect Global Connection service logic and data from unauthorized access.
- 13.4 When Global Connection selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Global Connection to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- 13.5 Global Connection access will be provided via remote data connection (e.g., dial-in, ISDN).
- 13.6 BellSouth shall allow Global Connection to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

**14 Basic 911 and E911**

- 14.1 Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- 14.2 Basic 911 Service Provisioning. BellSouth will provide to Global Connection a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Global Connection will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. Global Connection will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, Global Connection will be required to begin using E911 procedures.
- 14.3 E911 Service Provisioning. Global Connection shall install a minimum of two dedicated trunks originating from the Global Connection serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency (“MF”) pulsing that will deliver automatic number identification (“ANI”) with the voice portion of the call. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. Global Connection will be required to provide BellSouth daily updates to the E911 database. Global Connection will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Global Connection will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point (“PSAP”). This call will be transported over BellSouth’s interoffice network and will not carry the ANI of the calling party. Global Connection shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.
- 14.4 Rates. Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on Global Connection beyond applicable charges for BellSouth trunking arrangements.
- 14.5 Basic 911 and E911 functions provided to Global Connection shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.

- 14.6 The detailed practices and procedures for 911/E911 services are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement.

## **15 Operational Support Systems (OSS)**

- 15.1 BellSouth has developed and made available the following electronic interfaces by which Global Connection may submit LSRs electronically.

|      |                                   |
|------|-----------------------------------|
| LENS | Local Exchange Navigation System  |
| EDI  | Electronic Data Interchange       |
| TAG  | Telecommunications Access Gateway |

- 15.2 LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Rate Exhibit B of this Attachment 2.

- 15.3 Denial/Restoral OSS Charge

- 15.3.1 In the event Global Connection provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.

- 15.4 Cancellation OSS Charge

- 15.4.1 Global Connection will incur an OSS charge for an accepted LSR that is later canceled.

- 15.5 Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

- 15.6 Network Elements and Other Services Manual Additive

- 15.6.1 The Commissions in some states have ordered per-element manual additive non-recurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per-element charges are listed on the Rate Tables in Exhibit B.

**EXHIBIT A****LINE INFORMATION DATA BASE (LIDB)****FACILITIES BASED STORAGE AGREEMENT****I. Definitions**

- A. Billing number - a number that Global Connection creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number - a ten-digit number that identifies a telephone line administered by Global Connection.
- C. Special billing number - a ten-digit number that identifies a billing account established by Global Connection.
- D. Calling Card number - a billing number plus PIN number.
- E. PIN number - a four-digit security code assigned by Global Connection that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator - associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Global Connection.
- G. Billed Number Screening - refers to the query service used to determine whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation - refers to the query service used to determine whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information - information about billing number, Calling Card number and toll billing exception indicator provided to BellSouth by Global Connection.
- J. Account Owner – name of the local exchange telecommunications company that is providing dialtone on a subscriber line.
- K. GetData – refers to the query service used to determine, at a minimum, the Account Owner and/or Regional Accounting Office for a line number. This query service may be modified to provide additional information in the future.
- L. Originating Line Number Screening (“OLNS”) – refers to the query service used to determine the billing, screening and call handling indicators, station type, and Account Owner provided to BellSouth by Global Connection for originating line numbers.

## **II. General**

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Global Connection and pursuant to which BellSouth, its LIDB customers and Global Connection shall have access to such information. In addition, this Agreement sets forth the terms and conditions for Global Connection's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. Global Connection understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Global Connection, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection Agreement upon notice to Global Connection's account team and/or Local Contract Manager to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement.

B. BellSouth will provide responses to on-line, call-by-call queries to local exchange line and/or billing number information for the following purposes:

1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether Global Connection has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth and where the last four digits (PIN) are a security code assigned by BellSouth.

3. OLNS

BellSouth is authorized to provide originating line screening information for billing and services restrictions, station type, and Account Owner on the lines of Global Connection from which a call originates.

4. GetData

BellSouth is authorized to provide, at a minimum, the Account Owner and/or Regional Accounting Office information on the lines of Global Connection indicating the local service provider and where billing records are to be sent for settlement purposes. This query service may be modified to provide additional information in the future.

5. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Global Connection of fraud alerts so that Global Connection may take action it deems appropriate.

### **III. Responsibilities of the Parties**

A. BellSouth will administer all data stored in the LIDB, including the data provided by Global Connection pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to Global Connection for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

#### **B. Billing and Collection Customers**

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearinghouses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from end users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate Global Connection's data from BellSouth's data, the following terms and conditions shall apply:

1. BellSouth will identify Global Connection's end user originated long distance charges and will return those charges to the interexchange carrier as not covered by the existing B&C agreement with interexchange carriers for handling of long distance charges by their end users.
2. BellSouth shall have no obligation to become involved in any disputes between Global Connection and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to Global Connection. It shall be the responsibility of Global Connection and the B&C Customers to negotiate and arrange for any appropriate adjustments.

### **IV. Fees for Service and Taxes**

A. Global Connection will not be charged a fee for storage services provided by BellSouth to Global Connection as described in this LIDB Facilities Based Storage Agreement.

- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by Global Connection in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

| UNBUNDLED NETWORK ELEMENTS - Kentucky                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                   |         |      |                      |       |            |              |       |                         |                                  | Attachment: 2                        |                                                          | Exhibit: B                                                 |                                                               |                                                                 |       |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|---------|------|----------------------|-------|------------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|-------|
| CATEGORY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | RATE ELEMENTS                                                                                                     | Interim | Zone | BCS                  | USOC  | RATES (\$) |              |       |                         | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                   |         |      |                      |       | Rec        | Nonrecurring |       | Nonrecurring Disconnect |                                  | OSS Rates (\$)                       |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                   |         |      |                      |       |            | First        | Add'l | First                   | Add'l                            | SOMEK                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           | SOMAN |
| The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website: <a href="http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm">http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm</a>                                                                                                                                                                                                        |                                                                                                                   |         |      |                      |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| OPERATIONAL SUPPORT SYSTEMS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                   |         |      |                      |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| NOTE: (1) Electronic Service Order: CLEC should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions. The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge. CLEC may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC may elect the regional electronic service ordering charge.                                                                                                          |                                                                                                                   |         |      |                      |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEK rate listed in this category. Please refer to BellSouth's Business Rules for Local Ordering (BBR-LO) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the BBR-LO, the listed SOMEK rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth. |                                                                                                                   |         |      |                      |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Manual Service Order Charge, per LSR, Disconnect Only (KY)                                                        |         |      |                      | SOMAN |            |              |       | 0.99                    |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional)                         |         |      |                      | SOMEK |            | 3.50         |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| UNE SERVICE DATE ADVANCEMENT CHARGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                   |         |      |                      |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                   |         |      |                      |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | UNE Expedite Charge per Circuit or Line Assignable USOC, per Day                                                  |         |      | ALL UNE EXCEPT UNE-P | SDASP |            | 200.00       |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| UNBUNDLED EXCHANGE ACCESS LOOP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                   |         |      |                      |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| 2-WIRE ANALOG VOICE GRADE LOOP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                   |         |      |                      |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1                                                          |         | 1    | UEANL                | UEAL2 | 10.56      | 46.66        | 22.57 | 26.65                   | 7.65                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2                                                          |         | 2    | UEANL                | UEAL2 | 15.34      | 46.66        | 22.57 | 26.65                   | 7.65                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3                                                          |         | 3    | UEANL                | UEAL2 | 31.11      | 46.66        | 22.57 | 26.65                   | 7.65                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise                                                |         |      | UEANL                | URETL |            | 8.33         | 0.83  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Loop Testing - Basic 1st Half Hour                                                                                |         |      | UEANL                | URET1 |            | 46.88        | 46.88 |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Loop Testing - Basic Additional Half Hour                                                                         |         |      | UEANL                | URETA |            | 24.16        | 24.16 |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)                                                 |         |      | UEANL                | UREWO | 15.78      | 8.94         |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)   |         |      | UEANL                | UEANM | 13.49      | 13.49        |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Manual Order Coordination for UVL-SL1s (per loop)                                                                 |         |      | UEANL                | UEAMC | 9.00       | 9.00         |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)                                            |         |      | UEANL                | OCOSL | 23.01      | 23.01        |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| 2-WIRE Unbundled COPPER LOOP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                   |         |      |                      |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1                                                                | I       | 1    | UEQ                  | UEQ2X | 10.58      | 44.97        | 20.89 | 25.64                   | 6.65                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2                                                              | I       | 2    | UEQ                  | UEQ2X | 11.51      | 44.97        | 20.89 | 25.64                   | 6.65                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3                                                              | I       | 3    | UEQ                  | UEQ2X | 13.19      | 44.97        | 20.89 | 25.64                   | 6.65                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise                                                |         |      | UEQ                  | URETL |            | 8.33         | 0.83  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)                                         |         |      | UEQ                  | USBMC |            | 9.00         | 9.00  |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E.I.) |         |      | UEQ                  | UEQMU | 13.49      | 13.49        |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Loop Testing - Basic 1st Half Hour                                                                                |         |      | UEQ                  | URET1 |            | 46.88        | 46.88 |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Loop Testing - Basic Additional Half Hour                                                                         |         |      | UEQ                  | URETA |            | 24.16        | 24.16 |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)                                                  |         |      | UEQ                  | UREWO |            | 14.27        | 7.43  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
| UNBUNDLED EXCHANGE ACCESS LOOP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                   |         |      |                      |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| 2-WIRE ANALOG VOICE GRADE LOOP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                   |         |      |                      |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1                                              |         | 1    | UEPSR UEPSB          | UEALS | 10.56      | 46.66        | 22.57 | 26.65                   | 7.65                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1                                              |         | 1    | UEPSR UEPSB          | UEABS | 10.56      | 46.66        | 22.57 | 26.65                   | 7.65                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2                                             |         | 2    | UEPSR UEPSB          | UEALS | 15.34      | 46.66        | 22.57 | 26.65                   | 7.65                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2                                             |         | 2    | UEPSR UEPSB          | UEABS | 15.34      | 46.66        | 22.57 | 26.65                   | 7.65                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3                                              |         | 3    | UEPSR UEPSB          | UEALS | 31.11      | 46.66        | 22.57 | 26.65                   | 7.65                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3                                              |         | 3    | UEPSR UEPSB          | UEABS | 31.11      | 46.66        | 22.57 | 26.65                   | 7.65                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |

| UNBUNDLED NETWORK ELEMENTS - Kentucky |               |  |  |  |  |         |      |     |      |            |  | Attachment: 2                    |                                      | Exhibit: B                                               |                                                            |                                                               |                                                                 |
|---------------------------------------|---------------|--|--|--|--|---------|------|-----|------|------------|--|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|
| CATEGORY                              | RATE ELEMENTS |  |  |  |  | Interim | Zone | BCS | USOC | RATES (\$) |  | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |

| UNBUNDLED NETWORK ELEMENTS - Kentucky                               |                                                                                                     |         |      |     |       |            |              |        |                         |                                  |                                      | Attachment: 2                                            |                                                            | Exhibit: B                                                    |                                                                 |
|---------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|---------|------|-----|-------|------------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|
| CATEGORY                                                            | RATE ELEMENTS                                                                                       | Interim | Zone | BCS | USOC  | RATES (\$) |              |        |                         | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|                                                                     |                                                                                                     |         |      |     |       | Rec        | Nonrecurring |        | Nonrecurring Disconnect |                                  | OSS Rates (\$)                       |                                                          |                                                            |                                                               |                                                                 |
|                                                                     |                                                                                                     |         |      |     |       |            | First        | Add'l  | First                   | Add'l                            | SOMEK                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           |
|                                                                     | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3         |         | 3    | UHL | UHL2X | 10.61      | 151.54       | 89.29  | 69.09                   | 11.54                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                     | Order Coordination for Specified Conversion Time (per LSR)                                          |         |      | UHL | OCOSL |            | 23.01        |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                     | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1         |         | 1    | UHL | UHL2W | 8.75       | 130.74       | 78.56  | 69.09                   | 11.54                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                     | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2         |         | 2    | UHL | UHL2W | 9.56       | 130.74       | 78.56  | 69.09                   | 11.54                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                     | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3         |         | 3    | UHL | UHL2W | 10.61      | 130.74       | 78.56  | 69.09                   | 11.54                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                     | Order Coordination for Specified Conversion Time (per LSR)                                          |         |      | UHL | OCOSL |            | 23.01        |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                     | CLEC to CLEC Conversion Charge without outside dispatch                                             |         |      | UHL | UREWO |            | 86.14        | 40.40  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
| 4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP |                                                                                                     |         |      |     |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                     | 4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1       |         | 1    | UHL | UHL4X | 13.95      | 185.75       | 123.50 | 74.95                   | 14.69                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                     | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2       | I       | 2    | UHL | UHL4X | 15.68      | 185.75       | 123.50 | 74.95                   | 14.69                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                     | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3       |         | 3    | UHL | UHL4X | 16.98      | 185.75       | 123.50 | 74.95                   | 14.69                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                     | Order Coordination for Specified Conversion Time (per LSR)                                          |         |      | UHL | OCOSL |            | 23.01        |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                     | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1         |         | 1    | UHL | UHL4W | 13.95      | 164.95       | 114.04 | 77.32                   | 15.80                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                     | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2         |         | 2    | UHL | UHL4W | 15.68      | 164.95       | 114.04 | 77.32                   | 15.80                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                     | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3         |         | 3    | UHL | UHL4W | 16.98      | 164.95       | 114.04 | 77.32                   | 15.80                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                     | Order Coordination for Specified Conversion Time (per LSR)                                          |         |      | UHL | OCOSL |            | 23.01        |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                     | CLEC to CLEC Conversion Charge without outside dispatch                                             |         |      | UHL | UREWO |            | 86.14        | 40.40  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
| 4-WIRE DS1 DIGITAL LOOP                                             |                                                                                                     |         |      |     |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                     | 4-Wire DS1 Digital Loop - Zone 1                                                                    |         | 1    | USL | USLXX | 86.47      | 306.69       | 174.44 | 65.83                   | 14.55                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                     | 4-Wire DS1 Digital Loop - Zone 2                                                                    |         | 2    | USL | USLXX | 114.10     | 306.69       | 174.44 | 65.83                   | 14.55                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                     | 4-Wire DS1 Digital Loop - Zone 3                                                                    |         | 3    | USL | USLXX | 297.76     | 306.69       | 174.44 | 65.83                   | 14.55                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                     | Order Coordination for Specified Conversion Time (per LSR)                                          |         |      | USL | OCOSL |            | 23.01        |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                     | CLEC to CLEC Conversion Charge without outside dispatch                                             |         |      | USL | UREWO |            | 101.09       | 43.04  |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| 4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP                       |                                                                                                     |         |      |     |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                     | 4 Wire Unbundled Digital 19.2 Kbps                                                                  |         | 1    | UDL | UDL19 | 27.59      | 157.81       | 106.06 | 78.91                   | 18.66                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                     | 4 Wire Unbundled Digital 19.2 Kbps                                                                  |         | 2    | UDL | UDL19 | 32.48      | 157.81       | 106.06 | 78.91                   | 18.66                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                     | 4 Wire Unbundled Digital 19.2 Kbps                                                                  |         | 3    | UDL | UDL19 | 36.37      | 157.81       | 106.06 | 78.91                   | 18.66                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                     | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1                                                      |         | 1    | UDL | UDL56 | 27.59      | 157.81       | 106.06 | 78.91                   | 18.66                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                     | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2                                                      |         | 2    | UDL | UDL56 | 32.48      | 157.81       | 106.06 | 78.91                   | 18.66                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                     | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3                                                      |         | 3    | UDL | UDL56 | 36.37      | 157.81       | 106.06 | 78.91                   | 18.66                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                     | Order Coordination for Specified Conversion Time (per LSR)                                          |         |      | UDL | OCOSL |            | 23.01        |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                     | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1                                                      |         | 1    | UDL | UDL64 | 27.59      | 157.81       | 106.06 | 78.91                   | 18.66                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                     | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2                                                      |         | 2    | UDL | UDL64 | 32.48      | 157.81       | 106.06 | 78.91                   | 18.66                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                     | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3                                                      |         | 3    | UDL | UDL64 | 36.37      | 157.81       | 106.06 | 78.91                   | 18.66                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                     | Order Coordination for Specified Conversion Time (per LSR)                                          |         |      | UDL | OCOSL |            | 23.01        |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                     | CLEC to CLEC Conversion Charge without outside dispatch                                             |         |      | UDL | UREWO |            | 102.13       | 49.75  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
| 2-WIRE Unbundled COPPER LOOP                                        |                                                                                                     |         |      |     |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                     | 2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1 |         | 1    | UCL | UCLPB | 10.82      | 140.95       | 78.70  | 69.09                   | 11.54                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                     | 2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2 |         | 2    | UCL | UCLPB | 11.79      | 140.95       | 78.70  | 69.09                   | 11.54                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                     | 2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3 |         | 3    | UCL | UCLPB | 12.87      | 140.95       | 78.70  | 69.09                   | 11.54                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                     | Order Coordination for Unbundled Copper Loops (per loop)                                            |         |      | UCL | UCLMC |            | 9.00         | 9.00   |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                     | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1 |         | 1    | UCL | UCLPW | 10.82      | 120.15       | 67.97  | 69.09                   | 11.54                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                     | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2 |         | 2    | UCL | UCLPW | 11.79      | 120.15       | 67.97  | 69.09                   | 11.54                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |

| UNBUNDLED NETWORK ELEMENTS - Kentucky |                                                                                                      |         |      |                                                   |       |            |              |        |                         |                                  | Attachment: 2                        |                                                          | Exhibit: B                                                 |                                                               |                                                                 |       |
|---------------------------------------|------------------------------------------------------------------------------------------------------|---------|------|---------------------------------------------------|-------|------------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|-------|
| CATEGORY                              | RATE ELEMENTS                                                                                        | Interim | Zone | BCS                                               | USOC  | RATES (\$) |              |        |                         | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |       |
|                                       |                                                                                                      |         |      |                                                   |       | Rec        | Nonrecurring |        | Nonrecurring Disconnect |                                  | OSS Rates (\$)                       |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |                                                                                                      |         |      |                                                   |       |            | First        | Add'l  | First                   | Add'l                            | SOMEK                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           | SOMAN |
|                                       | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3  |         | 3    | UCL                                               | UCLPW | 12.87      | 120.15       | 67.97  | 69.09                   | 11.54                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Order Coordination for Unbundled Copper Loops (per loop)                                             |         |      | UCL                                               | UCLMC |            | 9.00         | 9.00   |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1   |         | 1    | UCL                                               | UCL2L | 24.91      | 140.95       | 78.70  | 69.09                   | 11.54                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2   |         | 2    | UCL                                               | UCL2L | 36.94      | 140.95       | 78.70  | 69.09                   | 11.54                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3   |         | 3    | UCL                                               | UCL2L | 69.95      | 140.95       | 78.70  | 69.09                   | 11.54                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Order Coordination for Unbundled Copper Loops (per loop)                                             |         |      | UCL                                               | UCLMC |            | 9.00         | 9.00   |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1 |         | 1    | UCL                                               | UCL2W | 24.91      | 120.15       | 67.97  | 69.09                   | 11.54                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2 |         | 2    | UCL                                               | UCL2W | 36.94      | 120.15       | 67.97  | 69.09                   | 11.54                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3 |         | 3    | UCL                                               | UCL2W | 69.95      | 120.15       | 67.97  | 69.09                   | 11.54                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Order Coordination for Unbundled Copper Loops (per loop)                                             |         |      | UCL                                               | UCLMC |            | 9.00         | 9.00   |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)                                    |         |      | UCL                                               | UREWO |            | 97.23        | 42.48  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 4-WIRE COPPER LOOP                                                                                   |         |      |                                                   |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1        |         | 1    | UCL                                               | UCL4S | 16.92      | 170.31       | 108.06 | 74.95                   | 14.69                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2        |         | 2    | UCL                                               | UCL4S | 17.36      | 170.31       | 108.06 | 74.95                   | 14.69                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3        |         | 3    | UCL                                               | UCL4S | 28.10      | 170.31       | 108.06 | 74.95                   | 14.69                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Order Coordination for Unbundled Copper Loops (per loop)                                             |         |      | UCL                                               | UCLMC |            | 9.00         | 9.00   |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1          |         | 1    | UCL                                               | UCL4W | 16.92      | 149.52       | 97.33  | 74.95                   | 14.69                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2          |         | 2    | UCL                                               | UCL4W | 17.36      | 149.52       | 97.33  | 74.95                   | 14.69                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3          |         | 3    | UCL                                               | UCL4W | 28.10      | 149.52       | 97.33  | 74.95                   | 14.69                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Order Coordination for Unbundled Copper Loops (per loop)                                             |         |      | UCL                                               | UCLMC |            | 9.00         | 9.00   |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1   |         | 1    | UCL                                               | UCL4L | 46.91      | 170.31       | 108.06 | 74.95                   | 14.69                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2   |         | 2    | UCL                                               | UCL4L | 45.78      | 170.31       | 108.06 | 74.95                   | 14.69                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3   |         | 3    | UCL                                               | UCL4L | 171.34     | 170.31       | 108.06 | 74.95                   | 14.69                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Order Coordination for Unbundled Copper Loops (per loop)                                             |         |      | UCL                                               | UCLMC |            | 9.00         | 9.00   |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1    |         | 1    | UCL                                               | UCL4O | 46.91      | 149.52       | 97.33  | 74.95                   | 14.69                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 2    |         | 2    | UCL                                               | UCL4O | 45.78      | 149.52       | 97.33  | 74.95                   | 14.69                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3    |         | 3    | UCL                                               | UCL4O | 171.34     | 149.52       | 97.33  | 74.95                   | 14.69                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Order Coordination for Unbundled Copper Loops (per loop)                                             |         |      | UCL                                               | UCLMC |            | 9.00         | 9.00   |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)                                    |         |      | UCL                                               | UREWO |            | 97.23        | 42.48  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
| LOOP MODIFICATION                     |                                                                                                      |         |      |                                                   |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft        |         |      | UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB | ULM2L |            | 9.24         | 9.24   |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft                      |         |      | UCL, ULS, UEQ                                     | ULM2G |            | 342.24       | 342.24 |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft              |         |      | UHL, UCL                                          | ULM4L |            | 9.24         | 9.24   |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |

| UNBUNDLED NETWORK ELEMENTS - Kentucky |                       |                                           |                                                                                            |         |      |                                                   |       |              |        |                         |       | Attachment: 2                    |                                      | Exhibit: B                                               |                                                            |                                                               |                                                                 |
|---------------------------------------|-----------------------|-------------------------------------------|--------------------------------------------------------------------------------------------|---------|------|---------------------------------------------------|-------|--------------|--------|-------------------------|-------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|
| CATEGORY                              |                       | RATE ELEMENTS                             |                                                                                            | Interim | Zone | BCS                                               | USOC  | RATES (\$)   |        |                         |       | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|                                       |                       |                                           |                                                                                            |         |      |                                                   |       | Nonrecurring |        | Nonrecurring Disconnect |       | OSS Rates (\$)                   |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           |                                                                                            |         |      |                                                   | Rec   | First        | Add'l  | First                   | Add'l | SOMEc                            | SOMAN                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           |
|                                       |                       |                                           | Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft        |         |      | UCL                                               | ULM4G | 342.24       | 342.24 |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop             |         |      | UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB | ULMBT | 10.47        | 10.47  |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
| SUB-LOOPS                             |                       |                                           |                                                                                            |         |      |                                                   |       |              |        |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | Sub-Loop Distribution |                                           |                                                                                            |         |      |                                                   |       |              |        |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up                            | I       |      | UEANL                                             | USBSA | 207.91       | 207.91 |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up                               | I       |      | UEANL                                             | USBSB | 12.50        | 12.50  |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up                       | I       |      | UEANL                                             | USBSC | 80.87        | 80.87  |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up                          | I       |      | UEANL                                             | USBSD | 45.04        | 45.04  |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1                          | I       | 1    | UEANL                                             | USBN2 | 6.34         | 85.03  | 39.05                   | 59.81 | 7.90                             | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2                          | I       | 2    | UEANL                                             | USBN2 | 9.06         | 85.03  | 39.05                   | 59.81 | 7.90                             | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3                          | I       | 3    | UEANL                                             | USBN2 | 14.82        | 85.03  | 39.05                   | 59.81 | 7.90                             | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | Order Coordination for Unbundled Sub-Loops, per sub-loop pair                              |         |      | UEANL                                             | USBMC | 9.00         | 9.00   |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1                          |         | 1    | UEANL                                             | USBN4 | 8.14         | 102.31 | 56.32                   | 65.24 | 10.88                            | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2                          |         | 2    | UEANL                                             | USBN4 | 8.63         | 102.31 | 56.32                   | 65.24 | 10.88                            | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3                          |         | 3    | UEANL                                             | USBN4 | 25.60        | 102.31 | 56.32                   | 65.24 | 10.88                            | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | Order Coordination for Unbundled Sub-Loops, per sub-loop pair                              |         |      | UEANL                                             | USBMC | 9.00         | 9.00   |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | Sub-Loop 2-Wire Intrabuilding Network Cable (INC)                                          | I       |      | UEANL                                             | USBR2 | 2.57         | 68.35  | 22.36                   | 59.81 | 7.90                             | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | Order Coordination for Unbundled Sub-Loops, per sub-loop pair                              |         |      | UEANL                                             | USBMC | 9.00         | 9.00   |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | Sub-Loop 4-Wire Intrabuilding Network Cable (INC)                                          | I       |      | UEANL                                             | USBR4 | 4.98         | 76.49  | 30.51                   | 65.24 | 10.88                            | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | Order Coordination for Unbundled Sub-Loops, per sub-loop pair                              |         |      | UEANL                                             | USBMC | 9.00         | 9.00   |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1                                     | I       | 1    | UEF                                               | UCS2X | 5.45         | 85.03  | 39.05                   | 59.81 | 7.90                             | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2                                     | I       | 2    | UEF                                               | UCS2X | 7.06         | 85.03  | 39.05                   | 59.81 | 7.90                             | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3                                     | I       | 3    | UEF                                               | UCS2X | 9.67         | 85.03  | 39.05                   | 59.81 | 7.90                             | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | Order Coordination for Unbundled Sub-Loops, per sub-loop pair                              |         |      | UEF                                               | USBMC | 9.00         | 9.00   |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1                                     | I       | 1    | UEF                                               | UCS4X | 7.09         | 102.31 | 56.32                   | 65.24 | 10.88                            | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2                                     | I       | 2    | UEF                                               | UCS4X | 8.66         | 102.31 | 56.32                   | 65.24 | 10.88                            | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3                                     | I       | 3    | UEF                                               | UCS4X | 19.40        | 102.31 | 56.32                   | 65.24 | 10.88                            | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | Order Coordination for Unbundled Sub-Loops, per sub-loop pair                              |         |      | UEF                                               | USBMC | 9.00         | 9.00   |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       | Unbundled Sub-Loop Modification           |                                                                                            |         |      |                                                   |       |              |        |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR       |         |      | UEF                                               | ULM2X | 5.23         | 5.23   |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR       |         |      | UEF                                               | ULM4X | 5.23         | 5.23   |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded |         |      | UEF                                               | ULM4T | 7.97         | 7.97   |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       | Unbundled Network Terminating Wire (UNTW) |                                                                                            |         |      |                                                   |       |              |        |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | Unbundled Network Terminating Wire (UNTW) per Pair                                         |         |      | UENTW                                             | UENPP | 0.53         | 23.51  | 23.51                   |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       | Network Interface Device (NID)            |                                                                                            |         |      |                                                   |       |              |        |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |                       |                                           | Network Interface Device (NID) - 1-2 lines                                                 |         |      | UENTW                                             | UND12 | 73.53        | 49.47  |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |

| UNBUNDLED NETWORK ELEMENTS - Kentucky |                 |                                                                                     |         |      |                      |       |            |              |       |                         |                                  | Attachment: 2                        |                                                          | Exhibit: B                                                 |                                                               |                                                                 |
|---------------------------------------|-----------------|-------------------------------------------------------------------------------------|---------|------|----------------------|-------|------------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|
| CATEGORY                              | RATE ELEMENTS   |                                                                                     | Interim | Zone | BCS                  | USOC  | RATES (\$) |              |       |                         | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|                                       |                 |                                                                                     |         |      |                      |       | Rec        | Nonrecurring |       | Nonrecurring Disconnect |                                  | SOMEK                                | SOMAN                                                    | OSS Rates (\$)                                             |                                                               |                                                                 |
|                                       |                 |                                                                                     |         |      |                      |       |            | First        | Add'l | First                   | Add'l                            |                                      |                                                          | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           |
|                                       |                 | Network Interface Device (NID) - 1-6 lines                                          |         |      | UENTW                | UND16 |            | 115.96       | 91.91 |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | Network Interface Device Cross Connect - 2 W                                        |         |      | UENTW                | UNDC2 |            | 8.56         | 8.56  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | Network Interface Device Cross Connect - 4W                                         |         |      | UENTW                | UNDC4 |            | 8.56         | 8.56  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
| SUB-LOOPS                             |                 |                                                                                     |         |      |                      |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | Sub-Loop Feeder |                                                                                     |         |      |                      |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |                 | USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up   |         |      | UEA, UDN,UCL,UDL,UDC | USBFW |            | 207.91       |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up                 |         |      | UEA, UDN,UCL,UDL,UDC | USBFX |            | 12.50        | 12.50 |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | USL Feeder DS1 Set-up at DSX location, per DS1 termination                          |         |      | USL                  | USBFZ |            | 527.98       | 11.32 |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1           |         | 1    | UEA                  | USBFA | 7.67       | 114.83       | 64.61 | 72.34                   | 17.21                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2           |         | 2    | UEA                  | USBFA | 9.70       | 114.83       | 64.61 | 72.34                   | 17.21                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3       |         | 3    | UEA                  | USBFA | 19.53      | 114.83       | 64.61 | 72.34                   | 17.21                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | Order Coordination for Specified Conversion Time, per LSR                           |         |      | UEA                  | OCOSL |            | 23.01        |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |                 | Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1             |         | 1    | UEA                  | USBFB | 7.67       | 114.83       | 64.61 | 72.34                   | 17.21                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2             |         | 2    | UEA                  | USBFB | 9.70       | 114.83       | 64.61 | 72.34                   | 17.21                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3             |         | 3    | UEA                  | USBFB | 19.53      | 114.83       | 64.61 | 72.34                   | 17.21                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | Order Coordination for Specified Time Conversion, per LSR                           |         |      | UEA                  | OCOSL |            | 23.01        |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |                 | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1        |         | 1    | UEA                  | USBFC | 7.67       | 114.83       | 64.61 | 72.34                   | 17.21                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2        |         | 2    | UEA                  | USBFC | 9.70       | 114.83       | 64.61 | 72.34                   | 17.21                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3 |         | 3    | UEA                  | USBFC | 19.53      | 114.83       | 64.61 | 72.34                   | 17.21                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | Order Coordination For Specified Conversion Time, per LSR                           |         |      | UEA                  | OCOSL |            | 23.01        |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |                 | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1           |         | 1    | UEA                  | USBFD | 22.82      | 131.73       | 79.98 | 81.82                   | 51.56                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2           |         | 2    | UEA                  | USBFD | 27.24      | 131.73       | 79.98 | 81.82                   | 51.56                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3           |         | 3    | UEA                  | USBFD | 61.41      | 131.73       | 79.98 | 81.82                   | 51.56                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | Order Coordination For Specified Conversion Time, Per LSR                           |         |      | UEA                  | OCOSL |            | 23.01        |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |                 | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1             |         | 1    | UEA                  | USBFE | 22.82      | 131.73       | 79.98 | 81.82                   | 51.56                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2             |         | 2    | UEA                  | USBFE | 27.24      | 131.73       | 79.98 | 81.82                   | 51.56                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3             |         | 3    | UEA                  | USBFE | 61.41      | 131.73       | 79.98 | 81.82                   | 51.56                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | Order Coordination For Specified Conversion Time, Per LSR                           |         |      | UEA                  | OCOSL |            | 23.01        |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |                 | Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1                            |         | 1    | UDN                  | USBFF | 13.00      | 131.79       | 80.04 | 74.16                   | 16.60                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2                            |         | 2    | UDN                  | USBFF | 16.95      | 131.79       | 80.04 | 74.16                   | 16.60                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3                            |         | 3    | UDN                  | USBFF | 28.95      | 131.79       | 80.04 | 74.16                   | 16.60                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | Order Coordination For Specified Conversion Time, Per LSR                           |         |      | UDN                  | OCOSL |            | 23.01        |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |                 | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)                             |         | 1    | UDC                  | USBFS | 13.00      | 131.79       | 80.04 | 74.16                   | 16.60                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)                             |         | 2    | UDC                  | USBFS | 16.95      | 131.79       | 80.04 | 74.16                   | 16.60                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)                             |         | 3    | UDC                  | USBFS | 28.95      | 131.79       | 80.04 | 74.16                   | 16.60                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1                                 |         | 1    | USL                  | USBFG | 62.57      | 125.43       | 73.68 | 81.82                   | 21.56                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2                                 |         | 2    | USL                  | USBFG | 87.71      | 125.43       | 73.68 | 81.82                   | 21.56                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3                                 |         | 3    | USL                  | USBFG | 273.33     | 125.43       | 73.68 | 81.82                   | 21.56                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | Order Coordination For Specified Conversion Time, Per LSR                           |         |      | USL                  | OCOSL |            | 23.01        |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |                 | Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1                              |         | 1    | UCL                  | USBFH | 6.44       | 105.31       | 53.57 | 71.16                   | 13.61                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |                 | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2                         |         | 2    | UCL                  | USBFH | 5.78       | 105.31       | 53.57 | 71.16                   | 13.61                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |

| UNBUNDLED NETWORK ELEMENTS - Kentucky |                                                                                                   |         |      |       |       |            |              |        |                         |                                  |                                      | Attachment: 2                                            |                                                            | Exhibit: B                                                    |                                                                 |       |
|---------------------------------------|---------------------------------------------------------------------------------------------------|---------|------|-------|-------|------------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|-------|
| CATEGORY                              | RATE ELEMENTS                                                                                     | Interim | Zone | BCS   | USOC  | RATES (\$) |              |        |                         | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |       |
|                                       |                                                                                                   |         |      |       |       | Rec        | Nonrecurring |        | Nonrecurring Disconnect |                                  | OSS Rates (\$)                       |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |                                                                                                   |         |      |       |       |            | First        | Add'l  | First                   | Add'l                            | SOMEc                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           | SOMAN |
|                                       | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3                                       |         | 3    | UCL   | USBFH | 4.25       | 105.31       | 53.57  | 71.16                   | 13.61                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Order Coordination For Specified Conversion Time, per LSR                                         |         |      | UCL   | OCOSL |            | 23.01        |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1                                                 |         | 1    | UCL   | USBFJ | 11.33      | 125.55       | 73.80  | 77.12                   | 16.86                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2                                                 |         | 2    | UCL   | USBFJ | 10.18      | 125.55       | 73.80  | 77.12                   | 16.86                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3                                                 |         | 3    | UCL   | USBFJ | 10.32      | 125.55       | 73.80  | 77.12                   | 16.86                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Order Coordination For Specified Conversion Time, per LSR                                         |         |      | UCL   | OCOSL |            | 23.01        |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop                                         |         | 1    | UDL   | USBFN | 20.78      | 125.43       | 73.68  | 81.82                   | 21.56                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop                                         |         | 2    | UDL   | USBFN | 26.41      | 125.43       | 73.68  | 81.82                   | 21.56                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop                                         |         | 3    | UDL   | USBFN | 23.10      | 125.43       | 73.68  | 81.82                   | 21.56                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1                                  |         | 1    | UDL   | USBFO | 20.78      | 125.43       | 73.68  | 81.82                   | 21.56                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2                                  |         | 2    | UDL   | USBFO | 26.41      | 125.43       | 73.68  | 81.82                   | 21.56                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3                                  |         | 3    | UDL   | USBFO | 23.10      | 125.43       | 73.68  | 81.82                   | 21.56                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Order Coordination For Specified Time Conversion, per LSR                                         |         |      | UDL   | OCOSL |            | 23.01        |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1                                  |         | 1    | UDL   | USBFJ | 20.78      | 125.43       | 73.68  | 81.82                   | 21.56                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2                                  |         | 2    | UDL   | USBFJ | 26.41      | 125.43       | 73.68  | 81.82                   | 21.56                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3                                  |         | 3    | UDL   | USBFJ | 23.10      | 125.43       | 73.68  | 81.82                   | 21.56                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Order Coordination For Specified Conversion Time, per LSR                                         |         |      | UDL   | OCOSL |            | 23.01        |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| SUB-LOOPS                             |                                                                                                   |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Sub-Loop Feeder                                                                                   |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Sub Loop Feeder - DS3 - Per Mile Per Month                                                        | I       |      | UE3   | 1L5SL | 15.38      |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Sub Loop Feeder - DS3 - Facility Termination Per Month                                            | I       |      | UE3   | USBF1 | 346.30     | 3,402.59     | 407.14 | 160.86                  | 91.19                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Sub Loop Feeder - STS-1 - Per Mile Per Month                                                      | I       |      | UDLSX | 1L5SL | 15.38      |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Sub Loop Feeder - STS-1 - Facility Termination Per Month                                          | I       |      | UDLSX | USBF7 | 372.80     | 3,402.59     | 407.14 | 160.86                  | 91.19                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Sub Loop Feeder - OC-3 - Per Mile Per Month                                                       | I       |      | UDLO3 | 1L5SL | 11.67      |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month                                | I       |      | UDLO3 | USBF5 | 58.27      |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Sub Loop Feeder - OC-3 - Facility Termination Per Month                                           | I       |      | UDLO3 | USBF2 | 564.68     | 3,402.59     | 407.14 | 160.86                  | 91.19                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Sub Loop Feeder - OC-12 - Per Mile Per Month                                                      | I       |      | UDL12 | 1L5SL | 14.36      |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month                               | I       |      | UDL12 | USBF6 | 658.35     |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Sub Loop Feeder - OC-12 - Facility Termination Per Month                                          | I       |      | UDL12 | USBF3 | 1,778.00   | 3,402.59     | 407.14 | 160.86                  | 91.19                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Sub Loop Feeder - OC-48 - Per Mile Per Month                                                      | I       |      | UDL48 | 1L5SL | 47.11      |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month                               | I       |      | UDL48 | USBF9 | 330.39     |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Sub Loop Feeder - OC-48 - Facility Termination Per Month                                          | I       |      | UDL48 | USBF4 | 1,533.00   | 3,587.59     | 407.14 | 160.86                  | 91.19                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Sub Loop Feeder - OC-12 Interface On OC-48                                                        | I       |      | UDL48 | USBF8 | 372.76     | 804.96       | 407.14 | 160.86                  | 91.19                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
| UNBUNDLED LOOP CONCENTRATION          |                                                                                                   |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Unbundled Loop Concentration - System A (TR008)                                                   |         |      | ULC   | UCT8A | 423.72     | 359.34       | 359.34 |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Unbundled Loop Concentration - System B (TR008)                                                   |         |      | ULC   | UCT8B | 51.60      | 149.72       | 149.72 |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Unbundled Loop Concentration - System A (TR303)                                                   |         |      | ULC   | UCT3A | 460.27     | 359.34       | 359.34 |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Unbundled Loop Concentration - System B (TR303)                                                   |         |      | ULC   | UCT3B | 86.95      | 149.72       | 149.72 |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Unbundled Loop Concentration - DS1 Loop Interface Card                                            |         |      | ULC   | UCTCO | 4.90       | 71.69        | 51.51  | 22.99                   | 6.00                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)                                   |         |      | UDN   | ULCC1 | 7.78       | 16.59        | 16.50  | 8.42                    | 8.37                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Unbundled Loop Concentration - UDC Loop Interface (Brite Card)                                    |         |      | UDC   | ULCCU | 7.78       | 16.59        | 16.50  | 8.42                    | 8.37                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Unbundled Loop Concentration - 2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card) |         |      | UEA   | ULCC2 | 1.95       | 16.59        | 16.50  | 8.42                    | 8.37                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)         |         |      | UEA   | ULCCR | 11.58      | 16.59        | 16.50  | 8.42                    | 8.37                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)                        |         |      | UEA   | ULCC4 | 6.90       | 16.59        | 16.50  | 8.42                    | 8.37                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |

| UNBUNDLED NETWORK ELEMENTS - Kentucky                                           |                                                                           |                                                                                                |         |      |                                 |       |            |              |        |                         |                                  | Attachment: 2                        |                                                          | Exhibit: B                                                 |                                                               |                                                                 |
|---------------------------------------------------------------------------------|---------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|---------|------|---------------------------------|-------|------------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|
| CATEGORY                                                                        | RATE ELEMENTS                                                             |                                                                                                | Interim | Zone | BCS                             | USOC  | RATES (\$) |              |        |                         | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|                                                                                 |                                                                           |                                                                                                |         |      |                                 |       | Rec        | Nonrecurring |        | Nonrecurring Disconnect |                                  | OSS Rates (\$)                       |                                                          |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           |                                                                                                |         |      |                                 |       |            | First        | Add'l  | First                   | Add'l                            | SOMEK                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           |
|                                                                                 |                                                                           | Unbundled Loop Concentration - TEST CIRCUIT Card                                               |         |      | ULC                             | UCTTC | 33.74      | 16.59        | 16.50  | 8.42                    | 8.37                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           | Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface                           |         |      | UDL                             | ULCC7 | 10.23      | 16.59        | 16.50  | 8.42                    | 8.37                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           | Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface                             |         |      | UDL                             | ULCC5 | 10.23      | 16.59        | 16.50  | 8.42                    | 8.37                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           | Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface                             |         |      | UDL                             | ULCC6 | 10.23      | 16.59        | 16.50  | 8.42                    | 8.37                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
| UNE OTHER, PROVISIONING ONLY - NO RATE                                          |                                                                           |                                                                                                |         |      |                                 |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           | NID - Dispatch and Service Order for NID installation                                          |         |      | UENTW                           | UNDBX | 0.00       | 0.00         |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           | UNTW Circuit Id Establishment, Provisioning Only - No Rate                                     |         |      | UENTW                           | UENCE | 0.00       | 0.00         |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           | Unbundled Contract Name, Provisioning Only - No Rate                                           |         |      | UEANL,UEF,UEQ,UENTW             | UNECN | 0.00       | 0.00         |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| UNE OTHER, PROVISIONING ONLY - NO RATE                                          |                                                                           |                                                                                                |         |      |                                 |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           | Unbundled Contact Name, Provisioning Only - no rate                                            |         |      | UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC | UNECN | 0.00       | 0.00         |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate                                    |         |      | UEA,UDN,UCL,UDC                 | USBFQ | 0.00       | 0.00         |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate                                    |         |      | UEA,USL,UCL,UDL                 | USBFR | 0.00       | 0.00         |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           | Unbundled DS1 Loop - Superframe Format Option - no rate                                        |         |      | USL                             | CCOSF | 0.00       | 0.00         |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           | Unbundled DS1 Loop - Expanded Superframe Format option - no rate                               |         |      | USL                             | CCOEF | 0.00       | 0.00         |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| HIGH CAPACITY UNBUNDLED LOCAL LOOP                                              |                                                                           |                                                                                                |         |      |                                 |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                 | NOTE: minimum billing period of three months for DS3 and above Local Loop |                                                                                                |         |      |                                 |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           | High Capacity Unbundled Local Loop - DS3 - Per Mile per month                                  |         |      | UE3                             | 1L5ND | 9.25       |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           | High Capacity Unbundled Local Loop - DS3 - Facility Termination per month                      |         |      | UE3                             | UE3PX | 308.31     | 551.38       | 338.08 | 173.00                  | 120.42                           |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month                                |         |      | UDLSX                           | 1L5ND | 9.25       |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           | High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month                    |         |      | UDLSX                           | UDLS1 | 320.51     | 551.38       | 338.08 | 173.00                  | 120.42                           |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
| LOOP MAKE-UP                                                                    |                                                                           |                                                                                                |         |      |                                 |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). |         |      | UMK                             | UMKLW |            | 23.40        | 23.40  |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).               |         |      | UMK                             | UMKLP |            | 24.85        | 24.85  |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           | Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized)   |         |      | UMK                             | PSUMK |            | 0.67         | 0.67   |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| HIGH FREQUENCY SPECTRUM                                                         |                                                                           |                                                                                                |         |      |                                 |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| LINE SHARING                                                                    |                                                                           |                                                                                                |         |      |                                 |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| SPLITTERS-CENTRAL OFFICE BASED                                                  |                                                                           |                                                                                                |         |      |                                 |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           | Line Sharing Splitter, per System 96 Line Capacity                                             |         |      | ULS                             | ULSDA | 198.83     | 379.05       | 0.00   | 358.55                  | 0.00                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           | Line Sharing Splitter, per System 24 Line Capacity                                             |         |      | ULS                             | ULSDB | 49.71      | 379.05       | 0.00   | 358.55                  | 0.00                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           | Line Sharing Splitter, Per System, 8 Line Capacity                                             | I       |      | ULS                             | ULSD8 | 16.94      | 377.71       | 0.00   | 357.29                  | 0.00                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           | Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)                  |         |      | ULS                             | ULSDG |            | 173.62       | 0.00   | 100.40                  | 0.00                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
| END USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPECTRUM AKA LINE SHARING |                                                                           |                                                                                                |         |      |                                 |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           | Line Sharing - per Line Activation (BST Owned Splitter)                                        |         |      | ULS                             | ULSDC | 0.61       | 37.16        | 21.28  | 20.17                   | 9.90                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           | Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)              |         |      | ULS                             | ULSDS |            | 32.90        | 16.43  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           | Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)             |         |      | ULS                             | ULSCS |            | 32.90        | 16.43  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           | Line Sharing - per Line Activation (DLEC owned Splitter)                                       | I       |      | ULS                             | ULSCC | 0.61       | 47.44        | 19.31  | 20.67                   | 12.74                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
| LINE SPLITTING                                                                  |                                                                           |                                                                                                |         |      |                                 |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| END USER ORDERING-CENTRAL OFFICE BASED                                          |                                                                           |                                                                                                |         |      |                                 |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           | Line Splitting - per line activation DLEC owned splitter                                       | I       |      | UEPSR UEPSB                     | UREOS | 0.61       |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                 |                                                                           | Line Splitting - per line activation BST owned - physical                                      | I       |      | UEPSR UEPSB                     | UREBP | 0.61       | 37.02        | 21.20  | 21.10                   | 9.87                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |

| UNBUNDLED NETWORK ELEMENTS - Kentucky |               |  |  |  |  |         |      |     |      |            |  | Attachment: 2 |  | Exhibit: B                       |                                      |                                                          |                                                            |                                                               |                                                                 |
|---------------------------------------|---------------|--|--|--|--|---------|------|-----|------|------------|--|---------------|--|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|
| CATEGORY                              | RATE ELEMENTS |  |  |  |  | Interim | Zone | BCS | USOC | RATES (\$) |  |               |  | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |

| UNBUNDLED NETWORK ELEMENTS - Kentucky |               |  |  |  |  |         |              |       |                         |            |                | Attachment: 2 |       | Exhibit: B                       |                                      |                                                          |                                                            |                                                               |                                                                 |
|---------------------------------------|---------------|--|--|--|--|---------|--------------|-------|-------------------------|------------|----------------|---------------|-------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|
| CATEGORY                              | RATE ELEMENTS |  |  |  |  | Interim | Zone         | BCS   | USOC                    | RATES (\$) |                |               |       | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  | Rec     | Nonrecurring |       | Nonrecurring Disconnect |            | OSS Rates (\$) |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         | First        | Add'l | First                   | Add'l      | SOMEc          | SOMAN         | SOMAN | SOMAN                            | SOMAN                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |              |       |                         |            |                |               |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |

| UNBUNDLED NETWORK ELEMENTS - Kentucky |               |                                                                                            |         |      |     |           |            |              |          |                         |                                  | Attachment: 2                        |                                                          | Exhibit: B                                                 |                                                               |                                                                 |
|---------------------------------------|---------------|--------------------------------------------------------------------------------------------|---------|------|-----|-----------|------------|--------------|----------|-------------------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|
| CATEGORY                              | RATE ELEMENTS |                                                                                            | Interim | Zone | BCS | USOC      | RATES (\$) |              |          |                         | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|                                       |               |                                                                                            |         |      |     |           | Rec        | Nonrecurring |          | Nonrecurring Disconnect |                                  | OSS Rates (\$)                       |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |                                                                                            |         |      |     |           |            | First        | Add'l    | First                   | Add'l                            | SOMEC                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           |
|                                       |               | CNAM For DB Owners - Service Establishment                                                 |         |      | OQV |           |            | 25.34        | 25.34    | 23.30                   | 23.30                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |               | CNAM For Non DB Owners - Service Establishment                                             |         |      | OQV |           |            | 25.34        | 25.34    | 23.30                   | 23.30                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |               | CNAM For DB Owners - Service Provisioning With Point Code Establishment                    |         |      | OQV |           |            | 1,591.54     | 1,177.08 | 431.95                  | 317.61                           |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |               | CNAM For Non DB Owners - Service Provisioning With Point Code Establishment                |         |      | OQV |           |            | 546.40       | 393.74   | 438.93                  | 317.61                           |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |               | CNAM for DB Owners, Per Query                                                              |         |      | OQV | 0.0010348 |            |              |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | CNAM for Non DB Owners, Per Query                                                          |         |      | OQV | 0.0010348 |            |              |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI) |         |      | OQV | CDDCH     |            | 595.00       | 595.00   |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |               | LNP Query Service                                                                          |         |      |     |           |            |              |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | LNP Charge Per query                                                                       |         |      |     | 0.0008695 |            |              |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | LNP Service Establishment Manual                                                           |         |      |     |           |            | 13.82        | 13.82    | 12.71                   | 12.71                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |               | LNP Service Provisioning with Point Code Establishment                                     |         |      |     |           |            | 953.27       | 487.00   | 431.95                  | 317.61                           |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |               | OPERATOR CALL PROCESSING                                                                   |         |      |     |           |            |              |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Oper. Call Processing - Oper. Provided, Per Min. - Using BST LIDB                          |         |      |     | 1.20      |            |              |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Oper. Call Processing - Oper. Provided, Per Min. - Using Foreign LIDB                      |         |      |     | 1.24      |            |              |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Oper. Call Processing - Fully Automated, per Call - Using BST LIDB                         |         |      |     | 0.20      |            |              |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB                     |         |      |     | 0.20      |            |              |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | INWARD OPERATOR SERVICES                                                                   |         |      |     |           |            |              |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Inward Operator Services - Verification, Per Call                                          |         |      |     | 1.00      |            |              |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Inward Operator Services - Verification and Emergency Interrupt - Per Call                 |         |      |     | 1.95      |            |              |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | BRANDING - OPERATOR CALL PROCESSING                                                        |         |      |     |           |            |              |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Facility based CLEC                                                                        |         |      |     |           |            |              |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Recording of Custom Branded OA Announcement                                                |         |      |     | CBAOS     |            | 7,000.00     | 7,000.00 |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |               | Loading of Custom Branded OA Announcement per shelf/NAV per OCN                            |         |      |     | CBAOL     |            | 500.00       | 500.00   |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |               | UNEP CLEC                                                                                  |         |      |     |           |            |              |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Recording of Custom Branded OA Announcement                                                |         |      |     |           |            | 7,000.00     | 7,000.00 |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |               | Loading of Custom Branded OA Announcement per shelf/NAV per OCN                            |         |      |     |           |            | 500.00       | 500.00   |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |               | Unbranding via OLNS for UNEP CLEC                                                          |         |      |     |           |            |              |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Loading of OA per OCN (Regional)                                                           |         |      |     |           |            | 1,200.00     | 1,200.00 |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |               | DIRECTORY ASSISTANCE SERVICES                                                              |         |      |     |           |            |              |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | DIRECTORY ASSISTANCE ACCESS SERVICE                                                        |         |      |     |           |            |              |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Directory Assistance Access Service Calls, Charge Per Call                                 |         |      |     | 0.275     |            |              |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)                                 |         |      |     |           |            |              |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Directory Assistance Call Completion Access Service (DACC), Per Call Attempt               |         |      |     | 0.10      |            |              |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | DIRECTORY ASSISTANCE SERVICES                                                              |         |      |     |           |            |              |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)                                              |         |      |     |           |            |              |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Directory Assistance Data Base Service Charge Per Listing                                  |         |      |     | 0.04      |            |              |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Directory Assistance Data Base Service, per month                                          |         |      |     | DBSOF     |            | 150.00       |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | BRANDING - DIRECTORY ASSISTANCE                                                            |         |      |     |           |            |              |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Facility Based CLEC                                                                        |         |      |     |           |            |              |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Recording and Provisioning of DA Custom Branded Announcement                               |         |      | AMT | CBADA     |            | 3,000.00     | 3,000.00 |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |               | Loading of Custom Branded Announcement per Switch per OCN                                  |         |      | AMT | CBADC     |            | 1,170.00     | 1,170.00 |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |               | UNEP CLEC                                                                                  |         |      |     |           |            |              |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Recording of DA Custom Branded Announcement                                                |         |      |     |           |            | 3,000.00     | 3,000.00 |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |               | Loading of DA Custom Branded Announcement per Switch per OCN                               |         |      |     |           |            | 1,170.00     | 1,170.00 |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |               | Unbranding via OLNS for UNEP CLEC                                                          |         |      |     |           |            |              |          |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |

| UNBUNDLED NETWORK ELEMENTS - Kentucky   |  |                                                                                             |         |      |              |       |            |              |            |                         |                                  | Attachment: 2                        |                                                          | Exhibit: B                                                 |                                                               |                                                                 |
|-----------------------------------------|--|---------------------------------------------------------------------------------------------|---------|------|--------------|-------|------------|--------------|------------|-------------------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|
| CATEGORY                                |  | RATE ELEMENTS                                                                               | Interim | Zone | BCS          | USOC  | RATES (\$) |              |            |                         | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|                                         |  |                                                                                             |         |      |              |       | Rec        | Nonrecurring |            | Nonrecurring Disconnect |                                  | OSS Rates (\$)                       |                                                          |                                                            |                                                               |                                                                 |
|                                         |  |                                                                                             |         |      |              |       |            | First        | Add'l      | First                   | Add'l                            | SOMEc                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           |
|                                         |  | Loading of DA per OCN (1 OCN per Order)                                                     |         |      |              |       |            | 420.00       | 420.00     |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                         |  | Loading of DA per Switch per OCN                                                            |         |      |              |       |            | 16.00        | 16.00      |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
| SELECTIVE ROUTING                       |  |                                                                                             |         |      |              |       |            |              |            |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                         |  | Selective Routing Per Unique Line Class Code Per Request Per Switch                         |         |      |              | USRCR |            | 93.53        | 93.53      | 15.58                   | 15.58                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
| VIRTUAL COLLOCATION                     |  |                                                                                             |         |      |              |       |            |              |            |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                         |  | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting                         |         |      | UEPSR, UEPSB | VE1LS | 0.309      | 24.68        | 23.68      | 12.14                   | 10.95                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
| PHYSICAL COLLOCATION                    |  |                                                                                             |         |      |              |       |            |              |            |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                         |  | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting                        |         |      | UEPSR, UEPSB | PE1LS | 0.0333     | 24.68        | 23.68      | 12.14                   | 10.95                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
| AIN SELECTIVE CARRIER ROUTING           |  |                                                                                             |         |      |              |       |            |              |            |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                         |  | Regional Service Establishment                                                              |         |      | SRC          | SRCEC |            | 193,401.00   | 193,401.00 | 9,483.34                | 9,483.34                         |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                         |  | End Office Establishment                                                                    |         |      | SRC          | SRCEO |            | 194.09       | 194.09     | 0.85                    | 0.85                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                         |  | Line/Port NRC, per end user                                                                 |         |      | SRC          | SRCLP |            | 2.06         | 2.06       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                         |  | Query NRC, per query                                                                        |         |      | SRC          |       | 0.0037502  |              |            |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| AIN - BELL SOUTH AIN SMS ACCESS SERVICE |  |                                                                                             |         |      |              |       |            |              |            |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                         |  | AIN SMS Access Service - Service Establishment, Per State, Initial Setup                    |         |      | A1N          | CAMSE |            | 43.55        | 43.55      | 44.93                   | 44.93                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                         |  | AIN SMS Access Service - Port Connection - Dial/Shared Access                               |         |      | A1N          | CAMDP |            | 8.64         | 8.64       | 10.03                   | 10.03                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                         |  | AIN SMS Access Service - Port Connection - ISDN Access                                      |         |      | A1N          | CAM1P |            | 8.64         | 8.64       | 10.03                   | 10.03                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                         |  | AIN SMS Access Service - User Identification Codes - Per User ID Code                       |         |      | A1N          | CAMAU |            | 38.65        | 38.65      | 29.88                   | 29.88                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                         |  | AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement            |         |      | A1N          | CAMRC |            | 75.08        | 75.08      | 12.93                   | 12.93                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                         |  | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)                                  |         |      |              |       | 0.0025     |              |            |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                         |  | AIN SMS Access Service - Session, Per Minute                                                |         |      |              |       | 0.666      |              |            |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                         |  | AIN SMS Access Service - Company Performed Session, Per Minute                              |         |      |              |       | 0.4608     |              |            |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| AIN - BELL SOUTH AIN TOOLKIT SERVICE    |  |                                                                                             |         |      |              |       |            |              |            |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                         |  | AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup                |         |      | CAM          | BAPSC |            | 43.55        | 43.55      | 44.93                   | 44.93                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                         |  | AIN Toolkit Service - Training Session, Per Customer                                        |         |      |              | BAPVX |            | 8,436.93     | 8,436.93   |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                         |  | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt             |         |      |              | BAPTT |            | 8.64         | 8.64       | 10.03                   | 10.03                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                         |  | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay            |         |      |              | BAPTD |            | 8.64         | 8.64       | 10.03                   | 10.03                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                         |  | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate        |         |      |              | BAPTM |            | 8.64         | 8.64       | 10.03                   | 10.03                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                         |  | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP             |         |      |              | BAPTO |            | 51.01        | 51.01      | 18.50                   | 18.50                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                         |  | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP                       |         |      |              | BAPTC |            | 51.01        | 51.01      | 18.50                   | 18.50                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                         |  | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code              |         |      |              | BAPTF |            | 51.01        | 51.01      | 18.50                   | 18.50                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                         |  | AIN Toolkit Service - Query Charge, Per Query                                               |         |      |              |       | 0.0549207  |              |            |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                         |  | AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query |         |      |              |       | 0.0066492  |              |            |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                         |  | AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes         |         |      |              |       | 0.07       |              |            |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                         |  | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription                 |         |      | CAM          | BAPMS | 7.87       | 8.64         | 8.64       | 6.08                    | 6.08                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                         |  | AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription                  |         |      | CAM          | BAPLS | 3.26       | 9.56         | 9.56       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                         |  | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription              |         |      | CAM          | BAPDS | 4.72       | 8.64         | 8.64       | 6.08                    | 6.08                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                         |  | AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription       |         |      | CAM          | BAPES | 0.11       | 9.56         | 9.56       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |

| UNBUNDLED NETWORK ELEMENTS - Kentucky                                                                                                                                              |               |                                                                                                  |  |  |         |      |     |       |              |        |                         | Attachment: 2 |                                  | Exhibit: B                           |                                                          |                                                            |                                                               |                                                                 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------------------------------------------------------------------------------------------------|--|--|---------|------|-----|-------|--------------|--------|-------------------------|---------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|
| CATEGORY                                                                                                                                                                           | RATE ELEMENTS |                                                                                                  |  |  | Interim | Zone | BCS | USOC  | RATES (\$)   |        |                         |               | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|                                                                                                                                                                                    |               |                                                                                                  |  |  |         |      |     |       |              |        |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                                    |               |                                                                                                  |  |  |         |      |     | Rec   | Nonrecurring |        | Nonrecurring Disconnect |               | OSS Rates (\$)                   |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                                    |               |                                                                                                  |  |  |         |      |     |       | First        | Add'l  | First                   | Add'l         | SOMEc                            | SOMAN                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           |
| ENHANCED EXTENDED LINK (EELs)                                                                                                                                                      |               |                                                                                                  |  |  |         |      |     |       |              |        |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for EELs provisioned as ' Ordinarily Combined' Network Elements. |               |                                                                                                  |  |  |         |      |     |       |              |        |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for EELs provisioned as ' Currently Combined' Network Elements.         |               |                                                                                                  |  |  |         |      |     |       |              |        |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| NOTE: Minimum billing is one month for DS1 and below and three months above DS1 services.                                                                                          |               |                                                                                                  |  |  |         |      |     |       |              |        |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)                                                                                                    |               |                                                                                                  |  |  |         |      |     |       |              |        |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                                    |               | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1                   |  |  |         |      | 1   | UNCVX | UEAL2        | 12.67  | 125.22                  | 60.48         | 59.69                            | 7.84                                 |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                                                                                                                                    |               | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2             |  |  |         |      | 2   | UNCVX | UEAL2        | 17.45  | 125.22                  | 60.48         | 59.69                            | 7.84                                 |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                                                                                                                                    |               | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3             |  |  |         |      | 3   | UNCVX | UEAL2        | 33.22  | 125.22                  | 60.48         | 59.69                            | 7.84                                 |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                                                                                                                                    |               | Interoffice Transport - Dedicated - DS1 combination - Per Mile per month                         |  |  |         |      |     | UNC1X | 1L5XX        | 0.19   |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                                    |               | Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month             |  |  |         |      |     | UNC1X | U1TF1        | 79.02  | 181.24                  | 123.53        | 56.72                            | 22.32                                |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                                                                                                                                    |               | DS1 Channelization System Per Month                                                              |  |  |         |      |     | UNC1X | MQ1          | 113.33 | 57.26                   | 14.74         | 1.86                             | 1.67                                 |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                                                                                                                                    |               | Voice Grade COCI - DS1 To Ds0 Interface - Per Month                                              |  |  |         |      |     | UNCVX | 1D1VG        | 0.62   | 6.71                    | 4.84          |                                  |                                      |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                                                                                                                                    |               | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1  |  |  |         |      | 1   | UNCVX | UEAL2        | 12.67  | 125.22                  | 60.48         | 59.69                            | 7.84                                 |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                                                                                                                                    |               | Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2   |  |  |         |      | 2   | UNCVX | UEAL2        | 17.45  | 125.22                  | 60.48         | 59.69                            | 7.84                                 |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                                                                                                                                    |               | Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3   |  |  |         |      | 3   | UNCVX | UEAL2        | 33.22  | 125.22                  | 60.48         | 59.69                            | 7.84                                 |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                                                                                                                                    |               | Voice Grade COCI - DS1 to DS0 Channel System combination - per month                             |  |  |         |      |     | UNCVX | 1D1VG        | 0.62   | 6.71                    | 4.84          |                                  |                                      |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                                                                                                                                    |               | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge                            |  |  |         |      |     | UNC1X | UNCCC        |        | 8.98                    | 8.98          | 11.17                            | 11.17                                |                                                          | 7.86                                                       |                                                               |                                                                 |
| 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)                                                                                                    |               |                                                                                                  |  |  |         |      |     |       |              |        |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                                    |               | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1         |  |  |         |      | 1   | UNCVX | UEAL4        | 29.26  | 125.22                  | 60.48         | 59.69                            | 7.84                                 |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                                                                                                                                    |               | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2         |  |  |         |      | 2   | UNCVX | UEAL4        | 34.25  | 125.22                  | 60.48         | 59.69                            | 7.84                                 |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                                                                                                                                    |               | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3         |  |  |         |      | 3   | UNCVX | UEAL4        | 85.06  | 125.22                  | 60.48         | 59.69                            | 7.84                                 |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                                                                                                                                    |               | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month                         |  |  |         |      |     | UNC1X | 1L5XX        | 0.19   |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                                    |               | Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month                         |  |  |         |      |     | UNC1X | U1TF1        | 79.02  | 181.24                  | 123.53        | 56.72                            | 22.32                                |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                                                                                                                                    |               | Channelization - Channel System DS1 to DS0 combination Per Month                                 |  |  |         |      |     | UNC1X | MQ1          | 113.33 | 57.26                   | 14.74         | 1.86                             | 1.67                                 |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                                                                                                                                    |               | Voice Grade COCI - DS1 to DS0 Channel System combination - per month                             |  |  |         |      |     | UNCVX | 1D1VG        | 0.62   | 6.71                    | 4.84          |                                  |                                      |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                                                                                                                                    |               | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 |  |  |         |      | 1   | UNCVX | UEAL4        | 29.26  | 125.22                  | 60.48         | 59.69                            | 7.84                                 |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                                                                                                                                    |               | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 |  |  |         |      | 2   | UNCVX | UEAL4        | 34.25  | 125.22                  | 60.48         | 59.69                            | 7.84                                 |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                                                                                                                                    |               | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 |  |  |         |      | 3   | UNCVX | UEAL4        | 85.06  | 125.22                  | 60.48         | 59.69                            | 7.84                                 |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                                                                                                                                    |               | Voice Grade COCI - DS1 to DS0 Channel System combination - per month                             |  |  |         |      |     | UNCVX | 1D1VG        | 0.62   | 6.71                    | 4.84          |                                  |                                      |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                                                                                                                                    |               | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge                            |  |  |         |      |     | UNC1X | UNCCC        |        | 8.98                    | 8.98          | 11.17                            | 11.17                                |                                                          | 7.86                                                       |                                                               |                                                                 |
| 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)                                                                                                |               |                                                                                                  |  |  |         |      |     |       |              |        |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                                    |               | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1       |  |  |         |      | 1   | UNCDX | UDL56        | 27.59  | 125.22                  | 60.48         | 59.69                            | 7.84                                 |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                                                                                                                                    |               | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2       |  |  |         |      | 2   | UNCDX | UDL56        | 32.48  | 125.22                  | 60.48         | 59.69                            | 7.84                                 |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                                                                                                                                    |               | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3       |  |  |         |      | 3   | UNCDX | UDL56        | 36.37  | 125.22                  | 60.48         | 59.69                            | 7.84                                 |                                                          | 7.86                                                       |                                                               |                                                                 |

| UNBUNDLED NETWORK ELEMENTS - Kentucky                                               |  |                                                                                                   |         |      |       |       |            |              |        |                         |                                  | Attachment: 2                        |                                                          | Exhibit: B                                                 |                                                               |                                                                 |
|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------------------|---------|------|-------|-------|------------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|
| CATEGORY                                                                            |  | RATE ELEMENTS                                                                                     | Interim | Zone | BCS   | USOC  | RATES (\$) |              |        |                         | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|                                                                                     |  |                                                                                                   |         |      |       |       | Rec        | Nonrecurring |        | Nonrecurring Disconnect |                                  | OSS Rates (\$)                       |                                                          |                                                            |                                                               |                                                                 |
|                                                                                     |  |                                                                                                   |         |      |       |       |            | First        | Add'l  | First                   | Add'l                            | SOMEc                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           |
|                                                                                     |  | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month                          |         |      | UNC1X | 1L5XX | 0.19       |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                     |  | Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month              |         |      | UNC1X | U1TF1 | 79.02      | 181.24       | 123.53 | 56.72                   | 22.32                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                     |  | Channelization - Channel System DS1 to DS0 combination Per Month                                  |         |      | UNC1X | MQ1   | 113.33     | 57.26        | 14.74  | 1.86                    | 1.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                     |  | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)                            |         |      | UNCDX | 1D1DD | 1.32       | 6.71         | 4.84   |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                     |  | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 |         | 1    | UNCDX | UDL56 | 27.59      | 125.22       | 60.48  | 59.69                   | 7.84                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                     |  | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 |         | 2    | UNCDX | UDL56 | 32.48      | 125.22       | 60.48  | 59.69                   | 7.84                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                     |  | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 |         | 3    | UNCDX | UDL56 | 36.37      | 125.22       | 60.48  | 59.69                   | 7.84                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                     |  | OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs)                |         |      | UNCDX | 1D1DD | 1.32       | 6.71         | 4.84   |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                     |  | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge                             |         |      | UNC1X | UNCCC |            | 8.98         | 8.98   | 11.17                   | 11.17                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
| 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL) |  |                                                                                                   |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                     |  | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1        |         | 1    | UNCDX | UDL64 | 27.59      | 125.22       | 60.48  | 59.69                   | 7.84                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                     |  | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2        |         | 2    | UNCDX | UDL64 | 32.48      | 125.22       | 60.48  | 59.69                   | 7.84                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                     |  | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3        |         | 3    | UNCDX | UDL64 | 36.37      | 125.22       | 60.48  | 59.69                   | 7.84                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                     |  | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month                          |         |      | UNC1X | 1L5XX | 0.19       |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                     |  | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month              |         |      | UNC1X | U1TF1 | 79.02      | 181.24       | 123.53 | 56.72                   | 22.32                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                     |  | Channelization - Channel System DS1 to DS0 combination Per Month                                  |         |      | UNC1X | MQ1   | 113.33     | 57.26        | 14.74  | 1.86                    | 1.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                     |  | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)                |         |      | UNCDX | 1D1DD | 1.32       | 6.71         | 4.84   |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                     |  | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 |         | 1    | UNCDX | UDL64 | 27.59      | 125.22       | 60.48  | 59.69                   | 7.84                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                     |  | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 |         | 2    | UNCDX | UDL64 | 32.48      | 125.22       | 60.48  | 59.69                   | 7.84                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                     |  | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 |         | 3    | UNCDX | UDL64 | 36.37      | 125.22       | 60.48  | 59.69                   | 7.84                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                     |  | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)                |         |      | UNCDX | 1D1DD | 1.32       | 6.71         | 4.84   |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                     |  | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge                             |         |      | UNC1X | UNCCC |            | 8.98         | 8.98   | 11.17                   | 11.17                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
| 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)     |  |                                                                                                   |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                     |  | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1                    |         | 1    | UNC1X | USLXX | 86.47      | 210.70       | 114.60 | 63.96                   | 17.97                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                     |  | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2                    |         | 2    | UNC1X | USLXX | 114.10     | 210.70       | 114.60 | 63.96                   | 17.97                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                     |  | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3                    |         | 3    | UNC1X | USLXX | 297.76     | 210.70       | 114.60 | 63.96                   | 17.97                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                     |  | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month                          |         |      | UNC1X | 1L5XX | 0.19       |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                     |  | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month              |         |      | UNC1X | U1TF1 | 79.02      | 181.24       | 123.53 | 56.72                   | 22.32                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                                     |  | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge                             |         |      | UNC1X | UNCCC |            | 8.98         | 8.98   | 11.17                   | 11.17                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
| 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)     |  |                                                                                                   |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                     |  | First DS1 Loop in DS3 Interoffice Transport Combination - Zone 1                                  |         | 1    | UNC1X | USLXX | 86.47      | 210.70       | 114.60 | 63.96                   | 17.97                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |

| UNBUNDLED NETWORK ELEMENTS - Kentucky                                            |  |                                                                                                      |         |      |       |       |            |              |        |                         |                                  | Attachment: 2                        |                                                          | Exhibit: B                                                 |                                                               |                                                                 |       |
|----------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------|---------|------|-------|-------|------------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|-------|
| CATEGORY                                                                         |  | RATE ELEMENTS                                                                                        | Interim | Zone | BCS   | USOC  | RATES (\$) |              |        |                         | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |       |
|                                                                                  |  |                                                                                                      |         |      |       |       | Rec        | Nonrecurring |        | Nonrecurring Disconnect |                                  | OSS Rates (\$)                       |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                  |  |                                                                                                      |         |      |       |       |            | First        | Add'l  | First                   | Add'l                            | SOMEc                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           | SOMAN |
|                                                                                  |  | First DS1Loop in DS3 Interoffice Transport Combination - Zone 2                                      |         | 2    | UNC1X | USLXX | 114.10     | 210.70       | 114.60 | 63.96                   | 17.97                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                  |  | First DS1Loop in DS3 Interoffice Transport Combination - Zone 3                                      |         | 3    | UNC1X | USLXX | 297.76     | 210.70       | 114.60 | 63.96                   | 17.97                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                  |  | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month                             |         |      | UNC3X | 1L5XX | 4.09       |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                  |  | Interoffice Transport - Dedicated - DS3 - Facility Termination per month                             |         |      | UNC3X | U1TF3 | 966.89     | 350.56       | 141.58 | 48.00                   | 23.39                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                  |  | DS3 to DS1 Channel System combination per month                                                      |         |      | UNC3X | MQ3   | 158.20     | 115.48       | 56.53  | 15.12                   | 5.30                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                  |  | DS3 Interface Unit (DS1 COCI) combination per month                                                  |         |      | UNC1X | UC1D1 | 11.80      | 6.71         | 4.84   |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                  |  | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1                                 |         | 1    | UNC1X | USLXX | 86.47      | 210.70       | 114.60 | 63.96                   | 17.97                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                  |  | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2                                 |         | 2    | UNC1X | USLXX | 114.10     | 210.70       | 114.60 | 63.96                   | 17.97                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                  |  | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3                                 |         | 3    | UNC1X | USLXX | 297.76     | 210.70       | 114.60 | 63.96                   | 17.97                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                  |  | DS3 Interface Unit (DS1 COCI) combination per month                                                  |         |      | UNC1X | UC1D1 | 11.80      | 6.71         | 4.84   |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                  |  | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge                                |         |      | UNC3X | UNCCC |            | 8.98         | 8.98   | 11.17                   | 11.17                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
| 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL) |  |                                                                                                      |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                  |  | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1                         |         | 1    | UNCVX | UEAL2 | 12.67      | 125.22       | 60.48  | 59.69                   | 7.84                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                  |  | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2                         |         | 2    | UNCVX | UEAL2 | 17.45      | 125.22       | 60.48  | 59.69                   | 7.84                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                  |  | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3                         |         | 3    | UNCVX | UEAL2 | 33.22      | 125.22       | 60.48  | 59.69                   | 7.84                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                  |  | Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month                       |         |      | UNCVX | 1L5XX | 0.01       |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                  |  | Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month |         |      | UNCVX | U1TV2 | 23.95      | 98.09        | 53.67  | 56.31                   | 22.42                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                  |  | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge                                |         |      | UNCVX | UNCCC |            | 8.98         | 8.98   | 11.17                   | 11.17                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
| 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL) |  |                                                                                                      |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                  |  | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1                         |         | 1    | UNCVX | UEAL4 | 29.26      | 125.22       | 60.48  | 59.69                   | 7.84                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                  |  | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2                         |         | 2    | UNCVX | UEAL4 | 34.25      | 125.22       | 60.48  | 59.69                   | 7.84                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                  |  | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3                         |         | 3    | UNCVX | UEAL4 | 85.06      | 125.22       | 60.48  | 59.69                   | 7.84                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                  |  | Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month                       |         |      | UNCVX | 1L5XX | 0.01       |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                  |  | Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month |         |      | UNCVX | U1TV4 | 21.28      | 98.09        | 53.67  | 56.31                   | 22.42                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                  |  | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge                                |         |      | UNCVX | UNCCC |            | 8.98         | 8.98   | 11.17                   | 11.17                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
| DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)         |  |                                                                                                      |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                  |  | High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month                            |         |      | UNC3X | 1L5ND | 9.25       |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                  |  | High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month                |         |      | UNC3X | UE3PX | 308.31     | 237.36       | 147.69 | 83.43                   | 32.67                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                  |  | Interoffice Transport - Dedicated - DS3 - Per Mile per month                                         |         |      | UNC3X | 1L5XX | 4.09       |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                  |  | Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month             |         |      | UNC3X | U1TF3 | 966.89     | 350.56       | 141.58 | 48.00                   | 23.39                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                  |  | Nonrecurring Currently Combined Network Elements Switch -As-Is Charge                                |         |      | UNC3X | UNCCC |            | 8.98         | 8.98   | 11.17                   | 11.17                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
| STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)       |  |                                                                                                      |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                  |  | High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month                           |         |      | UNCSX | 1L5ND | 9.25       |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |

| UNBUNDLED NETWORK ELEMENTS - Kentucky |               |  |  |  |  |         |      |     |      |            |  | Attachment: 2 |  | Exhibit: B                       |                                      |                                                          |                                                            |                                                               |                                                                 |
|---------------------------------------|---------------|--|--|--|--|---------|------|-----|------|------------|--|---------------|--|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|
| CATEGORY                              | RATE ELEMENTS |  |  |  |  | Interim | Zone | BCS | USOC | RATES (\$) |  |               |  | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |

| UNBUNDLED NETWORK ELEMENTS - Kentucky |               |  |  |  |  |         |      |     |      |            |  | Attachment: 2 |  | Exhibit: B                       |                                      |                                                          |                                                            |                                                               |                                                                 |
|---------------------------------------|---------------|--|--|--|--|---------|------|-----|------|------------|--|---------------|--|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|
| CATEGORY                              | RATE ELEMENTS |  |  |  |  | Interim | Zone | BCS | USOC | RATES (\$) |  |               |  | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |  |  |  |  |         |      |     |      |            |  |               |  |                                  |                                      | </                                                       |                                                            |                                                               |                                                                 |

| UNBUNDLED NETWORK ELEMENTS - Kentucky                                                                                                            |               |                                                                                                  |             |      |       |       |            |              |       |                         |                                           | Attachment: 2                                 |                                                                          | Exhibit: B                                                                 |                                                                               |                                                                                 |
|--------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------------------------------------------------------------------------------------------------|-------------|------|-------|-------|------------|--------------|-------|-------------------------|-------------------------------------------|-----------------------------------------------|--------------------------------------------------------------------------|----------------------------------------------------------------------------|-------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| CATEGORY                                                                                                                                         | RATE ELEMENTS |                                                                                                  | Interi<br>m | Zone | BCS   | USOC  | RATES (\$) |              |       |                         | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'l | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc Add'l |
|                                                                                                                                                  |               |                                                                                                  |             |      |       |       | Rec        | Nonrecurring |       | Nonrecurring Disconnect |                                           | OSS Rates (\$)                                |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               |                                                                                                  |             |      |       |       |            | First        | Add'l | First                   | Add'l                                     | SOMEc                                         | SOMAN                                                                    | SOMAN                                                                      | SOMAN                                                                         | SOMAN                                                                           |
|                                                                                                                                                  |               | DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per month                            |             |      | U1TD1 | UC1D1 | 11.80      | 10.07        | 7.08  |                         |                                           | 7.86                                          |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | Sub-Loop Feeder                                                                                  |             |      |       |       |            |              |       |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide                                           |             | sw   | UNC1X | USBFG |            |              |       |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1                                              |             | 1    | UNC1X | USBFG | 62.57      | 125.43       | 73.68 | 81.82                   | 21.56                                     |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2                                              |             | 2    | UNC1X | USBFG | 87.71      | 125.43       | 73.68 | 81.82                   | 21.56                                     |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3                                              |             | 3    | UNC1X | USBFG | 273.33     | 125.43       | 73.68 | 81.82                   | 21.56                                     |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4                                              |             | 4    | UNC1X | USBFG |            |              |       |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
| UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)                                                                                                        |               |                                                                                                  |             |      |       |       |            |              |       |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | Exchange Ports                                                                                   |             |      |       |       |            |              |       |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
| NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs |               |                                                                                                  |             |      |       |       |            |              |       |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
| 2-WIRE VOICE GRADE LINE PORT RATES (RES)                                                                                                         |               |                                                                                                  |             |      |       |       |            |              |       |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | Exchange Ports - 2-Wire Analog Line Port- Res.                                                   |             |      | UEPSR | UEPRL | 1.49       | 3.74         | 3.63  | 2.23                    | 2.13                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.                                   |             |      | UEPSR | UEPRC | 1.49       | 3.74         | 3.63  | 2.23                    | 2.13                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.                                    |             |      | UEPSR | UEPRO | 1.49       | 3.74         | 3.63  | 2.23                    | 2.13                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res. |             |      | UEPSR | UEPRM | 1.49       | 3.74         | 3.63  | 2.23                    | 2.13                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)               |             |      | UEPSR | UEPAP | 1.49       | 3.74         | 3.63  | 2.23                    | 2.13                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan without Caller ID                  |             |      | UEPSR | UEPWE | 1.49       | 3.74         | 3.63  | 2.23                    | 2.13                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability                          |             |      | UEPSR | UEPRT | 1.49       | 3.74         | 3.63  | 2.23                    | 2.13                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | Subsequent Activity                                                                              |             |      | UEPSR | USASC | 0.00       | 0.00         | 0.00  |                         |                                           |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
| FEATURES                                                                                                                                         |               |                                                                                                  |             |      |       |       |            |              |       |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | All Available Vertical Features                                                                  |             |      | UEPSR | UEPVF | 0.00       | 0.00         | 0.00  |                         |                                           |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
| 2-WIRE VOICE GRADE LINE PORT RATES (BUS)                                                                                                         |               |                                                                                                  |             |      |       |       |            |              |       |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus                                 |             |      | UEPSB | UEPBL | 1.49       | 3.74         | 3.63  | 2.23                    | 2.13                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.    |             |      | UEPSB | UEPBC | 1.49       | 3.74         | 3.63  | 2.23                    | 2.13                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.                                    |             |      | UEPSB | UEPBO | 1.49       | 3.74         | 3.63  | 2.23                    | 2.13                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Bus. |             |      | UEPSB | UEPBM | 1.49       | 3.74         | 3.63  | 2.23                    | 2.13                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus                     |             |      | UEPSB | UEPB1 | 1.49       | 3.74         | 3.63  | 2.23                    | 2.13                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | Exchange Ports - 2-Wire Voice Kentucky Business Dialing Plan without Caller ID                   |             |      | UEPSB | UEPWF | 1.49       | 3.74         | 3.63  | 2.23                    | 2.13                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | 2-Wire voice unbundled Incoming Only Port without Caller ID Capability                           |             |      | UEPSB | UEPBE | 1.49       | 3.74         | 3.63  | 2.23                    | 2.13                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | Subsequent Activity                                                                              |             |      | UEPSB | USASC | 0.00       | 0.00         | 0.00  |                         |                                           |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
| FEATURES                                                                                                                                         |               |                                                                                                  |             |      |       |       |            |              |       |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | All Available Vertical Features                                                                  |             |      | UEPSB | UEPVF | 0.00       | 0.00         | 0.00  |                         |                                           |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
| EXCHANGE PORT RATES (DID & PBX)                                                                                                                  |               |                                                                                                  |             |      |       |       |            |              |       |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | 2-Wire VG Unbundled 2-Way PBX Trunk - Res                                                        |             |      | UEPSE | UEPRD | 1.49       | 39.05        | 18.17 | 15.38                   | 0.89                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus                                              |             |      | UEPSP | UEPPC | 1.49       | 39.05        | 18.17 | 15.38                   | 0.89                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus                                            |             |      | UEPSP | UEPPO | 1.49       | 39.05        | 18.17 | 15.38                   | 0.89                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus                                           |             |      | UEPSP | UEPP1 | 1.49       | 39.05        | 18.17 | 15.38                   | 0.89                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus                                             |             |      | UEPSP | UEPLD | 1.49       | 39.05        | 18.17 | 15.38                   | 0.89                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | 2-Wire Voice Unbundled PBX LD Terminal Ports                                                     |             |      | UEPSP | UEPLD | 1.49       | 39.05        | 18.17 | 15.38                   | 0.89                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | 2-Wire Vice Unbundled 2-Way PBX Usage Port                                                       |             |      | UEPSP | UEPXA | 1.49       | 39.05        | 18.17 | 15.38                   | 0.89                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports                                             |             |      | UEPSP | UEPXB | 1.49       | 39.05        | 18.17 | 15.38                   | 0.89                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | 2-Wire Voice Unbundled PBX LD DDD Terminals Port                                                 |             |      | UEPSP | UEPXC | 1.49       | 39.05        | 18.17 | 15.38                   | 0.89                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port                                          |             |      | UEPSP | UEPXD | 1.49       | 39.05        | 18.17 | 15.38                   | 0.89                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                  |               | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port                              |             |      | UEPSP | UEPXE | 1.49       | 39.05        | 18.17 | 15.38                   | 0.89                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |

| UNBUNDLED NETWORK ELEMENTS - Kentucky |                                                                                                                                                                                                                                          |         |      |       |       |            |              |       |                         |                                  |                                      | Attachment: 2                                            |                                                            | Exhibit: B                                                    |                                                                 |       |
|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|------|-------|-------|------------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|-------|
| CATEGORY                              | RATE ELEMENTS                                                                                                                                                                                                                            | Interim | Zone | BCS   | USOC  | RATES (\$) |              |       |                         | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |       |
|                                       |                                                                                                                                                                                                                                          |         |      |       |       | Rec        | Nonrecurring |       | Nonrecurring Disconnect |                                  | OSS Rates (\$)                       |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |                                                                                                                                                                                                                                          |         |      |       |       |            | First        | Add'l | First                   | Add'l                            | SOMEc                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           | SOMAN |
|                                       | 2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling Port Without LUD                                                                                                                                                             |         |      | UEPSP | UEPXF | 1.49       | 39.05        | 18.17 | 15.38                   | 0.89                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port                                                                                                                                                                                |         |      | UEPSP | UEPXF | 1.49       | 39.05        | 18.17 | 15.38                   | 0.89                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Unbundled PBX Kentucky Premium Calling Port                                                                                                                                                                                 |         |      | UEPSP | UEPXF | 1.49       | 39.05        | 18.17 | 15.38                   | 0.89                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Unbundled 2-Way PBX Kentucky Area Calling Port Without LUD                                                                                                                                                                  |         |      | UEPSP | UEPXF | 1.49       | 39.05        | 18.17 | 15.38                   | 0.89                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port                                                                                                                                                      |         |      | UEPSP | UEPXF | 1.49       | 39.05        | 18.17 | 15.38                   | 0.89                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port                                                                                                                                                                |         |      | UEPSP | UEPXF | 1.49       | 39.05        | 18.17 | 15.38                   | 0.89                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port                                                                                                                                                      |         |      | UEPSP | UEPXF | 1.49       | 39.05        | 18.17 | 15.38                   | 0.89                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port                                                                                                                                                                                  |         |      | UEPSP | UEPXF | 1.49       | 39.05        | 18.17 | 15.38                   | 0.89                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Subsequent Activity                                                                                                                                                                                                                      |         |      | UEPSP | USASC | 0.00       | 0.00         | 0.00  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | FEATURES                                                                                                                                                                                                                                 |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | All Available Vertical Features                                                                                                                                                                                                          |         |      | UEPSP | UEPSE | 0.00       | 0.00         | 0.00  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | EXCHANGE PORT RATES (COIN)                                                                                                                                                                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Exchange Ports - Coin Port                                                                                                                                                                                                               |         |      |       |       | 1.49       | 3.74         | 3.63  | 2.23                    | 2.13                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Local Switching Features offered with Port                                                                                                                                                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.                        |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Exchange port - 4-wire ISDN trunk port -all available features included                                                                                                                                                                  |         |      |       | UEPEX | 101.60     | 188.36       | 95.15 | 61.92                   | 22.67                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)                                                                                                                                                                                                |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | EXCHANGE PORT RATES                                                                                                                                                                                                                      |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Exchange Ports - 2-Wire DID Port                                                                                                                                                                                                         |         |      | UEPEX | UEPP2 | 10.51      | 92.18        | 15.82 | 52.16                   | 5.30                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability                                                                                                                                                                        |         |      | UEPDD | UEPDD | 74.77      | 164.86       | 77.74 | 60.69                   | 3.86                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Exchange Ports - 2-Wire ISDN Port (See Notes below.)                                                                                                                                                                                     |         |      | UEPTX | UEPSX | 13.46      | 60.60        | 50.67 | 32.83                   | 14.17                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | All Features Offered                                                                                                                                                                                                                     |         |      | UEPTX | UEPSX | 0.00       | 0.00         | 0.00  |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.                        |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process. |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Exchange Ports - 2-Wire ISDN Port -- Channel Profiles                                                                                                                                                                                    |         |      | UEPTX | UEPSX | 0.00       | 0.00         | 0.00  |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Exchange Ports - 4-Wire ISDN DS1 Port                                                                                                                                                                                                    |         |      | UEPEX | UEPEX | 101.60     | 188.36       | 95.15 | 61.92                   | 22.67                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY                                                                                                                                                                                    |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE                                                                                                                                                                                     |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Unbundled Remote Call Forwarding Service, Area Calling, Res                                                                                                                                                                              |         |      | UEPVR | UERAC | 1.49       | 3.74         | 3.63  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Unbundled Remote Call Forwarding Service, Local Calling - Res                                                                                                                                                                            |         |      | UEPVR | UERLC | 1.49       | 3.74         | 3.63  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Unbundled Remote Call Forwarding Service, InterLATA - Res                                                                                                                                                                                |         |      | UEPVR | UERTE | 1.49       | 3.74         | 3.63  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Unbundled Remote Call Forwarding Service, IntraLATA - Res                                                                                                                                                                                |         |      | UEPVR | UERTR | 1.49       | 3.74         | 3.63  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Non-Recurring                                                                                                                                                                                                                            |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is                                                                                                                                                                     |         |      | UEPVR | USAC2 |            | 0.10         | 0.10  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)                                                                                                                                                 |         |      | UEPVR | USACC |            | 0.10         | 0.10  |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | UNBUNDLED REMOTE CALL FORWARDING - Bus                                                                                                                                                                                                   |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Unbundled Remote Call Forwarding Service, Area Calling - Bus                                                                                                                                                                             |         |      | UEPVB | UERAC | 1.49       | 3.74         | 3.63  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Unbundled Remote Call Forwarding Service, Local Calling - Bus                                                                                                                                                                            |         |      | UEPVB | UERLC | 1.49       | 3.74         | 3.63  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Unbundled Remote Call Forwarding Service, InterLATA - Bus                                                                                                                                                                                |         |      | UEPVB | UERTE | 1.49       | 3.74         | 3.63  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Unbundled Remote Call Forwarding Service, IntraLATA - Bus                                                                                                                                                                                |         |      | UEPVB | UERTR | 1.49       | 3.74         | 3.63  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling                                                                                                                                                            |         |      | UEPVB | UERVJ | 1.49       | 3.74         | 3.63  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Non-Recurring                                                                                                                                                                                                                            |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is                                                                                                                                                                     |         |      | UEPVB | USAC2 |            | 0.10         | 0.10  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |

| UNBUNDLED NETWORK ELEMENTS - Kentucky                                                                                                                                                                                          |                                                                                               |         |      |       |       |            |              |       |                         |                                  |                                      | Attachment: 2                                            |                                                            | Exhibit: B                                                    |                                                                 |       |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|---------|------|-------|-------|------------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|-------|
| CATEGORY                                                                                                                                                                                                                       | RATE ELEMENTS                                                                                 | Interim | Zone | BCS   | USOC  | RATES (\$) |              |       |                         | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |       |
|                                                                                                                                                                                                                                |                                                                                               |         |      |       |       | Rec        | Nonrecurring |       | Nonrecurring Disconnect |                                  | OSS Rates (\$)                       |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                |                                                                                               |         |      |       |       |            | First        | Add'l | First                   | Add'l                            | SOMEc                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           | SOMAN |
|                                                                                                                                                                                                                                | Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)      |         |      | UEPVB | USACC |            | 0.10         | 0.10  |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| UNBUNDLED LOCAL SWITCHING, PORT USAGE                                                                                                                                                                                          |                                                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | End Office Switching (Port Usage)                                                             |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | End Office Switching Function, Per MOU                                                        |         |      |       |       | 0.0011971  |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | End Office Trunk Port - Shared, Per MOU                                                       |         |      |       |       | 0.0002112  |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | Tandem Switching (Port Usage) (Local or Access Tandem)                                        |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | Tandem Switching Function Per MOU                                                             |         |      |       |       | 0.000194   |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | Tandem Trunk Port - Shared, Per MOU                                                           |         |      |       |       | 0.0002416  |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | Common Transport                                                                              |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | Common Transport - Per Mile, Per MOU                                                          |         |      |       |       | 0.000003   |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | Common Transport - Facilities Termination Per MOU                                             |         |      |       |       | 0.0007466  |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES                                                                                                                                                                            |                                                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.                                                                             |                                                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.                                   |                                                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.      |                                                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. |                                                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)                                                                                                                                                                            |                                                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| UNE Port/Loop Combination Rates                                                                                                                                                                                                |                                                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | 2-Wire VG Loop/Port Combo - Zone 1                                                            |         | 1    |       |       | 10.79      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | 2-Wire VG Loop/Port Combo - Zone 2                                                            |         | 2    |       |       | 15.52      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | 2-Wire VG Loop/Port Combo - Zone 3                                                            |         | 3    |       |       | 31.74      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| UNE Loop Rates                                                                                                                                                                                                                 |                                                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | 2-Wire Voice Grade Loop (SL1) - Zone 1                                                        |         | 1    | UEPRX | UEPLX | 9.64       |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | 2-Wire Voice Grade Loop (SL1) - Zone 2                                                        |         | 2    | UEPRX | UEPLX | 14.37      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | 2-Wire Voice Grade Loop (SL1) - Zone 3                                                        |         | 3    | UEPRX | UEPLX | 30.59      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| 2-Wire Voice Grade Line Port Rates (Res)                                                                                                                                                                                       |                                                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | 2-Wire voice unbundled port - residence                                                       |         |      | UEPRX | UEPRL | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | 2-Wire voice unbundled port with Caller ID - res                                              |         |      | UEPRX | UEPRC | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | 2-Wire voice unbundled port outgoing only - res                                               |         |      | UEPRX | UEPRO | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res |         |      | UEPRX | UEPRM | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM)                          |         |      | UEPRX | UEPAP | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | 2-Wire Voice Unbundled Kentucky Residence Dialing Plan without Caller ID                      |         |      | UEPRX | UEPWE | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability                       |         |      | UEPRX | UEPRT | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
| FEATURES                                                                                                                                                                                                                       |                                                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | All Features Offered                                                                          |         |      | UEPRX | UEPVF | 0.00       | 0.00         | 0.00  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
| LOCAL NUMBER PORTABILITY                                                                                                                                                                                                       |                                                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | Local Number Portability (1 per port)                                                         |         |      | UEPRX | LNPCX | 0.35       |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED                                                                                                                                                                               |                                                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is                   |         |      | UEPRX | USAC2 |            | 0.10         | 0.10  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change             |         |      | UEPRX | USACC |            | 0.10         | 0.10  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
| ADDITIONAL NRCs                                                                                                                                                                                                                |                                                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity                           |         |      | UEPRX | USAS2 | 0.00       | 0.00         | 0.00  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
| 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)                                                                                                                                                                            |                                                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| UNE Port/Loop Combination Rates                                                                                                                                                                                                |                                                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | 2-Wire VG Loop/Port Combo - Zone 1                                                            |         | 1    |       |       | 10.79      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | 2-Wire VG Loop/Port Combo - Zone 2                                                            |         | 2    |       |       | 15.52      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | 2-Wire VG Loop/Port Combo - Zone 3                                                            |         | 3    |       |       | 31.74      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| UNE Loop Rates                                                                                                                                                                                                                 |                                                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | 2-Wire Voice Grade Loop (SL1) - Zone 1                                                        |         | 1    | UEPBX | UEPLX | 9.64       |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | 2-Wire Voice Grade Loop (SL1) - Zone 2                                                        |         | 2    | UEPBX | UEPLX | 14.37      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                                                                                | 2-Wire Voice Grade Loop (SL1) - Zone 3                                                        |         | 3    | UEPBX | UEPLX | 30.59      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |

| UNBUNDLED NETWORK ELEMENTS - Kentucky |                                                                                               |         |      |       |       |            |              |       |                         |                                  |                                      | Attachment: 2                                            |                                                            | Exhibit: B                                                    |                                                                 |       |
|---------------------------------------|-----------------------------------------------------------------------------------------------|---------|------|-------|-------|------------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|-------|
| CATEGORY                              | RATE ELEMENTS                                                                                 | Interim | Zone | BCS   | USOC  | RATES (\$) |              |       |                         | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |       |
|                                       |                                                                                               |         |      |       |       | Rec        | Nonrecurring |       | Nonrecurring Disconnect |                                  | OSS Rates (\$)                       |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |                                                                                               |         |      |       |       |            | First        | Add'l | First                   | Add'l                            | SOMEc                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           | SOMAN |
|                                       | 2-Wire Voice Grade Line Port (Bus)                                                            |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire voice unbundled port without Caller ID - bus                                           |         |      | UEPBX | UEPBL | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire voice unbundled port with Caller + E484 ID - bus                                       |         |      | UEPBX | UEPBC | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire voice unbundled port outgoing only - bus                                               |         |      | UEPBX | UEPBO | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - bus |         |      | UEPBX | UEPBM | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire voice unbundled incoming only port with Caller ID - Bus                                |         |      | UEPBX | UEPB1 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Unbundled Kentucky Business Dialing Plan without Caller ID                       |         |      | UEPBX | UEPWF | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire voice unbundled Incoming Only Port without Caller ID Capability                        |         |      | UEPBX | UEPBE | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | LOCAL NUMBER PORTABILITY                                                                      |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Local Number Portability (1 per port)                                                         |         |      | UEPBX | LNPCX | 0.35       |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | FEATURES                                                                                      |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | All Features Offered                                                                          |         |      | UEPBX | UEPVF | 0.00       | 0.00         | 0.00  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED                                              |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is                   |         |      | UEPBX | USAC2 |            | 0.10         | 0.10  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change             |         |      | UEPBX | USACC |            | 0.10         | 0.10  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | ADDITIONAL NRCs                                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity                           |         |      | UEPBX | USAS2 |            | 0.00         | 0.00  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)                                     |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | UNE Port/Loop Combination Rates                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire VG Loop/Port Combo - Zone 1                                                            |         | 1    |       |       | 10.79      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire VG Loop/Port Combo - Zone 2                                                            |         | 2    |       |       | 15.52      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire VG Loop/Port Combo - Zone 3                                                            |         | 3    |       |       | 31.74      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | UNE Loop Rates                                                                                |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Loop (SL 1) - Zone 1                                                       |         | 1    | UEPRG | UEPLX | 9.64       |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Loop (SL 1) - Zone 2                                                       |         | 2    | UEPRG | UEPLX | 14.37      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Loop (SL 1) - Zone 3                                                       |         | 3    | UEPRG | UEPLX | 30.59      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Line Port Rates (RES - PBX)                                                |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res                                    |         |      | UEPRG | UEPRD | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | LOCAL NUMBER PORTABILITY                                                                      |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Local Number Portability (1 per port)                                                         |         |      | UEPRG | LNPCP | 3.15       | 0.00         | 0.00  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | FEATURES                                                                                      |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | All Features Offered                                                                          |         |      | UEPRG | UEPVF | 0.00       | 0.00         | 0.00  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED                                              |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is              |         |      | UEPRG | USAC2 |            | 8.45         | 1.91  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change        |         |      | UEPRG | USACC |            | 8.45         | 1.91  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | ADDITIONAL NRCs                                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity                    |         |      | UEPRG | USAS2 | 0.00       | 0.00         | 0.00  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group                               |         |      |       |       |            | 7.86         | 7.86  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)                                     |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | UNE Port/Loop Combination Rates                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire VG Loop/Port Combo - Zone 1                                                            |         | 1    |       |       | 10.79      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire VG Loop/Port Combo - Zone 2                                                            |         | 2    |       |       | 15.52      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire VG Loop/Port Combo - Zone 3                                                            |         | 3    |       |       | 31.74      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | UNE Loop Rates                                                                                |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Loop (SL 1) - Zone 1                                                       |         | 1    | UEPPX | UEPLX | 9.64       |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Loop (SL 1) - Zone 2                                                       |         | 2    | UEPPX | UEPLX | 14.37      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Loop (SL 1) - Zone 3                                                       |         | 3    | UEPPX | UEPLX | 30.59      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Line Port Rates (BUS - PBX)                                                |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |

| UNBUNDLED NETWORK ELEMENTS - Kentucky |               |                                                                                                      |         |      |       |       |            |              |       |                         |                                  | Attachment: 2                        |                                                          | Exhibit: B                                                 |                                                               |                                                                 |       |
|---------------------------------------|---------------|------------------------------------------------------------------------------------------------------|---------|------|-------|-------|------------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|-------|
| CATEGORY                              | RATE ELEMENTS |                                                                                                      | Interim | Zone | BCS   | USOC  | RATES (\$) |              |       |                         | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |       |
|                                       |               |                                                                                                      |         |      |       |       | Rec        | Nonrecurring |       | Nonrecurring Disconnect |                                  | OSS Rates (\$)                       |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               |                                                                                                      |         |      |       |       |            | First        | Add'l | First                   | Add'l                            | SOMEc                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           | SOMAN |
|                                       |               | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus                                           |         |      | UEPPX | UEPPC | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | Line Side Unbundled Outward PBX Trunk Port - Bus                                                     |         |      | UEPPX | UEPPO | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | Line Side Unbundled Incoming PBX Trunk Port - Bus                                                    |         |      | UEPPX | UEPP1 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Unbundled PBX LD Terminal Ports                                                         |         |      | UEPPX | UEPLD | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port                                              |         |      | UEPPX | UEPXA | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports                                                 |         |      | UEPPX | UEPXB | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Unbundled PBX LD DDD Terminals Port                                                     |         |      | UEPPX | UEPXC | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port                                              |         |      | UEPPX | UEPXD | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port                                  |         |      | UEPPX | UEPXE | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling Port without LUD                         |         |      | UEPPX | UEPXF | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port                                            |         |      | UEPPX | UEPXG | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Unbundled PBX Kentucky Premium Calling Port                                             |         |      | UEPPX | UEPXH | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port without LUD                                  |         |      | UEPPX | UEPXJ | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port                  |         |      | UEPPX | UEPXL | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port                            |         |      | UEPPX | UEPXM | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port                  |         |      | UEPPX | UEPXO | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port                                              |         |      | UEPPX | UEPXS | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | LOCAL NUMBER PORTABILITY                                                                             |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | Local Number Portability (1 per port)                                                                |         |      | UEPPX | LNPCP | 3.15       | 0.00         | 0.00  |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | FEATURES                                                                                             |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | All Features Offered                                                                                 |         |      | UEPPX | UEPVF | 0.00       | 0.00         | 0.00  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED                                                     |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is                     |         |      | UEPPX | USAC2 |            | 8.45         | 1.91  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change               |         |      | UEPPX | USACC |            | 8.45         | 1.91  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | ADDITIONAL NRCs                                                                                      |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity                           |         |      | UEPPX | USAS2 | 0.00       | 0.00         | 0.00  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group                                      |         |      |       |       |            | 7.86         | 7.86  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT                                            |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | UNE Port/Loop Combination Rates                                                                      |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire VG Coin Port/Loop Combo – Zone 1                                                              |         | 1    |       |       | 10.79      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire VG Coin Port/Loop Combo – Zone 2                                                              |         | 2    |       |       | 15.52      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire VG Coin Port/Loop Combo – Zone 3                                                              |         | 3    |       |       | 31.74      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | UNE Loop Rates                                                                                       |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Grade Loop (SL1) - Zone 1                                                               |         | 1    | UEPCO | UEPLX | 9.64       |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Grade Loop (SL1) - Zone 2                                                               |         | 2    | UEPCO | UEPLX | 14.37      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Grade Loop (SL1) - Zone 3                                                               |         | 3    | UEPCO | UEPLX | 30.59      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Grade Line Ports (COIN)                                                                 |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)                   |         |      | UEPCO | UEPRF | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Coin 2-Way with Operator Screening (AL, KY)                                                   |         |      | UEPCO | UEPRE | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)         |         |      | UEPCO | UEPRA | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (KY)                                      |         |      | UEPCO | UEPKA | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS) |         |      | UEPCO | UEPCD | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)                     |         |      | UEPCO | UEPRN | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |

| UNBUNDLED NETWORK ELEMENTS - Kentucky |                                                                                                       |         |      |       |       |            |              |       |                         |                                  |                                      | Attachment: 2                                            |                                                            | Exhibit: B                                                    |                                                                 |       |
|---------------------------------------|-------------------------------------------------------------------------------------------------------|---------|------|-------|-------|------------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|-------|
| CATEGORY                              | RATE ELEMENTS                                                                                         | Interim | Zone | BCS   | USOC  | RATES (\$) |              |       |                         | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |       |
|                                       |                                                                                                       |         |      |       |       | Rec        | Nonrecurring |       | Nonrecurring Disconnect |                                  | OSS Rates (\$)                       |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |                                                                                                       |         |      |       |       |            | First        | Add'l | First                   | Add'l                            | SOMEc                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           | SOMAN |
|                                       | 2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)                             |         |      | UEPCO | UEPRJ | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)        |         |      | UEPCO | UEPRH | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)   |         |      | UEPCO | UEPCN | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire 2-Way Smartline with 900/976 (all states except LA)                                            |         |      | UEPCO | UEPCK | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Coin Outward Smartline with 900/976 (all states except LA)                                     |         |      | UEPCO | UEPCR | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | ADDITIONAL UNE COIN PORT/LOOP (RC)                                                                    |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | UNE Coin Port/Loop Combo Usage (Flat Rate)                                                            |         |      | UEPCO | URECU | 2.57       | 0.00         | 0.00  | 0.00                    | 0.00                             |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | LOCAL NUMBER PORTABILITY                                                                              |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Local Number Portability (1 per port)                                                                 |         |      | UEPCO | LNPCX | 0.35       |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | NONRECURRING CHARGES - CURRENTLY COMBINED                                                             |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is                           |         |      | UEPCO | USAC2 |            | 0.10         | 0.10  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change                     |         |      | UEPCO | USACC |            | 0.10         | 0.10  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | ADDITIONAL NRCs                                                                                       |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity                                   |         |      | UEPCO | USAS2 |            | 0.00         | 0.00  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)                             |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | UNE Port/Loop Combination Rates                                                                       |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1                                                        |         | 1    |       |       | 13.90      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2                                                        |         | 2    |       |       | 18.68      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3                                                        |         | 3    |       |       | 34.45      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | UNE Loop Rates                                                                                        |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Loop (SL2) - Zone 1                                                                |         | 1    | UEPFR | UECF2 | 12.67      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Loop (SL2) - Zone 2                                                                |         | 2    | UEPFR | UECF2 | 17.45      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Loop (SL2) - Zone 3                                                                |         | 3    | UEPFR | UECF2 | 33.22      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Line Port Rates (Res)                                                              |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire voice unbundled port - residence                                                               |         |      | UEPFR | UEPRL | 1.23       | 128.96       | 64.11 | 61.92                   | 9.97                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire voice unbundled port with Caller ID - res                                                      |         |      | UEPFR | UEPRC | 1.23       | 128.96       | 64.11 | 61.92                   | 9.97                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire voice unbundled port outgoing only - res                                                       |         |      | UEPFR | UEPRO | 1.23       | 128.96       | 64.11 | 61.92                   | 9.97                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res         |         |      | UEPFR | UEPRM | 1.23       | 128.96       | 64.11 | 61.92                   | 9.97                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM)                                  |         |      | UEPFR | UEPAP | 1.23       | 128.96       | 64.11 | 61.92                   | 9.97                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Unbundled Kentucky Residence Dialing Plan without Caller ID                              |         |      | UEPFR | UEPWE | 1.23       | 128.96       | 64.11 | 61.92                   | 9.97                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | INTEROFFICE TRANSPORT                                                                                 |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination                         |         |      | UEPFR | U1TV2 | 23.95      | 98.09        | 53.67 | 56.31                   | 22.42                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile                    |         |      | UEPFR | 1L5XX | 0.0095     |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | FEATURES                                                                                              |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | All Features Offered                                                                                  |         |      | UEPFR | UEPVF | 0.00       | 0.00         | 0.00  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | LOCAL NUMBER PORTABILITY                                                                              |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Local Number Portability (1 per port)                                                                 |         |      | UEPFR | LNPCX | 0.35       |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED                                                      |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is       |         |      | UEPFR | USAC2 |            | 9.03         | 1.87  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change |         |      | UEPFR | USACC |            | 9.03         | 1.87  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)                             |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | UNE Port/Loop Combination Rates                                                                       |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1                                                        |         | 1    |       |       | 13.90      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2                                                        |         | 2    |       |       | 18.68      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3                                                        |         | 3    |       |       | 34.45      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |

| UNBUNDLED NETWORK ELEMENTS - Kentucky |                                                                                                       |         |      |       |       |            |              |       |                         |                                  |                                      | Attachment: 2                                            |                                                            | Exhibit: B                                                    |                                                                 |       |
|---------------------------------------|-------------------------------------------------------------------------------------------------------|---------|------|-------|-------|------------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|-------|
| CATEGORY                              | RATE ELEMENTS                                                                                         | Interim | Zone | BCS   | USOC  | RATES (\$) |              |       |                         | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |       |
|                                       |                                                                                                       |         |      |       |       | Rec        | Nonrecurring |       | Nonrecurring Disconnect |                                  | OSS Rates (\$)                       |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |                                                                                                       |         |      |       |       |            | First        | Add'l | First                   | Add'l                            | SOMEc                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           | SOMAN |
|                                       | UNE Loop Rates                                                                                        |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Loop (SL2) - Zone 1                                                                |         | 1    | UEPFB | UECF2 | 12.67      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Loop (SL2) - Zone 2                                                                |         | 2    | UEPFB | UECF2 | 17.45      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Loop (SL2) - Zone 3                                                                |         | 3    | UEPFB | UECF2 | 33.22      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Line Port (Bus)                                                                    |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire voice unbundled port without Caller ID - bus                                                   |         |      | UEPFB | UEPBL | 1.23       | 128.96       | 64.11 | 61.92                   | 9.97                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire voice unbundled port with Caller + E484 ID - bus                                               |         |      | UEPFB | UEPBC | 1.23       | 128.96       | 64.11 | 61.92                   | 9.97                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire voice unbundled port outgoing only - bus                                                       |         |      | UEPFB | UEPBO | 1.23       | 128.96       | 64.11 | 61.92                   | 9.97                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - bus         |         |      | UEPFB | UEPBM | 1.23       | 128.96       | 64.11 | 61.92                   | 9.97                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire voice unbundled incoming only port with Caller ID - Bus                                        |         |      | UEPFB | UEPB1 | 1.23       | 128.96       | 64.11 | 61.92                   | 9.97                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Unbundled Kentucky Business Dialing Plan without Caller ID                               |         |      | UEPFB | UEPWF | 1.23       | 128.96       | 64.11 | 61.92                   | 9.97                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | LOCAL NUMBER PORTABILITY                                                                              |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Local Number Portability (1 per port)                                                                 |         |      | UEPFB | LNPCX | 0.35       |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | INTEROFFICE TRANSPORT                                                                                 |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination                         |         |      | UEPFB | U1TV2 | 23.95      | 98.09        | 53.67 | 56.31                   | 22.42                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile                    |         |      | UEPFB | 1L5XX | 0.0095     |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | FEATURES                                                                                              |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | All Features Offered                                                                                  |         |      | UEPFB | UEPVF | 0.00       | 0.00         | 0.00  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED                                                      |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is       |         |      | UEPFB | USAC2 |            | 9.03         | 1.87  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change |         |      | UEPFB | USACC |            | 9.03         | 1.87  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)                                             |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | UNE Port/Loop Combination Rates                                                                       |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1                                                        |         | 1    |       |       | 13.90      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2                                                        |         | 2    |       |       | 18.68      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3                                                        |         | 3    |       |       | 34.45      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | UNE Loop Rates                                                                                        |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Loop (SL2) - Zone 1                                                                |         | 1    | UEPFP | UECF2 | 12.67      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Loop (SL2) - Zone 2                                                                |         | 2    | UEPFP | UECF2 | 17.45      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Loop (SL2) - Zone 3                                                                |         | 3    | UEPFP | UECF2 | 33.22      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Grade Line Port Rates (BUS - PBX)                                                        |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus                                            |         |      | UEPFP | UEPPC | 1.23       | 164.27       | 78.65 | 75.05                   | 8.73                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Line Side Unbundled Outward PBX Trunk Port - Bus                                                      |         |      | UEPFP | UEPPO | 1.23       | 164.27       | 78.65 | 75.05                   | 8.73                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Line Side Unbundled Incoming PBX Trunk Port - Bus                                                     |         |      | UEPFP | UEPP1 | 1.23       | 164.27       | 78.65 | 75.05                   | 8.73                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Unbundled PBX LD Terminal Ports                                                          |         |      | UEPFP | UEPLD | 1.23       | 164.27       | 78.65 | 75.05                   | 8.73                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port                                               |         |      | UEPFP | UEPXA | 1.23       | 164.27       | 78.65 | 75.05                   | 8.73                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports                                                  |         |      | UEPFP | UEPXB | 1.23       | 164.27       | 78.65 | 75.05                   | 8.73                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Unbundled PBX LD DDD Terminals Port                                                      |         |      | UEPFP | UEPXC | 1.23       | 164.27       | 78.65 | 75.05                   | 8.73                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port                                               |         |      | UEPFP | UEPXD | 1.23       | 164.27       | 78.65 | 75.05                   | 8.73                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port                                   |         |      | UEPFP | UEPXE | 1.23       | 164.27       | 78.65 | 75.05                   | 8.73                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling Port without LUD                          |         |      | UEPFP | UEPXF | 1.23       | 164.27       | 78.65 | 75.05                   | 8.73                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port                                             |         |      | UEPFP | UEPXG | 1.23       | 164.27       | 78.65 | 75.05                   | 8.73                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Unbundled PBX Kentucky Premium Calling Port                                              |         |      | UEPFP | UEPXH | 1.23       | 164.27       | 78.65 | 75.05                   | 8.73                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port without LUD                                   |         |      | UEPFP | UEPXJ | 1.23       | 164.27       | 78.65 | 75.05                   | 8.73                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port                   |         |      | UEPFP | UEPXL | 1.23       | 164.27       | 78.65 | 75.05                   | 8.73                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port                             |         |      | UEPFP | UEPXM | 1.23       | 164.27       | 78.65 | 75.05                   | 8.73                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |

| UNBUNDLED NETWORK ELEMENTS - Kentucky |               |                                                                                                       |         |      |       |       |            |              |        |                         |                                  | Attachment: 2                        |                                                          | Exhibit: B                                                 |                                                               |                                                                 |       |
|---------------------------------------|---------------|-------------------------------------------------------------------------------------------------------|---------|------|-------|-------|------------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|-------|
| CATEGORY                              | RATE ELEMENTS |                                                                                                       | Interim | Zone | BCS   | USOC  | RATES (\$) |              |        |                         | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |       |
|                                       |               |                                                                                                       |         |      |       |       | Rec        | Nonrecurring |        | Nonrecurring Disconnect |                                  | OSS Rates (\$)                       |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               |                                                                                                       |         |      |       |       |            | First        | Add'l  | First                   | Add'l                            | SOMEc                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           | SOMAN |
|                                       |               | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port                   |         |      | UEPFP | UEPXO | 1.23       | 164.27       | 78.65  | 75.05                   | 8.73                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port                                               |         |      | UEPFP | UEPXS | 1.23       | 164.27       | 78.65  | 75.05                   | 8.73                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | LOCAL NUMBER PORTABILITY                                                                              |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | Local Number Portability (1 per port)                                                                 |         |      | UEPFP | LNPCP | 3.15       | 0.00         | 0.00   |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | INTEROFFICE TRANSPORT                                                                                 |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination                         |         |      | UEPFP | U1TV2 | 23.95      | 98.09        | 53.67  | 56.31                   | 22.42                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile                    |         |      | UEPFP | 1L5XX | 0.0095     |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | FEATURES                                                                                              |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | All Features Offered                                                                                  |         |      | UEPFP | UEPVF | 0.00       | 0.00         | 0.00   |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED                                                      |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is       |         |      | UEPFP | USAC2 |            | 9.03         | 1.87   |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change |         |      | UEPFP | USACC |            | 9.03         | 1.87   |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES                                                   |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT                                        |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | UNE Port/Loop Combination Rates                                                                       |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1                                               |         | 1    |       |       | 21.30      |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2                                               |         | 2    |       |       | 26.08      |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3                                               |         | 3    |       |       | 41.85      |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | UNE Loop Rates                                                                                        |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1                                                   |         | 1    | UEPPX | UECD1 | 12.67      |              |        |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2                                                   |         | 2    | UEPPX | UECD1 | 17.45      |              |        |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3                                                   |         | 3    | UEPPX | UECD1 | 33.22      |              |        |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | UNE Port Rate                                                                                         |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | Exchange Ports - 2-Wire DID Port                                                                      |         |      | UEPPX | UEPD1 | 8.63       | 336.11       | 27.75  | 132.37                  | 9.31                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | NONRECURRING CHARGES - CURRENTLY COMBINED                                                             |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes           |         |      | UEPPX | USA1C |            | 7.85         | 1.87   |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | ADDITIONAL NRCs                                                                                       |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk                                                |         |      | UEPPX | USAS1 |            | 32.25        | 32.25  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | Telephone Number/Trunk Group Establishment Charges                                                    |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | DID Trunk Termination (One Per Port)                                                                  |         |      | UEPPX | NDT   | 0.00       | 0.00         | 0.00   |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | Additional DID Numbers for each Group of 20 DID Numbers                                               |         |      | UEPPX | ND4   | 0.00       | 0.00         | 0.00   |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | DID Numbers, Non- consecutive DID Numbers , Per Number                                                |         |      | UEPPX | ND5   | 0.00       | 0.00         | 0.00   |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | Reserve Non-Consecutive DID numbers                                                                   |         |      | UEPPX | ND6   | 0.00       | 0.00         | 0.00   |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | Reserve DID Numbers                                                                                   |         |      | UEPPX | NDV   | 0.00       | 0.00         | 0.00   |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | LOCAL NUMBER PORTABILITY                                                                              |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | Local Number Portability (1 per port)                                                                 |         |      | UEPPX | LNPCP | 3.15       | 0.00         | 0.00   |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT                                |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | UNE Port/Loop Combination Rates                                                                       |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1                                |         | 1    | UEPPB | UEPPR | 25.69      |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2                                |         | 2    | UEPPB | UEPPR | 31.92      |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3                                |         | 3    | UEPPB | UEPPR | 50.21      |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | UNE Loop Rates                                                                                        |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire ISDN Digital Grade Loop - UNE Zone 1                                                           |         | 1    | UEPPB | UEPPR | USL2X      | 16.10        |        |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire ISDN Digital Grade Loop - UNE Zone 2                                                           |         | 2    | UEPPB | UEPPR | USL2X      | 22.33        |        |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire ISDN Digital Grade Loop - UNE Zone 3                                                           |         | 3    | UEPPB | UEPPR | USL2X      | 40.63        |        |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | UNE Port Rate                                                                                         |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | Exchange Port - 2-Wire ISDN Line Side Port                                                            |         |      | UEPPB | UEPPR | UEPPB      | 9.59         | 320.53 | 289.13                  | 92.19                            | 17.56                                | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | NONRECURRING CHARGES - CURRENTLY COMBINED                                                             |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |

| UNBUNDLED NETWORK ELEMENTS - Kentucky |                                                                                                     |         |      |             |       |            |              |        |                         |       |                                  | Attachment: 2                        |                                                          | Exhibit: B                                                 |                                                               |                                                                 |
|---------------------------------------|-----------------------------------------------------------------------------------------------------|---------|------|-------------|-------|------------|--------------|--------|-------------------------|-------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|
| CATEGORY                              | RATE ELEMENTS                                                                                       | Interim | Zone | BCS         | USOC  | RATES (\$) |              |        |                         |       | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|                                       |                                                                                                     |         |      |             |       | Rec        | Nonrecurring |        | Nonrecurring Disconnect |       | OSS Rates (\$)                   |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |                                                                                                     |         |      |             |       |            | First        | Add'l  | First                   | Add'l | SOMEc                            | SOMAN                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           |
|                                       | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion                |         |      | UEPPB UEPPR | USACB | 0.00       | 22.77        | 17.00  |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | ADDITIONAL NRCS                                                                                     |         |      |             |       |            |              |        |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | LOCAL NUMBER PORTABILITY                                                                            |         |      |             |       |            |              |        |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | Local Number Portability (1 per port)                                                               |         |      | UEPPB UEPPR | LNPCX | 0.35       | 0.00         | 0.00   |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | B-CHANNEL USER PROFILE ACCESS:                                                                      |         |      |             |       |            |              |        |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | CVS/CSD (DMS/5ESS)                                                                                  |         |      | UEPPB UEPPR | U1UCA | 0.00       | 0.00         | 0.00   |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | CVS (EWSD)                                                                                          |         |      | UEPPB UEPPR | U1UCB | 0.00       | 0.00         | 0.00   |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | CSD                                                                                                 |         |      | UEPPB UEPPR | U1UCC | 0.00       | 0.00         | 0.00   |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)                                  |         |      |             |       |            |              |        |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | CVS/CSD (DMS/5ESS)                                                                                  |         |      | UEPPB UEPPR | U1UCD | 0.00       | 0.00         | 0.00   |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | CVS (EWSD)                                                                                          |         |      | UEPPB UEPPR | U1UCE | 0.00       | 0.00         | 0.00   |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | CSD                                                                                                 |         |      | UEPPB UEPPR | U1UCF | 0.00       | 0.00         | 0.00   |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | USER TERMINAL PROFILE                                                                               |         |      |             |       |            |              |        |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | User Terminal Profile (EWSD only)                                                                   |         |      | UEPPB UEPPR | U1UMA | 0.00       | 0.00         | 0.00   |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | VERTICAL FEATURES                                                                                   |         |      |             |       |            |              |        |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | All Vertical Features - One per Channel B User Profile                                              |         |      | UEPPB UEPPR | UEPVF | 0.00       | 0.00         | 0.00   |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | INTEROFFICE CHANNEL MILEAGE                                                                         |         |      |             |       |            |              |        |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | Interoffice Channel mileage each, including first mile and facilities termination                   |         |      | UEPPB UEPPR | M1GNC | 29.12      | 47.34        | 31.78  | 22.77                   | 8.75  |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | Interoffice Channel mileage each, additional mile                                                   |         |      | UEPPB UEPPR | M1GNM | 0.01       | 0.00         | 0.00   |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT                                     |         |      |             |       |            |              |        |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | UNE Port/Loop Combination Rates                                                                     |         |      |             |       |            |              |        |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1                                     |         | 1    | UEPPP       |       | 170.06     |              |        |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2                                     |         | 2    | UEPPP       |       | 197.70     |              |        |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3                                     |         | 3    | UEPPP       |       | 381.35     |              |        |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | UNE Loop Rates                                                                                      |         |      |             |       |            |              |        |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | 4-Wire DS1 Digital Loop - UNE Zone 1                                                                |         | 1    | UEPPP       | USL4P | 86.47      |              |        |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | 4-Wire DS1 Digital Loop - UNE Zone 2                                                                |         | 2    | UEPPP       | USL4P | 114.10     |              |        |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | 4-Wire DS1 Digital Loop - UNE Zone 3                                                                |         | 3    | UEPPP       | USL4P | 297.76     |              |        |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | UNE Port Rate                                                                                       |         |      |             |       |            |              |        |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | Exchange Ports - 4-Wire ISDN DS1 Port                                                               |         |      | UEPPP       | UEPPP | 83.59      | 736.16       | 382.74 | 159.48                  | 48.82 |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | NONRECURRING CHARGES - CURRENTLY COMBINED                                                           |         |      |             |       |            |              |        |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is |         |      | UEPPP       | USACP | 0.00       | 81.70        | 61.37  |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | ADDITIONAL NRCS                                                                                     |         |      |             |       |            |              |        |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqtl Actvy-Inward/two way Tel Nos. (except NC)         |         |      | UEPPP       | PR7TF |            | 0.54         |        |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)   |         |      | UEPPP       | PR7TO |            | 12.71        | 12.71  |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers                  |         |      | UEPPP       | PR7ZT |            | 25.41        | 25.41  |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | LOCAL NUMBER PORTABILITY                                                                            |         |      |             |       |            |              |        |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | Local Number Portability (1 per port)                                                               |         |      | UEPPP       | LNPCN | 1.75       |              |        |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | INTERFACE (Provisioning Only)                                                                       |         |      |             |       |            |              |        |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | Voice/Data                                                                                          |         |      | UEPPP       | PR71V | 0.00       | 0.00         | 0.00   |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | Digital Data                                                                                        |         |      | UEPPP       | PR71D | 0.00       | 0.00         | 0.00   |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | Inward Data                                                                                         |         |      | UEPPP       | PR71E | 0.00       | 0.00         | 0.00   |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | New or Additional "B" Channel                                                                       |         |      |             |       |            |              |        |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | New or Additional - Voice/Data B Channel                                                            |         |      | UEPPP       | PR7BV | 0.00       | 15.48        |        |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | New or Additional - Digital Data B Channel                                                          |         |      | UEPPP       | PR7BF | 0.00       | 15.48        |        |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | New or Additional Inward Data B Channel                                                             |         |      | UEPPP       | PR7BD | 0.00       | 15.48        |        |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | CALL TYPES                                                                                          |         |      |             |       |            |              |        |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | Inward                                                                                              |         |      | UEPPP       | PR7C1 | 0.00       | 0.00         | 0.00   |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | Outward                                                                                             |         |      | UEPPP       | PR7C0 | 0.00       | 0.00         | 0.00   |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | Two-way                                                                                             |         |      | UEPPP       | PR7CC | 0.00       | 0.00         | 0.00   |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |

| UNBUNDLED NETWORK ELEMENTS - Kentucky |                                                                                                               |         |      |       |       |            |              |        |                         |                                  |                                      | Attachment: 2                                            |                                                            | Exhibit: B                                                    |                                                                 |       |
|---------------------------------------|---------------------------------------------------------------------------------------------------------------|---------|------|-------|-------|------------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|-------|
| CATEGORY                              | RATE ELEMENTS                                                                                                 | Interim | Zone | BCS   | USOC  | RATES (\$) |              |        |                         | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |       |
|                                       |                                                                                                               |         |      |       |       | Rec        | Nonrecurring |        | Nonrecurring Disconnect |                                  | OSS Rates (\$)                       |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |                                                                                                               |         |      |       |       |            | First        | Add'l  | First                   | Add'l                            | SOMEc                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           | SOMAN |
|                                       | Interoffice Channel Mileage                                                                                   |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Fixed Each Including First Mile                                                                               |         |      | UEPPP | 1LN1A | 96.27      | 105.52       | 98.46  | 23.09                   | 20.49                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Each Airline-Fractional Additional Mile                                                                       |         |      | UEPPP | 1LN1B | 0.23       |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT                                                          |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | UNE Port/Loop Combination Rates                                                                               |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1                                                          |         | 1    | UEPDC |       | 147.99     |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2                                                          |         | 2    | UEPDC |       | 175.62     |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3                                                          |         | 3    | UEPDC |       | 359.28     |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | UNE Loop Rates                                                                                                |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 4-Wire DS1 Digital Loop - UNE Zone 1                                                                          |         | 1    | UEPDC | USLDC | 86.47      |              |        |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 4-Wire DS1 Digital Loop - UNE Zone 2                                                                          |         | 2    | UEPDC | USLDC | 114.10     |              |        |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 4-Wire DS1 Digital Loop - UNE Zone 3                                                                          |         | 3    | UEPDC | USLDC | 297.76     |              |        |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | UNE Port Rate                                                                                                 |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 4-Wire DDITS Digital Trunk Port                                                                               |         |      | UEPDC | UDD1T | 61.52      | 780.61       | 375.52 | 176.19                  | 16.98                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | NONRECURRING CHARGES - CURRENTLY COMBINED                                                                     |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is                                  |         |      | UEPDC | USAC4 |            | 92.84        | 46.70  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes                   |         |      | UEPDC | USAWA |            | 92.84        | 46.70  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk                |         |      | UEPDC | USAWB |            | 92.84        | 46.70  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | ADDITIONAL NRCS                                                                                               |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk            |         |      | UEPDC | UDTTA |            | 15.09        | 15.09  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk          |         |      | UEPDC | UDTTB |            | 15.09        | 15.09  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID            |         |      | UEPDC | UDTTC |            | 15.09        | 15.09  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID          |         |      | UEPDC | UDTTD |            | 15.09        | 15.09  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans           |         |      | UEPDC | UDTTE |            | 15.09        | 15.09  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | BIPOLAR 8 ZERO SUBSTITUTION                                                                                   |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | B8ZS - Superframe Format                                                                                      |         |      | UEPDC | CCOSF |            | 0.00         | 730.00 |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | B8ZS - Extended Superframe Format                                                                             |         |      | UEPDC | CCOEF |            | 0.00         | 730.00 |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Alternate Mark Inversion                                                                                      |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | AMI - Superframe Format                                                                                       |         |      | UEPDC | MCOSF |            | 0.00         | 0.00   |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | AMI - Extended SuperFrame Format                                                                              |         |      | UEPDC | MCOPO |            | 0.00         | 0.00   |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Telephone Number/Trunk Group Establishment Charges                                                            |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Telephone Number for 2-Way Trunk Group                                                                        |         |      | UEPDC | UDTGX | 0.00       | 0.00         | 0.00   |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Telephone Number for 1-Way Outward Trunk Group                                                                |         |      | UEPDC | UDTGY | 0.00       |              | 0.00   |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Telephone Number for 1-Way Inward Trunk Group Without DID                                                     |         |      | UEPDC | UDTGZ | 0.00       | 0.00         | 0.00   |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | DID Numbers for each Group of 20 DID Numbers                                                                  |         |      | UEPDC | ND4   | 0.00       | 0.00         | 0.00   |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | DID Numbers, Non- consecutive DID Numbers , Per Number                                                        |         |      | UEPDC | ND5   | 0.00       | 0.00         | 0.00   |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Reserve Non-Consecutive DID Nos.                                                                              |         |      | UEPDC | ND6   | 0.00       | 0.00         | 0.00   |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Reserve DID Numbers                                                                                           |         |      | UEPDC | NDV   | 0.00       | 0.00         | 0.00   |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port |         |      |       |       |            |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)                                   |         |      | UEPDC | 1LNO1 | 96.04      | 105.52       | 98.46  | 23.09                   | 20.49                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles                                            |         |      | UEPDC | 1LNOA | 0.23       | 0.00         | 0.00   |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)                                  |         |      | UEPDC | 1LNO2 | 0.00       | 0.00         | 0.00   |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Interoffice Channel Mileage - Additional rate per mile - 9-25 miles                                           |         |      | UEPDC | 1LNOB | 0.45       | 0.00         | 0.00   |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)                                   |         |      | UEPDC | 1LNO3 | 0.00       | 0.00         | 0.00   |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       | Interoffice Channel Mileage - Additional rate per mile - 25+ miles                                            |         |      | UEPDC | 1LNOC | 0.45       | 0.00         | 0.00   |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |

| UNBUNDLED NETWORK ELEMENTS - Kentucky |               |                                                                                                                                                                                                                 |  |  |         |      |     |       |              |          |                         | Attachment: 2 |                                  | Exhibit: B                           |                                                          |                                                            |                                                               |                                                                 |
|---------------------------------------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|---------|------|-----|-------|--------------|----------|-------------------------|---------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|
| CATEGORY                              | RATE ELEMENTS |                                                                                                                                                                                                                 |  |  | Interim | Zone | BCS | USOC  | RATES (\$)   |          |                         |               | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|                                       |               |                                                                                                                                                                                                                 |  |  |         |      |     | Rec   | Nonrecurring |          | Nonrecurring Disconnect |               | OSS Rates (\$)                   |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               |                                                                                                                                                                                                                 |  |  |         |      |     |       | First        | Add'l    | First                   | Add'l         | SOMEc                            | SOMAN                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           |
|                                       |               | Local Number Portability, per DSO Activated                                                                                                                                                                     |  |  |         |      |     | UEPDC | LNPCP        | 3.15     | 0.00                    | 0.00          |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Central Office Terminating Point                                                                                                                                                                                |  |  |         |      |     | UEPDC | CTG          | 0.00     |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | 4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT                                                                                                                                                                   |  |  |         |      |     |       |              |          |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations                                                                                                                                       |  |  |         |      |     |       |              |          |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Each System can have up to 24 combinations of rates depending on type and number of ports used                                                                                                                  |  |  |         |      |     |       |              |          |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | UNE DS1 Loop                                                                                                                                                                                                    |  |  |         |      |     |       |              |          |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | 4-Wire DS1 Loop - UNE Zone 1                                                                                                                                                                                    |  |  |         |      | 1   | UEPMG | USLDC        | 86.47    | 0.00                    | 0.00          |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | 4-Wire DS1 Loop - UNE Zone 2                                                                                                                                                                                    |  |  |         |      | 2   | UEPMG | USLDC        | 114.10   | 0.00                    | 0.00          |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | 4-Wire DS1 Loop - UNE Zone 3                                                                                                                                                                                    |  |  |         |      | 3   | UEPMG | USLDC        | 297.76   | 0.00                    | 0.00          |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | UNE DSO Channelization Capacities (D4 Channel Bank Configurations)                                                                                                                                              |  |  |         |      |     |       |              |          |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | 24 DSO Channel Capacity - 1 per DS1                                                                                                                                                                             |  |  |         |      |     | UEPMG | VUM24        | 111.16   | 0.00                    | 0.00          |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | 48 DSO Channel Capacity - 1 per 2 DS1s                                                                                                                                                                          |  |  |         |      |     | UEPMG | VUM48        | 222.32   | 0.00                    | 0.00          |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | 96 DSO Channel Capacity -1per 4 DS1s                                                                                                                                                                            |  |  |         |      |     | UEPMG | VUM96        | 444.64   | 0.00                    | 0.00          |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | 144 DSO Channel Capacity - 1 per 6 DS1s                                                                                                                                                                         |  |  |         |      |     | UEPMG | VUM14        | 666.96   | 0.00                    | 0.00          |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | 192 DSO Channel Capacity -1 per 8 DS1s                                                                                                                                                                          |  |  |         |      |     | UEPMG | VUM19        | 889.28   | 0.00                    | 0.00          |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | 240 DSO Channel Capacity - 1 per 10 DS1s                                                                                                                                                                        |  |  |         |      |     | UEPMG | VUM20        | 1,111.60 | 0.00                    | 0.00          |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | 288 DSO Channel Capacity - 1 per 12 DS1s                                                                                                                                                                        |  |  |         |      |     | UEPMG | VUM28        | 1,333.92 | 0.00                    | 0.00          |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | 384 DSO Channel Capacity - 1 per 16 DS1s                                                                                                                                                                        |  |  |         |      |     | UEPMG | VUM38        | 1,778.56 | 0.00                    | 0.00          |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | 480 DSO Channel Capacity - 1 per 20 DS1s                                                                                                                                                                        |  |  |         |      |     | UEPMG | VUM40        | 2,223.20 | 0.00                    | 0.00          |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | 576 DSO Channel Capacity -1 per 24 DS1s                                                                                                                                                                         |  |  |         |      |     | UEPMG | VUM57        | 2,667.84 | 0.00                    | 0.00          |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | 672 DSO Channel Capacity - 1 per 28 DS1s                                                                                                                                                                        |  |  |         |      |     | UEPMG | VUM67        | 3,112.48 | 0.00                    | 0.00          |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System                                                                                 |  |  |         |      |     |       |              |          |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations.                                                                                        |  |  |         |      |     |       |              |          |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.                                                                                      |  |  |         |      |     |       |              |          |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes                                                                                                                                 |  |  |         |      |     | UEPMG | USAC4        | 0.00     | 94.30                   | 4.24          |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's |  |  |         |      |     |       |              |          |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation                                                                                                                             |  |  |         |      |     | UEPMG | VUMD4        | 0.00     | 718.89                  | 469.86        | 149.83                           | 17.77                                | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |               | Bipolar 8 Zero Substitution                                                                                                                                                                                     |  |  |         |      |     |       |              |          |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Clear Channel Capability Format, superframe - Subsequent Activity Only                                                                                                                                          |  |  |         |      |     | UEPMG | CCOSF        | 0.00     | 0.00                    | 730.00        |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only                                                                                                                                |  |  |         |      |     | UEPMG | CCOEF        | 0.00     | 0.00                    | 730.00        |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Alternate Mark Inversion (AMI)                                                                                                                                                                                  |  |  |         |      |     |       |              |          |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Superframe Format                                                                                                                                                                                               |  |  |         |      |     | UEPMG | MCOSF        | 0.00     | 0.00                    | 0.00          |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Extended Superframe Format                                                                                                                                                                                      |  |  |         |      |     | UEPMG | MCOPO        | 0.00     | 0.00                    | 0.00          |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port                                                                                                                                    |  |  |         |      |     |       |              |          |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Exchange Ports                                                                                                                                                                                                  |  |  |         |      |     |       |              |          |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Line Side Combination Channelized PBX Trunk Port - Business                                                                                                                                                     |  |  |         |      |     | UEPPX | UEPCX        | 1.15     | 0.00                    | 0.00          | 0.00                             | 0.00                                 | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |               | Line Side Outward Channelized PBX Trunk Port - Business                                                                                                                                                         |  |  |         |      |     | UEPPX | UEPOX        | 1.15     | 0.00                    | 0.00          | 0.00                             | 0.00                                 | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |               | Line Side Inward Only Channelized PBX Trunk Port without DID                                                                                                                                                    |  |  |         |      |     | UEPPX | UEP1X        | 1.15     | 0.00                    | 0.00          | 0.00                             | 0.00                                 | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |               | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port                                                                                                                                                          |  |  |         |      |     | UEPPX | UEPDM        | 8.65     | 0.00                    | 0.00          | 0.00                             | 0.00                                 | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |               | Unbundled Exchange Ports, 2-Wire Channelized – Outdial – (AL, KY, LA, MS, & TN)(Conversion from Network Access Service)                                                                                         |  |  |         |      |     | UEPPX | UEPCY        | 1.15     | 0.00                    | 0.00          | 0.00                             | 0.00                                 | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |               | Unbundled Exchange Ports, 2-Wire Channelized – Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service)                                                                                      |  |  |         |      |     | UEPPX | UEPCT        | 1.15     | 0.00                    | 0.00          | 0.00                             | 0.00                                 | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |               | Unbundled Exchange Ports, 2-Wire Channelized – Outdial – Kentucky Only – Calling Plan                                                                                                                           |  |  |         |      |     | UEPPX | UEPCV        | 1.15     | 0.00                    | 0.00          | 0.00                             | 0.00                                 | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |               | Unbundled Exchange Ports, 2-Wire Channelized – Two Way - Kentucky Only – Calling Plan                                                                                                                           |  |  |         |      |     | UEPPX | UEPCW        | 1.15     | 0.00                    | 0.00          | 0.00                             | 0.00                                 | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |               | Feature Activations - Unbundled Loop Concentration                                                                                                                                                              |  |  |         |      |     |       |              |          |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |               | Feature (Service) Activation for each Line Port Terminated in D4 Bank                                                                                                                                           |  |  |         |      |     | UEPPX | 1PQWM        | 0.62     | 25.40                   | 13.41         | 4.17                             | 4.15                                 | 7.86                                                     |                                                            |                                                               |                                                                 |

| UNBUNDLED NETWORK ELEMENTS - Kentucky                                                                                                                                                                                                                                                              |               |                                                                                         |  |  |  |         |      |     |       |              |       | Attachment: 2                    |                                      | Exhibit: B                                               |                                                            |                                                               |                                                                 |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-----------------------------------------------------------------------------------------|--|--|--|---------|------|-----|-------|--------------|-------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|--|
| CATEGORY                                                                                                                                                                                                                                                                                           | RATE ELEMENTS |                                                                                         |  |  |  | Interim | Zone | BCS | USOC  | RATES (\$)   |       | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |  |
|                                                                                                                                                                                                                                                                                                    |               |                                                                                         |  |  |  |         |      |     |       |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |  |
|                                                                                                                                                                                                                                                                                                    |               |                                                                                         |  |  |  |         |      |     | Rec   | Nonrecurring |       | Nonrecurring Disconnect          |                                      | OSS Rates (\$)                                           |                                                            |                                                               |                                                                 |  |
|                                                                                                                                                                                                                                                                                                    |               |                                                                                         |  |  |  |         |      |     |       | First        | Add'l | First                            | Add'l                                | SOMEc                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           |  |
|                                                                                                                                                                                                                                                                                                    |               | Feature (Service) Activation for each Trunk Port Terminated in D4 Bank                  |  |  |  |         |      |     | UEPPX | 1PQWU        | 0.62  | 78.15                            | 19.68                                | 59.05                                                    | 11.54                                                      | 7.86                                                          |                                                                 |  |
|                                                                                                                                                                                                                                                                                                    |               | Telephone Number/ Group Establishment Charges for DID Service                           |  |  |  |         |      |     |       |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |  |
|                                                                                                                                                                                                                                                                                                    |               | DID Trunk Termination (1 per Port)                                                      |  |  |  |         |      |     | UEPPX | NDT          | 0.00  | 0.00                             | 0.00                                 |                                                          |                                                            | 7.86                                                          |                                                                 |  |
|                                                                                                                                                                                                                                                                                                    |               | DID Numbers - groups of 20 - Valid all States                                           |  |  |  |         |      |     | UEPPX | ND4          | 0.00  | 0.00                             | 0.00                                 |                                                          |                                                            | 7.86                                                          |                                                                 |  |
|                                                                                                                                                                                                                                                                                                    |               | Non-Consecutive DID Numbers - per number                                                |  |  |  |         |      |     | UEPPX | ND5          | 0.00  | 0.00                             | 0.00                                 |                                                          |                                                            | 7.86                                                          |                                                                 |  |
|                                                                                                                                                                                                                                                                                                    |               | Reserve Non-Consecutive DID Numbers                                                     |  |  |  |         |      |     | UEPPX | ND6          | 0.00  | 0.00                             | 0.00                                 |                                                          |                                                            | 7.86                                                          |                                                                 |  |
|                                                                                                                                                                                                                                                                                                    |               | Reserve DID Numbers                                                                     |  |  |  |         |      |     | UEPPX | NDV          | 0.00  | 0.00                             | 0.00                                 |                                                          |                                                            | 7.86                                                          |                                                                 |  |
|                                                                                                                                                                                                                                                                                                    |               | Local Number Portability                                                                |  |  |  |         |      |     |       |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |  |
|                                                                                                                                                                                                                                                                                                    |               | Local Number Portability - 1 per port                                                   |  |  |  |         |      |     | UEPPX | LNPCP        | 3.15  | 0.00                             | 0.00                                 |                                                          |                                                            |                                                               |                                                                 |  |
|                                                                                                                                                                                                                                                                                                    |               | FEATURES - Vertical and Optional                                                        |  |  |  |         |      |     |       |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |  |
|                                                                                                                                                                                                                                                                                                    |               | Local Switching Features Offered with Line Side Ports Only                              |  |  |  |         |      |     |       |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |  |
|                                                                                                                                                                                                                                                                                                    |               | All Features Available                                                                  |  |  |  |         |      |     | UEPPX | UEPVF        | 0.00  | 0.00                             | 0.00                                 |                                                          |                                                            |                                                               |                                                                 |  |
| UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES                                                                                                                                                                                                                                        |               |                                                                                         |  |  |  |         |      |     |       |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |  |
| 1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.                                                                                                                                              |               |                                                                                         |  |  |  |         |      |     |       |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |  |
| 2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.                                                                                                    |               |                                                                                         |  |  |  |         |      |     |       |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |  |
| 3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.                                                                       |               |                                                                                         |  |  |  |         |      |     |       |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |  |
| 4. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. Additional NRCs may apply also and are categorized accordingly. |               |                                                                                         |  |  |  |         |      |     |       |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |  |
| 5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis, until further notice.                                                                                                                                                                  |               |                                                                                         |  |  |  |         |      |     |       |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |  |
| UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)                                                                                                                                                                                                                                      |               |                                                                                         |  |  |  |         |      |     |       |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |  |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo                                                                                                                                                                                                                                             |               |                                                                                         |  |  |  |         |      |     |       |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |  |
| UNE Port/Loop Combination Rates (Non-Design)                                                                                                                                                                                                                                                       |               |                                                                                         |  |  |  |         |      |     |       |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |  |
|                                                                                                                                                                                                                                                                                                    |               | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design                |  |  |  |         |      | 1   | UEP91 |              | 10.79 |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |  |
|                                                                                                                                                                                                                                                                                                    |               | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design                 |  |  |  |         |      | 2   | UEP91 |              | 15.52 |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |  |
|                                                                                                                                                                                                                                                                                                    |               | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design                 |  |  |  |         |      | 3   | UEP91 |              | 31.74 |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |  |
| UNE Port/Loop Combination Rates (Design)                                                                                                                                                                                                                                                           |               |                                                                                         |  |  |  |         |      |     |       |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |  |
|                                                                                                                                                                                                                                                                                                    |               | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design                    |  |  |  |         |      | 1   | UEP91 |              | 13.82 |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |  |
|                                                                                                                                                                                                                                                                                                    |               | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design                     |  |  |  |         |      | 2   | UEP91 |              | 18.60 |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |  |
|                                                                                                                                                                                                                                                                                                    |               | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design                     |  |  |  |         |      | 3   | UEP91 |              | 34.37 |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |  |
| UNE Loop Rate                                                                                                                                                                                                                                                                                      |               |                                                                                         |  |  |  |         |      |     |       |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |  |
|                                                                                                                                                                                                                                                                                                    |               | 2-Wire Voice Grade Loop (SL 1) - Zone 1                                                 |  |  |  |         |      | 1   | UEP91 | UECS1        | 9.64  |                                  |                                      |                                                          |                                                            | 7.86                                                          |                                                                 |  |
|                                                                                                                                                                                                                                                                                                    |               | 2-Wire Voice Grade Loop (SL 1) - Zone 2                                                 |  |  |  |         |      | 2   | UEP91 | UECS1        | 14.37 |                                  |                                      |                                                          |                                                            | 7.86                                                          |                                                                 |  |
|                                                                                                                                                                                                                                                                                                    |               | 2-Wire Voice Grade Loop (SL 1) - Zone 3                                                 |  |  |  |         |      | 3   | UEP91 | UECS1        | 30.59 |                                  |                                      |                                                          |                                                            | 7.86                                                          |                                                                 |  |
|                                                                                                                                                                                                                                                                                                    |               | 2-Wire Voice Grade Loop (SL 2) - Zone 1                                                 |  |  |  |         |      | 1   | UEP91 | UECS2        | 12.67 |                                  |                                      |                                                          |                                                            | 7.86                                                          |                                                                 |  |
|                                                                                                                                                                                                                                                                                                    |               | 2-Wire Voice Grade Loop (SL 2) - Zone 2                                                 |  |  |  |         |      | 2   | UEP91 | UECS2        | 17.45 |                                  |                                      |                                                          |                                                            | 7.86                                                          |                                                                 |  |
|                                                                                                                                                                                                                                                                                                    |               | 2-Wire Voice Grade Loop (SL 2) - Zone 3                                                 |  |  |  |         |      | 3   | UEP91 | UECS2        | 33.22 |                                  |                                      |                                                          |                                                            | 7.86                                                          |                                                                 |  |
| UNE Ports                                                                                                                                                                                                                                                                                          |               |                                                                                         |  |  |  |         |      |     |       |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |  |
| All States (Except North Carolina and Sout Carolina)                                                                                                                                                                                                                                               |               |                                                                                         |  |  |  |         |      |     |       |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |  |
|                                                                                                                                                                                                                                                                                                    |               | 2-Wire Voice Grade Port (Centrex ) Basic Local Area                                     |  |  |  |         |      |     | UEP91 | UEPYA        | 1.15  | 21.29                            | 15.49                                | 2.85                                                     | 2.67                                                       |                                                               | 7.86                                                            |  |
|                                                                                                                                                                                                                                                                                                    |               | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area                       |  |  |  |         |      |     | UEP91 | UEPYB        | 1.15  | 21.29                            | 15.49                                | 2.85                                                     | 2.67                                                       |                                                               | 7.86                                                            |  |
|                                                                                                                                                                                                                                                                                                    |               | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area                       |  |  |  |         |      |     | UEP91 | UEPYH        | 1.15  | 21.29                            | 15.49                                | 2.85                                                     | 2.67                                                       |                                                               | 7.86                                                            |  |
|                                                                                                                                                                                                                                                                                                    |               | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area       |  |  |  |         |      |     | UEP91 | UEPYM        | 1.15  | 21.29                            | 15.49                                | 2.85                                                     | 2.67                                                       |                                                               | 7.86                                                            |  |
|                                                                                                                                                                                                                                                                                                    |               | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area |  |  |  |         |      |     | UEP91 | UEPYZ        | 1.15  | 21.29                            | 15.49                                | 2.85                                                     | 2.67                                                       |                                                               | 7.86                                                            |  |
|                                                                                                                                                                                                                                                                                                    |               | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area      |  |  |  |         |      |     | UEP91 | UEPY9        | 1.15  | 21.29                            | 15.49                                | 2.85                                                     | 2.67                                                       |                                                               | 7.86                                                            |  |
|                                                                                                                                                                                                                                                                                                    |               | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area               |  |  |  |         |      |     | UEP91 | UEPY2        | 1.15  | 21.29                            | 15.49                                | 2.85                                                     | 2.67                                                       |                                                               | 7.86                                                            |  |
| AL, KY, LA, MS, & TN Only                                                                                                                                                                                                                                                                          |               |                                                                                         |  |  |  |         |      |     |       |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |  |

| UNBUNDLED NETWORK ELEMENTS - Kentucky |                                                                                  |         |      |       |       |            |              |       |                         |       | Attachment: 2                    |                                      | Exhibit: B                                               |                                                            |                                                               |                                                                 |
|---------------------------------------|----------------------------------------------------------------------------------|---------|------|-------|-------|------------|--------------|-------|-------------------------|-------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|
| CATEGORY                              | RATE ELEMENTS                                                                    | Interim | Zone | BCS   | USOC  | RATES (\$) |              |       |                         |       | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|                                       |                                                                                  |         |      |       |       | Rec        | Nonrecurring |       | Nonrecurring Disconnect |       | OSS Rates (\$)                   |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |                                                                                  |         |      |       |       |            | First        | Add'l | First                   | Add'l | SOMEc                            | SOMAN                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           |
|                                       | 2-Wire Voice Grade Port (Centrex )                                               |         |      | UEP91 | UEPQA | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67  |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | 2-Wire Voice Grade Port (Centrex 800 termination)                                |         |      | UEP91 | UEPQB | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67  |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | 2-Wire Voice Grade Port (Centrex with Caller ID)1                                |         |      | UEP91 | UEPQH | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67  |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2                 |         |      | UEP91 | UEPQM | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67  |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term             |         |      | UEP91 | UEPQZ | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67  |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | 2-Wire Voice Grade Port terminated in on Megalink or equivalent                  |         |      | UEP91 | UEPQ9 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67  |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | 2-Wire Voice Grade Port Terminated on 800 Service Term                           |         |      | UEP91 | UEPQ2 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67  |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | Local Switching                                                                  |         |      |       |       |            |              |       |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | Centrex Intercom Funtionality, per port                                          |         |      | UEP91 | URECS | 0.8873     |              |       |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | Local Number Portability                                                         |         |      |       |       |            |              |       |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | Local Number Portability (1 per port)                                            |         |      | UEP91 | LNPCc | 0.35       |              |       |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | Features                                                                         |         |      |       |       |            |              |       |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | All Standard Features Offered, per port                                          |         |      | UEP91 | UEPVF | 0.00       |              |       |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | All Select Features Offered, per port                                            |         |      | UEP91 | UEPVS | 0.00       | 405.66       |       |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | All Centrex Control Features Offered, per port                                   |         |      | UEP91 | UEPVC | 0.00       |              |       |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | NARS                                                                             |         |      |       |       |            |              |       |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | Unbundled Network Access Register - Combination                                  |         |      | UEP91 | UARCX | 0.00       | 0.00         | 0.00  |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | Unbundled Network Access Register - Indial                                       |         |      | UEP91 | UAR1X | 0.00       | 0.00         | 0.00  |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | Unbundled Network Access Register - Outdial                                      |         |      | UEP91 | UAROx | 0.00       | 0.00         | 0.00  |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | Miscellaneous Terminations                                                       |         |      |       |       |            |              |       |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | 2-Wire Trunk Side                                                                |         |      |       |       |            |              |       |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | Trunk Side Terminations, each                                                    |         |      | UEP91 | CENA6 | 10.51      | 92.18        | 15.82 | 52.16                   | 5.30  |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | Interoffice Channel Mileage - 2-Wire                                             |         |      |       |       |            |              |       |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | Interoffice Channel Facilities Termination - Voice Grade                         |         |      | UEP91 | M1GBC | 29.11      |              |       |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | Interoffice Channel mileage, per mile or fraction of mile                        |         |      | UEP91 | M1GBM | 0.01       |              |       |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service               |         |      |       |       |            |              |       |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | D4 Channel Bank Feature Activations                                              |         |      |       |       |            |              |       |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | Feature Activation on D-4 Channel Bank Centrex Loop Slot                         |         |      | UEP91 | 1PQWS | 0.62       |              |       |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | Feature Activation on D-4 Channel Bank FX line Side Loop Slot                    |         |      | UEP91 | 1PQW6 | 0.62       |              |       |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot                   |         |      | UEP91 | 1PQW7 | 0.62       |              |       |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center |         |      | UEP91 | 1PQWP | 0.62       |              |       |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | Feature Activation on D-4 Channel Bank Private Line Loop Slot                    |         |      | UEP91 | 1PQWV | 0.62       |              |       |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot                 |         |      | UEP91 | 1PQWQ | 0.62       |              |       |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | Feature Activation on D-4 Channel Bank WATS Loop Slot                            |         |      | UEP91 | 1PQWA | 0.62       |              |       |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | Non-Recurring Charges (NRC) Associated with UNE-P Centrex                        |         |      |       |       |            |              |       |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | Conversion - Currently Combined Switch-As-Is with allowed changes, per port      |         |      | UEP91 | USAC2 |            | 0.102        | 0.102 |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | Conversion of Existing Centrex Common Block                                      |         |      | UEP91 | USACN |            | 18.95        | 8.32  |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | New Centrex Standard Common Block                                                |         |      | UEP91 | M1ACS | 0.00       | 669.80       | 78.32 | 111.05                  | 13.27 |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | New Centrex Customized Common Block                                              |         |      | UEP91 | M1ACC | 0.00       | 669.80       | 78.32 | 111.05                  | 13.27 |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | Secondary Block, per Block                                                       |         |      | UEP91 | M2CC1 | 0.00       | 78.32        | 78.32 | 13.27                   | 13.27 |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | NAR Establishment Charge, Per Occasion                                           |         |      | UEP91 | URECA | 0.00       | 72.75        |       |                         |       |                                  | 7.86                                 |                                                          |                                                            |                                                               |                                                                 |
|                                       | UNE-P CENTREX - 5ESS (Valid in All States)                                       |         |      |       |       |            |              |       |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo                           |         |      |       |       |            |              |       |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | UNE Port/Loop Combination Rates (Non-Design)                                     |         |      |       |       |            |              |       |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design         |         | 1    | UEP95 |       | 10.79      |              |       |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design          |         | 2    | UEP95 |       | 15.52      |              |       |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design          |         | 3    | UEP95 |       | 31.74      |              |       |                         |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |

| UNBUNDLED NETWORK ELEMENTS - Kentucky |               |                                                                                         |         |      |       |       |            |              |       |                         |                                  | Attachment: 2                        |                                                          | Exhibit: B                                                 |                                                               |                                                                 |       |
|---------------------------------------|---------------|-----------------------------------------------------------------------------------------|---------|------|-------|-------|------------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|-------|
| CATEGORY                              | RATE ELEMENTS |                                                                                         | Interim | Zone | BCS   | USOC  | RATES (\$) |              |       |                         | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |       |
|                                       |               |                                                                                         |         |      |       |       | Rec        | Nonrecurring |       | Nonrecurring Disconnect |                                  | OSS Rates (\$)                       |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               |                                                                                         |         |      |       |       |            | First        | Add'l | First                   | Add'l                            | SOMEc                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           | SOMAN |
|                                       |               | UNE Port/Loop Combination Rates (Design)                                                |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design                    |         | 1    | UEP95 |       | 13.82      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design                     |         | 2    | UEP95 |       | 18.60      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design                     |         | 3    | UEP95 |       | 34.37      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | UNE Loop Rate                                                                           |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Grade Loop (SL 1) - Zone 1                                                 |         | 1    | UEP95 | UECS1 | 9.64       |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Grade Loop (SL 1) - Zone 2                                                 |         | 2    | UEP95 | UECS1 | 14.37      |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Grade Loop (SL 1) - Zone 3                                                 |         | 3    | UEP95 | UECS1 | 30.59      |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Grade Loop (SL 2) - Zone 1                                                 |         | 1    | UEP95 | UECS2 | 12.67      |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Grade Loop (SL 2) - Zone 2                                                 |         | 2    | UEP95 | UECS2 | 17.45      |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Grade Loop (SL 2) - Zone 3                                                 |         | 3    | UEP95 | UECS2 | 33.22      |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | UNE Port Rate                                                                           |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | All States                                                                              |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Grade Port (Centrex ) Basic Local Area                                     |         |      | UEP95 | UEPYA | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Grade Port (Centrex 800 termination)                                       |         |      | UEP95 | UEPYB | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area                       |         |      | UEP95 | UEPYH | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area       |         |      | UEP95 | UEPYM | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area |         |      | UEP95 | UEPYZ | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area      |         |      | UEP95 | UEPY9 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area               |         |      | UEP95 | UEPY2 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | AL, KY, LA, MS, SC, & TN Only                                                           |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Grade Port (Centrex )                                                      |         |      | UEP95 | UEPQA | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Grade Port (Centrex 800 termination)                                       |         |      | UEP95 | UEPQB | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Grade Port (Centrex with Caller ID)1                                       |         |      | UEP95 | UEPQH | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2                        |         |      | UEP95 | UEPQM | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term                    |         |      | UEP95 | UEPQZ | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Grade Port terminated in on Megalink or equivalent                         |         |      | UEP95 | UEPQ9 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Voice Grade Port Terminated on 800 Service Term                                  |         |      | UEP95 | UEPQ2 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | Local Switching                                                                         |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | Centrex Intercom Funtionality, per port                                                 |         |      | UEP95 | URECS | 0.8873     |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | Local Number Portability                                                                |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | Local Number Portability (1 per port)                                                   |         |      | UEP95 | LNPCC | 0.35       |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | Features                                                                                |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | All Standard Features Offered, per port                                                 |         |      | UEP95 | UEPVF | 0.00       |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | All Select Features Offered, per port                                                   |         |      | UEP95 | UEPVS | 0.00       | 405.66       |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | All Centrex Control Features Offered, per port                                          |         |      | UEP95 | UEPVC | 0.00       |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | NARS                                                                                    |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | Unbundled Network Access Register - Combination                                         |         |      | UEP95 | UARCX | 0.00       | 0.00         | 0.00  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | Unbundled Network Access Register - Indial                                              |         |      | UEP95 | UAR1X | 0.00       | 0.00         | 0.00  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | Unbundled Network Access Register - Outdial                                             |         |      | UEP95 | UAROx | 0.00       | 0.00         | 0.00  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | Miscellaneous Terminations                                                              |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | 2-Wire Trunk Side                                                                       |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | Trunk Side Terminations, each                                                           |         |      | UEP95 | CEND6 | 10.51      | 92.18        | 15.82 | 52.16                   | 5.30                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | 4-Wire Digital (1.544 Megabits)                                                         |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | DS1 Circuit Terminations, each                                                          |         |      | UEP95 | M1HD1 | 74.77      | 164.86       | 77.74 | 60.69                   | 3.86                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | DS0 Channels Activated, each                                                            |         |      | UEP95 | M1HDO | 0.00       | 15.09        |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |               | Interoffice Channel Mileage - 2-Wire                                                    |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |               | Interoffice Channel Facilities Termination                                              |         |      | UEP95 | MIGBC | 29.11      |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |

| UNBUNDLED NETWORK ELEMENTS - Kentucky |                                                                                  |         |      |       |       |            |              |       |                         |                                  |                                      | Attachment: 2                                            |                                                            | Exhibit: B                                                    |                                                                 |
|---------------------------------------|----------------------------------------------------------------------------------|---------|------|-------|-------|------------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|
| CATEGORY                              | RATE ELEMENTS                                                                    | Interim | Zone | BCS   | USOC  | RATES (\$) |              |       |                         | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|                                       |                                                                                  |         |      |       |       | Rec        | Nonrecurring |       | Nonrecurring Disconnect |                                  | OSS Rates (\$)                       |                                                          |                                                            |                                                               |                                                                 |
|                                       |                                                                                  |         |      |       |       |            | First        | Add'l | First                   | Add'l                            | SOME C                               | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           |
|                                       | Interoffice Channel mileage, per mile or fraction of mile                        |         |      | UEP95 | MIGBM | 0.01       |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | D4 Channel Bank Feature Activations                                              |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | Feature Activation on D-4 Channel Bank Centrex Loop Slot                         |         |      | UEP95 | 1PQWS | 0.62       |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       | Feature Activation on D-4 Channel Bank FX line Side Loop Slot                    |         |      | UEP95 | 1PQW6 | 0.62       |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot                   |         |      | UEP95 | 1PQW7 | 0.62       |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center |         |      | UEP95 | 1PQWP | 0.62       |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       | Feature Activation on D-4 Channel Bank Private Line Loop Slot                    |         |      | UEP95 | 1PQWV | 0.62       |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       | Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot                 |         |      | UEP95 | 1PQWQ | 0.62       |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       | Feature Activation on D-4 Channel Bank WATS Loop Slot                            |         |      | UEP95 | 1PQWA | 0.62       |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       | Non-Recurring Charges (NRC) Associated with UNE-P Centrex                        |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port    |         |      | UEP95 | USAC2 |            | 0.102        | 0.102 |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       | Conversion of Existing Centrex Common Block, each                                |         |      | UEP95 | USACN |            | 18.95        | 8.32  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       | New Centrex Standard Common Block                                                |         |      | UEP95 | M1ACS | 0.00       | 669.80       | 78.32 | 111.05                  | 13.27                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       | New Centrex Customized Common Block                                              |         |      | UEP95 | M1ACC | 0.00       | 669.80       | 78.32 | 111.05                  | 13.27                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       | NAR Establishment Charge, Per Occasion                                           |         |      | UEP95 | URECA | 0.00       | 72.75        |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       | UNE-P CENTREX - DMS100 (Valid in All States)                                     |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo                           |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | UNE Port/Loop Combination Rates (Non-Design)                                     |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design         |         | 1    | UEP9D |       | 10.79      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design          |         | 2    | UEP9D |       | 15.52      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design          |         | 3    | UEP9D |       | 31.74      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | UNE Port/Loop Combination Rates (Design)                                         |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design             |         | 1    | UEP9D |       | 13.82      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design              |         | 2    | UEP9D |       | 18.60      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design              |         | 3    | UEP9D |       | 34.37      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | UNE Loop Rate                                                                    |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | 2-Wire Voice Grade Loop (SL 1) - Zone 1                                          |         | 1    | UEP9D | UECS1 | 9.64       |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       | 2-Wire Voice Grade Loop (SL 1) - Zone 2                                          |         | 2    | UEP9D | UECS1 | 14.37      |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       | 2-Wire Voice Grade Loop (SL 1) - Zone 3                                          |         | 3    | UEP9D | UECS1 | 30.59      |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       | 2-Wire Voice Grade Loop (SL 2) - Zone 1                                          |         | 1    | UEP9D | UECS2 | 12.67      |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       | 2-Wire Voice Grade Loop (SL 2) - Zone 2                                          |         | 2    | UEP9D | UECS2 | 17.45      |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       | 2-Wire Voice Grade Loop (SL 2) - Zone 3                                          |         | 3    | UEP9D | UECS2 | 33.22      |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       | UNE Port Rate                                                                    |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | ALL STATES                                                                       |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       | 2-Wire Voice Grade Port (Centrex ) Basic Local Area                              |         |      | UEP9D | UEPYA | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area                |         |      | UEP9D | UEPYB | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area                    |         |      | UEP9D | UEPYC | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area                   |         |      | UEP9D | UEPYD | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 Basic Local Area                  |         |      | UEP9D | UEPYE | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 Basic Local Area                  |         |      | UEP9D | UEPYF | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |

| UNBUNDLED NETWORK ELEMENTS - Kentucky |                               |                                                                                        |         |      |       |       |            |              |       |                         |                                  | Attachment: 2                        |                                                          | Exhibit: B                                                 |                                                               |                                                                 |       |
|---------------------------------------|-------------------------------|----------------------------------------------------------------------------------------|---------|------|-------|-------|------------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|-------|
| CATEGORY                              |                               | RATE ELEMENTS                                                                          | Interim | Zone | BCS   | USOC  | RATES (\$) |              |       |                         | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |       |
|                                       |                               |                                                                                        |         |      |       |       | Rec        | Nonrecurring |       | Nonrecurring Disconnect |                                  | OSS Rates (\$)                       |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |                               |                                                                                        |         |      |       |       |            | First        | Add'l | First                   | Add'l                            | SOMEc                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           | SOMAN |
|                                       |                               | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area                        |         |      | UEP9D | UEPYG | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area                       |         |      | UEP9D | UEPYT | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area                       |         |      | UEP9D | UEPYU | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area                       |         |      | UEP9D | UEPYV | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area                       |         |      | UEP9D | UEPY3 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area                      |         |      | UEP9D | UEPYH | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area |         |      | UEP9D | UEPYW | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area           |         |      | UEP9D | UEPYJ | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area     |         |      | UEP9D | UEPYM | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area            |         |      | UEP9D | UEPYO | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area           |         |      | UEP9D | UEPYP | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area            |         |      | UEP9D | UEPYQ | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area           |         |      | UEP9D | UEPYR | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area           |         |      | UEP9D | UEPYS | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area           |         |      | UEP9D | UEPY4 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area           |         |      | UEP9D | UEPY5 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area           |         |      | UEP9D | UEPY6 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area           |         |      | UEP9D | UEPY7 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term                   |         |      | UEP9D | UEPYZ | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area       |         |      | UEP9D | UEPY9 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area                |         |      | UEP9D | UEPY2 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       | AL, KY, LA, MS, SC, & TN Only |                                                                                        |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex)                                                      |         |      | UEP9D | UEPQA | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex 800 termination)                                      |         |      | UEP9D | UEPQB | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3                                          |         |      | UEP9D | UEPQC | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3                                         |         |      | UEP9D | UEPQD | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3                                         |         |      | UEP9D | UEPQE | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3                                         |         |      | UEP9D | UEPQF | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3                                         |         |      | UEP9D | UEPQG | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3                                         |         |      | UEP9D | UEPQT | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3                                         |         |      | UEP9D | UEPQU | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3                                         |         |      | UEP9D | UEPQV | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3                                         |         |      | UEP9D | UEPQ3 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex with Caller ID)                                       |         |      | UEP9D | UEPQH | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3                   |         |      | UEP9D | UEPQW | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                       |                               | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3                             |         |      | UEP9D | UEPQJ | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |

| UNBUNDLED NETWORK ELEMENTS - Kentucky |                                                                    |                                                                                  |             |      |       |       |            |              |       |                         |                                           | Attachment: 2                                 |                                                                          | Exhibit: B                                                                 |                                                                               |                                                                                 |
|---------------------------------------|--------------------------------------------------------------------|----------------------------------------------------------------------------------|-------------|------|-------|-------|------------|--------------|-------|-------------------------|-------------------------------------------|-----------------------------------------------|--------------------------------------------------------------------------|----------------------------------------------------------------------------|-------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| CATEGORY                              | RATE ELEMENTS                                                      |                                                                                  | Interi<br>m | Zone | BCS   | USOC  | RATES (\$) |              |       |                         | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'l | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc Add'l |
|                                       |                                                                    |                                                                                  |             |      |       |       | Rec        | Nonrecurring |       | Nonrecurring Disconnect |                                           | OSS Rates (\$)                                |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    |                                                                                  |             |      |       |       |            | First        | Add'l | First                   | Add'l                                     | SOMEc                                         | SOMAN                                                                    | SOMAN                                                                      | SOMAN                                                                         | SOMAN                                                                           |
|                                       |                                                                    | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2                |             |      | UEP9D | UEPQM | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3                       |             |      | UEP9D | UEPQO | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3                      |             |      | UEP9D | UEPQP | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3                       |             |      | UEP9D | UEPQQ | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3                      |             |      | UEP9D | UEPQR | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3                      |             |      | UEP9D | UEPQS | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3                      |             |      | UEP9D | UEPQ4 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3                      |             |      | UEP9D | UEPQ5 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3                      |             |      | UEP9D | UEPQ6 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3                      |             |      | UEP9D | UEPQ7 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term             |             |      | UEP9D | UEPQZ | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | 2-Wire Voice Grade Port terminated in on Megalink or equivalent                  |             |      | UEP9D | UEPQ9 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | 2-Wire Voice Grade Port Terminated on 800 Service Term                           |             |      | UEP9D | UEPQ2 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       | Local Switching                                                    |                                                                                  |             |      |       |       |            |              |       |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | Centrex Intercom Funtionality, per port                                          |             |      | UEP9D | URECS | 0.8873     |              |       |                         |                                           |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       | Local Number Portability                                           |                                                                                  |             |      |       |       |            |              |       |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | Local Number Portability (1 per port)                                            |             |      | UEP9D | LNPCc | 0.35       |              |       |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                       | Features                                                           |                                                                                  |             |      |       |       |            |              |       |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | All Standard Features Offered, per port                                          |             |      | UEP9D | UEPVF | 0.00       |              |       |                         |                                           |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | All Select Features Offered, per port                                            |             |      | UEP9D | UEPVS | 0.00       | 405.66       |       |                         |                                           |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | All Centrex Control Features Offered, per port                                   |             |      | UEP9D | UEPVC | 0.00       |              |       |                         |                                           |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       | NARS                                                               |                                                                                  |             |      |       |       |            |              |       |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | Unbundled Network Access Register - Combination                                  |             |      | UEP9D | UARCX | 0.00       | 0.00         | 0.00  |                         |                                           |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | Unbundled Network Access Register - Inward                                       |             |      | UEP9D | UAR1X | 0.00       | 0.00         | 0.00  |                         |                                           |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | Unbundled Network Access Register - Outdial                                      |             |      | UEP9D | UAROx | 0.00       | 0.00         | 0.00  |                         |                                           |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       | Miscellaneous Terminations                                         |                                                                                  |             |      |       |       |            |              |       |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                       | 2-Wire Trunk Side                                                  |                                                                                  |             |      |       |       |            |              |       |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | Trunk Side Terminations, each                                                    |             |      | UEP9D | CEND6 | 10.51      | 92.18        | 15.82 | 52.16                   | 5.30                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       | 4-Wire Digital (1.544 Megabits)                                    |                                                                                  |             |      |       |       |            |              |       |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | DS1 Circuit Terminations, each                                                   |             |      | UEP9D | M1HD1 | 74.77      | 164.86       | 77.74 | 60.69                   | 3.86                                      |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | DS0 Channels Activiated per Channel                                              |             |      | UEP9D | M1HDO | 0.00       | 15.09        |       |                         |                                           |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       | Interoffice Channel Mileage - 2-Wire                               |                                                                                  |             |      |       |       |            |              |       |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | Interoffice Channel Facilities Termination                                       |             |      | UEP9D | MIGBC | 29.11      |              |       |                         |                                           |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | Interoffice Channel mileage, per mile or fraction of mile                        |             |      | UEP9D | MIGBM | 0.01       |              |       |                         |                                           |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service |                                                                                  |             |      |       |       |            |              |       |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                       | D4 Channel Bank Feature Activations                                |                                                                                  |             |      |       |       |            |              |       |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | Feature Activation on D-4 Channel Bank Centrex Loop Slot                         |             |      | UEP9D | 1PQWS | 0.62       |              |       |                         |                                           |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | Feature Activation on D-4 Channel Bank FX line Side Loop Slot                    |             |      | UEP9D | 1PQW6 | 0.62       |              |       |                         |                                           |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot                   |             |      | UEP9D | 1PQW7 | 0.62       |              |       |                         |                                           |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center |             |      | UEP9D | 1PQWP | 0.62       |              |       |                         |                                           |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | Feature Activation on D-4 Channel Bank Private Line Loop Slot                    |             |      | UEP9D | 1PQWV | 0.62       |              |       |                         |                                           |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot                 |             |      | UEP9D | 1PQWQ | 0.62       |              |       |                         |                                           |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       |                                                                    | Feature Activation on D-4 Channel Bank WATS Loop Slot                            |             |      | UEP9D | 1PQWA | 0.62       |              |       |                         |                                           |                                               | 7.86                                                                     |                                                                            |                                                                               |                                                                                 |
|                                       | Non-Recurring Charges (NRC) Associated with UNE-P Centrex          |                                                                                  |             |      |       |       |            |              |       |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |

| UNBUNDLED NETWORK ELEMENTS - Kentucky                   |                                                                                         |         |      |       |       |            |              |       |                         |                                  |                                      | Attachment: 2                                            |                                                            | Exhibit: B                                                    |                                                                 |
|---------------------------------------------------------|-----------------------------------------------------------------------------------------|---------|------|-------|-------|------------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|
| CATEGORY                                                | RATE ELEMENTS                                                                           | Interim | Zone | BCS   | USOC  | RATES (\$) |              |       |                         | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|                                                         |                                                                                         |         |      |       |       | Rec        | Nonrecurring |       | Nonrecurring Disconnect |                                  | OSS Rates (\$)                       |                                                          |                                                            |                                                               |                                                                 |
|                                                         |                                                                                         |         |      |       |       |            | First        | Add'l | First                   | Add'l                            | SOMEc                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           |
|                                                         | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port           |         |      | UEP9D | USAC2 |            | 0.102        | 0.102 |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                         | Conversion of existing Centrex Common Block, each                                       |         |      | UEP9D | USACN |            | 18.95        | 8.32  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                         | New Centrex Standard Common Block                                                       |         |      | UEP9D | M1ACS | 0.00       | 669.80       | 78.32 | 111.05                  | 13.27                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                         | New Centrex Customized Common Block                                                     |         |      | UEP9D | M1ACC | 0.00       | 669.80       | 78.32 | 111.05                  | 13.27                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                         | NAR Establishment Charge, Per Occasion                                                  |         |      | UEP9D | URECA | 0.00       | 72.75        |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
| UNE-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) |                                                                                         |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo  |                                                                                         |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| UNE Port/Loop Combination Rates (Non-Design)            |                                                                                         |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                         | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design                |         | 1    | UEP9E |       | 10.79      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                         | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design                 |         | 2    | UEP9E |       | 15.52      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                         | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design                 |         | 3    | UEP9E |       | 31.74      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| UNE Port/Loop Combination Rates (Design)                |                                                                                         |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                         | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design                    |         | 1    | UEP9E |       | 13.82      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                         | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design                     |         | 2    | UEP9E |       | 18.60      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                         | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design                     |         | 3    | UEP9E |       | 34.37      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| UNE Loop Rate                                           |                                                                                         |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                         | 2-Wire Voice Grade Loop (SL 1) - Zone 1                                                 |         | 1    | UEP9E | UECS1 | 9.64       |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                         | 2-Wire Voice Grade Loop (SL 1) - Zone 2                                                 |         | 2    | UEP9E | UECS1 | 14.37      |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                         | 2-Wire Voice Grade Loop (SL 1) - Zone 3                                                 |         | 3    | UEP9E | UECS1 | 30.59      |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                         | 2-Wire Voice Grade Loop (SL 2) - Zone 1                                                 |         | 1    | UEP9E | UECS2 | 12.67      |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                         | 2-Wire Voice Grade Loop (SL 2) - Zone 2                                                 |         | 2    | UEP9E | UECS2 | 17.45      |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                         | 2-Wire Voice Grade Loop (SL 2) - Zone 3                                                 |         | 3    | UEP9E | UECS2 | 33.22      |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
| UNE Port Rate                                           |                                                                                         |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| AL, FL, KY, LA, MS, & TN only                           |                                                                                         |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                         | 2-Wire Voice Grade Port (Centrex ) Basic Local Area                                     |         |      | UEP9E | UEPYA | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                         | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area                       |         |      | UEP9E | UEPYB | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                         | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area                       |         |      | UEP9E | UEPYH | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                         | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area       |         |      | UEP9E | UEPYM | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                         | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area |         |      | UEP9E | UEPYZ | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                         | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area      |         |      | UEP9E | UEPY9 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                         | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area               |         |      | UEP9E | UEPY2 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
| AL, KY, LA, MS, & TN Only                               |                                                                                         |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                         | 2-Wire Voice Grade Port (Centrex )                                                      |         |      | UEP9E | UEPQA | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                         | 2-Wire Voice Grade Port (Centrex 800 termination)                                       |         |      | UEP9E | UEPQB | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                         | 2-Wire Voice Grade Port (Centrex with Caller ID)1                                       |         |      | UEP9E | UEPQH | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                         | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2                        |         |      | UEP9E | UEPQM | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                         | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term                    |         |      | UEP9E | UEPQZ | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                         | 2-Wire Voice Grade Port terminated in on Megalink or equivalent                         |         |      | UEP9E | UEPQ9 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                         | 2-Wire Voice Grade Port Terminated on 800 Service Term                                  |         |      | UEP9E | UEPQ2 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
| Local Switching                                         |                                                                                         |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                         | Centrex Intercom Funtionality, per port                                                 |         |      | UEP9E | URECS | 0.8873     |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
| Local Number Portability                                |                                                                                         |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                         | Local Number Portability (1 per port)                                                   |         |      | UEP9E | LNPCC | 0.35       |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |

| UNBUNDLED NETWORK ELEMENTS - Kentucky                              |               |                                                                                  |  |  |         |      |     |       |              |       |                         | Attachment: 2 |                                  | Exhibit: B                           |                                                          |                                                            |                                                               |                                                                 |
|--------------------------------------------------------------------|---------------|----------------------------------------------------------------------------------|--|--|---------|------|-----|-------|--------------|-------|-------------------------|---------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|
| CATEGORY                                                           | RATE ELEMENTS |                                                                                  |  |  | Interim | Zone | BCS | USOC  | RATES (\$)   |       |                         |               | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|                                                                    |               |                                                                                  |  |  |         |      |     |       |              |       |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                    |               |                                                                                  |  |  |         |      |     | Rec   | Nonrecurring |       | Nonrecurring Disconnect |               | OSS Rates (\$)                   |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                    |               |                                                                                  |  |  |         |      |     |       | First        | Add'l | First                   | Add'l         | SOMEc                            | SOMAN                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           |
|                                                                    | Features      |                                                                                  |  |  |         |      |     |       |              |       |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                    |               | All Standard Features Offered, per port                                          |  |  |         |      |     | UEP9E | UEPVF        | 0.00  |                         |               |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                    |               | All Select Features Offered, per port                                            |  |  |         |      |     | UEP9E | UEPVS        | 0.00  | 405.66                  |               |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                    |               | All Centrex Control Features Offered, per port                                   |  |  |         |      |     | UEP9E | UEPVC        | 0.00  |                         |               |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                                                    | NARS          |                                                                                  |  |  |         |      |     |       |              |       |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                    |               | Unbundled Network Access Register - Combination                                  |  |  |         |      |     | UEP9E | UARCX        | 0.00  | 0.00                    | 0.00          |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                    |               | Unbundled Network Access Register - Indial                                       |  |  |         |      |     | UEP9E | UAR1X        | 0.00  | 0.00                    | 0.00          |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                    |               | Unbundled Network Access Register - Outdial                                      |  |  |         |      |     | UEP9E | UAROx        | 0.00  | 0.00                    | 0.00          |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| Miscellaneous Terminations                                         |               |                                                                                  |  |  |         |      |     |       |              |       |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| 2-Wire Trunk Side                                                  |               |                                                                                  |  |  |         |      |     |       |              |       |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                    |               | Trunk Side Terminations, each                                                    |  |  |         |      |     | UEP9E | CEND6        | 10.51 | 92.18                   | 15.82         | 52.16                            | 5.30                                 |                                                          | 7.86                                                       |                                                               |                                                                 |
| 4-Wire Digital (1.544 Megabits)                                    |               |                                                                                  |  |  |         |      |     |       |              |       |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                    |               | DS1 Circuit Terminations, each                                                   |  |  |         |      |     | UEP9E | M1HD1        | 74.77 | 164.86                  | 77.74         | 60.69                            | 3.86                                 |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                    |               | DS0 Channel Activated Per Channel                                                |  |  |         |      |     | UEP9E | M1HDO        | 0.00  | 15.09                   |               |                                  |                                      |                                                          | 7.86                                                       |                                                               |                                                                 |
| Interoffice Channel Mileage - 2-Wire                               |               |                                                                                  |  |  |         |      |     |       |              |       |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                    |               | Interoffice Channel Facilities Termination                                       |  |  |         |      |     | UEP9E | MIGBC        | 29.11 |                         |               |                                  |                                      |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                    |               | Interoffice Channel mileage, per mile or fraction of mile                        |  |  |         |      |     | UEP9E | MIGBM        | 0.01  |                         |               |                                  |                                      |                                                          | 7.86                                                       |                                                               |                                                                 |
| Feature Activations (DS0) Centrex Loops on Channelized DS1 Service |               |                                                                                  |  |  |         |      |     |       |              |       |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| D4 Channel Bank Feature Activations                                |               |                                                                                  |  |  |         |      |     |       |              |       |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                    |               | Feature Activation on D-4 Channel Bank Centrex Loop Slot                         |  |  |         |      |     | UEP9E | 1PQWS        | 0.62  |                         |               |                                  |                                      |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                    |               | Feature Activation on D-4 Channel Bank FX line Side Loop Slot                    |  |  |         |      |     | UEP9E | 1PQW6        | 0.62  |                         |               |                                  |                                      |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                    |               | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot                   |  |  |         |      |     | UEP9E | 1PQW7        | 0.62  |                         |               |                                  |                                      |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                    |               | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center |  |  |         |      |     | UEP9E | 1PQWP        | 0.62  |                         |               |                                  |                                      |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                    |               | Feature Activation on D-4 Channel Bank Private Line Loop Slot                    |  |  |         |      |     | UEP9E | 1PQWV        | 0.62  |                         |               |                                  |                                      |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                    |               | Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot                 |  |  |         |      |     | UEP9E | 1PQWQ        | 0.62  |                         |               |                                  |                                      |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                    |               | Feature Activation on D-4 Channel Bank WATS Loop Slot                            |  |  |         |      |     | UEP9E | 1PQWA        | 0.62  |                         |               |                                  |                                      |                                                          | 7.86                                                       |                                                               |                                                                 |
| Non-Recurring Charges (NRC) Associated with UNE-P Centrex          |               |                                                                                  |  |  |         |      |     |       |              |       |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                    |               | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port    |  |  |         |      |     | UEP9E | USAC2        |       | 0.102                   | 0.102         |                                  |                                      |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                    |               | Conversion of Existing Centrex Common Block, each                                |  |  |         |      |     | UEP9E | USACN        |       | 18.95                   | 8.32          |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                    |               | New Centrex Standard Common Block                                                |  |  |         |      |     | UEP9E | M1ACS        | 0.00  | 669.80                  | 78.32         | 111.05                           | 13.27                                |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                    |               | New Centrex Customized Common Block                                              |  |  |         |      |     | UEP9E | M1ACC        | 0.00  | 669.80                  | 78.32         | 111.05                           | 13.27                                |                                                          | 7.86                                                       |                                                               |                                                                 |
|                                                                    |               | NAR Establishment Charge, Per Occasion                                           |  |  |         |      |     | UEP9E | URECA        | 0.00  | 72.75                   |               |                                  |                                      |                                                          | 7.86                                                       |                                                               |                                                                 |
| UNE-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)               |               |                                                                                  |  |  |         |      |     |       |              |       |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo             |               |                                                                                  |  |  |         |      |     |       |              |       |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| UNE Port/Loop Combination Rates (Non-Design)                       |               |                                                                                  |  |  |         |      |     |       |              |       |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                    |               | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design         |  |  |         |      | 1   | UEP93 |              | 10.79 |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                    |               | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design          |  |  |         |      | 2   | UEP93 |              | 15.52 |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                    |               | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design          |  |  |         |      | 3   | UEP93 |              | 31.74 |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| UNE Port/Loop Combination Rates (Design)                           |               |                                                                                  |  |  |         |      |     |       |              |       |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                    |               | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design             |  |  |         |      | 1   | UEP93 |              | 13.82 |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                    |               | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design              |  |  |         |      | 2   | UEP93 |              | 18.60 |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                    |               | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design              |  |  |         |      | 3   | UEP93 |              | 34.37 |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| UNE Loop Rate                                                      |               |                                                                                  |  |  |         |      |     |       |              |       |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                    |               | 2-Wire Voice Grade Loop (SL 1) - Zone 1                                          |  |  |         |      | 1   | UEP93 | UECS1        | 9.64  |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                    |               | 2-Wire Voice Grade Loop (SL 1) - Zone 2                                          |  |  |         |      | 2   | UEP93 | UECS1        | 14.37 |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                    |               | 2-Wire Voice Grade Loop (SL 1) - Zone 3                                          |  |  |         |      | 3   | UEP93 | UECS1        | 30.59 |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                    |               | 2-Wire Voice Grade Loop (SL 2) - Zone 1                                          |  |  |         |      | 1   | UEP93 | UECS2        | 12.67 |                         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |

| UNBUNDLED NETWORK ELEMENTS - Kentucky |  |                                                                                         |         |      |       |       |            |              |       |                         |                                  | Attachment: 2                        |                                                          | Exhibit: B                                                 |                                                               |                                                                 |
|---------------------------------------|--|-----------------------------------------------------------------------------------------|---------|------|-------|-------|------------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|
| CATEGORY                              |  | RATE ELEMENTS                                                                           | Interim | Zone | BCS   | USOC  | RATES (\$) |              |       |                         | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|                                       |  |                                                                                         |         |      |       |       | Rec        | Nonrecurring |       | Nonrecurring Disconnect |                                  | OSS Rates (\$)                       |                                                          |                                                            |                                                               |                                                                 |
|                                       |  |                                                                                         |         |      |       |       |            | First        | Add'l | First                   | Add'l                            | SOMEc                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           |
|                                       |  | 2-Wire Voice Grade Loop (SL 2) - Zone 2                                                 |         | 2    | UEP93 | UECS2 | 17.45      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |  | 2-Wire Voice Grade Loop (SL 2) - Zone 3                                                 |         | 3    | UEP93 | UECS2 | 33.22      |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |  | UNE Port Rate                                                                           |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |  | AL, KY, LA, MS, & TN only                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |  | 2-Wire Voice Grade Port (Centrex ) Basic Local Area                                     |         |      | UEP93 | UEPYA | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |  | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area                       |         |      | UEP93 | UEPYB | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |  | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area                       |         |      | UEP93 | UEPYH | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |  | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area       |         |      | UEP93 | UEPYM | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |  | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area |         |      | UEP93 | UEPYZ | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |  | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area      |         |      | UEP93 | UEPY9 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |  | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area               |         |      | UEP93 | UEPY2 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |  | 2-Wire Voice Grade Port (Centrex )                                                      |         |      | UEP93 | UEPQA | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |  | 2-Wire Voice Grade Port (Centrex 800 termination)                                       |         |      | UEP93 | UEPQB | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |  | 2-Wire Voice Grade Port (Centrex with Caller ID)1                                       |         |      | UEP93 | UEPQH | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |  | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2                        |         |      | UEP93 | UEPQM | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |  | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term                    |         |      | UEP93 | UEPQZ | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |  | 2-Wire Voice Grade Port terminated in on Megalink or equivalent                         |         |      | UEP93 | UEPQ9 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |  | 2-Wire Voice Grade Port Terminated on 800 Service Term                                  |         |      | UEP93 | UEPQ2 | 1.15       | 21.29        | 15.49 | 2.85                    | 2.67                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |  | Local Switching                                                                         |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |  | Centrex Intercom Funtionality, per port                                                 |         |      | UEP93 | URECS | 0.8873     |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |  | Local Number Portability                                                                |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |  | Local Number Portability (1 per port)                                                   |         |      | UEP93 | LNCCC | 0.35       |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |  | Features                                                                                |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |  | All Standard Features Offered, per port                                                 |         |      | UEP93 | UEPVF | 0.00       |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |  | All Centrex Control Features Offered, per port                                          |         |      | UEP93 | UEPVC | 0.00       |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |  | NARS                                                                                    |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |  | Unbundled Network Access Register - Combination                                         |         |      | UEP93 | UARCX | 0.00       | 0.00         | 0.00  |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |  | Unbundled Network Access Register - Indial                                              |         |      | UEP93 | UAR1X | 0.00       | 0.00         | 0.00  |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |  | Unbundled Network Access Register - Outdial                                             |         |      | UEP93 | UAROx | 0.00       | 0.00         | 0.00  |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |  | Miscellaneous Terminations                                                              |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |  | 2-Wire Trunk Side                                                                       |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |  | Trunk Side Terminations, each                                                           |         |      | UEP93 | CEND6 | 10.51      | 92.18        | 15.82 | 52.16                   | 5.30                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |  | 4-Wire Digital (1.544 Megabits)                                                         |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |  | DS1 Circuit Terminations, each                                                          |         |      | UEP93 | M1HD1 | 74.77      | 164.86       | 77.74 | 60.69                   | 3.86                             |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |  | DS0 Channels Activated, Per Channel                                                     |         |      | UEP93 | M1HDO | 0.00       | 15.09        |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |  | Interoffice Channel Mileage - 2-Wire                                                    |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |  | Interoffice Channel Facilities Termination                                              |         |      | UEP93 | MIGBC | 29.11      |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |  | Interoffice Channel mileage, per mile or fraction of mile                               |         |      | UEP93 | MIGBM | 0.01       |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |  | Feature Activations (DS0) Centrex Loops on Channelized DS1 Service                      |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |  | D4 Channel Bank Feature Activations                                                     |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                       |  | Feature Activation on D-4 Channel Bank Centrex Loop Slot                                |         |      | UEP93 | 1PQWS | 0.62       |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |  | Feature Activation on D-4 Channel Bank FX Line Side Loop Slot                           |         |      | UEP93 | 1PQW6 | 0.62       |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |  | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot                          |         |      | UEP93 | 1PQW7 | 0.62       |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |  | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center        |         |      | UEP93 | 1PQWP | 0.62       |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |
|                                       |  | Feature Activation on D-4 Channel Bank Private Line Loop Slot                           |         |      | UEP93 | 1POWV | 0.62       |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |

| UNBUNDLED NETWORK ELEMENTS - Kentucky                                                                                                 |               |                                                                               |         |      |       |       |            |              |       |                         |                                  | Attachment: 2                        |                                                          | Exhibit: B                                                 |                                                               |                                                                 |       |
|---------------------------------------------------------------------------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------|---------|------|-------|-------|------------|--------------|-------|-------------------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|-------|
| CATEGORY                                                                                                                              | RATE ELEMENTS |                                                                               | Interim | Zone | BCS   | USOC  | RATES (\$) |              |       |                         | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |       |
|                                                                                                                                       |               |                                                                               |         |      |       |       | Rec        | Nonrecurring |       | Nonrecurring Disconnect |                                  | OSS Rates (\$)                       |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                       |               |                                                                               |         |      |       |       |            | First        | Add'l | First                   | Add'l                            | SOMEK                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           | SOMAN |
|                                                                                                                                       |               | Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot               |         |      | UEP93 | 1PQWQ | 0.62       |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                       |               | Feature Activation on D-4 Channel Bank WATS Loop Slot                         |         |      | UEP93 | 1PQWA | 0.62       |              |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
| Non-Recurring Charges (NRC) Associated with UNE-P Centrex                                                                             |               |                                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                       |               | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port |         |      | UEP93 | USAC2 |            | 0.102        | 0.102 |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                       |               | Conversion of Existing Centrex Common Block, each                             |         |      | UEP93 | USACN |            | 18.95        | 8.32  |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                       |               | New Centrex Standard Common Block                                             |         |      | UEP93 | MIACS | 0.00       | 669.80       | 78.32 | 111.05                  | 13.27                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                       |               | New Centrex Customized Common Block                                           |         |      | UEP93 | M1ACC | 0.00       | 669.80       | 78.32 | 111.05                  | 13.27                            |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
|                                                                                                                                       |               | NAR Establishment Charge, Per Occasion                                        |         |      | UEP93 | URECA | 0.00       | 72.75        |       |                         |                                  |                                      | 7.86                                                     |                                                            |                                                               |                                                                 |       |
| Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD                                                                      |               |                                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| Note 2 - Requires Interoffice Channel Mileage                                                                                         |               |                                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| Note 3 - Requires Specific Customer Premises Equipment                                                                                |               |                                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions. |               |                                                                               |         |      |       |       |            |              |       |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |

## **ADOPTION EXHIBIT 4**

**Attachment 3**  
**Network Interconnection**

**TABLE OF CONTENTS**

|                                                                   |                  |
|-------------------------------------------------------------------|------------------|
| <b>1. GENERAL.....</b>                                            | <b>3</b>         |
| <b>2. DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT).....</b>  | <b>3</b>         |
| <b>3. NETWORK INTERCONNECTION.....</b>                            | <b>4</b>         |
| <b>4. INTERCONNECTION TRUNK GROUP ARCHITECTURES.....</b>          | <b>6</b>         |
| <b>5. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION .....</b> | <b>14</b>        |
| <b>6. LOCAL DIALING PARITY.....</b>                               | <b>17</b>        |
| <b>7. INTERCONNECTION COMPENSATION .....</b>                      | <b>18</b>        |
| <b>8. FRAME RELAY SERVICE INTERCONNECTION.....</b>                | <b>24</b>        |
| <b>9. ORDERING CHARGES .....</b>                                  | <b>27</b>        |
| <b>Rates</b>                                                      | <b>Exhibit A</b> |
| <b>Basic Architecture</b>                                         | <b>Exhibit B</b> |
| <b>One Way Architecture</b>                                       | <b>Exhibit C</b> |
| <b>Two Way Architecture</b>                                       | <b>Exhibit D</b> |
| <b>Supergroup Architecture</b>                                    | <b>Exhibit E</b> |

## NETWORK INTERCONNECTION

### 1. GENERAL

- 1.1 The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (Local Traffic), ISP-bound Traffic, and exchange access (Switched Access Traffic) on the following terms:

### 2. DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)

- 2.1 For purposes of this attachment only, the following terms shall have the definitions set forth below:
- 2.1.1 **Call Termination** has the meaning set forth for "termination" in 47CFR § 51.701(d).
- 2.1.2 **Call Transport** has the meaning set forth for "transport" in 47 CFR § 51.701(c).
- 2.1.3 **Call Transport and Termination** is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching.
- 2.1.4 **Common (Shared) Transport** is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into the Local Exchange Routing Guide ("LERG").
- 2.1.5 **Dedicated Interoffice Facility** is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching within the LATA on the other Party's network.
- 2.1.6 **End Office Switching** is defined as the function that establishes a communications path between the trunk side and line side of the End Office switch.
- 2.1.7 **Fiber Meet** is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends.
- 2.1.8 **Final Trunk Group** is defined as the trunk group that does not carry overflow traffic.

- 2.1.9 **Interconnection Point (“IP”)** is the physical telecommunications equipment interface that interconnects the networks of BellSouth and Global Connection.
- 2.1.10 **IntraLATA Toll Traffic** is as defined in Section 7 of this Attachment.
- 2.1.11 **ISP-bound Traffic** is as defined in Section 7 of this Attachment.
- 2.1.12 **Local Channel** is defined as a switched transport facility between a Party’s Interconnection Point and the IP’s Serving Wire Center.
- 2.1.13 **Local Traffic** is as defined in Section 7 of this Attachment.
- 2.1.14 **Reciprocal Trunk Group** is defined as a one-way trunk group carrying BellSouth originated traffic to be terminated by Global Connection
- 2.1.15 **Serving Wire Center** is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP.
- 2.1.16 **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching.
- 2.1.17 **Transit Traffic** is traffic originating on Global Connection’s network that is switched and/or transported by BellSouth and delivered to a third party’s network, or traffic originating on a third party’s network that is switched and/or transported by BellSouth and delivered to Global Connection’s network.

### 3. NETWORK INTERCONNECTION

- 3.1 This Attachment pertains only to the provision of network interconnection where Global Connection owns, leases from a third party or otherwise provides its own switch(es).
- 3.2 Network interconnection may be provided by the Parties at any technically feasible point within BellSouth’s network. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request (“BFR/NBR”) process set out in this Agreement.
  - 3.2.1 Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within BellSouth’s serving territory in the LATA in which traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic.

- 3.2.2 Pursuant to the provisions of this Attachment, the location of the initial IP in a given LATA shall be established by mutual agreement of the Parties. Subject to the requirements for installing additional IPs, as set forth below, any IPs existing prior to the Effective Date of the Agreement will be accepted as initial IPs and will not require re-grooming. When the Parties mutually agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between each other, the Parties shall mutually agree to the location of IP(s). If the Parties are unable to agree to a mutual initial IP, each Party, as originating Party, shall establish a single IP in the LATA for the delivery of its originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the other Party for Call Transport and Termination by the terminating Party.
- 3.2.3 When first establishing the interconnection arrangement in each LATA, the location of the IP shall be established by mutual agreement of the Parties. In selecting the IP, both Parties will act in good faith and select the point that is most efficient for both Parties. If the Parties are unable to agree on the location of the IP, each Party will designate IPs for its originated traffic. Additional IP(s) in a LATA may be established by mutual agreement of the Parties. Notwithstanding the foregoing, additional IP(s) in a particular LATA shall be established, at the request of either Party, when the Local Traffic and ISP-bound Traffic exceeds 8.9 million minutes per month for three consecutive months at the proposed location of the additional IP. BellSouth will not request the establishment of an IP where physical or virtual collocation space is not available or where BellSouth fiber connectivity is not available. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic the Parties must agree to the location of the IP(s).
- 3.3 **Interconnection via Dedicated Facilities**
- 3.3.1 **Local Channel Facilities.** As part of Call Transport and Termination, the originating Party may obtain Local Channel facilities from the terminating Party. The percentage of Local Channel facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of Local Channel facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of Local Channel facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.2 **Dedicated Interoffice Facilities.** As a part of Call Transport and Termination, the originating Party may obtain Dedicated Interoffice Facilities from the terminating Party. The percentage of Dedicated Interoffice Facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of the Dedicated Interoffice Facilities used for Local Traffic as determined by the PLF are

as set forth in Exhibit A to this Attachment. The remaining percentage of the Dedicated Interoffice Facilities shall be billed at BellSouth's applicable access tariff rates.

- 3.3.3 The facilities purchased pursuant to this Section 3 shall be ordered via the Access Service Request ("ASR") process.

3.4 **Fiber Meet**

- 3.4.1 Notwithstanding Section 3.2.1, 3.2.2, and 3.2.3 above, if Global Connection elects to establish interconnection with BellSouth pursuant to a Fiber Meet Local Channel, Global Connection and BellSouth shall jointly engineer, operate and maintain a Synchronous Optical Network ("SONET") transmission system by which they shall interconnect their transmission and routing of Local Traffic via a Local Channel at either the DS1 or DS3 level. The Parties shall work jointly to determine the specific transmission system. However, Global Connection's SONET transmission system must be compatible with BellSouth's equipment, and the Data Communications Channel (DCC) must be turned off.
- 3.4.2 Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network.
- 3.4.3 The Parties shall agree to a Fiber Meet point between the BellSouth Serving Wire Center and the Global Connection Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet Point. BellSouth shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type Common Language Location Identification ("CLLI") code will be established for each Fiber Meet point. All orders for interconnection facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility.
- 3.4.4 Upon verbal request by Global Connection, BellSouth shall allow Global Connection access to the fusion splice point for the Fiber Meet point for maintenance purposes on Global Connection's side of the Fiber Meet point.
- 3.4.5 Neither Party shall charge the other for its Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic. All other appropriate charges will apply. Global Connection shall be billed for a mixed use of the Local Channel using the actual traffic Global Connection elects to transmit over the facility and the rates from this Agreement and the appropriate tariff(s). Charges for switched and special access services shall be billed in accordance with the applicable access service tariff.

4. **INTERCONNECTION TRUNK GROUP ARCHITECTURES**

- 4.1 BellSouth and Global Connection shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks in accordance with the following provisions set forth in this Agreement. For trunking purposes, traffic will be routed based on the digits dialed by the originating end user and in accordance with the LERG.
- 4.2 Global Connection shall establish an interconnection trunk group(s) to at least one BellSouth access tandem within the LATA for the delivery of Global Connection's originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and for the receipt and delivery of Transit Traffic. To the extent Global Connection desires to deliver Local Traffic, ISP-bound Traffic, IntraLATA Toll Traffic and/or Transit Traffic to BellSouth access tandems within the LATA, other than the tandems(s) to which Global Connection has established interconnection trunk groups, Global Connection shall order Multiple Tandem Access, as described in this Attachment, to such other BellSouth access tandems.
- 4.2.1 Notwithstanding the forgoing, Global Connection shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where Global Connection has homed (i.e. assigned) its NPA/NXXs. Global Connection shall home its NPA/NXXs on the BellSouth tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate center assigned to each BellSouth tandem is defined in the LERG. Global Connection shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.
- 4.3 Switched access traffic will be delivered to and from Interexchange Carriers (IXCs) based on Global Connection's NXX access tandem homing arrangement as specified by Global Connection in the LERG.
- 4.4 Any Global Connection interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2) affects traffic delivered to Global Connection from a BellSouth switch, and (3) requires special BellSouth switch translations and other network modifications will require Global Connection to submit a BFR/NBR via the BFR/NBR Process as set forth in this Agreement.
- 4.5 Recurring and non-recurring rates associated with interconnecting trunk groups between BellSouth and Global Connection are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the rate shall be as set forth in the appropriate BellSouth tariff for switched access services.
- 4.6 For two-way trunk groups that carry only both Parties' Local Traffic, the Parties shall be compensated at 50% of the nonrecurring and recurring rates for dedicated

trunks and DS1 facilities. Global Connection shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.

- 4.7 All trunk groups will be provisioned as Signaling System 7 (SS7) capable where technically feasible. If SS7 is not technically feasible multi-frequency (MF) protocol signaling shall be used.
- 4.8 In cases where Global Connection is also an IXC, the IXC's Feature Group D (FG D) trunk group(s) must remain separate from the local interconnection trunk group(s).
- 4.9 Each Party shall order interconnection trunks and trunk group including trunk and trunk group augmentations via the ASR process. A Firm Order Confirmation (FOC) shall be returned to the ordering Party, after receipt of a valid, error free ASR, within the timeframes set forth in each state's applicable Performance Measures. Notwithstanding the foregoing, blocking situations and projects shall be managed through BellSouth's Carrier Interconnection Switching Center ("CISC") Project Management Group and Global Connection's equivalent trunking group, and FOCs for such orders shall be returned in the timeframes applicable to the project. A project is defined as (1) a new trunk group or (2) a request for more than 96 trunks on a single or multiple group(s) in a given BellSouth local calling area.
- 4.10 **Interconnection Trunk Groups for Exchange of Local Traffic and Transit Traffic**
- Upon mutual agreement of the Parties in a joint planning meeting, the Parties' shall exchange Local Traffic on two-way interconnection trunk group(s) with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Parties shall agree upon the IP(s) for two-way interconnection trunk groups transporting both Parties' Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic. Global Connection shall order such two-way trunks via the Access Service Request (ASR) process. BellSouth will use the Trunk Group Service Request (TGSR) to request changes in trunking. Furthermore, the Parties shall jointly review trunk performance and forecasts on a periodic basis. The Parties' use of two-way interconnection trunk groups for the transport of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between the Parties does not preclude either Party from establishing additional one-way interconnection trunks for the delivery of its originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the other Party.
- 4.10.1 **BellSouth Access Tandem Interconnection**
- BellSouth access tandem interconnection at a single access tandem provides access to those end offices subtending that access tandem ("Intratandem Access").

Access tandem interconnection is available for any of the following access tandem architectures

**4.10.1.1 Basic Architecture**

In the basic architecture, Global Connection's originating Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between Global Connection and BellSouth access tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between Global Connection and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Global Connection desires to exchange traffic. This trunk group also carries Global Connection originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to Global Connection. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The basic Architecture is illustrated in Exhibit B.

**4.10.1.2 One-Way Trunk Group Architecture**

In one-way trunk group architecture, the Parties interconnect using three separate trunk groups. A one-way trunk group provides Intratandem Access for Global Connection-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic destined for BellSouth end-users. A second one-way trunk group carries BellSouth-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic destined for Global Connection end-users. A two-way trunk group provides Intratandem Access for Global Connection's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Global Connection and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Global Connection desires to exchange traffic. This trunk group also carries Global Connection originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to Global Connection. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.

**4.10.1.3 Two-Way Trunk Group Architecture**

The two-way trunk group Architecture establishes one two-way trunk group to provide Intratandem Access for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between Global Connection and BellSouth. In addition, a separate two-way transit trunk group must be established for Global Connection's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Global Connection and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Global Connection desires to exchange traffic. This trunk group also carries Global Connection originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Global Connection. However, where Global Connection is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the two-way Local Traffic trunk group carrying ISP-bound Traffic and IntraLATA Toll Traffic. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The two-way trunk group architecture is illustrated in Exhibit D.

#### 4.10.1.4 **Supergroup Architecture**

In the supergroup architecture, the Parties' Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and Global Connection's Transit Traffic are exchanged on a single two-way trunk group between Global Connection and BellSouth to provide Intratandem Access to Global Connection. This trunk group carries Transit Traffic between Global Connection and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Global Connection desires to exchange traffic. This trunk group also carries Global Connection originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Global Connection. However, where Global Connection is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the Supergroup. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit E.

#### 4.10.1.5 **Multiple Tandem Access Interconnection**

- 4.10.1.5.1 Where Global Connection does not choose access tandem interconnection at every BellSouth access tandem within a LATA, Global Connection may utilize BellSouth's multiple tandem access interconnection (MTA). To utilize MTA Global Connection must establish an interconnection trunk group(s) at a BellSouth access tandem through multiple BellSouth access tandems within the LATA as required. BellSouth will route Global Connection's originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic for LATA wide transport and termination. Global Connection must also establish an interconnection trunk group(s) at all BellSouth access tandems where Global Connection NXXs are homed as described in Section 4.2.1 above. If Global Connection does not have NXXs homed at any particular BellSouth access tandem within a LATA and elects not to establish an interconnection trunk group(s) at such BellSouth access tandem, Global Connection can order MTA in each BellSouth access tandem within the LATA where it does have an interconnection trunk group(s) and BellSouth will terminate Global Connection's Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to end-users served through those BellSouth access tandems where Global Connection does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.
- 4.10.1.5.2 Global Connection may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the BellSouth network to an Interexchange Carrier (IXC). Switched access traffic originated by or terminated to Global Connection will be delivered to and from IXCs based on Global Connection's NXX access tandem homing arrangement as specified by Global Connection in the LERG.
- 4.10.1.5.3 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A to this Attachment and shall be billed in addition to any Call Transport and Termination charges.
- 4.10.1.5.4 To the extent Global Connection does not purchase MTA in a LATA served by multiple access tandems, Global Connection must establish an interconnection trunk group(s) to every access tandem in the LATA to serve the entire LATA. To the extent Global Connection routes its traffic in such a way that utilizes BellSouth's MTA service without properly ordering MTA, Global Connection shall pay BellSouth the associated MTA charges.
- 4.10.2 **Local Tandem Interconnection**
- 4.10.2.1 Local Tandem Interconnection arrangement allows Global Connection to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of Global Connection-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic transported and terminated by BellSouth to BellSouth end offices served by those BellSouth local tandems, and (2) for local Transit Traffic

transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.

- 4.10.2.2 When a specified local calling area is served by more than one BellSouth local tandem, Global Connection must designate a “home” local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, Global Connection may choose to establish an interconnection trunk group(s) at the BellSouth local tandems where it has no codes homing but is not required to do so. Global Connection may deliver Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to a “home” BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where Global Connection does not choose to establish an interconnection trunk group(s). It is Global Connection’s responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to Global Connection’s codes. Likewise, Global Connection shall obtain its routing information from the LERG.
- 4.10.2.3 Notwithstanding establishing an interconnection trunk group(s) to BellSouth’s local tandems, Global Connection must also establish an interconnection trunk group(s) to BellSouth access tandems within the LATA on which Global Connection has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access (SWA) and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth shall not switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth’s A35 General Subscriber Services Tariff).
- 4.10.2.4 BellSouth’s provisioning of Local Tandem Interconnection assumes that Global Connection has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.
- 4.10.3 **Direct End Office-to-End Office Interconnection**
- 4.10.3.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party’s originating Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the terminating Party on a direct end office-to-end office basis.
- 4.10.3.2 The Parties shall utilize direct end office-to-end office trunk groups under any one of the following conditions:

- 4.10.3.2.1 Tandem Exhaust - If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between Global Connection and BellSouth.
- 4.10.3.2.2 Traffic Volume –To the extent either Party has the capability to measure the amount of traffic between Global Connection’s switch and a BellSouth end office and where such traffic exceeds or is forecasted to exceed a single DS1 of traffic per month, then the Parties shall install and retain direct end office trunking sufficient to handle such traffic volumes. Either Party will install additional capacity between such points when overflow traffic exceeds or is forecasted to exceed a single DS1 of traffic per month. In the case of one-way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.
- 4.10.3.2.3 Mutual Agreement - The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above.
- 4.10.4 **Transit Traffic Trunk Group**
- Transit Traffic trunks can either be two-way trunks or two one-way trunks ordered by Global Connection to deliver and receive Transit Traffic. Establishing Transit Traffic trunks at BellSouth access and local tandems provides intratandem access to the third parties also interconnected at those tandems.
- 4.10.4.1 **Toll Free Traffic**
- 4.10.4.1.1 If Global Connection chooses BellSouth to perform the Service Switching Point (“SSP”) Function (i.e., handle Toll Free database queries) from BellSouth’s switches, all Global Connection originating Toll Free traffic will be routed over the Transit Traffic Trunk Group and shall be delivered using GR-394 format. Carrier Code “0110” and Circuit Code (to be determined for each LATA) shall be used for all such calls.
- 4.10.4.1.2 Global Connection may choose to perform its own Toll Free database queries from its switch. In such cases, Global Connection will determine the nature (local/intraLATA/interLATA) of the Toll Free call (local/IntraLATA/InterLATA) based on the response from the database. If the call is a BellSouth local or intraLATA Toll Free call, Global Connection will route the post-query local or IntraLATA converted ten-digit local number to BellSouth over the local or intraLATA trunk group. If the call is a third party (ICO, IXC, CMRS or other CLEC) local or intraLATA Toll Free call, Global Connection will route the post-query local or intraLATA converted ten-digit local number to BellSouth over the Transit Traffic Trunk Group and Global Connection shall provide to BellSouth a Toll Free billing record when appropriate. If the query reveals the call is an

interLATA Toll Free call, Global Connection will route the post-query interLATA Toll Free call (1) directly from its switch for carriers interconnected with its network or (2) over the Transit Traffic Trunk Group to carriers that are not directly connected to Global Connection's network but that are connected to BellSouth's access tandem.

- 4.10.5 All post-query Toll Free calls for which Global Connection performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend a BellSouth access tandem within the LATA.

## **5. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION**

- 5.1 Network Management and Changes. The Parties will exchange toll-free maintenance contact numbers and escalation procedures. The Parties will provide public notice of network changes in accordance with applicable federal and state rules and regulations.

- 5.2 Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Telcordia Standard No. TR-NWT-00499. Where Global Connection chooses to utilize Signaling System 7 signaling, also known as Common Channel Signaling ("SS7"), SS7 connectivity is required between the Global Connection switch and the BellSouth Signaling Transfer Point ("STP"). BellSouth will provide SS7 signaling using Common Channel Signaling Access Capability in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall provide calling number ID (Calling Party Number) when technically feasible.

- 5.3 Quality of Interconnection. The local interconnection for the transmission and routing of telephone exchange service and exchange access that each Party provides to each other will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible, or to any other Party to which each Party provides local interconnection.

- 5.4 Network Management Controls. Both Parties will work cooperatively to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.

- 5.5 SS7 Signaling. Both Parties will utilize LEC-to-LEC SS7 Signaling, where available, in conjunction with all traffic in order to enable full interoperability of

CLASS features and functions except for call return. All SS7 signaling parameters will be provided, including but not limited to automatic number identification (“ANI”), originating line information (“OLI”) calling company category and charge number. All privacy indicators will be honored, and the Parties will exchange Transactional Capabilities Application Part (“TCAP”) messages to facilitate full interoperability of SS7-based features between the respective networks. Neither Party shall alter the SS7 parameters, or be a party to altering such parameters, or knowingly pass SS7 parameters that have been altered in order to circumvent appropriate interconnection charges.

5.6 Signaling Call Information. BellSouth and Global Connection will send and receive 10 digits for Local Traffic. Additionally, BellSouth and Global Connection will exchange the proper call information, i.e. originated call company number and destination call company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.

5.7 **Forecasting for Trunk Provisioning**

5.7.1 Within six (6) months after execution of this Agreement, Global Connection shall provide an initial interconnection trunk group forecast for each LATA in which it plans to provide service within BellSouth’s region. Upon receipt of Global Connection’s forecast, the Parties shall conduct a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed “Confidential Information” under the General Terms and Conditions of this Agreement.

5.7.1.1 At a minimum, the forecast shall include the projected quantity of Transit Trunks, Global Connection-to-BellSouth one-way trunks (“Global Connection Trunks”), BellSouth-to-Global Connection one-way trunks (“Reciprocal Trunk Groups”) and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties’ Local Traffic and IntraLATA Toll Traffic. The quantities shall be projected for a minimum of six months and shall include an estimate of the current year plus the next two years total forecasted quantities. The Parties shall mutually develop Reciprocal Trunk Groups and/or two-way interconnection trunk forecast quantities.

5.7.1.2 All forecasts shall include, at a minimum, Access Carrier Terminal Location (“ACTL”), trunk group type (local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for Global Connection location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).

5.7.2 Once initial interconnection trunk forecasts have been developed, Global Connection shall continue to provide interconnection trunk forecasts on a

semiannual basis or at otherwise mutually agreeable intervals. Global Connection shall use its best efforts to make the forecasts as accurate as possible based on reasonable engineering criteria. The Parties shall continue to develop Reciprocal Trunk Group and/or two-way interconnection trunk forecasts as described in Section 5.7.1.1.

- 5.7.3 The submitting and development of interconnection trunk forecasts shall not replace the ordering process for local interconnection trunks. Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.

5.8 **Trunk Utilization**

- 5.8.1 For the Reciprocal Trunk Groups that are Final Trunk Groups (“Reciprocal Final Trunk Groups”), BellSouth and Global Connection shall monitor traffic on each interconnection Reciprocal Final Trunk Group that is ordered and installed. The Parties agree that the Reciprocal Final Trunk Groups will be utilized at 60 percent (60%) of the time consistent busy hour utilization level within 90 days of installation. The Parties agree that the Reciprocal Final Trunk Groups will be utilized at eighty percent (80%) of the time consistent busy hour utilization level within 180 days of installation. Any Reciprocal Final Trunk Group not meeting the minimum thresholds set forth in this Section are defined as “Under-utilized” trunks. BellSouth may disconnect any Under-utilized Reciprocal Final Trunk Groups and Global Connection shall refund to BellSouth the associated non-recurring and recurring trunk and facility charges paid by BellSouth, if any.

- 5.8.1.1 BellSouth’s CISC will notify Global Connection of any under-utilized Reciprocal Trunk Groups and the number of such trunk groups that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated Global Connection interface. Global Connection will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Global Connection expects to need such trunks. BellSouth’s CISC Project Manager and Circuit Capacity Manager will discuss the information with Global Connection to determine if agreement can be reached on the number of Reciprocal Final Trunk Groups to be removed. If no agreement can be reached, BellSouth will issue disconnect orders to Global Connection. The due

date of these orders will be four weeks after Global Connection was first notified in writing of the underutilization of the trunk groups.

- 5.8.2 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.
- 5.8.3 For the two-way trunk groups, BellSouth and Global Connection shall monitor traffic on each interconnection trunk group that is ordered and installed. The Parties agree that within 90 days of the installation of the BellSouth two-way trunk or trunks, the trunks will be utilized at 60 percent (60%) of the time consistent busy hour utilization level. The Parties agree that within 180 days of the installation of a trunk or trunks, the trunks will be utilized at eighty percent (80%) of the time consistent busy hour utilization level. Any trunk or trunks not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth will request the disconnection of any Under-utilized two-way trunk(s) and Global Connection shall refund to BellSouth the associated non-recurring and recurring trunk and facility charges paid by BellSouth, if any.
- 5.8.3.1 BellSouth's LISC will notify Global Connection of any under-utilized two-way trunk groups and the number of trunks that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated Global Connection interface. Global Connection will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the two-way trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Global Connection expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager will discuss the information with Global Connection to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, Global Connection will issue disconnect orders to BellSouth. The due date of these orders will be four weeks after Global Connection was first notified in writing of the underutilization of the trunk groups.
- 5.8.3.2 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.

## **6. LOCAL DIALING PARITY**

- 6.1 BellSouth and Global Connection shall provide local and toll dialing parity, as defined in FCC rules and regulations, with no unreasonable dialing delays. Dialing

parity shall be provided for all originating telecommunications services that require dialing to route a call.

**7. INTERCONNECTION COMPENSATION**

**7.1 Compensation for Call Transportation and Termination for Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic**

7.1.1 For the purposes of this Attachment and for reciprocal compensation between the Parties pursuant to this Attachment, Local Traffic is defined as any telephone call that originates in one exchange and terminates in either the same exchange, or other local calling area associated with the originating exchange as defined and specified in Section A3 of BellSouth's General Subscriber Service Tariff.

7.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body.

7.1.2 ISP-bound Traffic is defined as calls to an information service provider or Internet service provider ("ISP") that are dialed by using a local dialing pattern (7 or 10 digits) by a calling party in one exchange to an ISP server or modem in either the same exchange or a corresponding Extended Area Service ("EAS") exchange as defined and specified in Section A3 of BellSouth's General Subscriber Service tariff. ISP-bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction.

7.1.3 Notwithstanding the definitions of Local Traffic and ISP-bound traffic above, and pursuant to the FCC's Order on Remand and Report and Order in CC Docket 99-68 released April 27, 2001 ("ISP Order on Remand"), BellSouth and Global Connection agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Global Connection that exceeds a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered ISP-bound traffic for compensation purposes. BellSouth and Global Connection further agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Global Connection that does not exceed a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered Local Traffic for compensation purposes.

7.1.4 Neither Party shall pay compensation to the other Party for per minute of use rate elements associated with the Call Transport and Termination of Local Traffic or ISP-bound Traffic.

- 7.1.5 The appropriate elemental rates set forth in Exhibit A of this Attachment shall apply for Transit Traffic as described in Sections 7.6 and 7.6.1 below and to Multiple Tandem Access as described in Section 4.10.1.5 above.
- 7.1.6 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-bound Traffic for purposes of determining compensation for the call.
- 7.1.7 IntraLATA Toll Traffic is defined as all traffic that originates and terminates within a single LATA that is not Local or ISP-bound traffic under this Attachment.
- 7.1.7.1 For terminating its intraLATA toll traffic on the other company's network, the originating Party will pay the terminating Party BellSouth's current intrastate or interstate, whichever is appropriate, terminating switched access tariff rates as set forth in BellSouth's Access Services Tariffs as filed and in effect with the FCC or Commission. The appropriate charges will be determined by the routing of the call. Additionally, if one Party is the other Party's end user's presubscribed interexchange carrier or if one Party's end user uses the other Party as an interexchange carrier on a 101XXXX basis, the originating party will charge the other Party the appropriate BellSouth originating switched access tariff rates as set forth in BellSouth's Intrastate or Interstate Access Services Tariff as filed and in effect with the FCC or appropriate Commission.
- 7.1.8 If Global Connection assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to Global Connection end users physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a Global Connection customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, Global Connection agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to Global Connection at BellSouth's switched access tariff rates.
- 7.2 If Global Connection does not identify such interLATA traffic to BellSouth, to the best of BellSouth's ability BellSouth will determine which whole Global Connection NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's Access Service Tariff. BellSouth shall make appropriate billing adjustments if Global Connection can provide sufficient information for BellSouth to determine whether or not said traffic is Local or ISP-bound Traffic.
- 7.3 **Jurisdictional Reporting**
- 7.3.1 **Percent Local Use.** Each Party shall report to the other a Percent Local Usage ("PLU") factor. The application of the PLU will determine the amount of local or ISP-bound minutes to be billed to the other Party. Each Party shall update its PLU

on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month based on local and ISP-bound usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

- 7.3.2 **Percent Local Facility.** Each Party shall report to the other a Percent Local Facility ("PLF") factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLU and PLF calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- 7.3.3 **Percent Interstate Usage.** Each Party shall report to the other the projected Percent Interstate Usage ("PIU") factor. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to Global Connection. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and billing of local interconnection. Each Party shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month, for all services showing the percentages of use for the past three months ending the last day of December, March, June and September.
- 7.3.4 Notwithstanding the provisions in Section 7.3.1, 7.3.2, and 7.3.3 above, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information shall, at the terminating Party's option, be utilized to determine the appropriate jurisdictional reporting factors (PLU, PIU, and/or PLF), in lieu of those provided by the originating Party. In the event that the terminating Party opts to utilize its own data to determine jurisdictional reporting factors, such terminating Party shall notify the originating Party at least 15 days prior to the beginning of the calendar quarter in which the terminating Party will begin to utilize its own data. Such factors shall subject to the Dispute Resolution provisions in this Agreement, as well as the Audit provisions set forth in 7.3.5 below.

7.3.5 **Audits.** On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and Global Connection shall retain records of call detail for a minimum of nine months from which the PLU, PLF and/or PIU can be ascertained. The audit shall be conducted during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditor paid for by the Party requesting the audit. The PLF, PLU and/or PIU shall be adjusted based upon the audit results and shall apply for the quarter the audit was completed, for the quarter prior to the completion of the audit, and for the two quarters following the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLF, PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.

7.4 **Compensation for 8XX Traffic**

7.4.1 Compensation for 8XX Traffic. Each Party shall pay the other the appropriate switched access charges set forth in the BellSouth intrastate or interstate switched access tariffs. Global Connection will pay BellSouth the database query charge as set forth in the BellSouth intrastate or interstate switched access tariffs as applicable.

7.4.2 Records for 8XX Billing. Each Party will provide to the other the appropriate records necessary for billing intraLATA 8XX customers. The records provided will be in a standard EMI format.

7.4.3 8XX Access Screening. BellSouth's provision of 8XX Toll Free Dialing ("TFD") to Global Connection requires interconnection from Global Connection to BellSouth's 8XX Signal Channel Point ("SCP"). Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. Global Connection shall establish SS7 interconnection at the BellSouth Local Signal Transfer Points serving the BellSouth 8XX SCPs that Global Connection desires to query. The terms and conditions for 8XX TFD are set out in BellSouth's Intrastate Access Services Tariff.

7.5 **Mutual Provision of Switched Access Service**

7.5.1 Switched Access Traffic. Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 8XX), 900 access and their successors. Additionally, any Public Switched Telephone Network

interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or in which the Parties' Switched Access Services are used for the origination or termination of the call, shall not be considered Local Traffic or ISP-bound Traffic.

- 7.5.2 If the BellSouth end user chooses Global Connection as their presubscribed interexchange carrier, or if the BellSouth end user uses Global Connection as an interexchange carrier on a 101XXXX basis, BellSouth will charge Global Connection the appropriate BellSouth tariff charges for originating switched access services.
- 7.5.3 Where the originating Party delivers a call to the terminating Party over switched access facilities, the originating Party will pay the terminating Party terminating, switched access charges as set forth in BellSouth's Intrastate or Interstate Access Services Tariff, as appropriate.
- 7.5.4 When Global Connection's end office switch provides an access service connection to or from an interexchange carrier ("IXC") by a direct trunk group to the IXC utilizing BellSouth facilities, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by Global Connection as the Party providing the end office function. Each party will use the Multiple Exchange Carrier Access Billing (MECAB) guidelines to establish meet point billing for all applicable traffic. The Parties shall utilize a thirty (30) day billing period.
- 7.5.4.1 When Global Connection's end office subtends the BellSouth Access Tandem switch for receipt or delivery of switched access traffic and provides an access service connection to or from an IXC via BellSouth's Access Tandem switch, BellSouth, as the tandem company agrees to provide to Global Connection, as the End Office Company, as defined in MECAB, at no charge, all the switched access detail usage data, recorded at the access tandem, within no more than sixty (60) days after the recording date. Each Party will notify the other when it is not feasible to meet these requirements. As business requirements change, data reporting requirements may be modified as necessary.
- 7.5.5 BellSouth, as the tandem provider company, will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data that is lost or damaged by the tandem provider company or any third party involved in processing or transporting data.

- 7.5.6 BellSouth, as the tandem provider company, agrees to recreate the lost or damaged data within forty-eight (48) hours of notification by the other or by an authorized third party handling the data.
- 7.5.7 Any claims against BellSouth, as the tandem provider company, for unbillable or uncollectible revenue should be filed with the tandem provider company within 120 days of the usage date.
- 7.5.8 BellSouth, as the tandem provider company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Party to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial Billing Party. Each Party agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.
- 7.5.9 Global Connection agrees not to deliver switched access traffic to BellSouth for termination except over Global Connection ordered switched access trunks and facilities.
- 7.6 **Transit Traffic**
- 7.6.1 BellSouth shall provide tandem switching and transport services for Global Connection's Transit Traffic. Rates for local Transit Traffic and ISP-bound Transit Traffic shall be the applicable Call Transport and Termination charges as set forth in Exhibit A to this Attachment. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in BellSouth Interstate or Intrastate Switched Access tariffs. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines. Traffic between Global Connection and Wireless Type 1 third parties shall not be treated as Transit Traffic from a routing or billing perspective. Traffic between Global Connection and Wireless Type 2A or a third party CLEC utilizing BellSouth switching shall not be treated as Transit Traffic from a routing or billing perspective until BellSouth and the Wireless carrier or a third party CLEC utilizing BellSouth switching have the capability to properly meet-point-bill in accordance with MECAB guidelines.
- 7.6.2 The delivery of traffic that transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees. BellSouth agrees to deliver Transit Traffic to the terminating carrier; provided, however, that Global Connection is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of Transit Traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to Global Connection. In the event that the terminating third party carrier imposes on BellSouth any

charges or costs for the delivery of Transit Traffic, Global Connection shall reimburse BellSouth for such costs. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.

**8. FRAME RELAY SERVICE INTERCONNECTION**

- 8.1 In addition to the Local Interconnection services set forth above, BellSouth will offer a network to network Interconnection arrangement between BellSouth's and Global Connection's frame relay switches as set forth below. The following provisions will apply only to Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service in those states in which Global Connection is certified and providing Frame Relay Service as a Local Exchange Carrier and where traffic is being exchanged between Global Connection and BellSouth Frame Relay Switches in the same LATA.
- 8.2 The Parties agree to establish two-way Frame Relay facilities between their respective Frame Relay Switches to the mutually agreed upon Frame Relay Service point(s) of interconnection ("IP(s)") within the LATA. All IPs shall be within the same Frame Relay Network Serving Areas as defined in Section A40 of BellSouth's General Subscriber Service Tariff except as set forth in this Attachment.
- 8.3 Upon the request of either Party, such interconnection will be established where BellSouth and Global Connection have Frame Relay Switches in the same LATA. Where there are multiple Frame Relay switches in one central office, an interconnection with any one of the switches will be considered an interconnection with all of the switches at that central office for purposes of routing packet traffic.
- 8.4 The Parties agree to provision local and intraLATA Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service (both intrastate and interstate) over Frame Relay interconnection facilities between the respective Frame Relay switches and the IPs.
- 8.5 The Parties agree to assess each other reciprocal charges for the facilities that each provides to the other according to the Percent Local Circuit Use Factor (PLCU), determined as follows:
- 8.5.1 If the data packets originate and terminate in locations in the same LATA, and are consistent with the local definitions of the Agreement, the traffic is considered local. Frame Relay framed packet data is transported within Virtual Circuits (VC). For the purposes of this Agreement, if all the data packets transported within a VC remain within the LATA, then consistent with the local definitions in this Agreement, the traffic on that VC is local ("Local VC").

- 8.5.2 If the originating and terminating locations of the two-way packet data traffic are not in the same LATA, the traffic on that VC is interLATA ("InterLATA VC").
- 8.5.3 The PLCU is determined by dividing the total number of Local VCs, by the total number of VCs on each Frame Relay facility. To facilitate implementation, Global Connection may determine its PLCU in aggregate, by dividing the total number of Local VCs in a given LATA by the total number VCs in that LATA. The Parties agree to renegotiate the method for determining PLCU, at BellSouth's request, and within 90 days, if BellSouth notifies Global Connection that it has found that this method does not adequately represent the PLCU.
- 8.5.4 If there are no VCs on a facility when it is billed, the PLCU will be zero.
- 8.5.5 BellSouth will provide the circuit between the Parties' respective Frame Relay Switches. The Parties will be compensated as follows: BellSouth will invoice, and Global Connection will pay, the total non-recurring and recurring charges for the circuit based upon the rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Global Connection will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed charges for the circuit by one-half of Global Connection's PLCU.
- 8.6 The Parties agree to compensate each other for Frame Relay network-to-network interface (NNI) ports based upon the NNI rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Compensation for each pair of NNI ports will be calculated as follows: BellSouth will invoice, and Global Connection will pay, the total non-recurring and recurring charges for the NNI port. Global Connection will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed non-recurring and recurring charges for the NNI port by Global Connection's PLCU.
- 8.7 Each Party agrees that there will be no charges to the other Party for its own subscriber's Permanent Virtual Circuit (PVC) rate elements for the local PVC segment from its Frame Relay switch to its own subscriber's premises. PVC rate elements include the Data Link Connection Identifier (DLCI) and Committed Information Rate (CIR).
- 8.8 For the PVC segment between the Global Connection and BellSouth Frame Relay switches, compensation for the PVC charges is based upon the rates in BellSouth's Interstate Access Tariff, FCC No. 1.
- 8.9 Compensation for PVC rate elements will be calculated as follows:
- 8.9.1 If Global Connection orders a VC connection between a BellSouth subscriber's PVC segment and a PVC segment from the BellSouth Frame Relay switch to the Global Connection Frame Relay switch, BellSouth will invoice, and Global

Connection will pay, the total non-recurring and recurring PVC charges for the PVC segment between the BellSouth and Global Connection Frame Relay switches. If the VC is a Local VC, Global Connection will then invoice and BellSouth will pay, the total nonrecurring and recurring PVC charges billed for that segment. If the VC is not local, no compensation will be paid to Global Connection for the PVC segment.

- 8.9.2 If BellSouth orders a Local VC connection between a Global Connection subscriber's PVC segment and a PVC segment from the Global Connection Frame Relay switch to the BellSouth Frame Relay switch, BellSouth will invoice, and Global Connection will pay, the total non-recurring and recurring PVC and CIR charges for the PVC segment between the BellSouth and Global Connection Frame Relay switches. If the VC is a Local VC, Global Connection will then invoice and BellSouth will pay the total non-recurring and recurring PVC and CIR charges billed for that segment. If the VC is not local, no compensation will be paid to Global Connection for the PVC segment.
- 8.9.3 The Parties agree to compensate each other for requests to change a PVC segment or PVC service order record, according to the Feature Change charge as set forth in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 8.9.4 If Global Connection requests a change, BellSouth will invoice and Global Connection will pay a Feature Change charge for each affected PVC segment.
- 8.9.4.1 If BellSouth requests a change to a Local VC, Global Connection will invoice and BellSouth will pay a Feature Change charge for each affected PVC segment.
- 8.9.5 The Parties agree to limit the sum of the CIR for the VCs on a DS1 NNI port to not more than three times the port speed, or not more than six times the port speed on a DS3 NNI port.
- 8.9.6 Except as expressly provided herein, this Agreement does not address or alter in any way either Party's provision of Exchange Access Frame Relay Service, Managed Shared Frame Relay Service or interLATA Frame Relay Service. All charges by each Party to the other for carriage of Exchange Access Frame Relay Service or interLATA Frame Relay Service are included in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 8.10 Global Connection will identify and report quarterly to BellSouth the PLCU of the Frame Relay facilities it uses, per Section 8.5.3 above.
- 8.11 Either Party may request a review or audit of the various service components, consistent with the provisions of section E2 of the BellSouth State Access Services tariffs or Section 2 of the BellSouth FCC No.1 Tariff.

**9. ORDERING CHARGES**

- 9.1 The terms, conditions and rates for Ordering Charges are as set forth in FCC Tariff for Access Service Records.

Exhibit B

## Basic Architecture




Exhibit C

## One-Way Architecture




Exhibit D

## Two-Way Architecture





Exhibit E

## Supergroup Architecture



| LOCAL INTERCONNECTION - Alabama                                                                                                                                             |               |                                                                                                 |         |      |            |       |             |              |        | Attachment: 3           |                                  | Exhibit: A                           |                                                          |                                                            |                                                               |                                                                 |       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------------------------|---------|------|------------|-------|-------------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|-------|
| CATEGORY                                                                                                                                                                    | RATE ELEMENTS |                                                                                                 | Interim | Zone | BCS        | USOC  | RATES (\$)  |              |        |                         | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |       |
|                                                                                                                                                                             |               |                                                                                                 |         |      |            |       | Rec         | Nonrecurring |        | Nonrecurring Disconnect |                                  | OSS Rates(\$)                        |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               |                                                                                                 |         |      |            |       |             | First        | Add'l  | First                   | Add'l                            | SOMEc                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           | SOMAN |
| LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)                                                                                                                      |               |                                                                                                 |         |      |            |       |             |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element pursuant to the terms and conditions in Attachment 3.                     |               |                                                                                                 |         |      |            |       |             |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| TANDEM SWITCHING                                                                                                                                                            |               |                                                                                                 |         |      |            |       |             |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | Tandem Switching Function Per MOU                                                               |         |      | OHD        |       | 0.000498bk  |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | Multiple Tandem Switching, per MOU (applies to initial tandem only)                             |         |      | OHD        |       | 0.000498    |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | Tandem Intermediary Charge, per MOU*                                                            |         |      | OHD        |       | 0.0015      |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| * This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges.                                      |               |                                                                                                 |         |      |            |       |             |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| TRUNK CHARGE                                                                                                                                                                |               |                                                                                                 |         |      |            |       |             |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | Installation Trunk Side Service - per DS0                                                       |         |      | OHD        | TPP++ |             | 333.69       | 56.91  |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | Dedicated End Office Trunk Port Service-per DS0**                                               |         |      | OHD        | TDE0P | 0.00        |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | Dedicated End Office Trunk Port Service-per DS1**                                               |         |      | OH1 OH1MS  | TDE1P | 0.00        |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | Dedicated Tandem Trunk Port Service-per DS0**                                                   |         |      | OHD        | TDW0P | 0.00        |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | Dedicated Tandem Trunk Port Service-per DS1**                                                   |         |      | OH1 OH1MS  | TDW1P | 0.00        |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| ** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements                                |               |                                                                                                 |         |      |            |       |             |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| COMMON TRANSPORT (Shared)                                                                                                                                                   |               |                                                                                                 |         |      |            |       |             |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | Common Transport - Per Mile, Per MOU                                                            |         |      | OHD        |       | 0.0000023bk |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | Common Transport - Facilities Termination Per MOU                                               |         |      | OHD        |       | 0.0003224bk |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| LOCAL INTERCONNECTION (DEDICATED TRANSPORT)                                                                                                                                 |               |                                                                                                 |         |      |            |       |             |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT                                                                                                                                   |               |                                                                                                 |         |      |            |       |             |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month             |         |      | OHL, OHM   | 1L5NF | 0.008838    |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month |         |      | OHL, OHM   | 1L5NF | 21.13       | 40.54        | 27.41  | 16.74                   | 6.90                             |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month                        |         |      | OHL, OHM   | 1L5NK | 0.008838    |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month            |         |      | OHL, OHM   | 1L5NK | 15.12       | 40.54        | 27.41  | 16.74                   | 6.90                             |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month                        |         |      | OHL, OHM   | 1L5NK | 0.008838    |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month            |         |      | OHL, OHM   | 1L5NK | 15.12       | 40.54        | 27.41  | 16.74                   | 6.90                             |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month                              |         |      | OH1, OH1MS | 1L5NL | 0.18        |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month                 |         |      | OH1, OH1MS | 1L5NL | 60.16       | 89.27        | 81.81  | 16.35                   | 14.44                            |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month                            |         |      | OH3, OH3MS | 1L5NM | 4.09        |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month                |         |      | OH3, OH3MS | 1L5NM | 703.52      | 278.75       | 162.76 | 60.20                   | 58.46                            |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| LOCAL CHANNEL - DEDICATED TRANSPORT                                                                                                                                         |               |                                                                                                 |         |      |            |       |             |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | Local Channel - Dedicated - 2-Wire Voice Grade per month                                        |         |      | OHL, OHM   | TEFV2 | 13.97       | 193.10       | 33.17  | 36.64                   | 3.20                             |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | Local Channel - Dedicated - 4-Wire Voice Grade per month                                        |         |      | OHL, OHM   | TEFV4 | 14.93       | 193.53       | 33.60  | 37.11                   | 3.67                             |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | Local Channel - Dedicated - DS1 per month                                                       |         |      | OH1        | TEFHG | 35.76       | 177.47       | 153.72 | 22.19                   | 15.26                            |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | Local Channel - Dedicated - DS3 Facility Termination per month                                  |         |      | OH3        | TEFHJ | 416.54      | 451.52       | 263.94 | 119.49                  | 83.58                            |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| LOCAL INTERCONNECTION MID-SPAN MEET                                                                                                                                         |               |                                                                                                 |         |      |            |       |             |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.                                                                 |               |                                                                                                 |         |      |            |       |             |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | Local Channel - Dedicated - DS1 per month                                                       |         |      | OH1MS      | TEFHG | 0.00        | 0.00         |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | Local Channel - Dedicated - DS3 per month                                                       |         |      | OH3MS      | TEFHJ | 0.00        | 0.00         |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| MULTIPLEXERS                                                                                                                                                                |               |                                                                                                 |         |      |            |       |             |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | Channelization - DS1 to DS0 Channel System                                                      |         |      | OH1, OH1MS | SATN1 | 101.06      | 91.04        | 62.57  | 10.54                   | 9.79                             |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | DS3 to DS1 Channel System per month                                                             |         |      | OH3, OH3MS | SATNS | 166.13      | 178.14       | 93.97  | 33.26                   | 31.63                            |                                      |                                                          |                                                            |                                                               |                                                                 |       |
|                                                                                                                                                                             |               | DS3 Interface Unit (DS1 COCI) per month                                                         |         |      | OH1, OH1MS | SATCO | 12.70       | 6.58         | 4.72   |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |
| Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff. |               |                                                                                                 |         |      |            |       |             |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |

| LOCAL INTERCONNECTION - Florida                                                                                                                                             |               |  |  |             |                                                                                                 |     |             |              |        |                         | Attachment: 3                             |                                               | Exhibit: A                                                               |                                                                            |                                                                               |                                                                                 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--|--|-------------|-------------------------------------------------------------------------------------------------|-----|-------------|--------------|--------|-------------------------|-------------------------------------------|-----------------------------------------------|--------------------------------------------------------------------------|----------------------------------------------------------------------------|-------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| CATEGORY                                                                                                                                                                    | RATE ELEMENTS |  |  | Interi<br>m | Zone                                                                                            | BCS | USOC        | RATES (\$)   |        |                         | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'l | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc Add'l |
|                                                                                                                                                                             |               |  |  |             |                                                                                                 |     | Rec         | Nonrecurring |        | Nonrecurring Disconnect |                                           | OSS Rates(\$)                                 |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             |                                                                                                 |     |             | First        | Add'l  | First                   | Add'l                                     | SOMEc                                         | SOMAN                                                                    | SOMAN                                                                      | SOMAN                                                                         | SOMAN                                                                           |
| LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)                                                                                                                      |               |  |  |             |                                                                                                 |     |             |              |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
| NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element pursuant to the terms and conditions in Attachment 3.                     |               |  |  |             |                                                                                                 |     |             |              |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
| TANDEM SWITCHING                                                                                                                                                            |               |  |  |             |                                                                                                 |     |             |              |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | OHD                                                                                             |     | 0.0006019bk |              |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | Multiple Tandem Switching, per MOU (applies to intial tandem only)                              |     | 0.0006019   |              |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | Tandem Intermediary Charge, per MOU*                                                            |     | 0.0015      |              |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
| * This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges.                                      |               |  |  |             |                                                                                                 |     |             |              |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
| TRUNK CHARGE                                                                                                                                                                |               |  |  |             |                                                                                                 |     |             |              |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | Installation Trunk Side Service - per DS0                                                       |     |             | 336.43       | 57.38  |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | Dedicated End Office Trunk Port Service-per DS0**                                               |     | 0.00        |              |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | Dedicated End Office Trunk Port Service-per DS1**                                               |     | 0.00        |              |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | Dedicated Tandem Trunk Port Service-per DS0**                                                   |     | 0.00        |              |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | Dedicated Tandem Trunk Port Service-per DS1**                                                   |     | 0.00        |              |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
| ** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements                                |               |  |  |             |                                                                                                 |     |             |              |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
| COMMON TRANSPORT (Shared)                                                                                                                                                   |               |  |  |             |                                                                                                 |     |             |              |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | Common Transport - Per Mile, Per MOU                                                            |     | 0.0000035bk |              |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | Common Transport - Facilities Termination Per MOU                                               |     | 0.0004372bk |              |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
| LOCAL INTERCONNECTION (DEDICATED TRANSPORT)                                                                                                                                 |               |  |  |             |                                                                                                 |     |             |              |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT                                                                                                                                   |               |  |  |             |                                                                                                 |     |             |              |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month             |     | 0.0091      |              |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month |     | 25.32       | 47.35        | 31.78  | 18.31                   | 7.03                                      |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month                        |     | 0.0091      |              |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month            |     | 18.44       | 47.35        | 31.78  | 18.31                   | 7.03                                      |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month                        |     | 0.0091      |              |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month            |     | 18.44       | 47.35        | 31.78  | 18.31                   | 7.03                                      |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month                              |     | 0.1856      |              |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month                 |     | 88.44       | 105.54       | 98.47  | 21.47                   | 19.05                                     |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month                            |     | 3.87        |              |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month                |     | 1,071.00    | 335.46       | 219.28 | 72.03                   | 70.56                                     |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
| LOCAL CHANNEL - DEDICATED TRANSPORT                                                                                                                                         |               |  |  |             |                                                                                                 |     |             |              |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | Local Channel - Dedicated - 2-Wire Voice Grade per month                                        |     | 19.66       | 265.84       | 46.97  | 37.63                   | 4.00                                      |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | Local Channel - Dedicated - 4-Wire Voice Grade per month                                        |     | 20.45       | 266.54       | 47.67  | 44.22                   | 5.33                                      |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | Local Channel - Dedicated - DS1 per month                                                       |     | 36.49       | 216.65       | 183.54 | 24.30                   | 16.95                                     |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | Local Channel - Dedicated - DS3 Facility Termination per month                                  |     | 531.91      | 556.37       | 343.01 | 139.13                  | 96.84                                     |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
| LOCAL INTERCONNECTION MID-SPAN MEET                                                                                                                                         |               |  |  |             |                                                                                                 |     |             |              |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
| NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.                                                                 |               |  |  |             |                                                                                                 |     |             |              |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | Local Channel - Dedicated - DS1 per month                                                       |     | 0.00        | 0.00         |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | Local Channel - Dedicated - DS3 per month                                                       |     | 0.00        | 0.00         |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
| MULTIPLEXERS                                                                                                                                                                |               |  |  |             |                                                                                                 |     |             |              |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | Channelization - DS1 to DS0 Channel System                                                      |     | 146.77      | 101.42       | 71.62  | 11.09                   | 10.49                                     |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | DS3 to DS1 Channel System per month                                                             |     | 211.19      | 199.28       | 118.64 | 40.34                   | 39.07                                     |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
|                                                                                                                                                                             |               |  |  |             | DS3 Interface Unit (DS1 COC) per month                                                          |     | 13.76       | 10.07        | 7.08   |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |
| Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff. |               |  |  |             |                                                                                                 |     |             |              |        |                         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |

| LOCAL INTERCONNECTION - Georgia                                                                                                                                             |               |  |  |         |                                                                                                 |     |             |              |        |                         | Attachment: 3                    |                                      | Exhibit: A                                               |                                                            |                                                               |                                                                 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--|--|---------|-------------------------------------------------------------------------------------------------|-----|-------------|--------------|--------|-------------------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|
| CATEGORY                                                                                                                                                                    | RATE ELEMENTS |  |  | Interim | Zone                                                                                            | BCS | USOC        | RATES (\$)   |        |                         | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|                                                                                                                                                                             |               |  |  |         |                                                                                                 |     | Rec         | Nonrecurring |        | Nonrecurring Disconnect |                                  | OSS Rates(\$)                        |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         |                                                                                                 |     |             | First        | Add'l  | First                   | Add'l                            | SOMEc                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           |
| LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)                                                                                                                      |               |  |  |         |                                                                                                 |     |             |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element pursuant to the terms and conditions in Attachment 3.                     |               |  |  |         |                                                                                                 |     |             |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| TANDEM SWITCHING                                                                                                                                                            |               |  |  |         |                                                                                                 |     |             |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OHD                                                                                             |     | 0.0011009bk |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | Multiple Tandem Switching, per MOU (applies to intial tandem only)                              |     | 0.0011009   |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | Tandem Intermediary Charge, per MOU*                                                            |     | 0.0015      |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| * This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges.                                      |               |  |  |         |                                                                                                 |     |             |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| TRUNK CHARGE                                                                                                                                                                |               |  |  |         |                                                                                                 |     |             |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | Installation Trunk Side Service - per DS0                                                       |     |             | 333.28       | 56.84  |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | Dedicated End Office Trunk Port Service-per DS0**                                               |     |             | 0.00         |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | Dedicated End Office Trunk Port Service-per DS1**                                               |     |             | 0.00         |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | Dedicated Tandem Trunk Port Service-per DS0**                                                   |     |             | 0.00         |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | Dedicated Tandem Trunk Port Service-per DS1**                                                   |     |             | 0.00         |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| ** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements                                |               |  |  |         |                                                                                                 |     |             |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| COMMON TRANSPORT (Shared)                                                                                                                                                   |               |  |  |         |                                                                                                 |     |             |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | Common Transport - Per Mile, Per MOU                                                            |     |             | 0.0000080bk  |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | Common Transport - Facilities Termination Per MOU                                               |     |             | 0.0004152bk  |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| LOCAL INTERCONNECTION (DEDICATED TRANSPORT)                                                                                                                                 |               |  |  |         |                                                                                                 |     |             |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT                                                                                                                                   |               |  |  |         |                                                                                                 |     |             |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month             |     |             | 0.0222       |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month |     |             | 17.07        | 79.61  | 36.08                   |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month                        |     |             | 0.0222       |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month            |     |             | 16.45        | 79.61  | 36.08                   |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month                        |     |             | 0.0222       |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month            |     |             | 16.45        | 79.61  | 36.08                   |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month                              |     |             | 0.4523       |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month                 |     |             | 78.47        | 147.07 | 111.75                  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month                            |     |             | 2.72         |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month                |     |             | 788.00       | 511.10 | 330.77                  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| LOCAL CHANNEL - DEDICATED TRANSPORT                                                                                                                                         |               |  |  |         |                                                                                                 |     |             |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | Local Channel - Dedicated - 2-Wire Voice Grade per month                                        |     |             | 13.91        | 382.95 | 62.40                   |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | Local Channel - Dedicated - 4-Wire Voice Grade per month                                        |     |             | 14.99        | 368.44 | 64.05                   |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | Local Channel - Dedicated - DS1 per month                                                       |     |             | 38.36        | 356.15 | 312.89                  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | Local Channel - Dedicated - DS3 Facility Termination per month                                  |     |             | 515.91       | 639.50 | 426.31                  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| LOCAL INTERCONNECTION MID-SPAN MEET                                                                                                                                         |               |  |  |         |                                                                                                 |     |             |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.                                                                 |               |  |  |         |                                                                                                 |     |             |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | Local Channel - Dedicated - DS1 per month                                                       |     |             | 0.00         | 0.00   |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | Local Channel - Dedicated - DS3 per month                                                       |     |             | 0.00         | 0.00   |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| MULTIPLEXERS                                                                                                                                                                |               |  |  |         |                                                                                                 |     |             |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | Channelization - DS1 to DS0 Channel System                                                      |     |             | 126.22       | 198.22 | 123.59                  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | DS3 to DS1 Channel System per month                                                             |     |             | 182.04       | 280.66 | 195.33                  |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | DS3 Interface Unit (DS1 COCI) per month                                                         |     |             | 11.02        | 12.02  | 8.66                    |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff. |               |  |  |         |                                                                                                 |     |             |              |        |                         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |

| LOCAL INTERCONNECTION - Kentucky                                                                                                                                            |               |                                                                                                 |  |  |            |       |     |             |              | Attachment: 3 |                                  | Exhibit: A                           |                                                          |                                                            |                                                               |                                                                 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------------------------|--|--|------------|-------|-----|-------------|--------------|---------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|
| CATEGORY                                                                                                                                                                    | RATE ELEMENTS |                                                                                                 |  |  | Interim    | Zone  | BCS | USOC        | RATES (\$)   |               | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|                                                                                                                                                                             |               |                                                                                                 |  |  |            |       |     |             |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |                                                                                                 |  |  |            |       |     | Rec         | Nonrecurring |               | Nonrecurring Disconnect          |                                      | OSS Rates(\$)                                            |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |                                                                                                 |  |  |            |       |     |             | First        | Add'l         | First                            | Add'l                                | SOMEK                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           |
| LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)                                                                                                                      |               |                                                                                                 |  |  |            |       |     |             |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element pursuant to the terms and conditions in Attachment 3.                     |               |                                                                                                 |  |  |            |       |     |             |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| TANDEM SWITCHING                                                                                                                                                            |               |                                                                                                 |  |  |            |       |     |             |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | Tandem Switching Function Per MOU                                                               |  |  | OHD        |       |     | 0.0006772bk |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | Multiple Tandem Switching, per MOU (applies to intial tandem only)                              |  |  | OHD        |       |     | 0.0006772   |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | Tandem Intermediary Charge, per MOU*                                                            |  |  | OHD        |       |     | 0.0015      |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| * This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges.                                      |               |                                                                                                 |  |  |            |       |     |             |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| TRUNK CHARGE                                                                                                                                                                |               |                                                                                                 |  |  |            |       |     |             |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | Installation Trunk Side Service - per DS0                                                       |  |  | OHD        | TPP++ |     |             | 334.09       | 57.12         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | Dedicated End Office Trunk Port Service-per DS0**                                               |  |  | OHD        | TDE0P |     | 0.00        |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | Dedicated End Office Trunk Port Service-per DS1**                                               |  |  | OH1 OH1MS  | TDE1P |     | 0.00        |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | Dedicated Tandem Trunk Port Service-per DS0**                                                   |  |  | OHD        | TDW0P |     | 0.00        |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | Dedicated Tandem Trunk Port Service-per DS1**                                                   |  |  | OH1 OH1MS  | TDW1P |     | 0.00        |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| ** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements                                |               |                                                                                                 |  |  |            |       |     |             |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| COMMON TRANSPORT (Shared)                                                                                                                                                   |               |                                                                                                 |  |  |            |       |     |             |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | Common Transport - Per Mile, Per MOU                                                            |  |  | OHD        |       |     | 0.0000030bk |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | Common Transport - Facilities Termination Per MOU                                               |  |  | OHD        |       |     | 0.0007466bk |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| LOCAL INTERCONNECTION (DEDICATED TRANSPORT)                                                                                                                                 |               |                                                                                                 |  |  |            |       |     |             |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT                                                                                                                                   |               |                                                                                                 |  |  |            |       |     |             |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month             |  |  | OHL, OHM   | 1L5NF |     | 0.01        |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month |  |  | OHL, OHM   | 1L5NF |     | 29.11       | 47.34        | 31.78         | 22.77                            | 8.75                                 |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month                        |  |  | OHL, OHM   | 1L5NK |     | 0.0115      |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month            |  |  | OHL, OHM   | 1L5NK |     | 20.97       | 47.35        | 31.78         | 22.77                            | 8.75                                 |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month                        |  |  | OHL, OHM   | 1L5NK |     | 0.0115      |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month            |  |  | OHL, OHM   | 1L5NK |     | 20.97       | 47.35        | 31.78         | 22.77                            | 8.75                                 |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month                              |  |  | OH1, OH1MS | 1L5NL |     | 0.23        |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month                 |  |  | OH1, OH1MS | 1L5NL |     | 96.04       | 105.52       | 98.46         | 23.09                            | 20.49                                |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month                            |  |  | OH3, OH3MS | 1L5NM |     | 4.97        |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month                |  |  | OH3, OH3MS | 1L5NM |     | 1,175.15    | 335.40       | 219.24        | 89.57                            | 87.75                                |                                                          |                                                            |                                                               |                                                                 |
| LOCAL CHANNEL - DEDICATED TRANSPORT                                                                                                                                         |               |                                                                                                 |  |  |            |       |     |             |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | Local Channel - Dedicated - 2-Wire Voice Grade per month                                        |  |  | OHL, OHM   | TEFV2 |     | 18.57       | 265.78       | 46.96         | 46.79                            | 4.98                                 |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | Local Channel - Dedicated - 4-Wire Voice Grade per month                                        |  |  | OHL, OHM   | TEFV4 |     | 19.86       | 266.48       | 47.65         | 47.54                            | 5.73                                 |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | Local Channel - Dedicated - DS1 per month                                                       |  |  | OH1        | TEFHG |     | 40.46       | 209.60       | 176.51        | 30.21                            | 21.07                                |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | Local Channel - Dedicated - DS3 Facility Termination per month                                  |  |  | OH3        | TEFHJ |     | 576.05      | 551.38       | 338.08        | 173.00                           | 120.42                               |                                                          |                                                            |                                                               |                                                                 |
| LOCAL INTERCONNECTION MID-SPAN MEET                                                                                                                                         |               |                                                                                                 |  |  |            |       |     |             |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.                                                                 |               |                                                                                                 |  |  |            |       |     |             |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | Local Channel - Dedicated - DS1 per month                                                       |  |  | OH1MS      | TEFHG |     | 0.00        | 0.00         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | Local Channel - Dedicated - DS3 per month                                                       |  |  | OH3MS      | TEFHJ |     | 0.00        | 0.00         |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| MULTIPLEXERS                                                                                                                                                                |               |                                                                                                 |  |  |            |       |     |             |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | Channelization - DS1 to DS0 Channel System                                                      |  |  | OH1, OH1MS | SATN1 |     | 113.33      | 101.40       | 71.60         | 13.79                            | 13.04                                |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | DS3 to DS1 Channel System per month                                                             |  |  | OH3, OH3MS | SATNS |     | 158.20      | 199.23       | 118.62        | 50.16                            | 48.59                                |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               | DS3 Interface Unit (DS1 COCI) per month                                                         |  |  | OH1, OH1MS | SATCO |     | 11.80       | 10.07        | 7.08          |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff. |               |                                                                                                 |  |  |            |       |     |             |              |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |

| LOCAL INTERCONNECTION - Louisiana                                                                                                                                           |               |  |  |  |             |            |       |             |            | Attachment: 3 |                                           | Exhibit: A                                    |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--|--|--|-------------|------------|-------|-------------|------------|---------------|-------------------------------------------|-----------------------------------------------|--------------------------------------------------------------------------|----------------------------------------------------------------------------|-------------------------------------------------------------------------------|---------------------------------------------------------------------------------|-------|
| CATEGORY                                                                                                                                                                    | RATE ELEMENTS |  |  |  | Interi<br>m | Zone       | BCS   | USOC        | RATES (\$) |               | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'l | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc Add'l |       |
|                                                                                                                                                                             |               |  |  |  |             |            |       |             | Rec        | Nonrecurring  |                                           | Nonrecurring Disconnect                       |                                                                          | OSS Rates(\$)                                                              |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             |            |       |             |            | First         | Add'l                                     | First                                         | Add'l                                                                    | SOMEc                                                                      | SOMAN                                                                         | SOMAN                                                                           | SOMAN |
| LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)                                                                                                                      |               |  |  |  |             |            |       |             |            |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
| NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element pursuant to the terms and conditions in Attachment 3.                     |               |  |  |  |             |            |       |             |            |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
| TANDEM SWITCHING                                                                                                                                                            |               |  |  |  |             |            |       |             |            |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OHD        |       | 0.0005507bk |            |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OHD        |       | 0.0005507   |            |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OHD        |       | 0.0015      |            |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
| * This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges.                                      |               |  |  |  |             |            |       |             |            |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
| TRUNK CHARGE                                                                                                                                                                |               |  |  |  |             |            |       |             |            |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OHD        | TPP++ |             | 334.94     | 56.98         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OHD        | TDE0P | 0.00        |            |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OH1 OH1MS  | TDE1P | 0.00        |            |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OHD        | TDW0P | 0.00        |            |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OH1 OH1MS  | TDW1P | 0.00        |            |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
| ** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements                                |               |  |  |  |             |            |       |             |            |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
| COMMON TRANSPORT (Shared)                                                                                                                                                   |               |  |  |  |             |            |       |             |            |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OHD        |       | 0.0000032bk |            |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OHD        |       | 0.0003748bk |            |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
| LOCAL INTERCONNECTION (DEDICATED TRANSPORT)                                                                                                                                 |               |  |  |  |             |            |       |             |            |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT                                                                                                                                   |               |  |  |  |             |            |       |             |            |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OHL, OHM   | 1L5NF | 0.013       |            |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OHL, OHM   | 1L5NF | 22.60       | 39.36      | 26.62         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OHL, OHM   | 1L5NK | 0.013       |            |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OHL, OHM   | 1L5NK | 15.61       | 39.37      | 26.62         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OHL, OHM   | 1L5NK | 0.013       |            |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OHL, OHM   | 1L5NK | 15.61       | 39.37      | 26.62         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OH1, OH1MS | 1L5NL | 0.2652      |            |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OH1, OH1MS | 1L5NL | 70.47       | 86.69      | 79.44         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OH3, OH3MS | 1L5NM | 6.04        |            |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OH3, OH3MS | 1L5NM | 850.45      | 270.69     | 158.05        |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
| LOCAL CHANNEL - DEDICATED TRANSPORT                                                                                                                                         |               |  |  |  |             |            |       |             |            |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OHL, OHM   | TEFV2 | 18.32       | 187.51     | 32.21         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OHL, OHM   | TEFV4 | 19.41       | 187.94     | 32.63         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OH1        | TEFHG | 39.18       | 172.34     | 149.27        |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OH3        | TEFHJ | 469.44      | 438.46     | 256.30        |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
| LOCAL INTERCONNECTION MID-SPAN MEET                                                                                                                                         |               |  |  |  |             |            |       |             |            |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
| NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.                                                                 |               |  |  |  |             |            |       |             |            |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OH1MS      | TEFHG | 0.00        | 0.00       |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OH3MS      | TEFHJ | 0.00        | 0.00       |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
| MULTIPLEXERS                                                                                                                                                                |               |  |  |  |             |            |       |             |            |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OH1, OH1MS | SATN1 | 105.09      | 88.41      | 60.76         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OH3, OH3MS | SATNS | 201.48      | 172.99     | 91.25         |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
|                                                                                                                                                                             |               |  |  |  |             | OH1, OH1MS | SATCO | 11.78       | 6.39       | 4.58          |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |
| Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff. |               |  |  |  |             |            |       |             |            |               |                                           |                                               |                                                                          |                                                                            |                                                                               |                                                                                 |       |

| LOCAL INTERCONNECTION - Mississippi                                                                                                                                         |               |  |  |  |         |      |            |       |              |        | Attachment: 3                    |                                      | Exhibit: A                                               |                                                            |                                                               |                                                                 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--|--|--|---------|------|------------|-------|--------------|--------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|
| CATEGORY                                                                                                                                                                    | RATE ELEMENTS |  |  |  | Interim | Zone | BCS        | USOC  | RATES (\$)   |        | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|                                                                                                                                                                             |               |  |  |  |         |      |            | Rec   | Nonrecurring |        | Nonrecurring Disconnect          |                                      | OSS Rates(\$)                                            |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      |            |       | First        | Add'l  | First                            | Add'l                                | SOMEc                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           |
| LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)                                                                                                                      |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element pursuant to the terms and conditions in Attachment 3.                     |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| TANDEM SWITCHING                                                                                                                                                            |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHD        |       | 0.0005379bk  |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHD        |       | 0.0005379    |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHD        |       | 0.0015       |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| * This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges.                                      |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| TRUNK CHARGE                                                                                                                                                                |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHD        | TPP++ |              | 334.11 | 56.98                            |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHD        | TDE0P | 0.00         |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OH1 OH1MS  | TDE1P | 0.00         |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHD        | TDW0P | 0.00         |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OH1 OH1MS  | TDW1P | 0.00         |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| ** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements                                |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| COMMON TRANSPORT (Shared)                                                                                                                                                   |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHD        |       | 0.0000026bk  |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHD        |       | 0.0004541bk  |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| LOCAL INTERCONNECTION (DEDICATED TRANSPORT)                                                                                                                                 |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT                                                                                                                                   |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHL, OHM   | 1L5NF | 0.0098       |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHL, OHM   | 1L5NF | 22.52        | 40.77  | 27.57                            | 17.26                                | 7.11                                                     |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHL, OHM   | 1L5NK | 0.0098       |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHL, OHM   | 1L5NK | 15.68        | 40.78  | 27.57                            | 17.26                                | 7.11                                                     |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHL, OHM   | 1L5NK | 0.0098       |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHL, OHM   | 1L5NK | 15.68        | 40.78  | 27.57                            | 17.26                                | 7.11                                                     |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OH1, OH1MS | 1L5NL | 0.201        |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OH1, OH1MS | 1L5NL | 57.33        | 89.79  | 82.28                            | 16.86                                | 14.90                                                    |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OH3, OH3MS | 1L5NM | 4.76         |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OH3, OH3MS | 1L5NM | 641.90       | 280.37 | 163.70                           | 62.08                                | 60.29                                                    |                                                            |                                                               |                                                                 |
| LOCAL CHANNEL - DEDICATED TRANSPORT                                                                                                                                         |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHL, OHM   | TEFV2 | 14.91        | 194.22 | 33.36                            | 37.79                                | 3.30                                                     |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHL, OHM   | TEFV4 | 15.99        | 194.66 | 33.80                            | 38.27                                | 3.78                                                     |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OH1        | TEFHG | 36.83        | 178.50 | 154.61                           | 22.89                                | 15.74                                                    |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OH3        | TEFHJ | 413.87       | 454.13 | 264.47                           | 123.23                               | 86.19                                                    |                                                            |                                                               |                                                                 |
| LOCAL INTERCONNECTION MID-SPAN MEET                                                                                                                                         |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.                                                                 |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OH1MS      | TEFHG | 0.00         | 0.00   |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OH3MS      | TEFHJ | 0.00         | 0.00   |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| MULTIPLEXERS                                                                                                                                                                |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OH1, OH1MS | SATN1 | 102.85       | 91.57  | 62.94                            | 10.87                                | 10.10                                                    |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OH3, OH3MS | SATNS | 170.63       | 179.17 | 94.52                            | 34.30                                | 32.82                                                    |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OH1, OH1MS | SATCO | 12.96        | 6.62   | 4.74                             |                                      |                                                          |                                                            |                                                               |                                                                 |
| Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff. |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |

| LOCAL INTERCONNECTION - North Carolina                                                                                                                  |               |  |  |  |         |      |     |      |              |       | Attachment: 3                    |                                      | Exhibit: A                                               |                                                            |                                                               |                                                                 |       |       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--|--|--|---------|------|-----|------|--------------|-------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|-------|-------|
| CATEGORY                                                                                                                                                | RATE ELEMENTS |  |  |  | Interim | Zone | BCS | USOC | RATES (\$)   |       | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     | Rec  | Nonrecurring |       | Nonrecurring Disconnect          |                                      | OSS Rates(\$)                                            |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      | First        | Add'l | First                            | Add'l                                | SOMEc                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           | SOMAN | SOMAN |
| LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)                                                                                                  |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
| NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element pursuant to the terms and conditions in Attachment 3. |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
| TANDEM SWITCHING                                                                                                                                        |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |       |       |
|                                                                                                                                                         |               |  |  |  |         |      |     |      |              |       |                                  |                                      |                                                          |                                                            |                                                               | </                                                              |       |       |

| LOCAL INTERCONNECTION - South Carolina                                                                                                                                      |               |  |  |  |         |      |            |       |              |        | Attachment: 3                    |                                      | Exhibit: A                                               |                                                            |                                                               |                                                                 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--|--|--|---------|------|------------|-------|--------------|--------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|
| CATEGORY                                                                                                                                                                    | RATE ELEMENTS |  |  |  | Interim | Zone | BCS        | USOC  | RATES (\$)   |        | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|                                                                                                                                                                             |               |  |  |  |         |      |            | Rec   | Nonrecurring |        | Nonrecurring Disconnect          |                                      | OSS Rates(\$)                                            |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      |            |       | First        | Add'l  | First                            | Add'l                                | SOMEc                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           |
| LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)                                                                                                                      |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element pursuant to the terms and conditions in Attachment 3.                     |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| TANDEM SWITCHING                                                                                                                                                            |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHD        |       | 0.0007360bk  |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHD        |       | 0.000736     |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHD        |       | 0.0015       |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| * This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges.                                      |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| TRUNK CHARGE                                                                                                                                                                |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHD        | TPP++ |              | 335.14 | 57.16                            |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHD        | TDE0P | 0.00         |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OH1 OH1MS  | TDE1P | 0.00         |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHD        | TDW0P | 0.00         |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OH1 OH1MS  | TDW1P | 0.00         |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| ** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements                                |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| COMMON TRANSPORT (Shared)                                                                                                                                                   |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHD        |       | 0.0000045bk  |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHD        |       | 0.0004095bk  |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| LOCAL INTERCONNECTION (DEDICATED TRANSPORT)                                                                                                                                 |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT                                                                                                                                   |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHL, OHM   | 1L5NF | 0.0167       |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHL, OHM   | 1L5NF | 24.30        | 40.63  | 27.47                            | 16.77                                | 6.91                                                     |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHL, OHM   | 1L5NK | 0.0167       |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHL, OHM   | 1L5NK | 16.76        | 40.63  | 27.47                            | 16.77                                | 6.91                                                     |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHL, OHM   | 1L5NK | 0.0167       |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHL, OHM   | 1L5NK | 16.76        | 40.63  | 27.47                            | 16.77                                | 6.91                                                     |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OH1, OH1MS | 1L5NL | 0.3415       |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OH1, OH1MS | 1L5NL | 77.14        | 89.47  | 81.99                            | 16.39                                | 14.48                                                    |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OH3, OH3MS | 1L5NM | 8.02         |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OH3, OH3MS | 1L5NM | 880.65       | 279.37 | 163.12                           | 60.33                                | 58.59                                                    |                                                            |                                                               |                                                                 |
| LOCAL CHANNEL - DEDICATED TRANSPORT                                                                                                                                         |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHL, OHM   | TEFV2 | 15.33        | 193.53 | 33.24                            | 36.72                                | 3.21                                                     |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OHL, OHM   | TEFV4 | 16.54        | 193.97 | 33.68                            | 37.19                                | 3.68                                                     |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OH1        | TEFHG | 42.62        | 177.87 | 154.06                           | 22.24                                | 15.30                                                    |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OH3        | TEFHJ | 446.00       | 452.52 | 264.53                           | 119.75                               | 83.77                                                    |                                                            |                                                               |                                                                 |
| LOCAL INTERCONNECTION MID-SPAN MEET                                                                                                                                         |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.                                                                 |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OH1MS      | TEFHG | 0.00         | 0.00   |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OH3MS      | TEFHJ | 0.00         | 0.00   |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| MULTIPLEXERS                                                                                                                                                                |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OH1, OH1MS | SATN1 | 107.57       | 91.24  | 62.71                            | 10.56                                | 9.81                                                     |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OH3, OH3MS | SATNS | 144.02       | 178.54 | 94.18                            | 33.33                                | 31.90                                                    |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |  |         |      | OH1, OH1MS | SATCO | 8.64         | 6.59   | 4.73                             |                                      |                                                          |                                                            |                                                               |                                                                 |
| Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff. |               |  |  |  |         |      |            |       |              |        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |

| LOCAL INTERCONNECTION - Tennessee                                                                                                                                           |               |  |  |         |            |       |             |                    |        |                               | Attachment: 3 |                                  | Exhibit: A                           |                                                          |                                                            |                                                               |                                                                 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--|--|---------|------------|-------|-------------|--------------------|--------|-------------------------------|---------------|----------------------------------|--------------------------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------------------------------------|
| CATEGORY                                                                                                                                                                    | RATE ELEMENTS |  |  | Interim | Zone       | BCS   | USOC        | RATES (\$)         |        |                               |               | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
|                                                                                                                                                                             |               |  |  |         |            |       | Rec         | Nonrecurring First | Add'l  | Nonrecurring Disconnect First | Add'l         | OSS Rates(\$)                    |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         |            |       |             |                    |        |                               |               | SOMEc                            | SOMAN                                | SOMAN                                                    | SOMAN                                                      | SOMAN                                                         | SOMAN                                                           |
| LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)                                                                                                                      |               |  |  |         |            |       |             |                    |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element pursuant to the terms and conditions in Attachment 3.                     |               |  |  |         |            |       |             |                    |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| TANDEM SWITCHING                                                                                                                                                            |               |  |  |         |            |       |             |                    |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OHD        |       | 0.0009778bk |                    |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OHD        |       | 0.0009778   |                    |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OHD        |       | 0.0015      |                    |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| * This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges.                                      |               |  |  |         |            |       |             |                    |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| TRUNK CHARGE                                                                                                                                                                |               |  |  |         |            |       |             |                    |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OHD        | TPP++ |             | 334.29             | 57.01  |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OHD        | TDE0P | 0.00        |                    |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OH1 OH1MS  | TDE1P | 0.00        |                    |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OHD        | TDW0P | 0.00        |                    |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OH1 OH1MS  | TDW1P | 0.00        |                    |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| ** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements                                |               |  |  |         |            |       |             |                    |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| COMMON TRANSPORT (Shared)                                                                                                                                                   |               |  |  |         |            |       |             |                    |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OHD        |       | 0.0000064bk |                    |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OHD        |       | 0.0003871bk |                    |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| LOCAL INTERCONNECTION (DEDICATED TRANSPORT)                                                                                                                                 |               |  |  |         |            |       |             |                    |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT                                                                                                                                   |               |  |  |         |            |       |             |                    |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OHL, OHM   | 1L5NF | 0.0174      |                    |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OHL, OHM   | 1L5NF | 18.58       | 55.39              | 17.37  | 27.96                         | 3.51          |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OHL, OHM   | 1L5NK | 0.0174      |                    |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OHL, OHM   | 1L5NK | 17.98       | 55.39              | 17.37  | 27.96                         | 3.51          |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OHL, OHM   | 1L5NK | 0.0174      |                    |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OHL, OHM   | 1L5NK | 17.98       | 55.39              | 17.37  | 27.96                         | 3.51          |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OH1, OH1MS | 1L5NL | 0.3562      |                    |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OH1, OH1MS | 1L5NL | 77.86       | 112.40             | 76.27  | 19.55                         | 14.99         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OH3, OH3MS | 1L5NM | 2.34        |                    |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OH3, OH3MS | 1L5NM | 848.99      | 395.29             | 176.56 | 109.04                        | 105.91        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| LOCAL CHANNEL - DEDICATED TRANSPORT                                                                                                                                         |               |  |  |         |            |       |             |                    |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OHL, OHM   | TEFV2 | 19.43       | 199.33             | 24.16  | 54.81                         | 4.80          |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OHL, OHM   | TEFV4 | 20.56       | 201.53             | 24.83  | 55.52                         | 5.51          |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OH1        | TEFHG | 40.99       | 277.35             | 233.26 | 33.18                         | 22.30         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OH3        | TEFHJ | 611.30      | 595.37             | 304.50 | 215.82                        | 151.15        |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| LOCAL INTERCONNECTION MID-SPAN MEET                                                                                                                                         |               |  |  |         |            |       |             |                    |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.                                                                 |               |  |  |         |            |       |             |                    |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OH1MS      | TEFHG | 0.00        | 0.00               |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OH3MS      | TEFHJ | 0.00        | 0.00               |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| MULTIPLEXERS                                                                                                                                                                |               |  |  |         |            |       |             |                    |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OH1, OH1MS | SATN1 | 80.77       | 141.87             | 77.11  | 44.47                         | 42.62         |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OH3, OH3MS | SATNS | 222.98      | 308.03             | 108.47 | 6.34                          | 4.23          |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
|                                                                                                                                                                             |               |  |  |         | OH1, OH1MS | SATCO | 17.58       | 6.07               | 4.66   |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |
| Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff. |               |  |  |         |            |       |             |                    |        |                               |               |                                  |                                      |                                                          |                                                            |                                                               |                                                                 |

## **ADOPTION EXHIBIT 5**

Current language in Section 6.7, Security deposit, in Attachment 1 shall be replaced with the following language:

6.7 Deposit Policy. Global Connection shall complete the BellSouth Credit Profile and provide information to BellSouth regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond, (BellSouth form) or, in BellSouth's sole discretion, some other form of security. Any such security deposit shall in no way release Global Connection from its obligation to make complete and timely payments of its bill. Global Connection shall pay any applicable deposits prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security deposit, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC-1) security interest in Global Connection's "accounts receivables and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing. In the event Global Connection fails to remit to BellSouth any deposit requested pursuant to this Section, service to Global Connection may be terminated in accordance with the terms of Section 8 of this Attachment, and any security deposits will be applied to Global Connection's accounts(s). In the event Global Connection defaults on its account, service to Global Connection will be terminated and any security deposits will be applied to Global Connection's account.

Current language in Section 1.8, Security Deposit, in Attachment 7 shall be replaced with the following language:

1.8 Deposit Policy. Global Connection shall complete the BellSouth Credit Profile and provide information to BellSouth regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond, (BellSouth form) or, in BellSouth's sole discretion, some other form of security. Any such security deposit shall in no way release Global Connection from its obligation to make complete and timely payments of its bill. Global Connection shall pay any applicable deposits prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security deposit, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC-1) security interest in Global Connection's "accounts receivables and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing. In the event Global Connection fails to remit to BellSouth any deposit requested pursuant to this Section, service to Global Connection may be terminated in accordance with the terms of Section 1.7 of this Attachment, and any security deposits will be applied to Global Connection's accounts(s). In the event Global Connection defaults on its account, service to Global Connection will be terminated and any security deposits will be applied to Global Connection's account.