| | NETWORK ELEMENTS - Mississippi | | | ı | | | | | | | | | | ment: 2 | Exhil | |
|--|--|---|--|--|--|---|---|--|-------------------|-----------------|-------------|--------------|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | No. | RATES (\$) | N | D' | 1 | Submitted | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| 115 | bundled Fushers a Date O Wise Channelined Outdiel | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| (AL | bundled Exchange Ports, 2-Wire Channelized – Outdial – L, KY, LA, MS, & TN)(Conversion from Network Access ervice) | | | UEPPX | UEPCY | 1.23 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.75 | | | 1.97 | |
| (AL | abundled Exchange Ports, 2-Wire Channelized – Combination L, KY, LA, MS, & TN) (Conversion from Network Access ervice) | | | UEPPX | UEPCT | 1.23 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.75 | | | 1.97 | |
| | bundled Exchange Ports, 2-Wire Channelized – Outdial– | | | | | | | | 5.55 | | | | | | | |
| | ssissippi Only – Calling Plan | | | UEPPX | UEPC4 | 1.23 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.75 | | | 1.97 | |
| | ctivations - Unbundled Loop Concentration | | | | | | | | | | | | | | | |
| | eature (Service) Activation for each Line Port Terminated in D4 | | | | | | | | | | | | | | | |
| | eature (Service) Activation for each Trunk Port Terminated in | | | UEPPX | 1PQWM | 0.61 | 25.36 | 13.39 | 4.29 | 4.26 | | 15.75 | | | 1.97 | |
| | Bank | | | UEPPX | 1PQWU | 0.61 | 78.03 | 18.39 | 60.66 | 11.85 | | 15.75 | | | 1.97 | |
| | e Number/ Group Establishment Charges for DID Service | | | | | | | | | | | | | | | |
| | D Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | D Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | on-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | eserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | eserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| | nber Portability | | | LIEDDY | LNDOD | 0.45 | 0.00 | 0.00 | | | | | | | | |
| | cal Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | S - Vertical and Optional tching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | |
| | Features Available | | | UEPPX | | | | | | | | 15.75 | | | 4.07 | |
| | | | | | | 2.56 | 0.00 | | | | | | | | | |
| | | | | OLFFX | UEPVF | 2.56 | 0.00 | 0.00 | | | | 15.75 | | | 1.97 | |
| NBUNDLED CEN | NTREX PORT/LOOP COMBINATIONS - COST BASED RATES | | State (| - | | | | | | | | 15.75 | | | 1.97 | |
| BUNDLED CEN 1. Cost Ba | NTREX PORT/LOOP COMBINATIONS - COST BASED RATES used Rates are applied where BellSouth is required by FCC | and/or | | Commission rule to | provide Unbu | undled Local S | witching or Sw | vitch Ports. | dled Port section | on of this Rate | Exhibit | 15.75 | | | 1.97 | |
| 1. Cost Ba 2. Features | NTREX PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC as shall apply to the Unbundled Port/Loop Combination - C | and/or ost Bas | ed Rat | Commission rule to e section in the sam | provide Unbu e manner as | undled Local So they are applie | witching or Sw | ritch Ports. -Alone Unbun | | | | | op Combinat | ions. | 1.97 | |
| 1. Cost Ba 2. Features 3. End Offi | NTREX PORT/LOOP COMBINATIONS - COST BASED RATES used Rates are applied where BellSouth is required by FCC | and/or ost Bas Usage | sed Raterates in | Commission rule to e section in the sam | provide Unbu e manner as this rate exh | undled Local So they are applie ibit shall apply | witching or Sw ed to the Stand to all combina | ritch PortsAlone Unbundations of loop/ | port network el | ements excep | t for UNE C | coin Port/Lo | | | | Cs may |
| 1. Cost Ba 2. Features 3. End Offi 4. The first | ITREX PORT/LOOP COMBINATIONS - COST BASED RATES used Rates are applied where BellSouth is required by FCC is shall apply to the Unbundled Port/Loop Combination - C ice and Tandem Switching Usage and Common Transport | and/or ost Bas Usage | sed Raterates in | Commission rule to e section in the sam | provide Unbu e manner as this rate exh | undled Local So they are applie ibit shall apply | witching or Sw ed to the Stand to all combina | ritch PortsAlone Unbundations of loop/ | port network el | ements excep | t for UNE C | coin Port/Lo | | | | Cs may |
| 1. Cost Ba 1. Cost Ba 2. Features 3. End Offi 4. The first apply also 5. Market | NTREX PORT/LOOP COMBINATIONS - COST BASED RATES used Rates are applied where BellSouth is required by FCC is shall apply to the Unbundled Port/Loop Combination - Cice and Tandem Switching Usage and Common Transport at and additional Port nonrecurring charges apply to Not Cool and are categorized accordingly. Rates for Unbundled Centrex Port/Loop Combination will | and/or ost Bas Usage urrently be nego | sed Rater rates in Combi | Commission rule to e section in the sam the Port section of ined Combos. For | provide Unbu e manner as this rate exh Currently Co | undled Local So they are applie ibit shall apply mbined Combo | witching or Swed to the Stand to all combinations, the nonrecu | ritch PortsAlone Unbundations of loop/ | port network el | ements excep | t for UNE C | coin Port/Lo | | | | Cs may |
| 1. Cost Ba 1. Cost Ba 2. Features 3. End Offi 4. The first apply also 5. Market | NTREX PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC is shall apply to the Unbundled Port/Loop Combination - C ice and Tandem Switching Usage and Common Transport and additional Port nonrecurring charges apply to Not Co or and are categorized accordingly. | and/or ost Bas Usage urrently be nego | sed Rater rates in Combi | Commission rule to e section in the sam the Port section of ined Combos. For | provide Unbu e manner as this rate exh Currently Co | undled Local So they are applie ibit shall apply mbined Combo | witching or Swed to the Stand to all combinations, the nonrecu | ritch PortsAlone Unbundations of loop/ | port network el | ements excep | t for UNE C | coin Port/Lo | | | | Cs may |
| IBUNDLED CEN 1. Cost Ba 2. Features 3. End Offi 4. The first apply also 5. Market UNE-P CEI 2-Wire VG | NTREX PORT/LOOP COMBINATIONS - COST BASED RATES used Rates are applied where BellSouth is required by FCC is shall apply to the Unbundled Port/Loop Combination - Cice and Tandem Switching Usage and Common Transport and additional Port nonrecurring charges apply to Not Coto and are categorized accordingly. Rates for Unbundled Centrex Port/Loop Combination will INTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only Loop/2-Wire Voice Grade Port (Centrex) Combo | and/or ost Bas Usage urrently be nego | sed Rater rates in Combi | Commission rule to e section in the sam the Port section of ined Combos. For | provide Unbu e manner as this rate exh Currently Co | undled Local So they are applie ibit shall apply mbined Combo | witching or Swed to the Stand to all combinations, the nonrecu | ritch PortsAlone Unbundations of loop/ | port network el | ements excep | t for UNE C | coin Port/Lo | | | | Cs may |
| IBUNDLED CEN 1. Cost Ba. 2. Features 3. End Offi 4. The first apply also 5. Market UNE-P CEI 2-Wire VG UNE Port/I | NTREX PORT/LOOP COMBINATIONS - COST BASED RATES used Rates are applied where BellSouth is required by FCC is shall apply to the Unbundled Port/Loop Combination - Cice and Tandem Switching Usage and Common Transport and additional Port nonrecurring charges apply to Not Coop and are categorized accordingly. Rates for Unbundled Centrex Port/Loop Combination will NTREX - 1AESS - (Valid nAL,FL,GA,KY,LA,MS,&TN only is Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) | and/or ost Bas Usage urrently be nego | sed Rater rates in Combi | Commission rule to e section in the sam the Port section of ined Combos. For | provide Unbu e manner as this rate exh Currently Co | undled Local So they are applie ibit shall apply mbined Combo | witching or Swed to the Stand to all combinations, the nonrecu | ritch PortsAlone Unbundations of loop/ | port network el | ements excep | t for UNE C | coin Port/Lo | | | | Cs may |
| BUNDLED CEN 1. Cost Ba 2. Features 3. End Offi 4. The first apply also 5. Market UNE-P CEI 2-Wire VG UNE Port/I No | NTREX PORT/LOOP COMBINATIONS - COST BASED RATES used Rates are applied where BellSouth is required by FCC is shall apply to the Unbundled Port/Loop Combination - Cice and Tandem Switching Usage and Common Transport and additional Port nonrecurring charges apply to Not Co and are categorized accordingly. Rates for Unbundled Centrex Port/Loop Combination will INTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only is Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-in-Design) | and/or ost Bas Usage urrently be nego | sed Rater rates in Combi | Commission rule to e section in the sam the Port section of ined Combos. For | provide Unbu e manner as this rate exh Currently Co | undled Local So they are applie ibit shall apply mbined Combo | witching or Swed to the Stand to all combinations, the nonrecu | ritch PortsAlone Unbundations of loop/ | port network el | ements excep | t for UNE C | coin Port/Lo | | | | Cs may |
| IBUNDLED CEN | NTREX PORT/LOOP COMBINATIONS - COST BASED RATES used Rates are applied where BellSouth is required by FCC is shall apply to the Unbundled Port/Loop Combination - Cice and Tandem Switching Usage and Common Transport at and additional Port nonrecurring charges apply to Not Cot and are categorized accordingly. Rates for Unbundled Centrex Port/Loop Combination will NTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only is Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- | and/or ost Bas Usage urrently be nego | sed Rater rates in Combi | Commission rule to e section in the sam the Port section of ined Combos. For on an Individual Ca | provide Unbu e manner as this rate exh Currently Co | undled Local St they are applie ibit shall apply mbined Combo il further notice | witching or Swed to the Stand to all combinations, the nonrecu | ritch PortsAlone Unbundations of loop/ | port network el | ements excep | t for UNE C | coin Port/Lo | | | | Cs may |
| IBUNDLED CEN 1. Cost Ba 2. Features 3. End Offi 4. The first apply also 5. Market UNE-P CEI 2-Wire VG UNE Port/II | NTREX PORT/LOOP COMBINATIONS - COST BASED RATES used Rates are applied where BellSouth is required by FCC is shall apply to the Unbundled Port/Loop Combination - Cice and Tandem Switching Usage and Common Transport and additional Port nonrecurring charges apply to Not Co and are categorized accordingly. Rates for Unbundled Centrex Port/Loop Combination will INTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-no-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- | and/or ost Bas Usage urrently be nego | sed Raterates in Combinated | Commission rule to e section in the sam the Port section of ined Combos. For on an Individual Ca | provide Unbu e manner as this rate exh Currently Co | indled Local S they are applie ibit shall apply mbined Combo iil further notice | witching or Swed to the Stand to all combinations, the nonrecu | ritch PortsAlone Unbundations of loop/ | port network el | ements excep | t for UNE C | coin Port/Lo | | | | Cs may |
| IBUNDLED CEN | NTREX PORT/LOOP COMBINATIONS - COST BASED RATES used Rates are applied where BellSouth is required by FCC is shall apply to the Unbundled Port/Loop Combination - Cice and Tandem Switching Usage and Common Transport and additional Port nonrecurring charges apply to Not Cot and are categorized accordingly. Rates for Unbundled Centrex Port/Loop Combination will NTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only is Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-on-Design | and/or ost Bas Usage urrently be nego | sed Raterates in Combinated | Commission rule to e section in the same the Port section of ined Combos. For on an Individual Ca | provide Unbu e manner as this rate exh Currently Co | indled Local States and they are applied ibit shall apply mbined Combo iil further notice 12.22 | witching or Swed to the Stand to all combinations, the nonrecu | ritch PortsAlone Unbundations of loop/ | port network el | ements excep | t for UNE C | coin Port/Lo | | | | Cs may |
| BUNDLED CEN | NTREX PORT/LOOP COMBINATIONS - COST BASED RATES used Rates are applied where BellSouth is required by FCC is shall apply to the Unbundled Port/Loop Combination - Crice and Tandem Switching Usage and Common Transport and additional Port nonrecurring charges apply to Not Crock and are categorized accordingly. Rates for Unbundled Centrex Port/Loop Combination will NTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design | and/or ost Bas Usage urrently be nego | sed Raterates in Combinated | Commission rule to e section in the same the Port section of ined Combos. For on an Individual Ca UEP91 UEP91 | provide Unbu e manner as this rate exh Currently Co | indled Local S they are applie libit shall apply mbined Combo iil further notice 12.22 17.13 26.26 | witching or Swed to the Stand to all combinations, the nonrecu | ritch PortsAlone Unbundations of loop/ | port network el | ements excep | t for UNE C | coin Port/Lo | | | | Cs may |
| BUNDLED CEN 1. Cost Ba 2. Features 3. End Offi 4. The first apply also 5. Market UNE-P CEI 2-Wire VG UNE Port/I 2-V No 2-V No 2-V No 2-V No UNE PORT/I 1-V No 1-V No 1-V No UNE PORT/I 1-V I | NTREX PORT/LOOP COMBINATIONS - COST BASED RATES used Rates are applied where BellSouth is required by FCC shall apply to the Unbundled Port/Loop Combination - Cice and Tandem Switching Usage and Common Transport and additional Port nonrecurring charges apply to Not Cto and are categorized accordingly. Rates for Unbundled Centrex Port/Loop Combination will NTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Loop Combination Rates (Design) | and/or ost Bas Usage urrently be nego | sed Raterates in Combinated | Commission rule to e section in the same the Port section of ined Combos. For on an Individual Ca UEP91 UEP91 UEP91 UEP91 | provide Unbu e manner as this rate exh Currently Co | indled Local S they are applie ibit shall apply mbined Combo iil further notice 12.22 17.13 26.26 44.91 | witching or Swed to the Stand to all combinations, the nonrecu | ritch PortsAlone Unbundations of loop/ | port network el | ements excep | t for UNE C | coin Port/Lo | | | | Cs may |
| BUNDLED CEN 1. Cost Ba 2. Feature 3. End Offi 4. The first apply also 5. Market UNE-P CEI 2-Wire VG UNE Port/I 2-V No 2-V No 2-V No UNE Port/I 2-V Dee | ITREX PORT/LOOP COMBINATIONS - COST BASED RATES used Rates are applied where BellSouth is required by FCC is shall apply to the Unbundled Port/Loop Combination - Cice and Tandem Switching Usage and Common Transport and additional Port nonrecurring charges apply to Not Cot and are categorized accordingly. Rates for Unbundled Centrex Port/Loop Combination will INTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only is Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - on-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - on-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - on-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - on-Design | and/or ost Bas Usage urrently be nego | sed Raterates in Combinated 1 2 3 4 | Commission rule to e section in the same the Port section of ined Combos. For on an Individual Ca UEP91 UEP91 UEP91 UEP91 | provide Unbu e manner as this rate exh Currently Co | indled Local S they are applie ibit shall apply mbined Combo iil further notice 12.22 17.13 26.26 44.91 | witching or Swed to the Stand to all combinations, the nonrecu | ritch PortsAlone Unbundations of loop/ | port network el | ements excep | t for UNE C | coin Port/Lo | | | | Cs may |
| BUNDLED CEN | ITREX PORT/LOOP COMBINATIONS - COST BASED RATES used Rates are applied where BellSouth is required by FCC is shall apply to the Unbundled Port/Loop Combination - Crice and Tandem Switching Usage and Common Transport and additional Port nonrecurring charges apply to Not Color and are categorized accordingly. Rates for Unbundled Centrex Port/Loop Combination will INTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only: Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design | and/or ost Bas Usage urrently be nego | sed Raterates in Combinated 1 2 3 4 1 2 | Commission rule to e section in the same the Port section of ined Combos. For on an Individual Ca UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | provide Unbu e manner as this rate exh Currently Co | indled Local S they are applie ibit shall apply mbined Combo iil further notice 12.22 17.13 26.26 44.91 15.12 19.98 | witching or Swed to the Stand to all combinations, the nonrecu | ritch PortsAlone Unbundations of loop/ | port network el | ements excep | t for UNE C | coin Port/Lo | | | | Cs may |
| BUNDLED CEN | ITREX PORT/LOOP COMBINATIONS - COST BASED RATES used Rates are applied where BellSouth is required by FCC is shall apply to the Unbundled Port/Loop Combination - Cice and Tandem Switching Usage and Common Transport and additional Port nonrecurring charges apply to Not Cot and are categorized accordingly. Rates for Unbundled Centrex Port/Loop Combination will INTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only is Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-osign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-osign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-osign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-osign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-osign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-osign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-osign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-osign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-osign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-osign | and/or ost Bas Usage urrently be nego | sed Raterates in Combinated 1 2 3 4 | Commission rule to e section in the same the Port section of ined Combos. For on an Individual Ca UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | provide Unbu e manner as this rate exh Currently Co | indled Local S they are applie ibit shall apply mbined Combo iil further notice 12.22 17.13 26.26 44.91 15.12 19.98 28.78 | witching or Swed to the Stand to all combinations, the nonrecu | ritch PortsAlone Unbundations of loop/ | port network el | ements excep | t for UNE C | coin Port/Lo | | | | Cs may |
| BUNDLED CEN | ITREX PORT/LOOP COMBINATIONS - COST BASED RATES used Rates are applied where BellSouth is required by FCC is shall apply to the Unbundled Port/Loop Combination - Combin | and/or ost Bas Usage urrently be nego | sed Raterates in Combinated 1 2 3 4 1 2 | Commission rule to e section in the same the Port section of ined Combos. For on an Individual Ca UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | provide Unbu e manner as this rate exh Currently Co | indled Local S they are applie ibit shall apply mbined Combo iil further notice 12.22 17.13 26.26 44.91 15.12 19.98 | witching or Swed to the Stand to all combinations, the nonrecu | ritch PortsAlone Unbundations of loop/ | port network el | ements excep | t for UNE C | coin Port/Lo | | | | Cs may |
| BUNDLED CEN 1. Cost Ba 2. Feature 3. End Offi 4. The first apply also 5. Market UNE-P CEI 2-Wire VG UNE Port/I No 2-V No UNE Port/I 2-V No UNE PORT/I 2-V De 2-V De UNE CEI 2-V De UNE Loop UNE LOOP | ITREX PORT/LOOP COMBINATIONS - COST BASED RATES seed Rates are applied where BellSouth is required by FCC is shall apply to the Unbundled Port/Loop Combination - Co fice and Tandem Switching Usage and Common Transport it and additional Port nonrecurring charges apply to Not Co or and are categorized accordingly. Rates for Unbundled Centrex Port/Loop Combination will INTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only iLoop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design - In-Desig | and/or ost Bas Usage urrently be nego | eed Raterates in Combination of Comb | Commission rule to e section in the same the Port section of ined Combos. For on an Individual Ca UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | provide Unbu e manner as this rate exh Currently Co se Basis, unt | they are applie ibit shall apply mbined Combo iil further notice 12.22 17.13 26.26 44.91 15.12 19.98 28.78 46.95 | witching or Swed to the Stand to all combinations, the nonrecu | ritch PortsAlone Unbundations of loop/ | port network el | ements excep | t for UNE C | coin Port/Lo | | | | Cs may |
| BUNDLED CEN 1. Cost Ba 2. Feature 3. End Offi 4. The first apply also 5. Market UNE-P CEI 2-Wire VG UNE Port/I 2-V No 2-V No 2-V No UNE Port/I 2-V De 2-V De 1-V D | ITREX PORT/LOOP COMBINATIONS - COST BASED RATES used Rates are applied where BellSouth is required by FCC is shall apply to the Unbundled Port/Loop Combination - Cice and Tandem Switching Usage and Common Transport and additional Port nonrecurring charges apply to Not Cot and are categorized accordingly. Rates for Unbundled Centrex Port/Loop Combination will INTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only is Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-sign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-sign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-sign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-sign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-sign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-sign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-sign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-sign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-sign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-sign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-sign | and/or ost Bas Usage urrently be nego | ed Raterates in Combi | Commission rule to e section in the same the Port section of ined Combos. For on an Individual Ca UEP91 | provide Unbu e manner as this rate exh Currently Co se Basis, unt | they are applie ibit shall apply mbined Combo iil further notice 12.22 17.13 26.26 44.91 15.12 19.98 28.78 46.95 10.98 | witching or Swed to the Stand to all combinations, the nonrecu | ritch PortsAlone Unbundations of loop/ | port network el | ements excep | t for UNE C | coin Port/Lo | | | | Cs may |
| BUNDLED CEN 1. Cost Ba 2. Features 3. End Offi 4. The first apply also 5. Market UNE-P CEI 2-Wire VG UNE Port/I No 2-V No UNE Port/I 2-V No UNE Port/I 2-V De | ITREX PORT/LOOP COMBINATIONS - COST BASED RATES is lead Rates are applied where BellSouth is required by FCC is shall apply to the Unbundled Port/Loop Combination - Crice and Tandem Switching Usage and Common Transport and additional Port nonrecurring charges apply to Not Cross and are categorized accordingly. Rates for Unbundled Centrex Port/Loop Combination will intrex - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only ILOOp/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Indexign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Indexign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Indexign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Indexign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Indexign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Indexign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Indexign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Indexign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Indexign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Indexign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Indexign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Indexign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Indexign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Indexign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Indexign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Indexign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Indexign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Indexign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Indexign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Indexign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Indexign Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Indexign Wire VG Loop/2-Wire Voi | and/or ost Bas Usage urrently be nego | ed Raterates in a combinate of the combi | Commission rule to e section in the same the Port section of ined Combos. For on an Individual Ca UEP91 | DECS1 UECS1 UDITORION OF THE PROPERTY OF THE P | 12.22 17.13 26.26 44.91 15.12 19.98 46.95 10.98 15.91 | witching or Swed to the Stand to all combinations, the nonrecu | ritch PortsAlone Unbundations of loop/ | port network el | ements excep | t for UNE C | coin Port/Lo | | | | Cs may |
| BUNDLED CEN 1. Cost Ba 2. Feature 3. End Offi 4. The first apply also 5. Market UNE-P CEI 2-Wire VG UNE POrt/I No 2-V No UNE Port/I 2-V De | ATREX PORT/LOOP COMBINATIONS - COST BASED RATES used Rates are applied where BellSouth is required by FCC is shall apply to the Unbundled Port/Loop Combination - Color and Tandem Switching Usage and Common Transport and additional Port nonrecurring charges apply to Not Color and are categorized accordingly. Rates for Unbundled Centrex Port/Loop Combination will INTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only ILOOp/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design | and/or ost Bas Usage urrently be nego | ed Raterates in Combinated In | UEP91 | UECS1 UECS1 UECS1 UECS1 UECS1 | 12.22 17.13 26.26 44.91 15.12 19.98 46.95 10.98 15.91 25.04 | witching or Swed to the Stand to all combinations, the nonrecu | ritch PortsAlone Unbundations of loop/ | port network el | ements excep | t for UNE C | coin Port/Lo | | | | Cs may |
| BUNDLED CEN 1. Cost Ba 2. Feature 3. End Offi 4. The first apply also 5. Market UNE-P CEI 2-Wire VG UNE Port/I 2-V No 2-V No UNE Port/I 2-V De 2-V De 2-V De UNE Copp UNE COPP 2-V De UNE COPP UNE Loop 1-V De UNE Loop 2-V De UNE Loop 2-V De UNE Loop 2-V De UNE Loop 2-V De UNE Loop | ITREX PORT/LOOP COMBINATIONS - COST BASED RATES used Rates are applied where BellSouth is required by FCC is shall apply to the Unbundled Port/Loop Combination - Cice and Tandem Switching Usage and Common Transport at and additional Port nonrecurring charges apply to Not Cot and are categorized accordingly. Rates for Unbundled Centrex Port/Loop Combination will intrex - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only is Loop/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-on-Design Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 2 Wire Voice Grade Loop (SL 1) - Zone 3 Wire Voice Grade Loop (SL 1) - Zone 3 | and/or ost Bas Usage urrently be nego | ed Raterates in a combinate of the combi | Commission rule to e section in the same the Port section of ined Combos. For on an Individual Ca UEP91 UEP91 | UECS1 UECS1 UECS1 UECS1 | 12.22 17.13 26.26 44.91 15.12 19.98 28.78 46.95 10.98 15.91 25.04 43.68 | witching or Swed to the Stand to all combinations, the nonrecu | ritch PortsAlone Unbundations of loop/ | port network el | ements excep | t for UNE C | coin Port/Lo | | | | Cs may |
| IBUNDLED CEN | ATREX PORT/LOOP COMBINATIONS - COST BASED RATES used Rates are applied where BellSouth is required by FCC is shall apply to the Unbundled Port/Loop Combination - Color and Tandem Switching Usage and Common Transport and additional Port nonrecurring charges apply to Not Color and are categorized accordingly. Rates for Unbundled Centrex Port/Loop Combination will INTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only ILOOp/2-Wire Voice Grade Port (Centrex) Combo Loop Combination Rates (Non-Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Loop Combination Rates (Design) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - In-Design | and/or ost Bas Usage urrently be nego | ted Raterates in in Combinated 1 1 2 3 4 4 1 1 2 3 3 4 4 1 1 2 3 3 3 4 4 1 1 2 3 3 3 4 4 1 1 2 2 3 3 3 4 4 1 1 1 2 2 3 3 3 4 4 1 1 1 2 2 3 3 3 4 4 1 1 1 2 2 3 3 3 4 4 1 1 1 2 2 3 3 3 4 4 1 1 1 2 2 3 3 3 4 4 1 1 1 1 2 2 3 3 3 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | UEP91 | UECS1 UECS1 UECS1 UECS1 UECS1 | 12.22 17.13 26.26 44.91 15.12 19.98 46.95 10.98 15.91 25.04 | witching or Swed to the Stand to all combinations, the nonrecu | ritch PortsAlone Unbundations of loop/ | port network el | ements excep | t for UNE C | coin Port/Lo | | | | Cs may |

Version 1Q03: 02/28/03

| NRONDLE | D NETWORK ELEMENTS - Mississippi | | | | | | | | | | 1 - | T - | | ment: 2 | | ibit: B |
|---------|--|--|------|--------|----------------|--------|--------|------------|---------------|-------|---|---|--|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremen Charge Manual S Order vs Electroni Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | • | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 4 | | 4 | UEP91 | UECS2 | 45.72 | | | | | | | | | | |
| UNE P | | | | | | | | | | | | | | | | |
| All Sta | tes (Except North Carolina and Sout Carolina) | | | UEP91 | LIEDVA | 4.00 | 40.04 | 19.84 | 24.00 | 6.58 | | 45.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | UEP91 | UEPYA | 1.23 | 40.31 | 19.84 | 24.90 | 0.38 | | 15.75 | | | | |
| | Area | | | UEP91 | UEPYB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | OLI 91 | OLI ID | 1.25 | +0.51 | 13.04 | 24.30 | 0.50 | | 13.73 | | | | |
| | Area | | | UEP91 | UEPYH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | - | | | | | | | | | | |
| | Center)2 Basic Local Area | | | UEP91 | UEPYM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term - Basic Local Area | | | UEP91 | UEPYZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | 1 | | | | | | | | | | | | | | |
| | - Basic Local Area | ļ | | UEP91 | UEPY9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | 1 | | UEP91 | UEPY2 | 1,23 | 40.31 | 10.01 | 24.90 | 6.58 | | 15.75 | | | | |
| A1 10 | Basic Local Area 7, LA, MS, & TN Only | | | UEP91 | UEPY2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| AL, KI | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPQA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | - |
| | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP91 | UEPQB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex vith Caller ID)1 | | | UEP91 | UEPQH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| _ | 2-Wire Voice Grade Fort (Centrex with Galler IB)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | OLI 91 | OLI QII | 1.25 | +0.51 | 13.04 | 24.30 | 0.50 | | 13.73 | | | | |
| | Center)2 | | | UEP91 | UEPQM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | \$ <u>_</u> . | | | | | | | |
| | Term | | | UEP91 | UEPQZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP91 | UEPQ9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPQ2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP91 | URECS | 0.7947 | | | | | | | | | | |
| Local | Number Portability Local Number Portability (1 per port) | | | UEP91 | LNPCC | 0.35 | | | | | | | | | | |
| Featur | | | | UEP91 | LNPCC | 0.35 | | | | | | | | | | |
| reatur | All Standard Features Offered, per port | | | UEP91 | UEPVF | 2.56 | | | | | | 15.75 | | | | |
| | All Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 404.98 | | | | | 15.75 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 2.56 | | | | | | 15.75 | | | | |
| NARS | | | | | | 0 | | | † | | | | 1 | | | |
| | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Network Access Register - Indial | | | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP91 | UAROX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | laneous Terminations | ļ | | | 1 | | | | ļ | | | | | | | |
| 2-Wire | Trunk Side | ļ | | LIEDO4 | CENAS | 0.0- | 400.00 | 10.05 | 04 7- | 2.00 | | 45.75 | | | 1 | |
| Intor-f | Trunk Side Terminations, each fice Channel Mileage - 2-Wire | 1 | | UEP91 | CENA6 | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | | 15.75 | | | | |
| interof | Interoffice Channel Facilities Termination - Voice Grade | | - | UEP91 | M1GBC | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | - | 1 | |
| _ | Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 | M1GBC M1GBM | 0.0098 | 40.77 | 21.51 | 17.20 | 7.11 | | 13.73 | - | - | 1 | |
| Featur | e Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | 02101 | WITCOM | 3.0030 | | | t | | | | | | 1 | 1 |
| | annel Bank Feature Activations | Ī | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.57 | | | 1 | | | | İ | İ | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP91 | 1PQW6 | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | Slot | ļ | | UEP91 | 1PQW7 | 0.57 | | | 1 | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP91 | 1PQWP | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | UEP91 | 1PQWQ | 0.57 | | | | | | | | | | |
| | Slot | | | | | | | | | | | | | | | |

| ONRONDI | LΕÙ | NETWORK ELEMENTS - Mississippi | | | 1 | | | | | | | | | | ment: 2 | | bit: B |
|---------|--------|---|-------------|------|-------|-------|-------|--------|------------|--------------|------------|---|---|--|--|----------|---|
| ATEGORY | r | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | B | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Non | 1-Rec | urring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | | Conversion - Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | С | changes, per port | | | UEP91 | USAC2 | | 0.10 | 0.10 | | | | 15.75 | | | | |
| | | Conversion of Existing Centrex Common Block | | | UEP91 | USACN | | 37.97 | 16.68 | | | | 15.75 | | | | |
| | Ν | New Centrex Standard Common Block | | | UEP91 | M1ACS | 0.00 | 666.32 | | | | | 15.75 | | | | |
| | Ν | New Centrex Customized Common Block | | | UEP91 | M1ACC | 0.00 | 666.32 | | | | | 15.75 | | | | |
| | S | Secondary Block, per Block | | | UEP91 | M2CC1 | 0.00 | 77.91 | | | | | 15.75 | | | | |
| | Ν | VAR Establishment Charge, Per Occasion | | | UEP91 | URECA | 0.00 | 72.63 | | | | | 15.75 | | | | |
| UNE | | ENTREX - 5ESS (Valid in All States) | | | | | | | | | | | | | | | |
| 2-W | /ire V | G Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UNE | E Por | t/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | P-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Ν | Non-Design | | 1 | UEP95 | | 12.22 | | | | | | | | | | |
| | 2 | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | İ | | | | | | | |
| | N | Non-Design | <u></u> | 2 | UEP95 | | 17.13 | | | <u> </u> | <u></u> | <u></u> | | | <u> </u> | <u> </u> | <u> </u> |
| | 2 | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | | Non-Design | | 3 | UEP95 | | 26.26 | | | | | | | | | | |
| | 2 | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Ν | Non-Design | | 4 | UEP95 | | 44.91 | | | | | | | | | | |
| UNE | E Por | t/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | | Design | | 1 | UEP95 | | 15.12 | | | | | | | | | | |
| | 2 | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | С | Design | | 2 | UEP95 | | 19.98 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | | Design | | 3 | UEP95 | | 28.78 | | | | | | | | | | |
| | 2 | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | | Design | | 4 | UEP95 | | 46.95 | | | | | | | | | | |
| UNE | E Loo | p Rate | | | | | | | | | | | | | | | |
| | 2 | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 10.98 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 15.91 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 25.04 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 4 | | 4 | UEP95 | UECS1 | 43.68 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 13.89 | | | | | | | | | | |
| | 2 | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 18.75 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 27.55 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 4 | | 4 | UEP95 | UECS2 | 45.72 | | | | | | | | | | |
| UNE | E Por | t Rate | | | | | | | | | | | | | | | |
| All S | State: | s | | | | | | | | | | | | | | | |
| | 2 | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2 | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | P-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | | Area | 1 | | UEP95 | UEPYH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | l | I | |
| | 2 | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | | Center)2 Basic Local Area | 1 | | UEP95 | UEPYM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | l | I | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | | Term - Basic Local Area | | | UEP95 | UEPYZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | 1 | |
| | 2 | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | | Basic Local Area | 1 | | UEP95 | UEPY9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | l | I | |
| | 2 | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | İ | | | | | | | |
| | | Basic Local Area | <u></u> | | UEP95 | UEPY2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | <u></u> | 15.75 | | <u> </u> | <u> </u> | <u> </u> |
| AL, | | LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2 | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPQB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPQH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | C | Center)2 | | | UEP95 | UEPQM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | 1 | |
| | 2 | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| 1 | | Term | l | 1 | UEP95 | UEPQZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | 1 | 1 | I |

| NRONDLE | D NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | | ment: 2 | | bit: B |
|--------------------|--|-------------|------|----------------|----------|----------------|--------|------------|--------------|-------|---|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | L | | | | | | 40.04 | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPQ9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| FI 0 4 | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPQ2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | Switching | | - | | | | | | | | | | | | | |
| Local | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.7947 | | | | | | | | | | |
| l ocal | Number Portability | | | OLF 93 | UNLUG | 0.7347 | | | | | | | | | | |
| Local | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | |
| Featur | | | | 02. 00 | 2.1. 00 | 0.00 | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP95 | UEPVF | 2.56 | | | | | | 15.75 | | | | |
| | All Select Features Offered, per port | l | | UEP95 | UEPVS | 0.00 | 404.98 | | | | | 15.75 | | 1 | t | |
| | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 2.56 | | | | | | 15.75 | | | | |
| NARS | | | | | | 1 | | | | | | | | İ | İ | |
| | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | 1 | |
| | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| Misce | laneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | | 15.75 | | | | |
| 4-Wire | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 58.41 | 203.19 | 96.25 | 74.86 | 2.54 | | 15.75 | | | | |
| | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 14.56 | | | | | | | | | |
| Interof | fice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP95 | M1GBC | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | M1GBM | 0.0098 | | | | | | | | | | |
| | e Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | |
| D4 Ch | annel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP95 | 1PQW7 | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP95 | 1PQWP | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.57 | | | | | | | | | | |
| _ | Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop | | | UEF95 | IPQWV | 0.57 | | | | | | | | | | |
| | Slot | | | UEP95 | 1PQWQ | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.57 | | | | | | | | | | |
| Non-R | ecurring Charges (NRC) Associated with UNE-P Centrex | | | OLI SO | 11 90071 | 0.01 | | | | | | | | | | |
| Non K | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP95 | USAC2 | | 0.10 | 0.10 | | | | 15.75 | | | | |
| | Conversion of Existing Centrex Common Block, each | | | UEP95 | USACN | | 37.97 | 16.68 | | | | 15.75 | | | | |
| | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 666.32 | | | | | 15.75 | | | | |
| | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 666.32 | | | | | 15.75 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 72.63 | | | | | 15.75 | | | | |
| UNE-P | CENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | | |
| 2-Wire | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UNE P | ort/Loop Combination Rates (Non-Design) | | | | |] | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design | | 1 | UEP9D | | 12.22 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP9D | | 17.13 | | | | | | | | | | |
| $-\!\!+\!\!-\!\!-$ | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non Dooign | | 2 | LIEDOD | | 20.20 | · · | | | | | | | | | |
| + | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 3 | UEP9D UEP9D | | 26.26 44.91 | | | | | | | | | | |

| UNDUNDL | ED NETWORK ELEMENTS - Mississippi | | 1 | | 1 | | | | | | Cup Onder | Cva C-dr | Attach | | | ibit: B |
|----------|---|-------------|------|--------|--------|-------|--------|------------|--------------|-------|-----------|-----------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | Į. | | Rates(\$) | • | • |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | LIEDOD | | 45.40 | | | | | | | | | | |
| | Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | UEP9D | | 15.12 | | | - | | | | | | | |
| | Design | | 2 | UEP9D | | 19.98 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 3 | UEP9D | | 28.78 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | ١. | | | 40.05 | | | | | | | | | | |
| LINE | Design Loop Rate | | 4 | UEP9D | _ | 46.95 | | | | | | | | | 1 | |
| ONE | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 10.98 | | | | | | | | | 1 | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D | UECS1 | 15.91 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 25.04 | | | | | | | | | 1 | 1 |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 4 | 1 | 4 | UEP9D | UECS1 | 43.68 | | | | | | | | | 1 | 1 |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 13.89 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 18.75 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 27.55 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 4 | | 4 | UEP9D | UECS2 | 45.72 | | | | | | | | | | |
| | Port Rate | | | | | | | | | | | | | | | |
| ALL | STATES 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | 1 | UEP9D | UEPTA | 1.23 | 40.31 | 19.04 | 24.90 | 0.56 | | 15.75 | | | | + |
| | Area | | | UEP9D | UEPYB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local | | | OLI OD | OLI IB | 1.20 | 40.01 | 10.04 | 24.00 | 0.00 | | 10.70 | | | | |
| | Area | | | UEP9D | UEPYC | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYD | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | | | | l I | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYE | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | . |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | | UEP9D | UEPYF | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | | UEP9D | UEPTF | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | 1 |
| | Area | | | UEP9D | UEPYG | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | | | | | | | | | | | | | | 1 | |
| | Area | | | UEP9D | UEPYT | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYU | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | | | | l | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYV | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area | | | UEP9D | UEPY3 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | | | DEP9D | UEPTS | 1.23 | 40.31 | 19.04 | 24.90 | 0.36 | | 15.75 | | | 1 | |
| | Area | | | UEP9D | UEPYH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | | | | | | | | | | | | 1 | |
| | Indication))3 Basic Local Area | | | UEP9D | UEPYW | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYJ | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | 44.00 | | | | | | |
| | 2 Basic Local Area | | | UEP9D | UEPYM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area | | | UEP9D | UEPYO | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | + | OLFBD | ULF TU | 1.23 | 100.35 | 70.37 | 54.24 | 11.70 | 1 | 15.75 | | | t | |
| | Basic Local Area | | | UEP9D | UEPYP | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | 1 | | 23 | .00.00 | . 5.51 | J | | | .0 0 | | | 1 | 1 |
| | Basic Local Area | | | UEP9D | UEPYQ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYR | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | 1 | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | | | | | | | | | | | | 1 | |
| | Basic Local Area | | | UEP9D | UEPYS | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 |] | 15.75 | | | | |

| ONBONDL | ED NETWORK ELEMENTS - Mississippi | | | 1 | | | | | | | | | | ment: 2 | | ibit: B |
|----------|--|-------------|----------|----------------|----------------|--------------|--|----------------|----------------|----------------|---|---|---|---|----------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY4 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | LIEDOD | LIEDV6 | 4.00 | 400.05 | 70.57 | 54.04 | 44.70 | | 45.75 | | | | |
| | Basic Local Area | | | UEP9D | UEPY5 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area | | | UEP9D | UEPY6 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | OLF 9D | OLFIO | 1.23 | 100.33 | 70.57 | 34.24 | 11.70 | | 13.73 | | | | |
| | Basic Local Area | | | UEP9D | UEPY7 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | 02. 03 | 02 | 20 | .00.00 | | 02. | | | 10.70 | | | | |
| | Term | | | UEP9D | UEPYZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | 1 | | | | | | | | | 1 | | |
| | Basic Local Area | | <u> </u> | UEP9D | UEPY9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | <u> </u> | <u></u> | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | | | | | | | | | | | | | _ | | |
| | Local Area | | | UEP9D | UEPY2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| AL, I | KY, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPQA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPQB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D UEP9D | UEPQC UEPQD | 1.23 1.23 | 40.31 40.31 | 19.84 19.84 | 24.90 24.90 | 6.58 6.58 | | 15.75 15.75 | | | - | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPQE | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPQF | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPQG | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPQT | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPQU | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPQV | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPQ3 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPQH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | | | | | | | | | | | | | |
| | Indication)3 | | | UEP9D | UEPQW | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQJ | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | LIEDOD | LIEDOM | 4.00 | 400.05 | 70.57 | 54.04 | 44.70 | | 45.75 | | | | |
| | 2 Wise Value Conda Bart (Contact) differ CWC /FBC BCFT/2 2 | | | UEP9D UEP9D | UEPQM | 1.23 | 108.35 | 70.57 70.57 | 54.24 54.24 | 11.70 11.70 | | 15.75 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPQO | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPQP | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex differ SWC /EBS-N3009)2, 3 | | | UEP9D | UEPQQ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2 THE TOISE STAGE FOR (SOMEON WHISE STEEP SESSIE) | | | 02. 02 | 02. 44 | 20 | .00.00 | | 02. | | | 10.70 | | | 1 | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPQR | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| l | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPQS | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | | | | | | | | | | 1 | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | ļ | 1 | |
| | 0 Mrs. W O I. D (O | | 1 | LIEDOD | LIEBO- | | | = | | | 1 | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | <u> </u> | UEP9D | UEPQ5 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | ļ | - | |
| | 2 Miro Voice Grade Port (Contravidiffer SMC /EBS MEGAS)2 | | 1 | UEP9D | UEPQ6 | 1.23 | 108.35 | 70.57 | E4 04 | 11.70 | 1 | 15.75 | | | | |
| - | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | - | | OFLAD | UEFUO | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | 1 | 15.75 | | 1 | + | 1 |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | l | UEP9D | UEPQ7 | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | 1 | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | S s, | 1.20 | 100.00 | 70.07 | U-1.24 | 11.70 | | 10.70 | | 1 | † | |
| | Term | | l | UEP9D | UEPQZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | 1 | |
| | | | | | | 20 | | | 7 | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | 1 | UEP9D | UEPQ9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | 1 | 15.75 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPQ2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| Loca | l Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.7947 | , and the second | | | | | | | | | |
| Loca | Number Portability | | <u> </u> | LIEBAR | LUBOO | | | | ļ | | | | | | | |
| F | Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0.35 | | | ļ | | | | | | | |
| Feat | All Standard Features Offered, per port | | | UEP9D | UEPVF | 2.56 | | | | | | 15.75 | | | 1 | 1 |

| | DLEL | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | | ment: 2 | | bit: B |
|---------------------|------|---|-------------|------|----------------|----------------|---------------|--------|------------|--|------------|---|---|--|--|---|---|
| CATEGOR | RY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| -+ | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 404.98 | Addi | 1 11 34 | Audi | COMILO | 15.75 | COMPAR | COMPAR | COMPAR | COMPAR |
| | | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 2.56 | 10.000 | | | | | 15.75 | | | | |
| N/ | ARS | | | | | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | | aneous Terminations | | | | | | | | | | | | | | | |
| 2- | | Trunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP9D | CEND6 | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | | 15.75 | | | | |
| 4- | | Digital (1.544 Megabits) | | | LIEDOD | MALIDA | 50.44 | 000.40 | 20.05 | 74.00 | 0.54 | | 45.75 | | | | |
| $-\!\!\!\!+$ | | DS1 Circuit Terminations, each DS0 Channels Activiated per Channel | 1 | | UEP9D UEP9D | M1HD1 M1HDO | 58.41 0.00 | 203.19 | 96.25 | 74.86 | 2.54 | | 15.75 | | | - | |
| | | ce Channel Mileage - 2-Wire | | - | UEP9D | INITIDO | 0.00 | 14.56 | | | | | | | - | - | |
| -+ | | Interoffice Channel Facilities Termination | - | | UEP9D | M1GBC | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | 1 | | - |
| -+ | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | M1GBM | 0.0098 | 40.77 | 21.01 | 17.20 | 7.11 | | 13.73 | | | | |
| F, | | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | 02100 | WITCOM | 5.0036 | | | | | | | | 1 | 1 | <u> </u> |
| | | nnel Bank Feature Activations | Ī | | | | | | | † 1 | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.57 | | | † 1 | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.57 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9D | 1PQW7 | 0.57 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | | Different Wire Center | | | UEP9D | 1PQWP | 0.57 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.57 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | UEP9D | 1PQWQ | 0.57 | | | | | | | | | | |
| -+ | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWQ 1PQWA | 0.57 | | | - | | | | | | | |
| N. | | curring Charges (NRC) Associated with UNE-P Centrex | | | UEP9D | IFQWA | 0.57 | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | + | | | | | | | | | | | |
| | | changes, per port | | | UEP9D | USAC2 | | 0.10 | 0.10 | | | | 15.75 | | | | |
| -+ | | Conversion of existing Centrex Common Block, each | | | UEP9D | USACN | | 37.97 | 16.68 | | | | 15.75 | | | | |
| | | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 666.32 | 10.00 | | | | 15.75 | | | | |
| | | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 666.32 | | | | | 15.75 | | | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0.00 | 72.63 | | | | | 15.75 | | | | |
| UI | NE-P | CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | | | | | | | | | | | | | | | |
| | | /G Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| U | | rt/Loop Combination Rates (Non-Design) | | | | | • | | • | | • | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | 1 | | | | | | | [| | | | | | | |
| <u>_</u> | | Non-Design | | 1 | UEP9E | 1 | 12.22 | | | ļ | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | _ | LIEDOE | | 47.40 | | | j | | | | | | | |
| \longrightarrow | | Non-Design | | 2 | UEP9E | 1 | 17.13 | | | | | | | | 1 | 1 | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 2 | LIEDOE | | 26.20 | | |] | | | | | | | |
| $-\!\!\!+\!\!\!\!+$ | | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | - | 3 | UEP9E | + | 26.26 | | | | | | | | - | 1 | |
| | | 2-wire vG Loop/2-wire voice Grade Port (Centrex) Port Combo - Non-Design | | 4 | UEP9E | | 44.91 | | |] | | | | | | | |
| - 11 | | rt/Loop Combination Rates (Design) | | _ | J_1 J_ | + | 77.31 | | | | | | | | | 1 | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | † | | | | | | | |
| | | Design | | 1 | UEP9E | | 15.12 | | |] | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | † | | | | | | | |
| | | Design | | 2 | UEP9E | | 19.98 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | | Design | | 3 | UEP9E | | 28.78 | | | | | | | | <u> </u> | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | <u> </u> | | |
| | | Design | | 4 | UEP9E | | 46.95 | | | ļ | | | | | | | |
| | | op Rate | 1 | l | | | | | | | | | | | l | | <u> </u> |
| Ui | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9E | UECS1 | 10.98 | | | | | | | | | | |

| <u>JNBUNDLED</u> | NETWORK ELEMENTS - Mississippi | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|------------------|--|-------------|----------|---|--------|--------|--------|------------|--------------|-------|-------|-----------|--|--|-------------------------|--|
| TEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | N | RATES (\$) | | P | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Increment Charge Manual S Order vs Electroni Disc Add |
| | | | 1 | | | Rec | Nonred | | Nonrecurring | | COMEC | COMAN | | Rates(\$) | COMAN | COMAN |
| _ | 0 W : 1/1 : 0 1- 1 (01.4) 7 0 | | 3 | LIEDOE | 115004 | 05.04 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | - v | UEP9E | UECS1 | 25.04 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 4 | | 4 | UEP9E | UECS1 | 43.68 | | | | | | | | | | ļ |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9E | UECS2 | 13.89 | | | | | | | | | | ļ |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9E | UECS2 | 18.75 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9E | UECS2 | 27.55 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 4 | | 4 | UEP9E | UECS2 | 45.72 | | | | | | | | | | |
| UNE Po | | | <u> </u> | | | | | | | | | | | | | |
| AL, FL, | KY, LA, MS, & TN only | | <u> </u> | LIEDOE | LIEDVA | 4.00 | 40.04 | 40.04 | 04.00 | 0.50 | | 45.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9E | UEPYA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9E | UEPYB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9E | UEPYH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 Basic Local Area | | | UEP9E | UEPYM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term - Basic Local Area | | | UEP9E | UEPYZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | - Basic Local Area | | | UEP9E | UEPY9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9E | UEPY2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | LA, MS, & TN Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9E | UEPQA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPQB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP9E | UEPQH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP9E | UEPQM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | | UEP9E | UEPQZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPQ9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9E | UEPQ2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| Local S | witching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP9E | URECS | 0.7947 | | | | | | | | | | |
| Local N | umber Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP9E | LNPCC | 0.35 | | | | | | | | | | |
| Feature | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP9E | UEPVF | 2.56 | | | | | | 15.75 | | | | |
| | All Select Features Offered, per port | | | UEP9E | UEPVS | 0.00 | 404.98 | | | | | 15.75 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP9E | UEPVC | 2.56 | | | | | | 15.75 | | | | |
| NARS | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | Unbundled Network Access Register - Indial | | | UEP9E | UAR1X | 0.00 | 0.00 | 0.00 | | | İ | 15.75 | | 1 | 1 | |
| | Unbundled Network Access Register - Outdial | | | UEP9E | UAROX | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | aneous Terminations | | | | | | | | | | | | | | | |
| | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9E | CEND6 | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | | 15.75 | İ | İ | İ | |
| | Digital (1.544 Megabits) | | | · · | 1 | | | | ***** | 2.30 | | | | 1 | t | |
| | DS1 Circuit Terminations, each | | | UEP9E | M1HD1 | 58.41 | 203.19 | 96.25 | 74.86 | 2.54 | İ | 15.75 | | 1 | 1 | |
| | DS0 Channel Activated Per Channel | | | UEP9E | M1HDO | 0.00 | 14.56 | | | | | 15.75 | İ | İ | İ | |
| | ice Channel Mileage - 2-Wire | | | | | 2.20 | | | | | | | İ | İ | İ | |
| | Interoffice Channel Facilities Termination | | | UEP9E | M1GBC | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | İ | İ | İ | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9E | M1GBM | 0.0098 | | | 0 | | | | | 1 | t | |
| | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | · · | | ,,,,,, | | | | | | | | 1 | t | |
| | nnel Bank Feature Activations | | 1 | 1 | | | | | | | i | i | | 1 | 1 | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9E | 1PQWS | 0.57 | | | | | | 15.75 | | 1 | t | |
| - | and a second sec | | 1 | † · · · · · · · · · · · · · · · · · · · | | 0.07 | | | | | i e | .5 5 | 1 | 1 | 1 | |
| 1 1 | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | 1 | 1 | UEP9E | 1PQW6 | 0.57 | | | | | | 15.75 | l | | | 1 |

| ONDONDI | LED NETWORK ELEMENTS - Mississippi | 1 | 1 | 1 | 1 | | | | | | Core Conde | Core Corel | Attach | | | ibit: B |
|----------|--|-------------|--|----------------|----------------|--------------|--------|------------|--|------------|--|----------------|--|---|---|--|
| CATEGORY | / RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | Disconnect | | | | Rates(\$) | • | • |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | LIEDOE | 40014/7 | 0.57 | | | | | | 45.75 | | | | |
| | Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | UEP9E | 1PQW7 | 0.57 | | | | | | 15.75 | | | | |
| | Different Wire Center | | | UEP9E | 1PQWP | 0.57 | | | | | | 15.75 | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.57 | | | | | | 15.75 | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | 450440 | | | | | | | | | | | |
| | Slot Feature Activation on D-4 Channel Bank WATS Loop Slot | - | | UEP9E UEP9E | 1PQWQ 1PQWA | 0.57 0.57 | | | | | | 15.75 15.75 | | | | 1 |
| Non | n-Recurring Charges (NRC) Associated with UNE-P Centrex | | | OLF 9L | IFQWA | 0.57 | | | | | | 13.73 | | | 1 | |
| 11011 | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | 1 | UEP9E | USAC2 | | 0.10 | 0.10 | | | | 15.75 | | | | |
| | Conversion of Existing Centrex Common Block, each | | | UEP9E | USACN | | 37.97 | 16.68 | | | | 15.75 | | | | |
| | New Centrex Standard Common Block | | | UEP9E | M1ACS | 0.00 | 666.32 | | | | | 15.75 | | | | |
| | New Centrex Customized Common Block | | | UEP9E | M1ACC | 0.00 | 666.32 | | | | | 15.75 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9E | URECA | 0.00 | 72.63 | | | | | 15.75 | | | | |
| | E-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) | | | | | | | | | | | | | | | |
| | /ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo E Port/Loop Combination Rates (Non-Design) | - | | | | | | | | | | | | | | |
| ONL | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | 1 - | | | | | | | | | | | | | 1 | |
| | Non-Design | <u>'</u> | 1 | UEP93 | | 12.22 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | - | | 02. 00 | | 12.22 | | | | | | | | | İ | |
| | Non-Design | | 2 | UEP93 | | 17.13 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | - | | | | | | | | | | | | | | |
| | Non-Design | | 3 | UEP93 | | 26.26 | | | | | | | | | | ļ |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo |) - | | | | | | | | | | | | | | |
| LINE | Non-Design E Port/Loop Combination Rates (Design) | - | 4 | UEP93 | | 44.91 | | | | | | | | | - | |
| UNE | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | 1 - | + | | | | | | | | | | | | | 1 |
| | Design | <u>'</u> | 1 | UEP93 | | 15.12 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | - | | 02. 00 | | 10.12 | | | | | | | | | İ | |
| | Design | | 2 | UEP93 | | 19.98 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | - | | | | | | | | | | | | | | |
| | Design | | 3 | UEP93 | | 28.78 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo |) - | | | | | | | | | | | | | | |
| LINE | Design | - | 4 | UEP93 | | 46.95 | | | | | | | | | - | <u> </u> |
| UNE | E Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP93 | UECS1 | 10.98 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | + | 2 | UEP93 | UECS1 | 15.91 | | | | | | | | | t | + |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | 1 | 3 | UEP93 | UECS1 | 25.04 | | | | | | | | | 1 | † |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 4 | | 4 | UEP93 | UECS1 | 43.68 | | | <u> </u> | | İ., | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP93 | UECS2 | 13.89 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP93 | UECS2 | 18.75 | | • | | • | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP93 | UECS2 | 27.55 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 4 | _ | 4 | UEP93 | UECS2 | 45.72 | | | | | | | | | | |
| | E Port Rate KY, LA, MS, & TN only | + | | - | | | | | | | | | | | | |
| AL, | 2-Wire Voice Grade Port (Centrex) Basic Local Area | + | + | UEP93 | UEPYA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | t | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | 1 | 1 | | 72 | 20 | .5.51 | | 200 | 0.00 | | .0.70 | | | 1 | |
| | Area | | L | UEP93 | UEPYB | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | <u>L</u> | 15.75 | | | <u> </u> | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP93 | UEPYH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | ļ | 15.75 | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | _ | |
| | Center)2 Basic Local Area | | <u> </u> | UEP93 | UEPYM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | 1 | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | · | 1 | UEP93 | UEPYZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalen | nt | + | OLFBS | UEFIL | 1.23 | 100.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | - |
| | - Basic Local Area | ``I | | UEP93 | UEPY9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | I | |

| NRUNDLE | D NETWORK ELEMENTS - Mississippi | | | ı | | | | | | | | T - | | ment: 2 | | bit: B |
|----------|--|-------------|------|----------------|----------------|--------------|----------------|----------------|----------------|--------------|---|---|---|---|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP93 | UEPY2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP93 | UEPQA | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP93 UEP93 | UEPQB UEPQH | 1.23 1.23 | 40.31 40.31 | 19.84 19.84 | 24.90 24.90 | 6.58 6.58 | | 15.75 15.75 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) I 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | UEP93 | UEPQH | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | Center)2 | | | UEP93 | UEPQM | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | OLI 93 | OLI QIVI | 1.25 | 100.55 | 10.51 | 34.24 | 11.70 | | 13.73 | | | | |
| | Term | | | UEP93 | UEPQZ | 1.23 | 108.35 | 70.57 | 54.24 | 11.70 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP93 | UEPQ9 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP93 | UEPQ2 | 1.23 | 40.31 | 19.84 | 24.90 | 6.58 | | 15.75 | | | | |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP93 | URECS | 0.7947 | | | | | | | | | | |
| Local | Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP93 | LNPCC | 0.35 | | | | | | | | | | |
| Featur | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP93 | UEPVF | 2.56 | | | | | | 15.75 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP93 | UEPVC | 2.56 | | | | | | 15.75 | | | | |
| NARS | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP93 | UARCX | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | Unbundled Network Access Register - Indial | | | UEP93 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP93 | UAROX | 0.00 | 0.00 | 0.00 | | | | 15.75 | | | | |
| | laneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | Trunk Side | | | UEP93 | CEND6 | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | | 15.75 | | | | |
| 4 Miro | Trunk Side Terminations, each Digital (1.544 Megabits) | | | UEP93 | CENDO | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | | 15.75 | | | | |
| 4-11116 | DS1 Circuit Terminations, each | | | UEP93 | M1HD1 | 58.41 | 203.19 | 96.25 | 74.86 | 2.54 | | 15.75 | | | | |
| | DS0 Channels Activated, Per Channel | | | UEP93 | M1HDO | 0.00 | 14.56 | 90.23 | 74.00 | 2.34 | 1 | 15.75 | | | | |
| Interof | fice Channel Mileage - 2-Wire | | | OLI SO | WITIDO | 0.00 | 14.00 | | | | | 10.70 | | | | |
| IIIICIOI | Interoffice Channel Facilities Termination | | | UEP93 | M1GBC | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | 15.75 | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP93 | M1GBM | 0.0098 | | | | | | | | | | |
| Featur | e Activations (DS0) Centrex Loops on Channelized DS1 Service | е | | | | | | | | | | | | | | |
| D4 Cha | annel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP93 | 1PQWS | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Line Side Loop Slot | | | UEP93 | 1PQW6 | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP93 | 1PQW7 | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP93 | 1PQWP | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP93 | 1PQWV | 0.57 | | | | | | | | | | |
| + | Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop | | | OL: 33 | IF COVV | 0.57 | | | | | - | 1 | | | | |
| | Slot | | | UEP93 | 1PQWQ | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP93 | 1PQWA | 0.57 | | | | | | | | | | |
| Non-R | ecurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | İ | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | İ | | |
| | changes, per port | | | UEP93 | USAC2 | | 0.10 | 0.10 | | | | 15.75 | | | | |
| | Conversion of Existing Centrex Common Block, each | | | UEP93 | USACN | | 37.97 | 16.68 | | | | | | | | |
| | New Centrex Standard Common Block | | | UEP93 | M1ACS | 0.00 | 666.32 | | | | | 15.75 | | | | |
| | New Centrex Customized Common Block | | | UEP93 | M1ACC | 0.00 | 666.32 | | | | | 15.75 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP93 | URECA | 0.00 | 72.63 | | | | | 15.75 | | | | |
| | - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| INote 2 | 2 - Requres Interoffice Channel Mileage | | | | | | | | | | ļ | | | ļ | | |
| | - Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | |

| UNBU | INDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|----------|--|---|--|-----------|--------------------------------|----------------|-----------------|----------------|-----------------|-----------------|--|--|--------------|------------------|----------------|-------------------------------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | Interi | l_ | | | | | | | | Elec | Manually | | Manual Svc | Manual Svc | |
| CATE | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Nonre | curring | Nonrecurrin | g Disconnect | | | OSS | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | | | | | | | 1 11 31 | Auu | 11100 | Addi | COMILO | COMPAR | COMPAR | COMPAR | COMPAR | COMPAR |
| | The "7 | one" shown in the sections for stand-alone loops or loops as | nart of | a comi | nination refers to Ge | ographically | Deaveraged II | NF Zones To | view Geogran | hically Deaver | aged UNF Zon | e Designation | ons by Cent | ral Office refe | er to internet | Nehsite: | |
| | | /ww.interconnection.bellsouth.com/become_a_clec/html/inter | • | | | ograpinoan | Deaverage C | NE Ediles. 10 | rich Geograp | mounty Deaver | agea one zon | c Designativ | one by com | irai Oilloc, ici | or to internet | repolic. | |
| OBER | | SUPPORT SYSTEMS | l | 1 | | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| OFER | | (1) Electronic Service Order: CLEC should contact its contract | t nego | tiator if | it prefers the state s | necific elect | ronic service o | rdering charg | es as ordered b | ov the State Co | ommissions. T | he electron | ic service o | rdering charg | e currently co | ntained in th | s rate |
| | | is the BellSouth regional electronic service ordering charge. | | | | | | | | | | | | | | | |
| | | (2) Any element that can be ordered electronically will be billed | | | | | | | | | | | | | | | lv. For |
| | | elements that cannot be ordered electronically at present per t | | | | | | | | | | | | | | | |
| | | g charge, SOMAN, will be applied to a CLECs bill when it sub | | | | | go., | o onal go mar | | | | out a sur | | | | • • • • • • • • • • • • • • • • • • | |
| | 0.40 | Electronic OSS Charge, per LSR, submitted via BST's OSS | | | 20004 | | | | | | | | | | | | |
| | | interactive interfaces (Regional) | | | | SOMEC | | 3.50 | | | | | | | | | |
| UNE S | ERVICE | DATE ADVANCEMENT CHARGE | | | | | | | | | | | | | | | |
| | NOTE: | The Expedite charge will be maintained commensurate with I | BellSou | th's FC | C No.1 Tariff, Section | n 5 as appli | cable. | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | UAL, UEANL, UCL, | | | | | | | | | | | | |
| | | | | | UEF, UDF, UEQ, | | | | | | | | | | | | |
| | | | | | UDL, UENTW, UDN, | | | | | | | | | | | | |
| | | | | | UEA, UHL, ULC, | | | | | | | | | | | | |
| | | | | | USL, U1T12, U1T48, | | | | | | | | | | | | |
| | | | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | | | | | U1TDX, U1TO3, | | | | | | | | | | | | |
| | | | | | U1TS1, U1TVX, | | | | | | | | | | | | |
| | | | | | UC1BC, UC1BL, | | | | | | | | | | | | |
| | | | | | UC1CC, UC1CL, | | | | | | | | | | | | |
| | | | | | UC1DC, UC1DL, UC1EC, UC1EL, | | | | | | | | | | | | |
| | | | | | UC1FC, UC1FL, | | | | | | | | | | | | |
| | | | | | UC1GC, UC1GL, | | | | | | | | | | | | |
| | | | | | UC1HC, UC1HL, | | | | | | | | | | | | |
| | | | | | UDL12, UDL48, | | | | | | | | | | | | |
| | | | | | UDLO3, UDLSX, | | | | | | | | | | | | |
| | | | | | UE3, ULD12, | | | | | | | | | | | | |
| | | | | | ULD48, ULDD1, | | | | | | | | | | | | |
| | | | | | ULDD3, ULDDX, | | | | | | | | | | | | |
| | | | | | ULDO3, ULDS1, | | | | | | | | | | | | |
| | | | | | ULDVX, UNC1X, | | | | | | | | | | | | |
| | | | | | UNC3X, UNCDX, | | | | | | | | | | | | |
| | | | | | UNCNX, UNCSX, | | | | | | | | | | | | |
| | | | | | UNCVX, UNLD1, | | | | | | | | | | | | |
| | | | | | UNLD3, UXTD1, | | | | | | | | | | | | |
| | | | | | UXTD3, UXTS1, | | | | | | | | | | | | |
| | | UNE Expedite Charge per Circuit or Line Assignable USOC, per | | | U1TUC, U1TUD, | | | | | | | | | | | | |
| | | Day | | | U1TUB, U1TUA | SDASP | | 200.00 | | | | | | | | | |
| UNBU | | XCHANGE ACCESS LOOP | ļ | | | | | | | | ļ | ļ | | ļ | | | |
| - | 2-WIRE | ANALOG VOICE GRADE LOOP | | <u> </u> | LIFANI | LIEALO | 10.11 | F7.00 | 10.0= | | | } | | 20.01 | 10.70 | 0.00 | 0.00 |
| - | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL UEANL | UEAL2 UEAL2 | 12.11 21.24 | 57.99 | 42.37 42.37 | | | 1 | 1 | 26.94 26.94 | 12.76 12.76 | 0.00 | 0.00 |
| - | } | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | 1 | 3 | UEANL | UEAL2 | 21.24 33.65 | 57.99 57.99 | 42.37 | 1 | | } | - | 26.94 | 12.76 | 0.00 | 0.00 |
| - | 1 | Unbundled Miscellaneous Rate Element, Tag Loop at End User | 1 | 3 | OLANL | ULALZ | 33.03 | 51.99 | 42.31 | | 1 | 1 | 1 | 20.94 | 12.70 | 0.00 | 0.00 |
| 1 | | Premise | l | | UEANL | URETL | | 8.33 | 0.83 |] | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| — | | Loop Testing - Basic 1st Half Hour | - | | UEANL | URET1 | | 76.24 | 0.03 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | † | Loop Testing - Basic 1st Hall Hour | 1 | | UEANL | URETA | | 39.51 | | | 1 | 1 | <u> </u> | 26.94 | 12.76 | 0.00 | 0.00 |
| | † | CLEC to CLEC Conversion Charge Without Outside Dispatch | l | † | | | | 33.01 | | | 1 | | | 20.04 | .2.70 | 0.00 | 3.00 |
| 1 | | (UVL-SL1) | l | | UEANL | UREWO | | 15.76 | 8.93 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | | · · · | | | 2.30 | 1 | 1 | | | | | 2.30 | 2.30 |
| 1 | | providing make-up (Engineering Information - E.I.) | l | | UEANL | UEANM | | 28.74 | 28.74 |] | | | | | 1 | | |
| | | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 61.38 | 61.38 | | | | | | | | |
| | | Order Coordination for Specified Conversion Time for UVL-SL1 | | | | | | | | | | | | | | | |
| 1 | | (per LSR) | l | | UEANL | OCOSL | | 45.34 | | | | | | | | | |

Version 1Q03: 02/28/03

| UNBUNDLED | NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|-----------|--|-------------|------|-------------|----------------|----------------|----------------|----------------|--|-------|--|---|----------------|--|-------|--------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | • | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled COPPER LOOP | | | LIEO | LIEGOV | 10.10 | 05.07 | 45.00 | | | 1 | | 00.04 | 40.70 | 0.00 | 0.00 |
| | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | | UEQ UEQ | UEQ2X UEQ2X | 10.16 17.55 | 35.27 35.27 | 15.60 15.60 | - | | 1 | | 26.94 26.94 | 12.76 12.76 | 0.00 | 0.00 |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | | UEQ | UEQ2X | 27.58 | 35.27 | 15.60 | | | + | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | 3 | OLQ | OLQZX | 21.50 | 33.21 | 13.00 | | | - | | 20.34 | 12.70 | 0.00 | 0.00 |
| | Premise | | | UEQ | URETL | | 8.33 | 0.83 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Order Coordination 2 Wire Unbundled Copper Loop - Non- | | | | | | | | | | | | | | | |
| | Designed (per loop) | | | UEQ | USBMC | | 45.34 | | | | | | | | | |
| | Unbundled Copper Loop, Non-Design Copper Loop, billing for | | | | | | | | | | | | | | | |
| | BST providing make-up (Engineering Information - E.I.) | | | UEQ | UEQMU | | 28.74 | 28.74 | | | 1 | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 76.24 | | <u> </u> | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch | | | UEQ | URETA | | 39.51 | | | | 1 | | 26.94 | 12.76 | 0.00 | 0.00 |
| | (UCL-ND) | | | UEQ | UREWO | | 14.26 | 7.42 |] | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | XCHANGE ACCESS LOOP | | | OLQ | OINEVVO | | 14.20 | 7.72 | | | - | | 20.34 | 12.70 | 0.00 | 0.00 |
| | ANALOG VOICE GRADE LOOP | | | | 1 1 | | | | | | 1 | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEPSR UEPSB | UEALS | 12.11 | 57.99 | 42.37 | | | | | 26.94 | 12.76 | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEPSR UEPSB | UEABS | 12.11 | 57.99 | 42.37 | | | | | 26.94 | 12.76 | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | _ | | | | == 00 | | | | | | | | | |
| | Zone 2 | | 2 | UEPSR UEPSB | UEALS | 21.24 | 57.99 | 42.37 | | | | | 26.94 | 12.76 | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2 | | 2 | UEPSR UEPSB | UEABS | 21.24 | 57.99 | 42.37 | | | | | 26.94 | 12.76 | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | OLFSK OLFSB | ULABS | 21.24 | 37.99 | 42.37 | | | 1 | | 20.94 | 12.70 | | |
| | Zone 3 | | 3 | UEPSR UEPSB | UEALS | 33.65 | 57.99 | 42.37 | | | | | 26.94 | 12.76 | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEPSR UEPSB | UEABS | 33.65 | 57.99 | 42.37 | | | | | 26.94 | 12.76 | | |
| | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | UEA | UEAL2 | 14.97 | 440.07 | 106.56 | | | | | 20.04 | 40.70 | 0.00 | 0.00 |
| | Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | 1 | UEA | UEAL2 | 14.97 | 142.97 | 106.56 | | | - | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 25.93 | 142.97 | 106.56 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | _ | OLA | OLALE | 20.00 | 142.07 | 100.00 | | | | | 20.04 | 12.70 | 0.00 | 0.00 |
| | Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 40.81 | 142.97 | 106.56 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 45.34 | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 14.97 | 142.97 | 106.56 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | _ | | LIEADO | 05.00 | 440.07 | 100.50 | | | | | 00.04 | 40.70 | 0.00 | 0.00 |
| | Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | 2 | UEA | UEAR2 | 25.93 | 142.97 | 106.56 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 40.81 | 142.97 | 106.56 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Order Coordination for Specified Conversion Time (per LSR) | | - | UEA | OCOSL | 40.01 | 45.34 | 100.50 | | | | | 20.94 | 12.70 | 0.00 | 0.00 |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.64 | 36.33 | | | 1 | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Loop Tagging - Service Level 2 (SL2) | | | UEA | URETL | | 11.20 | 1.10 | | | 1 | | 26.94 | 12.76 | 0.00 | 0.00 |
| 4-WIRE | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 1 | | | UEA | UEAL4 | 21.32 | 288.47 | 237.45 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEA | UEAL4 | 36.27 | 288.47 | 237.45 | | | 1 | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | UEAL4 | 56.57 | 288.47 | 237.45 | <u> </u> | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch | | | UEA UEA | OCOSL UREWO | | 45.34 87.64 | 36.33 | - | | - | | 26.94 | 12.76 | 0.00 | 0.00 |
| | ISDN DIGITAL GRADE LOOP | | | ULA | UKEWU | | 07.04 | 30.33 | + | | | | 20.94 | 12.76 | 0.00 | 0.00 |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 19.42 | 325.91 | 251.31 | | | + | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN | U1L2X | 32.88 | 325.91 | 251.31 | | | 1 | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 51.14 | 325.91 | 251.31 | | | 1 | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Order Coordination For Specified Conversion Time (per LSR) | | | UDN | OCOSL | | 45.34 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 91.55 | 44.12 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| 2-WIRE | Universal Digital Channel (UDC) COMPATIBLE LOOP | | | | | | | - | | | | | | 1 | | |

| UNBUND | LED | NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: B |
|----------|------|---|--------|----------------|--|---|--------|-----------------|------------|---|-----------|-----------|--------------|-------------|--|-------------|--------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | 14 | | | | | | | | | Elec | Manually | | Manual Svc | | |
| CATEGORY | Υ | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | 151 | Add I | DISC 1St | DISC Add I |
| | | | | | | | _ | Nonrec | urring | Nonrecurring Di | isconnect | | | oss | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | | | | | | | | | | | | | |
| | ŀ | 1 | | 1 | UDC | UDC2X | 19.42 | 325.91 | 251.31 | 1 | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | | | | | | | | | | | | | |
| | - 1: | 2 | | 2 | UDC | UDC2X | 32.88 | 325.91 | 251.31 | 1 | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | | | | | | | | | | | | | |
| | | 3 | | 3 | UDC | UDC2X | 51.14 | 325.91 | 251.31 | 1 | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | Ť | UDC | UREWO | • | 91.55 | 44.12 | | | | | 26.94 | 12.76 | 0.00 | |
| 2-W | | ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | ATIBLE | LOOP | | | | | | | | | | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry | | 1 | | | | | | | | | | | | | |
| | | & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 11.00 | 264.71 | 145.60 | 1 | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry | | † | | 3,, | 50 | 20 1 | 0.00 | | | | 1 | 25.04 | .2.70 | 3.00 | 3.00 |
| | li. | & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 18.39 | 264.71 | 145.60 | 1 | | | 1 | 26.94 | 12.76 | 0.00 | 0.00 |
| | - 6 | 2 Wire Unbundled ADSL Loop including manual service inquiry | | - - | | 3, 122, | .0.00 | 20 1 | 0.00 | | | | | 20.04 | .2.70 | 3.00 | 3.00 |
| | | & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 28.42 | 264.71 | 145.60 | j | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | Order Coordination for Specified Conversion Time (per LSR) | | ۲ | UAL | OCOSL | 20.42 | 45.34 | 1-10.00 | | | | | 20.04 | 12.70 | 3.00 | 5.00 |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | UAL | CCCCL | | 40.04 | | - | | | | | | | |
| | | facility reservation - Zone 1 | | 1 | UAL | UAL2W | 11.00 | 190.25 | 114.82 | 1 | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | <u> </u> | OAL | UALZVV | 11.00 | 130.23 | 114.02 | | | | | 20.34 | 12.70 | 0.00 | 0.00 |
| | | facility reservation - Zone 2 | | 2 | UAL | UAL2W | 18.39 | 190.25 | 114.82 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | OAL | UALZVV | 10.55 | 130.23 | 114.02 | | | | | 20.34 | 12.70 | 0.00 | 0.00 |
| | | facility reservation - Zone 3 | | 3 | UAL | UAL2W | 28.42 | 190.25 | 114.82 | 1 | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UAL | OCOSL | 20.42 | 45.34 | 114.02 | | | | | 20.94 | 12.70 | 0.00 | 0.00 |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UAL | UREWO | | 86.12 | 40.36 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| 2 14 | | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIDLE | LOOP | UAL | UKEWU | | 00.12 | 40.36 | | | | | 20.94 | 12.70 | 0.00 | 0.00 |
| 2-11 | | | TIBLE | LUUP | | | | | | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | 1 | UHL | LILLIAV | 0.04 | 204.74 | 400.54 | 1 | | | | 20.04 | 40.70 | 0.00 | 0.00 |
| | | & facility reservation - Zone 1 | | _ ' | UHL | UHL2X | 9.01 | 284.74 | 163.54 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | 2 | | UHL2X | 44.07 | 284.74 | 400.54 | 1 | | | | 20.04 | 12.76 | 0.00 | 0.00 |
| | | & facility reservation - Zone 2 | | | UHL | UHLZX | 14.87 | 284.74 | 163.54 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | ľ | 2 Wire Unbundled HDSL Loop including manual service inquiry | | _ | UHL | | 00.00 | 00474 | 100.51 | 1 | | | | 00.04 | 40.70 | 0.00 | 0.00 |
| | | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 22.82 | 284.74 45.34 | 163.54 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 45.34 | | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | 1 | UHL | 11111 0147 | 9.01 | 207.40 | 422.05 | 1 | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 9.01 | 207.48 | 132.05 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | 2 | UHL | | 44.07 | 007.40 | 100.05 | 1 | | | | 00.04 | 40.70 | 0.00 | 0.00 |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 14.87 | 207.48 | 132.05 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | 3 | UHL | UHL2W | 22.82 | 207.48 | 400.05 | j | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | and facility reservation - Zone 3 | | 3 | | | 22.82 | | 132.05 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | Order Coordination for Specified Conversion Time (per LSR) | | ļ | UHL | OCOSL | | 45.34 | 10.00 | | | | | 20.04 | 10.70 | 0.00 | 0.00 |
| | | CLEC to CLEC Conversion Charge without outside dispatch | TID: T | 1000 | UHL | UREWO | | 86.06 | 40.36 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| 4-W | | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | IIBLE | LOOP | | 1 | | | | | | | | 1 | | 1 | |
| | | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | l | 111111111111111111111111111111111111111 | 10.00 | 044.0= | 200 :- | j | | | | 20.61 | 10 =0 | 0.00 | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 10.62 | 341.65 | 220.45 | \vdash | | | ļ | 26.94 | 12.76 | 0.00 | 0.00 |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | _ | l | 1.11.11.452 | 47.00 | 044.0= | 200 :- | j | | | | 20.61 | 10 =0 | 0.00 | |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 17.67 | 341.65 | 220.45 | \vdash | | | ļ | 26.94 | 12.76 | 0.00 | 0.00 |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | _ | L | [,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | 644.6- | | j | | | | | | | |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 27.24 | 341.65 | 220.45 | \vdash | | | ļ | 26.94 | 12.76 | 0.00 | 0.00 |
| | | Order Coordination for Specified Conversion Time (per LSR) | | ļ | UHL | OCOSL | | 45.34 | | $oxed{\begin{tabular}{cccccccccccccccccccccccccccccccccccc$ | | | | | | | ļ |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | l . | L | 1 1 | 40 | | | j l | | | İ | | | | |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 10.62 | 264.39 | 188.96 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | l _ | L | [| | | | 1 | | | 1 | | | | _ |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 17.67 | 264.39 | 188.96 | \vdash | | | ļ | 26.94 | 12.76 | 0.00 | 0.00 |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | l _ | L | [| | | | 1 | | | 1 | | | | _ |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 27.24 | 264.39 | 188.96 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | Order Coordination for Specified Conversion Time (per LSR) | | <u> </u> | UHL | OCOSL | | 45.34 | | $oxed{oxed}$ | | | | ļ | . | ļ | ļ |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.06 | 40.36 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| 4-W | | DS1 DIGITAL LOOP | | | ļ | | | | | | | | | | ļ | | ļ |
| | | 4-Wire DS1 Digital Loop - Zone 1 | | | USL | USLXX | 47.60 | 714.84 | 421.47 | | | | | 42.19 | 12.76 | 0.00 | |
| | | 4-Wire DS1 Digital Loop - Zone 2 | | | USL | USLXX | 84.36 | 714.84 | 421.47 | | | | | 42.19 | 12.76 | 0.00 | |
| | 7 | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 134.29 | 714.84 | 421.47 | | | | | 42.19 | 12.76 | 0.00 | 0.00 |

| UNBUNDL | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | ment: 2 | | ibit: B |
|----------|---|-------------|------|------------|----------------|----------------|------------------|------------------|--------------|-------|---|---|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | 001150 | 001441 | | Rates(\$) | 2011411 | 0011411 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | First 48.31 | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 100.99 | 43.00 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| 4-WIF | RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 25.32 | 489.04 | 337.51 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 43.11 | 489.04 | 337.51 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 67.26 | 489.04 | 337.51 | | | | | 26.94 | 12.76 | | 0.00 |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | | UDL | UDL56 | 25.32 | 489.04 | 337.51 | | | | | 26.94 | 12.76 | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL UDL | UDL56 UDL56 | 43.11 67.26 | 489.04 489.04 | 337.51 337.51 | | | | | 26.94 26.94 | 12.76 12.76 | 0.00 | 0.00 |
| | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UDL | OCOSL | 07.20 | 45.34 | 337.31 | | | | | 20.94 | 12.76 | 0.00 | 0.00 |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 25.32 | 489.04 | 337.51 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | UDL64 | 43.11 | 489.04 | 337.51 | | | | | 26.94 | 12.76 | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | | UDL | UDL64 | 67.26 | 489.04 | 337.51 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 45.34 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 102.03 | 49.70 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| 2-WIF | RE Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Short including manual service | | ١. | | | 40.00 | | == | | | | | | 40.00 | | |
| | inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 13.26 | 262.86 | 143.75 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 22.39 | 262.86 | 143.75 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 2 Wire Unbundled Copper Loop/Short including manual service | | | UCL | UCLPB | 22.39 | 202.80 | 143.75 | - | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 34.80 | 262.86 | 143.75 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | Ŭ | UCL | UCLMC | 04.00 | 61.38 | 61.38 | + | | | | 20.04 | 12.70 | 0.00 | 0.00 |
| | 2-Wire Unbundled Copper Loop/Short without manual service | | | | | | | | | | | | | | İ | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 13.26 | 188.39 | 112.96 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 2-Wire Unbundled Copper Loop/Short without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 22.39 | 188.39 | 112.96 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 2-Wire Unbundled Copper Loop/Short without manual service | | _ | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 34.80 | 188.39 | 112.96 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Order Coordination for Unbundled Copper Loops (per loop) 2-Wire Unbundled Copper Loop/Long - includes manual srvc. | | | UCL | UCLMC | | 61.38 | 61.38 | | | | | | | - | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2L | 13.26 | 262.86 | 143.75 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | - | OOL | OCLZL | 15.20 | 202.00 | 140.70 | | | | | 20.34 | 12.70 | 0.00 | 0.00 |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2L | 22.39 | 262.86 | 143.75 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2L | 34.80 | 262.86 | 143.75 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 61.38 | 61.38 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2W | 13.26 | 188.39 | 112.96 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | 2 | | 1101 014 | 00.00 | 400.00 | 440.00 | | | | | 00.04 | 40.70 | 0.00 | 0.00 |
| | inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Long - without manual service | | 2 | UCL | UCL2W | 22.39 | 188.39 | 112.96 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2W | 34.80 | 188.39 | 112.96 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | 3 | UCL | UCLMC | 34.00 | 61.38 | 61.38 | | | | | 20.34 | 12.70 | 0.00 | 0.00 |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | 002 | CCLIIIC | | 01.00 | 01.00 | | | | | | | | |
| | (UCL-Des) | | | UCL | UREWO | | 97.14 | 42.44 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| 4-WIF | RE COPPER LOOP | | | | | | | | | | | | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 17.36 | 311.03 | 191.93 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 4-Wire Copper Loop/Short - including manual service inquiry | | _ | | 1101.10 | | 644.6- | | | | | | | | | |
| | and facility reservation - Zone 2 | 1 | 2 | UCL | UCL4S | 29.61 | 311.03 | 191.93 | | | 1 | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 46.26 | 311.03 | 191.93 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | 3 | UCL | UCL4S UCLMC | 40.26 | 61.38 | 61.38 | | | | | 20.94 | 12.76 | 0.00 | 0.00 |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | t | | COLIVIO | | 01.50 | 01.30 | | | | | | | t | † |
| | facility reservation - Zone 1 | | 1 | UCL | UCL4W | 17.36 | 236.57 | 161.14 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | | | | | i i | | | | | 1 | 1 | 1 |
| | facility reservation - Zone 2 | | 2 | UCL | UCL4W | 29.61 | 236.57 | 161.14 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |

| UNBUNDL | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | • | | ment: 2 | | ibit: B |
|-----------|---|-------------|------|--|---------|-------|-----------------|------------------|-----------------------|-----------------------|--|---|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonred First | curring Add'l | Nonrecurring First | g Disconnect Add'l | SOMEC | SOMAN | OSS SOMAN | Rates(\$) SOMAN | SOMAN | SOMAN |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | | | 1 1131 | Audi | 11100 | Audi | COMEC | COMPAN | COMPAN | COMPAR | COMPAR | COMPAR |
| | facility reservation - Zone 3 | | 3 | UCL | UCL4W | 46.26 | 236.57 | 161.14 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 61.38 | 61.38 | | | | | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | 1 | UCL | UCL4L | 47.00 | 044.00 | 101.00 | | | | | 00.04 | 40.70 | 0.00 | 0.00 |
| | inquiry and facility reservation - Zone 1 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | 1 | UCL | UCL4L | 17.36 | 311.03 | 191.93 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4L | 29.61 | 311.03 | 191.93 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4L | 46.26 | 311.03 | 191.93 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 61.38 | 61.38 | | | | | | | | ļ |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | 1 | UCL | UCL4O | 17.36 | 236.57 | 161.14 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | inquiry and facility reservation - Zone 1 4-Wire Unbundled Copper Loop/Long - without manual svc. | | 1 | UCL | UCL4O | 17.36 | 236.57 | 161.14 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4O | 29.61 | 236.57 | 161.14 | 1 | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | | | 50240 | 20.01 | 200.01 | 101.14 | | | | | 20.04 | 12.70 | 3.00 | 3.00 |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4O | 46.26 | 236.57 | 161.14 | 1 | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 61.38 | 61.38 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | |
| | (UCL-Des) | | | UCL | UREWO | | 97.14 | 42.44 | | | | | | | | |
| LOOP MODI | FICATION | | | UAL, UHL, UCL, | | | | | | | | | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft Unbundled Loop Modification, Removal of Load Coils - 2 wire | | | UEQ, ULS, UEA, UEANL, UEPSR, UEPSB | ULM2L | | 21.24 | 21.24 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | greater than 18k ft | | | UCL, ULS, UEQ | ULM2G | | 119.24 | 119.24 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | | | | | | | | | | | | | |
| | less than or equal to 18K ft | | | UHL, UCL, UEA | ULM4L | | 21.24 | 21.24 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft | | | UCL | ULM4G | | 119.24 | 119.24 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| SUB-LOOPS | Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop | | | UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB | ULMBT | | 24.84 | 24.84 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Loop Distribution | | | | 1 | | | | | | | | | | 1 | |
| oub- | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | | | | | | | | | | | | | | |
| | Up | 1 | | UEANL | USBSA | | 373.57 | | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Cub Lana Bas Cross Bas Lanating Bas 05 Bair Bas of Cont. In | | | LIFANII | LICDOD | | 22.70 | | | | | | 20.04 | 40.70 | 0.00 | 0.00 |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder | | 1 | UEANL | USBSB | | 33.78 | | | 1 | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Facility Set-Up | 1 | | UEANL | USBSC | | 234.76 | | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel | <u> </u> | | J , 3 1 L | 50500 | | 204.70 | | | | | | 20.04 | 12.70 | 0.00 | 5.00 |
| | Set-Up | L_I | L | UEANL | USBSD | | 81.05 | | <u> </u> | | <u> </u> | <u> </u> | 26.94 | 12.76 | 0.00 | 0.00 |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEANL | USBN2 | 7.31 | 126.03 | 54.54 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | OLAINL | UODINZ | 1.31 | 120.03 | 54.54 | | 1 | 1 | 1 | 26.94 | 12./6 | 0.00 | 0.00 |
| | Zone 2 | 1 | 2 | UEANL | USBN2 | 11.93 | 126.03 | 54.54 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | 1 |
| | Zone 3 | ı | 3 | UEANL | USBN2 | 18.20 | 126.03 | 54.54 | 1 | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 61.38 | 61.38 | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | J , 3 1 L | CODIVIO | | 01.00 | 01.00 | | | | | | | - | † |
| | Zone 1 | | 1 | UEANL | USBN4 | 8.44 | 156.52 | 79.66 | 1 | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEANL | USBN4 | 13.81 | 156.52 | 79.66 | ļ | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | _ | LIFANII | LIODA | a | .= | = | 1 | 1 | | | | | | |
| | Zone 3 | | 3 | UEANL | USBN4 | 21.10 | 156.52 | 79.66 | 1 | | | | 26.94 | 12.76 | 0.00 | 0.0 |

| UNBUN | IDLE | NETWORK ELEMENTS - North Carolina | | | • | | | | | | | 1 | | | ment: 2 | | bit: B |
|---------|--------|---|-------------|----------|-----------------|---------|--------|--------|------------|-------|--------------|-------|---|---|---|---|--|
| CATEGO | ORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | 0.70 | 61.38 | 61.38 | | | | | | 10.70 | | |
| | | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | ı | | UEANL | USBR2 | 2.79 | 114.05 | 37.20 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | | | | | | | | | | | | | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | 0.74 | 61.38 | 61.38 | | | | | 00.04 | 40.70 | 0.00 | 0.00 |
| | | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | - 1 | | UEANL | USBR4 | 3.74 | 127.67 | 50.82 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | 0-10 | | | LIFANII | 1100110 | | 04.00 | 04.00 | | | | | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | <u> </u> | UEANL | USBMC | 0.40 | 61.38 | 61.38 | | | | | 00.04 | 40.70 | 0.00 | 0.00 |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | ! | 1 | UEF | UCS2X | 6.10 | 137.10 | 60.24 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | - !- | 2 | UEF | UCS2X | 9.70 | 137.10 | 60.24 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | ı | 3 | UEF | UCS2X | 14.59 | 137.10 | 60.24 | | | 1 | | 26.94 | 12.76 | 0.00 | 0.00 |
| - 1 | | Onder Consideration for Habrardic LO 1. Leave and 1. | 1 | 1 | Liee | LICDMO | | 04.00 | 04.00 | | | | | | I | Ì | 1 |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | <u> </u> | | UEF | USBMC | 0.50 | 61.38 | 61.38 | | | | | 20.01 | 10 == | 0.00 | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | - | 1 | UEF | UCS4X | 6.58 | 162.24 | 85.38 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | - ! | 2 | UEF | UCS4X | 10.51 | 162.24 | 85.38 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | - 1 | 3 | UEF | UCS4X | 15.84 | 162.24 | 85.38 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | 0-10 | | | use | 1100110 | | 04.00 | 04.00 | | | | | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 61.38 | 61.38 | | | | | | | | |
| | | dled Network Terminating Wire (UNTW) | | <u> </u> | | | | 0.1.00 | | | | | | | | | |
| | | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.4351 | 64.98 | | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| N | letwor | k Interface Device (NID) | | | | | | | | | | | | | | | |
| | | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 86.37 | 56.69 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | Network Interface Device (NID) - 1-6 lines | _ ! | | UENTW | UND16 | | 127.93 | 98.21 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | Network Interface Device Cross Connect - 2 W | - | | UENTW | UNDC2 | | 11.68 | 11.68 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | Network Interface Device Cross Connect - 4W | ı | | UENTW | UNDC4 | | 11.68 | 11.68 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| SUB-LOC | | | | _ | | | | | | | | | | | | | |
| | sub-Lo | op Feeder | | | | | | | | | | | | | | | |
| | | USL-Feeder, DS0 Set-up per Cross Box location - CLEC | | | UEA, | | | | | | | | | | | | |
| | | Distribution Facility set-up | | <u> </u> | UDN,UCL,UDL,UDC | USBFW | | 373.57 | | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair | | | UEA, | | | | | | | | | | | | |
| | | set-up | | _ | UDN,UCL,UDL,UDC | USBFX | | 33.78 | 33.78 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | _ | USL | USBFZ | | 523.51 | 11.31 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice | | 1 | | LIODEA | 40.44 | 100 50 | 40.04 | | | | | 00.04 | 40.70 | 0.00 | 0.00 |
| | | Grade - Zone 1 | | 1 | UEA | USBFA | 10.41 | 122.52 | 46.61 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice | | ١., | | | 4= 04 | 400 =0 | | | | | | | | | |
| | | Grade - Zone 2 | | 2 | UEA | USBFA | 17.31 | 122.52 | 46.61 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, | | 3 | | LIODEA | 26.67 | 100 50 | 40.04 | | | | | 00.04 | 40.70 | 0.00 | 0.00 |
| | | Voice Grade - Zone 3 | | 3 | UEA | USBFA | 26.67 | 122.52 | 46.61 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | Order Coordination for Specified Conversion Time, per LSR | | - | UEA | OCOSL | | 45.34 | | | | | | | | | |
| | | Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | 1 | | HODED | 40.44 | 100 50 | 40.04 | | | | | 00.04 | 40.70 | 0.00 | 0.00 |
| | | Grade - Zone 1 | | 1 | UEA | USBFB | 10.41 | 122.52 | 46.61 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | ١., | | | 4= 04 | 400 =0 | | | | | | | | | |
| | | Grade - Zone 2 | | 2 | UEA | USBFB | 17.31 | 122.52 | 46.61 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice | | | | | | | | | | | | | | | |
| | | Grade - Zone 3 | | 3 | UEA | USBFB | 26.67 | 122.52 | 46.61 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | Order Coordination for Specified Time Conversion, per LSR | | _ | UEA | OCOSL | | 45.34 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | 1 | ١. | LIEA | LIODEC | | , | | | | | | | | | 1 |
| | | Voice Grade - Zone 1 | | 1 | UEA | USBFC | 10.41 | 122.52 | 46.61 | | | 1 | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | 1 | _ | LIEA | LIODEC | | , | | | | | | | | | 1 |
| | | Voice Grade - Zone 2 | | 2 | UEA | USBFC | 17.31 | 122.52 | 46.61 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse | | | LIEA | LIODEO | 00.67 | 100 =0 | 40.01 | | | | | 00.01 | 40 === | 0.00 | 0.00 |
| | | Battery, Voice Grade - Zone 3 | | 3 | UEA | USBFC | 26.67 | 122.52 | 46.61 | | | ļ | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | Order Coordination For Specified Conversion Time, per LSR | | <u> </u> | UEA | OCOSL | | 45.34 | | | | | | | - | | ├ |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | 1 | | | HODED | 10.00 | 000.00 | 444.00 | | | | | 00.01 | 40 === | 0.00 | |
| | | Grade - Zone 1 | | 1 | UEA | USBFD | 19.96 | 226.36 | 144.28 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| - 1 | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | 1 | _ | | LIODES | | 600.0- | | | | | | | | | |
| | | Grade - Zone 2 | | 2 | UEA | USBFD | 33.91 | 226.36 | 144.28 | | | 1 | | 26.94 | 12.76 | 0.00 | 0.00 |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice | | ١., | | | =0.5- | | | | | | | | | | |
| | | Grade - Zone 3 | | 3 | UEA | USBFD | 52.85 | 226.36 | 144.28 | |] | 1 | | 26.94 | 12.76 | 0.00 | 0.00 |

| ONRONDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: B |
|-----------|---|--------------|--|-------|----------------|----------------|------------------|------------------|--------------|-------|-------|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | 00001 | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 45.34 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFE | 19.96 | 226.36 | 144.28 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | ULA | USBI L | 19.90 | 220.30 | 144.20 | | | | | 20.94 | 12.70 | 0.00 | 0.00 |
| | Grade - Zone 2 | | 2 | UEA | USBFE | 33.91 | 226.36 | 144.28 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | _ | 02/1 | 002. 2 | 00.01 | 220.00 | 111120 | | | | | 20.01 | 12.70 | 0.00 | 0.00 |
| | Grade - Zone 3 | | 3 | UEA | USBFE | 52.85 | 226.36 | 144.28 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 45.34 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 | | 1 | UDN | USBFF | 17.24 | 202.01 | 105.88 | | | | | 26.94 | 12.76 | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 | | 2 | UDN | USBFF | 29.17 | 202.01 | 105.88 | | | | | 26.94 | 12.76 | 0.00 | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 | | 3 | UDN | USBFF | 45.37 | 202.01 | 105.88 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Order Coordination For Specified Conversion Time, Per LSR | | 1 | UDN | OCOSL | 47.04 | 45.34 | 105.00 | | | | | 26.04 | 10.70 | 0.00 | 0.00 |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | <u> </u> | 2 | UDC | USBFS USBFS | 17.24 29.17 | 202.01 202.01 | 105.88 105.88 | | | | | 26.94 26.94 | 12.76 12.76 | 0.00 | |
| | Unbundled Sub-Loop Feeder, 2 Wire ODC (IDSL compatible) | | 3 | UDC | USBFS | 45.37 | 202.01 | 105.88 | | | | | 26.94 | 12.76 | 0.00 | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | | USL | USBFG | 35.65 | 393.01 | 153.37 | | | | | 42.19 | 12.76 | 0.00 | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | USL | USBFG | 63.18 | 393.01 | 153.37 | | | | | 42.19 | 12.76 | 0.00 | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 3 | USL | USBFG | 100.58 | 393.01 | 153.37 | | | | | 42.19 | 12.76 | 0.00 | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | USL | OCOSL | | 48.31 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFH | 9.14 | 172.89 | 90.81 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | | | | | | | | | | | | | | |
| | 2 | | 2 | UCL | USBFH | 14.90 | 172.89 | 90.81 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | _ | | | | | | | | | | | | | |
| | 3 | | 3 | UCL | USBFH | 22.71 | 172.89 | 90.81 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Order Coordination For Specified Conversion Time, per LSR | | - | UCL | OCOSL USBFJ | 13.41 | 45.34 207.14 | 134.77 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| - | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 | | 2 | UCL | USBFJ | 22.42 | 207.14 | 134.77 | | | - | | 26.94 | 12.76 | 0.00 | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 | | 3 | UCL | USBFJ | 34.66 | 207.14 | 134.77 | | | | | 26.94 | 12.76 | | |
| | Order Coordination For Specified Conversion Time, per LSR | | Ŭ | UCL | OCOSL | 04.00 | 45.34 | 104.77 | | | | | 20.04 | 12.70 | 0.00 | 0.00 |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 1 | UDL | USBFN | 24.27 | 215.00 | 132.92 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 2 | UDL | USBFN | 41.55 | 215.00 | 132.92 | | | | | 26.94 | 12.76 | 0.00 | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 3 | UDL | USBFN | 65.02 | 215.00 | 132.92 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UDL | USBFO | 24.27 | 215.00 | 132.92 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | _ | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UDL | USBFO | 41.55 | 215.00 | 132.92 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3 | | 3 | UDL | USBFO | 65.02 | 215.00 | 132.92 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Order Coordination For Specified Time Conversion, per LSR | | 3 | UDL | OCOSL | 05.02 | 45.34 | 132.92 | | | - | | 20.94 | 12.76 | 0.00 | 0.00 |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | ODL | OCCOL | | 40.04 | | | | | | | | | + |
| | Zone 1 | | 1 | UDL | USBFP | 24.27 | 215.00 | 132.92 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | - |
| | Zone 2 | | 2 | UDL | USBFP | 41.55 | 215.00 | 132.92 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UDL | USBFP | 65.02 | 215.00 | 132.92 | | | | | 26.94 | 12.76 | 0.00 | 0.00 |
| | Order Coordination For Specified Conversion Time, per LSR | | | UDL | OCOSL | | 45.34 | | | | | | | | | ļ |
| SUB-LOOPS | | | | | | | | | | | | | | | | |
| Sub-Le | Sub Loop Feeder - DS3 - Per Mile Per Month | . | | UE3 | 1L5SL | 16.03 | | | | | | | | - | | 1 |
| + | Sub Loop Feeder - DS3 - Per Mile Per Month Sub Loop Feeder - DS3 - Facility Termination Per Month | - | | UE3 | USBF1 | 350.32 | 3,399.57 | 406.81 | 164.08 | 93.01 | 1 | | 26.94 | 12.76 | | 1 |
| | Sub Loop Feeder - STS-1 - Per Mile Per Month | + | | UDLSX | 1L5SL | 16.03 | 5,555.57 | 400.01 | 104.00 | 50.01 | | | 20.94 | 12.70 | † | |
| | Sub Loop Feeder - STS-1 - Facility Termination Per Month | i | <u> </u> | UDLSX | USBF7 | 376.06 | 3,399.57 | 406.81 | 164.08 | 93.01 | | | 26.94 | 12.76 | 1 | |
| JNBUNDLED | LOOP CONCENTRATION | | | | 1 | | 2,222 | | | | | | | | | 1 |
| | Unbundled Loop Concentration - System A (TR008) | | | ULC | UCT8A | 398.41 | 652.26 | 652.26 | | | | | 19.99 | 19.99 | 19.99 | 19.9 |
| | Unbundled Loop Concentration - System B (TR008) | | | ULC | UCT8B | 58.36 | 271.78 | 271.78 | | | | | 19.99 | 19.99 | | |
| | Unbundled Loop Concentration - System A (TR303) | | | ULC | UCT3A | 439.73 | 652.25 | 652.26 | | | | | 19.99 | 19.99 | 19.99 | |
| | Unbundled Loop Concentration - System B (TR303) | | | ULC | UCT3B | 98.34 | 271.78 | 271.78 | | | 1 | ī | 19.99 | 19.99 | 19.99 | 19.99 |

| UNBUNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|------------|--|-------------|------|-------------------------------------|----------------|-----------------|------------------|------------------|-----------------------|---------------------|--------|---|--|--|----------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonre First | curring Add'l | Nonrecurring First | Disconnect Add'l | COMEC | SOMAN | | Rates(\$) SOMAN | SOMAN | SOMAN |
| | Unbundled Loop Concentration - ISDN Loop Interface (Brite Card) | | | UDN | ULCC1 | 8.77 | 21.11 | 21.00 | 10.81 | 10.74 | SOWIEC | SOWAN | 19.99 | 19.99 | 19.99 | 19.99 |
| | Unbundled Loop Concentration - UDC Loop Interface (Brite | | | | | | | | | | | | | | | |
| | Card) Unbundled Loop Concentration2 Wire Voice-Loop Start or | | | UDC | ULCCU | 8.77 | 21.11 | 21.00 | 10.81 | 10.74 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | Ground Start Loop Interface (POTS Card) | | | UEA | ULCC2 | 0.89 | 35.73 | 35.49 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card) | | | UEA | ULCCR | 13.03 | 21.11 | 21.00 | 10.81 | 10.74 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | Unbundled Loop Concentration - 4 Wire Voice Loop Interface | | | | ULCC4 | 7.77 | 04.44 | 04.00 | 40.04 | 40.74 | | | 40.00 | 40.00 | 40.00 | 40.00 |
| | (Specials Card) Unbundled Loop Concentration - TEST CIRCUIT Card | | | UEA ULC | UCTTC | 37.98 | 21.11 21.11 | 21.00 21.00 | 10.81 10.81 | 10.74 10.74 | | | 19.99 19.99 | 19.99 19.99 | 19.99 19.99 | 19.99 19.99 |
| | Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop | | | | | | | | | | | | | | | |
| | Interface Unbundled Loop Concentration - Digital 56 Kbps Data Loop | | | UDL | ULCC7 | 11.51 | 21.11 | 21.00 | 10.81 | 10.74 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | Interface | | | UDL | ULCC5 | 11.51 | 21.11 | 21.00 | 10.81 | 10.74 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| LINE OTHER | Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface PROVISIONING ONLY - NO RATE | | | UDL | ULCC6 | 11.51 | 21.11 | 21.00 | 10.81 | 10.74 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| UNE OTHER, | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | |
| | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | |
| ı | Unbundled Contract Name, Provisioning Only - No Rate | | | UEANL,UEF,UEQ,U ENTW | UNECN | 0.00 | 0.00 | | | | | | | | | |
| UNE OTHER, | PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |
| | Unbundled Contact Name. Provisioning Only - no rate | | | UAL,UCL,UDC,UDL, UDN.UEA.UHL.ULC | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no | | | ODIN,OLA,OI IL,OLC | UNLCIN | 0.00 | 0.00 | | | | | | | | | |
| | rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | 1 |
| | rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option - | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| HIGH CVBVC | no rate ITY UNBUNDLED LOCAL LOOP | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| | : minimum billing period of three months for DS3/STS-1 Local | Loop | | | | | | | | | | | | | | |
| 1.0.1 | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | UE3 | 1L5ND | 13.33 | | | | | | | | | | |
| | month High Capacity Unbundled Local Loop - DS3 - Facility | | | | | | | 242.42 | | | | | =0.40 | =0.40 | | |
| | Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | UE3 | UE3PX | 450.69 | 1,071.00 | 646.12 | | | | | 53.48 | 53.48 | | |
| | month High Capacity Unbundled Local Loop - STS-1 - Facility | | | UDLSX | 1L5ND | 13.33 | | | | | | | | | | |
| LOOP MAKE- | Termination per month | | | UDLSX | UDLS1 | 464.26 | 1,071.00 | 646.12 | | | | | 53.48 | 53.48 | | - |
| LOOF WARE | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). | | | UMK | UMKLW | | 55.44 | 55.44 | | | | | | | | |
| | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | | | UMK | UMKLP | | 55.73 | 55.73 | | | | | | | | |
| HIGH FREQU | ENCY SPECTRUM | | | OIVIIX | OWINE | | 33.13 | 33.13 | | | | | | | | |
| LINE | SHARING | | | | | | | | | | | | | | | |
| SPLIT | TERS-CENTRAL OFFICE BASED | | | | 111.004 | 404.40 | 001.51 | 0.00 | | | | | 20.01 | 10.70 | | |
| | Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity | | | ULS ULS | ULSDA ULSDB | 181.18 38.99 | 631.54 631.54 | 0.00 | | | | | 26.94 26.94 | 12.76 12.76 | | |
| | Line Sharing Splitter, Per System, 8 Line Capacity | ı | | ULS | ULSD8 | 12.73 | 424.61 | 0.00 | | | | | 26.94 | 12.76 | | |
| | Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD) | | | ULS | ULSDG | | 146.32 | 31.27 | | | | | 26.94 | 12.76 | | |
| END (| ISER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY | SPEC | | | | | | - | | | | | | | | |
| | Line Sharing - per Line Activation (BST Owned Splitter) | l | | ULS | ULSDC | 0.61 | 54.71 | 28.77 | | | | | 26.94 | 12.76 | l | |

| Rearrar Line Sh Rearrar Line Sh Line Sh Line Sp Line Sp Line Sp Line Sp Line Sp Line Sp Line Sp Line Sp REMOTE SITE SPLITTES-RE Remote Remote Remote RS and END USER OR Remote RS and END USER OR Remote RS and END USER OR Remote RS Jene RS Line Splitter Remote Splitter Remote Interoffice Interoffi Facility Interoffi Rev Bal Interoffi Rev Bal Interoffi Rev Bal Interoffi Rev Bal Interoffi Rev Bal Interoffi Rev Bal | RDERING-CENTRAL OFFICE BASED Splitting - per line activation DLEC owned splitter Splitting - per line activation BST owned - physical Splitting - per line activation BST owned - virtual E HIGH FREQUENCY SPECTRUM REMOTE SITE DIE Site Line Share BellSouth Owned Splitter, 24 Port DIE Site Line Share Cable Pair Activation CLEC Owned at and Deactivation PRDERING-REMOTE SITE HIGH FREQUENCY SPECTRU DIE Site Line Share Line Activationfor End User Served at DIST Splitter DIE SITE LINE STATE LINE ACTIVATION OF THE STATE LINE STATE DIE SITE LINE SHARE LINE ACTIVATION OF THE STATE LINE ACTIVATION OF THE STATE LINE ACTIVATION OF THE STATE LINE ACTIVATION OF THE STATE LINE ACTIVATION OF THE STATE LINE ACTIVATION OF THE STATE LINE ACTIVATION OF THE SITE LINE STATE LINE STATE LINE STATE SUBSEQUENT ACTIVITY-RS BST OWNED | Interi m | Zone | ULS ULS ULS ULS ULS UEPSR UEPSB UEPSR UEPSB UEPSR UEPSB | ULSDS ULSCS ULSCC UREOS UREBP UREBV | Rec | Nonrec First 35.42 35.14 47.44 | Add'I 16.57 16.29 | Nonrecurring Disconn First Add | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st OSS SOMAN | Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates(\$) SOMAN | Charge - | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I |
|--|--|-----------------|----------|---|-------------------------------------|---------------|---|-------------------------|--|-----------------------|--|--|----------|--|
| Rearrar Line Sh Rearrar Line Sh Line Sh Line Sp Line Sp Line Sp Line Sp Line Sp Line Sp Line Sp Line Sp REMOTE SITE SPLITTES-RE Remote REMOTE SITE SPLITTES-RE Remote REMOTE SITE SPLITTES-RE Remote REMOTE SITE SPLITTES-RE Remote REMOTE REMOTE REMOTE SPLITES-RE REMOTE SPLITES-RE REMOTE SPLITES-RE REMOTE SPLITES INTEROFFICE INTEROF | angement(BST Owned Splitter Sharing - per Subsequent Activity per Line angement(DLEC Owned Splitter Sharing - per Line Activation (DLEC owned Splitter) ING ING ING ING Splitting - per line activation DLEC owned splitter Splitting - per line activation BST owned - physical Splitting - per line activation BST owned - virtual E HIGH FREQUENCY SPECTRUM REMOTE SITE Dets Site Line Share BellSouth Owned Splitter, 24 Port tote Site Line Share Cable Pair Activation CLEC Owned at and Deactivation INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE | 1 | REMO | ULS ULS UEPSR UEPSB UEPSR UEPSB UEPSR UEPSB | ULSCS ULSCC UREOS UREBP | 0.61 | 35.42 35.14 | Add'I 16.57 16.29 | | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Rearrar Line Sh Rearrar Line Sh Line Sh Line Sp Line Sp Line Sp Line Sp Line Sp Line Sp Line Sp Line Sp REMOTE SITE SPLITTES-RE Remote Remote Remote RS and END USER OR Remote RS and END USER OR Remote RS and END USER OR Remote RS Jene RS Line Splitter Remote Splitter Remote Interoffice Interoffi Facility Interoffi Rev Bal Interoffi Rev Bal Interoffi Rev Bal Interoffi Rev Bal Interoffi Rev Bal Interoffi Rev Bal | angement(BST Owned Splitter Sharing - per Subsequent Activity per Line angement(DLEC Owned Splitter Sharing - per Line Activation (DLEC owned Splitter) ING ING ING ING Splitting - per line activation DLEC owned splitter Splitting - per line activation BST owned - physical Splitting - per line activation BST owned - virtual E HIGH FREQUENCY SPECTRUM REMOTE SITE Dets Site Line Share BellSouth Owned Splitter, 24 Port tote Site Line Share Cable Pair Activation CLEC Owned at and Deactivation INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE | 1 | REMOT | ULS ULS UEPSR UEPSB UEPSR UEPSB UEPSR UEPSB | ULSCS ULSCC UREOS UREBP | 0.61 | 35.42 35.14 | Add'I 16.57 16.29 | | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Rearrar Line Sh Rearrar Line Sh Line Sh Line Sp Line Sp Line Sp Line Sp Line Sp Line Sp Line Sp Line Sp REMOTE SITE SPLITTES-RE Remote Remote Remote RS and END USER OR Remote RS and END USER OR Remote RS and END USER OR Remote RS Jene RS Line Splitter Remote Splitter Remote Interoffice Interoffi Facility Interoffi Rev Bal Interoffi Rev Bal Interoffi Rev Bal Interoffi Rev Bal Interoffi Rev Bal Interoffi Rev Bal | angement(BST Owned Splitter Sharing - per Subsequent Activity per Line angement(DLEC Owned Splitter Sharing - per Line Activation (DLEC owned Splitter) ING ING ING ING Splitting - per line activation DLEC owned splitter Splitting - per line activation BST owned - physical Splitting - per line activation BST owned - virtual E HIGH FREQUENCY SPECTRUM REMOTE SITE Dets Site Line Share BellSouth Owned Splitter, 24 Port tote Site Line Share Cable Pair Activation CLEC Owned at and Deactivation INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST Splitter INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ST SPLITTER INDERING-REMOTE | 1 | REMOT | ULS ULS UEPSR UEPSB UEPSR UEPSB UEPSR UEPSB | ULSCS ULSCC UREOS UREBP | 0.61 | 35.42 35.14 | 16.57 16.29 | | | | | | |
| Line Sh Rearrar Line Sh Line SP Line SP Line SP Line SP Line SP Line SP Line SP Line SP Line SP Line SP REMOTE REMOTE REMOTE REMOTE RS and END USER OR REMOTE RS and END USER OR Remote RS and END USER OR Remote RS and INTEROFFICE Interoffic Interoffi Rev Bal Interoffi Rev Bal Interoffi Rev Bal Interoffi Rev Bal Interoffi Rev Bal Interoffi Rev Bal | Sharing - per Subsequent Activity per Line angement(DLEC Owned Splitter Sharing - per Line Activation (DLEC owned Splitter) ING ING ING ING ING ING ING ING ING ING | 1 | REMOT | ULS ULS UEPSR UEPSB UEPSR UEPSB UEPSR UEPSB | ULSCS ULSCC UREOS UREBP | 0.61 | 35.14 | 16.29 | | | 26.94 | 12.76 | | , |
| Rearrar Line Sh Line Sh Line Sp Line Sp Line Sp Line Sp Line Sp REMOTE SITE SPLITTERS-RE Remote RS and END USER OR REMOTE SITE SPLITTERS-RE REmote RS and END USER OR Remote RS, BS RS, Line Splitter Remote Splitter Remote Splitter Remote INTEROFFICE INTEROFFICE Interoffi Facility Interoffi Rev Bal Interoffi Rev Bal Interoffi Rev Bal | angement(DLEC Owned Splitter Sharing - per Line Activation (DLEC owned Splitter) ING ING ING ING ING ING ING ING ING ING | 1 | REMOT | UEPSR UEPSB UEPSR UEPSB UEPSR UEPSB | ULSCC UREOS UREBP | 0.61 | | | | | | | | |
| Line Sh LINE SPLITTIN END USER OR Line Sp Line Sp Line Sp Line Sp Line Sp REMOTE SITE SPLITTES-RE Remote RS and END USER OR Remote RS and END USER OR Remote Splitter Remote Splitter Remote Splitter Remote Splitter Remote Splitter Remote Splitter Remote Splitter Remote Splitter Remote Splitter Remote Splitter Remote Splitter Remote Splitter Remote Splitter Remote Splitter Remote Splitter Remote Splitter INTEROFFICE INTEROFFICE INTEROFFICE INTEROFFICE Interoffi Feacility Interoffi Rev Bat Interoffi Rev Bat Interoffi | Sharing - per Line Activation (DLEC owned Splitter) ING ING ING ING ING ING ING IN | 1 | REMOT | UEPSR UEPSB UEPSR UEPSB UEPSR UEPSB | ULSCC UREOS UREBP | 0.61 | | | l | | | | | |
| LINE SPLITTIN END USER OR Line Sp Line Sp Line Sp Line Sp REMOTE SITE SPLITTERS-RE Remote Remote RS and END USER OR Remote RS, BS RS Line Splitter Remote Splitter Remote INTEROFICE INTEROFFICE INTER | ING IRDERING-CENTRAL OFFICE BASED Splitting - per line activation DLEC owned splitter Splitting - per line activation BST owned - physical Splitting - per line activation BST owned - virtual E HIGH FREQUENCY SPECTRUM REMOTE SITE Its Site Line Share BellSouth Owned Splitter, 24 Port ote Site Line Share Cable Pair Activation CLEC Owned at nd Deactivation IRDERING-REMOTE SITE HIGH FREQUENCY SPECTRU Its Site Line Share Line Activationfor End User Served at SST Splitter ne Share Line Activation for End User served at RS, CLEC er ote Site Line Share Subsequent Activity-RS BST Owned | 1 | REMOT | UEPSR UEPSB UEPSR UEPSB UEPSR UEPSB | UREOS UREBP | 0.61 | 47.44 | | | | 26.94 | 12.76 | | L |
| END USER OR Line Sp Line Sp Line Sp Line Sp REMOTE SITE SPLITERS-RE Remote RS and END USER OR REMOTE RS SP REMOTE REMOTE REMOTE REMOTE REMOTE REMOTE REMOTE Splitter REMOTE REMOTE Splitter REMOTE REMOTE Splitter REMOTE Splitter REMOTE Splitter INTEROFICE INTEROFICE INTEROFFICE INTEROFFICE INTEROFFICE REMOTE INTEROFFIC | RDERING-CENTRAL OFFICE BASED Splitting - per line activation DLEC owned splitter Splitting - per line activation BST owned - physical Splitting - per line activation BST owned - virtual E HIGH FREQUENCY SPECTRUM REMOTE SITE DIE Site Line Share BellSouth Owned Splitter, 24 Port DIE Site Line Share Cable Pair Activation CLEC Owned at and Deactivation PRDERING-REMOTE SITE HIGH FREQUENCY SPECTRU DIE Site Line Share Line Activationfor End User Served at DIST Splitter DIE SITE LINE STATE LINE ACTIVATION OF THE STATE LINE STATE DIE SITE LINE SHARE LINE ACTIVATION OF THE STATE LINE ACTIVATION OF THE STATE LINE ACTIVATION OF THE STATE LINE ACTIVATION OF THE STATE LINE ACTIVATION OF THE STATE LINE ACTIVATION OF THE STATE LINE ACTIVATION OF THE SITE LINE STATE LINE STATE LINE STATE SUBSEQUENT ACTIVITY-RS BST OWNED | 1 | REMOT | UEPSR UEPSB UEPSR UEPSB | UREBP | | | 19.31 | | | 26.94 | 12.76 | | |
| Line Sp Line Sp Line Sp Line Sp Line Sp REMOTE SITE SPLITTERS-RE Remote RS and END USER OR Remote RS, BS RS Line Splitter Remote Splitter Remote Splitter Remote Splitter Remote INTEROFFICE INTEROFFICE Interoffi Facility Interoffi Rev Bal Interoffi Rev Bal Interoffi Facility Facility | Splitting - per line activation DLEC owned splitter Splitting - per line activation BST owned - physical Splitting - per line activation BST owned - virtual E HIGH FREQUENCY SPECTRUM REMOTE SITE tote Site Line Share BellSouth Owned Splitter, 24 Port site Site Line Share BellSouth Owned Splitter, 24 Port site Site Line Share Cable Pair Activation CLEC Owned at and Deactivation RDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI Set Site Line Share Line Activationfor End User Served at SST Splitter ne Share Line Activation for End User served at RS, CLEC er ste Site Line Share Subsequent Activity-RS BST Owned | 1 | REMO | UEPSR UEPSB UEPSR UEPSB | UREBP | | | | | | | | | |
| Line Sp Line Sp REMOTE SITE SPLITTERS-RE Remote Remote Resolute Resolute Resolute Resolute Remote Resolute Remote Resolute Remote Resolute Remote Splitter Remote Splitter Remote Splitter Remote INTEROFFICE INTEROFFICE Interoffi Facility Interoffi Rev Bat Interoffi | Splitting - per line activation BST owned - physical Splitting - per line activation BST owned - virtual E HIGH FREQUENCY SPECTRUM REMOTE SITE Site Line Share BellSouth Owned Splitter, 24 Port site Site Line Share Cable Pair Activation CLEC Owned at and Deactivation REMOTE SITE HIGH FREQUENCY SPECTRU SITE Line Share Line Activationfor End User Served at SST Splitter Share Line Activation for End User Served at RS, CLEC er site Site Line Share Line Activation for End User Served at RS, CLEC er Site Line Share Line Activation for End User Served at RS, CLEC er Site Line Share Subsequent Activity-RS BST Owned | 1 | REMO | UEPSR UEPSB UEPSR UEPSB | UREBP | | | | | | | | | |
| Line Sp REMOTE SITE SPLITTERS-RE Remote Remote RS and END USER OR Remote RS, BS RS Line Splitter Remote Splitter Remote Splitter Remote Splitter Remote INTEROFIICE INTEROFIICE Interoffi Facility Interoffi Rev Bat Interoffi Rev Bat Interoffi Rev Bat Interoffi Rev Bat Interoffi Facility | Splitting - per line activation BST owned - virtual E HIGH FREQUENCY SPECTRUM REMOTE SITE Ite Site Line Share BellSouth Owned Splitter, 24 Port ote Site Line Share Cable Pair Activation CLEC Owned at nd Deactivation REDERING-REMOTE SITE HIGH FREQUENCY SPECTRU Ite Site Line Share Line Activationfor End User Served at SST Splitter ne Share Line Activation for End User served at RS, CLEC or ote Site Line Share Subsequent Activity-RS BST Owned | 1 | REMO | UEPSR UEPSB | | 0.04 | 50.00 | 00.50 | | | 00.04 | 10.70 | | ├ |
| REMOTE SITE SPLITTERS-RE Remote Remote RS and END USER OR Remote RS, BS RS Line Splitter Remote Splitter Remote INTEROFFICE Interoffi Per Mile Interoffi Rev Bal Interoffi Rev Bal Interoffi Rev Bal Interoffi Rev Bal Interoffi Rev Bal | E HIGH FREQUENCY SPECTRUM REMOTE SITE to the Site Line Share BellSouth Owned Splitter, 24 Port tote Site Line Share Cable Pair Activation CLEC Owned at and Deactivation REMERING-REMOTE SITE HIGH FREQUENCY SPECTRUI tote Site Line Share Line Activationfor End User Served at BST Splitter ne Share Line Activation for End User served at RS, CLEC er tote Site Line Share Subsequent Activity-RS BST Owned | - | REMO | | UKEBV | 0.61 0.61 | 56.92 | 28.59 | | | 26.94 26.94 | 12.76 | | + |
| SPLITTERS-RE Remote Remote Resolution Remote RS and END USER OR Remote RS, BS RS Line Splitter Remote Splitter Remote Splitter Remote INTERCHIE INTERCFICE Interoffi Facility Interoffi Rev Bat Interoffi Rev Bat Interoffi Rev Bat Interoffi Facility Interoffi Rev Bat Interoffi Facility | REMOTE SITE to Site Line Share BellSouth Owned Splitter, 24 Port be Site Line Share Cable Pair Activation CLEC Owned at and Deactivation INDERING-REMOTE SITE HIGH FREQUENCY SPECTRU to Bite Line Share Line Activationfor End User Served at BST Splitter ne Share Line Activation for End User served at RS, CLEC er to Site Line Share Subsequent Activity-RS BST Owned | I I M AKA | REMO | ULS | | 0.61 | 56.92 | 28.59 | | | 26.94 | 12.76 | | |
| Remote Remote RS and END USER OR Remote RS, BS RS Line Splitter Remote Splitter Remote Splitter INTEROFIICE Interoffi Facility Interoffi Rev Bat Interoffi Rev Bat Interoffi Rev Bat Interoffi Rev Bat Interoffi Rev Bat Interoffi Rev Bat Interoffi Rev Bat Interoffi Facility Facility Facility | ote Site Line Share BellSouth Owned Splitter, 24 Port to the Site Line Share Cable Pair Activation CLEC Owned at and Deactivation of Deactivation CLEC Owned at the Deactivation of Site Line Share Line Activation of End User Served at SIT Splitter of Share Line Activation for End User Served at RS, CLEC or Site Line Share Line Activation for End User Served at RS, CLEC or Site Line Share Line Activation for End User Served at RS, CLEC or Site Line Share Subsequent Activity-RS BST Owned | I I M AKA | REMO | ULS | | | | | | | | | | |
| Remote RS and END USER OR Remote RS, BS RS Line Splitter Remote Splitter UNBUNDLED DEDICA INTEROFFICE Interoffi Facility Interoffi Rev Bal Interoffi Rev Bal Interoffi Facility Facility Facility Facility Facility Facility | ote Site Line Share Cable Pair Activation CLEC Owned at and Deactivation MRDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI Site Line Share Line Activationfor End User Served at SST Splitter ne Share Line Activation for End User served at RS, CLEC er site Line Share Subsequent Activity-RS BST Owned | M AKA | REMO | 1 | ULSRB | 54.47 | 113.79 | 0.00 | | | 26.94 | 12.76 | | — |
| RS and END USER OR Remote RS, BS RS Line Splitter Remote Splitter Remote Splitter INTEROFFICE INTEROFFICE Interoffi Facility Interoffi Rev Bal Interoffi Rev Bal Interoffi Facility Facility Facility Facility Facility Facility Facility | nd Deactivation IRDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI the Site Line Share Line Activationfor End User Served at IST Splitter ne Share Line Activation for End User served at RS, CLEC er te Site Line Share Subsequent Activity-RS BST Owned | I AKA | REMO | | 020.00 | 54.41 | 110.79 | 0.00 | | 1 | 20.04 | 12.70 | | |
| END USER OR Remote RS, BS RS Line Splitter Remote Splitter Remote Splitter UNBUNDLED DEDICA INTEROFFICE Interoffi Per Mile Interoffi Facility Interoffi Rev Bat Interoffi Rev Bat Interoffi Facility Interoffi Facility Interoffi Facility Interoffi Rev Bat Interoffi Facility Interoffi Rev Bat | IRDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI ote Site Line Share Line Activationfor End User Served at SIT Splitter ne Share Line Activation for End User served at RS, CLEC er ote Site Line Share Subsequent Activity-RS BST Owned | M AKA | REMO | ULS | ULSTG | | 74.38 | 0.00 | | | 26.94 | 12.76 | | 1 |
| Remote RS, BS RS Line Splitter Remote Splitter Remote Splitter UNBUNDLED DEDICAT NOTE: INTERC INTERCFICE Interoffi Per Mile Interoffi Facility Interoffi Rev Bat Interoffi Facility Facility Facility | ote Site Line Share Line Activationfor End User Served at IST Splitter ne Share Line Activation for End User served at RS, CLEC er te Site Line Share Subsequent Activity-RS BST Owned | ı | _ | | | | | 2.20 | | | | 0 | | |
| RS Line Splitter Remote Splitter Remote Splitter Remote Splitter UNBUNDLED DEDICAT NOTE: INTERC INTEROFFICE Interoffi Per Mile Interoffi Facility Interoffi Rev Bat Interoffi Rev Bat Interoffi Facility | ne Share Line Activation for End User served at RS, CLEC er ote Site Line Share Subsequent Activity-RS BST Owned | I | | | | | | | | | | | | |
| Splitter Remote Splitter Remote Splitter UNBUNDLED DEDICAT NOTE: INTEROF INTEROFFICE Interoffi Per Mile Interoffi Facility Interoffi Rev Bat Interoffi Facility Facility Facility Facility Facility Facility Facility | er ote Site Line Share Subsequent Activity-RS BST Owned | | | ULS | ULSRC | 0.61 | 56.92 | 28.59 | <u> </u> | | 26.94 | 12.76 | | <u> </u> |
| Remote Splitter Remote Splitter Remote Splitter UNBUNDLED DEDICA NOTE: INTEROF INTEROFFICE Interoffi Per Mile Interoffi Facility Interoffi Rev Bal Interoffi Facility Facility Facility Facility | ote Site Line Share Subsequent Activity-RS BST Owned | | | | | | Ī | | | | | | | |
| Splitter Remote Splitter UNBUNDLED DEDICAT NOTE: INTER INTEROFFICE Interoffi Per Mile Interoffi Facility Interoffi Rev Bat Interoffi Rev Bat Interoffi Facility Facility Facility | | | | ULS | ULSTC | 0.61 | 56.92 | 28.59 | | | 26.94 | 12.76 | | |
| Remote Splitter UNBUNDLED DEDICAT NOTE: INTEROFFICE Interoffi Per Mile Interoffi Facility Interoffi Rev Bai Interoffi Facility Facility Facility | er | | | | | | | <u> </u> | | | | | | 1 |
| Splitter UNBUNDLED DEDICAT NOTE: INTEROFFICE Interoffi Per Mile Interoffi Facility Interoffi Rev Bat Interoffi Rev Bat Interoffi Facility Facility Facility Facility | | - 1 | | ULS | ULSRS | | 48.71 | 17.67 | | | 26.94 | 12.76 | | |
| UNBUNDLED DEDICAT NOTE: INTERC INTEROFFICE Interoffi Per Mile Interoffi Facility Interoffi Rev Bat Interoffi Facility Facility Facility Facility Facility | te Site Line Share Subsequent Activity-RS CLEC Owned | 1 | | | I | | Ι Τ | | | | | | | 1 |
| NOTE: INTERC INTEROFFICE Interoffi Per Mile Interoffi Facility Interoffi Rev Bat Interoffi Facility | | | | ULS | ULSTS | | 48.71 | 17.67 | | | 26.94 | 12.76 | | |
| INTEROFFICE Interoffi Per Mile Interoffi Facility Interoffi Rev Bai Interoffi Facility Facility Facility | | <u> </u> | <u> </u> | | 1 | TO 4 (| | | | ļ | | | | |
| Interoffi Per Mile Interoffi Facility Interoffi Rev Bal Interoffi Facility Facility | ROFFICE CHANNEL DEDICATED TRANSPORT - minimu | m billír | ng perio | oa - below DS3=one | e month, DS3/S | 515-1=tour mo | ntns | | | 1 | | | | |
| Per Mile Interoffi Facility Interoffi Rev Bal Interoffi Facility | E CHANNEL - DEDICATED TRANSPORT office Channel - Dedicated Transport - 2-Wire Voice Grade - | ! | 1 | + | + | | | | — | 1 | | | | |
| Interoffi Facility Interoffi Rev Bal Interoffi Facility Facility | office Channel - Dedicated Transport - 2-Wire Voice Grade - file per month | | | U1TVX | 1L5XX | 0.0125 | | | | | | | | 1 |
| Facility Interoffi Rev Bat Interoffi Facility | iffice Channel - Dedicated Transport- 2- Wire Voice Grade - | 1 | + | STIVA | ILUAA | 0.0125 | | | | 1 | | | | |
| Interoffi Rev Bat Interoffi Facility | ty Termination | | 1 | U1TVX | U1TV2 | 18.00 | 137.48 | 52.58 | | | 38.07 | 38.07 | | i |
| Rev Bat Interoffi Facility | office Channel - Dedicated Transpor t- 2-Wire Voice Grade | 1 | 1 | | 2 | 10.00 | 107.40 | 02.00 | | | 55.57 | 30.07 | | |
| Interoffi Facility | Bat Per Mile per month | | | U1TVX | 1L5XX | 0.0125 | 1 | | | | | | | 1 |
| Facility | office Channel - Dedicated Transport- 2- Wire VG Rev Bat. | 1 | | İ | | ,,,,, | 1 | | | | | | | |
| | ty Termination | | | U1TVX | U1TR2 | 18.00 | 137.48 | 52.58 | | | 38.07 | 38.07 | | 1 |
| Interoffi | office Channel - Dedicated Transport - 4-Wire Voice Grade | - | | | | | | | | | | | | |
| Per Mile | file per month | <u>L_</u> | | U1TVX | 1L5XX | 0.0125 | | | <u> </u> | | | | | <u> </u> |
| | office Channel - Dedicated Transport - 4- Wire Voice Grade | | | | | | | | | | | | | |
| | ility Termination | ļ | | U1TVX | U1TV4 | 22.16 | 106.11 | 65.95 | | | 22.32 | 22.32 | | |
| | office Channel - Dedicated Transport - 56 kbps - per mile | | | | | | | | | | | | | 1 |
| per mor | | <u> </u> | | U1TDX | 1L5XX | 0.0282 | | | | ļ | | | | |
| | office Channel - Dedicated Transport - 56 kbps - Facility | | | LIATOV | LIATOS | 47.40 | 407.40 | 50.50 | | | 20.07 | 20.27 | | 1 |
| Termina | ination iffice Channel - Dedicated Transport - 64 kbps - per mile | ! | 1 | U1TDX | U1TD5 | 17.40 | 137.48 | 52.58 | | 1 | 38.07 | 38.07 | | |
| | | | | U1TDX | 1L5XX | 0.0282 | 1 | | | | | | | 1 |
| per mor | ionth Iffice Channel - Dedicated Transport - 64 kbps - Facility | 1 | + | UTIDX | ILDAX | 0.0282 | - | | | | | | | |
| Termina | | | 1 | U1TDX | U1TD6 | 17.40 | 137.48 | 52.58 | | | 38.07 | 38.07 | | i |
| | ination ffice Channel - Dedicated Channel - DS1 - Per Mile per | 1 | + | STIDA | 01100 | 17.40 | 137.40 | 32.30 | | 1 | 30.07 | 30.07 | | |
| month | | | | U1TD1 | 1L5XX | 0.5753 | 1 | | | | | | | 1 |
| | office Channel - Dedicated Tranport - DS1 - Facility | | | 1 | | 2.2.00 | 1 | | | | | | | |
| Termina | | | | U1TD1 | U1TF1 | 71.29 | 217.17 | 163.75 | | | 38.07 | 38.07 | | i |
| | office Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | |
| month | h | <u>L_</u> | | U1TD3 | 1L5XX | 12.98 | <u> </u> | | <u> </u> | | | | | <u> </u> |
| | | | | | | | Ī | | | | | | | |
| | office Channel - Dedicated Transport - DS3 - Facility | | | U1TD3 | U1TF3 | 720.38 | 794.94 | 579.55 | | | 91.26 | 91.26 | | 1 |
| | office Channel - Dedicated Transport - DS3 - Facility ination per month | | 1 | | | | | - | | | | | | 1 |
| month | office Channel - Dedicated Transport - DS3 - Facility ination per month office Channel - Dedicated Transport - STS-1 - Per Mile per | | | U1TS1 | 1L5XX | 6.14 | | | | | | | | ļ |
| Interoffi Termina | office Channel - Dedicated Transport - DS3 - Facility ination per month office Channel - Dedicated Transport - STS-1 - Per Mile per | | | U1TS1 | U1TFS | 790.37 | | | | | | | | |

| UNBUND | DLED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | ment: 2 | | bit: B |
|--------------|--|-------------|----------|----------------|----------------|-------------------|------------------|----------------|--|-------------------------|---------------------------|---|---|---|--|
| CATEGOR | RY RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | Submit Elec per L | ted Submitted Manually | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring Discon | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First Add | I SOME | C SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | DCAL CHANNEL - DEDICATED TRANSPORT | | <u> </u> | | | | | | | | | | | | |
| NO | OTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum bill | ing perio | | | | | 550.00 | 00.00 | | | | 10.17 | 40.70 | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1 | _ | | ULDVX | ULDV2 | 11.24 | 553.80 | 89.69 | | | | 42.17 | 12.76 | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2 | - | 2 | ULDVX | ULDV2 | 19.91 | 553.80 | 89.69 | | | | 42.17 | 12.76 | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3 Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1 | - | 3 | ULDVX ULDVX | ULDV2 ULDV4 | 31.70 12.03 | 553.80 562.23 | 89.69 92.67 | | - | _ | 42.17 42.17 | 12.76 12.76 | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2 | - | 2 | ULDVX | ULDV4 | 21.33 | 562.23 | 92.67 | | | | 42.17 | 12.76 | | — |
| | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3 | - | 3 | ULDVX | ULDV4 | 33.95 | 562.23 | 92.67 | | - | | 42.17 | 12.76 | | |
| | Local Channel - Dedicated - Ville Voice Grade - Zerie 6 | - | 1 | ULDD1 | ULDF1 | 27.05 | 534.48 | 462.69 | | | - | 86.15 | 1.77 | | |
| | Local Channel - Dedicated - DS1 - Zone 2 | | 2 | ULDD1 | ULDF1 | 47.94 | 534.48 | 462.69 | | | + | 86.15 | 1.77 | | |
| | Local Channel - Dedicated - DS1 - Zone 3 | 1 | 3 | ULDD1 | ULDF1 | 76.32 | 534.48 | 462.69 | | 1 | | 86.15 | 1.77 | | |
| | Local Channel - Dedicated - DS3 - Per Mile per month | | Ť | ULDD3 | 1L5NC | 0.9954 | 2210 | | | | | 55.10 | | | |
| | Local Channel - Dedicated - DS3 - Facility Termination | 1 | | ULDD3 | ULDF3 | 298.92 | 562.25 | 527.88 | | 1 | | 56.25 | 56.25 | 1 | |
| | Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1 | 1L5NC | 0.9954 | | | | | | 1 | | | |
| | Local Channel - Dedicated - STS-1 - Facility Termination | | | ULDS1 | ULDFS | 286.13 | 1,071.00 | 646.12 | | | | 53.48 | 53.48 | | |
| DARK FIBE | | | | | | | | | | | | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | |
| | Thereof per month - Local Channel | | | UDF | 1L5DC | 64.04 | | | | | | | | | |
| | NRC Dark Fiber - Local Channel | | | UDF | UDFC4 | | 1,347.00 | 279.87 | | | | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | |
| | Thereof per month - Interoffice Channel | | | UDF | 1L5DF | 27.71 | | | | | | | | | |
| | NRC Dark Fiber - Interoffice Channel | | | UDF | UDF14 | | 1,807.00 | 562.96 | | | | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | İ |
| | Thereof per month - Local Loop | | 1 | UDF | 1L5DL | 64.04 | | | | | | | | | |
| 2007 1 2 2 2 | NRC Dark Fiber - Local Loop | | | UDF | UDFL4 | | 1,347.00 | 279.87 | | | | | | | |
| 8XX ACCES | ESS TEN DIGIT SCREENING | - | | OLID | | 0.0005 | | | | | | | | | |
| | 8XX Access Ten Digit Screening, Per Call | - | | OHD | | 0.0005 | | | | | | | | | |
| | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved | | | OHD | N8R1X | | 7.05 | 0.96 | | | | 26.94 | | | |
| | | - | - | ОПО | INOR IA | | 7.05 | 0.96 | | | _ | 20.94 | | | |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations | ' l | | OHD | | | 23.82 | 2.73 | | | | 41.35 | | | |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established With | . | 1 | ОПО | | | 23.02 | 2.13 | | | - | 41.33 | | | - |
| | POTS Translations | ' | | OHD | N8FTX | | 23.82 | 2.73 | | | | 41.35 | | | |
| | 8XX Access Ten Digit Screening, Customized Area of Service | - | _ | OTID | INOI IX | | 23.02 | 2.75 | | - | | 41.55 | | | - |
| | Per 8XX Number | | | OHD | N8FCX | | 5.63 | 2.82 | | | | | | | |
| | 8XX Access Ten Digit Screening, Multiple InterLATA CXR | | | 0.15 | 1101 071 | | 0.00 | 2.02 | | | | | | | |
| | Routing Per CXR Requested Per 8XX No. | | | OHD | N8FMX | | 6.59 | 3.77 | | | | 1 | | | 1 |
| | 8XX Access Ten Digit Screening, Change Charge Per Request | 1 | | OHD | N8FAX | | 8.01 | 0.96 | | 1 | | 26.94 | İ | 1 | |
| | 8XX Access Ten Digit Screening, Call Handling and Destination | | | | | | | | | | | | | | |
| | Features | | | OHD | N8FDX | | 5.63 | | | | | <u> </u> | <u> </u> | <u> </u> | <u></u> |
| LINE INFO | ORMATION DATA BASE ACCESS (LIDB) | | | | | | | - | | | | | | | |
| | LIDB Common Transport Per Query | | | OQT | | 0.00003 | | | | | | | | | |
| | LIDB Validation Per Query | | | OQU | | 0.0134 | | · | | | | | | | |
| | LIDB Originating Point Code Establishment or Change | | | OQT, OQU | NRPBX | | 62.26 | | | | | 26.94 | 26.94 | | |
| SIGNALING | | 4 | | | | | | | | | | 1 | ļ | ļ | ↓ |
| | CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP++ | 18.22 | 278.02 | 278.02 | | | | 41.35 | 41.35 | | ├ |
| | CCS7 Signaling Connection, Per link (B link) (also known as D | | | LIDD | TDD | | | | | 1 | | | | 1 | 1 |
| | link) | | | UDB | TPP++ | 18.22 | 278.02 | 278.02 | ļ <u> </u> | | _ | 41.35 | 41.35 | | ├ |
| | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 132.83 | | | | | _ | + | | | ├ |
| | CCS7 Signaling Usage, Per ISUP Message | + | 1 | UDB | - | 0.00004 | | | | -+- | - | + | | | |
| | CCS7 Signaling Usage, Per TCAP Message | + | 1 | UDB UDB | STU56 | 0.00009 338.98 | | | | | | + | - | - | |
| | CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code | + | 1 | ONR | 31006 | 338.98 | | | | -+- | - | + | | | |
| | Establishment or Change, per STP affected | | | UDB | CCAPO | | 40.00 | 40.00 | | 1 | | 19.99 | 19.99 | 1 | 1 |
| | CCS7 Signaling Point Code, per Destination Point Code | + | 1 | 000 | COAFO | | 40.00 | 40.00 | | -+ | - | 19.99 | 19.99 | 1 | |
| | Establishment or Change, Per Stp Affected | | | UDB | CCAPD | | 8.00 | 8.00 | | 1 | | 19.99 | 19.99 | 1 | 1 |
| E911 SERV | | + | | 000 | JUAI D | | 0.00 | 0.00 | | + | + | 15.33 | 15.55 | | |
| | Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 | + | 1 | | 1 | 11.24 | 553.80 | 89.69 | | + | + | 42.17 | 12.76 | | |
| | C.I.G.I.I.C. DOG.OGICG Z WI VOICE CIGGE ZOILE I | | 2 | | 1 | 19.91 | 553.80 | 89.69 | | | | 42.17 | 12.76 | | |

| UNBUNDLE: | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|-------------------|--|--|--|------|-------|-----------|----------|------------|--------------|--------------|--|-----------|--|--|-------------------------|------------------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Incrementa Charge - |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | g Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 | | 3 | | | 31.70 | 553.80 | 89.69 | | | | | 42.17 | 12.76 | | |
| | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile | | | | | 0.0282 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility | | | | | | | | | | | | | | | |
| | Termination | | | | | 18.00 | 137.48 | 52.58 | | | | | 38.07 | 38.07 | | |
| | Local Channel - Dedicated - DS1 - Zone 1 | | 1 | | | 27.05 | 534.48 | 462.69 | | | | | 86.15 | 1.77 | | |
| | Local Channel - Dedicated - DS1 - Zone 2 | | 2 | | | 47.94 | 534.48 | 462.69 | | | | | 86.15 | 1.77 | | |
| | Local Channel - Dedicated - DS1 - Zone 3 | | 3 | | | 76.32 | 534.48 | 462.69 | | | | | 86.15 | 1.77 | | |
| | Interoffice Transport - Dedicated - DS1 Per Mile | | | | | 0.5753 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 Per Facility Termination | | <u> </u> | | 1 | 71.29 | 217.17 | 163.75 | | | | | 38.07 | 38.07 | | 1 |
| CALLING NAM | IE (CNAM) SERVICE | ! | 1 | 001/ | | | | | | ļ | ļ | | | | | |
| | CNAM For DB Owners - Service Establishment | | ļ | OQV | | | 75.62 | | | | | | | | | |
| | CNAM For Non DB Owners - Service Establishment | ! | 1 | OQV | | | 75.62 | | | ļ | ļ | | | | | |
| | CNAM For DB Owners - Service Provisioning With Point Code | l | | 001/ | 1 | | 0.0=1.0- | 0.0=1.0= | | | | | | | | I |
| \longrightarrow | Establishment (Initial) | <u> </u> | <u> </u> | OQV | + | | 2,354.00 | 2,354.00 | | | ļ | | | | | - |
| | CNAM For DB Owners - Service Provisioning With Point Code | | | 001/ | | | 4 =00 00 | . = | | | | | | | | |
| | Establishment (Subsequent) | | 1 | OQV | | | 1,739.00 | 1,739.00 | | | | | | | | |
| | CNAM For Non DB Owners - Service Provisioning With Point | | | 001/ | | | 4 070 00 | 4 070 00 | | | | | | | | |
| | Code Establishment (Initial) | | | OQV | | | 1,072.00 | 1,072.00 | | | | | | | | |
| | CNAM For Non DB Owners - Service Provisioning With Point | | | oqv | | | 700.44 | 700.44 | | | | | | | | |
| \longrightarrow | Code Establishment (Subsequent) | | | OQV | + | 0.0000500 | 768.44 | 768.44 | | | | | | | | |
| LNP Query Ser | CNAM for DB & Non DB Owners, Per Query | | | UQV | + | 0.0009592 | | | | | | | | | | |
| LINF Query Ser | LNP Charge Per query | | | OQV | _ | 0.00084 | | | | | | | | | | |
| -+- | LNP Service Establishment Manual | | 1 | OQV | + | 0.00004 | 41.25 | | | | | | | | | |
| | LINE Service Establishment Mandai | | - | OQV | + | | 41.25 | | | | 1 | | | | | |
| | LNP Service Provisioning with Point Code Establishment (Initial) | | | oqv | | | 1,563.00 | 1,563.00 | | | | | | | | |
| -+- | LNP Service Provisioning with Point Code Establishment | | | OQV | | | 1,000.00 | 1,000.00 | | | | | | | | |
| | (Subsequent) | | | oqv | | | 883.99 | 883.99 | | | | | | | | |
| OPERATOR C | ALL PROCESSING | | | | | | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using BST | | | | | | | | | | | | | | | |
| | LIDB | | | | | 1.20 | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using | | | | | | | | | | | | | | | |
| | Foreign LIDB | | | | | 1.24 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using BST | | | | | | | | | | | | | | | |
| | LIDB | | | | | 0.20 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using | | | | | | | | | | | | | | | |
| | Foreign LIDB | | | | | 0.20 | | | | | | | | | | |
| INWARD OPER | RATOR SERVICES | | | | | | | | | | | | | | | |
| | Inward Operator Services - Verification, Per Minute | | | | 1 | 1.15 | | | | | | | | | | |
| | Inward Operator Services - Verification and Emergency Interrupt | l | | | 1 | | | | | | | | | | | |
| | - Per Minute | | | | | 1.15 | | | | | | | | | | |
| | PERATOR CALL PROCESSING | | ļ | | | | | | | | | | | | | |
| Facility | / based CLEC | ļ | 1 | | 00100 | | = 000 | W 000 | | ļ | ļ | | | | | |
| | Recording of Custom Branded OA Announcement | ļ | | | CBAOS | | 7,000.00 | 7,000.00 | | | | | 26.94 | 12.76 | | - |
| | Loading of Custom Branded OA Announcement per shelf/NAV | l | | | CDAOL | | 500.00 | F00.00 | | | | | 20.04 | 40.70 | | |
| UNEP (| per OCN | | 1 | | CBAOL | | 500.00 | 500.00 | | 1 | ļ | | 26.94 | 12.76 | | 1 |
| UNEP | Recording of Custom Branded OA Announcement | - | 1 | | + | | 7,000.00 | 7,000.00 | | | | | 26.94 | 12.76 | | - |
| \longrightarrow | Loading of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV | | 1 | | + | | 7,000.00 | 7,000.00 | | | <u> </u> | | 20.94 | 12.76 | | - |
| | per OCN | l | | | 1 | | 500.00 | 500.00 | | | | | 26.94 | 12.76 | | |
| Unhrar | nding via OLNS for UNEP CLEC | 1 | 1 | | + | | 300.00 | 300.00 | | 1 | 1 | | 20.34 | 12.10 | | 1 |
| | Loading of OA per OCN (Regional) | | 1 | | + | | 1,200.00 | 1,200.00 | | 1 | | | 26.94 | 12.76 | | t |
| | SSISTANCE SERVICES | | | | + | | 1,200.00 | 1,200.00 | | 1 | 1 | | 20.54 | 12.70 | | |
| DIRECTORY A | | - | + | 1 | 1 | | | | | 1 | | | | | | † |
| | TORY ASSISTANCE ACCESS SERVICE | | | | | | | | | | | | | | | |
| | TORY ASSISTANCE ACCESS SERVICE Directory Assistance Access Service Calls, Charge Per Call | | | | | 0.275 | | | | | | | | | | |
| DIREC | Directory Assistance Access Service Calls, Charge Per Call | DACC) | | | | 0.275 | | | | | | | | | | |
| DIREC | | DACC) | | | | 0.275 | | | | | | | | | | |

| UNB | JNDLE | NETWORK ELEMENTS - North Carolina | | | | | | <u> </u> | | <u> </u> | | | | | ment: 2 | | bit: B |
|----------|---------|--|--|------|--------------|----------------|----------------|------------|------------|--------------|-------|--|---|--|---|--|---|
| CATE | GORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| DIDEC | TODY 46 | OCIOTANOS OSPINOSO | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| DIREC | | SSISTANCE SERVICES ORY ASSISTANCE DATA BASE SERVICE (DADS) | | | | | | | | | | | | | | | |
| | | Directory Assistance Data Base Service (DADS) | | | | | 0.04 | | | | | 1 | | | | | ├ |
| | | Directory Assistance Data Base Service Charge Per Listing Directory Assistance Data Base Service, per month | | | | DBSOF | 0.04 150.00 | | | | | | | | | | |
| DDAN | | RECTORY ASSISTANCE | | | | DBSOI | 130.00 | | | | | 1 | | | | | |
| DRAIN | | Based CLEC | | | | | | | | | | | | | | | |
| | | Recording and Provisioning of DA Custom Branded | | | | + | | | | | | 1 | | | | | |
| | | Announcement | | | AMT | CBADA | | 3,000.00 | 3,000.00 | | | | | 26.94 | 12.76 | | |
| | | Loading of Custom Branded Announcement per Switch per | | | | | | | | | | | | | | | |
| | | OCN | | | AMT | CBADC | | 1,170.00 | 1,170.00 | 1 | | | | 26.94 | 12.76 | | ├ |
| <u> </u> | UNEP C | Recording of DA Custom Branded Announcement | - | | | 1 | | 3.000.00 | 3.000.00 | | | | | 26.94 | 10.70 | | \vdash |
| <u> </u> | | Loading of DA Custom Branded Announcement Per Switch per | | - | + | 1 | - | 3,000.00 | 3,000.00 | 1 | | | | 26.94 | 12.76 | - | ⊢— |
| | | OCN | l | | | | | 1,170.00 | 1,170.00 | | | | | 26.94 | 12.76 | | 1 |
| - | | ding via OLNS for UNEP CLEC | 1 | | 1 | 1 | | 1,170.00 | 1,170.00 | | | 1 | 1 | 20.94 | 12.76 | | |
| - | | Loading of DA per OCN (1 OCN per Order) | | | <u> </u> | + | | 420.00 | 420.00 | | | | | 26.94 | 12.76 | <u> </u> | |
| - | | Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | 26.94 | 12.76 | | |
| SELEC | TIVE RC | | | | | | | 10.00 | 10.00 | | | | | 20.04 | 12.70 | | |
| | | Selective Routing Per Unique Line Class Code Per Request Per | | | | | | | | | | | | | | | |
| | | Switch | | | | USRCR | | 82.25 | 82.25 | 14.14 | 14.14 | | | 26.94 | 12.76 | | |
| VIRTU | | OCATION | | | | | | | | | | | | | | | |
| | | Virtual Collocation-2 Wire Cross Connects (Loop) for Line | | | | | | | | | | | | | | | |
| | | Splitting | | | UEPSR, UEPSB | VE1LS | 0.0287 | 33.96 | 32.08 | 36.72 | 34.84 | | | 19.99 | 19.99 | | İ |
| PHYSI | CAL COL | LOCATION | | | | | | | | | | | | | | | |
| | | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | | | | | | | | | | | | | | |
| | | Splitting | | | UEPSR, UEPSB | PE1LS | 0.0309 | 33.53 | 31.65 | 36.29 | 34.41 | | | 19.99 | 19.99 | | |
| AIN S | | E CARRIER ROUTING | | | | | | | | | | | | | | | |
| | | Regional Service Establishment | | | SRC | SRCEC | | 215,597.00 | | | | | | | | | |
| | | End Office Establishment | | | SRC | SRCEO | | 347.27 | | | | | | | | | |
| | | Query NRC, per query | | | SRC | | 0.0053758 | | | | | | | | | | |
| AIN - E | | ITH AIN SMS ACCESS SERVICE | | | | | | | | | | | | | | | |
| | | AIN SMS Access Service - Service Establishment, Per State, Initial Setup | | | A1N | CAMSE | | 294.77 | | | | | | | | | |
| | | AIN SMS Access Service - Port Connection - Dial/Shared Access | | | A1N | CAMDP | | 86.94 | | | | | | | | | |
| - | | AIN SMS Access Service - Port Connection - ISDN Access | | | A1N | CAM1P | | 86.94 | | | | | | | | | |
| | | AIN SMS Access Service - User Identification Codes - Per User | 1 | | | 2, | 1 | 55.54 | | | | | | | 1 | 1 | t |
| | | ID Code | 1 | | A1N | CAMAU |] | 200.83 | | | | | | | 1 | 1 | 1 |
| | | AIN SMS Access Service - Security Card, Per User ID Code, | | | | 1 | | | | | | | | İ | | | |
| L | | Initial or Replacement | <u> </u> | | A1N | CAMRC | <u> </u> | 172.05 | | | | <u></u> | <u> </u> | <u> </u> | | | <u>1</u> |
| | | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | | | 0.0023 | | | | | | | | | | |
| | | AIN SMS Access Service - Session, Per Minute | | | | | 0.0791 | | | | | | | | | | |
| | | AIN SMS Access Service - Company Performed Session, Per | | |] | | 1 | | | | | | | | |] | 1 |
| | | Minute | | | ļ | | 2.08 | | | | | <u> </u> | | | ļ | | └ |
| AIN - I | | ITH AIN TOOLKIT SERVICE | ļ | | ļ | ļ | ļ | | | | | | | | ļ | ļ | ↓ |
| | | AIN Toolkit Service - Service Establishment Charge, Per State, | 1 | | l.,,, | DARGO |] | | | | | | | | 1 | 1 | 1 |
| <u> </u> | | Initial Setup | <u> </u> | | CAM | BAPSC BAPVX | | 290.05 | | | | <u> </u> | | ļ | ļ | | ├ |
| <u> </u> | | AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | - | 1 | BAPVX | | 8,363.00 | | | | 1 | | - | | | |
| | | DN, Term. Attempt | | | | BAPTT | | 72.76 | | | | | | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay | | | | BAPTD | | 72.76 | | | | | | | | | 1 |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| - | | DN, Off-Hook Immediate AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | BAPTM | | 72.76 | | | | | | | | | |
| | | DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | BAPTO | | 149.95 | | | | | | | | | |
| | | DN, CDP | | | | BAPTC | | 149.95 | | | | | | | | | |

| UNB | JNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|----------|--------|--|--|----------|---------------|----------------|----------------|----------------|---------------|--------------|--------------|--|-----------|-------------|-------------|--------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | Intori | | | | | | | | | Elec | | Manual Svc | | | Manual Svc |
| CATE | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | , | , | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | | DN, Feature Code | <u> </u> | <u> </u> | | BAPTF | 0.00 | 149.95 | | | | | | | | | |
| | | AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit | | | | | 0.02 | | | | | 1 | | | | | |
| | | Subscription, Per Node, Per Query | | | | | 0.005 | | | | | | | | | | |
| - | 1 | AIN Toolkit Service - SCP Storage Charge, Per SMS Access | | | | | 0.005 | | | | | 1 | 1 | | | | |
| | | Account, Per 100 Kilobytes | | | | | 1.45 | | | | | | | | | | |
| | | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service | | | | | 1.45 | | | | | | | | | | |
| | | Subscription | | | CAM | BAPMS | 15.98 | 71.80 | | | | | | | | | |
| | | AIN Toolkit Service - Special Study - Per AIN Toolkit Service | | | | | | | | | | | | | | | |
| | | Subscription | | | CAM | BAPLS | 0.08 | 47.20 | | | | | | | I | 1 | |
| | 1 | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service | | | | 1 | | | | | İ | | | İ | 1 | | İ |
| | | Subscription | | | CAM | BAPDS | 15.90 | 71.80 | | | | | | | I | 1 | |
| | | AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit | 1 | | | 1 | | - | | | | Ì | | | | | |
| | | Service Subscription | | | CAM | BAPES | 0.003 | 47.20 | | | | | | | | | |
| ENHA | | (TENDED LINK (EELs) | | | | | | | | | | | | | | | |
| | | The monthly recurring and non-recurring charges below will | | | | | | | | | | | | | | | |
| | | The monthly recurring and the Switch-As-Is Charge and not t | | | | will apply for | EELs provision | ed as ' Curren | tly Combined' | Network Elem | ents. | | | | | | |
| | | Minimum billing is one month for DS1 and below and three n | | | | | | | | | | | | | | | |
| | 2-WIRI | VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | EROFF | ICE TR | ANSPORT (EEL) | | | | | | | | | | | | |
| | | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport | | | | | | | | | | | | | | | |
| | | Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.97 | 142.97 | 106.56 | | | | | | | | |
| | | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | _ | | | | | 400 =0 | | | | | | | | |
| | | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 25.93 | 142.97 | 106.56 | | | | | | | | |
| | | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | 3 | 1110101 | | 40.04 | 4.40.07 | 100.50 | | | | | | | | |
| | | Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNCVX | UEAL2 | 40.81 | 142.97 | 106.56 | | | 1 | | | | | |
| | | per month | | | UNC1X | 1L5XX | 0.5753 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility | | <u> </u> | UNCIX | ILDAX | 0.5753 | | | | | | | | | | |
| | | Termination per month | | | UNC1X | U1TF1 | 71.29 | 217.17 | 163.75 | | | | | 38.07 | 38.07 | | |
| | | DS1 Channelization System Per Month | | | UNC1X | MQ1 | 146.69 | 197.78 | 140.06 | | | | | 38.07 | 38.07 | | |
| | | Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | | UNCVX | 1D1VG | 1.27 | 13.09 | 9.38 | | | | | 38.07 | 38.07 | | |
| | | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | | | ONOVA | IDIVO | 1.21 | 13.03 | 9.30 | | | | | 30.07 | 30.07 | | |
| | | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.97 | 142.97 | 106.56 | | | | | | | | |
| | | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | <u> </u> | 0.10 171 | O E / LEE | 1 | 2.01 | 100.00 | | | | | | | | |
| | | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 25.93 | 142.97 | 106.56 | | | | | | | | |
| | 1 | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | T | | 1 | | | .55.50 | | İ | | | İ | 1 | | İ |
| | | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 40.81 | 142.97 | 106.56 | | | | | | I | 1 | |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - | 1 | | | 1 | | | | | | Ì | | | | | |
| | | per month . | <u> </u> | | UNCVX | 1D1VG | 1.27 | 13.09 | 9.38 | <u></u> | <u> </u> | | | 38.07 | 38.07 | <u> </u> | <u></u> |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | - | | | | | | | | | | | | |] | |
| | | Is Charge | | | UNC1X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | 4-WIRI | VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | EROFF | ICE TR | ANSPORT (EEL) | | | | | | | | | | | | |
| | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | 1 | | |
| | 1 | Transport Combination - Zone 1 | ļ | 1 | UNCVX | UEAL4 | 21.32 | 288.47 | 237.45 | | | ļ | | | | | |
| | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | _ | LINOVA | Luca. | 00.0- | 000 47 | 007.45 | | | | | | I | 1 | |
| <u> </u> | 1 | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 36.27 | 288.47 | 237.45 | - | | } | | 1 | ! | | 1 |
| | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 56.57 | 288.47 | 237.45 | | | | | | I | 1 | |
| <u> </u> | 1 | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | ONCAV | UEAL4 | 76.06 | 200.47 | 231.45 | | | | | | | - | |
| | | Per Month | | | UNC1X | 1L5XX | 0.5753 | | | | | | | | I | 1 | |
| - | 1 | Interoffice Transport - Dedicated - DS1 - Facility Termination Per | | | ONOIA | ILUAA | 0.5753 | | | | 1 | 1 | | 1 | t | 1 | 1 |
| | | Month | | | UNC1X | U1TF1 | 71.29 | 217.17 | 163.75 | | | | | 38.07 | 38.07 | 1 | |
| - | 1 | Channelization - Channel System DS1 to DS0 combination Per | | | 014017 | 31111 | 11.29 | 211.11 | 103.75 | | 1 | 1 | | 30.07 | 30.07 | 1 | 1 |
| 1 | | Month | | | UNC1X | MQ1 | 146.69 | 197.78 | 140.06 | | | | | 38.07 | 38.07 | 1 | |
| | 1 | Voice Grade COCI - DS1 to DS0 Channel System combination - | | | | | 140.00 | 107.70 | 140.00 | | 1 | | | 55.57 | 55.57 | 1 | |
| 1 | | per month | | | UNCVX | 1D1VG | 1.27 | 13.09 | 9.38 | | | | | 38.07 | 38.07 | 1 | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | 1 - | | | 2.30 | | 1 | | | | 1 | 1 | İ |
| | | Interoffice Transport Combination - Zone 1 | 1 | 1 | UNCVX | UEAL4 | 21.32 | 288.47 | 237.45 | | | | | | I | Ì | |
| | | 1 The state of the | | | | | | | | | | | | | | | |

| ONRONDER | ED NETWORK ELEMENTS - North Carolina | | | • | | | | | | | , | | | ment: 2 | | ibit: B |
|----------|--|-------------|----------|-----------------|---------|---------|--------|------------|--|------------|---|-----------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | B | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | 1 | 1 |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 36.27 | 288.47 | 237.45 | | | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | _ | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - | | 3 | UNCVX | UEAL4 | 56.57 | 288.47 | 237.45 | | | | | | | | |
| | per month | | | UNCVX | 1D1VG | 1.27 | 13.09 | 9.38 | | | | | 38.07 | 38.07 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | 1 | CHOVA | IDIVO | 1.27 | 10.00 | 0.00 | | | | | 00.07 | 00.07 | | |
| | Is Charge | | | UNC1X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| 4-WIR | E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERC | OFFICE | TRANSPORT (EEL) |) | | | | | | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 25.32 | 489.04 | 337.51 | | | | | | | | |
| | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 43.11 | 489.04 | 337.51 | | | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | OINCDA | UDLOB | 43.11 | 489.04 | 337.51 | | | } | - | | - | 1 | } |
| | Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 67.26 | 489.04 | 337.51 | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | Ť | | | | | | | | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.5753 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - combination Facility | | | | | | | | | | | | | | | |
| | Termination Per Month | | | UNC1X | U1TF1 | 71.29 | 217.17 | 163.75 | | | | | 38.07 | 38.07 | | |
| | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 4.40.00 | 197.78 | 440.00 | | | | | 20.07 | 38.07 | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | UNCIX | MQT | 146.69 | 197.78 | 140.06 | | | | | 38.07 | 38.07 | | |
| | month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.00 | 15.76 | 11.28 | | | | | 38.07 | 38.07 | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | 1 | 0.1027 | | 2.00 | 10.10 | 20 | | | | | 00.01 | 00.07 | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 25.32 | 489.04 | 337.51 | | | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 43.11 | 489.04 | 337.51 | | | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | LIDI EG | 67.26 | 489.04 | 337.51 | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - | | 3 | UNCDX | UDL56 | 67.26 | 489.04 | 337.51 | | | | | | - | | |
| | combination per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.00 | 15.76 | 11.28 | | | | | 38.07 | 38.07 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | 0.105/1 | | 2.00 | 10.10 | 11120 | | | | | 00.07 | 00.07 | | |
| | Is Charge | | | UNC1X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| 4-WIR | E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | TRANSPORT (EEL) | | | | | | | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | 1 | | | | | | | | | | | | | |
| | Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | 1 | UNCDX | UDL64 | 25.32 | 489.04 | 337.51 | | | | | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 43.11 | 489.04 | 337.51 | | | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | <u> </u> | 0.1027 | 02201 | 10 | 100.01 | 007.07 | | | | | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 67.26 | 489.04 | 337.51 | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.5753 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 71.29 | 217.17 | 163.75 | | | | | 38.07 | 38.07 | | |
| | Channelization - Channel System DS1 to DS0 combination Per | | | UNCIX | UTIFT | 71.29 | 217.17 | 103.75 | | | | | 38.07 | 38.07 | | |
| | Month | | | UNC1X | MQ1 | 146.69 | 197.78 | 140.06 | | | | | 38.07 | 38.07 | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System | | | 0.10171 | | 0.00 | | 1.0.00 | 1 | | | | 00.07 | 00.07 | | |
| | combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.00 | 15.76 | 11.28 | | | | | 38.07 | 38.07 | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 25.32 | 489.04 | 337.51 | | | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | 2 | UNCDX | LIDL 64 | 49.44 | 490.04 | 337.51 | | | | | | 1 | | |
| | Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | 2 | UNCDX | UDL64 | 43.11 | 489.04 | 337.51 | | | - | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 67.26 | 489.04 | 337.51 | [| | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System | | Ť | | 1 | 020 | 100.04 | 3331 | | | | | | | | |
| | combination - per month (2.4-64kbs) | | L | UNCDX | 1D1DD | 2.00 | 15.76 | 11.28 | <u> </u> | | <u></u> | <u></u> | 38.07 | 38.07 | <u> </u> | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | 38.07 | 38.07 | | |
| | Is Charge | | | UNC1X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | | | | |

| ONRONDLE | D NETWORK ELEMENTS - North Carolina | , | | | | | | | | | | | | ment: 2 | | bit: B |
|-----------|---|-------------|--------|----------------|-------|--------|--------|------------|--------------|-------|---|---|--|---|----------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | | | - | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Transport - Zone 1 4-Wire DS1 Digital Loop in Combination with DS1 interoffice 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | 1 | UNC1X | USLXX | 47.60 | 714.84 | 421.47 | | | | | | | | |
| | Transport - Zone 2 | | 2 | UNC1X | USLXX | 84.36 | 714.84 | 421.47 | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 | | 3 | UNC1X | USLXX | 134.29 | 714.84 | 421.47 | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.5753 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 71.29 | 217.17 | 163.75 | | | | | 38.07 | 38.07 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNC1X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| 4-WIRI | E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE | ROFFI | CE TR | ANSPORT (EEL) | | | | | | | | | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 47.60 | 714.84 | 421.47 | | | | | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 84.36 | 714.84 | 421.47 | | | | | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 134.29 | 714.84 | 421.47 | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month | | | UNC3X | 1L5XX | 12.98 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per month | | | UNC3X | U1TF3 | 720.38 | 794.94 | 579.55 | | | | | 38.07 | 38.07 | | |
| | DS3 to DS1 Channel System combination per month | | | UNC3X | MQ3 | 233.10 | 403.97 | 234.40 | | | | | 38.07 | 38.07 | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 16.07 | 13.09 | 9.38 | | | | | 38.07 | 38.07 | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 47.60 | 714.84 | 421.47 | | | | | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 84.36 | 714.84 | 421.47 | | | | | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | 3 | UNC1X | USLXX | 134.29 | 714.84 | 421.47 | | | | | | | | |
| | Zone 3 DS3 Interface Unit (DS1 COCI) combination per month | | 3 | UNC1X UNC1X | UC1D1 | 134.29 | 13.09 | 9.38 | | | | | 38.07 | 38.07 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | ONOTA | OCIDI | 10.07 | 13.03 | 3.30 | | | | | 30.07 | 30.07 | | |
| | Is Charge | | | UNC3X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| 2-WIRI | E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT | EROFF | ICE TE | RANSPORT (EEL) | | | | | | | | | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.97 | 142.97 | 106.56 | | | | | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 25.93 | 142.97 | 106.56 | | | | | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 40.81 | 142.97 | 106.56 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month | | Ŭ | UNCVX | 1L5XX | 0.0282 | 142.01 | 100.00 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV2 | 18.00 | 137.48 | 52.58 | | | | | 38.07 | 38.07 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNCVX | UNCCC | 10.00 | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| 4-WIRI | INSTRUCTURE INTO THE PROPERTY OF THE PROPERTY | EROFF | ICE TE | | UNCCC | | 21.75 | 21./5 | 32.28 | 10.96 | | | 30.07 | 36.07 | | |
| 7 ******* | 4-WireVG Loop used with 4-wire VG Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 1 4-WireVG Loop used with 4-wire VG Interoffice Transport | | 1 | UNCVX | UEAL4 | 21.32 | 288.47 | 237.45 | | | | | | | | |
| | Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport | | 2 | UNCVX | UEAL4 | 36.27 | 288.47 | 237.45 | | | | | | | | 1 |
| | Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire VG combination - Per | | 3 | UNCVX | UEAL4 | 56.57 | 288.47 | 237.45 | | | | | | | | |
| | Mile Per Month Interoffice Transport - Dedicated - 4- Wire Voice Grade | | | UNCVX | 1L5XX | 0.0282 | | | | | | | | | | |
| | combination - Facility Termination per month | | | UNCVX | U1TV4 | 22.16 | 106.11 | 65.95 | | | | | 38.07 | 38.07 | | <u> </u> |

| UNBUNDL | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|--|---|---------|----------|----------------|--|---------|-------------|------------|--|-------|-----------|-----------|--------------|--------------|-------------|-------------|
| CHECHEL | NETWORK ELEMENTS NOTH SAFETHA | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | "" | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | N | | T 51 | . B' | | | | D-1(A) | | |
| $\overline{}$ | | | | | | Rec | Nonrec | | Nonrecurring | | 001150 | SOMAN | | Rates(\$) | 001111 | 001111 |
| — | Nonrecurring Currently Combined Network Elements Switch -As- | | | | - | - | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Is Charge | | | UNCVX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| DS3 I | DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC | F TPA | NSPOR | | UNCCC | | 21.73 | 21.73 | 32.20 | 10.90 | 1 | | 30.07 | 36.07 | | |
| | High Capacity Unbundled Local Loop - DS3 combination - Per | 1 | 1 | 1 (LLL) | + | | | | | | | | | | | |
| | Mile per month | | | UNC3X | 1L5ND | 13.33 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 combination - | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | UNC3X | UE3PX | 450.69 | 1,071.00 | 646.12 | | | | | 38.07 | 38.07 | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 12.98 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per per month | | | UNC3X | U1TF3 | 720.38 | 794.94 | 579.55 | | | | | 38.07 | 38.07 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | LINGOV | LINIOGG | | a. =- | | | | | | | | 1 | |
| OTO4 | Is Charge | LICE T | ANCE | UNC3X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | - |
| 5151 | DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF High Capacity Unbundled Local Loop - STS1 combination - Per | riue it | ANSP | JKI (EEL) | | | | | _ | | - | | | | - | |
| | Mile per month | | | UNCSX | 1L5ND | 13.33 | | | 1 | | | | 1 | 1 | 1 | |
| | High Capacity Unbundled Local Loop - STS1 combination - | | 1 | DINOUA | ILUND | 13.33 | | | | | | | | | | |
| | Facility Termination per month | | | UNCSX | UDLS1 | 464.26 | 1,071.00 | 646.12 | I | | | | 38.07 | 38.07 | 1 | |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile | | | 0.100/1 | 0020. | 10 1120 | 1,01 1.00 | 0.10.12 | | | | | 00.01 | 00.01 | | |
| | per month | | | UNCSX | 1L5XX | 6.14 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCSX | U1TFS | 790.37 | 642.23 | 408.89 | | | | | 38.07 | 38.07 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNCSX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| 2-WIF | E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR | RT (EEL | .) | | | | | | | | | | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | 40.40 | | | | | | | | | | |
| | Transport - Zone 1 | | 1 | UNCNX | U1L2X | 19.42 | 325.91 | 251.31 | | | | | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2 | | 2 | UNCNX | U1L2X | 32.88 | 325.91 | 251.31 | | | | | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | UNCINA | UILZX | 32.00 | 323.91 | 231.31 | - | | - | | | | | |
| | Transport - Zone 3 | | 3 | UNCNX | U1L2X | 51.14 | 325.91 | 251.31 | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | - | UNC1X | 1L5XX | 0.5753 | 020.01 | 201.01 | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combintion - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 71.29 | 217.17 | 163.75 | | | | | 38.07 | 38.07 | | |
| | Channelization - Channel System DS1 to DS0 combination - | | | | | | | | | | | | | | | |
| | per month | | | UNC1X | MQ1 | 146.69 | 197.78 | 140.06 | | | | | 38.07 | 38.07 | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | | l | | | | I | | | | | | 1 | |
| | combination - per month | | ļ | UNCNX | UC1CA | 3.59 | 15.76 | 11.28 | | | | | 38.07 | 38.07 | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | LINCNY | 1141.27 | 19.42 | 205.04 | 054.04 | 1 | | | | 1 | 1 | 1 | |
| +-+- | Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | 1 | UNCNX | U1L2X | 19.42 | 325.91 | 251.31 | _ | | - | | | | - | |
| | Combination - Zone 2 | | 2 | UNCNX | U1L2X | 32.88 | 325.91 | 251.31 | I | | | | 1 | 1 | 1 | |
| \vdash | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | 014014/ | UILZA | 32.00 | 323.91 | 201.01 | - | | | | | | | |
| | Combination - Zone 3 | | 3 | UNCNX | U1L2X | 51.14 | 325.91 | 251.31 | I | | | | 1 | 1 | 1 | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | | | | | | | | | | | | | |
| | combintaion- per month | | <u>L</u> | UNCNX | UC1CA | 3.59 | 15.76 | 11.28 | <u> </u> | | <u> </u> | <u> </u> | 38.07 | 38.07 | <u> </u> | <u> </u> |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNC1X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| 4-WIF | E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN | TEROF | FICE TI | RANSPORT (EEL) | 1 | | | | ļ | | | | ļ | ļ | ļ | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - | | l . | LINGAY | LIGING | | | | 1 | | | | 1 | 1 | 1 | |
| \vdash | Zone 1 | | 1 | UNC1X | USLXX | 47.60 | 714.84 | 421.47 | | | | | | | ļ | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 84.36 | 714.84 | 421.47 | 1 | | | | 1 | 1 | 1 | |
| \vdash | First DS1 Loop in STS1 Interoffice Transport Combination - | | _ | OINC IA | USLAA | 84.30 | / 14.84 | 421.47 | | | | | | | - | 1 |
| | Zone 3 | | 3 | UNC1X | USLXX | 134.29 | 714.84 | 421.47 | I | | | | 1 | 1 | 1 | |
| \vdash | Interoffice Transport - Dedicated - STS1 combination - Per Mile | | ۲Ť | 001/ | 555,00 | 104.20 | 7 1 - 1.0 - | 721.77 | - | | | | | | | |
| | Per Month | | | UNCSX | 1L5XX | 6.14 | | | 1 | | | | 1 | 1 | 1 | |
| | Interoffice Transport - Dedicated - STS1 combination - Facility | 1 | 1 | | | | | | 1 | | | | | | | İ |
| | Termination | | | UNCSX | U1TFS | 790.37 | 642.23 | 408.89 | | | | | 38.07 | 38.07 | | |
| | STS1 to DS1 Channel System conbination per month | | | UNCSX | MQ3 | 233.10 | 403.97 | 234.40 | | | | | 38.07 | 38.07 | | |

| UNBUNDLI | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | ment: 2 | | bit: B |
|------------|---|-------------|---------|------------------|-----------------|----------------|------------------|----------------|--------------|-------|-------|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | DC2 Interfered Unit (DC4 COCI) nearly retired and results | | | UNC1X | UC1D1 | 16.07 | First 13.09 | Add'I 9.38 | First | Add'l | SOMEC | SOMAN | SOMAN 38.07 | SOMAN 38.07 | SOMAN | SOMAN |
| | DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in STS1 Interoffice Transport Combination - | | | UNCTX | UCTD1 | 16.07 | 13.09 | 9.38 | | | | | 38.07 | 38.07 | | |
| | Zone 1 | | 1 | UNC1X | USLXX | 47.60 | 714.84 | 421.47 | | | | | | | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UNC1X | USLXX | 84.36 | 714.84 | 421.47 | | | | | | | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 134.29 | 714.84 | 421.47 | | | | | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | 3 | UNC1X | UC1D1 | 134.29 | 13.09 | 9.38 | | | | | 38.07 | 38.07 | - | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | ONOTA | 00121 | 10.07 | 10.00 | 0.00 | | | | | 00.07 | 00.07 | | |
| | Is Charge | | | UNCSX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| 4-WIR | RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO | FFICE 1 | RANS | PORT (EEL) | | | | | | | | | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | | LINCDY | LIDLEC | 25.22 | 400.04 | 227.54 | | | | | | | | |
| | Combination - Zone 1 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | 1 | UNCDX | UDL56 | 25.32 | 489.04 | 337.51 | - | | | | | - | | - |
| | Combination - Zone 2 | | 2 | UNCDX | UDL56 | 43.11 | 489.04 | 337.51 | | | | | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 3 | | 3 | UNCDX | UDL56 | 67.26 | 489.04 | 337.51 | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile | | | LINCDY | 1L5XX | 0.0282 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | UNCDX | ILSXX | 0.0282 | | | | | | | | | - | |
| | Facility Termination | | | UNCDX | U1TD5 | 17.40 | 137.48 | 52.58 | | | | | 38.07 | 38.07 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNCDX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| 4-WIR | RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FFICE 1 | RANS | PORT (EEL) | | | | | | | | | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 25.32 | 489.04 | 337.51 | | | | | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | ' | UNCDA | ODL04 | 23.32 | 469.04 | 337.31 | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCDX | UDL64 | 43.11 | 489.04 | 337.51 | | | | | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 3 | | 3 | UNCDX | UDL64 | 67.26 | 489.04 | 337.51 | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile | | | UNCDX | 1L5XX | 0.0282 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | ONODA | TLOAK | 0.0202 | | | | | | | | | | |
| | Facility Termination | | | UNCDX | U1TD6 | 17.40 | 137.48 | 52.58 | | | | | 38.07 | 38.07 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| ADDITIONAL | Is Charge | | | UNCDX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | NETWORK ELEMENTS used as a part of a currently combined facility, the non-recurr | na cha | rase de | not apply but a | Switch As Is ch | narge does ann | lv | | | | | | | | | |
| | used as ordinarily combined network elements in All States, the | | | | | | | | | | | | | | | |
| | ecurring Currently Combined Network Elements "Switch As Is" | | | | | Ĭ | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge - 2 wire/4-Wire VG Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCVX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | 1 | | 38.07 | 38.07 | | ļ |
| | Is Charge - 56/64 kbps | | | UNCDX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | 5.10 <i>D</i> /. | 511000 | | 21.13 | 21.73 | 52.20 | 10.30 | | | 30.07 | 30.07 | † | † |
| | Is Charge - DS1 | | | UNC1X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | l | | | | | | | | | | | | |
| | Is Charge - DS3 | | | UNC3X | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - STS1 | | | UNCSX | UNCCC | | 21.75 | 21.75 | 32.28 | 10.96 | | | 38.07 | 38.07 | | |
| NOTE | :: Local Channel - Dedicated Transport - minimum billing period | d - Belo | w DS3 | | | months | 21.73 | 21.73 | 52.20 | 10.30 | | | 30.07 | 30.07 | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Zone 1 | | 1 | UNCVX | ULDV2 | 11.24 | 553.80 | 89.69 | <u> </u> | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Zone 2 | | | UNCVX | ULDV2 | 19.91 | 553.80 | 89.69 | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3 | | 3 | UNCVX | ULDV2 | 31.70 | 553.80 | 89.69 | | | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade Zone 1 | | 1 | UNCVX | ULDV4 | 12.03 | 562.23 | 92.67 | ļ | | | | | - | - | - |
| | Local Channel - Dedicated - 4-Wire Voice Grade Zone 2 Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3 | | 2 | UNCVX | ULDV4 ULDV4 | 21.33 33.95 | 562.23 562.23 | 92.67 92.67 | | | | | | - | | - |
| | Local Channel - Dedicated - 4-Wire Voice Grade - 2016 3 | | | UNC1X | ULDF1 | 27.05 | 534.48 | 462.69 | | | | | | - | | |
| | | | | UNC1X | ULDF1 | 47.94 | 534.48 | 462.69 | | | i . | | | 1 | 1 | 1 |

| UNBUNDL | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | ment: 2 | | bit: B |
|------------------------|---|-------------|--|-----------------------------|----------------|----------------|-----------------|------------|--|----------|---|---|--|--|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | | Nonro | | Nonroquering Di | 00000004 | | | | Rates(\$) | | |
| | | | <u> </u> | | | Rec | Nonred First | Add'l | Nonrecurring Dis | Add'l | COMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Local Channel - Dedicated - DS1- Per Month Zone 3 | | 3 | UNC1X | ULDF1 | 76.32 | 534.48 | 462.69 | FIISL | Auu i | SUMEC | SUMAN | SOWAN | SOWAN | SOWAN | SOWAN |
| | Local Channel - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5NC | 0.9954 | 004.40 | 402.00 | | | | | | | | |
| | Local Channel - Dedicated - DS3 - Facility Termination | | | UNC3X | ULDF3 | 298.92 | 562.25 | 527.88 | | | | | | | | |
| | Local Channel - Dedicated - STS-1- Per Mile per month | | | UNCSX | 1L5NC | 0.9954 | | | | | | | | | | |
| | Local Channel - Dedicated - STS-1 - Facility Termination | | | UNCSX | ULDFS | 286.13 | 1,071.00 | 646.12 | | | | | | | | |
| Optic | nal Features & Functions: | | | | | | | | | | | | | | | |
| | Clear Channel Capability (SF/ESF) Option - Subsequent | | | ULDD1, U1TD1, | | | | | | | | | | | | |
| | Activity - per DS1 | I | | UNC1X, USL | NRCCC | | 65.07 | | | | | | 26.94 | 12.76 | | |
| | C-bit Parity Option - Subsequent Activity - per DS3 | i | | U1TD3, ULDD3, UE3, UNC3X | NRCC3 | | 50.07 | | | | | | 26.94 | 12.76 | | |
| | TIPLEXERS | | | | | | | | | | | | | | | |
| | : minimum billing period is one month for DS1 to DS0 Channel | | | | | | | | | | | | | | | |
| NOTE | : minimum billing period is three months for DS3 to DS1 Chan | | tem an | d interfaces | | | | | | | | | | ļ | | |
| | DS1 to DS0 Channel System (with the higher-level connected to | | | | | | | | | | | | | | | |
| \vdash | a collocation in the same SWC) per month DS1 to DS0 Channel System (used to channelize a DS1 Local | <u> </u> | | UXTD1 | MQ1 | 146.69 | 197.78 | 140.06 | | | | | 24.85 | 8.16 | | |
| | Channel) per month | | | ULDD1 | MQ1 | 146.69 | 197.78 | 140.06 | | | | | 24.85 | 8.16 | | |
| | DS1 to DS0 Channel System (used to channelize a DS1 Interoffice Channel) per month | | | U1TD1 | MQ1 | 146.69 | 197.78 | 140.06 | | | | | 24.85 | 8.16 | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 2.00 | 13.09 | 9.38 | | | | | 24.85 | 8.16 | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 | | | | | | | | | | | | | | | |
| | Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 2.00 | 13.09 | 9.38 | | | | | 24.85 | 8.16 | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop | | | UDN | UC1CA | 3.59 | 13.09 | 9.38 | | | | | 24.85 | 8.16 | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | U1TUB | UC1CA | 3.59 | 13.09 | 9.38 | | | | | 24.85 | 8.16 | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop | | | UEA | 1D1VG | 1.27 | 13.09 | 9.38 | | | | | 24.85 | 8.16 | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the | | | | | | | | | | | | | | | |
| | same SWC as collocation | | | U1TUC | 1D1VG | 1.27 | 13.09 | 9.38 | | | | | 24.85 | 8.16 | | |
| | DS3 to DS1 Channel System (with the higher level connected to a collocation in the same SWC) per month | | | UXTD3 | MQ3 | 233.10 | 403.97 | 234.40 | | | | | 24.78 | 7.42 | | |
| | DS3 to DS1 Channel System (used to channelize a DS3 Local Channel) per month | | | ULDD3 | MQ3 | 233.10 | 403.97 | 234.40 | | | | | 38.07 | 38.07 | | |
| | DS3 to DS1 Channel System (used to channelize a DS3 | | | | | | | | | | | | | | | |
| igsquare | Interoffice Channel per month | ļ | | U1TD3 | MQ3 | 233.10 | 403.97 | 234.40 | | | | | 38.07 | 38.07 | | |
| | STS-1 to DS1 Channel System (with the higher level connected to a collocation in the same SWC) per month | | | UXTS1 | MQ3 | 233.10 | 403.97 | 234.40 | | | | | 38.07 | 38.07 | | |
| | STS-1 to DS1 Channel System (used to channelize a STS-1 Local Channel) per month | | | ULDS1 | MQ3 | 233.10 | 403.97 | 234.40 | | | | | 38.07 | 38.07 | | |
| | STS-1 to DS1 Channel System (used to channelize a STS-1 | | | l <u></u> . | | | | | | | | | | | | |
| $\vdash \vdash \vdash$ | Interoffice Channel) per month | <u> </u> | ļ | U1TS1 | MQ3 | 233.10 | 403.97 | 234.40 | | | | | 38.07 | 38.07 | ļ | |
| $\vdash \vdash \vdash$ | DS1 COCI (used with Loop per month | | <u> </u> | USL | UC1D1 | 16.07 | 13.09 | 9.38 | | | | | 24.85 | 8.16 | - | |
| | DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 16.07 | 13.09 | 9.38 | | | | | 24.85 | 8.16 | | |
| | DS1 COCI used with Interoffice Channel per month | 1 | | U1TD1 | UC1D1 | 16.07 | 13.09 | 9.38 | | | | | 24.85 | 8.16 | | - |
| Sub- | Loop Feeder | † | | 0.101 | 30101 | 10.07 | 13.09 | 3.30 | | | | | 24.00 | 0.10 | 1 | 1 |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | UNC1X | USBFG | 35.65 | 393.01 | 153.37 | | | | | | | 1 | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | | UNC1X | USBFG | 63.18 | 393.01 | 153.37 | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 3 | UNC1X | USBFG | 100.58 | 393.01 | 153.37 | | | | | | | | |
| | LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | · · · · · | | | - | | | | | |
| Exch | ange Ports | | | <u> </u> | <u> </u> | L., | | | | | | | | | | |
| | : Although the Port Rate includes all available features in GA, | KY, LA | & TN, t | ne desired features v | will need to I | e ordered usir | ng retail USOCs | \$ | | | | | | | ļ | |
| 2-WIF | RE VOICE GRADE LINE PORT RATES (RES) Exchange Ports - 2-Wire Analog Line Port- Res. | 1 | | UEPSR | UEPRL | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | 1 |

| NRONDE | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------|--|-------------|-------|----------------------|----------------|-----------------|-----------------|----------------|---|---------------|---|---|--|----------------|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Nonrec | | Nonrecurring | Disconnect | | | | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | FIISL | Add I | FIISL | Add I | SOWIEC | SOWAN | SOWAN | SOWAN | SOWAN | SOWAN |
| | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| -+ | Exchange Forto 2 Wile Fullang Enter of Will Caller ID 1005. | | | OLI OIL | OLI NO | 2.10 | 21.00 | 21.00 | | | | | 20.04 | 12.70 | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | Exchange Ports - 2-Wire VG unbundled res, low usage line port | | | | | | | | | | | | | | | |
| | with Caller ID (LUM) | | | UEPSR | UEPAP | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | 2-Wire voice unbundled Low Usage Line Port without Caller ID | | | | | | | | | | | | | | | |
| | Capability | | | UEPSR | UEPRT | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | Subsequent Activity | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | | | 26.94 | 12.76 | | |
| FEAT | URES All Available Vertical Features | | | UEPSR | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 26.94 | 12.76 | | |
| 2-WIE | RE VOICE GRADE LINE PORT RATES (BUS) | | | UEPSK | UEFVF | 3.40 | 0.00 | 0.00 | | | | | 20.94 | 12.76 | | |
| 2-1111 | Exchange Ports - 2-Wire Analog Line Port without Caller ID - | | | | 1 | | | | | | | | | | | |
| | Bus | | | UEPSB | UEPBL | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | Exchange Ports - 2-Wire VG unbundled Line Port with | 1 | | | 1 | 0 | 50 | | † | | | | | 1 | Ì | |
| [| unbundled port with Caller+E484 ID - Bus. | <u></u> | | UEPSB | UEPBC | 2.19 | 21.60 | 21.60 | <u> </u> | | <u> </u> | <u></u> | 26.94 | 12.76 | <u> </u> | |
| | | | | | | | | | İ | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | Exhange Ports - 2-Wire VG unbundled incoming only port with | | | | | | | | | | | | | | | |
| | Caller ID - Bus | | | UEPSB | UEPB1 | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID | | | | | | | | | | | | | | | |
| | Capability | | | UEPSB | UEPBE | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | Subsequent Activity | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| FEAT | All Available Vertical Features | | | UEPSB | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 26.94 | 12.76 | | |
| EVCH | IANGE PORT RATES (DID & PBX) | | | UEPSB | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 26.94 | 12.76 | | |
| EXCIT | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| -+ | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | UEPSP | UEPPC | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | | UEPSP | UEPPO | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | | UEPSP | UEPP1 | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSP | UEPLD | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPSP | UEPLD | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | 2-Wire Vice Unbundled 2-Way PBX Usage Port | | | UEPSP | UEPXA | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | <u> </u> | | UEPSP | UEPXC | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | UEPSP | UEPXD | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | Capable Port | | | UEPSP | UEPXE | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | OLI GI | OLI AL | 2.10 | 21.00 | 21.00 | | | | | 20.54 | 12.70 | | |
| | Administrative Calling Port | | | UEPSP | UEPXL | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | 1 | | 1 | , <u></u> | 20 | 250 | 250 | † | | | | 20.04 | .20 | Ì | |
| | Room Calling Port | | | UEPSP | UEPXM | 2.18 | 21.60 | 21.60 | | | 1 | | 26.94 | 12.76 | 1 | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | | | |
| | Discount Room Calling Port | | | UEPSP | UEPXO | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | ļ | | UEPSP | UEPXS | 2.18 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | ļ | |
| | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | | 26.94 | 12.76 | | |
| FEAT | URES All Available Vertical Features | | | UEPSP UEPSE | UEPVF | 2.40 | 0.00 | 0.00 | | | | | 26.94 | 40.70 | | |
| EVCL | IANGE PORT RATES (COIN) | | | UEPSP UEPSE | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 26.94 | 12.76 | | |
| EACH | Exchange Ports - Coin Port | | | 1 | + | 2.59 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| NOTE | : Transmission/usage charges associated with POTS circuit sv | witched | usage | will also annly to c | ircuit switche | | | | nission by B-Ch | annels associ | ated with 2 | wire ISDN r | | 12.70 | | |
| | : Access to B Channel or D Channel Packet capabilities will be | | | | | | | | | | | | | s Request Pro | cess. | |
| | LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | , | | 1 | | | | |
| EXCH | ANGE PORT RATES | | | | | | | | <u> </u> | | | | | <u> </u> | <u> </u> | |
| | Exchange Ports - 2-Wire DID Port | | | UEPEX | UEPP2 | 12.36 | 81.84 | 81.84 | | | | | 26.94 | 12.76 | | |
| | Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID | 1 | 1 | | | | | | | | | | 1 | | | |
| | | | | | | | | | | | | | | | | |
| | capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) | | | UEPDD UEPTX UEPSX | UEPDD U1PMA | 123.65 24.50 | 116.59 62.29 | 69.92 62.29 | | | | | 26.94 55.30 | 12.76 55.30 | | |

| UNBL | JNDLEI | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: B |
|--|--|---|--|---------|-----------------------|----------------|--|-----------------|-----------------|-------------------|----------------|--------------|---|-------------------------|--|--|---|
| CATEG | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - | | Incremental Charge - | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | 1 | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | NOTE: | Transmission/usage charges associated with POTS circuit sv | vitched | usage | will also apply to c | ircuit switche | ed voice and/or | circuit switche | ed data transm | ission by B-Ch | nannels associ | ated with 2- | wire ISDN p | orts. | | | |
| | NOTE: | Access to B Channel or D Channel Packet capabilities will be | availal | ole onl | | | | Rates for the | | lities will be de | termined via t | he Bona Fic | le Request/ | New Busines | s Request Pro | cess. | |
| | | Exchange Ports - 2-Wire ISDN Port Channel Profiles | | | UEPTX UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPEX | UEPEX | 179.75 | 241.63 | 241.63 | | | | | 53.89 | 53.89 | | |
| | | IDLED PORT with REMOTE CALL FORWARDING CAPABILITY | | | | | | | | | | | | | | | |
| | UNBUN | IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE | | | | | | | | | | | | | | | |
| | | Unbundled Remote Call Forwarding Service, Area Calling, Res | | | UEPVR | UERAC | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | | | | | | | | | | | | | | | | | |
| | | Unbundled Remote Call Forwarding Service, Local Calling - Res | | | UEPVR | UERLC | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | | Unbundled Remote Call Forwarding Service, InterLATA - Res | <u> </u> | | UEPVR | UERTE | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | - | ļ |
| | Nec 5 | Unbundled Remote Call Forwarding Service, IntraLATA - Res | | | UEPVR | UERTR | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | ! | ļ. |
| | Non-Re | ecurring | | | | 1 | | | | | | | | 1 | ! | ! | ļ. |
| | | Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is | l | | UEPVR | USAC2 | | 2.77 | 0.40 | | | | | 26.94 | 12.76 | 1 | |
| | | | | | UEPVK | USACZ | | 2.11 | 0.40 | | | | | 20.94 | 12.70 | | |
| 1 | 1 | Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) | 1 | | UEPVR | USACC |] | 2.77 | 0.40 | | | 1 | 1 | | I | I | |
| | | IDLED REMOTE CALL FORWARDING - Bus | | | OLF VIX | JUNCO | | 2.11 | 0.40 | | | | | 1 | t | t | 1 |
| | ONBOIN | DEED REMOTE CALL FORWARDING - Bus | | | | | | | | | | | | | | | |
| | | Unbundled Remote Call Forwarding Service, Area Calling - Bus | | | UEPVB | UERAC | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | | embanaisa namata can ramatang camaa, rada caning bac | | | 02. 15 | 02.0.0 | 2.10 | 21.00 | 21.00 | | | | | 20.01 | .2 | | |
| | | Unbundled Remote Call Forwarding Service, Local Calling - Bus | | | UEPVB | UERLC | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | | Unbundled Remote Call Forwarding Service, InterLATA - Bus | | | UEPVB | UERTE | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | | Unbundled Remote Call Forwarding Service, IntraLATA - Bus | | | UEPVB | UERTR | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | 1 | |
| | | Unbundled Remote Call Forwarding Service Expanded and | | | | | | | | | | | | | | | |
| | | Exception Local Calling | | | UEPVB | UERVJ | 2.19 | 21.60 | 21.60 | | | | | 26.94 | 12.76 | | |
| | Non-Re | ecurring | | | | | | | | | | | | | | | |
| | | Unbundled Remote Call Forwarding Service - Conversion - | | | | | | | | | | | | | | | |
| | | Switch-as-is | | | UEPVB | USAC2 | | 2.77 | 0.40 | | | | | 26.94 | 12.76 | | |
| | | Unbundled Remote Call Forwarding Service - Conversion with | | | | | | | | | | | | | | | |
| | | allowed change (PIC and LPIC) | | | UEPVB | USACC | | 2.77 | 0.40 | | | | | | | | |
| UNBUN | | LOCAL SWITCHING, PORT USAGE | | | | | | | | | | | | | | | |
| | End Of | fice Switching (Port Usage) | | | | | | | | | | | | | | | |
| | | End Office Switching Function, Per MOU | | | | | 0.0015 | | | | | | | | | | |
| | | End Office Trunk Port - Shared, Per MOU | | | | | 0.00023 | | | | | | | | | | |
| | | m Switching (Port Usage) (Local or Access Tandem) | | | | | | | | | | | | | . | . | |
| | | Tandem Switching Function Per MOU | ļ | | | <u> </u> | 0.0006 | | | | | | | | | | ļ |
| | | Tandem Trunk Port - Shared, Per MOU | ļ | | | 1 | 0.0003 | | | | | | | | | | ļ |
| | Commo | on Transport | | | | 1 | 0.00001 | | | | | | | | 1 | 1 | ļ |
| | | Common Transport - Per Mile, Per MOU | 1 | | | 1 | | | | | | | | | 1 | 1 | |
| LINIDI | IDI ED 5 | Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES | | | | + | 0.00034 | | | | | | | - | | | 1 |
| ONBU | | ased Rates are applied where BellSouth is required by FCC are | 1 1d/0 - 5 + | ato Co | mmission =:-lo ts === | ovido Unbre | dlad Lassi S | ching or Cuit | h Dorte | | | | | | | | 1 |
| | | ased Rates are applied where BellSouth is required by FCC ar es shall apply to the Unbundled Port/Loop Combination - Cos | | | | | | | | d Port section | of this Date E | l vhihit | | | | | 1 |
| | | is snall apply to the Unbundled Port/Loop Combination - Cos fice and Tandem Switching Usage and Common Transport Us | | | | | | | | | | | n Port/Loor | Combination | l ns | | |
| — | | st and additional Port nonrecurring charges apply to Not Curr | | | | | | | | | | | | | | 1 | 1 |
| | | E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | entry C | | Sa combos. For Cur | Territy Comb | linea Combos II | ie nomecullin | y citatyes Sila | ii be liiose luel | imeu in ale N | | - Guireilly | Combined S | CUIDIIS. | | 1 |
| | | ort/Loop Combination Rates | | | | 1 | | | | | | | | | t | t | 1 |
| | 5.1.L 1.C | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | 1 | 13.03 | | | | | | | | t | t | 1 |
| | 1 | 2-Wire VG Loop/Port Combo - Zone 2 | 1 | 2 | | 1 | 21.33 | | | | | | | 1 | I | I | 1 |
| | 1 | 2-Wire VG Loop/Port Combo - Zone 3 | 1 | 3 | 1 | 1 | 32.61 | | | | | | | 1 | t | t | |
| | | pop Rates | l | Ŭ | | | 32.01 | | | | | | | | 1 | 1 | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | 1 | 1 | UEPRX | UEPLX | 10.75 | | | | | | | | t | t | Ì |
| | † | 2-Wire Voice Grade Loop (SL1) - Zone 2 | l | 2 | UEPRX | UEPLX | 19.05 | | | | | | | | 1 | 1 | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 30.33 | | | | | | | | İ | İ | |
| í T | 2-Wire | Voice Grade Line Port Rates (Res) | | | | 1 | | | | | | | | İ | 1 | 1 | |
| | | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 1 | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |

Version 1Q03: 02/28/03 Page 296 of 420

| UNDUNDLE | ED NETWORK ELEMENTS - North Carolina | 1 | | 1 | 1 | | | | | | Com Onder | Core Cord | | ment: 2 | | ibit: B |
|----------|--|-------------|------|----------------|----------------|----------------|--------|------------|--|-------|--|-----------|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | UEPRX | UEPAP | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability | | | UEPRX | UEPRT | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| FEAT | | | | | | | | | | | | | | | | 1 |
| | All Features Offered | | | UEPRX | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| LOCA | L NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | | 1 |
| NONR | ECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPRX | USAC2 | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | UEPRX | USACC | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | OLITOX | 00/100 | | | 0.40 | | | | | | 0.40 | | |
| ADDIT | Subsequent Database Update FIONAL NRCs | ! | | | + | | 1.42 | | | | | | 10.27 | | - | + |
| ADDIT | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | 1 |
| 0.14110 | Activity | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) Port/Loop Combination Rates | | | | - | | | | | | | | | | | + |
| UNE P | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 13.03 | | | | | 1 | | | | | + |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 2 | | | 21.33 | | | | | | | | | | + |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | + | 32.61 | | | | | | | | | | + |
| UNE L | Loop Rates | | | | | 02.01 | | | | | | | | | | + |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 10.75 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 19.05 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 30.33 | | | | | | | | | | |
| 2-Wire | Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPBX | UEPB1 | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID | | | LIEDDY | LIEDDE | 0.00 | 70.50 | 00.07 | | | | | 10.10 | 0.45 | | |
| 1.004 | Capability | | | UEPBX | UEPBE | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| LOCA | L NUMBER PORTABILITY Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | | + |
| FEATU | | | | UEPBA | LINECA | 0.33 | | | | | 1 | | | | | + |
| FEAT | All Features Offered | | | UEPBX | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | + |
| NONR | ECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | OLI DX | OLI VI | 0.40 | 0.00 | 0.00 | | | | | 40.10 | 0.40 | | + |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPBX | USAC2 | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | <u> </u> |
| _ | Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | UEPBX | USACC | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | Subsequent Database Update | | | | | | 1.42 | | | | | | 10.27 | | | |
| ADDIT | TIONAL NRCs | ļ | | | | | | | | | | | | | ļ | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | | |
| UNE P | Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | ļ | 1 | | | 13.03 | | | | | | | | | ļ | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | ļ | 2 | | | 21.33 | | | | | | | | | ļ | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | ļ | 3 | | | 32.61 | | | | | | | | | | |
| UNE L | Loop Rates | l | 4 | LIEDBO | LIEDLY | 40.75 | | | | | | | | | | + |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 | ! | 2 | UEPRG UEPRG | UEPLX UEPLX | 10.75 19.05 | | | | | | | | | - | + |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 | 1 | 3 | UEPRG | UEPLX | 30.33 | | | | | - | | | | | + |
| 1 | e Voice Grade Line Port Rates (RES - PBX) | - | 3 | OLI IVO | OLI LA | 30.33 | | | | | | | | | | + |

| ONBOND | LED | NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------|-------|---|-------------|----------|----------------|----------------|----------------|------------------|------------------|--|------------|---|---|---|---|---|--|
| CATEGORY | Y | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incrementa Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | | | | | | | 1st | Add'I | Disc 1st | Disc Add' |
| | | | | | | + | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | 1 | |
| | | | | 1 | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2 | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | | | | | | | | | | | | | |
| | | Res | | | UEPRG | UEPRD | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| LOC | | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | ocal Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| FEA | ATUR | All Features Offered | | | UEPRG | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| NOI | | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | 1 | OLFRG | OLFVI | 3.40 | 0.00 | 0.00 | | | | | 40.10 | 9.43 | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | 1 | | 1 | | | | | | | | | | | |
| | | Conversion - Switch-As-Is | | | UEPRG | USAC2 | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | | Conversion - Switch with Change | | | UEPRG | USACC | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | 1 | | | | 4 40 | | | | | | 40.07 | | | |
| ADI | | Subsequent Database Update | | | | + | | 1.42 | | - | | | | 10.27 | | | |
| ADI | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | + | | | | | | | | | | 1 | |
| | | Subsequent Activity | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| 2-W | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | |
| UNE | E Por | t/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 13.03 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 21.33 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 32.61 | | | | | | | | | | |
| UNI | | pp Rates | | 1 | UEPPX | UEPLX | 10.75 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPPX | UEPLX | 10.75 19.05 | | | | | - | | | | - | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPPX | UEPLX | 30.33 | | | | | | | | | | |
| 2-W | | oice Grade Line Port Rates (BUS - PBX) | | Ŭ | OLI I X | OLI EX | 00.00 | | | | | | | | | | |
| | | (====, | | | | | | | | | | | | | | | |
| | L | ine Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | | ine Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | | ine Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX UEPPX | UEPXA UEPXB | 2.28 2.28 | 164.57 164.57 | 128.16 128.16 | | | | | 40.18 40.18 | 9.45 9.45 | | |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | 02.17 | 02.7.2 | 2.20 | .001 | 120.10 | | | | | 10.10 | 0.10 | İ | |
| | | Capable Port | | | UEPPX | UEPXE | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | | Administrative Calling Port | | <u> </u> | UEPPX | UEPXL | 2.28 | 164.57 | 128.16 | 1 | | | | 40.18 | 9.45 | 1 | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | 1 | HEDDA | LIEDYA4 | 2.02 | 404.5- | 100.10 | | | | | 40.40 | 0.7- | | |
| | | Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | <u> </u> | UEPPX | UEPXM | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | - |
| | | Discount Room Calling Port | | | UEPPX | UEPXO | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | 1 | UEPPX | UEPXS | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| LOC | | NUMBER PORTABILITY | | 1 | 02.17 | 02.7.0 | 2.20 | .001 | 120.10 | | | | | 10.10 | 0.10 | | |
| | | ocal Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| FE/ | ATUR | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPPX | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| NOI | | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | <u> </u> | _ | | | | | ļ | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is | | L | UEPPX | USAC2 | | 2.77 | 0.40 | <u> </u> | | | <u> </u> | 40.18 | 9.45 | | |
| | 2 | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change | | | UEPPX | USACC | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | OLI-FX | USACC | | 2.11 | 0.40 | | | | | 40.10 | 9.40 | | |
| | 5 | Subsequent Database Update | | | | | | 1.42 | | | | | | 10.27 | | | |
| ADI | | NAL NRCs | | | | | | • | • | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | LIEDDY | 110465 | | | | | | | | | | | |
| | | Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | <u> </u> | <u> </u> | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | 1 | | | | 40.18 | 9.45 | . | |

| JNBUNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: B |
|---------------|--|--|--------|----------|--------|--------------|--------|------------|-------|------------|--------|---|--|--|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremen Charge |
| | | | | | | Rec | Nonrec | | | Disconnect | 201150 | 001111 | | Rates(\$) | 001141 | 001111 |
| LINE D | I ort/Loop Combination Rates | | | | _ | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| UNE PO | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 13.03 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 | - | 2 | | | 21.33 | | | | | 1 | | | | | + |
| | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 32.61 | | | | | | | | | | † |
| UNE L | pop Rates | | | | | 02.01 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 10.75 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 19.05 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 30.33 | | | | | | | | | | 1 |
| 2-Wire | Voice Grade Line Ports (COIN) | | | | | | | | | | | | | | | |
| | 2-Wire Coin 2-Way without Operator Screening and without | l | | | | | - | | | | | | | | | |
| \rightarrow | Blocking (NC) | ļ | | UEPCO | UEPND | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | — |
| | 2-Wire Coin 2-Way with Operator Screening (NC) | ļ | | UEPCO | UEPNC | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | — |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (NC, TN) | l | | UEPCO | UEPRP | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| + | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | - | UEPCU | UEPKP | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | - |
| | (NC) | 1 | | UEPCO | UEPNB | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | 1 | |
| -+- | 2-Wire Coin 2-Way with Operator Screening: 900 Blocking: | | | OLFOO | ULFIND | 2.20 | 19.59 | 03.97 | | | - | | 40.18 | 9.45 | 1 | + |
| | 900/976, 1+DDD, 011+, and Local (NC, TN) | 1 | | UEPCO | UEPCA | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking | | | 021 00 | OLI O/ | 2.20 | 70.00 | 00.01 | | | | | 40.10 | 0.40 | | + |
| | (NC) | | | UEPCO | UEPNE | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | | | | | | | | | | | | | | | 1 |
| | 900/976, 1+DDD, 011+, and Local (NC) | | | UEPCO | UEPCL | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCK | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | 1 |
| | 2-Wire Coin Outward Smartline with 900/976 (all states except | | | | | | | | | | | | | | | |
| | LA) | | | UEPCO | UEPCR | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| ADDITI | ONAL UNE COIN PORT/LOOP (RC) | | | | | | | | | | | | | | | |
| | UNE Coin Port/Loop Combo Usage (Flat Rate) | | | UEPCO | URECU | 3.70 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 | | |
| LOCAL | NUMBER PORTABILITY | | | LIEDOO | LNPCX | 0.05 | | | | | | | | | | |
| NONDE | Local Number Portability (1 per port) ECURRING CHARGES - CURRENTLY COMBINED | | | UEPCO | LINPUX | 0.35 | | | | | | | | | | ├ |
| NONKE | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | - | | | | | |
| | Switch-as-is | | | UEPCO | USAC2 | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | OLI OO | OOAOZ | | 2.11 | 0.40 | | | | | 40.10 | 3.43 | | + |
| | Switch with change | | | UEPCO | USACC | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | † |
| | Subsequent Database Update | | | | | | 1.42 | | | | | | | | | |
| ADDITI | ONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | Activity | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | <u> </u> |
| | VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE F | PORT (| RES) | | | | | | | | | | | | |
| | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | pop Rates | | | | | | | | | | | | | | | |
| 2-wire | Voice Grade Line Port Rates (Res) | | | UEPFR | UEPRL | 2.10 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res | | | UEPFR | UEPRC | 2.19 2.19 | 225.00 | 225.00 | | | - | | 40.18 | 9.45 | | + |
| | 2-Wire voice unbundled port with Caller 15 - res | | | UEPFR | UEPRO | 2.19 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | + |
| | 2-Wire voice unbundles res, low usage line port with Caller ID | 1 | | OLI I IX | JLI NO | 2.19 | 225.00 | 225.00 | | | | | 40.10 | 3.43 | | |
| | (LUM) | 1 | | UEPFR | UEPAP | 2.19 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | 1 | |
| INTER | DFFICE TRANSPORT | | | | 1 | | | | | | | | | 50 | Ì | T |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination | <u> </u> | | UEPFR | U1TV2 | 18.00 | 140.00 | 71.00 | | <u></u> | | | | <u> </u> | <u> </u> | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| | or Fraction Mile | | | UEPFR | 1L5XX | 0.0125 | | | | | | | | | | |
| FEATU | | | | | | | • | • | | | | | | | | |
| | All Features Offered | | | UEPFR | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| LOCAL | NUMBER PORTABILITY | ļ | | LIEBER | Lunc | | | | | | | | | | | — |
| | Local Number Portability (1 per port) | I | 1 | UEPFR | LNPCX | 0.35 | | | | l | 1 | l | | | | 1 |

| UNBUNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|----------|--|--|----------|----------------|----------------|--------------|------------------|------------------|--------------|--------------|--|---|--|--|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | D | Nonrec | curring | Nonrecurring | g Disconnect | | | | Rates(\$) | D100 100 | DISC Add I |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-as-is | | | UEPFR | USAC2 | | 9.03 | 1.87 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change | | | UEPFR | USACC | | 9.03 | 1.87 | | | | | 40.18 | 9.45 | | ĺ |
| 2-WID | E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE | OPT (| | USACC | | 9.03 | 1.07 | | | | | 40.16 | 9.45 | | |
| | ort/Loop Combination Rates | | I I | l | + | | | | | | | | | | | |
| | oop Rates | | | | 1 | | | | | | | | | | | |
| | Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPFB | UEPBL | 2.19 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPFB | UEPBC | 2.19 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPFB | UEPBO | 2.19 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPFB | UEPB1 | 2.19 | 225.00 | 225.00 | ļ | | 1 | | 40.18 | 9.45 | | |
| LOCA | L NUMBER PORTABILITY Local Number Portability (1 per port) | | | UEPFB | LNPCX | 0.35 | | | 1 | - | | | | | - | |
| INTER | OFFICE TRANSPORT | | | UEPFB | LINPUX | 0.35 | | | | | - | | | | | |
| INTER | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | + + | | | | | | 1 | | | | - | |
| | Termination | | | UEPFB | U1TV2 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | 025 | 01112 | | | | | | | | | | | |
| | or Fraction Mile | | | UEPFB | 1L5XX | | | | | | | | | | | İ |
| FEAT | JRES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPFB | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| NONR | ECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | İ |
| | Combination - Conversion - Switch-as-is | | | UEPFB | USAC2 | | 9.03 | 1.87 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change | | | UEPFB | USACC | | 0.00 | 1.87 | | | | | 40.18 | 9.45 | | İ |
| 2.WID | E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | UEPFB | USACC | | 9.03 | 1.87 | | | + | | 40.18 | 9.45 | | |
| | ort/Loop Combination Rates | | | | + | | | | | | 1 | | | | | |
| | oop Rates | | | | + | | | | | | | | | | | |
| | Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | , | | | | | | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPFP | UEPPC | 2.18 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPFP | UEPPO | 2.18 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPFP | UEPP1 | 2.18 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPFP | UEPLD | 2.18 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPFP UEPFP | UEPXA UEPXB | 2.18 2.18 | 225.00 225.00 | 225.00 225.00 | | | - | | 40.18 40.18 | 9.45 9.45 | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPFP | UEPXC | 2.18 | 225.00 | 225.00 | | | + | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | 1 | | UEPFP | UEPXD | 2.18 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | — |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | 2-11- | | | | | | | | | 2,10 | | |
| [| Capable Port | <u> </u> | | UEPFP | UEPXE | 2.18 | 225.00 | 225.00 | <u> </u> | | <u> </u> | | 40.18 | 9.45 | <u> </u> | 1 |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Administrative Calling Port |] | | UEPFP | UEPXL | 2.18 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | · | | | | | · | | | 1 |
| | Room Calling Port | <u> </u> | | UEPFP | UEPXM | 2.18 | 225.00 | 225.00 | ļ | | 1 | | 40.18 | 9.45 | ļ | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | l | | UEPFP | UEPXO | 2.18 | 225.00 | 225.00 | | | | | 40.18 | 9.45 | | 1 |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | <u> </u> | | UEPFP | UEPXS | 2.18 | 225.00 | 225.00 | - | | | | 40.18 | 9.45 | - | |
| LOCA | L NUMBER PORTABILITY | 1 | | OLFIF | ULFAO | 2.18 | 223.00 | 223.00 | + | 1 | 1 | | 40.18 | 9.45 | 1 | |
| 2007 | Local Number Portability (1 per port) | 1 | | UEPFP | LNPCP | 3.15 | 0.00 | 0.00 | | | <u> </u> | | 40.18 | 9.45 | | |
| INTER | OFFICE TRANSPORT | | | | | 55 | 0.00 | 0.30 | | | | | | 3.70 | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | 1 | | | | | | 1 | | | | 1 | |
| | Termination | L | | UEPFP | U1TV2 | | | | | | <u> </u> | | | | | 1 |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| | or Fraction Mile | ļ | | UEPFP | 1L5XX | | | | | | | | | | | 1 |
| FEAT | | <u> </u> | | LIEDED | LIED) # | 2.45 | | | ļ | | 1 | | | | ļ | |
| No | All Features Offered | <u> </u> | | UEPFP | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | ļ | ├ |
| NONR | ECURRING CHARGES (NRCs) - CURRENTLY COMBINED | l | <u> </u> | l | | | | | | l | 1 | l | | | | |

| ONROND | JLEL | NETWORK ELEMENTS - North Carolina | | | | | | 1 | | | | | | | | ment: 2 | | ibit: B |
|--|------|---|----------|-----------|---------|--------|---------|-------|--------|------------|--|--|--|--------------|-------------|-------------------|--|--|
| | | | | | | | 1 | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Intori | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Sv |
| CATEGOR | ŀΥ | RATE ELEMENTS | Interi | Zone | В | CS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | , | | | per Lor | per Lor | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | 1 | | Nonrec | urring | Nonrecurring | n Disconnect | 1 | l . | OSS | Rates(\$) | | l . |
| | | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| - | - | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | + | | + | | riist | Auu i | FIISt | Auu i | SOWIEC | SOWAN | JOWAN | SOWAN | SOWAN | JOWAN |
| | | Combination - Conversion - Switch-as-is | | | UEPFP | | USAC2 | | 9.03 | 1.87 | | | | | 40.18 | 9.45 | | |
| | | | | | UEPFP | | USACZ | | 9.03 | 1.87 | | | ļ | | 40.18 | 9.45 | | |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | | |
| | | Combination - Conversion - Switch with change | | | UEPFP | | USACC | | 9.03 | 1.87 | | | | | 40.18 | 9.45 | | |
| | | ORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | | |
| | | VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PORT | | | | | | | | | | | | | | | |
| UN | | rt/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | | 20.97 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | 1 | | | 27.80 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | | | 37.08 | | | | | | | | | | |
| UN | | op Rates | | | | | 1 | | | | | | | | | | | |
| 314 | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | | UECD1 | 8.85 | | | | † | 1 | | | † | † | 1 |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | | UECD1 | 15.68 | | | | 1 | 1 | 1 | | 1 | 1 | 1 |
| ———— | | | | | UEPPX | | UECD1 | 24.96 | | | | | 1 | - | - | | - | 1 |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | | UECDI | 24.96 | | | 1 | - | 1 | 1 | - | | 1 | 1 |
| UN | | rt Rate | | 1 | LIEDD): | | | 10 :- | 201 | | | | . | | 40 | | | 1 |
| | | Exchange Ports - 2-Wire DID Port | | <u> </u> | UEPPX | | UEPD1 | 12.12 | 224.81 | 188.40 | | | | ļ | 40.18 | 9.45 | | |
| NO | | CURRING CHARGES - CURRENTLY COMBINED | | 1 | | | 1 | | | | | | 1 | <u> </u> | | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - | | | | | | | | | | | | | | | | |
| l | | Switch-as-is | <u></u> | <u>L_</u> | UEPPX | | USAC1 | | 13.26 | 8.39 | <u> </u> | <u></u> | <u> </u> | <u> </u> | 53.89 | 11.34 | <u> </u> | <u> </u> |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | | | | | | | | | | | | | | |
| | | with BellSouth Allowable Changes | | | UEPPX | | USA1C | | 13.26 | 8.39 | I | Ì | | I | 53.89 | 11.34 | I | |
| AD | | DNAL NRCs | | | T | | 1 | | | 2.30 | İ | | 1 | | 22.30 | 1 | 1 | İ |
| | | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | 1 | UEPPX | | USAS1 | | 53.49 | | - | | | | 40.18 | 9.45 | | 1 |
| Та | | one Number/Trunk Group Establisment Charges | - | 1 | J 1 A | | 3001 | | 55.43 | | | | 1 | | 70.10 | 5.45 | 1 | 1 |
| 10. | | DID Trunk Termination (One Per Port) | | | UEPPX | | NDT | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| | | | | | UEFFA | | INDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | DID Numbers, Establish Trunk Group and Provide First Group | | | | | | | | | | | | | | | | |
| | | of 20 DID Numbers | | | UEPPX | | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPPX | | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve Non-Consecutive DID numbers | | | UEPPX | | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve DID Numbers | | | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| LO | CAL | NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPX | | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| 2-V | | ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI | NE SIDE | POR | ľ | | | | | | | | | | | | | |
| | | rt/Loop Combination Rates | | 1 | | | | | | | | | | | | | | |
| U.V | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | | | | | | | | | | | | | | |
| | | UNE Zone 1 | | 1 | UEPPB | UEPPR | 4 | 38.84 | | | 1 | | | 1 | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | - | +- | ULPPD | UEPPR | + | 30.04 | | | | | | - | | | | - |
| | | | | _ | LIEBBB | LIEDDO | I | 50.01 | | | I | Ì | | I | | Ì | I | |
| | | UNE Zone 2 | | 2 | UEPPB | UEPPR | | 50.01 | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | | | 1 | | | | 1 | | | 1 | | | | |
| | | UNE Zone 3 | | 3 | UEPPB | UEPPR | | 65.18 | | | | | | | | | | |
| UN | | op Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 14.47 | | | | | | | | | | |
| | | - | | | | | | | | | | | | | | | | |
| | J | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 25.64 | | | I | Ì | | I | | Ì | I | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | | 40.81 | | | İ | İ | 1 | İ | İ | İ | İ | Ì |
| UN | | rt Rate | | Ť | 1 | | 1 | .0.01 | | | t | | 1 | i | | 1 | 1 | Ì |
| 1014 | | Exchange Port - 2-Wire ISDN Line Side Port | | I | UEPPB | UEPPR | UEPPB | 24.37 | 388.20 | 302.77 | t | | 1 | ł – – – | 19.99 | 19.99 | t | |
| NO | | CURRING CHARGES - CURRENTLY COMBINED | | 1 | J 1 D | OLITIN | 52110 | 24.51 | 300.20 | 302.11 | t | 1 | 1 | 1 | 13.35 | 13.35 | t | 1 |
| INC | | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | | 1 | 1 | | 1 | | | | | 1 | 1 | 1 | | 1 | 1 | 1 |
| | | | | | LIEDDE | LIEDDE | LICACD | 0.00 | 474.05 | 474.05 | I | | | I | 1 | 1 | 1 | |
| | | Combination - Conversion | | 1 | UEPPB | UEPPR | USACB | 0.00 | 174.35 | 174.35 | 1 | 1 | 1 | 1 | | 1 | 1 | 1 |
| | | ONAL NRCs | | <u> </u> | 1 | | | | | | | | | ļ | | | | |
| LO | | NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | |
| B-0 | CHAN | INEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | Ì |
| | | CSD | | 1 | | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | - | | | | | | | |
| | | INEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S | CMC º | TAIL | SEITED | OLITE | 31000 | 0.00 | 0.00 | 0.00 | | | | | | | | \vdash |

Version 1Q03: 02/28/03 Page 301 of 420

| ONBOND | LED | NETWORK ELEMENTS - North Carolina | | | | | | | | | | | T - | | | ment: 2 | | bit: B |
|----------|-------|--|-------------|----------|----------|--------|----------------|------------------|--------|------------|--|------------|--|---|--|--|---|--|
| CATEGORY | Y | RATE ELEMENTS | Interi m | Zone | E | cs | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | • | oss | Rates(\$) | • | • |
| | | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| USI | | ERMINAL PROFILE | | | | | | | | | | | | | | | | |
| | | Jser Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| VEF | | AL FEATURES | | | LIEBBB | | | 0.10 | | | | | | | | | | |
| | | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 3.40 | 0.00 | 0.00 | | | | | | | | |
| INI | | FFICE CHANNEL MILEAGE | | | - | | - | | | | | | | | | | | |
| | | nteroffice Channel mileage each, including first mile and activities termination | | | LIEDDD | UEPPR | M1GNC | 18.0282 | 137.48 | 52.58 | | | | | 19.99 | 19.99 | | |
| | | nteroffice Channel mileage each, additional mile | | 1 | | UEPPR | M1GNM | 0.0282 | 0.00 | 0.00 | | | 1 | | 19.99 | 19.99 | | 1 |
| 4-W | | DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | PORT | | OLITE | OLITIK | IVITOIVIVI | 0.0202 | 0.00 | 0.00 | | | | | | | | |
| | | rt/Loop Combination Rates | | | | | | | | | | | | | | | | |
| 1 | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | | |
| | | Zone 1 | | 1 | UEPPP | | | 226.55 | | | | | | | | | 1 | |
| | 4 | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | Ì | | | | | |
| | | Zone 2 | | 2 | UEPPP | | <u> </u> | 263.28 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | | |
| | | Zone 3 | | 3 | UEPPP | | | 313.15 | | | | | | | | | | |
| UNI | | pp Rates | | | | | | | | | | | | | | | | |
| | | 1-Wire DS1 Digital Loop - UNE Zone 1 | | | UEPPP | | USL4P | 47.54 | | | | | | | | | | |
| | | 1-Wire DS1 Digital Loop - UNE Zone 2 | | | UEPPP | | USL4P | 84.27 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | | USL4P | 134.14 | | | | | | | | | | |
| UNI | | rt Rate Exchange Ports - 4-Wire ISDN DS1 Port | | - | UEPPP | | UEPPP | 179.01 | 956.47 | 663.10 | | | | | 19.99 | 19.99 | | |
| NO | | CURRING CHARGES - CURRENTLY COMBINED | | | UEPPP | | UEPPP | 179.01 | 956.47 | 663.10 | | | | | 19.99 | 19.99 | | |
| NO | | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | | | | | | | | | | | | | | - | - |
| | | Combination - Conversion -Switch-as-is | | | UEPPP | | USACP | 0.00 | 481.51 | 481.51 | | | | | | | | |
| ADI | | DNAL NRCs | | | OLITI | | OOAOI | 0.00 | 401.01 | 401.51 | | | | | | | | |
| 7.2. | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | | | | | 1 | |
| | | Subsequent Inward/2-Way Tel Nos - (NC Only) | | | UEPPP | | PR7TG | | 1.17 | 1.17 | | | | | | | | |
| | 4 | 4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent | | | | | | | | | | | | | | | | |
| | | Activity Outward tel nos. (NC only) | | | UEPPP | | PR7TP | | 28.17 | 28.17 | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | | | | | | | | | | | | | | |
| | | Subsequent Inward Tel Numbers | | | UEPPP | | PR7ZT | | 56.33 | 56.33 | | | | | | | | |
| LO | | NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPP | | LNPCN | 1.75 | | | | | | | | | | |
| INT | | ACE (Provsioning Only) | | <u> </u> | | | DD=41/4 | | | | | | | | | | | |
| | | Voice/Data | | | UEPPP | | PR71V PR71D | 0.00 | 0.00 | 0.00 | - | | 1 | | | | - | |
| | | Digital Data nward Data | | | UEPPP | | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Nov | | nward Data Additional "B" Channel | 1 | 1 | JLPFP | | I: IX/ IE | 0.00 | 0.00 | 0.00 | | | 1 | 1 | | 1 | | |
| 1464 | | New or Additional - Voice/Data B Channel | | | UEPPP | | PR7BV | 0.00 | 36.92 | | | | | | 19.99 | 19.99 | t | |
| | | New or Additional - Voice Bata B Channel | | | UEPPP | | PR7BF | 0.00 | 36.92 | | | | 1 | | 19.99 | 19.99 | I | t |
| | | New or Additional Inward Data B Channel | | | UEPPP | | PR7BD | 0.00 | 36.92 | | | | | | 19.99 | 19.99 | 1 | |
| CAI | LL TY | | | | <u> </u> | | † ·- | 5.50 | | | 1 | | | | | 12.30 | 1 | |
| | | nward | | | UEPPP | | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | (| Outward | | | UEPPP | | PR7CO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Two-way | | | UEPPP | | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Inte | | ce Channel Mileage | | | | | | | | | | | | | | | | |
| | | Fixed Each Including First Mile | | | UEPPP | | 1LN1A | 71.8653 | 217.17 | 163.75 | 0.00 | | | | 19.99 | 19.99 | | |
| | | Each Airline-Fractional Additional Mile | | <u> </u> | UEPPP | | 1LN1B | 0.5753 | | | | | | | | | | |
| | | DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | <u> </u> | 1 | | + | | | | | | 1 | | | 1 | 1 | |
| UNI | | rt/Loop Combination Rates | | 1 | UEPDC | | + | 171.00 | | | | | 1 | | | | | 1 |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | + | 171.06 207.79 | | | | | 1 | | | | | 1 |
| -+ | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | - | 3 | UEPDC | | + | 257.66 | | | - | | } | | | 1 | + | |
| LIMI | | op Rates | | 3 | OLFDC | | 1 | 231.00 | | | | | | | | 1 | | |
| UNI | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | | USLDC | 47.54 | | | | | | | | | t | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | | USLDC | 84.27 | | | | | 1 | | | | I | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | | USLDC | 134.14 | | | | | 1 | | | | I | <u> </u> |
| LIKU | | rt Rate | | Ť | | | | | | | | | 1 | - | | | | |

| ONRONDL | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | ment: 2 | | ibit: B |
|---------|--|-------------|------|-------------------|------------|--------|--------|------------|--|-------|---|---|--|--|--------------------------|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Order vs. Electronic- | Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | | • | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | T |
| | LUC PRITORISTA DE | | | LIEBBO | | | First | Add'I | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| NONE | 4-Wire DDITS Digital Trunk Port RECURRING CHARGES - CURRENTLY COMBINED | | | UEPDC | UDD1T | 123.52 | 831.43 | 491.39 | | | | | 19.99 | 19.99 | | |
| NONE | | | | | + + | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is | | | UEPDC | USAC4 | | 490.38 | 490.38 | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | UEPDC | USAC4 | | 490.36 | 490.30 | | | | | | | | |
| | - Conversion with DS1 Changes | | | UEPDC | USAWA | | 490.38 | 490.38 | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | OLI DO | OUAWA | | 430.30 | 430.30 | | | | | | | | + |
| | - Conversion with Change - Trunk | | | UEPDC | USAWB | | 490.38 | 490.38 | | | | | | | | |
| ADDI | TIONAL NRCs | | | 02. 50 | 00/11/2 | | .00.00 | .00.00 | | | | | | | | t |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | | | | | | | | | | | | |
| | Service Activity Per Service Order | | | UEPDC | USAS4 | | 127.63 | 127.63 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | | | | | | | | | | | | |
| | Subsequent Channel Activation/Chan - 2-Way Trunk | l | | UEPDC | UDTTA | | 28.81 | 28.81 | | | | | | | 1 | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | | | | • | į į | | | | | | | |
| | Channel Activation/Chan - 1-Way Outward Trunk | L | | UEPDC | UDTTB | | 28.81 | 28.81 | <u> </u> | | | | | | <u> </u> | L |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | | | | | | | | | | | | | |
| | Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 28.81 | 28.81 | | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 28.81 | 28.81 | | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 28.81 | 28.81 | | | | | | | | |
| BIPO | LAR 8 ZERO SUBSTITUTION | | | | | | | | | | | | | | | |
| | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00 | 615.00 | | | | | | | | |
| | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 615.00 | | | | | | | | |
| Alterr | nate Mark Inversion | | | UEPDC | MCOSF | | 0.00 | 0.00 | - | | | | | | | |
| | AMI - Superframe Format AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| Telen | hone Number/Trunk Group Establisment Charges | | | UEPDC | IVICOPO | | 0.00 | 0.00 | | | - | | | | - | - |
| reiep | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | | 19.99 | 19.99 | | |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | | 19.99 | 19.99 | | + |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | | 19.99 | 19.99 | | |
| | DID Numbers, Establish Trunk Group and Provide First Group | | | | | 0.00 | | | | | | | | | | |
| | of 20 DID Numbers | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers, Per Number | | | UEPDC | ND5 | 0.00 | | | | | | | | | | 1 |
| | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| Dedic | ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 | Digital | Loop | with 4-Wire DDITS | Trunk Port | | | | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | l | |] | 1 | | | | | | | | | | | |
| _ | Termination) | ļ | | UEPDC | 1LNO1 | 71.29 | 217.17 | 163.75 | 0.00 | 0.00 | | | 19.99 | 19.99 | ļ | ļ |
| | | l | | | 1 | | | | | | | | | | 1 | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.5753 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | l | | LIEDDO | 41 NO2 | 0.00 | 0.00 | 0.00 | | | | | | | 1 | |
| | Termination) | 1 | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | - | 1 | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 miles | 1 | | UEPDC | 1LNOB | 0.5753 | 0.00 | 0.00 |] | | | | | 1 | I | |
| - | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | 1 | | UEPUC | ILINUB | 0.5753 | 0.00 | 0.00 | | | | | | 1 | + | |
| | Termination) | 1 | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | 1 | I | |
| | Tommadon) | | | 02.100 | 121100 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | t | + |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | l | | UEPDC | 1LNOC | 0.5753 | 0.00 | 0.00 | | | | | | | 1 | |
| | Local Number Portability, per DS0 Activated | l | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 0.00 | | | | | 1 | 1 | |
| | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | 2.00 | 2.00 | 2.00 | | | | | | | |
| 4-WIF | RE DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | 1 | | | | † | | | | | | | |
| Syste | m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act | | | | | | | | | | | | | | | |
| Each | System can have up to 24 combinations of rates depending on | | | ber of ports used | | | | | | | | | | | | |
| | DS1 Loop | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 47.54 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 2 | | 2 | UEPMG | USLDC | 84.27 | 0.00 | 0.00 | | | | | | | | |
| - | 4-Wire DS1 Loop - UNE Zone 3 | | 3 | UEPMG | USLDC | 134.14 | 0.00 | 0.00 | | | | | | | | |

| INBUNDL | ED NETWORK ELEMENTS - North Carolina | | | | • | | | | | | | | | ment: 2 | | bit: B |
|-----------|--|--|----------|----------------------|-----------------|-------------------|----------------|------------|--|-------|--------------|--------------|-------------|--|--|------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Increment |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual S |
| ATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | | | | | | |
| AILOOKI | KATE ELEMENTO | m | Zone | 500 | 0000 | | | IAILO (Ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | 1 | | | 1 | | | | | | | | | | |
| | | | | | | Rec | Nonre | | Nonrecurring | | | | | Rates(\$) | | |
| | | L | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| UNE | DSO Channelization Capacities (D4 Channel Bank Configuration | ns) | | | | | | | | | | | | | | |
| | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 123.06 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 246.12 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 492.24 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 738.36 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 984.48 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM2O | 1,230.60 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 288 DS0 Channel Capacity - 1 per 12 DS1s | | 1 | UEPMG | VUM28 | 1,476.72 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 384 DS0 Channel Capacity - 1 per 12 DS1s | | _ | UEPMG | VUM38 | 1,968.96 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | | 1 | | | | | | | | | | | | | |
| | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM4O | 2,461.20 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 576 DS0 Channel Capacity -1 per 24 DS1s | <u> </u> | | UEPMG | VUM57 | 2,953.44 | 0.00 | 0.00 | ļl | | | | 19.99 | 19.99 | | |
| | 672 DS0 Channel Capacity - 1 per 28 DS1s | <u></u> | <u>L</u> | UEPMG | VUM67 | 3,445.68 | 0.00 | 0.00 | L | | | | 19.99 | 19.99 | | |
| Non- | -Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit | h Chanı | neliztio | on with Port - Conve | rsion Charge | Based on a Sy | stem | | | | | | | | | |
| A Mi | inimum System configuration is One (1) DS1, One (1) D4 Channe | el Bank, | and U | p To 24 DSO Ports v | with Feature A | ctivations. | | | | | | | | | | |
| Mult | tiples of this configuration functioning as one are considered A | dd'l afte | er the m | ninimum system cor | nfiguration is | counted. | | | | | | | | | | |
| | NRC - Conversion (Currently Combined) with or without | 1 | 1 | | | | | | | | | | | | | |
| | BellSouth Allowed Changes | | | UEPMG | USAC4 | 0.00 | 330.61 | 16.64 | | | | | 19.99 | 19.99 | | |
| Syct | em Additions at End User Locations Where 4-Wire DS1 Loop wi | th Char | nolizat | | | | | 10.04 | | | | | 13.33 | 13.33 | | |
| | | | | | Jination Curre | IIIIY EXISIS AIIC | 1 | | | | | | | | | |
| New | (Not Currently Combined) in all states, except in Density Zone | oriop | 8 W S | A'S | | | | | | | | | | | | |
| | 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port | | | | | | | | | | | | | | | |
| | and Assoc Fea Activation | | | UEPMG | VUMD4 | 0.00 | 743.74 | 326.22 | 149.02 | 17.68 | | | 19.99 | 19.99 | | |
| Bipo | olar 8 Zero Substitution | | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent | | | | | | | | | | | | | | | |
| | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 615.00 | | | | | | | | |
| | Clear Channel Capability Format - Extended Superframe - | | | | | | | | | | | | | | | |
| | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 615.00 | | | | | | | | |
| Altor | rnate Mark Inversion (AMI) | | _ | OLI MO | CCCLI | 0.00 | 0.00 | 010.00 | | | | | | | | |
| Aitei | | | 1 | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Superframe Format | | | | | 0.00 | 0.00 | | | | | | | | | |
| | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | nange Ports Associated with 4-Wire DS1 Loop with Channelizati | on with | Port | | | | | | | | | | | | | |
| Exch | nange Ports | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 2.28 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 | | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 2.28 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 | | |
| | | 1 | | Ì | | | | . ,, | 1 | . , , | | | | | | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | l | | UEPPX | UEP1X | 2.28 | 0.00 | 0.00 | 0.00 | 0.00 | 1 | 1 | 40.18 | 9.45 | | l |
| | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | t | + | UEPPX | UEPDM | 13.26 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 | | |
| F | | | 1 | UEFFA | UEPDIVI | 13.20 | 0.00 | 0.00 | 0.00 | 0.00 | | | 40.16 | 9.45 | | |
| reat | ure Activations - Unbundled Loop Concentration | 1 | 1 | | + | | | | | | 1 | 1 | | - | | |
| | Feature (Service) Activation for each Line Port Terminated in D4 | 1 | 1 | l | 1 | | | | | | I | I | 1 |] | 1 | |
| | Bank | <u> </u> | | UEPPX | 1PQWM | 0.65 | 25.27 | 13.34 | 4.15 | 4.12 | | | 40.18 | 9.45 | | |
| | Feature (Service) Activation for each Trunk Port Terminated in | 1 | 1 | | 1 | | | | | | I | I | 1 |] | 1 |] |
| | D4 Bank | <u> </u> | <u></u> | UEPPX | 1PQWU | 0.65 | 77.75 | 18.33 | 58.74 | 11.48 | <u> </u> | <u> </u> | 40.18 | 9.45 | <u>l </u> | L |
| Tele | phone Number/ Group Establishment Charges for DID Service | | | | | | | | | | | | | | | |
| | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | 1 | | | | | | | |
| | Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) | 1 | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | i 1 | | | | i | | | |
| | DID Numbers - groups of 20 - Valid all States | 1 | 1 | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | 1 | 1 | | | 1 | |
| | Non-Consecutive DID Numbers - per number | t | + | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | l | | | |
| _ | Reserve Non-Consecutive DID Numbers | | 1 | UEPPX | ND6 | 0.00 | | 0.00 | | | | | | - | | |
| _ | | 1 | 1 | | | | 0.00 | | | | 1 | 1 | | - | | |
| | Reserve DID Numbers | ! | 1 | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Loca | al Number Portability | <u> </u> | | | 1 | | | | | | 1 | 1 |] |] | | |
| | Local Number Portability - 1 per port | <u> </u> | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| FEA | TURES - Vertical and Optional | | | | | | | | | | | | | | | |
| Loca | al Switching Features Offered with Line Side Ports Only | | | | | | | | 1 | | | | | | İ | |
| | All Features Available | 1 | 1 | UEPPX | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| IBUNDI FI | D PORT LOOP COMBINATIONS - MARKET RATES | 1 | 1 | 1 | 1 | 20 | 2.30 | 2.30 | 1 | | i e | i e | 1 | 1 | 1 | |
| | ket Rates shall apply where BellSouth is not required to provide | unbur | dlad la | cal switching or au | itch norte nor | ECC and/or C4 | ate Commissi | n rules | | | 1 | 1 | | | | <u> </u> |
| | | I | aleu 10 | Car awritining of SW | licii porta per | i oo anu,or st | are Commission | ii iules. | | | 1 | 1 | | | 1 | |
| LINIS | includes: | 1 | | l . | | | | | | | | | | | | <u> </u> |
| | undled port/loop combinations that are Currently Combined or | | | | | | | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhil | bit: B |
|----------|---|----------|--|-----------------------|-----------------|---------------------|----------------|----------------|------------------|-----------------|---------------|--------------|------------------|------------------|----------------|--|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | | , | | | | |
| OATEOORT | NATE ELEMENTO | m | | 500 | 0000 | | | πατ Εσ (ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | + | t i | Nonre | rurring | Nonrecurring | Disconnect | | l . | 088 | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | | SOMAN | SOMAN |
| Religo | I buth currently is developing the billing capability to mechanica | lly bill | the rec | urring and non-recu | rring Market | Pates in this se | | | | | | | | | | |
| | BellSouth shall bill the rates in the Cost-Based section prece | | | | | | | | ig charges for | not currently t | Joinbilled II | I L and NO | . III the litter | III WIIGIG Delik | Journ Carmor | DIII Warket |
| | arket Rate for unbundled ports includes all available features | | | lile Warket Nates all | u reserves ti | le rigiit to true-i | up the billing | uniterence. | ı | ı | 1 | ı | | 1 | | |
| | ffice and Tandem Switching Usage and Common Transport Us | | | Dort coation of th | io roto ovbib | it aball apply to | all combinati | one of lean/ne | rt notwork olor | monto ovecnt | for LINE Co | n Bort/Loor | Combinatio | as which how | a flat rate us | ogo oborgo |
| | | saye rat | es III u | ie Fort Section of th | iis rate exilib | it siiaii appiy to | an combinati | ons or loop/po | it lietwork elei | nents except | IOI OINE COI | ii Foit/Loop | Combinatio | is willcii liave | a nat rate us | age charge |
| | C: URECU). | | | | | | | | | | | | | | | |
| | ot Currently Combined scenarios the Nonrecurring charges are | listed i | in the I | First and Additional | NRC column | s for each Port | USOC. For C | urrently Combi | ned scenarios | , the Nonrecur | ring charge | s are listed | in the NRC - 0 | Currently Con | bined section | 1. |
| | onal NRCs may apply also and are categorized accordingly. | | | | | | | | | | | | | | | |
| | E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | 1 |
| UNE P | ort/Loop Combination Rates | | | | | | | | | | | | | | | 1 |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 24.75 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 33.05 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 44.33 | | | | | | | | | | |
| UNE L | oop Rates | | | | | | | | | | | | | | | í |
| İ | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 10.75 | | | | | | | | | | í |
| ı | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 19.05 | | | | | | | | | | í |
| İ | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 30.33 | | | | | | | | | | i |
| 2-Wire | Voice Grade Line Port (Res) | | | | | | | | | | | | | | | í T |
| | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID | | | | | | | | | | | | | | | |
| | (LUM) | | | UEPRX | UEPAP | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | 1 |
| | 2-Wire voice unbundled Low Usage Line Port without Caller ID | | | 02.100 | 02.71 | 1 1100 | 00.00 | 00.00 | | | 1 | | 10.10 | 0.10 | | ſ |
| | Capability | | | UEPRX | UEPRT | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | ł |
| LOCA | L NUMBER PORTABILITY | | | OLI IXX | OLITA | 14.00 | 30.00 | 30.00 | | | | | 40.10 | 3.43 | | |
| LOCA | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| FEATU | | | | OLI IXX | LIVI OX | 0.55 | | | | | | | | | | |
| I LAIN | All Features Offered | | | UEPRX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| NONE | ECURRING CHARGES - CURRENTLY COMBINED | | | OLI IXX | OLI VI | 0.00 | 0.00 | 0.00 | | | | | 40.10 | 3.43 | | |
| NONK | ECORRING CHARGES - CORRENTET COMBINED | | | | + | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | UEPRX | USAC2 | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | ł |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | ULFKA | USACZ | | 41.50 | 41.50 | | | | | 40.10 | 9.43 | | |
| | change | | | UEPRX | USACC | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | 1 |
| ABBIT | TONAL NRCs | | - | UEPRX | USACC | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| ADDIT | | | - | | | | | | | | | | | | | |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - | | | LIEDDY | 110400 | | 0.00 | 0.00 | | | | | 40.40 | 0.45 | | ł |
| 0.14/15 | Subsequent E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | UEPRX | USAS2 | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | | | - | | | | | | | | | | | | | |
| UNE P | Port/Loop Combination Rates | | - | | + | 04 == | | | | | 1 | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | + | 24.75 | | | | | 1 | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | + | 33.05 | | | | 1 | - | ļ | | 1 | | - |
| 1.57- | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | + | 44.33 | | | | 1 | - | ļ | | 1 | | - |
| UNE L | oop Rates | | . | LIEDDY | LIEDLY | 10 =- | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 10.75 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 19.05 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 30.33 | | | | | | | | | | |
| 2-Wire | Voice Grade Line Port (Bus) | | <u> </u> | LIEBBY | Lucas: | ļ | | | | | | | | | | - |
| | 2-Wire voice unbundled port without Caller ID - bus | | <u> </u> | UEPBX | UEPBL | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | . |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | <u> </u> | UEPBX | UEPBC | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | . |
| | 2-Wire voice unbundled port outgoing only - bus | | <u> </u> | UEPBX | UEPBO | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | ı |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID | | 1 | | 1 |] | | | | | 1 | 1 | | İ | | 1 |
| | Capability | | | UEPBX | UEPBE | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| LOCA | L NUMBER PORTABILITY | | | | <u> </u> | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | | |
| FEAT | | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| NONR | ECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | | 1 | | | | | | <u> </u> | 1 | | 1 | - | | - | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | 1 | 1 | UEPBX | USAC2 | 1 | 41.50 | 41.50 | 1 | 1 | | l | 40.18 | 9.45 | | ı |

Version 1Q03: 02/28/03 Page 305 of 420

| UNBUND | LED NETWORK ELEMENTS - North Carolina | , | | | | | | | | | | | | ment: 2 | | bit: B |
|----------|---|-------------|----------|---------|--------|----------------|--------|------------|--|--------------|--|---|--|--|---|---|
| CATEGORY | Y RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch with | | | UEPBX | 110400 | | 44.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| ADI | change DITIONAL NRCs | | | UEPBX | USACC | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| ADI | NRC - 2-Wire Voice Grade Loop/Line Port Combination - | | 1 | | | | | | | | | | | | | |
| | Subsequent | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| 2-W | VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | OLI DX | 00/102 | | 0.00 | 0.00 | | | | | 40.10 | 0.40 | | |
| | E Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 24.75 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 33.05 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 44.33 | | | | | | | | | | |
| UNI | E Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRG | UEPLX | 10.75 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRG | UEPLX | 19.05 | | | ļ | ļ | | | | | ļ | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRG | UEPLX | 30.33 | | | | | | | | | | |
| 2-W | Vire Voice Grade Line Port Rates (RES - PBX) | - | 1 | | | | | | | | | | | | | |
| | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res | | | UEPRG | UEPRD | 44.00 | 90.00 | 90.00 | I | | | | 40.18 | 9.45 | 1 | 1 |
| 1.00 | Kes Cal Number Portability | - | 1 | UEPRG | UEPRD | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| LOC | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| EE/ | ATURES | + | 1 | OLFRG | LINFOF | 3.13 | 0.00 | 0.00 | | | | | | | | |
| r L | All Features Offered | + | 1 | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| NO | NRECURRING CHARGES - CURRENTLY COMBINED | | | OLI ILO | OLI VI | 0.00 | 0.00 | 0.00 | | | | | 40.10 | 0.40 | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPRG | USAC2 | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | | | | | | | | | | | | | | |
| | Change | | | UEPRG | USACC | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| ADI | DITIONAL NRCs | | | | | | | | | | | | | | | |
| | 2 Wire Loop/Line Side Port Combination - Non feature - | | | | | | | | | | | | | | | |
| | Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |
| | Group | 1 | 1 | | | | 14.64 | 14.64 | | | | | 40.18 | 9.45 | | |
| | VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | 1 | 1 | | | | | | | | | | | | | |
| UNI | E Port/Loop Combination Rates | | <u> </u> | | | 04.75 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | - | 1 2 | | | 24.75 33.05 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 3 | | | 33.05 44.33 | | | - | | | | | | | <u> </u> |
| I INII | 2-Wire VG Loop/Port Combo - Zone 3 E Loop Rates | + | 3 | | + + | 44.33 | | | - | | | | | | | |
| UNI | 2-Wire Voice Grade Loop (SL1) - Zone 1 | + | 1 | UEPPX | UEPLX | 10.75 | | | | 1 | 1 | 1 | | 1 | 1 | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | + | 2 | UEPPX | UEPLX | 19.05 | | | | <u> </u> | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | 1 | 3 | UEPPX | UEPLX | 30.33 | | | <u> </u> | 1 | | | | | 1 | |
| 2-W | Vire Voice Grade Line Port Rates (BUS - PBX) | | Ť | 1 | | 33.55 | | | 1 | 1 | | | | | 1 | |
| | | | | | | | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 14.00 | 90.00 | 90.00 | I | | | | 40.18 | 9.45 | 1 | 1 |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 14.00 | 90.00 | 90.00 | ļ | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | - | 1 | UEPPX | UEPXC | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | 1 | | UEPPX | UEPXD | 14.00 | 90.00 | 90.00 | . | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | UEPPX | UEPXE | 14.00 | 00.00 | 90.00 | 1 | | | | 40.18 | 9.45 | | |
| | Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | + | 1 | UEPPA | UEPAE | 14.00 | 90.00 | 90.00 | - | | 1 | | 40.18 | 9.45 | | |
| | Administrative Calling Port | | | UEPPX | UEPXL | 14.00 | 90.00 | 90.00 | 1 | | | | 40.18 | 9.45 | | |
| - | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | + | 1 | OLI I A | OLI AL | 14.00 | 90.00 | 50.00 | | 1 | | | 40.10 | 9.40 | | |
| | Room Calling Port | | | UEPPX | UEPXM | 14.00 | 90.00 | 90.00 | 1 | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | 1 | | | 52. /W | 14.00 | 55.56 | 30.00 | <u> </u> | 1 | | | 70.10 | 5.45 | 1 | |
| | Discount Room Calling Port | | | UEPPX | UEPXO | 14.00 | 90.00 | 90.00 | 1 | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | 1 | 1 | UEPPX | UEPXS | 14.00 | 90.00 | 90.00 | <u> </u> | 1 | 1 | 1 | 40.18 | 9.45 | 1 | |

| JNBUNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------|--|--|--|--|----------|-------|--------|------------|--------------|------------|---|---|--|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge Manual S Order vs Electronic Disc Add |
| - | | | | | - | | Nonrec | urring | Nonrecurring | Disconnect | | | 220 | Rates(\$) | | L |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| LOCA | L NUMBER PORTABILITY | | | | + | | FIISL | Auu i | FIISL | Auu i | SOMEC | JOWAN | JOWAN | SOWAN | JOWAN | JOWAN |
| LOGA | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| FEAT | | | | OLI I X | LIVI OI | 0.10 | 0.00 | 0.00 | | | | | | | | |
| | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| NONE | ECURRING CHARGES - CURRENTLY COMBINED | | | | V | | | | | | | | | | | |
| 1.0 | | | | | 1 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPPX | USAC2 | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | | | | | | | | | | | | | | |
| | Change | | | UEPPX | USACC | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | 1 | | UEPPX | USAS2 | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | 1 |
| | 2 Wire Loop/Line Side Port Combination - Non feature - | | | | | | | | | | | | - | | | |
| | Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |
| | Group | 1 | | ĺ | i l | | 14.64 | 14.64 | | | | | 40.18 | 9.45 | | 1 |
| | E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | RT | | | | | | | i i | | | | | | | |
| UNE F | Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 24.75 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 33.05 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 44.33 | | | | | | | | | | |
| UNE I | oop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 10.75 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 19.05 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 30.33 | | | | | | | | | | |
| 2-Wire | e Voice Grade Line Port Rates (Coin) | | | | | | | | | | | | | | | |
| | 2-Wire Coin 2-Way without Operator Screening and without | | | | | | | | | | | | | | | |
| | Blocking (NC) | | | UEPCO | UEPND | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Coin 2-Way with Operator Screening (NC) | | | UEPCO | UEPNC | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | | | | | | | | | | | | | |
| | 900/976, 1+DDD (NC, TN) | | | UEPCO | UEPRP | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | (NC) | | | UEPCO | UEPNB | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: | | | | | | | | | | | | | | | |
| | 900/976, 1+DDD, 011+, and Local (NC, TN) | | | UEPCO | UEPCA | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | <u> </u> |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | İ |
| | (NC) | | | UEPCO | UEPNE | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | | | | | | | | | | | | | | | |
| | 900/976, 1+DDD, 011+, and Local (NC) | | | UEPCO | UEPCL | 14.00 | 90.00 | 90.00 | | | | | 40.18 | 9.45 | | ļ |
| LOCA | L NUMBER PORTABILITY | | | | | | | | | | | | | | | <u> </u> |
| | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| NONE | ECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | O Miles Vision Conde Land / Line Bort Conditioning Condition | 1 | | LIEBOO | 110400 | | 44.50 | 44.50 | | | | | 40.40 | 0.4- | | 1 |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | ļ | | UEPCO | USAC2 | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | l | | LIEDOO | 110400 | | 44.50 | 44.50 | | | | | 40.40 | 0.4- | | |
| ADDI | Change | <u> </u> | | UEPCO | USACC | | 41.50 | 41.50 | | | | | 40.18 | 9.45 | | |
| ADDI | TIONAL NRCs | <u> </u> | | | + | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | l | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| 2-14/10 | E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | I | OPT / | | UUAUZ | | 0.00 | 0.00 | | | | | 40.10 | 9.45 | | |
| | Port/Loop Combination Rates | | OK1 (| inco <i>j</i> | + - | | | | + | | | | | | | |
| | oop Rates | 1 | | | + - | | | | + | | | | | | | |
| | e Voice Grade Line Port Rates (Res) | | | | + - | | | | + | | | | | | 1 | |
| 2-1111 | 2-Wire voice unbundled port - residence | 1 | | UEPFR | UEPRL | 14.00 | 225.00 | 170.00 | + | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled port vith Caller ID - res | 1 | | UEPFR | UEPRC | 14.00 | 225.00 | 170.00 | + | | | | 40.18 | 9.45 | | |
| - | 2-Wire voice unbundled port outgoing only - res | | | UEPFR | UEPRO | 14.00 | 225.00 | 170.00 | + | | | | 40.18 | 9.45 | | |
| -+ | 2-Wire voice unbundles res, low usage line port with Caller ID | 1 | | OLI TIK | JEI IKO | 14.00 | 223.00 | 170.00 | | | | | 40.10 | 3.43 | | |
| | (LUM) | l | | UEPFR | UEPAP | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | | |
| | ROFFICE TRANSPORT | | | 021111 | OLI AI | 17.00 | 220.00 | 170.00 | 1 | | | | 70.10 | 3.73 | 1 | |

| ONROND | ED NETWORK ELEMENTS - North Carolina | | | 1 | <u> </u> | | | | | | T - | 1 - | | ment: 2 | | ibit: B |
|---------|--|--|--|--|----------|--------|--------|------------|------------------|-------------|---|---|--|--|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sy Order vs. Electronic Disc Add |
| | | | | | | | Name | | l Names accoming | . Dianamant | | | | | | |
| | | - | | | | Rec | Nonrec | | Nonrecurring | | COMEC | SOMAN | SOMAN | Rates(\$) | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | - | | First | Add'l | First | Add'l | SOMEC | SOWAN | SUMAN | SUMAN | SUMAN | SOWAN |
| | Termination | | | UEPFR | U1TV2 | 18.00 | 140.00 | 71.00 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | - | - | | | | | | | | | | | |
| | or Fraction Mile | | | UEPFR | 1L5XX | 0.0125 | | | | | | | | | | |
| FEA | TURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPFR | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| LOC | AL NUMBER PORTABILITY | | | LIEDED | LUBOY | | | | | | | | | | | |
| NON | Local Number Portability (1 per port) | | | UEPFR | LNPCX | 0.35 | | | | | | | | | | |
| NON | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | _ |
| | Combination - Conversion - Switch-as-is | | | UEPFR | USAC2 | | 9.03 | 1.87 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | OLITIN | USAUZ | | 9.03 | 1.07 | | | | | 40.10 | 9.45 | | |
| | Combination - Conversion - Switch-With-Change | 1 | | UEPFR | USACC | | 9.03 | 1.87 | | | | | 40.18 | 9.45 | I | |
| 2-WI | RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE | PORT (| | | | 2.20 | | İ | | | | | 2.10 | 1 | † |
| | Port/Loop Combination Rates | | <u> </u> | , | | | | | | | | | | | | |
| UNE | Loop Rates | | | | | | | | | | | | | | | |
| 2-Wi | re Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPFB | UEPBL | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPFB | UEPBC | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPFB | UEPBO | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPFB | UEPB1 | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | | |
| LOC | AL NUMBER PORTABILITY | | | LIEDED | LNDOV | 0.05 | | | | | | | | | | |
| INITE | Local Number Portability (1 per port) | | | UEPFB | LNPCX | 0.35 | | | | | | | | | | |
| INTE | ROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | + |
| | Termination | | | UEPFB | U1TV2 | | | | | | | | | | | |
| - | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | OLFIB | UTIVZ | | | | | | | | | | | |
| | or Fraction Mile | | | UEPFB | 1L5XX | | | | | | | | | | | |
| FEA | TURES | | | | | | | | | | | | | | 1 | |
| | All Features Offered | | | UEPFB | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| NON | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-as-is | | | UEPFB | USAC2 | | 9.03 | 1.87 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch with change | | | UEPFB | USACC | | 9.03 | 1.87 | | | | | 40.18 | 9.45 | | |
| | RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | |
| | Port/Loop Combination Rates | | | - | | | | | | | 1 | | | | - | |
| | Loop Rates re Voice Grade Line Port Rates (BUS - PBX) | 1 | 1 | - | + + | | | | 1 | | | | | | + | |
| Z-VVI | TO TO TO GRAVE LINE I OIT NAIGO (DOG - FDA) | | - | | + | | | | | | 1 | | | 1 | t | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | 1 | | UEPFP | UEPPC | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | I | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | 1 | UEPFP | UEPPO | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | 1 | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPFP | UEPP1 | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | | i e |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPFP | UEPLD | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | | 1 |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPFP | UEPXA | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPFP | UEPXB | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPFP | UEPXC | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPFP | UEPXD | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | 1 | ļ |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | 1 | 1 | LIEDED | LIEDY'E | | | .=0.5- | | | | | | | | |
| | Capable Port | | <u> </u> | UEPFP | UEPXE | 14.00 | 225.00 | 170.00 | 1 | - | } | | 40.18 | 9.45 | ! | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPFP | UEPXL | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | 1 | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | <u> </u> | UEPFP | UEPAL | 14.00 | 225.00 | 170.00 | | | - | | 40.18 | 9.45 | - | |
| | Room Calling Port | | | UEPFP | UEPXM | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | 1 | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | - | 02111 | OLI AIVI | 14.00 | 223.00 | 170.00 | | | 1 | | 40.10 | 9.45 | t | |
| | Discount Room Calling Port | 1 | | UEPFP | UEPXO | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | I | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | 1 | UEPFP | UEPXS | 14.00 | 225.00 | 170.00 | | | | | 40.18 | 9.45 | 1 | |
| LOC | AL NUMBER PORTABILITY | | 1 | İ | 1 | | | | | | | | | 2.10 | 1 | † |
| | Local Number Portability (1 per port) | | 1 | UEPFP | LNPCP | 3.15 | 0.00 | 0.00 | | | İ | | 40.18 | 9.45 | | i e |

| UNB | UNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | , | | ment: 2 | | ibit: B |
|----------|-----------|--|--|--|---------|-----------|--|--|--------|------------|--|--------------|--|---|--|--|---|--|
| CATE | GORY | RATE ELEMENTS | Interi m | Zone | В | cs | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | 1 | | | | | | - | 1 | Nonrec | urring | Nonrecurring | n Disconnect | | | 088 | Rates(\$) | | <u> </u> |
| | | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | INTER | I DFFICE TRANSPORT | | | | | 1 | | riist | Auu i | FIISL | Auu i | SOMEC | SOWAN | JOWAN | JOWAN | SOWAN | JOWAN |
| | INTERN | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | | + |
| | | Termination | | | UEPFP | | U1TV2 | | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | OLITI | | 011172 | | | | | | | | | | | + |
| | | or Fraction Mile | | | UEPFP | | 1L5XX | | | | | | | | | | | |
| | FEATU | | | | OLITI | | 120/01 | | | | | | | | | | | 1 |
| | LAIG | All Features Offered | | | UEPFP | | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | 1 |
| | NONRE | ECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | OLITI | | OLI VI | 0.00 | 0.00 | 0.00 | | | | | 40.10 | 0.40 | | + |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | 1 | | | | | | | | | | | 1 |
| | | Combination - Conversion - Switch-as-is | | | UEPFP | | USAC2 | | 9.03 | 1.87 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | OLITI | | 00/102 | | 0.00 | 1.01 | | | | | 40.10 | 3.40 | | 1 |
| | | Combination - Conversion - Switch with change | | | UEPFP | | USACC | | 9.03 | 1.87 | | | | | 40.18 | 9.45 | 1 | |
| UNBU | NDLED F | PORT/LOOP COMBINATIONS - MARKET BASED RATES | 1 | | J=: 1 1 | | 3000 | | 0.00 | 1.07 | | | 1 | | 40.10 | 5.45 | | |
| 320 | | VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PORT | - | | | 1 | | | | | | | | | | <u> </u> | t |
| | | ort/Loop Combination Rates | 1 | t | | | † | | | | | 1 | | | | | t | 1 |
| | OILL I | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | 1 | 60.85 | | | | | | | | | | 1 |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | | | 67.68 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | | 1 | 77.96 | | | | | | | | | | + |
| | | pop Rates | | Ŭ | | | | 77.50 | | | | | | | | | | 1 |
| | OILL L | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | | UECD1 | 8.85 | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | | UECD1 | 15.68 | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | | UECD1 | 25.96 | | | | | | | | | | |
| | LINE P | ort Rate | | | OLITA | | OLOD1 | 20.00 | | | | | | | | | | + |
| | 0 | Exchange Ports - 2-Wire DID Port | | | UEPPX | | UEPD1 | 52.00 | 485.00 | 75.00 | | | | | 40.18 | 9.45 | | |
| | NONRE | ECURRING CHARGES - CURRENTLY COMBINED | | | OL: . X | | 02. 2. | 02.00 | .00.00 | 70.00 | | | | | 10.10 | 00 | | 1 |
| | - I CITAL | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - | | | | | 1 | | | | | | | | | | | |
| | | Switch-As-Is Top 8 MSAs only | | | UEPPX | | USAC1 | | 200.00 | 75.00 | | | | | 53.89 | 11.34 | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | OLITA | | 00/101 | | 200.00 | 70.00 | | | | | 00.00 | 11.04 | | <u> </u> |
| | | with BellSouth Allowable Changes Top 8 MSAs only | | | UEPPX | | USA1C | | 200.00 | 75.00 | | | | | 53.89 | 11.34 | | |
| | ADDIT | ONAL NRCs | | | OLITA | | 00/110 | | 200.00 | 70.00 | | | | | 00.00 | 11.04 | | <u> </u> |
| | | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | | USAS1 | | 75.00 | | | | | | 40.18 | 9.45 | | |
| | | one Number/Trunk Group Establisment Charges | | | OLITA | | OOAOT | | 75.00 | | | | | | 40.10 | 3.43 | | <u> </u> |
| | relepii | DID Trunk Termination (One Per Port) | | | UEPPX | | NDT | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| | | DID Numbers, Establish Trunk Group and Provide First Group | | | OLITA | | INDI | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | of 20 DID Numbers | | | UEPPX | | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | † |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPPX | | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | † |
| | | Reserve Non-Consecutive DID numbers | | | UEPPX | | ND6 | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| | | Reserve DID Numbers | | | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | † |
| | LOCAL | NUMBER PORTABILITY | | | OLITA | | INDV | 0.00 | 0.00 | 0.00 | | | | | | | | - |
| | LOUAL | Local Number Portability (1 per port) | | | UEPPX | | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | - |
| | 2-WIDE | EISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI | NE SIDI | E PORT | | | LINECE | 3.13 | 0.00 | 0.00 | | | 1 | | | | | |
| | | ort/Loop Combination Rates | T 3101 | I | | | 1 | | | | 1 | | 1 | | | 1 | | |
| | ONE P | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | 1 | | | | 1 | + | | | 1 | | 1 | | | 1 | | |
| 1 | 1 | UNE Zone 1 | 1 | 1 | UEPPB | UEPPR | 1 | 79.47 | | | | | | | | l | I | |
| | 1 | ONE ZONE 1 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2 | | 2 | UEPPB | UEPPR | | 90.64 | | | | | | | | | | |
| | 1 | INNE ZONE 2 WISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3 | | 3 | UEPPB | UEPPR | | 105.81 | | | | | | | | | | |
| | LINIE / | | <u> </u> | 3 | UEPPB | UEPPR | | 105.81 | | | | | | | | | | <u> </u> |
| | UNE LO | pop Rates 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 14.47 | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 25.64 | | | | | | | | | | |
| | 1 | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | ! | 3 | UEPPB | UEPPR | | 40.81 | | | | | | | | - | | |
| | UNF P | ort Rate | 1 | ۲ | J I | J (| 150 | 70.01 | | | | | 1 | | | | | |
| | OHE F | Exchange Port - 2-Wire ISDN Line Side Port | | † | UEPPB | UEPPR | UEPPB | 65.00 | 450.00 | 375.00 | | | | | 19.99 | 19.99 | t | |
| | NONPE | ECURRING CHARGES - CURRENTLY COMBINED | | 1 | OLIID | OLI I I I | OLI I D | 05.00 | +50.00 | 373.00 | | | | | 10.99 | 13.33 | - | † |
| \vdash | | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | 1 | | | | † | | | | | | 1 | | | | | |
| 1 | | Combination - Conversion - Top 8 MSAs only | | | UEPPB | UEPPR | USACB | 0.00 | 200.00 | 200.00 | | | | | | | | |

| ONRONDL | LED NETW | ORK ELEMENTS - North Carolina | , | | | | | 1 | | | | | | , | | ment: 2 | | ibit: B |
|----------|---------------|---|-------------|--|--------|--------|--------------|----------|----------|------------|--------------|-------|---|---|--|--|--|--|
| CATEGORY | , | RATE ELEMENTS | Interi m | Zone | E | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Order vs. Electronic- | Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | DITIONAL NR | | | | | | | | | | | | | | | | | |
| LOC | | PORTABILITY | | | L | | | | | | | | | | | | | |
| | Local Nur | nber Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | |
| B-CF | | R PROFILE ACCESS: | | | | | | | | | | | | | | | | |
| | | (DMS/5ESS) | | <u> </u> | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS (EW | SD) | | <u> </u> | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CSD | | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | A PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO | C,MS, & | i IN) | | | | | | | | | | | | | | |
| USE | R TERMINAL | | | <u> </u> | | | | | | | | | | | | | | |
| | | ninal Profile (EWSD only) | <u> </u> | <u> </u> | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | <u> </u> | | | | - | |
| VER. | TICAL FEAT | | <u> </u> | <u> </u> | LIEBBS | LIEBBE | LIED) (E | | | | | | | | | 10.5- | - | |
| | | I Features - One per Channel B User Profile | | <u> </u> | UEPPB | UEPPR | UEPVF | 3.40 | 0.00 | 0.00 | | | ļ | | 19.99 | 19.99 | . | ļ |
| INTE | | IANNEL MILEAGE | | <u> </u> | ļ | | 1 | | | | | | ļ | | | ļ | . | ļ |
| | | Channel mileage each, including first mile and | 1 | 1 | l | | | | | | | | | | | | I | |
| | facilities to | | | <u> </u> | | UEPPR | M1GNC | 18.0282 | 137.48 | 52.58 | | | ļ | | 19.99 | 19.99 | | <u> </u> |
| | | Channel mileage each, additional mile | | <u> </u> | UEPPB | UEPPR | M1GNM | 0.0282 | 0.00 | 0.00 | | | ļ | | | | | <u> </u> |
| | | TAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | PORT | | | | | | | | | | | | | | | |
| UNE | | ombination Rates | | | | | | | | | | | | | | | | 1 |
| | | Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | | |
| | Zone 1 | | | 1 | UEPPP | | | 947.54 | | | | | | | | | | 1 |
| | | Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | | |
| | Zone 2 | | | 2 | UEPPP | | | 984.27 | | | | | | | | | | |
| | 4W DS1 [| Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | | |
| | Zone 3 | | | 3 | UEPPP | | | 1,034.14 | | | | | | | | | | |
| UNE | Loop Rates | | | | | | | | | | | | | | | | | |
| | | 1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | | USL4P | 47.54 | | | | | | | | | | |
| | | 1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | | USL4P | 84.27 | | | | | | | | | | |
| | | 1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | | USL4P | 134.14 | | | | | | | | | | |
| UNE | Port Rate | | | | | | | | | | | | | | | | | |
| | | Ports - 4-Wire ISDN DS1 Port | | | UEPPP | | UEPPP | 900.00 | 1,150.00 | 1,150.00 | | | | | 19.99 | 19.99 | | |
| NON | | CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | | | | | | | | | | | | | | | |
| | | ion - Conversion -Switch-As-Is Top 8 MSAs only | | | UEPPP | | USACP | 0.00 | 925.00 | 925.00 | | | | | | | | |
| ADD | DITIONAL NR | | | | | | | | | | | | | | | | | |
| | 4-Wire DS | 1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | | | | | | |
| | | ent Inward/2-Way Tel Nos - (NC Only) | | | UEPPP | | PR7TG | | 1.17 | 1.17 | | | | | | | | |
| | | 1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent | | | | | | | | | | | | | | | | ĺ |
| | | utward tel nos. (NC only) | <u> </u> | L | UEPPP | | PR7TP | | 28.17 | 28.17 | <u> </u> | | <u></u> | | | <u> </u> | <u> </u> | <u> </u> |
| | 4-Wire DS | 1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | | | | | | | | | | | | | | |
| | Subseque | ent Inward Telephone Numbers | <u> </u> | L | UEPPP | | PR7ZT | | 56.33 | 56.33 | <u> </u> | | <u></u> | | | <u> </u> | <u> </u> | <u></u> |
| LOC | AL NUMBER | PORTABILITY | | | | | | | | | | | | | | | | |
| | | nber Portability (1 per port) | | | UEPPP | | LNPCN | 1.75 | | | | | | | | | | |
| INTE | | vsioning Only) | | | | | | | | | | | | | | | | |
| İ | Voice/Dat | | | | UEPPP | | PR71V | 0.00 | | | | | | | | | | |
| İ | Digital Da | | | | UEPPP | | PR71D | 0.00 | | | | | | | | | | |
| İ | Inward Da | | | | UEPPP | | PR71E | 0.00 | | | | | | | | | | |
| New | | al "B" Channel | | | | | | | | | | | | | | | | |
| 1 | | Iditional - Voice/Data B Channel | | | UEPPP | | PR7BV | 0.00 | 36.92 | | | | | | 19.99 | 19.99 | İ | 1 |
| | | Iditional - Digital Data B Channel | | | UEPPP | | PR7BF | 0.00 | 36.92 | | | | | | 19.99 | 19.99 | İ | 1 |
| j | | Iditional Inward Data B Channel | | | UEPPP | | PR7BD | 0.00 | 36.92 | | | | | | 19.99 | 19.99 | | |
| CAL | L TYPES | * **** | | | | | | | | | | | | | | | | f e |
| 1 | Inward | | | | UEPPP | | PR7C1 | 0.00 | | | | | | | | İ | İ | 1 |
| 1 | Outward | | 1 | | UEPPP | | PR7CO | 0.00 | | | | | | | | 1 | t | |
| | Two-way | | | † | UEPPP | | PR7CC | 0.00 | | | | | | | | | | |
| Inter | roffice Chanr | nel Mileage | 1 | | 1 | | 1 | 3.50 | | | | | l - | | | | t | |
| nite: | | h Including First Mile | 1 | | UEPPP | | 1LN1A | 71.8653 | 217.17 | 163.75 | 0.00 | | l - | | 19.99 | 19.99 | t | |
| | | ne-Fractional Additional Mile | l | | UEPPP | | 1LN1B | 0.5753 | 211.11 | 100.70 | 3.00 | | 1 | | 10.00 | 10.00 | — | <u> </u> |
| 4-WI | | TAL LOOP WITH 4-WIRE DDITS TRUNK PORT | 1 | | J=111 | | 10110 | 0.0100 | | | | | 1 | | | | | |
| | | Combination Rates | | | | | | | | | | | ļ | | | | ļ | |

| UNDUNDL | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------------------------------|--|--|--|--------|--------|--------|---------------------------------------|---------------------------------------|--|---------------------------------------|--------------|-----------|-------------|--|--------------|--|
| | | | | | | | · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · | | · · · · · · · · · · · · · · · · · · · | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Sv |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | | | Order vs. | Order vs. |
| o, o o | | m | | 200 | | | | | | | per LSR | per LSR | Order vs. | Order vs. | | |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| $\overline{}$ | | | 1 | | + | | Nonrec | urring | Nonrecurring | Disconnect | | | 066 | Rates(\$) | | |
| \longrightarrow | | | - | | | Rec | First | | | | COMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| $\longrightarrow \longleftarrow$ | AM DOA District and AM DOITO To all Docate LINE 7 and 4 | | _ | LIEDDO | | 797.54 | FIIST | Add'l | First | Add'l | SOWIEC | SUMAN | SUMAN | SOWAN | SUMAN | SOWAN |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | | UEPDC | | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 834.27 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 884.14 | | | | | | | | | | |
| UNE | Loop Rates | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 47.54 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 84.27 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 134.14 | | | | | | | | | | |
| UNE | Port Rate | | | | | | | | | | | | | | | |
| | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 750.00 | 1,050.00 | 480.00 | 0.00 | 0.00 | | | 19.99 | 19.99 | | |
| NON | IRECURRING CHARGES - CURRENTLY COMBINED | | | | | | · | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | - Switch-As-Is Top 8 MSAs only | | | UEPDC | USAC4 | | 288.86 | 133.87 | | | | | | | | |
| +- | STATE IN TO PO MICH ONLY | | | 021 00 | 00/104 | | 200.00 | 100.07 | | | 1 | | | t | 1 | 1 |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | 1 | 1 | | | | | | | | I | | | 1 | | |
| | | | | LIEDDO | LICANA | | 200 22 | 400.07 | | | 1 | | | | | |
| | - Conversion with DS1 Changes Top 8 MSAs only | 1 | 1 | UEPDC | USAWA | | 288.86 | 133.37 | 1 | | 1 | | | 1 | 1 | 1 |
| | | 1 | 1 | | | | | | | | I | | | 1 | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | 1 | 1 | l | | | | | | | I | | | 1 | | |
| | - Conversion with Change - Trunk Top 8 MSAs only | <u> </u> | | UEPDC | USAWB | | 288.86 | 133.37 | | | <u> </u> | | | | | |
| ADD | ITIONAL NRCs | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | | | | | | | | | | | | |
| | Service Activity Per Service Order | | | UEPDC | USAS4 | | 127.63 | 127.63 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | | | | | | | | | | | | |
| | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 28.81 | 28.81 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | | | | | | | | | | | | |
| | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 28.81 | 28.81 | | | | | | | | |
| + | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | OLI DO | ODITO | | 20.01 | 20.01 | | | | | | | | |
| | Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 28.81 | 28.81 | | | | | 19.99 | 19.99 | | |
| \longrightarrow | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | - | OLFDC | ODITO | | 20.01 | 20.01 | | | | | 19.99 | 15.55 | | |
| | | | | LIEDDO | LIDTTO | | 00.04 | 00.04 | | | | | 19.99 | 40.00 | | |
| | Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 28.81 | 28.81 | | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 28.81 | 28.81 | | | | | | | | |
| BIPC | DLAR 8 ZERO SUBSTITUTION | | | | | | | | | | | | | | | |
| | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00 | 615.00 | | | | | 19.99 | 19.99 | | |
| | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 615.00 | | | | | 19.99 | 19.99 | | |
| Alter | rnate Mark Inversion | | | | | | | | | | | | | | | |
| | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| Tele | phone Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | |
| - 1.570 | Telephone Number for 2-Way Trunk Group | 1 | | UEPDC | UDTGX | 0.00 | | | | | | | 19.99 | 19.99 | 1 | 1 |
| -+ | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | ł – – – – | | 19.99 | 19.99 | | 1 |
| -+- | Telephone Number for 1-Way Inward Trunk Group Without DID | 1 | 1 | UEPDC | UDTGZ | 0.00 | | | | | 1 | | 19.99 | 19.99 | † | 1 |
| $\longrightarrow \longleftarrow$ | | <u> </u> | - | OLPDC | UDIGE | 0.00 | | | | | - | | 19.99 | 19.99 | 1 | - |
| | DID Numbers, Establish Trunk Group and Provide First Group | | | LIEDDO | NDZ | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| | of 20 DID Numbers | 1 | <u> </u> | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | ļ | | | | | | | - |
| | DID Numbers for each Group of 20 DID Numbers | | ! | UEPDC | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | <u> </u> | UEPDC | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID Nos. | <u> </u> | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | ļ | | | | | ļ | | 1 |
| | Reserve DID Numbers | <u> </u> | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | icated DS1 (Interoffice Channel Mileage) - | $ldsymbol{ldsymbol{eta}}$ | | | | | | | | | | | | | | |
| FX/F | CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | | | | | | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | 1 | 1 | UEPDC | 1LNO1 | 71.29 | 217.17 | 163.75 | 0.00 | 0.00 | I | | 19.99 | 19.99 | | |
| | i ' | 1 | | | | | | | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | 1 | 1 | UEPDC | 1LNOA | 0.5753 | 0.00 | 0.00 | | | I | | | 1 | | |
| -+ | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | | | 3.0700 | 0.00 | 0.00 | | | ł – – – – | | | t | | 1 |
| | Termination) | 1 | 1 | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | I | | | 1 | | |
| $\!\!\!+\!\!\!-$ | Interoffice Channel Mileage - Additional rate per mile - 9-25 | 1 | | UEPUC | ILINU2 | 0.00 | 0.00 | 0.00 | | | - | | | | | |
| | | 1 | 1 | LIEDDO | 41 NOD | 0.5750 | 0.00 | 0.00 | | | I | | | 1 | | |
| | miles | 1 | | UEPDC | 1LNOB | 0.5753 | 0.00 | 0.00 | | | | | | ļ | ļ | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | | | | | | | | | | | | | |

| ONDONDE | ED NETWORK ELEMENTS - North Carolina | | | | | | | | | | 1 | | | ment: 2 | | bit: B |
|-------------------------|--|-------------|----------|---|---|--|---|--|-------------------------------|------------------------------|------------------------|------------------------|----------------------------------|------------------------------|-------------------------|------------------------|
| | | | | | | | | | <u> </u> | | Svc Order Submitted | Svc Order Submitted | Incremental Charge - | Incremental Charge - | Incremental Charge - | Increment Charge - |
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Elec per LSR | | Manual Svc Order vs. | Manual Svc Order vs. | Manual Svc Order vs. | Manual Sy Order vs. |
| | | | | | | | | | | | | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic Disc Add |
| 1 | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | 220 | Rates(\$) | | l |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOM AN | SOMAN | SOMAN |
| | | | | | | | 11131 | Auu i | 11130 | Auu i | CONILC | JONAN | JOMAN | JOWAN | JOHAN | JOHAN |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.5753 | 0.00 | 0.00 | | | | | | | | |
| | Local Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Central Office Termininating Point | | † | UEPDC | CTG | 0.00 | | | 0.00 | | | | | | | |
| 4-WIR | RE DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | | | | | | | | | | | | |
| | m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act | ivations | | | | | | | | | | | | | | |
| | tem can have various rate combinations based on type and nu | | | used | | | | | | | | | | | | |
| | OS1 Loop | | ĺ | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 47.54 | | | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 2 | | 2 | UEPMG | USLDC | 84.27 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 3 | | 3 | UEPMG | USLDC | 134.14 | 0.00 | 0.00 | | | | | | | | |
| UNE I | OSO Channelization Capacities (D4 Channel Bank Configuration | ns) | | | | | | | | | | | | | | |
| | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 123.06 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 246.12 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 492.24 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 738.36 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 984.48 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM2O | 1,230.60 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,476.72 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1.968.96 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM4O | 2,461.20 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,953.44 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 3,445.68 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| Non-F | Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with | h Chanr | neliztio | n with Port - Conv | ersion Charge | Based on a Sys | stem | | | | | | | | | |
| A Min | imum System configuration is One (1) DS1, One (1) D4 Channe | l Bank, | and U | D To 24 DSO Ports | with Feature A | ctivations. | | | | | | | | | | |
| | oles of this configuration functioning as one are considered Ac | | | | | | | | | | | | | | | |
| | NRC - Conversion (Currently Combined) with or without | | | | | | | | | | | | | | | |
| | BellSouth Allowed Changes - Top 8 MSAs Only | | | UEPMG | USAC4 | 0.00 | 330.61 | 16.64 | | | | | 19.99 | 19.99 | | |
| Syste | m Additions Where Currently Combined and New (Not Currentle | y Comb | ined) | | | | | | | | | | | | | |
| In Der | nsity Zone 1 Top 8 MSAs | | | | | | | | | | | | | | | |
| | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc | | | | | | | | | | | | | | | |
| | Fea Activation - | | | UEPMG | VUMD4 | 0.00 | 743.74 | 326.22 | 149.02 | 17.68 | | | 19.99 | 19.99 | | |
| Bipola | ar 8 Zero Substitution | | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent | | | | | | | | | | | | | | | |
| | Olear Orlanner Capability i Orlinat, Superiraine - Subsequent | | | | | | | | | | | | | | | |
| | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 615.00 | | | | | | | | |
| | | | | UEPMG | CCOSF | 0.00 | 0.00 | 615.00 | | | | | | | | |
| | Activity Only | | | UEPMG UEPMG | CCOSF | 0.00 | 0.00 | 615.00 615.00 | | | | | | | | |
| Altern | Activity Only Clear Channel Capability Format - Extended Superframe - | | | | CCOEF | | | | | | | | | | | |
| Altern | Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only | | | | | | | | | | | | | | | |
| | Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format | | | UEPMG | CCOEF | 0.00 | 0.00 | 615.00 | | | | | | | | |
| | Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only Nate Mark Inversion (AMI) Superframe Format | on with | Port | UEPMG UEPMG | CCOEF | 0.00 | 0.00 | 615.00 | | | | | | | | |
| Excha | Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format | on with | Port | UEPMG UEPMG | CCOEF | 0.00 | 0.00 | 615.00 | | | | | | | | |
| Excha | Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelization ange Ports | on with | Port | UEPMG UEPMG UEPMG | CCOEF MCOSF MCOPO | 0.00 0.00 0.00 | 0.00 0.00 0.00 | 615.00 0.00 0.00 | | | | | | | | |
| Excha | Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only Intel Mark Inversion (AMI) Superframe Format Extended Superframe Format Intel S | on with | Port | UEPMG UEPMG UEPMG UEPPX | MCOSF MCOPO | 0.00 0.00 0.00 | 0.00 0.00 0.00 | 0.00 0.00 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 | | |
| Excha | Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelization ange Ports | on with | Port | UEPMG UEPMG UEPMG | CCOEF MCOSF MCOPO | 0.00 0.00 0.00 | 0.00 0.00 0.00 | 615.00 0.00 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 9.45 | | |
| Excha | Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only Interest Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Enge Ports Associated with 4-Wire DS1 Loop with Channelization Interest Mark Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business | on with | Port | UEPMG UEPMG UEPMG UEPPX UEPPX | MCOSF MCOPO UEPCX UEPOX | 0.00 0.00 0.00 14.00 | 0.00 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 | 0.00 | | | | 40.18 | 9.45 | | |
| Excha | Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only Interest Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Inge Ports Associated with 4-Wire DS1 Loop with Channelization ange Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID | on with | Port | UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX | MCOSF MCOPO UEPCX UEPOX UEP1X | 0.00 0.00 0.00 14.00 14.00 | 0.00 0.00 0.00 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 0.00 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 9.45 | | |
| Excha | Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only Interest Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Interest Associated with 4-Wire DS1 Loop with Channelization Interest Capability Superframe Format Interest Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | on with | Port | UEPMG UEPMG UEPMG UEPPX UEPPX | MCOSF MCOPO UEPCX UEPOX | 0.00 0.00 0.00 14.00 | 0.00 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 | | |
| Excha | Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only Interest Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Interest Associated with 4-Wire DS1 Loop with Channelization Interest Combination Channelized PBX Trunk Port - Business Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port Tre Activations - Unbundled Loop Concentration | on with | Port | UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX | MCOSF MCOPO UEPCX UEPOX UEP1X | 0.00 0.00 0.00 14.00 14.00 | 0.00 0.00 0.00 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 9.45 | | |
| Excha | Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only Interest Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Interest Associated with 4-Wire DS1 Loop with Channelization Interest Capability Superframe Format Interest Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | on with | Port | UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX | CCOEF MCOSF MCOPO UEPCX UEPOX UEP1X UEPDM | 0.00 0.00 0.00 14.00 14.00 14.00 52.00 | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 | 0.00 0.00 0.00 | 0.00 0.00 0.00 | | | 40.18 40.18 40.18 | 9.45 9.45 9.45 | | |
| Excha | Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only Interval Mark Inversion (AMI) Superframe Format Extended Superframe Format Interval Supe | on with | Port | UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX | MCOSF MCOPO UEPCX UEPOX UEP1X | 0.00 0.00 0.00 14.00 14.00 | 0.00 0.00 0.00 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 0.00 | 0.00 | 0.00 | | | 40.18 | 9.45 9.45 | | |
| Excha | Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only Interval Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Interval Supe | on with | Port | UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX | CCOEF MCOSF MCOPO UEPCX UEPOX UEP1X UEPDM | 0.00 0.00 0.00 14.00 14.00 14.00 52.00 | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 | 0.00 0.00 0.00 | 0.00 0.00 0.00 | | | 40.18 40.18 40.18 | 9.45 9.45 9.45 | | |
| Excha Excha | Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only Interest Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Interest Associated with 4-Wire DS1 Loop with Channelization Interest Associated With 4-Wire DS1 Loop with Channel | on with | Port | UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX | CCOEF MCOSF MCOPO UEPCX UEPOX UEP1X UEPDM | 0.00 0.00 0.00 14.00 14.00 14.00 52.00 | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 | 0.00 0.00 0.00 | 0.00 0.00 0.00 | | | 40.18 40.18 40.18 | 9.45 9.45 9.45 | | |
| Excha Excha | Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only late Mark Inversion (AMI) Superframe Format Extended Superframe Format lange Ports Associated with 4-Wire DS1 Loop with Channelization lange Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port re Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank hone Number/ Group Establishment Charges for DID Service | on with | Port | UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX | CCOEF MCOSF MCOPO UEPCX UEPOX UEPDX UEPDM 1PQWM | 0.00 0.00 0.00 14.00 14.00 14.00 52.00 0.65 | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 40.00 | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 20.00 | 0.00 0.00 0.00 10.00 | 0.00 0.00 0.00 5.00 | | | 40.18 40.18 40.18 40.18 | 9.45 9.45 9.45 9.45 | | |
| Excha Excha | Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only Interest Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Interest Associated with 4-Wire DS1 Loop with Channelization Interest Associated With 4-Wire DS1 Loop with Channel | on with | Port | UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX | CCOEF MCOSF MCOPO UEPCX UEPOX UEPDX UEPDM 1PQWM | 0.00 0.00 0.00 14.00 14.00 52.00 | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0 | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0 | 0.00 0.00 0.00 10.00 | 0.00 0.00 0.00 5.00 | | | 40.18 40.18 40.18 40.18 | 9.45 9.45 9.45 9.45 | | |
| Excha Excha Featu | Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only late Mark Inversion (AMI) Superframe Format Extended Superframe Format lange Ports Associated with 4-Wire DS1 Loop with Channelization lange Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port re Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank hone Number/ Group Establishment Charges for DID Service | on with | Port | UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX | CCOEF MCOSF MCOPO UEPCX UEPOX UEPDX UEPDM 1PQWM | 0.00 0.00 0.00 14.00 14.00 14.00 52.00 0.65 | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 40.00 | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 20.00 | 0.00 0.00 0.00 10.00 | 0.00 0.00 0.00 5.00 | | | 40.18 40.18 40.18 40.18 | 9.45 9.45 9.45 9.45 | | |
| Excha Excha | Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only Interest Mark Inversion (AMI) Superframe Format Extended Superframe Format Interest Supe | on with | Port | UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX | CCOEF MCOSF MCOPO UEPCX UEPOX UEPDX UEPDM 1PQWM 1PQWU NDT NDZ ND4 | 0.00 0.00 0.00 14.00 14.00 14.00 52.00 0.65 0.65 | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 40.00 | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0 | 0.00 0.00 0.00 10.00 | 0.00 0.00 0.00 5.00 | | | 40.18 40.18 40.18 40.18 | 9.45 9.45 9.45 9.45 | | |
| Excha Excha | Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only Interest Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Interest Associated with 4-Wire DS1 Loop with Channelization Interest Associated with 4-Wire DS1 Loop with Channelization Interest Associated With 4-Wire DS1 Loop with Channelization Interest Associated With 4-Wire DS1 Loop with Channelization Interest Associated With 4-Wire DS1 Loop with Channelization Interest Combination Channelized PBX Trunk Port - Business Line Side Combination Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port Interest Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Line Port Terminated in D4 Bank Interest Company Interest Interes | on with | Port | UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX | CCOEF MCOSF MCOPO UEPCX UEPOX UEP1X UEPDM 1PQWM 1PQWU NDT NDZ | 0.00 0.00 0.00 14.00 14.00 52.00 0.65 0.65 | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 40.00 110.00 0.00 | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 20.00 30.00 | 0.00 0.00 0.00 10.00 | 0.00 0.00 0.00 5.00 | | | 40.18 40.18 40.18 40.18 | 9.45 9.45 9.45 9.45 | | |

| Svc Order Svc Order Svc Order Submitted Submit | UNB | JNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|--|----------|--|---|--|--|---------------------|---------------|------------------|-----------------|----------------|----------------|-------------------|-------------|---------------|---------------|--------------|---------------|--|
| ATT BLEMENTS March | | | | | | | | | | | | | Svc Order | Svc Order | | | Incremental | Incremental |
| AFE REMENTS when the property of the property | | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| March Marc | | | | Intori | | | | | | | | | Elec | | | | | Manual Svc |
| Record R | CATE | GORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | m | | | | | | | | | F | F | | | | |
| Control Cont | | | | | | | | | | | | | | | | | | |
| Control Cont | | | | | | | | | | | | | | | | | | |
| Second CEN Numbers Actually 1 per part 1 | | | | | | | | Rec | | | | <u> </u> | | | | | | |
| Containment Protection Personal Protecti | | | | | | | | | | | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Cool Number Proceedings - page port Core Number Processing of Section 2009 Core Number Processing 2009 Core Number Processing 2 | | | | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| PETATURE - Vertical and Optional | | Local I | | | | | | | | | | | | | | | | ! |
| Cold Special Principle Communication Control Service Color (1997) Color Co | | | | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| MIT Features Analysis METHOD CONTRIBUTIONS METHOD NET METHOD N | | | | | | | | | | | | | | | | | | |
| NEW INC. Co. State flavor and a catagorized accordingly. State flavor State | | Local | | <u> </u> | <u> </u> | | | 0.40 | | | | | | | 10.10 | 0.45 | | |
| 1. Coal Based Rates are applied where Balliston is required by PCC and/or State Commission rule to provide Unbindied Local State files | | | | <u> </u> | | UEPPX | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| 2. Features shall apply to the Unbounded Port Accordination for Cort Based Rive section in the same manner as they are applied to the Stand-Alone Unbounded Port section of this flate shall had apply to all combinations of the Description of this flate shall had apply to all combinations of the Description of this flate shall had apply to the Cort Port Accordination (American Port Cort Port Accordination Will be not shall be the Stand-Alone Port Cort Port Accordination will be noted that the Stand-Alone Port Cort Port Accordination will be noted by the Stand-Alone Port Cort Port Accordination will be noted by the Stand-Alone Port Cort Port Accordination will be noted by the Stand-Alone Port Cort Port Accordination will be noted by the Stand-Alone Port Cort Port Accordination will be noted by the Stand-Alone Port Cort Port Accordination will be noted by the Stand-Alone Port Cort Port Accordination Research (Period) Standard Port Cort Port Port Port Port Port Port Port P | UNBU | | | | 01-1- | | 1 | | | Web Beats | | | | | | | | |
| 3. End Office and Tandem Settlehing Usage and Common Transport Usage rises in the Prof. section of this rate excited that apply to all contributions of loop/point reviews determined sections (Prof. Common Commo | | | | | | | | | | | | L | F. J. W. W. | | | | | |
| 4. The first and additional Port nonrecurring, charges apply to No Currently Combined Combos. For Currently Combined Combos. For Currently Combined Combos. For Currently Combined Combos. For Currently Combined Combos. For Currently Combined Combos. For Currently Combined Combos. For Currently Combined Combos. For Currently Combined Combos. For Currently Combined Combos. For Currently Combined Combos. For Currently Combined Combos. For Currently Combined Combos. For Currently Combined Combos. For Currently Currently Curre | | | | | | | | | | | | | | | | | | |
| Second Second Content of the Content of Co | - | | | | | | | | | | | | | | | | | <u> </u> |
| S. Marker Rates for Unbundled Centres Port Corp Combination will be regolated on an Individual Case Basis, until further notice. | | | | urrently | Combi | ined Combos. For | Currently Co | mbined Combo | os, the nonrect | irring charges | shall be those | e identified in t | he Nonrecu | rring - Curre | ently Combine | ed sections. | Additional NR | .Cs may |
| UNEP OF LODGY-Wire Vote Grade Port (Central) Port Combo Non-Design 1 | | | | | | | | | | | | | | | | • | • | |
| 2-Wire Vota Copt/2-Wire Vota Grade Port (Centracy Port Combo- 1 1 1 1 1 2 2 2 2 2 | | | | be nego | otiated | on an Individual Ca | ise Basis, un | il further notic | е. | | | | | | | | | |
| UPS PortLoop Combination Rates (Non-Design) | | | | | | | | | | | | | | | | | | |
| 2-Wire Vis Loop/2-Wire Vision Grade Port (Centres) Port Combo- Nen-Design 1 UEP96 13.03 1 UEP96 13.03 1 UEP96 13.03 1 UEP96 13.03 1 UEP96 13.03 1 UEP96 13.03 1 UEP96 13.03 UEP96 | | | | | | | | | | | | | | | | | | |
| Non-Design | | UNE P | | ļ | | | | | | | | | | | | ļ | | |
| 2-Wire Vis Copt-2-Wire Visor Grade Port (Centres)Port Combo- | | | | 1 | | | | | | | | | | | | | | 1 |
| Non-Design | | | 9 | | 1 | UEP95 | | 13.03 | | | | | | | | | | |
| 2-Vitre Vol Loop/2-Wire Valor Grade Port (Centrex) Port Combo-Non-Design 2-Vitre Vol Loop/2-Wire Valor Grade Port (Centrex) Port Combo-Design 2-Vitre Vol Loop/2-Wire Valor Grade Port (Centrex) Port Combo-Design 2-Vitre Vol Loop/2-Wire Valor Grade Port (Centrex) Port Combo-Design 2-Vitre Vol Loop/2-Wire Valor Grade Port (Centrex) Port Combo-Design 2-Vitre Vol Loop/2-Wire Valor Grade Port (Centrex) Port Combo-Design 2-Vitre Vol Loop/2-Wire Valor Grade Port (Centrex) Port Combo-Design 2-Vitre Vol Loop/2-Wire Valor Grade Port (Centrex) Port Combo-Design 2-Vitre Vol Loop/2-Wire Valor Grade Port (Centrex) Port Combo-Design 2-Vitre Vol Loop/2-Wire Valor Grade Port (Centrex) Port Combo-Design 2-Vitre Volco Grade Loop (St. 1) - Zone 1 | | | | | | | | | | | | | | | | | | i . |
| Non-Design 3 UEP95 3 3 UEP95 3 3 UEP95 3 3 UEP95 3 3 UEP95 UEP95 UEP96 UEP | | | | | 2 | UEP95 | | 21.33 | | | | | | | | | | |
| Weight W | | | | | | | | | | | | | | | | | | 1 |
| 2 2 2 2 2 2 2 2 2 2 | | | | | 3 | UEP95 | | 32.61 | | | | | | | | | | ! |
| Design | | UNE P | | | | | | | | | | | | | | | | |
| 2 | | | . , , | 1 | | | | | | | | | | | | | | 1 |
| Design 2 UPP6 28.21 | | | | | 1 | UEP95 | | 17.25 | | | | | | | | | | |
| 2-Wire Victor Grade Loop (St. 1) - Zone 1 | | | | | _ | | | | | | | | | | | | | i . |
| Design Same | | <u> </u> | | <u> </u> | 2 | UEP95 | | 28.21 | | | | | | | | | | |
| NE Loop Rate | | | | | _ | | | | | | | | | | | | | 1 |
| 2-Wire Valoe Grade Loop (St. 1) - Zone 1 | | | | | 3 | UEP95 | | 43.09 | | | | | | | | | | |
| 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | UNE L | | - | _ | LIEDOE | 115004 | 10.75 | | | | | | | | | | |
| 2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEP95 UECS1 30.33 | | | | | | | | | | | | | | | | | | |
| 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | | | | | | | | | | | | | | | | | + |
| 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | - | | | | | | | | | | | | | | | | |
| 2-Wire Voice Grade Loop (St. 2) - Zone 3 3 UEP95 UECS2 40.81 | | <u> </u> | | <u> </u> | | | | | | | | | | | | | | |
| UNE Port Rate | | + | | | | | | | | | | | - | | | | | |
| All States 2-Wire Voice Grade Port (Centrex) Basic Local Area UEP95 UEPYB 2.28 79.59 63.97 40.18 9.45 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area UEP95 UEPYB 2.28 79.59 63.97 40.18 9.45 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area UEP95 UEPYB 2.28 79.59 63.97 40.18 9.45 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area UEP95 UEPYB 2.28 79.59 63.97 40.18 9.45 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area UEP95 UEPYB 2.28 164.57 128.16 104.18 9.45 | | LINE D | | | 3 | UEF95 | UEC32 | 40.61 | | | | | | | | | | |
| 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | | | | | 1 | | | | | | 1 | | | | | |
| 2-Wire Voice Grade Port (Centrex 800 termination) | - | An old | | | | HEP95 | ΠΕΡΥΔ | 2 20 | 70 50 | 63 07 | | 1 | | | <i>1</i> ∩ 19 | 0.45 | | |
| 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area UEP95 UEPYH 2.28 79.59 63.97 40.18 9.45 | \vdash | + | | | | | | | | | | 1 | | | | | | |
| Area | — | | | | 1 | <u> </u> | JE: 10 | 2.20 | 13.35 | 00.01 | | <u> </u> | | l | 70.10 | 3.43 | | |
| 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center - 800 Service UEP95 UEPYZ 2.28 164.57 128.16 40.18 9.45 | | | | | | UEP95 | UEPYH | 2 28 | 79.59 | 63.97 | | | | | 40 18 | 9.45 | | 1 |
| Center 2 Basic Local Area | — | | 7.104 | | 1 | 00 | 132. /// | 2.20 | 70.00 | 00.01 | | <u> </u> | | l | 70.10 | 5.45 | | f |
| 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area UEP95 UEPYZ 2.28 140.18 9.45 UEP95 UEPYS 2.28 79.59 63.97 UEP95 UEPYS 2.28 79.59 63.97 A0.18 9.45 UEP95 UEPYS 2.28 79.59 63.97 A0.18 9.45 UEP95 UEPYS 2.28 79.59 63.97 A0.18 9.45 UEP95 UEPYS 2.28 79.59 63.97 A0.18 9.45 UEP95 UEPYS 2.28 79.59 63.97 A0.18 9.45 UEP95 UEPYS 2.28 79.59 63.97 A0.18 9.45 UEP95 UEPYS 2.28 79.59 63.97 A0.18 9.45 UEP95 UEPUA 2.28 79.59 63.97 A0.18 9.45 UEP95 UEPUA 2.28 79.59 63.97 A0.18 9.45 UEP95 UEPUA 2.28 79.59 63.97 A0.18 9.45 UEP95 UEPUB 2.28 79.59 63.97 A0.18 9.45 UEP95 UEPUB 2.28 79.59 63.97 UEP95 UEPUB 2.28 79.59 63.97 A0.18 9.45 UEP95 UEPUB 2.28 79.59 63.97 A0.18 9.45 UEP95 UEPUB 2.28 79.59 63.97 A0.18 9.45 UEP95 UEPUB 2.28 79.59 63.97 A0.18 9.45 UEP95 UEPUB 2.28 79.59 63.97 A0.18 9.45 UEP95 UEPUB 2.28 79.59 63.97 A0.18 9.45 UEP95 UEPUB 2.28 79.59 63.97 A0.18 9.45 UEP95 UEPUB 2.28 79.59 63.97 A0.18 9.45 UEP95 UEPUB 2.28 79.59 63.97 A0.18 9.45 UEP95 UEPUB 2.28 79.59 63.97 A0.18 9.45 UEP95 UEPUB 2.28 79.59 63.97 A0.18 9.45 UEP95 UEPUB 2.28 79.59 63.97 A0.18 9.45 UEPS UEPUB 2.28 79.59 63.97 A0.18 9.45 UEPS UEPUB 2.28 79.59 63.97 A0.18 9.45 UEPS UEPUB 2.28 79.59 63.97 A0.18 9.45 UEPS UEPUB 2.28 79.59 63.97 A0.18 9.45 UEPS UEPUB 2.28 79.59 63.97 A0.18 9.45 UEPS UEPUB 2.28 79.59 63.97 A0.18 9.45 UEPS UEPUB 2.28 79.59 63.97 A0.18 9.45 UEPS UEPUB 2.28 79.59 63.97 A0.18 9.45 UEPS UEPUB 2.28 79.59 63.97 A0.18 9.45 UEPS UEPUB 2.28 79.59 63.97 A0.18 9.45 UEPS UEPUB 2.28 79.59 63.97 A0.18 9.45 UEPS UEPUB 2.28 79.59 63.97 A0.18 40.18 9.45 UEPS UEPS UEPUB 2.28 79.59 63.97 A0.18 40.18 9.45 UEPS UEPS UEPUB 2.28 79.59 63.97 A0.18 40.18 9.45 UEPS UEPS UEPS UEPUB 2.28 79.59 63.97 A0.18 40.18 9.45 UEPS UEPS UEPS UEPS UEPS UEPS UEPS UEP | | | | | 1 | UEP95 | UEPYM | 2 28 | 164 57 | 128 16 | | | | 1 | 40 18 | 9 45 | | 1 |
| Term - Basic Local Area | | <u> </u> | | | † | | 1 | 2.20 | | .25.70 | | | | | .00 | 5. 10 | | |
| 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | | | | UEP95 | UEPYZ | 2.28 | | | | | | | 40.18 | 9.45 | | 1 |
| - Basic Local Area | | | | | | | | | | | | | | | | | | |
| 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | | | | UEP95 | UEPY9 | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | 1 |
| Basic Local Area | | 1 | | | | | | | | | | | | | | 1 | | |
| NC Only | | | | | 1 | UEP95 | UEPY2 | 2.28 | 79.59 | 63.97 | | | | 1 | 40.18 | 9.45 | | 1 |
| 2-Wire Voice Grade Port (Centrex) | | NC On | | l | 1 | | i - | 0 | | | İ | | | | 131.0 | 1 | | ſ |
| 2-Wire Voice Grade Port (Centrex 800 termination) | | 1 | | | † | UEP95 | UEPUA | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| 2-Wire Voice Grade Port (Centrex with Caller ID)1 UEP95 UEPUH 2.28 79.59 63.97 40.18 9.45 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 UEP95 UEPUM 2.28 164.57 128.16 40.18 9.45 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service 40.18 9.45 | | 1 | | l | 1 | | | | | | İ | | | | | | | ſ |
| 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 UEP95 UEPUM 2.28 164.57 128.16 40.18 9.45 40.18 9.45 | | | | | | | UEPUH | | | | | | | | 40.18 | 9.45 | | ſ |
| Center)2 | | | | | 1 | | | | | | | | | | | | | ſ |
| 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | 1 | 1 | UEP95 | UEPUM | 2.28 | 164.57 | 128.16 | | | | 1 | 40.18 | 9.45 | | 1 |
| | | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | ſ |
| | | | | 1 | 1 | UEP95 | UEPUZ | 2.28 | 164.57 | 128.16 | | | | 1 | 40.18 | 9.45 | | 1 |

| NDUNDLI | ED NETWORK ELEMENTS - North Carolina | 1 | ı | 1 | 1 | | | | | | Com Cont | Comp Control | | ment: 2 | | ibit: B |
|---------|--|--|--|--|----------------|--------------|--------|------------|--|--------------|----------|--------------|---------------------------------|---|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | OMES Vein Os la Bostonia de la Manalista de la comissión de la | | | LIEDOF | LIEDLIO | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term | | <u> </u> | UEP95 UEP95 | UEPU9 UEPU2 | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| Local | Switching | | | OLF 95 | OLFOZ | 2.20 | 19.59 | 05.57 | 1 | | | | 40.16 | 5.40 | | |
| | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.903 | | | İ | | | | | | | |
| Local | Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | |
| Featu | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP95 | UEPVF | 3.40 | 455.00 | | | | | | | | | |
| | All Select Features Offered, per port All Centrex Control Features Offered, per port | 1 | | UEP95 UEP95 | UEPVS UEPVC | 0.00 3.40 | 457.83 | | | | | | | | | |
| NARS | | 1 | - | UEF90 | UEFVC | 3.40 | | | | 1 | 1 | | | | 1 | |
| IVAING | Unbundled Network Access Register - Combination | 1 | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | + | | | | 40.18 | 9.45 | | |
| | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | İ | | | | 40.18 | 9.45 | | |
| | Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| | ellaneous Terminations | | | | | | | | | | | | | | | |
| 2-Wir | e Trunk Side | | | | | | | | | | | | | | | |
| 4.140- | Trunk Side Terminations, each | | | UEP95 | CEND6 | 12.36 | | | | | | | | | | |
| 4-Wir | e Digital (1.544 Megabits) | | | UEP95 | M1HD1 | 123.65 | | | | | | | 40.18 | 9.45 | | - |
| | DS1 Circuit Terminations, each DS0 Channels Activated, each | | | UEP95 | M1HD0 | 0.00 | 28.81 | | - | | - | | 40.18 | 9.45 | | |
| Interd | office Channel Mileage - 2-Wire | | | OLF 95 | WITIDO | 0.00 | 20.01 | | | | | | 40.16 | 5.45 | | |
| | Interoffice Channel Facilities Termination | | | UEP95 | M1GBC | 18.00 | | | | | | | | | | 1 |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | M1GBM | 0.0282 | | | | | | | | | | |
| Featu | re Activations (DS0) Centrex Loops on Channelized DS1 Service | ce | | | | | | | | | | | | | | |
| D4 Ch | nannel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.65 | | | | | | | | | | |
| | Frature Astiristics on D.4 Channel Beatly EV line Cide Long Clat | | | UEP95 | 1PQW6 | 0.65 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP95 | TPQW6 | 0.05 | | | | | | | | | | - |
| | Slot | | | UEP95 | 1PQW7 | 0.65 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | OLI SO | 11 Q 117 | 0.00 | | | | | | | | | | 1 |
| | Different Wire Center | | | UEP95 | 1PQWP | 0.65 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | 1 |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.65 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP95 | 1PQWQ | 0.65 | | | | | | | | | | |
| Non-E | Feature Activation on D-4 Channel Bank WATS Loop Slot Recurring Charges (NRC) Associated with UNE-P Centrex | | | UEP95 | 1PQWA | 0.65 | | | - | | | | | | | - |
| NOITE | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | + | ł | | | | 1 | - | | | | | |
| | changes, per port | 1 | | UEP95 | USAC2 | | 2.77 | 0.40 | 1 | | | | 40.18 | 9.45 | 1 | |
| | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 695.11 | | | | | | 40.18 | 9.45 | | |
| | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 695.11 | | | | | | 40.18 | 9.45 | | |
| | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 72.73 | | | | | | 40.18 | 9.45 | | |
| | P CENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | | |
| | e VG Loop/2-Wire Voice Grade Port (Centrex) Combo | ļ | ļ | 1 | + | - | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | <u> </u> | - | - | + | + | - | | | - | | | | | 1 | |
| | Non-Design | | 1 | UEP9D | | 13.03 | | | | | | | | | | |
| 1 | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | 1 | Ė | | | .5.55 | | | 1 | 1 | | | | | | † |
| | Non-Design | <u> </u> | 2 | UEP9D | <u> </u> | 21.33 | | | <u> </u> | <u> </u> | <u> </u> | | | | <u> </u> | <u></u> |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | ļ | 3 | UEP9D | | 32.61 | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Design) | ļ | | | | | | | | | | | | | | ļ |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | 1 | | LIEDOD | | 47.05 | | | | | | | | | | |
| | Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | UEP9D | + | 17.25 | | | - | | | | | | - | |
| 1 | Design | | 2 | UEP9D | 1 | 28.21 | | | I | | | | | | 1 | |

| UNDUNDL | ED NETWORK ELEMENTS - North Carolina | 1 | 1 | | | | | | | | Com Onder | Core Corel | | ment: 2 | | bit: B |
|-------------|---|--|----------|----------------|----------------|----------------|--------|------------|--------------|-------|-----------|-----------------------|--|--|--------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | Į. | | Rates(\$) | • | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | _ | | | | | | | | | | | | | |
| I I I I | Design | | 3 | UEP9D | | 43.09 | | | | | | | | | | |
| UNE | Loop Rate | | 1 | LIEDOD | LIEGOA | 10.75 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 2 | UEP9D UEP9D | UECS1 | 10.75 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 UECS1 | 19.05 30.33 | | | | | - | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | 1 | 1 | UEP9D | UECS2 | 14.97 | | | | | 1 | | | | | - |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | 1 | 2 | UEP9D | UECS2 | 25.93 | | | | | 1 | | | | | - |
| + | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 40.81 | | | | | | | | | | |
| LINE | Port Rate | | - 3 | OLI 3D | 02002 | 40.01 | | | | | | | | | | |
| | STATES | | | | | | | | | | | | | | | - |
| ALL (| 2-Wire Voice Grade Port (Centrex) Basic Local Area | 1 | 1 | UEP9D | UEPYA | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | 1 | |
| <u> </u> | 2-Wire Voice Grade Port (Centrex) Basic Educatived 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | 1 | 1 | | 7= | 2.20 | . 0.00 | 33.01 | | | | | 10 | 0.40 | | |
| | Area | 1 | | UEP9D | UEPYB | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | 1 | 1 |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local | 1 | 1 | | | 1 | | | | | | | | | İ | |
| | Area | 1 | | UEP9D | UEPYC | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | 1 | 1 |
| İ | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | | | | | - | | | | | | | | | | |
| | Area | | | UEP9D | UEPYD | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYE | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYF | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYG | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYT | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYU | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | ļ | UEP9D | UEPYV | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local | | | | | | ===== | | | | | | | | | |
| | Area | | ļ | UEP9D | UEPY3 | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | | | LIEDOD | LIEDVILL | 0.00 | 70.50 | 00.07 | | | | | 10.10 | 0.45 | | |
| | Area | | | UEP9D | UEPYH | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | LIEDOD | HEDVA | 2.20 | 70.50 | 60.07 | | | | | 40.40 | 0.45 | | |
| | Indication))3 Basic Local Area | | | UEP9D | UEPYW | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area | | 1 | UEP9D | UEPYJ | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | 1 |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | 1 | 1 | OLFBD | ULFIJ | 2.20 | 79.59 | 03.97 | + | | | | 40.18 | 9.45 | 1 | |
| | 2 Basic Local Area | | 1 | UEP9D | UEPYM | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | 1 |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | OLI 3D | OLI TIVI | 2.20 | 104.57 | 120.10 | + | | | | 40.10 | 5.40 | | |
| | Basic Local Area | | 1 | UEP9D | UEPYO | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | 1 |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | 021 00 | JE1 10 | 2.20 | 104.57 | 120.10 | | | | | 40.10 | 3.43 | | |
| | Basic Local Area | 1 | | UEP9D | UEPYP | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | 1 | 1 |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | 1 | † | | 7 | | | | | | | | 0 | 2.10 | 1 | |
| | Basic Local Area | 1 | | UEP9D | UEPYQ | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | 1 | 1 |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | 1 | | UEP9D | UEPYR | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | 1 | 1 |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | <u></u> | | UEP9D | UEPYS | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | <u> </u> | <u></u> |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | <u> </u> | <u></u> | UEP9D | UEPY4 | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | 1 | | | | | | | | | | | | |] | |
| <u> </u> | Basic Local Area | <u> </u> | | UEP9D | UEPY5 | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | 1 |
| . 1 | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | 1 | | l | | l | | | | | | | | | 1 | 1 |
| | Basic Local Area | ļ | 1 | UEP9D | UEPY6 | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | 1 | 1 | | | l | | | | | | | | | Ì | 1 |
| | Basic Local Area | | | UEP9D | UEPY7 | 2.28 | 164.57 | 128.16 | | | | 1 | 40.18 | 9.45 | İ | 1 |

| NRUNDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | ment: 2 | | bit: B |
|---------|--|-------------|--|----------------|----------------|--------------|----------------|----------------|--|-----------|-----------------|---------------------|---|---|--|--|
| | | | | | | | | | | | Submitted | Submitted | Incremental Charge - | Charge - | Incremental Charge - | Incrementa Charge - |
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Elec per LSR | Manually per LSR | Manual Svc Order vs. Electronic- 1st | Manual Svc Order vs. Electronic- Add'l | Manual Svc Order vs. Electronic- Disc 1st | Manual Sv Order vs. Electronic Disc Add |
| | | | | | | ı | Name | | Namaaaaa | Diagonard | | | | | | |
| | | | | | _ | Rec | Nonrec | | Nonrecurring | | SOMEC | COMAN | SOMAN | Rates(\$) SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | First | Add'l | First | Add'l | SOWIEC | SUMAN | SOWAN | SUMAN | SUMAN | SOWAN |
| | Term | | | UEP9D | UEPYZ | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | OLI 3D | OLI 12 | 2.20 | 104.57 | 120.10 | | | | | 40.10 | 3.43 | | |
| | Basic Local Area | | | UEP9D | UEPY9 | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | | | | | | | | | | | | | | | |
| | Local Area | | | UEP9D | UEPY2 | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| NC On | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPUA | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPUB | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPUC | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPUD | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D UEP9D | UEPUE | 2.28 2.28 | 79.59 79.59 | 63.97 63.97 | | | | | 40.18 40.18 | 9.45 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D UEP9D | UEPUF | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | - | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5018)3 | | | UEP9D | UEPUT | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | - | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5000)3 | | | UEP9D | UEPUU | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPUV | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPU3 | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPUH | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | | | _ | | | | | | | | | | |
| | Indication)3 | | | UEP9D | UEPUW | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPUJ | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | | | | | | | |
| | 2 | | | UEP9D | UEPUM | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPUO | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPUP | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPUQ | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPUR | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wile Voice Grade Port (Certifex diller SWC /EBS-W5112)2, 3 | | | UEP9D | UEPUR | 2.20 | 104.57 | 120.10 | | | | | 40.16 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPUS | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| + | Z THIS TOICE STAGET ON (SOMEON AIMS) STEET (ZEE MISS 12/2), S | | | 02. 02 | 02.00 | 2.20 | 10 1.01 | 120110 | | | | | 10.10 | 0.10 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPU4 | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | , , | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPU5 | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPU6 | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | | | | l | [| | | | | | | | | 1 | |] |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | <u> </u> | UEP9D | UEPU7 | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | 1 | LIEDOD | UEDUZ | 2.00 | 404.57 | 400.40 | | | | | 40.40 | 0.45 | | 1 |
| _ | Term | | | UEP9D | UEPUZ | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | 1 | UEP9D | UEPU9 | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | 1 |
| | 2-Wire Voice Grade Port terminated in on Negalink of equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPU2 | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | - | |
| Local | Switching | | | 021 00 | JL1 JZ | 2.20 | 13.53 | 00.31 | | | | | 40.10 | 3.43 | | |
| | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.903 | | | | | | | | | | |
| Local | Number Portability | | | | | | | | i i | | | | | | İ | |
| | Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0.35 | | | | | | | | | | |
| Featur | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP9D | UEPVF | 3.40 | | | | | | | | | | |
| | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 457.83 | | | | | | 40.18 | 9.45 | | |
| | All Centrex Control Features Offered, per port | | <u> </u> | UEP9D | UEPVC | 3.40 | | | | | | | | | | <u> </u> |
| NARS | | | <u> </u> | LIEDOD | LIABOY | 0.00 | 0.00 | 0.00 | | | | | 40.10 | 0 :- | ļ | ļ |
| | Unbundled Network Access Register - Combination | | - | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | | 40.18 40.18 | 9.45 9.45 | | |
| -+- | Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial | | | UEP9D UEP9D | UAR1X UAROX | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | - | |
| Miscol | Innous Terminations | | | OLFBD | UANUA | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.40 | - | |
| | Trunk Side | | - | 1 | + + | | | | | | | | | | | \vdash |

| <u> </u> | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attach | ment: 2 | Evhi | bit: B |
|----------------------------------|--|--------|----------|---------------------|----------------|------------------|----------------|-----------------|--------------|--|--------------|--|-------------|-------------|----------------|--|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | |
| | · · | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | | | | | |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| JATEGORT | RATE ELEMENTS | m | Zone | ВСЗ | USUC | | | KAIES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | - | | Monro | | Monroourrin | a Dissennest | | l | 000 | Potoc(\$) | | |
| | | | | | | Rec | Nonred | | | g Disconnect | | | | Rates(\$) | | |
| | T 1011 T 1 11 | | | LIEDAD | 051100 | 40.00 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Trunk Side Terminations, each | | | UEP9D | CEND6 | 12.36 | | | | | | | | | | |
| | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 123.65 | | | | | | | 40.18 | 9.45 | | |
| | DS0 Channels Activiated per Channel | | | UEP9D | M1HDO | 0.00 | 28.81 | | | | | | 40.18 | 9.45 | | |
| | ffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP9D | M1GBC | 18.00 | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | M1GBM | 0.0282 | | | | | | | | | | |
| Feature | re Activations (DS0) Centrex Loops on Channelized DS1 Service | е | | | | | | | | | | | | | | |
| | annel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.65 | | | | | | | | | | |
| -+- | - Cataro , Struction on D + Gridinier Dank Genties Loop Sidt | | \vdash | 0L1 0D | /1 Q V V O | 0.00 | | | 1 | + | 1 | | | 1 | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.65 | | | | 1 | | l | | | | |
| \longrightarrow | | | 1 | OFLAD | IFUVVO | 0.05 | | | 1 | + | | | | 1 | | ļ |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | LIEDOD | 450007 | | | | | 1 | | l | | | | |
| $\longrightarrow \longleftarrow$ | Slot | | | UEP9D | 1PQW7 | 0.65 | | | | 1 | ļ | ļ | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | 1 | | 1 | | | | 1 |
| | Different Wire Center | | | UEP9D | 1PQWP | 0.65 | | | | | <u> </u> | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.65 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP9D | 1PQWQ | 0.65 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.65 | | | | | | | | | | |
| Non Dr | Recurring Charges (NRC) Associated with UNE-P Centrex | | | OLFBD | IFQWA | 0.03 | | | | | | | | - | | |
| NOII-RE | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | - | | | | | | 1 | | | | | |
| | | | | LIEDOD | 110400 | | 0.77 | 0.40 | | | | | 40.40 | 0.45 | | |
| | changes, per port | | | UEP9D | USAC2 | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 695.11 | | | | | | 40.18 | 9.45 | | |
| | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 695.11 | | | | | | 40.18 | 9.45 | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0.00 | 72.73 | | | | | | 40.18 | 9.45 | | |
| | - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| Note 2 | 2 - Requres Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| Note 3 | 3 - Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | |
| UNBUNDLED (| CENTREX PORT/LOOP COMBINATIONS - MARKET RATES | | | | | | | | | | | | | | | |
| 1. Mark | ket Rates are applied where BellSouth is not required by FCC a | and/or | State C | ommission rule to p | orovide Unbu | ndled Local Sv | ritching or Sw | itch Ports. | | | | | | | | |
| | urring Charges for all Standard Centrex and Centrex Conrol Fe | | | | | | <u> </u> | | | | | | | | | |
| | Office and Tandem Switching Usage and Common Transport | | | | | ibit shall apply | to all combina | ations of loop/ | port network | elements excer | t for UNE C | oin Port/Lo | op Combinat | ions. | | |
| | first and additional Port nonrecurring charges apply to Not Cu | | | | | | | | | | | | | | Additional NR | Cs may |
| | also and are categorized accordingly. | | | | Cu | | , | | | | | g • | , | | taattional iti | .coay |
| Feature | | | 1 | | 1 | | | | 1 | | 1 | | | 1 | | |
| | P CENTREX - 5ESS (Valid in All States) | | | | - | | | | | | 1 | | | | | |
| | | | | | | | | | | | | | | | | |
| | e VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | <u> </u> | | <u> </u> | | | | | | ļ | | | | | |
| UNE Po | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | 1 | | 1 | | | | I |
| | Non-Design | | 1 | UEP95 | | 24.75 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | - | |
| | Non-Design | | 2 | UEP95 | | 33.05 | | | | 1 | | l | | 1 | | 1 |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | 1 | l | | | | |
| | Non-Design | | 3 | UEP95 | | 44.33 | | | | 1 | | 1 | | | | 1 |
| UNF P | Port/Loop Combination Rates (Design) | | | | 1 | | | | Ì | 1 | İ | 1 | | 1 | | 1 |
| - 10.1.2.1 | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | 1 | | 1 | 1 | | t | | 1 |
| | Design | | 1 | UEP95 | | 28.97 | | | | 1 | | 1 | | | | I |
| -+- | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OLI 30 | + | 20.31 | | | 1 | + | 1 | | | - | | - |
| | | | 2 | LIEDOE | | 20.00 | | | | 1 | | 1 | | | | I |
| \longrightarrow | Design | | 2 | UEP95 | 1 | 39.93 | | | 1 | + | | | | 1 | | ļ |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | 1 | | l | | | | |
| | Design | | 3 | UEP95 | | 54.81 | | | | 1 | Į | <u> </u> | | | |] |
| | oop Rate | | | | | | | | | | | | | | | |
| UNE Lo | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 10.75 | | | | | | | | | | |
| UNE Lo | 2-Wire Voice Grade Loop (SL 1) - Zorie 1 | | | | | | | | | | | | | | | |
| UNE Lo | 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | UEP95 | UECS1 | 19.05 | | | | | | | | | | |
| UNE La | | | 2 | UEP95 UEP95 | UECS1 UECS1 | | | | | | | | | | | |
| UNE La | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | | | 19.05 | | | | | | | | | | |

| <u>INBUNDLE</u> | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: B |
|-----------------|--|-------------|----------|--------|---------|--------|---------|------------|-------------|--------------|---------|-----------|--|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremen Charge Manual S Order vs Electroni Disc Add |
| | | | | | | _ | Nonrec | urring | Nonrecurrin | g Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 40.81 | | | | | | | | | | |
| UNE P | ort Rate | | | | | | | | | | | | | | | |
| All Sta | ites | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP95 | UEPYH | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | 44.00 | 0.15.00 | | | | | | | | | |
| | Center)2 Basic Local Area | | <u> </u> | UEP95 | UEPYM | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | ļ |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | 1 | LIEBOE | LIEDVZ | 44.00 | | | | | | | 40.40 | 0.45 | 1 | |
| + | Term - Basic Local Area | | - | UEP95 | UEPYZ | 14.00 | | | | | 1 | | 40.18 | 9.45 | | ├ |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP95 | UEPY9 | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | 1 | 01.30 | UEFIS | 14.00 | 105.00 | 00.00 | | 1 | - | | 40.18 | 9.45 | | |
| | Basic Local Area | | 1 | UEP95 | UEPY2 | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | 1 | |
| NC On | | | | 021 33 | OLI 12 | 14.00 | 103.00 | 00.00 | | 1 | 1 | | 70.10 | 3.43 | | |
| 110 011 | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPUA | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPUB | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPUH | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 | | | UEP95 | UEPUM | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | | UEP95 | UEPUZ | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPU9 | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPU2 | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.903 | | | | | | | | | | |
| Local | Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | |
| Featur | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP95 | UEPVF | 0.00 | 455.00 | | | | | | | | | |
| | All Select Features Offered, per port | | <u> </u> | UEP95 | UEPVS | 0.00 | 457.83 | | | | | | | | | |
| NARS | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 0.00 | | | | | | | | | | ļ |
| NARS | | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | - | + | | 40.18 | 9.45 | | <u> </u> |
| - | Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | - | + | | 40.18 | 9.45 | | |
| | Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| Miscel | laneous Terminations | | | OL1 33 | UARUA | 0.00 | 0.00 | 0.00 | | | + | | 40.10 | 3.43 | | |
| | Trunk Side | | | | | | | | | | | | | | | |
| 2 ****** | Trunk Side Terminations, each | | | UEP95 | CEND6 | 12.36 | | | | | | | | | | |
| 4-Wire | Digital (1.544 Megabits) | | | 02. 00 | GENEO | 12.00 | | | | | | | | | | |
| 1 | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 123.65 | | | | | | | 40.18 | 9.45 | | |
| | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 28.81 | | | | | | 40.18 | 9.45 | | |
| Interof | fice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP95 | M1GBC | 18.00 | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | M1GBM | 0.0282 | | - | | | | | | | | |
| | e Activations (DS0) Centrex Loops on Channelized DS1 Servic | е | | | | | | | | | | | | | | |
| D4 Cha | annel Bank Feature Activations | | | | | | | | | ļ | | | | | | <u> </u> |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.65 | | | | ļ | | | | ļ | ļ | |
| | Francisco Additional D.A.Ohara 12 1 EVIII COLLEGE | | 1 | LIEBOE | 4001112 | | | | | | | | | 1 | 1 | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.65 | | | | | 1 | | | ļ | | <u> </u> |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | LIEDOE | 100147 | 0.05 | | | | | | | | | | |
| _ | Slot | | - | UEP95 | 1PQW7 | 0.65 | | | | | 1 | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP95 | 1PQWP | 0.65 | | | | | | | | | | |
| | | | | UEP95 | 1PQWV | 0.65 | | | | | | | | | | |

| UNBUN | IDLE | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhil | hit: B |
|--|---------|--|--------|--|--------|----------------|-------|--------|------------|--|------------|--|-----------|-------------|-----------|-------------|-------------|
| CITEGO | | NETWORK ELEMENTO HOLLI GAROLLIA | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | Intori | | | | | | | | | Elec | | Manual Svc | | Manual Svc | Manual Svc |
| CATEGO | DRY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | per Lore | per Lore | Electronic- | | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | 151 | Add I | DISC ISL | DISC Add I |
| | | | | | | | B | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | | Slot | | | UEP95 | 1PQWQ | 0.65 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.65 | | | | | | | | | | |
| | lon-Re | curring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | | changes, per port | | | UEP95 | USAC2 | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| | | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 695.11 | | | | | | 40.18 | 9.45 | | |
| | | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 695.11 | | | | | | 40.18 | 9.45 | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 72.73 | | | | | | 40.18 | 9.45 | | |
| 1 | | CENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | | |
| | | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | 1 | | | | | | | | | | | |
| | | ort/Loop Combination Rates (Non-Design) | | İ | İ | 1 | | | | 1 | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | - | İ | İ | † 1 | | | | 1 | | | | | | | |
| | | Non-Design | | 1 | UEP9D | | 24.75 | | | | | 1 | | | | | |
| \vdash | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | † † | 9 | | | | | | | | | | |
| | | Non-Design | | 2 | UEP9D | | 33.05 | | | | | | 1 | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | 02. 02 | | 00.00 | | | | | | | | | | |
| | | Non-Design | | 3 | UEP9D | | 44.33 | | | | | | | | | | |
| | INF Po | ort/Loop Combination Rates (Design) | | | 02. 02 | | 11.00 | | | | | | | | | | |
| | J. 1 C | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | | | | + | | | | | | | | | | | |
| | | Design | | 1 | UEP9D | | 28.97 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | <u> </u> | OLI OD | | 20.01 | | | | | | | | | | |
| | | Design | | 2 | UEP9D | | 39.93 | | | | | | | | | | |
| - | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OLI 3D | | 33.33 | | | | | | | | | | |
| | | Design | | 3 | UEP9D | | 54.81 | | | | | | | | | | |
| | INF L | pop Rate | | - | OLI 3D | + | 34.01 | | | | | | | | | | |
| — | JIVE EC | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 10.75 | | | | | | | | | | |
| - | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D | UECS1 | 19.05 | | | - | | | | | | | |
| - | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 30.33 | | | - | | | | | | | |
| - | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 1 | UEP9D | | 14.97 | | | - | | | | | | | |
| - | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 UECS2 | 25.93 | | | - | | | | | | | |
| - | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 40.81 | | | - | | | | | | | |
| | INE D | prt Rate | | 3 | UEF9D | UEC32 | 40.01 | | | | | | | | | | |
| | | ATES | | | | + | | | | - | | | | | | | |
| | ALL SI | | - | | UEP9D | UEPYA | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| - | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEF9D | UEPTA | 14.00 | 105.00 | 65.00 | - | | | | 40.16 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP9D | UEPYB | 14.00 | 105.00 | 85.00 | | | 1 | | 40.18 | 9.45 | | |
| \vdash | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local | 1 | | OFLAD | UEFIB | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | | Area | | | UEP9D | UEPYC | 14.00 | 105.00 | 85.00 | | | 1 | | 40.18 | 9.45 | | |
| \vdash | | | 1 | | OLFBD | OLF 10 | 14.00 | 105.00 | 00.00 | + | | | | 40.18 | 9.45 | - | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | | | LIEDOD | LIEDVD | 14.00 | 105.00 | 05.00 | | | 1 | | 40.40 | 0.45 | | |
| \vdash | | Area | 1 | | UEP9D | UEPYD | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | | | LIEDOD | LIEDVE | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| \vdash | | Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | 1 | | UEP9D | UEPYE | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | | , | | | LIEDOD | LIEDVE | 44.00 | 405.00 | 05.00 | | | | | 40.40 | 0.45 | | |
| \vdash | | Area | 1 | 1 | UEP9D | UEPYF | 14.00 | 105.00 | 85.00 | | | | - | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | | LIEDOD | LIEDVO | 44.00 | 405.00 | 05.00 | | | | 1 | 40.40 | 2.4- | | |
| \vdash | | Area | - | <u> </u> | UEP9D | UEPYG | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | | | LIEDOD | LIEDVE | 44.00 | 405.00 | 05.00 | | | | 1 | 40.40 | 2.4- | | |
| \vdash | | Area | - | <u> </u> | UEP9D | UEPYT | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | | | LIEDOD | LIEDY" | | | | | | | 1 | | - ·- | | |
| \vdash | | Area | - | <u> </u> | UEP9D | UEPYU | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | | | | | | | | | | 1 | | | | | |
| \sqcup | | Area | 1 | <u> </u> | UEP9D | UEPYV | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local | | | l | 1 | | | | | | | 1 | | | | |
| \sqcup | | Area | | | UEP9D | UEPY3 | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | | | l | [<u></u>] | | | | | | | 1 | | | | |
| | | Area | | | UEP9D | UEPYH | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | l | I I | | | | | | | 1 | | | | |
| | | Indication))3 Basic Local Area | | | UEP9D | UEPYW | 14.00 | 105.00 | 85.00 | l | | <u>l</u> | l | 40.18 | 9.45 | | |

| UNDUNDEL | D NETWORK ELEMENTS - North Carolina | | | • | | | | | | | | | | ment: 2 | | ibit: B |
|----------------------------------|--|-------------|------|----------------|----------------|----------------|------------------|----------------|-------------|--------------|---|---|--|--|---|-----------------------------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual So Order vs |
| | | | | | | Rec | Nonrec | urring | Nonrecurrin | g Disconnect | | | oss | Rates(\$) | • | * |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYJ | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | | | | | | | |
| | 2 Basic Local Area | | | UEP9D | UEPYM | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYO | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | LIEDOD | LIEDVD | 44.00 | 045.00 | 405.00 | | | | | 40.40 | 0.45 | | |
| | Basic Local Area | | | UEP9D | UEPYP | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | LIEDOD | LIEDVO | 44.00 | 245.00 | 405.00 | | | | | 40.40 | 0.45 | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPYQ | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | + |
| | Basic Local Area | | | UEP9D | UEPYR | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | OLF 9D | OLFTK | 14.00 | 213.00 | 105.00 | | | | | 40.10 | 9.43 | | + |
| | Basic Local Area | | | UEP9D | UEPYS | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | OLI 3D | OLI 10 | 14.00 | 213.00 | 105.00 | | | | | 40.10 | 3.43 | | + |
| | Basic Local Area | | | UEP9D | UEPY4 | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | OLI OD | OLI 14 | 14.00 | 210.00 | 100.00 | | | | | 40.10 | 0.40 | | |
| | Basic Local Area | | | UEP9D | UEPY5 | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | | | | | | | | | | | | | 1 |
| | Basic Local Area | | | UEP9D | UEPY6 | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY7 | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | 1 |
| | Term | | | UEP9D | UEPYZ | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY9 | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | | | | | | | | | | | | | | | |
| | Local Area | | | UEP9D | UEPY2 | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| NC On | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPUA | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPUB | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPUC | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPUD | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPUE | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPUF | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPUG | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | + |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D UEP9D | UEPUT UEPUU | 14.00 14.00 | 105.00 | 85.00 | | | | | 40.18 40.18 | 9.45 9.45 | | |
| $\longrightarrow \longleftarrow$ | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPUV | 14.00 | 105.00 105.00 | 85.00 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPU3 | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | + |
| | 2-Wire Voice Grade Port (Centrex / EBS-N3316)3 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPUH | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | + |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | OLF 9D | OLFOIT | 14.00 | 103.00 | 85.00 | | | 1 | | 40.16 | 9.40 | | + |
| | Indication)3 | | | UEP9D | UEPUW | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPUJ | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | + |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | OLI OD | OLI OU | 14.00 | 100.00 | 00.00 | | | | | 40.10 | 0.40 | | + |
| | 2 | l | | UEP9D | UEPUM | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | I | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPUO | 14.00 | 215.00 | 165.00 | | † | | | 40.18 | 9.45 | İ | |
| | | | | 1 | 1 | 20 | | | | Ì | | | | 2.10 | 1 | † |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | l | | UEP9D | UEPUP | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | I | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPUQ | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | , | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | l | | UEP9D | UEPUR | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | I | |
| | , , | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPUS | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| | | l | |] | | | | | - | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | l | | UEP9D | UEPU4 | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | <u> </u> |
| | | | | | | | | | | | | | | | | |

| CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES (\$) Submitted Elec Manual Svc Manual Svc Manual Svc Order vs. Electronic- Electronic | RONDLEL | NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | | ment: 2 | | bit: B |
|--|---------|---|---|------|--------|---|--------|--------|------------|--------------|------------|-------------------|-----------------------|--|--|--|---|
| 2-Wine Votors Grade Port (Centrowoldfier SWC 788-M6216) 2, UEPD0 UEPU7 14.00 215.00 185.00 40.16 9.45 | EGORY | RATE ELEMENTS | | Zone | BCS | usoc | | | RATES (\$) | | | Submitted Elec | Submitted Manually | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Increment Charge Manual S Order vs Electronic Disc Add |
| 2-Wire Votos Grade Port (Centreworther SWC-EBS-N6Z16)2, 3 | | | | | | | Dee | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | |
| 2-Wire Voxe Grade Prior (Centrew differ SWC / EBS-MSS16/2, 3 UEPQD UEP\U7 | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2-Wire Votes Grade Port, Diff Sewing Wire Center - 800 Service UEPDD UEPUZ 14,00 215.00 165.00 40.18 9.45 | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPU6 | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| Term | | | | | UEP9D | UEPU7 | 14.00 | 215.00 | 165.00 | | | | | 40.18 | 9.45 | | |
| 2-Wive Voca Circle Port Iteminated in on Megalink or equivalent UEP20 UEPUD 14.00 105.00 85.00 40.18 9.45 | | | | | LIEPAD | LIEPLIZ | 14 00 | 215.00 | 165.00 | | | | | 40 18 | 9.45 | | |
| E-Wire Vice Case Port Ferminated in 800 Service Term | | Tom | | | OLI OD | OLI OL | 14.00 | 210.00 | 100.00 | | | | | 40.10 | 0.40 | | |
| Local Number Portability per port UEP9D UPECS 0.903 | | | | | | | | | | | | | | | | | |
| Centres fraction Protectality, per port UEPSO URECS 0.903 | | | | | UEP9D | UEPU2 | 14.00 | 105.00 | 85.00 | | | | | 40.18 | 9.45 | | |
| Local Number Portability UEPBD LNPCC 0.55 UEBDD LNPCC 0.55 UEBDD LNPCC 0.55 UEBDD LNPCC 0.55 UEB | | | | | LIEDOD | LIBECC | 0.000 | | | | | 1 | | | | | |
| Licola Number Potitality (1 per port) | | | | | UEP9D | URECS | 0.903 | | | | | + | | | | | |
| Feature | | | | | LIEDOD | LNDCC | 0.25 | | | | | + | | | | | |
| All Standard Features Offered, per port UEP9D UEPVS 0.00 457.75 4.01 8.9.45 4. | | | | | UEP9D | LINPCC | 0.35 | | | | | - | | | | | |
| All Select Features Offered, per port | | | | | LIEP9D | LIEPVE | 0.00 | | | | | + | | | | | |
| AIR Centrex Control Features Offered, per port | | | | | | | | 457 83 | | | | | | 40 18 | 9 45 | | |
| NARS | | | | | | | | 107.00 | | | | 1 | | 10.10 | 0.10 | | |
| Unbundled Network Access Register - Nuvard UEP9D UARTX 0.00 0.00 0.00 40.18 9.45 | | | | | | | | | | | | | | | | | |
| Unbundled Network Access Register - Outdial UEP9D UAROX 0.00 0 | | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| Miscellaneous Terminations | | | | | | | | | | | | | | | | | |
| 2 2 2 2 3 5 5 5 5 5 5 5 5 5 | | | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | |
| Trunk Side Terminations, each | | | | | | | | | | | | | | | | | |
| A Viric Digital (1.54 Megabits) UEP9D MHDD 123.65 | | | | | | | | | | | | | | | | | |
| DS1 Circuit Terminations, each UEP90 MHDD 123.65 | | | | | UEP9D | CEND6 | 12.36 | | | | | | | | | | |
| DSO Channels Activated per Channel UEP9D MHDO 0.00 28.81 40.18 9.45 | | | | | LIEDOD | MALIDA | 400.05 | | | | | + | | 40.40 | 0.45 | | |
| Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Fermination UEP9D MfGBC 18.00 Interoffice Channel Facilities Fermination UEP9D MfGBM 0.0282 Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP9D 1PQW7 0.65 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP9D 1PQWV 0.65 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP9D 1PQWV 0.65 Feature Activation on D-4 Channel Bank Wars Loop Slot UEP9D 1PQWV 0.65 Feature Activation on D-4 Channel Bank Wars Loop Slot UEP9D 1PQWV 0.65 Feature Activation on D-4 Channel Bank Wars Loop Slot UEP9D 1PQWV 0.65 Feature Activation on D-4 Channel Bank Wars Loop Slot UEP9D 1PQWQ 0.65 Feature Activation on D-4 Channel Bank Wars Loop Slot UEP9D 1PQWQ 0.65 Feature Activation on D-4 Channel Bank Wars Loop Slot UEP9D 1PQWQ 0.65 Feature Activation on D-4 Channel Bank Wars Loop Slot UEP9D 1PQWQ 0.65 Feature Activation on D-4 Channel Bank Wars Loop Slot UEP9D 1PQWQ 0.65 Feature Activation on D-4 Channel Bank Wars Loop Slot UEP9D 1PQWQ 0.65 Feature Activation on D-4 Channel Bank Wars Loop Slot UEP9D 1PQWQ 0.65 Feature Activation on D-4 Channel Bank Wars Loop Slot UEP9D 1PQWQ 0.65 Feature Activation on D-4 Channel Bank Wars Loop Slot UEP9D 1PQWQ 0.65 Feature Activation on D-4 Channel Bank Wars Loop Slot UEP9D 1PQWQ 0.65 Non-Recurring Charges (MRC) Associated with UNEP Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port UEP9D 1PQWQ 0.65 NRC Conversion Currently Combined Switch-As-Is with allowed changes on the Combi | | | | | | | | 20 01 | | | | + | | | | | |
| Interoffice Channel Pacilities Termination UEP9D M1GBC 18.00 | | | | | OLF 9D | WITIDO | 0.00 | 20.01 | | | | | | 40.16 | 5.40 | | |
| Interoffice Channel mileage, per mile or fraction of mile Feature Activations (SD) Centrex Loops on Channels and Centrex Dop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank Farture X Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9D 1PQW7 0.65 Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9D 1PQW7 0.65 Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9D 1PQW7 0.65 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP9D 1PQW7 0.65 Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank R Tipe Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank R Tipe Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank R Tipe Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank R Tipe Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank R Tipe Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot UEP9D 1PQWV 0.65 Feature Activation on D-4 Channel Bank Wats Line Loop Slot UEP9D 1PQWV 0.65 Feature Activation on D-4 Channel Bank Wats Line Loop Slot UEP9D 1PQWV 0.65 Feature Activation on D-4 Channel Bank Wats Line Loop Slot UEP9D 1PQWV 0.65 Feature Activation on D-4 Channel Bank Wats Line Loop Slot UEP9D 1PQWV 0.65 Feature Activation on D-4 Channel Bank Wats Line Loop Slot UEP9D 1PQWV 0.65 Feature Activation on D-4 Channel Bank Wats Line Loop Slot UEP9D 1PQWV 0.65 Feature Activation on D-4 Channel Bank Wats Line Loop Slot UEP9D 1PQWV 0.65 Feature Activation on D-4 Channel Bank Wats Line Loop Slot UEP9D 1PQWV 0.65 Feature Activation on D-4 Channel Bank Wats Line Loop Slot UEP9D 1PQWV 0.65 Feature Activation on D-4 Channel Bank Wats Line Loop Slot UEP9D 1PQWV 0.65 Feature Activation on D-4 Channel Bank Wats Line Loop Slot UEP9D 1PQWV 0.65 Feature Activation on D-4 Channel Bank Wats Line Loop Slot UEP9D 1PQWV 0.65 Feature Activation on D-4 Channel Bank Wats Line Loop Slot UEP9D 1PQWV 0.65 Feature Activation on D-4 Channel Ban | | Interoffice Channel Facilities Termination | | | UEP9D | M1GBC | 18.00 | | | | | | | | | | |
| Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | 1 | | | | | |
| Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | е | | | | | | | | | | | | | | |
| Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | D4 Char | nnel Bank Feature Activations | | | | | | | | | | | | | | | |
| Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center UEP9D 1PQWP 0.65 Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP9D 1PQWV 0.65 Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot UEP9D 1PQWQ 0.65 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP9D 1PQWQ 0.65 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP9D 1PQWQ 0.65 Non-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port UEP9D USAC2 2.77 0.40 New Centrex Standard Common Block UEP9D MIACS 0.00 695.11 New Centrex Customized Common Block UEP9D MIACS 0.00 695.11 NAR Establishment Charge, Per Occasion UEP9D URECA 0.00 72.73 Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD Note 2 - Requires Interoffice Channel Milage | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.65 | | | | | | | | | | |
| Slot | | | | | UEP9D | 1PQW6 | 0.65 | | | | | | | | | | |
| Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center UEP9D 1PQWP 0.65 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP9D 1PQWV 0.65 Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot UEP9D 1PQWQ 0.65 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP9D 1PQWQ 0.65 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP9D 1PQWQ 0.65 Non-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port UEP9D USAC2 2.77 0.40 New Centrex Standard Common Block UEP9D M1ACS 0.00 695.11 New Centrex Customized Common Block UEP9D M1ACC 0.00 695.11 NAR Establishment Charge, Per Occasion UEP9D URECA 0.00 72.73 Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD Note 2 - Requres Interoffice Channel Mileage | | | | | LIEDOD | 100\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | 0.65 | | | | | | | | | | |
| Different Wire Center | | | | | UEP9D | TPQW7 | 0.05 | | | | | - | | | | | |
| Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop UEP9D 1PQWQ 0.65 | | | | | UEP9D | 1PQWP | 0.65 | | | | | | | | | | |
| Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop UEP9D | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.65 | | | | | | | | | | |
| Feature Activation on D-4 Channel Bank WATS Loop Slot UEP9D 1PQWA 0.65 | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| Non-Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port UEP9D | | | | | | | | | | | | - | | | | | |
| NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | | | OL: 3D | II QWA | 0.00 | | | + | | | | | | | |
| Changes, per port | | | | | | | | | | | | | | | | | |
| New Centrex Standard Common Block | | | | | UEP9D | USAC2 | | 2.77 | 0.40 | | | | | 40.18 | 9.45 | | |
| NAR Establishment Charge, Per Occasion UEP9D URECA 0.00 72.73 40.18 9.45 Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD 50.00 | | | | | UEP9D | M1ACS | 0.00 | 695.11 | | | | | | 40.18 | 9.45 | | |
| Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD Note 2 - Requires Interoffice Channel Mileage | | | | | | | | | | | | | | | | | |
| Note 2 - Requres Interoffice Channel Mileage | | | | | UEP9D | URECA | 0.00 | 72.73 | | | | | | 40.18 | 9.45 | _ | |
| | | | | | | | | | | | | | | | | | |
| Note 3 - Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | | | <u> </u> |
| Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions. | | | | | | | | | | | | 1 | | | | | |

| UNB | UNDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|-------|----------|---|----------|-----------|------------------------|----------------|------------------|-----------------|-----------------|-----------------|-----------------|---------------|---------------|------------------|----------------|----------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | | | Incremental |
| | | | | | | | | | | | | Submitted | 1 | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | Manual Svc | Manual Svc | | Manual Svc |
| CATE | GORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | D130 13t | DISC Add I |
| | | | | | | | Rec | Nonred | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| | The "Z | one" shown in the sections for stand-alone loops or loops as | part of | a comi | ination refers to Ge | ographically | Deaveraged U | NE Zones. To | view Geograp | hically Deaver | aged UNE Zon | e Designation | ons by Cent | ral Office, refe | er to internet | Website: | |
| | http://v | www.interconnection.bellsouth.com/become_a_clec/html/inter | rconnec | tion.ht | m | | | | | | | | | | | | |
| OPER | | SUPPORT SYSTEMS | | | | | | | | | | | | | | | |
| | NOTE: | (1) Electronic Service Order: CLEC should contact its contra | ct negot | tiator if | it prefers the state s | pecific elect | ronic service o | rdering charge | es as ordered b | y the State Co | mmissions. T | he electron | ic service or | rdering charg | e currently co | ntained in th | is rate |
| | exhibit | is the BellSouth regional electronic service ordering charge. | CLEC | may ele | ct either the state sp | ecific Comr | nission ordered | I rates for the | electronic serv | ice ordering c | narges, or CLE | C may elect | t the regiona | al electronic | service orderi | ng charge. | |
| | NOTE: | (2) Any element that can be ordered electronically will be bill | led acco | ording 1 | o the SOMEC rate lis | sted in this o | ategory. Pleas | e refer to Bell | South's Busine | ess Rules for L | ocal Ordering | (BBR-LO) to | o determine | if a product | can be ordere | d electronical | ly. For |
| | those | elements that cannot be ordered electronically at present per | the BBR | R-LO, th | e listed SOMEC rate | in this cate | gory reflects th | e charge that v | would be billed | I to a CLEC on | ce electronic o | ordering cap | pabilities co | me on-line fo | r that element | t. Otherwise, | the manual |
| | orderin | ng charge, SOMAN, will be applied to a CLECs bill when it sul | bmits ar | ı LSR t | o BellSouth. | | | | | | | | | | | | |
| | | Manual Service Order Charge, per LSR, Disconnect Only (SC) | | | | SOMAN | | | | 1.97 | | | | | | | |
| | | Electronic OSS Charge, per LSR, submitted via BST's OSS | | | | | | | | | | | | | | | |
| | | interactive interfaces (Regional) | | | | SOMEC | | 3.50 | | | | | | | | | |
| UNE S | | DATE ADVANCEMENT CHARGE | | | | | | | | | | | | | | | |
| | NOTE: | The Expedite charge will be maintained commensurate with | BellSou | th's FC | C No.1 Tariff, Section | on 5 as appli | cable. | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | UAL, UEANL, UCL, | | | | | | | | | | | | |
| | | | | | UEF, UDF, UEQ, | | | | | | | | | | | | |
| | | | | | UDL, UENTW, UDN, | | | | | | | | | | | | |
| | | | | | UEA, UHL, ULC, | | | | | | | | | | | | |
| | | | | | USL, U1T12, U1T48, | | | | | | | | | | | | |
| | | | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | | | | | U1TDX, U1TO3, | | | | | | | | | | | | |
| | | | | | U1TS1, U1TVX, | | | | | | | | | | | | |
| | | | | | UC1BC, UC1BL, | | | | | | | | | | | | |
| | | | | | UC1CC, UC1CL, | | | | | | | | | | | | |
| | | | | | UC1DC, UC1DL, | | | | | | | | | | | | |
| | | | | | UC1EC, UC1EL, | | | | | | | | | | | | |
| | | | | | UC1FC, UC1FL, | | | | | | | | | | | | |
| | | | | | UC1GC, UC1GL, | | | | | | | | | | | | |
| | | | | | UC1HC, UC1HL, | | | | | | | | | | | | |
| | | | | | UDL12, UDL48, | | | | | | | | | | | | |
| | | | | | UDLO3, UDLSX, | | | | | | | | | | | | |
| | | | | | UE3, ULD12, | | | | | | | | | | | | |
| | | | | | ULD48, ULDD1, | | | | | | | | | | | | |
| | | | | | ULDD3, ULDDX, | | | | | | | | | | | | |
| | | | | | ULDO3, ULDS1, | | | | | | | | | | | | |
| | | | | | ULDVX, UNC1X, | | | | | | | | | | | | |
| | | | | | UNC3X, UNCDX, | | | | | | | | | | | | |
| | | | | | UNCNX, UNCSX, | | | | | | | | | | | | |
| | | | | | UNCVX, UNLD1, | | | | | | | | | | | | |
| | | | | | UNLD3, UXTD1, | | | | | | | | | | | | |
| | | | | | UXTD3, UXTS1, | | | | | | | | | | | | |
| | | UNE Expedite Charge per Circuit or Line Assignable USOC, per | | | U1TUC, U1TUD, | | | | | | | | | | | | |
| | | Day | | | U1TUB, U1TUA | SDASP | | 200.00 | | | | | | | | | |
| UNBU | NDLED I | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | | UEANL | UEAL2 | 14.94 | 37.92 | 17.62 | 23.56 | 5.32 | | 15.69 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 21.39 | 37.92 | 17.62 | 23.56 | 5.32 | | 15.69 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 26.72 | 37.92 | 17.62 | 23.56 | 5.32 | | 15.69 | | | | |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | | Premise | <u> </u> | | UEANL | URETL | | 8.33 | 0.83 | | | | 15.69 | | | | |
| | | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 34.23 | 34.23 | | | | 15.69 | | | | |
| | | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 19.90 | 19.90 | | | | 15.69 | | | | |
| | | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | |
| | | (UVL-SL1) | <u> </u> | <u> </u> | UEANL | UREWO | | 15.81 | 8.96 | | | | 15.69 | | <u> </u> | | |
| | | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | 1 | 1 | | | | | - | | | | | | | | - |
| | | providing make-up (Engineering Information - E.I.) | ļ | 1 | UEANL | UEANM | | 13.47 | 13.47 | | | | | ļ | | ļ | |
| | 1 | Manual Order Coordination for UVL-SL1s (per loop) | | 1 | UEANL | UEAMC | | 8.17 | 8.17 | | 1 | 1 | | ĺ | | İ | |

| UNBU | NULÉ | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | ment: 2 | | ibit: B |
|--|---------|---|--|----------|---------------|----------------|-------|--------|------------|--|-------|---|---|--|--|--------------|--|
| CATEG | ORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | | | | | | | | | | Diac rat | Disc Add I |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | 001150 | 001111 | | Rates(\$) | 001111 | 001111 |
| | | Order Coordination for Coordinat Conversion Time for LIVI. CL1 | | <u> </u> | | _ | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) | | | UEANL | OCOSL | | 18.13 | 18.13 | | | | | | | | |
| | 2-WIDE | Unbundled COPPER LOOP | | | UEAINL | OCOSL | | 10.13 | 10.13 | | | | - | | - | - | + |
| | Z-VVINL | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | <u> </u> | 1 | UEQ | UEQ2X | 12.94 | 36.40 | 16.10 | 22.66 | 4.42 | | 15.69 | | | | 1 |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | l i | | UEQ | UEQ2X | 14.51 | 36.40 | 16.10 | 22.66 | 4.42 | | 15.69 | | | | + |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | H | | UEQ | UEQ2X | 15.02 | 36.40 | 16.10 | 22.66 | 4.42 | | 15.69 | | | | |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | Ť | 024 | O L QLX | 10.02 | 00.10 | 10.10 | 22.00 | | | 10.00 | | | | |
| | | Premise | | | UEQ | URETL | | 8.33 | 0.83 | | | | 15.69 | | | | |
| | | Order Coordination 2 Wire Unbundled Copper Loop - Non- | | | | | | | | | | | | | | | |
| | | Designed (per loop) | l | 1 | UEQ | USBMC | | 8.17 | 8.17 | | | | | | I | I | |
| | | Unbundled Copper Loop, Non-Design Copper Loop, billing for | | | | | | | | | | | | | | | 1 |
| | | BST providing make-up (Engineering Information - E.I.) | l | 1 | UEQ | UEQMU | | 13.47 | 13.47 | | | | 15.69 | | I | I | |
| | | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 34.23 | 34.23 | | | | 15.69 | | | | |
| | | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 19.90 | 19.90 | | | | 15.69 | | | | |
| | | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | _ | _ | | | | | | | | | |
| | | (UCL-ND) | | | UEQ | UREWO | | 14.30 | 7.45 | | | | 15.69 | | | | ļ |
| | | EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | <u> </u> |
| | 2-WIRE | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | | Zone 1 | | 1 | UEPSR UEPSB | UEALS | 14.94 | 37.92 | 17.62 | 23.56 | 5.32 | | 15.69 | | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | l . | | | | | | | | | | | | | |
| | | Zone 1 | | 1 | UEPSR UEPSB | UEABS | 14.94 | 37.92 | 17.62 | 23.56 | 5.32 | | 15.69 | | | | |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | HEDOD HEDOD | | 04.00 | 07.00 | 47.00 | 00.50 | F 00 | | 45.00 | | | | |
| | | Zone 2 | | 2 | UEPSR UEPSB | UEALS | 21.39 | 37.92 | 17.62 | 23.56 | 5.32 | | 15.69 | | | | |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2 | | 2 | UEPSR UEPSB | UEABS | 21.39 | 37.92 | 17.62 | 23.56 | 5.32 | | 15.69 | | | | |
| - | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | UEPSR UEPSB | UEABS | 21.39 | 37.92 | 17.02 | 23.36 | 5.32 | | 15.69 | | - | - | |
| | | Zone 3 | | 3 | UEPSR UEPSB | UEALS | 26.72 | 37.92 | 17.62 | 23.56 | 5.32 | | 15.69 | | | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | 3 | OLFSK OLFSB | ULALS | 20.72 | 37.92 | 17.02 | 23.30 | 5.52 | | 15.05 | | | | 1 |
| | | Zone 3 | | 3 | UEPSR UEPSB | UEABS | 26.72 | 37.92 | 17.62 | 23.56 | 5.32 | | 15.69 | | | | |
| UNBUN | DI FD F | EXCHANGE ACCESS LOOP | | | OLI OK OLI OD | OLADO | 20.72 | 37.32 | 17.02 | 23.30 | 5.52 | | 13.03 | | | | |
| | | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | | Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | | Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | | Ground Start Signaling - Zone 3 | <u></u> | 3 | UEA | UEAL2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | <u></u> | 15.69 | | <u> </u> | <u> </u> | <u></u> |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 18.13 | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | l | 1 | | | | | | | | | | | | | |
| | | Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | 1 | | 1 |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | l | 1 | l | 1 1 | | | | | | | | | 1 | 1 | |
| | | Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | 1 | . | ļ |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | l | _ | | | | | | | | | | | I | I | |
| \vdash | | Battery Signaling - Zone 3 | <u> </u> | 3 | UEA | UEAR2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | - | - | |
| | | Order Coordination for Specified Conversion Time (per LSR) | 1 | | UEA | OCOSL | | 18.13 | 20.11 | | | - | 45.00 | | 1 | 1 | |
| - | | CLEC to CLEC Conversion Charge without outside dispatch | 1 | | UEA UEA | UREWO URETL | | 87.90 | 36.44 | | | - | 15.69 15.69 | | 1 | 1 | |
| \vdash | 1-W1D | Loop Tagging - Service Level 2 (SL2) ANALOG VOICE GRADE LOOP | <u> </u> | <u> </u> | UEA | UKEIL | | 11.24 | 1.10 | | | | 15.69 | | | - | |
| $\vdash \vdash \vdash$ | VVIRE | 4-Wire Analog Voice Grade Loop - Zone 1 | 1 | 1 | UEA | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | - | 15.69 | | | | |
| \vdash | | 4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEA | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | t | t | |
| | | 4-Wire Analog Voice Grade Loop - Zone 3 | 1 | | UEA | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | <u> </u> | 15.69 | | I | I | † |
| \vdash | | Order Coordination for Specified Conversion Time (per LSR) | - | | UEA | OCOSL | 70.00 | 18.13 | 37.03 | 33.33 | 14.01 | | 10.09 | | t | t | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | 1 | | UEA | UREWO | | 87.90 | 36.44 | 1 | | <u> </u> | 15.69 | | I | I | † |
| | 2-WIRE | ISDN DIGITAL GRADE LOOP | | | | 1 | | 21.120 | | | | | | | 1 | 1 | 1 |
| H | | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 25.21 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | 1 | 1 | 1 |
| | | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN | U1L2X | 32.76 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | 1 |
| | | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 37.70 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | İ | İ | 1 |
| | | Order Coordination For Specified Conversion Time (per LSR) | | | UDN | OCOSL | | 18.13 | ,- | | | İ | | | 1 | 1 | |

| IUNBUNDI ' | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Fyhi | bit: B |
|--|--|----------|------|-------|---------|-------|--------|------------|--|-------|-----------|-----------|-------------|-------------|-------------|--------------|
| ON BONDE | The state of the s | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | |
| | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | "" | | | | | | | | | | - | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | · · · · · · · · · | | | | | | | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | 0150 to 0150 0 | | | UDN | LIDEMO | | First | Add'I | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2 14/11 | CLEC to CLEC Conversion Charge without outside dispatch RE Universal Digital Channel (UDC) COMPATIBLE LOOP | | | UDN | UREWO | | 91.82 | 44.25 | - | | | 15.69 | | | | |
| 2-9916 | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | | _ | | | | - | | | | | | | |
| | 1 | | 1 | UDC | UDC2X | 25.21 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | 000 | OBOZA | 20.21 | 117.00 | 00.00 | 00.00 | 10.01 | | 10.00 | | | | |
| | 2 | | 2 | UDC | UDC2X | 32.76 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | | | | | | | | | | | | | |
| | 3 | | 3 | UDC | UDC2X | 37.70 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDC | UREWO | | 91.82 | 44.25 | | | | 15.69 | | | | |
| 2-WIF | RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | ATIBLE | LOOP | | | | | | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | _ | | - | | | | | | | | |
| | & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 12.19 | 120.84 | 70.56 | 50.37 | 7.93 | | 15.69 | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | 1 | _ | | 1 7 | | | | I | | | l | | | | _ |
| | & facility reservation - Zone 2 | ļ | 2 | UAL | UAL2X | 13.71 | 120.84 | 70.56 | 50.37 | 7.93 | | 15.69 | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | l | _ | | | | | | | | | | | | | |
| \vdash | & facility reservation - Zone 3 | <u> </u> | 3 | UAL | UAL2X | 14.14 | 120.84 | 70.56 | 50.37 | 7.93 | | 15.69 | | ļ | | - |
| \vdash | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 18.13 | | 1 | | | | | | | 1 |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 12.19 | 95.81 | 57.82 | 50.37 | 7.93 | | 15.69 | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | - | UAL | UALZVV | 12.19 | 93.01 | 37.02 | 50.57 | 7.93 | | 15.69 | | | | |
| | facility reservation - Zone 2 | | 2 | UAL | UAL2W | 13.71 | 95.81 | 57.82 | 50.37 | 7.93 | | 15.69 | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | UAL | UALZVV | 13.71 | 93.01 | 37.02 | 30.31 | 7.93 | | 13.09 | | | | |
| | facility reservation - Zone 3 | | 3 | UAL | UAL2W | 14.14 | 95.81 | 57.82 | 50.37 | 7.93 | | 15.69 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | 14.14 | 18.13 | 07.02 | 00.07 | 7.50 | | 10.00 | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UAL | UREWO | | 86.38 | 40.48 | | | | 15.69 | | | | |
| 2-WIF | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 9.58 | 129.52 | 79.24 | 50.37 | 7.93 | | 15.69 | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 10.92 | 129.52 | 79.24 | 50.37 | 7.93 | | 15.69 | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 11.40 | 129.52 | 79.24 | 50.37 | 7.93 | | 15.69 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.13 | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | 4= 00 | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 9.58 | 104.49 | 66.50 | 50.37 | 7.93 | | 15.69 | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 | l | 2 | UHL | UHL2W | 10.92 | 104.49 | 66.50 | 50.37 | 7.93 | | 15.69 | | | | |
| \vdash | 2 Wire Unbundled HDSL Loop without manual service inquiry | - | | OI IL | UNLZVV | 10.92 | 104.49 | 06.00 | 50.37 | 7.93 | | 15.09 | | 1 | | - |
| | and facility reservation - Zone 3 | 1 | 3 | UHL | UHL2W | 11.40 | 104.49 | 66.50 | 50.37 | 7.93 | | 15.69 | | | | |
| \vdash | Order Coordination for Specified Conversion Time (per LSR) | 1 | - | UHL | OCOSL | 11.40 | 18.13 | 00.00 | 55.57 | 7.95 | | 10.00 | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | 1 | | UHL | UREWO | | 86.32 | 40.48 | 1 | | | 15.69 | | | | t |
| 4-WIF | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | 00.02 | | 1 | | | .0.00 | | | | |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | | 1 | | | | 1 | | | | | | | |
| | and facility reservation - Zone 1 | 1 | 1 | UHL | UHL4X | 16.02 | 158.18 | 107.89 | 55.12 | 10.38 | | 15.69 | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 14.33 | 158.18 | 107.89 | 55.12 | 10.38 | | 15.69 | | <u></u> | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | _ | | - | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 16.84 | 158.18 | 107.89 | 55.12 | 10.38 | | 15.69 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.13 | | ļ | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | l | | | [| | | | | | | | | | | |
| \vdash | and facility reservation - Zone 1 | <u> </u> | 1 | UHL | UHL4W | 16.02 | 133.14 | 95.16 | 55.12 | 10.38 | | 15.69 | | ļ | | - |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | 1 | _ | | | 44.00 | 400.44 | 05.10 | 55.40 | 40.00 | | 45.00 | | | | |
| \vdash | and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry | | 2 | UHL | UHL4W | 14.33 | 133.14 | 95.16 | 55.12 | 10.38 | | 15.69 | | 1 | | 1 |
| | and facility reservation - Zone 3 | 1 | 3 | UHL | UHL4W | 16.84 | 133.14 | 95.16 | 55.12 | 10.38 | | 15.69 | | | | |
| \vdash | Order Coordination for Specified Conversion Time (per LSR) | 1 | 3 | UHL | OCOSL | 10.84 | 133.14 | 95.16 | 55.12 | 10.38 | | 15.09 | | 1 | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.32 | 40.48 | | | | 15.69 | | | | 1 |
| \vdash | RE DS1 DIGITAL LOOP | l | | 01 IL | JILLAND | | 00.32 | 70.40 | | | | 10.09 | | | | 1 |
| 4-WIF | | | | | | | | | | | | | | | | |

| CINDCINDLE | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: B |
|------------|---|--|-----------------|------|----------------|--------|--------|------------|--------------|------------|----------|---|--|--|-------------------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | Incremental Charge - | Increments Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Dee | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 136.00 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 229.15 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 18.13 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 101.30 | 43.13 | | | | 15.69 | | | | |
| 4-WIR | RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | | | | | | | | | | | | 1 |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 3 | UDL | UDL19 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | | UDL | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | | UDL | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | 1 | 3 | UDL | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | 1 | Ì | |
| | Order Coordination for Specified Conversion Time (per LSR) | 1 | ۲Ť | UDL | OCOSL | J 4 | 18.13 | 332 | 55.55 | | | .0.00 | | 1 | Ì | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | 1 | 15.69 | | - | | + |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | l | 2 | UDL | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | † | 15.69 | | <u> </u> | † | † |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | 1 | 15.69 | | - | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | - | UDL | OCOSL | 04.74 | 18.13 | 00.12 | 00.00 | 14.01 | 1 | 10.00 | | - | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 102.34 | 49.85 | | | | 15.69 | | | | + |
| 2-WIE | RE Unbundled COPPER LOOP | | | ODL | OKLVVO | | 102.54 | 43.03 | | | | 13.03 | | | | |
| 2-7711 | 2-Wire Unbundled Copper Loop/Short including manual service | - | | | | | | | + | | - | | | - | | |
| ı | inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 12.19 | 119.91 | 69.62 | 50.37 | 7.93 | | 15.69 | | | | |
| | | | <u> </u> | UCL | UCLPB | 12.19 | 119.91 | 69.62 | 50.37 | 7.93 | | 15.69 | | | | |
| ı | 2-Wire Unbundled Copper Loop/Short including manual service | | _ | LICI | LICLED | 40.74 | 440.04 | 00.00 | 50.07 | 7.00 | | 45.00 | | | | |
| | inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 13.71 | 119.91 | 69.62 | 50.37 | 7.93 | | 15.69 | | | | |
| ı | 2 Wire Unbundled Copper Loop/Short including manual service | | 3 | | LIOL DD | 4444 | 440.04 | 00.00 | 50.07 | 7.00 | | 45.00 | | | | |
| | inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 14.14 | 119.91 | 69.62 | 50.37 | 7.93 | | 15.69 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.17 | 8.17 | | | | | | | | |
| ı İ | 2-Wire Unbundled Copper Loop/Short without manual service | | | | | | | = | | | | 4= 00 | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 12.19 | 94.87 | 56.89 | 50.37 | 7.93 | | 15.69 | | | | |
| ı | 2-Wire Unbundled Copper Loop/Short without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 13.71 | 94.87 | 56.89 | 50.37 | 7.93 | | 15.69 | | | | |
| ı | 2-Wire Unbundled Copper Loop/Short without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 14.14 | 94.87 | 56.89 | 50.37 | 7.93 | | 15.69 | | | | |
| 1 | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.17 | 8.17 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual srvc. | | | | | | | | | | | | | | | |
| ı | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2L | 38.22 | 119.91 | 69.62 | 50.37 | 7.93 | | 15.69 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | ĺ |
| ı | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2L | 55.33 | 119.91 | 69.62 | 50.37 | 7.93 | | 15.69 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | |
| ı | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2L | 67.95 | 119.91 | 69.62 | 50.37 | 7.93 | | 15.69 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.17 | 8.17 | | | | | | | | 1 |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | | | | | | | | | | | | |
| ı | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2W | 38.22 | 94.87 | 56.89 | 50.37 | 7.93 | | 15.69 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | | | | | | | | | | | | |
| ı | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2W | 55.33 | 94.87 | 56.89 | 50.37 | 7.93 | | 15.69 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | - | | | | | | | | | | | | | |
| ı | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2W | 67.95 | 94.87 | 56.89 | 50.37 | 7.93 | | 15.69 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | Ť | UCL | UCLMC | 07.00 | 8.17 | 8.17 | 00.01 | 7.00 | | 10.00 | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | 002 | 0020 | | 0.11 | 0 | | | | | | | | 1 |
| ı | (UCL-Des) | | | UCL | UREWO | | 94.87 | 42.57 | | | | 15.69 | | | | |
| 4-WIR | RE COPPER LOOP | | | OOL | OKETTO | | 04.07 | 72.07 | | | | 10.00 | | | | + |
| | 4-Wire Copper Loop/Short - including manual service inquiry | 1 | 1 | | - | | | | | | | l | | - | <u> </u> | † |
| . | and facility reservation - Zone 1 | l | 1 | UCL | UCL4S | 19.64 | 144.17 | 93.88 | 55.12 | 10.38 | | 15.69 | | 1 | | |
| -+- | 4-Wire Copper Loop/Short - including manual service inquiry | | - '- | UUL | UUL#U | 13.04 | 144.17 | 33.00 | 55.12 | 10.30 | 1 | 13.09 | 1 | t | 1 | |
| . | and facility reservation - Zone 2 | l | 2 | UCL | UCL4S | 20.90 | 144.17 | 93.88 | 55.12 | 10.38 | | 15.69 | | 1 | | |
| | | - | | UUL | UUL43 | 20.90 | 144.17 | 33.08 | JJ. 12 | 10.38 | | 15.09 | - | | 1 | |
| . | 4-Wire Copper Loop/Short - including manual service inquiry | l | 3 | UCL | 1101.40 | 40.04 | 444.47 | 00.00 | 55.40 | 40.00 | | 45.00 | | 1 | | 1 |
| | and facility reservation - Zone 3 | | 3 | | UCL4S UCLMC | 19.34 | 144.17 | 93.88 | 55.12 | 10.38 | | 15.69 | | | - | |
| | Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop/Short - without manual service inquiry and | l | 1 | UCL | UCLIVIC | | 8.17 | 8.17 | | | 1 | - | - | 1 | 1 | |
| | | | | | | | | | | | 1 | ı | 1 | 1 | 1 | 1 |

| UNBUNDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: B |
|------------|--|-------------|------------------|--|---------|--------|-----------------|------------------|-----------------------|-------|-------|---|---------------------------------|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | - | | | Rec | Nonrec First | curring Add'l | Nonrecurring First | Add'l | COMEC | SOMAN | SOMAN | Rates(\$) | SOMAN | SOMAN |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | | | FIRST | Add I | FIRST | Addi | SOMEC | SUMAN | SUMAN | SUMAN | SUMAN | SOWAN |
| | facility reservation - Zone 2 | | 2 | UCL | UCL4W | 20.90 | 119.13 | 81.15 | 55.12 | 10.38 | | 15.69 | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 3 | | 3 | UCL | UCL4W | 19.34 | 119.13 | 81.15 | 55.12 | 10.38 | | 15.69 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.17 | 8.17 | | | | | | | | |
| | Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4L | 77.29 | 144.17 | 93.88 | 55.12 | 10.38 | | 15.69 | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | <u> </u> | UCL | UCL4L | 11.29 | 144.17 | 93.00 | 55.12 | 10.36 | | 15.09 | | 1 | | 1 |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4L | 118.78 | 144.17 | 93.88 | 55.12 | 10.38 | | 15.69 | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4L | 144.10 | 144.17 | 93.88 | 55.12 | 10.38 | | 15.69 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.17 | 8.17 | | | | | | | | <u> </u> |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4O | 77.29 | 119.44 | 81.45 | 55.12 | 10.38 | | 15.69 | | | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | - ' - | UCL | UCL40 | 11.29 | 115.44 | 01.45 | 33.12 | 10.36 | | 13.03 | | 1 | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4O | 118.78 | 119.44 | 81.45 | 55.12 | 10.38 | | 15.69 | | | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4O | 144.10 | 119.44 | 81.45 | 55.12 | 10.38 | | 15.69 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.17 | 8.17 | | | | | | | | <u> </u> |
| | CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) | | | UCL | UREWO | | 94.87 | 42.57 | | | | 15.69 | | | | |
| LOOP MODIF | | | | UCL | UKEWU | | 94.07 | 42.57 | | | | 13.09 | | | | + |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft | | | UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB | ULM2L | | 32.46 | 32.46 | | | | 15.69 | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 wire | | | | | | | | | | | | | | | |
| | greater than 18k ft | | | UCL, ULS, UEQ | ULM2G | | 170.89 | 170.89 | | | | 15.69 | | | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft | | | UHL, UCL, UEA | ULM4L | | 32.46 | 32.46 | | | | 15.69 | | | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | OTIE, OOE, OET | CLIVITE | | 02.40 | 02.40 | | | | 10.00 | | | | 1 |
| | pair greater than 18k ft | | | UCL | ULM4G | | 170.89 | 170.89 | | | | 15.69 | | | | |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop | | | UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB | ULMBT | | 32.48 | 32.48 | | | | 15.69 | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | <u> </u> |
| Sub-L | oop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | | | | | | | | | | | | | | 4 |
| | Up | - 1 | | UEANL | USBSA | | 241.42 | 241.42 | | | | 15.69 | | | | |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | ı | | UEANL | USBSB | | 22.69 | 22.69 | | | | 15.69 | | | | |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder | | | | | | | | | | | | | | | |
| | Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel | I | | UEANL | USBSC | | 177.84 | 177.84 | | | | 15.69 | | | | |
| | Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | I | | UEANL | USBSD | | 55.58 | 55.58 | | | | 15.69 | | | | <u> </u> |
| | Zone 1 | I | 1 | UEANL | USBN2 | 8.87 | 65.94 | 31.03 | 45.35 | 6.71 | | 15.69 | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2 | ı | 2 | UEANL | USBN2 | 12.58 | 65.94 | 31.03 | 45.35 | 6.71 | | 15.69 | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 | ı | 3 | UEANL | USBN2 | 14.79 | 65.94 | 31.03 | 45.35 | 6.71 | | 15.69 | | | | |
| | | | Ť | | | | | | | 2 | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | UEANL | USBMC | | 8.17 | 8.17 | | | | | | | | |
| | Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | 1 | UEANL | USBN4 | 14.11 | 79.21 | 44.29 | 49.82 | 9.09 | | 15.69 | | | - | - |
| | Zone 2 | | 2 | UEANL | USBN4 | 19.40 | 79.21 | 44.29 | 49.82 | 9.09 | | 15.69 | | | | |

| UNBUN | IDLE | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | ment: 2 | | bit: B |
|---------|--------|--|-------------|------|-----------------|----------------|--------|----------------|---------------------------------------|--------------|---------------------------------------|---|---|--|--|--|--|
| CATEGO | DRY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svo Order vs. Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | • | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN4 | 18.90 | 79.21 | 44.29 | 49.82 | 9.09 | | 15.69 | | | | |
| | | Zone 3 | | 3 | UEANL | USBN4 | 18.90 | 79.21 | 44.29 | 49.82 | 9.09 | | 15.69 | | - | - | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.17 | 8.17 | | | | | | | | |
| | | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | - 1 | | UEANL | USBR2 | 2.41 | 53.13 | 18.21 | 45.35 | 6.71 | | 15.69 | | 1 | İ | |
| | | · · · · · · · · · · · · · · · · · · · | | | | | | | | | | | | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.17 | 8.17 | | | | | | | | |
| | | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | I | | UEANL | USBR4 | 5.36 | 59.38 | 24.47 | 49.82 | 9.09 | | 15.69 | | | | |
| | | Order Consideration for Habrard and Called Lance and the Lance and | | | LIFANI | LICDMC | | 0.47 | 0.47 | | | | | | | | |
| - | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEANL UEF | USBMC UCS2X | 7.11 | 8.17 65.94 | 8.17 31.03 | 45.35 | 6.71 | | 15.69 | | | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | H | 2 | UEF | UCS2X | 9.83 | 65.94 | 31.03 | 45.35 | 6.71 | | 15.69 | | | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | l i | | UEF | UCS2X | 10.48 | 65.94 | 31.03 | 45.35 | 6.71 | | 15.69 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 8.17 | 8.17 | | | | | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS4X | 7.85 | 79.21 | 44.29 | 49.82 | 9.09 | | 15.69 | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | I | 2 | UEF | UCS4X | 14.17 | 79.21 | 44.29 | 49.82 | 9.09 | | 15.69 | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | l I | 3 | UEF | UCS4X | 12.64 | 79.21 | 44.29 | 49.82 | 9.09 | | 15.69 | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 8.17 | 8.17 | | | | | | | | |
| - | | dled Network Terminating Wire (UNTW) | | | UEF | USBIVIC | | 8.17 | 8.17 | | | | | | | | |
| | | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.3303 | 30.20 | 30.20 | | | | 15.69 | | | | |
| N | | k Interface Device (NID) | | | CLIVIV | OLIVI I | 0.0000 | 00.20 | 00.20 | | | | 10.00 | | | | |
| | | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 43.68 | 28.79 | | | | 15.69 | | | | |
| | | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 64.42 | 49.53 | | | | 15.69 | | | | |
| | | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | 5.92 | 5.92 | | | | 15.69 | | | | |
| | | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 5.92 | 5.92 | | | | 15.69 | | | | |
| SUB-LOC | | op Feeder | | | | | | | | | | | | | | | |
| - | JUD-LU | USL-Feeder, DS0 Set-up per Cross Box location - CLEC | | | UEA, | | | | | | | | | | | 1 | |
| | | Distribution Facility set-up | | | UDN,UCL,UDL,UDC | USBFW | | 241.42 | | | | | 15.69 | | | | |
| | | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair | | | UEA, | | | | | | | | | | | | |
| | | set-up | | | UDN,UCL,UDL,UDC | USBFX | | 22.69 | 22.69 | | | | 15.69 | | | | |
| | | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | | USL | USBFZ | | 523.87 | 11.34 | | | | 15.69 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice | | | | | | | | | | | | | | | |
| | | Grade - Zone 1 | | 1 | UEA | USBFA | 8.93 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFA | 11.74 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| - | | Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, | | | UEA | USBFA | 11.74 | 93.20 | 30.09 | 54.00 | 13.74 | | 15.09 | | | | |
| | | Voice Grade - Zone 3 | | 3 | UEA | USBFA | 14.74 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | | Order Coordination for Specified Conversion Time, per LSR | | Ĭ | UEA | OCOSL | | 18.13 | 00.00 | 0 1.00 | 10 | | 10.00 | | 1 | İ | |
| | | Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | | | | | | | | | | | | | | |
| | | Grade - Zone 1 | | 1 | UEA | USBFB | 8.93 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | | | | | | | | | | | | | | |
| | | Grade - Zone 2 | | 2 | UEA | USBFB | 11.74 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice | | _ | UEA | USBFB | 44.74 | 00.00 | 50.00 | 54.00 | 40.74 | | 45.00 | | | | |
| | | Grade - Zone 3 Order Coordination for Specified Time Conversion, per LSR | | 3 | UEA | OCOSL | 14.74 | 93.28 18.13 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | + | OLA | CCCCL | | 10.13 | | | | | | | | | |
| | | Voice Grade - Zone 1 | | 1 | UEA | USBFC | 8.93 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | | | | | | | | | | . , , | | | | |
| | | Voice Grade - Zone 2 | <u> </u> | 2 | UEA | USBFC | 11.74 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | <u></u> | <u></u> | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse | | | | | | | · · · · · · · · · · · · · · · · · · · | | · · · · · · · · · · · · · · · · · · · | | | | | | |
| | | Battery, Voice Grade - Zone 3 | | 3 | UEA | USBFC | 14.74 | 93.28 | 56.69 | 54.68 | 13.74 | | 15.69 | | 1 | 1 | |
| | | Order Coordination For Specified Conversion Time, per LSR | | 1 | UEA | OCOSL | | 18.13 | | | | | | | | | <u> </u> |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1 | | 4 | UEA | USBFD | 21.63 | 107.91 | 70.36 | 62.26 | 17.52 | | 15.69 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | +- | OLA | U UUU U | 21.03 | 107.91 | 10.36 | 02.20 | 17.32 | 1 | 15.69 | | | | |
| | | Grade - Zone 2 | I | 2 | UEA | USBFD | 27.57 | 107.91 | 70.36 | 62.26 | 17.52 | 1 | 15.69 | | 1 | 1 | 1 |

| ONRONDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | ment: 2 | | bit: B |
|--------------|---|-------------|------|------------|----------------|-----------------|------------------|------------------|--|-------|------------------------|------------------------|---|--|-------------------------|---|
| | | | | | | | | | | | Svc Order Submitted | Svc Order Submitted | Incremental Charge - | Incremental Charge - | Incremental Charge - | Incrementa Charge - |
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Elec per LSR | Manually per LSR | Manual Svc Order vs. Electronic- 1st | Manual Svc Order vs. Electronic- Add'I | | Manual Sve Order vs. Electronic Disc Add'l |
| | | | | | | | | | | | | | | | DISC 1St | DISC Add I |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice | | _ | | | | | | | | | | | | | |
| | Grade - Zone 3 | | 3 | UEA | USBFD | 26.04 | 107.91 | 70.36 | 62.26 | 17.52 | | 15.69 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 18.13 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | | HODEE | 04.00 | 407.04 | 70.00 | 00.00 | 47.50 | | 45.00 | | | | |
| | Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | 1 | UEA | USBFE | 21.63 | 107.91 | 70.36 | 62.26 | 17.52 | | 15.69 | | | | |
| | Grade - Zone 2 | | 2 | UEA | USBFE | 27.57 | 107.91 | 70.36 | 62.26 | 17.52 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | OLA | OODI L | 21.51 | 107.51 | 70.50 | 02.20 | 17.52 | | 13.03 | | | | |
| | Grade - Zone 3 | | 3 | UEA | USBFE | 26.04 | 107.91 | 70.36 | 62.26 | 17.52 | | 15.69 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | _ | UEA | OCOSL | | 18.13 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 | | 1 | UDN | USBFF | 17.05 | 106.47 | 68.92 | 55.81 | 13.37 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 | | 2 | UDN | USBFF | 20.92 | 106.47 | 68.92 | 55.81 | 13.37 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 | | 3 | UDN | USBFF | 23.49 | 106.47 | 68.92 | 55.81 | 13.37 | | 15.69 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | UDN | OCOSL | | 18.13 | _ | | | | | | | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 1 | UDC | USBFS | 17.05 | 106.47 | 68.92 | 55.81 | 13.37 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 2 | UDC | USBFS | 20.92 | 106.47 | 68.92 | 55.81 | 13.37 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 3 | UDC | USBFS | 23.49 | 106.47 | 68.92 | 55.81 | 13.37 | | 15.69 | | 1 | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | | USL | USBFG | 55.85 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | | USL | USBFG | 109.16 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 3 | USL | USBFG | 203.35 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | USL | OCOSL | 5.00 | 18.13 | 10.10 | 50.44 | 10.00 | | 45.00 | | | | |
| | Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFH | 5.98 | 83.97 | 46.42 | 53.14 | 10.69 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | 2 | UCL | USBFH | 4.80 | 83.97 | 46.42 | 53.14 | 10.69 | | 15.69 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | | UCL | USBFII | 4.00 | 63.91 | 40.42 | 55.14 | 10.69 | | 15.69 | | | | |
| | oriburidied Sub-Loop Feeder Loop, 2-wire Copper Loop - Zorie | | 3 | UCL | USBFH | 4.59 | 83.97 | 46.42 | 53.14 | 10.69 | | 15.69 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | 3 | UCL | OCOSL | 4.33 | 18.13 | 40.42 | 33.14 | 10.09 | | 13.09 | | | | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFJ | 13.21 | 101.22 | 63.67 | 58.03 | 13.29 | | 15.69 | | | | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 | | 2 | UCL | USBFJ | 8.28 | 101.22 | 63.67 | 58.03 | 13.29 | | 15.69 | | | | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 | | 3 | UCL | USBFJ | 8.42 | 101.22 | 63.67 | 58.03 | 13.29 | | 15.69 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 18.13 | | | | | | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 1 | UDL | USBFN | 21.02 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 2 | UDL | USBFN | 21.30 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 3 | UDL | USBFN | 20.17 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UDL | USBFO | 21.02 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | l | | l | | | | | | .= | | | | I | | |
| \vdash | Zone 2 | ļ | 2 | UDL | USBFO | 21.30 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | - | | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | l | _ | LIDI | HODEO | 00.47 | 400.40 | 04.61 | 20.00 | 17.50 | | 45.00 | | 1 | | |
| \vdash | Zone 3 Order Coordination For Specified Time Conversion, per LSP | | 3 | UDL UDL | USBFO OCOSL | 20.17 | 102.19 18.13 | 64.64 | 62.26 | 17.52 | | 15.69 | | | 1 | - |
| H | Order Coordination For Specified Time Conversion, per LSR Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | 1 | | ODL | OCOSL | | 18.13 | | | | | - | 1 | | | - |
| | Zone 1 | | 1 | UDL | USBFP | 21.02 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | ' | ODL | USBIT | 21.02 | 102.19 | 04.04 | 02.20 | 17.52 | | 13.09 | | | | |
| | Zone 2 | l | 2 | UDL | USBFP | 21.30 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | 1 | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | | 00211 | 21.00 | 102.19 | 07.04 | 02.20 | 17.02 | | 10.00 | | 1 | 1 | |
| | Zone 3 | l | 3 | UDL | USBFP | 20.17 | 102.19 | 64.64 | 62.26 | 17.52 | | 15.69 | | 1 | | |
| | Order Coordination For Specified Conversion Time, per LSR | | | UDL | OCOSL | | 18.13 | | | | | | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | |
| Sub-L | oop Feeder | | | | | | | | | | | | | | | |
| | Sub Loop Feeder - DS3 - Per Mile Per Month | | | UE3 | 1L5SL | 20.44 | | | | | | | | | | |
| | Sub Loop Feeder - DS3 - Facility Termination Per Month | - 1 | | UE3 | USBF1 | 348.12 | 3,408.62 | 407.90 | 160.83 | 91.17 | | 15.69 | | | | |
| | Sub Loop Feeder – STS-1 – Per Mile Per Month | 1 | | UDLSX | 1L5SL | 20.44 | | | | | | | | | | |
| <u> </u> | Sub Loop Feeder - STS-1 - Facility Termination Per Month | | | UDLSX | USBF7 | 369.07 | 3,408.62 | 407.90 | 160.83 | 91.17 | | 15.69 | | ļ | | |
| UNBUNDLED | LOOP CONCENTRATION | ļ | | | | | | | ļ | | | 4= 65 | | | ļ | |
| \vdash | Unbundled Loop Concentration - System A (TR008) | <u> </u> | | ULC | UCT8A | 318.73 | 326.13 | 326.13 | ļ . | | | 15.69 | ļ | - | ļ | |
| 1 1 | Unbundled Loop Concentration - System B (TR008) | | | ULC | UCT8B UCT3A | 46.69 351.78 | 135.89 326.13 | 135.89 326.13 | | | | 15.69 15.69 | | | ļ | |
| | Unbundled Loop Concentration - System A (TR303) | | | | | | | | | | | | | | | |

| ONRONDI | ED NETWORK ELEMENTS - South Carolina | | | 1 | | | | | | | 1 - | | | ment: 2 | | ibit: B |
|-----------|--|--|----------|-------------------|-------------------------|--------|------------------|------------|------------------|------------|---|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | 1 | |
| | | | 1 | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Loop Concentration - DS1 Loop Interface Card | | | ULC | UCTCO | 4.42 | 63.43 | 46.18 | 16.83 | 4.71 | | 15.69 | | | | |
| | Unbundled Loop Concentration - ISDN Loop Interface (Brite | | | | | | | | | | | | | | | |
| | Card) | | | UDN | ULCC1 | 7.02 | 10.56 | 10.50 | 5.41 | 5.37 | | 15.69 | | | | |
| | Unbundled Loop Concentration - UDC Loop Interface (Brite | | | | | | | | | | | | | | | |
| | Card) | | | UDC | ULCCU | 7.02 | 10.56 | 10.50 | 5.41 | 5.37 | | 15.69 | | | | |
| | Unbundled Loop Concentration2 Wire Voice-Loop Start or | | | | | | | | | | | | | | | |
| | Ground Start Loop Interface (POTS Card) | | | UEA | ULCC2 | 1.75 | 10.56 | 10.50 | 5.41 | 5.37 | | 15.69 | | | | |
| | Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery | | | | | | | | | | | | | | | |
| | Loop Interface (SPOTS Card) | | 1 | UEA | ULCCR | 10.42 | 10.56 | 10.50 | 5.41 | 5.37 | | 15.69 | | | | |
| | Unbundled Loop Concentration - 4 Wire Voice Loop Interface | | | 1154 | | 2.22 | 10.50 | 10.50 | | | | 45.00 | | 1 | 1 | |
| | (Specials Card) | | 1 | UEA | ULCC4 | 6.22 | 10.56 | 10.50 | 5.41 | 5.37 | | 15.69 | | | | |
| | Unbundled Loop Concentration - TEST CIRCUIT Card Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop | | 1 | ULC | UCTTC | 30.38 | 10.56 | 10.50 | 5.41 | 5.37 | - | 15.69 | | | | 1 |
| | Interface | 1 | | UDL | ULCC7 | 9.21 | 10.56 | 10.50 | 5.41 | 5.37 | | 15.69 | | 1 | I | |
| | Unbundled Loop Concentration - Digital 56 Kbps Data Loop | | | ODL | 02007 | 3.21 | 10.30 | 10.30 | 5.41 | 5.51 | | 10.09 | | | | + |
| | Interface | 1 | | UDL | ULCC5 | 9.21 | 10.56 | 10.50 | 5.41 | 5.37 | | 15.69 | | 1 | I | |
| | Unbundled Loop Concentration - Digital 64 Kbps Data Loop | † | 1 | | | 5.21 | . 5.50 | | 5.41 | 2.07 | | .0.50 | | 1 | 1 | |
| | Interface | | | UDL | ULCC6 | 9.21 | 10.56 | 10.50 | 5.41 | 5.37 | | 15.69 | | | | |
| UNE OTHER | R, PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |
| | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | |
| | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | |
| | | | | UEANL,UEF,UEQ,U | | | | | | | | | | | | |
| | Unbundled Contract Name, Provisioning Only - No Rate | | | ENTW | UNECN | 0.00 | 0.00 | | | | | | | | | |
| UNE OTHER | R, PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | UAL,UCL,UDC,UDL, | | | | | | | | | | | | |
| | Unbundled Contact Name, Provisioning Only - no rate | | 1 | UDN,UEA,UHL,ULC | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | | UEA,UDN,UCL,UDC | LISBEO | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | | 1 | OLA,ODIN,OCL,ODC | USBI Q | 0.00 | 0.00 | | | | | | | | | |
| | rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Expanded Superframe Format option - | | | 002 | 0000. | 0.00 | 0.00 | | | | | | | | | |
| | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| HIGH CAPA | CITY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| NOT | E: minimum billing period of three months for DS3/STS-1 Local | Loop | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | UE3 | 1L5ND | 12.26 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UE3 | UE3PX | 306.36 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | LIDLOV | 41.5110 | 40.00 | | | | | | | | | | |
| | month | | 1 | UDLSX | 1L5ND | 12.26 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month | | | UDLSX | UDLS1 | 313.49 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | | |
| LOOP MAKI | | | 1 | ODLOX | ODEST | 313.49 | 432.32 | 204.55 | 119.73 | 03.77 | | 13.09 | | | | |
| LOOI WAN | Loop Makeup - Preordering Without Reservation, per working or | | | | | | | | | | | | | | | |
| | spare facility queried (Manual). | | | UMK | UMKLW | | 24.04 | 24.04 | | | | | | | | |
| | Loop Makeup - Preordering With Reservation, per spare facility | | | | | | | | | | | | | | | |
| l I | queried (Manual). | | | UMK | UMKLP | | 25.49 | 25.49 | | | | | | | | |
| | UENCY SPECTRUM | | | | | | _ | - | | | | | | | | |
| HIGH FREQ | | | | | | | | | | | | | | | | |
| LINE | SHARING | | | . — | | | | | | | | | | | | |
| LINE | ITTERS-CENTRAL OFFICE BASED | | <u> </u> | | | | | | | | | | | | | 1 |
| LINE | ITTERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity | | | ULS | ULSDA | 216.22 | 189.21 | 0.00 | 178.38 | 0.00 | | 15.69 | | | | |
| LINE | ITTERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity | | | ULS | ULSDB | 54.05 | 189.21 | 0.00 | 178.38 | 0.00 | | 15.69 | | | | |
| LINE | ITTERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity | I | | | | | | | | | | | | | | |
| LINE | ITTERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton- | I | | ULS ULS | ULSDB ULSD8 | 54.05 | 189.21 189.21 | 0.00 | 178.38 178.38 | 0.00 | | 15.69 15.69 | | | | |
| SPL | ITTERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity | | TDUM | ULS ULS ULS | ULSDB ULSD8 ULSDG | 54.05 | 189.21 | 0.00 | 178.38 | 0.00 | | 15.69 | | | | |

| UNBUND | LED NETWORK ELEMENTS - South Carolina | 1 | | 1 | | | | | | | _ | _ | | ment: 2 | | bit: B |
|----------|--|------------------|----------|---|---|---|----------------|----------------|--|------------|---|---|--|--|---|--|
| CATEGOR | Y RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Dee | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | • | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Line Sharing - per Subsequent Activity per Line | | | | | | | | | | | | | | | |
| | Rearrangement(BST Owned Splitter) | | | ULS | ULSDS | | 16.42 | 8.21 | | | | 15.69 | | | | |
| | Line Sharing - per Subsequent Activity per Line | | | | | | | | | | | | | | | |
| | Rearrangement(DLEC Owned Splitter) | | | ULS | ULSCS | | 16.42 | 8.21 | | | | 15.69 | | | | |
| | Line Sharing - per Line Activation (DLEC owned Splitter) | | 1 | ULS | ULSCC | 0.61 | 47.44 | 19.31 | 20.67 | 12.74 | | 15.69 | | | | |
| | IE SPLITTING | | | | | | | | | | | | | | | |
| EN | D USER ORDERING-CENTRAL OFFICE BASED | . | | LIEDOD LIEDOD | LIDEOO | 0.04 | | | | | | | | | | |
| | Line Splitting - per line activation DLEC owned splitter | ! | | UEPSR UEPSB | UREOS | 0.61 | 07.00 | 01.01 | 00.07 | 0.05 | | 45.00 | | | | |
| | Line Splitting - per line activation BST owned - physical | <u> </u> | | UEPSR UEPSB | UREBP | 0.61 | 37.09 | 21.24 | 20.07 | 9.85 | | 15.69 | | | | |
| | Line Splitting - per line activation BST owned - virtual | I | | UEPSR UEPSB | UREBV | 0.61 | 37.09 | 21.24 | 20.07 | 9.85 | | 15.69 | | | | |
| | MOTE SITE HIGH FREQUENCY SPECTRUM | - | 1 | | | | | | | | | | | | | |
| SPI | LITTERS-REMOTE SITE | + . | - | 111.0 | HICOD | 38.61 | 145.04 | 0.00 | 05.40 | 0.00 | | 15.00 | | | 1 | |
| | Remote Site Line Share BellSouth Owned Splitter, 24 Port | + ' | - | ULS | ULSRB | 38.61 | 115.04 | 0.00 | 85.18 | 0.00 | | 15.69 | | | 1 | |
| | Remote Site Line Share Cable Pair Activation CLEC Owned at | | | 111.0 | LILOTO | | 05.00 | 0.00 | 00.07 | 0.00 | | 15.00 | | | | |
| FAU | RS and Deactivation D USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM | IM AKA | DEMO | ULS | ULSTG | | 95.83 | 0.00 | 68.37 | 0.00 | | 15.69 | | | | |
| EN | Remote Site Line Share Line Activation for End User Served at | IWI ANA | KENIO | IE SHE LINE SHAR | ING | | | | | | | | | | - | - |
| | RS, BST Splitter | 1 . | | ULS | ULSRC | 0.61 | 37.09 | 21.24 | 20.07 | 9.85 | | 15.69 | | | | |
| | RS Line Share Line Activation for End User served at RS, CLEC | <u> </u> | | ULS | ULSKC | 0.01 | 37.09 | 21.24 | 20.07 | 9.00 | | 15.69 | | | | |
| | Splitter | Ί. | | ULS | ULSTC | 0.61 | 37.09 | 21.24 | 20.07 | 9.85 | | 15.69 | | | | |
| | Remote Site Line Share Subsequent Activity-RS BST Owned | + | - | ULS | ULSIC | 0.61 | 37.09 | 21.24 | 20.07 | 9.85 | | 15.69 | | | | |
| | Splitter | 1 . | | ULS | ULSRS | | 49.26 | 17.87 | | | | 15.69 | | | | |
| | Remote Site Line Share Subsequent Activity-RS CLEC Owned | - ' - | | ULS | ULORO | | 49.20 | 17.07 | | | | 15.69 | | | | |
| | Splitter | 1 . | | ULS | ULSTS | | 49.26 | 17.87 | | | | 15.69 | | | | |
| LINDUNDU | ED DEDICATED TRANSPORT | + '- | | ULS | OLOTO | | 49.20 | 17.07 | + | | | 13.09 | | | | |
| | TE: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minim | um billir | a pori | nd - bolow DS2-on | month DS2/ | STS-1-four mo | othe | | | | | | | | | |
| | EROFFICE CHANNEL - DEDICATED TRANSPORT | | ig perio | Du - Delow Dos-one | inonth, Door | 310-1 <u>-1001 1110</u> | itiio | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade | - | | | + | | | | | | | | | | | |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.0167 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade | - | | OTTVA | TEO/OX | 0.0107 | | | | | | | | | | |
| | Facility Termination | | | U1TVX | U1TV2 | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | OTTVA | OTTVE | 24.00 | 40.00 | 21.41 | 10.77 | 0.01 | | 10.00 | | | | |
| | Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.0167 | | | | | | | | | | |
| — | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. | | 1 | 0 | 120701 | 0.0101 | | | 1 | | | | | | | |
| | Facility Termination | | | U1TVX | U1TR2 | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade | 1 | | O | 011112 | 2 1.00 | 10.00 | 2 | 10.17 | 0.01 | | 10.00 | | | | |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.0167 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade | Э | | • | | | | | | | | | | | | |
| | - Facility Termination | | | U1TVX | U1TV4 | 21.29 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | | | 1 | | | | | | | |
| | per month | | | U1TDX | | | | | | | | | | | | |
| | | | | UTIDX | 1L5XX | 0.0167 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | UTIDA | 1L5XX | 0.0167 | | | | | | | | | | |
| | | | | U1TDX | 1L5XX U1TD5 | 0.0167 16.76 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination | | | | | | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | U1TDX | U1TD5 | 16.76 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | U1TDX | U1TD5 | 16.76 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 15.69 | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | U1TDX U1TDX U1TDX | U1TD5 1L5XX U1TD6 | 16.76 0.0167 16.76 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | U1TDX U1TDX | U1TD5 1L5XX | 16.76 0.0167 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | U1TDX U1TDX U1TDX U1TDX U1TD1 | U1TD5 1L5XX U1TD6 1L5XX | 16.76 0.0167 16.76 0.3415 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination | | | U1TDX U1TDX U1TDX | U1TD5 1L5XX U1TD6 | 16.76 0.0167 16.76 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per Interoffice Channel - Dedicated Transport - DS3 - Per Mile per Interoffice Channel - Dedicated Transport - DS3 - Per Mile per Interoffice Channel - Dedicated Transport - DS3 - Per Mile per Interoffice Channel - Dedicated Transport - DS3 - Per Mile per Interoffice Channel - Dedicated Transport - DS3 - Per Mile per Interoffice Channel - Dedicated Transport - DS3 - Per Mile per Interoffice Channel - Dedicated Transport - DS3 - Per Mile per Interoffice Channel - Dedicated Transport - DS3 - Per Mile per Interoffice Channel - Dedicated Transport - DS3 - Per Mile per Interoffice Channel - Dedicated Transport - DS3 - Per Mile per Interoffice Channel - Dedicated Transport - DS3 - Per Mile per Interoffice Channel - Dedicated Transport - DS3 - Per Mile per Interoffice Channel - Dedicated Transport - DS3 - Per Mile per Interoffice Channel - Dedicated Transport - DS3 - Per Mile per Interoffice Channel - Dedicated Transport - DS3 - Per Mile per Interoffice Channel - Dedicated Transport - DS3 - Per Mile per Interoffice Channel - Dedicated Transport - DS3 - Per Mile Per Interoffice Channel - Dedicated Transport - DS3 - Per Mile Per Interoffice Channel - Dedicated Transport - DS3 - Per Mile Per Interoffice Channel - Dedicated Transport - DS3 - Per Mile Per Interoffice Channel - Dedicated Transport - DS3 - Per Mile Per Interoffice Channel - Dedicated Transport - DS3 - Per Mile Per Interoffice Channel - Dedicated Transport - DS3 - Per Mile Per Interoffice Channel - Dedicated Transport - DS3 - Per Mile Per Interoffice Channel - Dedicated Transport - DS3 - Per Mile Per Interoffice Channel - DEDICATE - DEDICATE - DED | | | U1TDX U1TDX U1TDX U1TDX U1TD1 | U1TD5 1L5XX U1TD6 1L5XX U1TF1 | 16.76 0.0167 16.76 0.3415 77.14 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | U1TDX U1TDX U1TDX U1TDX U1TD1 | U1TD5 1L5XX U1TD6 1L5XX | 16.76 0.0167 16.76 0.3415 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility | | | U1TDX U1TDX U1TDX U1TDX U1TD1 U1TD1 U1TD3 | U1TD5 1L5XX U1TD6 1L5XX U1TF1 1L5XX | 16.76 0.0167 16.76 0.3415 77.14 8.02 | 40.63 89.47 | 27.47 81.99 | 16.77 | 6.91 | | 15.69 | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | U1TDX U1TDX U1TDX U1TDX U1TD1 | U1TD5 1L5XX U1TD6 1L5XX U1TF1 | 16.76 0.0167 16.76 0.3415 77.14 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | U1TDX U1TDX U1TDX U1TD1 U1TD1 U1TD1 U1TD3 U1TD3 | U1TD5 1L5XX U1TD6 1L5XX U1TF1 1L5XX U1TF3 | 16.76 0.0167 16.76 0.3415 77.14 8.02 880.65 | 40.63 89.47 | 27.47 81.99 | 16.77 | 6.91 | | 15.69 | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | U1TDX U1TDX U1TDX U1TDX U1TD1 U1TD1 U1TD3 | U1TD5 1L5XX U1TD6 1L5XX U1TF1 1L5XX | 16.76 0.0167 16.76 0.3415 77.14 8.02 | 40.63 89.47 | 27.47 81.99 | 16.77 | 6.91 | | 15.69 | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | U1TDX U1TDX U1TDX U1TD1 U1TD1 U1TD1 U1TD3 U1TD3 | U1TD5 1L5XX U1TD6 1L5XX U1TF1 1L5XX U1TF3 | 16.76 0.0167 16.76 0.3415 77.14 8.02 880.65 | 40.63 89.47 | 27.47 81.99 | 16.77 | 6.91 | | 15.69 | | | | |

| UNBUND | LED | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | ment: 2 | | bit: B |
|-----------|-----|--|--|--------|-------------------|--|--------------|-----------------|-----------------|-----------------------|--------|---|---|--|--|--|---|
| CATEGOR | Y | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | | N | | _ N | B' | | | | | Disc 1st | Disc Add I |
| - | | | | | | | Rec | Nonred First | urring Add'l | Nonrecurring First | Add'l | COMEC | SOMAN | SOMAN | Rates(\$) | SOMAN | SOMAN |
| 10 | CAL | CHANNEL - DEDICATED TRANSPORT | | | | + | | FIRST | Add I | FIRST | Addi | SOMEC | SUMAN | SUMAN | SOMAN | SUMAN | SOWAN |
| | | LOCAL CHANNEL DEDICATED TRANSPORT - minimum billir | na nerio | d - be | low DS3-one month | DS3/STS-1 | -four months | | | | | | | | | | |
| INC | | Local Channel - Dedicated - 2-Wire Voice Grade | lg perio | u = be | ULDVX | ULDV2 | 15.33 | 193.53 | 33.24 | 36.72 | 3.21 | - | 15.69 | | - | - | - |
| - | | Local Channel - Dedicated - 2-Wire Voice Grade Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat | - | | ULDVX | ULDR2 | 15.33 | 193.53 | 33.24 | 36.72 | 3.21 | - | 15.69 | | - | - | - |
| | | Local Channel - Dedicated - 4-Wire Voice Grade Nev Bat | - | | ULDVX | ULDV4 | 16.54 | 193.97 | 33.68 | 37.19 | 3.68 | - | 15.69 | | - | - | - |
| | | Local Channel - Dedicated - 4-Wire Voice Grade Local Channel - Dedicated - DS1 - Zone 1 | | 1 | ULDD1 | ULDF1 | 42.62 | 177.87 | 154.06 | 22.24 | 15.30 | 1 | 15.69 | | | | |
| | | Local Channel - Dedicated - DS1 - Zone 1 | | 2 | ULDD1 | ULDF1 | 70.32 | 177.87 | 154.06 | 22.24 | 15.30 | 1 | 15.69 | | | | |
| | | Local Channel - Dedicated - DS1 - Zone 2 | | 3 | ULDD1 | ULDF1 | 190.68 | 177.87 | 154.06 | 22.24 | 15.30 | | 15.69 | | | | |
| | | Local Channel - Dedicated - DS1 - Zone 3 | | 3 | ULDD3 | 1L5NC | 11.93 | 177.07 | 134.00 | 22.24 | 15.50 | | 15.69 | | | | |
| | | | | - | | | 446.00 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | | |
| \vdash | | Local Channel - Dedicated - DS3 - Facility Termination Local Channel - Dedicated - STS-1- Per Mile per month | - | | ULDD3 ULDS1 | ULDF3 1L5NC | 11.93 | 452.52 | ∠04.53 | 119.75 | 83.77 | | 10.09 | | | | |
| \vdash | | Local Channel - Dedicated - STS-1 - Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination | - | | ULDS1 | ULDFS | 435.10 | 4E0 E0 | 264.53 | 119.75 | 83.77 | | 15.69 | | | | - |
| DARK FIBI | | Local Ghanner - Dedicated - 313-1 - Facility Termination | | | OLDOI | OLDES | 435.10 | 452.52 | ∠04.53 | 119.75 | 83.77 | | 10.09 | | | | |
| DAKK LIBI | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | — | | - | | | | | | | | | | |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile of Fraction Thereof per month - Local Channel | 1 | | UDF | 1L5DC | 97.65 | | | | | | | | I | I | I |
| \vdash | | NRC Dark Fiber - Local Channel | - | | UDF | UDFC4 | 97.05 | 640.51 | 138.17 | 317.76 | 198.11 | | 15.69 | | | | |
| \vdash | | Dark Fiber - Local Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | - | | UUF | UDFC4 | 1 | 040.51 | 138.17 | 317.76 | 198.11 | | 10.09 | | | | |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile of Fraction Thereof per month - Interoffice Channel | | | UDF | 1L5DF | 36.41 | | | | | | | | | | |
| | | NRC Dark Fiber - Interoffice Channel | | - | UDF | UDF14 | 30.41 | 640.51 | 138.17 | 317.76 | 198.11 | | 15.69 | | | | |
| | | | | | UDF | UDF 14 | | 640.51 | 138.17 | 317.76 | 198.11 | | 15.69 | | | | |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | UDF | 41.501 | 07.05 | | | | | | | | | | |
| | | Thereof per month - Local Loop | | | | 1L5DL | 97.65 | 010 =1 | | 0.17.70 | | | 1= 00 | | | | |
| 2007 2005 | | NRC Dark Fiber - Local Loop | | | UDF | UDFL4 | | 640.51 | 138.17 | 317.76 | 198.11 | | 15.69 | | | | |
| 8XX ACCE | | EN DIGIT SCREENING | | | O. I.B. | | | | | | | | | | | | |
| | | BXX Access Ten Digit Screening, Per Call | | | OHD | | 0.0006673 | | | | | | | | | | |
| | | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX | | | | | | | | | | | | | | | |
| | | Number Reserved | | | OHD | N8R1X | | 2.59 | 0.44 | | | | 15.69 | | | | |
| | | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O | | | | | | | | | | | | | | | |
| | | POTS Translations | | | OHD | | | 5.95 | 0.81 | 4.58 | 0.54 | | 15.69 | | | | |
| | | BXX Access Ten Digit Screening, Per 8XX No. Established With | | | | | | | | | | | | | | | |
| | | POTS Translations | | | OHD | N8FTX | | 5.95 | 0.81 | 4.58 | 0.54 | | 15.69 | | | | |
| | | BXX Access Ten Digit Screening, Customized Area of Service | | | | | | | | | | | | | | | |
| | | Per 8XX Number | | | OHD | N8FCX | | 2.59 | 1.30 | | | | 15.69 | | | | |
| | | BXX Access Ten Digit Screening, Multiple InterLATA CXR | | | | | | | | | | | | | | | |
| | | Routing Per CXR Requested Per 8XX No. | | | OHD | N8FMX | | 3.03 | 1.74 | | | | 15.69 | | | | |
| | | BXX Access Ten Digit Screening, Change Charge Per Request | | | OHD | N8FAX | | 3.03 | 0.44 | | | | 15.69 | | | | |
| | | BXX Access Ten Digit Screening, Call Handling and Destination | | | | | | | | | | | | | | | |
| | | Features | | | OHD | N8FDX | | 2.59 | 2.59 | | | | 15.69 | | | | |
| | | BXX Access Ten Digit Screening, w/ 8XX No. Delivery | | | OHD | 1 | 0.0006673 | | | | | | | | | | |
| | | BXX Access Ten Digit Screening, w/ POTS No. Delivery | | | OHD | 1 | 0.0006673 | | | | | | | | | | |
| LINE INFO | | TION DATA BASE ACCESS (LIDB) | | | ļ | 1 | | | | | | | | | 1 | 1 | 1 |
| | | LIDB Common Transport Per Query | ļ | | OQT | 1 | 0.0000246 | | | 1 | | | | | ļ | ļ | 1 |
| | | LIDB Validation Per Query | | | OQU | | 0.0138158 | | | | | | | | | | |
| | | LIDB Originating Point Code Establishment or Change | | | OQT, OQU | NRPBX | | 34.40 | | 42.18 | | | 15.69 | | | | |
| SIGNALING | | - / | | | | | | | - | | - | | | | | | |
| | | CCS7 Signaling Connection, Per 56 Kbps Facility | | | UDB | TPP++ | 16.93 | 35.61 | 35.61 | 16.48 | 16.48 | | | | | | |
| | | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 163.49 | | | | | | | | | | |
| | | CCS7 Signaling Usage, Per TCAP Message | | | UDB | | 0.0000692 | | | | | | | | | | |
| | | CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP++ | 16.93 | 35.61 | 35.61 | 16.48 | 16.48 | | 15.69 | | | | |
| | | CCS7 Signaling Connection, Per link (B link) (also known as D | 1 | | <u> </u> | | | | | | | | | | | | |
| | | ink) | | | UDB | TPP++ | 16.93 | 35.61 | 35.61 | 16.48 | 16.48 | | 15.69 | | | | |
| | | CCS7 Signaling Usage, Per ISUP Message | | | UDB | 1 | 0.0000173 | | | | | | | | | | |
| | | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 791.37 | | | | | | | | | | |
| | | CCS7 Signaling Point Code, per Originating Point Code | | | | | | | | | | | | | | | |
| | | Establishment or Change, per STP affected | <u> </u> | | UDB | CCAPO | | 29.08 | 29.08 | 35.65 | 35.65 | | 15.69 | | <u></u> | <u></u> | |
| | (| CCS7 Signaling Point Code, per Destination Point Code | | | | | | | | | | | | | | | |
| | | Establishment or Change, Per Stp Affected | <u> </u> | | UDB | CCAPD | | 29.08 | 29.08 | 35.65 | 35.65 | | 15.69 | | <u></u> | <u></u> | |
| E911 SER\ | | | | | | | | | | | | | | | | | |
| | | Local Channel - Dedicated - 2-wr Voice Grade | | | | | 15.33 | 193.53 | 33.24 | 36.72 | 3.21 | | 15.69 | | | | |
| | | nteroffice Transport - Dedicated - 2-wr Voice Grade Per Mile | | | | | 0.0167 | | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | , | | ment: 2 | | ibit: B |
|--------------|---|--|----------|--|--------|-----------|----------|------------|--|------------|--------------|--------------|-------------|--|-------------|--|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Intori | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | *** | | | per Lor | per Lor | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | _ | Nonrec | urrina | Nonrecurring | Disconnect | | | OSS | Rates(\$) | l. | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility | | | | | | | | 1 | | | | | | | |
| | Termination | | | | | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| — | Local Channel - Dedicated - DS1 - Zone 1 | | | | + | 42.62 | 177.87 | 154.06 | 22.24 | 15.30 | | 15.69 | | | | |
| — | Local Channel - Dedicated - DS1 - Zone 2 | | | | + | 70.32 | 177.87 | 154.06 | 22.24 | 15.30 | | 15.69 | | | | 1 |
| — | Local Channel - Dedicated - DS1 - Zone 3 | | | | + | 190.68 | 177.87 | 154.06 | 22.24 | 15.30 | | 15.69 | | | | 1 |
| | Interoffice Transport - Dedicated - DS1 Per Mile | | | | | 0.3415 | 177.07 | 104.00 | 22.27 | 10.00 | | 10.00 | | | | |
| | interoffice Transport - Dedicated - DOTT of Wille | | | | | 0.5415 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 Per Facility Termination | | | | | 77.14 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| CALLING NA | ME (CNAM) SERVICE | | | | + | 77.14 | 09.47 | 01.33 | 10.39 | 14.40 | | 13.09 | | | | |
| CALLING NAI | CNAM For DB Owners - Service Establishment | | | OQV | | | 23.00 | 23.00 | 21.15 | 21.15 | 1 | 15.69 | | | | - |
| | | 1 | | | | | | | | | | | | | | |
| \vdash | CNAM For Non DB Owners - Service Establishment | | 1 | OQV | | ļ | 23.00 | 23.00 | 21.15 | 21.15 | | 15.69 | | | 1 | |
| | CNAM For DB Owners - Service Provisioning With Point Code | 1 | | 001 | | | 000.00 | 704.4- | 200 50 | 100.10 | | 45.00 | | l | | |
| ——— | Establishment | <u> </u> | 1 | OQV | | | 993.09 | 734.47 | 269.53 | 198.18 | 1 | 15.69 | | | ļ | |
| | CNAM For Non DB Owners - Service Provisioning With Point | 1 | | | | | | | | | | | | l | | |
| | Code Establishment | | | OQV | | | 343.09 | 245.69 | 275.87 | 198.18 | | 15.69 | | | | |
| | CNAM for DB Owners, Per Query | | | OQV | | 0.0010433 | | | | | | | | | | ļ |
| | CNAM for Non DB Owners, Per Query | | | OQV | | 0.0010433 | | | | | | | | | | |
| LNP Query Se | | | | | | | | | | | | | | | | |
| | LNP Charge Per query | | | | | 0.0008837 | | | | | | | | | | |
| | LNP Service Establishment Manual | | | | | | 25.09 | 25.09 | 23.07 | 23.07 | | 15.69 | | | | |
| | LNP Service Provisioning with Point Code Establishment | | | | | | 594.82 | 303.88 | 269.53 | 198.18 | | 15.69 | | | | |
| OPERATOR C | ALL PROCESSING | | | | | | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using BST | | | | | | | | | | | | | | | |
| | LIDB | | | | | 1.20 | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using | | | | | | | | | | | | | | | |
| | Foreign LIDB | | | | | 1.24 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using BST | | | | | | | | | | | | | | | |
| | LIDB | | | | | 0.20 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using | | | | | | | | | | | | | | | 1 |
| | Foreign LIDB | | | | | 0.20 | | | | | | | | | | |
| INWARD OPE | RATOR SERVICES | | | | | | | | | | | | | | | |
| | Inward Operator Services - Verification, Per Minute | | | | | 1.15 | | | | | | | | | | |
| | Inward Operator Services - Verification and Emergency Interrupt | | | | | | | | | | | | | | | |
| | - Per Minute | | | | | 1.15 | | | | | | | | | | |
| BRANDING - | OPERATOR CALL PROCESSING | | | | | | | | | | | | | | | |
| | y based CLEC | | | | | | | | | | | | | | | |
| | Recording of Custom Branded OA Announcement | | | | CBAOS | | 7,000.00 | 7,000.00 | | | | 15.69 | | | | |
| — | Loading of Custom Branded OA Announcement per shelf/NAV | | | | 02,100 | | 7,000.00 | 1,000.00 | | | | 10.00 | | | | |
| 1 1 | per OCN | 1 | | İ | CBAOL | | 500.00 | 500.00 | | | I | 15.69 | | Ì | | |
| LINED | CLEC | | 1 | - | 027.02 | | 555.00 | 555.00 | | | 1 | .0.00 | | | | † |
| O.V.E. | Recording of Custom Branded OA Announcement | | | | + | | 7,000.00 | 7,000.00 | | | | 15.69 | | | | |
| — | Loading of Custom Branded OA Announcement per shelf/NAV | | | | + | | 7,000.00 | 7,000.00 | | | | 10.00 | | | | |
| | per OCN | | | | | | 500.00 | 500.00 | | | | 15.69 | | | | |
| Unbra | nding via OLNS for UNEP CLEC | | | | | | 300.00 | 300.00 | | | 1 | 15.05 | | | | |
| Olibia | Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | 15.69 | | | | 1 |
| DIDECTORY | ASSISTANCE SERVICES | 1 | 1 | - | + | | 1,200.00 | 1,200.00 | - | | 1 | 13.69 | | - | - | + |
| | TORY ASSISTANCE ACCESS SERVICE | | 1 | | + | 1 | | | | | 1 | | | | 1 | |
| DIKEC | Directory Assistance Access Service Calls, Charge Per Call | | 1 | | _ | 0.275 | | | | | | | | | - | |
| DIDEC | TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I | JACC) | <u> </u> | - | _ | 0.275 | | | | | 1 | | | - | - | |
| DIKEC | | JACC) | 1 | | | ļ | | | | | | | | | 1 | |
| 1 1 | Directory Assistance Call Completion Access Service (DACC), | | | 1 | | 0.40 | | | | | | | | | | |
| DIDECTORY | Per Call Attempt | | <u> </u> | | | 0.10 | | | | | 1 | | | 1 | 1 | |
| | ASSISTANCE SERVICES | ļ | <u> </u> | | _ | | | | | | 1 | | | | ļ | . |
| DIREC | TORY ASSISTANCE DATA BASE SERVICE (DADS) | ļ | <u> </u> | L | | | | | | | ļ | ļ | | | | |
| \vdash | Directory Assistance Data Base Service Charge Per Listing | ļ | ļ | | | 0.04 | | | | | | | | | | |
| | Directory Assistance Data Base Service, per month | ļ | <u> </u> | | DBSOF | 150.00 | | | | | | | | ļ | | |
| | DIRECTORY ASSISTANCE | ļ | <u> </u> | | | | | | | | | | | ļ | | |
| Facilit | y Based CLEC | <u> </u> | <u> </u> | ļ | | | | | | | <u> </u> | | | | | 1 |
| 1 1 | Recording and Provisioning of DA Custom Branded | 1 | | I | 1 | | | | | | 1 |] | | 1 | | |
| 1 1 | Announcement | <u>L</u> | <u></u> | AMT | CBADA | <u> </u> | 3,000.00 | 3,000.00 | <u> </u> | | <u> </u> | 15.69 | | <u> </u> | <u> </u> | <u> </u> |

| UNBU | JNDLEI | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | ment: 2 | | ibit: B |
|----------|---------|--|-------------|--|--------------|------------|-----------|------------|------------|--------------|-----------|--|---|---|---|---|--|
| CATEG | GORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Loading of Custom Branded Announcement per Switch per | | | A . A . T | 00.400 | | 4 470 00 | 4 470 00 | | | | 45.00 | | | | |
| | UNEP (| OCN | | | AMT | CBADC | | 1,170.00 | 1,170.00 | | | | 15.69 | | | | |
| | UNLF | Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | 15.69 | | | | |
| | | Loading of DA Custom Branded Announcement per Switch per | | 1 | | | | 0,000.00 | 0,000.00 | | | | 10.00 | | | | |
| | | OCN | | | | | | 1,170.00 | 1,170.00 | | | | 15.69 | | | | |
| | | ding via OLNS for UNEP CLEC | | | | | | | | | | | | | | | |
| | | Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | 15.69 | | | | |
| | | Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | 15.69 | | | | |
| SELEC | TIVE RO | | | | | | | | | | | | | | | | |
| | | Selective Routing Per Unique Line Class Code Per Request Per Switch | | | | USRCR | | 84.89 | 84.89 | 14.14 | 14.14 | | 15.69 | | | | |
| VIRTU | AL COLI | LOCATION | | 1 | | CONON | | 04.05 | 005 | 17.14 | 14.14 | | 13.09 | | | | † |
| | | Virtual Collocation-2 Wire Cross Connects (Loop) for Line | | 1 | | | | | | † | | l – | | | | | |
| <u></u> | | Splitting | | <u></u> | UEPSR, UEPSB | VE1LS | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | <u> </u> | 15.69 | | <u> </u> | | |
| PHYSIC | CAL COL | LOCATION | | | | | | | - | | | | | _ | | | |
| | | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | | | | | | | | | | | | | | |
| A1N 05 | | Splitting | | | UEPSR, UEPSB | PE1LS | 0.0341 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | <u> </u> |
| AIN SE | LECTIV | E CARRIER ROUTING Regional Service Establishment | | | SRC | SRCEC | | 101,324.34 | 101,324.34 | 8.609.85 | 8.609.85 | | 15.69 | | | | |
| | | End Office Establishment | | | SRC | SRCEO | | 175.66 | 175.66 | 1.70 | 1.70 | | 15.69 | | | | |
| | | Query NRC, per query | | 1 | SRC | SKCLO | 0.0035036 | 173.00 | 175.00 | 1.70 | 1.70 | | 13.09 | | | | |
| AIN - B | ELLSO | JTH AIN SMS ACCESS SERVICE | | 1 | 0.10 | | 0.000000 | | | | | | | | | | |
| | | AIN SMS Access Service - Service Establishment, Per State, | | | | | | | | | | | | | | | |
| | | Initial Setup | | | A1N | CAMSE | | 39.53 | 39.53 | 40.78 | 40.78 | | 15.69 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | AIN SMS Access Service - Port Connection - Dial/Shared Access | | | A1N | CAMDP | | 7.85 | 7.85 | 9.11 | 9.11 | | 15.69 | | | | <u> </u> |
| | | AIN SMS Access Service - Port Connection - ISDN Access | | | A1N | CAM1P | | 7.85 | 7.85 | 9.11 | 9.11 | | 15.69 | | | | <u> </u> |
| | | AIN SMS Access Service - User Identification Codes - Per User ID Code | | | A1N | CAMAU | | 35.08 | 35.08 | 27.12 | 27.12 | | 15.69 | | | | |
| | | AIN SMS Access Service - Security Card, Per User ID Code, | | 1 | AIN | CAIVIAU | | 33.06 | 33.06 | 21.12 | 21.12 | | 13.09 | | | | + |
| | | Initial or Replacement | | | A1N | CAMRC | | 41.98 | 41.98 | 11.74 | 11.74 | | 15.69 | | | | |
| | | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | | | 0.0027 | | | | | | | | | | |
| | | AIN SMS Access Service - Session, Per Minute | | | | | 0.7121 | | | | | | | | | | |
| | | AIN SMS Access Service - Company Performed Session, Per | | | | | | | | | | | | | | | |
| | | Minute | | | | | 0.8364 | | | | | | | | | | <u> </u> |
| AIN - B | BELLSO | JTH AIN TOOLKIT SERVICE | | | | | | | | | | | | | | | |
| | | AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup | | | CAM | BAPSC | | 39.53 | 39.53 | 40.78 | 40.78 | | 15.69 | | | | |
| | | AIN Toolkit Service - Training Session, Per Customer | | 1 | OAW | BAPVX | | 4,211.54 | 4,211.54 | 0.00 | 0.00 | | 15.69 | | | | + |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | 5, 1, 1, 1 | | 1,211.01 | 1,211.01 | 0.00 | 0.00 | | 10.00 | | | | |
| L_ | | DN, Term. Attempt | L | L | | BAPTT | | 7.85 | 7.85 | 9.11 | 9.11 | <u> </u> | 15.69 | | <u> </u> | <u> </u> | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | | DN, Off-Hook Delay | | | | BAPTD | | 7.85 | 7.85 | 9.11 | 9.11 | | 15.69 | | | | <u> </u> |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | DADT: | | | | | | | | | | | |
| | | DN, Off-Hook Immediate | | | | BAPTM | | 7.85 | 7.85 | 9.11 | 9.11 | | 15.69 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP | | | | BAPTO | | 34.54 | 34.54 | 14.39 | 14.39 | | 15.69 | | | | |
| - | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | טו ועכ | | 34.34 | 34.34 | 14.39 | 14.39 | | 13.09 | | | | + |
| | | DN, CDP | | | | BAPTC | | 34.54 | 34.54 | 14.39 | 14.39 | | 15.69 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | 1 |
| | | DN, Feature Code | | | | BAPTF | | 34.54 | 34.54 | 14.39 | 14.39 | | 15.69 | | | | <u> </u> |
| | | AIN Toolkit Service - Query Charge, Per Query | | | | | 0.0558238 | | | | · · · · · | | | | | | |
| | | AlN Toolkit Service - Type 1 Node Charge, Per AlN Toolkit | | | | | | | | | | | | | | | |
| <u> </u> | | Subscription, Per Node, Per Query | | <u> </u> | | 1 | 0.0069214 | | | | | | | | | 1 | |
| | | AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes | | | | | 0.07 | | | | | | | | | | |
| - | 1 | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service | | 1 | | 1 | 0.07 | | | | | | | | | 1 | + |
| 1 | | Subscription | l | | CAM | BAPMS | 11.87 | 7.85 | 7.85 | 5.52 | 5.52 | | 15.69 | | | | |

| UNBUNDLI | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------|---|-------------|----------|--------------------|----------------|-------------------|----------------|----------------|----------------|---------------|--------|---|---------------------------------|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | Nonrec | RATES (\$) | Monroquerico | a Disconnect | | Svc Order Submitted Manually per LSR | Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge Manual S Order vs Electronic Disc Add |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | AIN Toolkit Service - Special Study - Per AIN Toolkit Service | | | | | | FIISL | Auu i | FIISt | Addi | SOWIEC | JOWAN | JOWAN | SOWAN | JOWAN | JOWIAN |
| | Subscription | | | CAM | BAPLS | 3.51 | 8.68 | 8.68 | | | | 15.69 | | | | |
| | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service | | | - | | | | | | | | | | | | |
| | Subscription | | | CAM | BAPDS | 8.48 | 7.85 | 7.85 | 5.52 | 5.52 | | 15.69 | | | | |
| | AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit | | | | | | | | | | | 4= 00 | | | | |
| ENHANCED | Service Subscription EXTENDED LINK (EELs) | | | CAM | BAPES | 0.12 | 8.68 | 8.68 | | | | 15.69 | | | | |
| | :: The monthly recurring and non-recurring charges below will | apply a | nd the | Switch-As-Is Charg | e will not apr | oly for FFI s pro | ovisioned as ' | Ordinarily Con | nbined' Networ | k Flements. | | | | | 1 | |
| | : The monthly recurring and the Switch-As-Is Charge and not t | | | | | | | | | | | | | | | |
| | : Minimum billing is one month for DS1 and below and three m | | | | 1 | | | | | | | | | | | |
| 2-WIR | RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | EROFF | ICE TR | ANSPORT (EEL) | | | | | | | | | | | | |
| | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport | | 1 | LINOVA | LIEALO | 10.00 | 105.00 | 20.42 | 50.05 | 40.01 | | 45.00 | | | | |
| | Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | 1 | UNCVX | UEAL2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | 1 | |
| | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | | ONOVA | OL/ (LZ | 20.10 | 100.00 | 00.40 | 00.00 | 10.01 | | 10.00 | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | per month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | LINIOAY | U1TF1 | 04.74 | 00.47 | 81.99 | 40.00 | 44.40 | | 45.00 | | | | |
| | Termination per month DS1 Channelization System Per Month | | | UNC1X UNC1X | MQ1 | 61.71 107.57 | 89.47 91.24 | 62.71 | 16.39 10.56 | 14.48 9.81 | | 15.69 15.69 | | | | |
| | Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | 10.30 | 9.01 | | 15.69 | | | 1 | |
| | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | | | 0.1017 | .5 | 0.00 | 0.00 | | | | | 10.00 | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - | | | ONOVA | OLITE | 20.40 | 100.00 | 00.40 | 00.00 | 10.01 | | 10.00 | | | | |
| | per month | | | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | ls Charge | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| 4-WIR | RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | EROFF | ICE IN | ANSPORT (EEL) | - | | | | - | | | | | | 1 | |
| | Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | <u> </u> | one m | OL/IL. | 02.00 | 102.00 | 0 1.00 | 00.00 | 1 1.01 | | 10.00 | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNCVX | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - Facility Termination Per | | | ONOTA | TEO/OX | 0.21 | | | | | | | | | | |
| | Month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per | | | | | | | | | | | | | | | |
| | Month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | 15.69 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | | | | 15.69 | | | | |
| - | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | UNCVX | IDIVG | 0.56 | 6.59 | 4.73 | | | | 15.09 | | | 1 | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | _ | LINOVA | LIEAL 4 | 40.00 | 100.00 | 04.00 | 50.05 | 44.01 | | 45.00 | | | | |
| | Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - | | 3 | UNCVX | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | - | - |
| | per month | | | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | 1 | | | 0.00 | 0.00 | 7.70 | | | | 10.00 | | | | t e |
| | Is Charge | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | 1 | |
| 4-WIR | RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | TRANSPORT (EEL) | | | | | | | | | | | | |

Version 1Q03: 02/28/03 Page 334 of 420

| UNBUNDLE | D NETWORK ELEMENTS - South Carolina | | | 1 | 1 | | | | | | | | | ment: 2 | | ibit: B |
|----------|--|-------------|--------|-----------------|-------|--------|--------|------------|--------------|-------|---|---|--|---|----------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | Rec | Nonrec | | Nonrecurring | | 001150 | 001441 | | Rates(\$) | 0011411 | 0011411 |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - combination Facility | | | | | | | | | | | | | | | |
| | Termination Per Month Channelization - Channel System DS1 to DS0 combination Per | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| | Month OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | 15.69 | | | | <u> </u> |
| <u> </u> | month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | | | | 15.69 | | | | <u> </u> |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | _1 | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System - | | 3 | UNCDX | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | combination per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Is Charge | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| 4-WIRI | 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERC | PFFICE | TRANSPORT (EEL) |) | | | | | | | | | | | ļ |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | | | | 120.00 | 09.12 | 59.55 | 14.01 | | 15.69 | | | | |
| | Per Month Interoffice Transport - Dedicated - DS1 combination - Facility | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | Termination Per Month Channelization - Channel System DS1 to DS0 combination Per | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| | Month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | 15.69 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | - | | | | | | - | | | | | | |
| | Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System | | 3 | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | ļ |
| | combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Is Charge | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| 4-WIR | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE | EROFFI | CE TR | ANSPORT (EEL) | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1 | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 | | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 | | 3 | | | | | | | | 1 | | | | İ | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |

| <u>UNDUND</u> LI | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|--|--|--|----------|----------------|--------|--------|--------|---------------|--------------|-------|----------|-----------|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge Manual S Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | - | UNCIA | UTIFT | 61.71 | 09.47 | 01.99 | 10.39 | 14.40 | | 15.69 | | | | |
| | Is Charge | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| 4-WIF | RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE | ROFFI | CF TR | | 0.1000 | | 0.01 | 0.01 | 7.00 | 7.00 | | 10.00 | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | <u> </u> | | | | | | | | | | | | | |
| | 1 | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | | | | | | | | | | | | | | |
| | 2 | | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | | | | | | | | | | | | | | |
| | 3 | | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile | l | | l | | | | | | | | | | | 1 | |
| | Per Month | | | UNC3X | 1L5XX | 6.42 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | | | | | | | | | | | | | |
| | month | | | UNC3X | U1TF3 | 704.52 | 279.37 | 163.12 | 60.33 | 58.59 | | 15.69 | | | | |
| | DS3 to DS1 Channel System combination per month | | | UNC3X | MQ3 | 144.02 | 178.54 | 94.18 4.73 | 33.33 | 31.90 | | 15.69 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in DS3 Interoffice Transport Combination - | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Zone 1 | | 4 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | - | UNCIA | USLAA | 90.67 | 255.05 | 157.69 | 44.00 | 11.73 | | 15.69 | | | - | |
| | Zone 2 | | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| - | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | UNCIA | USLAA | 133.43 | 255.05 | 137.09 | 44.00 | 11.73 | | 13.09 | | | | |
| | Zone 3 | | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 44.00 | 11.70 | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | 0.1017 | 00.5. | 0.01 | 0.00 | 0 | | | | 10.00 | | | | |
| | Is Charge | | | UNC3X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| 2-WIF | RE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT | EROFF | ICE TE | RANSPORT (EEL) | | | | | | | | | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport | | | 1 | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - 2-wire VG combination - Per | | | | | | | | | | | | | | | |
| | Mile Per Month | | | UNCVX | 1L5XX | 0.0134 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2- Wire Voice Grade | | | LINIOVA | LIATVO | 40.44 | 40.00 | 07.47 | 40.77 | 0.04 | | 45.00 | | | | |
| | combination - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCVX | U1TV2 | 19.44 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | Is Charge | | | UNCVX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| 4-WIE | RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT | FROFE | ICE TE | | UNCCC | | 3.01 | 3.01 | 7.00 | 7.00 | | 15.05 | | | | |
| 7-1111 | 4-WireVG Loop used with 4-wire VG Interoffice Transport | LICOLI | ICL II | I | | | | | | | | | | | | - |
| | Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - 4-wire VG combination - Per | | | | | | | | | | | | | | | |
| | Mile Per Month | | | UNCVX | 1L5XX | 0.0134 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4- Wire Voice Grade | 1 | | | | | | | | | 1 | | | 1 | _ | |
| \vdash | combination - Facility Termination per month | ļ | | UNCVX | U1TV4 | 17.03 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | ļ | ļ | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | l | | | | | | | | | | | | | 1 | |
| | Is Charge | | 1055 | UNCVX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| DS3 I | DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC | E IRAI | NSPOR | (I (EEL) | + | | | | | | | | | ļ | - | |
| | High Capacity Unbundled Local Loop - DS3 combination - Per | l | | LINICOV | 41 END | 40.00 | | | | | | | | | 1 | |
| | Mile per month High Capacity Unbundled Local Loop - DS3 combination - | | - | UNC3X | 1L5ND | 12.26 | | | | | | | | | | 1 |
| | High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month | 1 | | UNC3X | UE3PX | 306.36 | 452.52 | 264.53 | 119.75 | 83.77 | 1 | 15.69 | | 1 | 1 | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | <u> </u> | ! | UNC3X | 1L5XX | 6.42 | 402.52 | 204.53 | 118.75 | 03.77 | | 15.69 | | ļ | - | |

| INBUNDLI | D NETWORK ELEMENTS - South Carolina | | | 1 | | | | | | | 1 - | | | ment: 2 | | bit: B |
|----------|---|--|--|----------------|----------------|--------|--------|------------|--|-------|---|---|---|---|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual St Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per per month | | | UNC3X | U1TF3 | 704.52 | 279.37 | 163.12 | 60.33 | 58.59 | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | 1 | | LINIOOV | 1111000 | | 5.04 | 5.04 | 7.00 | 7.00 | | 45.00 | | | | |
| CTC4 | Is Charge DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF | FIGE TE | ANCO | UNC3X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| 3131 | High Capacity Unbundled Local Loop - STS1 combination - Per | FICE IF | KANSF | I (EEL) | + | | | | | | | | | | | 1 |
| | Mile per month | | | UNCSX | 1L5ND | 12.26 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS1 combination - | | | ONCOX | TESIND | 12.20 | | | 1 | | | | | | | |
| | Facility Termination per month | | | UNCSX | UDLS1 | 313.49 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile | | | | | | | | | | | | | | 1 | |
| | per month | | | UNCSX | 1L5XX | 6.42 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | <u> </u> | L | UNCSX | U1TFS | 704.44 | 279.37 | 163.12 | 60.33 | 58.59 | <u></u> | 15.69 | | | <u> </u> | <u></u> |
| | Nonrecurring Currently Combined Network Elements Switch -As- | - | | | | | | | | | | | _ | | | |
| | Is Charge | | | UNCSX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| 2-WIR | E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR | RT (EEL |) | | | | | | | | | | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | | | | | | | | | | | |
| | Transport - Zone 1 | | 1 | UNCNX | U1L2X | 25.21 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | _ | | | | | | | | | | | | | |
| | Transport - Zone 2 | | 2 | UNCNX | U1L2X | 32.76 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | _ | LINIONIY | 1141.07 | 07.70 | 447.50 | 00.00 | 50.05 | 10.01 | | 45.00 | | | | |
| | Transport - Zone 3 | | 3 | UNCNX | U1L2X 1L5XX | 37.70 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Interoffice Transport - Dedicated - DS1 combination - Facility | | | UNC1X | ILSAA | 0.27 | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| | Channelization - Channel System DS1 to DS0 combination - | | | UNCIA | 01111 | 01.71 | 09.41 | 01.33 | 10.39 | 14.40 | | 13.09 | | | | |
| | per month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | 15.69 | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | 0.1017 | | 107.07 | 02. | 02.7.1 | 10.00 | 0.01 | | 10.00 | | | | 1 |
| | combination - per month | | | UNCNX | UC1CA | 2.56 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCNX | U1L2X | 25.21 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCNX | U1L2X | 32.76 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 3 | | 3 | UNCNX | U1L2X | 37.70 | 117.58 | 80.03 | 53.05 | 10.61 | | 15.69 | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | | | | | . =0 | | | | 4= 00 | | | | |
| | combintaion- per month | | | UNCNX | UC1CA | 2.56 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | 1 | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | 1 | |
| 4-WIE | IS CHARGE E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN | TEDOE | EICE T | | | | 5.61 | 3.61 | 7.00 | 7.00 | | 15.69 | | | - | |
| 4-4411 | First DS1 Loop in STS1 Interoffice Transport Combination - | LKOF | I ICE I | NAMOFORI (EEL) | + + | | | | | | | | | | | |
| | Zone 1 | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | 1 | |
| 1 | First DS1 Loop in STS1 Interoffice Transport Combination - | † | | | 55250 | 55.57 | 200.00 | 107.00 | 44.50 | 11.75 | | 10.00 | | | † | † |
| | Zone 2 | 1 | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | I | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - | | i – | | | | | | | | | | | | 1 | 1 |
| | Zone 3 | <u> </u> | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | <u> </u> | 15.69 | | | <u> </u> | |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | <u> </u> | UNCSX | 1L5XX | 6.42 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Facility | | | | | | | | | | | | · | | 1 | |
| | Termination | ļ | <u> </u> | UNCSX | U1TFS | 704.44 | 279.37 | 163.12 | 60.33 | 58.59 | | 15.69 | | | ļ | |
| _ | STS1 to DS1 Channel System conbination per month | <u> </u> | <u> </u> | UNCSX | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | 15.69 | | | - | |
| _ | DS3 Interface Unit (DS1 COCI) combination per month | <u> </u> | <u> </u> | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | | | | 15.69 | | | - | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1 | 1 | 4 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | I | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - | | +- | OINCIA | USLAA | 90.07 | 200.03 | 137.69 | 44.00 | 11./3 | | 15.69 | | | + | - |
| | Zone 2 | 1 | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | I | |
| - | Additional DS1Loop in STS1 Interoffice Transport Combination - | | | 011017 | JOLAN | 100.40 | 200.00 | 137.03 | 44.00 | 11.73 | | 10.09 | | | - | |
| | Zone 3 | 1 | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | 15.69 | | | I | |
| | DS3 Interface Unit (DS1 COCI) combination per month | 1 | _ <u> </u> | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 77.00 | 11.75 | ł – – – | 15.69 | | | 1 | 1 |

| UNBUNDLED | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: B |
|-------------|--|-------------|----------|---------------------|----------------|-----------------|-----------|------------|--------------|------------|--|-----------|--|--|----------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | N | RATES (\$) | Name | . Diagonal | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | T |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Is Charge | | | UNCSX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROI | FFICE 1 | RANSI | | 0.1000 | | 0.01 | 0.01 | 7.00 | 7.00 | | 10.00 | | | | |
| 4 | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | | ` ' | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | | | | | | | == == | | | | | | | |
| | Combination - Zone 2 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | 2 | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | 3 | ONODA | ODESO | 34.74 | 120.00 | 03.12 | 39.33 | 14.01 | | 10.00 | | | | |
| | Per Mile | | | UNCDX | 1L5XX | 0.0134 | | | | | | | | | | |
| l l | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | 1 |
| | Facility Termination | | | UNCDX | U1TD5 | 13.41 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | D A NOT | UNCDX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROI 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | FFICE | KANSI | ORI (EEL) | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCDX | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | † · | 0.1027 | 0520. | 20.00 | .20.00 | 00.12 | 00.00 | | | 10.00 | | | | |
| | Combination - Zone 2 | | 2 | UNCDX | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| 4 | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 3 | | 3 | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | 15.69 | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | |
| | Per Mile | | | UNCDX | 1L5XX | 0.0134 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination | | | UNCDX | U1TD6 | 13.41 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | Pacifity Termination Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCDX | UTID6 | 13.41 | 40.63 | 21.41 | 16.77 | 6.91 | | 15.69 | | | | |
| | Is Charge | | | UNCDX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | ETWORK ELEMENTS | | | | | | | | | | | | | | | |
| When us | sed as a part of a currently combined facility, the non-recurr | ng cha | rges do | not apply, but a S | witch As Is c | harge does app | oly. | | | | | | | | | |
| | sed as ordinarily combined network elements in All States, the | | | | | As Is Charge of | loes not. | | | | | | | | | |
| | urring Currently Combined Network Elements "Switch As Is" | Charge | (One a | pplies to each comb | oination) | | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 2 wire/4-Wire VG | | | UNCVX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCVX | UNCCC | | 5.61 | 5.01 | 7.00 | 7.00 | | 15.09 | | | | |
| | Is Charge - 56/64 kbps | | | UNCDX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | 5.01 | 5.01 | | | | .0.50 | | İ | | |
| l l | ls Charge - DS1 | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | <u> </u> | 15.69 | | | | L |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | _ | | | | | | | | | |
| | ls Charge - DS3 | | | UNC3X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | ļ |
| | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - STS1 | | | UNCSX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | 15.69 | | | | |
| | is Charge - 5151 Local Channel - Dedicated Transport - minimum billing period | l - Relo | w DS3- | | | r months | 10.0 | 10.6 | 7.00 | 7.00 | | 15.09 | | - | - | |
| | Local Channel - Dedicated Transport - minimum bining period Local Channel - Dedicated - 2-Wire Voice Grade | - Dei0 | 200= | UNCVX | ULDV2 | 15.33 | 193.53 | 33.24 | 36.72 | 3.21 | | 15.69 | | | | + |
| | Local Channel - Dedicated - 4-Wire Voice Grade | | | UNCVX | ULDV4 | 16.54 | 193.97 | 33.68 | 37.19 | 3.68 | | 15.69 | | | | † |
| į į | Local Channel - Dedicated - DS1 per month Zone 1 | | 1 | UNC1X | ULDF1 | 42.62 | 177.87 | 154.06 | 22.24 | 15.30 | | 15.69 | | | | |
| | Local Channel - Dedicated -DS1 Per Month Zone 2 | | 2 | UNC1X | ULDF1 | 70.32 | 177.87 | 154.06 | 22.24 | 15.30 | | 15.69 | | | | |
| | Local Channel - Dedicated - DS1- Per Month Zone 3 | | 3 | UNC1X | ULDF1 | 190.68 | 177.87 | 154.06 | 22.24 | 15.30 | | 15.69 | | | | <u> </u> |
| | Local Channel - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5NC | 11.93 | 452.52 | 004.50 | 440.75 | 00.77 | | 45.00 | | | | |
| | Local Channel - Dedicated - DS3 - Facility Termination Local Channel - Dedicated - STS-1- Per Mile per month | | | UNC3X UNCSX | ULDF3 1L5NC | 446.00 11.93 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | | + |
| | Local Channel - Dedicated - STS-1 - Fer Mile per Month Local Channel - Dedicated - STS-1 - Facility Termination | | | UNCSX | ULDFS | 435.10 | 452.52 | 264.53 | 119.75 | 83.77 | | 15.69 | | | | |
| | I Features & Functions: | | | | T | .556 | .02.02 | | | 55.77 | | .0.00 | | | | |
| | Clear Channel Capability (SF/ESF) Option - Subsequent | | | ULDD1, U1TD1, | | | | | | | | | | | | |
| , | Activity - per DS1 | | | UNC1X, USL | NRCCC | | 65.08 | | | | | 15.69 | | | | |
| | | l | | U1TD3, ULDD3, | | | | | | | | | | | | |
| | C-bit Parity Option - Subsequent Activity - per DS3 | i | | UE3, UNC3X | NRCC3 | | 50.08 | | | | <u> </u> | 15.69 | | ļ | | |
| | LEXERS | i e | | | 1 | 1 | | | | | 1 | | | I | ı | 1 |

Version 1Q03: 02/28/03 Page 338 of 420

| UNBUNDL | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | , | | ment: 2 | | ibit: B |
|--|---|-------------|----------|---------------------|----------------|-----------------|------------------|----------------|----------------|----------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | • | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| NOTE | : minimum billing period is three months for DS3 to DS1Chann | el Syst | em and | interfaces | | | | | | | | | | | | |
| | DS1 to DS0 Channel System (with the higher-level connected to | | | | | | | | | | | | | | | |
| | a collocation in the same SWC) per month | | | UXTD1 | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | 15.69 | | | | |
| | DS1 to DS0 Channel System (used to channelize a DS1 Local | | | | | | | | 40.50 | | | 4= 00 | | | | |
| - | Channel) per month DS1 to DS0 Channel System (used to channelize a DS1 | | 1 | ULDD1 | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | 15.69 | | | - | <u> </u> |
| | Interoffice Channel) per month | | | U1TD1 | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | 15.69 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | וטווטו | IVIQI | 107.57 | 91.24 | 62.71 | 10.56 | 9.01 | | 15.69 | | | | 1 |
| | month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 1.19 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | 1 | |
| | month (2.4-64kbs) used for connection to a channelized DS1 | | | | | | | | | | | | | | | |
| | Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 1.19 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | |
| | month for a Local Loop | | | UDN | UC1CA | 2.56 | 6.59 | 4.73 | | | | 15.69 | | | 1 | <u> </u> |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | 1 | | | | | | | | | | | | | |
| | month used for connection to a channelized DS1 Local Channel | l | 1 | LATID | 110404 | 0 | 0 =0 | 4 = | | | | 45.00 | | | I | |
| | in the same SWC as collocation | | | U1TUB | UC1CA | 2.56 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop | | | UEA | 1D1VG | 0.56 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | UEA | IDIVG | 0.56 | 6.59 | 4.73 | | | - | 15.69 | | | - | |
| | used for connection to a channelized DS1 Local Channel in the | | | | | | | | | | | | | | | |
| | same SWC as collocation | | | U1TUC | 1D1VG | 0.56 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | DS3 to DS1 Channel System (with the higher level connected to | | | 01100 | .5 | 0.00 | 0.00 | 0 | | | | 10.00 | | | | |
| | a collocation in the same SWC) per month | | | UXTD3 | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | 15.69 | | | | |
| | DS3 to DS1 Channel System (used to channelize a DS3 Local | | | | | | | | | | | | | | | |
| | Channel) per month | | | ULDD3 | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | 15.69 | | | | |
| | DS3 to DS1 Channel System (used to channelize a DS3 | | | | | | | | | | | | | | | |
| | Interoffice Channel per month | | | U1TD3 | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | 15.69 | | | | |
| | STS-1 to DS1 Channel System (with the higher level connected | | | | | | .= | | | | | 4= 00 | | | | |
| | to a collocation in the same SWC) per month STS-1 to DS1 Channel System (used to channelize a STS-1 | | 1 | UXTS1 | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | 15.69 | | | - | <u> </u> |
| | Local Channel) per month | | | ULDS1 | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | 15.69 | | | | |
| | STS-1 to DS1 Channel System (used to channelize a STS-1 | | | OLDOT | IVIQU | 144.02 | 170.54 | 34.10 | 33.33 | 31.30 | | 13.03 | | | | |
| | Interoffice Channel) per month | | | U1TS1 | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | 15.69 | | | | |
| | DS1 COCI used with Loop per month | | | USL | UC1D1 | 8.64 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | DS1 COCI (used for connection to a channelized DS1 Local | | | | | | | | | | | | | | | |
| | Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 8.64 | 6.59 | 4.73 | | | | 15.69 | | | | |
| | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 8.64 | 6.59 | 4.73 | | | | 15.69 | | | | |
| Sub-l | Loop Feeder | | <u> </u> | | | | 100.10 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 1 2 | UNC1X UNC1X | USBFG USBFG | 55.85 109.16 | 102.19 102.19 | 64.64 64.64 | 62.26 62.26 | 17.52 17.52 | - | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 3 | UNC1X UNC1X | USBFG | 203.35 | 102.19 | 64.64 | 62.26 | 17.52 | 1 | | | | | |
| UNBUNDLED | LOCAL EXCHANGE SWITCHING(PORTS) | | - | OHOTA | 2001 0 | 200.00 | 102.19 | 04.04 | 02.20 | 17.52 | | | | | | |
| | ange Ports | | | | | | | | | | | | | | 1 | |
| NOTE | : Although the Port Rate includes all available features in GA, I | KY, LA | & TN, t | he desired features | will need to b | e ordered usin | g retail USOCs | . | | | | | | | | |
| | RE VOICE GRADE LINE PORT RATES (RES) | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | | | 1 | | | | | | | | | | | | _ | |
| | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | <u> </u> | UEPSR | UEPRC | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | 1 | |
| | Evolungo Porto - 2 Wiro Anglea Line Port outgoing and De- | | 1 | LIEDOD | LIEDBO | 1.05 | 2.20 | 2.00 | 1 40 | 1.00 | | 15.00 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire VG unbundled SC extended local | | - | UEPSR | UEPRO | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | dialing parity Port with Caller ID - Res. | | 1 | UEPSR | UEPAU | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire VG unbundled South Carolina Area | | | OLI OIX | OLI AU | 1.05 | 2.30 | 2.20 | 1.42 | 1.55 | | 10.09 | | | | |
| ı I | Calling port with Caller ID - Res (LW8) | | 1 | UEPSR | UEPAJ | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire VG unbundled res, low usage line port | | | | 1 | | 0 | | | 30 | | | | | | 1 |
| | with Caller ID (LUM) | <u> </u> | | UEPSR | UEPAP | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire VG South Carolina Residence Dialing | | | | | | | | | | | | | | | |
| ı I | Plan without Caller ID | | 1 | UEPSR | UEPWL | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | L |

| UNDUNDL | ED NETWORK ELEMENTS - South Carolina | | | ı | | | | | | | | _ | | ment: 2 | | bit: B |
|----------|--|--|----------|----------------|----------|--------------|----------------|----------------|----------------------------|------------|---|---|--|--|----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Exchange Ports - 2-Wire VG South Carolina Residence Area | | | | | | | | | | | | | | | |
| | Calling Plan without Caller ID capability | | | UEPSR | UEPRS | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | 2-Wire voice unbundled Low Usage Line Port without Caller ID | | | LIEDOD | LIEDDT | 4.05 | 0.00 | 0.00 | 4.40 | 4.00 | | 45.00 | | | | |
| | Capability | | | UEPSR | UEPRT | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| EEAT | Subsequent Activity FURES | 1 | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | - |
| FLAI | All Available Vertical Features | | | UEPSR | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | | |
| 2-WIF | RE VOICE GRADE LINE PORT RATES (BUS) | 1 | | OLI OIL | OLI VI | 0.04 | 0.00 | 0.00 | | | | 10.00 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port without Caller ID - | | | | | | | | | | | | | | | |
| | Bus | | | UEPSB | UEPBL | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire VG unbundled Line Port with | | | | | | | | | | | | | | | |
| | unbundled port with Caller+E484 ID - Bus. | <u></u> | <u>L</u> | UEPSB | UEPBC | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | ļ | <u> </u> | UEPSB | UEPBO | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire VG unbundled SC extended local | 1 | | l | 1 | | _ | | [| | | | | | | |
| | dialing parity Port with Caller ID - Bus. | | <u> </u> | UEPSB | UEPAZ | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | ļ | |
| | Exhange Ports - 2-Wire VG unbundled incoming only port with | 1 | 1 | LIEDOD | LIEDD4 | 4.05 | 0.00 | 2.00 | 4 40 | 1.33 | | 45.00 | | | | |
| | Caller ID - Bus Exchange Ports - 2-Wire VG unbundled South Carolina Bus | 1 | | UEPSB | UEPB1 | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Area Calling Port with Caller ID - Bus (LMB) | | | UEPSB | UEPAB | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire Voice South Carolina Business Dialing | 1 | | UEPSB | UEPAB | 1.00 | 2.30 | 2.20 | 1.42 | 1.33 | | 15.69 | | | | |
| | Plan without Caller ID | | | UEPSB | UEPWM | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Exchange Ports - 2-Wire Voice South Carolina Business Area | 1 | | OLI OD | OLI WINI | 1.00 | 2.00 | 2.20 | 1.42 | 1.00 | | 10.00 | | | | |
| | Calling Port without Caller ID | | | UEPSB | UEPBB | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID | | | | | | | | | | | | | | | |
| | Capability | | | UEPSB | UEPBE | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Subsequent Activity | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| FEAT | TURES | | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSB | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | All Available Vertical Features | 1 | | | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | | |
| EXC | HANGE PORT RATES (DID & PBX) | 1 | | LIEDOE | UEPRD | 4.05 | 24.24 | 44.00 | 40.07 | 0.00 | | 45.00 | | | | |
| | 2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | - | | UEPSE UEPSP | UEPRD | 1.65 1.65 | 31.34 31.34 | 14.88 14.88 | 13.97 13.97 | 0.90 | | 15.69 15.69 | | | | |
| | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | 1 | | UEPSP | UEPPO | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | - |
| | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | | UEPSP | UEPP1 | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSP | UEPLD | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPSP | UEPLD | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 2-Wire Vice Unbundled 2-Way PBX Usage Port | | | UEPSP | UEPXA | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPSP | UEPXC | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | | | | | | |
| | Capable Port | | | UEPSP | UEPXE | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | LIEDOD | LIEDVI | 4.05 | 04.04 | 44.00 | 40.07 | 0.00 | | 45.00 | | | | |
| | Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | UEPSP | UEPXL | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | Room Calling Port | | | UEPSP | UEPXM | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | 1 | | ULFSF | OLFAIVI | 1.05 | 31.34 | 14.00 | 13.91 | 0.90 | | 13.09 | | | | |
| | Discount Room Calling Port | | | UEPSP | UEPXO | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | 1 | † | UEPSP | UEPXS | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus | 1 | | | | | 201 | | .5.01 | 2,00 | | .5.50 | | | | |
| | Calling Port | 1 | 1 | UEPSP | UEPXT | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 15.69 | | | | |
| | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| FEAT | TURES | | | | | | | | | | | | | | | |
| | All Available Vertical Features | ļ | | UEPSP UEPSE | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | | |
| EXCI | HANGE PORT RATES (COIN) | | <u> </u> | | | | | | | | | 7= 00 | | | ļ | |
| | Exchange Ports - Coin Port | | <u> </u> | | 1 | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | ļ | |
| | I Switching Features offered with Port E: Transmission/usage charges associated with POTS circuit s | 1, | | | | | | | lasian I · · · · · · · · · | | | 100 | | | | |

| UNBU | INDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|----------|----------|--|--|----------|--|----------------|----------------|----------------|---------------|--|---------------------------------------|--------------|---|--|--|---|---|
| CATEG | GORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | | curring | Nonrecurring | | | L | | Rates(\$) | • | • |
| | | | | | | | | First | Add'l | First | Add'l | | SOMAN | | | SOMAN | SOMAN |
| | | Access to B Channel or D Channel Packet capabilities will be | availal | ole onl | y through BFR/New | Business Re | quest Process | Rates for the | packet capabi | lities will be de | termined via t | he Bona Fic | le Request/ | New Busines | s Request Pro | cess. | |
| UNBUN | | OCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | |
| | EXCHA | NGE PORT RATES | | <u> </u> | HEDEV | LIEBBO | 0.00 | 110.57 | 10.70 | 00.00 | 0.77 | | 45.00 | | | | |
| | | Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID | | | UEPEX | UEPP2 | 8.86 | 119.57 | 18.78 | 60.03 | 3.77 | | 15.69 | | | | |
| | | capability | | | UEPDD | UEPDD | 73.62 | 202.47 | 95.90 | 72.75 | 2.47 | | 15.69 | | | | |
| | | Exchange Ports - 2-Wire ISDN Port (See Notes below.) | | | UEPTX UEPSX | U1PMA | 13.38 | 72.93 | 53.11 | 47.90 | 10.76 | | 15.69 | | | | |
| | | All Features Offered | | | UEPTX UEPSX | UEPVF | 3.04 | | 0.00 | 47.50 | 10.70 | | 10.00 | | | | |
| | | Transmission/usage charges associated with POTS circuit so | vitched | usage | | | | | | nission by B-Ch | annels associ | ated with 2- | wire ISDN r | orts. | | | |
| | | Access to B Channel or D Channel Packet capabilities will be | | | | | | | | | | | | | s Request Pro | cess. | |
| | | Exchange Ports - 2-Wire ISDN Port Channel Profiles | | | UEPTX UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPEX | UEPEX | 107.44 | 204.27 | 101.78 | 79.35 | 20.10 | | 15.69 | | | | |
| | | IDLED PORT with REMOTE CALL FORWARDING CAPABILITY | | | | | | | | | | | | | | | |
| | UNBUN | IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE | | | | | | | | | | | | | | | |
| | | Unbundled Remote Call Forwarding Service, Area Calling, Res | | | UEPVR | UERAC | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | | Halandia I Banada Odil Franca ii O | l | | LIED) (D | LIEDI O | | | | | | | 4 | | 1 | 1 | |
| | | Unbundled Remote Call Forwarding Service, Local Calling - Res | | | UEPVR UEPVR | UERLC UERTE | 1.65 1.65 | 2.38 2.38 | 2.28 2.28 | 1.42 1.42 | 1.33 1.33 | | 15.69 15.69 | | | | |
| - | | Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res | | | UEPVR | UERTR | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | Non De | curring | | <u> </u> | UEPVR | UERIR | 1.00 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | NOII-RE | Unbundled Remote Call Forwarding Service - Conversion - | | | | | | | | | | | | | | | |
| | | Switch-as-is | | | UEPVR | USAC2 | | 0.10 | 0.10 | | | | 15.69 | | | | |
| | | Unbundled Remote Call Forwarding Service - Conversion with | | | OLI VIX | 00/102 | | 0.10 | 0.10 | | | | 10.00 | | | | |
| | | allowed change (PIC and LPIC) | | | UEPVR | USACC | | 0.10 | 0.10 | | | | | | | | |
| | | IDLED REMOTE CALL FORWARDING - Bus | | | | | | | | İ | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Unbundled Remote Call Forwarding Service, Area Calling - Bus | | | UEPVB | UERAC | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Unbundled Remote Call Forwarding Service, Local Calling - Bus | | | UEPVB | UERLC | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | | Unbundled Remote Call Forwarding Service, InterLATA - Bus | | | UEPVB | UERTE | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | | Unbundled Remote Call Forwarding Service, IntraLATA - Bus | | | UEPVB | UERTR | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | | Unbundled Remote Call Forwarding Service Expanded and | | | LIEDVD | HEDVI | 4.05 | 0.00 | 2.20 | 4.40 | 4.00 | | 45.00 | | | | |
| - | | Exception Local Calling | | | UEPVB | UERVJ | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 15.69 | | | | |
| | NOII-RE | Unbundled Remote Call Forwarding Service - Conversion - | | | | | | | | | | | | | | | |
| | | Switch-as-is | | | UEPVB | USAC2 | | 0.10 | 0.10 | | | | 15.69 | | | | |
| | † | Unbundled Remote Call Forwarding Service - Conversion with | 1 | <u> </u> | J_1 VD | 30,102 | | 0.10 | 0.10 | | | | 10.09 | 1 | I | I | |
| | | allowed change (PIC and LPIC) | l | | UEPVB | USACC | | 0.10 | 0.10 | | | | | | 1 | 1 | |
| UNBUN | | OCAL SWITCHING, PORT USAGE | | | İ | † · · · · · | | 20 | 2.70 | † | | | | | 1 | 1 | |
| | End Of | fice Switching (Port Usage) | | | | | | | | | | | | | | | |
| | | End Office Switching Function, Per MOU | | | | | 0.0010519 | | | | | | | | | | |
| | | End Office Trunk Port - Shared, Per MOU | | | | | 0.0002136 | | | | | | | | | | |
| | | n Switching (Port Usage) (Local or Access Tandem) | | | ļ | | | | | | | | | | ļ | ļ | ļ |
| <u> </u> | | Tandem Switching Function Per MOU | <u> </u> | <u> </u> | | 1 | 0.0001634 | | | ļ | | | | | | | |
| <u></u> | | Tandem Trunk Port - Shared, Per MOU | <u> </u> | | | 1 | 0.0002863 | | | ļ . | | | | ļ | - | - | ļ |
| — | Commo | on Transport | | - | | + | 0.0000045 | | | | | | | - | | | |
| — | | Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU | <u> </u> | <u> </u> | - | + | 0.0000045 | | | | | | | - | | - | |
| UNRUN | IDI ED E | PORT/LOOP COMBINATIONS - COST BASED RATES | | - | 1 | + | 0.0004095 | | | | | | - | 1 | | | |
| 5.1BOK | | ased Rates are applied where BellSouth is required by FCC ar | nd/or St | ate Co | mmission rule to pr | ovide Unbun | dled Local Swi | tching or Swit | ch Ports | | | | | | t | t | |
| | | es shall apply to the Unbundled Port/Loop Combination - Cos | | | | | | | | ed Port section | of this Rate E | xhibit. | | | 1 | 1 | 1 |
| | | fice and Tandem Switching Usage and Common Transport Us | | | | | | | | | | | n Port/Loor | Combinatio | ns. | 1 | İ |
| | The fire | st and additional Port nonrecurring charges apply to Not Curr | | | | | | | | | | | | | | 1 | |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | , | | | | 1 |
| | | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.89 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 21.52 | | | | - | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 27.17 | | | | | | | | | | |
| | HINE I | pop Rates | i | 1 | 1 | 1 | | 1 | | | · · · · · · · · · · · · · · · · · · · | | 1 | 1 | 1 | 1 | |

Version 1Q03: 02/28/03 Page 341 of 420

| ONRONDI | PLED NETWORK ELEMENTS - South Carolina | | | 1 | | | | | | | | | | ment: 2 | | bit: B |
|----------|--|--------------|----------|--------------|---------|-------|--------|------------|--|------------|-----------|-----------|-------------|--------------|--------------|------------|
| | | | | | | | | | | | | | | | Incremental | |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Sv |
| CATEGORY | Y RATE ELEMENTS | | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | por zon | po. zo | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | | Add'l | | Disc Add' |
| | | | | | | | | | | | | | 1st | | Disc 1st | DISC Add |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 13.76 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 20.38 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 26.04 | | | | | | | | | | |
| 2-W | Vire Voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire voice Grade unbundled South Carolina extended local | 1 | | | | | | | | | | | | | | |
| | dialing parity port with Caller ID - res | | | UEPRX | UEPAU | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire voice unbundled South Carolina Area Calling port with | + | | CELLICK | OLI 710 | 1.10 | 40.00 | 10.00 | 24.00 | 0.00 | | 10.00 | | | | |
| | | | | UEPRX | UEPAJ | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | Caller ID - res (LW8) | | ! | OLFIKA | UEPAJ | 1.13 | 40.30 | 19.90 | 24.98 | 0.00 | | 15.69 | | - | 1 | - |
| | 2-Wire voice unbundles res, low usage line port with Caller ID | 1 | | LIEDDY | LIEDAD | 4 40 | 07.00 | 40.70 | 1 | | | 45.00 | | | | |
| | (LUM) | 1 | 1 | UEPRX | UEPAP | 1.13 | 37.93 | 16.72 | ļ | | | 15.69 | | | | |
| | 2-Wire Voice Unbundled South Carolina Residence Dialing Plan | | | LIEBBY | | | | | | | | , | | | | İ |
| | without Caller ID | <u> </u> | | UEPRX | UEPWL | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire voice unbundled South Carolina Area Calling Port | 1 | | İ | | | | | | | | | | Ì | | 1 |
| | without Caller ID Capability | <u>L</u> | <u></u> | UEPRX | UEPRS | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | <u> </u> | 15.69 | | | | |
| | 2-Wire voice unbundled Low Usage Line Port without Caller ID | | | | | | | | | | | | | | | |
| | Capability | | | UEPRX | UEPRT | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| FEA | ATURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRX | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | | |
| LOC | CAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | 1 | | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| NON | NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | + | | CELLICK | LITTOX | 0.00 | | | 1 | | | | | | | |
| 1401 | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | 1 | | | _ | | | | | | | | | | | |
| | | | | UEPRX | USAC2 | | 0.10 | 0.10 | | | | 45.00 | | | | |
| | Switch-as-is | 1 | | UEPRX | USAC2 | | 0.10 | 0.10 | - | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | - | | | | | | | | | | 4= 00 | | | | |
| | Switch with change | | | UEPRX | USACC | | 0.10 | 0.10 | | | | 15.69 | | | | |
| ADD | DITIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | Activity | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| 2-W | VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | | |
| UNE | E Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.89 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 21.52 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 27.17 | | | 1 | | | | | | | |
| UNF | E Loop Rates | 1 | | | | 2 | | | | | | | | | | |
| OITE | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 13.76 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | + | 2 | UEPBX | UEPLX | 20.38 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | 1 | 3 | UEPBX | UEPLX | 26.04 | | | | | | | | 1 | 1 | |
| 2 141 | | 1 | 3 | OLFBA | OLFLA | 20.04 | | | + | | 1 | | | | } | |
| 2-44 | Vire Voice Grade Line Port (Bus) | + | 1 | LIEDDY | LIEDDI | 4 40 | 40.00 | 40.00 | 04.00 | 0.05 | | 45.00 | | | - | |
| | 2-Wire voice unbundled port without Caller ID - bus | - | <u> </u> | UEPBX | UEPBL | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | 1 | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | 1 | 1 | UEPBX | UEPBC | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire voice unbundled port outgoing only - bus | ļ | ļ | UEPBX | UEPBO | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire voice Grade unbundled South Carolina extended local | 1 | | | 1 | | | | | | | | | Ì | | 1 |
| | dialing parity port with Caller ID - bus | | | UEPBX | UEPAZ | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPBX | UEPB1 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire voice unbundled South Carolina Bus Area Calling Port | | | | 1 | | | | | | | | | | | |
| L | with Caller ID (LMB) | <u>L</u> | <u></u> | UEPBX | UEPAB | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | <u> </u> | 15.69 | | | | <u></u> |
| | 2-Wire Voice Unbundled South Carolina Business Dialing Plan | | | | | | | | | | | | | | | |
| | without Caller ID | 1 | | UEPBX | UEPWM | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | Ì | | 1 |
| | 2-Wire voice unbundled South Carolina Business Area Calling | | | | | | | | | | | | | | | |
| | Port without Caller ID Capability | 1 | | UEPBX | UEPBB | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | Ì | | 1 |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID | 1 | 1 | | 1 | 0 | .0.00 | | 2 | 3.30 | | 70.00 | | † | 1 | 1 |
| | Capability | 1 | | UEPBX | UEPBE | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | Ì | | 1 |
| 1.00 | CAL NUMBER PORTABILITY | 1 | 1 | OLI DA | OLFBL | 1.13 | 40.30 | 19.90 | 24.90 | 0.03 | | 15.09 | | 1 | 1 | - |
| LUC | Local Number Portability (1 per port) | 1 | 1 | LIEDDY | I NIDCY | 0.35 | | | + | | | | | - | | |
| | | | 1 | UEPBX | LNPCX | 0.35 | | | 1 | | i | | 1 | 1 | 1 | 1 |
| | ATURES | + | + | | + | | | | 1 | | | | | | | |

| UNBUNDI | LED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | ment: 2 | | ibit: B |
|----------|--|-------------|----------|-------|-------|-------|--------|------------|--------------|------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| 1 | | | | | | | Nonrec | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | <u> </u> |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| NON | IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | Switch-as-is | | | UEPBX | USAC2 | | 0.10 | 0.10 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion | - | | | | | | | | | | | | | | 1 |
| | Switch with change | | | UEPBX | USACC | | 0.10 | 0.10 | | | | 15.69 | | | | |
| ADD | DITIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | Activity | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | 15.69 | | | | |
| | IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.89 | | | | | | | | ļ | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 21.52 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 27.17 | | | | | | | | | | |
| UNE | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG | UEPLX | 13.76 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | 1 | 2 | UEPRG | UEPLX | 20.38 | | | | | <u> </u> | | | | | ļ |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 26.04 | | | | | | | | ļ | | ļ |
| 2-W | ire Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | | |
| | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | | | | | | | | | | | | | |
| | Res | | | UEPRG | UEPRD | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | | | |
| LOC | CAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.69 | | | | |
| FEA | TURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRG | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | | |
| МОМ | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | Conversion - Switch-As-Is | | | UEPRG | USAC2 | | 7.93 | 1.91 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | Conversion - Switch with Change | | | UEPRG | USACC | | 7.93 | 1.91 | | | | 15.69 | | | | |
| ADD | DITIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | i . |
| | Subsequent Activity | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | Ī |
| | Group | | | | | | 7.34 | 7.34 | | | | 15.69 | | | | |
| 2-W | IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.89 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 21.52 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 27.17 | | | | | | | | | | |
| UNE | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 13.76 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPPX | UEPLX | 20.38 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPPX | UEPLX | 26.04 | | | | | | | | | | |
| 2-W | ire Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | | | | | | ĺ |
| | Capable Port | <u> </u> | <u>L</u> | UEPPX | UEPXE | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | <u> </u> | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPPX | UEPXM | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | | | |

| ONRONDE | ED NETWORK ELEMENTS - South Carolina | | | 1 | | | | | | | | | | ment: 2 | | ibit: B |
|----------|---|-------------|------|-------|-------|-------|--------|------------|--------------|------------|---|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | 1 | | | - | | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | 7144 | | 71441 | | | | | 00 | |
| | Discount Room Calling Port | | | UEPPX | UEPXO | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus | | | | | - | | | | | | | | | | |
| | Calling Port | | | UEPPX | UEPXT | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | 15.69 | | | | |
| LOCA | AL NUMBER PORTABILITY | | | | | | | | | | | | | | | 1 |
| | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.69 | | | | 1 |
| FEA1 | TURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPPX | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | | |
| NON | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | 1 |
| | Conversion - Switch-As-Is | 1 | | UEPPX | USAC2 | | 7.93 | 1.91 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | 1 | | | | | | | | | | | |
| | Conversion - Switch with Change | | | UEPPX | USACC | | 7.93 | 1.91 | | | | 15.69 | | | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | 1 |
| | Subsequent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |
| | Group | | | | | | 7.34 | 7.34 | | | | 15.69 | | | | |
| 2-WII | RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO | RT | | | | | | | | | | | | | | |
| | Port/Loop Combination Rates | Ī | | | | | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 14.89 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 21.52 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 27.17 | | | | | | | | | | |
| UNE | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 13.76 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 20.38 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 26.04 | | | | | | | | | | |
| 2-Wir | re Voice Grade Line Ports (COIN) | | | | | | | | | | | | | | | |
| | 2-Wire Coin 2-Way without Operator Screening and without | | | | | | | | | | | | | | | |
| | Blocking (SC) | | | UEPCO | UEPSD | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | | | | | | | | | | | | | |
| | 900/976, 1+DDD (SC) | | | UEPCO | UEPSA | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | (SC) | | | UEPCO | UEPSH | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking; | | | | | | | | | 0.00 | | | | | | |
| | with Dialing Parity (SC) | | | UEPCO | UEPSC | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and: 900 Blocking: | | | | | | | | | | | | | | | |
| | 900/976, 1+DDD, 011+, and Local (SC) | | | UEPCO | UEPCC | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD, | | | | | | | | | | | | | | | |
| | 011+, Local; Enhanced Call OPT 3YV (SC) | | | UEPCO | UEPCE | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD, | | | | | | | | | | | | | | | |
| | 011+, Local; Enhanced Call OPT AP7 (SC) | | | UEPCO | UEPCF | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Coin Outward without Blocking and without Operator | | | | | | | | | | | | | | | |
| | Screening (SC) | | | UEPCO | UEPSG | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | (SC) | | | UEPCO | UEPSF | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | 1 | | 1 | | | | | | | | | | İ | | 1 |
| | 011, 900/976, 1+DDD (SC) | 1 | | UEPCO | UEPSJ | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | l | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | 1 | | | 1 | | | | | | | | | | | |
| | 900/976, 1+DDD, 011+, and Local (SC) | 1 | | UEPCO | UEPCM | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | l | | |
| | 2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD, | | | | | | | | | | | | | | | 1 |
| | 011+, Local; Enhanced Calling OPT 3YW (SC) | | | UEPCO | UEPCP | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | 1 | UEPCO | UEPCK | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Coin Outward Smartline with 900/976 (all states except | 1 | | | 1 | | | | | | | | | | | |
| | LA) | 1 | | UEPCO | UEPCR | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | 1 | | |
| ADDI | TIONAL UNE COIN PORT/LOOP (RC) | 1 | | | | | | | | | | . , , , | | | | |
| | UNE Coin Port/Loop Combo Usage (Flat Rate) | 1 | | UEPCO | URECU | 4.05 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.69 | | İ | | 1 |
| | AL NUMBER PORTABILITY | 1 | 1 | 1 | | | | | | . , , | ì | | | 1 | 1 | 1 |

| | | 1 | ì | 1 | 1 | | | | | | | | | | | |
|-------------|--|-------------|--------|----------|--------|----------------|--------|------------|--|------------|---|---|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| NONE | RECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | L | | | | | | | <u> </u> |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPCO | USAC2 | | 0.10 | 0.10 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | Switch with change | | | UEPCO | USACC | | 0.10 | 0.10 | | | | 15.69 | | | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | Activity | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | 15.69 | | | | |
| | RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE | PORT (| RES) | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | | | | 00.50 | | | | | | | | | | - |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 7 | | + + | 22.50 30.56 | | | | | | | | - | | ₩ |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | + | + + | 30.56 | | | | | - | | | | 1 | + |
| LINE | Loop Rates | | 3 | | | 31.22 | | | | | | | | | | + |
| UNE | 2-Wire Voice Grade Loop (SL2) - Zone 1 | - | 1 | UEPFR | UECF2 | 20.85 | | | + | | | | | 1 | | + |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFR | UECF2 | 28.91 | | | + + | | | | | | | + |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | | UEPFR | UECF2 | 35.57 | | | + + | | | | | | | + |
| 2-Wir | e Voice Grade Line Port Rates (Res) | | | OLITIK | OLOI Z | 33.37 | | | + + | | | | | | | + |
| | 2-Wire voice unbundled port - residence | | | UEPFR | UEPRL | 1.65 | 108.36 | 70.71 | 1.42 | 1.33 | | 15.69 | | | | + |
| | 2-Wire voice unbundled port with Caller ID - res | | | UEPFR | UEPRC | 1.65 | 108.36 | 70.71 | 1.42 | 1.33 | | 15.69 | | | | 1 |
| | 2-Wire voice unbundled port outgoing only - res | | | UEPFR | UEPRO | 1.65 | 108.36 | 70.71 | 1.42 | 1.33 | | 15.69 | | | | |
| | 2-Wire voice Grade unbundled South Carolina extended local | | | | - | | | | 1 | | | | | | | |
| | dialing parity port with Caller ID - res | | | UEPFR | UEPAU | 1.65 | 108.36 | 70.71 | 1.42 | 1.33 | | 15.69 | | | | |
| | 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) | | | UEPFR | UEPAJ | 1.65 | 108.36 | 70.71 | 1.42 | 1.33 | | 15.69 | | | | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID | | | | | | | | | | | | | | | |
| | (LUM) 2-Wire Voice Unbundled South Carolina Residence Dialing Plan | | | UEPFR | UEPAP | 1.65 | 108.36 | 70.71 | 1.42 | 1.33 | | 15.69 | | | | |
| | without Caller ID | | | UEPFR | UEPWL | 1.65 | 108.36 | 70.71 | 1.42 | 1.33 | | 15.69 | | | | |
| INTE | ROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPFR | U1TV2 | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPFR | 1L5XX | 0.0167 | | | | | | | | | | |
| EEA7 | URES | | | OLFIK | ILJAA | 0.0107 | | | + + | | | | | | | + |
| I LAI | All Features Offered | | | UEPFR | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | | + |
| LOC/ | AL NUMBER PORTABILITY | | | 02 | 02. 1. | 0.0 . | 0.00 | 0.00 | | | | 10.00 | | | | + |
| | Local Number Portability (1 per port) | | | UEPFR | LNPCX | 0.35 | | | | | | | | | | |
| NON | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-as-is | | | UEPFR | USAC2 | | 17.00 | 3.74 | | | | 15.69 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-With-Change | <u> </u> | | UEPFR | USACC | | 17.00 | 3.74 | | | | 15.69 | | | | |
| | RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE | ORI (| BUS) | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | + | 22.50 | | | | | | | | | | + |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | - | + + | 30.56 | | | | | | | | - | | + |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | 1 | + + | 37.22 | | | | | | | | 1 | 1 | + |
| LINE | Loop Rates | | | I | + + | Ų1. <u>22</u> | | | | | <u> </u> | | | | 1 | |
| - 0.42 | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFB | UECF2 | 20.85 | | | | | | | | | | † |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFB | UECF2 | 28.91 | | | † † | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFB | UECF2 | 35.57 | | | † † | | | | | | | |
| 2-Wir | e Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPFB | UEPBL | 1.65 | 108.36 | 70.71 | 1.42 | 1.33 | | 15.69 | | | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPFB | UEPBC | 1.65 | 108.36 | 70.71 | 1.42 | 1.33 | | 15.69 | | | | |
| | | | _ | 1 | UEDDO | 1.05 | 100.00 | 70.74 | 4.40 | 4.00 | | 15.69 | | 1 | | 1 |
| | 2-Wire voice unbundled port outgoing only - bus 2-Wire voice Grade unbundled South Carolina extended local | | | UEPFB | UEPBO | 1.65 | 108.36 | 70.71 | 1.42 | 1.33 | | 15.69 | | | <u></u> | |

| ONBONDL | ED NETWORK ELEMENTS - South Carolina | | | , | | | | | | | | | | ment: 2 | | ibit: B |
|----------|---|-------------|----------|--------|----------|--------|--------|------------|--|------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | - | | | | | Nonrec | rurring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | 1 | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPFB | UEPB1 | 1.65 | 108.36 | 70.71 | 1.42 | 1.33 | | 15.69 | | | | |
| | 2-Wire voice unbundled South Carolina Bus Area Calling Port | | | | | | | | | | | | | | | |
| | with Caller ID (LMB) | | | UEPFB | UEPAB | 1.65 | 108.36 | 70.71 | 1.42 | 1.33 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled South Carolina Business Dialing Plan | | | | | | | | | | | | | | | |
| | without Caller ID | | | UEPFB | UEPWM | 1.65 | 108.36 | 70.71 | 1.42 | 1.33 | | 15.69 | | | | |
| LOC | AL NUMBER PORTABILITY | | | LIEDED | LNDOV | 0.05 | | | | | | | | | | |
| INITE | Local Number Portability (1 per port) | | | UEPFB | LNPCX | 0.35 | | | | | | | | | | |
| INTE | ROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination | | | UEPFB | U1TV2 | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | OLFIB | UTIVZ | 24.30 | 40.03 | 21.41 | 10.77 | 0.91 | | | | | | |
| | or Fraction Mile | 1 | | UEPFB | 1L5XX | 0.0167 | | | | | | | | | | |
| FEA | TURES | | | 02.1.0 | 120701 | 0.0101 | | | | | | | | | | |
| | All Features Offered | | | UEPFB | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | | |
| NON | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-as-is | | | UEPFB | USAC2 | | 17.00 | 3.74 | | | | 15.69 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch with change | | | UEPFB | USACC | | 17.00 | 3.74 | | | | 15.69 | | | | |
| | RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | 1 | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 22.50 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | 1 | 2 | | | 30.56 | | | | | | | | | | |
| I I I I | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 37.22 | | | | | | | | | | |
| UNE | Loop Rates | | 1 | UEPFP | UECF2 | 20.85 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2 | - | 2 | UEPFP | UECF2 | 28.91 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | + | 3 | UEPFP | UECF2 | 35.57 | | | | | | | | | | 1 |
| 2-Wi | re Voice Grade Line Port Rates (BUS - PBX) | | 3 | OLITI | OLOI Z | 33.31 | | | | | | | | | | 1 |
| | 10 10 10 10 10 10 10 10 10 10 10 10 10 1 | | | | | | | | | | | | | | | - |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPFP | UEPPC | 1.65 | 137.32 | 83.31 | 67.02 | 11.51 | | 15.69 | | | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPFP | UEPPO | 1.65 | 137.32 | 83.31 | 67.02 | 11.51 | | 15.69 | | | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPFP | UEPP1 | 1.65 | 137.32 | 83.31 | 67.02 | 11.51 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPFP | UEPLD | 1.65 | 137.32 | 83.31 | 67.02 | 11.51 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPFP | UEPXA | 1.65 | 137.32 | 83.31 | 67.02 | 11.51 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPFP | UEPXB | 1.65 | 137.32 | 83.31 | 67.02 | 11.51 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPFP | UEPXC | 1.65 | 137.32 | 83.31 | 67.02 | 11.51 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPFP | UEPXD | 1.65 | 137.32 | 83.31 | 67.02 | 11.51 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | | | | | | |
| | Capable Port | + | | UEPFP | UEPXE | 1.65 | 137.32 | 83.31 | 67.02 | 11.51 | | 15.69 | | | | 1 |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | UEPFP | UEPXL | 1.65 | 137.32 | 83.31 | 67.02 | 11.51 | | 15.69 | | | | |
| | Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | + | | UEFFF | UEFAL | 1.00 | 137.32 | 03.31 | 07.02 | 11.51 | | 15.69 | | | | |
| | Room Calling Port | | | UEPFP | UEPXM | 1.65 | 137.32 | 83.31 | 67.02 | 11.51 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | + | | OLITI | OLI XIVI | 1.00 | 107.02 | 03.51 | 07.02 | 11.51 | | 13.03 | | | | |
| | Discount Room Calling Port | | | UEPFP | UEPXO | 1.65 | 137.32 | 83.31 | 67.02 | 11.51 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | 1 | | UEPFP | UEPXS | 1.65 | 137.32 | 83.31 | 67.02 | 11.51 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus | 1 | i – | | | | | | | | | | | İ | | |
| <u> </u> | Calling Port | 1 | L | UEPFP | UEPXT | 1.65 | 137.32 | 83.31 | 67.02 | 11.51 | <u> </u> | 15.69 | | <u> </u> | | <u></u> |
| LOC | AL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPFP | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.69 | | | | |
| INTE | ROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | l | I 🗍 | | | | | _ | | | | | | |
| ļ | Termination Paris to the Control of | | <u> </u> | UEPFP | U1TV2 | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | ļ | ļ |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | ' [| | LIEDED | 41.5007 | | | | | | | | | | | |
| | or Fraction Mile | | 1 | UEPFP | 1L5XX | 0.0167 | | | | | | | | | 1 | |
| FEA | TURES All Features Offered | | 1 | UEPFP | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.00 | | | 1 | |
| | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | 1 | ULFFF | UEFVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | l | <u> </u> | <u> </u> |

| ONBONDLED NETWORK | ELEMENTS - South Carolina | | | | | | | | | | | | | | ment: 2 | | ibit: B |
|---------------------------|--|--|--|--------|--------|--------|-------|--------|------------|--|------------|---|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | В | cs | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | 1 | Nonrec | urring | Nonrecurring | Disconnect | | 1 | oss | Rates(\$) | 1 | <u> </u> |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2-Wire Loop / D | Dedicated IO Transport / 2 Wire Line Port | | | | | | | | 7.44. | | 71441 | 0020 | 00 | | | | |
| | Conversion - Switch-as-is | | | UEPFP | | USAC2 | | 17.00 | 3.74 | | | | 15.69 | | | | |
| 2-Wire Loop / [| Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | | |
| | Conversion - Switch with change | | | UEPFP | | USACC | | 17.00 | 3.74 | | | | 15.69 | | | | |
| UNBUNDLED PORT/LOOP CO | MBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | | |
| 2-WIRE VOICE GRADI | LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PORT | | | | | | | | | | | | | | | |
| UNE Port/Loop Comb | | | | | | | | | | | | | | | | | |
| | o/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | | 23.75 | | | | | | | | | | |
| | o/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | | | 30.20 | | | | | | | | | | |
| | o/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | | | 35.52 | | | | | | | | | | |
| UNE Loop Rates | | | | | | | | | | | | | | | | | |
| | Voice Grade Loop - (SL2) - UNE Zone 1 | ļ | 1 | UEPPX | | UECD1 | 16.68 | | | | | | | | ļ | 1 | ļ |
| | Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | | UECD1 | 23.13 | | | | | | | | | | _ |
| | Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | | UECD1 | 28.46 | | | | | | | | | ! | |
| UNE Port Rate | 2 Wire DID Bort | | | UEPPX | | UEPD1 | 7.06 | 225.55 | 07.04 | 113.08 | 14.38 | | 45.00 | | | | |
| | s - 2-Wire DID Port RGES - CURRENTLY COMBINED | | 1 | UEPPX | | UEPD1 | 7.06 | 225.55 | 87.21 | 113.08 | 14.38 | | 15.69 | | | - | |
| | rade Loop / 2-Wire DID Trunk Port Combination - | | | | | | | | | | | | | | | | |
| Switch-as-is | rade Loop / 2-wire DID Trunk Fort Combination - | | | UEPPX | | USAC1 | | 7.32 | 1.87 | | | | 15.69 | | | | |
| | rade Loop / 2-Wire DID Trunk Port Conversion | | | OLFFX | | USACT | | 1.32 | 1.07 | | | | 13.09 | | | | |
| | Allowable Changes | | | UEPPX | | USA1C | | 7.32 | 1.87 | | | | 15.69 | | | | |
| ADDITIONAL NRCs | Allowable Changes | | | ULFFA | | USAIC | | 1.32 | 1.07 | 1 | | | 13.09 | | | | |
| | sequent Activity - Add Trunks, Per Trunk | | | UEPPX | | USAS1 | | 26.84 | | 1 | | | 15.69 | | | | |
| | unk Group Establisment Charges | | | OLITA | | 00/101 | | 20.04 | | | | | 10.00 | | | | + |
| | nination (One Per Port) | | | UEPPX | | NDT | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | Establish Trunk Group and Provide First Group | | | OL: 1X | | | 0.00 | 0.00 | 0.00 | | | | 10.00 | | | | |
| of 20 DID Num | | | | UEPPX | | NDZ | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | Numbers for each Group of 20 DID Numbers | | | UEPPX | | ND4 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | Non- consecutive DID Numbers , Per Number | | | UEPPX | | ND5 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| Reserve Non-C | onsecutive DID numbers | | | UEPPX | | ND6 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| Reserve DID N | umbers | | | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| LOCAL NUMBER POR | TABILITY | | | | | | | | | | | | | | | | |
| | Portability (1 per port) | | | UEPPX | | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | . GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI | NE SIDE | E POR | | | | | | | | | | | | | | |
| UNE Port/Loop Comb | | | | | | | | | | | | | | | | | |
| | al Grade Loop/2W ISDN Digital Line Side Port - | | l . | == | | | | | | | | | | | | 1 | |
| UNE Zone 1 | LOWER PROPERTY OF THE PROPERTY | ļ | 1 | UEPPB | UEPPR | ļ | 30.86 | | | | | | | | | | ↓ |
| | al Grade Loop/2W ISDN Digital Line Side Port - | | _ | LIEDDD | LIEDDO | | 20.00 | | | | | | | | | 1 | |
| UNE Zone 2 | I Conda Laca /OW ICON District Conda District | | 2 | UEPPB | UEPPR | | 38.60 | | | | | | | | | ! | |
| | al Grade Loop/2W ISDN Digital Line Side Port - | | 2 | UEPPB | UEPPR | | 44.00 | | | | | | | | 1 | I | |
| UNE Zone 3 UNE Loop Rates | | | 3 | UEPPB | UEPPR | 1 | 44.23 | | | | | - | | | - | | |
| | gital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 21.90 | | | | | | 15.69 | | | | |
| 2-Wile ISDN Di | gital Grade Loop - ONE Zone 1 | | | UEPPB | UEFFR | USLZA | 21.90 | | | | | | 15.69 | | | | <u> </u> |
| 2 Wire ISDN Di | gital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 29.64 | | | | | | 15.69 | | | | |
| | gital Grade Loop - UNE Zone 3 | | 3 | UEPPB | | USL2X | 35.27 | | | 1 | | | 15.69 | | | | |
| UNE Port Rate | gital Grade 200p - GIVE 2011e 3 | | 3 | OLITO | OLITIK | OOLZX | 33.21 | | | | | | 13.03 | | | | 1 |
| | - 2-Wire ISDN Line Side Port | † | | UEPPB | UEPPR | UEPPB | 8.96 | 190.51 | 133.14 | 100.95 | 21.37 | 1 | 15.69 | | | I | † |
| | RGES - CURRENTLY COMBINED | | <u> </u> | | | | 5.55 | | .00.74 | | 257 | | .0.00 | | 1 | 1 | 1 |
| | gital Grade Loop / 2-Wire ISDN Line Side Port | | 1 | | | | 1 | | | | | | | | İ | 1 | 1 |
| Combination - | | | | UEPPB | UEPPR | USACB | 0.00 | 38.59 | 27.08 | | | | 15.69 | | 1 | I | |
| ADDITIONAL NRCs | • | | | 1 | | | | | 50 | | | | | | İ | 1 | İ |
| LOCAL NUMBER POR | TABILITY | | | 1 | | 1 | 1 | | | | | | | | | 1 | 1 |
| | Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | 1 |
| B-CHANNEL USER PF | OFILE ACCESS: | | | | | | | | | | | | | | | | |
| CVS/CSD (DM: | | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| CVS (EWSD) | | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| CSD | | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| B-CHANNEL AREA PL | US USER PROFILE ACCESS: (AL,KY,LA,MS S | C,MS, & | (TN) | | | | | | | | - | | | | | | |

Version 1Q03: 02/28/03

| ONROND | LED | NETWORK ELEMENTS - South Carolina | | | | | 1 | ı | | | | | 1 - | | | ment: 2 | | bit: B |
|----------|------|---|--|----------|----------------|----------------|----------------|---------|--------|------------|--|-------|---|---|---|--|--|--|
| CATEGORY | r | RATE ELEMENTS | Interi m | Zone | В | cs | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Order vs. Electronic- | Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | • | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CVS (EWSD) CSD | | | UEPPB UEPPB | UEPPR UEPPR | U1UCE U1UCF | 0.00 | 0.00 | 0.00 | | | 1 | | | | - | |
| LISE | | ERMINAL PROFILE | 1 | | OLFFB | ULFFR | 01001 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| VEF | | AL FEATURES | | | | | | | 2.00 | | | | | | | | | |
| | / | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | | |
| INT | | FFICE CHANNEL MILEAGE | | | | | | | | | | | | | | | | |
| | | nteroffice Channel mileage each, including first mile and | | | | | | | | | | | | | | | | |
| | | acilities termination | | | | UEPPR | M1GNC | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | | nteroffice Channel mileage each, additional mile | | | UEPPB | UEPPR | M1GNM | 0.0167 | 0.00 | 0.00 | | | | | | | | |
| | | DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI | PORT | | | | | | | | | | | | | | | |
| UNE | | rt/Loop Combination Rates 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | <u> </u> | | <u> </u> | | - | | | | | | | | | | | |
| | | 7one 1 | | 1 | UEPPP | | | 176.82 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | - | OLFFF | | | 170.02 | | | | | | | | | | |
| | | Zone 2 | | 2 | UEPPP | | | 241.38 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | 1 | |
| | | Zone 3 | | 3 | UEPPP | | | 347.84 | | | | | | | | | | |
| UNE | E Lo | op Rates | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | | USL4P | 90.87 | | | | | | 15.69 | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | | USL4P | 155.43 | | | | | | 15.69 | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | | USL4P | 261.89 | | | | | | 15.69 | | | | |
| UNE | | rt Rate | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | | UEPPP | 85.95 | 457.30 | 259.67 | 124.15 | 31.83 | | 15.69 | | | | |
| NOI | NRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is | | | UEPPP | | USACP | 0.00 | 119.34 | 78.73 | | | | 15.69 | | | | |
| ADI | | DNAL NRCs | 1 | | UEFFF | | USACE | 0.00 | 119.54 | 10.13 | | | | 15.69 | | - | - | |
| 7,51 | | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | 1 | | | | | | | | | | | | | | | |
| | li. | nward/two way Tel Nos. (except NC) | | | UEPPP | | PR7TF | | 0.49 | 0.49 | | | | 15.69 | | | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | | | | | | |
| | | Outward Tel Numbers (All States except NC) | | | UEPPP | | PR7TO | | 11.54 | 11.54 | | | | 15.69 | | | | |
| | 4 | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | | | | | | | | | | | | | | |
| | | Subsequent Inward Tel Numbers | | | UEPPP | | PR7ZT | | 23.07 | 23.07 | | | | 15.69 | | | | |
| LOC | | NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPP | | LNPCN | 1.75 | | | | | | | | | | |
| | | Voice/Data | | <u> </u> | UEPPP | | PR71V | 0.00 | 0.00 | 0.00 | | | 1 | | | 1 | 1 | |
| | | Digital Data Inward Data | <u> </u> | <u> </u> | UEPPP UEPPP | | PR71D PR71E | 0.00 | 0.00 | 0.00 | | | - | | | | - | |
| Nov | | Nward Data Additional "B" Channel | | | OLPPP | | FINIE | 0.00 | 0.00 | 0.00 | | | 1 | | | t | t | |
| 1464 | | New or Additional - Voice/Data B Channel | 1 | | UEPPP | | PR7BV | 0.00 | 14.56 | | | | | 15.69 | | - | - | |
| | | New or Additional - Voice Bata B Channel | 1 | | UEPPP | | PR7BF | 0.00 | 14.56 | | | | 1 | 15.69 | | † | † | 1 |
| | | New or Additional Inward Data B Channel | † | | UEPPP | | PR7BD | 0.00 | 14.56 | | 1 | | | 15.69 | | 1 | 1 | |
| CAL | | YPES | | | | | | | | | | | | | | | | |
| | | nward | | | UEPPP | | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Outward | | | UEPPP | | PR7CO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Two-way | | | UEPPP | | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Inte | | ce Channel Mileage | ļ | <u> </u> | == | | | | | | | | | | | | | |
| | | Fixed Each Including First Mile | | <u> </u> | UEPPP | | 1LN1A | 77.4815 | 89.47 | 81.99 | 16.39 | 14.48 | 1 | 15.69 | | 1 | 1 | |
| 4 141 | | Each Airline-Fractional Additional Mile DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | 1 | 1 | UEPPP | | 1LN1B | 0.3415 | | | | | 1 | | | | | 1 |
| | | rt/Loop Combination Rates | <u> </u> | <u> </u> | | | + | | | | | | - | | | | - | |
| UNE | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | 1 | 1 | UEPDC | | + | 149.77 | | | | | | | | + | + | 1 |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 1 | 214.33 | | | | | 1 | | | | t | |
| -+ | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | 1 | 3 | UEPDC | | 1 | 320.78 | | | † | | 1 | | | I | I | |
| UNE | | op Rates | 1 | Ť | 32. 50 | | | 320.70 | | | | | | | | 1 | 1 | |
| - 1 | | 4-Wire DS1 Digital Loop - UNE Zone 1 | † | 1 | UEPDC | | USLDC | 90.87 | | | | | | 15.69 | | 1 | 1 | |
| - | | 4-Wire DS1 Digital Loop - UNE Zone 2 | 1 | | UEPDC | | USLDC | 155.43 | | | 1 | | 1 | 15.69 | | 1 | 1 | 1 |

| ONRONDER | D NETWORK ELEMENTS - South Carolina | | | 1 | | | | | | | | 1 - | | ment: 2 | | ibit: B |
|----------|--|-------------|-------|-------------------|---------|--------|--------|------------|--------------|-----------|---|---|--|--|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Sv Order vs. |
| | | | | | | | News | | Nonrecurring | Dianamant | | | 220 | Detec(f) | | |
| | | | | | | Rec | Nonrec | | | | 001150 | SOMAN | | Rates(\$) | 0014411 | 001111 |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 2 | UEPDC | USLDC | 261.89 | First | Add'l | First | Add'l | SOMEC | 15.69 | SOMAN | SOMAN | SOMAN | SOMAN |
| LINE D | Port Rate | | 3 | UEPDC | USLDC | 201.09 | | | | | 1 | 15.69 | | | | + |
| UNE F | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 58.90 | 455.50 | 253.79 | 117.55 | 14.20 | | 15.69 | | | | + |
| NONE | ECURRING CHARGES - CURRENTLY COMBINED | | | OLFDC | ODDII | 30.90 | 455.50 | 255.19 | 117.55 | 14.20 | 1 | 13.09 | | | | + |
| NONK | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | 1 | | | | | | | | | | | + |
| | - Switch-as-is | | | UEPDC | USAC4 | | 129.78 | 67.17 | | | | 15.69 | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | OLI DO | 00/104 | | 120.70 | 07.17 | | | | 10.00 | | | | 1 |
| | - Conversion with DS1 Changes | | | UEPDC | USAWA | | 129.78 | 67.17 | | | | 15.69 | | | | |
| - | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | 02. 50 | 00/11// | | .200 | 0 | | | | 10.00 | | | | + |
| | - Conversion with Change - Trunk | | | UEPDC | USAWB | | 129.78 | 67.17 | | | | 15.69 | | | | |
| ADDIT | IONAL NRCs | | | 02. 50 | 00/11/2 | | 120.10 | 0 | | | | 10.00 | | | | † |
| 7.2311 | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | İ | | | | | | | | | | İ | | 1 |
| 1 | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 14.51 | 14.51 | | | | 15.69 | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | | | | | | | | | .0.00 | | | | 1 |
| | Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 14.51 | 14.51 | | | | 15.69 | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | 1 | 2=110 | | | | | | | .0.00 | | | Ì | 1 |
| | Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 14.51 | 14.51 | | | | 15.69 | | | | |
| 1 | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | .0.00 | | | | |
| | Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 14.51 | 14.51 | | | | 15.69 | | | | |
| BIPOL | AR 8 ZERO SUBSTITUTION | | | 02. 50 | 052 | | | | | | | 10.00 | | | | + |
| - Dii 02 | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00 | 605.00 | | | | 15.69 | | | | + |
| | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 605.00 | | | | 15.69 | | | | 1 |
| Altern | ate Mark Inversion | | | 02. 50 | 0002. | | 0.00 | 000.00 | | | 1 | 10.00 | | | | + |
| 7.110.11 | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | + |
| | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | + |
| Teleni | none Number/Trunk Group Establisment Charges | | | OLI DO | WOO! O | | 0.00 | 0.00 | | | | | | | | + |
| 10.00 | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | 15.69 | | | | 1 |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | 15.69 | | | | + |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | 15.69 | | | | + |
| | DID Numbers, Establish Trunk Group and Provide First Group | | | | | | | | | | | | | | | 1 |
| | of 20 DID Numbers | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | | 15.69 | | | | † |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | 1 |
| | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | 1 |
| | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | 1 |
| Dedica | ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 | Digital | Loop | | | 0.00 | 0.00 | 0.00 | | | | 10.00 | | | | † |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | J.g.ta. | _00р | | 1 | | | | | | | | | | | † |
| | Termination) | | | UEPDC | 1LNO1 | 77.14 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| | | | | | | | | | | | | | | | | † |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.3415 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | 02. 50 | 12.10/1 | 0.01.0 | 0.00 | 0.00 | | | | | | | | † |
| | Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | | | | | | | | | | | | | 1 |
| | miles | | | UEPDC | 1LNOB | 0.3415 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | 02. 50 | .202 | 0.01.0 | 0.00 | 0.00 | | | | | | | | + |
| | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| 1 | , | | | | | 0.00 | 3.00 | 0.00 | | | | | | | | † |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.3415 | 0.00 | 0.00 | | | | | | | | |
| | Local Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | 1 | | |
| l | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | 2.00 | 2.00 | | | | | | | | † |
| 4-WIR | E DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | 1 | 2.00 | | | | | | | | | | 1 |
| | m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | vations | | İ | 1 | | | | | | | | | İ | | 1 |
| | System can have up to 24 combinations of rates depending on | | d num | ber of ports used | | | | | | | | | | | | † |
| | S1 Loop | 7, | | | 1 | | | | | | | | | | Ì | 1 |
| 1 | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 90.87 | 0.00 | 0.00 | | | | | | | Ì | † |
| 1 | 4-Wire DS1 Loop - UNE Zone 2 | | | UEPMG | USLDC | 155.43 | 0.00 | 0.00 | | | | | | | Ì | † |
| | 4-Wire DS1 Loop - UNE Zone 3 | | | UEPMG | USLDC | 261.89 | 0.00 | 0.00 | | | | | | | | |
| | SO Channelization Capacities (D4 Channel Bank Configuration | 20) | | | | _000 | 5.50 | 0.00 | 1 | | t | l | | | 1 | + |
| LINE D | ISO Channelization Capacities (114 Channel Bank Contiduration | | | | | | | | | | | | | | | |

| NDUNDLE | D NETWORK ELEMENTS - South Carolina | 1 | | 1 | 1 | 1 | | | | | 0 | 0 | | ment: 2 | | ibit: B |
|-----------|---|-------------|--|----------------------|----------------|----------------------|-----------------|----------------|--|-----------------|-------------|----------------|-----------------|--------------|--------------|-------------|
| | | | 1 | | | | | | | | | | Incremental | | Incremental | Increment |
| | | | | | | | | | | | | 1 | Charge - | Charge - | Charge - | Charge |
| | | Interi | l_ | | | | | | | | Elec | Manually | | Manual Svc | Manual Svc | Manual S |
| ATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electroni |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add |
| | | | | | | | Name | | l Namasannia a | Diagona | | | 220 | Detec(f) | | <u> </u> |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | T |
| | 40 DCO Channel Conneits | | | LIEDMO | \/LIN440 | 165.56 | First | Add'I | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | | 0.00 | 0.00 | | | | 15.69 | | | | - |
| | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG UEPMG | VUM96 VUM14 | 331.12 | 0.00 | 0.00 | | | | 15.69 | | | | 4 |
| | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM19 | 496.68 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | 192 DS0 Channel Capacity -1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM2O | 662.24 827.80 | 0.00 | 0.00 | | | | 15.69 15.69 | | | | |
| | | | | UEPMG | VUM28 | | 0.00 | 0.00 | | | | 15.69 | | | | |
| | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM38 | 993.36 | | 0.00 | | | | | | | | |
| | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM4O | 1,324.48 | 0.00 | 0.00 | | | | 15.69 15.69 | | | | |
| | 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 1,655.60 1,986.72 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | | | | UEPMG | VUM67 | 2.317.84 | 0.00 | | | | | | | | | |
| Non D | 672 DS0 Channel Capacity - 1 per 28 DS1s | - Chann | !!4! - | | | | | 0.00 | | | | 15.69 | | | | |
| | ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with | | | | | | stem | | | | | | | | | |
| | mum System configuration is One (1) DS1, One (1) D4 Channe | | | | | | | | | | | | | | | |
| wuntip | les of this configuration functioning as one are considered Ac NRC - Conversion (Currently Combined) with or without | uuiaπe | i ine m | ımınının system cor | Inguration IS | counted. | | | | | | | | | - | |
| | BellSouth Allowed Changes | | 1 | UEPMG | USAC4 | 0.00 | 450.04 | 0.00 | | | | 45.00 | | | | 1 |
| Cueter | n Additions at End User Locations Where 4-Wire DS1 Loop wit | th Chan | | | | | 150.81 | 8.38 | | | | 15.69 | | | | ├ |
| | | | | | ination Curre | ntiy Exists and | | | | | | | | | | ├ |
| new (I | Not Currently Combined) in all states, except in Density Zone 1 | оттор | 8 IVI SP | 'S | | | | | | | | | | | | |
| | 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port | | | LIEDMO | \ // IN 4D 4 | 0.00 | 747.74 | 405.04 | 4.40.00 | 47.00 | | 45.00 | | | | |
| D' I . | and Assoc Fea Activation | | | UEPMG | VUMD4 | 0.00 | 717.71 | 425.81 | 149.08 | 17.69 | | 15.69 | | | | |
| Віроїа | r 8 Zero Substitution | | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent | | | | | | | | | | | | | | | |
| | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 605.00 | | | | | | | | |
| | Clear Channel Capability Format - Extended Superframe - | | | | | | | | | | | | | | | |
| | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 605.00 | | | | | | | | |
| Altern | ate Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | nge Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | | | | | | | | | | | | | |
| Excna | nge Ports | | | | | | | | | | | | | | | |
| | Live City Combined to Channelling I BRV To all Board Business | | | LIEDDY | LIEBOY | 4.40 | 0.00 | 0.00 | 0.00 | 0.00 | | 45.00 | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 1.13 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.69 | | | | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 1.13 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.69 | | | | |
| | Line Cide James Only Channelland DDV Tarrely Dark with and DID | | | UEPPX | UEP1X | 4.40 | 0.00 | 0.00 | 0.00 | 0.00 | | 45.00 | | | | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | | | 1.13 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.69 | | | | |
| Fastur | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port te Activations - Unbundled Loop Concentration | | | UEPPX | UEPDM | 7.09 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.69 | | | | |
| reatur | | | | | - | | | | | | | | | | | |
| | Feature (Service) Activation for each Line Port Terminated in D4 | | | LIEDDY | 400044 | 0.50 | 05.45 | 40.44 | 4.00 | 4.47 | | 45.00 | | | | |
| | Bank | | | UEPPX | 1PQWM | 0.56 | 25.45 | 13.44 | 4.20 | 4.17 | 1 | 15.69 | | | 1 | ├ |
| | Feature (Service) Activation for each Trunk Port Terminated in | | 1 | LIEDDY | 40004 | 0.50 | 70.01 | 10.10 | 50.07 | 44.00 | | 45.00 | | | | |
| | D4 Bank | - | | UEPPX | 1PQWU | 0.56 | 78.31 | 18.46 | 59.37 | 11.60 | 1 | 15.69 | | - | 1 | ├ |
| I eleph | none Number/ Group Establishment Charges for DID Service | - | | LIEDDY | NDT | 2.00 | 2.22 | 2.22 | | | 1 | - | | - | 1 | ├ |
| - | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | 1 | | ↓ |
| -+- | Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) | | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | | | 1 | | ├ |
| | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | 1 | | |
| | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | 1 | | |
| | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| 1 0000 | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | 1 | | | | 1 | ├ |
| Local | Number Portability | | | LIEDDY | LNDCD | 0.1- | 0.00 | 0.00 | | | | | | 1 | | |
| | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | 1 | | | | 1 | ├ |
| | JRES - Vertical and Optional | | | | 1 | | | | | | 1 | | | | 1 | ├ |
| Local | Switching Features Offered with Line Side Ports Only | | | LIEDDY | LIED E | | | | | | | 1= 0- | | 1 | | |
| IDUNE: == | All Features Available | | | UEPPX | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | | | ļ | |
| | PORT LOOP COMBINATIONS - MARKET RATES | L | <u>. </u> | <u> </u> | <u> </u> | | لبيبا | | | | | | | | | <u> </u> |
| | t Rates shall apply where BellSouth is not required to provide | unbunc | iled lo | cal switching or swi | tcn ports per | FCC and/or St | ate Commissio | n rules. | | | | | | | | <u> </u> |
| | ncludes: | L | <u> </u> | <u> </u> | 1 | | | | <u> </u> | | L | | | | | <u> </u> |
| | ndled port/loop combinations that are Currently Combined or N | | | | | | | | | | | 1 | | | | <u> </u> |
| | op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd | | | | | | | | | | | | | | | |
| | outh currently is developing the billing capability to mechanica | ally hill t | he rec | urring and non-reci | ırrina Market | Water in this e | action avcant f | or nonrecurrir | ng charges for i | not currently (| combined in | IFI and NC | . In the interi | m where Bell | South cannot | . bill M |

Version 1Q03: 02/28/03 Page 350 of 420

| UNB | UNDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhil | bit: B |
|----------|----------|--|--|----------|-----------------------|--|-------------------|---------------|----------------|--|----------------|--|--------------|--|--|------------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | | Manual Svc | | Manual Svc |
| CATE | GORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | po. zo.t | po. 2011 | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | DISC 1St | DISC Add I |
| | | | | | | | Rec | Nonre | curring | Nonrecurring | g Disconnect | | • | oss | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | The Ma | arket Rate for unbundled ports includes all available features | in all st | ates. | | | | | | | | | | | | | |
| | End Of | fice and Tandem Switching Usage and Common Transport Us | sage rat | es in th | ne Port section of th | is rate exhib | it shall apply to | all combinati | ons of loop/po | rt network elei | ments except | for UNE Coi | n Port/Loo | Combination | ns which have | e a flat rate us | age charge |
| | | : URECU). | | | | | | | | | | | | | | | |
| | For No | t Currently Combined scenarios the Nonrecurring charges are | listed | in the F | irst and Additional | NRC column | s for each Port | USOC. For C | urrently Comb | ined scenarios | , the Nonrecur | ring charge | s are listed | in the NRC - | Currently Con | nbined section | n. |
| | Additio | onal NRCs may apply also and are categorized accordingly. | | | | | | | | | | | | | | | |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 27.76 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 34.38 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 40.04 | | | | | | | | | | |
| | UNE Lo | pop Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 13.76 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 20.38 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 26.04 | | | | | | | | | | |
| | 2-Wire | Voice Grade Line Port (Res) | | | | | | | | | | | | | | | |
| | | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire voice unbundles res, low usage line port with Caller ID | | | | | | | | | | | | | | | |
| | | (LUM) | | | UEPRX | UEPAP | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire voice unbundled Low Usage Line Port without Caller ID | | | | | | | | | | | | | | | |
| | | Capability | | | UEPRX | UEPRT | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled South Carolina Residence Dialing Plan | | | | | | | | | | | | | | | |
| | | without Caller ID | | | UEPRX | UEPWL | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire voice unbundled South Carolina Area Calling Port | | | | | | | | | | | | | | | |
| | | without Caller ID Capability | | | UEPRX | UEPRS | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | LOCAL | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| | FEATU | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPRX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | ADDITI | ONAL NRCs | | | | | | | | | | | | | | | |
| | | NRC - 2-Wire Voice Grade Loop/Line Port Combination - | | | | | | | | | | | | | | | |
| | | Subsequent | | | UEPRX | USAS2 | | 0.00 | 0.00 | | | | 15.69 | | | | |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | <u> </u> | 2-Wire VG Loop/Port Combo - Zone 1 | ļ | 1 | | 1 | 27.76 | | | | | | | | . | | |
| | 1 | 2-Wire VG Loop/Port Combo - Zone 2 | ļ | 2 | | | 34.38 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | ļ | 3 | | | 40.04 | | | | | | | ļ | . | ļ | |
| | UNE Lo | pop Rates | ļ | L., | LIEBBY . | LIEBLY | | | | | | | | ļ | . | ļ | |
| | 1 | 2-Wire Voice Grade Loop (SL1) - Zone 1 | ! | 1 | UEPBX | UEPLX | 13.76 | | | | | 1 | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | ! | 2 | UEPBX | UEPLX | 20.38 | | | | | | | | - | | |
| - | 0.15" | 2-Wire Voice Grade Loop (SL1) - Zone 3 | ! | 3 | UEPBX | UEPLX | 26.04 | | | | | | | | - | | |
| <u> </u> | 2-Wire | Voice Grade Line Port (Bus) | ! | | HEDDY | LIEBBI | 44.00 | 00.00 | 00.00 | | | 1 | 45.00 | | | | |
| | | 2-Wire voice unbundled port without Caller ID - bus | ! | | UEPBX | UEPBL | 14.00 | 90.00 | 90.00 | | | | 15.69 | | - | | |
| - | - | 2-Wire voice unbundled port with Caller + E484 ID - bus | 1 | | UEPBX | UEPBC | 14.00 | 90.00 | 90.00 | - | | 1 | 15.69 | - | 1 | | |
| - | - | 2-Wire voice unbundled port outgoing only - bus | 1 | | UEPBX | UEPBO | 14.00 | 90.00 | 90.00 | 1 | | 1 | 15.69 | 1 | | | |
| | 1 | 2-Wire voice Grade unbundled South Carolina extended local | 1 | | HEDDY | LIEDAZ | 44.00 | 00.00 | 00.00 | Ì | | | 45.00 | Ì | I | | |
| - | - | dialing parity port with Caller ID - bus | 1 | | UEPBX | UEPAZ | 14.00 | 90.00 | 90.00 | - | | 1 | 15.69 | - | 1 | | |
| | 1 | 2-Wire voice unbundled South Carolina Bus Area Calling Port | 1 | | LIEDDY | UEPAB | 44.00 | 00.00 | 00.00 | Ì | | | 45.00 | Ì | I | | |
| - | + | with Caller ID (LMB) | | | UEPBX | UEFAB | 14.00 | 90.00 | 90.00 | | | 1 | 15.69 | | | | |
| | 1 | 2-Wire voice unbundled Incoming Only Port without Caller ID | 1 | | LIEDDY | LIEDBE | 14.00 | 00.00 | 00.00 | Ì | | | 15.00 | Ì | I | | |
| - | + | Capability 2-Wire Voice Unbundled South Carolina Business Dialing Plan | | | UEPBX | UEPBE | 14.00 | 90.00 | 90.00 | - | | | 15.69 | - | - | | |
| | | without Caller ID | 1 | | UEPBX | UEPWM | 14.00 | 90.00 | 90.00 | | | | 15.69 | | 1 | | |
| - | + | 2-Wire voice unbundled South Carolina Business Area Calling | 1 | | OLI DA | OLF WIN | 14.00 | 90.00 | 90.00 | | | 1 | 13.09 | | 1 | | |
| | 1 | Port without Caller ID Capability | 1 | | UEPBX | UEPBB | 14.00 | 90.00 | 90.00 | Ì | | | 15.69 | Ì | I | | |
| - | LOCAL | NUMBER PORTABILITY | | | OLFBA | OLFDD | 14.00 | 90.00 | 90.00 | 1 | | 1 | 15.69 | 1 | t | | |
| _ | LOCAL | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | t | | |
| \vdash | FEATU | | | | 011 DX | | 0.33 | | | | | 1 | | | t | | |
| | 1 | NEO . | 1 | <u> </u> | | 1 | L | | | | l | 1 | l | 1 | 1 | | |

Version 1Q03: 02/28/03

| ONROND | JLED | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | ment: 2 | | ibit: B |
|-------------|--------|--|-------------|--|---------|----------|-------|--------|------------|--|-------|---|---|---|---|---|--|
| CATEGOR | łΥ | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incrementa Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | | | Rec | Nonrec | | Nonrecurring Di | | | | | Rates(\$) | | |
| | | | | | | <u> </u> | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| 4.5 | | All Features Offered | | | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| AD | | DNAL NRCs | | | | | | | | | | | | | | | |
| | | NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | 15.69 | | | | |
| 2.1/ | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | UEPBA | U3A32 | | 0.00 | 0.00 | | | | 15.69 | | | | |
| | | rt/Loop Combination Rates | | | | + | | | | | | | | | | | |
| Oiv | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | + | 27.76 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | + | 34.38 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 40.04 | | | | | | | | | | |
| UN | | op Rates | | _ | | | | | | | | | | | | | |
| 0 | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRG | UEPLX | 13.76 | | | | | | | | İ | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRG | UEPLX | 20.38 | | | | | | | | | | İ |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRG | UEPLX | 26.04 | | | | | | | | | | |
| 2-V | Wire \ | /oice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | | | | İ | | | | | | | | | |
| | | Res | | <u>L</u> | UEPRG | UEPRD | 14.00 | 90.00 | 90.00 | | | | 15.69 | | <u> </u> | | |
| LO | | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| FE | ATUF | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | | CURRING CHARGES - CURRENTLY COMBINED | | <u> </u> | | | | | | | | | | | | ļ | |
| AD | | ONAL NRCs | | <u> </u> | ļ | | | | | | | | | | ļ | | |
| | | 2 Wire Loop/Line Side Port Combination - Non feature - | | | | | | 0.00 | 0.00 | | | | 45.00 | | 1 | | |
| | | Subsequent Activity- Nonrecurring | | <u> </u> | 1 | 1 | | 0.00 | 0.00 | | | | 15.69 | | | 1 | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | 44.04 | 44.04 | | | | 45.00 | | | | |
| 2.11 | | Group VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | <u> </u> | - | + | | 14.64 | 14.64 | | | | 15.69 | | | - | - |
| | | rt/Loop Combination Rates | - | | - | | | | | | | | | | - | 1 | |
| OIN | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 27.76 | | | | | | | | | | - |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | + | 34.38 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | + | 40.04 | | | | | | | | | | 1 |
| UN | | op Rates | | Ŭ | | | 40.04 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPPX | UEPLX | 13.76 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPPX | UEPLX | 20.38 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPPX | UEPLX | 26.04 | | | | | | | | | | |
| 2-V | | /oice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | | , | | | | | | | | | | | | | | | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | | 4= 00 | | | | |
| | | Capable Port | | | UEPPX | UEPXE | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | UEPPX | UEPXL | 14.00 | 00.00 | 90.00 | | | | 15.60 | | 1 | | |
| | | Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | - | | UEFFA | UEFAL | 14.00 | 90.00 | 90.00 | | | | 15.69 | | - | 1 | |
| | | Room Calling Port | | | UEPPX | UEPXM | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | OLI-FA | JEFAIVI | 14.00 | 50.00 | 50.00 | | | | 15.09 | | | 1 | |
| | | Discount Room Calling Port | | | UEPPX | UEPXO | 14.00 | 90.00 | 90.00 | | | | 15.69 | | 1 | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 14.00 | 90.00 | 90.00 | <u> </u> | | | 15.69 | | | | <u> </u> |
| 10 | | NUMBER PORTABILITY | | † | 5_1 1 A | 02.70 | 14.00 | 30.00 | 30.00 | | | | 10.08 | | | 1 | |
| | | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | 1 | |
| FE | ATUF | | | † | | | 5.15 | 0.00 | 0.00 | | | | | | 1 | | |
| | | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | <u> </u> | 1 |
| | | CURRING CHARGES - CURRENTLY COMBINED | | I | | J VI | 0.00 | 0.00 | 0.00 | | | | 10.00 | | | | |

| UNBUND | DLED | NETWORK ELEMENTS - South Carolina | | | | | | | | | | , | , | | ment: 2 | | ibit: B |
|-------------|--------|--|--|------|----------------|--------|----------------|--------|------------|--------------|-------|---|---|--|--|--|--|
| CATEGOR | tΥ | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Order vs. Electronic- | Charge - Manual Svo Order vs. Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | • | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| AD | DITIC | DNAL NRCs | | | | | | | | | | | | | | | |
| | , | O.Wiss Vision Conductors / Line Book Combination Combines | | | UEPPX | LICACO | | 0.00 | 0.00 | | | | 45.00 | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent 2 Wire Loop/Line Side Port Combination - Non feature - | | | UEPPX | USAS2 | | 0.00 | 0.00 | | | | 15.69 | | | - | |
| | | Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | 15.69 | | | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | 0.00 | 0.00 | | | | 13.03 | | | | |
| | | Group | | | | | | 7.34 | 7.34 | | | | 15.69 | | | | |
| 2-W | WIRE | VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | RT | | | | | | | | | | | | | | |
| UN | IE Poi | rt/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 27.76 | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 34.38 | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 40.04 | | | | | | | | | | |
| UN | | op Rates | ļ | 4 | LIEDCO | LIEDLY | 40.70 | | | | | | | | | 1 | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO UEPCO | UEPLX | 13.76 20.38 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | 1 | 3 | UEPCO | UEPLX | 26.04 | | | | | - | | | 1 | | |
| 2-W | | /oice Grade Line Port Rates (Coin) | | 3 | ULFCO | OLFLX | 20.04 | | | | | | | | | | |
| | | 2-Wire Coin 2-Way without Operator Screening and without | | | | | | | | | | | | | | | |
| | | Blocking (SC) | | | UEPCO | UEPSD | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | 2 | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | | | | | | | | | | | | | |
| | | 900/976, 1+DDD (AL, KY, LA, MS, SC) | | | UEPCO | UEPRA | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | | | | | | | | | | | | | |
| | | 900/976, 1+DDD (SC) | | | UEPCO | UEPSA | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | | (SC) | | | UEPCO | UEPSH | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking; with Dialing Parity (SC) | | | UEPCO | UEPSC | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | , | 2-Wire Coin 2-Way with Operator Screening and Blocking: | | | UEPCO | UEPSC | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | ć | 900/976, 1+DDD, 011+, and Local (SC) | | | UEPCO | UEPCC | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Coin 2-W Oper Screen & Blocking: 900/976, 1+DDD, | | | 02. 00 | 02.00 | | 00.00 | 00.00 | | | | 10.00 | | | | |
| | | 011+ & Local; Enhanced Calling OPT 3YV (SC) | | | UEPCO | UEPCE | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Coin 2-W Oper Screen & Block: 900/976, 1+DDD, 011+, | | | | | | | | | | | | | | | |
| | | & Local; Enhanced Calling OPT AP7 (SC) | | | UEPCO | UEPCF | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Coin Outward without Blocking and without Operator | | | | | | | | | | | | | | | |
| | | Screening (SC) | | | UEPCO | UEPSG | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and 011 Blocking | | | | | | | | | | | 4= 00 | | | | |
| | | (SC) 2-Wire Coin Outward with Operator Screening and Blocking: | | | UEPCO | UEPSF | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | | |
| | | 2-wire Coin Outward with Operator Screening and Biocking: 011, 900/976, 1+DDD (SC) | l | | UEPCO | UEPSJ | 14.00 | 90.00 | 90.00 | | | | 15.69 | | | 1 | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: | - | | 02. 00 | JE1 00 | 14.00 | 30.00 | 30.00 | | | | 10.08 | | | | |
| | | 900/976, 1+DDD, 011+, and Local (SC) | 1 | | UEPCO | UEPCM | 14.00 | 90.00 | 90.00 | | | 1 | 15.69 | | | | |
| | | 2-Wire Coin Out Oper Screen & Block: 900/976, 1+DDD, 011+, | | | | 2 | 00 | 22.00 | 22.00 | | | | | | | | |
| | ě | & Local ; w/ Enhanced Call OPT 3YW (SC) | <u> </u> | | UEPCO | UEPCP | 14.00 | 90.00 | 90.00 | <u> </u> | | <u> </u> | 15.69 | | <u> </u> | <u> </u> | <u> </u> |
| LO | | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| AD | DITIC | DNAL NRCs | | | | | | | | | | | | | | | |
| | I. | O.Wiss Vision Conda Large / Line Book Constitution Co. L. | 1 | | LIEBCO | 110400 | | 0.00 | 2.55 | | | 1 | 45.00 | | | | |
| IINRI MDI 1 | | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent ORT/LOOP COMBINATIONS - MARKET BASED RATES | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | 15.69 | | | | |
| | | VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | POPT | | - | | | | | | | | | | | + | |
| 2-4 | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | I | 1 | + | 1 | 73.68 | | | | | | | | | t | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | 1 | | 80.13 | | | | | | | | | 1 | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | İ | | 85.46 | | | | | | | | Ì | 1 | |
| UN | IE Lo | op Rates | | | | | | | | | | | | | <u> </u> | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | UECD1 | 16.68 | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | UECD1 | 23.13 | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | l | 3 | UEPPX | UECD1 | 28.46 | | | | | l | l | | | |] |
| | | rt Rate | | | | | | | | | | | | | | | |

| UNBUNDL | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | | ment: 2 | | ibit: B |
|----------|---|-------------|--|--|--------|--------------|--------|--------|------------|--|------------|--------------|-----------|--------------|--|--|--|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Intani | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Sv |
| CATEGORY | RATE ELEMENTS | Interi | Zone | В | cs | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | = === | m | | _ | | | | | == (+) | | | per LSK | per LSK | | | | |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | 1 | | + | | Nonrec | urring | Nonrecurring | Disconnect | 1 | 1 | 066 | Rates(\$) | | |
| | | - | | ļ | | | Rec | | | | | SOMEC | SOMAN | | | COMAN | SOMAN |
| NON | DECURRING OUADOES OURDENTLY COMPINED | | | ļ | | + | | First | Add'l | First | Add'l | SOWIEC | SUMAN | SOMAN | SOMAN | SOMAN | SUMAN |
| NON | RECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - | - | | | | | | | | | | | | | | | |
| | Switch-As-Is Top 8 MSAs only | | | UEPPX | | USAC1 | | 125.00 | 75.00 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | | | | | | | | | | | | | | |
| | with BellSouth Allowable Changes Top 8 MSAs only | | | UEPPX | | USA1C | | 125.00 | 75.00 | | | | 15.69 | | | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | | ĺ |
| | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | | USAS1 | | 53.68 | | | | | 15.69 | | | | |
| Teler | phone Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | | |
| | DID Trunk Termination (One Per Port) | | | UEPPX | | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| - | DID Numbers, Establish Trunk Group and Provide First Group | | | OLITA | | INDI | 0.00 | 0.00 | 0.00 | | | | | | | | |
| 1 | of 20 DID Numbers | | 1 | UEPPX | | NDZ | 0.00 | 0.00 | 0.00 | | I | 1 | I | Ì | 1 | I | |
| | | 1 | 1 | | | | | | | | | | | | - | - | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | | ND4 | 0.00 | 0.00 | 0.00 | ! | ļ | ! | . | ļ | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | <u> </u> | UEPPX | | ND5 | 0.00 | 0.00 | 0.00 | ļ | | ļ | | | | | |
| | Reserve Non-Consecutive DID numbers | | | UEPPX | | ND6 | 0.00 | 0.00 | 0.00 | | | 1 | | | | | <u> </u> |
| | Reserve DID Numbers | | | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| LOCA | AL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPX | | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| 2-WII | RE ISDN DIGITAL GRADÉ LOOP WITH 2-WIRE ISDN DIGITAL LI | NE SIDE | PORT | | | | | | | | | | | | | | |
| | Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | 1 | | 1 | | | | | | 1 | | | | | † |
| | UNE Zone 1 | | 1 | UEPPB | UEPPR | | 76.90 | | | | | | | | | | |
| + | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | OLFFB | ULFFR | • | 70.90 | | | | | 1 | | | | | |
| | | | _ | LIEDDD | LIEDDD | | 04.04 | | | | | | | | | | |
| | UNE Zone 2 | | 2 | UEPPB | UEPPR | | 84.64 | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | | | | | | | | | | | | | | |
| | UNE Zone 3 | | 3 | UEPPB | UEPPR | | 90.27 | | | | | | | | | | |
| UNE | Loop Rates | | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 21.90 | | | | | | | | | | |
| | | | | Ī | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 29.64 | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | | | 35.27 | | | | | | | | | | |
| UNE | Port Rate | | ľ | 02 | 02 | OOLLA | 00.27 | | | | | | | | | | 1 |
| UNL | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 55.00 | 525.00 | 400.00 | | | | 15.69 | | | | † |
| NON | RECURRING CHARGES - CURRENTLY COMBINED | - | | OLFFB | OLFFR | OLFFB | 33.00 | 323.00 | 400.00 | | | | 13.09 | | | | |
| NON | | | | ļ | | + | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | | | | | | | | | | | | | | | | |
| | Combination - Conversion - Top 8 MSAs only | | | UEPPB | UEPPR | USACB | 0.00 | 225.00 | 225.00 | | | | 15.69 | | | | |
| | TIONAL NRCs | | | | | | | | | | | | | | | | |
| LOCA | AL NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | |
| B-CH | ANNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | |
| | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | l . | | 1 | | | | | 1 |
| 1 | CSD | | t | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | 1 | | 1 | i | 1 | 1 | 1 | |
| B-C | ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S | C MS º | TNI | 22110 | JEITIN | 51000 | 5.00 | 0.00 | 0.00 | | | | 1 | | 1 | 1 | |
| ВСП | CVS/CSD (DMS/5ESS) | U, IVI U, O | 114) | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | - | | - | - | - | - | + |
| | | 1 | - | | | | | | | 1 | | | 1 | | - | - | |
| | CVS (EWSD) | <u> </u> | 1 | UEPPB | UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | 1 | 1 | 1 | 1 | 1 | - | 1 | |
| | CSD | 1 | <u> </u> | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | ļ | | _ | ļ | ļ | | | |
| USEF | R TERMINAL PROFILE | | 1 | <u> </u> | | 1 | | | | 1 | | 1 | 1 | | | | <u> </u> |
| | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| VER1 | TICAL FEATURES | | | L | | | | | | | | | | | | | |
| | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 3.04 | 0.00 | 0.00 | | | | | | | | |
| INTE | ROFFICE CHANNEL MILEAGE | | | | | | | | | | | | | | | | |
| | Interoffice Channel mileage each, including first mile and | 1 | | | | | i | | | İ | | İ | | | | | Ť T |
| 1 | facilities termination | | 1 | UEPPR | UEPPR | M1GNC | 24.30 | 60.00 | 40.00 | 25.00 | 10.00 | | 15.69 | | | | |
| | Interoffice Channel mileage each, additional mile | 1 | 1 | UEPPB | UEPPR | M1GNM | 0.0167 | 0.00 | 0.00 | 20.00 | .5.00 | 1 | .0.00 | | | | † |
| 4 18/11 | RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI | C DODT | | OLI I D | JEITIN | IVITOIVIVI | 0.0107 | 0.00 | 0.00 | 1 | | 1 | 1 | 1 | 1 | 1 | |
| | | FURI | | | | | | | | | | ! | - | | | | |
| UNE | Port/Loop Combination Rates | 1 | 1 | 1 | | + | | | | 1 | | 1 | 1 | | 1 | 1 | |
| 1 | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | 1 | 1 | l | | 1 |] | | | | 1 | 1 | I | 1 | | 1 | |
| 1 | Zone 1 | <u> </u> | 1 | UEPPP | | 1 | 940.87 | | | <u> </u> | L | <u> </u> | <u> </u> | <u> </u> | <u> </u> | <u> </u> | <u> </u> |

| ONDUNDE | ED NETWORK ELEMENTS - South Carolina | | ı | 1 | - | | | | | | C C1 | Com Cont | | ment: 2 | | bit: B |
|----------|--|--|----------|----------------|---------|------------------|----------|------------|--|------------|----------|-----------------------|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | • | • |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEPPP | | 1,005.43 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | LIEDDD | | 4 444 00 | | | | | | | | | | |
| | Zone 3 | | 3 | UEPPP | | 1,111.89 | | | | | | | | | | |
| UNE L | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | USL4P | 90.87 | | | | | | 15.69 | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 2 | UEPPP | USL4P | 155.43 | | | | | | 15.69 | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | USL4P | 261.89 | | | | | | 15.69 | | | | |
| UNF F | Port Rate | | | CLITI | OOL-11 | 201.00 | | | | | | 10.00 | | | | |
| - 0.1.2. | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | UEPPP | 850.00 | 1,150.00 | 1,150.00 | | | | 15.69 | | | | |
| NONR | ECURRING CHARGES - CURRENTLY COMBINED | | | 02 | 02 | 000.00 | 1,100.00 | 1,100.00 | | | | 10.00 | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | | | | | | | i i | | | | | | | |
| | Combination - Conversion -Switch-As-Is Top 8 MSAs only | | | UEPPP | USACP | 0.00 | 950.00 | 950.00 | | | | 15.69 | | | | |
| ADDIT | FIONAL NRCs | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | | | | | | | | | | | | | |
| | Inward/two way Telephone Numbers (except NC) | | | UEPPP | PR7TF | | 0.9822 | | | | | 15.69 | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | | | | | |
| | Outward Tel Numbers (All States except NC) | | | UEPPP | PR7TO | | 23.02 | 23.02 | | | | 15.69 | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | | | | | | | | | | | | | |
| | Subsequent Inward Telephone Numbers | | | UEPPP | PR7ZT | | 46.05 | 46.05 | | | | 15.69 | | | | |
| LOCA | L NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPP | LNPCN | 1.75 | | | | | | | | | | |
| INTER | RFACE (Provsioning Only) | | <u> </u> | LIEDDD | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Voice/Data | | | UEPPP UEPPP | | | 0.00 | 0.00 | | | | | | | | |
| | Digital Data | | 1 | | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Maur a | Inward Data or Additional "B" Channel | | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| New C | New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 40.00 | | | | | | | | | |
| | New or Additional - Voice/Data B Channel | | 1 | UEPPP | PR7BF | 0.00 | 40.00 | | | | | | | | | |
| | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 40.00 | | | | | | | | | |
| CALL | TYPES | | | CLITI | TICIDE | 0.00 | 40.00 | | | | | | | | | |
| OALL | Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Outward | | | UEPPP | PR7CO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Intero | ffice Channel Mileage | | | | | | | | | | | | | | | |
| | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 77.4815 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.3415 | | | | | | | | | | |
| | E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | | |
| UNE F | Port/Loop Combination Rates | | | | | | _ | • | | • | | | _ | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | 840.87 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | ļ | 2 | UEPDC | | 905.43 | | | ļ | | ļ | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | ļ | 3 | UEPDC | | 1,011.89 | | | ļļ | | ļ | | | | | |
| UNE L | oop Rates | ļ | <u> </u> | LIEDDO | 1101.50 | 22.25 | | | | | ļ | | | | ļ | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | <u> </u> | 1 | UEPDC | USLDC | 90.87 155.43 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 | | 2 | UEPDC UEPDC | USLDC | 155.43 261.89 | | | | | | | | | | |
| LIME | Port Rate | | 3 | UEFDC | USLDC | 201.89 | | | | | | | | 1 | | |
| UNE | 4-Wire DDITS Digital Trunk Port | | 1 | UEPDC | UDD1T | 750.00 | 1,005.07 | 478.99 | 213.53 | 20.94 | | 15.69 | | 1 | | |
| NONR | RECURRING CHARGES - CURRENTLY COMBINED | | | 02.100 | 30011 | 730.00 | 1,003.07 | 410.55 | 210.00 | 20.34 | | 10.08 | | | + | |
| 110/110 | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | † | | | | | | | | | | | | 1 | 1 | <u> </u> |
| | - Switch-As-Is Top 8 MSAs only | | | UEPDC | USAC4 | 1 | 259.56 | 134.33 | | | | 15.69 | | | | 1 |
| | | | | 1 | 22 | 1 | | .050 | | | | .0.00 | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | ĺ | | | | | | | | | | | | |
| | - Conversion with DS1 Changes Top 8 MSAs only | | | UEPDC | USAWA | 1 | 259.56 | 134.33 | | | | 15.69 | | | | |
| | | | | | | | | | İ | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | 1 | 1 | ĺ | | | | | | | | | | | | |
| | - Conversion with Change - Trunk Top 8 MSAs only | <u> </u> | L | UEPDC | USAWB | | 259.56 | 134.33 | <u> </u> | | <u></u> | 15.69 | | <u> </u> | | <u> </u> |
| ADDIT | FIONAL NRCs | | | | | | | | | | | | | | | |

| <u> </u> | LED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | ment: 2 | | ibit: B |
|-------------|--|-------------|----------|----------------|----------------|----------------------------------|-----------------|------------|-----------------------|--------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | Nonroa | | Monroourring | n Dissennest | | | 220 | Rates(\$) | l | |
| | | | | | _ | Rec | Nonrec First | Add'l | Nonrecurring First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | + | | riist | Auu i | FIISL | Auu i | SOMEC | SOWAN | JOWAN | SOWAN | JOWAN | JOWAN |
| | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 29.01 | 29.01 | | | | 15.69 | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | 1 | OLI DO | OBTIN | | 20.01 | 20.01 | | | | 10.00 | | | | |
| | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 29.01 | 29.01 | | | | 15.69 | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Channel | | | | | | | | | | | | | | | |
| | Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 29.01 | 29.01 | | | | 15.69 | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 29.01 | 29.01 | | | | 15.69 | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 29.01 | 29.01 | | | | 15.69 | | | | |
| BIPC | OLAR 8 ZERO SUBSTITUTION | | | | | | | | | | | | | | | |
| | B8ZS -Superframe Format | 1 | ļ | UEPDC | CCOSF | | 0.00 | 605.00 | | | | | | | - | |
| A14- | B8ZS - Extended Superframe Format | 1 | <u> </u> | UEPDC | CCOEF | | 0.00 | 605.00 | | | } | | | | 1 | 1 |
| Aitei | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | - | |
| -+ | AMI - Extended SuperFrame Format | 1 | - | UEPDC | MCOPO | | 0.00 | 0.00 | | | 1 | | | 1 | t | 1 |
| Tele | ephone Number/Trunk Group Establisment Charges | 1 | | 02.100 | 100010 | | 0.00 | 0.00 | | | | | | | - | |
| 1000 | Telephone Number for 2-Way Trunk Group | | 1 | UEPDC | UDTGX | 0.00 | | | | | | 15.69 | | | | |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | 15.69 | | | | |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | 15.69 | | | | |
| | DID Numbers, Establish Trunk Group and Provide First Group | | | | | | | | | | | | | | | |
| | of 20 DID Numbers | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | | 15.69 | | | | |
| | DID Numbers, Non-consecutive DID Numbers, Per Number | | | UEPDC | ND5 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | icated DS1 (Interoffice Channel Mileage) - | | | | | | | | | | | | | | | |
| FX/F | FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | | | | | | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) | | | UEPDC | 1LNO1 | 77.14 | 89.47 | 81.99 | 16.39 | 14.48 | | 15.69 | | | | |
| -+ | Termination) | 1 | | UEPDC | ILINOI | 77.14 | 09.47 | 01.99 | 10.39 | 14.40 | 1 | 15.69 | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.3415 | 0.00 | 0.00 | | | | | | | | |
| -+ | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | OLI DO | TENOX | 0.0410 | 0.00 | 0.00 | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | | | | | | | | | | | | 1 | |
| | miles | | | UEPDC | 1LNOB | 0.7598 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | | | | | | | | | | | | _ | _ | | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | 1 | <u> </u> | UEPDC | 1LNOC | 0.7598 | 0.00 | 0.00 | | | ļ | | | | 1 | <u> </u> |
| | Local Number Portability, per DS0 Activated | | <u> </u> | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | ļ | ļ | |
| | Central Office Termininating Point | | <u> </u> | UEPDC | CTG | 0.00 | | | | | | | | | | <u> </u> |
| | IRE DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | | | | | | | | | | | | |
| | tem is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act | | | | | | | | | | | | | | 1 | |
| | stem can have various rate combinations based on type and nu | mper of | ports | usea | | | | | | | 1 | | | | | |
| UNE | 4-Wire DS1 Loop - UNE Zone 1 | 1 | 1 | UEPMG | USLDC | 90.87 | 0.00 | 0.00 | - | | } | | | 1 | | } |
| -+ | 4-Wire DS1 Loop - UNE Zone 2 | 1 | 2 | UEPMG | USLDC | 155.43 | 0.00 | 0.00 | | | | | | 1 | | |
| -+ | 4-Wire DS1 Loop - UNE Zone 3 | 1 | 3 | UEPMG | USLDC | 261.89 | 0.00 | 0.00 | | | | | | | t | |
| UNE | E DSO Channelization Capacities (D4 Channel Bank Configuratio | ns) | Ť | | | 201.00 | 5.50 | 3.30 | | | | | | 1 | 1 | |
| | 24 DSO Channel Capacity - 1 per DS1 | Τ, | | UEPMG | VUM24 | 103.47 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | 1 | | UEPMG | VUM48 | 206.94 | 0.00 | 0.00 | | | | 15.69 | | 1 | | |
| | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 413.88 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 620.82 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 827.76 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | | | 1 | UEPMG | VUM2O | 1,034.70 | 0.00 | 0.00 | l | ı | 1 | 15.69 | l | 1 | 1 | |
| | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | | | | | | | | | | | | | |
| | 240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG UEPMG | VUM28 VUM38 | 1,034.70 1,241.64 1,655.52 | 0.00 | 0.00 | | | | 15.69 15.69 | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: B |
|-------------------|--|-------------|----------|--------------------|-----------------|--------------------|----------------|----------------|--|-----------------|--|--|-------------------------|--|---------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | | Incremental Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | l . | | Rates(\$) | | <u> </u> |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| \longrightarrow | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG UEPMG | VUM57 | 2,483.28 | 0.00 | 0.00 | | | | 15.69 | | | | |
| Non B | 672 DS0 Channel Capacity - 1 per 28 DS1s lecurring Charges (NRC) Associated with 4-Wire DS1 Loop with | . Chan | 201:24:0 | | VUM67 | 2,897.16 | 0.00 | 0.00 | | | 1 | 15.69 | | | | |
| | imum System configuration is One (1) DS1, One (1) D4 Channe | | | | | | sterri | | | | | | 1 | | | |
| | ples of this configuration functioning as one are considered Ac | | | | | | | | | | | | | | | † |
| | NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes - Top 8 MSAs Only | | | UEPMG | USAC4 | 0.00 | 150.81 | 8.38 | | | | 15.69 | | | | |
| System | m Additions Where Currently Combined and New (Not Currentl | y Comb | oined) | | | | | | | | | | İ | | | † |
| In Den | nsity Zone 1 Top 8 MSAs | | | | | | | | | | | | | | | |
| | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - | | | UEPMG | VUMD4 | 0.00 | 717.71 | 425.81 | 149.08 | 17.69 | | 15.69 | | | | |
| Bipola | ar 8 Zero Substitution | | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 605.00 | | | | | | | | |
| | Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 605.00 | | | | | | | | |
| Alterna | ate Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | inge Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | | | | | | | | | | | | | + |
| Exchar | nge Ports | | | | | | | | | | | | | | | + |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.69 | | | | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.69 | | | | <u> </u> |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.69 | | | | |
| | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPDM | 57.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.69 | | | | |
| Feature | re Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 | | | | | | | | | | | | | | | _ |
| | Bank | | | UEPPX | 1PQWM | 0.70 | 40.00 | 20.00 | 6.00 | 5.00 | | 15.69 | | | | |
| | Feature (Service) Activation for each Trunk Port Terminated in D4 Bank | | | UEPPX | 1PQWU | 0.70 | 110.00 | 30.00 | 65.00 | 20.00 | | 15.69 | | | | |
| Teleph | hone Number/ Group Establishment Charges for DID Service | | | LIEBBY | No. | 2.22 | | | | | | 45.00 | | | | |
| | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | _ |
| | Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) DID Numbers - groups of 20 - Valid all States | | | UEPPX UEPPX | NDZ ND4 | 0.00 | 0.00 | 0.00 | | | | 15.69 15.69 | | | | + |
| -+ | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | + |
| | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | 1 |
| | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| Local | Number Portability | | | | | | | | | | | | | | _ | |
| | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | <u> </u> |
| | URES - Vertical and Optional | | | | + | | | | | | <u> </u> | | | | | ₩ |
| Local | Switching Features Offered with Line Side Ports Only All Features Available | | | UEPPX | UEPVF | 3.04 | 0.00 | 0.00 | | | | 15.69 | - | | | |
| INBUNDLED | CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES | | - | OLFFA | OLF VF | 3.04 | 0.00 | 0.00 | 1 | | 1 | 15.69 | | 1 | | + |
| | at Based Rates are applied where BellSouth is required by FCC | | State (| Commission rule to | provide Unbi | undled Local Sv | witching or Sw | itch Ports. | † | | | | 1 | | | |
| | tures shall apply to the Unbundled Port/Loop Combination - C | | | | | | | | dled Port section | on of this Rate | Exhibit. | | | | | |
| 3. End | Office and Tandem Switching Usage and Common Transport | Usage | rates ir | the Port section o | f this rate exh | ibit shall apply | to all combina | tions of loop/ | port network el | lements excep | t for UNE C | | | | | |
| | first and additional Port nonrecurring charges apply to Not Cualso and are categorized accordingly. | urrently | Comb | ined Combos. For | Currently Co | mbined Combo | s, the nonrecu | irring charges | shall be those | identified in t | he Nonrecu | rring - Curr | ently Combine | ed sections. | Additional NR | ₹Cs may |
| 5. Mar | rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) | be neg | otiated | on an Individual C | ase Basis, un | til further notice | 9. | | | | | | | | | |
| | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | + | | | | | | 1 | | † | | | |
| | Port/Loop Combination Rates (Non-Design) | | | 1 | 1 | 1 | | | † | | | l – | | | | † |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | ١ | | | | | | | | | | | | | |
| | Non-Design | | 1 | UEP95 | | 14.89 | | | | | | | | | | |

Version 1Q03: 02/28/03 Page 357 of 420

| ONROND | ED NETWORK ELEMENTS - South Carolina | , | | , | | | | | | | | | | ment: 2 | | ibit: B |
|---------|--|--|---------|--------|-------|--------|--------|------------|--------------|-------|---|---|--|--|--|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | 1 | _ | | | | | | | | | | | | | |
| | Non-Design | | 3 | UEP95 | | 27.17 | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Design) | 1 | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | 1 | | LIEBOE | | 47.04 | | | | | | | | | | |
| | Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | - | - ' | UEP95 | | 17.81 | | | | | | | | | - | + |
| | Design | | 2 | UEP95 | | 24.26 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OLF 93 | | 24.20 | | | | | | | | | | + |
| | Design | | 3 | UEP95 | | 29.59 | | | | | | | | | | |
| UNF | Loop Rate | 1 | Ŭ | 02.00 | | 20.00 | | | | | | | | | | + |
| - 0.12 | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 13.76 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | 1 | 2 | UEP95 | UECS1 | 20.38 | | | † | | | | | İ | 1 | 1 |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 26.04 | | | | | | | | 1 | 1 | 1 |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | 1 | 1 | UEP95 | UECS2 | 16.68 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 23.13 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | 1 | 3 | UEP95 | UECS2 | 28.46 | | | † | | | | | İ | 1 | 1 |
| UNE | Port Rate | | | | | | | | | | | | | | | 1 |
| | tates | 1 | | | | | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | 1 |
| | Area | | | UEP95 | UEPYH | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | 1 |
| | Center)2 Basic Local Area | | | UEP95 | UEPYM | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | _ | | | | - | | | | | | 1 |
| | Term - Basic Local Area | | | UEP95 | UEPYZ | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | t | | | | _ | | | | | | | | | | 1 |
| | - Basic Local Area | | | UEP95 | UEPY9 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP95 | UEPY2 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| AL, I | (Y, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPQB | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPQH | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 | | | UEP95 | UEPQM | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | | UEP95 | UEPQZ | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | <u>t</u> | <u></u> | UEP95 | UEPQ9 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | <u> </u> |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPQ2 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| Loca | ll Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.7996 | | | | | | | | | | |
| Loca | Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | |
| Feat | | | | | | | | - | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP95 | UEPVF | 3.04 | | | | | | 15.69 | | | | |
| | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 406.42 | | | | | 15.69 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 3.04 | | | | ` | | 15.69 | | | | 1 |
| NAR | | | | | | | · | | | | | | | | | 1 |
| | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | 1 |
| | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | 1 |
| | Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | ellaneous Terminations | | | | | | | - | | | | | | | | |
| 2-Wi | re Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.86 | 119.57 | 18.78 | 60.03 | 3.77 | | 15.69 | | | | 1 |
| 4-Wi | re Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 73.62 | 202.47 | 95.90 | 72.75 | 2.47 | | 15.69 | | | | |
| | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 14.51 | | | | | 15.69 | | | | |

| UNBUNDL | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | 1 - | | | ment: 2 | | ibit: B |
|------------|---|-------------|------|----------------|----------------|----------------|--------|------------|--------------|------------|---|---|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incrementa Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | 1 | |
| | | | | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Inter | roffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP95 | M1GBC | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | M1GBM | 0.0167 | | | | | | | | | | |
| Feat | ure Activations (DS0) Centrex Loops on Channelized DS1 Service | :e | | | | | | | | | | | | | | |
| D4 C | Channel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.56 | | | | | | 15.69 | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.56 | | | | | | 15.69 | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | LIEDOF | 400147 | 0.50 | | | | | | 45.00 | | | | |
| $-\!+\!-$ | Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - | - | | UEP95 | 1PQW7 | 0.56 | | | | | | 15.69 | | - | | |
| | Different Wire Center | | | UEP95 | 1PQWP | 0.56 | | | | | | 15.69 | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.56 | | | | | | 15.69 | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP95 | 1PQWQ | 0.56 | | | | | | 15.69 | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 UEP95 | 1PQWQ | 0.56 | | | | | | 15.69 | | | - | + |
| Non | -Recurring Charges (NRC) Associated with UNE-P Centrex | | | OLF 93 | IFQWA | 0.50 | | | | | | 13.09 | | | | 1 |
| INOII | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | + | | | | | | | | | | | |
| | changes, per port | | | UEP95 | USAC2 | | 37.93 | 16.72 | | | | 15.69 | | | | |
| | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 668.70 | | | | | 15.69 | | | | |
| | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 668.70 | | | | | 15.69 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 72.89 | | | | | 15.69 | | | | |
| | -P CENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | | |
| | ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | - | |
| i | Non-Design | | 1 | UEP9D | | 14.89 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | _ | | | | | | | | | | | | | |
| | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 2 | UEP9D | | 21.52 | | | | | | | | | | |
| | Non-Design | | 3 | UEP9D | | 27.17 | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 1 | UEP9D | | 17.81 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP9D | | 24.26 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OLI 3D | | 24.20 | | | | | | | | | | |
| | Design | | 3 | UEP9D | | 29.59 | | | | | | | | | | |
| UNE | Loop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 13.76 | | • | | • | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D | UECS1 | 20.38 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | <u> </u> | 3 | UEP9D | UECS1 | 26.04 | | | | | | | | | | <u> </u> |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | ļ | 1 2 | UEP9D UEP9D | UECS2 UECS2 | 16.68 23.13 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 | 1 | 3 | UEP9D UEP9D | UECS2 | 23.13 | | | | | 1 | | | 1 | | 1 |
| UNF | Port Rate | 1 | 3 | J_1 JD | 02002 | 20.70 | | | | | | | | 1 | † | 1 |
| | STATES | | | | | | | | | | | | | Ì | 1 | † |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | İ | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP9D | UEPYB | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area | | | UEP9D | UEPYC | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | | | | | | | | | | | | | | 1 | |
| $ \models$ | Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | | | UEP9D | UEPYD | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | | UEP9D | UEPYE | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | ļ | |
| | Area | | | UEP9D | UEPYF | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |

| UNDUNDE | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|----------|--|-------------|------|----------------|----------------|--------------|----------------|----------------|----------------|--------------|-------|---|--|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | No. | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonred | | Nonrecurring | | COMEC | COMAN | | Rates(\$) | COMAN | COMAN |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Area | | | UEP9D | UEPYG | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | | | 02. 05 | 02 0 | | 10.00 | 10.00 | 2 1100 | 0.00 | | 10.00 | | | | |
| | Area | | | UEP9D | UEPYT | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYU | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area | | | UEP9D | UEPYV | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local | | | OLI OD | OLI IV | 1.10 | 40.00 | 10.00 | 24.00 | 0.00 | | 10.00 | | | | |
| | Area | | | UEP9D | UEPY3 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYH | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYW | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 | | | OLI 3D | OLI IVV | 1.10 | 40.50 | 13.30 | 24.30 | 0.03 | | 15.05 | | | | |
| | Basic Local Area | | | UEP9D | UEPYJ | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | | | | | | | |
| | 2 Basic Local Area | | | UEP9D | UEPYM | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | LIEDOD | LIEBYO | 4.40 | 400.00 | 70.74 | 54.47 | 44.04 | | 45.00 | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPYO | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | Basic Local Area | | | UEP9D | UEPYP | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | - | - | | | | - | - | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYQ | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPYR | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | Basic Local Area | | | UEP9D | UEPYS | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | OLI OD | OLI 10 | 1.10 | 100.00 | 70.71 | 04.47 | 11.04 | | 10.00 | | | | |
| | Basic Local Area | | | UEP9D | UEPY4 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY5 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area | | | UEP9D | UEPY6 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | OLF9D | OLFIO | 1.13 | 108.30 | 70.71 | 34.47 | 11.54 | | 13.03 | | | | |
| | Basic Local Area | | | UEP9D | UEPY7 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | | UEP9D | UEPYZ | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area | | | UEP9D | UEPY9 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | | | UEF9D | UEFT9 | 1.13 | 40.30 | 19.90 | 24.90 | 0.05 | | 15.09 | | | | |
| | Local Area | | | UEP9D | UEPY2 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| AL, K | Y, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPQA | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D UEP9D | UEPQB UEPQC | 1.13 | 40.30 40.30 | 19.90 19.90 | 24.98 24.98 | 6.65 6.65 | | 15.69 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPQD | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | 1 | 1 | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPQE | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPQF | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPQG | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPQT | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D UEP9D | UEPQU | 1.13 | 40.30 40.30 | 19.90 19.90 | 24.98 24.98 | 6.65 6.65 | | 15.69 15.69 | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | 1 | | UEP9D | UEPQ3 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPQH | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | | | | | | | | | | | | | |
| | Indication)3 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D UEP9D | UEPQW UEPQJ | 1.13 1.13 | 40.30 40.30 | 19.90 19.90 | 24.98 24.98 | 6.65 6.65 | | 15.69 15.69 | | | | |

| JNBUNDLE | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------|---|-------------|------|----------|----------|--------|--------|---------------------------------------|--|---------------------------------------|---|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | _ | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | 1 | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | | | | | | | |
| | 2 | | | UEP9D | UEPQM | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPQO | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPQP | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| - | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPQQ | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | - | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPQR | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | 2-Wile voice Grade Fort (Gentlewallier GWO/EBG-W5112)2, 3 | | | OLI 3D | OLI QIV | 1.13 | 100.50 | 70.71 | 34.47 | 11.54 | | 13.03 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPQS | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | ,,, | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | | | | | | | · · · · · · · · · · · · · · · · · · · | | · · · · · · · · · · · · · · · · · · · | | | | 1 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPQ5 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | O ME - Veiro Ora la Part (O artero / Effer OMO /EDO MEO(O) | | | LIEDOD | LIEBOO | 4.40 | 400.00 | 70.74 | 54.47 | 44.04 | | 45.00 | | | | |
| - | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPQ6 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | - | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPQ7 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | OLI 3D | OLI Q1 | 1.13 | 100.50 | 70.71 | 34.47 | 11.54 | | 13.03 | | | | |
| | Term | | | UEP9D | UEPQZ | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 15.69 | | | | |
| | | | | | | | | | • | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPQ9 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPQ2 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 15.69 | | | | |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.7996 | | | | | | 15.69 | | | | |
| Local | Number Portability | | | LIEDOD | LNDOO | 0.05 | | | | | | | | | | |
| Featu | Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0.35 | | | - | | | | | | - | |
| realu | All Standard Features Offered, per port | | | UEP9D | UEPVF | 3.04 | | | | | | 15.69 | | | - | - |
| | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 406.42 | | | | | 15.69 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 3.04 | 100.12 | | | | | 15.69 | | | 1 | |
| NARS | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | ellaneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | e Trunk Side | | | LIEDOD | CENDO | 0.00 | 440.57 | 40.70 | 00.00 | 0.77 | | 45.00 | | | | |
| 4-Wir | Trunk Side Terminations, each e Digital (1.544 Megabits) | | | UEP9D | CEND6 | 8.86 | 119.57 | 18.78 | 60.03 | 3.77 | | 15.69 | | | | |
| 7-1111 | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 73.62 | 202.47 | 95.90 | 72.75 | 2.47 | | 15.69 | | | | |
| | DS0 Channels Activiated per Channel | | | UEP9D | M1HDO | 0.00 | 14.51 | 55.55 | 72.10 | 2.47 | | 15.69 | | | | |
| Intero | office Channel Mileage - 2-Wire | | | | | | | | | | | 10.00 | | | | |
| | Interoffice Channel Facilities Termination | | | UEP9D | M1GBC | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | 15.69 | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | M1GBM | 0.0167 | | | | | | | | | | |
| | re Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | , | , | | | | | | | | 1 | |
| D4 Ch | nannel Bank Feature Activations | | | LIEDOD | 4001410 | 0.50 | | | | | | 45.00 | | | 1 | |
| - | Feature Activation on D-4 Channel Bank Centrex Loop Slot | 1 | | UEP9D | 1PQWS | 0.56 | | | | | | 15.69 | | | 1 | - |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.56 | | | | | | 15.69 | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | OLI 3D | 11 00000 | 0.30 | | | | | | 10.09 | | | | |
| | Slot | | | UEP9D | 1PQW7 | 0.56 | | | | | | 15.69 | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | - | | | | | | | | . , , , | | | | |
| | Different Wire Center | <u></u> | | UEP9D | 1PQWP | 0.56 | | | <u> </u> | | <u></u> | 15.69 | | <u> </u> | <u> </u> | <u> </u> |
| | | | | | | | | | | | | | _ | _ | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.56 | | | | | | 15.69 | | ļ | 1 | |
| 1 | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | UEP9D | 400000 | 0.56 | | | | | | 45.00 | | | | |
| | | | 1 | H IEP91) | 1PQWQ | 0.56 | | | 1 | | 1 | 15.69 | | 1 | l . | 1 |
| | Slot Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.56 | | | | | | 15.69 | | | | |

| UNBUND | LED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|---------|--|---------|----------|----------------------|--------------|------------------|--------|------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGOR | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | • | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP9D | USAC2 | | 37.93 | 16.72 | | | | 15.69 | | | | |
| | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 668.70 | | | | | 15.69 | | | | |
| | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 668.70 | | | | | 15.69 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0.00 | 72.89 | | | | | 15.69 | | | | |
| No | e 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| No | e 2 - Requres Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| No | e 3 - Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | |
| No | e: Rates displaying an "R" in Interim column are interim and sub | ject to | rate tru | e-up as set forth in | General Tern | ns and Condition | ns. | | | | | | | | | |

| IINRI | NDI EI | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Evh: | bit: B |
|-------|----------|--|-------------|--|---|----------------|-------------------|-----------------------|-----------------|----------------------|-----------------------|---------------|--|--|--|----------------|----------------|
| CATEG | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | | |
| | | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurrin First | g Disconnect Add'l | SOMEC | SOMAN | | Rates(\$) SOMAN | SOMAN | SOMAN |
| | | one" shown in the sections for stand-alone loops or loops as | • | | | ographically | Deaveraged U | NE Zones. To | view Geograp | l hically Deaver | aged UNE Zon | e Designation | ons by Cent | ral Office, refe | er to internet \ | Website: | l . |
| ODED | | ww.interconnection.bellsouth.com/become_a_clec/html/inter . SUPPORT SYSTEMS | connec | tion.ht | m | | 1 | 1 | | 1 | ı | ı | 1 | 1 | | | 1 |
| OPERA | | (1) Electronic Service Order: CLEC should contact its contract | t negot | tiator if | it prefers the state s | pecific elect | ronic service o | rdering charge | es as ordered b | y the State Co | mmissions. T | he electron | ic service o | rdering charg | e currently co | ntained in th | is rate |
| | | is the BellSouth regional electronic service ordering charge. | | | | | | | | | | | | | | | |
| | | (2) Any element that can be ordered electronically will be bill | | | | | | | | | | | | | | | |
| | | lements that cannot be ordered electronically at present per t g charge, SOMAN, will be applied to a CLECs bill when it sub | | | | in this cate | gory reflects the | e cnarge tnat v | voula be billed | to a CLEC or | ce electronic o | ordering cap | pabilities co | me on-line to | r that element | . Otnerwise, | tne manuai |
| | Oraciiii | Electronic OSS Charge, per LSR, submitted via BST's OSS | minto ai | LOICE | o Belloodill. | | | | | | | | | | | | |
| | | interactive interfaces (Regional) | | | | SOMEC | | 3.50 | | | | | | | | | |
| UNE S | | DATE ADVANCEMENT CHARGE | | | | | l | | | | | | | | | | |
| | NOTE: | The Expedite charge will be maintained commensurate with | BellSou | ith's FC | C No.1 Tariff, Section | n 5 as appli | cable. | | | | | | | | - | | |
| | | | | | UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TD1, U1TD1, U1TD1, UC1EC, UC1DL, UC1EC, UC1DL, UC1EC, UC1FL, UC1FC, UC1FL, UC1FC, UC1HC, UC1HC, UC1HL, UDL12, UDL48, UDL03, UDL03, UDL03, UDL03, ULD03, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD1, ULDVX, UNC1X, UNCDX, UNC0X, UNC0X, UNC1X, UX, UX, UX, UX, UX, UX, UX, UX, UX, U | | | | | | | | | | | | |
| | | | | | UNCVX, UNLD1, | | | | | | | | | | | | |
| | | | | | UNLD3, UXTD1, | | | | | | | | | | | | |
| | | UNE Expedite Charge per Circuit or Line Assignable USOC, per | | | UXTD3, UXTS1, U1TUC, U1TUD, | | | | | | | | | | | | |
| | | Day | | | U1TUB, U1TUA | SDASP | | 200.00 | | | | | | | | | |
| UNBUN | | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | | ANALOG VOICE GRADE LOOP | | 1 | UEANL | UEAL2 | 12.10 | 31.99 | 20.00 | 10.65 | 4.44 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | | UEANL | UEAL2 UEAL2 | 13.19 17.23 | 31.99 | 20.02 | 10.65 | 1.41 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | | UEANL | UEAL2 | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | | Premise | | <u> </u> | UEANL | URETL | | 8.33 78.92 | 0.83 78.92 | | | ļ | ļ | 20.35 | 10.54 10.54 | 13.32 13.32 | 13.32 13.32 |
| | | Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour | | | UEANL UEANL | URET1 URETA | | 23.33 | 23.33 | | | 1 | | 20.35 20.35 | 10.54 | 13.32 | 13.32 |
| | | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | 20.00 | | | | | 20.00 | . 5.04 | | .5.02 |
| | | (UVL-SL1) | | <u> </u> | UEANL | UREWO | | 15.80 | 8.95 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | LIEANII | 1 IE AN/A 4 | | 00.00 | 00.00 | | | | | | | | |
| | | providing make-up (Engineering Information - E.I.) Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL UEANL | UEANM UEAMC | | 28.80 36.52 | 28.80 36.52 | | | - | 1 | | - | | |
| | | Order Coordination for Specified Conversion Time for UVL-SL1 | | | 02, 12 | 0 L / WYIO | | 00.0Z | 00.02 | | | | | | | | |
| | | (per LSR) | | | UEANL | OCOSL | | 34.29 | 34.29 | | | | | Ì | I | | |

Version 1Q03: 02/28/03 Page 363 of 420

| UNBUNDLE | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|--------------|--|-------------|------|-------------|----------------|----------------|----------------|------------|--------------|-------|--|---|--|--|----------------|----------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | ! | | UEQ | UEQ2X | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | | UEQ | UEQ2X UEQ2X | 17.23 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 13.32 |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User | - 1 | 3 | UEQ | UEQZX | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | + | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Premise | | | UEQ | URETL | | 8.33 | 0.83 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination 2 Wire Unbundled Copper Loop - Non- Designed (per loop) | | | UEQ | USBMC | | 36.52 | 36.52 | | | | | | | | |
| | Unbundled Copper Loop, Non-Design Copper Loop, billing for | | | | | | | | | | | | | | | |
| | BST providing make-up (Engineering Information - E.I.) | | | UEQ | UEQMU | | 28.80 | 28.80 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour | | | UEQ | URET1 | | 78.92 23.33 | 78.92 | | | | | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | 13.32 13.32 |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | UEQ | URETA | | 23.33 | 23.33 | | | - | | ∠0.35 | 10.54 | 13.32 | 13.32 |
| | (UCL-ND) | | | UEQ | UREWO | | 14.29 | 7.44 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| UNBUNDI ED E | XCHANGE ACCESS LOOP | | | 5L4 | SINLAND | | 14.23 | 7.44 | | | + | | 20.35 | 10.34 | 13.32 | 13.32 |
| | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1 | | 1 | UEPSR UEPSB | UEALS | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | ZWire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1 | | 1 | UEPSR UEPSB | UEABS | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 2 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | 2 | UEPSR UEPSB | UEALS | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Zone 2 | | 2 | UEPSR UEPSB | UEABS | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3 | | 3 | UEPSR UEPSB | UEALS | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3 | | 3 | UEPSR UEPSB | UEABS | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| 2-WIRE | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 16.56 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 21.63 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 28.28 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 34.29 | | | | 1 | | | | | 15.52 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 16.56 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 21.63 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | _ | | | | | | | | | | | | | |
| | Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 OCOSL | 28.28 | 75.06 | 48.20 | 28.70 | 17.64 | 1 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch | | | UEA UEA | UREWO | | 34.29 75.06 | 36.41 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Loop Tagging - Service Level 2 (SL2) | | | UEA | URETL | | 75.06 11.23 | 1.10 | | | 1 | 1 | 20.35 | 10.54 | 13.32 | 13.32 |
| | ANALOG VOICE GRADE LOOP | | | OLA. | JINETE | | 11.23 | 1.10 | | | | | 20.35 | 10.34 | 13.32 | 13.32 |
| | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | UEAL4 | 24.70 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEA | UEAL4 | 32.25 | 122.76 | 85.57 | 76.35 | 39.16 | 1 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | UEAL4 | 42.17 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 34.29 | | | | | | | _ | | |
| | CLEC to CLEC Conversion Charge without outside dispatch ISDN DIGITAL GRADE LOOP | | | UEA | UREWO | | 75.06 | 36.41 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 22.22 | 142.76 | 88.88 | 76.35 | 39.16 | † | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN | U1L2X | 29.02 | 142.76 | 88.88 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 37.95 | 142.76 | 88.88 | 76.35 | 39.16 | 1 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination For Specified Conversion Time (per LSR) | | | UDN | OCOSL | | 34.29 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 91.77 | 44.22 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 2 WIDE | Universal Digital Channel (UDC) COMPATIBLE LOOP | | | | | _ | | | | | | | | | | |

| UNBL | JNDLE | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: B |
|------|----------|--|--------|----------|------------|---------|-------|--------------|------------|--------------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | | | | |
| CATE | GORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | po. 20.1 | po. 2011 | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | Disc 1st | Disc Add I |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | g Disconnect | | | | Rates(\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | | | | | | | | | | | | | |
| | | 1 | | 1 | UDC | UDC2X | 22.22 | 142.76 | 88.88 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | | | | | | | | | | | | | |
| | | 2 | | 2 | UDC | UDC2X | 29.02 | 142.76 | 88.88 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | | | | | | | | | | | | | |
| | | 3 | | 3 | UDC | UDC2X | 37.95 | 142.76 | 88.88 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UDC | UREWO | | 91.77 | 44.22 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-WIRE | ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | ATIBLE | LOOP | | | | | | | | | | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 13.82 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 18.05 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry | l | 1 | L | 1 | | | | | | | | | | | |
| | | & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 23.60 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 34.29 | | | | | | | ļ | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | l . | | | | | | | | | | | | | | |
| | | facility reservaton - Zone 1 | ı | 1 | UAL | UAL2W | 13.82 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | Ι. | | | | 40.00 | | | 40.00 | | | | | | 40.00 | 40.00 |
| | | facility reservaton - Zone 2 | I | 2 | UAL | UAL2W | 18.05 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | Ι. | | | | | | | 40.00 | | | | | | 40.00 | 40.00 |
| | | facility reservaton - Zone 3 | | 3 | UAL | UAL2W | 23.60 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 34.29 | | | | | | | 10.51 | 10.00 | 10.00 |
| | 0.14/105 | CLEC to CLEC Conversion Charge without outside dispatch | TIDLE | 000 | UAL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | IIBLE | LOOP | | | | | | | | | | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | 1 | UHL | UHL2X | 40.00 | 070.04 | 224.62 | 74.54 | 20.44 | | | 20.25 | 40.54 | 40.00 | 40.00 |
| | | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 10.83 | 270.01 | 234.63 | 74.54 | 39.14 | 1 | 1 | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | 2 | UHL | UHL2X | 14.15 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | & facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry | | | UNL | UHLZA | 14.15 | 270.01 | 234.03 | 74.54 | 39.14 | | | 20.33 | 10.54 | 13.32 | 13.32 |
| | | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 18.50 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL | OCOSL | 10.50 | 34.29 | 234.03 | 74.34 | 33.14 | | | 20.33 | 10.54 | 13.32 | 13.32 |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | OFIL | OCCOL | | 34.23 | | | | | | | | | - |
| | | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 10.83 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | <u> </u> | 01.12 | O. ILLI | 10.00 | 01.00 | 20.02 | 10.00 | | 1 | | 20.00 | 10.01 | 10.02 | 10.02 |
| | | and facility reservation - Zone 2 | l 1 | 2 | UHL | UHL2W | 14.15 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | 0.1.00 | | | | | | | | | |
| | | and facility reservation - Zone 3 | l i | 3 | UHL | UHL2W | 18.50 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 34.29 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | I | | UHL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-WIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | 1 |
| | | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| l | | and facility reservation - Zone 1 | l | 1 | UHL | UHL4X | 13.93 | 279.60 | 244.22 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 18.20 | 279.60 | 244.22 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | ĺ |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 23.80 | 279.60 | 244.22 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 34.29 | | | | | | | | | |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | - 1 | 1 | UHL | UHL4W | 13.93 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | l | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 2 | ı | 2 | UHL | UHL4W | 18.20 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 4-Wire Unbundled HDSL Loop without manual service inquiry | 1 | 1 | L | [l | | | | | | | | | | | |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 23.80 | 31.99 | 20.02 | 10.65 | 1.41 | | <u> </u> | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 34.29 | | | | | | | ļ | | |
| | 1 | CLEC to CLEC Conversion Charge without outside dispatch | - 1 | | UHL | UREWO | | 31.99 | 20.02 | | ļ | ļ | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-WIRE | DS1 DIGITAL LOOP | | | ļ <u>.</u> | 1 | | | | | | | | | ļ | | |
| | | 4-Wire DS1 Digital Loop - Zone 1 | | | USL | USLXX | 57.73 | 313.08 | 219.72 | 96.86 | 40.45 | | <u> </u> | 18.98 | 8.43 | | |
| | | 4-Wire DS1 Digital Loop - Zone 2 | | | USL | USLXX | 75.40 | 313.08 | 219.72 | 96.86 | 40.45 | | <u> </u> | 18.98 | 8.43 | 11.95 | |
| | 1 | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 98.59 | 313.08 | 219.72 | 96.86 | 40.45 | | | 18.98 | 8.43 | 11.95 | 11.95 |

| UNBUNDLE | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: B |
|----------|--|-------------|------|-----|-------|-------|--------------|------------|--------------|-------|-------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 34.59 | 10.11 | | | | | 00.05 | 40.54 | 40.00 | 40.0 |
| 4 14/10 | CLEC to CLEC Conversion Charge without outside dispatch E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | USL | UREWO | | 130.47 | 40.11 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| 4-WIR | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 31.10 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| + | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 40.61 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 3 | UDL | UDL19 | 53.11 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 | UDL | UDL56 | 31.10 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | | UDL | UDL56 | 40.61 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | | UDL | UDL56 | 53.11 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 34.29 | | | | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 31.10 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | UDL64 | 40.61 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 53.11 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 34.29 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 102.28 | 49.82 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| 2-WIR | E Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1 | 1 | 1 | UCL | UCLPB | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2 | ı | 2 | UCL | UCLPB | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3 | 1 | 3 | UCL | UCLPB | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | | ļ |
| | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2 | ı | 2 | UCL | UCLPW | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3 | _ | 3 | UCL | UCLPW | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual srvc. inquiry and facility reservation - Zone 1 | _ | 1 | UCL | UCL2L | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2 | - | 2 | UCL | UCL2L | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13. |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2L | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1 | ı | 1 | UCL | UCL2W | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2 | - | 2 | UCL | UCL2W | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13. |
| | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2W | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) | - | | UCL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| 4-WIR | E COPPER LOOP | | | | | | | | | | | | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1 | _ | 1 | UCL | UCL4S | 24.70 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 32.25 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3 | ı | 3 | UCL | UCL4S | 42.17 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1 | L | 1 | UCL | UCL4W | 24.70 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2 | - | 2 | UCL | UCL4W | 32.25 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.3 |

| UNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | 1 | | | | | | | | T - | | ment: 2 | | bit: B |
|---------------|--|-------------|--|--|---------|-------|--------------|------------|--------------|-------|----------|---|--|--|----------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Increment Charge - Manual Sv Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | _ | | | | | | | | | | | | | |
| | facility reservation - Zone 3 | ı | 3 | UCL | UCL4W | 42.17 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | UCL | UCL4L | 04.70 | 100.70 | 05.57 | 70.05 | 00.40 | | | 00.05 | 40.54 | 40.00 | 40.0 |
| | inquiry and facility reservation - Zone 1 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | 1 | UCL | UCL4L | 24.70 | 122.76 | 85.57 | 76.35 | 39.16 | - | | 20.35 | 10.54 | 13.32 | 13.32 |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4L | 32.25 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | - ' | | OOL | OCL4L | 32.23 | 122.70 | 05.57 | 70.55 | 33.10 | | | 20.55 | 10.54 | 10.02 | 10.02 |
| | inquiry and facility reservation - Zone 3 | - 1 | 3 | UCL | UCL4L | 42.17 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | _ | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | - 1 | 1 | UCL | UCL4O | 24.70 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4O | 32.25 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | ı | 3 | UCL | UCL4O | 42.17 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | | LIDEMO | | 04.00 | 00.00 | | | | | 00.05 | 40.54 | 40.00 | 40.00 |
| L COD MODIFIE | (UCL-Des) | | | UCL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| LOOP MODIFIC | CATION | | | UAL, UHL, UCL, | | | | | | | | | | | - | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | | | UEQ, ULS, UEA, UEANL, UEPSR, | | | | | | | | | | | | |
| | pair less than or equal to 18k ft | ı | | UEPSB | ULM2L | | 65.40 | 65.40 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Unbundled Loop Modification, Removal of Load Coils - 2 wire | | | 1101 1110 1150 | ULM2G | | 740 74 | 23.77 | | | | | 20.25 | 40.54 | 40.00 | 40.00 |
| | greater than 18k ft Unbundled Loop Modification Removal of Load Coils - 4 Wire | - 1 | | UCL, ULS, UEQ | ULM2G | | 710.71 | 23.77 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | less than or equal to 18K ft | - 1 | | UHL, UCL, UEA | ULM4L | | 65.40 | 65.40 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | OTIL, OOL, OLA | OLIVIAL | | 05.40 | 05.40 | | | | | 20.55 | 10.54 | 13.32 | 10.02 |
| | pair greater than 18k ft | - 1 | | UCL | ULM4G | | 710.71 | 23.77 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop | 1 | | UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB | ULMBT | | 65.44 | 65.44 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| SUB-LOOPS | 1 · · · · · · · · · · · · · · · · | <u> </u> | † | - " | | | 55.14 | 33.14 | | | | | 20.00 | .5.54 | .3.32 | |
| | pop Distribution | | | | | | | | | | | | İ | Ì | 1 | |
| | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | | | 1 | | | | | | | | 1 | 1 | | |
| | Up | 1 | <u> </u> | UEANL | USBSA | | 517.25 | 517.25 | | | <u> </u> | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | | | | | | | | | | | | | _ | | |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | | <u> </u> | UEANL | USBSB | | 42.68 | 42.68 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder | | 1 | | LIODOG | | 6.00 | | | | | | | | | |
| | Facility Set-Up | | <u> </u> | UEANL | USBSC | | 313.01 | 313.01 | ļ | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up | | | UEANL | USBSD | | 108.06 | 108.06 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | - 1 | | OLAINL | USBSD | | 108.06 | 108.06 | - | - | | | ∠0.35 | 10.54 | 13.32 | 13.32 |
| | Statewide | | sw | UEANL | USBN2 | 10.02 | 148.84 | 112.34 | 73.14 | 36.65 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | | 344 | O = / 11 1 E | 300142 | 10.02 | 170.04 | 112.34 | 73.14 | 30.03 | 1 | | 20.00 | 10.54 | 13.32 | 10.02 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | 1 | UEANL | USBMC | | 34.29 | 34.29 | | | | | 1 | 1 | I | 1 |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | 1 | | 1 | | 20 | 220 | | | | | 1 | İ | 1 | |
| | Zone 1 | | 1 | UEANL | USBN4 | 7.30 | 147.93 | 75.11 | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEANL | USBN4 | 9.54 | 147.93 | 75.11 | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN4 | 12.47 | 147.93 | 75.11 | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | | | Ť | | | | | | 55.56 | .5.50 | | | 20.00 | | .5.52 | . 3.0. |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | <u> </u> | UEANL | USBMC | | 34.29 | 34.29 | | | | | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | ı | <u> </u> | UEANL | USBR2 | 1.35 | 94.56 | 29.35 | ļ | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| t | | | | | | | | | | | | | | | | |

| UNBL | JNDLE | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | | ibit: B |
|--|----------|--|--|------|-----------------|----------------|--------|-----------------|----------------|--------------|--------|-------|---|--|--|---|---|
| CATE | GORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | ı | | UEANL | USBR4 | 2.26 | 116.14 | 37.10 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | | | | LIFANII | 1100110 | | 04.00 | 04.00 | | | | | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | . | 1 | UEANL UEF | USBMC UCS2X | 5.16 | 34.29 110.71 | 34.29 37.89 | 94.41 | 13.09 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2 Wire Copper Unburidled Sub-Loop Distribution - Zone 1 | - | 2 | UEF | UCS2X | 6.74 | 110.71 | 37.89 | 94.41 | 13.09 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | - | 3 | UEF | UCS2X | 8.81 | 110.71 | 37.89 | 94.41 | 13.09 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2 Wife Copper Cribanalea Cab-Loop Distribution - Zone 3 | - | J | OLI | OCOZX | 0.01 | 110.71 | 37.03 | 34.41 | 13.03 | | | 20.55 | 10.54 | 13.32 | 10.02 |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 34.29 | 34.29 | | | | | | | | |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | П | 1 | UEF | UCS4X | 6.52 | 117.12 | 44.30 | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | ı | 2 | UEF | UCS4X | 8.52 | 117.12 | 44.30 | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | ı | 3 | UEF | UCS4X | 11.14 | 117.12 | 44.30 | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | <u> </u> | | | | | | | | | | | | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 34.29 | 34.29 | | | | | | | | |
| | Unbun | dled Network Terminating Wire (UNTW) | | | | | | | | | | | | | | | |
| | | Unbundled Network Terminating Wire (UNTW) per Pair | I | | UENTW | UENPP | 0.4555 | 2.48 | 2.48 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Networ | k Interface Device (NID) | | | | | | | =1=0 | 0.0004 | | | | | 10.51 | 10.00 | 40.00 |
| | | Network Interface Device (NID) - 1-2 lines | | 1 | UENTW | UND12 | | 89.69 | 54.56 | 0.6391 | 0.6391 | | | 20.35 | 10.54 | 13.32 | 13.32 13.32 |
| | | Network Interface Device (NID) - 1-6 lines | | 1 | UENTW UENTW | UND16 UNDC2 | | 129.65 11.11 | 94.51 11.11 | 0.6522 | 0.6522 | | | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | |
| | | Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W | | | UENTW | UNDC2 | | 11.11 | 11.11 | - | | | | 20.35 | 10.54 | 13.32 | 13.32 13.32 |
| SUB-L | OODS | Network interface Device Cross Conflect - 44V | | + | DENTW | UNDC4 | | 11.11 | 11.11 | | | | | 20.33 | 10.54 | 13.32 | 13.32 |
| 30B-L | | op Feeder | | | | | | | | + | | | | | | | |
| | Oub Lo | USL-Feeder, DS0 Set-up per Cross Box location - CLEC | | 1 | UEA, | | | | | | | | | | | | |
| | | Distribution Facility set-up | | | UDN.UCL.UDL.UDC | USBFW | | 517.25 | | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair | | | UEA. | | | | | | | | | | | | |
| | | set-up | | | UDN,UCL,UDL,UDC | USBFX | | 42.68 | 42.68 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | | USL | USBFZ | | 531.04 | 11.34 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice | | | | | | | | Ì | | | | | | | |
| | | Grade- Statewide | | SW | UEA | USBFA | 12.05 | 122.24 | 85.05 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination for Specified Conversion Time, per LSR | | | UEA | OCOSL | | 34.29 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | | | | | | | | | | | | | | |
| | | Grade - Statewide | | SW | UEA | USBFB | 12.05 | 122.24 | 85.05 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination for Specified Time Conversion, per LSR | | | UEA | OCOSL | | 34.29 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade Loop - Statewide | | sw | UEA | USBFC | 12.05 | 122.24 | 85.05 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination For Specified Conversion Time, per LSR | | SW | UEA | OCOSL | 12.05 | 34.29 | 65.05 | 76.33 | 39.10 | | | 20.33 | 10.54 | 13.32 | 13.32 |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | 1 | OLA | OCCOL | | 34.23 | | | | | | | | | 1 |
| | | Grade - Zone 1 | | 1 | UEA | USBFD | 21.52 | 137.31 | 61.93 | 118.04 | 30.13 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | 1 | Ė | | | 252 | .001 | 050 | | 556 | | | 20.00 | | .3.32 | 2 |
| l | | Grade - Zone 2 | l | 2 | UEA | USBFD | 28.11 | 137.31 | 61.93 | 118.04 | 30.13 | | 1 | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice | | | | | | | | İ | | | | | | | |
| | <u> </u> | Grade - Zone 3 | <u> </u> | 3 | UEA | USBFD | 36.76 | 137.31 | 61.93 | 118.04 | 30.13 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 34.29 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | | | | | | | | | | | | | |
| | | Grade - Zone 1 | | 1 | UEA | USBFE | 21.52 | 137.31 | 61.93 | 118.04 | 30.13 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| l | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | l | | | | | 40= 5 | | | | | 1 | | 40 = - | | |
| <u> </u> | 1 | Grade - Zone 2 | <u> </u> | 2 | UEA | USBFE | 28.11 | 137.31 | 61.93 | 118.04 | 30.13 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| l | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | l | 3 | UEA | USBFE | 36.76 | 137.31 | 61.93 | 110.04 | 30.13 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 1 | Grade - Zone 3 Order Coordination For Specified Conversion Time, Per LSR | ! | 3 | UEA | OCOSL | 30.76 | 34.29 | 01.93 | 118.04 | 30.13 | | - | ∠0.35 | 10.54 | 13.32 | 13.32 |
| - | | Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 | | 1 | UDN | USBFF | 16.11 | 142.83 | 67.45 | 104.67 | 18.53 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | 1 | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 | | 2 | UDN | USBFF | 21.04 | 142.83 | 67.45 | 104.67 | 18.53 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | 1 | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 | - | 3 | UDN | USBFF | 27.51 | 142.83 | 67.45 | 104.64 | 18.53 | | | 19.99 | 19.99 | | 19.99 |
| | | Order Coordination For Specified Conversion Time, Per LSR | | Ť | UDN | OCOSL | 201 | 34.29 | 340 | .004 | .0.00 | | | .0.00 | .0.00 | .0.00 | .5.50 |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 1 | UDC | USBFS | 16.11 | 142.83 | 67.45 | 104.67 | 18.53 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| ſ | 1 | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 2 | UDC | USBFS | 21.04 | 142.83 | 67.45 | 104.67 | 18.53 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 3 | UDC | USBFS | 27.51 | 142.83 | 67.45 | 104.64 | 18.53 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | USL | USBFG | 39.74 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | USL | USBFG | 51.90 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | 19.99 |

| UNDUNDLE | ED NETWORK ELEMENTS - Tennessee | , | | | | | | | | | | | | ment: 2 | | ibit: B |
|-----------|---|-------------|----------|------------|----------------|---------------|-----------------|-----------------|-----------------|----------------|---|---|--|--|-----------------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Increment Charge - Manual St Order vs Electronic Disc Add |
| | | | | | | | | | | | | | | | Diac rat | Disc Add |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | 001150 | 001441 | | Rates(\$) | 001441 | 001441 |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 3 | USL | USBFG | 67.86 | First 116.00 | Add'I 40.62 | First 106.82 | Add'l 18.91 | SOMEC | SOMAN | SOMAN 19.99 | SOMAN 19.99 | SOMAN 19.99 | SOMAN 19.9 |
| - | Order Coordination For Specified Conversion Time, Per LSR | | 3 | USL | OCOSL | 67.00 | 34.59 | 40.62 | 100.02 | 10.91 | 1 | | 19.99 | 19.99 | 19.99 | 19.8 |
| | Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFH | 9.52 | 114.27 | 38.89 | 104.64 | 18.53 | - | | 19.99 | 19.99 | 19.99 | 19.9 |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | <u> </u> | OCL | OODITI | 3.32 | 114.27 | 30.03 | 104.04 | 10.55 | | | 13.33 | 13.33 | 15.55 | 13.0 |
| | 2 | | 2 | UCL | USBFH | 12.43 | 114.27 | 38.89 | 104.64 | 18.53 | | | 19.99 | 19.99 | 19.99 | 19.9 |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | _ | 002 | 002 | .20 | | 00.00 | 101.01 | 10.00 | | | 10.00 | 10.00 | 10.00 | 10.0 |
| | 3 | | 3 | UCL | USBFH | 16.26 | 114.27 | 38.89 | 104.64 | 18.53 | | | 19.99 | 19.99 | 19.99 | 19.9 |
| | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 34.29 | | | | | | | | | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFJ | 14.37 | 123.41 | 48.03 | 110.44 | 22.53 | | | 19.99 | 19.99 | 19.99 | 19.9 |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 | | 2 | UCL | USBFJ | 18.76 | 123.41 | 48.03 | 110.44 | 22.53 | | | 19.99 | 19.99 | 19.99 | 19.9 |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 | | 3 | UCL | USBFJ | 24.53 | 123.41 | 48.03 | 110.44 | 22.53 | | | 19.99 | 19.99 | 19.99 | 19.9 |
| | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 34.29 | | | | | | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 1 | UDL | USBFN | 26.06 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | 19.9 |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | | UDL | USBFN | 34.03 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | | 19.9 |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 3 | UDL | USBFN | 44.50 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | 19.9 |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1 | | 1 | UDL | USBFO | 26.06 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | 19.9 |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2 | | 2 | UDL | USBFO | 34.03 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | 19. |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | 3 | | | | | | | | | | | | | |
| - | Zone 3 | | 3 | UDL UDL | USBFO | 44.50 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | 19. |
| | Order Coordination For Specified Time Conversion, per LSR Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | UDL | OCOSL | | 34.29 | | | | | | | | | |
| | Zone 1 | | 1 | UDL | USBFP | 26.06 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | 19.9 |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2 | | 2 | UDL | USBFP | 34.03 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | 19. |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3 | | 3 | UDL | USBFP | 44.50 | 116.00 | 40.62 | 106.82 | 18.91 | | | 19.99 | 19.99 | 19.99 | 19.9 |
| | Order Coordination For Specified Conversion Time, per LSR | | 3 | UDL | OCOSL | 44.50 | 34.29 | 40.02 | 100.02 | 10.51 | | | 13.33 | 13.33 | 15.55 | 13. |
| SUB-LOOPS | Gradi Georgination For expension Control distribution (per 201) | | | 002 | 00002 | | 01.20 | | | | | | | | | |
| | oop Feeder | | | | | | | | | | | | | | | |
| | Sub Loop Feeder - DS3 - Per Mile Per Month | ı | | UE3 | 1L5SL | 14.11 | | | | | | | | | | |
| | Sub Loop Feeder - DS3 - Facility Termination Per Month | ı | | UE3 | USBF1 | 333.26 | 3,406.61 | 407.68 | 165.17 | 501.31 | | | 20.35 | 10.54 | 13.32 | |
| | Sub Loop Feeder – STS-1 – Per Mile Per Month | I | | UDLSX | 1L5SL | 14.11 | | | | | | | | | | |
| | Sub Loop Feeder - STS-1 - Facility Termination Per Month | ı | | UDLSX | USBF7 | 359.02 | 3,406.61 | 407.68 | 165.17 | 501.31 | | | 20.35 | 10.54 | 13.32 | |
| UNBUNDLED | LOOP CONCENTRATION | | | | | | | | | | | | | | | |
| | Unbundled Loop Concentration - System A (TR008) | | | ULC | UCT8A | 500.18 | 613.60 | 613.60 | | | | | 20.35 | 10.54 | 13.32 | 13. |
| | Unbundled Loop Concentration - System B (TR008) | | | ULC | UCT8B | 54.82 | 255.67 | 255.67 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Unbundled Loop Concentration - System A (TR303) | | | ULC | UCT3A | 539.00 | 613.60 | 613.60 | | | | | 20.35 | 10.54 | 13.32 | 13. |
| | Unbundled Loop Concentration - System B (TR303) | | | ULC | UCT3B UCTCO | 92.37 6.23 | 255.67 74.39 | 255.67 53.07 | 30.23 | 8.46 | | | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | 13.3 |
| | Unbundled Loop Concentration - DS1 Loop Interface Card Unbundled Loop Concentration - ISDN Loop Interface (Brite | | | ULC | 00100 | 6.23 | 74.39 | 53.07 | 30.23 | 8.46 | - | | 20.35 | 10.54 | 13.32 | 13. |
| | Card) | | | UDN | ULCC1 | 8.46 | 8.69 | 8.65 | 9.71 | 9.65 | | | 20.35 | 10.54 | 13.32 | 13. |
| | Unbundled Loop Concentration - UDC Loop Interface (Brite | | | | | | | | | | | | | | | |
| | Card) Unbundled Loop Concentration2 Wire Voice-Loop Start or | | | UDC | ULCCU | 8.46 | 8.69 | 8.65 | 9.71 | 9.65 | | | 20.35 | 10.54 | 13.32 | 13. |
| | Ground Start Loop Interface (POTS Card) Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery | | | UEA | ULCC2 | 2.32 | 8.69 | 8.65 | 9.71 | 9.65 | - | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Loop Interface (SPOTS Card) | | <u> </u> | UEA | ULCCR | 12.45 | 8.69 | 8.65 | 9.71 | 9.65 | ļ | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card) | | | UEA | ULCC4 | 7.53 | 8.69 | 8.65 | 9.71 | 9.65 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Unbundled Loop Concentration - TEST CIRCUIT Card Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop | | | ULC | UCTTC | 35.77 | 8.69 | 8.65 | 9.71 | 9.65 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Interface Unbundled Loop Concentration - Digital 56 Kbps Data Loop | | | UDL | ULCC7 | 11.03 | 8.69 | 8.65 | 9.71 | 9.65 | | | 20.35 | 10.54 | 13.32 | 13. |
| | Interface | | | UDL | ULCC5 | 11.03 | 8.69 | 8.65 | 9.71 | 9.65 | | | 20.35 | 10.54 | 13.32 | 13. |
| | Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface | | | UDL | ULCC6 | 11.03 | 8.69 | 8.65 | 9.71 | 9.65 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | | | | | | | | | 9.71 | | | | | | | † |

| UNBUNDLE | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|--|--|--|----------|-------------------------------------|--------|----------------|----------------|---------------------------------------|--------------|---------------------------------------|-------------|---|---------------------------------|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| UNE OTHER, | PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |
| | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | |
| | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Contract Name, Provisioning Only - No Rate | | | UEANL,UEF,UEQ,U ENTW | UNECN | 0.00 | 0.00 | | | | | | | | | |
| LINE OTHER | PROVISIONING ONLY - NO RATE | | 1 | CINIVV | UNECIN | 0.00 | 0.00 | | | | | | | | | _ |
| ONE OTHER, | | | | | | | | | | | | | | | | |
| | Unbundled Contact Name, Provisioning Only - no rate | | | UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no | | | | | | | | | | | | | | | |
| \vdash | rate | <u> </u> | <u> </u> | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | - | <u> </u> |
|] [| Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate | | 1 | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | 1 | | | | |
| - | Unbundled DS1 Loop - Superframe Format Option - no rate | | 1 | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Expanded Superframe Format option - | | | OOL | 00001 | 0.00 | 0.00 | | | | | | | | | |
| | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| HIGH CAPAC | ITY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| NOTE | : minimum billing period of three months for DS3/STS-1 Local | Loop | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per month | | | UE3 | 1L5ND | 9.19 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UE3 | UE3PX | 374.24 | 595.37 | 304.50 | 234.83 | 170.16 | | | 36.84 | 36.84 | 19.01 | 19.0 |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | UDLSX | 1L5ND | 9.19 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month | | | UDLSX | UDLS1 | 389.35 | 595.37 | 304.50 | 215.82 | 151.15 | | | 36.84 | 36.84 | 19.01 | 19.0 |
| Note (| (1): Rates provided in TN for both electronic and manual Loop | Makeu | n are i | | | | | | | | ents from t | he Tenness | | | 13.01 | 13.0 |
| LOOP MAKE- | | III | 1 | | 1 | l ac up aujuoi | oo poag | , a pormanoni | | | 1 | I | l | , | | |
| | Loop Makeup - Preordering Without Reservation, per working or | | | | | | | | | | | | | | | |
| | spare facility queried (Manual). | R | | UMK | UMKLW | | 0.76 | 0.76 | | | | | | | | |
| | Loop Makeup - Preordering With Reservation, per spare facility | | | | | | | | | | | | | | | |
| | queried (Manual). | R | | UMK | UMKLP | | 0.76 | 0.76 | | | | | | | | |
| | ENCY SPECTRUM | | | | | | | | | | | | | | | |
| | SHARING | | | | | | | | | | | | | | | |
| SPLII | TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity | <u> </u> | | ULS | ULSDA | 100.00 | 150.00 | 0.00 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity | | + | ULS | ULSDB | 25.00 | 150.00 | 0.00 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Line Sharing Opinter, per dystem 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton- | | | OLO | OLODB | 25.00 | 130.00 | 0.00 | 0.00 | 0.00 | | | 20.55 | 10.54 | 13.32 | 13.3 |
| | deactivation (per LSOD) | | | ULS | ULSDG | | 163.06 | 0.00 | 92.71 | 0.00 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| END U | JSER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY | Y SPEC | TRUM | AKA LINE SHARING | | | | | | | | | | | | |
| | Line Sharing - per Line Activation (BST owned Splitter) | | | ULS | ULSDC | 0.61 | 40.00 | 21.39 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Line Sharing - per Subsequent Activity per Line | | | | | | | | | | | | | | | |
| ļļ | Rearrangement(BST Owned Splitter) | | | ULS | ULSDS | | 30.00 | 15.00 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
|] [| Line Sharing - per Subsequent Activity per Line | | 1 | | | | | | | | | 1 | | | | |
| | Rearrangement(DLEC Owned Splitter) | - | 1 | ULS | ULSCS | 0.61 | 30.00 47.44 | 15.00 19.31 | 0.00 | 0.00 | | | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | 13.3 13.3 |
| LINE | Line Sharing - per Line Activation (DLEC owned Splitter) SPLITTING | - '- | + | ULO | ULOUU | 1'0.0 | 47.44 | 19.31 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | JSER ORDERING-CENTRAL OFFICE BASED | - | 1 | | 1 | | | | | | | | | <u> </u> | t | |
| | Line Splitting - per line activation DLEC owned splitter | ı | t | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | | 1 | |
| | Line Splitting - per line activation BST owned - physical | - 1 | 1 | UEPSR UEPSB | UREBP | 0.61 | 48.96 | 21.39 | 35.06 | 10.79 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Line Splitting - per line activation BST owned - virtual | | | UEPSR UEPSB | UREBV | 0.61 | 48.96 | 21.39 | 35.06 | 10.79 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | TE SITE HIGH FREQUENCY SPECTRUM | | | | | | | · · · · · · · · · · · · · · · · · · · | | · · · · · · · · · · · · · · · · · · · | | | | | | |
| SPLIT | TERS-REMOTE SITE | | | | | | | | | | | | | | | |
| | Remote Site Line Share BellSouth Owned Splitter, 24 Port | | <u> </u> | ULS | ULSRB | 38.83 | 115.00 | 0.00 | 85.63 | 0.00 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Remote Site Line Share Cable Pair Activation CLEC Owned at | Ι. | | | 0 | | 05.00 | 0.00 | 00 =0 | 0.00 | | | 00.00 | 40 = 1 | 40.00 | 40.0 |
| END : | RS and Deactivation | M A1/ A | DEMO: | ULS | ULSTG | 1 | 95.80 | 0.00 | 68.73 | 0.00 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| END | JSER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI Remote Site Line Share Line Activationfor End User Served at | WANA | KEWIO | IE SITE LINE SHAKI | NG | | | | | | | | - | - | - | |
| | RS, BST Splitter | 1 | | ULS | ULSRC | 0.61 | 40.00 | 31.39 | 35.06 | 10.79 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | r.to, 50. Opintoi | <u>' </u> | 1 | 10-0 | 320.10 | 0.01 | 70.00 | 31.33 | 55.00 | 10.73 | 1 | l | 20.00 | 10.34 | 10.02 | 10.0 |

Version 1Q03: 02/28/03 Page 370 of 420

| UNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | | ibit: B |
|-----------|--|-------------|----------|-------------------|----------------|----------------|------------------|------------------|--|---------------|---|---|--|--|----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | RS Line Share Line Activation for End User served at RS, CLEC | | | | | | | | | | | | | | | |
| | Splitter | ı | | ULS | ULSTC | 0.61 | 40.00 | 31.39 | 35.06 | 10.79 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Remote Site Line Share Subsequent Activity-RS BST Owned | 1 | | ULS | ULSRS | | 49.23 | 17.86 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Splitter Remote Site Line Share Subsequent Activity-RS CLEC Owned | | | ULS | ULSKS | | 49.23 | 17.80 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Splitter | 1 | | ULS | ULSTS | | 49.23 | 17.86 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| UNBUNDLED | DEDICATED TRANSPORT | · | | 020 | 020.0 | | 10.20 | 17.00 | | | | | 20.00 | 10.01 | 10.02 | 10.02 |
| NOTE: | INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu | m billin | g perio | d - below DS3=one | month, DS3/ | STS-1=four mo | onths | | | | | | | | | |
| INTER | OFFICE CHANNEL - DEDICATED TRANSPORT | | Ĺ | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.0054 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | LIATION | 11477/0 | 40.50 | 55.00 | 47.07 | 27.00 | 2.54 | | | 20.25 | 24.00 | 0.00 | 40.54 |
| | Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | <u> </u> | U1TVX | U1TV2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.0054 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat | | 1 | 011470 | 120/01 | 0.0004 | | | | | | | | | | |
| | Facility Termination | | | U1TVX | U1TR2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.0054 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade | | | l <u> </u> | l | | | | | | | | | | | |
| | - Facility Termination | | | U1TVX | U1TV4 | 24.09 | 37.87 | 26.02 | 30.78 | 13.07 | | | 15.08 | 15.08 | 8.66 | 8.66 |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0174 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | UTIDA | ILJAA | 0.0174 | | | | | | | | | | |
| | Termination | | | U1TDX | U1TD5 | 17.98 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | | | | | | | | | | | | | |
| | per month | | | U1TDX | 1L5XX | 0.0174 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | | | | | | |
| | Termination | | | U1TDX | U1TD6 | 17.98 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | U1TD1 | 41.577 | 0.0500 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | וטווטו | 1L5XX | 0.3562 | | | | | | | | | | |
| | Termination | | | U1TD1 | U1TF1 | 77.86 | 112.40 | 76.27 | 19.55 | 14.99 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | OTTET | 01111 | 77.00 | 112.40 | 70.27 | 10.00 | 14.00 | | | 20.00 | 21.00 | 0.00 | 10.04 |
| | month | | | U1TD3 | 1L5XX | 2.34 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | - | | - | | | | | | |
| | Termination per month | | | U1TD3 | U1TF3 | 848.99 | 395.29 | 176.56 | 109.04 | 105.91 | | | 36.84 | 36.84 | 19.01 | 19.01 |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | 114704 | 11 5 7 7 | 0.04 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | <u> </u> | U1TS1 | 1L5XX | 2.34 | | | | | | | | | | |
| | Termination | | | U1TS1 | U1TFS | 849.30 | 395.29 | 176.56 | 109.04 | 105.91 | | | 36.84 | 36.84 | 19.01 | 19.01 |
| LOCAL | CHANNEL - DEDICATED TRANSPORT | | 1 | 01101 | 01110 | 040.00 | 030.20 | 170.00 | 100.04 | 100.01 | | | 00.04 | 00.04 | 10.01 | 10.01 |
| | LOCAL CHANNEL DEDICATED TRANSPORT - minimum billir | ng perio | | | | =four months | | | 1 | | | | 1 | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1 | | | ULDVX | ULDV2 | 17.18 | 199.33 | 24.16 | 54.81 | 4.80 | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2 | | 2 | ULDVX | ULDV2 | 22.44 | 199.33 | 24.16 | 54.81 | 4.80 | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3 | | 3 | UNDVX | ULDV2 | 29.34 | 199.33 | 24.16 | 54.81 | 4.80 | | | | | | ļ |
| | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat Zone 1 | | 1 | ULDVX | ULDR2 | 17.18 | 199.33 | 24.16 | 54.81 | 4.80 | | | | | | |
| - | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat | - | | OLDVA | ULDRZ | 17.18 | 199.33 | 24.10 | 54.81 | 4.80 | | | | | | 1 |
| | Zone 2 | | 2 | ULDVX | ULDR2 | 22.44 | 199.33 | 24.16 | 54.81 | 4.80 | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat | | T - | | 1 | | | | | 50 | | | 1 | | | |
| | Zone 3 | | 3 | ULDVX | ULDR2 | 29.34 | 199.33 | 24.16 | 54.81 | 4.80 | | | <u> </u> | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1 | | 1 | ULDVX | ULDV4 | 18.18 | 201.53 | 24.83 | 55.52 | 5.51 | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2 | | 2 | ULDVX | ULDV4 | 23.74 | 201.53 | 24.83 | 55.52 | 5.51 | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3 | | 3 | ULDVX | ULDV4 | 31.05 | 201.53 | 24.83 | 55.52 | 5.51 22.30 | | | - | 1 | | 1 |
| | Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2 | | 2 | ULDD1 ULDD1 | ULDF1 ULDF1 | 36.24 47.33 | 277.35 277.35 | 233.26 233.26 | 33.18 33.18 | 22.30 | | | | | | |
| | Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 | - | 3 | ULDD1 | ULDF1 | 61.89 | 277.35 | 233.26 | 33.18 | 22.30 | | | | | | 1 |
| | Local Channel - Dedicated - DS3 - Per Mile per month | - | | ULDD3 | 1L5NC | 7.15 | 211.00 | 200.20 | 35.10 | 22.30 | 1 | l | 1 | 1 | 1 | } |

| UNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: B |
|--|---|-------------|----------|----------------|----------------|--------------------|--------------|------------|--------------|--------|-------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | Level Observed De Post of DOO, Facility Tourisation | | | LII DD0 | LII DEO | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Local Channel - Dedicated - DS3 - Facility Termination Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDD3 ULDS1 | ULDF3 1L5NC | 611.30 7.15 | 595.37 | 304.50 | 215.82 | 151.15 | - | | 36.84 | 36.84 | 19.01 | 19.01 |
| | Local Channel - Dedicated - STS-1 - Facility Termination | | | ULDS1 | ULDFS | 599.59 | 588.07 | 297.20 | 215.82 | 151.15 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| DARK FIBER | | | | | | | | | | | | | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | | |
| | Thereof per month - Local Channel | | | UDF | 1L5DC | 58.83 | | | | | | | | | | |
| | NRC Dark Fiber - Local Channel | | | UDF | UDFC4 | | 1,121.00 | 153.19 | 580.26 | 357.17 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | LIDE | 41.505 | 00.74 | | | | | | | | | | |
| | Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel | | | UDF UDF | 1L5DF UDF14 | 28.74 | 1,121.00 | 153.19 | 580.26 | 357.17 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | UDF | ODF 14 | | 1,121.00 | 155.19 | 360.26 | 337.17 | | | 20.33 | 21.09 | 9.60 | 10.54 |
| | Thereof per month - Local Loop | | | UDF | 1L5DL | 58.83 | | | | | | | | | | |
| | NRC Dark Fiber - Local Loop | | | UDF | UDFL4 | | 1,121.00 | 153.19 | 580.26 | 357.17 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| 8XX ACCESS | TEN DIGIT SCREENING | | | | | | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, Per Call | | | OHD | | 0.0005192 | | · · · · · | | | | | | | | L |
| | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX | | l | OLID. | Non | | | | | | | | | | | |
| | Number Reserved | | | OHD | N8R1X | | 5.21 | 0.76 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations | | | OHD | | | 11.47 | 1.46 | 7.34 | 0.7602 | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established With | | | OND | | | 11.47 | 1.40 | 7.34 | 0.7002 | | | 20.33 | 20.55 | 13.20 | 13.20 |
| | POTS Translations | | | OHD | N8FTX | | 11.47 | 1.46 | 7.34 | 0.7602 | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | 8XX Access Ten Digit Screening, Customized Area of Service | | | | | | | | | | | | | | | 1 |
| | Per 8XX Number | | | OHD | N8FCX | | 4.47 | 2.24 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | 8XX Access Ten Digit Screening, Multiple InterLATA CXR | | | | | | | | | | | | | | | |
| | Routing Per CXR Requested Per 8XX No. | | | OHD | N8FMX | | 5.23 | 3.00 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | 8XX Access Ten Digit Screening, Change Charge Per Request | | | OHD | N8FAX | | 5.97 | 0.76 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | 8XX Access Ten Digit Screening, Call Handling and Destination Features | | | OHD | N8FDX | | 4.47 | | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| LINE INFORM | ATION DATA BASE ACCESS (LIDB) | | | OND | NOI DX | | 4.47 | | | | | | 20.33 | 20.55 | 13.20 | 13.20 |
| | LIDB Common Transport Per Query | | | OQT | | 0.0000354 | | | | | | | | | | † |
| | LIDB Validation Per Query | | | OQU | | 0.0117403 | | | | | | | | | | |
| | LIDB Originating Point Code Establishment or Change | | | OQT, OQU | NRPBX | | 49.03 | | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| SIGNALING (| | | | | | | | | | | | | | | | |
| | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 138.41 | | | | | | | | | | _ |
| | CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Connection, Per link (A link) | | | UDB UDB | TPP++ | 0.0000916 17.84 | 130.84 | 130.84 | | | | | 20.35 | 20.35 | 13.32 | 13.32 |
| | CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D | | | UDB | IPP++ | 17.04 | 130.64 | 130.04 | | | | | 20.33 | 20.33 | 13.32 | 13.32 |
| | link) | | | UDB | TPP++ | 17.84 | 130.84 | 130.84 | | | | | 20.35 | 20.35 | 13.32 | 13.32 |
| | CCS7 Signaling Usage, Per ISUP Message | | | UDB | | 0.0000373 | | | | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 352.30 | | | | | | | | | | |
| | Signaling Point Code, per Originating Point Code Establishment | | | | | | | | | | | | | | | |
| CALLEYS | or Change, per STP | | <u> </u> | UDB | CCAPO | | 121.77 | 121.77 | | | | | 20.35 | 20.35 | 13.32 | 13.32 |
| CALLING NAI | ME (CNAM) SERVICE CNAM for DB Owners, Per Query | | | OQV | + | 0.0010541 | | | | | | | | | | |
| | CNAM for Non DB Owners, Per Query CNAM for Non DB Owners, Per Query | | | OQV | + | 0.0010541 | | | | | | | | 1 | | + |
| | CNAM (Non-Databs Owner), NRC, applies when using the | | | | + | 0.0010341 | | | | | | | | | | |
| | Character Based User Interface (CHUI) | | | oqv | CDDCH | | 595.00 | 595.00 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| OPERATOR C | ALL PROCESSING | | | | | | | | | | | | | | <u> </u> | |
| | Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB | | | | | 1.08 | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB | | | | | 1.13 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using BST LIDB | | | | | 0.1010353 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB | | | | | 0.122818 | | | | | | | | | | |
| INWARD OPE | RATOR SERVICES | | | | | 522510 | | | | | | | | | | <u> </u> |
| | Inward Operator Services - Verification, Per Minute | | | | | 1.03 | | | i i | | | | | | | 1 |

| UNBUNDLED | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: B |
|---------------|---|-------------|--|--------------|----------------|-----------|--------------|------------|--------------|--------------|--|-----------|-------------|--|--|-----------------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Incremental | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - | Increment Charge - |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | g Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | nward Operator Services - Verification and Emergency Interrupt | | | | | | | | | | | | | | | |
| | Per Minute | | | | | 1.03 | | | | | | | | | | |
| | ERATOR CALL PROCESSING | | | | | | | | | | | | | | | |
| | pased CLEC | | | | 00100 | | 4 === 00 | | = | | | | 10.00 | 10.00 | 10.00 | 10.00 |
| | tecording of Custom Branded OA Announcement | | | | CBAOS | | 1,555.00 | 1,553.00 | 7.03 | 7.03 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | oading of Custom Branded OA Announcement per shelf/NAV er OCN | | | | CBAOL | | 240.71 | 240.71 | | | | | 10.00 | 10.00 | | |
| UNEP CL | | | <u> </u> | | CBAUL | | 240.71 | 240.71 | | | | | 19.99 | 19.99 | | |
| | ecording of Custom Branded OA Announcement | | | | | | 1,555.00 | 1,555.00 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | oading of Custom Branded OA Announcement per shelf/NAV | | | | | | 1,000.00 | 1,555.00 | | | | | 13.33 | 13.33 | 13.33 | 10.00 |
| | er OCN | | | | | | 240.71 | 240.71 | | | | | 19.99 | 19.99 | | |
| | ing via OLNS for UNEP CLEC | | | | | | 2.0.71 | 2.0.71 | | | | | .0.00 | .0.00 | | |
| | oading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | | 19.99 | 19.99 | | İ |
| | SISTANCE SERVICES | | | | | | | | | | | | | 1 | | |
| DIRECTO | DRY ASSISTANCE ACCESS SERVICE | | | | | | | | | | | | | | | |
| Di | birectory Assistance Access Service Calls, Charge Per Call | | | | | 0.2286787 | | | | | | | | | | |
| | DRY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D | DACC) | | | | | | | | | | | | | | |
| | irectory Assistance Call Completion Access Service (DACC), | | | | | | | | | | | | | | | |
| | er Call Attempt | | | | | 0.0364771 | | | | | | | | | | |
| | SERVICES INTERCEPT ACCESS SERVICE | | | | | | | | | | | | | | | |
| | lumber Services Intercept Per Query | | | | | 0.017793 | | | | | | | | | | |
| | DRY TRANSPORT (DT) | | | | | 10.00 | | | | | | | | 10 = 1 | 10.00 | |
| | T-Local Channel DS1 | | | ULDD1 | ULDF1 | 40.99 | 277.35 | 233.26 | 33.18 | 22.30 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | IT-DS1 Level Interoffice per mile IT-DS1 Level Interoffice per facility termination | | | U1TD1 | 1L5XX U1TF1 | 0.3562 | 112.40 | 76.27 | 40.55 | 14.99 | 1 | | 20.35 | 40.54 | 13.32 | 1.40 |
| | WA Common Transport per Directory Assistance Access | | | U1TD1 | UTIFT | 77.86 | 112.40 | 76.27 | 19.55 | 14.99 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| S | service Per Call | | | | | 0.000271 | | | | | | | | | | |
| S | WA Common Transport per Directory Assistance Access iervice Per Call Per Mile | | | | | 0.0000165 | | | | | | | | | | |
| | access Tandem Switching Per Directory Assistance Access Fervice Per Call | | | | | 0.0001875 | | | | | | | | | | |
| | T- Directory Assistance Interconnection Per Directory | | | | | 0.0001070 | | | | | | | | | | |
| | ssistance Service Call | | | | | 0.00 | | | | | | | | | | |
| | T-Installation NRC, Per Trunk or Signaling Connection | | | OHD | TPP1X | | 204.62 | 4.43 | 136.09 | 4.43 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | SISTANCE SERVICES | | | | | | | | | | | | | | | |
| DIRECTO | DRY ASSISTANCE DATA BASE SERVICE (DADS) | | | | | | | | | | | | | | | |
| | Firectory Assistance Data Base Service Charge Per Listing | | | | | 0.0485 | | | | | | | | | | |
| Di | Pirectory Assistance Data Base Service, per month | | | | DBSOF | 104.13 | | | | | | | | | | |
| | ECTORY ASSISTANCE | | | | 1 | | | | ļ | | | | | ļ | ļ | ļ |
| | Based CLEC | | | | | | | | | | <u> </u> | | ļ | | ļ | ļ |
| Aı | lecording and Provisioning of DA Custom Branded Innouncement | | | AMT | CBADA | | 1,555.00 | 1,553.00 | 7.03 | 7.03 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | oading of Custom Branded Announcement per Switch per | | | AMT | CBADC | | 240.74 | 240.74 | | | | | 20.25 | 10.54 | | |
| UNEP CL | OCN EC | | - | AIVII | CBADC | | 240.71 | 240.71 | ļ | | 1 | | 20.35 | 10.54 | | |
| | Lecording of DA Custom Branded Announcement | - | | | - | | 1,555.00 | 1,553.00 | 7.03 | 7.03 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | oading of DA Custom Branded Announcement per Switch per | | | | 1 | | 1,355.00 | 1,000.00 | 1.03 | 1.03 | 1 | | 20.35 | 10.54 | 13.32 | 1.40 |
| 0 | OCN | | | | 1 | | 240.71 | 240.71 | | | | | 20.35 | 10.54 | | |
| | ing via OLNS for UNEP CLEC | | <u> </u> | | | | 400.00 | 100.00 | | | | | 00.00 | 40 = 1 | | |
| | oading of DA per OCN (1 OCN per Order) | | - | | + | | 420.00 | 420.00 | ļ | | 1 | | 20.35 | 10.54 | | |
| SELECTIVE ROU | oading of DA per Switch per OCN | | <u> </u> | | + | | 16.00 | 16.00 | | | - | | 20.35 | 10.54 | | 1 |
| | elective Routing Per Unique Line Class Code Per Request Per | | <u> </u> | | + | | | | | | - | | - | | | 1 |
| | witch | | | | USRCR | | 179.60 | 179.60 | | | | | 20.35 | 20.35 | 1 | |
| VIRTUAL COLLO | | | | | OOROR | | 175.00 | 173.00 | | | | | 20.33 | 20.33 | 1 | 1 |
| | irtual Collocation-2 Wire Cross Connects (Loop) for Line | | | | 1 | | | | | | 1 | | 1 | | | 1 |
| | plitting | | | UEPSR. UEPSB | VE1LS | 0.57 | 11.62 | 9.90 | 10.38 | 8.66 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | OCATION | | t — | , 52. 65 | 1 | 0.01 | 152 | 0.00 | | 3.50 | | | .0.50 | .0.50 | | |

| ONBONDLE | D NETWORK ELEMENTS - Tennessee | 1 | | 1 | 1 | 1 | | | | | C C1 | Comp Contr | | ment: 2 | | ibit: B |
|--|--|-------------|--|--------------------|---------------|-----------------|------------------|----------------|----------------|-------------|----------|---|--|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | | LIEBOD LIEBOD | DE41.0 | 0.0040 | 44.04 | 44.40 | | | | | 40.00 | 40.00 | 40.00 | 40.00 |
| AIN CELECTIV | Splitting E CARRIER ROUTING | | | UEPSR, UEPSB | PE1LS | 0.0318 | 11.94 | 11.46 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| AIN SELECTIV | Regional Service Establishment | | | SRC | SRCEC | - | 190,638.00 | | | | | | 20.35 | | | |
| - | End Office Establishment | | | SRC | SRCEO | | 317.55 | 317.55 | 3.19 | 3.19 | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | Query NRC, per query | | | SRC | SKCLO | 0.0206047 | 317.55 | 317.33 | 3.15 | 3.19 | | | 20.33 | 20.33 | 13.20 | 13.20 |
| AIN - BELLSO | UTH AIN SMS ACCESS SERVICE | | | OICO | + | 0.0200047 | | | | | | | | | | |
| AIIT BEEEGO | AIN SMS Access Service - Service Establishment, Per State, | | | | | | | | 1 | | | | | | | |
| | Initial Setup | | | A1N | CAMSE | | 135.56 | 135.56 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | | | | | | | | | | | | | | | | |
| | AIN SMS Access Service - Port Connection - Dial/Shared Access | l | | A1N | CAMDP | 1 | 41.75 | 41.75 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN SMS Access Service - Port Connection - ISDN Access | | | A1N | CAM1P | | 41.75 | 41.75 | | | | | 20.35 | 20.35 | | 13.28 |
| | AIN SMS Access Service - User Identification Codes - Per User | | | | | | İ | | | | | | | | | |
| | ID Code | | | A1N | CAMAU | | 96.63 | 96.63 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN SMS Access Service - Security Card, Per User ID Code, | l | | | | | | | | | | | | | | |
| | Initial or Replacement | | | A1N | CAMRC | | 113.67 | 113.67 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | | | 0.0024 | | | | | | | | | | |
| | AIN SMS Access Service - Session, Per Minute | | | | | 0.0820123 | | | | | | | | | | |
| | AIN SMS Access Service - Company Performed Session, Per | | | | | | | | | | | | | | | |
| | Minute | | | | | 2.27 | | | | | | | | | | |
| AIN - BELLSO | UTH AIN TOOLKIT SERVICE | | | | | | | | | | | | | | | |
| | AIN Toolkit Service - Service Establishment Charge, Per State, | | | 0444 | D 4 D 0 0 | | 400.04 | 100.01 | | | | | 00.05 | 00.05 | 40.00 | 40.00 |
| - | Initial Setup | | | CAM | BAPSC | | 132.04 | 132.04 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| - | AIN Toolkit Service - Training Session, Per Customer | | | | BAPVX | | 7,915.00 | 7,915.00 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | DADTT | | 24.24 | 24.24 | | | | | 20.25 | 20.25 | 42.20 | 40.00 |
| — | DN, Term. Attempt | | | | BAPTT | - | 31.21 | 31.21 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay | | | | BAPTD | | 31.21 | 31.21 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| + | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | DAPID | - | 31.21 | 31.21 | | | - | | 20.33 | 20.33 | 13.20 | 13.20 |
| | DN, Off-Hook Immediate | | | | BAPTM | | 31.21 | 31.21 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | DAI IIVI | | 31.21 | 51.21 | | | | | 20.55 | 20.55 | 13.20 | 13.20 |
| | DN, 10-Digit PODP | | | | BAPTO | | 85.24 | 85.24 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| + | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | 57.11.10 | | 00.2 : | 00.2 | | | | | 20.00 | 20.00 | .0.20 | 10.20 |
| | DN. CDP | | | | BAPTC | | 85.24 | 85.24 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | DN, Feature Code | | | | BAPTF | | 85.24 | 85.24 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN Toolkit Service - Query Charge, Per Query | | | | | 0.0211882 | | | | | | | | | | |
| | AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit | | | | | | | | | | | | | | | |
| | Subscription, Per Node, Per Query | | <u> </u> | | | 0.0054774 | | | | | | | | | | |
| | AIN Toolkit Service - SCP Storage Charge, Per SMS Access | | | | 1 | | | | | | | | | | 1 | |
| | Account, Per 100 Kilobytes | | | | | 1.50 | | | | | | | | | | |
| | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service | l | | l | | | | | | | | | | | | |
| \vdash | Subscription | ļ | <u> </u> | CAM | BAPMS | 17.43 | 33.52 | 33.52 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN Toolkit Service - Special Study - Per AIN Toolkit Service | l | | | DADI C | 0.400 | | | | | | | | | | |
| - | Subscription | | | CAM | BAPLS | 0.1321116 | 36.23 | 36.23 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service | l | | CAM | BAPDS | 17.35 | 33.52 | 33.52 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| \vdash | Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit | ! | | CAIVI | DAFUS | 17.35 | 33.52 | 33.52 | 1 | | | | ∠0.35 | ∠0.35 | 13.28 | 13.28 |
| | Service Subscription | l | | CAM | BAPES | 0.0511435 | 36.23 | 36.23 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| ENHANCED E | KTENDED LINK (EELs) | - | 1 | O,1 | 2,1120 | 0.0011400 | 55.25 | 00.20 | † | | | | 20.00 | 20.00 | 10.20 | 10.20 |
| | The monthly recurring and non-recurring charges below will: | apply a | nd the | Switch-As-Is Charn | e will not an | olv for FFIs no | ovisioned as ' (| Ordinarily Con | nbined' Networ | k Elements. | <u> </u> | | | | I | 1 |
| | The monthly recurring and the Switch-As-Is Charge and not t | | | | | | | | | | | | | 1 | 1 | |
| | Minimum billing is one month for DS1 and below and three m | | | | 1 | 1 | | | | | | | | İ | 1 | |
| | VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | | | | 1 | İ | † | | 1 | | | | | İ | İ | |
| | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport | | | \ , , | 1 | 1 | 1 | | 1 | | | | | | 1 | |
| | Combination - Zone 1 | l | 1 | UNCVX | UEAL2 | 16.56 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 21.63 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |

| UNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | 1 | | | | | • | • | | ment: 2 | | bit: B |
|----------|--|-------------|----------|-----------------|--------------|---------------|-----------------------|---------------|-----------------------|---------------------|---|---|--|---|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | OSS SOMAN | Rates(\$) SOMAN | SOMAN | SOMAN |
| | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | | | | | Filst | Auu i | Filst | Auu i | SOWIEC | JOWAN | JOWAN | JOWAN | JOWAN | JOWAN |
| | Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.28 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile per month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | | UNC1X UNCVX | MQ1 1D1VG | 80.77 0.91 | 105.76 5.70 | 14.48 4.42 | 3.04 | 2.74 | | | | | | |
| | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | | | UNCVA | IDIVG | 0.91 | 3.70 | 4.42 | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.56 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 21.63 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.28 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - | | 3 | UNCVA | ULALZ | 20.20 | 100.70 | 33.47 | 12.54 | 10.80 | | | 20.33 | 21.09 | 9.00 | 10.34 |
| | per month | | | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| 4-WIR | E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | EROFF | ICE IN | ANSPORT (EEL) | | | | | | | | | | | | |
| | Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 24.70 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | | ONOVA | O E / KE + | 24.70 | 100.70 | 00.47 | 72.04 | 10.00 | | | 20.00 | 21.00 | 0.00 | 10.04 |
| | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 32.26 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 42.18 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - Facility Termination Per | | | ONOTA | 120701 | 0.0002 | | | | | | | | | | |
| | Month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Channelization - Channel System DS1 to DS0 combination Per | | | | | | | | | | | | | | | |
| | Month Voice Grade COCI - DS1 to DS0 Channel System combination - | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | | | | |
| | per month | | | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | ONOVA | 15170 | 0.01 | 0.70 | 7.72 | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 24.70 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 32.26 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 42.18 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - | | | ONOVA | OL/ L | 42.10 | 100.70 | 00.47 | 72.54 | 10.00 | | | 20.00 | 21.00 | 5.50 | 10.04 |
| | per month | | | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| 4 WID | Is Charge E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERC | SECIOE | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| 4-9915 | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | INTERC | FFICE | TRANSPORT (EEL) | 1 | | | | | | | | | | | 1 |
| | Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | ONCDA | ODLOB | 53.11 | 108.76 | 35.47 | 12.94 | 10.86 | | | 20.35 | ∠1.09 | 9.80 | 10.54 |
| | Per Month | | 1 | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - combination Facility | | | | | | | | | | | | | | | |
| | Termination Per Month | | <u> </u> | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Channelization - Channel System DS1 to DS0 combination Per | | 1 | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | UNCTA | IVIQT | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | | | | |
| 1 | month (2.4-64kbs) | | 1 | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | | | 1 | I |

| UNBUNDLE | D NETWORK ELEMENTS - Tennessee | | 1 | 1 | 1 | | | | | | T - | | | ment: 2 | | ibit: B |
|----------|--|-------------|----------|-----------------|----------|--------|--------------|---------------------------------------|--------------|---------------------------------------|-------|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge Manual S Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | A LEGIS A LA MESS FOR CONTRACTOR OF THE CONTRACT | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | UNCDA | ODLSO | 31.10 | 100.70 | 33.47 | 72.34 | 10.00 | | | 20.33 | 21.09 | 9.00 | 10.5 |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - | | | | | | | | | | | | | | | |
| | combination per month (2.4-64kbs) | | | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| 4-WID | E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTER | FEICE | | | | 52.73 | 24.02 | 9.12 | 9.12 | | | 20.33 | 21.09 | 9.60 | 10.5 |
| 7 **** | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | 1 | TRANSFORT (EEE) | | | | | | | | | | | | |
| | Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | =0.44 | | | | | | | | | | |
| | Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNCDX | UDL64 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | Per Month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | ONOTA | TEO/OX | 0.0002 | | | | | | | | | | |
| | Termination Per Month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | Channelization - Channel System DS1 to DS0 combination Per | | | | | | | | | | | | | | | |
| | Month | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System | | | | | | | | | | | | | | | |
| | combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | 4 | UNCDX | UDL64 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | - | UNCDA | ODL04 | 31.10 | 100.70 | 33.47 | 72.34 | 10.00 | | | 20.33 | 21.09 | 9.00 | 10.5 |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System | | | | | | | | | | | | | | | |
| | combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| 4-WID | _iis charge E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTI | POEE | CE TR | | UNCCC | | 52.73 | 24.02 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| 4-1111 | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | I | L | I CONTRACTOR | | | | | | | | | | | | |
| | Transport - Zone 1 | | 1 | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport - Zone 2 | | 2 | UNC1X | USLXX | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | _ | LINGAY | 1101.707 | 00.50 | 000.40 | 101 71 | 70.07 | 04.00 | | | 00.05 | 04.00 | 0.00 | 40.5 |
| | Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNC1X | USLXX | 98.59 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | Per Month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | ONOTA | TEO/OX | 0.0002 | | | | | | | | | | |
| | Termination Per Month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | <u> </u> | <u> </u> | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| 4-WIRI | E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTI | ROFFI | CE TR | ANSPORT (EEL) | | | | | | | | | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | 4 | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| - | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | + | UNUIA | USLAA | 51.13 | 220.40 | 101.74 | 13.01 | 24.00 | | | 20.33 | 21.09 | 9.00 | 10.5 |
| | 2 | | 2 | UNC1X | USLXX | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | | | | | | | | | | | | 111 | | |
| | 3 | | 3 | UNC1X | USLXX | 98.59 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | | | | | | · · · · · · · · · · · · · · · · · · · | | · · · · · · · · · · · · · · · · · · · | | | | | | |
| | Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per | | <u> </u> | UNC3X | 1L5XX | 2.34 | | | ļ | | | | | | | |
| | | | | | | | | | | | | | | | | |

| | | | l | I | 1 | | | | | | Svc Order | Svc Order | Incromontal | Incremental | Ingramantal | |
|---------|--|-------------|--------|----------------|---------|--------|--------------|------------|--------------|-------|------------------------------|----------------------------------|---|---|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Submitted Elec per LSR | Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | DS3 to DS1 Channel System combination per month | | | UNC3X | MQ3 | 222.98 | 156.02 | 49.41 | 17.12 | 6.77 | | | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | _ | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UNC1X | USLXX | 98.59 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | LINICOV | LINICOC | | 50.70 | 04.00 | 0.40 | 0.40 | | | 20.25 | 24.00 | 0.00 | 40.5 |
| 2 MIDI | Is Charge VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT | FRAFE | ICE TE | UNC3X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| Z-WIKE | 2-WireVG Loop used with 2-wire VG Interoffice Transport | EKUFF | ICE IF | KANSPORT (EEL) | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.56 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 21.63 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.28 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0.0174 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV2 | 21.79 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNCVX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| 4-WIRE | VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT | EROFF | ICE TF | RANSPORT (EEL) | | | | | | | | | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 24.70 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 32.26 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 42.18 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0.0174 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV4 | 27.30 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | 9.80 | 10. |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNCVX | UNCCC | 27.00 | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| DG2 DI | GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC | ETDA | ISBOB | | UNCCC | | 52.73 | 24.02 | 9.12 | 9.12 | | | 20.33 | 21.09 | 9.60 | 10. |
| וט נפט | High Capacity Unbundled Local Loop - DS3 combination - Per | LINAI | 101 OK | () | 1 - | | 1 | | | | | | | 1 | 1 | |
| | Mile per month | | | UNC3X | 1L5ND | 9.19 | | | | | | _ | | | | |
| | High Capacity Unbundled Local Loop - DS3 combination - | | | LINGOV | LIEODY | 070 :- | 040.00 | 400.00 | 100 70 | 45.01 | | | 00.0= | 04.00 | 0.00 | |
| | Facility Termination per month | | | UNC3X | UE3PX | 373.47 | 240.23 | 180.87 | 106.78 | 45.24 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 2.34 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month | | | UNC3X | U1TF3 | 854.97 | 482.01 | 153.81 | 64.43 | 35.43 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | 004.97 | | | | | | | 20.35 | | 9.80 | |
| QTQ4 F | Is Charge DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFI | ICE TO | ANCD | UNC3X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | ∠0.35 | 21.09 | 9.80 | 10. |
| 31311 | High Capacity Unbundled Local Loop - STS1 combination - Per | ICE IN | ANOP | | 41 END | 0.40 | | | | | | | | | | |
| | Mile per month High Capacity Unbundled Local Loop - STS1 combination - | | | UNCSX | 1L5ND | 9.19 | 040.00 | 400.0= | 400.70 | 45.01 | | | 22.25 | 04.00 | 0.00 | 40. |
| + | Facility Termination per month Interoffice Transport - Dedicated - STS1 combination - Per Mile | | | UNCSX | UDLS1 | 394.56 | 240.23 | 180.87 | 106.78 | 45.24 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| - | per month Interoffice Transport - Dedicated - STS1 combination - Facility | | | UNCSX | 1L5XX | 2.34 | | | | | | | | | | |
| | Termination per month | | l | UNCSX | U1TFS | 849.30 | 482.01 | 153.81 | 64.43 | 35.43 | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNCSX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.5 |

| CATEGORY | NETWORK ELEMENTS - Tennessee RATE ELEMENTS | Intori | | | | | | | | | Svc Order | Svc Order | Incremental | ment: 2 Incremental | l | T |
|----------|--|---------|----------|----------------|---------|--------|---|---------------|--|------------|-----------|-----------|-------------|------------------------|-------------|-------------|
| F | RATE ELEMENTS | Intori | 1 | | | | | | | | 0.00.00 | OVC OIGE | Incremental | mcremental | incrementai | Incremental |
| F | RATE ELEMENTS | Intori | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| F | RATE ELEMENTS | Interi | - | 200 | | | | D 4 T F O (A) | | | Elec | , | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| | | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Nonrecurring | | Nonrecurring | Disconnect | | l | OSS | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | | | | | | | | | | | |
| | Transport - Zone 1 | | 1 | UNCNX | U1L2X | 22.22 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | | | | | | | | | | | |
| | Transport - Zone 2 | | 2 | UNCNX | U1L2X | 29.02 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | _ | | | | | | | | | | | | | |
| | Transport - Zone 3 | | 3 | UNCNX | U1L2X | 37.95 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Interoffice Transport - Dedicated - DS1 combintion - Facility | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Channelization - Channel System DS1 to DS0 combination - | | | ONOTA | 01111 | 77.00 | 171.24 | 110.12 | 70.07 | 30.30 | | | 20.55 | 21.03 | 3.00 | 10.54 |
| | per month | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | | | | | | 0.0. | | | | | | 0.00 | |
| | combination - per month | <u></u> | | UNCNX | UC1CA | 3.24 | 5.70 | 4.42 | <u> </u> | | <u> </u> | <u> </u> | 20.35 | 21.09 | 9.80 | 10.54 |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCNX | U1L2X | 22.22 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | _ | | | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCNX | U1L2X | 29.02 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | 3 | UNCNX | U1L2X | 37.95 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Combination - Zone 3 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | 3 | UNCNX | UILZX | 37.95 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | combintaion- per month | | | UNCNX | UC1CA | 3.24 | 5.70 | 4.42 | | | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | ONON | OCTOA | 3.24 | 3.70 | 7.72 | | | | | 20.55 | 21.03 | 3.00 | 10.54 |
| | Is Charge | | | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| 4-WIRE | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN | TEROF | FICE TI | RANSPORT (EEL) | | | | | | | | | | | | |
| F | First DS1 Loop in STS1 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | First DS1 Loop in STS1 Interoffice Transport Combination - | | _ | | | | | | | | | | | | | |
| | Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination - | | 2 | UNC1X | USLXX | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Zone 3 | | 3 | UNC1X | USLXX | 98.59 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile | | 3 | UNCIA | USLAA | 90.39 | 220.40 | 101.74 | 19.01 | 24.00 | | | 20.33 | 21.09 | 9.60 | 10.54 |
| | Per Month | | | UNCSX | 1L5XX | 2.34 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination | | | UNCSX | U1TFS | 849.30 | 482.01 | 153.81 | 64.43 | 35.43 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | STS1 to DS1 Channel System conbination per month | | | UNCSX | MQ3 | 222.98 | 156.02 | 49.41 | 17.12 | 6.77 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - | | | LINGAY | HOLYC | | | | == == | | | | | | | |
| | Zone 1 | | 1 | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | 1 | 1 | 20.35 | 21.09 | 9.80 | 10.54 |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - | | | ONOIA | JJLAA | 75.40 | 220.40 | 101.74 | 19.01 | 24.08 | | | 20.35 | 21.09 | 9.00 | 10.54 |
| | Zone 3 | | 3 | UNC1X | USLXX | 98.59 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | 50 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNCSX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROP | FICE T | RANS | PORT (EEL) | | | | | | | | | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | | LINODY | LIDL 50 | 04 10 | 400 =0 | 05 17 | 70.01 | 40.00 | 1 | 1 | 00.00 | 04.00 | 0.00 | 46 = 1 |
| | Combination - Zone 1 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | 1 | UNCDX | UDL56 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | 1 | 1 | 20.35 | 21.09 | 9.80 | 10.54 |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | | ONCDA | JDLJ0 | 40.01 | 100.76 | 33.47 | 12.94 | 10.00 | | | 20.35 | 21.09 | 9.00 | 10.54 |
| | Combination - Zone 3 | | 3 | UNCDX | UDL56 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | 1 | 1 | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | 1 _ 10 1 | . 2.00 | | | | | 2.00 | 13.01 |
| F | Per Mile | <u></u> | | UNCDX | 1L5XX | 0.0174 | <u> </u> | | <u> </u> | | <u> </u> | <u> </u> | <u> </u> | <u> </u> | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | |
| | Facility Termination | | | UNCDX | U1TD5 | 21.19 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | l | | | | | _ | | | | | _ | |
| 1 11 | Is Charge 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROP | | L | UNCDX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 10.54 |

| NRONDLI | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: B |
|---------|--|-------------|---------|------------------------|----------------|----------------|--------------|------------|--------------|--------|--------|---|---------------------------------|---|---|---------|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | 001150 | | | Rates(\$) | | |
| | A Second Second | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAI |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1 | | 4 | UNCDX | UDL64 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10. |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | - | UNCDA | UDL04 | 31.10 | 100.76 | 33.47 | 72.94 | 10.00 | | | 20.33 | 21.09 | 9.60 | 10. |
| | Combination - Zone 2 | | 2 | UNCDX | UDL64 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10 |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | | ONODA | ODLOT | 40.01 | 100.70 | 00.47 | 72.54 | 10.00 | | | 20.00 | 21.00 | 0.00 | 1 |
| | Combination - Zone 3 | | 3 | UNCDX | UDL64 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | 10 |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | 0.00 | |
| | Per Mile | | | UNCDX | 1L5XX | 0.0174 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | 1 |
| | Facility Termination | | | UNCDX | U1TD6 | 21.19 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | 9.80 | 1 |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNCDX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 1 |
| | NETWORK ELEMENTS | | | | 1 | | l | | | | | | | | | |
| | used as a part of a currently combined facility, the non-recurr | | | | | | | | | | | | | | | |
| | used as ordinarily combined network elements in All States, the | | | | | As Is Charge | does not. | | | | | | | | | - |
| Nonre | curring Currently Combined Network Elements "Switch As Is" | Cnarge | (One a | applies to each com | bination) | | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG | | | UNCVX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | , . |
| _ | Nonrecurring Currently Combined Network Elements Switch -As- | | - | UNCVA | UNCCC | | 52.73 | 24.02 | 9.12 | 9.12 | | | 20.33 | 21.09 | 9.60 | + |
| | Is Charge - 56/64 kbps | | | UNCDX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | |
| - | Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCDA | UNCCC | | 52.73 | 24.02 | 9.12 | 9.12 | | | 20.33 | 21.09 | 9.00 | + |
| | Is Charge - DS1 | | | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | |
| - | Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCIX | UNCCC | | 32.73 | 24.02 | 9.12 | 9.12 | | | 20.33 | 21.09 | 9.00 | + |
| | Is Charge - DS3 | | | UNC3X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | 0.10071 | 0.1000 | | 020 | 202 | 02 | 0.12 | | | 20.00 | 21.00 | 0.00 | + |
| | Is Charge - STS1 | | | UNCSX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | 9.80 | 1 |
| NOTE | : Local Channel - Dedicated Transport - minimum billing period | l - Belo | w DS3 | one month, DS3 a | nd above=fou | r months | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Zone 1 | | | UNCVX | ULDV2 | 17.18 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Zone 2 | | 2 | UNCVX | ULDV2 | 22.44 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Zone 3 | | 3 | UNCVX | ULDV2 | 29.34 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | |
| | Local Channel - Dedicated - 4-Wire Voice Grade Zone 1 | | 1 | UNCVX | ULDV4 | 18.18 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | |
| | Local Channel - Dedicated - 4-Wire Voice Grade Zone 2 | | 2 | UNCVX | ULDV4 | 23.74 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | |
| | Local Channel - Dedicated - 4-Wire Voice Grade Zone 3 | | 3 | UNCVX | ULDV4 | 31.05 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 9.80 | |
| | Local Channel - Dedicated - DS1 per month Zone 1 | | 1 | UNC1X | ULDF1 | 36.24 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | |
| | Local Channel - Dedicated -DS1 Per Month Zone 2 | | 2 | UNC1X | ULDF1 | 47.33 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | |
| | Local Channel - Dedicated - DS1- Per Month Zone 3 | | 3 | UNC1X | ULDF1 | 61.89 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | 9.80 | |
| _ | Local Channel - Dedicated - DS3 - Per Mile per month | | | UNC3X UNC3X | 1L5NC ULDF3 | 7.15 611.30 | 595.37 | 304.50 | 045.00 | 161.7- | | | 20.35 | 04.00 | 0.00 | |
| | Local Channel - Dedicated - DS3 - Facility Termination Local Channel - Dedicated - STS-1- Per Mile per month | | | UNCSX | 1L5NC | 7.15 | 595.37 | 304.50 | 215.82 | 151.15 | | | 20.35 | 21.09 | 9.80 | + |
| | Local Channel - Dedicated - STS-1 - Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination | | | | ULDFS | 599.59 | 588.07 | 297.20 | 215.82 | 151.15 | | | 20.35 | 21.09 | 9.80 | 1 |
| | Clear Channel Capability (SF/ESF) Option - Subsequent | | - | UNCSX ULDD1, U1TD1, | ULDFS | 599.59 | 588.07 | 297.20 | 215.82 | 151.15 | | | 20.35 | 21.09 | 9.80 | + |
| | Activity - per DS1 | | | UNC1X, USL | NRCCC | | 65.09 | | | | | | 20.35 | 10.54 | | |
| | Activity - per DS1 | - | | U1TD3, ULDD3, | NICCCC | | 03.09 | | | | | | 20.33 | 10.54 | | + |
| | C-bit Parity Option - Subsequent Activity - per DS3 | i | | UE3, UNC3X | NRCC3 | | 50.09 | | | | | | 20.35 | 10.54 | | |
| MULT | IPLEXERS | | | 020, 01100/1 | | | 00.00 | | | | | | 20.00 | 10.01 | | + |
| | : minimum billing period is one month for DS1 to DS0 Channel | Systen | n and i | nterfaces | | | | | | | | | | | | 1 |
| | : minimum billing period is three months for DS3 to DS1Chann | | | | | | | | | | | | | | | 1 |
| | DS1 to DS0 Channel System (with the higher-level connected to | | | | | | | | | | | | | | | 1 |
| | a collocation in the same SWC) per month | | | UXTD1 | MQ1 | 80.77 | 141.67 | 77.11 | 14.51 | 13.46 | | | 20.35 | 9.80 | 11.49 | |
| | DS1 to DS0 Channel System (used to channelize a DS1 Local | | | | | | | | | | | | | | | |
| | Channel) per month | | | ULDD1 | MQ1 | 80.77 | 141.67 | 77.11 | 14.51 | 13.46 | | | 20.35 | 9.80 | 11.49 | |
| | DS1 to DS0 Channel System (used to channelize a DS1 | | | l | | | | | | | 1 | | | | 1 | |
| | Interoffice Channel) per month | | | U1TD1 | MQ1 | 80.77 | 141.67 | 77.11 | 14.51 | 13.46 | | | 20.35 | 9.80 | 11.49 | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | l | 1 | | | | | | 1 | | | | 1 | |
| _ | month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 1.82 | 6.07 | 4.66 | | | | | 20.35 | 9.80 | 11.49 | +- |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | ĺ | | | | | | | | | | | | |
| | month (2.4-64kbs) used for connection to a channelized DS1 | | ì | 1 | 1 | 1 | 1 | | 1 | | i | i | | 1 | Ì | 1 |

Version 1Q03: 02/28/03 Page 379 of 420

| UNBUND | LED NETWORK ELEMENTS - Tennessee | | | 1 | | | | | | | 1_ | | | ment: 2 | | ibit: B |
|-------------|--|--------------|----------|--------------------|------------------|---------------|-----------------|------------|--------------|------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | i i | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | • | | | | | | | | | | | | | | |
| | month for a Local Loop | | | UDN | UC1CA | 3.10 | 6.07 | 4.66 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel | | | | | | | | | | | | | | | |
| | in the same SWC as collocation | | | U1TUB | UC1CA | 3.10 | 6.07 | 4.66 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | 01102 | 00.07 | 0.10 | 0.07 | | | | | | 20.00 | 0.00 | 11110 | |
| | used for a Local Loop | | | UEA | 1D1VG | 0.91 | 6.07 | 4.66 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | |
| | used for connection to a channelized DS1 Local Channel in the | | | | | | | | | | | | | | | |
| | same SWC as collocation | | | U1TUC | 1D1VG | 0.91 | 6.07 | 4.66 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | DS3 to DS1 Channel System (with the higher level connected to a collocation in the same SWC) per month | ' | | UXTD3 | MQ3 | 222.98 | 308.03 | 108.47 | 44.47 | 42.62 | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | DS3 to DS1 Channel System (used to channelize a DS3 Local | - | | UNIDS | IVIQS | 222.90 | 306.03 | 100.47 | 44.47 | 42.02 | | | 20.33 | 9.60 | 11.49 | 1.10 |
| | Channel) per month | | | ULDD3 | MQ3 | 222.98 | 308.03 | 108.47 | 44.47 | 42.62 | | | 20.35 | 21.09 | 9.80 | 9.80 |
| | DS3 to DS1 Channel System (used to channelize a DS3 | 1 | | 02550 | | 222.00 | 000.00 | 100.11 | | 12.02 | | | 20.00 | 21.00 | 0.00 | 0.00 |
| | Interoffice Channel per month | | | U1TD3 | MQ3 | 222.98 | 308.03 | 108.47 | 44.47 | 42.62 | | | 20.35 | 21.09 | 9.80 | 9.80 |
| | STS-1 to DS1 Channel System (with the higher level connected | | | | | | | | | | | | | | | |
| | to a collocation in the same SWC) per month | | | UXTS1 | MQ3 | 222.98 | 308.03 | 108.47 | 44.47 | 42.62 | | | 20.35 | 21.09 | 9.80 | 9.80 |
| | STS-1 to DS1 Channel System (used to channelize a STS-1 | | | = = . | | | | | | | | | | | | |
| | Local Channel) per month | | | ULDS1 | MQ3 | 222.98 | 308.03 | 108.47 | 44.47 | 42.62 | | | 20.35 | 21.09 | 9.80 | 9.80 |
| | STS-1 to DS1 Channel System (used to channelize a STS-1 Interoffice Channel) per month | | | U1TS1 | MQ3 | 222.98 | 308.03 | 108.47 | 44.47 | 42.62 | | | 20.35 | 21.09 | 9.80 | 9.80 |
| | DS1 COCI used with Loop per month | | | USL | UC1D1 | 17.58 | 6.07 | 4.66 | 44.47 | 42.02 | | | 20.35 | 9.80 | | |
| | DS1 COCI (used for connection to a channelized DS1 Local | | | OOL | OCIDI | 17.50 | 0.07 | 4.00 | | | | | 20.55 | 3.00 | 11.43 | 1.10 |
| | Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 17.58 | 6.07 | 4.66 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 17.58 | 6.07 | 4.66 | | | | | 20.35 | 9.80 | 11.49 | 1.18 |
| Sub | -Loop Feeder | | | | | | | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | UNC1X | USBFG | 39.74 | 116.00 | 40.62 | 106.82 | 18.91 | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | UNC1X | USBFG | 51.90 | 116.00 | 40.62 | 106.82 | 18.91 | | | | | | |
| LINDIINDI E | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 D LOCAL EXCHANGE SWITCHING(PORTS) | - | 3 | UNC1X | USBFG | 67.86 | 116.00 | 40.62 | 106.82 | 18.91 | | | | | | 1 |
| | hange Ports | | | | | | | | | | | | | | | |
| | TE: Although the Port Rate includes all available features in GA, | KY, LA | & TN, t | he desired feature | s will need to b | e ordered usi | ng retail USOCs | | | | | | | | | |
| | IRE VOICE GRADE LINE PORT RATES (RES) | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Evolungo Porto, 2 Wire Analog Line Port outgoing only. Box | | | UEPSR | UEPRO | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire VG unbundled TN extended local | - | | UEFSK | UEPRO | 1.09 | 9.93 | 9.19 | 3.00 | 2.92 | | | 20.33 | 10.54 | 13.32 | 1.40 |
| | dialing parity Port with Caller ID - Res. | | | UEPSR | UEPAQ | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus | | | 02. 0.1 | OL: //Q | 1.00 | 0.00 | 0.10 | 0.00 | 2.02 | | | 20.00 | 10.01 | 10.02 | |
| | with Caller ID - Res (AC7) | | | UEPSR | UEPAH | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling | 1 | | | | | | | | | | | | | | |
| | port with Caller ID - Res (F2R) | | | UEPSR | UEPAK | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling | 1 | | LIEDOD | LIEDAL | 4.00 | 0.00 | 0.40 | 0.00 | 0.00 | | | 00.05 | 40.54 | 40.00 | 4.40 |
| | port with Caller ID - Res (TACER) Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling | | | UEPSR | UEPAL | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | port with Caller ID - Res (TACSR) | 1 | | UEPSR | UEPAM | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling | 1 | | | J2. 74VI | 1.00 | 0.00 | 5.19 | 5.50 | 2.02 | | | 20.00 | 10.04 | 10.02 | 1.40 |
| | port with Caller ID - Res (1MF2X) | 1 | 1 | UEPSR | UEPAN | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling | 1 | | | | | | | | | | | | | | |
| | port with Caller ID - Res (2MR) | 1 | | UEPSR | UEPAO | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire VG unbundled res, low usage line port | | | | | | | | | | | | | | | |
| | with Caller ID (LUM) | | <u> </u> | UEPSR | UEPAP | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Port - 2-Wire VG Tennessee Residence Dialing Plan | 1 | 1 | UEPSR | UEPWN | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Iwithout (:aller II) | | | | | | | | 3.00 | | | | | | | 1.40 |
| | without Caller ID Exchange Port - 2-Wire VG Tennessee Residence Area Plus | + | | OLI OIL | OLI WIY | 1.00 | 0.00 | | | | | | | | | |

Version 1Q03: 02/28/03 Page 380 of 420

| ONBONDLI | ED NETWORK ELEMENTS - Tennessee | | | ı | | | | | | | _ | _ | | ment: 2 | | ibit: B |
|----------|---|-------------|------|----------------|----------------|--------------|--------------|--------------|--------------|--------------|---|---|---|---|----------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire voice unbundled Low Usage Line Port without Caller ID | | | | | | | | | | | | | | | |
| | Capability | | | UEPSR | UEPRT | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Subsequent Activity | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.4 |
| FEAT | URES | | | LIEDOD | LIEDVE | 0.00 | 0.00 | 0.00 | | | | | 00.05 | 40.54 | 40.00 | 4.4 |
| 2 14/15 | All Available Vertical Features RE VOICE GRADE LINE PORT RATES (BUS) | | | UEPSR | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.4 |
| Z-VVIR | Exchange Ports - 2-Wire Analog Line Port without Caller ID - | | | | | | | | | | | | | | - | |
| | Bus | | | UEPSB | UEPBL | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exchange Ports - 2-Wire VG unbundled Line Port with | | | OLI OB | OLI DE | 1.03 | 9.95 | 3.13 | 3.00 | 2.32 | | | 20.55 | 10.54 | 13.32 | 1.7 |
| | unbundled port with Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | | | | | | | 0.00 | | 0.00 | | | | | | | 1 |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exchange Ports - 2-Wire VG unbundled TN extended local | | | | | | | | | | | | | | | |
| | dialing parity Port with Caller ID - Bus. | | | UEPSB | UEPAV | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exhange Ports - 2-Wire VG unbundled incoming only port with | | | | | | | | | | | | | | | |
| | Caller ID - Bus | | | UEPSB | UEPB1 | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area | | | | | | | | | | | | | | | |
| | Calling Port Economy Option - Bus (TACC1) | | | UEPSB | UEPAC | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area | | | | | | | | | | | | | | | |
| | Calling Port Standard Option - Bus (TACC2) | | | UEPSB | UEPAD | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville | | | | | | | | | | | | | | | |
| | & Memphis Local Calling Port - Bus (B2F) | | | UEPSB | UEPAE | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville | | | LIEDOD | LIEDDO | 4.00 | 0.00 | 0.40 | 2.00 | 2.02 | | | 20.25 | 40.54 | 40.00 | 4.4 |
| | & Memphis Local Calling Port | | | UEPSB | UEPB2 | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exchange Ports - 2-W VG unbundled TN, Business Line Inward, Collierville & Memphis Local Calling Plan | | | UEPSB | UEPB3 | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exchange Ports - 2-Wire Voice Tennessee Business Dialing | | | ULFOB | ULFBS | 1.09 | 9.93 | 5.15 | 3.00 | 2.52 | | | 20.33 | 10.54 | 13.32 | 1.4 |
| | Plan without Caller ID | | | UEPSB | UEPWO | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID | | | OLI OB | OLI WO | 1.00 | 0.00 | 0.10 | 0.00 | 2.02 | | | 20.00 | 10.04 | 10.02 | 1 |
| | Capability | | | UEPSB | UEPBE | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Subsequent Activity | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | | 1.4 |
| FEAT | URES | | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSB | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.4 |
| EXCH | IANGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | | |
| | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | UEPSP | UEPPC | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | | 1.4 |
| | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | | UEPSP | UEPPO | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | | 1.4 |
| | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | | UEPSP | UEPP1 | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSP UEPSP | UEPLD UEPT2 | 1.79 1.79 | 9.93 9.93 | 9.19 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 10.54 | 13.32 | 1.4 |
| | 2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus | | | UEPSP | UEPTO | 1.79 | 9.93 | 9.19 | 3.66 3.66 | 2.92 2.92 | | | 20.35 20.35 | 10.54 | 13.32 13.32 | 1.4 1.4 |
| | 2-Wire TN Outward Calling Plan PBX Trunk - Bus 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPSP | UEPLD | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Voice Unburidled 2-Way PBX Tennessee Calling Port | | | UEPSP | UEPT2 | 1.79 | | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee | | | OLI OI | OLI 12 | 1.73 | 9.95 | 3.13 | 3.00 | 2.32 | | | 20.55 | 10.54 | 13.32 | 1.7 |
| | Calling Port | | | UEPSP | UEPTO | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Vice Unbundled 2-Way PBX Usage Port | | | UEPSP | UEPXA | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPSP | UEPXC | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | | | | | | |
| | Capable Port | | | UEPSP | UEPXE | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | [| |] |] | | 1 | _ | |
| | Administrative Calling Port | | | UEPSP | UEPXL | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | l | 1 | | <u> </u> | | [| | 1 | 1 | | | l | |
| | Room Calling Port | | | UEPSP | UEPXM | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy | | | LIEBOD | LIEDYAL | | 2.00 | 0.40 | | 0.00 | 1 | 1 | 00.0- | 10.51 | 10.00 | |
| | Administrative Calling Port TN Calling Port | | | UEPSP | UEPXN | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | 1 | UEPSP | UEPXO | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | 1 | 1 | 20.35 | 10.54 | 13.32 | 1.4 |

Version 1Q03: 02/28/03 Page 381 of 420

| UNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: B |
|--------------|---|-------------|--------|-----------------------|----------------|----------------|----------------|----------------|--------------|--------------|-----------------|---------------------|---|---|--|---|
| 0110011022 | HETWORK ELEMENTO TOMBOGGO | | | | | | | | | | Submitted | Submitted | Incremental Charge - | Incremental Charge - | Incremental Charge - | Incrementa Charge - |
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Elec per LSR | Manually per LSR | Manual Svc Order vs. Electronic- 1st | Manual Svc Order vs. Electronic- Add'l | Manual Svc Order vs. Electronic- Disc 1st | Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | Nonrecurring | | Nonrecurring | n Disconnect | | | | Rates(\$) | D130 131 | Disc Add I |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | Unbundled Exchange Ports, PBX Trunk Combination, Collierville and Memphis Local Calling Plan | | | UEPSP | UEPA6 | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Unbundled Exchange Ports, PBX Trunk Combination, first trunk, Collierville and Memphis Local Calling Plan | | | UEPSP | UEPA7 | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPSP | UEPXS | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Voice Unbundled PBX Collierville and Memphis Calling | | | 02. 0. | 02.70 | 0 | 0.00 | 0.10 | 0.00 | 2.02 | | | 20.00 | 10.01 | 10.02 | |
| | Port 2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ | | | UEPSP | UEPXU | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Calling Port | | | UEPSP | UEPXV | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| FEATU | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | All Available Vertical Features | | | UEPSP UEPSE | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.4 |
| EXCHA | NGE PORT RATES (COIN) | | | | | | | | | | | | | 10.51 | 10.00 | L |
| NOTE: | Exchange Ports - Coin Port Transmission/usage charges associated with POTS circuit sv | witched | lucano | will also annly to ci | rouit switche | 2.11 | 9.93 | 9.19 | 3.66 | 2.92 | isted with 2 | wire ISDN r | 20.35 | 10.54 | 13.32 | 1.4 |
| | Access to B Channel or D Channel Packet capabilities will be | | | | | | | | | | | | | Request Pro | cess. | |
| UNBUNDLED L | OCAL EXCHANGE SWITCHING(PORTS) | | | Ŭ | | | | | | | | | | | | |
| EXCHA | NGE PORT RATES | | | HEDEV | UEPP2 | 8.97 | 47.75 | 47.04 | 0.04 | 8.47 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 2-Wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID | | | UEPEX | | | 47.75 | 47.01 | 9.21 | - | | | | | | |
| | capability Exchange Ports - 2-Wire ISDN Port (See Notes below.) | | | UEPDD UEPTX UEPSX | UEPDD U1PMA | 35.74 16.26 | 75.93 30.23 | 38.15 29.49 | 8.77 4.10 | 8.04 4.10 | | | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | 1.4 1.4 |
| NOTE: | Transmission/usage charges associated with POTS circuit sv | vitched | usage | | | | | | | | iated with 2 | wire ISDN | | 10.54 | 13.32 | 1.4 |
| | Access to B Channel or D Channel Packet capabilities will be | | | through BFR/New | Business Re | quest Process. | Rates for the | packet capabi | | | | | | Request Pro | cess. | |
| | Exchange Ports - 2-Wire ISDN Port Channel Profiles | | | UEPTX UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| LINBUN | Exchange Ports - 4-Wire ISDN DS1 Port IDLED PORT with REMOTE CALL FORWARDING CAPABILITY | <u> </u> | | UEPEX | UEPEX | 75.04 | 148.66 | 147.18 | 38.46 | 36.98 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service, Area Calling, Res | | | UEPVR | UERAC | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Unbundled Remote Call Forwarding Service, Local Calling - Res | | | UEPVR | UERLC | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Unbundled Remote Call Forwarding Service, Local Calling - Res | | | UEPVR | UERTE | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Unbundled Remote Call Forwarding Service, IntraLATA - Res | | | UEPVR | UERTR | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| Non-Re | ecurring | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is | | | UEPVR | USAC2 | | 1.03 | 0.29 | | | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) | | | UEPVR | USACC | | 1.03 | 0.29 | | | | | | | | |
| UNBUN | IDLED REMOTE CALL FORWARDING - Bus | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service, Area Calling - Bus | | | UEPVB | UERAC | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Unbundled Remote Call Forwarding Service, Local Calling - Bus | | | UEPVB | UERLC | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Unbundled Remote Call Forwarding Service, InterLATA - Bus | | | UEPVB | UERTE | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Unbundled Remote Call Forwarding Service, IntraLATA - Bus | | | UEPVB | UERTR | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling | | | UEPVB | UERVJ | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| Non-Re | Unbundled Remote Call Forwarding Service - Conversion - | | | | | | | | | | | | | | | |
| | Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with | | | UEPVB | USAC2 | | 1.03 | 0.29 | | | | | 20.35 | 10.54 | 13.32 | 1.4 |
| JNBUNDI FD I | allowed change (PIC and LPIC) OCAL SWITCHING, PORT USAGE | | | UEPVB | USACC | | 1.03 | 0.29 | | | | | | | | |
| | fice Switching (Port Usage) | | | | | | | | | | | | | | | |
| | End Office Switching Function, Per MOU | | | | | 0.0008041 | | | | | | | | | | |
| Tander | n Switching (Port Usage) (Local or Access Tandem) Tandem Switching Function Per MOU | | - | | | 0.0009778 | | | | | | | | | | 1 |
| Commo | on Transport | | | | | 0.0000770 | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | | | 0.0000064 | | | | l | | | | İ | İ | 1 |

| UNB | JNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------|--------------|---|-------------|--|--------------------|--------------|--|----------------|---------------|-----------------|------------------|--------------|-------------|---|---|---|---|
| CATE | GORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Increment Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | | | | | | | 1st | Add'I | Disc 1st | Disc Add |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Common Transport - Facilities Termination Per MOU | | | | | 0.0003871 | | | | | | | | | | |
| UNBU | | PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | |
| | | ased Rates are applied where BellSouth is required by FCC ar | | | | | | | | | | | | | | | |
| | | es shall apply to the Unbundled Port/Loop Combination - Cos | | | | | | | | | | | | | | | |
| | | fice and Tandem Switching Usage and Common Transport Us | | | | | | | | | | | | | | | |
| | | st and additional Port nonrecurring charges apply to Not Curr | ently C | ombin | ed Combos. For Cur | rrently Comb | ined Combos t | he nonrecurrin | g charges sha | l be those ider | ntified in the N | lonrecurring | - Currently | Combined se | ections. | | |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | |
| | UNE P | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.18 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 18.01 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | <u> </u> | 3 | | + | 23.02 | | | | | | | | | | |
| | UNE L | pop Rates | | <u> </u> | LIEBBY . | LIEBLY. | 10.10 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | <u> </u> | 1 | UEPRX | UEPLX | 12.48 | | | | | ļ | | ļ | ļ | | ļ |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | <u> </u> | 2 | UEPRX | UEPLX | 16.31 | | | | | | | | | | |
| | 0.127 | 2-Wire Voice Grade Loop (SL1) - Zone 3 | <u> </u> | 3 | UEPRX | UEPLX | 21.32 | | | | | | | | | | |
| | 2-Wire | Voice Grade Line Port Rates (Res) | | | HEDDY | LIEDDI | 4.70 | 00.44 | 45.05 | 0.45 | 0.04 | | 45.00 | | | | |
| | | 2-Wire voice unbundled port - residence | | <u> </u> | UEPRX | UEPRL | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | | 2-Wire voice unbundled port with Caller ID - res | | <u> </u> | UEPRX | UEPRC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | | 2-Wire voice Grade unbundled Tennessee extended local | | | LIEDDY | 115040 | 4.70 | 00.44 | 45.05 | 0.45 | 0.04 | | 45.00 | | | | |
| | | dialing parity port with Caller ID - res | | | UEPRX | UEPAQ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | | 2-Wire voice unbundled Tennessee Area Plus with Caller ID - | | | LIEDDY | LIEDALI | 4.70 | 22.44 | 45.05 | 0.45 | 2.04 | | 45.00 | | | | |
| | | res (AC7) 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | UEPRX | UEPAH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | | ID - res (F2R) | | | UEPRX | UEPAK | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.60 | | | | |
| | | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | UEPKX | UEPAK | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | | ID - res (TACER) | | | UEPRX | UEPAL | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | CLITOC | OLI AL | 1.70 | 22.14 | 10.20 | 0.40 | 0.01 | | 10.00 | | | | |
| | | ID - res (TACSR) | | | UEPRX | UEPAM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | 02.100 | 02.7 | | | 10.20 | 0.10 | 0.01 | | 10.00 | | | | |
| | | ID - res (1MF2X) | | | UEPRX | UEPAN | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | | | | | | 90 | | | | | | | |
| | | ID - res (2MR) | | | UEPRX | UEPAO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | | 2-Wire voice unbundles res, low usage line port with Caller ID | | | | | | | | | | | | | | | |
| | | (LUM) | | | UEPRX | UEPAP | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled Tennessee Residence Dialing Plan | | | | | | | | | | | | | | | |
| | | without Caller ID | | | UEPRX | UEPWN | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | | 2-Wire voice unbundled Tennessee Area Plus Port without | | | | | | | | | | | | | | | |
| | | Caller ID Capability | | | UEPRX | UEPRR | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | | 2-Wire voice unbundled Low Usage Line Port without Caller ID | | | | | | | | | | | | | | | |
| | | Capability | | | UEPRX | UEPRT | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | FEATU | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPRX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | LOCAL | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| | NONRE | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | <u> </u> | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | LIEDDY | USAC2 | | 1.02 | 0.20 | | | | 15.60 | | | | |
| | + | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | - | 1 | UEPRX | USACZ | 1 | 1.03 | 0.29 | | | | 15.69 | | | | |
| | | Switch with change | | | UEPRX | USACC | | 1.03 | 0.29 | | | | 15.69 | | | | |
| - | 1 | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | 1 | 1 | OLFIX | JUNCU | 1 | 1.03 | 0.29 | | | 1 | 15.09 | 1 | 1 | 1 | |
| | | Subsequent Database Update | | | | | | 0.76 | | | | | 15.69 | | | | |
| | ADDIT | ONAL NRCs | 1 | | | + | | 0.70 | | | | 1 | 10.09 | | | | |
| | וושכה | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | - | † | | + | | | | | | | | | | 1 | |
| | 1 | Activity | l | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | 1 | | 1 |
| | 2-WIRE | E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | 1 | | | 30.02 | 0.50 | 5.50 | 0.00 | | | | 10.00 | | 1 | | |
| | | ort/Loop Combination Rates | | | | 1 | 1 | | | | | | | | İ | | |
| | 1 | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.18 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 18.01 | | | | | | | | | | |
| | • | | | | • | • | | | | | | • | | | | | |

Version 1Q03: 02/28/03 Page 383 of 420

| UNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------|--|--|------|----------------|----------------|----------------|--------------|------------|--|------------|---|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | 1 | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates(\$) | | <u> </u> |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 23.02 | | | | | | | | | | |
| UNE L | oop Rates | | | LIEBBY . | LIEBLY | 10.10 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 12.48 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX UEPBX | UEPLX | 16.31 21.32 | | | | | | | | | | — |
| 2-Wiro | Voice Grade Line Port (Bus) | | 3 | UEPBX | UEPLX | 21.32 | | | | | - | | | | | |
| Z-VVIIIE | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | - |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | - |
| - | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire voice Grade unbundled Tennessee extended local | | | | 1 | | | | | | | | | | | |
| | dialing parity port with Caller ID - bus | l | | UEPBX | UEPAV | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | 1 |
| j | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPBX | UEPB1 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Economy Option (TACC1) | | | UEPBX | UEPAC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Standard Option (TACC2) | | | UEPBX | UEPAD | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Bus 2-Way Collierville and | | | | UEPAE | | | | ĺ | 3.91 | | | | | | |
| | Memphis Local Calling Port (B2F) 2-Wire Voice Unbundled Tennessee Business Dialing Plan | | | UEPBX | | 1.70 | 22.14 | 15.25 | 8.45 | | | 15.69 | | | | |
| | without Caller ID Tennessee Inward Collierville and Memphis Local Calling Plan | | | UEPBX | UEPWO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | (BUS) Tennessee 2-Way Collierville and Memphis Local Calling Plan | | | UEPBX | UEPB2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | - |
| | (BUS) 2-Wire voice unbundled Incoming Only Port without Caller ID | | | UEPBX | UEPB3 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | 1 |
| 1.004 | Capability NUMBER PORTABILITY | | | UEPBX | UEPBE | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| LOCAL | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | | |
| FEATU | | | | OLI DX | LIVI OX | 0.55 | | | | | | | | | | - |
| | All Features Offered | | | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| NONR | ECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | 0.00 | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPBX | USAC2 | | 1.03 | 0.29 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | UEPBX | USACC | | 1.03 | 0.29 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update | | | | | | 0.76 | | | | | 15.69 | | | | |
| ΔΠΠΙΤ | IONAL NRCs | 1 | | 1 | + | | 0.76 | | | | | 15.69 | | | 1 | |
| ADDIT | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | 1 | | | + + | | | | | | | | | | | — |
| | Activity | l | | UEPBX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | 1 |
| 2-WIRI | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | 1 1 | 2.30 | | 2.30 | | | | | | | | |
| UNE P | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.18 | | • | | • | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 18.01 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | <u> </u> | 3 | LIEBBO | LIEDLY | 23.02 | | | | | | | | | ļ | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | 1 | 1 | UEPRG UEPRG | UEPLX UEPLX | 12.48 16.31 | | | | | 1 | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 | <u> </u> | 3 | UEPRG | UEPLX | 21.32 | | | | | | | | - | - | |
| 2-Wire | Voice Grade Line Port Rates (RES - PBX) | | - 3 | OLI NG | OLFLA | 21.32 | | | | | | | | | | |
| 2 | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | UEPRG | UEPRD | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| LOCAL | NUMBER PORTABILITY | 1 | | 021110 | OLI ND | 1.70 | 22.14 | 10.20 | 0.40 | 5.31 | 1 | 10.08 | | | 1 | |
| | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.69 | | | | |
| FEATU | | | | | 1 | | | | † | | | | | İ | | |
| | All Features Offered | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | <u> </u> | |
| NONR | ECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | 1 |
| | Conversion - Switch-As-Is | | | UEPRG | USAC2 | | 1.03 | 0.29 | | | | 15.69 | | | | 1 |

| <u>JNBU</u> NDL | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: B |
|-----------------|---|-------------|------|----------------|----------------|----------------|----------------|----------------|--------------|--------------|--|---|--|--|--|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | - | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Increment Charge - Manual Sv Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Conversion - Switch with Change | | | UEPRG | USACC | | 1.03 | 0.29 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | ULFKG | USACC | | 1.03 | 0.29 | | | | 13.09 | | | | |
| | Subsequent Database Update | | | | | | 0.76 | | | | | 15.69 | | | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | Subsequent Activity | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |
| | Group | | | | | | 14.64 | 14.64 | | | | 15.69 | | | | |
| | RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | | | | 11.10 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.18 18.01 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | _ | 23.02 | | | | | | | | | | |
| LINE | Loop Rates | | 3 | | | 23.02 | | | | | | | | | | |
| UNL | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 12.48 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPPX | UEPLX | 16.31 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPPX | UEPLX | 21.32 | | | | | | | | | | |
| 2-Wii | e Voice Grade Line Port Rates (BUS - PBX) | | | | | _ | | | | | | | | | | |
| | ` , | | | | | | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Tennessee | | | | | | | | | | | | | | | |
| | Calling Port | | | UEPPX | UEPT2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee | | | | | . =0 | | | | | | | | | | |
| | Calling Port 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX UEPPX | UEPTO | 1.70 1.70 | 22.14 22.14 | 15.25 15.25 | 8.45 8.45 | 3.91 3.91 | | 15.69 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Voice Unburidled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD DBD Terminals Port | | | UEPPX | UEPXD | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | OLIT X | OLI AD | 1.70 | 22.17 | 10.20 | 0.40 | 0.01 | | 10.00 | | | | |
| | Capable Port | | | UEPPX | UEPXE | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Administrative Calling Port | | | UEPPX | UEPXL | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Room Calling Port | | | UEPPX | UEPXM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Administrative Calling Port TN Calling Port | | | UEPPX | UEPXN | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | HEDDY | LIEDVO | 4.70 | 00.44 | 45.05 | 0.45 | 0.04 | | 45.00 | | | | |
| | Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX UEPPX | UEPXO UEPXS | 1.70 1.70 | 22.14 22.14 | 15.25 15.25 | 8.45 8.45 | 3.91 3.91 | | 15.69 15.69 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port 2-Wire Voice Unbundled PBX Collierville and Memphis Calling | | | UEPPX | UEPAS | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | Port | | | UEPPX | UEPXU | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ | | | ULFFX | ULFAU | 1.70 | 22.14 | 13.23 | 0.40 | 3.91 | | 13.09 | | | | |
| | Callling Port | | | UEPPX | UEPXV | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | Tennessee PBX 2-Way Combo Each Additional Trunk | | | OZ. I X | 02.70 | | | 10.20 | 0.10 | 0.01 | | 10.00 | | | | |
| | Collierville and Memphis Local Calling Plan | | | UEPPX | UEPA6 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | 1 | I | 1 |
| | Tennessee PBX 2-Way Combo First Trunk Collierville and | | | | | | | | | | | | | | | |
| | Memphis Local Calling Plan | | | UEPPX | UEPA7 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| LOCA | AL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.69 | | ļ | ļ | |
| FEAT | TURES | | | LIEDDY | LIED: 'E | | | | | | <u> </u> | | | | | <u> </u> |
| NOS | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | - |
| NON | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | - | - | - | + | | - | | | | | | | - | | |
| 1 | Conversion - Switch-As-Is | | | UEPPX | USAC2 | | 1.03 | 0.29 | | | 1 | 15.69 | | 1 | | l |

| UNBUNDL | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | , | | | ment: 2 | | bit: B |
|----------|---|-------------|----------|----------|---------|----------------|--|------------|--------------|------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Dee | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | Conversion - Switch with Change | | | UEPPX | USACC | | 1.03 | 0.29 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | Subsequent Database Update | | | | | | 0.76 | | | | | 15.69 | | | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | UEPPX | USA52 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | Group | | | | | | 14.64 | 14.64 | | | | 15.69 | | | | |
| UNE | Port/Loop Combination Rates | | | | | | 14.04 | 14.04 | | | | 10.00 | | | | |
| 0 | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 14.18 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 18.01 | | | | | Ì | | | 1 | | |
| 1 | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 23.02 | | | | | | | | | | |
| UNE | Loop Rates | | | | | | | - | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 12.48 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 16.31 | | | | | | | | | | |
| 2 100 | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 21.32 | | | | | | | | | | |
| 2-Wii | re Voice Grade Line Ports (COIN) | | | | | | | | | | | | | | | |
| | 2-Wire Coin 2-Way without Operator Screening and without | | | LIEDCO | UEPTB | 1.70 | 22.14 | 15.25 | 8.45 | 2.04 | | 45.00 | | | | |
| | Blocking (TN) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | UEPCO | UEPIB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 900/976, 1+DDD (NC, TN) | | | UEPCO | UEPRP | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | OLI CO | OLITA | 1.70 | 22.14 | 13.23 | 0.40 | 3.31 | 1 | 13.03 | | | | |
| | (TN) | | | UEPCO | UEPTA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening: 900 Blocking: | | | | | | | | | | | | | | | |
| | 900/976, 1+DDD, 011+, and Local (NC, TN) | | | UEPCO | UEPCA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | (TN) | | | UEPCO | UEPTC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | | | | | | | | | | | | | | | |
| | 900/976, 1+DDD, 011+, and Local (TN) | | | UEPCO | UEPOT | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCK | 1.88 | | | | | | 15.69 | | | | |
| | 2-Wire Coin Outward Smartline with 900/976 (all states except | | | LIEDOO | LIEDOD | 4.00 | | | | | | 45.00 | | | | |
| ADDI | LA) TIONAL UNE COIN PORT/LOOP (RC) | | | UEPCO | UEPCR | 1.88 | | | | | 1 | 15.69 | | | | |
| ADDI | UNE Coin Port/Loop Combo Usage (Flat Rate) | | - | UEPCO | URECU | 3.45 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.69 | | | | |
| | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | 0.00 | 0.00 | 0.00 | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | OLI CO | LIVI OX | 0.55 | | | | | | | | | | |
| | Switch-as-is | | | UEPCO | USAC2 | | 1.03 | 0.29 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | İ | | |
| L | Switch with change | L | | UEPCO | USACC | | 1.03 | 0.29 | | | <u> </u> | 15.69 | | | | <u> </u> |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | Activity | | | UEPCO | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE F | PORT (| RES) | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | <u> </u> | | | | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 2 | | | 18.45 | | | 1 | | } | | | | ļ. | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | - | | 23.52 30.17 | | | - | | - | | | - | - | |
| IINE | Loop Rates | | 3 | - | _ | 30.17 | 1 | | - | | - | | | | | |
| ONE | 2-Wire Voice Grade Loop (SL2) - Zone 1 | - | 1 | UEPFR | UECF2 | 16.56 | 1 | | | | | | | | + | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFR | UECF2 | 21.63 | 1 | | | | 1 | | | | 1 | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFR | UECF2 | 28.28 | | | | | | | | | | |
| 2-Wii | re Voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port - residence | | | UEPFR | UEPRL | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice unbundled port with Caller ID - res | | | UEPFR | UEPRC | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | _ | | | |
| | 2-Wire voice unbundled port outgoing only - res | | | UEPFR | UEPRO | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice Grade unbundled Tennessee extended local | | | | | | | | | | | | | | | |
| | dialing parity port with Caller ID - res | | | UEPFR | UEPAQ | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | <u> </u> | 15.69 | | | ļ | |
| | 2-Wire voice unbundled Tennessee Area Plus with Caller ID - res (AC7) | l | 1 | UEPFR | UEPAH | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | 1 | 15.69 | | 1 | | 1 |

| ONBONDL | ED NETWORK ELEMENTS - Tennessee | | | ı | | | | | | | | _ | | ment: 2 | | ibit: B |
|----------|---|--|--|--------|--------|--------|--------------|------------|--|------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | B | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates(\$) | l. | L |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | | | | | | | | | | | | | |
| | ID - res (F2R) | | | UEPFR | UEPAK | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) | | | UEPFR | UEPAL | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | UEFFR | UEPAL | 1.09 | 04.99 | 57.39 | 32.30 | 20.56 | | 15.09 | | | | |
| | ID - res (TACSR) | | | UEPFR | UEPAM | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | | | | | | | | | | | | | |
| | ID - res (1MF2X) | | | UEPFR | UEPAN | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | | | | | | | | | | | | | |
| | ID - res (2MR) | | | UEPFR | UEPAO | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | UEPFR | UEPAP | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled Tennessee Residence Dialing Plan | | | OLITIN | OLI AF | 1.09 | 04.33 | 37.39 | 32.30 | 20.36 | | 13.08 | | | | |
| | without Caller ID | | | UEPFR | UEPWN | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| INTE | ROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination | | | UEPFR | U1TV2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPFR | 1L5XX | 0.0174 | | | | | | | | | | |
| EEAT | TURES | | | UEPFR | ILSXX | 0.0174 | | | - | | | | | | | |
| I LA | All Features Offered | | | UEPFR | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| LOCA | AL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPFR | LNPCX | 0.35 | | | | | | | | | | |
| NON | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | 40.04 | | | | | 4= 00 | | | | |
| | Combination - Conversion - Switch-as-is 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | UEPFR | USAC2 | | 16.94 | 3.72 | - | | | 15.69 | | | | |
| | Combination - Conversion - Switch-With-Change | | | UEPFR | USACC | | 16.94 | 3.72 | | | | 15.69 | | | | |
| 2-WII | RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | E LINE I | PORT (| | 00/100 | | 10.01 | 02 | | | | 10.00 | | | | |
| UNE | Port/Loop Combination Rates | | | , | | | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 18.45 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 23.52 | | | | | | | | | | |
| LINE | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 Loop Rates | | 3 | | | 30.17 | | | | | | | | | | |
| UNE | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFB | UECF2 | 16.56 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFB | UECF2 | 21.63 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFB | UECF2 | 28.28 | | | | | | | | | | |
| 2-Wii | re Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPFB | UEPBL | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPFB | UEPBC | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice unbundled port outgoing only - bus 2-Wire voice Grade unbundled Tennessee extended local | | | UEPFB | UEPBO | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | dialing parity port with Caller ID - bus | | | UEPFB | UEPAV | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPFB | UEPB1 | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | İ | |
| | 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling | | | | | | | | | | | | | | | |
| | Port Economy Option (TACC1) | | | UEPFB | UEPAC | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling | | | | | | 0.4.00 | == 00 | | | | 4= 00 | | | | |
| | Port Standard Option (TACC2) 2-Wire voice unbundled Tennessee Bus 2-Way Collierville and | | | UEPFB | UEPAD | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | Memphis Local Calling Port (B2F) | | | UEPFB | UEPAE | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled Tennessee Business Dialing Plan | | 1 | 02110 | OLI AL | 1.09 | 04.33 | 37.39 | 52.50 | 20.30 | | 10.08 | | | | |
| | without Caller ID | | L | UEPFB | UEPWO | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | <u> </u> | 15.69 | | <u> </u> | <u> </u> | |
| | Tennessee Inward Collierville and Memphis Local Calling Plan | | | | | | | | | | | | | | | |
| | (BUS) | | <u> </u> | UEPFB | UEPB2 | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | Tennessee 2-Way Collierville and Memphis Local Calling Plan | | | LIEDED | LIEDDO | 4.00 | 04.00 | F7 00 | 20.00 | 20.50 | | 45.00 | | | | |
| 1.00 | (BUS) AL NUMBER PORTABILITY | | 1 | UEPFB | UEPB3 | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| LUCA | Local Number Portability (1 per port) | | ! | UEPFB | LNPCX | 0.35 | 1 | | | | | | | | | |
| INITE | ROFFICE TRANSPORT | | t | | | 3.30 | | | † † | | | | | | t | 1 |

| ONBONDL | ED NETWORK ELEMENTS - Tennessee | , | | | | | | | | | | | | ment: 2 | | bit: B |
|----------|--|-------------|----------|----------------|----------------|----------------|-----------------------|------------|-----------------------|------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | Namaanima | | Non-series | . Diaaaaaa | | | | Rates(\$) | | |
| | | | | | - | Rec | Nonrecurring First | Add'l | Nonrecurring First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | FIISL | Auu i | FIISL | Add I | SOMEC | SOWAN | SOWAN | SOWAN | SOWAN | SOWAN |
| | Termination | | | UEPFB | U1TV2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | CELLE | 011172 | 10.00 | 00.00 | 17.07 | 27.00 | 0.01 | | | | | | |
| | or Fraction Mile | | | UEPFB | 1L5XX | 0.0174 | | | | | | | | | | |
| FEAT | TURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPFB | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| NON | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-as-is | | | UEPFB | USAC2 | | 16.94 | 3.72 | | | | 15.69 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch with change | | | UEPFB | USACC | | 16.94 | 3.72 | | | | 15.69 | | | | |
| | RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | <u> </u> | | | 10.7- | | | | | | | | | ļ | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 18.45 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 23.52 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 30.17 | | | | | | | | | | |
| UNE | Loop Rates | | 1 | LIEDED | LIECEO | 40.50 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | | UEPFP UEPFP | UECF2 UECF2 | 16.56 21.63 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFP | UECF2 | 28.28 | | | | | | | | | | |
| 2.Wii | re Voice Grade Line Port Rates (BUS - PBX) | | 3 | UEPFP | UECF2 | 20.20 | | | | | | | | | | 1 |
| 2-9911 | le voice Grade Line Fort Rates (BOS - FBX) | | | | | | | | | | | | | | | 1 |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPFP | UEPPC | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPFP | UEPPO | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPFP | UEPP1 | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPFP | UEPLD | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Tennessee | | | | <u> </u> | | | | | | | | | | | |
| | Calling Port | | | UEPFP | UEPT2 | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee | | | | | | | | | | | | | | | |
| | Calling Port | | | UEPFP | UEPTO | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPFP | UEPXA | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPFP | UEPXB | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPFP | UEPXC | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPFP | UEPXD | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | | | | | | |
| | Capable Port | ļ | <u> </u> | UEPFP | UEPXE | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | ļ | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | l | | LIEDED | LIED." | | | | | | | 4-0- | | | | |
| | Administrative Calling Port | <u> </u> | <u> </u> | UEPFP | UEPXL | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | LIEDED | LIEDVAA | 4.70 | 400.40 | 00.00 | 40.07 | 40.54 | | 45.00 | | | | |
| | Room Calling Port | - | <u> </u> | UEPFP | UEPXM | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port | l | | UEPFP | UEPXN | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| - | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | OLFIF | ULFAIN | 1.79 | 100.40 | 03.00 | 42.07 | 10.54 | | 13.09 | | | | |
| | Discount Room Calling Port | l | | UEPFP | UEPXO | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPFP | UEPXS | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX Collierville and Memphis Calling | 1 | † | | 52. 7.0 | 1.75 | 100.40 | 55.50 | 72.01 | 10.04 | | 10.00 | | | | |
| | Port | l | | UEPFP | UEPXU | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ | | | 1 | | | | | | | | | | | | |
| | Callling Port | l | | UEPFP | UEPXV | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| LOC | AL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPFP | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.69 | | | | |
| INTE | ROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination | | | UEPFP | U1TV2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | l | | | | | | | | | | | | <u> </u> | | |
| | or Fraction Mile | | <u> </u> | UEPFP | 1L5XX | 0.0174 | | | | | | | | | | <u> </u> |
| IFFΔ | TURES | | <u> </u> | UEPFP | UEPVF | | 0.00 | 0.00 | | | | 15.69 | | | | |
| | All Features Offered | | | | | 0.00 | | | | | | | | | | |

| UNBUN | NDLE | D NETWORK ELEMENTS - Tennessee | , | | , | | | | | | | | | , | | ment: 2 | | ibit: B |
|--|----------|--|--|-------|--|--------|---------|-------|--|------------|--|------------|---|---|--|--|---|---|
| CATEGO | ORY | RATE ELEMENTS | Interi m | Zone | В | cs | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | | | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates(\$) | I. | 1 |
| | | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | | |
| | | Combination - Conversion - Switch-as-is | | | UEPFP | | USAC2 | | 16.94 | 3.72 | | | | 15.69 | | | | |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | | |
| | | Combination - Conversion - Switch with change | | | UEPFP | | USACC | | 16.94 | 3.72 | | | | 15.69 | | | | |
| | | ORT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | | |
| | | VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PORT | | | | | | | | | | | | | | | |
| , l | UNE Po | ort/Loop Combination Rates | | | | | | 10.00 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | | 18.38 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | | | 19.87 | | | | | | | | | | |
| —. | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | | | 24.78 | | | | | | | | | | |
| | | pop Rates | | 1 | UEPPX | | UECD1 | 9.60 | | | | | | | | - | 1 | 1 |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | - | 2 | UEPPX | | UECD1 | 11.09 | | | | | | | | | | |
| \vdash | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | - | 3 | UEPPX | | UECD1 | 16.00 | | | | | | | | - | | <u> </u> |
| ٠, | | prt Rate | | J | JLIFA | | JEOD I | 10.00 | + | | | | | | | 1 | 1 | |
| | | Exchange Ports - 2-Wire DID Port | | | UEPPX | | UEPD1 | 8.78 | 45.44 | 29.94 | 8.45 | 3.91 | | | 30.89 | 7.03 | + | |
| P | NONRE | CURRING CHARGES - CURRENTLY COMBINED | 1 | - | CLIIX | | OLI DI | 0.76 | 70.44 | 23.34 | 0.40 | 5.51 | | | 30.09 | 7.03 | | 1 |
| H | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - | | | | | + | | | | | | | | | | 1 | † |
| | | Switch-as-is | | | UEPPX | | USAC1 | | 8.76 | 5.75 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | OL: : X | | 00,101 | | 0.10 | 00 | | | | | 00.00 | 7.00 | | |
| | | with BellSouth Allowable Changes | | | UEPPX | | USA1C | | 8.76 | 5.75 | | | | | 30.89 | 7.03 | | |
| 1 | Teleph | one Number/Trunk Group Establisment Charges | | | | | 1 | | | | † | | | | 22.20 | 150 | | |
| | | DID Trunk Termination (One Per Port) | | | UEPPX | | NDT | 0.00 | 0.00 | 0.00 | 1 | | | | | İ | | |
| | | Additional DID Numbers for each Group of 20 DID Numbers | <u></u> | | UEPPX | | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPPX | | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve Non-Consecutive DID numbers | | | UEPPX | | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve DID Numbers | | | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| L | | NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPX | | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | | ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII | NE SIDE | PORT | | | | | | | | | | | | | | |
| ι | | ort/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | | | | | | | | | | | | | | |
| | | UNE Zone 1 | | 1 | UEPPB | UEPPR | | 32.27 | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | _ | | | | | | | | | | | | | | |
| | | UNE Zone 2 | | 2 | UEPPB | UEPPR | | 34.78 | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | 1 | 3 | UEPPB | UEPPR | 1 | 44.32 | | |] | | | | | | | |
| | IINE ! ^ | UNE Zone 3 | | 3 | UEPPB | UEPPR | 1 | 44.32 | | | | | | | | - | 1 | 1 |
| - | | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | 1 | 1 | UEPPB | UEPPR | USL2X | 16.20 | + | | + | | | | | - | | |
| | | 2 TVIIO IODIN DIGITALI OTAGO LOOP - OINE ZOITO I | | | JEITB | OLFFIX | JULEA | 10.20 | + | | | | | | | 1 | 1 | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | 1 | 2 | UEPPB | UEPPR | USL2X | 18.71 | | |] | | | | | | | |
| \vdash | | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | 1 | 3 | UEPPB | UEPPR | USL2X | 28.25 | | | | | | | | 1 | 1 | |
| l | | ort Rate | 1 | | J D | 021110 | 33 | 20.20 | | | | | | | | 1 | 1 | |
| | | Exchange Port - 2-Wire ISDN Line Side Port | 1 | | UEPPB | UEPPR | UEPPB | 16.07 | 141.75 | 118.37 | 49.20 | 43.26 | | | 19.99 | 19.99 | 1 | |
| ı | | CURRING CHARGES - CURRENTLY COMBINED | | | <u> </u> | | 1 | | | | | | | | | | | |
| l f | | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | | | | | | | İ | | † | | | | | İ | | |
| | | Combination - Conversion | l | | UEPPB | UEPPR | USACB | 0.00 | 117.23 | 117.23 | | | | | 19.99 | 19.99 | | |
| | ADDITI | ONAL NRCs | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy | ł | | | | | | Ì | | | | | | | | | |
| | | Non Feature/Add Trunk | | | UEPPB | UEPPR | USASB | | 212.88 | | | | | | 19.99 | 19.99 | | |
| L | | NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | |
| E | B-CHAI | NNEL USER PROFILE ACCESS: | | | | | | · | | | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | ļl | | | | | | | |
| | | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | ļ | | | | | | ļ | ļ |
| <u> </u> | | CSD | 1 | TA 1\ | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | ļ . | | | | | | | ļ |
| E | | NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SI CVS/CSD (DMS/5ESS) | ک,MS, & | IN) | LIEDDE | LIEDDE | LIALICE | 0.00 | 0.00 | 0.00 | ļ . | | | | | | | ļ |
| | | 11: VS/CSO (110/S/SESS) | ı | 1 | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | 1 | | I | l | | ı | 1 | 1 |

Version 1Q03: 02/28/03 Page 389 of 420

| UNB | UNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | | ment: 2 | | ibit: B |
|------|---------|--|-------------|----------|-------|-------|----------|---------|--------------|------------|--------------|------------|---|---|--|--|---|---|
| CATE | GORY | RATE ELEMENTS | Interi m | Zone | e E | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | | _ | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates(\$) | 1 | |
| | | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | CSD | | | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | USER | FERMINAL PROFILE | | | | | | | | | | | | | | | | |
| | | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | VERTIO | CAL FEATURES | | | | | | | | | | | | | | | | |
| | | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel mileage each, including first mile and | | | | | | | | | | | | | | | | |
| | | facilities termination | | | | UEPPR | M1GNC | 17.91 | 53.99 | 17.37 | | | | | 19.99 | 19.99 | | |
| | | Interoffice Channel mileage each, additional mile | | | UEPPB | UEPPR | M1GNM | 0.173 | 0.00 | 0.00 | | | | | | | | 1 |
| | | DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | K PORT | | | | | | | | | | | | | | | 1 |
| | UNE Po | prt/Loop Combination Rates | | | | | | | | | | | | | | | | 1 |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 | | 1 | UEPPP | | | 132.58 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 | | 2 | UEPPP | | | 150.25 | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | | |
| | | Zone 3 | | 3 | UEPPP | | | 173.44 | | | | | | | | | | 1 |
| | UNE Lo | pop Rates | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | | USL4P | 57.73 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | | USL4P | 75.40 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | | USL4P | 98.59 | | | | | | | | | | 1 |
| | UNE Po | ort Rate | | | | | | | | | | | | | | | | 1 |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | | UEPPP | 74.85 | 415.53 | 366.90 | 89.28 | 77.43 | | | 19.99 | 19.99 | | |
| | NONRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | | l | | | | | | | | | | | | | |
| | | Combination - Conversion -Switch-as-is | <u> </u> | | UEPPP | | USACP | 0.00 | 328.53 | 328.53 | | | | | 19.99 | 19.99 | | |
| | ADDITI | ONAL NRCs | <u> </u> | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | UEPPP | | PR7TF | | 0.94 | | | | | | 19.99 | 19.99 | | |
| | | Inward/two way Tel Nos. (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | 1 | | UEPPP | | PR/IF | | 0.94 | | | | | | 19.99 | 19.99 | | |
| | | Outward Tel Numbers (All States except NC) | | | UEPPP | | PR7TO | | 22.36 | 22.36 | | | | | 19.99 | 19.99 | | |
| | - | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | 1 | 1 | UEPPP | | PR/IO | | 22.30 | 22.30 | | | | 1 | 19.99 | 19.99 | | + |
| | | Subsequent Inward Tel Numbers | | | UEPPP | | PR7ZT | | 44.71 | 44.70 | | | | | 19.99 | 19.99 | | |
| | LOCAL | NUMBER PORTABILITY | 1 | 1 | OLFFF | | FRIZI | | 44.71 | 44.70 | | | | 1 | 19.99 | 19.99 | | + |
| | LOCAL | Local Number Portability (1 per port) | + | | UEPPP | | LNPCN | 1.75 | 1 | | | | 1 | | | | | + |
| | INTER | FACE (Provsioning Only) | + | | OLITI | | LIVI OIV | 1.75 | 1 | | | | 1 | | | | | + |
| | INTERN | Voice/Data | | | UEPPP | | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | + |
| | | Digital Data | | | UEPPP | | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | t |
| | | Inward Data | | | UEPPP | | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | t |
| | New or | Additional "B" Channel | | | | | | | | | | | | | | | | |
| | | New or Additional - Voice/Data B Channel | | | UEPPP | | PR7BV | 0.00 | 28.39 | | | | | | 19.99 | 19.99 | | |
| | | New or Additional - Digital Data B Channel | | | UEPPP | | PR7BF | 0.00 | 29.11 | | | | | | 19.99 | 19.99 | | 1 |
| | | New or Additional Inward Data B Channel | | | UEPPP | | PR7BD | 0.00 | 29.39 | | | | | | 19.99 | 19.99 | | |
| | CALL 1 | | | | | | | | | | | | | | | | | |
| | | Inward | | | UEPPP | | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Outward | | | UEPPP | | PR7CO | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| | | Two-way | | | UEPPP | | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interof | ice Channel Mileage | | | | | | | | | | | | | | | | |
| | | Fixed Each Including First Mile | | | UEPPP | | 1LN1A | 76.1825 | 145.98 | 109.85 | 19.55 | | | | 19.99 | 19.99 | | |
| | | Each Airline-Fractional Additional Mile | | | UEPPP | | 1LN1B | 0.3525 | | | | | | | | | | |
| | | DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | | | |
| | UNE Po | prt/Loop Combination Rates | | | | - | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | | 93.28 | | | | | | | 19.99 | 19.99 | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | | 110.95 | | | | | | | 19.99 | 19.99 | | |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | | 134.14 | | | | | | | 19.99 | 19.99 | | |
| | UNE Lo | pop Rates | <u> </u> | <u> </u> | | | | | | | | | | | | | 1 | |
| | 1 | 4-Wire DS1 Digital Loop - UNE Zone 1 | <u> </u> | 1 | UEPDC | | USLDC | 57.53 | | | ļ | | | | | | ļ | |
| | 1 | 4-Wire DS1 Digital Loop - UNE Zone 2 | <u> </u> | 2 | UEPDC | | USLDC | 75.40 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | | USLDC | 98.59 | | | | | ļ | | | | | |
| | JUNE P | ort Rate | 1 | 1 | 1 | | 1 | 1 | 1 | | | l | | 1 |] | I | 1 | 1 |

Version 1Q03: 02/28/03 Page 390 of 420

| NRONDLE | D NETWORK ELEMENTS - Tennessee | | | • | | | | | | | | | | ment: 2 | | bit: B |
|---------|---|-------------|--------|---------------------|-----------|--------|--|------------|--------------|-------|---|---|---|--|--|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge Manual So Order vs Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 35.55 | 342.80 | 257.87 | 61.41 | 48.49 | | | 19.99 | 19.99 | | |
| NONR | ECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | LIEBBO | | | 040.04 | 040.04 | | | | | 40.00 | 40.00 | | |
| | - Switch-as-is | | | UEPDC | USAC4 | | 312.91 | 312.91 | | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | LIEBBO | | | 040.04 | 040.04 | | | | | 40.00 | 40.00 | | |
| | - Conversion with DS1 Changes 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | UEPDC | USAWA | | 312.91 | 312.91 | | | | | 19.99 | 19.99 | | |
| | - Conversion with Change - Trunk | | | UEPDC | USAWB | | 312.91 | 312.91 | | | | | 19.99 | 19.99 | | |
| ADDIT | TONAL NRCs | | - | UEPDC | USAWB | | 312.91 | 312.91 | | | | | 19.99 | 19.99 | | |
| ADDII | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | + | | + | | | | | | | | | |
| | Service Activity Per Service Order | | | UEPDC | USAS4 | | 94.88 | 94.88 | | | | | | | | |
| _ | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | OLI DO | 00/104 | | 34.00 | 34.00 | | | | | | | | |
| | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 108.67 | 108.67 | | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | 021 00 | JULIA | | 100.07 | 100.07 | | | | | 13.35 | 10.00 | | 1 |
| | Channel Activation/Chan - 1-Way Outward Trunk | 1 | | UEPDC | UDTTB | | 108.67 | 108.67 | | | 1 | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | 02. 00 | 55115 | | 100.07 | 100.07 | | | | | 10.99 | 10.00 | | 1 |
| | Activation/Chan Inward Trunk w/out DID | 1 | | UEPDC | UDTTC | | 108.67 | 108.67 | | | 1 | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | 02. 20 | 050 | | 100.01 | 100.01 | | | | | 10.00 | 10.00 | | |
| | Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 108.67 | 108.67 | | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 108.67 | 108.67 | | | | | 19.99 | 19.99 | | |
| BIPOL | AR 8 ZERO SUBSTITUTION | | | 02. 20 | 002 | | 100.01 | 100.01 | | | | | 10.00 | 10.00 | | |
| | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00 | 590.00 | | | | | 19.99 | 19.99 | | |
| | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 590.00 | | | | | 19.99 | 19.99 | | |
| Altern | ate Mark Inversion | | | | | | | | | | | | | | | |
| | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| Telepi | hone Number/Trunk Group Establisment Charges | | | | | | 1 | | | | | | | | | |
| | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | | 19.99 | 19.99 | | |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | | 19.99 | 19.99 | | |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | | 19.99 | 19.99 | | |
| | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | | | 19.99 | 19.99 | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | | | | | | | 19.99 | 19.99 | | |
| | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Dedic | ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 | Digital | Loop | with 4-Wire DDITS 1 | runk Port | | | | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO1 | 75.83 | 145.98 | 109.85 | 19.66 | 14.99 | | | | | | |
| | | | | | 1 | | | | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.3525 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | | | | | | | | 1 | | | | | |
| | Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | | | | | | | | | | | | | |
| | miles | | | UEPDC | 1LNOB | 0.3525 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Later (Co. Observat Miles on Additional and Co. Co. | | | LIEBBO | 41,1100 | 0.0505 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.3525 | 0.00 | 0.00 | | | | | 1 | 1 | 1 | <u> </u> |
| | Local Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | | | | | 1 | 1 | 1 | 1 |
| A 1877 | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | - | - | - | 1 |
| | E DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | + | | | | | | | | | | | |
| | m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | | | har of parts us | 1 | | | | | | ļ | | - | - | - | |
| | System can have up to 24 combinations of rates depending on OS1 Loop | type ar | ıa num | iber of ports used | + + | | | | | | | | - | - | - | 1 |
| UNE L | | | 1 | LIEDMC | USLDC | F7 70 | 0.00 | 0.00 | | | | | | | | |
| 1 | 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 | | | UEPMG UEPMG | | 57.73 | 0.00 | 0.00 | | | | | - | - | - | 1 |
| | 14-VVICE US LLOOD - LINE ZODE Z | 1 | 2 | IUEPNG | USLDC | 75.40 | 0.00 | | | | | | | | | |
| | | | | | HELDO | 00.50 | 0.00 | 0.00 | | | | | | | | |
| likie e | 4-Wire DS1 Loop - UNE Zone 3 SO Channelization Capacities (D4 Channel Bank Configuration | 20) | | UEPMG | USLDC | 98.59 | 0.00 | 0.00 | | | | | | | | |

| NRONDE | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | | bit: B |
|---------|--|-----------|--|--------------------|---------------|-----------------|--------------|------------|--------------|-------|--|-----------|-------------|-------------|-------------|--|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Increment |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | ١ | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Sv |
| ATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | | , | | | | |
| AILGORI | KATE ELEMENTO | m | Lone | B00 | 0000 | | | INATEO (Ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | INI | | T N1 | B' | | | | D-1(A) | | |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 263.74 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 527.48 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 791.42 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 827.76 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM2O | 1,318.70 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | | | | | | | | | | | | | | | | |
| | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,582.44 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 2,109.92 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM4O | 2,637.40 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 3,164.88 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 3.692.36 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| Non- | Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with | h Chann | Aliztio | | | | | 0.00 | | | | | 10.00 | 10.00 | | |
| | nimum System configuration is One (1) DS1, One (1) D4 Channe | | | | | | Stelli | | | | 1 | | | | | |
| | | | | | | | | | + + | | 1 | | | 1 | | 1 |
| Multi | iples of this configuration functioning as one are considered Ac | ad'i afte | r the m | inimum system con | riguration is | counted. | | | ļ | | ļ | | | | | |
| | NRC - Conversion (Currently Combined) with or without | | ĺ | | | | l | | 1 | | | | | 1 | | |
| | BellSouth Allowed Changes | | | UEPMG | USAC4 | 0.00 | 303.61 | 15.74 | | | | | 19.99 | 19.99 | | |
| Syste | em Additions at End User Locations Where 4-Wire DS1 Loop with | th Chan | nelizat | ion with Port Comb | ination Curre | ntly Exists and | t | | | | | | | | | |
| New | (Not Currently Combined) in all states, except in Density Zone 1 | of Top | 8 MSA | 's | | | | | | | | | | | | |
| _ | 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port | | | l | | | | | | | | | | | | |
| | and Assoc Fea Activation | | | UEPMG | VUMD4 | 0.00 | 704.68 | 441.48 | 138.36 | 16.41 | | | 19.99 | | | |
| | | | | UEPIVIG | VUIVID4 | 0.00 | 704.68 | 441.48 | 138.36 | 16.41 | | | 19.99 | | | |
| Bipo | lar 8 Zero Substitution | | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent | | | | | | | | | | | | | | | |
| | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 590.00 | | | | | | | | |
| | Clear Channel Capability Format - Extended Superframe - | | | | | | | | | | | | | | | |
| | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 590.00 | | | | | | | | |
| Altor | rnate Mark Inversion (AMI) | | | OLI IVIO | OCOLI | 0.00 | 0.00 | 000.00 | | | 1 | | | | | |
| Alter | | | | | | | | | | | | | | | | |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Exch | nange Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | | | | | | | | | | | | | |
| Exch | nange Ports | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 1.70 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 1.70 | 0.00 | 0.00 | 0.00 | 0.00 | 1 | | 30.89 | 7.03 | | |
| _ | Line Side Outward Charmenzed PBA Trunk Port - Business | | | UEPPA | UEPUX | 1.70 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.09 | 7.03 | | |
| | | | | | | | | | | | | | | | | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 1.70 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPDM | 8.97 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | 1 | |
| | Unbundled Exchange Ports, 2-Wire Channelized - Outdial - | | | | | | | | | | | | | | | |
| | (AL, KY, LA, MS, & TN)(Conversion from Network Access | | l | | | |] | | 1 | | 1 | | 1 | 1 | 1 | 1 |
| | Service) | | ĺ | UEPPX | UEPCY | 1.70 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| | | | | OLI I A | JLI UI | 1.70 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.09 | 1.03 | | |
| | Unbundled Exchange Ports, 2-Wire Channelized – Combination | | ĺ | | | | l | | 1 | | | | | 1 | | |
| | (AL, KY, LA, MS, & TN) (Conversion from Network Access | | l | | | |] | | | | | | 1 | 1 |] | |
| | Service) | | | UEPPX | UEPCT | 1.70 | 0.00 | 0.00 | 0.00 | 0.00 | <u> </u> | | 30.89 | 7.03 | | |
| | Unbundled Exchange Ports, 2-Wire Channelized - Outdial - | | | | | | | - | | | | | | | | |
| | Tennessee Only - Calling Plan - Regionsery | | l | UEPPX | UEPCZ | 1.70 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 |] | |
| | Unbundled Exchange Ports, 2-Wire Channelized – Two Way - | | | 1 | † | 0 | | 2.30 | | 2.30 | 1 | 1 | | 1 | 1 | 1 |
| | Tennessee Only – Calling Plan - Regionserv | | ĺ | UEPPX | UEPXV | 1.70 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| F | | - | | ULPFA | UEPAV | 1.70 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | - | |
| reati | ure Activations - Unbundled Loop Concentration | | | | 1 | | | | - | | | | | | | |
| | Feature (Service) Activation for each Line Port Terminated in D4 | | l | | | |] | | | | | | 1 | 1 |] | 1 |
| L | Bank (includes Q.1.4, P50.1, P.50.498) | | <u> </u> | UEPPX | 1PQWM | 2.02 | 23.94 | 12.64 | 3.82 | 3.80 | <u> </u> | | 30.89 | 7.03 | <u> </u> | <u> </u> |
| | Feature (Service) Activation for each Trunk Port Terminated in | | | | | | | | | | | | | | | |
| | D4 Bank (includes Q.1.4, P50.1, P.50.498) | | l | UEPPX | 1PQWU | 2.02 | 73.67 | 17.37 | 54.09 | 10.57 | | | 30.89 | 7.03 |] | 1 |
| Teler | phone Number/ Group Establishment Charges for DID Service | | | T | 1 | 2.32 | . 5.57 | | 000 | .0.01 | 1 | 1 | 55.55 | 50 | 1 | 1 |
| 1010 | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | + | | 1 | | | | | |
| | | | | | | | | | - | | | | | | | - |
| | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | ļ | | | | | |
| | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | L | | | | |
| | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| \neg | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | İ | | i | | | |
| Loca | al Number Portability | | l – | | 1 | 0.00 | 0.00 | 0.00 | | | 1 | | 1 | | 1 | |
| LUCA | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 0.45 | 0.00 | 0.00 | | | | | | | | _ |
| | | | <u> </u> | UEPPA | LINPUP | 3.15 | 0.00 | 0.00 | | | <u> </u> | | | | | |
| | TURES - Vertical and Optional | 1 | ı | I | | | 1 | | | | | l | ı | 1 | ı | 1 |

Version 1Q03: 02/28/03 Page 392 of 420

| UNB | UNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|------|---------|--|----------|----------|-----------------------|---------------|-------------------|-------------------|----------------|----------------|-----------------|-------------|--|-----------------|---------------|------------------|------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | Intori | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Sv |
| CATE | GORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | P | , | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add |
| | | | | | | | | | | | | | | | | 2.00 101 | 2.007144 |
| | | | | | | | Rec | Nonrecurring | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Local S | Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | |
| | | All Features Available | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| UNBL | | PORT LOOP COMBINATIONS - MARKET RATES | | | | | | | | | | | | | | | |
| | | Rates shall apply where BellSouth is not required to provide | unbund | dled lo | al switching or swit | tch ports per | FCC and/or St | tate Commission | n rules. | | | | | | | | |
| | | cludes: | | | | | | | | | | | | | | | |
| | | dled port/loop combinations that are Currently Combined or N | | | | | | | | | | | l <u>. </u> | | | | |
| | The To | p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda | ale, Mia | mi); G/ | (Atlanta); LA (New | Orleans); NO | (Greensboro- | Winston Salem | -Highpoint/Ch | arlotte-Gastor | nia-Rock Hill); | N (Nashvill | e). | | | | <u> </u> |
| | | uth currently is developing the billing capability to mechanica | | | | | | | | ng charges for | not currently | combined in | FL and NC | . In the interi | m where Bell | South cannot | bill Marke |
| | | BellSouth shall bill the rates in the Cost-Based section preced | | | the Market Rates and | d reserves th | e right to true- | up the billing of | difference. | | | | | | | | |
| | | arket Rate for unbundled ports includes all available features i | | | | | | | | | | | | | | | |
| | | fice and Tandem Switching Usage and Common Transport Us | age rat | es in th | e Port section of the | is rate exhib | it shall apply to | all combination | ons of loop/po | rt network ele | ments except | for UNE Coi | n Port/Loop | Combination | ns which have | e a flat rate us | age charge |
| | | : URECU). | | | | | | | | | | | | | | | |
| | For No | t Currently Combined scenarios the Nonrecurring charges are | listed i | in the F | irst and Additional | NRC column | s for each Port | USOC. For C | urrently Comb | ined scenarios | s, the Nonrecur | ring charge | s are listed | in the NRC - (| Currently Con | nbined section | n. |
| | | onal NRCs may apply also and are categorized accordingly. | | | | | | | | | | | | | | | |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 26.48 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 30.31 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 35.32 | | | | | | | | | | |
| | | pop Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 12.48 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 16.31 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 21.32 | | | | | | | | | | |
| | 2-Wire | Voice Grade Line Port (Res) | | | | | | | | | | | | | | | |
| | | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire voice Grade unbundled Tennessee extended local | | | | | | | | | | | | | | | |
| | | dialing parity port with Caller ID - res | | | UEPRX | UEPAQ | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | | | | | | | | | | | | | |
| | | ID - res (F2R) | | | UEPRX | UEPAK | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | | | | | | | | | | | | | |
| | | ID - res (TACER) | | | UEPRX | UEPAL | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | | | | | | | | | | | | | |
| | | ID - res (TACSR) | | | UEPRX | UEPAM | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | | | | | | | | | | | | | |
| | | ID - res (1MF2X) | | | UEPRX | UEPAN | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | | | | | | | | | | | | | |
| | | ID - res (2MR) | | | UEPRX | UEPAO | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundles res, low usage line port with Caller ID | | | | | | | | | | | | | | | |
| | | (LUM) | | | UEPRX | UEPAP | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled Low Usage Line Port without Caller ID | | | | | | | | | | | | | | | |
| | | Capability | | | UEPRX | UEPRT | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Unbundled Tennessee Residence Dialing Plan | | | | | | | | | | | | | | | |
| | | without Caller ID | | | UEPRX | UEPWN | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire voice unbundled Tennessee Area Plus Port without | | | | | | | | | | | | | | | |
| | | Caller ID Capability | | <u></u> | UEPRX | UEPRR | 14.00 | 90.00 | 90.00 | | <u> </u> | | | 30.89 | 7.03 | <u></u> | |
| | | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| | FEATU | | | | - | | | | | | | | | | | | |
| | | All Features Offered | | | UEPRX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | NONRE | ECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | <u></u> | UEPRX | USAC2 | <u></u> | 41.50 | 41.50 | | <u> </u> | | | 30.89 | 7.03 | <u></u> | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Switch with | | | | | | | | | | | | | | | |
| L | | change | | <u></u> | UEPRX | USACC | <u></u> | 41.50 | 41.50 | | <u> </u> | | | 30.89 | 7.03 | <u></u> | <u> </u> |
| | ADDITI | ONAL NRCs | | | | | | | | | | | | | | | |
| | | NRC - 2-Wire Voice Grade Loop/Line Port Combination - | | | | | | | | | | | | | | | |
| | | Subsequent | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | | | | | | | | | | | | | | | | | |

Version 1Q03: 02/28/03 Page 393 of 420

| ONRONDEED NE | ETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | | bit: B |
|--------------|---|--|--|----------|--------|-------|--------------|------------|--|-------|---|---|--|--|--|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Order vs. Electronic- | Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | ICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | | | | | | | | |
| | oop Combination Rates | | | | | | | | | | | | | | | |
| | /ire VG Loop/Port Combo - Zone 1 | | 1 | | | 26.48 | | | | | | | | | | |
| | /ire VG Loop/Port Combo - Zone 2 | | 2 | | | 30.31 | | | | | | | | | | |
| | /ire VG Loop/Port Combo - Zone 3 | | 3 | | | 35.32 | | | | | | | | | | |
| UNE Loop F | | | 1 | UEPBX | UEPLX | 12.48 | - | | | | | | | | | |
| | fire Voice Grade Loop (SL1) - Zone 1 fire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 16.31 | - | | | | | | | | | |
| | fire Voice Grade Loop (SL1) - Zone 2 | | 3 | UEPBX | UEPLX | 21.32 | | | <u> </u> | | | | | | | |
| | ee Grade Line Port (Bus) | | 3 | UEPBA | UEPLA | 21.32 | | | <u> </u> | | | | | | | |
| | rire voice unbundled port without Caller ID - bus | | 1 | UEPBX | UEPBL | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | fire voice unbundled port with Caller + E484 ID - bus | † | | UEPBX | UEPBC | 14.00 | 90.00 | 90.00 | | | <u> </u> | | 30.89 | 7.03 | I | t |
| | rie voice unbundled port with Carlet + E404 ib - Bus | | 1 | UEPBX | UEPBO | 14.00 | 90.00 | 90.00 | + + | | | | 30.89 | 7.03 | - | |
| | rice voice Grade unbundled Tennessee extended local | | | | | 50 | 33.50 | 55.50 | 1 | | | | 55.55 | 50 | 1 | |
| | ing parity port with Caller ID - bus | | 1 | UEPBX | UEPAV | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | I | |
| | rire voice unbundled Tennessee Bus 2-Way Area Calling | | | | 1 | 30 | 1 | 22.30 | 1 | | | | 22.30 | 1 | 1 | |
| | t Economy Option (TACC1) | | | UEPBX | UEPAC | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| 2-Wi | rire voice unbundled Tennessee Bus 2-Way Area Calling | | | | | | | | | | | | | | | |
| Port | t Standard Option (TACC2) | | | UEPBX | UEPAD | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| 2-Wi | ire voice unbundled Tennessee Bus 2-Way Collierville and | | | | | | | | | | | | | | | |
| | nphis Local Calling Port (B2F) | | | UEPBX | UEPAE | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | fire voice unbundled Incoming Only Port without Caller ID | | | | | | | | | | | | | | | |
| | ability | | | UEPBX | UEPBE | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | fire Voice Unbundled Tennessee Business Dialing Plan | | | | | | | | | | | | | | | |
| | out Caller ID | | | UEPBX | UEPWO | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | MBER PORTABILITY | <u> </u> | <u> </u> | LIEBBY . | LLIBOY | | | | | | | | | | | |
| | al Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | | |
| FEATURES | Features Offered | | | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | RRING CHARGES - CURRENTLY COMBINED | | | UEPBA | UEFVF | 0.00 | 0.00 | 0.00 | <u> </u> | | | | 30.69 | 7.03 | | |
| NONKECOK | KRING CHARGES - CURRENTLY COMBINED | | 1 | | | | | | | | 1 | | | | | |
| 2-\// | /ire Voice Grade Loop / Line Port Combination - Switch-as-is | | | UEPBX | USAC2 | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| | fire Voice Grade Loop / Line Port Combination - Switch with | | 1 | OLI DX | OOAOZ | | 41.50 | 41.50 | | | | | 30.03 | 7.03 | | |
| char | | | | UEPBX | USACC | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| ADDITIONA | | | | 02. 5/ | 00/100 | | 11.00 | 11.00 | | | | | 00.00 | 7.00 | | |
| | C - 2-Wire Voice Grade Loop/Line Port Combination - | | | | | | | | | | | | | | | |
| | sequent | | | UEPBX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | ICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | | |
| UNE Port/Lo | oop Combination Rates | | | | | | | | | | | | | | | |
| 2-Wi | fire VG Loop/Port Combo - Zone 1 | | 1 | | | 26.48 | | | | | | | | | | |
| 2-Wi | fire VG Loop/Port Combo - Zone 2 | | 2 | | | 30.31 | | | | | | | | | | |
| | fire VG Loop/Port Combo - Zone 3 | | 3 | | | 35.32 | | | | | | | | | | |
| UNE Loop F | | | | | | | | | | | | | | | | |
| | fire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRG | UEPLX | 12.48 | | | | | | | | | | |
| | fire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRG | UEPLX | 16.31 | | | | | | | | | | |
| | /ire Voice Grade Loop (SL1) - Zone 3 | ļ | 3 | UEPRG | UEPLX | 21.32 | ļ | | | | | | | | | |
| | te Grade Line Port Rates (RES - PBX) | ļ | <u> </u> | | | | ļ | | | | | | | | | |
| | /ire VG Unbundled Combination 2-Way PBX Trunk Port - | | | LIEBBO | LIEDDD | 44.00 | 00.00 | 00.00 | | | | | 20.00 | 7.00 | 1 | |
| Res | MBER PORTABILITY | - | 1 | UEPRG | UEPRD | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | | ├ | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | + | | | | | - | | |
| FEATURES | al Number Portability (1 per port) | | 1 | ULFRU | LINECE | 3.15 | 0.00 | 0.00 | 1 | | | | | 1 | | - |
| | Features Offered | | 1 | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | 1 | | | | 30.89 | 7.03 | | - |
| | RRING CHARGES - CURRENTLY COMBINED | | | OLI INO | OLI VI | 0.00 | 0.00 | 0.00 | 1 | | | | 30.09 | 7.03 | t | |
| | Compile | † | | | | | | | | | <u> </u> | | | | I | t |
| 2-Wi | rire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | 1 | UEPRG | USAC2 | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | I | |
| | rire Voice Grade Loop/ Line Port Combination - Switch with | | | 1 | 1 | | 50 | 50 | | | | | 55.55 | 50 | 1 | |
| Chai | | | 1 | UEPRG | USACC | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | 1 | |
| ADDITIONA | | | | İ | | | 1 | | | | 1 | i | | 1 | 1 | |

Version 1Q03: 02/28/03 Page 394 of 420

| <u>JNBUNDLE</u> | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|-----------------|--|-------------|------|----------------|----------------|----------------|----------------|------------|-------|--------------|--------|-----------|--|--|--------|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrecurring | | | g Disconnect | 001150 | 001111 | | Rates(\$) | 001441 | 001111 |
| | 2 Wire Loop/Line Side Port Combination - Non feature - | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| - | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | 0.00 | 0.00 | | | | | 30.03 | 7.00 | | |
| | Group | | | | | | 14.64 | 14.64 | | | | | 30.89 | 7.03 | | |
| 2-WIRI | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | |
| UNE P | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 26.48 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 30.31 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 35.32 | | | | | | | | | | |
| UNE L | oop Rates | | 4 | UEPPX | UEPLX | 10.10 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPPX | UEPLX | 12.48 16.31 | | | | 1 | + | | | 1 | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPPX | UEPLX | 21.32 | | | | | | | | 1 | | |
| 2-Wire | Voice Grade Line Port Rates (BUS - PBX) | | | OLI I X | OLI DX | 21.02 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Tennessee Calling Port | | | UEPPX | UEPT2 | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee | | | | | | | | | | | | | | | |
| | Calling Port 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX UEPPX | UEPTO UEPXA | 14.00 14.00 | 90.00 90.00 | 90.00 | | | | | 30.89 30.89 | 7.03 7.03 | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXA | 14.00 | 90.00 | 90.00 | | | - | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | | | | | | |
| | Capable Port | | | UEPPX | UEPXE | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPPX | UEPXM | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled 1-W Out PBX Hotel/Hospital Economy Administrative Calling Port TN | | | UEPPX | UEPXN | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | | | |
| | Discount Room Calling Port | | | UEPPX | UEPXO | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port 2-Wire Voice Unbundled PBX Collierville and Memphis Calling | | | UEPPX | UEPXS | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | Port | | | UEPPX | UEPXU | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ Callling Port | | | UEPPX | UEPXV | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | Tennessee PBX 2-Way Combo Each Additional Trunk Collierville and Memphis Local Calling Plan | | | UEPPX | UEPA6 | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | Tennessee PBX 2-Way Combo First Trunk Collierville and Memphis Local Calling Plan | | | UEPPX | UEPA7 | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| LOCAL | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| FEATU | | | | LIEDDY | LIED) /E | 0.00 | 0.00 | 0.00 | | | | | 00.00 | 7.00 | | |
| MOND | All Features Offered ECURRING CHARGES - CURRENTLY COMBINED | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| NONKI | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPPX | USAC2 | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | | - | | | | | | | | | | | | |
| ADDIT | Change IONAL NRCs | | 1 | UEPPX | USACC | | 41.50 | 41.50 | | | + | | 30.89 | 7.03 | | |
| 7.2211 | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |

| NRONDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | 1_ | _ | | ment: 2 | | ibit: B |
|-------------|--|-------------|----------|--------|--------|--------|--|------------|-----------------------|-------|---|---|--|--|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sy Order vs. Electronic Disc Add |
| | | | | | | | [N | | l | - B' | | | | | Diac rat | Disc Aud |
| | | | | | | Rec | Nonrecurring First | Add'l | Nonrecurring First | Add'l | COMEC | SOMAN | SOMAN | Rates(\$) | SOMAN | SOMAN |
| | 2 Wire Loop/Line Side Port Combination - Non feature - | | | | | | FIRST | Add I | FIRST | Addi | SOMEC | SOWAN | SUMAN | SUMAN | SUMAN | SOWAN |
| | Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | - | | 0.00 | 0.00 | | | 1 | | 30.03 | 7.03 | | 1 |
| | Group | | | | | | 14.64 | 14.64 | | | | | 30.89 | 7.03 | | |
| 2-WIR | E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | RT | | | | | 1 | | | | | | 00.00 | 7.00 | | |
| | ort/Loop Combination Rates | Ì | | | | | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 26.48 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 30.31 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 35.32 | | | | | | | | | | |
| UNE L | oop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 12.48 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 16.31 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 21.32 | | | | | | | | | | |
| 2-Wire | Voice Grade Line Port Rates (Coin) | | | | | | | | | | | | | | | |
| | 2-Wire Coin 2-Way without Operator Screening and without | | | | | | | | | | | | | | | |
| | Blocking (TN) | | | UEPCO | UEPTB | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | LIEBOO | HEDDD | 44.00 | 00.00 | 00.00 | | | | | 00.00 | 7.00 | | |
| | 900/976, 1+DDD (NC, TN) | | | UEPCO | UEPRP | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | LIEBOO | LIEDTA | 44.00 | 00.00 | 00.00 | | | | | 00.00 | 7.00 | | |
| | (TN) | | | UEPCO | UEPTA | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN) | | | UEPCO | UEPCA | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking | | | UEPCO | UEPCA | 14.00 | 90.00 | 90.00 | | | | | 30.69 | 7.03 | | 1 |
| | (TN) | | | UEPCO | UEPTC | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | | | OLI CO | OLI 10 | 14.00 | 30.00 | 30.00 | | | | | 30.03 | 7.05 | | |
| | 900/976, 1+DDD, 011+, and Local (TN) | | | UEPCO | UEPOT | 14.00 | 90.00 | 90.00 | | | | | 30.89 | 7.03 | | |
| LOCA | L NUMBER PORTABILITY | | | OLI GO | OLI OI | 14.00 | 50.00 | 50.00 | | | | | 00.00 | 7.00 | | |
| | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| NONR | ECURRING CHARGES - CURRENTLY COMBINED | | | | | | İ | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPCO | USAC2 | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | | | | | | | | | | | | | | |
| | Change | | | UEPCO | USACC | | 41.50 | 41.50 | | | | | 30.89 | 7.03 | | |
| ADDIT | IONAL NRCs | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPCO | USAS2 | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE | PORT (| RES) | | | | | | | | | | | | |
| UNE P | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 30.56 | ļ | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 35.63 | | | | | | | | | | <u> </u> |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | 1 | | 42.28 | | | | | | | | | | |
| UNE L | oop Rates | | 1 | UEPFR | UECF2 | 16.56 | | | | | 1 | | | - | - | 1 |
| -+- | 2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFR | UECF2 | 21.63 | | | | | | | | | | |
| -+- | 2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFR | UECF2 | 28.28 | | | | | | | | - | - | |
| 2-Mirc | Voice Grade Line Port Rates (Res) | | 3 | UEFFR | UECF2 | 20.20 | | | | | 1 | | | | | 1 |
| 2-44116 | 2-Wire voice unbundled port - residence | | | UEPFR | UEPRL | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | 1 | 15.69 | | | | 1 |
| | 2-Wire voice unburidled port vith Caller ID - res | - | † | UEPFR | UEPRC | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |
| -+ | 2-Wire voice unburidled port with Caller 15 - res 2-Wire voice unbundled port outgoing only - res | 1 | ! | UEPFR | UEPRO | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | 1 |
| | 2-Wire voice Grade unbundled Tennessee extended local | | 1 | | | 50 | 1 1 1 1 | . 2.30 | | 22.30 | | | | İ | 1 | |
| | dialing parity port with Caller ID - res | | | UEPFR | UEPAQ | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | 1 | 1 | |
| | 2-Wire voice unbundled Tennessee Area Plus with Caller ID - | | 1 | | | | | | | | Ì | | | | | İ |
| 1 | res (AC7) | | | UEPFR | UEPAH | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | 1 | 1 | |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | 1 | | | | | | | | Ì | | | | | |
| | | 1 | 1 | UEPFR | UEPAK | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | I | 15.69 | | 1 | 1 | <u> </u> |
| | ID - res (F2R) | | | | | 1 1100 | | | | | | | | | | |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | | | | ĺ | | | | | | | | | |
| | | | | UEPFR | UEPAL | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |

Version 1Q03: 02/28/03 Page 396 of 420

| UNBUNDL | ED NETWORK ELEMENTS - Tennessee | | | , | | | | | | | | , | | ment: 2 | | ibit: B |
|----------|---|--|--|----------------|---------|----------------|--|----------------|----------------|----------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | 1 | | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates(\$) | 1 | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | | | | | | | | | | | | | |
| | ID - res (1MF2X) | | | UEPFR | UEPAN | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller | 1 | | | | | | | | | | | | | | |
| | ID - res (2MR) | | | UEPFR | UEPAO | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID | | | | 1 | | | | | | | | | | | |
| | (LUM) | | | UEPFR | UEPAP | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled Tennessee Residence Dialing Plan without Caller ID | | | UEPFR | LIEDWAL | 44.00 | 445.00 | 75.00 | 40.00 | 30.00 | | 45.00 | | | | |
| INITE | ROFFICE TRANSPORT | 1 | | UEPFR | UEPWN | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |
| INTE | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | <u> </u> | | | - | | | | | | | | | | | |
| | Termination | | | UEPFR | U1TV2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | OLITIK | OTTVE | 10.00 | 00.00 | 17.07 | 27.00 | 0.01 | | | | | | 1 |
| | or Fraction Mile | | | UEPFR | 1L5XX | 0.0174 | | | | | | | | | | |
| FEA | TURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPFR | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| LOC | AL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPFR | LNPCX | 0.35 | | | | | | | | | | |
| NON | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-as-is | | | UEPFR | USAC2 | | 16.94 | 3.72 | | | | 15.69 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | 4= 00 | | | | |
| 0.140 | Combination - Conversion - Switch-With-Change | <u> </u> | DODT (| UEPFR | USACC | | 16.94 | 3.72 | | | | 15.69 | | | | |
| | RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR | E LINE I | PORT (| BUS) | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | <u> </u> | 1 | | - | 30.56 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 2 | | | 35.63 | | | | | | | | | | 1 |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 42.28 | | | | | | | | | | |
| UNE | Loop Rates | 1 | Ŭ | | | .2.20 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFB | UECF2 | 16.56 | İ | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFB | UECF2 | 21.63 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFB | UECF2 | 28.28 | | | | | | | | | | |
| 2-Wi | re Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPFB | UEPBL | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPFB | UEPBC | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPFB | UEPBO | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |
| | 2-Wire voice Grade unbundled Tennessee extended local | | | LIEDED | LIEDA)/ | 44.00 | 445.00 | 75.00 | 40.00 | 00.00 | | 45.00 | | | | |
| | dialing parity port with Caller ID - bus | 1 | | UEPFB UEPFB | UEPAV | 14.00 14.00 | 115.00 | 75.00 75.00 | 40.00 40.00 | 30.00 30.00 | | 15.69 | | | | |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling | - | | UEPFB | UEPB1 | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |
| | Port Economy Option (TACC1) | | 1 | UEPFB | UEPAC | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | 1 | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling | 1 | ! | 02110 | 02170 | 14.00 | 113.00 | 73.00 | 40.00 | 30.00 | | 10.08 | | | 1 | † |
| | Port Standard Option (TACC2) | | | UEPFB | UEPAD | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | 1 | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Bus 2-Way Collierville and | 1 | 1 | | | | 112.00 | . 2.00 | | 22.00 | | .5.50 | | | | † |
| | Memphis Local Calling Port (B2F) | | 1 | UEPFB | UEPAE | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | 1 | 15.69 | | | | |
| | 2-Wire Voice Unbundled Tennessee Business Dialing Plan | | | | | | | | | | | | | | | |
| | without Caller ID | | | UEPFB | UEPWO | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | |
| | Tennessee Inward Collierville and Memphis Local Calling Plan | | | | | | | | | | 1 | | | | | |
| | (BUS) | ļ | | UEPFB | UEPB2 | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | | | ↓ |
| | Tennessee 2-Way Collierville and Memphis Local Calling Plan | | 1 | LIEDED | LIEDE? | | | | | | 1 | , | | | | |
| 1.00 | (BUS) | | <u> </u> | UEPFB | UEPB3 | 14.00 | 115.00 | 75.00 | 40.00 | 30.00 | | 15.69 | | 1 | ļ. | |
| LOC | AL NUMBER PORTABILITY | + | <u> </u> | UEPFB | LNPCX | 0.35 | | | | | | | | - | - | |
| INITE | Local Number Portability (1 per port) ROFFICE TRANSPORT | + | | ULPFB | LINECA | 0.35 | | | | | - | | | - | 1 | |
| IINTE | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | 1 | | + + | | + | | | | | | | - | | |
| | Termination | | | UEPFB | U1TV2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | 1 | | OLITO | 01172 | 10.30 | 33.39 | 11.31 | 21.30 | 3.31 | | | | | <u> </u> | |
| . 1 | or Fraction Mile | | | UEPFB | 1L5XX | 0.0174 |] | | | | 1 | | | | | |
| FEA | TURES | | t | | 1 | | † † | | | | | | | | | 1 |
| | All Features Offered | 1 | | UEPFB | UEPVF | 0.00 | 0.00 | 0.00 | | | 1 | 15.69 | | 1 | 1 | + |

| ONRONDL | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | | ibit: B |
|------------------|--|-------------|------|----------|------------|--------|--|------------|--|------------|---|---|--|--|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | B | Nonrecurring | | Nonrecurring | Disconnect | | L | oss | Rates(\$) | l . | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| NON | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | 1 |
| | Combination - Conversion - Switch-as-is | | | UEPFB | USAC2 | | 16.94 | 3.72 | | | | 15.69 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch with change | | | UEPFB | USACC | | 16.94 | 3.72 | | | | 15.69 | | | | |
| | RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | | | | 00.50 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 30.56 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 35.63 | | | | | | | | | | |
| LINE | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 Loop Rates | | 3 | | | 42.28 | | | | | | | | | | |
| UNE | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFP | UECF2 | 16.56 | | | 1 | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFP | UECF2 | 21.63 | | | 1 | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | | UEPFP | UECF2 | 28.28 | | | | | 1 | | | | - | † |
| 2-Wi | re Voice Grade Line Port Rates (BUS - PBX) | | Ť | | 320.2 | 20.20 | | | | | | | | | 1 | |
| <u> </u> | | | | 1 | | | | | | | | | | | 1 | |
| . | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPFP | UEPPC | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | 1 | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPFP | UEPPO | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPFP | UEPP1 | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPFP | UEPLD | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Tennessee | | | | | | | | | | | | | | | 1 |
| | Calling Port | | | UEPFP | UEPT2 | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee | | | | | | | | | | | | | | | |
| | Calling Port | | | UEPFP | UEPTO | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPFP | UEPXA | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPFP | UEPXB | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPFP | UEPXC | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPFP | UEPXD | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | l | | | | | | | | | | | | |
| | Capable Port | | | UEPFP | UEPXE | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | LIEDED | LIEDVI | 44.00 | 400.40 | 00.00 | 40.07 | 40.54 | | 45.00 | | | | |
| | Administrative Calling Port | | | UEPFP | UEPXL | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPFP | UEPXM | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | | | | UEPFP | UEPAIVI | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port | | | UEPFP | UEPXN | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | 1 | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | OLITE | ULFAIN | 14.00 | 100.40 | 03.06 | 42.07 | 10.54 | | 15.09 | | | | |
| | Discount Room Calling Port | | | UEPFP | UEPXO | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | I | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPFP | UEPXS | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | 1 | 15.69 | | 1 | I | |
| | 2-Wire Voice Unbundled PBX Collierville and Memphis Calling | | | 1 | | | | 22.00 | 01 | | | | | | 1 | |
| | Port | | | UEPFP | UEPXU | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | 1 | |
| | 2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ | | | | | | | | | | | | | | | |
| | Callling Port | | | UEPFP | UEPXV | 14.00 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | I | |
| LOC | AL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPFP | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.69 | | | | |
| INTE | ROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | l | [<u>_</u> | | | | | | | | | | 1 | |
| | Termination | | | UEPFP | U1TV2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | ļ |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | LIEDED | 41.5307 | | | | | | | | | | 1 | |
| | or Fraction Mile | | | UEPFP | 1L5XX | 0.0174 | | | | | | | | | - | + |
| FEA | TURES | | | LIEDED | HED./E | 0.00 | 0.00 | 0.00 | | | | 45.00 | | | | |
| NON | All Features Offered RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | UEPFP | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| NON | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | - | - | + | | | | | | | | - | - | - | |
| | Combination - Conversion - Switch-as-is | | | UEPFP | USAC2 | | 16.94 | 3.72 | | | | 15.69 | | | 1 | |
| - - | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | OLPFF | USACZ | | 10.94 | 3.12 | | | | 15.69 | - | - | | |
| . | Combination - Conversion - Switch with change | | | UEPFP | USACC | | 16.94 | 3.72 | | | | 15.69 | | | I | |
| UNBUNDI FI | PORT/LOOP COMBINATIONS - MARKET BASED RATES | | | | 5555 | | 10.04 | 0.72 | + + | | | 10.00 | | | | |
| | RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PORT | | † | + | | | | 1 | | | | | | t | |

Version 1Q03: 02/28/03 Page 398 of 420

| UNB | UNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | , | | | | | | | | ment: 2 | | ibit: B |
|------|--------|--|-------------|---------|----------------|----------------|----------------|----------------|--------------|------------|--------------|-------|---|---|--|--|--------------------------|--|
| CATE | EGORY | RATE ELEMENTS | Interi m | Zone | E | scs | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Order vs. Electronic- | Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | UNE P | ort/Loop Combination Rates | | | | | | 10.00 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | | 49.60 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 2 | | | | 51.09 56.00 | | | | | | | | | | |
| | LINEL | pop Rates | | 3 | | | - | 36.00 | | | | | | | | | | |
| | ONE LO | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | | UECD1 | 9.60 | | | | | 1 | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 2 | UEPPX | | UECD1 | 11.09 | 1 | | | | 1 | | | | | + |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | | UECD1 | 16.00 | 1 | | | | 1 | | | | | + |
| | | Exchange Ports - 2-Wire DID Port | | | UEPPX | | UEPD1 | 40.00 | 600.00 | 45.00 | 8.45 | 3.91 | | | 30.89 | 7.03 | | + |
| | NONRE | CURRING CHARGES - CURRENTLY COMBINED | | | 02 | | 02. 5. | 10.00 | 000.00 | 10.00 | 0.10 | 0.01 | | | 00.00 | 7.00 | | 1 |
| | 1 | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - | | | | | | | | | | | | | | | | |
| | | Switch-As-Is Top 8 MSAs only | l | | UEPPX | | USAC1 | | 100.00 | 42.50 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | | | | | | | | | | | | | | |
| | | with BellSouth Allowable Changes Top 8 MSAs only | | | UEPPX | | USA1C | | 100.00 | 42.50 | | | | | 30.89 | 7.03 | | |
| | Teleph | one Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | | |
| | | DID Trunk Termination (One Per Port) | | | UEPPX | | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| | | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPPX | | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve Non-Consecutive DID numbers | | | UEPPX | | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| | | Reserve DID Numbers | | | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| | LOCAL | NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPX | | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | | ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII | NE SIDE | POR | Γ | | | | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | | | | | | | | | | | | | | |
| | | UNE Zone 1 | | 1 | UEPPB | UEPPR | | 32.27 | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | _ | | | | | | | | | | | | | | |
| | | UNE Zone 2 | | 2 | UEPPB | UEPPR | | 34.78 | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | _ | | | | | | | | | | | | | | |
| | | UNE Zone 3 | | 3 | UEPPB | UEPPR | 1101 01 | 44.32 | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 16.20 | | | | | | | | | | |
| | | O.W. IODN Brand On to Land HNE 7 and O | | 2 | LIEDDD | LIEDDD | 1101 01 | 40.74 | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB UEPPB | UEPPR UEPPR | USL2X USL2X | 18.71 28.25 | | | | | | | | | | |
| | | Exchange Port - 2-Wire ISDN Line Side Port | | 3 | UEPPB | UEPPR | UEPPB | 80.00 | 525.00 | 400.00 | 75.00 | 70.00 | | | 30.89 | 7.03 | | |
| | NONDE | CURRING CHARGES - CURRENTLY COMBINED | | | UEPPB | UEPPR | UEPPB | 80.00 | 525.00 | 400.00 | 75.00 | 70.00 | | | 30.89 | 7.03 | | + |
| | NONKE | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | | - | | | 1 | | | | | | 1 | | | | | |
| | | Combination - Conversion - Top 8 MSAs only | | | LIEDDD | UEPPR | USACB | 0.00 | 225.00 | 225.00 | | | | | 30.89 | 7.03 | | |
| | ADDIT | ONAL NRCs | | | OLITB | OLITIK | OOAOD | 0.00 | 223.00 | 223.00 | | | 1 | | 30.03 | 7.00 | | + |
| | ADDIII | 2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Activy | | | | | 1 | | 1 | | | | 1 | | | | | + |
| | | Non Feature/Add Trunk | | | UEPPB | UEPPR | USASB | | 212.88 | | | | | | 30.89 | 7.03 | | |
| | LOCAL | NUMBER PORTABILITY | | | OLITE | OLITIK | CONOD | | 212.00 | | | | | | 00.00 | 7.00 | | t |
| | | Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | t |
| | B-CHA | NNEL USER PROFILE ACCESS: | | | 02 | OL: | 2.1. 0/1 | 0.00 | 0.00 | 0.00 | | | | | | | | t |
| | | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CSD | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | B-CHA | NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO | C,MS, & | TN) | 1 | | 1 | 1 | | | | | | | | | | 1 |
| | | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | Ì | | | | | |
| | | CVS (EWSD) | | | UEPPB | UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CSD | | | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | USER | FERMINAL PROFILE | | | | | | | | | | | | | | | | |
| | | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | VERTIC | CAL FEATURES | | | | | | | | | | | | | | | | |
| | | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel mileage each, including first mile and | | | | | | | | - | | | | | | | | |
| L | | facilities termination | | <u></u> | | UEPPR | M1GNC | 17.91 | 53.99 | 17.37 | | | | | | | | |
| | | Interoffice Channel mileage each, additional mile | | | UEPPB | UEPPR | M1GNM | 0.173 | 0.00 | 0.00 | | | | | | | | |
| _ | 4-WIRE | DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | PORT | | | | | | | | | | | | | | | |

Version 1Q03: 02/28/03 Page 399 of 420

| DURONDEF | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------|---|-------------|--|--------------|--------|----------|--------------|------------|--|------------|---|---|---|---|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Increment Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | | Dee | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | rt/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEPPP | | 982.73 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | _ | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEPPP | | 1,000.40 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 | | 3 | UEPPP | | 1,023.59 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | USL4P | 57.73 | | | | | - | | | | - | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | USL4P | 75.40 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | USL4P | 98.59 | | | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | Ť | UEPPP | UEPPP | 925.00 | | 950.00 | 130.00 | 100.00 | | | 30.89 | 7.03 | | |
| | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | | | | | | | | | | | | | | |
| | Combination - Conversion -Switch-As-Is Top 8 MSAs only | | | UEPPP | USACP | 0.00 | 925.00 | 925.00 | | | | | 30.89 | 7.03 | | |
| | ONAL NRCs | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | | | | | | | | | | | | | |
| | Inward/two way Telephone Numbers (except NC) | | | UEPPP | PR7TF | | 0.94 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | | | | | |
| | Outward Tel Numbers (All States except NC) | | | UEPPP | PR7TO | | 22.36 | 22.36 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | | | | | | | | | | | | | |
| | Subsequent Inward Telephone Numbers | | | UEPPP | PR7ZT | | 44.71 | 44.70 | | | | | | | | |
| | NUMBER PORTABILITY | | | LIEDDD | LNDON | 4.75 | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPP | LNPCN | 1.75 | | | | | | | | | | |
| | ACE (Provsioning Only) Voice/Data | | | UEPPP | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Digital Data | | | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| | Inward Data | | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Additional "B" Channel | | | OLI I I | TIVIL | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 28.39 | | | | | | | | | |
| | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | | | | | | | | | | |
| | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 29.39 | | | | | | | | | |
| CALL T | YPES | | | | | | | | | | | | | | | |
| | Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Outward | | | UEPPP | PR7CO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | ice Channel Mileage | | | LIEBBB | | =0.400= | 4.45.00 | | 10.55 | | | | | | | |
| | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 76.1825 | 145.98 | 109.85 | 19.55 | | | | | | | |
| | Each Airline-Fractional Additional Mile DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | UEPPP | 1LN1B | 0.3525 | | | | | | | | | | |
| | ort/Loop Combination Rates | | | | + | | 1 | | | | | | | - | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | + | 93.28 | | | 1 | | | | | 1 | t | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | - | 2 | UEPDC | + | 110.95 | 1 | | | | | | | | t | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 3 | UEPDC | 1 | 134.14 | 1 | | | | | | | 1 | † | 1 |
| | op Rates | | Ť | | | .014 | | | | | | | | 1 | 1 | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 57.53 | | | 1 | | | | | | 1 | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 75.40 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 98.59 | | | | | | | | | | |
| UNE Po | | | | | | | | • | | • | | | _ | | | |
| | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 750.00 | 982.57 | 450.10 | 196.09 | 19.23 | | | 30.89 | 7.03 | | |
| | CURRING CHARGES - CURRENTLY COMBINED | | | ļ | 1 | | | | | | | | | ļ | ļ | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | LIEDDO | 110404 | | 242.21 | 040.61 | | | | | 20.00 | 7.00 | 1 | |
| - | - Switch-As-Is Top 8 MSAs only | | | UEPDC | USAC4 | | 312.91 | 312.91 | ļ | | | | 30.89 | 7.03 | - | |
| | 4 Wire DS1 Digital Loop / 4 Wire DDITS Trunk Bort Combination | | | | | | | | | | | | | | 1 | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes Top 8 MSAs only | | | UEPDC | USAWA | | 312.91 | 312.91 | | | | | 30.89 | 7.03 | 1 | |
| + | - Conversion with DOT Changes Top 6 MOAS Only | | | OLFDO | USAVVA | | 312.91 | 312.91 | | | - | | 30.09 | 1.03 | t | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | 1 | |
| | - Conversion with Change - Trunk Top 8 MSAs only | | | UEPDC | USAWB | | 312.91 | 312.91 | | | | | 30.89 | 7.03 | I | |
| ADDITIO | ONAL NRCs | | | | 20 | | 312.01 | 312.31 | | | 1 | | 00.00 | 7.00 | 1 | |

Version 1Q03: 02/28/03 Page 400 of 420

| NNRANDF | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | , | | ment: 2 | | ibit: B |
|---------|---|-------------|-------|--------|----------------|----------|--------------|------------|--|------------|---|---|--|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | всѕ | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates(\$) | l | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | | | 11130 | Addi | 11130 | Auu i | JONIEC | JONAN | JOWAN | JONAN | JOHAN | JOINAIN |
| | Service Activity Per Service Order | | | UEPDC | USAS4 | | 94.88 | 94.88 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | 02. 20 | 00/101 | | 000 | 0 1.00 | | | | | | | | |
| | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 108.67 | 108.67 | | | | | 30.89 | 7.03 | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | | | | | | | | | | | | |
| | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 108.67 | 108.67 | | | | | 30.89 | 7.03 | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | | | | | | | | | | | | | |
| | Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 108.67 | 108.67 | | | | | 30.89 | 7.03 | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 108.67 | 108.67 | | | | | 30.89 | 7.03 | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | 1 | |
| | Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 108.67 | 108.67 | | | | | 30.89 | 7.03 | ļ | ļ |
| BIPC | DLAR 8 ZERO SUBSTITUTION | | | LIEDDO | 00005 | | 2.22 | F00.00 | | | | | | | - | 1 |
| | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00 | 590.00 | | | | | | | ! | ļ |
| A 14 | B8ZS - Extended Superframe Format rnate Mark Inversion | | | UEPDC | CCOEF | | 0.00 | 590.00 | | | | | | | - | 1 |
| Aitei | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | 1 | | |
| | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | - | 1 |
| Tele | phone Number/Trunk Group Establisment Charges | | | OLFDC | IVICOFO | | 0.00 | 0.00 | | | | | | | | |
| 1010 | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | | | | | |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | | | | | 1 |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | | | | | |
| | DID Numbers, Establish Trunk Group and Provide First Group | | | 02. 20 | 05.02 | 0.00 | | | | | | | | | | |
| | of 20 DID Numbers | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | | | | | | | | | | |
| | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | icated DS1 (Interoffice Channel Mileage) - | | | | | | | | | | | | | | | |
| FX/F | CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | | | | | | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO1 | 75.83 | 145.98 | 109.85 | 19.66 | 14.99 | | | | | | |
| | lateraffica Channal Milanan Additional acts and sails 0.0 milan | | | LIEDDO | 41.000 | 0.0505 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.3525 | 0.00 | 0.00 | | | | | | | - | 1 |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | 1 | I | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | OLFDC | ILINU2 | 0.00 | 0.00 | 0.00 | | | | | | 1 | | |
| | miles | | | UEPDC | 1LNOB | 0.3525 | 0.00 | 0.00 | | | | | | 1 | I | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | 02. 00 | LINOD | 0.0020 | 0.00 | 0.00 | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | | | | | 0.00 | 0.00 | 0.00 | | | | | | 1 | 1 | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.3525 | 0.00 | 0.00 | | | | | | | | |
| | Local Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | i i | | | | | İ | 1 | |
| | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | 1 | | | | | | | |
| | IRE DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | | | | | | | | | | | | |
| | tem is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act | | | | | | | - | | | | | | | | |
| | stem can have various rate combinations based on type and nu | nber of | ports | used | | | | | | | | | | | | |
| UNE | DS1 Loop | | | | 1 | | | | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 57.73 | 0.00 | 0.00 | ļ | | | | | | | ļ |
| | 4-Wire DS1 Loop - UNE Zone 2 | | 2 | UEPMG | USLDC | 75.40 | 0.00 | 0.00 | | | | | | | - | _ |
| 1167- | 4-Wire DS1 Loop - UNE Zone 3 | 20) | 3 | UEPMG | USLDC | 98.59 | 0.00 | 0.00 | | | | | | | | |
| UNE | EDSO Channelization Capacities (D4 Channel Bank Configuration) 24 DSO Channel Capacity - 1 per DS1 | 15) | | UEPMG | VUM24 | 131.87 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | 48 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM24 VUM48 | 263.74 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | - | 1 |
| | 96 DSO Channel Capacity -1 per 2 DS1s | | | UEPMG | VUM96 | 527.48 | | 0.00 | | | | | 30.89 | 7.03 | | |
| -+ | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 791.42 | 0.00 | 0.00 | 1 | | | | 30.89 | 7.03 | | |
| -+ | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 827.76 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| - | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM2O | 1,318.70 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| | | | | | | | | | | | | | | | | |

Version 1Q03: 02/28/03 Page 401 of 420

| | D NETWORK ELEMENTS - Tennessee | ı | | 1 | | 1 | | | | | C C1 | Com Contr | | ment: 2 | | bit: B |
|-------------------|---|--|---------|---------------------|----------------|----------------------|------------------|---------------------------------------|--|---------------------------------------|---|-----------------------|--|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | 004 P00 01 1 0 1 0 P04 | | | LIEDMO | 1.// 15.400 | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| -+ | 384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG UEPMG | VUM38 VUM4O | 2,109.92 2,637.40 | 0.00 | 0.00 | | | | | 30.89 30.89 | 7.03 7.03 | | |
| -+ | 576 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM57 | 3,164.88 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| \longrightarrow | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 3,164.66 | 0.00 | 0.00 | - | | | | 30.89 | 7.03 | | - |
| Non-P | ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with | h Chanr | aliztio | | | | | 0.00 | | | | | 30.09 | 7.03 | | |
| | mum System configuration is One (1) DS1, One (1) D4 Channe | | | | | | Stelli | | | | | | | | | |
| | les of this configuration functioning as one are considered Ad | | | | | | | | | | | | | | | |
| | NRC - Conversion (Currently Combined) with or without | | | | T T | | | | | | | | | | | |
| | BellSouth Allowed Changes - Top 8 MSAs Only | | | UEPMG | USAC4 | 0.00 | 303.61 | 15.74 | | | | | 30.89 | 7.03 | | |
| Syster | n Additions Where Currently Combined and New (Not Current | ly Comb | ined) | | | | | | 1 | | | | | | | |
| | sity Zone 1 Top 8 MSAs | ĺ | | | | | | | | | | | | | | |
| | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc | | | | | | | | | | | | | | | |
| | Fea Activation - | | | UEPMG | VUMD4 | 0.00 | 704.68 | 441.48 | 138.36 | 16.41 | | | 30.89 | 7.03 | | |
| Bipola | r 8 Zero Substitution | | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent | | | | | | | | | | | | | | | |
| | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 590.00 | | | | | | | | |
| | Clear Channel Capability Format - Extended Superframe - | | | | | | | | | | | | | | | |
| | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 590.00 | | | | | | | | |
| Alterna | ate Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Extended Superframe Format | <u> </u> | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | nge Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | | | | | | | | | | | | | |
| Exchai | nge Ports | | | | | | | | | | | | | | | |
| | Line Oille On all indian Oler and in LERBY Total Book Business | | | HEDDY | LIEDOV | 44.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 00.00 | 7.00 | | |
| | Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 30.89 | 7.03 | | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | - |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| -+- | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPDM | 40.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| | Unbundled Exchange Ports, 2-Wire Channelized – Outdial – | | | OLITA | OLI DIVI | 40.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.03 | 7.05 | | |
| | (AL, KY, LA, MS, & TN) | | | UEPPX | UEPCY | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| | Unbundled Exchange Ports, 2-Wire Channelized – Combination | | | 02. T X | 02. 0. | | 0.00 | 0.00 | 0.00 | 0.00 | | | 00.00 | 7.00 | | |
| | (AL, KY, LA, MS, & TN | | | UEPPX | UEPCT | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| | Unbundled Exchange Ports, 2-Wire Channelized – Outdial – | | | | | | | | | | | | | | | |
| | Tennessee Only - Calling Plan - Regionserv | | | UEPPX | UEPCZ | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| | Unbundled Exchange Ports, 2-Wire Channelized - Two Way - | | | | | | Ì | | İ | | | | | | | |
| | Tennessee Only - Calling Plan - Regionserv | <u></u> | | UEPPX | UEPXV | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| Featur | e Activations - Unbundled Loop Concentration | | | | | | | · · · · · · · · · · · · · · · · · · · | | · · · · · · · · · · · · · · · · · · · | | | | | | |
| | Feature (Service) Activation for each Line Port Terminated in D4 | | | | | | | | | | | | | | | |
| \longrightarrow | Bank (includes Q.1.4, P.50.1, & P.50.498) | ļ | | UEPPX | 1PQWM | 2.02 | 40.00 | 20.00 | 6.00 | 5.00 | | | | | | |
| | Feature (Service) Activation for each Trunk Port Terminated in | | | | | | | | | | | | | | | |
| - | D4 Bank (includes Q.1.4, P.50.1, & P.50.498) | | | UEPPX | 1PQWU | 2.02 | 110.00 | 30.00 | 75.00 | 15.00 | | | | | | |
| Teleph | one Number/ Group Establishment Charges for DID Service | <u> </u> | | LIEDDY | NDT | 0.00 | 0.00 | 2.00 | ļ | | | | | ļ | ļ | |
| \longrightarrow | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number | | | UEPPX UEPPX | ND4 ND5 | 0.00 | 0.00 | 0.00 | | | 1 | | | - | - | - |
| -+- | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | + | | - | | | 1 | 1 | |
| -+- | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | + | | - | | | 1 | 1 | - |
| l ocal | Number Portability | | | ULIFA | 1400 | 0.00 | 0.00 | 0.00 | | | | | | - | - | |
| Local | Local Number Portability - 1 per port | 1 | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| FFATI | JRES - Vertical and Optional | † | | 02117 | LI 11 OI | 5.15 | 0.00 | 0.00 | | | <u> </u> | | | 1 | 1 | <u> </u> |
| | Switching Features Offered with Line Side Ports Only | | | İ | 1 | 1 | İ | | † | | | | | | | |
| | All Features Available | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| NBUNDLED | CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE | s | | | 1 | | | | † | | | | | | | |
| | t Based Rates are applied where BellSouth is required by FCC | | State (| Commission rule to | provide Unb | undled Local S | witching or Sw | itch Ports. | | | | | | | | |
| | | | | | | | | | | | | | | | t | |
| | ures shall apply to the Unbundled Port/Loop Combination - C | ost Bas | ea Kat | e section in the sa | me manner as | they are applie | ed to the Stand- | ·Alone Unbun | dled Port section | on of this Rate | Exhibit. | | | | | |
| 2. Feat | ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport | | | | | | | | | | | coin Port/Lo | op Combinat | ions. | | |

| NRONDL | ED NETWORK ELEMENTS - Tennessee | | | 1 | 1 | | | | | | | | | ment: 2 | | ibit: B |
|---------|---|-------------|----------|---------------------|---------------|-------------------|--------------|------------|--------------|------------|---|---|--|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge Manual S Order vs Electroni Disc Add |
| | | | | | | _ | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates(\$) | l | <u></u> |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 5. Ma | arket Rates for Unbundled Centrex Port/Loop Combination will | be nego | tiated | on an Individual Ca | ase Basis, un | til further notic | e. | | | | | | | | | |
| | P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only | | | | | | | | | | | | | | | |
| 2-Wir | e VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 1 | UEP91 | | 14.18 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 2 | UEP91 | | 18.01 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 3 | UEP91 | | 23.02 | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 1 | UEP91 | | 18.26 | | | | | 1 | | | l | I | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | 1 |
| | Design | | 2 | UEP91 | | 23.33 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | 1 | | i i | | | | | | | | | |
| | Design | | 3 | UEP91 | | 29.98 | | | | | | | | | | |
| UNE | Loop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP91 | UECS1 | 12.48 | | | | | | | | | | † |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP91 | UECS1 | 16.31 | | | | | | | | | | i e |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP91 | UECS1 | 21.32 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP91 | UECS2 | 16.56 | | | | | | | | | | i e |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP91 | UECS2 | 21.63 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP91 | UECS2 | 28.28 | | | | | | | | | | |
| UNE | Ports | | | | | | | | | | | | | | | † |
| | tates (Except North Carolina and Sout Carolina) | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP91 | UEPYA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | † |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | 0.10 | | | | | | | |
| | Area | | | UEP91 | UEPYB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | 0.10 | | | | | | | |
| | Area | | | UEP91 | UEPYH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | 1.1.4 | | | 91.19 | | | | | | | |
| | Center)2 Basic Local Area | | | UEP91 | UEPYM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | 0.10 | | | | | | | |
| | Term - Basic Local Area | | | UEP91 | UEPYZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | 02. 0. | 022 | | | 10.20 | 0.10 | 0.01 | | 00.00 | 7.00 | | | |
| | - Basic Local Area | | | UEP91 | UEPY9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | 02. 0. | 020 | | | 10.20 | 0.10 | 0.01 | | 00.00 | 7.00 | | | † |
| | Basic Local Area | | 1 | UEP91 | UEPY2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | 1 | 30.89 | 7.03 | l | I | |
| AL. K | (Y, LA, MS, & TN Only | | | | 1 | | | . 5.20 | 20 | 2.01 | | 22.50 | | 1 | 1 | |
| 7, 1 | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPQA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | 1 | t | — |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPQB | 1.70 | | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | 1 | 1 | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | - | UEP91 | UEPQH | 1.70 | | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | t | |
| | 2-Wire Voice Grade Port (Centrex With Galler 12) | | - | | 1 | | | .0.20 | 50 | 3.31 | | 30.00 | | | t | |
| | Center)2 | | 1 | UEP91 | UEPQM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | 1 | 30.89 | 7.03 | l | I | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | - | | J 3(11) | 1.70 | 22.17 | 10.20 | 5.45 | 0.01 | | 30.00 | 7.00 | | t | |
| | Term | | 1 | UEP91 | UEPQZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | 1 | 30.89 | 7.03 | l | I | |
| | · · | | - | | 1 | | | .0.20 | 50 | 3.31 | | 30.00 | | | t | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP91 | UEPQ9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | 1 | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPQ2 | 1.70 | | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | 1 | t | |
| Local | Switching | | | | 1 | | | .0.20 | 50 | 3.31 | | 30.00 | | 1 | t | |
| | Centrex Intercom Funtionality, per port | | | UEP91 | URECS | 0.6381 | | | | | | İ | | İ | 1 | |
| Local | Number Portability | | - | | 1 | 0.0001 | † | | | | | | | | t | |
| | Local Number Portability (1 per port) | | | UEP91 | LNPCC | 0.35 | 1 | | | | | | | 1 | t | |
| Featu | | | | - | | | | | | | | İ | | İ | 1 | |
| - Juli | All Standard Features Offered, per port | | | UEP91 | UEPVF | 0.00 | 1 | | | | | 30.89 | 7.03 | 1 | t | † |
| | All Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 433.78 | | | | | 30.89 | 7.03 | 1 | 1 | — |
| - | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 0.00 | | | t | | | 30.89 | 7.03 | † | † | † |
| | | | | | | | | | | | | | | | | |

| ONBONDL | ED NETWORK ELEMENTS - Tennessee | | | • | | | | | | | | | | ment: 2 | | bit: B |
|---------|--|-------------|----------|--------|--------|--------|--------------|------------|--|------------|---|---|--|--|--|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | Increment Charge - Manual Sv Order vs. |
| | | " | | | | | | | | | | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic Disc Add |
| | | | | | | B | Nonrecurring | | Nonrecurring | Disconnect | | l . | oss | Rates(\$) | 1 | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | Unbundled Network Access Register - Indial | | | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | Unbundled Network Access Register - Outdial | | | UEP91 | UAROX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | ellaneous Terminations | | | | | | | | | | | | | | | |
| 2-Wir | e Trunk Side Trunk Side Terminations, each | | | UEP91 | CENA6 | 8.78 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| Interd | office Channel Mileage - 2-Wire | | | UEP91 | CENAD | 8.78 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| litterc | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | M1GBC | 18.58 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 | M1GBM | 0.0174 | 22.14 | 10.20 | 0.40 | 0.01 | | 00.00 | 7.00 | | | |
| Featu | re Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | |
| | nannel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.66 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP91 | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP91 | 1PQW7 | 0.66 | | | ļ | | | | ļ | | ļ | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | LIEDO4 | 1PQWP | 0.66 | | | | | | | | | | |
| | Different Wire Center | | | UEP91 | TPQWP | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Frivate Line Loop Siot | | | OLF91 | IFQVVV | 0.00 | | | | | | | | | | |
| | Slot | | | UEP91 | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.66 | | | | | | | | | | |
| Non-l | Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | Conversion - Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP91 | USAC2 | | 1.03 | 0.29 | | | | 30.89 | 7.03 | | | |
| | New Centrex Standard Common Block | | | UEP91 | M1ACS | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | New Centrex Customized Common Block | | | UEP91 | M1ACC | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | Secondary Block, per Block | | | UEP91 | M2CC1 | 0.00 | 73.55 | | | | | 30.89 | 7.03 | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | | 68.57 | | | | | 30.89 | 7.03 | | | |
| | P CENTREX - 5ESS (Valid in All States) | | | | | | | | | | | | | | | |
| | e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| ONL | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 1 | UEP95 | | 14.18 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | <u> </u> | OLI SO | | 14.10 | | | | | | | | | | |
| | Non-Design | | 2 | UEP95 | | 18.01 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 3 | UEP95 | | 23.02 | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | • | | | | | | | | | | | | | | |
| | Design | | 1 | UEP95 | | 18.26 | | | ļ | | | | | | ļ | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | _ | UEP95 | | 23.33 | | | | | | | | | | |
| | Design | | 2 | UEP95 | | 23.33 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP95 | | 29.98 | | | | | | | | | | |
| LINE | Loop Rate | | 3 | OLF 95 | | 29.90 | | | 1 | | | | | | | |
| OI4L I | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 12.48 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 16.31 | | | | | | | | | | |
| İ | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 21.32 | | | 1 | | | | | | 1 | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 16.56 | İ | | | | | | | 1 | 1 | |
| ĺ | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 21.63 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 28.28 | | | | | | | | | | |
| | Port Rate | | | | | | | • | | • | | | | | | |
| All St | | | | | | | | | | | | | | | ļ | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | ļ | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | 1 | 1 | UEP95 | UEPYB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | 1 | 30.89 | 7.03 | l | | 1 |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | - | | | | | | | | | |

Version 1Q03: 02/28/03 Page 404 of 420

| JNDUNDL | ED NETWORK ELEMENTS - Tennessee | | | ı | | | | | | | | T - | | ment: 2 | | bit: B |
|---------|--|-------------|--|--------|----------------|--------|--|------------|--|------------|---|---|--|--|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment: Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | 1 | | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates(\$) | 1 | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 Basic Local Area | | | UEP95 | UEPYM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term - Basic Local Area | | | UEP95 | UEPYZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | - Basic Local Area | | | UEP95 | UEPY9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | LIEDOE | LIEDVO | 4.70 | 00.44 | 45.05 | 0.45 | 0.04 | | 00.00 | 7.00 | | | |
| A1 1 | Basic Local Area | | | UEP95 | UEPY2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| AL, r | (Y, LA, MS, SC, & TN Only 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| - | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | | 1 | UEP95 | UEPQB | 1.70 | | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | 1 |
| - | 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1 | - | | UEP95 | UEPQH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | t | |
| | 2-Wire Voice Grade Fort (Centrex with Caller 15)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | 021 00 | OL: Q11 | 1.70 | 22.14 | 10.20 | 0.43 | 5.31 | | 30.08 | 7.03 | | t | |
| 1 | Center)2 | | 1 | UEP95 | UEPQM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | 2=: =::: | | | | 2.10 | 2.01 | | 22.50 | 1.00 | | 1 | |
| | Term | | 1 | UEP95 | UEPQZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | 1 | I | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPQ9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPQ2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | GA Only | | | | | | | | | | | | | | | |
| Loca | l Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.6381 | | | | | | | | | | |
| Loca | l Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | |
| Featu | | | | | <u> </u> | | | | | | | | | | | |
| | All Standard Features Offered, per port | | <u> </u> | UEP95 | UEPVF | 0.00 | 100 =0 | | | | | 30.89 | 7.03 | | | |
| | All Select Features Offered, per port | | | UEP95 | UEPVS UEPVC | 0.00 | 433.78 | | | | | 30.89 | 7.03 | | | |
| NAR | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 0.00 | | | - | | | 30.89 | 7.03 | | | |
| NAK | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | - | |
| | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| Misc | ellaneous Terminations | | | 02. 00 | G7 (G7) | 0.00 | 0.00 | 0.00 | | | | 00.00 | 7.00 | | | |
| | re Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.78 | 47.75 | 47.01 | 9.21 | 8.47 | | 30.89 | 7.03 | | | |
| 4-Wii | re Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 35.55 | 75.93 | 38.15 | | | | 30.89 | 7.03 | | | |
| | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 108.67 | | | | | 30.89 | 7.03 | | | |
| Inter | office Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP95 | M1GBC | 18.58 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | ļ | |
| _ | Interoffice Channel mileage, per mile or fraction of mile | | ļ | UEP95 | M1GBM | 0.0174 | | | ļ | | | | ļ | | | |
| | ure Activations (DS0) Centrex Loops on Channelized DS1 Servic | е | <u> </u> | | 1 | | | | ļ . | | | | ļ | ļ | - | |
| D4 C | hannel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.66 | | | | | | | 1 | 1 | ! | |
| | realure Activation on D-4 Channel Bank Centrex Loop Slot | | <u> </u> | UEP95 | IPUWS | 0.66 | | | | | | | | | - | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | 1 | UEP95 | 1PQW6 | 0.66 | | | j | | | | | | | |
| _ | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Feature Activation on D-4 Channel Bank FX Trunk Side Loop | - | | OL1 30 | 11 4770 | 0.00 | | | | | | | | | t | |
| | Slot | | 1 | UEP95 | 1PQW7 | 0.66 | | |] | | | | | 1 | I | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | 1 | 3.00 | | | † | | | | | | 1 | |
| | Different Wire Center | | | UEP95 | 1PQWP | 0.66 | | | | | | | | | 1 | |
| | | | | | 1 1 | | 1 | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | 1 | UEP95 | 1PQWV | 0.66 | | |] | | | | | 1 | I | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP95 | 1PQWQ | 0.66 | | | | | | | <u> </u> | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.66 | | • | | • | | | | | | |
| Non- | Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | 1 | | 1 | | | | [| | | | | 1 | _ | |
| | changes, per port | | | UEP95 | USAC2 | | 1.03 | 0.29 | | | | 30.89 | 7.03 | ļ | | |
| | New Centrex Standard Common Block | l | <u></u> | UEP95 | M1ACS | 0.00 | 658.60 | | <u> </u> | | | 30.89 | 7.03 | ĺ | | 1 |

| UNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | 1 | • | | ment: 2 | | ibit: B |
|----------|---|-------------|------|----------|----------|-------|--------------|------------|--------------|------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | 1 | | Rates(\$) | | <u> </u> |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| likie i | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 68.57 | | | | | 30.89 | 7.03 | | | |
| | CENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | | |
| | e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| UNE | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | 1 | | | | | |
| | Non-Design | | 1 | UEP9D | | 14.18 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | - | OLI OD | | 14.10 | | | | | | | | | | + |
| | Non-Design | | 2 | UEP9D | | 18.01 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 3 | UEP9D | | 23.02 | | | | | | | | | | |
| UNE F | Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| I | Design | | _1 | UEP9D | <u> </u> | 18.26 | | | <u> </u> | | <u></u> | <u> </u> | <u> </u> | <u> </u> | | |
| Ì | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | Ì | | | | | | | | | |
| | Design | | 2 | UEP9D | | 23.33 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 3 | UEP9D | | 29.98 | | | | | | | | | | |
| UNE L | Loop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 12.48 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D | UECS1 | 16.31 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 21.32 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 16.56 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 21.63 | | | | | | | | | | ļ |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 28.28 | | | | | | | | | | |
| | Port Rate | | | | | | | | | | | | | | | |
| ALL S | TATES 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | - | UEF9D | UEFTA | 1.70 | 22.14 | 15.25 | 0.40 | 3.91 | | 30.69 | 7.03 | | | - |
| | Area | | | UEP9D | UEPYB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYD | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYE | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYF | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYG | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYT | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYU | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | | | LIEDOD | LIEDVA (| 4.70 | 00.44 | 45.05 | 0.45 | 0.04 | | 00.00 | 7.00 | | | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local | | | UEP9D | UEPYV | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | Area | | | UEP9D | UEPY3 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | | - | UEF9D | UEP13 | 1.70 | 22.14 | 15.25 | 0.40 | 3.91 | | 30.69 | 7.03 | | | - |
| | Area | | | UEP9D | UEPYH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| + | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | OLI BU | JLF III | 1.70 | 22.14 | 15.25 | 0.45 | 3.91 | | 30.09 | 1.03 | | 1 | |
| 1 | Indication))3 Basic Local Area | | | UEP9D | UEPYW | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 | | | 02.00 | 321 177 | 1.70 | 22.17 | 10.20 | 0.40 | 0.91 | | 55.55 | 7.03 | | 1 | |
| 1 | Basic Local Area | | | UEP9D | UEPYJ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| i | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | <u> </u> | 1 | | | | 50 | 2.31 | | | 1.30 | İ | | |
| 1 | 2 Basic Local Area | | | UEP9D | UEPYM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | | | | | | | | | | | | | |
| 1 | Basic Local Area | | 1 | UEP9D | UEPYO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | 1 | 30.89 | 7.03 |] | | |

| ONBONDER | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: B |
|----------|---|-------------|------|----------------|----------------|--------------|----------------|----------------|--------------|--------------|-------|---|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonrecurring | Add'l | Nonrecurring | | COMEC | SOMAN | SOMAN | Rates(\$) | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | | | | First | Add I | First | Add'l | SOMEC | SUMAN | SUMAN | SOMAN | SUMAN | SOWAN |
| | Basic Local Area | | | UEP9D | UEPYP | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYQ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPYR | 1.70 | 22.44 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPYR | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | - | + |
| | Basic Local Area | | | UEP9D | UEPYS | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | | | | | | 00 | | | | | | | 1 |
| | Basic Local Area | | | UEP9D | UEPY4 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY5 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | 4 |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area | | | UEP9D | UEPY6 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | OLI 3D | OLI 10 | 1.70 | 22.14 | 13.23 | 0.43 | 5.91 | | 30.03 | 7.03 | | | + |
| | Basic Local Area | | | UEP9D | UEPY7 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | 1 |
| | Term | | | UEP9D | UEPYZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | + |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area | | | UEP9D | UEPY2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| AL K | Y, LA, MS, SC, & TN Only | | | OLF9D | ULF 12 | 1.70 | 22.14 | 13.23 | 0.45 | 3.91 | | 30.03 | 7.03 | | 1 | + |
| AL, IX | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPQA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | + |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPQB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | 1 |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPQC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | 1 |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPQD | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPQE | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPQF | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPQG | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPQT UEPQU | 1.70 1.70 | 22.14 22.14 | 15.25 15.25 | 8.45 8.45 | 3.91 3.91 | | 30.89 | 7.03 7.03 | | - | + |
| - | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D UEP9D | UEPQU | 1.70 | 22.14 | 15.25 | 8.45 8.45 | 3.91 | | 30.89 30.89 | 7.03 | | - | + |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPQ3 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | + |
| - | 2-Wire Voice Grade Port (Centrex vith Caller ID) | | | UEP9D | UEPQH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | + |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | OLI OD | OLI QII | 1.70 | 22.17 | 10.20 | 0.40 | 0.01 | | 00.00 | 7.00 | | | 1 |
| | Indication)3 | | | UEP9D | UEPQW | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQJ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | | | | _ | _ | | |
| | 2 | | | UEP9D | UEPQM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPQO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | 1 | |
| 1 | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPQP | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPQP | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | + |
| | 1300 0.000 1 0.1 (00.11.07.011.01.011.01.01.01.01.01.01.01.01.01.0 | | | | J 44 | 1.70 | 22.14 | 10.20 | 5.45 | 5.51 | | 30.00 | 7.00 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPQR | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | , | | | | | | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPQS | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | + |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | l | UEP9D | UEPQ5 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| + | 2-vviie voice Glade Full (Celtile/Vulliel GVVC/LB3-IVI3200)2, 3 | | | OLIBD | ULFQU | 1.70 | 22.14 | 13.25 | 0.45 | 3.91 | | 30.09 | 1.03 | 1 | | |
| 1 | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPQ6 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | | | | | 0 | | | 20 | | | 72.23 | | | | <u>† </u> |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPQ7 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | - | | | | | | |
| | Term | | | UEP9D | UEPQZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |

| NBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | | bit: B |
|---------|--|-------------|----------|--------|----------------|--------|--------------|------------|--------------|------------|---|---|---|--|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | | Nonrecurring | | Nonrecurring | Disconnect | | | | Rates(\$) | DISC 1St | DISC Add I |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPQ9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPQ2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.6381 | | | | | | | | | | |
| Local | Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0.35 | | | | | | | | | | |
| Featu | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP9D | UEPVF | 0.00 | | | | | | 30.89 | 7.03 | | | |
| | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 433.78 | | | | | 30.89 | 7.03 | | | |
| | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 0.00 | | | | | | 30.89 | 7.03 | | | |
| NARS | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | ļ | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | 1 | |
| | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | Unbundled Network Access Register - Outdial | | <u> </u> | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | laneous Terminations | | <u> </u> | | | | | | | | | | | | | |
| 2-Wire | Trunk Side | | <u> </u> | LIEDOD | OENDO | 0.70 | 00.44 | 45.05 | 0.45 | 0.01 | | 00.00 | 7.00 | | | |
| 4 140 | Trunk Side Terminations, each | | <u> </u> | UEP9D | CEND6 | 8.78 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| 4-vvire | Digital (1.544 Megabits) DS1 Circuit Terminations, each | - | - | UEP9D | M1HD1 | 35.55 | 75.93 | 38.15 | | | | 30.89 | 7.03 | | | |
| | DS1 Circuit Terminations, each DS0 Channels Activiated per Channel | | | UEP9D | M1HD0 | 0.00 | 108.67 | 38.15 | | | | 30.89 | 7.03 | | | |
| Interes | ifice Channel Mileage - 2-Wire | | | UEP9D | MIHDO | 0.00 | 108.67 | | | | | 30.89 | 7.03 | | | |
| intero | Interoffice Channel Facilities Termination | | | UEP9D | M1GBC | 18.58 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | M1GBC M1GBM | 0.0174 | 22.14 | 15.25 | 0.40 | 3.91 | | 30.69 | 7.03 | | | |
| Footuu | e Activations (DS0) Centrex Loops on Channelized DS1 Service | | | UEP9D | IVITGDIVI | 0.0174 | | | | | | | | | | |
| | annel Bank Feature Activations | e | 1 | | | | | | | | | | | | | |
| D4 CII | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | 1 | UEP9D | 1PQWS | 0.66 | | | | | | | | | | |
| | reactive Activation on B-4 orialiner Bank Gentlex Loop Glot | | 1 | OLI 3D | 11 QVV0 | 0.00 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | 02. 02 | | 0.00 | | | | | | | | | | |
| | Slot | | | UEP9D | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | OLI OD | 11 00 117 | 0.00 | | | | | | | | | | |
| | Different Wire Center | | | UEP9D | 1PQWP | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP9D | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.66 | | | | | | | | | | |
| Non-R | ecurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP9D | USAC2 | | 1.03 | 0.29 | | | | 30.89 | 7.03 | | | |
| | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | | 68.57 | | | | | 30.89 | 7.03 | | | |
| | CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | | | | | | | | | | | | | | | |
| | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UNE P | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | 1 | ١. | | | | | | | | | | | | | |
| | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | UEP9E | | 14.18 | | | | | | | | | | |
| | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 2 | UEP9E | | 18.01 | | | | | | | | | | |
| | Non-Design | <u> </u> | 3 | UEP9E | | 23.02 | | | | | | | | | | |
| UNE P | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | - | | | | | | |
| | Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | UEP9E | | 18.26 | | | | | | | | | | |
| 1 | Design | l | 2 | UEP9E | | 23.33 | 1 | | | | I | | | | 1 | I |

| NRONDLE | ED NETWORK ELEMENTS - Tennessee | | | • | | | | | | | | | | ment: 2 | | ibit: B |
|-------------|--|-------------|------|----------|-----------|--------|--|------------|--|------------|--|---|--|--|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | + | | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates(\$) | | 1 |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | 7.44. | | 7144 | 0020 | | | | 00 | |
| | Design | | 3 | UEP9E | | 29.98 | | | | | | | | | | |
| LINE I | Loop Rate | | | 02.02 | 1 | 20.00 | | | | | | | | | | |
| OINE I | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9E | UECS1 | 12.48 | | | - | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9E | UECS1 | 16.31 | | | - | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E | UECS1 | 21.32 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 1 | UEP9E | UECS2 | 16.56 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9E | UECS2 | 21.63 | | | - | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 3 | UEP9E | UECS2 | 28.28 | | | | | | | | | | |
| | | | 3 | UEF9E | UEC32 | 20.20 | | | - | | | | | | | 1 |
| | Port Rate | | | - | - | | | | - | | | | | | | ļ |
| AL, F | L, KY, LA, MS, & TN only | | | LIEDOE | LIEDVA | 4 = | 20.11 | 15.05 | 0.45 | 0.01 | | 00.00 | 7.00 | | 1 | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9E | UEPYA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | 1 | 1 |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | LIEBOE | LIEDVD | 4.70 | 0044 | 45.05 | 0.45 | 2.01 | | 20.00 | 7.00 | | | |
| | Area | | | UEP9E | UEPYB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | ļ | 30.89 | 7.03 | | ļ | 1 |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | l | | | | | | | | | I | | | | | |
| | Area | | | UEP9E | UEPYH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | ļ | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 Basic Local Area | | | UEP9E | UEPYM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term - Basic Local Area | | | UEP9E | UEPYZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | - Basic Local Area | | | UEP9E | UEPY9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9E | UEPY2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| AL. K | Y, LA, MS, & TN Only | | | | | | | | | | | | | | | |
| ,, | 2-Wire Voice Grade Port (Centrex) | | | UEP9E | UEPQA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPQB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex ede termination) | | | UEP9E | UEPQH | 1.70 | | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex With Galler 18)1 | | | OLI OL | OLI QII | 1.70 | 22.17 | 10.20 | 0.40 | 0.01 | | 00.00 | 7.00 | | | |
| | Center)2 | | | UEP9E | UEPQM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| _ | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | - | UEF9E | UEPQIVI | 1.70 | 22.14 | 15.25 | 0.40 | 3.91 | | 30.69 | 7.03 | | | 1 |
| | | | | UEP9E | UEPQZ | 1.70 | 20.44 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| - | Term | | | UEP9E | UEPQZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | OWEN VIOLOGICAL BUILDING AND AND AND AND AND AND AND AND AND AND | | | LIEBOE | LIEBOO | 4.70 | 00.44 | 45.05 | 0.45 | 0.04 | | 00.00 | 7.00 | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPQ9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9E | UEPQ2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| Local | Switching | | | LIEBAE | | | | | | | ļ | ļ | | | ļ | 1 |
| | Centrex Intercom Funtionality, per port | | | UEP9E | URECS | 0.6381 | ļ | | 1 | | | ļ | | | | ļ |
| Local | Number Portability | | | L | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP9E | LNPCC | 0.35 | ļ | | 1 | | | | | | | <u> </u> |
| Featu | | | | ļ | | | | | | | <u> </u> | <u> </u> | | | | <u> </u> |
| | All Standard Features Offered, per port | | | UEP9E | UEPVF | 0.00 | | | | | | 30.89 | 7.03 | | | |
| | All Select Features Offered, per port | | | UEP9E | UEPVS | 0.00 | 433.78 | | | | | 30.89 | 7.03 | | | |
| | All Centrex Control Features Offered, per port | | | UEP9E | UEPVC | 0.00 | | | | | | 30.89 | 7.03 | | | |
| NARS | <u> </u> | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | Unbundled Network Access Register - Indial | | | UEP9E | UAR1X | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | Unbundled Network Access Register - Outdial | | | UEP9E | UAROX | 0.00 | | 0.00 | | | | 30.89 | 7.03 | | | |
| Misce | ellaneous Terminations | | | | | | | | | | | | | | | |
| | e Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9E | CEND6 | 8.78 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | İ | | |
| 4-Wire | e Digital (1.544 Megabits) | | | İ | 1 | | | | | | İ | 1 | 50 | İ | Ì | 1 |
| 1 | DS1 Circuit Terminations, each | | | UEP9E | M1HD1 | 35.55 | 75.93 | 38.15 | | | İ | 30.89 | 7.03 | | | |
| | DS0 Channel Activated Per Channel | | | UEP9E | M1HDO | 0.00 | 108.67 | 33.10 | | | - | 30.89 | 7.03 | | | |
| Intero | office Channel Mileage - 2-Wire | | | J J | | 0.00 | 100.07 | | + | | | 00.00 | 7.00 | | | |
| intero | Interoffice Channel Facilities Termination | | | UEP9E | M1GBC | 18.58 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | 1 | 1 |
| -+ | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9E | M1GBC | 0.0174 | 22.14 | 15.25 | 0.40 | 3.91 | | 30.09 | 1.03 | | 1 | |
| Fastu | re Activations (DS0) Centrex Loops on Channelized DS1 Servic | | | OLI OL | IVITODIVI | 0.0174 | | | 1 | | | | | | 1 | |
| | nannel Bank Feature Activations | - | | + | + + | | + | | + | | - | - | | - | - | |
| בי כי | | | | | | | | | | | | | | | | |

| JNBUNDLI | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------|--|--|----------|----------------|----------------|-------|--------------|----------------|--------------|-------|--------------------------------|------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|-------------------------------------|
| | | Interi | | | | | | | | | Svc Order Submitted Elec | Svc Order Submitted Manually | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc | Incrementa Charge - Manual Sv |
| ATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. Electronic- 1st | Order vs. Electronic- Add'l | Order vs. Electronic- Disc 1st | Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | 201150 | 0011411 | | Rates(\$) | 0011411 | 001441 |
| | + | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP9E | 1PQW6 | 0.66 | | | | | | | | | | |
| | Slot | | | UEP9E | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9E | 1PQWP | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| -+ | Slot | | <u> </u> | UEP9E | 1PQWQ | 0.66 | | | | | | | | | | ļ |
| Nor ! | Feature Activation on D-4 Channel Bank WATS Loop Slot Recurring Charges (NRC) Associated with UNE-P Centrex | | <u> </u> | UEP9E | 1PQWA | 0.66 | - | | | | | | | | | |
| NON-I | NRC Conversion Currently Combined Switch-As-Is with allowed | 1 | 1 | | + | | | | | | | | | | 1 | |
| | changes, per port | | | UEP9E | USAC2 | | 1.03 | 0.29 | | | | 30.89 | 7.03 | | | 1 |
| | New Centrex Standard Common Block | | | UEP9E | M1ACS | 0.00 | 658.60 | 0.20 | | | | 30.89 | 7.03 | | | |
| | New Centrex Customized Common Block | | | UEP9E | M1ACC | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9E | URECA | 0.00 | 68.57 | | | | | 30.89 | 7.03 | | | |
| | P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) | | | | | | | | | | | | | | | |
| | re VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | 1 | 1 | UEP93 | | 44.40 | | | | | | | | | | |
| | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | UEP93 | | 14.18 | | | | | | | | | | |
| | Non-Design | | 2 | UEP93 | | 18.01 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP93 | | 23.02 | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP93 | | 18.26 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 2 | UEP93 | | 23.33 | | | | | | | | | | |
| LINE | Design Loop Rate | | 3 | UEP93 | | 29.98 | | | | | | | | | | |
| UNE | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP93 | UECS1 | 12.48 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 2 | UEP93 | UECS1 | 16.31 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP93 | UECS1 | 21.32 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP93 | UECS2 | 16.56 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP93 | UECS2 | 21.63 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP93 | UECS2 | 28.28 | | | | | | | | | | |
| | Port Rate | ļ | <u> </u> | | | | | | | | | | | | ļ | |
| AL, K | (Y, LA, MS, & TN only | | <u> </u> | LIEDOS | LIEDVA | 4.70 | 00.44 | 45.05 | 0.45 | 0.01 | <u> </u> | 20.00 | 7.00 | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP93 UEP93 | UEPYA UEPYB | 1.70 | 22.14 | 15.25 15.25 | 8.45 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| + | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP93 | UEPYH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP93 | UEPYM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP93 | UEPYZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP93 | UEPY9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP93 | UEPY2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP93 | UEPQA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | İ | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP93 | UEPQB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP93 | UEPQH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |

| ONRONDLED | NETWORK ELEMENTS - Tennessee | | | 1 | | | | | | | 1 - | | | ment: 2 | | bit: B |
|-------------|---|-------------|------|-----------------|-----------------|----------------|-----------------|---------------|----------------|-----------------|-------------|---|---|---|--|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | 001150 | 001441 | | Rates(\$) | 0011411 | 001141 |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | + | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Center)2 | | | UEP93 | UEPQM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | OL: 50 | OLI QIVI | 1.70 | 22.14 | 10.20 | 0.40 | 0.01 | | 00.00 | 7.00 | | | |
| | Term | | | UEP93 | UEPQZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP93 | UEPQ9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP93 | UEPQ2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | witching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP93 | URECS | 0.6381 | | | | | | | | | | |
| | umber Portability | | | | LUBGO | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP93 | LNPCC | 0.35 | | | | | | | | | - | |
| Features | S All Standard Features Offered, per port | | | UEP93 | UEPVF | 0.00 | | | | | | | | | - | |
| | All Centrex Control Features Offered, per port | - | | UEP93 | UEPVF | 0.00 | | | | | | | | 1 | | 1 |
| NARS | an Control Control Features Offered, per port | <u> </u> | | JE1 30 | JLI VO | 0.00 | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP93 | UARCX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | Unbundled Network Access Register - Indial | | | UEP93 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | 1 | |
| | Unbundled Network Access Register - Outdial | | | UEP93 | UAROX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | neous Terminations | | | | | | | | | | | | | | | |
| | runk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP93 | CEND6 | 8.78 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP93 | M1HD1 | 35.55 | 75.93 | 38.15 | | | | 30.89 | 7.03 | | | |
| | DS0 Channels Activated, Per Channel | | | UEP93 | M1HDO | 0.00 | 108.67 | | | | | 30.89 | 7.03 | | | |
| | ce Channel Mileage - 2-Wire | | | | | 10.50 | 2011 | | | | | | = 00 | | | |
| | Interoffice Channel Facilities Termination | | | UEP93 | M1GBC | 18.58 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | Interoffice Channel mileage, per mile or fraction of mile Activations (DS0) Centrex Loops on Channelized DS1 Servic | | | UEP93 | M1GBM | 0.0174 | | | | | | | | | - | |
| | nel Bank Feature Activations | е | | | + | | - | | | | | | | | - | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP93 | 1PQWS | 0.66 | | | | | | | | | | |
| | catale / ouvalidit on B + onaimer Bank centrex 200p diet | | | 0L1 00 | 11 00110 | 0.00 | | | | | | | | | | 1 |
| l le | Feature Activation on D-4 Channel Bank FX Line Side Loop Slot | | | UEP93 | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP93 | 1PQW7 | 0.66 | | | | | | | | | | |
| F | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | Different Wire Center | | | UEP93 | 1PQWP | 0.66 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP93 | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop | | | | 450440 | | | | | | | | | | | |
| | Slot | | | UEP93 UEP93 | 1PQWQ 1PQWA | 0.66 | | | | | | | | | - | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP93 | 1PQWA | 0.66 | | | | | | | | | | |
| | curring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP93 | USAC2 | | 1.03 | 0.29 | | | | 30.89 | 7.03 | | | |
| | New Centrex Standard Common Block | | | UEP93 | M1ACS | 0.00 | 658.60 | 0.20 | | | | 30.89 | 7.03 | | | |
| | New Centrex Customized Common Block | | | UEP93 | M1ACC | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP93 | URECA | | 68.57 | | | | | 30.89 | 7.03 | | | |
| | Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| Note 2 - | Requres Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| | Requires Specific Customer Premises Equipment | | | | | • | | • | | • | | | | | | |
| NBUNDLED CE | ENTREX PORT/LOOP COMBINATIONS - MARKET RATES | | | | | | | | | | | | | | | |
| | et Rates are applied where BellSouth is not required by FCC | | | | | idled Local Sv | vitching or Swi | tch Ports. | | | | | | | ļ | |
| | ring Charges for all Standard Centrex and Centrex Conrol Fe | | | | | Lie alani | te all access? | 41 (! · · · | | | 4 4 11115 3 | ala Dest | 0 | <u> </u> | | |
| | Office and Tandem Switching Usage and Common Transport | | | | | | | | | | | | | | 1 | |
| | rst and additional Port nonrecurring charges apply to Not Cu | ırrently | Comb | ined Combos. Fo | r Currently Con | nbined Combo | os, the nonrecu | rring charges | snall be those | identified in t | ne Nonrecu | rring - Curre | ently Combine | ed sections. | | |
| | nal NRCs may apply also and are categorized accordingly. | | | 1 | | | , | | 1 | | | | | T | - | |
| | CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only G Loop/2-Wire Voice Grade Port (Centrex) Combo |) | | | + | | | | | | | | | | 1 | 1 |
| | rt/Loop Combination Rates (Non-Design) | | | | + | | | | | | 1 | | | | 1 | 1 |

| ONRONDLE | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | | bit: B |
|----------|--|-------------|------|----------------|----------------|--------|--|------------|--------------|-------|---|---|---|---|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - Manual Sv Order vs Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | • | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | LIEDOA | | 00.40 | | | | | | | | | | |
| | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- | | 1 | UEP91 | | 26.48 | - | | | | | | | | | |
| | Non-Design | | 2 | UEP91 | | 30.31 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OLI OI | + | 00.01 | | | | | | | | | | |
| | Non-Design | | 3 | UEP91 | | 35.32 | | | | | | | | | | |
| UNE F | Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 1 | UEP91 | | 30.56 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design Control of the | | 2 | UEP91 | | 35.63 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | _ | LIEDO4 | | 40.00 | | | | | | | | | | |
| I INF I | Design Loop Rate | 1 | 3 | UEP91 | + | 42.28 | | | | | | | | | 1 | |
| UNE | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP91 | UECS1 | 12.48 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP91 | UECS1 | 16.31 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP91 | UECS1 | 21.32 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | | UEP91 | UECS2 | 16.56 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP91 | UECS2 | 21.63 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP91 | UECS2 | 28.28 | | | | | | | | | | |
| UNE F | Ports | | | | | | | | | | | | | | | |
| All St | ates (Except North Carolina and Sout Carolina) | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP91 | UEPYA | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP91 | UEPYB | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | = 00 | | | |
| | Area | | | UEP91 | UEPYH | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP91 | UEPYM | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP91 | UEPTIVI | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.69 | 7.03 | | | |
| | Term - Basic Local Area | | | UEP91 | UEPYZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | OLI 31 | OLI IZ | 14.00 | 30.00 | 43.00 | 20.00 | 10.00 | | 30.03 | 7.00 | | | |
| | - Basic Local Area | | | UEP91 | UEPY9 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP91 | UEPY2 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| AL, K | Y, LA, MS, & TN Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPQA | 14.00 | 90.00 | 45.00 | | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP91 | UEPQB | 14.00 | 90.00 | 45.00 | | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPQH | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | 1 | | |
| | Center)2 | | | UEP91 | UEPQM | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | 1 | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP91 | UEPQZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | Term | - | - | OFLAI | UEFUL | 14.00 | 90.00 | 45.00 | ∠0.00 | 10.00 | | 30.89 | 7.03 | - | 1 | - |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP91 | UEPQ9 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated in 611 Weganink of equivalent | | | UEP91 | UEPQ2 | 14.00 | 90.00 | 45.00 | | 10.00 | | 30.89 | 7.03 | | | |
| Local | Switching | | | | J W.L | 14.00 | 33.50 | -10.00 | 20.00 | 10.00 | | 30.03 | 7.55 | 1 | | |
| | Centrex Intercom Funtionality, per port | | | UEP91 | URECS | 0.6381 | † † | | | | | | | | | |
| Local | Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP91 | LNPCC | 0.35 | | | | | | | | | | |
| Featu | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP91 | UEPVF | 0.00 | | | | | | 30.89 | 7.03 | | | |
| | All Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 433.78 | | | | | 30.89 | 7.03 | | | |
| | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 0.00 | ļ | | | | | 30.89 | 7.03 | ļ | | L |
| NARS | | | | LIEBO | Lunav | | | | ļ | | | 00.57 | | | ļ | |
| | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | 1 | ļ. | |
| | Unbundled Network Access Register - Indial | | | UEP91 UEP91 | UAR1X UAROX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | 1 | ļ. | ļ |
| | Unbundled Network Access Register - Outdial ellaneous Terminations | | | UEPSI | UAKUX | 0.00 | 0.00 | 0.00 | 1 | | . | 30.89 | 7.03 | | ļ | ļ |

| NBUNDL | LED I | NETWORK ELEMENTS - Tennessee | | | 1 | | | | | | | 1 - | T - | | ment: 2 | | bit: B |
|---------|---------|--|-------------|------|-------|-------|--------|--------------|------------|--------------|------------|---|---|--|--|---|---|
| ATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | • | oss | Rates(\$) | • | • |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2-Wi | ire Tru | unk Side | | | | | | | | | | | | | | | |
| | Tr | runk Side Terminations, each | | | UEP91 | CENA6 | 8.78 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| Inter | roffice | e Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Int | teroffice Channel Facilities Termination - Voice Grade | | | UEP91 | M1GBC | 18.58 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | Int | teroffice Channel mileage, per mile or fraction of mile | | | UEP91 | M1GBM | 0.0174 | | | | | | | | | | |
| Feat | ture A | ctivations (DS0) Centrex Loops on Channelized DS1 Service | е | | | | | | | | | | | | | | |
| D4 C | Chann | nel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Fe | eature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.66 | | | | | | | | | | |
| | Fe | eature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP91 | 1PQW6 | 0.66 | | | | | | | | | | |
| | Fe | eature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | SI | | | 1 | UEP91 | 1PQW7 | 0.66 | | | | | | | | l | I | |
| | | eature Activation on D-4 Channel Bank Centrex Loop Slot - ifferent Wire Center | | | UEP91 | 1PQWP | 0.66 | | | | | | | | | | |
| | | | | | | | 0.00 | | | | | | | | | | |
| | | eature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.66 | | | | | | | | | | |
| | | eature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | SI | | | | UEP91 | 1PQWQ | 0.66 | | | | | | | | | | |
| | Fe | eature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.66 | | | | | | | | | | |
| Non- | -Recu | irring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | Co | onversion - Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | ch | nanges, per port | | | UEP91 | USAC2 | | 1.03 | 0.29 | | | | 30.89 | 7.03 | | | |
| | Ne | ew Centrex Standard Common Block | | | UEP91 | M1ACS | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | Ne | ew Centrex Customized Common Block | | | UEP91 | M1ACC | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | Se | econdary Block, per Block | | | UEP91 | M2CC1 | 0.00 | 73.55 | | | | | 30.89 | 7.03 | | | |
| | N/ | AR Establishment Charge, Per Occasion | | | UEP91 | URECA | | 68.57 | | | | | 30.89 | 7.03 | | | |
| UNE | | NTREX - 5ESS (Valid in All States) | | | | | | | | | | | | | | | |
| 2-Wi | ire VG | Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UNE | Port/ | /Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | No | on-Design | | 1 | UEP95 | | 26.48 | | | | | | | | | | |
| | 2- | Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | No | on-Design | | 2 | UEP95 | | 30.31 | | | | | | | | | | |
| | 2- | Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | No | on-Design | | 3 | UEP95 | | 35.32 | | | | | | | | | | |
| UNE | Port/ | /Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | | Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | De | esign | | 1 | UEP95 | | 30.56 | | | | | | | | | | |
| | 2- | Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | | esign | | 2 | UEP95 | | 35.63 | | | | | | | | l | I | |
| | | Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | | esign | | 3 | UEP95 | | 42.28 | | | | | | | | | | |
| UNE | Loop | o Rate | | | | | | ĺ | | | | | | | | | |
| | 2- | Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 12.48 | | | | | | | | | | |
| | | Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 16.31 | ĺ | | | | | | | | | |
| | | Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 21.32 | | | | | | | | | | |
| | | Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 16.56 | İ | | | | | | | | | |
| | | Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 21.63 | ĺ | | | | | | | | | |
| | | Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 28.28 | | | | | | | | | | |
| UNE | Port | Rate | | | | | | | | | | | | | | | |
| All S | States | | | | | | | | | | | | | | | | |
| | 2- | Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | | Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2- | Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | İ | | | | | | | | | |
| | | rea | | 1 | UEP95 | UEPYH | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | l | I | |
| | 2- | Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| + | 2- | enter)2 Basic Local Area Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP95 | UEPYM | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | | erm - Basic Local Area | | l | UEP95 | UEPYZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | ĺ | | 1 |

| ONROND | LED NETWORK ELEMENTS - Tennessee | | | 1 | | | | | | | 1 - | | | ment: 2 | | ibit: B |
|---------|---|-------------|------|-------|-------|--------|--------------|------------|--------------|------------|---|---|--|--|-------------------------|------------------------------------|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Charge - Manual Svc Order vs. | Order vs. | Charge - Manual Sy Order vs. |
| | | | | | | | | | | | | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic Disc Add |
| | | | 1 | | | _ | Nonrecurring | | Nonrecurring | Disconnect | | l | oss | Rates(\$) | 1 | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | - Basic Local Area | | | UEP95 | UEPY9 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP95 | UEPY2 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| AL, | KY, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | ĺ |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPQB | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPQH | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | 1 |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | 1 |
| | Center)2 | | | UEP95 | UEPQM | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | | UEP95 | UEPQZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPQ9 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPQ2 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| FL 8 | & GA Only | | | | | | | | | | | | | | | |
| Loca | al Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.6381 | | | | | | | | | | Ī |
| Loca | al Number Portability | | | | | | | | | | | | | | | Ī |
| | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | Ī |
| Feat | tures | | | | | | | | | | | | | | | Ī |
| | All Standard Features Offered, per port | | | UEP95 | UEPVF | 0.00 | | | | | | 30.89 | 7.03 | | | |
| | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 433.78 | | | | | 30.89 | 7.03 | | | 1 |
| | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 0.00 | | | | | | 30.89 | 7.03 | | | 1 |
| NAR | RS | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | 1 |
| Misc | cellaneous Terminations | | | | | | | | | | | | | | | |
| 2-Wi | ire Trunk Side | | | | | | | | | | | | | | | 1 |
| | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.78 | 47.75 | 47.01 | 9.21 | 8.47 | | 30.89 | 7.03 | | | |
| 4-Wi | ire Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 35.55 | 75.93 | 38.15 | | | | 30.89 | 7.03 | | | 1 |
| | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 108.67 | | | | | 30.89 | 7.03 | | | |
| Inter | roffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP95 | M1GBC | 18.58 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | M1GBM | 0.0174 | | | | | | | | | | |
| Feat | ture Activations (DS0) Centrex Loops on Channelized DS1 Service | ce | | | | | | | | | | | | | | 1 |
| D4 C | Channel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.66 | | | | | | | | | | 1 |
| | · | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | 1 |
| | Slot | | | UEP95 | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | Different Wire Center | | | UEP95 | 1PQWP | 0.66 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | 1 |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | 1 | | 1 | | i i | | | | | | | |
| | Slot | | | UEP95 | 1PQWQ | 0.66 | | | | | I | | | 1 | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.66 | | | | | | | | | | 1 |
| Non | -Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | i i | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | İ | 1 | | i l | | i i | | | | | 1 | | 1 |
| | changes, per port | | | UEP95 | USAC2 | | 1.03 | 0.29 | | | | 30.89 | 7.03 | 1 | | |
| | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 658.60 | | i i | | | 30.89 | 7.03 | 1 | | 1 |
| | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 658.60 | | i i | | | 30.89 | 7.03 | 1 | | 1 |
| | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 68.57 | | i i | | | 30.89 | 7.03 | 1 | | 1 |
| UNE | E-P CENTREX - DMS100 (Valid in All States) | | 1 | | 1 | 2.30 | / | | 1 | | i | 22.22 | | 1 | Ì | |
| | ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | + | + | + | | | _ | | | | | I | | | 1 | + |

| ONBOND | LEL | NETWORK ELEMENTS - Tennessee | | | ı | | | | | | | Com Onder | Core Corel | Attach | | | ibit: B |
|----------|-----|---|-------------|----------|--------|--------|-------|--------------|------------|--------------|------------|--|-----------------------|--|--|---|--|
| CATEGORY | Y | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | | Rates(\$) | • | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| UNE | | rt/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | ļ |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP9D | | 26.48 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 2 | UEP9D | | 30.31 | | | | | | | | | | |
| | | Non-Design | | 3 | UEP9D | | 35.32 | | | | | | | | | | |
| UNE | | rt/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | - 1 | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP9D | | 30.56 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 2 | | | | | | | | | | | | | |
| | | Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 2 | UEP9D | | 35.63 | | | | | | | | | - | <u> </u> |
| | | Design | | 3 | UEP9D | | 42.28 | | | | | | | | | | |
| UNE | | op Rate | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 12.48 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D | UECS1 | 16.31 | | | | | | | | | | 1 |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 21.32 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 16.56 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 21.63 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 28.28 | | | | | | | | | | |
| | | rt Rate | | | | | | | | | | | | | | | |
| ALL | | ATES | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP9D | UEPYB | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area | | | UEP9D | UEPYC | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP9D | UEPYD | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area | | | UEP9D | UEPYE | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | | LIEDOD | LIEDVE | 44.00 | 00.00 | 45.00 | 00.00 | 40.00 | | 00.00 | 7.00 | | | |
| | | Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | | UEP9D | UEPYF | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | | Area 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | | | UEP9D | UEPYG | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | _ |
| | | Area | | | UEP9D | UEPYT | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area | | | UEP9D | UEPYU | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area | | | UEP9D | UEPYV | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local | | | | | | | | | | | | | | | |
| -+ | | Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | | } | UEP9D | UEPY3 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | - | 30.89 | 7.03 | | - | |
| | | Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | UEP9D | UEPYH | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | | Indication))3 Basic Local Area | | | UEP9D | UEPYW | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYJ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | 1 | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area | | | UEP9D | UEPYM | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | | | | | | | | | | | | | |
| - | | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPYO | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | <u> </u> | UEP9D | UEPYP | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | <u> </u> | 30.89 | 7.03 | | | |
| | | Basic Local Area | | | UEP9D | UEPYQ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |

| ONBOND | LED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | | ibit: B |
|----------|---|--|--|----------------|----------------|----------------|----------------|---------------------------------------|--|---------------------------------------|---|---|--|--|--------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates(\$) | I | |
| | | | 1 | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | | | | 1 1130 | дии | 1 11 50 | даат | COMILO | COMPAR | COMPAN | COMPAR | COMPAR | COMPAR |
| | Basic Local Area | | | UEP9D | UEPYR | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYS | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY4 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY5 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | LIEDOD | LIEDVO | 44.00 | 00.00 | 45.00 | 00.00 | 40.00 | | 00.00 | 7.00 | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPY6 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | 1 | + |
| | Basic Local Area | | | UEP9D | UEPY7 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | 1 | | 02 | 02. 17 | 14.00 | 55.56 | -10.00 | 20.00 | 10.00 | | 30.00 | 7.00 | | 1 | † |
| | Term | | | UEP9D | UEPYZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | 1 | | | 1 | | | | | | | | | | İ | |
| | Basic Local Area | | | UEP9D | UEPY9 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | | | | | | | · · · · · · · · · · · · · · · · · · · | | · · · · · · · · · · · · · · · · · · · | | | - | | | |
| | Local Area | | | UEP9D | UEPY2 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| AL, | KY, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPQA | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | 1 | UEP9D UEP9D | UEPQB | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | 1 | UEP9D UEP9D | UEPQC UEPQD | 14.00 14.00 | 90.00 90.00 | 45.00 45.00 | 20.00 20.00 | 10.00 10.00 | | 30.89 30.89 | 7.03 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPQE | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | 1 | + |
| | 2-Wire Voice Grade Fort (Centrex / EBS-M5112)3 | | 1 | UEP9D | UEPQF | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPQG | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPQT | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPQU | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPQV | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPQ3 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPQH | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | | | | | | | | | | = | | | |
| | Indication)3 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | 1 | UEP9D UEP9D | UEPQW UEPQJ | 14.00 14.00 | 90.00 90.00 | 45.00 45.00 | 20.00 20.00 | 10.00 10.00 | | 30.89 30.89 | 7.03 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/Nsg Wig Lamp Indication)3 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | UEP9D | UEPQJ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-ville voice Grade Port (Certifex from diff Serving ville Certier) | | | UEP9D | UEPQM | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPQO | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2 Wile Voice Glade For (Gentlewaller GWG/EBG FGE 1)2, G | | | OLI OD | OLI QO | 14.00 | 30.00 | 40.00 | 20.00 | 10.00 | | 00.00 | 7.00 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPQP | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPQQ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | | | | | | | | · | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPQR | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | ļ | <u> </u> |
| | O Wine Visite Crede Dest (Control 1977 - CMO (EDO MESSO) | | | LIEDOD | LIEBOO | 44.00 | 20.00 | 45.00 | 20.00 | 10.00 | | 00.00 | 7.00 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | 1 | 1 | UEP9D | UEPQS | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | ļ |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wile Voice Glade Fort (Centrewaller SWC/EBS-W5006)2, 3 | | 1 | OLI 3D | ULF Q4 | 14.00 | 50.00 | 45.00 | 20.00 | 10.00 | | 30.09 | 7.03 | | † | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPQ5 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | | | | | | 30 | | | | | | 70.00 | | | 1 | † |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPQ6 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | <u> </u> | |
| | | | | | | | | · · · · · · · · · · · · · · · · · · · | | · · · · · · · · · · · · · · · · · · · | | | - | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | 1 | | UEP9D | UEPQ7 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | - | 1 | UEP9D | UEPQZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | 1 | |
| | 2 Wire Voice Grade Port terminated in an Magalink or a suitable | .] | | LIEDOD | LIEDOO | 14.00 | 00.00 | 45.00 | 20.00 | 10.00 | | 20.00 | 7.00 | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term | + | 1 | UEP9D UEP9D | UEPQ9 UEPQ2 | 14.00 | 90.00 90.00 | 45.00 45.00 | 20.00 20.00 | 10.00 10.00 | 1 | 30.89 30.89 | 7.03 7.03 | | ł | 1 |
| Loc | al Switching | 1 | | OLI 3D | ULFQZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.09 | 7.03 | - | | |
| | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.6381 | | | | | ł – – – – | | | | 1 | + |

| UNE | SUNDLE | D NETWORK ELEMENTS - Tennessee | | 1 | 1 | 1 | | | | | | 1 - | T - | | ment: 2 | | ibit: B |
|-----|---------|---|--|-----------------|---------|-----------|--------|---|------------|---|------------|--|---|-------------------------------------|-------------------------------------|-------------------------|------------------------------------|
| ΑT | EGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. | Charge - Manual Svc Order vs. | Order vs. | Charge - Manual Sv Order vs. |
| | | | | | | | | | | | | | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic Disc Add |
| | | | | | | - | | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates(\$) | - II | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Local I | Number Portability | | | | | | | 71441 | 101 | 71441 | | 00 | | 00 | | |
| | | Local Number Portability (1 per port) | 1 | | UEP9D | LNPCC | 0.35 | | | | | | | | | | 1 |
| | Featur | | | | OLI OD | LIVI OO | 0.00 | | | | | | | | | + | + |
| | i catur | All Standard Features Offered, per port | | | UEP9D | UEPVF | 0.00 | | | 1 | | 1 | 30.89 | 7.03 | | + | + |
| | _ | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 433.78 | | | | | 30.89 | | | | + |
| | - | | | | | | | | | 1 | | | | 7.03 | | - | |
| | NADO | All Centrex Control Features Offered, per port | - | | UEP9D | UEPVC | 0.00 | | | | | | 30.89 | 7.03 | | | |
| | NARS | | | | LIEDAD | 1111001/ | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | | laneous Terminations | | | | | | | | | | 1 | <u> </u> | | | 1 | 1 |
| | 2-Wire | Trunk Side | <u> </u> | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP9D | CEND6 | 8.78 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 4-Wire | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 35.55 | 75.93 | 38.15 | | | | 30.89 | 7.03 | | | |
| | | DS0 Channels Activiated per Channel | | 1 | UEP9D | M1HDO | 0.00 | 108.67 | | | | | 30.89 | 7.03 | | | 1 |
| | Interof | fice Channel Mileage - 2-Wire | | | İ | 1 | 2.30 | | | † | | 1 | 1 | 1.50 | Ì | İ | 1 |
| | | Interoffice Channel Facilities Termination | | | UEP9D | M1GBC | 18.58 | 90.00 | 45.00 | 20.00 | 10.00 | 1 | 30.89 | 7.03 | | 1 | + |
| | - | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | M1GBM | 0.0174 | 50.00 | +0.00 | 20.00 | 10.00 | | 00.00 | 7.00 | | + | + |
| | Eostur | e Activations (DS0) Centrex Loops on Channelized DS1 Service | | | OLI 3D | WITODW | 0.0174 | | | | | | | | | | |
| | | annel Bank Feature Activations | e | | | - | | | | 1 | | - | | | | + | + |
| | D4 Cha | | | | LIEDAD | 4001440 | 0.00 | | | 1 | | | | | | - | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.66 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | | Slot | | | UEP9D | 1PQW7 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | | Different Wire Center | | | UEP9D | 1PQWP | 0.66 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | 1 |
| | | Slot | | | UEP9D | 1PQWQ | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.66 | | | | | | | | | | + |
| | Non-R | ecurring Charges (NRC) Associated with UNE-P Centrex | | | OLI OD | 11 001171 | 0.00 | | | | | | | | | + | + |
| | HOII IX | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | - | | | | | | | | | | + | + |
| | | | | | UEP9D | USAC2 | | 1.03 | 0.29 | | | | 30.89 | 7.03 | | | |
| | _ | changes, per port | - | ! | UEP9D | M1ACS | 0.00 | 658.60 | 0.29 | + | | | 30.89 | 7.03 | 1 | | + |
| | | New Centrex Standard Common Block | 1 | | | | | | | 1 | | 1 | | | 1 | 1 | + |
| | | New Centrex Customized Common Block | <u> </u> | 1 | UEP9D | M1ACC | 0.00 | 658.60 | | ļ | | . | 30.89 | 7.03 | | | |
| | | NAR Establishment Charge, Per Occasion | <u> </u> | 1 | UEP9D | URECA | | 68.57 | | 1 | | ļ | 30.89 | 7.03 | 1 | | |
| | | CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | ļ | ļ | | | | | | | | | ļ | | | | ↓ |
| | | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | <u> </u> | | | | | | | | | ļ | | | | 1 | 1 |
| | UNE P | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | 1 | | | 1 | | | | | | | | | | | |
| | | Non-Design | <u>L_</u> | 1 | UEP9E | | 26.48 | <u> </u> | | <u> </u> | | <u> </u> | <u> </u> | <u></u> | | 1 | 1 |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | | Non-Design | 1 | 2 | UEP9E | 1 | 30.31 | | | | | | I | Ì | | 1 | 1 |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | | 1 | | i i | | | | | | | | | 1 |
| | | Non-Design | 1 | 3 | UEP9E | 1 | 35.32 | | | | | | I | Ì | | 1 | 1 |
| | UNE P | ort/Loop Combination Rates (Design) | | | | | | | | 1 | | | | | İ | 1 | 1 |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | ! | | 1 | | | | | | | 1 | i | 1 | 1 | 1 | 1 |
| | | Design | | 1 | UEP9E | | 30.56 | | | | | | | | | 1 | 1 |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | - '- | OLI OL | + | 50.50 | 1 | | † | | | 1 | | † | † | + |
| | | | 1 | 2 | UEP9E | 1 | 35.63 | | | | | | I | Ì | | 1 | |
| | | Design | - | - 2 | UEPSE | -1 | 35.63 | 1 | | 1 | | 1 | 1 | | ļ. | + | + |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | 1 | _ | | 1 | | | | | | | I | Ì | | 1 | 1 |
| | | Design | ļ | 3 | UEP9E | | 42.28 | | | | | ļ | ļ | | | | ↓ |
| | UNE L | pop Rate | | | | | | | | | | | | | | 1 | 1 |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | <u> </u> | 1 | UEP9E | UECS1 | 12.48 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9E | UECS1 | 16.31 | | | | | | | | | | |
| - | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E | UECS1 | 21.32 | į i | | | | | | | | | 1 |

| NNRONDLE | D NETWORK ELEMENTS - Tennessee | | | 1 | | | | | | | | T - | | ment: 2 | | bit: B |
|----------|---|-------------|------|--------|---------|--------|--------------|------------|--|-------|---|---|--|--|----------|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Increment Charge Manual S Order vs Electronic Disc Add |
| | | | | | | | | | | | | | | | Diac rat | DISC Add |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | 0.10" 1/2" 0 1-1 (01.0) - 7 4 | | | LIEDOE | LIFOOO | 10.50 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9E | UECS2 | 16.56 | | | - | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9E | UECS2 | 21.63 | | | | | | | | | | ļ |
| LINE | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9E | UECS2 | 28.28 | | | | | | | | | | |
| | ort Rate ., KY, LA, MS, & TN only | | | | - | | | | - | | | | | | | |
| AL, FL | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | - | UEP9E | UEPYA | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | UEF9E | UEPTA | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | 1 | 30.69 | 7.03 | | | 1 |
| | Area | | | UEP9E | UEPYB | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP9E | UEPYH | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | OLI OL | OLI III | 14.00 | 50.00 | 40.00 | 20.00 | 10.00 | | 00.00 | 7.00 | | | |
| | Center)2 Basic Local Area | | | UEP9E | UEPYM | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP9E | UEPYZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP9E | UEPY9 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| AI KY | Basic Local Area Y, LA, MS, & TN Only | | | UEP9E | UEPY2 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| ,, | 2-Wire Voice Grade Port (Centrex) | | | UEP9E | UEPQA | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | 1 | 30.89 | 7.03 | | | t |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPQB | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP9E | UEPQH | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP9E | UEPQM | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9E | UEPQZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPQ9 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9E | UEPQ2 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| Local | Switching Centrex Intercom Funtionality, per port | | - | UEP9E | URECS | 0.6381 | | | | | | | | | | ├ ── |
| Local | Number Portability | | - | UEP9E | URECS | 0.6381 | | | | | | | | | | |
| LOCAL | Local Number Portability (1 per port) | | - | UEP9E | LNPCC | 0.35 | | | | | | | | | | |
| Featur | | | | ULF9L | LINFOC | 0.33 | | | | | 1 | | | | | |
| i catui | All Standard Features Offered, per port | | | UEP9E | UEPVF | 0.00 | 1 | | + + | | | 30.89 | 7.03 | | | |
| | All Select Features Offered, per port | | | UEP9E | UEPVS | 0.00 | 433.78 | | | | | 30.89 | 7.03 | | | - |
| | All Centrex Control Features Offered, per port | | | UEP9E | UEPVC | 0.00 | 400.70 | | | | | 30.89 | 7.03 | | | |
| NARS | | | | | | 3.00 | | | | | | 55.50 | 7.00 | | | |
| | Unbundled Network Access Register - Combination | | | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | Unbundled Network Access Register - Indial | | | UEP9E | UAR1X | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | Unbundled Network Access Register - Outdial | | | UEP9E | UAROX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| Miscel | llaneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9E | CEND6 | 8.78 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| 4-Wire | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP9E | M1HD1 | 35.55 | 75.93 | 38.15 | | | | 30.89 | 7.03 | | | |
| | DS0 Channel Activated Per Channel | | | UEP9E | M1HDO | 0.00 | 108.67 | | | | | 30.89 | 7.03 | | | |
| Interof | ffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP9E | M1GBC | 18.58 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9E | M1GBM | 0.0174 | | | | | | | | | | |
| | re Activations (DS0) Centrex Loops on Channelized DS1 Service | е | | | | | | | ├ | | | | | | | |
| D4 Ch | annel Bank Feature Activations | | | L | 1 | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9E | 1PQWS | 0.66 | | | | | | | | | ļ | <u> </u> |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9E | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9E | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9E | 1PQWP | 0.66 | | | | | | | | | | |

Version 1Q03: 02/28/03 Page 418 of 420

| UNDUNDL | ED NETWORK ELEMENTS - Tennessee | | | , | | | | | | | | | | ment: 2 | | ibit: B |
|--------------|---|----------|----------|--------|---|-------|--|------------|--|------------|--------------|--------------|-------------|-------------|-------------|--------------|
| | | | | | 1 | | | | | | Svc Order | | Incremental | | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Sv |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | - (., | | | per Lon | per LSK | | | Electronic- | Electronic |
| | | | | | | | | | | | | | Electronic- | Electronic- | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | | | Nonrecurring | | Nonrecurring | Disconnect | | 1 | OSS | Rates(\$) | <u> </u> | I |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | FIISL | Auu i | FIISL | Auu i | SOMEC | JOWAN | JOWAN | JOWAN | SOWAN | JOWAN |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.66 | | | | | | | | | | |
| | | | | UEP9E | IPQWV | 0.00 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP9E | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E | 1PQWA | 0.66 | | | | | | | | | | |
| Non- | -Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP9E | USAC2 | | 1.03 | 0.29 | | | | 30.89 | 7.03 | | | |
| | New Centrex Standard Common Block | | | UEP9E | M1ACS | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | New Centrex Customized Common Block | | | UEP9E | M1ACC | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9E | URECA | 0.00 | | | | | | 30.89 | 7.03 | | | |
| UNF | E-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) | | 1 | | | 0.50 | 55.57 | | 1 | | 1 | 30.00 | | | Ì | 1 |
| | ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | + | 1 | | | | | | | | | 1 | | | <u> </u> | |
| | : Port/Loop Combination Rates (Non-Design) | 1 | 1 | 1 | + | | + | | 1 | | 1 | | 1 | 1 | 1 | } |
| ONL | | - | | | _ | | | | | | 1 | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | 1 | | LIEDOS | | 00.70 | | | | | I | I | | | | |
| | Non-Design | 1 | 1 | UEP93 | | 26.48 | ļ | | | | 1 | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | _ | l | | | l | | | | 1 | 1 | | | | 1 |
| | Non-Design | | 2 | UEP93 | | 30.31 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 3 | UEP93 | | 35.32 | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | - | | | | | | | | | | | | | | |
| | Design | | 1 | UEP93 | | 30.56 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 2 | UEP93 | | 35.63 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OLI 33 | | 33.03 | | | | | <u> </u> | | | | | 1 |
| | Design | | 3 | UEP93 | | 42.28 | | | | | | | | | | |
| LINE | | | 3 | UEF93 | | 42.20 | | | | | ļ | | | | | ļ |
| UNE | Loop Rate | | _ | LIEDOO | UEOO4 | 10.10 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP93 | UECS1 | 12.48 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP93 | UECS1 | 16.31 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP93 | UECS1 | 21.32 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP93 | UECS2 | 16.56 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP93 | UECS2 | 21.63 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP93 | UECS2 | 28.28 | | | | | | | | | | |
| UNE | Port Rate | | | | | | | | | | | | | | | |
| | KY, LA, MS, & TN only | | | | | | | | | | | | | | | |
| , , , | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP93 | UEPYA | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex 900 termination)Basic Local | | | OE1 30 | OLI IX | 14.00 | 50.00 | 40.00 | 20.00 | 10.00 | <u> </u> | 00.00 | 7.00 | | | 1 |
| | Area | | | UEP93 | UEPYB | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | 1 | 30.89 | 7.03 | | | 1 |
| | | 1 | ! | 001.30 | JLFID | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | 1 | 30.09 | 1.03 | - | 1 | 1 |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | LIEDOS | HEDVAL | 44.00 | 20.00 | 45.00 | 00.00 | 10.00 | I | 00.00 | 7.00 | | | |
| | Area | <u> </u> | <u> </u> | UEP93 | UEPYH | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | 1 | 30.89 | 7.03 | 1 | 1 | 1 |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 Basic Local Area | | | UEP93 | UEPYM | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | Į | 30.89 | 7.03 | | | Į |
| 1 | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | 1 |
| | Term - Basic Local Area | <u> </u> | <u></u> | UEP93 | UEPYZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | 1 | 30.89 | 7.03 | <u> </u> | <u> </u> | <u> </u> |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | • | | | | | | | | | | |
| | - Basic Local Area | | | UEP93 | UEPY9 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | 1 | 30.89 | 7.03 | | | 1 |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | 1 | 1 | | | | | | | | İ | | | | | İ |
| | Basic Local Area | | | UEP93 | UEPY2 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | I | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex) | 1 | 1 | UEP93 | UEPQA | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | 1 | 30.89 | 7.03 | | 1 | |
| | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | 1 | 1 | UEP93 | UEPQB | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | 1 | 30.89 | 7.03 | 1 | 1 | 1 |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | 1 | 1 | UEP93 | UEPQH | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | 1 | 30.89 | 7.03 | 1 | 1 | 1 |
| | | 1 | | UEP93 | UEPQH | 14.00 | 90.00 | 45.00 | ∠0.00 | 10.00 | 1 | 30.89 | 7.03 | - | 1 | 1 |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | LIEBOO | UEDO: | | | | | | I | | | | | 1 |
| | Center)2 | 1 | ļ | UEP93 | UEPQM | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | ļ | 30.89 | 7.03 | | | ļ |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | I | I | | | | |
| | Term | | | UEP93 | UEPQZ | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | | | | | | | | | | | 1 | | 1 | l | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | : | | UEP93 | UEPQ9 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | 1 | 30.89 | 7.03 |] | | Ì |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | 1 | | UEP93 | UEPQ2 | 14.00 | 90.00 | 45.00 | 20.00 | 10.00 | 1 | 30.89 | 7.03 | | 1 | 1 |

Version 1Q03: 02/28/03 Page 419 of 420

| NDUNDEEL | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|----------|---|----------|------|--------|------------|--------|--|------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|--------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | | Manual Svc | | Manual Svc | |
| ATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | (+/ | | | per LSK | per LSK | | | | Electronic- |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | _ | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Local S | Switchina | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP93 | URECS | 0.6381 | | | | | | | | | | |
| | lumber Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP93 | LNPCC | 0.35 | | | | | | | | | | |
| Feature | 7 (1 1 7 | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP93 | UEPVF | 0.00 | | | | | | | | | | |
| | All Centrex Control Features Offered, per port | | | UEP93 | UEPVC | 0.00 | | | | | | | | | | |
| NARS | | | | | 1 | 3.00 | | | | | 1 | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP93 | UARCX | 0.00 | 0.00 | 0.00 | | | 1 | 30.89 | 7.03 | | | |
| | Unbundled Network Access Register - Indial | | | UEP93 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | Unbundled Network Access Register - Outdial | | | UEP93 | UAROX | 0.00 | 0.00 | 0.00 | | | | 30.89 | 7.03 | | | |
| | aneous Terminations | | | OL1 30 | O/ II CO/C | 0.00 | 0.00 | 0.00 | | | | 00.00 | 7.00 | | | |
| | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP93 | CEND6 | 8.78 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | Digital (1.544 Megabits) | | | OLI 33 | CLINDO | 0.70 | 30.00 | 43.00 | 20.00 | 10.00 | | 30.03 | 7.00 | | | |
| | DS1 Circuit Terminations, each | | | UEP93 | M1HD1 | 35.55 | 75.93 | 38.15 | | | | 30.89 | 7.03 | | | |
| | DS0 Channels Activated, Per Channel | | | UEP93 | M1HD0 | 0.00 | 108.67 | 30.13 | | | | 30.89 | 7.03 | | | |
| | ice Channel Mileage - 2-Wire | | | ULF 93 | WITIDO | 0.00 | 100.07 | | | | | 30.09 | 7.03 | | | |
| | Interoffice Channel Facilities Termination | 1 | | UEP93 | M1GBC | 18.58 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.89 | 7.03 | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | 1 | | UEP93 | M1GBC | 0.0174 | 90.00 | 45.00 | 20.00 | 10.00 | | 30.69 | 7.03 | | | |
| | e Activations (DS0) Centrex Loops on Channelized DS1 Service | <u> </u> | | UEP93 | MIGBIN | 0.0174 | | | | | | | | | | |
| | | e | | | | | | | | | | | | | | |
| | nnel Bank Feature Activations | | | LIEDOS | 400000 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP93 | 1PQWS | 0.00 | | | | | | | | | | |
| | | | | | 450140 | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Line Side Loop Slot | <u> </u> | | UEP93 | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP93 | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | 400440 | | | | | | | | | | | |
| | Different Wire Center | | | UEP93 | 1PQWP | 0.66 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP93 | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP93 | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP93 | 1PQWA | 0.66 | | | | | | | | | | |
| | curring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP93 | USAC2 | | 1.03 | 0.29 | | | | 30.89 | 7.03 | | | |
| | New Centrex Standard Common Block | | | UEP93 | M1ACS | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | New Centrex Customized Common Block | | | UEP93 | M1ACC | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP93 | URECA | | 68.57 | | | | | 30.89 | 7.03 | | | |
| | - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| | - Requres Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| | - Requires Specific Customer Premises Equipment | 1 | 1 ' | | | | 1 | | | | | | | 1 | 1 | |

Attachment 3

Network Interconnection

TABLE OF CONTENTS

| 1. | GENERAL | 3 |
|-----|---|------------------|
| | DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT) | |
| 3. | NETWORK INTERCONNECTION | 4 |
| 4. | INTERCONNECTION TRUNK GROUP ARCHITECTURES | 6 |
| 5. | NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION | ON 13 |
| 6. | LOCAL DIALING PARITY | 17 |
| 7. | INTERCONNECTION COMPENSATION | 17 |
| 8. | FRAME RELAY SERVICE INTERCONNECTION | 22 |
| 9. | ORDERING CHARGES | 25 |
| Rat | tes | Exhibit A |
| Bas | sic Architecture | Exhibit B |
| On | e Way Architecture | Exhibit C |
| Tw | o Way Architecture | Exhibit D |
| Sur | pergroup Architecture | Exhibit E |

NETWORK INTERCONNECTION

1. GENERAL

- 1.1 The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (Local Traffic), ISP-bound Traffic, and exchange access (Switched Access Traffic) on the following terms:
- 2. DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)
- 2.1 For purposes of this attachment only, the following terms shall have the definitions set forth below:
- 2.1.1 **Call Termination** has the meaning set forth for "termination" in 47CFR § 51.701(d).
- 2.1.2 **Call Transport** has the meaning set forth for "transport" in 47 CFR § 51.701(c).
- 2.1.3 **Call Transport and Termination** is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching.
- 2.1.4 **Common (Shared) Transport** is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into the Local Exchange Routing Guide (LERG).
- 2.1.5 **Dedicated Interoffice Facility** is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching within the LATA on the other Party's network.
- 2.1.6 **End Office Switching** is defined as the function that establishes a communications path between the trunk side and line side of the End Office switch.
- 2.1.7 **Fiber Meet** is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends.
- 2.1.8 **Final Trunk Group** is defined as the trunk group that does not carry overflow traffic.
- 2.1.9 **Interconnection Point (IP)** is the physical telecommunications equipment interface that interconnects the networks of BellSouth and Excel.

- 2.1.10 **IntraLATA Toll Traffic** is as defined in Section 7 of this Attachment.
- 2.1.11 **ISP-bound Traffic** is as defined in Section 7 of this Attachment.
- 2.1.12 **Local Channel** is defined as a switched transport facility between a Party's Interconnection Point and the IP's Serving Wire Center.
- 2.1.13 **Local Traffic** is as defined in Section 7 of this Attachment.
- 2.1.14 **Reciprocal Trunk Group** is defined as a one-way trunk group carrying BellSouth originated traffic to be terminated by Excel
- 2.1.15 **Serving Wire Center** is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP.
- 2.1.16 **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching.
- 2.1.17 **Transit Traffic** is traffic originating on Excel's network that is switched and/or transported by BellSouth and delivered to a third party's network, or traffic originating on a third party's network that is switched and/or transported by BellSouth and delivered to Excel's network.

3. NETWORK INTERCONNECTION

- 3.1 This Attachment pertains only to the provision of network interconnection where Excel owns, leases from a third party or otherwise provides its own switch(es).
- 3.2 Network interconnection may be provided by the Parties at any technically feasible point within BellSouth's network. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request (BFR/NBR) process set out in this Agreement.
- 3.2.1 Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within BellSouth's serving territory in the LATA in which traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic.
- 3.2.2 Pursuant to the provisions of this Attachment, the location of the initial IP in a given LATA shall be established by mutual agreement of the Parties. Subject to the requirements for installing additional IPs, as set forth below, any IPs existing prior to the Effective Date of the Agreement will be accepted as initial IPs and will not require re-grooming. When the Parties mutually agree to utilize two-way

interconnection trunk groups for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between each other, the Parties shall mutually agree to the location of IP(s). If the Parties are unable to agree to a mutual initial IP, each Party, as originating Party, shall establish a single IP in the LATA for the delivery of its originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the other Party for Call Transport and Termination by the terminating Party.

When first establishing the interconnection arrangement in each LATA, the location of the IP shall be established by mutual agreement of the Parties. In selecting the IP, both Parties will act in good faith and select the point that is most efficient for both Parties. If the Parties are unable to agree on the location of the IP, each Party will designate IPs for its originated traffic. Additional IP(s) in a LATA may be established by mutual agreement of the Parties. Notwithstanding the foregoing, additional IP(s) in a particular LATA shall be established, at the request of either Party, when the Local Traffic and ISP-bound Traffic exceeds 8.9 million minutes per month for three consecutive months at the proposed location of the additional IP. BellSouth will not request the establishment of an IP where physical or virtual collocation space is not available or where BellSouth fiber connectivity is not available. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic the Parties must agree to the location of the IP(s).

3.3 Interconnection via Dedicated Facilities

- 3.3.1 <u>Local Channel Facilities.</u> As part of Call Transport and Termination, the originating Party may obtain Local Channel facilities from the terminating Party. The percentage of Local Channel facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of Local Channel facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of Local Channel facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.2 <u>Dedicated Interoffice Facilities.</u> As a part of Call Transport and Termination, the originating Party may obtain Dedicated Interoffice Facilities from the terminating Party. The percentage of Dedicated Interoffice Facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of the Dedicated Interoffice Facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of the Dedicated Interoffice Facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.3 The facilities purchased pursuant to this Section 3 shall be ordered via the Access Service Request (ASR) process.

3.4 Fiber Meet

- 3.4.1 Notwithstanding Section 3.2.1, 3.2.2, and 3.2.3 above, if Excel elects to establish interconnection with BellSouth pursuant to a Fiber Meet Local Channel, Excel and BellSouth shall jointly engineer, operate and maintain a Synchronous Optical Network (SONET) transmission system by which they shall interconnect their transmission and routing of Local Traffic via a Local Channel at either the DS1 or DS3 level. The Parties shall work jointly to determine the specific transmission system. However, Excel's SONET transmission system must be compatible with BellSouth's equipment, and the Data Communications Channel (DCC) must be turned off.
- Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network.
- 3.4.3 The Parties shall agree to a Fiber Meet point between the BellSouth Serving Wire Center and the Excel Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet Point. BellSouth shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type Common Language Location Identification (CLLI) code will be established for each Fiber Meet point. All orders for interconnection facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility.
- 3.4.4 Upon verbal request by Excel, BellSouth shall allow Excel access to the fusion splice point for the Fiber Meet point for maintenance purposes on Excel's side of the Fiber Meet point.
- 3.4.5 Neither Party shall charge the other for its Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic. All other appropriate charges will apply. Excel shall be billed for a mixed use of the Local Channel using the actual traffic Excel elects to transmit over the facility and the rates from this Agreement and the appropriate tariff(s). Charges for switched and special access services shall be billed in accordance with the applicable access service tariff.

4. INTERCONNECTION TRUNK GROUP ARCHITECTURES

- 4.1 BellSouth and Excel shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks in accordance with the following provisions set forth in this Agreement. For trunking purposes, traffic will be routed based on the digits dialed by the originating End User and in accordance with the LERG.
- 4.2 Excel shall establish an interconnection trunk group(s) to at least one BellSouth access tandem within the LATA for the delivery of Excel's originated Local

Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and for the receipt and delivery of Transit Traffic. To the extent Excel desires to deliver Local Traffic, ISP-bound Traffic, IntraLATA Toll Traffic and/or Transit Traffic to BellSouth access tandems within the LATA, other than the tandems(s) to which Excel has established interconnection trunk groups, Excel shall order Multiple Tandem Access, as described in this Attachment, to such other BellSouth access tandems.

- 4.2.1 Notwithstanding the forgoing, Excel shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where Excel has homed (i.e. assigned) its NPA/NXXs. Excel shall home its NPA/NXXs on the BellSouth tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate center assigned to each BellSouth tandem is defined in the LERG. Excel shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.
- 4.3 Switched access traffic will be delivered to and from Interexchange Carriers (IXCs) based on Excel's NXX access tandem homing arrangement as specified by Excel in the LERG.
- Any Excel interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2) affects traffic delivered to Excel from a BellSouth switch, and (3) requires special BellSouth switch translations and other network modifications will require Excel to submit a BFR/NBR via the BFR/NBR Process as set forth in this Agreement.
- 4.5 Recurring and nonrecurring rates associated with interconnecting trunk groups between BellSouth and Excel are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the rate shall be as set forth in the appropriate BellSouth tariff for switched access services.
- 4.6 For two-way trunk groups that carry only both Parties' Local Traffic, the Parties shall be compensated at 50% of the nonrecurring and recurring rates for dedicated trunks and DS1 facilities. Excel shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.
- 4.7 All trunk groups will be provisioned as Signaling System 7 (SS7) capable where technically feasible. If SS7 is not technically feasible multi-frequency (MF) protocol signaling shall be used.
- In cases where Excel is also an IXC, the IXC's Feature Group D (FG D) trunk group(s) must remain separate from the local interconnection trunk group(s).
- 4.9 Each Party shall order interconnection trunks and trunk group including trunk and trunk group augmentations via the ASR process. A Firm Order Confirmation (FOC) shall be returned to the ordering Party, after receipt of a valid, error free

ASR, within the timeframes set forth in each state's applicable Performance Measures. Notwithstanding the foregoing, blocking situations and projects shall be managed through BellSouth's Carrier Interconnection Switching Center (CISC) Project Management Group and Excel's equivalent trunking group, and FOCs for such orders shall be returned in the timeframes applicable to the project. A project is defined as (1) a new trunk group or (2) a request for more than 96 trunks on a single or multiple group(s) in a given BellSouth local calling area.

4.10 Interconnection Trunk Groups for Exchange of Local Traffic and Transit Traffic

Upon mutual agreement of the Parties in a joint planning meeting, the Parties' shall exchange Local Traffic on two-way interconnection trunk group(s) with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Parties shall agree upon the IP(s) for two-way interconnection trunk groups transporting both Parties' Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic. Excel shall order such two-way trunks via the Access Service Request (ASR) process. BellSouth will use the Trunk Group Service Request (TGSR) to request changes in trunking. Furthermore, the Parties shall jointly review trunk performance and forecasts on a periodic basis. The Parties' use of two-way interconnection trunk groups for the transport of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between the Parties does not preclude either Party from establishing additional one-way interconnection trunks for the delivery of its originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the other Party.

4.10.1 BellSouth Access Tandem Interconnection

BellSouth access tandem interconnection at a single access tandem provides access to those end offices subtending that access tandem (Intratandem Access). Access tandem interconnection is available for any of the following access tandem architectures

4.10.1.1 **Basic Architecture**

In the basic architecture, Excel's originating Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between Excel and BellSouth access tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between Excel and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Excel desires to exchange traffic. This trunk group also carries Excel originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to Excel. Other trunk groups for operator services, directory assistance, emergency services and

intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The basic Architecture is illustrated in Exhibit B.

4.10.1.2 **One-Way Trunk Group Architecture**

In one-way trunk group architecture, the Parties interconnect using three separate trunk groups. A one-way trunk group provides Intratandem Access for Exceloriginated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic destined for BellSouth End Users. A second one-way trunk group carries BellSouthoriginated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic destined for Excel End-Users. A two-way trunk group provides Intratandem Access for Excel's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Excel and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Excel desires to exchange traffic. This trunk group also carries Excel originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to Excel. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.

4.10.1.3 **Two-Way Trunk Group Architecture**

The two-way trunk group Architecture establishes one two-way trunk group to provide Intratandem Access for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between Excel and BellSouth. In addition, a separate two-way transit trunk group must be established for Excel's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Excel and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Excel desires to exchange traffic. This trunk group also carries Excel originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Excel. However, where Excel is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the two-way Local Traffic trunk group carrying ISP-bound Traffic and IntraLATA Toll Traffic. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The

LERG contains current routing and tandem serving arrangements. The two-way trunk group architecture is illustrated in Exhibit D.

4.10.1.4 **Supergroup Architecture**

In the supergroup architecture, the Parties' Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and Excel's Transit Traffic are exchanged on a single twoway trunk group between Excel and BellSouth to provide Intratandem Access to Excel. This trunk group carries Transit Traffic between Excel and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Excel desires to exchange traffic. This trunk group also carries Excel originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Excel. However, where Excel is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the Supergroup. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit E.

4.10.1.5 **Multiple Tandem Access Interconnection**

- 4.10.1.5.1 Where Excel does not choose access tandem interconnection at every BellSouth access tandem within a LATA, Excel may utilize BellSouth's multiple tandem access interconnection (MTA). To utilize MTA Excel must establish an interconnection trunk group(s) at a BellSouth access tandem through multiple BellSouth access tandems within the LATA as required. BellSouth will route Excel's originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic for LATA wide transport and termination. Excel must also establish an interconnection trunk group(s) at all BellSouth access tandems where Excel NXXs are homed as described in Section 4.2.1 above. If Excel does not have NXXs homed at any particular BellSouth access tandem within a LATA and elects not to establish an interconnection trunk group(s) at such BellSouth access tandem, Excel can order MTA in each BellSouth access tandem within the LATA where it does have an interconnection trunk group(s) and BellSouth will terminate Excel's Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to End-Users served through those BellSouth access tandems where Excel does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.
- 4.10.1.5.2 Excel may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the BellSouth network to an Interexchange Carrier (IXC). Switched

access traffic originated by or terminated to Excel will be delivered to and from IXCs based on Excel's NXX access tandem homing arrangement as specified by Excel in the LERG.

- 4.10.1.5.3 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A to this Attachment and shall be billed in addition to any Call Transport and Termination charges.
- 4.10.1.5.4 To the extent Excel does not purchase MTA in a LATA served by multiple access tandems, Excel must establish an interconnection trunk group(s) to every access tandem in the LATA to serve the entire LATA. To the extent Excel routes its traffic in such a way that utilizes BellSouth's MTA service without properly ordering MTA, Excel shall pay BellSouth the associated MTA charges.

4.10.2 **Local Tandem Interconnection**

- 4.10.2.1 Local Tandem Interconnection arrangement allows Excel to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of Excel-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic transported and terminated by BellSouth to BellSouth end offices served by those BellSouth local tandems, and (2) for local Transit Traffic transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.
- 4.10.2.2 When a specified local calling area is served by more than one BellSouth local tandem, Excel must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, Excel may choose to establish an interconnection trunk group(s) at the BellSouth local tandems where it has no codes homing but is not required to do so. Excel may deliver Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where Excel does not choose to establish an interconnection trunk group(s). It is Excel's responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to Excel's codes. Likewise, Excel shall obtain its routing information from the LERG.
- 4.10.2.3 Notwithstanding establishing an interconnection trunk group(s) to BellSouth's local tandems, Excel must also establish an interconnection trunk group(s) to BellSouth access tandems within the LATA on which Excel has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access (SWA) and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth shall not switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error

will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's A35 General Subscriber Services Tariff).

4.10.2.4 BellSouth's provisioning of Local Tandem Interconnection assumes that Excel has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.

4.10.3 **Direct End Office-to-End Office Interconnection**

- 4.10.3.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the terminating Party on a direct end office-to-end office basis.
- 4.10.3.2 The Parties shall utilize direct end office-to-end office trunk groups under any one of the following conditions:
- 4.10.3.2.1 Tandem Exhaust If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between Excel and BellSouth.
- 4.10.3.2.2 Traffic Volume –To the extent either Party has the capability to measure the amount of traffic between Excel's switch and a BellSouth end office and where such traffic exceeds or is forecasted to exceed a single DS1 of traffic per month, then the Parties shall install and retain direct end office trunking sufficient to handle such traffic volumes. Either Party will install additional capacity between such points when overflow traffic exceeds or is forecasted to exceed a single DS1 of traffic per month. In the case of one-way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.
- 4.10.3.2.3 Mutual Agreement The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above.

4.10.4 Transit Traffic Trunk Group

Transit Traffic trunks can either be two-way trunks or two one-way trunks ordered by Excel to deliver and receive Transit Traffic. Establishing Transit Traffic trunks at BellSouth access and local tandems provides intratandem access to the third parties also interconnected at those tandems.

4.10.4.1 **Toll Free Traffic**

- 4.10.4.1.1 If Excel chooses BellSouth to perform the Service Switching Point (SSP) Function (i.e., handle Toll Free database queries) from BellSouth's switches, all Excel originating Toll Free traffic will be routed over the Transit Traffic Trunk Group and shall be delivered using GR-394 format. Carrier Code "0110" and Circuit Code (to be determined for each LATA) shall be used for all such calls.
- 4.10.4.1.2 Excel may choose to perform its own Toll Free database queries from its switch. In such cases, Excel will determine the nature (local/intraLATA/interLATA) of the Toll Free call (local/IntraLATA/InterLATA) based on the response from the database. If the call is a BellSouth local or intraLATA Toll Free call, Excel will route the post-query local or IntraLATA converted ten-digit local number to BellSouth over the local or intraLATA trunk group. If the call is a third party (ICO, IXC, CMRS or other CLEC) local or intraLATA Toll Free call, Excel will route the post-query local or intraLATA converted ten-digit local number to BellSouth over the Transit Traffic Trunk Group and Excel shall provide to BellSouth a Toll Free billing record when appropriate. If the query reveals the call is an interLATA Toll Free call, Excel will route the post-query interLATA Toll Free call (1) directly from its switch for carriers interconnected with its network or (2) over the Transit Traffic Trunk Group to carriers that are not directly connected to Excel's network but that are connected to BellSouth's access tandem.
- 4.10.5 All post-query Toll Free calls for which Excel performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend a BellSouth access tandem within the LATA.

5. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION

- 5.1 Network Management and Changes. The Parties will exchange toll-free maintenance contact numbers and escalation procedures. The Parties will provide public notice of network changes in accordance with applicable federal and state rules and regulations.
- Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Telcordia Standard No. TR-NWT-00499. Where Excel chooses to utilize Signaling System 7 signaling, also known as Common Channel Signaling (SS7), SS7 connectivity is required between the Excel switch and the BellSouth Signaling Transfer Point (STP). BellSouth will provide SS7 signaling using Common Channel Signaling Access Capability in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall provide calling number ID (Calling Party Number) when technically feasible.

- Ouality of Interconnection. The local interconnection for the transmission and routing of telephone exchange service and exchange access that each Party provides to each other will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible, or to any other Party to which each Party provides local interconnection.
- Network Management Controls. Both Parties will work cooperatively to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.
- SS7 Signaling. Both Parties will utilize LEC-to-LEC SS7 Signaling, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All SS7 signaling parameters will be provided, including but not limited to automatic number identification (ANI), originating line information (OLI) calling company category and charge number. All privacy indicators will be honored, and the Parties will exchange Transactional Capabilities Application Part (TCAP) messages to facilitate full interoperability of SS7-based features between the respective networks. Neither Party shall alter the SS7 parameters, or be a party to altering such parameters, or knowingly pass SS7 parameters that have been altered in order to circumvent appropriate interconnection charges.
- Signaling Call Information. BellSouth and Excel will send and receive 10 digits for Local Traffic. Additionally, BellSouth and Excel will exchange the proper call information, i.e. originated call company number and destination call company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.

5.7 Forecasting for Trunk Provisioning

- 5.7.1 Within six (6) months after execution of this Agreement, Excel shall provide an initial interconnection trunk group forecast for each LATA in which it plans to provide service within BellSouth's region. Upon receipt of Excel's forecast, the Parties shall conduct a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed "Confidential Information" under the General Terms and Conditions of this Agreement.
- 5.7.1.1 At a minimum, the forecast shall include the projected quantity of Transit Trunks, Excel-to-BellSouth one-way trunks (Excel Trunks), BellSouth-to-Excel one-way trunks (Reciprocal Trunk Groups) and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' Local Traffic and IntraLATA Toll Traffic. The quantities shall be projected for a minimum of six months and shall include an estimate of the current year plus the next two years total forecasted quantities. The Parties shall mutually

develop Reciprocal Trunk Groups and/or two-way interconnection trunk forecast quantities.

- 5.7.1.2 All forecasts shall include, at a minimum, Access Carrier Terminal Location (ACTL), trunk group type (local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for Excel location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).
- 5.7.2 Once initial interconnection trunk forecasts have been developed, Excel shall continue to provide interconnection trunk forecasts on a semiannual basis or at otherwise mutually agreeable intervals. Excel shall use its best efforts to make the forecasts as accurate as possible based on reasonable engineering criteria. The Parties shall continue to develop Reciprocal Trunk Group and/or two-way interconnection trunk forecasts as described in Section 5.7.1.1.
- 5.7.3 The submitting and development of interconnection trunk forecasts shall not replace the ordering process for local interconnection trunks. Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.

5.8 **Trunk Utilization**

- 5.8.1 For the Reciprocal Trunk Groups that are Final Trunk Groups (Reciprocal Final Trunk Groups), BellSouth and Excel shall monitor traffic on each interconnection Reciprocal Final Trunk Group that is ordered and installed. The Parties agree that the Reciprocal Final Trunk Groups will be utilized at 60 percent (60%) of the time consistent busy hour utilization level within 90 days of installation. The Parties agree that the Reciprocal Final Trunk Groups will be utilized at eighty percent (80%) of the time consistent busy hour utilization level within 180 days of installation. Any Reciprocal Final Trunk Group not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth may disconnect any Under-utilized Reciprocal Final Trunk Groups and Excel shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.
- 5.8.1.1 BellSouth's CISC will notify Excel of any under-utilized Reciprocal Trunk Groups and the number of such trunk groups that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated Excel interface. Excel will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the

trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Excel expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager will discuss the information with Excel to determine if agreement can be reached on the number of Reciprocal Final Trunk Groups to be removed. If no agreement can be reached, BellSouth will issue disconnect orders to Excel. The due date of these orders will be four weeks after Excel was first notified in writing of the underutilization of the trunk groups.

- To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.
- 5.8.3 For the two-way trunk groups, BellSouth and Excel shall monitor traffic on each interconnection trunk group that is ordered and installed. The Parties agree that within 90 days of the installation of the BellSouth two-way trunk or trunks, the trunks will be utilized at 60 percent (60%) of the time consistent busy hour utilization level. The Parties agree that within 180 days of the installation of a trunk or trunks, the trunks will be utilized at eighty percent (80%) of the time consistent busy hour utilization level. Any trunk or trunks not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth will request the disconnection of any Under-utilized two-way trunk(s) and Excel shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.
- BellSouth's LISC will notify Excel of any under-utilized two-way trunk groups and the number of trunks that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated Excel interface. Excel will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the two-way trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Excel expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager will discuss the information with Excel to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, Excel will issue disconnect orders to BellSouth. The due date of these orders will be four weeks after Excel was first notified in writing of the underutilization of the trunk groups.
- 5.8.3.2 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.

6. LOCAL DIALING PARITY

6.1 BellSouth and Excel shall provide local and toll dialing parity, as defined in FCC rules and regulations, with no unreasonable dialing delays. Dialing parity shall be provided for all originating telecommunications services that require dialing to route a call.

7. INTERCONNECTION COMPENSATION

- 7.1 Compensation for Call Transportation and Termination for Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic
- 7.1.1 For the purposes of this Attachment and for reciprocal compensation between the Parties pursuant to this Attachment, Local Traffic is defined as any telephone call that originates in one exchange and terminates in either the same exchange, or other local calling area associated with the originating exchange as defined and specified in Section A3 of BellSouth's General Subscriber Service Tariff.
- 7.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body.
- 7.1.2 ISP-bound Traffic is defined as calls to an information service provider or Internet service provider (ISP) that are dialed by using a local dialing pattern (7 or 10 digits) by a calling party in one exchange to an ISP server or modem in either the same exchange or a corresponding Extended Area Service (EAS) exchange as defined and specified in Section A3 of BellSouth's General Subscriber Service tariff. ISP-bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction.
- 7.1.3 Notwithstanding the definitions of Local Traffic and ISP-bound traffic above, and pursuant to the FCC's Order on Remand and Report and Order in CC Docket 99-68 released April 27, 2001 (ISP Order on Remand), BellSouth and Excel agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Excel that exceeds a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered ISP-bound traffic for compensation purposes. BellSouth and Excel further agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Excel that does not exceed a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered Local Traffic for compensation purposes.
- 7.1.4 Neither Party shall pay compensation to the other Party for per minute of use rate elements associated with the Call Transport and Termination of Local Traffic or ISP-bound Traffic.

- 7.1.5 The appropriate elemental rates set forth in Exhibit A of this Attachment shall apply for Transit Traffic as described in Sections 7.6 and 7.6.1 below and to Multiple Tandem Access as described in Section 4.10.1.5 above.
- 7.1.6 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-bound Traffic for purposes of determining compensation for the call.
- 7.1.7 IntraLATA Toll Traffic is defined as all traffic that originates and terminates within a single LATA that is not Local or ISP-bound traffic under this Attachment.
- 7.1.7.1 For terminating its intraLATA toll traffic on the other company's network, the originating Party will pay the terminating Party BellSouth's current intrastate or interstate, whichever is appropriate, terminating switched access tariff rates as set forth in BellSouth's Access Services Tariffs as filed and in effect with the FCC or Commission. The appropriate charges will be determined by the routing of the call. Additionally, if one Party is the other Party's End User's presubscribed interexchange carrier or if one Party's End User uses the other Party as an interexchange carrier on a 101XXXX basis, the originating party will charge the other Party the appropriate BellSouth originating switched access tariff rates as set forth in BellSouth's Intrastate or Interstate Access Services Tariff as filed and in effect with the FCC or appropriate Commission.
- 7.1.8 If Excel assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to Excel End Users physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a Excel customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, Excel agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to Excel at BellSouth's switched access tariff rates.
- 7.2 If Excel does not identify such interLATA traffic to BellSouth, to the best of BellSouth's ability BellSouth will determine which whole Excel NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's Access Service Tariff. BellSouth shall make appropriate billing adjustments if Excel can provide sufficient information for BellSouth to determine whether or not said traffic is Local or ISP-bound Traffic.

7.3 **Jurisdictional Reporting**

7.3.1 Percent Local Use. Each Party shall report to the other a Percent Local Usage (PLU) factor. The application of the PLU will determine the amount of local or ISP-bound minutes to be billed to the other Party. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month based on local and ISP-bound usage for the past three months ending the last day

of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

- 7.3.2 Percent Local Facility. Each Party shall report to the other a Percent Local Facility (PLF) factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLU and PLF calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- Percent Interstate Usage. Each Party shall report to the other the projected Percent Interstate Usage (PIU) factor. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to Excel. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and billing of local interconnection. Each Party shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month, for all services showing the percentages of use for the past three months ending the last day of December, March, June and September.
- Notwithstanding the provisions in Section 7.3.1, 7.3.2, and 7.3.3 above, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information shall, at the terminating Party's option, be utilized to determine the appropriate jurisdictional reporting factors (PLU, PIU, and/or PLF), in lieu of those provided by the originating Party. In the event that the terminating Party opts to utilize its own data to determine jurisdictional reporting factors, such terminating Party shall notify the originating Party at least 15 days prior to the beginning of the calendar quarter in which the terminating Party will begin to utilize its own data. Such factors shall subject to the Dispute Resolution provisions in this Agreement, as well as the Audit provisions set forth in 7.3.5 below.
- 7.3.5 **Audits.** On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and Excel shall retain records of call detail for a minimum of nine months from which the PLU, PLF and/or PIU can be ascertained. The audit shall be conducted during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than

one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditor paid for by the Party requesting the audit. The PLF, PLU and/or PIU shall be adjusted based upon the audit results and shall apply for the quarter the audit was completed, for the quarter prior to the completion of the audit, and for the two quarters following the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLF, PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.

7.4 Compensation for 8XX Traffic

- 7.4.1 <u>Compensation for 8XX Traffic</u>. Each Party shall pay the other the appropriate switched access charges set forth in the BellSouth intrastate or interstate switched access tariffs. Excel will pay BellSouth the database query charge as set forth in the BellSouth intrastate or interstate switched access tariffs as applicable.
- 7.4.2 Records for 8XX Billing. Each Party will provide to the other the appropriate records necessary for billing intraLATA 8XX customers. The records provided will be in a standard EMI format.
- 7.4.3 <u>8XX Access Screening</u>. BellSouth's provision of 8XX Toll Free Dialing (TFD) to Excel requires interconnection from Excel to BellSouth's 8XX Signal Channel Point (SCP). Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. Excel shall establish SS7 interconnection at the BellSouth Local Signal Transfer Points serving the BellSouth 8XX SCPs that Excel desires to query. The terms and conditions for 8XX TFD are set out in BellSouth's Intrastate Access Services Tariff.

7.5 **Mutual Provision of Switched Access Service**

7.5.1 Switched Access Traffic. Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 8XX), 900 access and their successors. Additionally, any Public Switched Telephone Network interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or in which the Parties' Switched Access Services are used for the origination or termination of the call, shall not be considered Local Traffic or ISP-bound Traffic.

- 7.5.2 If the BellSouth End User chooses Excel as their presubscribed interexchange carrier, or if the BellSouth End User uses Excel as an interexchange carrier on a 101XXXX basis, BellSouth will charge Excel the appropriate BellSouth tariff charges for originating switched access services.
- 7.5.3 Where the originating Party delivers a call to the terminating Party over switched access facilities, the originating Party will pay the terminating Party terminating, switched access charges as set forth in BellSouth's Intrastate or Interstate Access Services Tariff, as appropriate.
- 7.5.4 When Excel's end office switch provides an access service connection to or from an interexchange carrier (IXC) by a direct trunk group to the IXC utilizing BellSouth facilities, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by Excel as the Party providing the end office function. Each party will use the Multiple Exchange Carrier Access Billing (MECAB) guidelines to establish meet point billing for all applicable traffic. The Parties shall utilize a thirty (30) day billing period.
- 7.5.4.1 When Excel's end office subtends the BellSouth Access Tandem switch for receipt or delivery of switched access traffic and provides an access service connection to or from an IXC via BellSouth's Access Tandem switch, BellSouth, as the tandem company agrees to provide to Excel, as the End Office Company, as defined in MECAB, at no charge, all the switched access detail usage data, recorded at the access tandem, within no more than sixty (60) days after the recording date. Each Party will notify the other when it is not feasible to meet these requirements. As business requirements change, data reporting requirements may be modified as necessary.
- 7.5.5 BellSouth, as the tandem provider company, will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data that is lost or damaged by the tandem provider company or any third party involved in processing or transporting data.
- 7.5.6 BellSouth, as the tandem provider company, agrees to recreate the lost or damaged data within forty-eight (48) hours of notification by the other or by an authorized third party handling the data.
- 7.5.7 Any claims against BellSouth, as the tandem provider company, for unbillable or uncollectible revenue should be filed with the tandem provider company within 120 days of the usage date.
- 7.5.8 BellSouth, as the tandem provider company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Party to, by formal or informal

review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial Billing Party. Each Party agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.

7.5.9 Excel agrees not to deliver switched access traffic to BellSouth for termination except over Excel ordered switched access trunks and facilities.

7.6 **Transit Traffic**

- 7.6.1 BellSouth shall provide tandem switching and transport services for Excel's Transit Traffic. Rates for local Transit Traffic and ISP-bound Transit Traffic shall be the applicable Call Transport and Termination charges as set forth in Exhibit A to this Attachment. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in BellSouth Interstate or Intrastate Switched Access tariffs. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines. Traffic between Excel and Wireless Type 1 third parties shall not be treated as Transit Traffic from a routing or billing perspective. Traffic between Excel and Wireless Type 2A or a third party CLEC utilizing BellSouth switching shall not be treated as Transit Traffic from a routing or billing perspective until BellSouth and the Wireless carrier or a third party CLEC utilizing BellSouth switching have the capability to properly meet-point-bill in accordance with MECAB guidelines.
- 7.6.2 The delivery of traffic that transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees. BellSouth agrees to deliver Transit Traffic to the terminating carrier; provided, however, that Excel is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of Transit Traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to Excel. In the event that the terminating third party carrier imposes on BellSouth any charges or costs for the delivery of Transit Traffic, Excel shall reimburse BellSouth for such costs. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.

8. FRAME RELAY SERVICE INTERCONNECTION

8.1 In addition to the Local Interconnection services set forth above, BellSouth will offer a network to network Interconnection arrangement between BellSouth's and Excel's frame relay switches as set forth below. The following provisions will apply only to Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service in those states in which Excel is certified and providing Frame Relay Service as a Local Exchange Carrier and where traffic

is being exchanged between Excel and BellSouth Frame Relay Switches in the same LATA.

- The Parties agree to establish two-way Frame Relay facilities between their respective Frame Relay Switches to the mutually agreed upon Frame Relay Service point(s) of interconnection (IP(s)) within the LATA. All IPs shall be within the same Frame Relay Network Serving Areas as defined in Section A40 of BellSouth's General Subscriber Service Tariff except as set forth in this Attachment.
- 8.3 Upon the request of either Party, such interconnection will be established where BellSouth and Excel have Frame Relay Switches in the same LATA. Where there are multiple Frame Relay switches in one central office, an interconnection with any one of the switches will be considered an interconnection with all of the switches at that central office for purposes of routing packet traffic.
- 8.4 The Parties agree to provision local and intraLATA Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service (both intrastate and interstate) over Frame Relay interconnection facilities between the respective Frame Relay switches and the IPs.
- 8.5 The Parties agree to assess each other reciprocal charges for the facilities that each provides to the other according to the Percent Local Circuit Use Factor (PLCU), determined as follows:
- 8.5.1 If the data packets originate and terminate in locations in the same LATA, and are consistent with the local definitions of the Agreement, the traffic is considered local. Frame Relay framed packet data is transported within Virtual Circuits (VC). For the purposes of this Agreement, if all the data packets transported within a VC remain within the LATA, then consistent with the local definitions in this Agreement, the traffic on that VC is local (Local VC).
- 8.5.2 If the originating and terminating locations of the two-way packet data traffic are not in the same LATA, the traffic on that VC is interLATA (InterLATA VC).
- 8.5.3 The PLCU is determined by dividing the total number of Local VCs, by the total number of VCs on each Frame Relay facility. To facilitate implementation, Excel may determine its PLCU in aggregate, by dividing the total number of Local VCs in a given LATA by the total number VCs in that LATA. The Parties agree to renegotiate the method for determining PLCU, at BellSouth's request, and within 90 days, if BellSouth notifies Excel that it has found that this method does not adequately represent the PLCU.
- 8.5.4 If there are no VCs on a facility when it is billed, the PLCU will be zero.

- 8.5.5 BellSouth will provide the circuit between the Parties' respective Frame Relay Switches. The Parties will be compensated as follows: BellSouth will invoice, and Excel will pay, the total nonrecurring and recurring charges for the circuit based upon the rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Excel will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed charges for the circuit by one-half of Excel's PLCU.
- The Parties agree to compensate each other for Frame Relay network-to-network interface (NNI) ports based upon the NNI rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Compensation for each pair of NNI ports will be calculated as follows: BellSouth will invoice, and Excel will pay, the total nonrecurring and recurring charges for the NNI port. Excel will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed nonrecurring and recurring charges for the NNI port by Excel's PLCU.
- 8.7 Each Party agrees that there will be no charges to the other Party for its own subscriber's Permanent Virtual Circuit (PVC) rate elements for the local PVC segment from its Frame Relay switch to its own subscriber's premises. PVC rate elements include the Data Link Connection Identifier (DLCI) and Committed Information Rate (CIR).
- 8.8 For the PVC segment between the Excel and BellSouth Frame Relay switches, compensation for the PVC charges is based upon the rates in BellSouth's Interstate Access Tariff, FCC No. 1.
- 8.9 Compensation for PVC rate elements will be calculated as follows:
- 8.9.1 If Excel orders a VC connection between a BellSouth subscriber's PVC segment and a PVC segment from the BellSouth Frame Relay switch to the Excel Frame Relay switch, BellSouth will invoice, and Excel will pay, the total nonrecurring and recurring PVC charges for the PVC segment between the BellSouth and Excel Frame Relay switches. If the VC is a Local VC, Excel will then invoice and BellSouth will pay, the total nonrecurring and recurring PVC charges billed for that segment. If the VC is not local, no compensation will be paid to Excel for the PVC segment.
- 8.9.2 If BellSouth orders a Local VC connection between a Excel subscriber's PVC segment and a PVC segment from the Excel Frame Relay switch to the BellSouth Frame Relay switch, BellSouth will invoice, and Excel will pay, the total nonrecurring and recurring PVC and CIR charges for the PVC segment between the BellSouth and Excel Frame Relay switches. If the VC is a Local VC, Excel will then invoice and BellSouth will pay the total nonrecurring and recurring PVC and CIR charges billed for that segment. If the VC is not local, no compensation will be paid to Excel for the PVC segment.


- 8.9.3 The Parties agree to compensate each other for requests to change a PVC segment or PVC service order record, according to the Feature Change charge as set forth in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 8.9.4 If Excel requests a change, BellSouth will invoice and Excel will pay a Feature Change charge for each affected PVC segment.
- 8.9.4.1 If BellSouth requests a change to a Local VC, Excel will invoice and BellSouth will pay a Feature Change charge for each affected PVC segment.
- 8.9.5 The Parties agree to limit the sum of the CIR for the VCs on a DS1 NNI port to not more than three times the port speed, or not more than six times the port speed on a DS3 NNI port.
- 8.9.6 Except as expressly provided herein, this Agreement does not address or alter in any way either Party's provision of Exchange Access Frame Relay Service, Managed Shared Frame Relay Service or interLATA Frame Relay Service. All charges by each Party to the other for carriage of Exchange Access Frame Relay Service or interLATA Frame Relay Service are included in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 8.10 Excel will identify and report quarterly to BellSouth the PLCU of the Frame Relay facilities it uses, per Section 8.5.3 above.
- 8.11 Either Party may request a review or audit of the various service components, consistent with the provisions of section E2 of the BellSouth State Access Services tariffs or Section 2 of the BellSouth FCC No.1 Tariff.

9. ORDERING CHARGES

9.1 The terms, conditions and rates for Ordering Charges are as set forth in FCC Tariff for Access Service Records.


Basic Architecture

Exhibit B




One-Way Architecture

Exhibit C




Two-Way Architecture

Exhibit D



Supergroup Architecture

Exhibit E



| LOCAL INT | ERCONNECTION - Alabama | | | | | | | | | | | | Attach | ment: 3 | Exhi | nit: Δ |
|--|--|--|----------|--|----------------|-----------------|--------------------|------------|--------------|------------|--|-----------|-------------|--------------|-------------|-------------|
| - COAL III | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | | Incremental |
| | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | | Manual Svc | Manual Svc | _ | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | - (1) | | | per LSK | per Lon | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 151 | Add I | DISC ISI | DISC Add I |
| | | | | | | Rec | Nonred | curring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | 1 |
| | CONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | |
| | : "bk" beside a rate indicates that the Parties have agreed to bi | II and k | eep for | that element pursua | ant to the ter | ms and conditi | ons in Attachr | nent 3. | | | | | | | | |
| TAND | EM SWITCHING | | | | | | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | | OHD | | 0.000498bk | | | | | | | | | | |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | 0.15 | | | | | | | | | | | | 1 |
| | only) | | | OHD | | 0.000498 | | | | | | | | | | |
| * This | Tandem Intermediary Charge, per MOU* | -1:4: 4 | | OHD | /: | 0.0015 | | | | | 1 | | | | | |
| | charge is applicable only to transit traffic and is applied in ad K CHARGE | dition to | аррис | able switching and | or interconf | lection charges | | | | | - | - | | | | |
| IRUN | Installation Trunk Side Service - per DS0 | | | OHD | TPP++ | - | 21.56 | 8.12 | | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS0** | - | | OHD | TDE0P | 0.00 | ∠1.50 | 0.12 | | | | - | | | | |
| | Dedicated End Office Trunk Port Service-per DS0* | | | OHD OH1MS | TDE1P | 0.00 | | | | | <u> </u> | | | | | |
| | Dedicated End Office Hullik Fort Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | | <u> </u> | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | 1 | | 1 | - | | | | |
| ** This | s rate element is recovered on a per MOU basis and is included | in the | End Of | | | | J rate elements | 5 | | | 1 | | | | | |
| | MON TRANSPORT (Shared) | | | and an an an an an an an an an an an an an | | | 7 1410 01011101111 | | | | İ | | | | | |
| | Common Transport - Per Mile, Per MOU | | | OHD | | 0.0000023bk | | | | | İ | | | | | · |
| | Common Transport - Facilities Termination Per MOU | | | OHD | | 0.0003224bk | | | | | İ | | | | | · |
| LOCAL INTER | CONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | |
| INTER | OFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | ĺ | | i |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | OHL, OHM | 1L5NF | 0.008838 | | | | | | | | | | I |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | 1 |
| | Facility Termination per month | | | OHL, OHM | 1L5NF | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | |
| 1 1 | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | | | | | | | | | | 1 |
| | per month | | | OHL, OHM | 1L5NK | 0.008838 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | | | | | | | | | | 1 |
| | Termination per month | | | OHL, OHM | 1L5NK | 15.12 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | |
| 1 1 | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | 0111 01114 | 41 55114 | 0.00000 | | | | | | | | | | 1 |
| \vdash | per month | | | OHL, OHM | 1L5NK | 0.008838 | | | | | - | - | | | | |
| 1 1 | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month | | | OHL, OHM | 1L5NK | 15.12 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | 1 |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | Onl, Onivi | ILSINK | 15.12 | 40.54 | 27.41 | 10.74 | 6.90 | | | | | | |
| | month | | | OH1, OH1MS | 1L5NL | 0.18 | | | | | | | | | | 1 |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | OTTI, OTTINIO | ILSINE | 0.10 | | | | | † | | | | | |
| | Termination per month | | | OH1, OH1MS | 1L5NL | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | | | | | 1 |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | , | | 330 | 00.27 | 001 | | | | | İ | İ | | |
| | month | | | OH3, OH3MS | 1L5NM | 4.09 | | | | | | | | | | 1 |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | İ | | | 1 | | |
| | Termination per month | | | OH3, OH3MS | 1L5NM | 703.52 | 278.75 | 162.76 | 60.20 | 58.46 | | | | | | 1 |
| LOCA | L CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL, OHM | TEFV2 | 13.97 | 193.10 | 33.17 | 36.64 | 3.20 | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | 14.93 | 193.53 | 33.60 | 37.11 | 3.67 | | | | | | |
| | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 35.76 | 177.47 | 153.72 | 22.19 | 15.26 | | | | | | - |
| | | | | | L | <u>.</u> | | | | | | | | | | 1 |
| | Local Channel - Dedicated - DS3 Facility Termination per month | | | OH3 | TEFHJ | 416.54 | 451.52 | 263.94 | 119.49 | 83.58 | 1 | | | | | 1 |
| | L INTERCONNECTION MID-SPAN MEET | | ! ^! | must note to access | l bla | | | | ļ | | | | | | | |
| NOTE | : If Access service ride Mid-Span Meet, one-half the tariffed se | vice Lo | cai Cha | | | 0.00 | 0.00 | | | | ļ | | | - | | |
| | Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month | - | | OH1MS OH3MS | TEFHG TEFHJ | 0.00 | 0.00 | | 1 | | | - | - | | - | |
| MULT | IPLEXERS | | | OI IOIVIO | ILIFFIJ | 0.00 | 0.00 | | | | | <u> </u> | | | | |
| IWIOLI | Channelization - DS1 to DS0 Channel System | - | | OH1, OH1MS | SATN1 | 101.06 | 91.04 | 62.57 | 10.54 | 9.79 | | | | | | i |
| | DS3 to DS1 Channel System per month | - | | OH3, OH3MS | SATNS | 166.13 | 178.14 | 93.97 | | 31.63 | | | | | | i |
| | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 12.70 | 6.58 | 4.72 | | 000 | | | | | | |
| Notes | : If no rate is identified in the contract, the rates, terms, and co | ondition | s for th | | | | | | | | | | İ | İ | | |
| | ,,,, | | , | , | | | | | | | | | | | | |

| LOCAL IN | TERCONNECTION - Florida | | | | | | | | | | | | Attach | ment: 3 | Exhi | ibit: A |
|------------|---|-----------|---------|-----------------------|----------------|-----------------|-----------------|------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|--|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | DISC 1St | DISC Add I |
| | | | | | | Rec | Nonred | curring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | RCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | |
| | E: "bk" beside a rate indicates that the Parties have agreed to bi | II and k | eep fo | r that element pursu | ant to the ter | rms and conditi | ons in Attachr | nent 3. | | | | | | | | |
| TANI | DEM SWITCHING | | | | | | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | | OHD | | 0.0006019bk | | | | | | | | | | |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | | | | | | | | | | | |
| | only) | | | OHD | | 0.0006019 | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | | OHD | | 0.0015 | | | | | | | | | | |
| * This | s charge is applicable only to transit traffic and is applied in ad | dition to | o appli | cable switching and | l/or interconr | nection charges | | | | | | | | | | |
| TRU | NK CHARGE | | | | | | | | | | | | | | | |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP++ | | 21.73 | 8.19 | | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDE0P | 0.00 | | | | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS1** | | | 0H1 OH1MS | TDE1P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| | is rate element is recovered on a per MOU basis and is included | d in the | End O | ffice Switching and | Tandem Swi | tching, per MOl | J rate elements | 5 | | | | | | | | |
| COM | MON TRANSPORT (Shared) | | | | | | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | OHD | | 0.0000035bk | | | | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | | OHD | | 0.0004372bk | | | | | ĺ | ĺ | | | | |
| LOCAL INTE | RCONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | ĺ | | | | | |
| INTE | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | ĺ | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | OHL, OHM | 1L5NF | 0.0091 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | 1 | | | | | | | | | | | | | |
| | Facility Termination per month | | | OHL, OHM | 1L5NF | 25.32 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | | | | | | | | | | |
| | per month | | | OHL, OHM | 1L5NK | 0.0091 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OHL, OHM | 1L5NK | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | | | | | | | | ĺ | ĺ | | | | |
| | per month | | | OHL, OHM | 1L5NK | 0.0091 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | ĺ | ĺ | | | | |
| | Termination per month | | | OHL, OHM | 1L5NK | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | ĺ | ĺ | | | | |
| | month | | | OH1, OH1MS | 1L5NL | 0.1856 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | ĺ | ĺ | | | | |
| | Termination per month | | | OH1, OH1MS | 1L5NL | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | OH3, OH3MS | 1L5NM | 3.87 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OH3, OH3MS | 1L5NM | 1,071.00 | 335.46 | 219.28 | 72.03 | 70.56 | | | | | <u> </u> | |
| LOCA | AL CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | ĺ | ĺ | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL, OHM | TEFV2 | 19.66 | 265.84 | 46.97 | 37.63 | 4.00 | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month | | 1 | OHL, OHM | TEFV4 | 20.45 | 266.54 | 47.67 | 44.22 | 5.33 | 1 | | | | | |
| | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 36.49 | 216.65 | 183.54 | 24.30 | 16.95 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - DS3 Facility Termination per month | | | OH3 | TEFHJ | 531.91 | 556.37 | 343.01 | 139.13 | 96.84 | | 1 | | 1 | I | |
| LOCA | AL INTERCONNECTION MID-SPAN MEET | | | | | | | | İ | | | | | | | |
| NOTE | E: If Access service ride Mid-Span Meet, one-half the tariffed se | rvice Lo | cal Ch | annel rate is applica | ble. | | | | | | i . | | | | | |
| | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | | | |
| | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | | | | | | | | |
| MUL | TIPLEXERS | | | ĺ | | | | | | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | 146.77 | 101.42 | 71.62 | 11.09 | 10.49 | i . | | | | | |
| | DS3 to DS1 Channel System per month | | 1 | OH3, OH3MS | SATNS | 211.19 | 199.28 | 118.64 | 40.34 | 39.07 | i . | ĺ | | l | | |
| | | | | | | | | | | | + | | | | | |
| | DS3 Interface Unit (DS1 COCI) per month | | | OH1. OH1MS | SATCO | 13.76 | 10.07 | 7.08 | | | | | | | | |

| LOCAL INTE | ERCONNECTION - Georgia | | | | | | | | | | | | Attach | ment: 3 | Exhil | oit: A |
|------------------|--|--|--|-----------------------|----------------|-----------------|--------------------|------------|--|------------|--|-----------|--|--|-------------|-------------|
| | | | 1 | | 1 | | | | | | Svc Order | Svc Order | Incremental | | | Incremental |
| | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | | Manual Svc | Manual Svc | | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | - (1) | | | per Lor | per Lor | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 151 | Add I | DISC ISL | DISC Add I |
| | | | | | | Rec | Nonred | curring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | 1 |
| | CONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | |
| | "bk" beside a rate indicates that the Parties have agreed to bi | III and k | eep for | that element pursu | ant to the ter | rms and conditi | ons in Attachr | nent 3. | | | | | | | | |
| TANDE | M SWITCHING | | | | | | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | | OHD | | 0.0011009bk | | | | | | | | | | |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | a.i.b | | | | | | | | | | | | 1 |
| | only) | | | OHD | | 0.0011009 | | | | | | | | | | |
| * This | Tandem Intermediary Charge, per MOU* | -1:4: 4: | ! | OHD | /an intanaan | 0.0015 | | | | | ļ | | | | | |
| | charge is applicable only to transit traffic and is applied in ad | dition to | арри | cable switching and | or interconf | lection charges | | | - | | | - | | | | |
| IKUNK | Installation Trunk Side Service - per DS0 | - | - | OHD | TPP++ | | 21.53 | 8.11 | - | | - | | | | | |
| | Dedicated End Office Trunk Port Service-per DS0** | | 1 | OHD | TDE0P | 0.00 | ∠1.53 | 0.11 | + + | | | <u> </u> | | | | |
| | Dedicated End Office Trunk Port Service-per DS0* | | | 0H1 OH1MS | TDE1P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | | 1 | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS0** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | · |
| ** This | rate element is recovered on a per MOU basis and is included | d in the | Fnd Of | | | | I rate elements | | | | 1 | | | | | |
| | ON TRANSPORT (Shared) | 1 | <u> </u> | nee e uniterning unit | 1 | lonning, por mo | 7 1410 01011101111 | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | OHD | | 0.0000080bk | | | | | | | | | | · |
| | Common Transport - Facilities Termination Per MOU | | | OHD | | 0.0004152bk | | | | | | | | | | · |
| LOCAL INTER | CONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | |
| INTER | OFFICE CHANNEL - DEDICATED TRANSPORT | | | | 1 | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | ĺ | | i |
| | Per Mile per month | | | OHL, OHM | 1L5NF | 0.0222 | | | | | | | | | | 1 |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | 1 |
| | Facility Termination per month | | | OHL, OHM | 1L5NF | 17.07 | 79.61 | 36.08 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | | | | | | | | | | 1 |
| | per month | | | OHL, OHM | 1L5NK | 0.0222 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | | | | | | | | | | 1 |
| | Termination per month | | | OHL, OHM | 1L5NK | 16.45 | 79.61 | 36.08 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | 0111 01114 | 41.55.07 | 0.0000 | | | | | | | | | | 1 |
| - | per month | | | OHL, OHM | 1L5NK | 0.0222 | | | - | | | - | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month | | | OHL, OHM | 1L5NK | 16.45 | 79.61 | 36.08 | | | | | | | | 1 |
| - | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | Onl, Onivi | ILDINK | 10.45 | 79.01 | 30.00 | | | 1 | | | | | |
| | month | 1 | | OH1, OH1MS | 1L5NL | 0.4523 | | | | | | | | | | 1 |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | t | | OTTI, OTTINIO | ILOINE | 0.4023 | | | | | - | | | | | i |
| | Termination per month | | | OH1, OH1MS | 1L5NL | 78.47 | 147.07 | 111.75 | | | | | | | | 1 |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | , | 1 | 75 | | | 1 | | | | İ | İ | | |
| | month | | | OH3, OH3MS | 1L5NM | 2.72 | | | | | | | | | | 1 |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | i i | | | | | | | | | | | | 1 | | |
| | Termination per month | <u> </u> | Ш. | OH3, OH3MS | 1L5NM | 788.00 | 511.10 | 330.77 | <u> </u> | | | | | | | |
| LOCAL | CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL, OHM | TEFV2 | 13.91 | 382.95 | 62.40 | | | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | 14.99 | 368.44 | 64.05 | | | | | | | | |
| | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 38.36 | 356.15 | 312.89 | \Box | | | | | | | |
| | | | | | | | | | | | | | | | | 1 |
| | Local Channel - Dedicated - DS3 Facility Termination per month | ļ | - | OH3 | TEFHJ | 515.91 | 639.50 | 426.31 | | | | | | | | 1 |
| | INTERCONNECTION MID-SPAN MEET | 1 | 1 | | 1 | | | | | | | | | | | 1 |
| NOTE: | If Access service ride Mid-Span Meet, one-half the tariffed ser | rvice Lo | cal Cha | | | 0.00 | 0.00 | | | | - | | | | | |
| | Local Channel - Dedicated - DS1 per month | - | ├ | OH1MS | TEFHG | 0.00 | 0.00 | | | | - | | | - | | |
| BALL TO | Local Channel - Dedicated - DS3 per month PLEXERS | + | + | OH3MS | TEFHJ | 0.00 | 0.00 | | | | - | - | | | - | |
| WIOLII | Channelization - DS1 to DS0 Channel System | | 1 | OH1, OH1MS | SATN1 | 126.22 | 198.22 | 123.59 | + + | | | <u> </u> | | | | |
| | DS3 to DS1 Channel System per month | 1 | + | OH3, OH3MS | SATNS | 182.04 | 280.66 | 195.33 | | | H | | | | | |
| | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 11.02 | 12.02 | 8.66 | | | | | | | | |
| Notes: | If no rate is identified in the contract, the rates, terms, and co | ondition | s for th | | | | | | riff. | | | | | i | | |
| 1.10100. | | | , u | | | | | | | | | | | | | |

| LOCAL INT | ERCONNECTION - Kentucky | | | | | | <u> </u> | <u> </u> | | | | | Attach | ment: 3 | Exhi | bit: A |
|------------|--|-----------|---------|---------------------|----------------|-----------------|-----------------|------------|---|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | to to a | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | _ | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | per LSK | per LSK | | | | |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | _ 1 | Nonred | curring | Nonrecurring | Disconnect | İ | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| LOCAL INTE | RCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | |
| NOTE | : "bk" beside a rate indicates that the Parties have agreed to bi | II and k | eep fo | that element pursu | ant to the ter | ms and conditi | ons in Attachr | nent 3. | ĺ | | | | | | | Î |
| TANE | DEM SWITCHING | | | | | | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | | OHD | | 0.0006772bk | | | | | | | | | | |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | | | | | | | | | | | ĺ |
| | only) | | | OHD | | 0.0006772 | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | | OHD | | 0.0015 | | | | | | | | | | |
| * This | charge is applicable only to transit traffic and is applied in ad- | dition to | appli | cable switching and | l/or interconr | nection charges | | | ĺ | | | | | | | Î |
| TRUN | IK CHARGE | | | | | | | | | | | | | | | ĺ |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP++ | | 21.58 | 8.13 | | | | | | | | ĺ |
| | Dedicated End Office Trunk Port Service-per DS0** | | L | OHD | TDE0P | 0.00 | | | <u> </u> | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS1** | | | 0H1 OH1MS | TDE1P | 0.00 | | | | | | | | | | ĺ |
| | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | ĺ | | | | | | | Î |
| ** Thi | s rate element is recovered on a per MOU basis and is included | d in the | End O | ffice Switching and | Tandem Swi | tching, per MOl | J rate elements | 5 | ĺ | | | | | | | Î |
| COM | MON TRANSPORT (Shared) | | | | | | | | ĺ | | | | | | | Î |
| | Common Transport - Per Mile, Per MOU | | | OHD | | 0.0000030bk | | | ĺ | | | | | | | Î |
| | Common Transport - Facilities Termination Per MOU | | | OHD | | 0.0007466bk | | | | | ĺ | | | | | |
| LOCAL INTE | RCONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | |
| INTE | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | ĺ | | | | | | | Î |
| | Per Mile per month | | | OHL, OHM | 1L5NF | 0.01 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | ĺ | | | | | |
| | Facility Termination per month | | | OHL, OHM | 1L5NF | 29.11 | 47.34 | 31.78 | 22.77 | 8.75 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | | | ĺ | | | | | | | Î |
| | per month | | | OHL, OHM | 1L5NK | 0.0115 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | | | ĺ | | | | | | | Î |
| | Termination per month | | | OHL, OHM | 1L5NK | 20.97 | 47.35 | 31.78 | 22.77 | 8.75 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | | | | | | ĺ | | | | | | | Î |
| | per month | | | OHL, OHM | 1L5NK | 0.0115 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | | | | | | ĺ |
| | Termination per month | | | OHL, OHM | 1L5NK | 20.97 | 47.35 | 31.78 | 22.77 | 8.75 | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | ĺ | | | | | | | Î |
| | month | | | OH1, OH1MS | 1L5NL | 0.23 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | ĺ | | | | | | | Î |
| | Termination per month | | | OH1, OH1MS | 1L5NL | 96.04 | 105.52 | 98.46 | 23.09 | 20.49 | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | OH3, OH3MS | 1L5NM | 4.97 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OH3, OH3MS | 1L5NM | 1,175.15 | 335.40 | 219.24 | 89.57 | 87.75 | | | | | | |
| LOCA | AL CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | ĺ |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL, OHM | TEFV2 | 18.57 | 265.78 | 46.96 | 46.79 | 4.98 | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | 19.86 | 266.48 | 47.65 | 47.54 | 5.73 | | | | | | ĺ |
| | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 40.46 | 209.60 | 176.51 | 30.21 | 21.07 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - DS3 Facility Termination per month | <u> </u> | <u></u> | OH3 | TEFHJ | 576.05 | 551.38 | 338.08 | 173.00 | 120.42 | | | <u> </u> | | <u> </u> | |
| | AL INTERCONNECTION MID-SPAN MEET | | | | | | | | | | | | | | | |
| NOTE | : If Access service ride Mid-Span Meet, one-half the tariffed ser | rvice Lo | cal Ch | | ble. | | | | <u> </u> | | | | | | | |
| | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | | | |
| | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | l i | | | | | | | |
| MUL | TIPLEXERS | | | | | | | | | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | 113.33 | 101.40 | 71.60 | 13.79 | 13.04 | | | | | | |
| | DS3 to DS1 Channel System per month | 1 | | OH3, OH3MS | SATNS | 158.20 | 199.23 | 118.62 | 50.16 | 48.59 | 1 | | | | | ĺ |
| | | | | | | | | | | | | | | | | 1 |
| | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 11.80 | 10.07 | 7.08 | | | | | | | | |

| LOCAL INT | ERCONNECTION - Louisiana | | | | | | | | | | | | Attach | ment: 3 | Exhil | oit: A |
|--|---|--|--|---------------------|----------------|--|-----------------|------------|--------------|------------|--|-----------|-------------|--|-------------|-------------|
| EOOAL IIII | ENCONNECTION Edulation | | 1 | | | | | | | | Svc Order | Svc Order | Incremental | | | Incremental |
| | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | And and | | | | | | | | | Elec | | Manual Svc | Manual Svc | | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | - (1) | | | per Lor | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 151 | Auu | DISC 1St | DISC Add I |
| | | | | | | Rec | Nonred | curring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | RCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | |
| | : "bk" beside a rate indicates that the Parties have agreed to bi | ll and k | eep for | that element pursua | ant to the ter | ms and conditi | ons in Attachr | nent 3. | | | | | | | | |
| TAND | EM SWITCHING | | | | | | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | | OHD | | 0.0005507bk | | | | | | | | | | |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | OUD | | 0.0005507 | | | | | | | | | | 1 |
| | only) Tandem Intermediary Charge, per MOU* | | | OHD OHD | | 0.0005507 | | | | | | | | | | |
| * Thio | charge is applicable only to transit traffic and is applied in ad | dition to | onnli | | lar intercen | | | | | | | | | | | |
| | K CHARGE | uition te | Таррііс | able switching and | Interconi | lection charges | | | | | - | | | | | |
| IKUN | Installation Trunk Side Service - per DS0 | H | + | OHD | TPP++ | | 21.64 | 8.15 | + + | | H | | | | | |
| | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDE0P | 0.00 | ∠1.04 | 0.15 | + | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS0* | | | 0H1 OH1MS | TDE1P | 0.00 | | | † † | | | | | | | |
| | Dedicated End Office Halik Fort Service-per DS0** | | † | OHD | TDW0P | 0.00 | | | † † | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| ** This | s rate element is recovered on a per MOU basis and is included | in the | End Of | | | | J rate elements | 5 | | | | | | | | |
| | MON TRANSPORT (Shared) | | | | | J, 1 | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | OHD | | 0.0000032bk | | | | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | | OHD | | 0.0003748bk | | | | | | | | | | |
| LOCAL INTER | RCONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | i |
| INTER | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | OHL, OHM | 1L5NF | 0.013 | | | | | | | | | | 1 |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | 1 |
| | Facility Termination per month | | | OHL, OHM | 1L5NF | 22.60 | 39.36 | 26.62 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | | | | | | | | | | 1 |
| | per month | | | OHL, OHM | 1L5NK | 0.013 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | 0111 01114 | 41 55114 | 45.04 | 00.07 | 00.00 | | | | | | | | 1 |
| | Termination per month | | | OHL, OHM | 1L5NK | 15.61 | 39.37 | 26.62 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | OHL. OHM | 1L5NK | 0.013 | | | | | | | | | | 1 |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | OHL, OHM | ILDINK | 0.013 | | | | | 1 | | | | | |
| | Termination per month | | | OHL, OHM | 1L5NK | 15.61 | 39.37 | 26.62 | | | | | | | | 1 |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | OFIL, OF IIVI | ILJINK | 13.01 | 39.37 | 20.02 | | | 1 | | | | | |
| | month | | | OH1, OH1MS | 1L5NL | 0.2652 | | | | | | | | | | 1 |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | OTTI, OTTIMO | TEOTYE | 0.2002 | | | | | 1 | | | | | |
| | Termination per month | | | OH1, OH1MS | 1L5NL | 70.47 | 86.69 | 79.44 | | | | 1 | | | | 1 |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | i |
| | month | | | OH3, OH3MS | 1L5NM | 6.04 | | | | | | 1 | | | | 1 |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OH3, OH3MS | 1L5NM | 850.45 | 270.69 | 158.05 | | | | | | | | |
| LOCA | L CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL, OHM | TEFV2 | 18.32 | 187.51 | 32.21 | | | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | 19.41 | 187.94 | 32.63 | | | | | | | | - |
| | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 39.18 | 172.34 | 149.27 | 1 | | | | | | | |
| | | | | 0.10 | | | | | | | | | | | | 1 |
| | Local Channel - Dedicated - DS3 Facility Termination per month | | - | OH3 | TEFHJ | 469.44 | 438.46 | 256.30 | | | | | | | | |
| | L INTERCONNECTION MID-SPAN MEET | nies ! : | and Ot | nnol roto in anni' | hla | | | | | | | | | | | |
| NOTE | : If Access service ride Mid-Span Meet, one-half the tariffed se | vice Lo | cai Cha | | | 0.00 | 0.00 | | 1 | | - | | | | | |
| | Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month | - | + | OH1MS OH3MS | TEFHG TEFHJ | 0.00 | 0.00 | | + | | - | - | - | - | - | |
| MULT | IPLEXERS | - | 1 | OI IOIVIO | ILIFFIJ | 0.00 | 0.00 | | + | | | | | | | |
| IWIGET | Channelization - DS1 to DS0 Channel System | - | | OH1, OH1MS | SATN1 | 105.09 | 88.41 | 60.76 | + + | | - | - | | | | i |
| | DS3 to DS1 Channel System per month | - | | OH3, OH3MS | SATNS | 201.48 | 172.99 | 91.25 | + | | - | - | | | | i |
| | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 11.78 | 6.39 | 4.58 | | | | | | | | |
| Notes | : If no rate is identified in the contract, the rates, terms, and co | ondition | s for th | | | | | | | | | | | İ | | |
| | | | | , | | | | | | | | | | | | |

| LOCAL INT | ERCONNECTION - Mississippi | | | | | | | | | | | | Attach | ment: 3 | Exhi | bit: A |
|----------------------------|---|-----------|----------|-----------------------|----------------|--------------------|-----------------|----------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Intori | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | DISC 1St | DISC Add I |
| | | | | | | Rec | Nonred | curring | Nonrecurring | Disconnect | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | RCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | |
| | : "bk" beside a rate indicates that the Parties have agreed to bi | ll and k | eep fo | r that element pursu | ant to the ter | ms and conditi | ons in Attachr | nent 3. | | | | | | | | |
| TAND | DEM SWITCHING | | | | | | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | | OHD | | 0.0005379bk | | | | | | | | | | |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | | | | | | | | | | | |
| | only) | | | OHD | | 0.0005379 | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | | OHD | | 0.0015 | | | | | | | | | | |
| | s charge is applicable only to transit traffic and is applied in ad | dition to | appli | cable switching and | or interconr | nection charges | | | | | | | | | | |
| TRUN | IK CHARGE | | 1 | | 1 | | | | | | ļ | | | | | |
| \vdash | Installation Trunk Side Service - per DS0 | | 1 | OHD | TPP++ | | 21.58 | 8.13 | | | ļ | | | | | |
| \vdash | Dedicated End Office Trunk Port Service-per DS0** | | <u> </u> | OHD | TDE0P | 0.00 | | | ļ! | | ļ | | | | | |
| \vdash | Dedicated End Office Trunk Port Service-per DS1** | | | 0H1 OH1MS | TDE1P | 0.00 | | | | | | | | ļ | L | |
| | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| | s rate element is recovered on a per MOU basis and is included | in the | End O | ffice Switching and | Tandem Swi | tching, per MOl | J rate elements | 3 | | | | | | | | |
| COM | MON TRANSPORT (Shared) | | | | | | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | OHD | | 0.0000026bk | | | | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | | OHD | | 0.0004541bk | | | | | | | | | | |
| | RCONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | |
| INTER | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | OHL, OHM | 1L5NF | 0.0098 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | OHL, OHM | 1L5NF | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | | | | | | | | | | |
| | per month | | | OHL, OHM | 1L5NK | 0.0098 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OHL, OHM | 1L5NK | 15.68 | 40.78 | 27.57 | 17.26 | 7.11 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | | | | | | | | | | | | | |
| | per month | | | OHL, OHM | 1L5NK | 0.0098 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OHL, OHM | 1L5NK | 15.68 | 40.78 | 27.57 | 17.26 | 7.11 | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | OH1, OH1MS | 1L5NL | 0.201 | | | | | | | | | | |
| 1 1 | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | 1 | | | | | | | | | | 1 | 1 |
| \vdash | Termination per month | | <u> </u> | OH1, OH1MS | 1L5NL | 57.33 | 89.79 | 82.28 | 16.86 | 14.90 | ļ | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | 0.10 0.10 | | | | | | | | | | | 1 | 1 |
| \vdash | month | | <u> </u> | OH3, OH3MS | 1L5NM | 4.76 | | | ļ! | | ļ | | | | | |
| 1 1 | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | 1 | | | | | | | | | | | 1 |
| L | Termination per month | | <u> </u> | OH3, OH3MS | 1L5NM | 641.90 | 280.37 | 163.70 | 62.08 | 60.29 | <u> </u> | | | | | |
| LOCA | AL CHANNEL - DEDICATED TRANSPORT | | <u> </u> | 0.11. 0.11. | | | , | | | | <u> </u> | | | | | |
| \vdash | Local Channel - Dedicated - 2-Wire Voice Grade per month | | 1 | OHL, OHM | TEFV2 | 14.91 | 194.22 | 33.36 | 37.79 | 3.30 | ļ | | | | | |
| \vdash | Local Channel - Dedicated - 4-Wire Voice Grade per month | | 1 | OHL, OHM | TEFV4 | 15.99 | 194.66 | 33.80 | 38.27 | 3.78 | ļ | | | | | |
| \vdash | Local Channel - Dedicated - DS1 per month | | 1 | OH1 | TEFHG | 36.83 | 178.50 | 154.61 | 22.89 | 15.74 | ļ | | | | | |
| | | | | 0.10 | | | | | | | | | | | I | I |
| L | Local Channel - Dedicated - DS3 Facility Termination per month | | <u> </u> | OH3 | TEFHJ | 413.87 | 454.13 | 264.47 | 123.23 | 86.19 | <u> </u> | | | | | |
| | AL INTERCONNECTION MID-SPAN MEET | Ц | l | <u> </u> | 1 | | | | | | ļ | | | | | |
| NOTE | : If Access service ride Mid-Span Meet, one-half the tariffed ser | rvice Lo | cai Ch | | | | | | ļ | | <u> </u> | | | | - | - |
| | Local Channel - Dedicated - DS1 per month | <u> </u> | - | OH1MS | TEFHG | 0.00 | 0.00 | | ļ | | <u> </u> | | | | - | - |
| <u> </u> | Local Channel - Dedicated - DS3 per month | | <u> </u> | OH3MS | TEFHJ | 0.00 | 0.00 | | ļ | | <u> </u> | | | | | |
| MULT | TIPLEXERS | | | 0114 | | 400 | | | 10 | | _ | | | | | |
| \vdash | Channelization - DS1 to DS0 Channel System | | 1 | OH1, OH1MS | SATN1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | ļ | | | | | |
| | DS3 to DS1 Channel System per month | | 1 | OH3, OH3MS | SATNS | 170.63 | 179.17 | 94.52 | 34.30 | 32.82 | ļ | | | | | |
| | DS3 Interface Unit (DS1 COCI) per month | L | L | OH1, OH1MS | SATCO | 12.96 | 6.62 | 4.74 | | | | ļ | | | | └ |
| INotes | s: If no rate is identified in the contract, the rates, terms, and co | ondition | is for t | ne specific service o | or function w | III be as set fort | n ın applicable | e BellSouth ta | ritt. | | 1 | l | | <u> </u> | 1 | |

| LOCAL INT | ERCONNECTION - North Carolina | | | | | | | | | | | | Attach | ment: 3 | Exhi | bit: A |
|-------------|--|-----------|----------|--|-----------------|-------------------|-----------------|--------------------------|--------------|--|-----------|-----------|-------------|-------------|-------------|--------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| 1 | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| 1 | | And and | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | _ | Manual Svo |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| 1 | | m | | | | | | | | | per LSK | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| 1 | | | | | | | | | | | | | | | 1 | 1 |
| 1 | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | İ | | _ | Nonre | curring | Nonrecurring | g Disconnect | | | oss | Rates (\$) | 1 | |
| | | | 1 | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | | 1 | | | | | | | | | | | | | |
| LOCAL INTER | RCONNECTION (CALL TRANSPORT AND TERMINATION) | | 1 | | | | | | | | | | | | | |
| | : "bk" beside a rate indicates that the Parties have agreed to bi | II and k | eep fo | r that element pursu | ant to the ter | ms and conditi | ons in Attachr | nent 3. | | | 1 | | | | | |
| | EM SWITCHING | | Ι' | 1 | | | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | 1 | OHD | | 0.0012000bk | | | | | | | | | | |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | | | | | | 1 | | | | | |
| | only) | | | OHD | | 0.0012 | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | | OHD | | 0.0015 | | | | | 1 | | | | | |
| * This | charge is applicable only to transit traffic and is applied in ad | dition to | o appli | cable switching and | l/or interconr | ection charges | 5. | | | | | | | | | |
| | K CHARGE | | 1 | 1 | 1 | 1 | | | | | | | | | | |
| | Installation Trunk Side Service - per DS0 | | i — | OHD | TPP++ | | 21.55 | 8.12 | İ | 1 | † | i e | | | İ | 1 |
| | Dedicated End Office Trunk Port Service-per DS0** | | 1 | OHD | TDE0P | 0.00 | 50 | 2.72 | İ | 1 | 1 | İ | | İ | 1 | 1 |
| | Dedicated End Office Trunk Port Service-per DS1** | | 1 | 0H1 OH1MS | TDE1P | 0.00 | | | İ | 1 | 1 | İ | | İ | 1 | 1 |
| | Dedicated Tandem Trunk Port Service-per DS0** | | \vdash | OHD | TDW0P | 0.00 | | | i | 1 | | | | i | İ | 1 |
| | Dedicated Tandem Trunk Port Service-per DS1** | | 1 | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| ** This | s rate element is recovered on a per MOU basis and is included | in the | End O | | | | J rate elements | 5 | | | | | | | | |
| | MON TRANSPORT (Shared) | | T | The state of the s | 1 | lonning, por more | | | | | | | | | 1 | |
| | Common Transport - Per Mile, Per MOU | | 1 | OHD | | 0.0000100bk | | | | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | 1 | OHD | 1 | 0.0003400bk | | | | - | 1 | | | | | |
| LOCAL INTER | RCONNECTION (DEDICATED TRANSPORT) | | 1 | 0.15 | 1 | 0.0000 10001 | | | | - | 1 | | | | | |
| | ROFFICE CHANNEL - DEDICATED TRANSPORT | | 1 | | 1 | | | | | - | 1 | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | OHL. OHM | 1L5NF | 0.0282 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | 1 | 0112, 01111 | 120111 | 0.0202 | | | | - | 1 | | | | | |
| | Facility Termination per month | | | OHL. OHM | 1L5NF | 18.00 | 137.48 | 52.58 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | 1 | OTIE, OTIM | TEO! VI | 10.00 | 107.40 | 02.00 | | - | 1 | | | | | |
| | per month | | | OHL, OHM | 1L5NK | 0.0282 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | 0.12, 0.111 | 1201111 | 0.0202 | | | | | | | | | | |
| | Termination per month | | | OHL, OHM | 1L5NK | 17.40 | 137.48 | 52.58 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | <u> </u> | OTIE, OTIM | TEOTATO | 17.40 | 107.40 | 02.00 | | | | | | | | |
| | per month | | | OHL, OHM | 1L5NK | 0.0282 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | 1 | OTIE, OTIM | ILOIVIX | 0.0202 | | | | - | 1 | | | | | |
| | Termination per month | | | OHL, OHM | 1L5NK | 17.40 | 137.48 | 52.58 | | | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | 1 | 0112, 01111 | 1201111 | | 101110 | 02.00 | | - | 1 | | | | | |
| | month | | | OH1, OH1MS | 1L5NL | 0.5753 | | | | 1 | | | | | | 1 |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | t | C, OITHWO | . 20142 | 0.0700 | | | | | 1 | - | | | | <u> </u> |
| | Termination per month | | | OH1, OH1MS | 1L5NL | 71.29 | 217.17 | 163.75 | | 1 | | | | | | 1 |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | 1 | t | , civio | | 71.20 | 217.17 | 100.70 | i | † | | | | | | t |
| . | month | | | OH3, OH3MS | 1L5NM | 12.98 | | | | I | | 1 | | 1 | | I |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | 1 | 0110, 0110110 | 12011111 | 12.00 | | | | - | 1 | | | | | |
| | Termination per month | | | OH3, OH3MS | 1L5NM | 720.38 | 794.94 | 579.55 | | | | | | | | |
| LOCA | L CHANNEL - DEDICATED TRANSPORT | | 1 | OT 10, OT 10IVIO | TEOTAIN | 720.00 | 704.04 | 070.00 | | | 1 | | | | | 1 |
| 1200 | Local Channel - Dedicated - 2-Wire Voice Grade per month | | t | OHL. OHM | TEFV2 | 11.24 | 553.80 | 89.69 | i | 1 | 1 | | | | | 1 |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month | 1 | t | OHL, OHM | TEFV4 | 12.03 | 562.23 | 92.67 | i | † | | | | | | t |
| | Local Channel - Dedicated - Ville Voice Grade per month | 1 | t | OH1 | TEFHG | 27.05 | 534.48 | 462.69 | i | † | | | | | | t |
| | | 1 | t | | | 27.00 | 304.40 | 702.00 | i | † | | | | | | t |
| . | Local Channel - Dedicated - DS3 Facility Termination per month | | | ОНЗ | TEFHJ | 298.92 | 438.46 | 256.30 | | 1 | | | | | | 1 |
| | L INTERCONNECTION MID-SPAN MEET | | i – | | | 200.02 | 100.40 | 200.00 | | 1 | 1 | 1 | | | | |
| LOCA | | rvico I o | cal Ch | annel rate is applica | able. | | | | | <u> </u> | | | | | | <u> </u> |
| | : If Access service ride Mid-Span Meet, one-half the tariffed ser | | | | | 0.00 | 0.00 | | | t | - | | | l | † | t |
| | : If Access service ride Mid-Span Meet, one-half the tariffed ser | VICE LC | | OH1MS | LIEFHG | | 0.00 | | | | | | ì | i | | |
| | Local Channel - Dedicated - DS1 per month | VICE EC | | OH1MS OH3MS | TEFHG TEFH.I | | 0.00 | | | | | | | | | |
| NOTE | Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month | VICE LC | | OH1MS OH3MS | TEFHJ | 0.00 | 0.00 | | | | | | | | | |
| NOTE | Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month IPLEXERS | VICE LC | | OH3MS | TEFHJ | 0.00 | | 140 06 | | | | | | | | |
| NOTE | Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month IPILEXERS Channelization - DS1 to DS0 Channel System | VICE LC | | OH3MS OH1, OH1MS | TEFHJ SATN1 | 0.00 | 197.78 | 140.06 234.40 | | | | | | | | |
| NOTE | Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month IPLEXERS | VICE LO | | OH3MS | TEFHJ | 0.00 | | 140.06 234.40 9.38 | | | | | | | | |

| CATEGORY RATE ELEMENTS Index Description Descrip | LOCAL INT | ERCONNECTION - South Carolina | | | | | | | | | | | | Attach | ment: 3 | Exhi | hit: A |
|--|--|---|--|--|-----------------------|----------------|--------------------|-----------------|----------------|--------------|------------|-----------|-----------|--|--|--|-------------|
| CATEGORY RATE ELEMENTS Interi Zone BCS USOC NATES (5) Submitted Submitted Category Manual Ser Manual | LOCAL INT | | | | | | I | | | | | Svc Order | Svc Order | | | | Incremental |
| ATTENDED Part Company Compan | | | 1 | | | | | | | | | l . | | | | | Charge - |
| CATEGORY RATE ELEMENTS | | | | | | | | | | | | 1 | | | _ | _ | Manual Svc |
| Record R | CATEGORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES (\$) | | | 1 | | | | | |
| Description | CATEGORI | KATE EEEMENTO | m | 20116 | ВОО | 0000 | | | IXATEO (ψ) | | | per LSR | per LSR | | | | Order vs. |
| No. | | | | | | | | | | | | | | | | | Electronic- |
| COMMONT TRANSPORT FAIR Services per Solid In addition to approach to the Common Transport of the Common Transport of Transport Transpo | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| COMMONT TRANSPORT FAIR Services per Solid In addition to approach to the Common Transport of the Common Transport of Transport Transpo | | | | | | | | Nonrec | curring | Nonrecurring | Disconnect | † | 1 | oss | Rates (\$) | 1 | |
| COLOR TRESCONSECTION CALL TRANSPORT AND TESMINATION | | | | | | † | Rec | | | | | SOMEC | SOMAN | | | SOMAN | SOMAN |
| NOTE: "Not beade a rise indicates that the Parties have agreed to ball and keep for that element pursuant to the terms and conditions in Attachment 3. | | | | | | | | | 7100 | 1 01 | 71441 | 0020 | 00 | | | | |
| NOTE: "Not backed as inter indicates that the Parties have agreed to bell and keep for that element pursuant to the terms and conditions in Attachment 3. | LOCAL INTER | RCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | İ | | | | | | i e | | | | | |
| TARGES SWITCHING | | | II and k | eep for | that element pursua | ant to the ter | ms and conditi | ons in Attachr | nent 3. | | | i e | | | | | |
| Multiple Tanderin Switching, por MOU (applied to mind student) Child Chi | | | | | | l | | | | | | t | | | | | |
| Multiple Tanderin Switching, por MOU (applied to mind student) Child Chi | | Tandem Switching Function Per MOU | | | OHD | 1 | 0.0007360bk | | | | | | | | | | |
| Display | | | | | | | | | | | | | | | | | |
| Triss charge is applicable only to trainst traffic and is applied in addition to applicable switching and/or interconnection charges. | | | | | OHD | | 0.000736 | | | | | | | | | | |
| TRUNK CHARGE | | Tandem Intermediary Charge, per MOU* | | | OHD | | 0.0015 | | | | | | | ĺ | Î | ĺ | |
| Installation Trunk Stafe Service per DS0" OHD TTPP+ 2.16.5 8.16 | * This | charge is applicable only to transit traffic and is applied in ad | dition to | applio | cable switching and | or interconr | ection charges | | | | | ĺ | | | | | |
| Decidated End Office Trusk POT Service-per DSP** DHF OHMS TOE:PP 0.00 | TRUN | | | | | | | | | | | | | | | | |
| Described Fand Office Trusk Port Service-per DSP** OHT OHINS TDEEP 0.00 | | | | | | | | 21.65 | 8.16 | | | | | | | | |
| Dedicated Tandem Trunk Port Service-per DS1"* OHD TDWIPP 0.00 | | Dedicated End Office Trunk Port Service-per DS0** | | | | | | | | | | | | | | | |
| Dedicated Tandem Trunk Port Service-per DS1** OH1 OH1MS TDW1P 0.00 | | | | | | | | | | | | | | | | | |
| "This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements | | | | | | | | | | | | | | | | | |
| COMMON TRANSPORT (Shared) | | | | | | | | | | | | | | | | | |
| Common Transport - Fer Miley Fer MOU | | | d in the | End Of | fice Switching and | Tandem Swit | ching, per MOL | J rate elements | 5 | | | | | | | | |
| Common Transport - Facilities Termination Per MOU CDCAL INTERCONNECTION (DECIDATE TRANSPORT) CDCAL INTERCONNECTION (DECIDATE TRANSPORT) CDCAL INTERCONNECTION (DECIDATE TRANSPORT) CDCAL INTERCONNECTION (DECIDATE TRANSPORT) CDCAL INTERCONNECTION (DECIDATE TRANSPORT) CDCAL INTERCONNECTION (DECIDATE TRANSPORT) CDCAL INTERCONNECTION (DECIDATE TRANSPORT) CDCAL INTERCONNECTION (DECIDATE TRANSPORT) CDCAL INTERCONNECTION (DECIDATE TRANSPORT) CDCAL INTERCONNECTION (DECIDATE TRANSPORT) CDCAL INTERCONNECTION (DECIDATE TRANSPORT) CDCAL INTERCONNECTION (DATE OF TRANSPORT) CDCAL INTERCONNECTION (DECIDATE TRANSPORT) CDCAL INTERCO | COM | | | | | | | | | | | | | | | | |
| LIGOAL INTERCONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | | | |
| INTEROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | OHD | | 0.0004095bk | | | | | | | | | | |
| Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month ILSNK Delta (Transport - Delta (Transport - 2-Wire Voice Grade - Featily Termination per month Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month ILSNK Delta (Transport - 56 kbps - Featily Delta (Transport - 56 kbps - Featily Delta (Transport - 56 kbps - Featily Delta (Transport - 56 kbps - Featily Delta (Transport - 56 kbps - Featily Delta (Transport - 56 kbps - Featily Delta (Transport - 56 kbps - Featily Delta (Transport - 56 kbps - Featily Delta (Transport - 56 kbps - Featily Delta (Transport - 64 | | | | | | | | | | | | | | | | | |
| Per Mile per month | INTER | | | | | | | | | | | | | | | | |
| Interoffice Channel - Dedicated Transport 2- Wire Voice Grade - Facility Communication per month | | | | | | | | | | | | | | | | | |
| Facility Termination per month OHL, OHM 1.5NF 24.30 40.63 27.47 16.77 6.91 | | | | | OHL, OHM | 1L5NF | 0.0167 | | | | | | | | | | |
| Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | | | | | | | | | | | | | | | |
| Der month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month ILSNK 16.76 40.63 27.47 16.77 6.91 | | | | | OHL, OHM | 1L5NF | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month OHL, OHM ILSNK 16.76 A0.63 27.47 16.77 6.91 Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month OHL, OHM ILSNK 16.76 A0.63 27.47 16.77 6.91 Description of the control of the con | | | | | | | | | | | | | | | | | |
| Termination per month DHL, DHM LSNK 16.76 40.63 27.47 16.77 6.91 | | | | | OHL, OHM | 1L5NK | 0.0167 | | | | | | | | | | |
| Interoffice Channel - Dedicated Transport - 64 kbps - per mile OHL, OHM 1L5NK 0.0167 DHL OHM 1L5NK 0.0167 DHL OHM 1L5NK 0.0167 DHL OHM 1L5NK 0.0167 DHL OHM 1L5NK 0.0167 DHL OHM 1L5NK 16.76 40.63 27.47 16.77 6.91 DHL OHM 1L5NK 1.676 40.63 27.47 16.77 6.91 DHL OHM 1L5NK 1.676 40.63 27.47 16.77 6.91 DHL OHM 1.677 6.91 DHL OHM 1.677 6.91 DHL OHM 1.677 6.91 DHL OHM 1.677 6.91 DHL OHM DHL OHM 1.677 6.91 DHL OHM | | | | | | | 40.00 | 40.00 | | | | | | | | | |
| Der month Children | | | | | OHL, OHM | 1L5NK | 16.76 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month Termination | | | | | | | | | | | | | | | | | |
| Termination per month OHL, OHM 1.5NK 16.76 40.63 27.47 16.77 6.91 | | | - | - | OHL, OHM | 1L5NK | 0.0167 | | | | | 1 | | | | | |
| Interoffice Channel - Dedicated Tranport - DS1 - Per Mile per month OH1, OH1MS 1L5NL 0.3415 OH3, OH3MS 1L5NL T77.14 89.47 81.99 16.39 14.48 OH3, OH3MS Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month OH3, OH3MS 1L5NM 8.02 OH3, OH3MS IL5NM S.02 OH3, OH3MS IL5NM I | | | | | 0111 01114 | 41 55 112 | 40.70 | 40.00 | 07.47 | 40.77 | 0.04 | | | | | | |
| month OH1, OH1MS 1L5NL 0.3415 | | | | | OHL, OHIVI | ILDINK | 10.76 | 40.63 | 21.41 | 10.77 | 6.91 | - | - | | - | | |
| Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | 41 EN! | 0.0445 | | | | | | | | | | |
| Termination per month | \vdash | | - | - | Uni, Uniivis | ILOINL | 0.3415 | | | - | | | | | | | |
| Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | 1 | | OH1 OH1MS | 11 5NI | 77 14 | 90 47 | 91.00 | 16 20 | 11 10 | | | | | | |
| month | | | 1 | | OTTI, OTTINO | ILUINL | 11.14 | 09.47 | 01.99 | 10.39 | 14.48 | 1 | - | | | | |
| Interoffice Channel - Dedicated Transport - DS3 - Facility OH3, OH3MS 1L5NM 880.65 279.37 163.12 60.33 58.59 | | | | | OH3 OH3MS | 11 5NM | 8 02 | | | | | | | | | | |
| Termination per month | | | | | OT 10, OT IOIVIO | LOINIVI | 0.02 | | | | | <u> </u> | | | | | |
| LOCAL CHANNEL - DEDICATED TRANSPORT | | | 1 | | OH3 OH3MS | 1I 5NM | 880 65 | 270 37 | 163 12 | 60.33 | 58 50 | | | | | | |
| Local Channel - Dedicated - 2-Wire Voice Grade per month | LOCA | | t | | 5. 75, OI IOIVIO | LOINIVI | 300.03 | 213.31 | 100.12 | 00.33 | 30.39 | † | - | | | | |
| Local Channel - Dedicated - 4-Wire Voice Grade per month | LOCA | | † | † | OHL. OHM | TEFV2 | 15.33 | 193.53 | 33 24 | 36.72 | 3 21 | 1 | - | | | | |
| Local Channel - Dedicated - DS1 per month | | | t | | | | | | | | | † | - | | | | |
| Local Channel - Dedicated - DS3 Facility Termination per month OH3 TEFHJ 446.00 452.52 264.53 119.75 83.77 | | | | | | | | | | | | 1 | | i | i | i | |
| LOCAL INTERCONNECTION MID-SPAN MEET NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable. Local Channel - Dedicated - DS1 per month OH1MS TEFHG 0.00 0.00 Local Channel - Dedicated - DS3 per month OH3MS TEFHJ 0.00 0.00 DS1 Channel System OH1, OH1MS SATN1 107.57 91.24 62.71 10.56 9.81 DS3 to DS1 Channel System per month OH3, OH3MS SATNS 144.02 178.54 94.18 33.33 31.90 DS3 Interface Unit (DS1 COCI) per month OH1, OH1MS SATCO 8.64 6.59 4.73 4.73 | | | t | t | | | .2.02 | | .000 | 22.27 | .5.00 | | | i | i | i | |
| LOCAL INTERCONNECTION MID-SPAN MEET NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable. Local Channel - Dedicated - DS1 per month OH1MS TEFHG 0.00 0.00 Local Channel - Dedicated - DS3 per month OH3MS TEFHJ 0.00 0.00 DS1 Channel System OH1, OH1MS SATN1 107.57 91.24 62.71 10.56 9.81 DS3 to DS1 Channel System per month OH3, OH3MS SATNS 144.02 178.54 94.18 33.33 31.90 DS3 Interface Unit (DS1 COCI) per month OH1, OH1MS SATCO 8.64 6.59 4.73 4.73 | | Local Channel - Dedicated - DS3 Facility Termination per month | | | OH3 | TEFHJ | 446.00 | 452.52 | 264.53 | 119.75 | 83.77 | | | | | | |
| NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable. Local Channel - Dedicated - DS1 per month | LOCA | | | | | 1 | 112.00 | | | | 23 | | | İ | İ | İ | |
| Local Channel - Dedicated - DS1 per month | | | rvice Lo | cal Cha | annel rate is applica | ble. | | | | | | | | İ | İ | İ | |
| Local Channel - Dedicated - DS3 per month | | | | | | | 0.00 | 0.00 | | | | 1 | İ | İ | İ | İ | |
| MULTIPLEXERS | | | 1 | | | | | | | | | 1 | İ | İ | İ | İ | |
| DS3 to DS1 Channel System per month OH3, OH3MS SATNS 144.02 178.54 94.18 33.33 31.90 | MULT | | | | | | | | | | | | | ĺ | ĺ | ĺ | |
| DS3 to DS1 Channel System per month OH3, OH3MS SATNS 144.02 178.54 94.18 33.33 31.90 | | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | | | | | |
| DS3 Interface Unit (DS1 COCI) per month OH1, OH1MS SATCO 8.64 6.59 4.73 | | | | 1 | OH3, OH3MS | SATNS | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | | | | | |
| | | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 8.64 | 6.59 | 4.73 | | | | | | | | |
| Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff. | Notes | | ondition | s for th | ne specific service o | r function w | ill be as set fort | h in applicable | e BellSouth ta | riff. | | | | | | | |

| LOCAL INT | ERCONNECTION - Tennessee | | | | | | | | | | | | Attach | ment: 3 | Exhi | ibit: A |
|-------------|---|-----------|---------|----------------------|----------------|-----------------|-----------------|------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Intori | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | DISC 1St | DISC Add I |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | RCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | |
| | : "bk" beside a rate indicates that the Parties have agreed to bi | II and k | eep fo | r that element pursu | ant to the ter | rms and conditi | ions in Attachn | nent 3. | | | | | | | | |
| TAND | DEM SWITCHING | | | | | | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | | OHD | | 0.0009778bk | | | | | | | | | | |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | | | | | | | | | | | |
| | only) | | | OHD | | 0.0009778 | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | | OHD | | 0.0015 | | | | | | | | | | |
| | charge is applicable only to transit traffic and is applied in ad- | dition to | o appli | cable switching and | l/or interconr | nection charges | š. | | | | | | | | | |
| TRUN | IK CHARGE | | | | | | | | | | | | | | | |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP++ | | 21.59 | 8.09 | | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDE0P | 0.00 | | | | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS1** | | | 0H1 OH1MS | TDE1P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| | s rate element is recovered on a per MOU basis and is included | l in the | End O | ffice Switching and | Tandem Swi | tching, per MOI | J rate elements | 5 | | | | | | | | |
| COM | MON TRANSPORT (Shared) | | | | | | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | OHD | | 0.0000064bk | | | | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | | OHD | | 0.0003871bk | | | | | | | | | | |
| LOCAL INTER | RCONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | |
| INTER | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | OHL, OHM | 1L5NF | 0.0174 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | OHL, OHM | 1L5NF | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | | | | | | | | | | |
| | per month | | | OHL, OHM | 1L5NK | 0.0174 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OHL, OHM | 1L5NK | 17.98 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | | | | | | | | | | | | | |
| | per month | | | OHL, OHM | 1L5NK | 0.0174 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OHL, OHM | 1L5NK | 17.98 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | OH1, OH1MS | 1L5NL | 0.3562 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | <u></u> | <u></u> | OH1, OH1MS | 1L5NL | 77.86 | 112.40 | 76.27 | 19.55 | 14.99 | | | | <u> </u> | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | <u></u> | <u></u> | OH3, OH3MS | 1L5NM | 2.34 | | | <u> </u> | | | | | <u> </u> | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OH3, OH3MS | 1L5NM | 848.99 | 395.29 | 176.56 | 109.04 | 105.91 | | | | | | |
| LOCA | L CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL, OHM | TEFV2 | 19.43 | 199.33 | 24.16 | 54.81 | 4.80 | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | 20.56 | 201.53 | 24.83 | 55.52 | 5.51 | | | | | | |
| | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 40.99 | 277.35 | 233.26 | 33.18 | 22.30 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - DS3 Facility Termination per month | | | OH3 | TEFHJ | 611.30 | 595.37 | 304.50 | 215.82 | 151.15 | | | | | | |
| | L INTERCONNECTION MID-SPAN MEET | | | | | | | | | | | | | | | |
| NOTE | : If Access service ride Mid-Span Meet, one-half the tariffed ser | rvice Lo | cal Ch | | | | | | | | | | | | | |
| | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | | | |
| | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | | | | | | | | |
| MULT | TIPLEXERS | | | | | | | · | | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | 80.77 | 141.87 | 77.11 | 44.47 | 42.62 | | | | | | |
| | DS3 to DS1 Channel System per month | | | OH3, OH3MS | SATNS | 222.98 | 308.03 | 108.47 | 6.34 | 4.23 | | | | | | |
| | | | | | | | | | | | | | | | | 1 |
| | DS3 Interface Unit (DS1 COCI) per month s: If no rate is identified in the contract, the rates, terms, and co | | | OH1, OH1MS | SATCO | 17.58 | 6.07 | 4.66 | | | | | | | | |

Attachment 4

Physical Collocation

BELLSOUTH

PHYSICAL COLLOCATION

1. Scope of Attachment

- 1.1 The rates, terms, and conditions contained within this Attachment shall only apply when Excel is physically collocated as a sole occupant or as a Host within a BellSouth Premises location pursuant to this Attachment. BellSouth Premises include BellSouth Central Offices and Serving Wire Centers (hereinafter "Premises"). This Attachment is applicable to Premises owned or leased by BellSouth. However, if the Premises occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions contained in this Attachment.
- Right to Occupy. BellSouth shall offer to Excel collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the FCC. Subject to the rates, terms and conditions of this Attachment, where space is available and it is technically feasible, BellSouth will allow Excel to occupy a certain area designated by BellSouth within a Premises, or on BellSouth property upon which the Premises is located, of a size which is specified by Excel and agreed to by BellSouth (hereinafter "Collocation Space"). The necessary rates, terms and conditions for h premises as defined by the FCC, other than BellSouth Premises, shall be negotiated upon reasonable request for collocation at such premises.
- 1.2.1 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth in this Attachment.
- 1.2.1.1 In all states other than Florida, the size specified by Excel may contemplate a request for space sufficient to accommodate Excel's growth within a twenty-four (24) month period.
- 1.2.1.2 In the state of Florida, the size specified by Excel may contemplate a request for space sufficient to accommodate Excel's growth within an eighteen (18) month period.
- 1.3 Space Allocation. BellSouth shall attempt to accommodate Excel's requested preferences, if any. In allocating Collocation Space, BellSouth shall not materially increase Excel's cost or materially delay Excel's occupation and use of the Collocation Space, assign Collocation Space that will impair the quality of service or otherwise limit the service Excel wishes to offer, reduce unreasonably the total space available for physical collocation or preclude unreasonable physical collocation within the Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocated telecommunications carrier; (c) used to provide physical access to occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by BellSouth or another collocated telecommunications carrier;

- or (f) essential for the administration and proper functioning of Premises. BellSouth may segregate Collocation Space and require separate entrances for collocated telecommunications carriers to access their Collocation Space, pursuant to FCC Rules.
- 1.4 <u>Space Reclamation.</u> In the event of space exhaust within a Premises, BellSouth may include in its documentation for the Petition for Waiver filed with the Commission, any unutilized space in the Premises. Excel will be responsible for the justification of unutilized space within its Collocation Space, if the Commission requires such justification.
- 1.5 <u>Use of Space</u>. Excel shall use the Collocation Space for the purposes of installing, maintaining and operating Excel's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements for the provision of telecommunications services, as specifically set forth in this Agreement. The Collocation Space assigned to Excel may not be used for any purposes other than as specifically described herein or in any amendment hereto.
- 1.6 <u>Rates and Charges</u>. Excel agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.7 If any due date contained in this Attachment falls on a weekend or National holiday, the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less, National holidays will be excluded.
- 1.8 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. Space Availability Report

- 2.1 Space Availability Report. Upon request from Excel and at the Excel's expense, BellSouth will provide a written report (Space Availability Report) describing in detail the space that is available for collocation at a particular Premises. This report will include the amount of Collocation Space available at the Premises requested, the number of collocators present at the Premises, any modifications in the use of the space since the last report on the Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Premises for which the Space Availability Report was requested by Excel.
- 2.1.1 The request from Excel for a Space Availability Report must be in writing and include the Premises street address, as identified in the Local Exchange Routing Guide (LERG) and Common Language Location Identification (CLLI) code of the Premises. CLLI code information is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4.

2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Premises within ten (10) calendar days of the receipt of such a request. BellSouth will make its best efforts to respond in ten (10) calendar days to a Space Availability Report request when the request includes from two (2) to five (5) Premises within the same state. The response time for Space Availability Report requests of more than five (5) Premises shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify Excel and inform Excel of the timeframe under which it can respond.

3. <u>Collocation Options</u>

- 3.1 <u>Cageless.</u> BellSouth shall allow Excel to collocate Excel's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Excel to have direct access to Excel's equipment and facilities in accordance with Section 5.9. BellSouth shall make cageless collocation available in single bay increments. Except where Excel's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Excel must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.
- 3.2 Caged. At Excel's expense, Excel will arrange with a Supplier certified by BellSouth (BellSouth Certified Supplier) to construct a collocation arrangement enclosure in accordance with BellSouth's Technical References (TRs) (Specifications) prior to starting equipment installation. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's enclosure Specifications, Excel and Excel's BellSouth Certified Supplier must comply with the more stringent local building code requirements. Excel's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Excel and provide, at Excel's expense, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for Excel's BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. Excel's BellSouth Certified Supplier shall bill Excel directly for all work performed for Excel pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Excel's BellSouth Certified Supplier. Excel must provide the local BellSouth Central Office building contact with two Access Keys that will allow entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access Excel's locked enclosure prior to notifying Excel at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required. Upon request, BellSouth shall construct the enclosure for Excel.

- 3.2.1 BellSouth may elect to review Excel's plans and specifications prior to allowing construction to start, to ensure compliance with BellSouth's Specifications. BellSouth will notify Excel of its desire to execute this review in BellSouth's response to the Initial Application, if Excel has indicated its desire to construct its own enclosure. If Excel's Initial Application does not indicate its desire to construct its own enclosure, but its subsequent firm order does indicate its desire to construct its own enclosure, then notification to review will be given within ten (10) calendar days after the Firm BellSouth shall complete its review within fifteen (15) calendar days after the receipt of Excel's plans and specifications. Regardless of whether or not BellSouth elects to review Excel's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction has been completed to ensure that it is constructed according to Excel's submitted plans and specifications and/or BellSouth's Specifications, as applicable. If BellSouth decides to inspect the constructed Collocation Space, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from Excel. BellSouth shall require Excel to remove or correct within seven (7) calendar days, at Excel's expense, any structure that does not meet Excel's plans and specifications or BellSouth's Specifications, if applicable.
- Shared Caged Collocation. Excel may allow other telecommunications carriers to share Excel's caged collocation arrangement, pursuant to the terms and conditions agreed to by Excel (Host) and the other telecommunications carriers (Guests) pursuant to this Section, except where the Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option to Excel. BellSouth shall be notified in writing by Excel upon the execution of any agreement between the Host and its Guest(s) within ten (10) calendar days of its execution and prior to the submission of any Firm Orders. Further, such notification shall include the name of the Guest(s), the term of the agreement, and a certification by Excel that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and Excel.
- 3.3.1 Excel, as the Host, shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents. BellSouth shall provide Excel with a proration of the costs of the Collocation Space based on the number of collocators and the space used by each, with a minimum charge of one (1) bay/rack per Host/Guest. In all states other than Florida, and in addition to the above, Excel shall be the responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment placement for the Guest(s). In Florida, the Guest(s) may submit its own initial and additional equipment placement applications using the Host's Access Carrier Name Abbreviation (ACNA). A separate Guest application shall result in the assessment of an Initial Application Fee or a Subsequent Application Fee, as set forth in Exhibit B, which will be billed to the

Host on the date that BellSouth provides its written response to the Guest(s) Bona Fide Application (Application Response).

- 3.3.2 Notwithstanding the foregoing, the Guest(s) may submit service orders directly to BellSouth to request the provisioning of interconnecting facilities between BellSouth and the Guest(s), the provisioning of services, and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest(s) pursuant to the applicable Tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 Excel shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Excel's Guest(s) in the Collocation Space, except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit an adjacent collocation arrangement (Adjacent Arrangement) on Premises' property only when space within the Premises is legitimately exhausted and where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Premises' property. An Adjacent Arrangement shall be constructed or procured by Excel and must be in conformance with BellSouth's design and construction Specifications. Further, Excel shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the rates, terms and conditions set forth in this Attachment.
- 3.4.1 If Excel requests Adjacent Collocation, pursuant to the conditions stated in 3.4 above, Excel must arrange with a BellSouth Certified Supplier to construct the Adjacent Arrangement structure in accordance with BellSouth's Specifications. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, Excel and Excel's BellSouth Certified Supplier must comply with the more stringent local building code requirements. Excel's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Excel's BellSouth Certified Supplier shall bill Excel directly for all work performed for Excel pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Excel's BellSouth Certified Supplier. Excel must provide the local BellSouth Central Office building contact with two cards, keys or other access devices used to gain entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access Excel's locked enclosure prior to notifying Excel at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required.
- 3.4.2 Excel must submit its Adjacent Arrangement construction plans and specifications to BellSouth when it places its Firm Order. BellSouth shall review Excel's plans and specifications prior to construction of an Adjacent Arrangement(s) to ensure Excel's compliance with BellSouth's Specifications. BellSouth shall complete its review

within fifteen (15) calendar days after receipt of the plans and specifications from Excel for the Adjacent Arrangement. BellSouth may inspect the Adjacent Arrangement during and after construction is completed to ensure that it is constructed according to Excel's submitted plans and specifications. If BellSouth decides to inspect the completed Adjacent Arrangement, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from Excel. BellSouth shall require Excel to remove or correct within seven (7) calendar days at Excel's expense, any structure that does not meet its submitted plans and specifications or BellSouth's Specifications, if applicable.

- 3.4.3 Excel shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning (HVAC), lighting, and all of the facilities that are required to connect the structure (i.e., racking, conduits, etc.) to the BellSouth point of demarcation. At Excel's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities, subject to the same nondiscriminatory requirements as those applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC subject to individual case basis pricing. Excel's BellSouth Certified Supplier shall be responsible, at Excel's sole expense, for filing and receiving any and all necessary zoning, permits and/or licenses for an Adjacent Arrangement. BellSouth shall allow Shared Caged Collocation within an Adjacent Arrangement, pursuant to the terms and conditions set forth in 3.3 above.
- 3.5 Co-Carrier Cross Connect (CCXC). The primary purpose of collocation is for a telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's unbundled network elements for the provision of telecommunications services. BellSouth will permit Excel to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same Premises. Both Excel's agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. Excel is prohibited from using the Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
- 3.5.1 Excel must contract with a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by Excel. Such connections to other collocated telecommunications carriers may be made using either optical or electrical facilities. In cases where Excel's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Spaces, Excel may use its own technicians to install co-carrier cross connects using either electrical or optical facilities between the equipment of both collocated telecommunications carriers and construct a dedicated cable support structure between the two contiguous cages. Excel shall deploy such optical or electrical connections directly between its own facilities and the facilities of another collocated telecommunications carrier without being routed through BellSouth's equipment. Excel shall not provision CCXC on any BellSouth distribution frame, POT (Point of

- Termination) Bay, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect). Excel is responsible for ensuring the integrity of the signal.
- 3.5.2 Excel shall be responsible for providing a letter of authorization (LOA), with the application, to BellSouth from the other collocated telecommunications carrier to which it will be cross-connecting Excel-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, Excel may use its own technicians to construct the dedicated support structure between the two collocation arrangements.
- 3.5.3 To order CCXCs, Excel must submit an Initial Application or Subsequent Application to BellSouth. If no modification to the Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXCs, as defined in Exhibit B, will apply. If modifications, in addition to the placement of CCXCs, are requested, the Initial Application or Subsequent Application Fee will apply. BellSouth will bill this nonrecurring fee on the date that it provides an Application Response to Excel.

4. Occupancy

4.1 Occupancy. BellSouth will notify Excel in writing when the Collocation Space is ready for occupancy (Space Ready Date). Excel will schedule and complete an acceptance walkthrough of the Collocation Space with BellSouth within fifteen (15) calendar days of the Space Ready Date. BellSouth will correct any deviations in Excel's original or jointly amended application requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame. BellSouth will also establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to only those items identified in the initial walkthrough. If Excel completes its acceptance walkthrough within the fifteen (15) calendar day interval, billing will begin upon the date of Excel's acceptance of the Collocation Space (Space Acceptance Date). In the event that Excel fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Collocation Space shall be deemed accepted by Excel on the Space Ready Date and billing will commence from that date. If Excel decides to occupy the space prior to the Space Ready Date, the date Excel occupies the space becomes the new Space Acceptance Date and billing will begin from that date. Excel must notify BellSouth in writing that collocation equipment installation is complete and operational with BellSouth's network. BellSouth may, at its discretion, refuse to accept orders for cross connects until it has received such notice. For the purposes of this paragraph, Excel's telecommunications equipment will be deemed operational when it has been cross-connected to BellSouth's network for the purpose of provisioning telecommunication services to its customers.