- 5.8.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if New Phone fails to take curative action within 48 hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or other interference/impairment of the services provided by BellSouth or any other interconnector, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to New Phone's equipment. BellSouth will endeavor, but is not required, to provide notice to New Phone prior to taking such action and shall have no liability to New Phone for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.8.2 For purposes of this section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and New Phone fails to take curative action within 48 hours then BellSouth will establish before the relevant Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to New Phone or, if subsequently necessary, the relevant Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, New Phone shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.
- 5.9 <u>Presence of Facilities</u>. Facilities and equipment placed by New Phone in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain its status as personality and may be removed by New Phone at any time. Any damage caused to the Remote Collocation Space by New Phone's employees, agents or representatives shall be promptly repaired by New Phone at its expense.
- Alterations. In no case shall New Phone or any person acting on behalf of New Phone make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any specialized alterations shall be paid by New Phone. Any material

Page 11

rearrangement, modification, improvement, addition, or other alteration shall require an Application Fee.

5.11 <u>Upkeep of Remote Collocation Space</u>. New Phone shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. New Phone shall be responsible for removing any New Phone debris from the Remote Collocation Space and from in and around the Remote Collocation Site on each visit.

#### 6. Space Notification

- Should any state or federal regulatory agency impose procedures or intervals applicable to New Phone and BellSouth that are different from procedures or intervals set forth in this section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof
- 6.2 <u>Application for Space</u>. New Phone shall submit a Remote Site Collocation Application when New Phone or New Phone's Guest(s), as defined in **Section 3**, desires to request or modify the use of the Remote Collocation Space.
- 6.3 <u>Initial Application</u>. For New Phone or New Phone's Guest(s) equipment placement, New Phone shall submit to BellSouth an Application. The Application is Bona Fide when it is complete and accurate, meaning that all required fields on the Application are completed with the appropriate type of information. Prior to submitting the application, CLLI information can be obtained in the manner set forth in Section 2. An Application Fee will apply.
- Subsequent Application In the event New Phone or New Phone's Guest(s) desires to modify the use of the Collocation Space after Bona Fide Firm Order, New Phone shall complete an Application detailing all information regarding the modification to the Collocation Space ("Subsequent Application"). BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by New Phone in the Application. Such necessary modifications to the Premises may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- 6.4.1 <u>Subsequent Application Fee.</u> The application fee paid by New Phone for its request to modify the use of the Collocation Space shall be dependent upon the level of assessment needed for the modification requested. Where the Subsequent Application does not require assessment for provisioning or construction work by BellSouth, no Subsequent Application fee will be required. The fee for a Subsequent Application

where the modification requested has limited effect (e.g., requires limited assessment and no capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit D. If the modification requires capital expenditure assessment, a full Application Fee shall apply. The Subsequent Application is Bona Fide when it is complete and accurate, meaning that all required fields on the Application are completed with the appropriate type of information.

- Availability of Space. Upon submission of an Application, BellSouth will permit New Phone to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth has determined that there is no space available due to space limitations or that Remote Site Collocation is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 7 shall apply, or BellSouth may elect to deny space in accordance with this section in which case virtual or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify New Phone of the amount that is available.
- 6.5.1 Availability Notification. Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days (In Mississippi, ten (10) business days) as to whether space is available or not available within a BellSouth Remote Site Location. With the exception of Georgia, this interval excludes National Holidays. If the amount of space requested is not available, BellSouth will notify New Phone of the amount of space that is available and no Application Fee shall apply. When BellSouth's response includes an amount of space less than that requested by New Phone, New Phone must resubmit its Application to reflect the actual space available.
- 6.5.2 BellSouth will respond to a Florida Application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the Application is Bona Fide and if it is not Bona Fide the items necessary to cause the Application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an Application Fee will be assessed. When BellSouth's Application Response includes an amount of space less than that requested by New Phone, New Phone must amend its Application to reflect the actual space available prior to submitting Bona Fide Firm Order.
- 6.5.3 BellSouth will respond to a Louisiana Application within ten (10) calendar days for space availability for one (1) to ten (10) Applications; fifteen (15) calendar days for eleven (11) to twenty (20) Applications; and for more than twenty (20) Applications, it is increased by five (5) calendar days for every five additional Applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify New Phone of the amount of space that is available and no Application Fee will apply. When BellSouth's response includes an amount of space less than that requested by New Phone, New Phone must resubmit its Application to

reflect the actual space available. BellSouth will also respond as to whether the Application is Bona Fide and if it is not Bona Fide the items necessary to cause the Application to become Bona Fide.

- Denial of Application. If BellSouth notifies New Phone that no space is available ("Denial of Application"), BellSouth will not assess an Application Fee. After notifying New Phone that BellSouth has no available space in the requested Remote Site Location, BellSouth will allow New Phone, upon request, to tour the Remote Site Location within ten (10) calendar days of such Denial of Application. With the exception of Georgia, this interval excludes national holidays. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Remote Site Location must be received by BellSouth within five (5) calendar days of the Denial of Application. In Mississippi the above intervals shall be in business days.
- 6.7 <u>Filing of Petition for Waiver</u>. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit New Phone to inspect any plans or diagrams that BellSouth provides to the Commission.
- Maiting List. On a first-come, first-served basis governed by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list
- 6.8.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. Sixty (60) days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of telecommunications carrier on said waiting list. If not known sixty (60) days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two days of the determination that space is available. A CLEC that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.

- 6.8.2 When space becomes available, New Phone must submit an updated, complete, and correct Application to BellSouth within 30 calendar days (in Mississippi, 30 business days) of such notification. New Phone may accept an amount of space less than its original request by submitting an Application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If New Phone does not submit such an Application or notify BellSouth in writing as described above, BellSouth will offer such space to the next CLEC on the waiting list and remove New Phone from the waiting list. Upon request, BellSouth will advise New Phone as to its position on the list.
- 6.9 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10) calendar days (in Mississippi, 10 business days) of the Denial of Application date. This interval excludes national holidays. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list.
- 6.10 <u>Application Response.</u>
- Application Response. In Alabama, Kentucky, North Carolina, and Tennessee, when space has been determined to be available, BellSouth will provide a written response ("Application Response") within twenty-three (23) business days of the receipt of a Bona Fide Application, which will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.10.2 Except as otherwise provided, for all States that have ordered provisioning intervals but not application response intervals, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the estimated provisioning interval, any additional engineering charges, if applicable, and any other additional information that may extend the ordinary interval to extraordinary interval status, together with sufficient information to explain such extension.
- 6.10.2.1 When multiple applications are submitted in a state within a fifteen (15) calendar day window, BellSouth will respond to the Bona Fide Applications as soon as possible, but no later than the following: within thirty (30) calendar days for Bona Fide Applications 1-5; within thirty-six (36) calendar days for Bona Fide Applications 6-10; within forty-two (42) calendar days for Bona Fide Applications 11-15. Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in excess of 15 must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.

- 6.10.3 In Florida, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide a written response ("Application Response") including sufficient information to enable New Phone to place a Firm Order. When New Phone submits ten (10) or more Applications within ten (10) calendar days, the initial fifteen (15) day response period will increase by ten (10) days for every additional ten (10) Applications or fraction thereof.
- 6.10.4 In Georgia, when space has been determined to be available, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the estimated provisioning interval, any additional engineering charges, if applicable, and any other additional information that may extend the ordinary interval to extraordinary interval status, together with sufficient information to explain such extension.
- 6.10.5 In Louisiana, BellSouth will respond with a full Application Response within thirty (30) calendar days for one (1) to ten (10) Applications; thirty (35) calendar days for eleven (11) to twenty (20) Applications; and for requests of more than twenty (20) Applications, it is increased by five (5) calendar days for every five Applications received within five (5) business days. The Application Response will include, at a minimum, the estimated provisioning interval, any additional engineering charges, if applicable, and any other additional information that may extend the ordinary interval to extraordinary interval status, together with sufficient information to explain such extension.

# 6.11 <u>Application Modifications</u>.

6.11.1 If a modification or revision is made to any information in the Bona Fide Application prior to Bona Fide Firm Order, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of New Phone or necessitated by technical considerations, said Application shall be considered a new Application and shall be handled as a new Application with respect to response and provisioning intervals and BellSouth may charge New Phone an application fee. Where the Application Modification does not require assessment for provisioning or construction work by BellSouth, no application fee will be required. The fee for an Application Modification where the modification requested has limited effect (e.g., requires limited assessment and no capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit D. Major changes such as requesting additional space or adding equipment may require New Phone to submit the Application with an Application Fee.

#### 6.12 Bona Fide Firm Order.

6.12.1 Bona Fide Firm Order. In Alabama, Kentucky, North Carolina, and Tennessee, New Phone shall indicate its intent to proceed with equipment installation in a BellSouth

Premises by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when New Phone has completed the Application/Inquiry process described in Section 6.2, preceding, and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than five (5) business days after BellSouth's Application Response to New Phone's Bona Fide Application.

- 6.12.2 Except as otherwise provided, in all States that have ordered provisioning intervals but not addressed Firm Order intervals, the following shall apply. New Phone shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when New Phone has completed the Application/Inquiry process described in this **Section 6**, preceding and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days (in Mississippi 30 business days) after BellSouth's Application Response to New Phone's Bona Fide Application or the Application will expire.
- In Mississippi, New Phone shall indicate its intent to proceed with equipment installation in a BellSouth Remote Terminal Location by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when New Phone has completed the Application/Inquiry process described in Section 6, preceding and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) business days after BellSouth's Application Response to New Phone's Bona Fide Application or the Application will expire.
- BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a Bona Fide Firm Order. BellSouth will acknowledge the receipt of New Phone's Bona Fide Firm Order within seven (7) calendar days of receipt indicating that the Bona Fide Firm Order has been received. A BellSouth response to a Bona Fide Firm Order will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a Bona Fide Firm Order.
- 6.13 BellSouth will permit one accompanied site visit to New Phone's designated Remote Collocation Space after receipt of the Bona Fide Firm Order without charge to New Phone.

#### 7. Construction and Provisioning

7.1 Construction and Provisioning Intervals.

- 7.1.1 In Alabama (Caged Only), Kentucky, North Carolina and Tennessee, BellSouth will complete construction for collocation arrangements within seventy-six (76) business days from receipt of an Application or as agreed to by the Parties. Under extraordinary conditions, BellSouth will complete construction for collocation arrangements within ninety-one (91) business days. Examples of extraordinary conditions include, but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. In the event New Phone submits a forecast as described in the following section three (3) months or more prior to the application date, the above intervals shall apply. In the event New Phone submits such a forecast between two (2) months and three (3) months prior to the application date, the above intervals may be extended by one (1) additional month. In the event New Phone submits such a forecast less than two (2) months prior to the application date, the above intervals may be extended by sixty (60) calendar days. BellSouth will attempt to meet standard intervals for unforecasted requests and any interval adjustments will be discussed with New Phone at the time the application is received. Raw space, which is space lacking the necessary infrastructure to provide collocation space including but not limited to HVAC, Power, etc.), conversion time frames fall outside the normal intervals and are negotiated on an individual case basis. Additionally, installations to existing collocation arrangements for line sharing or line splitting, which include adding cable, adding cable and splitter, and adding a splitter, will be forty five (45) business days from receipt of an Application.
- 7.1.1.1 To be considered a timely and accurate forecast, New Phone must submit to BellSouth the CLEC Forecast Form, as set forth in exhibit C attached hereto, containing the following information: Central Office/Serving Wire Center CLLI, Remote Site CLLI, number of bays, number of DS0, DS1, DS3 terminations, equipment power requirements (power drain) and planned application date.
- 7.1.2 In Alabama, BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a Bona Fide Firm Order and ninety (90) calendar days for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

Page 18

- 7.1.3 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. For changes to collocation space after initial space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and New Phone cannot agree upon a completion date, within 45 calendar days of receipt of the Bona Fide Firm Order for an initial request, and within 30 calendar days for Augmentations, BellSouth may seek an extension from the Florida PSC.
- 7.1.4 In Georgia, BellSouth will complete construction for caged collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of 60 calendar days from receipt of a Bona Fide Firm Order and 90 calendar days for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.5 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 120 calendar days from receipt of a Bona Fide Firm Order for an initial request, and within 60 calendar days for an Augmentation, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within 120 calendar days of the receipt of a Bona Fide Firm Order. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.6 In Mississippi, excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 120 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within 180 calendar days of the receipt of a Bona Fide Firm Order. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.7 In South Carolina, BellSouth will complete the construction and provisioning activities for collocation arrangements as soon as possible, but no later than 90 calendar days from receipt of a bona fide firm order. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.2 In the event BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect to make additional space available by, for example but not limited to, rearranging BellSouth facilities or constructing additional capacity. In such cases, the above intervals shall not apply and BellSouth will provision the Remote Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide New Phone with the estimated completion date in its Response.
- 7.3 Permits. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- Acceptance Walk Through. New Phone will schedule and complete an acceptance walk through of each Collocation Space with BellSouth within fifteen (15) days of BellSouth's notifying New Phone that the collocation space is ready for occupancy. BellSouth will correct any deviations to New Phone's original or jointly amended requirements within seven (7) calendar days after the walk through, unless the Parties jointly agree upon a different time frame.
- 7.5 <u>Use of BellSouth Certified Supplier</u>. New Phone shall select a supplier that has been approved by BellSouth to perform all engineering and installation work required in the Remote Collocation Space per TR 73503 specifications ("Certified Supplier"). BellSouth shall provide New Phone with a list of Certified Suppliers upon request.

The Certified Supplier(s) shall be responsible for installing New Phone's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's Outside Plant engineers and New Phone upon successful completion of installation. The Certified Supplier shall bill New Phone directly for all work performed for New Phone pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the Certified Supplier. BellSouth shall consider certifying New Phone or any supplier proposed by New Phone. All work performed by or for New Phone shall conform to generally accepted industry guidelines and standards.

- Alarm and Monitoring. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. New Phone shall be responsible for placement, monitoring and removal of alarms used to service New Phone's Remote Collocation Space and for ordering the necessary services therefor. Both Parties shall use best efforts to notify the other of any verified hazardous conditions known to that Party.
- 7.7 Virtual Remote Site Collocation Relocation. BellSouth offers Virtual Collocation pursuant to the terms and conditions set forth in its F.C.C. Tariff No. 1 for Remote Site Collocation locations. The rates shall be the same as provided in this Exhibit D of this agreement. New Phone may place within its Virtual Collocation arrangements the telecommunications equipment set forth in Section 5. In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations, and that physical Remote Collocation Space has subsequently become available, New Phone may relocate its virtual Remote Site collocation arrangements to physical Remote Site collocation arrangements and pay the appropriate non-recurring fees for physical Remote Site collocation and for the rearrangement or reconfiguration of services terminated in the virtual Remote Site collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical Remote Site collocation may become available at the location requested by New Phone, such information will be provided to New Phone in BellSouth's written denial of physical Remote Site collocation. To the extent that (i) physical Remote Collocation Space becomes available to New Phone within 180 calendar days of BellSouth's written denial of New Phone's request for physical collocation, and (ii) New Phone was not informed in the written denial that physical Remote Collocation Space would become available within such 180 calendar days, then New Phone may relocate its virtual Remote Site collocation arrangement to a physical Remote Site collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Site collocation. New Phone must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Remote Collocation Space to its physical Remote Collocation Space and will bear the cost of such relocation.

- 7.8 <u>Cancellation</u>. If, at anytime prior to space acceptance, New Phone cancels its order for the Remote Collocation Space(s), New Phone will reimburse BellSouth for the applicable non recurring rate for any and all work processes for which work has begun.
- 7.9 <u>Licenses</u>. New Phone, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Remote Collocation Space.
- 7.10 Environmental Hazard Guidelines. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified as Exhibit A attached hereto.

#### 8. Rates and Charges

- 8.1 <u>Application Fee.</u> BellSouth will assess an Application Fee on a service order which shall be issued at the time BellSouth responds that space is available. Payment of the Application Fee will be due as dictated by New Phone's current billing cycle and is non-refundable.
- 8.2 Recurring Charges. Recurring charges begin on the date that New Phone executes the written document accepting the Remote Collocation Space pursuant to Section 7, or on the date New Phone first occupies the Remote Collocation Space, whichever is sooner. If New Phone fails to schedule and complete a walkthrough pursuant to Section 7 within fifteen (15) days after BellSouth releases the space for occupancy, then BellSouth shall begin billing New Phone for recurring charges as of the sixteenth (16) day after BellSouth releases the Remote Collocation Space. Other charges shall be billed upon request for the services. All charges shall be due as dictated by New Phone's current billing cycle.
- 8.3 Rack/Bay Space. The rack/bay space charge includes reasonable charges for air conditioning, ventilation and other allocated expenses associated with maintenance of the Remote Site Location, and includes amperage necessary to power New Phone's equipment. New Phone shall pay rack/bay space charges based upon the number of racks/bays requested. BellSouth will assign Remote Collocation Space in conventional remote site rack/bay lineups where feasible
- 8.4 <u>Power.</u> BellSouth shall make available –48 Volt (-48V) DC power for New Phone's Remote Collocation Space at a BellSouth Power Board (Fuse and Alarm Panel) or BellSouth Battery Distribution Fuse Bay ("BDFB") at New Phone's option within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for rack/bay space. If the power requirements for New Phone's equipment

exceeds the capacity for the rack/bay, then such power requirements shall be assessed on a recurring per amp basis for the individual case.

- 8.4.1 Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power, where available. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by New Phone's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. New Phone's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the Commencement Date. AC power voltage and phase ratings shall be determined on a per location basis. At New Phone's option, New Phone may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.5 <u>Security Escort</u>. A security escort will be required whenever New Phone or its approved agent desires access to the Remote Site Location after the one accompanied site visit allowed prior to completing BellSouth's Security Training requirements The parties will negotiate appropriate security escort rates which will be assessed on a one half (1/2) hour increment basis.
- 8.6 Rate "True-Up". The Parties agree that the prices reflected as interim herein shall be "trued-up" (up or down) based on final prices either determined by further agreement or by an effective order, in a proceeding involving BellSouth before the regulatory authority for the state in which the services are being performed or any other body having jurisdiction over this Agreement (hereinafter "Commission"). Under the "trueup" process, the interim price for each service shall be multiplied by the volume of that service purchased to arrive at the total interim amount paid for that service ("Total Interim Price"). The final price for that service shall be multiplied by the volume purchased to arrive at the total final amount due ("Total Final Price"). The Total Interim Price shall be compared with the Total Final Price. If the Total Final Price is more than the Total Interim Price, New Phone shall pay the difference to BellSouth. If the Total Final Price is less than the Total Interim Price, BellSouth shall pay the difference to New Phone. Each Party shall keep its own records upon which a "trueup" can be based and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such "true-up," the Parties agree that the Commission shall be called upon to resolve such differences.
- 8.7 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party. Payment of all other charges under this Attachment shall be due as dictated by New Phone's current billing cycle. New Phone will pay a late payment charge of the lessor of one and one half percent or the legal interest rate assessed monthly on any balance which remains unpaid after the payment due date..

# 9. <u>Insurance</u>

- 9.1 <u>Maintain Insurance</u>. New Phone shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section 9 and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a Best's Insurance Rating of A-.
- 9.2 <u>Coverage</u>. New Phone shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of New Phone's real and personal property situated on or within BellSouth's Remote Site Location.
- 9.2.4 New Phone may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 <u>Limits</u>. The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days notice to New Phone to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by New Phone shall be deemed to be primary. All policies purchased by New Phone shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Remote Site Location and shall remain in effect for the term of this Attachment or until all New Phone''s property has been removed from BellSouth's Remote Site Location, whichever period is longer. If New Phone fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from New Phone.
- 9.5 <u>Submit certificates of insurance</u>. New Phone shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation

Space. Failure to meet this interval may result in construction and equipment installation delays. New Phone shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from New Phone''s insurance company. New Phone shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 675 W. Peachtree Street Rm. 17H53 Atlanta, Georgia 30375

- 9.6 Conformance to recommendations made by BellSouth's fire insurance company. New Phone must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self-Insurance</u>. If New Phone's net worth exceeds five hundred million dollars (\$500,000,000), New Phone may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and Section 9.2.3. New Phone shall provide audited financial statements to BellSouth thirty (30) days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to New Phone in the event that self-insurance status is not granted to New Phone. If BellSouth approves New Phone for self-insurance, New Phone shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of New Phone's corporate officers. The ability to self-insure shall continue so long as New Phone meets all of the requirements of this Section. If New Phone subsequently no longer satisfies this Section, New Phone is required to purchase insurance as indicated by Sections 9.2.1 and Section 9.2.3.
- 9.8 Net worth requirements. The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days' notice to New Phone to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 <u>Failure to comply</u>. Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

#### 10. Mechanics Liens

Mechanics Lien or other Liens. If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or New Phone), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any

Page 25

changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

# 11. <u>Inspections</u>

11.1 BellSouth may conduct inspection. BellSouth may conduct an inspection of New Phone's equipment and facilities in the Remote Collocation Space(s) prior to the activation of facilities between New Phone's equipment and equipment of BellSouth. BellSouth may conduct an inspection if New Phone adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide New Phone with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

# 12. <u>Security and Safety Requirements</u>

- New Phone will be required, at its own expense, to conduct a statewide investigation of criminal history records for each New Phone employee being considered for work on the BellSouth Premises, for the states/counties where the New Phone employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. New Phone shall not be required to perform this investigation if an affiliated company of New Phone has performed an investigation of the New Phone employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if New Phone has performed a pre-employment statewide investigation of criminal history records of the New Phone employee for the states/counties where the New Phone employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- New Phone shall provide its employees and agents with picture identification which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo Identification card shall bear, at a minimum, the employee's name and photo, and the New Phone name. BellSouth reserves the right to remove from its premises any employee of New Phone not possessing identification issued by New Phone or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. New Phone shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises.

New Phone shall be solely responsible for ensuring that any Guest of New Phone is in compliance with all subsections of this Section 12.

- 12.3 New Phone will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- New Phone shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. New Phone shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse access to any New Phone personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that New Phone chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, New Phone may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 New Phone shall not knowingly assign to the BellSouth Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 New Phone shall not knowingly assign to the BellSouth Premises any individual who was a former contractor of BellSouth and whose access to a BellSouth Premises was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.5 For each New Phone employee requiring access to a BellSouth Premises pursuant to this Attachment, New Phone shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, New Phone will disclose the nature of the convictions to BellSouth at that time. In the alternative, New Phone may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- At BellSouth's request, New Phone shall promptly remove from BellSouth's Premises any employee of New Phone BellSouth does not wish to grant access to its premises 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of New Phone is found interfering with the property or personnel of BellSouth or another CLEC, provided that an investigation shall promptly be commenced by BellSouth.

- 12.7 Notification to BellSouth. BellSouth reserves the right to interview New Phone's employees, agents, or contractors in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another CLEC's property or personnel, provided that BellSouth shall provide reasonable notice to New Phone's Security contact of such interview. New Phone and its contractors shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving New Phone's employees, agents, or contractors. Additionally, BellSouth reserves the right to bill New Phone for all reasonable costs associated with investigations involving its employees, agents, or contractors if it is established and mutually agreed in good faith that New Phone's employees, agents, or contractors are responsible for the alleged act. BellSouth shall bill New Phone for BellSouth property which is stolen or damaged where an investigation determines the culpability of New Phone's employees, agents, or contractors and where New Phone agrees, in good faith, with the results of such investigation. New Phone shall notify BellSouth in writing immediately in the event that the New Phone discovers one of its employees already working on the BellSouth premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth Premises, any employee found to have violated the security and safety requirements of this section. New Phone shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises.
- 12.8 <u>Use of Supplies</u>. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- Use of Official Lines. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs. In no event shall New Phone, its agents, vendors or employees access BellSouth or any other CLEC's end user telephone lines.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

#### 13. Destruction of Remote Collocation Space

13.1 Remote Collocation Space is damaged. In the event a Remote Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for New Phone's permitted use hereunder, then either Party may elect within ten (10) business days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for New Phone'"'s permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to New Phone, except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. New Phone may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided however that a BellSouth Certified Contractor is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If New Phone"'s acceleration of the project increases the cost of the project, then those additional charges will be incurred by New Phone. Where allowed and where practical, New Phone may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired, New Phone shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for New Phone"s permitted use, until such Remote Collocation Space is fully repaired and restored and New Phone"'s equipment installed therein (but in no event later than thirty (30) business days after the Remote Collocation Space is fully repaired and restored). Where New Phone has placed a Remote Site Adjacent Arrangement pursuant to section 3.4, New Phone shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

#### 14. Eminent Domain

14.1 <u>Power of Eminent Domain</u>. If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day

Page 29

with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and New Phone shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) business days after such taking.

# 15. <u>Nonexclusivity</u>

Attachment is not exclusive. New Phone understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

# ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

#### 1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and New Phone agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- 1.2 <u>Notice</u>. BellSouth and New Phone shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. Each Party is required to provide specific notice for known potential Imminent Danger conditions. New Phone should contact 1-800-743-6737 for BellSouth MSDS sheets.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for New Phone to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and contractors of BellSouth for environmental protection. New Phone will require its contractors, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by New Phone when operating in the BellSouth Premises.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the New Phone space with proper notification. BellSouth reserves the right to stop any New Phone work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Facility.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Premises by New Phone are owned by New Phone. New Phone will indemnify BellSouth for claims, lawsuits or damages to

persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by New Phone or different hazardous materials used by New Phone at BellSouth Facility. New Phone must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Facility.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Premises, the Party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by New Phone to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and New Phone will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and New Phone will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, New Phone must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and New Phone shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, contractors, or employees concerning its operations at the Facility.

#### 2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

When performing functions that fall under the following Environmental categories on BellSouth's Premises, New Phone agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. New Phone further agrees to cooperate with BellSouth to ensure that New Phone's employees, agents, and/or subcontractors are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by New Phone, its employees, agents and/or subcontractors.

The most current version of reference documentation must be requested from BellSouth.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent	Compliance with all applicable local, state, & federal laws and regulations	<ul><li>Std T&amp;C 450</li><li>Fact Sheet Series 17000</li></ul>
tubes, solvents & cleaning materials)	Pollution liability insurance	• Std T&C 660-3
	EVET approval of contractor	Approved Environmental     Vendor List (Contact E/S     Management)
Emergency response	Hazmat/waste release/spill firesafety emergency	<ul> <li>Fact Sheet Series 1700</li> <li>Building Emergency         Operations Plan (EOP)         (specific to and located on Premises)     </li> </ul>
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises	Compliance with all applicable local, state, & federal laws and regulations	• Std T&C 450
(e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Performance of services in accordance with BST's environmental M&Ps	<ul> <li>Std T&amp;C 450-B</li> <li>(Contact E/S for copy of appropriate E/S M&amp;Ps.)</li> </ul>
	Insurance	• Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations	<ul><li>Std T&amp;C 450</li><li>Fact Sheet Series 17000</li></ul>
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of contractor	Approved Environmental     Vendor List (Contact E/S     Management)
Maintenance/operations work which may produce a waste	Compliance with all application local, state, & federal laws and regulations	• Std T&C 450
Other maintenance work	Protection of BST employees and equipment	<ul> <li>29CFR 1910.147 (OSHA Standard)</li> <li>29CFR 1910 Subpart O (OSHA Standard)</li> </ul>

Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	P&SM Manager -     Procurement
	All Hazardous Material and Waste	Fact Sheet Series 17000
	Asbestos notification and protection of employees and equipment	<ul> <li>GU-BTEN-001BT, Chapter 3</li> <li>BSP 010-170-001BS (Hazcom)</li> </ul>
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations	<ul> <li>Std T&amp;C 450</li> <li>Fact Sheet 14050</li> <li>BSP 620-145-011PR         Issue A, August 1996 </li> </ul>
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of contractor	Approved Environmental     Vendor List (Contact E/S     Management)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	• GU-BTEN-001BT, Chapter 3

# 3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

#### 4. ACRONYMS

E/S – Environmental/Safety

**EVET** - Environmental Vendor Evaluation Team

 $\underline{DEC/LDEC} \text{ - Department Environmental Coordinator/Local Department Environmental Coordinator}$ 

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std. T&C - Standard Terms & Conditions

# **Interval Matrix**

State	Туре	Space Availability/Bona Fide Firm Order	Application Response/Price Quote		truction and visioning
				Ordinary	Extraordinary
Alabama <sup>1</sup>	Cageless	10 Calendar Days	23 Business Days	60 Cal	90 Cal
Florida	Cageless	15 Calendar Days	15 Calendar Days*	90 Cal	NA
Georgia	Cageless	10 Calendar Days	30 Calendar Days	60 Cal	90 Cal
Kentucky <sup>1</sup>	Cageless	10 Calendar Days	23 Business Days	76 Bus.	91 Bus
Louisiana	Cageless	10 Calendar Days*	30 Calendar Days*	90 Cal	120 Cal
Mississippi	Cageless	10 Business Days	30 Business Days*	120 Cal	180Cal
North Carolina <sup>1</sup>	Cageless	10 Calendar Days	23 Business Days	76 Bus.	91 Bus
South Carolina	Cageless	10 Calendar Days	30 Calendar Days*	90 Cal	NA Cal
Tennessee <sup>1</sup>	Cageless	10 Calendar Days	23 Business Days	76 Bus.	91 Bus

<sup>\*</sup> Extended intervals shall apply when multiple applications are submitted.

Note 1: The intervals were set by the FCC's Order in Docket No. 98-147 released February 20, 2001.

The construction and provisioning intervals, as listed for these states, will apply if a forecast is submitted three (3) months prior to the application date. Extended intervals shall apply if the forecast is not received three (3) months in advance.

# THREE MONTH CLEC FORECAST

CLEC NAME	DATE	
-----------	------	--

STATE	Central Office/City	CAGED Sq. Ft.	CAGELES	S # Bays	FRAME TERMINATIONS	CLEC Provided BDFBAmps Load	BST Provided BDFBAmps Load	Heat Dissipation BTU/Hour	Entrance Facilities # sheaths & # fibers	Proposed Application Date	NOTES
			Standard Bays*	Non- Standard Bays**							

\*Standard bays are defined as racks, bays or cabinets, including equipment and cable, with measurements equal to or less than the following: Width - 26", Depth - 25". The standard height for all collocated equipment bays in BellSouth is 7' 0".

<sup>\*\*</sup> Any forecast for non-standard cageless bays must include an attachment describing the quantity and width and depth measurements.

Attachment 4 - Remote Site Exhibit C Page 37

Notes: Forecast information will be used for no other purpose than collocation planning.

Forecast with application dates greater than 3 months from the date of submission will not guarantee the reservation of space in the office requested.

	ON - Alabama											Attachment:	4	Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)			Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring Disconnect	SOMEC	SOMAN	OSS SOMAN	Rates(\$)	SOMAN	SOMAN
i <del></del>							FIISL	Add I	FIISL AUUT	SOIVIEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMAN
PHYSICAL COL															
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		3,760.00	3,760.00							Ĺ
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,134.00	3,134.00							<del>                                     </del>
	Physical Collocation Administrative Only - Application Fee Physical Collocation - Space Preparation - Firm Order			CLO	PE1BL	1	742.15								
	Processing	1		CLO	PE1SJ		1,211.00	1,211.00							ł
	Physical Collocation - Space Preparation - C.O. Modification per square ft.	ı		CLO	PE1SK	2.24	,	,							
	Physical Collocation - Space Preparation - Common Systems Modification per square ft Cageless	ı		CLO	PE1SL	3.01									
	Physical Collocation - Space Preparation - Common Systems														i
	Modification per Cage	ı		CLO	PE1SM	102.16	. ==	. ==							<b></b>
	Physical Collocation - Cable Installation Physical Collocation - Floor Space per Sq. Ft.			CLO CLO	PE1BD PE1PJ	3.68	1,751.00	1,751.00		_					<b>——</b>
	Physical Collocation - Cable Support Structure			CLO	PE1PM	19.67									
	Physical Collocation - Power -48V DC Power, per Fused Amp	1		CLO	PE1PL	7.14									
	Physical Collocation - Power Reduction, Application Fee	- 1		CLO	PE1PR		399.51								
<u> </u>	Physical Collocation - 120V, Single Phase Standby Power Rate	ı		CLO	PE1FB	5.63									
	Physical Collocation - 240V, Single Phase Standby Power Rate	I		CLO	PE1FD	11.26									
	Physical Collocation - 120V, Three Phase Standby Power Rate	ı		CLO	PE1FE	16.89									
	Physical Collocation - 277V, Three Phase Standby Power Rate	I		CLO	PE1FG	38.99									
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX CLO, UAL, UDL,	PE1P2	0.031	33.68	31.79							
ı				UDN, UEA, UHL, UNCVX, UNCDX,											
	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.062	33.63	31.67							ł
				CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,											
	Physical Collocation - DS1 Cross-Connects			UDL	PE1P1	1.28	52.93	39.87							<del></del>
				CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,											
	Physical Collocation - DS3 Cross-Connects	ļ		UNLD3, UDL	PE1P3	16.27	51.99	38.59							<b> </b>
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	3.23	52.00	38.60							
	rnysical Collocation - Z-Fiber Cross-Connect	-		CLO, ULDO3,	FE IFZ	3.23	5∠.00	38.60				-			
	Physical Collocation - 4-Fiber Cross-Connect			ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	5.73	64.54	51.14							
	Physical Collocation - 4-Fiber Cross-Connect  Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.	<b></b>		CLO	PE1F4 PE1BW	178.65	04.54	31.14		+	<b> </b>				

COLLOCAT	TION - Alabama												Attachment:	1	Exhibit: D	
COLLOCAI	ION - Alabama	1	1	I	I						Sve Order	Svc Order				Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi	l_								Elec	Manually	Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	ΓES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									l .		Electronic-	Electronic-	Electronic-	Electronic-
																Disc Add'l
													1st	Add'l	Disc 1st	DISC Add I
						Rec	Nonrec			g Disconnect			oss	Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	17.52										
	Physical Collocation - Security Access System - Security System	1														
	per Central Office			CLO	PE1AX	54.14										
	Physical Collocation - Security Access System - New Access															
	Card Activation, per Card			CLO	PE1A1	0.0607	46.20	46.20	8.72	8.72						
	Physical Collocation-Security Access System-Administrative															
	Change, existing Access Card, per Card			CLO	PE1AA		15.40	15.40								
	Physical Collocation - Security Access System - Replace Lost or															
	Stolen Card, per Card			CLO	PE1AR		45.02	45.02								
<b></b>	Physical Collocation - Security Access - Initial Key, per Key		1	CLO	PE1AK		26.19	26.19								
<del>                                     </del>	Physical Collocation - Security Access - Initial Rey, per Rey  Physical Collocation - Security Access - Key, Replace Lost or	1	1	010	LIAN	<del>                                     </del>	20.19	20.19	<del>                                     </del>	<del>                                     </del>	<del> </del>		1	<del>                                     </del>	1	
	Stolen Key, per Key			CLO	PE1AL	1	26.19	26.19			l					
<del></del>	Physical Collocation - Space Availability Report per premises		1	CLO	PE1SR	<del>                                     </del>	2,150.00	2,150.00	-	-		1	-	<u> </u>	-	
<del></del>	rhysical Collocation - Space Availability Report per premises		1		FEISK	<del>                                     </del>	∠,150.00	∠,150.00	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>	1	<del> </del>	1	
		1		UEANL,UEA,UDN,U					Ì	Ì		l	1			
				DC,UAL,UHL,UCL,U		1					l					
				EQ,CLO,UDL,												
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,			UNCVX, UNCDX,												
	per cross-connect			UNCNX	PE1PE	0.08										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			EQ,CLO, USL,												
	per cross-connect			UNCVX, UNCDX	PE1PF	0.17										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,WDS1L,W												
				DS1S, USL, U1TD1,												
				UXTD1, UNC1X,												
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,			ULDD1, USLEL,												
				UNLD1	PE1PG	0.69										
	per cross-connect				PETPG	0.69										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UE3,												
				U1TD3, UXTD3,												
		1		UXTS1, UNC3X,					Ì	Ì		l	1			
		1		UNCSX, ULDD3,					Ì	Ì		l	1			
				U1TS1, ULDS1,		1					l					
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,			UNLD3, UDL,		1					l					
I	per cross-connect	<u>L_</u>	<u>L_</u>	UDLSX	PE1PH	4.74			<u> </u>	<u></u>	<u></u>	<u> </u>	L	<u></u>	<u> </u>	<u> </u>
				UEANL,UEA,UDN,U												
		1		DC,UAL,UHL,UCL,U					Ì	Ì		l	I			
				EQ,CLO, ULDO3,												
				ULD12, ULD48,												
				U1TO3, U1T12,												
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,	1		U1T48, UDLO3,					Ì	Ì		l	I			
	per cross-connect	1		UDL12, UDF	PE1B2	32.02			Ì	Ì		l	I			
<del>                                     </del>	por oroso-connect	<del>                                     </del>	<del>                                     </del>	UEANL,UEA,UDN,U	1 1 104	32.02			1	1		1	t	1	1	1
		1		DC,UAL,UHL,UCL,U					Ì	Ì		İ	I			
				EQ,CLO, ULDO3,		1					l					
						1					l					
		1		ULD12, ULD48,					Ì	Ì		İ	I			
		1		U1TO3, U1T12,					Ì	Ì		İ	I			
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect,	1		U1T48, UDLO3,	L							1	1			
	per cross-connect	ļ		UDL12, UDF	PE1B4	40.48								ļ		
1 1 -	Physical Collocation - Request Resend of CFA Information, per	1				i					1	i				
	CLLI	<u> </u>		CLO	PE1C9		77.56						<u> </u>	<u> </u>		<u> </u>
	Collocation Cable Records - per request			CLO	PE1CR		1,518.57		265.99							
T	Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		653.83		378.24							
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair	1	1	CLO	PE1CO		9.62	9.62	11.79	11.79	l		1	1	1	l

COLLOCATI	ON - Alabama	· · · · · · · · · · · · · · · · · · ·			Attachment:	4	Exhibit: D									
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -		Incremental Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred	urrina	Nonrecurring	g Disconnect			oss	Rates(\$)	•	•
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		4.50	4.50	5.52	5.52						
	Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		15.75	15.75	19.32	19.32						<b>I</b>
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB		168.97	168.97	154.25	154.25						<b> </b>
	Physical Collocation - Security Escort - Basic, per Half Hour  Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS CLO,CLORS	PE1BT PE1OT		33.85 44.09	21.45								
	Discission College Constitution of Discission and Helfille			01 0 01 000	DEADT		54.00	00.00								i
	Physical Collocation - Security Escort - Premium, per Half Hour V to P Conversion, Per Customer Request-Voice Grade			CLO,CLORS	PE1PT PE1BV	33.00	54.33	33.96	<del>                                     </del>	<del> </del>	1	1	<del>                                     </del>	<del> </del>	1	<del>                                     </del>
	V to P Conversion, Per Customer Request-Voice Grade  V to P Conversion, Per Customer Request-DS0			CLO CLO	PE1BV PE1BO	33.00			+						+	<del>                                     </del>
	V to P Conversion, Per Customer Request-DS0  V to P Conversion, Per Customer Request-DS1			CLO	PE1B0	52.00			<del>                                     </del>		<b> </b>		<u> </u>	<del> </del>	<del>                                     </del>	<del></del>
<del>-  </del>	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00			<b>†</b>	1	1	1	1	1	<b>†</b>	
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof Physical Collocation - Co-Carrier Cross Connects - Fiber Cable			CLO	PE1B7	592.00										
	Support Structure, per cable, per linear ft.  Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			CLO,UDF	PE1ES	0.0011										
	Cable Support Structure, per cable, per lin. ft. Physical Collocation - Co-Carrier Cross Connects - Application			CLO, UE3, USL	PE1DS	0.0016										
	Fee, per application			CLO	PE1DT		584.22									
PHYSICAL CO																
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	PE1R2	0.28	30.76	29.40								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSP	PE1R2	0.28	30.76	29.40					27.37	12.97	17.77	1.44
	Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSE	PE1R2	0.28	30.76	29.40					27.37	12.97	17.77	1.4
	Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSB	PE1R2	0.28	30.76	29.40					27.37	12.97	17.77	1.4
	Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSX	PE1R2	0.28	30.76	29.40					27.37	12.97	17.77	1.44
	Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Port 4-			UEPTX	PE1R2	0.28	30.76	29.40					27.37	12.97	17.77	1.44
ADJACENT CO				UEPEX	PE1R4	0.56	31.01	29.58					27.37	12.97	17.77	1.44
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.2542										1
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.44										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC UEA,UHL,UDL,UCL,	PE1P2	0.0598	24.95	23.97	12.80	11.67						
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.1196	25.14	24.11	13.18	11.96			ļ	<b> </b>	<del>                                     </del>	<del></del>
	Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects			USL,CLOAC CLOAC	PE1P1 PE1P3	1.04 14.12	44.19 41.93	32.13 30.69	12.94 14.72	11.82 12.05	1	-	-		<del>                                     </del>	<del></del>
	Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1P3 PE1F2	14.12 2.39	41.93 41.93	30.69	14.72	12.05 12.06	1	-	-		<del>                                     </del>	<del></del>
-	Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F2 PE1F4	4.57	51.14	39.90	18.97	16.30					+	<del>                                     </del>
<del>-  </del>	Adjacent Collocation - 4-Fiber Cross-Connect  Adjacent Collocation - Application Fee		<u> </u>	CLOAC	PE1JB	4.57	1,555.00	39.90	0.99	10.30	1	-	<del> </del>	1	t	
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.39	1,000.00		0.99							
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.79										

COLLOCAT	ION - Alabama												Attachment:	4	Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring			_		Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.18										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.37										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE			020/10		01.01										
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		608.17	608.17	323,44	323.44						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	224.82										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		25.88	25.88								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		229.02	229.02								
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		74.22	74.22								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.38									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								1
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary	for rem	ote site collocation	, the Parties v	vill negotiate ap	opropriate rate	s.								

COLLOCAT	TION - Florida												Attachment:	4	Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred	urrina	Nonrecurring	ı Disconnect		I	oss	Rates(\$)	I.	
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
PHYSICAL CO	L DLLOCATION															
1	Physical Collocation - Application Fee - Initial			CLO	PE1BA		2,597.00		1.01							1
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		2,236.00									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		742.00									
	Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		288.93									
	Physical Collocation - Space Preparation - C.O. Modification per			CLO	PEIOJ		200.93									1
	square ft.			CLO	PE1SK	2.38										
	Physical Collocation - Space Preparation - Common Systems															
	Modification per square ft Cageless			CLO	PE1SL	2.96										ļ
	Physical Collocation - Space Preparation - Common Systems			CLO	DEACM	00.55										
-	Modification per Cage Physical Collocation - Cable Installation per Cable			CLO	PE1SM PE1BD	92.55	1,750.00		45.16							
	Physical Collocation - Cable Installation per Cable  Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	7.86	1,730.00		45.10							<del> </del>
	Physical Collocation - Cable Support Structure			CLO	PE1PM	18.96										
	Physical Collocation - Power, per Fused Amp			CLO	PE1PL	7.80										
	Physical Collocation - Power Reduction, Application Fee	ı		CLO	PE1PR		399.43									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.56										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	11.14										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.70										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	38.57										
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX	PE1P2	0.0276	8.22	7.22	5.74	4.58						
				CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.0552	8.42	7.36	5.90	4.66						
				CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,												
<del>                                     </del>	Physical Collocation - DS1 Cross-Connects	ļ		UDL	PE1P1	1.32	27.77	15.52	5.93	4.77			1			<b> </b>
				CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
$\longrightarrow$	Physical Collocation - DS3 Cross-Connects			UNLD3, UDL	PE1P3	16.81	25.48	14.05	7.77	5.01			1			<b></b>
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	3.34	41.94	30.52	13.91	11.16						
	Physical Collocation - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	5.92	51.30	39.87	18.29	15.54						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	189.45										1

COLLOCAT	ION - Florida			_			-		-	_			Attachment:	4	Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring				oss	Rates(\$)		
	District College Co. Malla LMCs. Co A LIII 50 Co. 51			01.0	DETON	40.50	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.  Physical Collocation - Security System Per Central Office Per Assignable Sq. Ft.			CLO	PE1CW PE1AY	18.58 0.0105										
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0.0577	55.80									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card			CLO	PE1AA		15.65									
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		45.75									
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.30									
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		26.30									
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		2,159.00									
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UDL, UNCVX, UNCDX, UNCNX	PE1PE	0.00										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX	PE1PF	0.00										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	0.00										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	0.00										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	0.00										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	0.00										
	Physical Collocation - Request Resend of CFA Information, per CLLI			CLO	PE1C9		77.54									
	Collocation Cable Records - per request			CLO	PE1CR	<u> </u>	1,525.00		267.08							
	Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		656.50		379.78							
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		9.66	9.66	11.84	11.84						

COLLOCA	TION - Florida												Attachment:	1	Exhibit: D	
COLLOCA	TION - Florida	1			1	l					Svc Order	Svc Order			Incremental	Incrementa
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi	l_								Elec	Manually	Manual Svc			Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	ES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											-		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
														7.44	2.00 .00	2.007.444.
						Rec	Nonrec		Nonrecurring				OSS	Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		4.52	4.52	5.54	5.54						
	Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		15.82	15.82	19.40	19.40						
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB		169.67	169.67	154.89	154.89						
	Physical Collocation - Security Escort - Basic, Per Quarter Hour			CLO	PE1BQ		10.89									
	Physical Collocation - Security Escort - Overtime, Per Quarter															
	Hour			CLO	PE10Q		13.64									
	Physical Collocation - Security Escort - Premium, Per Quarter															
	Hour	<u></u>	<u> </u>	CLO	PE1PQ	<u> </u>	16.40						<u></u>	<u></u>	<u></u>	<u> </u>
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33.99	21.54								
1 1	Physical Collocation - Security Escort - Overtime, per Half Hour	1		CLO,CLORS	PE1OT		44.27	27.82			1	İ		1		1
							j									
1 1	Physical Collocation - Security Escort - Premium, per Half Hour	1		CLO,CLORS	PE1PT		54.55	34.10			İ	1		1		
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33.00										
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00										
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00										
	V to P Conversion, Per Customer Request per VG Circuit															
	Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit			020		20.00										
	Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit			OLO	I LIDI	20.00										
	Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit			OLO	I LIBO	33.00										
	Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700			CLO	FLIDL	37.00	+							-	-	
	prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable			CLO	PE ID/	392.00										
				CLO,UDF	PE1ES	0.001										
	Support Structure, per cable, per linear ft.  Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			CLU,UDF	PE IES	0.001										
				010 1150 1101	DE 4 DO	0.0044										
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0014										
	Physical Collocation - Co-Carrier Cross Connects - Application			0.0			=0.4.44									
	Fee, per application			CLO	PE1DT		584.11									
PHYSICAL C	OLLOCATION	<u> </u>	<u> </u>		<b> </b>							ļ		<b></b>		ļ
1 1	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	1			D= 45-						İ			1		
<b></b>	Wire Analog - Res	ļ	<u> </u>	UEPSR	PE1R2	0.074	34.53	32.51				11.90		<b>.</b>	<b>.</b>	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	1			L						İ	1		1		
<b></b>	Wire Line Side PBX Trunk - Bus	ļ	<u> </u>	UEPSP	PE1R2	0.074	34.53	32.51				11.90		<b>.</b>	<b>.</b>	
1 1	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	1					l				1	İ		1		1
	Wire Voice Grade PBX Trunk - Res	<u> </u>		UEPSE	PE1R2	0.074	34.53	32.51				11.90		ļ	ļ	
1 1	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	1					l				1	İ		1		1
	Wire Analog - Bus	1		UEPSB	PE1R2	0.074	34.53	32.51				11.90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	1					$\neg$				1	<u> </u>		_	_	1
	Wire ISDN	1		UEPSX	PE1R2	0.074	34.53	32.51				11.90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															l
	Wire ISDN	<u> </u>		UEPTX	PE1R2	0.074	34.53	32.51				11.90	<u> </u>	<u> </u>		<u> </u>
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-															
	Wire ISDN DS1	<u></u>		UEPEX	PE1R4	0.148	34.54	32.53				11.90				
ADJACENT (	COLLOCATION															
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.1635										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.11	Ì									
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0213	24.68	23.69	11.77	23.79						
				UEA,UHL,UDL,UCL,												
]	Adjacent Collocation - 4-Wire Cross-Connects	1		CLOAC	PE1P4	0.0426	24.88	23.83	12.04	10.80	1			I	I	l
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.22	44.24	31.98	12.07	10.91		İ				
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	16.56	41.94	30.52	13.91	11.15						

COLLOCATION - Florida													Attachment:	4	Exhibit: D	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec				Manual Svc	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES(\$)				per LSR		Order vs.	Order vs.	Order vs.	Order vs.	
										po. 2011	poi zoit				Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
													151	Add I	DISC 1St	DISC Add I
						_	Nonrecurring Nonrecurring Disconnec				OSS Rates(\$)					
-						Rec					001150	001111			001141	001441
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			01.01.0	55.5	= 00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	5.36	51.30	39.87	18.29	15.54						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		2,785.00		1.01							
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FB	5.38										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FD	10.77										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FE	16.15										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FG	37.30										
	Adjacent Collocation - Cable Support Structure per Entrance															
	Cable			CLOAC	PE1PM	18.96										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		617.91		328.81							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	219.49										
	Dhusias Callagation in the Descript City Consuits Assess Kan			CLORS	PE1RD		26.30									
	Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability			CLORS	PEIKD		20.30				-					
	Report per Premises Requested			CLODC	PE1SR		232.69									
	Physical Collocation in the Remote Site - Remote Site CLLI			CLORS	PETSK		232.69				-					
	Code Request, per CLLI Code Requested			CLORS	PE1RE		75.41									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RE PE1RR		233.51									
BUVEICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT			CLURS	PEIRK		233.51				ļ					
PHISICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT				-											
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								

COLLOCAT	ION - Georgia												Attachment:	4	Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge -	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic-
									r				1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonred First		Nonrecurring First	g Disconnect	SOMEC	SOMAN	OSS	Rates(\$)	SOMAN	SOMAN
		1					FIRST	Add'l	FIRST	Add'l	SOWIEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
PHYSICAL CO	I I OCATION					1					1					
I III OIOAE GO	Physical Collocation - Application Fee - Initial			CLO	PE1BA		3.850.00									
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,130.00	3,130.00								
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		740.83	3,130.00								
<del></del>	Physical Collocation - Space Preparation Fee Per Square Ft.			CLO	PE1SS		100.00	100.00								
<b>—</b>	Physical Collocation - Space Preparation - Firm Order			OLO	1 1 100		100.00	100.00								
	Processing			CLO	PE1SJ		1,187.00									
<del>                                     </del>	Physical Collocation - Space Preparation - C.O. Modification per	+		010	1 1 100	1	1,107.00		1	1	1	<b>-</b>	1	<del> </del>	1	1
	square ft.	1		CLO	PE1SK	2.02								1		
<del>                                     </del>	Physical Collocation - Space Preparation - Common Systems	<del>- '-</del>		020	LION	2.02				<del>                                     </del>	1	<b>-</b>		<del>                                     </del>	<del>                                     </del>	
	Modification per square ft Cageless	1 .		CLO	PE1SL	2.80								I	Ì	
<del>                                     </del>	Physical Collocation - Space Preparation - Common Systems	+		010	LIOL	2.00			1	1	1	<b>-</b>	1	<del> </del>	1	1
	Modification per Cage			CLO	PE1SM	95.23										
	Physical Collocation - Cable Installation	-		CLO	PE1BD	33.23	2,750.00	2,750.00								
	Physical Collocation - Cable Installation  Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	7.50	2,730.00	2,730.00			1					
<del> </del>	Physical Collocation - Floor Space per Sq. Ft.  Physical Collocation - Floor Space - Zone B per Sq. Ft.			CLO	PE1PK	6.75					1	-		-		
<b>—</b>	Physical Collocation - Floor Space - Zone B per Sq. Ft.  Physical Collocation - Cable Support Structure			CLO	PE1PM	13.35										
<b>—</b>	Physical Collocation - Cable Support Structure  Physical Collocation - Power -48V DC Power, per Fused Amp	<u> </u>		CLO	PE1PL	8.06										
<b>—</b>	Physical Collocation - Power Reduction, Application Fee	<del>l i</del>		CLO	PE1PR	0.00	398.80									
	Fritysical Collocation - Fower Reduction, Application ree			CLO	FLIFK		390.00									
	Physical Collocation - 120V, Single Phase Standby Power Rate	I		CLO	PE1FB	5.52										
	Physical Collocation - 240V, Single Phase Standby Power Rate	I		CLO	PE1FD	11.05										
	Physical Collocation - 120V, Three Phase Standby Power Rate	I		CLO	PE1FE	16.58										
	Physical Collocation - 277V, Three Phase Standby Power Rate	1		CLO	PE1FG	38.27										
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX CLO, UAL, UDL,	PE1P2	0.30	12.60	12.60								
				UDN, UEA, UHL, UNCVX, UNCDX,												
$\vdash$	Physical Collocation - 4-Wire Cross-Connects	ļ		UCL	PE1P4	0.50	12.60	12.60			ļ					<b></b>
	Physical Collocation - DS1 Cross-Connects			CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, UDL	PE1P1	8.00	155.00	27.00								
	,	1		CLO, UE3,U1TD3,		2.00		00		1	1	1			1	
				UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connects	ļ		UNLD3, UDL	PE1P3	72.00	155.00	27.00		]	ļ				ļ	<u> </u>
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	DE453											
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	2.86	52.14	38.72	]		ĺ	l				L

COLLOCAT	ON - Georgia												Attachment:	4	Exhibit: D	
SOLLOGAT	Coorgia					1					Svc Order	Svc Order		Incremental		Incremental
											Submitted			Charge -	Charge -	Charge -
		Indan:									Elec			Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. zo	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						ļ .			1							
						Rec	Nonrec	urrina	Nonrecurrin	g Disconnect			oss	Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				CLO, ULDO3,												
				ULD12, ULD48,												
				U1TO3, U1T12,												
				U1T48, UDLO3,												
	Physical Collocation - 4-Fiber Cross-Connect	<u> </u>		UDL12, UDF	PE1F4	5.08	64.74	51.31								
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.	<u> </u>		CLO	PE1BW	161.27										
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft. Physical Collocation - Security System Per Central Office Per	<u> </u>		CLO	PE1CW	15.82					1					
	Assignable Sq. Ft.			CLO	PE1AY	0.0172			1							
<del>                                      </del>	Physical Collocation - Security Access System - New Access	<del>                                     </del>		OLO	LLIAI	0.0172			t	1	<del>                                     </del>		1	1	1	1
	Card Activation, per Card			CLO	PE1A1	0.0607	46.20	46.20	1							
<del>                                     </del>	Physical Collocation - Security Access System - New Access	<del>                                     </del>		0_0	. = 1/31	3.0007	70.20	40.20	<del>                                     </del>	1	<b> </b>					
	Card Deactivation, per Card	1		CLO	PE1A4		8.72	8.72	1							
	Physical Collocation-Security Access System-Administrative	<b>†</b>					2		1	İ						
	Change, existing Access Card, per Card	1		CLO	PE1AA		15.40	15.40	1							
	Physical Collocation - Security Access System - Replace Lost or															
	Stolen Card, per Card	<u> </u>		CLO	PE1AR	<u> </u>	45.02	45.02	<u> </u>		L	<u></u>				<u> </u>
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.16	26.16								
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key			CLO	PE1AL		26.16	26.16								
	Physical Collocation - Space Availability Report per premises	I		CLO	PE1SR		2,148.00	2,148.00								
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,			EQ,CLO,UDL, UNCVX, UNCDX,												
	per cross-connect			UNCNX	PE1PE	0.40										
-	per cross-connect			UEANL,UEA,UDN,U		0.40					1					
				DC,UAL,UHL,UCL,U												
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			EQ,CLO, USL,												
	per cross-connect			UNCVX, UNCDX	PE1PF	1.20										
				UEANL,UEA,UDN,U												
		1		DC,UAL,UHL,UCL,U					1							
				EQ,CLO,WDS1L,W					1							
		1		DS1S, USL, U1TD1,	1				I							
		1		UXTD1, UNC1X,	1				I							
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,			ULDD1, USLEL,	DE 100				1							
$\vdash$	per cross-connect	<u> </u>	<u> </u>	UNLD1	PE1PG	1.20				1	<u> </u>		ļ	ļ	ļ	ļ
		1		UEANL,UEA,UDN,U	1				I							
				DC,UAL,UHL,UCL,U EQ,CLO,UE3,					1							
				U1TD3, UXTD3,					1							
				UXTS1, UNC3X,					1							
		1		UNCSX, ULDD3,	1				I							
		1		U1TS1, ULDS1,					1							
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,			UNLD3, UDL,					1							
	per cross-connect	1		UDLSX	PE1PH	8.00			I							
				UEANL,UEA,UDN,U												
		1		DC,UAL,UHL,UCL,U	1				I							
				EQ,CLO, ULDO3,					1							
		1		ULD12, ULD48,	1				I							
				U1TO3, U1T12,					1							
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,			U1T48, UDLO3,	DE 4D2				1							
	per cross-connect	<u> </u>	<u> </u>	UDL12, UDF	PE1B2	38.79			L	<u> </u>	<u> </u>	l				

COLLOCA	TION - Georgia												Attachment:	4	Exhibit: D	
JULLUCA	Ton Googla	1									Svc Order	Svc Order	Incremental		Incremental	Incremental
		1									Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc		RAT	TES(\$)						Order vs.	Order vs.	Order vs.
5711 <b>2</b> 5 5 111		m		200	0000			(+)			per LSR	per LSR	Order vs.			
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															1	<u> </u>
						Rec	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO, ULDO3,												
				ULD12, ULD48,												
				U1TO3, U1T12,												
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect,			U1T48, UDLO3,												
	per cross-connect			UDL12, UDF	PE1B4	52.31										
	Physical Collocation - Request Resend of CFA Information, per	1								_			1	1	_	
	CLLI			CLO	PE1C9		77.42									
	Collocation Cable Records - per request			CLO	PE1CR		1,706.00									
$\vdash$	Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		922.38			ļ	<u> </u>				1	
		1								_			1	1	_	
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		18.00	18.00								
$\vdash$	Collocation Cable Records - DS1, per T1TIE	ļ		CLO	PE1C1		8.43	8.43		ļ			ļ	ļ	1	
	Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		29.49	29.49								
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB		278.61	278.61								
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		41.00	25.00								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		48.00	30.00								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		55.00	35.00								
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33.00										
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00										
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00										
	V to P Conversion, Per Customer Request per VG Circuit			0.0	55.55											
	Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit			0.0	55.55											
	Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit			01.0	DE 100	00.00										
	Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit			CLO	DEADE	27.00										
-	Reconfigured	-		CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700			CI O	DE4D7	500.00										
<del></del>	prs or fraction thereof  Physical Collocation - Co-Carrier Cross Connects - Fiber Cable	-		CLO	PE1B7	592.00				-			-	-	-	
1 1	Support Structure, per cable, per linear ft.	l		CLO,UDF	PE1ES	0.001				1					1	
<del>                                     </del>	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax	1	1	OLO,UDI	LILO	0.001				1	1	1			1	
1 1	Cable Support Structure, per cable, per lin. ft.	l		CLO, UE3, USL	PE1DS	0.0015				1					1	
	Physical Collocation - Co-Carrier Cross Connects - Application			OLO, OLO, OOL	LIDO	0.0013										
1 1	Fee, per application	l		CLO	PE1DT		583.18			1					1	
PHYSICAL C	DLLOCATION			020	. 2.5.		000.10									
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	l			i					1			1	1	t	
1 1	Wire Analog - Res	1	1	UEPSR	PE1R2	0.30	12.60	12.60		I			18.94	8.42	I	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-					İ										
	Wire Analog - Bus	<u> </u>	<u></u>	UEPSB	PE1R2	0.30	12.60	12.60		<u> </u>			18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
L I	Wire ISDN	<u> </u>	<u></u>	UEPSX	PE1R2	0.30	12.60	12.60		<u> </u>	<u> </u>	<u> </u>	18.94	8.42	<u> </u>	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire ISDN			UEPTX	PE1R2	0.30	12.60	12.60		L			18.94	8.42	<u> </u>	
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-	l														
	Wire ISDN DS1			UEPEX	PE1R4	0.50	12.60	12.60					18.94	8.42		
ADJACENT C	OLLOCATION															
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.2542										

COLLOCAT	ION - Georgia												Attachment:		Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)				Submitted Manually		Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Order vs.
													1st	Add'l	Disc 1st	Disc Add'l
													151	Add I	DISC ISI	DISC Add I
						Rec	Nonreci		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.44										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.598	24.95	23.97	11.80	10.67						
				UEA,UHL,UDL,UCL,												
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.1196	25.14	24.11	12.15	10.93						
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.04	44.19	32.13	11.93	10.81						
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	14.12	41.93	30.69	13.71	11.04						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.39	41.93	30.69	13.71	11.05						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.57	51.14	39.90	17.96	15.29						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,555.00									
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.39										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.79										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.18										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	38.27										
	Adjacent Collocation - 240V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PEIJD	37.37										
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		608.18	608.17	323.63	323.63						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	224.82										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		25.88	25.88								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		229.02	229.02								
	Physical Collocation in the Remote Site - Remote Site CLLI															1
	Code Request, per CLLI Code Requested			CLORS	PE1RE		74.22	74.22							1	1
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		232.88									
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								1
NOTE	If Security Escort and/or Add'l Engineering Fees become nec	essarv f	or rem	ote site collocation.	the Parties v	vill negotiate an	propriate rates	S.			İ			İ		1

CATEGORY   RATE ELEMENTS   Intering   Zone   BCS   USOC   RATES(\$)   Sec Order   Sec Ord	Attachment: 4 Incremental Charge - Manual Svc Order vs. Electronic- 1st  OSS Rates(\$) SOMAN  SOMAN	Order vs. Order vs
CATEGORY   RATE ELEMENTS   Intering   Zone   BCS   USOC   RATES(\$)   Submitted   Submitted   Electroper LSR   Per	Charge - Manual Svo Order vs. Electronic- 1st OSS Rates(\$)	Charge - Charge Manual Svc Order vs. Electronic-Disc 1st Charge Disc Add
CATEGORY   RATE ELEMENTS   Intering   Zone   BCS   USOC   RATES(\$)   Eloc   Per LSR   Manually   Mary   Manually   Mary	Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Disc 1st  Manual Sv Order vs Electronic- Disc Add
RATE ELEMENTS	Order vs. Electronic- 1st	Order vs. Electronic-Disc 1st Disc Add
Rec   Nonrecurring	Electronic- 1st Electronic Add'I	Electronic- Disc 1st Disc Add
Rec   Nonrecurring	1st Add'I OSS Rates(\$)	Disc 1st Disc Add
PHYSICAL COLLOCATION  Physical Collocation - Application Fee - Initial  Physical Collocation - Application Fee - Initial  CLO PETBA 3.773.54 3.773.54 1.01 1.01  Physical Collocation - Application Fee - Subsequent  CLO PETBA 3.773.54 3.773.54 1.01 1.01  Physical Collocation - Application Fee - Subsequent  Physical Collocation - Space Preparation - Firm Order  Physical Collocation - Space Preparation - Firm Order  Physical Collocation - Space Preparation - Co. Modification per square ft.  Physical Collocation - Space Preparation - Common Systems  Modification per square ft Cageless  Physical Collocation - Space Preparation - Common Systems  Modification per Square ft Cageless  CLO PETSL 3.26  Physical Collocation - Space Preparation - Common Systems  Modification per Cage  Physical Collocation - Space Preparation - Common Systems  Modification Per Cage  Physical Collocation - Space Preparation - Common Systems  CLO PETBM 110.57  Physical Collocation - Space Preparation - Common Systems  CLO PETBM 110.57  Physical Collocation - Cape Preparation - Common Systems  CLO PETBD 1,729.11 45.16  Physical Collocation - Cape Preparation - Common Systems  CLO PETPM 19.86  Physical Collocation - Cape Preparation - Common Systems  Physical Collocation - Cape Preparation - Common Systems  CLO PETPM 19.86  Physical Collocation - Cape Preparation - Cape	OSS Rates(\$)	
PHYSICAL COLLOCATION  Physical Collocation - Application Fee - Initial  Physical Collocation - Application Fee - Initial  Physical Collocation - Application Fee - Subsequent  CLO PETBA 3.773.54 3.773.54 1.01 1.01  Physical Collocation - Application Fee - Subsequent  Physical Collocation - Application Fee - Subsequent  Physical Collocation - Space Preparation - Firm Order  Physical Collocation - Space Preparation - Firm Order  Physical Collocation - Space Preparation - CO. Modification per square ft.  Physical Collocation - Space Preparation - Common Systems  Modification per square ft Cageless  Modification per Square ft Cageless  CLO PETSL 3.26  Physical Collocation - Space Preparation - Common Systems  Modification per Cage  Physical Collocation - Cageless CLO PETBD 11.057  Physical Collocation - Space Preparation - Common Systems  Modification per Cage  Physical Collocation - Cageless CLO PETBD 1.7.29.11 45.16  Physical Collocation - Cageless CLO PETBD 1.7.29.11 45.16  Physical Collocation - Cageless CLO PETBD 1.7.29.11 45.16  Physical Collocation - Cageless CLO PETBD 1.7.29.11 45.16  Physical Collocation - Cageless CLO PETPM 19.86  Physical Collocation - Cageless CLO PETPM 19.86  Physical Collocation - Cageless CLO PETPM 19.86  Physical Collocation - Cageless CLO PETPM 19.86  Physical Collocation - Cageless CLO PETPM 19.86  Physical Collocation - Cageless CLO PETPM 19.86  Physical Collocation - Power - 48V DC Power, per Fused Amp CLO PETPM 3.06  Physical Collocation - 240V, Single Phase Standby Power Rate CLO PETPB 10.88  Physical Collocation - 240V, Single Phase Standby Power Rate CLO PETPB 10.88  Physical Collocation - 240V, Single Phase Standby Power Rate CLO PETPB 10.86  Physical Collocation - 240V, Three Phase Standby Power Rate CLO PETPG 37.68	OSS Rates(\$) SOMAN SOMAN	SOMAN SOMAN
PHYSICAL COLLOCATION  Physical Collocation - Application Fee - Initial  CLO PETBA 3.773.54 3.773.54 1.01 1.01  Physical Collocation - Application Fee - Subsequent  CLO PETBA 3.773.54 3.773.54 1.01 1.01  Physical Collocation - Application Fee - Subsequent  CLO PETBA 3.45.35 3.145.35 1.01 1.01  Physical Collocation - Application Fee - Subsequent  Physical Collocation - Space Preparation - Firm Order  Physical Collocation - Space Preparation - Firm Order  Physical Collocation - Space Preparation - Co. Modification per square ft.  Physical Collocation - Space Preparation - Common Systems  Modification per square ft Cageless  Modification per square ft Cageless  Physical Collocation - Space Preparation - Common Systems  Modification per Cage  Physical Collocation - Space Preparation - Common Systems  Modification Per Cage  Physical Collocation - Space Preparation - Common Systems  Modification Per Cage  Physical Collocation - Space Preparation - Common Systems  Modification Per Cage  Physical Collocation - Space Preparation - Common Systems  CLO PETBD 11,729.11 45.16  Physical Collocation - Cable Installation  CLO PETBD 1,729.11 45.16  Physical Collocation - Cable Support Structure  Physical Collocation - Cable Nation Power 48V DC Power, per Fused Amp  CLO PETPIN 19.86  Physical Collocation - Power A8V DC Power, per Fused Amp  Physical Collocation - 240V, Single Phase Standby Power Rate  CLO PETPB 399.50  Physical Collocation - 120V, Single Phase Standby Power Rate  CLO PETPB 10.88  Physical Collocation - 120V, Three Phase Standby Power Rate  CLO PETPB 10.88  Physical Collocation - 120V, Three Phase Standby Power Rate  CLO PETPG 37.68  Physical Collocation - 277V, Three Phase Standby Power Rate  CLO PETPG 37.68	OSS Rates(\$) SOMAN SOMAN	SOMAN SOMAN
PHYSICAL COLLOCATION  Physical Collocation - Application Fee - Initial  Physical Collocation - Application Fee - Initial  CLO PETBA 3.773.54 3.773.54 1.01 1.01  Physical Collocation - Application Fee - Subsequent  CLO PETBA 3.773.54 3.773.54 1.01 1.01  Physical Collocation - Application Fee - Subsequent  Physical Collocation - Space Preparation - Firm Order  Physical Collocation - Space Preparation - Firm Order  Physical Collocation - Space Preparation - Co. Modification per square ft.  Physical Collocation - Space Preparation - Common Systems  Modification per square ft Cageless  Physical Collocation - Space Preparation - Common Systems  Modification per Square ft Cageless  CLO PETSL 3.26  Physical Collocation - Space Preparation - Common Systems  Modification per Cage  Physical Collocation - Space Preparation - Common Systems  Modification Per Cage  Physical Collocation - Space Preparation - Common Systems  CLO PETBM 110.57  Physical Collocation - Space Preparation - Common Systems  CLO PETBM 110.57  Physical Collocation - Cape Preparation - Common Systems  CLO PETBD 1,729.11 45.16  Physical Collocation - Cape Preparation - Common Systems  CLO PETPM 19.86  Physical Collocation - Cape Preparation - Common Systems  Physical Collocation - Cape Preparation - Common Systems  CLO PETPM 19.86  Physical Collocation - Cape Preparation - Cape	SOMAN SOMAN	SOMAN SOMAN
Physical Collocation - Application Fee - Initial		
Physical Collocation - Application Fee - Initial		
Physical Collocation - Application Fee - Subsequent CLO PETCA 3,145.35 3,145.35 1.01 1.01 1.01 Physical Collocation Administrative Only - Application Fee CLO PETBL 742.12 Physical Collocation - Space Preparation - Firm Order Processing Physical Collocation - Space Preparation - C.O. Modification per square ft. CLO PETSK 2.32 CLO PETSK		
Physical Collocation Administrative Only - Application Fee		
Physical Collocation - Space Preparation - Firm Order Processing Physical Collocation - Space Preparation - C.O. Modification per square ft. Physical Collocation - Space Preparation - Common Systems Modification per square ft Cageless Physical Collocation - Space Preparation - Common Systems Modification per square ft Cageless Physical Collocation - Space Preparation - Common Systems Modification per Cage PE1SL 3.26  PP1SL 3.26  PP1SL 3.26  PP1SL 3.26  PP1SL 3.26  PP1SL 3.26  PP1SL 3.26  PP1SL 3.26  CLO PE1SL 3.26  PP1SL 3		
Physical Collocation - Space Preparation - Firm Order Processing Physical Collocation - Space Preparation - C.O. Modification per square ft. Physical Collocation - Space Preparation - Common Systems Modification per square ft Cageless Physical Collocation - Space Preparation - Common Systems Modification per square ft Cageless Physical Collocation - Space Preparation - Common Systems Modification per Cage PE1SL 3.26  PP1SL 3.26  PP1SL 3.26  PP1SL 3.26  PP1SL 3.26  PP1SL 3.26  PP1SL 3.26  PP1SL 3.26  CLO PE1SL 3.26  PP1SL 3		
Processing Physical Collocation - Space Preparation - C.O. Modification per square ft.  CLO PE1SJ 1,206.07 1,206.07 1,206.07 Physical Collocation - Space Preparation - Common Systems Modification per square ft Cageless CLO PE1SL 3,26 Physical Collocation - Space Preparation - Common Systems Modification per Cage Preparation - Common Systems Modification per Cage Physical Collocation - Cable Installation CLO PE1SM 110.57 Physical Collocation - Cable Installation CLO PE1BD 1,729.11 45.16 Physical Collocation - Floor Space per Sq. Ft. CLO PE1BD 1,729.11 45.16 CLO PE1BD 1,729.11 Physical Collocation - Cable Support Structure CLO PE1PJ 7.99 Physical Collocation - Power - 48V DC Power, per Fused Amp CLO PE1PL 8.06 Physical Collocation - Power Reduction, Application Fee I CLO PE1PL 8.06 Physical Collocation - Power Reduction, Application Fee I CLO PE1PR 399.50 Physical Collocation - 240V, Single Phase Standby Power Rate CLO PE1FD 10.88 Physical Collocation - 240V, Single Phase Standby Power Rate CLO PE1FD 10.88 Physical Collocation - 240V, Three Phase Standby Power Rate CLO PE1FG 37.68 ULEANL, UEANL, UEANL, UEANL, UEANL, UEANL, UEANL, UEANL, UEANL, UEANL, UEANL, UEANL, UEANL, UEANL, UEANL, UDANL, UDDC, UAL, UHIL, UCL, U		
Physical Collocation - Space Preparation - C.O. Modification per square ft. Physical Collocation - Space Preparation - Common Systems Modification per square ft Cageless Physical Collocation - Space Preparation - Common Systems Modification per square ft Cageless Physical Collocation - Space Preparation - Common Systems Modification per Cage CLO PE1SL 3.26  PE1SL 3.26  CLO PE1SL 3.26  Physical Collocation - Cable Installation CLO PE1BD 11.057  Physical Collocation - Cable Installation Physical Collocation - Cable Installation CLO PE1BD 1.729.11 45.16  Physical Collocation - Cable Support Structure Physical Collocation - Cable Support Structure CLO PE1PM 19.86 Physical Collocation - Power -48V DC Power, per Fused Amp Physical Collocation - Power Reduction, Application Fee I CLO PE1PL 8.06  Physical Collocation - 120V, Single Phase Standby Power Rate CLO PE1FB 5.44  Physical Collocation - 240V, Single Phase Standby Power Rate CLO PE1FD 10.88  Physical Collocation - 120V, Three Phase Standby Power Rate CLO PE1FE 16.32  Physical Collocation - 277V, Three Phase Standby Power Rate CLO PE1FG 37.68  UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U		
Square ft.   CLO   PE1SK   2.32		
Physical Collocation - Space Preparation - Common Systems Modification per square ft Cageless Physical Collocation - Space Preparation - Common Systems Modification per Cage Physical Collocation - Cable Installation Physical Collocation - Floor Space per Sq. Ft. CLO PE1BM 110.57 Physical Collocation - Floor Space per Sq. Ft. CLO PE1BD 1,729.11 45.16 Physical Collocation - Floor Space per Sq. Ft. CLO PE1PJ 7.99 Physical Collocation - Cable Support Structure Physical Collocation - Cable Support Structure CLO PE1PM 19.86 Physical Collocation - Power -48V DC Power, per Fused Amp Physical Collocation - Power Refuction, Application Fee Physical Collocation - Power Refuction, Application Fee Physical Collocation - 120V, Single Phase Standby Power Rate CLO PE1FB 5.44 Physical Collocation - 240V, Single Phase Standby Power Rate CLO PE1FD 10.88 Physical Collocation - 120V, Three Phase Standby Power Rate CLO PE1FE 16.32 Physical Collocation - 277V, Three Phase Standby Power Rate CLO PE1FG 37.68		
Modification per square ft Cageless   CLO   PE1SL   3.26		
Physical Collocation - Space Preparation - Common Systems Modification per Cage Physical Collocation - Cable Installation CLO PE1BD 11,729.11 45.16  Physical Collocation - Floor Space per Sq. Ft. CLO PE1PJ Physical Collocation - Cable Support Structure Physical Collocation - Power - 484 DC Power, per Fused Amp Physical Collocation - Power - 484 DC Power, per Fused Amp Physical Collocation - Power - 484 DC Power, per Fused Amp Physical Collocation - Power - 484 DC Power, per Fused Amp Physical Collocation - Power - 484 DC Power, per Fused Amp CLO PE1PM Physical Collocation - Power - 484 DC Power, per Fused Amp Physical Collocation - 120V, Single Phase Standby Power Rate CLO PE1PR Physical Collocation - 240V, Single Phase Standby Power Rate CLO PE1FB 5.44  Physical Collocation - 240V, Single Phase Standby Power Rate CLO PE1FD 10.88  Physical Collocation - 277V, Three Phase Standby Power Rate CLO PE1FE 16.32  Physical Collocation - 277V, Three Phase Standby Power Rate CLO PE1FG 37.68		
Modification per Cage		
Physical Collocation - Cable Installation  Physical Collocation - Floor Space per Sq. Ft.  CLO PE1BD 1,729.11 45.16  Physical Collocation - Floor Space per Sq. Ft.  CLO PE1PJ 7.99  Physical Collocation - Cable Support Structure  Physical Collocation - Power -48V DC Power, per Fused Amp  CLO PE1PL 8.06  Physical Collocation - Power Reduction, Application Fee I CLO PE1PR 399.50  Physical Collocation - 120V, Single Phase Standby Power Rate  CLO PE1FB 5.44  Physical Collocation - 240V, Single Phase Standby Power Rate  CLO PE1FB 10.88  Physical Collocation - 120V, Three Phase Standby Power Rate  CLO PE1FE 16.32  Physical Collocation - 277V, Three Phase Standby Power Rate  CLO PE1FG 37.68  UEANL, UEA, UDN, UDC, UAL, UHL, UCL, U		
Physical Collocation - Floor Space per Sq. Ft.  Physical Collocation - Cable Support Structure  CLO PE1PJ 7.99  Physical Collocation - Cable Support Structure  CLO PE1PM 19.86  Physical Collocation - Power -48V DC Power, per Fused Amp  Physical Collocation - Power Reduction, Application Fee  I CLO PE1PR 399.50  Physical Collocation - Power Reduction, Application Fee  I CLO PE1PR 399.50  Physical Collocation - 120V, Single Phase Standby Power Rate  CLO PE1FB 5.44  Physical Collocation - 240V, Single Phase Standby Power Rate  CLO PE1FD 10.88  Physical Collocation - 120V, Three Phase Standby Power Rate  CLO PE1FE 16.32  Physical Collocation - 277V, Three Phase Standby Power Rate  CLO PE1FG 37.68  UEANIL, UEA, UDN, UDC, UHL, UCL, UDC, UCLOR DE1ED TO The Physical Collocation - 120V, Three Phase Standby Power Rate		
Physical Collocation - Cable Support Structure  Physical Collocation - Power - 48V DC Power, per Fused Amp Physical Collocation - Power Reduction, Application Fee I CLO PE1PL 8.06 Physical Collocation - Power Reduction, Application Fee I CLO PE1PR 399.50  Physical Collocation - 120V, Single Phase Standby Power Rate Physical Collocation - 240V, Single Phase Standby Power Rate CLO PE1FB 5.44  Physical Collocation - 240V, Single Phase Standby Power Rate CLO PE1FD 10.88  Physical Collocation - 120V, Three Phase Standby Power Rate CLO PE1FE 16.32  Physical Collocation - 277V, Three Phase Standby Power Rate UEANL, UEA, UDN, UDC, ULFIF, UCL, UDC, UUEANL, ULF, UCL, UUEANL, UCL, UU		
Physical Collocation - Power -48V DC Power, per Fused Amp Physical Collocation - Power Reduction, Application Fee I CLO PE1PL 8.06 Physical Collocation - Power Reduction, Application Fee I CLO PE1PR 399.50  Physical Collocation - 120V, Single Phase Standby Power Rate Physical Collocation - 240V, Single Phase Standby Power Rate CLO PE1FB 5.44  Physical Collocation - 240V, Single Phase Standby Power Rate CLO PE1FD 10.88  Physical Collocation - 120V, Three Phase Standby Power Rate CLO PE1FE 16.32  Physical Collocation - 277V, Three Phase Standby Power Rate CLO PE1FG 37.68  UEANL, UEA, UDN, UDC, UAL, UHL, UCL, UDC, U		
Physical Collocation - Power Reduction, Application Fee I CLO PE1PR 399.50  Physical Collocation - 120V, Single Phase Standby Power Rate CLO PE1FB 5.44  Physical Collocation - 240V, Single Phase Standby Power Rate CLO PE1FD 10.88  Physical Collocation - 120V, Three Phase Standby Power Rate CLO PE1FE 16.32  Physical Collocation - 277V, Three Phase Standby Power Rate CLO PE1FG 37.68  UEANIL, UEA, UDN, UDC, ULAL, UHL, UCL, U		
Physical Collocation - 120V, Single Phase Standby Power Rate  Physical Collocation - 240V, Single Phase Standby Power Rate  CLO  PE1FB  5.44  Physical Collocation - 240V, Single Phase Standby Power Rate  CLO  PE1FD  10.88  Physical Collocation - 120V, Three Phase Standby Power Rate  CLO  PE1FE  16.32  Physical Collocation - 277V, Three Phase Standby Power Rate  UEANL, UEA, UDN, UDC, UAL, UHL, UCL, UDC, UCL, UCL, UCL, UCL, UCL, UCL, UCL, UC		
Physical Collocation - 240V, Single Phase Standby Power Rate  CLO  PE1FD  10.88  Physical Collocation - 120V, Three Phase Standby Power Rate  CLO  PE1FE  16.32  Physical Collocation - 277V, Three Phase Standby Power Rate  CLO  PE1FE  37.68  UEANL, UEA, UDN, UDC, UAL, UHL, UCL, U		
Physical Collocation - 240V, Single Phase Standby Power Rate  CLO  PE1FD  10.88  Physical Collocation - 120V, Three Phase Standby Power Rate  CLO  PE1FE  16.32  Physical Collocation - 277V, Three Phase Standby Power Rate  CLO  PE1FE  37.68  UEANL, UEA, UDN, UDC, UAL, UHL, UCL, U		
Physical Collocation - 120V, Three Phase Standby Power Rate  CLO  PE1FE  16.32  Physical Collocation - 277V, Three Phase Standby Power Rate  CLO  PE1FG  37.68  UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U		
Physical Collocation - 120V, Three Phase Standby Power Rate  CLO  PE1FE  16.32  Physical Collocation - 277V, Three Phase Standby Power Rate  CLO  PE1FG  37.68  UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U		
Physical Collocation - 277V, Three Phase Standby Power Rate  CLO  PE1FG  37.68  UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U		+
Physical Collocation - 277V, Three Phase Standby Power Rate  CLO  PE1FG  37.68  UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U		
UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U	-	+
UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U		
DC,UAL,UHL,UCL,U		-
DC,UAL,UHL,UCL,U		
EQ, UDL, UNCVX,		
Physical Collocation - 2-Wire Cross-Connects   UNLDX, UNCNX   PE1P2   0.0333   24.68   23.68   12.14   10.95		
UDN, UEA, UHL,		
UNCVX, UNCDX,		
Physical Collocation - 4-Wire Cross-Connects   UCL   PE1P4   0.0665   24.88   23.82   12.77   11.46		<del>                                     </del>
CLO,UEANL,UEQ,W		
DS1L,WDS1S, USL,		
U1TD1, UXTD1,		
UNC1X, ULDD1,		
USLEL, UNLD1,		
Physical Collocation - DS1 Cross-Connects   UDL   PE1P1   1.48   44.23   31.98   12.81   11.57		
CLO, UE3,U1TD3,		
UXTD3, UXTS1,		
UNC3X, UNCSX,		
U1TS1,ULDS1,		
Physical Collocation - DS3 Cross-Connects   UNLD3, UDL   PE1P3   18.89   41.93   30.51   14.75   11.83		
CLO, ULDO3,		
ULD12, ULD48,		
U1TO3, U1T12,		
U1T48, UDLO3,		
Physical Collocation - 2-Fiber Cross-Connect   UDL12, UDF   PE1F2   3.75   41.93   30.51   14.76   11.84		
CLO, ULDO3,		
	1	
U1T48, UDLO3,	l	
Physical Collocation - 4-Fiber Cross-Connect   UDL12, UDF   PE1F4   6.65   51.29   39.87   19.41   16.49		

COLLOCAT	ION - Kentucky												Attachment:	4	Exhibit: D	
OOLLOOAI		1									Svc Order	Svc Order				Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		DAT	TES(\$)								
CATEGORI	KATE ELEMENTS	m	Zone	603	0300		NA I	i L3(φ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1			1						1	
						Rec	Nonrec	urrina	Nonrecurring	g Disconnect			oss	Rates(\$)		
						1	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	18.14										
	Physical Collocation - Security Access System - Security System															
	per Central Office			CLO	PE1AX	76.10										
	Physical Collocation - Security Access System - New Access															
	Card Activation, per Card			CLO	PE1A1	0.058	55.79	55.79								
	Physical Collocation-Security Access System-Administrative															
	Change, existing Access Card, per Card			CLO	PE1AA		15.64	15.64								
	Physical Collocation - Security Access System - Replace Lost or															
	Stolen Card, per Card			CLO	PE1AR		45.74	45.74								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.29	26.29								
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key	<u></u>	<u></u>	CLO	PE1AL		26.29	26.29					<u> </u>	<u> </u>		
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		2,158.67	2,158.67								
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UDL,												
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,			UNCVX, UNCDX,												
	per cross-connect			UNCNX	PE1PE	0.113										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			EQ,CLO, USL,												
	per cross-connect			UNCVX, UNCDX	PE1PF	0.23										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,WDS1L,W												
				DS1S, USL, U1TD1,												
				UXTD1, UNC1X,												
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,			ULDD1, USLEL,												
	per cross-connect			UNLD1	PE1PG	1.60										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UE3,												
				U1TD3, UXTD3,												
				UXTS1, UNC3X,												
				UNCSX, ULDD3,												
				U1TS1, ULDS1,												
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,	1	1	UNLD3, UDL,	I				I				I		I	
	per cross-connect	<u> </u>		UDLSX	PE1PH	14.23			L				<u> </u>	<u> </u>	<u> </u>	
		1		UEANL,UEA,UDN,U												-
		1	1	DC,UAL,UHL,UCL,U	I				I				I		I	
				EQ,CLO, ULDO3,												
				ULD12, ULD48,												
				U1TO3, U1T12,												
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,			U1T48, UDLO3,												
	per cross-connect			UDL12, UDF	PE1B2	48.57										
		1		UEANL,UEA,UDN,U	_								_		_	
		1	1	DC,UAL,UHL,UCL,U	I	1			I				I		I	
		1	1	EQ,CLO, ULDO3,	I				I				I		I	
		1	1	ULD12, ULD48,	I				I				I		I	
		1		U1TO3, U1T12,					1				1			
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect,	1	1	U1T48, UDLO3,					I				I		I	
	per cross-connect	<u> </u>		UDL12, UDF	PE1B4	65.50										
	Physical Collocation - Request Resend of CFA Information, per	1														-
	CLLI	ļ		CLO	PE1C9		77.55									
	Collocation Cable Records - per request			CLO	PE1CR		1,524.45	980.01	267.02							
	Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		656.37	656.37	379.70							
		1							1				1			
1	Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		9.65	9.65	11.84	11.84	<u> </u>	<u> </u>		<u> </u>		

COLLOCAT	ION - Kentucky												Attachment:		Exhibit: D	
CATEGORY	DATE ELEMENTO	Interi	7	DCC.	Head						Svc Order Submitted Elec	Svc Order Submitted Manually	Charge - Manual Svc		Charge - Manual Svc	Charge - Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		KAI	ES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		4.52	4.52	5.54	5.54						
	Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		15.81	15.81	19.39	19.39						ļ
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO CLODG	PE1CB	-	169.63	169.63	154.85	154.85						
	Physical Collocation - Security Escort - Basic, per Half Hour  Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS CLO,CLORS	PE1BT PE1OT		33.98 44.26	21.53								
	L															
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT	20.0-	54.54	34.09								<b>↓</b>
	V to P Conversion, Per Customer Request-Voice Grade			CLO CLO	PE1BV PE1BO	33.00 33.00								<b> </b>	1	<del> </del>
	V to P Conversion, Per Customer Request-DS0  V to P Conversion, Per Customer Request-DS1	<b>-</b>	-	CLO	PE1BO PE1B1	52.00								-	1	<del>                                     </del>
	V to P Conversion, Per Customer request-DS3	-		CLO	PE1B1	52.00								1		<del> </del>
+	V to P Conversion, Per Customer Request per VG Circuit			010		32.00								1	1	1
	Reconfigured  V to P Conversion, Per Customer Request per DS0 Circuit			CLO	PE1BR	23.00										
	Reconfigured  V to P Conversion, Per Customer Request per DS1 Circuit			CLO	PE1BP	23.00										
	Reconfigured  V to P Conversion, Per Customer Request per DS3 Circuit			CLO	PE1BS	33.00										
	Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.0012										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0018										
	Physical Collocation - Co-Carrier Cross Connects - Application Fee, per application			CLO	PE1DT		584.20									
PHYSICAL CO	DLLOCATION															
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus			UEPSB	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPSX	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	PE1R4	1.48	44.23	31.98	12.81	11.57		7.86				
ADJACENT C	OLLOCATION															1
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0173										<b></b>
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.35	04.00	20.00	10.11	10.0=					ļ	
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC UEA,UHL,UDL,UCL,	PE1P2	0.0258	24.68	23.68	12.14	10.95					1	
-+	Adjacent Collection - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0515	24.88	23.82	12.77	11.46				<b> </b>	1	<del> </del>
	Adjacent Collocation - DS1 Cross-Connects  Adjacent Collocation - DS3 Cross-Connects			USL,CLOAC CLOAC	PE1P1 PE1P3	1.37 18.61	44.23 41.93	31.98 30.51	12.81 14.75	11.57 11.83					-	<del>                                     </del>
	Adjacent Collocation - DS3 Cross-Connects  Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1P3 PE1F2	18.61 3.15	41.93 41.93	30.51	14.75 14.76	11.83	-				-	
	Adjacent Collocation - 2-Fiber Cross-Connect  Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F2 PE1F4	6.02	51.29	39.87	19.41	16.49						<del> </del>
	Adjacent Collocation - 4-Fiber Cross-Connect  Adjacent Collocation - Application Fee			CLOAC	PE1JB	0.02	3,165.50	35.01	1.01	10.49				1	1	<del>                                     </del>
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.44	3, 103.50		1.01							
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.88										

COLLOCATION	ON - Kentucky												Attachment:	4	Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	'ES(\$)				Submitted Manually		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.32										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.68		•		•						
PHYSICAL COL	LOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		617.78		338.89							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	219.67										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.29									
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		232.64									
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		75.40									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.42									
PHYSICAL COL	LOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62		<u> </u>						

COLLOCAT	FION - Louisiana												Attachment:	4	Exhibit: D	
OOLLOOAI	Louisiana					1					Svc Order	Svc Order	Incremental			Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec	Manually				Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RΔT	TES(\$)								
CATEGORI	NATE ELEMENTO	m	Zone	B00	0000		IVA.	LO(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
									1			1	l	1	I	1
						Rec	Nonrec	urring	Nonrecurrin	ng Disconnect			oss	Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	DLLOCATION															
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		1,837.24									
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,533.41									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		741.97									
	Physical Collocation - Space Preparation - Firm Order															
	Processing			CLO	PE1SJ		583.33									
	Physical Collocation - Space Preparation - C.O. Modification per															
I	square ft.	<u> </u>	<u></u>	CLO	PE1SK	2.31			<u> </u>	<u> </u>	1	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	Physical Collocation - Space Preparation - Common Systems															
	Modification per square ft Cageless		1	CLO	PE1SL	2.70			I				I		I	l
	Physical Collocation - Space Preparation - Common Systems	1								1				1		
	Modification per Cage		1	CLO	PE1SM	91.60			I				I		I	l
	Physical Collocation - Cable Installation			CLO	PE1BD		841.54	841.54								
	Physical Collocation - Floor Space per Sq. Ft.	1	1	CLO	PE1PJ	5.30				1				İ		
	Physical Collocation - Cable Support Structure			CLO	PE1PM	18.31										
	Physical Collocation - Power -48V DC Power, per Fused Amp	<del>                                     </del>		CLO	PE1PL	8.32										
	Physical Collocation - Power Reduction, Application Fee	<del>t i</del>		CLO	PE1PR	0.02	398.88									
		<del>†                                    </del>														
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.45										
	1 Hydrodi Generalien 1201; emgle i nace etanaby i emeritate	1		020		0.10										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	10.92										
	1 Hydrodi Generalian 2 101, emigra i nada etanda) i ema rida	1		020		10.02					+	+				
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.37										
$\vdash$	1 Hysical Collocation - 120V, Three I hase Standby I ower reale	1		CLO	1 - 11 -	10.57						-				
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	37.80										
<del></del>	1 Hysical Collocation - 277 V, Titlee I Hase Standby I owel Rate	1		CLO	1 1 11 0	37.00										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ, UDL, UNCVX,												
	Physical Collocation - 2-Wire Cross-Connects			UNLDX, UNCNX	PE1P2	0.0318	11.94	11.46								
<del></del>	Physical Collocation - 2-wire Cross-Connects	-	-		PE IP2	0.0318	11.94	11.46								
				CLO, UAL, UDL, UDN, UEA, UHL,												
	District College Control AME to Control			UNCVX, UNCDX,	DE4D4	0.0000	40.04	44.50								
	Physical Collocation - 4-Wire Cross-Connects	<del>                                     </del>	1	UCL	PE1P4	0.0636	12.04	11.53	<del>                                     </del>	-	1	1	<del>                                     </del>	<b> </b>	<del>                                     </del>	1
				CLO,UEANL,UEQ,W												
				DS1L,WDS1S, USL,												
				U1TD1, UXTD1,												
				UNC1X, ULDD1,												
	L		1	USLEL, UNLD1,	L	[			I				I		I	l
$\sqcup \sqcup \sqcup$	Physical Collocation - DS1 Cross-Connects	<u> </u>	<u> </u>	UDL	PE1P1	1.04	21.39	15.47	ļ		<u> </u>	1	ļ		ļ	
		1	1	CLO, UE3,U1TD3,					1		1	1	I			İ
				UXTD3, UXTS1,												
				UNC3X, UNCSX,												
				ULDD3,												
				U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connects	<u> </u>	<u></u>	UNLD3, UDL	PE1P3	13.21	20.28	14.76	<u></u>	<u> </u>		<u> </u>	<u></u>	<u></u>	<u></u>	
				CLO, ULDO3,				-								
				ULD12, ULD48,							1	1	1			
			1	U1TO3, U1T12,					I				I		I	l
			1	U1T48, UDLO3,					I				I		I	l
	Physical Collocation - 2-Fiber Cross-Connect		1	UDL12, UDF	PE1F2	2.62	20.28	14.76	I				I		I	l
		1		CLO, ULDO3,						1				1		
			1	ULD12, ULD48,					I				I		I	l
1				U1TO3, U1T12,							1	1	1			
1 1					1	1				1	1	1	1	1	1	
				U1T48, UDLO3,												
	Physical Collocation - 4-Fiber Cross-Connect			U1T48, UDLO3, UDL12, UDF	PE1F4	4.65	24.81	19.29								

ATECOPY  RATE ELEMENTS  Water Company  RATE ELEMENTS  Water Company  RATE ELEMENTS  Water Company  RATE ELEMENTS  Water Company  RATE ELEMENTS  Water Company  RATE ELEMENTS  REC  RATE COMPANY  RATE ELEMENTS  REC  RATE COMPANY  RATE ELEMENTS  REC  RATE COMPANY  RATE ELEMENTS  REC  RATE COMPANY  RATE ELEMENTS  REC  RATE COMPANY  RATE ELEMENTS  REC  RATE COMPANY  RATE ELEMENTS  REC  RATE COMPANY  RATE ELEMENTS  REC  RATE COMPANY  RATE ELEMENTS  REC  RATE COMPANY  REC  RATE COMPANY  REC  RATE COMPANY  REC  REC  REC  REC  REC  REC  REC  RE	COLLOCAT	ION - Louisiana												Attachment:	4	Exhibit: D	
ATECHNIS  RATE ELEMENTS  RATE CLEMEN	OOLLOOAI											Svc Order	Svc Order				Incremental
ARTE ELEMENTS   Married																	
CATEGORY   SATE ELEMENTS																	
Representation   Record   Re	CATEGORY	DATE EI EMENTS	Interi	Zono	DC6	HEOC		DAT	TEQ(\$)								
1   April   Dec 140   Dec Add   De	CATEGORI	RATE ELEMENTS	m	Zone	603	0300		NA.	L3(\$)			per LSR	per LSR				
Process Concessors - Newsord Wile Claps - Adrif 150 St. P.   G.C.2   PFECU   S. 15.10														Electronic-	Electronic-	Electronic-	Electronic-
Prince Consider - National With Cape - Add 16 E.   Prince   Add 1   SMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   Soman   S														1st	Add'l	Disc 1st	Disc Add'l
Prince Consider - National With Cape - Add 16 E.   Prince   Add 1   SMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   Soman   S										1						1	
Prince Consider - National With Cape - Add 16 E.   Prince   Add 1   SMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   Soman   S							Rec	Nonrec	urrina	Nonrecurrin	na Disconnect			oss	Rates(\$)		
Pipstan Collocation - Security Systems Fee Control Office Per   CLO   PETAY   0.0000							1					SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Assignate Sa Ft   Color   Security Access System - New Access   Color   PETAY   0.0024		Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	18.10										
Project Collection - Security Access System - New Access (July College)   College		Physical Collocation - Security System Per Central Office Per															
Core American, per Creat					CLO	PE1AY	0.0224										
Physical Collegation Security Access System Administration   CLO   PE IAA   7.72   7.74		Physical Collocation - Security Access System - New Access															
Chings, asterng Access Cain per Card   Co.O.   PETAA   7.74   7.74   7.74   7.74   7.74   7.74   7.74   7.74   7.74   7.74   7.75   7					CLO	PE1A1	0.0579	27.50									
Page   Page																	
Stoke Card, ppc Call Collection - Security Access - Initial Key, per Key   Physical Collection - Security Access - Initial Key, per Key   Stoke Key, per Key   Physical Collection - Security Access - Initial Key, per Key   Physical Collection - Security Access - Prof., Replace Less or CLO   PE 144, 1301   13					CLO	PE1AA		7.74	7.74								
Physical Coloration - Security Access - Key, Replace Lost of PESAL   1301   1																	
Proceedings   Procedure   Pr																	
Stolen Key, per Korp.   Co.O.   PETAL   13.01   13.01					CLO	PE1AK		13.01	13.01								
Process																	
CANAL DEFAULD   CONTROL			<u> </u>														
POT Bay Arrangements prior to 6/1/89 - 4-Wire Cross-Connect, per cross-connect   PETP   PET		Physical Collocation - Space Availability Report per premises				PE1SR		1,044.07	1,044.07								
POT Bay Arrangements prior to 61/69 - 2-Wire Cross-Connect, UNXX, UNCOX, UNCOX, UNXX, UNCOX, UNXX, UXXX, UNXX, UNXX, UNXX, UNXX, UNXX, UNXX, UNXX, UNXX, UNXX, UNXX, UXXX, U			1	1													-
POT Bay Arrangements prior to 6/199 - 2-Wire Cross-Connect,   UNCXV, UNCOX, U																	
Decrease connect   UNCNX   PETPE   0.079																	
USANLUEAUDNU   DC,UAL,UHL,UC,UL   EQ,CLO, USL   USANLUEAUDNU   DC,UAL,UHL,UC,UL   EQ,CLO,USL   USANLUEAUDNU   DC,UAL,UHL,UC,UL   EQ,CLO,WSSTL,W   DSS, USL, UTTO1, UVTD1,UVTD1,UNCTX   USANLUEAUDNU   DC,UAL,UHL,UC,UL   EQ,CLO,WSSTL,W   DSS, USL, UTTO1, UVTD1,UNCTX   USANLUEAUDNU   DC,UAL,UHL,UC,UL   EQ,CLO,WSSTL,W   DSS, USL, UTTO1, UVTD1,UNCTX   USANLUEAUDNU   DC,UAL,UHL,UC,UL   EQ,CLO,US,USL   USANLUEAUDNU   DC,UAL,UHL,UC,UL   EQ,CLO,US,US,USL   USANLUEAUDNU   DC,UAL,UHL,UC,UL   EQ,CLO,US,USL   USANLUEAUDNU   DC,UAL,UHL,UC,UL   EQ,CLO,US,USL   USANLUEAUDNU   DC,UAL,UHL,UC,UL   EQ,CLO,UDO3, UUTS1,UDS1,UDS1,UDS1,UDS1,UDS1,UDS1,UDS1,UD																	
POT Bay Arrangements prior to 6/1/89 - 4-Wire Cross-Connect, per cross-connect   E.C.A.C. U.S.L.   PETPF   0.158		per cross-connect				PE1PE	0.079										
POT Bay Arrangements prior to 6/1/89 - 4-Wire Cross-Connect,   EC.CLO, USL,   DEPARTURE AUDINU   DEVAIL HELL USL,   DEPARTURE AUDINU   DEVAIL HELL USL,   DEPARTURE AUDINU   DEVAIL HELL USL,   DEPARTURE AUDINU   DEVAIL HELL USL,   DEPARTURE AUDINU   DEVAIL HELL USL,   DEPARTURE AUDINU   DEVAIL HELL USL,   DEPARTURE AUDINU   DEVAIL HELL USL,   DEPARTURE AUDINU   DEVAIL HELL USL,   DEPARTURE AUDINU   DEVAIL HELL USL,   DEPARTURE AUDINU   DEVAIL HELL USL,   DEPARTURE AUDINU   DEVAIL HELL USL,   DEPARTURE AUDINU   DEVAIL HELL USL,   DEPARTURE AUDINU   DEVAIL HELL USL,   DEPARTURE AUDINU   DEVAIL HELL USL,   DEPARTURE AUDINU   DEVAIL HELL USL,   DEPARTURE AUDINU   DEVAIL HELL USL,   DEPARTURE AUDINU   DEPARTURE																	
DINCYX_UNCOX   PE1PF   0.158																	
URANLUEAUDNU   DEQUALUHLUCL   URANLUEAUDNU   DEQUALUHLUCL   URANLUEAUDNU   DEQUALUHLUCL   URANLUEAUDNU   DEGUALUEAUDNU   DEGUALUEAUDNU   DEGUALUEAUDNU   DEGUALUEAUDNU   DEGUALUEAUDNU   DEGUALUEAUDNU   DEGUALUEAUDNU   DEGUALUEAUDNU   DEGUALUEAUDNU   DEGUALUEAUDNU   DEGUALUEAUDNU   DEGUALUEAUDNU   DEGUALU		POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,															
DC.UAL_UHLUCLU   EQ.CLO.W051L.W   D31S. USE. U1TD1, UNITD1,		per cross-connect				PE1PF	0.158										
Ec.CLO,WBS1L,W   Sis, USL UTD1, UNTD1, UNTD1, UND   UND																	
DSIS, USL, UTITO, UXTD1, UND1, UXTD1, UND1, UXTD1, UXD1, UND1, UXD1, UND1, UXD1, UND1, UXD1, UND1, UXD1, UND1, UXD1, UND1, UXD1, UND1, UXD1, UND1, UXD1, UND1, UXD1, UND1, UXD1, UND1, UXD2, UXD2, UXD3, UXD3, UXD3, UXD3, UXD3, UXD3, UXD3, UXD3, UXD3, UXD3, UXD3, UXD3, UXD3, UXD3, UXD3, UXD3, UXD3, UXD3, UXD3, UND3, UD1, UD1, UD1, UD1, UD1, UD1, UD1, UD1																	
POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect    DVATID, UNC1X, ULDD1, USELE, UNLD1   PE1PG   1.12   PE1PG   PE1PG   1.12   PE1PG   1.12   PE1PG   1.12   PE1PG   PE1																	
POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect   ULDD1, USLEL, UND1   PE1PG   1.12																	
DEANLUEAUDNU   DC,UAL,UHLUCLU   DC,UAL																	
UEANLLUFALUDIU   COLUMNUM   COL																	
DC_UAL_UH_UCL_U   EQ.CLO_UE3, U1TD3, UXTD3, UXTS1, UNG3X, UNGSX, ULDD3, U1TS1, ULDD3, U1TS1, ULDD3, U1TS1, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX   PE1PH   9.95		per cross-connect				PE1PG	1.12										
EQ.CLO_UEB3, UTB																	
U1TD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTS1, UNCSX, ULDD3, U1TS1, ULDD3, ULDSX, UNCSX, ULDD3, U1TS1, ULDD5, ULDSX, UNCSX, ULDD3, U1TS1, ULDD5, ULDLSX, UNCSX, ULDD3, ULDLSX, UNCSX, ULDD3, ULDLSX, UNCSX, ULDD3, ULDLSX, UNCSX, ULDD3, ULDLSX, UNCSX, ULDD3, ULDLSX, UNCSX, ULDD3, ULDLSX, UNCSX, ULDD3, ULDLSX, UNCSX, ULDD3, ULDLSX, ULDD3, ULDLSX, ULDD3, ULDLSX, ULDD3, ULDL2, ULD EQ.CLO, ULDO3, ULD12, ULD EQ.CLO, ULDO3, ULD12, ULDF PE1B2 33.96    POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, ULD12, ULDB4, ULDC3, UL																	
UXTS1, UNC3X, UNC3X, UNCSX, UND3, U1TS1, ULD3, U1TS1, ULD3, U1TS1, ULD51, UNLD3, U1TS1, ULD51, UNLD3, U1TS1, ULD51, UNLD3, U1TS1, ULD51, UNLD3, UDL, UDLSX PE1PH 9.95																	
UNCSX, ULDD3, UTS1, ULDS1, UNLD3, UDL, UDLSX   PE1PH   9.95																	
POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect    DITST, LUDS1, LUDS2, per per cross-connect   DISS																	
POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,   UNLD3, UDL,   DDLSX   PE1PH   9.95																	
DESK   PE1PH   9.95																	
UEANL,UEA,UDN,U   DC,UAL,UHL,UCL,U   EQ,CLO, ULDO3, ULD12, ULD48, U1703, U1712, U1748, UDL03, UDL12, UDP   PE1B2   33.96			1			DE 4 5 · ·				1				1		1	
DC,UAL,UHL,UCL,U   EQ,CLO, ULDO3,	<b></b>	per cross-connect	<u> </u>			PE1PH	9.95			-	1	<u> </u>		-	ļ	-	
EQ.CLO, ULD03, ULD12, ULD48, U1703, U1712, U1748, UDLO3, UDL12, UDF PE1B2   33.96			1	1						I	1			I		I	
DUDI2, ULD48, U1T03, U1T12, U1T48, U1D03, UDL12, UDF PE1B2			1							1				1		1	
POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect   U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF PE1B2   33.96     UEANIL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1TO48, U1TO3, U1T12, U1TO48, U1TO3, U1T12, UDF PE1B4   45.80   UEANIL,UEA,UDF,UDF,UDF,UDF,UDF,UDF,UDF,UDF,UDF,UDF																	
POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect   U1T48, UDL03, UDL12, UDF   PE1B2   33.96																	
DEL12, UDF   PE1B2   33.96		DOT Devidence of the control of the	1							1				1		1	
UEANIL,UEA,UDN,U   DC,UAL,UHL,UCL,U   EQ,CLO, ULDO3,   ULD12, ULD48,   U1TO3, U1T12,   U1D48,   U1TO3, U1T12,   U1T48, UDLO3,   UDL12, UDF   PE1B4   45.80			1	1		DE 480				I	1			I		I	
DC,UAL,UHL,UCL,U   EQ,CLO, ULDO3, ULDU3, ULD12, ULD48, U1703, U1712, ULD48, U1703, U1712, ULD48, U1748, UDL03, UDL12, UDF   PFIB4   UDL12, UDF   PE1B4   UDL12, UDF   PE1B4   UDL12, UDF   UDL12,	<b> </b>	per cross-connect	<b>!</b>	<u> </u>		PE1B2	33.96			-	1			-	1	-	
EQ,CLO, ULDO3, ULD12, ULD48, ULD1703, ULD172, ULD48, ULD1703, ULD172, ULD48, ULD1703, ULD172, ULD48, ULD1703, ULD172, ULD48, ULD1703, ULD172, ULD48, ULD1703, ULD172, ULD48, ULD1703, ULD1712, ULD48, ULD1703, ULD170, ULD17			1							1				1		1	
DULD12, ULD48, U1T03, U1T12, UDT03, U1T12, UDT03, U1T12, UDT14, UDL03, UDL12, UDF PE1B4			1	1						I	1			I		I	
POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect   U1TO3, U1T12, U1T48, UDLO3, per cross-connect   U1TO3, U1T14, UDLO3, UDL12, UDF   PE1B4   45.80   Physical Collocation - Request Resend of CFA Information, per CLLI   CLO PE1C9   77.43   Collocation Cable Records - per request   CLO PE1CR   10.97   Collocation Cable Records - VG/DS0 Cable, per cable record   CLO PE1CD   5.29   CLO   C			1	1						I	1			I		I	
POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect   U1T48, UDLO3, UDL 12, UDF   PE1B4   45.80			1	1						I	1			I		I	
Description		DOT Boy Arrangements prior to C/4/00 A 5th at Court	1							1				1		1	
Physical Collocation - Request Resend of CFA Information, per CLU CLO PE1C9 77.43  Collocation Cable Records - per request CLO PE1CP 77.43  Collocation Cable Records - VG/DS0 Cable, per cable record CLO PE1CD 5.29			1	1		DE4D4	45.00			I	1			I		I	
CLI         CLO         PE1C9         77.43         COIDcation Cable Records - per request         CLO         PE1CR         10.97         COID Cation Cable Records - VG/DS0 Cable, per cable record         CLO         PE1CD         5.29         COID Cable Records - VG/DS0 Cable, per cable record         CLO         PE1CD         5.29         COID Cable Records - VG/DS0 Cable, per cable record	<b>  </b>		1	1	UDL12, UDF	PE1B4	45.80			1	+	<b> </b>	-	1	ļ	1	
Collocation Cable Records - per request CLO PE1CR 10.97 Collocation Cable Records - VG/DS0 Cable, per cable record CLO PE1CD 5.29			1	1	01.0	DE400		77 40		I	1			I		I	
Collocation Cable Records - VG/DS0 Cable, per cable record CLO PE1CD 5.29	<del></del>		1	-			40.07	//.43		<del>                                     </del>	+	<b> </b>	-	<del>                                     </del>	<del> </del>	<del>                                     </del>	
	<del></del>		<del>                                     </del>	-						<del>                                     </del>	-	<u> </u>		<del>                                     </del>	<b> </b>	<del>                                     </del>	
Collection Coble Percents VG/DS0 Coble per each 100 pair	<del></del>	Conocation Cable Records - VG/DSU Cable, per cable record	<del>                                     </del>	-	CLO	PETCD	5.29			<del>                                     </del>	-	<u> </u>		<del>                                     </del>	<b> </b>	<del>                                     </del>	
		Collocation Cable Records - VG/DS0 Cable, per each 100 pair	1	1	CLO	PE1CO	0.08				1			I			

COLLOCAT	ION - Louisiana												A44		Fubility D	
COLLOCA	ION - Louisiana			I	1	1					Cua Oudan	Cur Onden	Attachment:	Incremental	Exhibit: D	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA <sup>-</sup>	ΓES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Add I	DISC 1St	DISC Add I
														1		
						Rec	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
<b></b>	Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1	0.04	FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3	0.13										
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB	1.37										
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		16.44	10.42								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		21.41	13.45								
				,							1					
	Physical Collocation - Security Escort - Premium, per Half Hour		1	CLO,CLORS	PE1PT		26.38	16.49	1	1	1	I			1	
<del></del>		-	-			00.00	20.38	10.49	<del>                                     </del>	+	<del>                                     </del>	-	1	<del>                                     </del>	-	
$\vdash$	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33.00			ļ	1	<b></b>			<b></b>		
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00				1						
I	V to P Conversion, Per Customer Request-DS1	L <sup>_</sup>		CLO	PE1B1	52.00					<u> </u>	<u> </u>		L		
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00										
	V to P Conversion, Per Customer Request per VG Circuit				1						1					
1 1	Reconfigured		1	CLO	PE1BR	23.00			1	1	1	I			1	
<del>                                     </del>	V to P Conversion, Per Customer Request per DS0 Circuit	<b>-</b>	<del>                                     </del>			20.00				<del> </del>	<del>                                     </del>	<del> </del>	1	<del>                                     </del>	1	
	Reconfigured		1	CLO	PE1BP	23.00			1	1	1	I			1	
				CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit															
	Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit															
	Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700			020		01.00					1					
				CLO	PE1B7	592.00										
	prs or fraction thereof			CLO	PE ID/	392.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0015										
	Physical Collocation - Co-Carrier Cross Connects - Application			, ,												
	Fee, per application			CLO	PE1DT		583.30									
PHYSICAL CO				OLO	I E I D I		000.00									
FITTSICAL CO										+				1		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	PE1R2	0.0318	11.94	11.46				15.20				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0318	11.94	11.46				15.20				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Voice Grade PBX Trunk - Res		1	UEPSE	PE1R2	0.0318	11.94	11.46	1	1	1	15.20			1	
<del></del>	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			J	1112	0.0010	11.54	11.40		<b>†</b>	1	10.20		1		
1 1	Wire Analog - Bus		1	UEPSB	PE1R2	0.0318	11.94	11.46	1	1	1	15.20			1	
		-	-	ULFOD	FEIRZ	0.0318	11.94	11.40		1	1	15.20	-	<del>                                     </del>	-	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	1	1	l	L				1	1	1	l	1		1	
	Wire ISDN			UEPSX	PE1R2	0.0318	11.94	11.46		1	1	15.20		ļ		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		1						1		1	1				
	Wire ISDN	1	1	UEPTX	PE1R2	0.0318	11.94	11.46	1	1	1	15.20	1		1	
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-	1	1		İ					1	İ			İ		
	Wire ISDN DS1		1	UEPEX	PE1R4	0.0636	12.04	11.53	1	1	1	15.20			1	
AD IACENT O	OLLOCATION		1	OLI LX	LINT	0.0030	12.04	11.55		1	1	15.20	1	1	1	
ADJACENT C		-	-	01.040	DE4 14	0.0550				1	1		-	<del>                                     </del>	-	
$\vdash$	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0552					<b></b>			<b></b>		
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.61										
	Adjacent Collocation - 2-Wire Cross-Connects		$\Box$	CLOAC	PE1P2	0.0245	11.94	11.46								
				UEA,UHL,UDL,UCL,												
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0491	12.04	11.53		1		1				
<del></del>	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	0.9605	21.39	15.47		1	1	<b> </b>	1	1	l	
$\vdash$	Adjacent Collocation - DS3 Cross-Connects		1	CLOAC	PE1P3	13.01	20.28	14.76		1	1			1	1	
<del>                                     </del>			-							1	1	1	1	<b>!</b>	1	
$\vdash$	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.20	20.28	14.76			<b></b>			<b></b>		
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.21	24.81	19.29		1	1	1		ļ		
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,543.20							<u> </u>		
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															
	per AC Breaker Amp		1	CLOAC	PE1FB	5.45			1	1	1	I			1	
	Adjacent Collocation - 240V, Single Phase Standby Power Rate				†	50			1	1	1	i	1	1	1	
	per AC Breaker Amp	1	1	CLOAC	PE1FD	10.92			1	1	1	1	1		1	
	her ye pregret with		<u> </u>	OLOAO	1 - 11 0	10.32			L	1	1	l		1	<u> </u>	

COLLOCAT	ION - Louisiana												Attachment:	4	Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	"ES(\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
			<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.37										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.80										
PHYSICAL CC	DLLOCATION IN THE REMOTE SITE		_	CLOAC	FLIIG	37.60					1					
TITIOICAL CC	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		298.80	298.80			-					1
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	225.39	200.00	200.00								
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.01	13.01								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		112.52	112.52								
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		36.47	36.47								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.21		1							
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
NOTE	If Security Escort and/or Add'l Engineering Fees become nec	essary	for rem	ote site collocation	, the Parties v	vill negotiate a	propriate rate	s.		•						

PHYSICAL COLLOCATION  Physical Collocation - Application Physical Collocation - Application Physical Collocation - Application Physical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Cable Instate Physical Collocation - Floor Space Physical Collocation - Cable Supphysical Collocation - Cable Supphysical Collocation - Power -48V Physical Collocation - Power -48V Physical Collocation - Power Red	ation Fee - Subsequent trative Only - Application Fee Preparation - Firm Order Preparation - C.O. Modification pe Preparation - Common Systems Cageless Preparation - Common Systems Installation Space per Sq. Ft. Support Structure - 48V DC Power, per Fused Amp	Interi	Zone	BCS  CLO CLO CLO CLO CLO CLO	PE1BA PE1CA PE1BL PE1SJ PE1SK	Rec	Nonrec First 1,890.38 1,575.69 740.76	urring Add'I	Nonrecurring First	ı Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
PHYSICAL COLLOCATION  Physical Collocation - Application Physical Collocation - Application Physical Collocation - Application Physical Collocation - Application Physical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Cable Instate Physical Collocation - Cable Instate Physical Collocation - Floor Space Physical Collocation - Cable Supphysical Collocation - Power - 48V Physical Collocation - Power Red Physical Collocation - 120V, Single Physical Collocation - 240V, Single Physical Collocation - 240V, Single Physical Collocation - 120V, Three	ation Fee - Initial ation Fee - Subsequent trative Only - Application Fee Preparation - Firm Order  Preparation - Common Systems Cageless Preparation - Common Systems Installation Space per Sq. Ft. Support Structure -48V DC Power, per Fused Amp Reduction, Application Fee	m	Zone	CLO CLO CLO CLO	PE1BA PE1CA PE1BL PE1SJ	Rec	Nonrec First 1,890.38 1,575.69	urring	First		Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
PHYSICAL COLLOCATION  Physical Collocation - Application Physical Collocation - Application Physical Collocation - Application Physical Collocation - Application Physical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Cable Instate Physical Collocation - Cable Instate Physical Collocation - Floor Space Physical Collocation - Cable Supphysical Collocation - Power - 48V Physical Collocation - Power Redeventure Physical Collocation - Power Redeventure Physical Collocation - 120V, Single Physical Collocation - 240V, Single Physical Collocation - 120V, Threeventure Physical Collocation - 120V,	ation Fee - Initial ation Fee - Subsequent trative Only - Application Fee Preparation - Firm Order  Preparation - Common Systems Cageless Preparation - Common Systems Installation Space per Sq. Ft. Support Structure -48V DC Power, per Fused Amp Reduction, Application Fee	m	Zone	CLO CLO CLO CLO	PE1BA PE1CA PE1BL PE1SJ	Rec	Nonrec First 1,890.38 1,575.69	urring	First		Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'I	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
PHYSICAL COLLOCATION  Physical Collocation - Application Physical Collocation - Application Physical Collocation - Application Physical Collocation - Application Physical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Cable Instate Physical Collocation - Cable Instate Physical Collocation - Floor Space Physical Collocation - Cable Supphysical Collocation - Power - 48V Physical Collocation - Power Redeventure - Physical Collocation - Power Redeventure - Physical Collocation - 120V, Single Physical Collocation - 240V, Single Physical Collocation - 120V, Three	ation Fee - Initial ation Fee - Subsequent trative Only - Application Fee Preparation - Firm Order  Preparation - Common Systems Cageless Preparation - Common Systems Installation Space per Sq. Ft. Support Structure -48V DC Power, per Fused Amp Reduction, Application Fee	m	Zone	CLO CLO CLO CLO	PE1BA PE1CA PE1BL PE1SJ	Rec	Nonrec First 1,890.38 1,575.69	urring	First		per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I  Rates(\$)	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
PHYSICAL COLLOCATION  Physical Collocation - Application Physical Collocation - Application Physical Collocation - Application Physical Collocation - Application Physical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Space Prephysical Collocation - Cable Instate Physical Collocation - Cable Instate Physical Collocation - Floor Space Physical Collocation - Cable Supphysical Collocation - Power - 48V Physical Collocation - Power Redeventure - Physical Collocation - Power Redeventure - Physical Collocation - 120V, Single Physical Collocation - 240V, Single Physical Collocation - 120V, Three	ation Fee - Initial ation Fee - Subsequent trative Only - Application Fee Preparation - Firm Order  Preparation - Common Systems Cageless Preparation - Common Systems Installation Space per Sq. Ft. Support Structure -48V DC Power, per Fused Amp Reduction, Application Fee			CLO CLO CLO CLO	PE1BA PE1CA PE1BL PE1SJ	Rec	Nonrec First 1,890.38 1,575.69	urring	First				Electronic- 1st	Electronic- Add'I	Electronic- Disc 1st	Electronic- Disc Add'l
Physical Collocation - Application Physical Collocation - Application Physical Collocation - Application Physical Collocation - Application Physical Collocation - Space Preperocessing Physical Collocation - Space Preperocessing Physical Collocation - Space Preperocessing Physical Collocation - Space Preperocessing Physical Collocation - Space Preperocessing Physical Collocation - Cable Instate Physical Collocation - Floor Space Physical Collocation - Floor Space Physical Collocation - Power - 48V Physical Collocation - Power Red Physical Collocation - Power Red Physical Collocation - 120V, Single Physical Collocation - 240V, Single Physical Collocation - 240V, Single	ation Fee - Subsequent trative Only - Application Fee Preparation - Firm Order Preparation - C.O. Modification pe Preparation - Common Systems Cageless Preparation - Common Systems Installation Space per Sq. Ft. Support Structure -48V DC Power, per Fused Amp Reduction, Application Fee			CLO CLO CLO	PE1CA PE1BL PE1SJ	Rec	1,890.38 1,575.69		First		SOMEC	SOMAN	1st OSS	Add'I	Disc 1st	Disc Add'l
Physical Collocation - Application Physical Collocation - Application Physical Collocation - Application Physical Collocation - Application Physical Collocation - Space Preperocessing Physical Collocation - Space Preperocessing Physical Collocation - Space Preperocessing Physical Collocation - Space Preperocessing Physical Collocation - Space Preperocessing Physical Collocation - Cable Instate Physical Collocation - Floor Space Physical Collocation - Floor Space Physical Collocation - Power - 48V Physical Collocation - Power Red Physical Collocation - Power Red Physical Collocation - 120V, Single Physical Collocation - 240V, Single Physical Collocation - 240V, Single	ation Fee - Subsequent trative Only - Application Fee Preparation - Firm Order Preparation - C.O. Modification pe Preparation - Common Systems Cageless Preparation - Common Systems Installation Space per Sq. Ft. Support Structure -48V DC Power, per Fused Amp Reduction, Application Fee			CLO CLO CLO	PE1CA PE1BL PE1SJ	Rec	1,890.38 1,575.69		First		SOMEC	SOMAN	oss	Rates(\$)		
Physical Collocation - Application Physical Collocation - Application Physical Collocation - Application Physical Collocation - Administrativ Physical Collocation - Space Preperocessing Physical Collocation - Space Preperocessing Physical Collocation - Space Preperocessing Physical Collocation - Space Preperocessing Physical Collocation - Space Preperocessing Physical Collocation - Cable Instate Physical Collocation - Cable Instate Physical Collocation - Floor Space Physical Collocation - Cable Supperocessing Physical Collocation - Power - 48V Physical Collocation - Power Red Physical Collocation - 120V, Single Physical Collocation - 240V, Single Physical Collocation - 240V, Single Physical Collocation - 120V, Three	ation Fee - Subsequent trative Only - Application Fee Preparation - Firm Order Preparation - C.O. Modification pe Preparation - Common Systems Cageless Preparation - Common Systems Installation Space per Sq. Ft. Support Structure -48V DC Power, per Fused Amp Reduction, Application Fee			CLO CLO CLO	PE1CA PE1BL PE1SJ	Rec	1,890.38 1,575.69		First		SOMEC	SOMAN	OSS	Rates(\$) SOMAN	SOMAN	SOMAN
Physical Collocation - Application Physical Collocation - Application Physical Collocation - Application Physical Collocation - Administrativ Physical Collocation - Space Preperocessing Physical Collocation - Space Preperocessing Physical Collocation - Space Preperocessing Physical Collocation - Space Preperocessing Physical Collocation - Space Preperocessing Physical Collocation - Cable Instate Physical Collocation - Cable Instate Physical Collocation - Cable Instate Physical Collocation - Floor Space Physical Collocation - Power - 48V Physical Collocation - Power Red Physical Collocation - Power Red Physical Collocation - 240V, Single Physical Collocation - 240V, Single Physical Collocation - 120V, Three	ation Fee - Subsequent trative Only - Application Fee Preparation - Firm Order Preparation - C.O. Modification pe Preparation - Common Systems Cageless Preparation - Common Systems Installation Space per Sq. Ft. Support Structure -48V DC Power, per Fused Amp Reduction, Application Fee			CLO CLO CLO	PE1CA PE1BL PE1SJ	Rec	1,890.38 1,575.69		First		SOMEC	SOMAN	OSS SOMAN	S Rates(\$) SOMAN	SOMAN	SOMAN
Physical Collocation - Application Physical Collocation - Application Physical Collocation - Application Physical Collocation - Administrativ Physical Collocation - Space Preperocessing Physical Collocation - Space Preperocessing Physical Collocation - Space Preperocessing Physical Collocation - Space Preperocessing Physical Collocation - Space Preperocessing Physical Collocation - Cable Instate Physical Collocation - Cable Instate Physical Collocation - Floor Space Physical Collocation - Cable Supperocessing Physical Collocation - Power - 48V Physical Collocation - Power Red Physical Collocation - 120V, Single Physical Collocation - 240V, Single Physical Collocation - 240V, Single Physical Collocation - 120V, Three	ation Fee - Subsequent trative Only - Application Fee Preparation - Firm Order Preparation - C.O. Modification pe Preparation - Common Systems Cageless Preparation - Common Systems Installation Space per Sq. Ft. Support Structure -48V DC Power, per Fused Amp Reduction, Application Fee			CLO CLO CLO	PE1CA PE1BL PE1SJ		1,890.38 1,575.69		First		SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Physical Collocation - Application Physical Collocation - Application Physical Collocation - Application Physical Collocation - Administrativ Physical Collocation - Space Preperocessing Physical Collocation - Space Preperocessing Physical Collocation - Space Preperocessing Physical Collocation - Space Preperocessing Physical Collocation - Space Preperocessing Physical Collocation - Cable Instate Physical Collocation - Cable Instate Physical Collocation - Cable Instate Physical Collocation - Floor Space Physical Collocation - Power - 48V Physical Collocation - Power Red Physical Collocation - Power Red Physical Collocation - 240V, Single Physical Collocation - 240V, Single Physical Collocation - 120V, Three	ation Fee - Subsequent trative Only - Application Fee Preparation - Firm Order Preparation - C.O. Modification pe Preparation - Common Systems Cageless Preparation - Common Systems Installation Space per Sq. Ft. Support Structure -48V DC Power, per Fused Amp Reduction, Application Fee			CLO CLO CLO	PE1CA PE1BL PE1SJ		1,575.69		0.051							
Physical Collocation - Application Physical Collocation - Application Physical Collocation - Application Physical Collocation - Administrativ Physical Collocation - Space Preperocessing Physical Collocation - Space Preperocessing Physical Collocation - Space Preperocessing Physical Collocation - Space Preperocessing Physical Collocation - Space Preperocessing Physical Collocation - Cable Instate Physical Collocation - Cable Instate Physical Collocation - Cable Instate Physical Collocation - Floor Space Physical Collocation - Power - 48V Physical Collocation - Power Red Physical Collocation - Power Red Physical Collocation - 240V, Single Physical Collocation - 240V, Single Physical Collocation - 120V, Three	ation Fee - Subsequent trative Only - Application Fee Preparation - Firm Order Preparation - C.O. Modification pe Preparation - Common Systems Cageless Preparation - Common Systems Installation Space per Sq. Ft. Support Structure -48V DC Power, per Fused Amp Reduction, Application Fee			CLO CLO CLO	PE1CA PE1BL PE1SJ		1,575.69		0.051							
Physical Collocation - Application Physical Collocation Administrativ Physical Collocation - Space Prep Processing Physical Collocation - Space Prep square ft. Physical Collocation - Space Prep Modification per square ft Cage Physical Collocation - Space Prep Modification per Square ft Cage Physical Collocation - Space Prep Modification per Cage Physical Collocation - Cable Instate Physical Collocation - Cable Instate Physical Collocation - Floor Space Physical Collocation - Power -48V Physical Collocation - Power Red Physical Collocation - 120V, Single Physical Collocation - 240V, Single Physical Collocation - 240V, Three	ation Fee - Subsequent trative Only - Application Fee Preparation - Firm Order Preparation - C.O. Modification pe Preparation - Common Systems Cageless Preparation - Common Systems Installation Space per Sq. Ft. Support Structure -48V DC Power, per Fused Amp Reduction, Application Fee			CLO CLO CLO	PE1CA PE1BL PE1SJ		1,575.69		0.051							
Physical Collocation Administrativ Physical Collocation - Space Preprocessing Physical Collocation - Space Presprocessing Physical Collocation - Space Prespressing Physical Collocation - Space Prespression - Cape Physical Collocation - Space Prespression - Cape Physical Collocation - Caple Instate Physical Collocation - Cable Instate Physical Collocation - Cable Suppersonal Collocation - Power -48V Physical Collocation - Power Redestrian - Power - Physical Collocation - Power - Physical Collocati	trative Only - Application Fee Preparation - Firm Order  Preparation - C.O. Modification pe Preparation - Common Systems Cageless Preparation - Common Systems  Installation Space per Sq. Ft. Support Structure -48V DC Power, per Fused Amp Reduction, Application Fee			CLO CLO	PE1BL PE1SJ											
Physical Collocation - Space Prep Processing Physical Collocation - Space Prep Square ft. Physical Collocation - Space Prep Modification per square ft Cage Physical Collocation - Space Prep Modification per Square ft Cage Physical Collocation - Space Prep Modification per Cage Physical Collocation - Cable Insta Physical Collocation - Floor Space Physical Collocation - Cable Supp Physical Collocation - Power - 48V Physical Collocation - Power Red Physical Collocation - Power Red Physical Collocation - 120V, Singl Physical Collocation - 240V, Singl Physical Collocation - 120V, Three	Preparation - Firm Order  Preparation - C.O. Modification pe  Preparation - Common Systems  Cageless  Preparation - Common Systems  Installation  Space per Sq. Ft.  Support Structure  -48V DC Power, per Fused Amp  Reduction, Application Fee			сго	PE1SJ		740 76		0.51							
Processing Physical Collocation - Space Prepaguare ft. Physical Collocation - Space Prepaguare ft. Physical Collocation - Space Prepaguare ft Cage Physical Collocation - Space Prepaguare ft Cage Physical Collocation - Space Prepaguare ft Cage Physical Collocation - Cable Instate Physical Collocation - Floor Space Physical Collocation - Cable Suppersical Collocation - Power -48V Physical Collocation - Power Red Physical Collocation - 120V, Single Physical Collocation - 240V, Single Physical Collocation - 120V, Three	Preparation - C.O. Modification pe Preparation - Common Systems Cageless Preparation - Common Systems Installation Space per Sq. Ft. Support Structure -48V DC Power, per Fused Amp Reduction, Application Fee			CLO												
Physical Collocation - Space Prepsquare ft.  Physical Collocation - Space PrepModification per square ft Cage Physical Collocation - Space PrepModification per square ft Cage Physical Collocation - Space PrepModification per Cage Physical Collocation - Cable Instate Physical Collocation - Floor Space Physical Collocation - Floor Space Physical Collocation - Power -48V Physical Collocation - Power Red Physical Collocation - 120V, Single Physical Collocation - 240V, Single Physical Collocation - 240V, Three	Preparation - Common Systems Cageless Preparation - Common Systems Installation Space per Sq. Ft. Support Structure -48V DC Power, per Fused Amp Reduction, Application Fee			CLO												
square ft. Physical Collocation - Space Prep Modification per square ft Cage Physical Collocation - Space Prep Modification per Cage Physical Collocation - Cable Insta Physical Collocation - Floor Space Physical Collocation - Cable Supp Physical Collocation - Cable Supp Physical Collocation - Power -48V Physical Collocation - Power Red Physical Collocation - 120V, Singl Physical Collocation - 240V, Singl Physical Collocation - 240V, Three	Preparation - Common Systems Cageless Preparation - Common Systems Installation Space per Sq. Ft. Support Structure -48V DC Power, per Fused Amp Reduction, Application Fee	I I			PE1SK		604.19									
square ft. Physical Collocation - Space Prep Modification per square ft Cage Physical Collocation - Space Prep Modification per Cage Physical Collocation - Cable Insta Physical Collocation - Floor Space Physical Collocation - Cable Supp Physical Collocation - Cable Supp Physical Collocation - Power -48V Physical Collocation - Power Red Physical Collocation - 120V, Singl Physical Collocation - 240V, Singl Physical Collocation - 240V, Three	Preparation - Common Systems Cageless Preparation - Common Systems Installation Space per Sq. Ft. Support Structure -48V DC Power, per Fused Amp Reduction, Application Fee	I I			PE1SK											
Physical Collocation - Space Prep Modification per square ft Cage Physical Collocation - Space Prep Modification per Cage Physical Collocation - Cable Insta Physical Collocation - Floor Space Prep Space Collocation - Cable Supp Physical Collocation - Cable Supp Physical Collocation - Power -48V Physical Collocation - Power Red Physical Collocation - 120V, Single Physical Collocation - 240V, Single Physical Collocation - 240V, Three Physical Collocation - 120V, Thr	Cageless Preparation - Common Systems Installation Space per Sq. Ft. Support Structure -48V DC Power, per Fused Amp Reduction, Application Fee	1				2.30					1	1	I			1
Modification per square ft Cage Physical Collocation - Space Prep Modification per Cage Physical Collocation - Cable Insta Physical Collocation - Floor Space Physical Collocation - Floor Space Physical Collocation - Power -48V Physical Collocation - Power Red Physical Collocation - 120V, Singl Physical Collocation - 240V, Singl Physical Collocation - 240V, Three	Cageless Preparation - Common Systems Installation Space per Sq. Ft. Support Structure -48V DC Power, per Fused Amp Reduction, Application Fee	1		CLO												
Physical Collocation - Space Prep Modification per Cage Physical Collocation - Cable Insta Physical Collocation - Floor Space Physical Collocation - Cable Supp Physical Collocation - Power -48V Physical Collocation - Power Red Physical Collocation - Power Red Physical Collocation - 120V, Singl Physical Collocation - 240V, Singl Physical Collocation - 240V, Three Physical Collocation - 120V, Three P	Preparation - Common Systems Installation Space per Sq. Ft. Support Structure -48V DC Power, per Fused Amp Reduction, Application Fee	ı		†	PE1SL	2.52							1			1
Modification per Cage Physical Collocation - Cable Insta Physical Collocation - Floor Space Physical Collocation - Floor Space Physical Collocation - Cable Supp Physical Collocation - Power -48V Physical Collocation - Power Red Physical Collocation - 120V, Singl Physical Collocation - 240V, Singl Physical Collocation - 120V, Three	Installation Space per Sq. Ft. Support Structure -48V DC Power, per Fused Amp Reduction, Application Fee	1			1	i			İ				İ		İ	
Physical Collocation - Cable Insta Physical Collocation - Floor Space Physical Collocation - Cable Supp Physical Collocation - Power -48V Physical Collocation - Power Red Physical Collocation - 120V, Singl Physical Collocation - 240V, Singl Physical Collocation - 240V, Three	Space per Sq. Ft. Support Structure -48V DC Power, per Fused Amp Reduction, Application Fee		+	CLO	PE1SM	85.67							1			1
Physical Collocation - Floor Space Physical Collocation - Cable Supp Physical Collocation - Power -48V Physical Collocation - Power Red Physical Collocation - 120V, Singl Physical Collocation - 240V, Singl Physical Collocation - 120V, Three	Space per Sq. Ft. Support Structure -48V DC Power, per Fused Amp Reduction, Application Fee			CLO	PE1BD		926.27	926.27	22.62				t			
Physical Collocation - Cable Supp Physical Collocation - Power -48V Physical Collocation - Power Red Physical Collocation - 120V, Singl Physical Collocation - 240V, Singl Physical Collocation - 120V, Three	Support Structure  -48V DC Power, per Fused Amp Reduction, Application Fee	1		CLO	PE1PJ	5.74	320.27	320.27	22.32				t			
Physical Collocation - Power -48V Physical Collocation - Power Red Physical Collocation - 120V, Singl Physical Collocation - 240V, Singl Physical Collocation - 120V, Three	-48V DC Power, per Fused Amp Reduction, Application Fee			CLO	PE1PM	17.42										
Physical Collocation - Power Redi Physical Collocation - 120V, Singl Physical Collocation - 240V, Singl Physical Collocation - 120V, Three	Reduction, Application Fee			CLO	PE1PL	7.33					1					
Physical Collocation - 120V, Singl Physical Collocation - 240V, Singl Physical Collocation - 120V, Three		<del>l i</del>		CLO	PE1PR	7.00	398.76				1					
Physical Collocation - 240V, Singl Physical Collocation - 120V, Three	Single Phase Standby Power Rate	+ -		OLO			000.70									
Physical Collocation - 240V, Singl Physical Collocation - 120V, Three		1 .		CLO	PE1FB	5.29										
Physical Collocation - 120V, Three	,	<del></del>		020	12112	0.20					1					
Physical Collocation - 120V, Three	Single Phase Standby Power Rate	1 .		CLO	PE1FD	10.58										
	Single I mase Standby I ower reace	+ '-		CLO	ILIID	10.50										
	Throo Phaco Standby Power Pate	1 .		CLO	PE1FE	15.87										
Physical Collocation - 277V, Thre	Tillee Filase Startuby Fower Rate	-		CLO	PEIFE	15.67					-		-			<del></del>
Friysical Collocation - 277 V, Tille	Throo Phaco Standby Power Pate	1 .		CLO	PE1FG	36.65										
	Tillee Filase Startuby Fower Rate	+ '-		CLO	PEIFG	30.03										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ, UDL, UNCVX,	DE / Do											
Physical Collocation - 2-Wire Cros	Cross-Connects	1		UNLDX, UNCNX	PE1P2	0.0288	12.37	11.87	6.04	5.45						
				CLO, UAL, UDL,												
				UDN, UEA, UHL,												
				UNCVX, UNCDX,												
Physical Collocation - 4-Wire Cros	Cross-Connects			UCL	PE1P4	0.0576	12.47	11.94	6.59	5.91						
				CLO,UEANL,UEQ,W												
				DS1L,WDS1S, USL,												
				U1TD1, UXTD1,												
				UNC1X, ULDD1,												
				USLEL, UNLD1,												
Physical Collocation - DS1 Cross-	ross-Connects			UDL	PE1P1	1.14	22.16	16.02	6.60	5.97						
				CLO, UE3,U1TD3,												
				UXTD3, UXTS1,												
				UNC3X, UNCSX,												
				ULDD3,												
				U1TS1,ULDS1,												
Physical Collocation - DS3 Cross-	ross-Connects			UNLD3, UDL	PE1P3	14.49	21.01	15.29	7.61	6.10						
				CLO, ULDO3,												
				ULD12, ULD48,												
				U1TO3, U1T12,												
				U1T48, UDLO3,												
Physical Collocation - 2-Fiber Cro	r Cross-Connect	1		UDL12, UDF	PE1F2	2.87	21.01	15.29	7.61	6.10			1			1
,		1		CLO, ULDO3,	† - · · -	,	2	.0.20		3.10			t			t
		1		ULD12, ULD48,									1			1
		1		U1TO3, U1T12,									1			1
		1		U1T48, UDLO3,								1	I			1
Physical Collocation - 4-Fiber Cro		1		UDL12, UDF	PE1F4	5.10	25.70	19.97	10.01	8.50			1			1
Physical Collocation - 4-1 iber Cro	r Cross-Connect		1	CLO	PE1BW	183.20	20.10	10.01	10.01					1		<del></del>

COLLOCAT	ION - Mississippi												Attachment:	4	Exhibit: D	
OOLLOOAI	I I I I I I I I I I I I I I I I I I I				l	1					Svc Order	Svc Order				Incremental
İ											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi	l_								Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									'		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
İ													151	Add I	DISC 1St	DISC Add I
												•	•	•		•
						Rec	Nonrec	urring		g Disconnect			oss	Rates(\$)		
						1	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	17.97										
	Physical Collocation - Security Access System - Security System	1														
	per Central Office	1		CLO	PE1AX	75.23										
	Physical Collocation - Security Access System - New Access															
	Card Activation, per Card	1		CLO	PE1A1	0.0576	27.95	27.95								
-	Physical Collocation-Security Access System-Administrative			OLO	1 = 17(1	0.0070	27.00	21.00			<b> </b>					
	Change, existing Access Card, per Card	1		CLO	PE1AA		7.84	7.84								
				CLO	PETAA		7.04	7.04			1					
	Physical Collocation - Security Access System - Replace Lost or			0.0	55445											
	Stolen Card, per Card			CLO	PE1AR		22.91	22.91								
$\vdash$	Physical Collocation - Security Access - Initial Key, per Key	1	ļ	CLO	PE1AK	<b>├</b>	13.17	13.17		<b></b>		ļ				
1 1	Physical Collocation - Security Access - Key, Replace Lost or			1		1				1	1					1
oxdot	Stolen Key, per Key			CLO	PE1AL		13.17	13.17								
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		1,081.40	1,081.40								
1 1				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UDL,												
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,			UNCVX, UNCDX,												
	per cross-connect			UNCNX	PE1PE	0.0867										
	per cross connect	_		UEANL,UEA,UDN,U		0.0007					1					
				DC,UAL,UHL,UCL,U												
1 1	DOT D. A															
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			EQ,CLO, USL,												
$\overline{}$	per cross-connect			UNCVX, UNCDX	PE1PF	0.1734										
				UEANL,UEA,UDN,U												
1 1				DC,UAL,UHL,UCL,U												
				EQ,CLO,WDS1L,W												
				DS1S, USL, U1TD1,												
				UXTD1, UNC1X,												
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,			ULDD1, USLEL,												
	per cross-connect			UNLD1	PE1PG	1.22										
<del></del>	per creas comment			UEANL,UEA,UDN,U	12110	1.22										
1 1				DC,UAL,UHL,UCL,U												
1 1				EQ,CLO,UE3,												
1 1				U1TD3, UXTD3,												
1 1																
				UXTS1, UNC3X,												
1 I				UNCSX, ULDD3,						1		l	Ì	Ì		İ
1 1				U1TS1, ULDS1,		1				1	1					1
1 1	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,			UNLD3, UDL,		1				1	1					1
oxdot	per cross-connect			UDLSX	PE1PH	10.91										
1				UEANL,UEA,UDN,U								l				
1 1				DC,UAL,UHL,UCL,U		1				1	1					1
1 I				EQ,CLO, ULDO3,						1		l	Ì	Ì		İ
1 I				ULD12, ULD48,						1		l	Ì	Ì		İ
1 I				U1TO3, U1T12,						1		l	Ì	Ì		İ
1 I	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,			U1T48, UDLO3,						1		l	Ì	Ì		İ
1 I	per cross-connect			UDL12, UDF	PE1B2	37.26				1		l	Ì	Ì		İ
<del>                                     </del>	por oroso-connect	1	<del>                                     </del>	UEANL,UEA,UDN,U	1 1 102	31.20				t	1	1	1	1		1
1 I										1		l	Ì	Ì		İ
1 I				DC,UAL,UHL,UCL,U						1		l	Ì	Ì		İ
1 I				EQ,CLO, ULDO3,						1		l	Ì	Ì		İ
1 I				ULD12, ULD48,						1		l	Ì	Ì		İ
1 I				U1TO3, U1T12,						1		l	Ì	Ì		İ
1 I	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect,			U1T48, UDLO3,		1				1	1					1
$\sqcup \bot \bot$	per cross-connect	<u> </u>	<u> </u>	UDL12, UDF	PE1B4	50.24				<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>
	Physical Collocation - Request Resend of CFA Information, per															
1 I	CLLI			CLO	PE1C9		77.41			1		l	Ì	Ì		İ
	Collocation Cable Records - per request			CLO	PE1CR		763.69		133.77		1					
	Collocation Cable Records - VG/DS0 Cable, per cable record		i –	CLO	PE1CD	† †	328.81		190.22	İ	İ	İ	İ	İ	i	İ
		+		1	<del></del>	1	,			<del>                                     </del>	1		<b>-</b>	<b>-</b>	_	
<del></del>						1										

COLLOCAT	ION - Mississippi												Attachment:		Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge -	Incremental Charge - Manual Svo Order vs.
		""											Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Oilleast's Oille Breeds BOA as TATIF			01.0	DE 101		First	Add'I	First	Add'I		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Collocation Cable Records - DS1, per T1TIE  Collocation Cable Records - DS3, per T3TIE			CLO CLO	PE1C1 PE1C3		2.27 7.92	2.27 7.92	2.78 9.72	2.78 9.72						<del> </del>
	Collocation Cable Records - DS3, per 1311E  Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1C3		84.98	84.98	77.58	77.58						-
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		17.02	10.79	11.30	11.50						
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22.17	13.94								
				0.00.000				.=								
	Physical Collocation - Security Escort - Premium, per Half Hour	<b> </b>		CLO,CLORS	PE1PT	22.00	27.32	17.08			}			1	1	<del> </del>
	V to P Conversion, Per Customer Request-Voice Grade  V to P Conversion, Per Customer Request-DS0	-		CLO CLO	PE1BV PE1BO	33.00 33.00					1				<b> </b>	<del>                                     </del>
<del>    </del>	V to P Conversion, Per Customer Request-DS0  V to P Conversion, Per Customer Request-DS1			CLO	PE1B0	52.00					<del>                                     </del>			<del> </del>	1	<del>                                     </del>
	V to P Conversion, Per Customer request-DS3	1		CLO	PE1B3	52.00					1			<b> </b>	1	<b>†</b>
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO.UDF	PE1ES	0.001										
	Support Structure, per cable, per linear it.  Physical Collocation - Co-Carrier Cross Connects - Copper/Coax  Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0015										
	Physical Collocation - Co-Carrier Cross Connects - Application				PE1DT	0.0015	502.42									
PHYSICAL CO	Fee, per application			CLO	PEIDI		583.13									
THISIOAL GC	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog - Res			UEPSR	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus			UEPSB	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPSX	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4- Wire ISDN DS1			UEPEX	PE1R4	0.0576	12.47	11.94	6.59	5.91		15.75				
ADJACENT C	OLLOCATION															
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0678										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	4.68										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC UEA,UHL,UDL,UCL,	PE1P2	0.0223	12.37	11.87	6.04	5.45					<u> </u>	<del></del>
	Adjacent Collocation - 4-Wire Cross-Connects	ļ		CLOAC	PE1P4	0.0446	12.47	11.94	6.59	5.91						ļ
	Adjacent Collocation - DS1 Cross-Connects	<u> </u>		USL,CLOAC	PE1P1	1.05	22.16	16.02	6.60	5.97					ļ	
	Adjacent Collocation - DS3 Cross-Connects	ļ		CLOAC	PE1P3	14.27	21.01	15.29	7.61	6.10					1	<b></b>
<del></del>	Adjacent Collection - 2-Fiber Cross-Connect	1		CLOAC CLOAC	PE1F2 PE1F4	2.42 4.62	21.01	15.29	7.61	6.10	}					ļ
	Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - Application Fee	<u> </u>	-	CLOAC	PE1F4 PE1JB	4.62	25.70 1,585.83	19.97	10.01 0.51	8.50	-				-	
	Adjacent Collocation - Application Fee Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JB PE1FB	5.29	1,000.03		0.51							
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	10.58										

COLLOC	CATION - Mississippi												Attachment:	4	Exhibit: D	
CATEGOR	Y RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)				Submitted Manually		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	15.87										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	36.65										
PHYSICAL	. COLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		309.48		168.63							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	210.05										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.17	13.17								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		116.54	116.54								
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		37.77	37.77								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.14									
PHYSICAL	COLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62		-			-			

COLLOCAT	ION - North Carolina												Attachment:	4	Exhibit: D	
SOLLOCAI	- HOILII CAIOIIIIA										Svc Order	Svc Order			Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	ES(\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
o,200		m			5555			(,			perLSK	per LSR	Order vs.	Electronic-		
													Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
												1		1		
						Rec	Nonrec		Nonrecurrin	g Disconnect			oss	Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO																
	Physical Collocation - Application Fee - Initial	ı		CLO	PE1BA		3,850.00	3,850.00								
	Physical Collocation - Application Fee - Subsequent	ļ		CLO	PE1CA		3,119.00	3,119.00								
<b>—</b>	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		741.44									
	Physical Collocation - Space Preparation - C.O. Modification per			01.0	PE1SK	4.57										
-	square ft.	- 1		CLO	PE15K	1.57										
	Physical Collocation - Space Preparation - Common Systems			01.0	PE1SL	2.00										
$\vdash$	Modification per square ft Cageless Physical Collocation - Space Preparation - Common Systems		<b>-</b>	CLO	FEIOL	3.26				1			-	<b> </b>	<del>                                     </del>	
	Modification per Cage	1		CLO	PE1SM	110.79							1		I	
	Space Preparation Fees - Power Per Nominal -48V Dc Amp	H	1	CLO	PEIFH	5.76				1	1	1		1	1	
<del>                                     </del>	Physical Collocation - Cable Installation	H	<del>                                     </del>	CLO	PE1BD	5.70	2,305.00	2,305.00		1			<del> </del>	<del>                                     </del>	<del>                                     </del>	
<del>                                     </del>	Physical Collocation - Cable Installation  Physical Collocation - Floor Space per Sq. Ft.	<del>i</del>	<b>†</b>	CLO	PE1PJ	3.45	2,303.00	2,000.00		1			<del>                                     </del>	<del> </del>	t	
	Physical Collocation - Cable Support Structure	t i		CLO	PE1PM	21.33										
	Physical Collocation - Power -48V DC Power, per Fused Amp	T i		CLO	PE1PL	8.50										
	Physical Collocation - Power Reduction, Application Fee	<del>l i</del>		CLO	PE1PR	0.00	399.13									
	, ,						-									
	Physical Collocation - 120V, Single Phase Standby Power Rate	1		CLO	PE1FB	5.50										
	Physical Collocation - 240V, Single Phase Standby Power Rate	1		CLO	PE1FD	11.01										
	· ·															
	Physical Collocation - 120V, Three Phase Standby Power Rate	I		CLO	PE1FE	16.51										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	38.12										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
	Discrind College Control			EQ, UDL, UNCVX,	DE 4 DO	0.00	44.70	00.00								
-	Physical Collocation - 2-Wire Cross-Connects			UNLDX, UNCNX	PE1P2	0.32	41.78	39.23								
				CLO, UAL, UDL, UDN, UEA, UHL,												
				UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.64	41.91	39.25								
	Physical Collocation - 4-vviile Cross-Conflects	-		CLO,UEANL,UEQ,W	PE IP4	0.04	41.91	39.23								
				DS1L,WDS1S, USL,												
				U1TD1, UXTD1,												
				UNC1X, ULDD1,												
				USLEL, UNLD1,												
	Physical Collocation - DS1 Cross-Connects	1		UDL	PE1P1	2.34	71.02	51.08								
				CLO, UE3,U1TD3,												
				UXTD3, UXTS1,												
				UNC3X, UNCSX,												
				ULDD3,												
				U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connects	- 1		UNLD3, UDL	PE1P3	42.84	69.84	49.43								
				CLO, ULDO3,												
				ULD12, ULD48,		1							1		I	
				U1TO3, U1T12,		1							1		I	
				U1T48, UDLO3,											1	
<b></b>	Physical Collocation - 2-Fiber Cross-Connect		<u> </u>	UDL12, UDF	PE1F2	2.94	51.97	38.59						ļ		
				CLO, ULDO3,		1							1		I	
				ULD12, ULD48,		1							l		I	
				U1TO3, U1T12,		1							1		I	
	Physical Collocation - 4-Fiber Cross-Connect			U1T48, UDLO3, UDL12, UDF	PE1F4	5.62	64.53	51.15					1		I	
<del>                                     </del>	Physical Collocation - 4-Fiber Cross-Connect  Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.	H	<del>                                     </del>	CLO	PE1F4 PE1BW	102.76	64.53	51.15		1	-		-	1	<del>                                     </del>	
<del>                                     </del>	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	H	<del>                                     </del>	CLO	PE1CW	102.76				1			<del> </del>	<del>                                     </del>	<del>                                     </del>	
	I Trystoat Concoation - Welded Wife Cage - Add 130 34. 1 t.		1	020	10VV	10.44				L	1	l	1	1	1	

COLLOCAT	ION - North Carolina												Attachment:	4	Exhibit: D	
OOLLOOAI	North Carolina										Svc Order	Svc Order			Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	TES(\$)								
OAT LOOK!	KATE EEEMERTO	m		500	0000		IVA	<b>Δ</b> (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													1		1	
						Rec	Nonrec			g Disconnect			oss	Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Access System - Security System	ı														
	per Central Office	ı		CLO	PE1AX	41.03										
	Physical Collocation - Security Access System - New Access															
	Card Activation, per Card		<u> </u>	CLO	PE1A1	0.062	55.30	55.30								
	Physical Collocation-Security Access System-Administrative			01.0	DE444		45.54	45.54								
	Change, existing Access Card, per Card	- 1	<u> </u>	CLO	PE1AA		15.51	15.51								
	Physical Collocation - Security Access System - Replace Lost or			CL O	DEAAD		45.04	45.04								
	Stolen Card, per Card			CLO	PE1AR		45.34	45.34								
<del></del>	Physical Collocation - Security Access - Initial Key, per Key	<del>                                     </del>	1	CLO	PE1AK	-	26.18	26.18					<del>                                     </del>	<b> </b>	<del>                                     </del>	
	Physical Collocation - Security Access - Key, Replace Lost or	1	1	CLO	PE1AL		06.40	26.18	]				I		I	
<del>                                     </del>	Stolen Key, per Key Physical Collocation - Space Availability Report per premises	<b>⊢</b> .	<u> </u>	CLO	PE1AL PE1SR	1	26.18	26.18	<del> </del>	1	<b>!</b>	1	<del>                                     </del>	<b> </b>	<del>                                     </del>	
<del>                                     </del>	Physical Collocation - Space Availability Report per premises		<u> </u>	UEANL,UEA,UDN,U	PE IOK	1	2,140.00	∠,140.00	<del> </del>	1	<b>!</b>	1	<del>                                     </del>	<b> </b>	<del>                                     </del>	
				DC,UAL,UHL,UCL,U												
	DOT D. A			EQ,CLO,UDL, UNCVX, UNCDX,												
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,				DE4DE	0.40										
	per cross-connect			UNCNX	PE1PE	0.10										
				UEANL,UEA,UDN,U												
	DOT D. A			DC,UAL,UHL,UCL,U												
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			EQ,CLO, USL,	DEADE	0.40										
-	per cross-connect			UNCVX, UNCDX	PE1PF	0.19										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,WDS1L,W												
				DS1S, USL, U1TD1,												
	DOT D. A			UXTD1, UNC1X,												
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,			ULDD1, USLEL, UNLD1	PE1PG	0.70										
	per cross-connect				PETPG	0.79										
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U												
				EQ,CLO,UE3,												
				U1TD3, UXTD3,												
				UXTS1, UNC3X, UNCSX, ULDD3,												
	DOT Day Assessments asias to C/4/00 DC2 Cores Courset			U1TS1, ULDS1,												
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,			UNLD3, UDL,	DEADLI	4.05										
$\vdash$	per cross-connect	<del> </del>	-	UDLSX UEANL,UEA,UDN,U	PE1PH	4.85			-	+			-	<b> </b>	<del></del>	
		1	1	DC,UAL,UHL,UCL,U					]				I		I	
		1	1	EQ,CLO, ULDO3,					]				I		I	
		1		ULD12, ULD48,									1		1	
				U1TO3, U1T12,												
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,			U1T48, UDLO3,												
	per cross-connect			UDL12, UDF	PE1B2	45.30										
h + +	per cross-connect			UEANL,UEA,UDN,U	PE ID2	45.30						1		1		
		1	1	DC,UAL,UHL,UCL,U					]				I		I	
		1		EQ,CLO, ULDO3,									1		1	
		1	1	ULD12, ULD48,					]				I		I	
		1	1	U1TO3, U1T12,					]				I		I	
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect,	1		U1T48, UDLO3,									1		1	
	per cross-connect	1		UDL12, UDF	PE1B4	61.09							1		1	
<del>                                     </del>	Physical Collocation - Request Resend of CFA Information, per	<del>                                     </del>	<del>                                     </del>	33212, 331		01.09			<del>                                     </del>	1		1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
	CLLI	1	1	CLO	PE1C9		77.48		]				I		I	
	Collocation Cable Records - per request	1		CLO	PE1CR		1,707.00			1	<u> </u>	1	<b>I</b>	1	<b>I</b>	
	Collocation Cable Records - VG/DS0 Cable, per cable record	1		CLO	PE1CD		923.08						<u> </u>	<b>†</b>	<b>†</b>	
	Tarbot Cable (Cable 1600)	1					320.00		1			1	t	l .	<b>†</b>	
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair	1	1	CLO	PE1CO		18.02	18.02	]				I		I	
	Collocation Cable Records - DS1, per T1TIE	1	1	CLO	PE1C1		8.43	8.43	<b>†</b>	1		1	<b>†</b>	1	t	
	1 Oddio (todordo Dol), por ITTE	1	·	,	1	1	0.40	0.40	L	·	<u> </u>		1	1	1	

COLLOCAT	ION - North Carolina												Attachment:	4	Exhibit: D	
COLLOCAI	ION - NORTH Carolina					1					Svc Order	Svc Order	Incremental			Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						(+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													ist	Add I	DISC 1St	DISC Add 1
												•				
						Rec	Nonrec		Nonrecurrin	ng Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		29.51	29.51								
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB		278.82	278.82								
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		42.92	25.56								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		54.51	32.44								
				0.00.000												
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT	33.00	66.10	39.32								
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV											
$\vdash$	V to P Conversion, Per Customer Request-DS0 V to P Conversion, Per Customer Request-DS1	├		CLO CLO	PE1BO PE1B1	33.00 52.00			<del>                                     </del>	+	<del>                                     </del>			1	-	
<del></del>	V to P Conversion, Per Customer Request-DS1  V to P Conversion, Per Customer request-DS3	1		CLO	PE1B1	52.00			1	1	1	-		1		
$\vdash$	V to P Conversion, Per Customer request-DS3  V to P Conversion, Per Customer Request per VG Circuit	<del>                                     </del>		OLO	LLIDO	5∠.00			+	1	}		1		1	1
1 1	Reconfigured	1		CLO	PE1BR	23.00			I	1					1	
<del>                                      </del>	V to P Conversion, Per Customer Request per DS0 Circuit	<del>                                     </del>		0_0		25.00			t	+	<del>                                     </del>			1	<del> </del>	
	Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit			020		20.00										
	Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit															
	Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700															
	prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.0018										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0027										
	Physical Collocation - Co-Carrier Cross Connects - Application															
	Fee, per application			CLO	PE1DT		583.66									
PHYSICAL CO																
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			LIEDOD	DE 4 DO	0.00	44.70	00.00					00.04	40.70		
	Wire Analog - Bus			UEPSB	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN	1		UEPSX	PE1R2	0.32	41.78	39.23	I	1			26.94	12.76	1	
$\vdash$	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	<del>                                     </del>		OLFOA	I LINZ	0.32	41.78	39.23	+	1	}		20.94	12.76	1	1
	Wire ISDN	1		UEPTX	PE1R2	0.32	41.78	39.23	I	1			26.94	12.76	1	
<del>                                     </del>	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-	1		OLI IA	I LINZ	0.32	41.70	35.23	<del>                                     </del>	+			20.94	12.76	<del> </del>	
	Wire ISDN DS1	1		UEPEX	PE1R4	0.64	41.91	39.25	I	1			26.94	12.76	1	
ADJACENT C		<b>†</b>				0.04	71.01	00.20	<b>I</b>	1	1	<u> </u>	20.04	12.70	<b> </b>	1
1	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.179			1	1						
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.96			1	İ			İ			İ
	Adjacent Collocation - 2-Wire Cross-Connects	1		CLOAC	PE1P2	0.32	41.78	39.23								1
		1		UEA,UHL,UDL,UCL,												
LI	Adjacent Collocation - 4-Wire Cross-Connects	<u> </u>		CLOAC	PE1P4	0.64	41.91	39.25	<u> </u>	<u> </u>	<u></u>	<u> </u>	<u> </u>		<u> </u>	<u> </u>
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	2.34	71.02	51.08								
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	42.84	69.84	49.43								
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.94	51.97	38.59								
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	5.62	64.53	51.15								
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		3,153.00									
	Adjacent Collocation - 120V, Single Phase Standby Power Rate	1		L	L				I	1					1	
$\vdash$	per AC Breaker Amp	ļ		CLOAC	PE1FB	5.50				ļ	ļ			ļ		
1 1	Adjacent Collocation - 240V, Single Phase Standby Power Rate			0.0.0												
	per AC Breaker Amp	1		CLOAC	PE1FD	11.01			1	1	1	1	l			

COLLOCA	ATION - North Carolina												Attachment:	4	Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)				Submitted Manually		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurrin	g Disconnect		•	oss	Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.51										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	38.12										
PHYSICAL (	COLLOCATION IN THE REMOTE SITE									Î						
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		865.34	865.34								
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	254.02										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.06	26.06								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		230.60	230.60								
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		74.74	74.74								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		232.94									
PHYSICAL (	COLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								

COLLOCA	TON - South Carolina												Attachment:	4	Exhibit: D	
COLLOCA	Outil Galolilla	I	1	1							Svc Order	Svc Order	Incremental		Incremental	Incremental
						I					Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc			Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RΔT	ES(\$)								
CATEGORI	NATE ELEMENTO	m	Zone	B00	0000		IVAI	LO(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		1				1			l				<u> </u>	1	<u> </u>	
						Rec	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		
						1	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	DLLOCATION															
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		1,883.67	1,883.67	0.51	0.51						
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,570.10	1,570.10	0.51	0.51						
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		743.66									
	Physical Collocation - Space Preparation - Firm Order															
	Processing			CLO	PE1SJ		602.05	602.05								
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.			CLO	PE1SK	2.75										
	Physical Collocation - Space Preparation - Common Systems					1										
	Modification per square ft Cageless			CLO	PE1SL	3.24	l						1			
	Physical Collocation - Space Preparation - Common Systems	1		1	İ	† †	İ		İ				1	İ	İ	İ
	Modification per Cage		1	CLO	PE1SM	110.16	l						I		I	l
	Physical Collocation - Cable Installation	<b>†</b>		CLO	PE1BD		794.22	794.22	22.54	22.54			1	1	t	İ
	Physical Collocation - Floor Space per Sq. Ft.	<b>†</b>		CLO	PE1PJ	3.95			22.54	22.54			1	1	t	İ
	Physical Collocation - Cable Support Structure	1		CLO	PE1PM	21.33										
	Physical Collocation - Power -48V DC Power, per Fused Amp	1		CLO	PE1PL	9.19					1					
	Physical Collocation - Power Reduction, Application Fee	1 1		CLO	PE1PR	0.10	400.33				1					
<b></b>	1 Hydrodi Golloddion 1 Gwel Meddellon, 7 ppiloddion 1 Ge	+		CLO	1 2 11 13	-	400.00									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.67										
<b></b>	1 Trysical Collocation - 120V, Single I Hase Standby I Owel Rate			CLO	ILIID	3.07										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	11.36										
<b>—</b>	1 Trysical Collocation - 240V, Single I Hase Standby I owel Rate	1		CLO	ILIID	11.50										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	17.03										
<b></b>	Physical Collocation - 120V, Three Phase Standby Power Rate	+		CLO	PEIFE	17.03	+				ļ		-		-	
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	39.33										
$\vdash$	Physical Collocation - 277V, Three Phase Standby Power Rate	<u> </u>		CLO	PEIFG	39.33										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
	Blacked Oalless for Oakfas Oassa Oassa da			EQ, UDL, UNCVX,	DE 4 DO	0.0044	40.00	44.00	0.04	5 45						
	Physical Collocation - 2-Wire Cross-Connects	<del>                                     </del>		UNLDX, UNCNX	PE1P2	0.0341	12.32	11.83	6.04	5.45						
				CLO, UAL, UDL,												
				UDN, UEA, UHL,												
				UNCVX, UNCDX,												
$\vdash \vdash \vdash$	Physical Collocation - 4-Wire Cross-Connects	<u> </u>	<del>                                     </del>	UCL	PE1P4	0.0682	12.42	11.90	6.40	5.74			-	ļ	-	
		1	1	CLO,UEANL,UEQ,W	1		l						1			İ
				DS1L,WDS1S, USL,												
				U1TD1, UXTD1,												
				UNC1X, ULDD1,												
	L		1	USLEL, UNLD1,	L	1			_	_			I		I	l
	Physical Collocation - DS1 Cross-Connects	<u> </u>	<u> </u>	UDL	PE1P1	1.12	22.08	15.96	6.42	5.80		<u> </u>	ļ		ļ	
		1	1	CLO, UE3,U1TD3,			l						1			İ
		1	1	UXTD3, UXTS1,			l						1			İ
			1	UNC3X, UNCSX,			l						I		I	l
		1	1	ULDD3,			l						1			İ
				U1TS1,ULDS1,									1			
	Physical Collocation - DS3 Cross-Connects	<u> </u>	<u></u>	UNLD3, UDL	PE1P3	14.21	20.94	15.23	7.39	5.93			<u></u>	<u></u>	<u></u>	L
				CLO, ULDO3,												
				ULD12, ULD48,									1			
		1	1	U1TO3, U1T12,			l						1			İ
				U1T48, UDLO3,									1			
	Physical Collocation - 2-Fiber Cross-Connect		1	UDL12, UDF	PE1F2	2.82	20.94	15.23	7.40	5.93			I		I	l
				CLO, ULDO3,		1										
				ULD12, ULD48,			l						1			
				U1TO3, U1T12,									1			
		1	1	U1T48, UDLO3,			l						1			İ
													i		•	1
	Physical Collocation - 4-Fiber Cross-Connect			UDL12, UDF	PE1F4	5.01	25.61	19.90	9.73	8.26						

COLLOCAT	ION - South Carolina												Attachment:	4	Exhibit: D	
JULLOUAI	Count outomia	ı			1						Syc Order	Svc Order				Incrementa
		1	1		1											
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC		RA <sup>-</sup>	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	Po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1			I			1		1	1	I.
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			088	Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.		-	CLO	PE1CW	21.50	riist	Add I	FIISL	Auu i	SOWIEC	SUMAN	SUMAN	SOWAN	SOWAN	SUMAN
			<u> </u>	CLO	PETCW	21.50										
	Physical Collocation - Security Access System - Security System	1														
	per Central Office			CLO	PE1AX	74.72										
	Physical Collocation - Security Access System - New Access															
	Card Activation, per Card			CLO	PE1A1	0.0601	27.85	27.85								
	Physical Collocation-Security Access System-Administrative															
	Change, existing Access Card, per Card			CLO	PE1AA		7.81	7.81								
	Physical Collocation - Security Access System - Replace Lost or										1					
	Stolen Card, per Card			CLO	PE1AR		22.83	22.83								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK	1	13.13	13.13			1					
	Physical Collocation - Security Access - Key, Replace Lost or			OLO	1 = 1741		10.10	10.10								
]	Stolen Key, per Key		1	CLO	PE1AL		13.13	13.13			1				1	]
<del>                                     </del>		1	1		PE1SR	<del>                                     </del>				<del>                                     </del>	<del>                                     </del>	1	<del>                                     </del>	<del>                                     </del>	1	
$\vdash$	Physical Collocation - Space Availability Report per premises	1	<del>                                     </del>	CLO	LEISK	+ +	1,077.57	1,077.57	ļ	ļ	<b>!</b>	<b>!</b>		<b>!</b>		<b> </b>
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UDL,												
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,			UNCVX, UNCDX,												
	per cross-connect			UNCNX	PE1PE	0.085										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			EQ,CLO, USL,												
	per cross-connect			UNCVX, UNCDX	PE1PF	0.1701										
<b></b>	per cross-connect				PEIFF	0.1701					1					
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,WDS1L,W												
				DS1S, USL, U1TD1,												
				UXTD1, UNC1X,												
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,			ULDD1, USLEL,												
	per cross-connect			UNLD1	PE1PG	1.20										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UE3,												
				U1TD3, UXTD3,												
				UXTS1, UNC3X,												
]			1	UNCSX, ULDD3,	]						1				1	]
				U1TS1, ULDS1,												
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,		1	UNLD3, UDL,	]	1					1				1	]
	per cross-connect			UDLSX	PE1PH	10.71										
				UEANL,UEA,UDN,U		İ										
] ]		1	1	DC,UAL,UHL,UCL,U	1					Ì		1	1			
				EQ,CLO, ULDO3,												
				ULD12, ULD48,												
				U1TO3, U1T12,												
	DOT D															
] ]	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,		1	U1T48, UDLO3,							1				1	]
ļļ	per cross-connect		<u> </u>	UDL12, UDF	PE1B2	36.55					1	ļ		ļ		ļ
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
			1	EQ,CLO, ULDO3,	]	1					1				1	]
			1	ULD12, ULD48,	]						1				1	]
				U1TO3, U1T12,												
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect,		1	U1T48, UDLO3,	]	1					1				1	]
	per cross-connect	1	1	UDL12, UDF	PE1B4	49.29				Ì		1	1			I
<del>                                     </del>	Physical Collocation - Request Resend of CFA Information, per	1	1	UDL12, UDI		43.28			1	<del> </del>	1	+	<del>                                     </del>	1	<del>                                     </del>	1
	CLLI			CI O	DE400											
	1 <del></del> :	1	<del>                                     </del>	CLO	PE1C9	+	77.71		100	ļ	<b>!</b>	<b>!</b>		<b>!</b>		<b> </b>
	Collocation Cable Records - per request	ļ	<b> </b>	CLO	PE1CR	<b> </b>	760.98		133.29		ļ		<b></b>	ļ		
	Collocation Cable Records - VG/DS0 Cable, per cable record	<u> </u>		CLO	PE1CD	Į .	327.65		189.54		ļ			ļ		
					l					1						
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair		1	CLO	PE1CO	1	4.82	4.82	5.91	5.91	1		1		1	1

COLLOCAT	ION - South Carolina												Attachment:	4	Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc			Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect		•		Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		2.26	2.26	2.77	2.77						
	Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		7.90	7.90	9.68	9.68						
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB PE1BT		84.68	84.68	77.30	77.30						
	Physical Collocation - Security Escort - Basic, per Half Hour  Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS CLO,CLORS	PE10T		16.96 22.10	13.89								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		27.23	17.02								
	V to P Conversion, Per Customer Request-Voice Grade			CLO,CLORS CLO	PE1PI PE1BV	33.00	21.23	17.02			1	-	<del> </del>	1	1	-
	V to P Conversion, Per Customer Request-Voice Grade  V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00										+
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00	İ						1			
İ	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00	İ						1		İ	<b>†</b>
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof  Physical Collocation - Co-Carrier Cross Connects - Fiber Cable			CLO	PE1B7	592.00										
	Support Structure, per cable, per linear ft.  Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			CLO,UDF	PE1ES	0.001										
	Cable Support Structure, per cable, per lin. ft.  Physical Collocation - Co-Carrier Cross Connects - Application			CLO, UE3, USL	PE1DS	0.0015										
	Fee, per application			CLO	PE1DT		584.42									
PHYSICAL CO	DLLOCATION															
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSE	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
	Wire Analog - Bus  Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSB	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
	Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSX	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
	Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Port 4-			UEPTX	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				-
ADJACENT C	Wire ISDN DS1 DLLOCATION			UEPEX	PE1R4	1.12	22.08	15.96	6.42	5.80		15.69				
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0939										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	6.40		· · · · · · · · · · · · · · · · · · ·								
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC UEA,UHL,UDL,UCL,	PE1P2	0.0264	12.32	11.83	6.04	5.45						
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0527	12.42	11.90	6.40	5.74						<b></b>
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.03	22.08	15.96	6.42	5.80			<b>.</b>			<del>                                     </del>
	Adjacent Collocation - DS3 Cross-Connects  Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC CLOAC	PE1P3 PE1F2	14.00 2.37	20.94 20.94	15.23	7.39 7.40	5.93 5.93	ļ		1		<del>                                     </del>	<u> </u>
	Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F2 PE1F4	4.53	25.61	15.23 19.90	9.73	5.93 8.26	-	-	<del>                                     </del>	1	-	<del> </del>
+	Adjacent Collocation - 4-Fiber Cross-Connect  Adjacent Collocation - Application Fee			CLOAC	PE1F4 PE1JB	4.33	1,580.20	19.90	9.73 0.51	0.20	1	-	<del> </del>	1	1	-
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.67	1,300.20		0.51							
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	11.36										

COLLOCA	TION - South Carolina												Attachment:	4	Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	'ES(\$)				Submitted Manually		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates(\$)		
						Ī	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	17.03										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	39.33										
PHYSICAL (	COLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		308.38	308.38	168.60	168.60						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	246.44										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.13	13.13								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		116.13	116.13								
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		37.64	37.64								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.50									
PHYSICAL (	COLLOCATION IN THE REMOTE SITE - ADJACENT												_			
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								

COLLOCAT	FION - Tennessee												Attachment:	4	Exhibit: D	
GOLLOGA	Temessee										Svc Order	Svc Order			Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	usoc		RΔT	TES(\$)								
CATEGORI	KATE EEEMENTO	m	Zone	B00	0000		IVA I	ΕΟ(Ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							N		T 81	B'				D-((A)		
						Rec	Nonrec			g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	DLLOCATION															
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		3,767.00	3,767.00								
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,140.00	3,140.00								
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		743.25	-,						1		
				CLO	I LIDL		140.20									
	Physical Collocation - Space Preparation - Firm Order	1 .		CLO	DE4C1		4 004 00	4 004 00		1	1	1	1			
	Processing			CLO	PE1SJ		1,204.00	1,204.00								
	Physical Collocation - Space Preparation - C.O. Modification per		1								I	I	1	1	1	1
	square ft.			CLO	PE1SK	2.74										
	Physical Collocation - Space Preparation - Common Systems															1
	Modification per square ft Cageless	1	1	CLO	PE1SL	2.95					I	I	1	1	1	1
	Physical Collocation - Space Preparation - Common Systems															
	Modification per Cage	1		CLO	PE1SM	100.14										
$\vdash$	Physical Collocation - Cable Installation	<del>- '-</del>	1	CLO	PE1BD	100.14	1,757.00	1,757.00		1	<del> </del>	<del> </del>	1	1	1	
$\vdash$		<del>                                     </del>	-			0.75	1,737.00	1,737.00	<b></b>	<b></b>	<b>-</b>	<b>-</b>	<b> </b>	-	-	-
$\vdash$	Physical Collocation - Floor Space per Sq. Ft.	1	-	CLO	PE1PJ	6.75				-	1	1		1	1	-
$\vdash$	Physical Collocation - Cable Support Structure	<u> </u>		CLO	PE1PM	19.80										
	Physical Collocation - Power -48V DC Power, per Fused Amp	- 1		CLO	PE1PL	8.87										
	Physical Collocation - Power Reduction, Application Fee			CLO	PE1PR		400.10									
	Physical Collocation - 120V, Single Phase Standby Power Rate	1		CLO	PE1FB	5.60										
	, , , , , , , , , , , , , , , , , , , ,															
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	11.22										
-	1 Hysical Collocation - 240V, Single I hase Standby I owel reate			CLO	ILIID	11.22										
	Discoulation 4001/ The Discoulation Design			01.0	DE4EE	40.00										
	Physical Collocation - 120V, Three Phase Standby Power Rate	_ !		CLO	PE1FE	16.82										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	38.84										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ, UDL, UNCVX,												
	Physical Collocation - 2-Wire Cross-Connects			UNLDX, UNCNX	PE1P2	0.033	33.82	31.92								
	,,			CLO, UAL, UDL,		0.000										
				UDN, UEA, UHL,												
				UNCVX, UNCDX,												
	D															
$\vdash$	Physical Collocation - 4-Wire Cross-Connects	<u> </u>		UCL	PE1P4	0.066	33.94	31.95								
				CLO,UEANL,UEQ,W	]											
				DS1L,WDS1S, USL,							I	I	1	1	1	1
			1	U1TD1, UXTD1,							I	I	1	1	1	1
				UNC1X, ULDD1,						1	1	1	1			
			1	USLEL, UNLD1,							I	I	1	1	1	1
	Physical Collocation - DS1 Cross-Connects		1	UDL	PE1P1	1.51	53.27	40.16			I	I	1	1	1	1
	1 Hydrodi Concodion De l'Oroce Connecte			CLO, UE3,U1TD3,		1.01	00.2.	10.10						1		
				UXTD3, UXTS1,												
				UNC3X, UNCSX,												
			1	ULDD3,							I	I	1	1	1	1
			1	U1TS1,ULDS1,							I	I	1	1	1	1
	Physical Collocation - DS3 Cross-Connects	<u>L</u>	<u></u>	UNLD3, UDL	PE1P3	19.26	52.37	38.89	<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	L
				CLO, ULDO3,												
			1	ULD12, ULD48,							I	I	1	1	1	1
			1	U1TO3, U1T12,							I	I	1	1	1	1
			1	U1T48, UDLO3,							I	I	1	1	1	1
	Physical Collocation - 2-Fiber Cross-Connect	1	1	UDL12, UDF	PE1F2	15.64	41.56	29.82	12.96	10.34	İ	İ	2.69	2.69	1.56	1.56
$\vdash$	i nyaida donodanon - 2-i ibai diuss-donnedi	1	-	CLO, ULDO3,		15.04	41.00	23.02	12.90	10.34	<del> </del>	<del> </del>	2.09	2.09	1.36	1.30
			1								I	I	1	1	1	1
			1	ULD12, ULD48,							I	I	1	1	1	1
				U1TO3, U1T12,							I	I	1	1	1	1
			1	U1T48, UDLO3,							I	I	1	1	1	1
	Physical Collocation - 4-Fiber Cross-Connect	<u>L</u>	<u></u>	UDL12, UDF	PE1F4	28.11	50.53	38.78	16.97	14.35	<u> </u>	<u> </u>	2.69	2.69	1.56	1.56
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	218.53										
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	21.44										

COLLOCA	TION - Tennessee												Attachment:	4	Exhibit: D	
SSEESSA	1011103000										Svc Order	Svc Order			Incremental	Incremental
1											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RΔ	TES(\$)								
CATEGORI	KATE EEEMENTO	m	Zone	Воо	0000		IVA.	LO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1	None		. N	- B'				D-((A)		ļ.
						Rec	Nonrec			g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Access System - Security System	l														
	per Central Office			CLO	PE1AX	55.99										
	Physical Collocation - Security Access System - New Access															
	Card Activation, per Card			CLO	PE1A1	0.059	55.67	55.67								
	Physical Collocation-Security Access System-Administrative															
	Change, existing Access Card, per Card			CLO	PE1AA		15.61	15.61								
	Physical Collocation - Security Access System - Replace Lost or															
	Stolen Card, per Card			CLO	PE1AR		45.64	45.64								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.24	26.24								
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key	l		CLO	PE1AL		26.24	26.24	1	1	1					
	Physical Collocation - Space Availability Report per premises	<u> </u>	1	CLO	PE1SR	1	2,027.00	2,154.00	<b>†</b>	<b>†</b>	1	<del> </del>	<b> </b>	<b>†</b>	t	1
<del>                                     </del>	- 175000 Sonosation Space / Wallability (Topolit per premises	<del>                                     </del>	<b>i</b>	UEANL,UEA,UDN,U	1010	<del>                                     </del>	2,027.00	2,10-1.00	<del> </del>	<b>†</b>	<del> </del>	<b> </b>	-	<del> </del>		
		l		DC,UAL,UHL,UCL,U					1	1	1					
				EQ,CLO,UDL,												
	DOT Boy Arrangements prior to C/4/00 - 0 Wiss Comments	I		UNCVX, UNCDX,					1	1	I	İ	Ì	I		1
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,			UNCVX, UNCDX, UNCNX	PE1PE	0.40			1	1				1		
	per cross-connect				PETPE	0.40										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			EQ,CLO, USL,												
	per cross-connect			UNCVX, UNCDX	PE1PF	1.20										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,WDS1L,W												
				DS1S, USL, U1TD1,												
				UXTD1, UNC1X,												
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,			ULDD1, USLEL,												
	per cross-connect			UNLD1	PE1PG	1.20										
	por cross connect		1	UEANL,UEA,UDN,U		1120										
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UE3,												
				U1TD3, UXTD3,												
				UXTS1, UNC3X,												
				UNCSX, ULDD3,												
				U1TS1, ULDS1,												
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,	l		UNLD3, UDL,	L				1	1	1					
	per cross-connect	<u> </u>		UDLSX	PE1PH	8.00			ļ	ļ	ļ		ļ	ļ	1	
				UEANL,UEA,UDN,U					1	1				1		
		I		DC,UAL,UHL,UCL,U					1	1	I	l	Ì	I		1
		l		EQ,CLO, ULDO3,					1	1	1					
		l		ULD12, ULD48,					1	1	1					
		l		U1TO3, U1T12,					1	1	1					
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,	I		U1T48, UDLO3,					1	1	I	l	Ì	I		1
1 1	Per Cross-Connect	l		UDL12, UDF	PE1B2	38.79			1	1	1					
		1	1	UEANL,UEA,UDN,U		1					İ					
		I		DC,UAL,UHL,UCL,U					1	1	I	l	Ì	I		1
		I		EQ,CLO, ULDO3,					1	1	I	l	Ì	I		1
		I		ULD12, ULD48,					1	1	I	l	Ì	I		1
		I		U1TO3, U1T12,					1	1	I	l	Ì	I		1
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect,	l		U1T48, UDLO3,					1	1	1					
	per cross-connect	I		UDL12, UDF	PE1B4	52.31			1	1	I	l	Ì	I		1
$\vdash$		1	1	ODLIZ, ODF	1 L 104	32.31			+	+	1	<del> </del>	<del> </del>	<del>                                     </del>	<del>                                     </del>	1
	Physical Collocation - Request Resend of CFA Information, per			CLO	DE100		77.07		1	1		1		1		
$\vdash$	CLLI	<b>!</b>	<u> </u>	CLO	PE1C9		77.67		1	1	1	1	1	1	-	ļ
<b></b>	Collocation Cable Records - per request	<u> </u>	<u> </u>	CLO	PE1CR		1,711.00				1	ļ	ļ	<b></b>		
	Collocation Cable Records - VG/DS0 Cable, per cable record	ļ	ļ	CLO	PE1CD		925.06		<b></b>	<b></b>	ļ	ļ		<b></b>		
		I							1	1	I	l	Ì	I		
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair	<u> </u>	<u> </u>	CLO	PE1CO		18.05	18.05			Į	ļ				
	Collocation Cable Records - DS1, per T1TIE	1		CLO	PE1C1		8.45	8.45								
	Collocation Cable Records - DS3, per T3TIE	<u></u>	<u> </u>	CLO	PE1C3		29.57	29.57			<u> </u>				<u> </u>	

COLLOCAL	ION - Tennessee			•	1	T					Ι -	_	Attachment:		Exhibit: D	т——
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES(\$)						Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB		279.42	279.42								
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33.91	21.49								<b></b>
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44.17	27.76								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		54.42	34.02								ĺ
	V to P Conversion, Per Customer Request-Voice Grade			CLO,CLORS CLO	PE1BV	33.00	54.42	34.02								<b></b>
	V to P Conversion, Per Customer Request-Voice Grade  V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00										<b>—</b>
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										<del>                                     </del>
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00										<del>                                     </del>
	V to P Conversion, Per Customer Request per VG Circuit			OLO	T E I DO	02.00										
	Reconfigured  V to P Conversion, Per Customer Request per DS0 Circuit			CLO	PE1BR	23.00										
	Reconfigured  V to P Conversion, Per Customer Request per DS1 Circuit			CLO	PE1BP	23.00										
	Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Caged Collocation-App Cost(initial & sub)-Planning,															ĺ
	per request			CLO	PEIAC	16.16	2,903.66	2,903.66								
	Physical Caged Collocation-Space Prep-Grounding, per location Physical Caged Collocation-Space Prep-Power Delivery, per 40			CLO	PE1BB	4.32										
	amp Feed Physical Caged Collocation-Space Prep-Power Delivery, per 100			CLO	PE1SN		142.40									
	amp Feed Physical Caged Collocation-Space Prep-Power Delivery, per 200			CLO	PE1SO		185.72									
	amp Feed Physical Caged Collocation-Space Enclosure-Cage Preparation,			CLO	PEISP		242.05									
	per first 100 sq. ft.			CLO	PE1S1	110.97										
	Physical Caged Collocation-Space Enclosure-Cage			CLO	PE1S5	55.49										ĺ
	Preparation2, per add'l 50 sq. ft.  Physical Caged collocation-Cable Installation-Entrance Fiber															
	Structure, interduct per ft.  Phycical Caged Collocation-Cable Installation-Entrance Fiber,			CLO	PE1CP	0.0156										
	per cable Physical Caged Collocation-Floor Space-Land & Buildings, per			CLO	PE1CQ	2.56	944.27									
	sq. ft. Physical Caged Collocation-Cable Support Structure-Cable			CLO	PE1FS	5.94										ļ
	Racking, per entrance cable			CLO	PE1CS	21.47										
	Physical Caged Collocation-Power-Power Construction, per amp DC plant			CLO	PE1PN	3.55										
	Physical Caged Collocation-Power-Power Consumption,per amp AC usage			CLO	PE1PO	2.03										
	Physical Caged Collocation-2-wire Cross Connects-Voice Grade ckts, per ckt.			CLO	PE12C	0.0475	7.68									
	Physical Caged Collocation-4-wire Cross Connects-Voice Grade Ckts, per ckt.			CLO	PE14C	0.0475	7.68									
	Physical Caged Collocation-DS1 Cross Connects-connection to DCS, per ckt.			CLO	PE11S	7.68	41.65									
	Physical Caged Collocation-DS1 Cross Connects-Connection to DSX, per ckt.			CLO	PE11X	0.38	41.65									
	Physical Caged Collocation-DS3 Cross Connects-Connection to			CLO		53.96	298.03									
	DCS, per ckt.  Physical Caged Collocation-DS3 Cross Connects-Connection to DSX, per ckt.			CLO	PE13S PE13X	9.32	298.03									

COLLOCATI	ON - Tennessee												Attachment:	4	Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES(\$)			1	Svc Order Submitted Manually per LSR				Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	Disconnect		•	oss	Rates(\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Caged Collocation-Security Access-Access Cards, per															
	5 Cards			CLO	PE1A2		76.10									
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.0013										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0019										
	Physical Collocation - Co-Carrier Cross Connects - Application			OLO, OLO, OOL	LIDO	0.0010										
	Fee, per application			CLO	PE1DT		585.09									
PHYSICAL CO	LLOCATION															
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-						· · · · · · · · · · · · · · · · · · ·						1	1	1	
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-						·			·						
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-				DE 400											l .
	Wire Analog - Bus			UEPSB	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-				DE 100										40.00	
	Wire ISDN			UEPSX	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPTX	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-			UEPIX	PETR2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Wire ISDN DS1			UEPEX	PE1R4	0.50	19.20	19.20					20.35	10.54	13.32	1.40
ADJACENT CO				OLI LX	1 = 111.4	0.30	13.20	19.20					20.33	10.54	10.02	1.40
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0656			1				<b> </b>	<b> </b>	<b> </b>	<b>I</b>
	Adjacent Collocation - Space Charge per Sq. 1 t.  Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.53							1	1	1	1
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.034	11.12	10.18	11.33	10.23			1.77	1.77	1.12	1.12
				UEA,UHL,UDL,UCL,												
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.33	11.30	10.31	11.62	10.44	<u></u>		1.77	1.77	1.12	1.12
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.70	28.39	16.88	11.65	10.54			1.77	1.77	1.12	1.12
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	19.03	26.23	15.51	13.40	10.77			1.77	1.77	1.12	1.12
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	3.49	26.23	15.51	13.41	10.78			1.77	1.77	1.12	1.12
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	6.50	29.75	19.02		14.97			1.77	1.77	1.12	1.12
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		2,973.00		0.9475				ļ	ļ	ļ	
	Adjacent Collocation - 120V, Single Phase Standby Power Rate												1	1	1	
	per AC Breaker Amp			CLOAC	PE1FB	5.81			1							1
	Adjacent Collocation - 240V, Single Phase Standby Power Rate			CLOAC	PE1FD	11.04							1	1	1	
	per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power Rate			CLOAC	LEILD	11.64			1		-		-			<del>                                     </del>
	per AC Breaker Amp			CLOAC	PE1FE	17.45							1	1	1	
	Adjacent Collocation - 277V, Three Phase Standby Power Rate			OLOAG	LLIFL	17.45							<u> </u>	<del> </del>	<b> </b>	1
	per AC Breaker Amp			CLOAC	PE1FG	40.30							1		1	
PHYSICAL CO	LLOCATION IN THE REMOTE SITE												1	1	1	1
1	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		580.20		312.76				1	İ	1	1
	Cabinet Space in the Remote Site per Bay/ Rack				PE1RB	220.41									İ	
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		24.69				<u> </u>	<u> </u>			<u> </u>	<u> </u>
	Physical Collocation in the Remote Site - Space Availability													_		
	Report per Premises Requested			CLORS	PE1SR		218.49									
	Physical Collocation in the Remote Site - Remote Site CLLI														]	
	Code Request, per CLLI Code Requested			CLORS	PE1RE		70.81									
BUNG16 11 - 2 - 2	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.15						ļ	ļ	ļ	
PHYSICAL COI	LLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CL ODC	DE4DC	0.07										
	IMPROVE SITE-AGISCONT ("Ollocation - AL" Power, nor breaker amn		l	CLORS	PE1RS	6.27					<b>.</b>					1
	Remote one-Adjacent conocation - Ac 1 ower, per breaker amp													•		
				CLORS	DE1DT	0.124										
	Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation-Application Fee			CLORS CLORS	PE1RT PE1RU	0.134	755.62	755.62								

# ATTACHMENT 5 ACCESS TO NUMBERS AND NUMBER PORTABILITY

### TABLE OF CONTENTS

1.	NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS	3
2.	NUMBER PORTABILITY PERMANENT SOLUTION	3
3.	SERVICE PROVIDER NUMBER PORTABILITY	4
4.	SPNP IMPLEMENTATION	5
5.	OPERATIONAL SUPPORT SYSTEM (OSS) RATES	7
Ra	ntes	ibit A

#### ACCESS TO NUMBERS AND NUMBER PORTABILITY

#### 1. NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS

- 1.1 Nothing in this Agreement shall be construed to limit or otherwise adversely affect in any manner either Party's right to employ, or to request and be assigned, an Central Office (NXX) Codes pursuant to the Central Office Code Assignment Guidelines, as may be amended from time to time, or to establish, by Tariff or otherwise, Rate Center and Rating Points corresponding to such NXX Codes.
- During the term of this Agreement, where New Phone is utilizing its own switch, New Phone shall contact the North American Numbering Plan Administrator, NeuStar, for the assignment of numbering resources. In order to be assigned a Central Office Code, New Phone will be required to complete the Central Office Code (NXX) Assignment Request and Confirmation Form (Code Request Form) in accordance with Industry Numbering Committee's Central Office Code (NXX) Assignment Guidelines (INC 95-0407-008).
- Where BellSouth provides local switching or resold services to New Phone, BellSouth will provide New Phone with on-line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Such access to numbers shall be in accordance with the appropriate FCC rules and regulations. New Phone acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center; and in such instances, BellSouth may request that New Phone return unused intermediate numbers to BellSouth. New Phone shall return unused intermediate numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- 1.4 BellSouth will allow New Phone to designate up to 100 intermediate telephone numbers per rate center for New Phone's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. New Phone acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.

#### 2. NUMBER PORTABILITY PERMANENT SOLUTION

2.1 The Parties will offer local number portability in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry fora. Interim

Service Provider Number Portability (SPNP) will be available only in those end offices where no carrier has requested implementation of permanent local number portability (PNP). Once PNP is implemented in an end office pursuant to the request of a carrier, both Parties must withdraw their SPNP offerings. The transition from existing SPNP arrangements to PNP shall occur within ninety (90) days from the date PNP is implemented in the end office. Neither Party shall charge the other Party for conversion from SPNP to PNP.

- 2.2 <u>End User Line Charge</u>. Where New Phone subscribes to BellSouth's local switching, BellSouth shall bill and New Phone shall pay the end user line charge associated with implementing PNP as set forth in BellSouth's FCC Tariff No. 1. This charge is not subject to the resale discount set forth in Attachment 1 of this Agreement.
- To limit service outage, BellSouth and New Phone will adhere to the process flows and cutover guidelines for porting numbers as outlined in the LNP Reference Guide, as amended from time to time. The LNP Reference Guide, incorporated herein by reference, is accessible via the Internet at the following site: http://www.interconnection.bellsouth.com. All intervals referenced in the LNP Reference Guide shall apply to both BellSouth and New Phone.
- 2.4 The Parties will set Local Routing Number (LRN) unconditional or 10-digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.
- A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.
- 2.6 Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the end user.
- 2.7 BellSouth and New Phone will work cooperatively to implement changes to PNP process flows ordered by the FCC or as recommended by standard industry forums addressing PNP.

#### 3. SERVICE PROVIDER NUMBER PORTABILITY

3.1 Where PNP has not been implemented in an end office, the Parties shall provide SPNP. SPNP is a service arrangement whereby an end user who switches subscription of his local exchange service from BellSouth to a CLEC, or vice versa, is permitted to retain the use of his existing assigned telephone number, provided that the end user remains at the same location for his local exchange service or changes locations and service providers but stays within the same BellSouth local calling area of his existing number. Except as otherwise expressly provided herein, SPNP is available only where the local exchange carrier is

currently providing basic local exchange service to the end user. SPNP for a particular assigned telephone number will be disconnected when any end user, Commission, BellSouth, or CLEC initiated activity (e.g., a change in exchange boundaries) would normally result in a telephone number change had the end user retained his initial local exchange service.

- 3.2 <u>Methods of Providing SPNP</u>. SPNP is available through either remote call forwarding or direct inward dialing trunks. Remote call forwarding (SPNP-RCF) is an existing switch-based service that redirects calls within the telephone network. Direct inward dialing trunks (SPNP-DID) allow calls to be routed over a dedicated facility to the switch that serves the subscriber.
- 3.3 <u>Signaling Requirements</u>. SS7 Signaling is required for the provision of SPNP services.
- 3.4 Rates
- 3.4.1 Rates for SPNP are set out in Exhibit A to this Attachment. If no rate is identified in the Attachment, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

#### 4. SPNP IMPLEMENTATION

- 4.1 SPNP-RCF is a telecommunications service whereby a call dialed to an SPNP-RCF equipped telephone number is automatically forwarded to an assigned seven-or ten- digit telephone number within the local calling area as defined in BellSouth's General Subscriber Services Tariff. The forwarded-to number shall be specified by New Phone or BellSouth, as appropriate. The forwarding Party will provide identification of the originating telephone number, via SS7 signaling, to the receiving Party. Identification of the originating telephone number to the SPNP-RCF end user cannot be guaranteed, however. SPNP-RCF provides a single call path for the forwarding of no more than one call to the receiving Party's specified forwarded-to number. Additional call paths for the forwarding of multiple simultaneous calls are available on a per path basis at rates as outlined in this Attachment.
- 4.2 SPNP-DID service provides trunk side access to end office switches for direct inward dialing to the other Party's premises equipment from the telecommunications network to lines associated with the other Party's switching equipment and must be provided on all trunks in a group arranged for inward service. SPNP-DID is available from BellSouth on a per DS0, DS1 or DS3 basis. A SPNP-DID trunk termination charge, provided with SS7 Signaling only, applies for each trunk voice grade equivalent. In addition, direct facilities are required from the end office where a ported number resides to the end office serving the ported end user customer. The rates for a switched local channel and switched

dedicated transport apply as contained in BellSouth's Intrastate Access Services tariff, as amended from time to time. Transport mileage will be calculated as the airline distance between the end office where the number is ported and the Point of Interface ("POI") using the V&H coordinate method. SPNP-DID must be established with a minimum configuration of two channels and one unassigned telephone number per switch, per arrangement for control purposes. Transport facilities arranged for SPNP-DID may not be mixed with any other type of trunk group, with no outgoing calls placed over said facilities. SPNP-DID will be provided only where such facilities are available and where the switching equipment of the ordering Party is properly equipped. Where SPNP-DID service is required from more than one wire center or from separate trunk groups within the same wire center, such service provided from each wire center or each trunk group within the same wire center shall be considered a separate service. Only customer-dialed sent-paid calls will be completed to the first number of a SPNP-DID number group; however, there are no restrictions on calls completed to other numbers of a SPNP-DID number group. Sent-paid calls refer to those calls placed by an end user who physically deposits currency in a public telephone. Interface group arrangements provided for terminating the switched transport at the Party's terminal location are as set forth in BellSouth's Intrastate Access Services Tariff, § E6.1.3.A as amended from time to time.

- 4.3 SPNP-DID Service requires ordering consecutive telephone numbers in blocks of twenty. New Phone may order non-consecutive telephone numbers or telephone numbers in less than blocks of twenty pursuant to BellSouth's tariffs.
- 4.4 The calling Party shall be responsible for payment of the applicable charges for sent-paid calls to the SPNP number. For collect, third-party, or other operatorassisted non-sent paid calls to the ported telephone number, BellSouth or New Phone shall be responsible for the payment of charges under the same terms and conditions for which the end user would have been liable. Either Party may request that the other Party block collect and third party non-sent paid calls to the SPNP-assigned telephone number. If a Party does not request blocking, the other Party will provide itemized local usage detail for the billing of non-sent paid calls on the monthly bill of usage charges provided at the individual end user account level. The detail will include itemization of all billable usage. Each Party shall have the option of receiving this usage data on a daily basis via a data file transfer arrangement. This arrangement will utilize the existing industry uniform standard, known as EMI standards, for exchange of billing data. Files of usage data will be created daily for the optional service. Usage originated and recorded in the sending BellSouth RAO will be provided in unrated or rated format, depending on the processing system. New Phone usage originated elsewhere and delivered via CMDS to the sending BellSouth RAO shall be provided in rated format.
- 4.5 The new service provider shall be responsible for obtaining authorization from the end user for the handling of the disconnection of the end user's service, the provision of new local service and the provision of SPNP services. Each Party shall be responsible for coordinating the provision of service with the other to

assure that its switch is capable of accepting SPNP ported traffic. Each Party shall be solely responsible to ensure that its facilities, equipment and services do not interfere with or impair any facility, equipment, or service of the other Party or any of its end users. In the event that either Party determines in its reasonable judgment that the other Party will likely impair or is impairing or interfering with any equipment, facility or service of any of its end users, that Party may either refuse to provide SPNP service or may terminate SPNP service to the other Party after providing appropriate notice.

- 4.6 Each Party shall be responsible for providing an appropriate intercept announcement service for any telephone numbers subscribed to SPNP-DID services for which it is not presently providing local exchange service or terminating to an end user. Where either Party chooses to disconnect or terminate any SPNP service, that Party shall be responsible for designating the preferred standard type of announcement to be provided.
- 4.7 End-to-end transmission characteristics may vary depending on the distance and routing necessary to complete calls over SPNP facilities and the fact that another carrier is involved in the provisioning of service. Neither Party shall specify end-to-end transmission characteristics for SPNP calls.
- 4.8 Where SPNP-RCF is utilized for SPNP, for terminating IXC traffic ported to either Party which requires use of either Party's tandem switching, the tandem provider will bill the IXC tandem switching, the interconnection charge, and a portion of the transport, and the other Party will bill the IXC local switching, the carrier common line and a portion of the transport. If the tandem provider is unable to provide the necessary access records to permit the other Party to bill the IXC directly for terminating access to ported numbers, then the tandem provider will bill the IXC full terminating switched access charges at the tandem provider's rate and will compensate the other Party at the tandem Party's tariff rates via a process used by BellSouth to estimate the amount of ported switched access revenues due the other Party. If an intraLATA toll call is delivered, the delivering Party will pay terminating access rates to the other Party.

#### 5. OPERATIONAL SUPPORT SYSTEM (OSS) RATES

5.1 The terms, conditions and rates for OSS are as set forth in Attachment 2.

## **Attachment 6**

**Ordering and Provisioning** 

# TABLE OF CONTENTS

1.	Quality of Ordering and Provisioning	3
2.	Access to Operational Support Systems	3
3.	Miscellaneous Ordering and Provisioning Guidelines	5

### **ORDERING AND PROVISIONING**

# 1. Quality of Ordering and Provisioning

- 1.1 BellSouth shall provide ordering and provisioning services to New Phone that are equal to the ordering and provisioning services BellSouth provides to itself or any other CLEC. Detailed guidelines for ordering and provisioning are set forth in BellSouth's Local Interconnection and Facility Based Ordering Guide and Resale Ordering Guide, as appropriate, and as they are amended from time to time during this Agreement. BellSouth will notify New Phone of any such amendments via the web and BellSouth will use best efforts to notify New Phone within thirty (30) days, but in no event will BellSouth notify New Phone after the change has occurred.
- 1.2 BellSouth will provide provisioning services to New Phone during the same normal hours of operation that BellSouth provides itself, its end-users, and other CLECs. The normal hours of operation are as follows:

Monday - Friday - 8:00AM - 5:00PM location time (excluding holidays)

(Resale/Network Element non coordinated, coordinated orders and order coordinated - Time Specific)

Saturday - 8:00 AM - 5:00 PM location time (excluding holidays)
(Resale/Network Element non coordinated orders)

Times are either Eastern or Central time based on the location of the work being performed.

All other New Phone requests for provisioning and installation services are considered outside of the normal hours of operation as referenced above and may be performed subject to the application of overtime billing charges. BellSouth will perform these services that are considered outside the normal hours of operation in the manner in which BellSouth performs and bills such services for itself, endusers, and other CLECs.

# 2. <u>Access to Operational Support Systems</u>

2.1 BellSouth shall provide New Phone access to several operations support systems. Access to these support systems is available through a variety of means, including electronic interfaces. BellSouth also provides the option of placing orders manually (e.g., via facsimile) through the Local Carrier Service Center. The operations support systems available are:

- 2.2 Pre-Ordering. BellSouth provides electronic access to the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, and upon Commission approval of confidentiality protections, to customer record information. Access is provided the Local Exchange Navigation System (LENS) Telecommunications Access Gateway (TAG). Customer record information includes any and all customer specific information, including but not limited to, customer specific information in CRIS and RSAG. In addition, New Phone shall provide to BellSouth access to customer record information including electronic access where available, according to the same terms and conditions as BellSouth provides such access to New Phone. If electronic access is not available, New Phone shall provide paper copies of customer record information according to the same terms and conditions as BellSouth provides such access to New Phone, within the same intervals that BellSouth provides paper copies to New Phone. New Phone and BellSouth agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission and further agree that New Phone and BellSouth will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the FCC and/or the state commission in which the service is provided. BellSouth and New Phone reserve the right to audit each other's access to customer record information. If a New Phone or BellSouth audit of the other party's access to customer record information reveals that such party is accessing customer record information without having obtained the proper End User authorization, BellSouth and New Phone upon reasonable notice to the other party may take corrective action, including but not limited to suspending or terminating the offending party's electronic access to the other party's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.2.1 <u>Interfaces.</u> BellSouth shall make available the following interfaces to New Phone for access to pre-order functions: LENS; *and* TAG. Each such interface shall be available on a non-discriminatory basis in connection with pre-ordering for Resale services and UNES that are available electronically.
- 2.2.2 The Parties acknowledge that ordering requirements necessitate the use of current, real time pre-order information to accurately build service orders. Each pre-order interface shall be available except for downtime attributable to maintenance and upload, twenty-four (24) hours a day, seven (7) days a week.
- 2.2.3 New Phone shall be permitted to reserve a number, including, without limitation, a vanity number, for up to thirty (30) days for End Users.
- 2.2.4 All CSR data exchanged must be in English text, and not only USOC or FID format, provided that such information is maintained in textual format by BellSouth. All other data shall be in a mutually agreed upon nomenclature.

- 2.2.5 Upon request, BellSouth shall provide New Phone with pre-order information in batch transmission to the extent available or provided to any other Telecommunications Carrier on the same terms and conditions and at the same rates.
- 2.2.6 Pre-ordering functions hall be provided at parity as measured by the Performance Measurement metrics ordered by the respective Commissions as described in Attachment 9 to this Agreement.
- 2.3 <u>Service Ordering and Provisioning</u>. BellSouth provides electronic options for the exchange of ordering and provisioning information. BellSouth provides an Electronic Data Interchange (EDI) arrangement for resale requests and certain network elements and other services. As an alternative to the EDI arrangement, BellSouth also provides through LENS and TAG an ordering and provisioning capability that is integrated with the LENS and TAG pre-ordering capability.
- 2.3.1 For generation of Resale service orders, ordering flows shall be available via such electronic interfaces for each of the following ordering functions: Conversion ("as is" or "with changes"); Change (features, listings, long distance); New Connect; Disconnect; From and To (change of premises with same service).
- 2.3.2 BellSouth shall provide to New Phone electronic and manual interfaces for transmitting orders and receiving Firm Order Confirmation ("FOC"), completion notices, Due-Date Jeopardies, and, as available, other provisioning data and information. BellSouth shall provide New Phone with a FOC for each Resale and UNE order. The FOC includes: purchase order number, telephone number, Local Service Request number, due date, and Service Order number.
- 2.3.3 BellSouth shall provision Resale Services and UNEs as prescribed in New Phone service order requests. Access to status on electronically-submitted Resale services and UNEs shall be provided via the electronic interfaces. Access to status on manually-submitted service order requests shall be provided manually or via the Purchase Order Number ("PON") report on BellSouth's Internet website.
- 2.3.4 BellSouth shall provide notice of a lack of facilities availability at parity to that BellSouth provides to itself, its Affiliates, or any other Telecommunications Carrier.
- 2.4 <u>Service Trouble Reporting and Repair</u>. Service trouble reporting and repair allows New Phone to report and monitor service troubles and obtain repair services. BellSouth shall offer New Phone service trouble reporting in a non-discriminatory manner that provides New Phone the equivalent ability to report and monitor service troubles that BellSouth provides to itself. BellSouth also provides New Phone an estimated time to repair, an appointment time or a commitment time, as appropriate, on trouble reports. BellSouth provides two options for electronic trouble reporting. For exchange services, BellSouth offers New Phone access to the Trouble Analysis Facilitation Interface (TAFI). For individually designed

services, BellSouth provides electronic trouble reporting through an electronic communications gateway. If New Phone requests BellSouth to repair a trouble after normal working hours, New Phone will be billed the appropriate overtime charges associated with this request pursuant to BellSouth's tariffs. BellSouth and New Phone agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via the Internet at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.

- Change Management. BellSouth provides a collaborative process for change management of the electronic interfaces through the Change Control Process (CCP). Guidelines for this process are set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.
- BellSouth's Versioning Policy for Electronic Interfaces. BellSouth's Versioning Policy is part of the Change Control Process (CCP). Pursuant to the CCP, BellSouth will issue new software releases for new industry standards for its EDI and TAG electronic interfaces. The Versioning Policy, including the appropriate notification to New Phone, is set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at http://www.interconnection.bellsouth.com.
- Rates. To the extent approved by the Commission or agreed to by the Parties, all costs incurred by BellSouth to develop and implement operational interfaces shall be recovered from the carriers who utilize the services. Charge for use of Operational Support Systems shall be as set forth in Attachments 1 and 2 of this Agreement.

#### 3. Miscellaneous Ordering and Provisioning Guidelines

- Pending Orders. To ensure the most efficient use of facilities and resources, orders placed in the hold or pending status by New Phone will be held for a maximum of thirty (30) days from the date the order is placed on hold. After such time, if New Phone wishes to reinstate an order, New Phone may be required to submit a new service order.
- Single Point of Contact. New Phone will be the single point of contact with BellSouth for ordering activity for network elements and other services used by New Phone to provide services to its end users, except that BellSouth may accept an order directly from another CLEC, or BellSouth, acting with authorization of the affected end user. New Phone and BellSouth shall each execute a blanket letter of authorization with respect to customer orders. The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for orders, provided, however, that such processes shall comply with applicable state and federal law including, until superseded, the FCC guidelines and orders

applicable to Presubscribed Interexchange Carrier (PIC) changes including Un-PIC. Pursuant to such an order, BellSouth may disconnect any network element associated with the service to be disconnected and being used by New Phone to provide service to that end user and reuse such network elements or facilities to enable such other LEC to provide service to the end user. BellSouth will notify New Phone that such an order has been processed, but will not be required to notify New Phone in advance of such processing.

- 3.3 <u>Use of Facilities</u>. When a New Phone customer elects to discontinue service and transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to New Phone by BellSouth for retail or resale service, loop and/or port for that customer. In addition, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received an order to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility.
- 3.3.1 Upon receipt of a service order, BellSouth will do the following:
- 3.3.1.1 Process disconnect and reconnect orders to provision the service which shall be due dated using current interval guidelines.
- 3.3.1.2 Reuse the serving facility for the retail, resale service, or network element at the same location.
- 3.3.1.3 Notify New Phone subsequent to the disconnect order being completed.
- 3.4 <u>Contact Numbers</u>. BellSouth shall provide single points of contact ("SPOC") for the provisioning of Resale Services (LCSC) and UNEs (UNE Center) ordered by New Phone. Pre-ordering and ordering shall be available via an electronic interface seven (7) days a week, 24 hours a day.

BellSouth shall provide access to assistance for technical issues such as connectivity and passwords related to LENS, TAG and TAFI, and to the "EDI Central Group" for technical problems with EDI. Assistance will be available by telephone during normal business hours and through other contacts on nights, weekends and holidays.

- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an inter-exchange carrier (i.e., PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will provide the affected inter-exchange carriers with the Operating Company Number (OCN) of the local provider for the purpose of obtaining end user billing account and other end user information required under subscription requirements.
- 3.6 <u>Cancellation Charges</u>. If New Phone cancels an order for network elements or other services, any costs incurred by BellSouth in conjunction with the

provisioning of that order will be recovered in accordance with FCC No. 1 Tariff, Section 5.4.

- 3.7 <u>Disaster Recovery Plan.</u> BellSouth's Disaster Recover Plan is as set forth in Attachment 11 of this Agreement.
- 3.8 <u>Ordering and Provisioning Information.</u> BellSouth shall provide the following to New Phone upon request:
- 3.8.1 Design Layout Records ("DLRs") for designed unbundled Network Elements; and
- 3.8.2 Advance information on the details and requirements for planning and implementation of NPA splits.
- 3.9 <u>Access to the Regional Street Address Guide ("RSAG") information via LENS or TAG pre-ordering.</u> Non Proprietary RSAG subsets shall be made available pursuant to the Bona Fide Request ("BFR") process.
- 3.10 BellSouth and New Phone shall establish mutually acceptable methods and procedures for handling all misdirected calls from New Phone End Users. All misdirected calls to BellSouth from New Phone End Users shall be given a recording (or a live statement) directing them to call an New Phone-designated toll free number. New Phone, on a reciprocal basis, shall refer all misdirected calls that New Phone receives from BellSouth End Users to a BellSouth-designated number. New Phone and BellSouth each shall be responsible for providing the other party with its current toll free number. The foregoing shall apply only when the Party receiving such call knows or has reason to know that the call is misdirected from an End User of the other Party hereto.
- 3.11 BellSouth shall provide order format specifications to New Phone for all available services, features, and functions and for ancillary data required by BellSouth to provision these services.
- 3.12 BellSouth shall provide New Phone with standard expected provisioning intervals for all unbundled Network Elements.
- 3.13 BellSouth shall not reconfigure any New Phone service arrangements of any New Phone End User for Resale services, UNEs or Combinations, unless so directed by New Phone. Any New Phone End User that contacts BellSouth regarding a change to its New Phone service (excluding changes in its local service provider) shall be advised to contact New Phone. Any BellSouth End User that contacts New Phone regarding a change in BellSouth service (excluding changes in its local service provider) shall be advised to contact BellSouth.
- 3.14 The Parties shall provide a generic intercept referral message that includes any new telephone number of an End User for the same period of time that BellSouth currently provides such a message for its own End Users. The intercept message

shall be similar in format to the intercept referral message currently provided by BellSouth for its own End Users.

- 3.15 BellSouth shall perform all pre-testing necessary to ensure the services ordered meet the specifications outlined in the technical service description provided by BellSouth for the service being ordered.
- Any written "leave behind" materials that BellSouth technicians provide to New Phone End Users shall be non-branded materials that do not identify the work being performed as being by BellSouth. These materials shall include, without limitation, non-branded forms for the Customer and non-branded "not at home" cards.
- 3.17 If a New Phone End User requests a change of service at the time of installation, BellSouth technicians shall direct them to contact New Phone directly and provide a toll-free number supplied by New Phone. When a BellSouth employee visits the premise of an New Phone End User, the BellSouth employee shall inform the Customer that he or she is there acting on behalf of New Phone.
- 3.18 BellSouth shall provide telephone and/or facsimile notification to New Phone of any New Phone end user service requests and charges therefore not authorized on the New Phone service request, and obtain New Phone's approval prior to commencing work.
- 3.19 Each Party shall train and direct its employees who have contact with End Users of the other Party in the process of provisioning, maintenance or repair not to disparage the other Party or its services in any way to the other Party's End Users.
- 3.20 When New Phone places an LSR, New Phone shall specify a requested Due Date, and BellSouth shall specify a Due Date based on the applicable intervals. In the event New Phone's requested date is less than the standard interval, New Phone shall contact BellSouth by telephone and the Parties shall negotiate an expedited Due Date. This situation shall be considered an expedited order for which expedite charges will apply in accordance with BellSouth FCC No. 1 Tariff. BellSouth shall not complete the order prior to the Due Date unless authorized by New Phone. If BellSouth misses the Due Date, BellSouth shall promptly notify New Phone of the revised installation Due Date. If New Phone requests that an order be expedited, BellSouth shall notify New Phone of the status of the order (i) by the end of the same Business Day when such expedite requests are made prior to noon; or (ii) by noon the following Business Day otherwise.
- New Phone and BellSouth shall agree to escalation procedures and contacts for resolving questions and disputes related to ordering and provisioning procedures or to the processing of individual orders, subject ultimately to the dispute resolution provisions of this Agreement. The Parties shall use best efforts to notify each other of any modifications to these contacts within ten (10) days of any such modifications.

- 3.22 BellSouth shall transmit to New Phone a FOC or, in the alternative, notification of the lack of available facilities within time periods specified hereafter after BellSouth's receipt of a complete and correct order from New Phone, provided, however, that an order for complex services requiring a service inquiry shall be deemed received for these purposes only after completion of the service inquiry. The FOC shall contain a commitment date, which shall be established on a nondiscriminatory basis with respect to installation dates for comparable orders at such time. If New Phone uses LENS, EDI, or any other electronic interface for the submission of the order, the FOC or notification shall be posted by BellSouth in such interface within twenty-four (24) hours of receipt of the order. If New Phone does not use these interfaces, or these interfaces are not available for the service or UNE being ordered, BellSouth shall transmit the FOC or notification by telecopier to a toll-free number provided by New Phone within forty-eight (48) hours of BellSouth's receipt of the order. When New Phone submits a complete and correct LSR for SPNP and an associated unbundled Loop simultaneously, BellSouth shall likewise issue a FOC for both the Loop and the SPNP simultaneously.
- 3.23 For Local Service Requests submitted via an electronic interface, BellSouth shall notify New Phone via the same electronic interface, of Rejections/Errors contained in any of the data element(s) field(s) contained on any New Phone Local Service Request. For Local Service Requests submitted manually, BellSouth shall notify New Phone by facsimile of such Rejections and Errors. BellSouth will notify New Phone of Rejections or Errors in 95% of mechanized orders within one (1) hour from BellSouth's receipt of the order. BellSouth will notify New Phone of Rejections or Errors in 85% of non-mechanized and partially mechanized orders within forty-eight (48) hours from BellSouth's receipt of the order.
- 3.24 No manual ordering charges shall apply to local service request submitted by New Phone when BellSouth's existing electronic interfaces normally utilized by New Phone are unavailable for reasons other than scheduled maintenance or other scheduled activities for which advance notification is required and provided by BellSouth.

# **Attachment 7**

**Billing and Billing Accuracy Certification** 

# TABLE OF CONTENTS

1.	Payment and Billing Arrangements	3
	Billing Accuracy Certification	
	Billing Disputes	
	RAO Hosting	
5.	Optional Daily Usage File	.11
	Access Daily Usage File	
7.	Enhanced Optional Daily Usage File	.17

### **BILLING AND BILLING ACCURACY CERTIFICATION**

# 1. Payment and Billing Arrangements

- Billing. BellSouth agrees to provide billing through the Carrier Access Billing System (CABS) and through the Customer Records Information System (CRIS) depending on the particular service(s) that New Phone requests. BellSouth will bill and record in accordance with this Agreement those charges New Phone incurs as a result of New Phone purchasing from BellSouth Network Elements and Other Services as set forth in this Agreement. BellSouth will format all bills in CBOS Standard or CLUB/EDI format, depending on the type of service ordered. For those services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the industry forum.
- 1.1.1 For any service(s) BellSouth orders from New Phone, New Phone shall bill BellSouth in CABS format or in accordance with industry standards.
- 1.1.2 If either Party requests multiple billing media or additional copies of bills, the Billing Party will provide these at a reasonable cost.
- Master Account. After receiving certification as a local exchange company from the appropriate regulatory agency, New Phone will, to the extent not already done so, provide the appropriate BellSouth account manager the necessary documentation to enable BellSouth to establish a master account for Local Interconnection, Network Elements and Other Services, and/or resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA"), Carrier Identification Code (CIC), Group Access Code (GAC), Access Customer Name and Address (ACNA) and a tax exemption certificate, if applicable.
- Payment Responsibility. Payment of all charges will be the responsibility of New Phone. New Phone shall make payment to BellSouth for all services billed. BellSouth is not responsible for payments not received by New Phone from New Phone's customer. BellSouth will not become involved in billing disputes that may arise between New Phone and its customer. Payments made to BellSouth as payment on account will be credited to an accounts receivable master account and not to an end user's account.
- 1.4 <u>Payment Due</u>. The payment will be due by the next bill date (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.

If the payment due date falls on a Sunday or on a Holiday which is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment penalty, as set forth in Section 1.7, below, shall apply.

- 1.5 <u>Tax Exemption</u>. Upon proof of tax exempt certification from New Phone, the total amount billed to New Phone will not include those taxes or fees for which the CLEC is exempt. New Phone will be solely responsible for the computation, tracking, reporting and payment of all taxes and like fees associated with the services provided to the end user of New Phone.
- Late Payment. If any portion of the payment is received by either Party after the payment due date as set forth preceding, or if any portion of the payment is received by either Party in funds that are not immediately available to the other Party, then a late payment penalty shall be due to the Party that issued the invoice. The late payment penalty shall be the portion of the payment not received by the payment due date times a late factor and will be applied on a per bill basis. The late factor shall be as set forth in each Party's appropriate tariffs.
- 1.7 <u>Discontinuing Service to New Phone</u>. The procedures for discontinuing service to New Phone are as follows:
- 1.7.1 BellSouth reserves the right to suspend or terminate service for nonpayment or in the event of prohibited, unlawful or improper use of BellSouth facilities or service or any other violation or noncompliance by New Phone of the rules and regulations contained in BellSouth's tariffs.

If payment of undisputed amounts is not received by the bill day in the month after the original bill day, BellSouth may provide written notice to New Phone that additional applications for service will be refused and that any pending orders for service will not be completed if payment is not received by the fifteenth day following the date of the notice. In addition, BellSouth may, at the same time, give thirty days notice to New Phone at the billing address to discontinue the provision of existing services to New Phone at any time thereafter.

For purposes of this Agreement, a Bona Fide Dispute means a dispute of a specific amount of money actually billed by BellSouth. The dispute must be clearly explained by New Phone and supported by written documentation from New Phone, which clearly shows the basis for New Phone's dispute of the charges. The dispute must be itemized to show the Q account and earning number against which the disputed amount applies. By way of example and not by limitation, a Bona Fide Dispute will not include the refusal to pay all or part of a bill or bills when no

written documentation is provided to support the dispute, nor shall a Bona Fide Dispute include the refusal to pay other amounts owed by New Phone until the dispute is resolved. Claims by New Phone for damages of any kind will not be considered a Bona Fide Dispute for purposes of this Agreement. Once the Bona Fide Dispute is resolved by BST, New Phone will make immediate payment on any of the disputed amount owed to BST or BST shall have the right to pursue normal treatment procedures. Any credits due to New Phone, pursuant to the Bona Fide Dispute, will be applied to New Phone's account by BST immediately upon resolution of the dispute.

- 1.7.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.
- 1.7.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and New Phone's noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to New Phone.
- 1.7.5 If payment is not received or satisfactory arrangements made for payment by the date given in the written notification, New Phone's services will be discontinued. Upon discontinuance of service on New Phone's account, service to the New Phone's end users will be denied. BellSouth will reestablish service at the request of the end user or New Phone for BellSouth to reestablish service upon payment of the appropriate connection fee and subject to BellSouth's normal application procedures. New Phone is solely responsible for notifying the end user of the proposed service disconnection. If within fifteen days after an end user's service has been denied and no arrangements to reestablish service have been made consistent with this subsection, the end user's service will be disconnected.
- 1.8 Deposit Policy. New Phone shall complete the BellSouth credit profile and provide information to BellSouth regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an irrevocable letter of credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security. Any such security deposit shall in no way release New Phone from its obligation to make complete and timely payments of its bill. New Phone shall pay any applicable deposits prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security deposit, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC-1) security interest in New Phone's "accounts receivables and proceeds." BellSouth shall provide notice to New Phone prior to filing any UCC-1 security interest in New Phone's accounts receivables and proceeds, and shall allow New Phone a reasonable opportunity to cure any circumstance which is prompting

Bellsouth to file such UCC-1. Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate Bellsouth tariff. Security deposits collected under this section shall not exceed two months' estimated billing. In the event New Phone fails to remit to BellSouth any deposit requested pursuant to this section, service to New Phone may be terminated in accordance with the terms of Section 1.7 of this attachment, and any security deposits will be applied to New Phone's account(s).

- Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, including notices relating to security deposits, disconnection of services for nonpayment of charges, and rejection of additional orders from New Phone, shall be forwarded to the individual and/or address provided by New Phone in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by New Phone as the contact for billing information. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, upon written notice from New Phone to BellSouth's billing organization, a final notice of disconnection of services purchased by New Phone under this Agreement shall be sent via certified mail to the individual(s) listed in the Notices provision of the General Terms and Conditions of this Agreement at least 30 days before BellSouth takes any action to terminate such services.
- Rates. Rates for Optional Daily Usage File (ODUF), Enhanced Optional Daily Usage File (EODUF), Access Daily Usage File (ADUF), and Centralized Message Distribution Service (CMDS) are set out in Exhibit A to this Attachment. If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

# 2. <u>Billing Accuracy Certification</u>

- 2.1 Upon request, BellSouth and New Phone will agree upon a billing quality assurance program for all billing elements covered in this Agreement that will eliminate the need for post-billing reconciliation. Appropriate terms for access to any BellSouth documents, systems, records, and procedures for the recording and billing of charges will be part of that program.
- As part of the billing quality assurance program, BellSouth and New Phone will develop standards, measurements, and performance requirements for a local billing measurements process. On a regular basis BellSouth will provide New Phone with mutually agreed upon performance measurement data that substantiates the accuracy, reliability, and integrity of the billing process for local billing. In return, New Phone will pay all bills received from BellSouth in full by the payment due date.

- 2.3 Local billing discrepancies will be addressed in an orderly manner via a mutually agreed upon billing exemption process.
- 2.3.1 Each Party agrees to notify the other Party upon identifying a billing discrepancy. The Parties shall endeavor to resolve any billing discrepancy within sixty (60) calendar days of the notification date. A mutually agreed upon escalation process will be established for resolving local billing discrepancies as part of the billing quality assurance program.
- 2.3.2 Closure of a specific billing period will occur by joint agreement of the Parties whereby the Parties agree that such billing period is closed to any further analysis and financial transactions except those resulting from regulatory mandates. Closure will take place within a mutually agreed upon time interval from the Bill Date. The month being closed represents those charges that were billed or should have been billed by the designated Bill Date.

# 3. <u>Billing Disputes</u>

- 3.1 Where the Parties have not agreed upon a billing quality assurance program, billing disputes shall be handled pursuant to the terms of this section.
- 3.1.1 Each Party agrees to notify the other Party upon the discovery of a billing dispute. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the notification date.
- 3.2 If a Party disputes a charge and does not pay such charge by the payment due date, or if a payment or any portion of a payment is received by either Party after the payment due date, or if a payment or any portion of a payment is received in funds which are not immediately available to the other Party, then a late payment penalty shall be assessed. For bills rendered by either Party for payment, the late payment charge for both Parties shall be calculated based on the portion of the payment not received by the payment due date times the late factor as set forth in the following BellSouth tariffs: for services purchased from the General Subscribers Services Tariff for purposes of resale and for ports and non-designed loops, Section A2 of the General Subscriber Services Tariff; for services purchased from the Private Line Tariff for purposes of resale, Section B2 of the Private Line Service Tariff; and for network elements and other services and local interconnection charges, Section E2 of the Access Service Tariff. In no event, however, shall interest be assessed by either Party on any previously assessed late payment charges. The Parties shall assess interest on previously assessed late payment charges only in a state where it has the authority pursuant to its tariffs. There will be no late payment interest if the withholding party prevails in the dispute.

# 4. RAO Hosting

- 4.1 RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to New Phone by BellSouth will be in accordance with the methods and practices regularly adopted and applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth and for which BellSouth will use best efforts to provide New Phone written notice or electronic mail within thirty (30) days.
- 4.2 New Phone shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 4.3 Applicable compensation amounts will be billed by BellSouth to New Phone on a monthly basis in arrears. Amounts due from one Party to the other (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- New Phone must have its own unique RAO code, to the extent that New Phone does not already have such a code. Requests for establishment of RAO status where BellSouth is the selected Centralized Message Distribution System (CMDS) interfacing host, require written notification from New Phone to the BellSouth RAO Hosting coordinator at least eight (8) weeks prior to the proposed effective date. The proposed effective date will be mutually agreed upon between the Parties with consideration given to time necessary for the completion of required Telcordia (formerly BellCore) functions. BellSouth will request the assignment of an RAO code from its connecting contractor, currently Telcordia (formerly BellCore), on behalf of New Phone and will coordinate all associated conversion activities.
- 4.5 BellSouth will receive messages from New Phone that are to be processed by BellSouth, another LEC or CLEC in the BellSouth region or a LEC outside the BellSouth region.
- 4.6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from New Phone.
- 4.7 All data received from New Phone that is to be processed or billed by another LEC or CLEC within the BellSouth region will be distributed to that LEC or CLEC in accordance with the Agreement(s) which may be in effect between BellSouth and the involved LEC or CLEC.
- 4.8 All data received from New Phone that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) which may be in effect between BellSouth and its connecting contractor (currently Telcordia (formerly BellCore)).

- 4.9 BellSouth will receive messages from the CMDS network that are destined to be processed by New Phone and will forward them to New Phone on a daily basis.
- 4.10 Transmission of message data between BellSouth and New Phone will be via CONNECT:Direct.
- 4.11 All messages and related data exchanged between BellSouth and New Phone will be formatted in accordance with accepted industry standards for EMI formatted records and packed between appropriate EMI header and trailer records, also in accordance with accepted industry standards.
- 4.12 New Phone will ensure that the recorded message detail necessary to recreate files provided to BellSouth will be maintained for back-up purposes for a period of three (3) calendar months beyond the related message dates.
- 4.13 Should it become necessary for New Phone to send data to BellSouth more than sixty (60) days past the message date(s), New Phone will notify BellSouth in advance of the transmission of the data. If there will be impacts outside the BellSouth region, BellSouth will work with its connecting contractor and New Phone to notify all affected Parties.
- In the event that data to be exchanged between the two Parties should become lost or destroyed, both Parties will work together to determine the source of the problem. Once the cause of the problem has been jointly determined and the responsible Party (BellSouth or New Phone) identified and agreed to, the company responsible for creating the data (BellSouth or New Phone) will make every effort to have the affected data restored and retransmitted. If the data cannot be retrieved, the responsible Party will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the date of problem resolution, or as mutually agreed upon by the Parties.
- 4.15 Should an error be detected by the EMI format edits performed by BellSouth on data received from New Phone, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify New Phone of the error condition. New Phone will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, New Phone will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.

- 4.16 In association with message distribution service, BellSouth will provide New Phone with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 4.17 In no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Agreement.

# 4.18 <u>RAO Compensation</u>

- 4.18.1 Rates for message distribution service provided by BellSouth for New Phone are as set forth in Exhibit A to this Attachment.
- 4.18.2 Rates for data transmission associated with message distribution service are as set forth in Exhibit A to this Attachment .
- 4.18.3 Data circuits (private line or dial-up) will be required between BellSouth and New Phone for the purpose of data transmission. Where a dedicated line is required, New Phone will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. New Phone will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to New Phone. Additionally, all message toll charges associated with the use of the dial circuit by New Phone will be the responsibility of New Phone. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties.
- 4.18.4 All equipment, including modems and software, that is required on the New Phone end for the purpose of data transmission will be the responsibility of New Phone.

# 4.19 Intercompany Settlements Messages

- 4.19.1 This Section addresses the settlement of revenues associated with traffic originated from or billed by New Phone as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between New Phone and the involved company(ies), unless that company is participating in NICS.
- 4.19.2 Both traffic that originates outside the BellSouth region by New Phone and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by New Phone, is covered by this Agreement (CATS). Also covered is traffic that either is originated by or billed by

New Phone, involves a company other than New Phone, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).

- 4.19.3 Once New Phone is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via Telcordia (formerly BellCore)'s, its successor or assign, NICS system.
- 4.19.4 BellSouth will receive the monthly NICS reports from Telcordia (formerly BellCore), its successor or assign, on behalf of New Phone. BellSouth will distribute copies of these reports to New Phone on a monthly basis.
- 4.19.5 BellSouth will receive the monthly Calling Card and Third Number Settlement System (CATS) reports from Telcordia (formerly BellCore), its successor or assign, on behalf of New Phone. BellSouth will distribute copies of these reports to New Phone on a monthly basis.
- 4.19.6 BellSouth will collect the revenue earned by New Phone from the Bell operating company in whose territory the messages are billed (CATS), less a per message billing and collection fee of five cents (\$0.05), on behalf of New Phone. BellSouth will remit the revenue billed by New Phone to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on New Phone. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to New Phone via a monthly Carrier Access Billing System (CABS) miscellaneous bill.
- 4.19.7 BellSouth will collect the revenue earned by New Phone within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of New Phone. BellSouth will remit the revenue billed by New Phone within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to New Phone via a monthly Carrier Access Billing System (CABS) miscellaneous bill.

BellSouth and New Phone agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

# 5. <u>Optional Daily Usage File</u>

Upon written request from New Phone, BellSouth will provide the Optional Daily Usage File (ODUF) service to New Phone pursuant to the terms and conditions set forth in this section.

- The New Phone shall furnish all relevant information required by BellSouth for the provision of the Optional Daily Usage File.
- 5.3 The Optional Daily Usage Feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a New Phone customer.

Charges for delivery of the Optional Daily Usage File will appear on the New Phone's monthly bills. The charges are as set forth in Exhibit A to this Attachment.

- The Optional Daily Usage Feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- Messages that error in the billing system of New Phone will be the responsibility of the New Phone. If, however, New Phone should encounter significant volumes of errored messages that prevent processing by New Phone within its systems, BellSouth will work with New Phone to determine the source of the errors and the appropriate resolution.
- 5.6 The following specifications shall apply to the Optional Daily Usage Feed.
- 5.6.1 USAGE TO BE TRANSMITTED
- 5.6.1.1 The following messages recorded by BellSouth will be transmitted to New Phone:
  - message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, ETC.)
  - measured billable Local
  - Directory Assistance messages
  - intraLATA Toll
  - WATS & 800 Service
  - N11
  - Information Service Provider Messages
  - Operator Services Messages
  - Operator Services Message Attempted Calls (Network Element only)

- Credit/Cancel Records
- Usage for Voice Mail Message Service
- 5.6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on Optional Daily Usage File. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 5.6.1.3 BellSouth will perform duplicate record checks on records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to New Phone.
- 5.6.1.4 In the event that New Phone detects a duplicate on Optional Daily Usage File they receive from BellSouth, New Phone will drop the duplicate message (New Phone will not return the duplicate to BellSouth).

#### 5.6.2 PHYSICAL FILE CHARACTERISTICS

- 5.6.2.1 The Optional Daily Usage File will be distributed to New Phone via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a variable block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- Data circuits (private line or dial-up) may be required between BellSouth and New Phone for the purpose of data transmission. Where a dedicated line is required, New Phone will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. New Phone will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to New Phone. Additionally, all message toll charges associated with the use of the dial circuit by New Phone will be the responsibility of New Phone. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including modems and software, that is required on New Phone end for the purpose of data transmission will be the responsibility of New Phone.

#### 5.6.3 PACKING SPECIFICATIONS

- 5.6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to New Phone which BellSouth RAO that is sending the message. BellSouth and New Phone will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by New Phone and resend the data as appropriate.

The data will be packed using ATIS EMI records.

### 5.6.4 PACK REJECTION

New Phone will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. New Phone will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to New Phone by BellSouth.

#### 5.6.5 CONTROL DATA

New Phone will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate New Phone received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by New Phone for reasons stated in the above section.

#### 5.6.6 TESTING

Upon request from New Phone, BellSouth shall send test files to New Phone for the Optional Daily Usage File. The Parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that New Phone set up a production (LIVE) file. The live test may consist of New Phone's employees making test calls for the types of services New Phone requests on the Optional Daily Usage File. These test calls are logged by New Phone, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

#### 6. Access Daily Usage File

- 6.1. Upon written request from New Phone, BellSouth will provide the Access Daily Usage File (ADUF) service to New Phone pursuant to the terms and conditions set forth in this section.
- New Phone shall furnish all relevant information required by BellSouth for the provision of the Access Daily Usage File.
- The Access Daily Usage Feed will contain access messages associated with a port that New Phone has purchased from BellSouth
- Charges for delivery of the Access Daily Usage File will appear on the New Phone's monthly bills. The charges are as set forth in Exhibit A to this Attachment. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- Messages that error in the billing system of the New Phone will be the responsibility of the New Phone. If, however, New Phone should encounter significant volumes of errored messages that prevent processing by New Phone within its systems, BellSouth will work with New Phone to determine the source of the errors and the appropriate resolution.
- 6.6 USAGE TO BE TRANSMITTED
- 6.6.1 The following messages recorded by BellSouth will be transmitted to New Phone:

Interstate and intrastate access records associated with a port.

Undetermined jurisdiction access records associated with a port.

When New Phone purchases Network Element ports from BellSouth and calls are made using these ports, BellSouth will handle the calls as follows:

Originating from Network Element and carried by Interexchange Carrier:

BellSouth will bill network element to CLEC and send access record to the CLEC via ADUF

Originating from network element and carried by BellSouth (New Phone is BellSouth's toll customer):

BellSouth will bill resale toll rates to New Phone and send toll record for the end user toll billing purposes via ODUF (Optional Daily Usage File). Access record will be sent to New Phone via ADUF.

Terminating on network element and carried by Interexchange Carrier:

BellSouth will bill network element to New Phone and send access record to New Phone.

Terminating on network element and carried by BellSouth:

BellSouth will bill network element to New Phone and send access record to New Phone.

- 6.6.3 BellSouth will perform duplicate record checks on records processed to the Access Daily Usage File. Any duplicate messages detected will be dropped and not sent to New Phone.
- 6.6.4 In the event that New Phone detects a duplicate on the Access Daily Usage File they receive from BellSouth, New Phone will drop the duplicate message (New Phone will not return the duplicate to BellSouth.)

#### 6.6.5 PHYSICAL FILE CHARACTERISTICS

- 6.6.5.1 The Access Daily Usage File will be distributed to New Phone via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a fixed block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (210 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- Data circuits (private line or dial-up) may be required between BellSouth and New Phone for the purpose of data transmission. Where a dedicated line is required, New Phone will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. New Phone will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to New Phone. Additionally, all message toll charges associated with the use of the dial circuit by New Phone will be the responsibility of New Phone. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including modems and software, that is required on New Phone end for the purpose of data transmission will be the responsibility of New Phone.

#### 6.6.6 PACKING SPECIFICATIONS

- 6.6.6.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to New Phone which BellSouth RAO that is sending the message. BellSouth and New Phone will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by New Phone and resend the data as appropriate.

The data will be packed using ATIS EMI records.

### 6.6.7 PACK REJECTION

New Phone will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. New Phone will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to New Phone by BellSouth.

#### 6.6.8 CONTROL DATA

New Phone will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate New Phone received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by New Phone for reasons stated in the above section.

#### 6.6.9 TESTING

Upon request from New Phone, BellSouth shall send test files to New Phone for the Access Daily Usage File. Testing shall consist of actual calls made from live accounts. A call log shall be supplied along with test request information. The Parties agree to review and discuss the file's content and/or format.

# 7. <u>Enhanced Optional Daily Usage File</u>

7.1 Upon written request from New Phone, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to New Phone pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.

- 7.2 New Phone shall furnish all relevant information required by BellSouth for the provision of the Enhanced Optional Daily Usage File.
- 7.3 The Enhanced Optional Daily Usage File (EODUF) will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.

Charges for delivery of the Enhanced Optional Daily Usage File will appear on the New Phone's monthly bills. The charges are as set forth in Exhibit A to this Attachment.

- 7.4 All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 7.5 Messages that error in the billing system of New Phone will be the responsibility of New Phone. If, however, New Phone should encounter significant volumes of errored messages that prevent processing by New Phone within its systems, BellSouth will work with New Phone to determine the source of the errors and the appropriate resolution.
- 7.6 The following specifications shall apply to the Optional Daily Usage Feed.
- 7.6.1 USAGE TO BE TRANSMITTED
- 7.6.1.1 The following messages recorded by BellSouth will be transmitted to New Phone: Customer usage data for flat rated local call originating from CLEC end user lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Date of Call
From Number
To Number
Connect Time
Conversation Time
Method of Recording
From RAO
Rate Class
Message Type
Billing Indicators
Bill to Number

7.6.1.2 BellSouth will perform duplicate record checks on EODUF records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to New Phone.

7.6.1.3 In the event that New Phone detects a duplicate on Enhanced Optional Daily Usage File they receive from BellSouth, New Phone will drop the duplicate message (New Phone will not return the duplicate to BellSouth).

#### 7.6.2 PHYSICAL FILE CHARACTERISTICS

- 7.6.2.1 The Enhanced Optional Daily Usage Feed will be distributed to New Phone over their existing Optional Daily Usage File (ODUF) feed. The EODUF messages will be intermingled among New Phone's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format (2476) with an LRECL of 2472. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays).
- 7.6.2.2 Data circuits (private line or dial-up) may be required between BellSouth and New Phone for the purpose of data transmission. Where a dedicated line is required, New Phone will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. New Phone will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to New Phone. Additionally, all message toll charges associated with the use of the dial circuit by New Phone will be the responsibility of New Phone. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including modems and software, that is required on New Phone end for the purpose of data transmission will be the responsibility of New Phone.

# 7.6.3 PACKING SPECIFICATIONS

- 7.6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 7.6.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to New Phone which BellSouth RAO that is sending the message. BellSouth and New Phone will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by New Phone and resend the data as appropriate.

The data will be packed using ATIS EMI records.

ODUF/ADUF	F/EODUF/CMDS - Alabama												Attachment:	7	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	TES(\$)				Submitted Manually	Incremental Charge -	Incremental Charge -	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonre	curring	Nonrecurring	n Disconnect				Rates(\$)	D130 130	Diso Add I
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUE (A DUE (E	ODUE/ONDO															ļ
ODUF/ADUF/E	ODUF/CMDS SS DAILY USAGE FILE (ADUF)														1	<del> </del>
ACCE	ADUF: Message Processing, per message				N/A	0.004									1	+
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0002										
	ODUF: Message Processing, per message				N/A	0.0033										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	55.19										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00004										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message		ļ		N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)		1													ļ
	EODUF: Message Processing, per message				N/A	0.004										
Notes:	If no rate is identified in the contract, the rate for the specific	service	e or fur	ction will be as set	forth in appli	cable BellSout	h tariff or as n	egotiated by t	he Parties upor	n request by ei	ther Party.					

ODUF/ADUF	/EODUF/CMDS - Florida												Attachment:	7	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	TES(\$)				Submitted Manually		Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						B	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)	L	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/E																
ACCES	S DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.014391										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012973										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000071										
	ODUF: Message Processing, per message				N/A	0.006835										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.96										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010811										
CENTR	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
FAULAN	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	ICED OPTIONAL DAILY USAGE FILE (EODUF)		1		N/A	0.229109			+							<u> </u>
Notes	EODUF: Message Processing, per message  If no rate is identified in the contract, the rate for the specific	. com/i-:	o or free	otion will be as act			h tariff ar c	agatioted b	ha Bartiaa	roguest bir s	ther Dert					<u> </u>
Notes:	if no rate is identified in the contract, the rate for the specific	service	e or tur	iction will be as set	tortn in appi	icable BellSout	n tariii or as n	egotiated by t	ne Parties upoi	i request by e	tner Party.					

ODUF/ADUF	/EODUF/CMDS - Georgia												Attachment:	7	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	TES(\$)				Submitted Manually		Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Dee	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/E																
	S DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.0136327										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000434										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0001275										
	ODUF: Message Processing, per message				N/A	0.0082548										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	28.85										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000434										
	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
	EODUF: Message Processing, per message	1	1		N/A	0.0034555			+							<b></b>
	If no rate is identified in the contract, the rate for the specific	service	or fur	ction will be as set			h tariff or as n	enotiated by t	he Parties uno	request by a	ther Party					-
NOTES.	in no rate is identified in the contract, the rate for the specific	JUI VICE	o oi iui	iction win be as set	ioitii iii appi	icable Deligout	11 tailii 01 as 11	egonated by t	ile i ailies upoi	i request by e	uiei i aity.					

ODUF/ADUF	F/EODUF/CMDS - Kentucky												Attachment:	7	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	TES(\$)				Submitted Manually		Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Dee	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/E																
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.001857										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0001245										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000136										
	ODUF: Message Processing, per message				N/A	0.002506										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	35.90										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010372										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message		<u> </u>		N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)				N1/A	0.005000										ļ
<b>—</b>	EODUF: Message Processing, per message	L	<u> </u>	L	N/A	0.235889			<del></del> _	L	<u> </u>					
Notes:	If no rate is identified in the contract, the rate for the specific	service	e or fur	ction will be as set	torth in appl	icable BellSout	n tariff or as n	egotiated by t	ne Parties upoi	n request by e	ther Party.					

ODUF/ADUF	/EODUF/CMDS - Louisiana												Attachment:	7	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	ΓES(\$)				Submitted Manually	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonre	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/E																
	S DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.007983										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012681										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000117										
	ODUF: Message Processing, per message				N/A	0.004641										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.45										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010568										
CENTR	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
	ICED OPTIONAL DAILY USAGE FILE (EODUF)	<u> </u>	<u> </u>		NI/A	0.050045			1							
	EODUF: Message Processing, per message	L	<u> </u>		N/A	0.250015			l Bodine	l	<u> </u>					
Notes:	If no rate is identified in the contract, the rate for the specific	service	e or tur	iction will be as set	torth in appl	icable BellSout	n tariff or as n	egotiated by t	ne Parties upoi	n request by e	tner Party.					

ODUF/ADUF	F/EODUF/CMDS - Mississippi												Attachment:	7	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES(\$)				Submitted Manually	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/E																
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.008087										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012803										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000063										
	ODUF: Message Processing, per message				N/A	0.004707										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	49.04										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010669										
CENTE	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)				N1/A	0.050404										
N	EODUF: Message Processing, per message	L	L .		N/A	0.250424			1 . 5	L	II. a Barta					<b></b>
Notes:	If no rate is identified in the contract, the rate for the specific	service	e or fur	ction will be as set	torth in appl	icable BellSout	h tariff or as n	egotiated by t	ne Parties upoi	n request by e	ther Party.					

ODUF/ADUF	F/EODUF/CMDS - North Carolina												Attachment:	7	Exhibit: A				
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	TES(\$)				Submitted Manually		Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l			
						Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates(\$)	5)				
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
ODUF/ADUF/E																			
ACCES	SS DAILY USAGE FILE (ADUF)																		
	ADUF: Message Processing, per message				N/A	0.01435													
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0001277													
OPTIO	NAL DAILY USAGE FILE (ODUF)																		
	ODUF: Recording, per message				N/A	0.0003													
	ODUF: Message Processing, per message				N/A	0.0032													
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	54.61													
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00004													
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)																		
	CMDS: Message Processing, per message				N/A	0.004													
ENU.A.	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001													
ENHA	ICED OPTIONAL DAILY USAGE FILE (EODUF)		1		N/A	0.2205406			+		-					<b>├</b>			
Neter	EODUF: Message Processing, per message  If no rate is identified in the contract, the rate for the specific					0.2285406			ha Bartiaaa		than Danter					-			
Notes:	if no rate is identified in the contract, the rate for the specific	service	e or tur	iction will be as set	tortn in appi	icable BellSout	n tariii or as n	egotiated by t	ne Parties upoi	request by e	tner Party.								

ODUF/ADUF/EODUF/CMDS - South Carolina Attachment: 7 Exhib														Exhibit: A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	TES(\$)				Submitted Manually	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrecurring Nonrecurring Disconnect							Rates(\$)	2.00 .01	2.007.100.
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUE/ADUE/E	ODUE/ONDS															
	DDUF/ADUF/EODUF/CMDS  ACCESS DAILY USAGE FILE (ADUF)		-						-							
ACCE	ADUF: Message Processing, per message				N/A	0.008061										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00013036										
OPTIO	OPTIONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000216										
	ODUF: Message Processing, per message				N/A	0.004704										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.87			<b>_</b>							
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010863										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message		ļ		N/A	0.004			<b>_</b>							
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message				N/A	0.258301			1							
Notes:	If no rate is identified in the contract, the rate for the specific	service	e or fur	ction will be as set	forth in appl	icable BellSout	h tariff or as n	egotiated by t	he Parties upor	n request by ei	ther Party.					

Version 2Q02: 05/31/02

ODUF/ADUF/EODUF/CMDS - Tennessee Attachment: 7 Exhibit: A																	
CATEGORY	RATE ELEMENTS	Interi m	Zone	e BCS	usoc	RATES(\$)						Submitted Manually	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l	
						Rec Nonrecurring Nonrecurring Disconn					OSS Rates(\$)						
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	DDUF/ADUF/EODUF/CMDS																
ACCES	SS DAILY USAGE FILE (ADUF)																
	ADUF: Message Processing, per message				N/A	0.004											
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001											
OPTIO	OPTIONAL DAILY USAGE FILE (ODUF)																
	ODUF: Recording, per message				N/A	0.0000044											
	ODUF: Message Processing, per message				N/A	0.0027366											
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	52.75											
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000339											
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)																
	CMDS: Message Processing, per message				N/A	0.004		-									
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001											
ENHAI	NCED OPTIONAL DAILY USAGE FILE (EODUF)		ļ														
	EODUF: Message Processing, per message	l	<u> </u>	l	N/A	0.004	ll		J	<u> </u>	l						
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	nction will be as set	forth in appli	icable BellSout	th tariff or as ne	egotiated by	the Parties upor	n request by ei	ther Party.						

Version 2Q02: 05/31/02

## **Attachment 8**

Rights-of-Way, Conduits and Pole Attachments

# Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a license agreement subsequently negotiated with BellSouth's Competitive Structure Provisioning Center.

## **ATTACHMENT 9**

## PERFORMANCE MEASUREMENTS

### PERFORMANCE MEASUREMENTS

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a generic proceeding binding upon BellSouth, the Parties shall implement in that state such Performance Measurements, and associated remedies and penalties, if any, as of the date specified by the Commission. Prior to a particular state Commission's adoption of Performance Measurements in a generic proceeding, New Phone may utilize the Service Quality Measurements (SQMs) and performance data on BellSouth's web site for that state.

## Attachment 10 BellSouth Disaster Recovery Plan

## 2000 BELLSOUTH

## DISASTER RECOVERY PLANNING

For

**CLECS** 

#### **CONTENTS PAGE** 1.0 Purpose 4 2.0 Single Point of Contact 4 3.0 Identifying the Problem 4 3.1 Site Control 5 3.2 **Environmental Concerns** 6 4.0 The Emergency Control Center (ECC) 6 5.0 Recovery Procedures 5.1 CLEC Outage 7 5.2 BellSouth Outage 7 8 5.2.1 Loss of Central Office 5.2.2 Loss of a Central Office with Serving Wire Center Functions 8 8 5.2.3 Loss of a Central Office with Tandem Functions 5.2.4 Loss of a Facility Hub 9 5.3 Combined Outage (CLEC and BellSouth Equipment 9 6.0 T1 Identification Procedures 9 10 7.0 Acronyms

#### 1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a Competitive Local Exchange Carrier (CLEC), general procedures have been developed to hasten the recovery process. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

#### 2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's Emergency Control Center (ECC) and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

#### 3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only; BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

For long term outages, recovery efforts will be coordinated by the Emergency Control Center (ECC). Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

#### 3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire & life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to insure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

#### 3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- 2. Asbestos containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

#### 4.0 THE EMERGENCY CONTROL CENTER (ECC)

The ECC is located in the Colonnade Building in Birmingham, Alabama. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available; leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

#### 5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of who's equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

#### 5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

#### **5.2 BELLSOUTH OUTAGE**

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the Central Office is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the

completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

#### 5.2.1 Loss of a Central Office

When BellSouth loses a Central Office, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Begin restoring service to CLECs and other customers.

#### 5.2.2 Loss of a Central Office with Serving Wire Center Functions

The loss of a Central Office that also serves as a Serving Wire Center (SWC) will be restored as described in section 5.2.1.

#### 5.2.3 Loss of a Central Office with Tandem Functions

When BellSouth loses a Central Office building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)
- g) Begin restoring service to CLECs and other customers.

#### 5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Restoring service to CLECs and other customers. If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

#### 5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

#### 6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently then normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

#### 7.0 ACRONYMS

CO - Central Office (BellSouth)

DS3 - Facility that carries 28 T1s (672 circuits)

ECC - Emergency Control Center (BellSouth)

CLEC - Competitive Local Exchange Carrier

NMC - Network Management Center

SWC - Serving Wire Center (BellSouth switch)

T1 - Facility that carries 24 circuits

#### **Hurricane Information**

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at <a href="http://www.interconnection.bellsouth.com/network/disaster/dis\_resp.htm">http://www.interconnection.bellsouth.com/network/disaster/dis\_resp.htm</a>. Information concerning Mechanized Disaster Reports can also be found at this website by clicking on CURRENT MDR REPORTS or by going directly to <a href="http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm">http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm</a>.

#### **BST Disaster Management Plan**

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

## **Attachment 11**

**Bona Fide Request and New Business Requests Process** 

### **BONA FIDE REQUEST AND NEW BUSINESS REQUESTS PROCESS**

- The Parties agree that New Phone is entitled to order any Network Element, Interconnection option, service option or Resale Service required to be made available by the Communications Act of 1934, as modified by the Telecommunications Act of 1996 (the "Act"), FCC requirements or State Commission requirements. New Phone also shall be permitted to request the development of new or revised facilities or service options which are not required by the Act. Procedures applicable to requesting the addition of such facilities or service options are specified in this <u>Attachment</u> 11.
- Bona Fide Requests ("BFR") are to be used when New Phone makes a request of BellSouth to provide a new or modified network element, interconnection option, or other service option pursuant to the Act that was not previously included in the Agreement. New Business Requests ("NBRs") are to be used when New Phone makes a request of BellSouth to provide a new or custom capability or function to meet New Phone's business needs that was not previously included in the Agreement. The BFR/NBR process is intended to facilitate the two-way exchange of information between New Phone and BellSouth, necessary for accurate processing of requests in a consistent and timely fashion.
- A BFR shall be submitted in writing by New Phone and shall specifically identify the required service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request also shall include a New Phone's designation of the request as being (i) pursuant to the Telecommunications Act of 1996 (i.e., a "BFR") or (ii) pursuant to the needs of the business (i.e., a "NBR"). The request shall be sent to New Phone's Account Executive.
- 4.0 Within thirty (30) business days of its receipt of a BFR or NBR from New Phone, BellSouth shall respond to New Phone by providing a preliminary analysis of such Interconnection, Network Element, or other facility or service option that is the subject of the BFR or NBR. The preliminary analysis shall confirm that BellSouth will either offer access to the Interconnection, Network Element, or other facility or service option, or provide an explanation of why it is not technically feasible and/or why the request does not qualify as an Interconnection, Network Element, or is otherwise not required to be provided under the Act.
- New Phone may cancel a BFR or NBR at any time. If New Phone cancels the request more than three (3) business days after submitting it, New Phone shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the BFR or NBR up to the date of

cancellation. If New Phone does not cancel a BFR or NBR, New Phone shall pay BellSouth's reasonable and demonstrable costs of processing and implementing the request.

- 6.0 If New Phone accepts the preliminary analysis, BellSouth shall proceed with New Phone's BFR/NBR, and New Phone agrees to pay the non-refundable amount identified in the preliminary analysis for the initial work required to develop the project plan, create the design parameters, and establish all activities and resources required to complete the BFR/NBR. These costs will be referred to as "development" costs. The development costs identified in the preliminary analysis are fixed. If New Phone cancels a BFR/NBR after BellSouth has received New Phones' acceptance of the preliminary analysis, New Phone agrees to pay BellSouth the reasonable, demonstrable, and actual costs, if any directly related to complying with New Phone's BFR/NBR up to the date of cancellation, to the extent such costs were not included in the non-refundable amount set forth above.
- 7.0 BellSouth shall propose a firm price quote and a detailed implementation plan with twenty-five (25) business days of New Phone's acceptance of a preliminary analysis.
- 8.0 If New Phone believes that BellSouth's firm price quote is not consistent with the requirements of the Act, New Phone may seek FCC or state Commission arbitration of its request, as appropriate. Any such arbitration applicable to Network Elements and/or Interconnection shall be conducted in accordance with standards prescribed in Section 252 of the Act.
- 9.0 Unless New Phone agrees otherwise, all prices for BFRs shall be consistent with the pricing principles of the Act, FCC and/or the State Commission.
- 10.0 If either Party to a BFR believes that the other Party is not requesting, negotiating, or processing the Bona Fide Request in good faith, or disputes a determination, or price or cost quote, such Party may seek FCC or state Commission resolution of the dispute, as appropriate.
- Upon agreement to the terms of a BFR or NBR, an amendment to the Agreement may be required.