



BellSouth Telecommunications, Inc
333 Commerce Street
Suite 2101
Nashville, TN 37201-3300

guy.hicks@bellsouth.com

February 20, 2004

RECEIVED
2004 FEB 25
T.R.A. DOCKET ROOM
Guy M. Hicks
General Counsel
615 214 6301
Fax 615 214 7406

VIA HAND DELIVERY

Hon Deborah Taylor Tate
Chairman
Tennessee Regulatory Authority
460 James Robertson Parkway
Nashville, Tennessee 37243-0505

Re *Approval of the Amendment to the Interconnection Agreement Negotiated by
BellSouth Telecommunications, Inc and OnePoint Communications-Georgia,
LLC Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996*
Docket No 04-00064

Dear Chairman Tate

Enclosed are the original and fourteen copies of the executed amendment to the interconnection agreement between BellSouth Telecommunications, Inc and OnePoint Communications-Georgia, LL The Amendment incorporates the changes resulting from the Report and Order and Order on Remand and Further Notice of Proposed Rulemaking (Triennial Order) issued by the Federal Communications Commission and effective October 2, 2003

Thank you for your attention to this matter

Sincerely yours,

Guy M Hicks

cc Paul Miller, OnePoint Communications-Georgia, LLC

BEFORE THE TENNESSEE REGULATORY AUTHORITY
Nashville, Tennessee

In re *Approval of the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc and OnePoint Communications-Georgia, LLC Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996*

Docket No _____

**PETITION FOR APPROVAL OF AMENDMENT TO THE
INTERCONNECTION AGREEMENT NEGOTIATED
BETWEEN BELL SOUTH TELECOMMUNICATIONS, INC.
AND ONE POINT COMMUNICATIONS-GEORGIA, LLC
PURSUANT TO THE TELECOMMUNICATIONS ACT OF 1996**

COME NOW, OnePoint Communications-Georgia, LLC ("OnePoint") and BellSouth Telecommunications, Inc , ("BellSouth"), and file this request for approval of the Amendment to Interconnection Agreement dated January 17, 2003 (the "Amendment") negotiated between the two companies pursuant to Sections 251 and 252 of the Telecommunications Act of 1996, (the "Act") In support of their request, OnePoint and BellSouth state the following

1 OnePoint and BellSouth have successfully negotiated an agreement for interconnection of their networks, the unbundling of specific network elements offered by BellSouth and the resale of BellSouth's telecommunications services to OnePoint The Interconnection Agreement was approved by the Tennessee Regulatory Authority ("TRA") on May 12, 2003

2 The parties have recently negotiated an Amendment to the Agreement which incorporates the changes resulting from the Report and Order and Order on Remand and Further Notice of Proposed Rulemaking (Triennial Order) issued by the Federal Communications Commission and effective October 2, 2003 A copy of the Amendment is attached hereto and incorporated herein by reference

3 Pursuant to Section 252(e) of the Telecommunications Act of 1996, OnePoint and
BellSouth are submitting their Amendment to the TRA for its consideration and approval

4 In accordance with Section 252(e) of the Act, the TRA is charged with approving
or rejecting the negotiated Amendment between BellSouth and OnePoint within 90 days of its
submission. The Act provides that the TRA may only reject such an agreement if it finds that the
agreement or any portion of the agreement discriminates against a telecommunications carrier
not a party to the agreement or the implementation of the agreement or any portion of the
agreement is not consistent with the public interest, convenience and necessity

5 OnePoint and BellSouth aver that the Amendment is consistent with the standards
for approval


6 Pursuant to Section 252(i) of the Act, BellSouth shall make the Agreement
available upon the same terms and conditions contained therein

OnePoint and BellSouth respectfully request that the TRA approve the Amendment
negotiated between the parties

This 20th day of Feb., 2004

Respectfully submitted,

BELLSOUTH TELECOMMUNICATIONS, INC


By 

Guy M. Hicks
333 Commerce Street, Suite 2101
Nashville, Tennessee 37201-3300
(615) 214-6301
Attorney for BellSouth

CERTIFICATE OF SERVICE

I, Guy M Hicks, hereby certify that I have served a copy of the foregoing Petition for Approval of the Interconnection Agreement on the following via United States Mail on the 28 day of FEB, 2004

Paul Miller
Director Carrier Relations
OnePoint Communications-Georgia, LLC
OnePoint Communications-Georgia, LLC d/b/a Verizon Avenue
Verizon Avenue
12901 Worldgate Drive
Herndon, VA 20170



Guy M Hicks

**Amendment to the Agreement
Between
OnePoint Communications - Georgia, LLC
and
BellSouth Telecommunications, Inc.
Dated January 17, 2003**

Pursuant to this Amendment, (the "Amendment"), OnePoint Communications - Georgia, LLC (OnePoint), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated January 17, 2003 ("Agreement") to be effective thirty (30) calendar days after the date of the last signature executing the Amendment

WHEREAS, BellSouth and OnePoint entered into the Agreement on January 17, 2003, and,

WHEREAS, the Parties desire to amend the Agreement in order to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand and Further Notice of proposed Rulemaking (Triennial Order) effective on October 2, 2003,

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the Parties,

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows

- 1 The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Amendment Exhibit 1, attached hereto and by reference incorporated into this Amendment
- 2 The Parties agree to delete Attachment 2, UNE Rates, in its entirety and replace with Attachment 2, UNE Rates, reflected as Amendment Exhibit 2, attached hereto and by reference incorporated into this Amendment
- 3 The Parties agree to delete Attachment 6, Pre-Ordering, Ordering, Provisioning, Maintenance and Repair, in its entirety and replace with Attachment 6 reflected as Amendment Exhibit 3, attached hereto and by reference incorporated into this Amendment
- 4 All of the other provisions of the Agreement, dated January 17, 2003, shall remain in full force and effect
- 5 Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below


BellSouth Telecommunications, Inc.

By

Name

Title

Date


KRISTEN E. ROWE

DIRECTOR

1-7-2004


OnePoint Communications - Georgia, LLC

By

Name

Title

Date



William F. Wallace

CEO

1/5/04

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1	INTRODUCTION.....	3
2	UNBUNDLED LOOPS.....	6
3	LINE SHARING.....	27
4	LOCAL SWITCHING.....	34
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS.....	43
6	TRANSPORT, CHANNELIZATION AND DARK FIBER.....	46
7	DATABASES.....	51
8	BELLSOUTH SWITCHED ACCESS (SWA) 8XX TOLL FREE DIALING TEN DIGIT SCREENING SERVICE.....	52
9	LINE INFORMATION DATABASE (LIDB).....	52
10	SIGNALING.....	55
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS).....	61
12	CALLING NAME (CNAM) DATABASE SERVICE.....	62
13	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS) ADVANCED INTELLIGENT NETWORK (AIN) ACCESS.....	63
14	OPERATIONAL SUPPORT SYSTEMS (OSS).....	64
	Rates.....	Exhibit A

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES**1 Introduction**

1 1 This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to OnePoint Communications in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to OnePoint Communications (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Service may require OnePoint Communications to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.

1 2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment OnePoint Communications used in the provision of a qualifying service, as defined by the FCC. OnePoint Communications may not access a Network Element for the sole purpose of providing non-qualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."

1 3 BellSouth shall, upon request of OnePoint Communications, and to the extent technically feasible, provide to OnePoint Communications access to its Network Elements for the provision of OnePoint Communications's qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

1 4 OnePoint Communications may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R. 51.309.

1 5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.

1 6 Except to the extent required by the Report and Order on Remand and Further Notice of Proposed Rulemaking (rel. Aug. 21, 2003) ("TRO"), any Network Elements that no longer require unbundling on a national level will no longer be available pursuant to this Agreement.

1 7 Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element, or combination of elements that is available to OnePoint Communications under Section 251(c)(3) of the Telecommunications Act of 1996. Nonrecurring switch-as-is rates for conversion of Network Elements are contained in Exhibit A of this Attachment.

Conversion of a wholesale service or group of wholesale services shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between OnePoint Communications and BellSouth. Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement

- 1.8 Except to the extent expressly provided otherwise in this Attachment, for elements or combinations of elements that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement (for example, but not limited to, local channels or non-compliant EELs), OnePoint Communications will submit orders to rearrange or disconnect those arrangements or services within thirty (30) calendar days of the Effective Date of this Amendment. If orders to rearrange or disconnect those arrangements or services are not received by the 31st day after the Effective Date of this Amendment, BellSouth may disconnect those arrangements or services without further notice. Where no re-termination or physical rearrangement of circuits or service is required, OnePoint Communications will be charged a nonrecurring switch-as-is charge for the individual Network Element(s) as set forth in Exhibit A. For arrangements that require a re-termination or other physical rearrangement of circuits to comply with the terms of this Agreement, nonrecurring charges for the applicable Network Element from Exhibit A of this Attachment will apply. To the extent a Network Element requires re-termination or other physical rearrangement in order to comply with a tariff or separate agreement, the applicable rates, terms and conditions of such tariff or separate agreement shall apply.
- 1.8.1 OnePoint Communications may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.8.2 Except to the extent expressly provided otherwise in this Attachment, if a Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, OnePoint Communications may request BellSouth to perform such routine network modifications. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by OnePoint Communications, BellSouth shall perform the routine network modifications.
- 1.8.3 Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.
- 1.9 **Commingling of Services**

- 1 9 1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications services or facilities that OnePoint Communications has obtained at wholesale from BellSouth, or the combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities
- 1 9 2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth, or 2) shares part of BellSouth's network with access services or inputs for non-qualifying services.
- 1 9 3 BellSouth will not "ratchet" a commingled circuit Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates
- 1 9 4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment and Central Office Channel Interfaces will be billed from the same jurisdictional authorization (agreement or tariff) as the higher grade of service
- 1.10 If OnePoint Communications reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge OnePoint Communications for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status
- 1 11 Rates
- 1 11 1 The prices that OnePoint Communications shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment If OnePoint Communications purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply
- 1 11 2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1 11 3 If OnePoint Communications modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by OnePoint Communications in accordance with FCC No 1 Tariff, Section 5

- 1.11 4 A one-month minimum billing period shall apply to all Network Elements and Other Services

2 Unbundled Loops

2 1 General

2 1 1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User's customer premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User customer premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's customer premises. OnePoint Communications shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.

2 1 1 1 The Loop does not include any packet switched features, functions or capabilities.

2 1 1 2 In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops.

2.1 1 3 In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to OnePoint Communications on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities.

2 1 1 4 Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by OnePoint Communications. If a request is received by BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.

2 1 1 5 For hybrid loops, where OnePoint Communications seeks access to a hybrid loop for the provision of broadband services, BellSouth shall provide OnePoint Communications with nondiscriminatory access to the time division multiplexing.

features, functions and capabilities of that hybrid loop, including DS1 or DS3, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's customer premises

- 2.1.1 6 OnePoint Communications may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.
- 2 1 2 The provisioning of a Loop to OnePoint Communications's collocation space will require cross office cabling and cross connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1 3 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at <http://www.interconnection.bellsouth.com>. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2 1 4 The Loop shall be provided to OnePoint Communications in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2 1 5 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2 1.5 1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If OnePoint Communications wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and UCL-ND), OnePoint Communications may order Loop Tagging Rates for Loop Tagging as set forth in Exhibit A of this Attachment.
- 2 1 5 2 In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by OnePoint Communications (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill OnePoint Communications for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2 1 6 Loop Testing/Trouble Reporting

2 1 6 1 OnePoint Communications will be responsible for testing and isolating troubles on the Loops. OnePoint Communications must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, OnePoint Communications will be required to provide the results of the OnePoint Communications test which indicate a problem on the BellSouth provided Loop.

2 1 6 2 Once OnePoint Communications has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.

2 1 6 3 If OnePoint Communications reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge OnePoint Communications for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.

2.1.6.4 In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by OnePoint Communications (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill OnePoint Communications for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2 1 7 Order Coordination and Order Coordination-Time Specific

2 1 7 1 "Order Coordination" (OC) allows BellSouth and OnePoint Communications to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to OnePoint Communications's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.

2 1 7 2 "Order Coordination - Time Specific" (OC-TS) allows OnePoint Communications to order a specific time for OC to take place. BellSouth will make every effort to accommodate OnePoint Communications's specific conversion time request. However, BellSouth reserves the right to negotiate with OnePoint Communications a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled

Copper Loops (UCL) and is billed in addition to the OC charge. OnePoint Communications may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If OnePoint Communications specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.8 CLEC to CLEC Conversions for Unbundled Loops

- 2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by OnePoint Communications when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in OnePoint Communications's Interconnection Agreement before requesting a conversion.
- 2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.8.3 The Loops converted to OnePoint Communications pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

2184

	Order Coordination (OC)	Order Coordination – Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non-Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non-Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office
For UVL-SL1 and UCLs, OnePoint Communications must order and will be billed for both OC and OC-TS if requesting OC-TS					

219

Bulk Migration

2191

If OnePoint Communications requests to migrate twenty-five (25) or more UNE-Port/Loop Combination (UNE-P) customers to UNE-Loop (UNE-L) in the same Central Office on the same due date, OnePoint Communications must use the Bulk Migration process, which is described in the BellSouth CLEC Information Package, "UNE-Port/Loop Combination (UNE-P) to UNE-Loop (UNE-L) Bulk Migration." This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at

www.interconnection.bellsouth.com/guides/html/unes.html The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per customer account as provided for in the Bulk Migration Request. The migration of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

2.1.10 **Ordering Guidelines and Processes**

2.1.10.1 For information regarding Ordering Guidelines and Processes for various UNEs, OnePoint Communications should refer to the "Guides" section of the BellSouth Interconnection website, which is incorporated herein by reference, as amended from time to time. The website address is <http://www.interconnection.bellsouth.com/>

2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address <http://www.interconnection.bellsouth.com/guides/html/unes.html>

2.2 **Unbundled Voice Loops (UVLs)**

2.2.1 BellSouth shall make available the following UVLs

2.2.1.1 2-wire Analog Voice Grade Loop – SL1 (Non-Designed)

2.2.1.2 2-wire Analog Voice Grade Loop – SL2 (Designed)

2.2.1.3 4-wire Analog Voice Grade Loop (Designed)

2.2.2 Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that OnePoint Communications will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

2.2.3 Unbundled Voice Loop - SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has

been requested by OnePoint Communications. OnePoint Communications may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.

2.2.4 For an additional charge BellSouth will make available Loop Testing so that OnePoint Communications may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.

2.2.5 Unbundled Voice Loop – SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to OnePoint Communications. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow OnePoint Communications to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 **Unbundled Digital Loops**

2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.

2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein.

2.3.2.1 2-wire Unbundled ISDN Digital Loop

2.3.2.2 2-wire Unbundled ADSL Compatible Loop

2.3.2.3 2-wire Unbundled HDSL Compatible Loop

2.3.2.4 4-wire Unbundled HDSL Compatible Loop

2.3.2.5 4-wire Unbundled DS1 Digital Loop

2.3.2.6 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below

2.3.2.7 DS3 Loop

- 2.3.2.8 STS-1 Loop
- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. OnePoint Communications will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.3.1 Upon the Effective Date of this Amendment, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UDCs that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by OnePoint Communications or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. OnePoint Communications may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.
- 2.3.4 2-Wire ADSL-Compatible Loop This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 4-Wire Unbundled DS1 Digital Loop This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the End User's location.
- 2.3.7 4-Wire Unbundled Digital/DS0 Loop These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.

- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a Service Inquiry (SI) in order to ascertain availability.
- 2.3.11 If DS3/STS-1 Loops are not readily available but can be made available through routine network modifications, as defined by the FCC, OnePoint Communications may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by OnePoint Communications, BellSouth shall perform the routine network modifications.
- 2.3.12 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.13 OnePoint Communications may access a total capacity of two (2) DS3s per End User location at the Network Element rates set forth in Exhibit A.
- 2.4 **Unbundled Copper Loops (UCL)**
- 2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not

intended to support any particular telecommunications service The UCL will be offered in two types – Designed and Non-Designed

2.4.2 Unbundled Copper Loop – Designed (UCL-D)

2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters)

2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance

2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR OC is a chargeable option for a UCL-D, however, OC is always required on UCLs where a reuse of existing facilities has been requested by OnePoint Communications.

2.4.2.4 These Loops are not intended to support any particular services and may be utilized by OnePoint Communications to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire

2.4.2.5 Upon the Effective Date of this Amendment, Unbundled Copper Loop – Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted Any existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment Existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by OnePoint Communications or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated

2.4.3 Unbundled Copper Loop – Non-Designed (UCL-ND)

2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID) The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation For Loops less than 18,000

feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, OnePoint Communications can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that OnePoint Communications may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by OnePoint Communications to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 OnePoint Communications may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

2.5 **Unbundled Loop Modifications (Line Conditioning)**

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serve no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.
- 2.5.2 BellSouth will remove load coils only on copper loops and sub-loops that are less than 18,000 feet in length.

- 2 5 3 For any copper loop being ordered by OnePoint Communications which has over 6,000 feet of combined bridged tap will be modified, upon request from OnePoint Communications, so that the loop will have a maximum of 6,000 feet of bridged tap. This modification will be performed at no additional charge to OnePoint Communications. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper loop that will result in a combined total of bridged tap between 2,500 and 6,000 feet will be performed at the rates set forth in Exhibit A of this Attachment.
- 2 5 4 OnePoint Communications may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design purpose), at rates pursuant to BellSouth's Special Construction Process as mutually agreed to by the Parties.
- 2 5 5 Rates for ULM are as set forth in Exhibit A of this Attachment.
- 2.5 6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2 5 7 If OnePoint Communications requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed specifications of the requested loop facility as modified. OnePoint Communications will not be charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.
- 2.5 8 OnePoint Communications shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that OnePoint Communications desires BellSouth to condition.
- 2 5 9 When requesting ULM for a Loop that BellSouth has previously provisioned for OnePoint Communications, OnePoint Communications will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by OnePoint Communications is available at the location for which the ULM was requested, OnePoint Communications will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, OnePoint Communications will not be charged for ULM but will only be charged the service order charges for submitting an order.
- 2 6 **Loop Provisioning Involving Integrated Digital Loop Carriers**
- 2 6 1 Where OnePoint Communications has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and

BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to OnePoint Communications. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for OnePoint Communications (e g hairpinning)

- 1 Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises
- 2 Roll the circuit(s) from the IDLC to an existing DLC that is not integrated
3. If capacity exists, provide "side-door" porting through the switch
- 4 If capacity exists, provide "Digital Access Cross Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch)

2 6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases

2 6 3 If no alternate facility is available, and upon request from OnePoint Communications, and if agreed to by both Parties, BellSouth may utilize its Special Construction (SC) process to determine the additional costs required to provision facilities OnePoint Communications will then have the option of paying the one-time SC rates to place the Loop

2 7 **Network Interface Device**

2 7 1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross connect device used for that purpose The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises The NID features two independent chambers or divisions that separate the service provider's network from the End User's customer premises wiring Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable

2 7 2 BellSouth shall permit OnePoint Communications to connect OnePoint Communications's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

2 7 3 **Access to NID**

2 7 3 1 OnePoint Communications may access the End User's customer premises wiring by any of the following means and OnePoint Communications shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID

- 2 7 3 1 1 BellSouth shall allow OnePoint Communications to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises
- 2 7 3 1 2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID,
- 2 7 3 1 3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures, or
- 2 7 3 1 4 OnePoint Communications may request BellSouth to make other rearrangements to the End User customer premises wiring terminations or terminal enclosure on a time and materials cost basis
- 2.7 3 2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be OnePoint Communications's responsibility to ensure there is no safety hazard, and OnePoint Communications will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored
- 2 7 3 3 OnePoint Communications shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors
- 2 7 3 4 OnePoint Communications shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures
- 2 7 3 5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with OnePoint Communications to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question

2 7 4 Technical Requirements

2 7 4 1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground

2 7 4 2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross connect to OnePoint Communications's NID.

2 7 4 3 Existing BellSouth NIDs will be provided in "as is" condition. OnePoint Communications may request BellSouth to do additional work to the NID on a time and material basis. When OnePoint Communications deploys its own local Loops in a multiple-line termination device, OnePoint Communications shall specify the quantity of NID connections that it requires within such device.

2 8 Sub-loop Elements

2 8 1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein.

2 8 2 Unbundled Sub-Loop Distribution

2 8 2 1 The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

 Unbundled Sub-Loop Distribution – Voice Grade

 Unbundled Copper Sub-Loop

 Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

2 8 2 2 Unbundled Sub-Loop Distribution – Voice Grade (USLD-VG) is a copper sub-loop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.

2 8 2 3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.

2 8 2 3 1 If OnePoint Communications requests a UCSL and it is not available, OnePoint Communications may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load

coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL

- 2.8.2.4 Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from OnePoint Communications, BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for OnePoint Communications's use on this cross-connect panel. OnePoint Communications will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, OnePoint Communications shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. OnePoint Communications's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by OnePoint Communications is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet OnePoint Communications's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the website address <http://www.interconnection.bellsouth.com/products/html/unsl.html>.
- 2.8.2.7 The site set-up must be completed before OnePoint Communications can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice OnePoint Communications's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, OnePoint Communications will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when OnePoint Communications requests reuse of an existing facility, and the Order Coordination

charge shall be billed in addition to the USL pair rate. For expedite requests by OnePoint Communications for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days

2 8 2 9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2 8 3 **Unbundled Network Terminating Wire (UNTW)**

2 8 3 1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers

2 8 3 2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises

2 8 3 3 **Requirements**

2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet

2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party

2 8 3 3 3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, OnePoint Communications will install UNTW Access Terminals for BellSouth at no additional charge

2 8.3 3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate OnePoint Communications for each pair activated commensurate to the price specified in OnePoint Communications's Agreement

2 8 3 3 5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its

central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

- 2 8 3 3 6 Access Terminal installation intervals will be established on an individual case basis
- 2 8 3 3 7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2 8 3 3 8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2 8 3 3 9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2 8 3 3 10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.

2 8 3 3 1 1 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2 8 4 **Unbundled Sub-Loop Feeder**

2 8 4 1 Upon the Effective Date of this Amendment, Unbundled Sub-Loop Feeder (USLF) elements will no longer be offered by BellSouth at TELRIC prices. Within ninety (90) calendar days of the Effective Date of this Amendment, OnePoint Communications will either negotiate market-based rates for these elements or will issue orders to have these elements disconnected. If, after this ninety (90)-day period, market-based rates have not been negotiated and OnePoint Communications has not issued the appropriate disconnect orders, BellSouth may immediately disconnect any remaining USLF elements and will bill OnePoint Communications any applicable disconnect charges.

2 8 5 **Unbundled Loop Concentration**

2 8 5 1 Upon the Effective Date of this Amendment, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to this Amendment and may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by OnePoint Communications, or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated.

2 8.6 **Dark Fiber Loop**

2 8 6 1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for OnePoint Communications to utilize Dark Fiber Loops.

2 8 6 2 If Dark Fiber Loop is not readily available but can be made available through routine network modifications, as defined by the FCC, OnePoint Communications may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project.

on an individual case basis BellSouth will provide a price quote for the request, and upon receipt of payment by OnePoint Communications, BellSouth shall perform the routine network modifications

2 8 6 3 Requirements

2 8 6 3 1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.

2 8 6 3 2 OnePoint Communications is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.

2 8 6.3 3 BellSouth shall use its commercially reasonable efforts to provide to OnePoint Communications information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a SI from OnePoint Communications.

2 8 6 3 4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to OnePoint Communications within twenty (20) business days after OnePoint Communications submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable OnePoint Communications to connect OnePoint Communications provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.9 Loop Makeup

2 9 1 Description of Service

2 9 1 1 BellSouth shall make available to OnePoint Communications LMU information so that OnePoint Communications can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment OnePoint Communications intends to install and the services OnePoint Communications wishes to provide. This section addresses LMU as a preordering transaction, distinct from OnePoint Communications ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.

- 2 9 1 2 BellSouth will provide OnePoint Communications LMU information consisting of the composition of the Loop material (copper/fiber), the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices, the Loop length, the wire gauge and electrical parameters
- 2 9 1 3 BellSouth's LMU information is provided to OnePoint Communications as it exists either in BellSouth's databases or in its hard copy facility records BellSouth does not guarantee accuracy or reliability of the LMU information provided
- 2 9 1 4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC
- 2 9 1 5 OnePoint Communications may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network The determination shall be made solely by OnePoint Communications and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning The LMU data is provided for informational purposes only and does not guarantee OnePoint Communications's ability to provide advanced data services over the ordered Loop type Further, if OnePoint Communications orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network OnePoint Communications is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered

2 9 2 **Submitting Loop Makeup Service Inquiries**

- 2 9 2 1 OnePoint Communications may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI Mechanized LMUs should be submitted through BellSouth's OSS interfaces After obtaining the Loop information from the mechanized LMU process, if OnePoint Communications needs further Loop information in order to determine Loop service capability,

OnePoint Communications may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit A of this Attachment

2 9 2 2 Manual LMUSIs shall be submitted according to the guidelines in the LMU CLEC Information Package, incorporated herein by reference, as it may be amended from time to time, which can be found at the following BellSouth website <http://interconnection.bellsouth.com/guides/html/unes.html> The service interval for the return of a Manual LMUSI is three (3) business days Manual LMUSIs are not subject to expedite requests This service interval is distinct from the interval applied to the subsequent service order.

2 9 3 **Loop Reservations**

2 9 3 1 For a Mechanized LMUSI, OnePoint Communications may reserve up to ten (10) Loop facilities For a Manual LMUSI, OnePoint Communications may reserve up to three (3) Loop facilities

2 9 3 2 OnePoint Communications may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to OnePoint Communications During and prior to OnePoint Communications placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth If OnePoint Communications does not submit an LSR for a UNE service on a reserved facility within the four (4)-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released

2.9 3 3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth

2 9 3 4 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth OnePoint Communications will not be billed any additional LMU charges for the Loop ordered on such LSR If, however, OnePoint Communications does not reserve facilities upon an initial LMUSI, OnePoint Communications's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment

2 9 3 5 Where OnePoint Communications has reserved multiple Loop facilities on a single reservation, OnePoint Communications may not specify which facility shall be provisioned when submitting the LSR For those occasions, BellSouth will assign to OnePoint Communications, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by OnePoint Communications

3 **Line Sharing**

3 1 General

- 3 1 1 Line Sharing is defined as the process by which OnePoint Communications provides digital subscriber line service over the same copper loop that BellSouth uses to provide voice service, with BellSouth using the low frequency portion of the loop and OnePoint Communications using the high frequency spectrum (as defined below) of the loop
- 3.1 2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with OnePoint Communications. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- 3 1 3 For the period from October 2, 2003, through October 1, 2004, OnePoint Communications may request new Line Sharing arrangements. For Line Sharing arrangements placed in service between October 2, 2003, and October 1, 2004, the rates will be as set forth in Exhibit A. After October 1, 2004, OnePoint Communications may not request new Line Sharing arrangements under the terms of this Agreement.
- 3 1 4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.
- 3 1 5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with OnePoint Communications, all Line Sharing arrangements pursuant to Section 3 1 3 of this Attachment shall be terminated.
- 3 1 6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow OnePoint Communications the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1 417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. OnePoint Communications shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1 7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1 413 and T1 601.

- 3 1 8 BellSouth will provide Loop Modification to OnePoint Communications on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If OnePoint Communications requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, OnePoint Communications shall pay for the Loop to be restored to its original state.
- 3 1 9 Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and OnePoint Communications desires to continue providing xDSL service on such Loop, OnePoint Communications shall be required to purchase a full stand-alone Loop UNE. To the extent commercially practicable, BellSouth shall give OnePoint Communications notice in a reasonable time prior to disconnect, which notice shall give OnePoint Communications an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and OnePoint Communications purchases the full stand-alone Loop, OnePoint Communications may elect the type of Loop it will purchase. OnePoint Communications will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit A to this Attachment. In the event OnePoint Communications purchases a voice grade Loop, OnePoint Communications acknowledges that such Loop may not remain xDSL compatible.
- 3 1.10 If OnePoint Communications reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge OnePoint Communications for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.
- 3 1.11 Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.
- 3.2 **Provisioning of Line Sharing and Splitter Space**
- 3 2 1 BellSouth will provide OnePoint Communications with access to the High Frequency Spectrum as follows:
- 3 2 1 1 To order High Frequency Spectrum on a particular Loop, OnePoint Communications must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.

3 2 1.2 OnePoint Communications may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of OnePoint Communications's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group

3 2 1 3 Once a splitter is installed on behalf of OnePoint Communications in a central office in which OnePoint Communications is located, OnePoint Communications shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and OnePoint Communications shall pay the electronic or manual ordering charges as applicable when OnePoint Communications orders High Frequency Spectrum for End User service

3 2 1 4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for OnePoint Communications's data

3 3 **BellSouth Provided Splitter – Line Sharing**

3 3 1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide OnePoint Communications access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to OnePoint Communications's xDSL equipment in OnePoint Communications's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide OnePoint Communications with a carrier notification letter, informing OnePoint Communications of change. OnePoint Communications shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. OnePoint Communications shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.

3 3 2 BellSouth will install the splitter in (i) a common area close to OnePoint Communications's collocation area, if possible, or (ii) in a BellSouth relay rack as close to OnePoint Communications's DS0 termination point as possible. OnePoint Communications shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for OnePoint Communications on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified OnePoint Communications DS0 at such time that a OnePoint Communications End User's service is established.

3 4 **CLEC Provided Splitter – Line Sharing**

3 4 1 OnePoint Communications may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. OnePoint Communications may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.

3 4 2 Any splitters installed by OnePoint Communications in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. OnePoint Communications may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3 5 **Ordering – Line Sharing**

3 5 1 OnePoint Communications shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.

3 5 2 BellSouth will provide OnePoint Communications the LSR format to be used when ordering the High Frequency Spectrum.

3 5 3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at <http://www.interconnection.bellsouth.com>

3 5 4 BellSouth will provide OnePoint Communications access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and OnePoint Communications shall pay the rates for such services, as described in Exhibit A.

3 6 **Maintenance and Repair – Line Sharing**

3.6 1 OnePoint Communications shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If OnePoint Communications is using a BellSouth owned splitter, OnePoint Communications may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If OnePoint Communications provides its own splitter, it may test from the collocation space or the Termination Point.

3 6 2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. OnePoint Communications will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.

- 3 6 3 OnePoint Communications shall inform its End Users to direct data problems to OnePoint Communications, unless both voice and data services are impaired, in which event the End Users should call BellSouth.
- 3 6 4 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop
- 3 6 5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to OnePoint Communications, BellSouth will notify OnePoint Communications. OnePoint Communications will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, OnePoint Communications will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue OnePoint Communications's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.
- 3 7 **Line Splitting**
- 3 7 1 Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3 7 2 In the event OnePoint Communications provides its own switching or obtains switching from a third party, OnePoint Communications may engage in line splitting arrangements with another CLEC using a splitter, provided by OnePoint Communications, in a Collocation Arrangement at the central office where the loop terminates into a distribution frame or its equivalent.
- 3 7 3 Where OnePoint Communications is purchasing a UNE-port and a UNE-loop, BellSouth shall offer line splitting pursuant to the following sections in this Attachment:
- 3 7 4 OnePoint Communications shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if OnePoint Communications will not provide voice and data services.
- 3 7 5 End Users currently receiving voice service from a Voice CLEC through a UNE-P may be converted to Line Splitting arrangements by OnePoint Communications or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone

UNE Loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, port, and one collocation cross connection.

- 3 7 6 When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing OnePoint Communications for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of OnePoint Communications or its authorized agent to determine if the Loop is compatible for Line Splitting Service. OnePoint Communications or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and OnePoint Communications or its authorized agent submits an LSR to BellSouth to change the Loop.

3 8 **Provisioning Line Splitting and Splitter Space**

- 3 8 1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When OnePoint Communications or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location, a collocation cross connection connecting the Loop to the collocation space, a second collocation cross connection from the collocation space connected to a voice port, the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be individual stand-alone Network Elements. When BellSouth owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.
- 3.8 2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3 8 3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3 8 4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

3.9 **Ordering – Line Splitting**

- 3.9.1 OnePoint Communications shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation CFA for use with Line Splitting
- 3.9.2 BellSouth shall provide OnePoint Communications the LSR format to be used when ordering Line Splitting service
- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at <http://www.interconnection.bellsouth.com>
- 3.9.4 BellSouth will provide OnePoint Communications access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and OnePoint Communications shall pay the rates for such services as described in Exhibit A
- 3.9.5 BellSouth will provide Loop modification to OnePoint Communications on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at <http://www.interconnection.bellsouth.com/html/unes.html>. Nonrecurring rates for this offering are as set forth in Exhibit A of this Attachment

3.10 Maintenance – Line Splitting

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical loop between the NID at the customer's premises and the termination point. OnePoint Communications will be responsible for maintaining the voice and data services. Each Party will be responsible for maintaining its own equipment.
- 3.10.2 OnePoint Communications shall inform its End Users to direct all problems to OnePoint Communications or its authorized agent.
- 3.10.3 If OnePoint Communications is not the data provider, OnePoint Communications shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

4 Local Switching

- 4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to OnePoint Communications for the provision of a telecommunications service.

4 2 Local Circuit Switching Capability, including Tandem Switching Capability

4 2 1 Local circuit switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local circuit switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signalling service features, and Centrex, as well as any technically feasible customized routing functions.

4 2 2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for OnePoint Communications when OnePoint Communications (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of one of the following MSAs: Atlanta, GA, Miami, FL, Orlando, FL, Ft. Lauderdale, FL, Charlotte-Gastonia-Rock Hill, NC, Greensboro-Winston Salem-High Point, NC, Nashville, TN, and New Orleans, LA, or (2) serves an End User with a DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that OnePoint Communications is serving any End User as described in (2) above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by OnePoint Communications or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.

4 2 3 Rates for unbundled switching at the DS1 level and above or for combinations with unbundled switching at the DS1 level and above provisioned prior to the Effective Date of this Amendment shall be those rates set forth in Exhibit A of this Attachment until April 1, 2004.

4 2 4 Local Switching that is not required to be provided as a UNE will be provided pursuant to a separate agreement or a tariff, at BellSouth's discretion.

4 2 5 Unbundled Local Switching consists of three separate unbundled elements: Unbundled Ports, End Office Switching Functionality, and End Office Interoffice Trunk Ports.

4 2 6 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to OnePoint Communications's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.

4 2 7 Provided that OnePoint Communications purchases unbundled local switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any

calls originated by a OnePoint Communications local End User, or originated by a BellSouth local End User and terminated to a OnePoint Communications local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge OnePoint Communications the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and OnePoint Communications shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.

- 4.2.8 Where OnePoint Communications purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a OnePoint Communications End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs (GSST). For such local calls, BellSouth will charge OnePoint Communications the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and OnePoint Communications shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.2.9 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill OnePoint Communications the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.
- 4.2.10 **Unbundled Port Features**
- 4.2.10.1 Charges for Unbundled Port are as set forth in Exhibit A, and as specified in such exhibit, may or may not include individual features.
- 4.2.10.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.10.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.10.4 BellSouth will provide to OnePoint Communications selective routing of calls to a requested Operator System platform pursuant to this Attachment. Any other routing requests by OnePoint Communications will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.
- 4.2.11 **Remote Call Forwarding**

- 4 2 11 1 As an option, BellSouth shall make available to OnePoint Communications an unbundled port with Remote Call Forwarding capability (URCF service) URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber When ordering URCF service, OnePoint Communications will ensure that the following conditions are satisfied
- 4 2 11 1 1 That the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User),
- 4 2 11.1 2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service,
- 4 2 11 1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service, and
- 4 2.11 1 4 That the forward-to number (service) is not a public safety number (e g 911, fire or police number).
- 4 2 11 2 In addition to the charge for the URCF service port, BellSouth shall charge OnePoint Communications the rates set forth in Exhibit A for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service)
- 4 2.12 **Provision for Local Switching**
- 4 2 12 1 BellSouth shall perform routine testing (e g , Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule
- 4 2 12 2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities All traffic shall be restricted in a non-discriminatory manner
- 4 2 12 3 BellSouth shall perform manual call trace and permit customer originated call trace BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS) These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references
- 4 2 12 4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors BellSouth shall offer to OnePoint

Communications all Advanced Intelligent Network (AIN) triggers in connection with its SMS/SCE offering

4.2.12.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by OnePoint Communications.

4.2.13 **Local Switching Interfaces**

4.2.13.1 OnePoint Communications shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit A. BellSouth shall provide the following local switching interfaces:

4.2.13.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp),

4.2.13.1.2 Coin phone signaling,

4.2.13.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements,

4.2.13.1.4 Two-wire analog interface to PBX,

4.2.13.1.5 Four-wire analog interface to PBX,

4.2.13.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g., computers and voice response systems),

4.2.13.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q 931, Q 932 and appropriate Telcordia Technical Requirements,

4.2.13.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24), and

4.2.13.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers

4.2.14 All End Users of OnePoint Communications who have service provisioned via 4-Wire ISDN DS1 Port with E911 Locator Capability shall physically be located in the E911 Tandem Switch service area

4.2.15 OnePoint Communications shall pass its End User's telephone number to BellSouth over the Primary Interface (PRI) trunk group via ANI or via direct Centralized Automated Message Accounting (CAMA) trunks to the appropriate E911 tandem switch

4.2.16 OnePoint Communications shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User

listed address as the actual physical End User location in the E911 Automatic Location Identification (ALI) Database

- 4 2.17 OnePoint Communications will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for the CLEC's End Users

4 3 **Tandem Switching**

- 4 3 1 The Tandem Switching capability Network Element is defined as (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card, (ii) the basic switch trunk function of connecting trunks to trunks, and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features

- 4 3 1 1 Where OnePoint Communications utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Call Flows set forth on BellSouth's website, as amended from time to time and incorporated herein by this reference, illustrate when the full or melded Tandem Switching rates apply for specific scenarios

4 3 2 **Technical Requirements**

- 4 3 2 1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following
- 4 3 2 1 1 Tandem Switching shall provide signaling to establish a tandem connection,
- 4 3 2 1 2 Tandem Switching will provide screening as jointly agreed to by OnePoint Communications and BellSouth;

- 4 3 2 1 3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability,
- 4 3 2.1 4 Where applicable, Tandem Switching shall provide access to Toll Free number database,
- 4 3 2 1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and
- 4 3 2 1 6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers
- 4.3 2 2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching Such testing shall be testing routinely performed by BellSouth The results and reports of the testing shall be made available to OnePoint Communications
- 4 3 2 3 BellSouth shall control congestion points and network abnormalities All traffic will be restricted in a non-discriminatory manner
- 4 3 2 4 Tandem Switching shall process originating toll free traffic received from OnePoint Communications's local switch
- 4 3 2 5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability
- 4 3 3 Upon OnePoint Communications's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for OnePoint Communications's traffic overflowing from direct end office high usage trunk groups
- 4 4 **AIN Selective Carrier Routing for Operator Services, Directory Assistance and Repair Centers**
- 4.4 1 Where BellSouth provides local switching to OnePoint Communications, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of OnePoint Communications AIN SCR will provide OnePoint Communications with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations
- 4 4 2 OnePoint Communications shall order AIN SCR through its Account Team and/or Local Contract Manager AIN SCR must first be established regionally and then on a per central office per state basis

- 4 4.3 AIN SCR is not available in DMS 10 switches
- 4 4.4 Where AIN SCR is utilized by OnePoint Communications, the routing of OnePoint Communications's End User calls shall be pursuant to information provided by OnePoint Communications and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN SCR is established.
- 4 4.5 Upon ordering AIN SCR Regional Service, OnePoint Communications shall remit to BellSouth the Regional Service Order nonrecurring charges set forth in Exhibit A of this Attachment. There shall be a nonrecurring End Office Establishment Charge per office due at the addition of each central office where AIN SCR will be utilized. Said nonrecurring charge shall be as set forth in Exhibit A of this Attachment. For each OnePoint Communications End User activated, there shall be a nonrecurring End User Establishment charge as set forth in Exhibit A of this Attachment. OnePoint Communications shall pay the AIN SCR Per Query Charge set forth in Exhibit A of this Attachment.
- 4 4.6 This Regional Service Order nonrecurring charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN SCR SCR Order Request - Form B, AIN SCR Central Office Identification Form - Form C, AIN SCR Routing Options Selection Form - Form D, and Routing Combinations Table - Form E. BellSouth has thirty (30) calendar days to respond to OnePoint Communications's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to OnePoint Communications, BellSouth considers that the delivery schedule of this service commences. The remaining half of the Regional Service Order payment must be paid when at least ninety (90) percent of the Central Offices listed on the original order have been turned up for the service.
- 4 4.7 The nonrecurring End Office Establishment Charge will be billed to OnePoint Communications following BellSouth's normal monthly billing cycle for this type of order.
- 4 4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End-User Establishment Charges will be billed to OnePoint Communications following BellSouth's normal monthly billing cycle for this type of order.
- 4 4.9 Additionally, the AIN SCR Per Query Charge will be billed to OnePoint Communications following the normal billing cycle for per query charges.
- 4 4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

4.5 Selective Call Routing Using Line Class Codes (SCR-LCC)

- 4.5.1 Where OnePoint Communications purchases unbundled local switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route OnePoint Communications's End User calls to that provider through Selective Call Routing
- 4.5.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for OnePoint Communications to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches
- 4.5.3 Custom Branding for Directory Assistance (DA) is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services
- 4.5.4 Where available, OnePoint Communications specific and unique LCCs are programmed in each BellSouth end office switch where OnePoint Communications intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify OnePoint Communications's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and OnePoint Communications intends to provide OnePoint Communications -branded OCP/DA to its End Users in these multiple rate areas
- 4.5.5 SCR-LCC supporting Custom Branding and Self Branding require OnePoint Communications to order dedicated trunking from each BellSouth end office identified by OnePoint Communications, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the OnePoint Communications Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth tariffs
- 4.5.6 Unbranding - Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by OnePoint Communications to the BellSouth TOPS
- 4.5.7 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each LCC in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary

to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

5 Unbundled Network Element Combinations

5.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by OnePoint Communications are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by OnePoint Communications are not already combined by BellSouth in the location requested by OnePoint Communications but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by OnePoint Communications are not elements that BellSouth combines for its use in its network.

5.1.1 Upon request, BellSouth shall perform the functions necessary to combine unbundled Network Elements in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such combination is technically feasible and will not undermine the ability of other carriers to obtain access to unbundled Network Elements or to interconnect with BellSouth's network.

5.2 Enhanced Extended Links (EELs)

5.2.1 EELs are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide OnePoint Communications with EELs where the underlying UNEs are available and in all instances where the requesting carrier meets the eligibility requirements, if applicable.

5.2.2 High-capacity EELs are combinations of loop and transport UNEs or commingled loop and transport facilities at the DS1 and/or DS3 level as described in 47 CFR 51.318(b). High-capacity EELs must comply with the service eligibility requirements set forth in 5.2.4 below.

5.2.3 By placing an order for a high-capacity EEL, OnePoint Communications thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit OnePoint Communications's high-capacity EELs as specified below.

- 5.2.4 If a high-capacity EEL or Ordinarily Combined Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, OnePoint Communications may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by OnePoint Communications, BellSouth shall perform the routine network modifications.
- 5.2.5 Service Eligibility Criteria
- 5.2.5.1 OnePoint Communications must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 5.2.5.1.1 OnePoint Communications has received state certification to provide local voice service in the area being served,
- 5.2.5.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 5.2.5.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit,
- 5.2.5.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it,
- 5.2.5.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit,
- 5.2.5.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 CFR 51.318(c),
- 5.2.5.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which OnePoint Communications will transmit the calling party's number in connection with calls exchanged over the trunk,
- 5.2.5.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, OnePoint Communications will have at least one (1) active DS1 local service interconnection trunk over which OnePoint Communications will transmit the calling party's number in connection with calls exchanged over the trunk,
- 5.2.5.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 5.2.6 BellSouth may, on an annual basis, audit OnePoint Communications's records in order to verify compliance with the qualifying service eligibility criteria. The audit

shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that OnePoint Communications failed to comply with the service eligibility criteria, OnePoint Communications must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that , OnePoint Communications did not comply in any material respect with the service eligibility criteria, OnePoint Communications shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that OnePoint Communications did comply in all material respects with the service eligibility criteria, BellSouth will reimburse OnePoint Communications for its reasonable and demonstrable costs associated with the audit. OnePoint Communications will maintain appropriate documentation to support its certifications.

- 5.2.7 In the event OnePoint Communications converts special access services to UNEs, OnePoint Communications shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5.3 UNE Port/Loop Combinations

- 5.3.1 Combinations of port and loop unbundled Network Elements along with switching and transport unbundled Network Elements provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.3.2 BellSouth is not required to provide combinations of port and loop Network Elements on an unbundled basis in locations where, pursuant to FCC and Commission rules, BellSouth is not required to provide local circuit switching as an unbundled Network Element.
- 5.3.3 BellSouth shall not be required to provide local circuit switching as a UNE in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA, Miami, FL, Orlando, FL, Ft. Lauderdale, FL, Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC, Nashville, TN, and New Orleans, LA, MSAs to OnePoint Communications if OnePoint Communications's customer has four (4) or more DS0 equivalent lines.
- 5.3.4 BellSouth shall not be required to provide local circuit switching as a UNE or combination of UNEs if the End User is being served by a BellSouth DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that OnePoint Communications is serving any End User as described above as of

October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by OnePoint Communications or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.

- 5.3.5 BellSouth shall make 911 updates in the BellSouth 911 database for OnePoint Communications's UNE port/Loop combinations. BellSouth will not bill OnePoint Communications for 911 surcharges. OnePoint Communications is responsible for paying all 911 surcharges to the applicable governmental agency.

5.4 Rates

- 5.4.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable non-recurring switch-as-is charge set forth in Exhibit A.
- 5.4.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the non-recurring and recurring charges for those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of Network Elements shall be the sum of the recurring and non-recurring rates for those individual Network Elements as set forth in Exhibit A.
- 5.4.3 Except as set forth in this Section 5, BellSouth shall provide UNE port/loop combinations specifically set forth in Exhibit A that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit A.
- 5.4.4 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to OnePoint Communications in addition to those specifically referenced in this Section 5 above, where available. To the extent OnePoint Communications requests a combination for which BellSouth does not have rates and methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

6 Transport, Channelization and Dark Fiber

6.1 Transport

- 6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules 51.311, 51.319, and Section 251(c)(3) of the Act to interoffice transmission.

facilities described in this Section 6 on an unbundled basis to OnePoint Communications for the provision of a qualifying service, as set forth herein

- 6 1 1 1 Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that OnePoint Communications uses for transmission between wire centers or switches owned by BellSouth and within the same LATA
- 6 1 1 2 Dark Fiber Transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics, between wire centers or switches owned by BellSouth and within the same LATA,
- 6.1 1 3 Common (Shared) Transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport
- 6 1 1 3 1 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing unbundled Local Circuit Switching to OnePoint Communications
- 6 1 2 BellSouth shall
- 6 1 2 1 Provide OnePoint Communications exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier,
- 6 1 2 2 Provide all technically feasible features, functions, and capabilities of the transport facility,
- 6 1 2 3 Permit, to the extent technically feasible, OnePoint Communications to connect such interoffice facilities to equipment designated by OnePoint Communications, including but not limited to, OnePoint Communications's collocated facilities, and
- 6 1 2 4 Permit, to the extent technically feasible, OnePoint Communications to obtain the functionality provided by BellSouth's digital cross-connect systems
- 6 1 3 Technical Requirements of Common (Shared) Transport
- 6 1 3 1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements

specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards

6 1 3 2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport

6 1 3 3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards

6 2 **Dedicated Transport**

6 2 1 BellSouth shall offer Dedicated Transport in each of the following ways

6.2 1 1 As capacity on a shared UNE facility

6 2.1 2 As a circuit (e g , DS0, DS1, DS3) dedicated to OnePoint Communications

6 2 2 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators

6 2 3 OnePoint Communications may obtain a maximum of twelve (12) unbundled dedicated DS3 circuits, or their equivalent, for any single route at the UNE rates set forth in Exhibit A for which dedicated DS3 transport is available as unbundled transport. Additional capacity may be purchased pursuant to the rates, terms and conditions as set forth in the applicable tariff. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.

6 2 4 Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date

6 2 5 If Dedicated Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, OnePoint Communications may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by OnePoint Communications, BellSouth shall perform the routine network modifications

6.2.6 Technical Requirements

- 6.2.6.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to OnePoint Communications designated traffic
- 6.2.6.2 For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards
- 6.2.6.3 BellSouth shall offer the following interface transmission rates for Dedicated Transport
- 6.2.6.3.1 DS0 Equivalent,
- 6.2.6.3.2 DS1,
- 6.2.6.3.3 DS3, and
- 6.2.6.3.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G 707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G 704
- 6.2.6.4 BellSouth shall design Dedicated Transport according to its network infrastructure. OnePoint Communications shall specify the termination points for Dedicated Transport
- 6.2.6.5 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references

6.2.6 BellSouth Technical References

- 6.2.6.6.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986
- 6.2.6.6.2 TR 73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995
- 6.2.6.6.3 TR 73525 MegaLink® Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996

6.3 Unbundled Channelization (Multiplexing)

- 6.3.1 Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1 544 Mbps) or DS3 (44 736 Mbps) or STS-1 (51 84 Mbps) UNE or collocation cross connect to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross connect system at the discretion of BellSouth. Once

UC has been installed, OnePoint Communications may request channel activation on an as needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.

6.3.2 BellSouth shall make available the following channelization systems and interfaces:

6.3.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following Central Office Channel Interfaces (COCI) are available: Voice Grade, Digital Data and ISDN.

6.3.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.

6.3.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.

6.3.2.4 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.

6.3.3 Technical Requirements

6.3.3.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, OnePoint Communications's channelization equipment must adhere strictly to form and protocol standards. OnePoint Communications must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.

6.3.3.2 TR 73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995.

6.4 Dark Fiber Transport

6.4.1 Dark Fiber Transport is strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for OnePoint Communications to utilize Dark Fiber Transport.

6.4.2 If Dark Fiber Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, OnePoint Communications may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request.

and upon receipt of payment by OnePoint Communications, BellSouth shall perform the routine network modifications

6 4 3 Requirements

6 4 3.1 BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.

6.4 3 2 OnePoint Communications is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.

6 4 3 3 BellSouth shall use its best efforts to provide to OnePoint Communications information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from OnePoint Communications. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.

6.4 3 4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to OnePoint Communications within twenty (20) business days after OnePoint Communications submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., LGX) to enable OnePoint Communications to connect OnePoint Communications provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

7 Databases

7.1 Call Related Databases are the databases set forth in this Attachment, other than OSS, that are used in signaling networks for billing and collection, or the transmission, routing or other provision of a telecommunications service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing, Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point Databases, Local Number Portability Databases, SS7 Network Interconnection, and Calling Name (CNAM) Database Service at the prices set forth herein where BellSouth is required to provide and is providing unbundled access to local circuit switching to OnePoint Communications.

7 2 To the extent unbundled local circuit switching is converted to market based switching pursuant to Section 4 2 2 of this Attachment, BellSouth may, at its discretion, provide access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, LIDB, Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point Databases, Local Number Portability Databases, SS7 Network Interconnection, Calling Name (CNAM) at market based rates pursuant to a separate agreement or tariff

8 **BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service**

8 1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At OnePoint Communications's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by OnePoint Communications.

8 2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

9 **Line Information Database**

9 1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, OnePoint Communications must purchase appropriate signaling links pursuant to Section 10 of this Attachment. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

9 2 **Technical Requirements**

9 2 1 BellSouth will offer to OnePoint Communications any additional capabilities that are developed for LIDB during the life of this Agreement.

- 9.2.2 BellSouth shall process OnePoint Communications's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to OnePoint Communications what additional functions (if any) are performed by LIDB in the BellSouth network.
- 9.2.3 Within two (2) weeks after a request by OnePoint Communications, BellSouth shall provide OnePoint Communications with a list of the customer data items, which OnePoint Communications would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 9.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.
- 9.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.
- 9.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.
- 9.2.7 All additions, updates and deletions of OnePoint Communications data to the LIDB shall be solely at the direction of OnePoint Communications. Such direction from OnePoint Communications will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 9.2.8 BellSouth shall provide priority updates to LIDB for OnePoint Communications data upon OnePoint Communications's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 9.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of OnePoint Communications customer records will be missing from LIDB, as measured by OnePoint Communications audits. BellSouth will audit OnePoint Communications records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated OnePoint Communications contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to OnePoint Communications within one (1) business day of audit. Once reconciled records are received back from OnePoint Communications, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact OnePoint Communications to negotiate a time frame for the updates, not to exceed three business days.

- 9 2 10 BellSouth shall perform backup and recovery of all of OnePoint Communications's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis, and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 9 2 11 BellSouth shall provide OnePoint Communications with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between OnePoint Communications and BellSouth.
- 9 2.12 BellSouth shall prevent any access to or use of OnePoint Communications data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by OnePoint Communications in writing.
- 9.2 13 BellSouth shall provide OnePoint Communications performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by OnePoint Communications at least at parity with BellSouth Customer Data. BellSouth shall obtain from OnePoint Communications the screening information associated with LIDB Data Screening of OnePoint Communications data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to OnePoint Communications under the BFR/NBR process as set forth in Attachment 11.
- 9 2 14 BellSouth shall accept queries to LIDB associated with OnePoint Communications customer records and shall return responses in accordance with industry standards.
- 9 2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 9.2 16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 9 3 Interface Requirements
- 9 3 1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 9 3 2 The interface to LIDB shall be in accordance with the technical references contained within.

- 9.3.3 The CCS interface to LIDB shall be the standard interface described herein
- 9.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB
- 9.3.5 The application of the LIDB rates contained in Exhibit A to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor OnePoint Communications shall provide BellSouth a PCLU The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates OnePoint Communications shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time

10 Signaling

- 10.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases Available signaling elements include signaling links, signal transfer points and service control points Signaling functionality will be available with both A-link and B-link connectivity

10.2 Signaling Link Transport

- 10.2.1 Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between OnePoint Communications designated Signaling Points of Interconnection that provide appropriate physical diversity

10.2.2 Technical Requirements

- 10.2.3 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways.
- 10.2.3.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair, and
- 10.2.3.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs)

- 10.2.4 Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:
- 10.2.4.1 An A-link layer shall consist of two (2) links.
- 10.2.4.2 A B-link layer shall consist of four (4) links
- 10.2.4.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that
- 10.2.4.4 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end), and
- 10.2.4.5 No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end)
- 10.2.5 Interface Requirements
- 10.2.5.1 There shall be a DS1 (1.544 Mbps) interface at OnePoint Communications's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface
- 10.3 Signaling Transfer Points
- 10.3.1 A STP is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPS) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches
- 10.3.2 Technical Requirements
- 10.3.2.1 STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. STPs also provide access to third-party local or tandem switching and third-party-provided STPs
- 10.3.2.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message

- 10 3 2 3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a OnePoint Communications local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between OnePoint Communications local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs
- 10 3 2 4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1 112.4. Where the destination signaling point is a OnePoint Communications or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a OnePoint Communications database, then OnePoint Communications agrees to provide BellSouth with the Destination Point Code for OnePoint Communications database.
- 10 3 2 5 STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 10.3 2 6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a OnePoint Communications or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.
- 10 4 SS7
- 10 4 1 When technically feasible and upon request by OnePoint Communications, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0 1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with OnePoint Communications's SS7 network to exchange TCAP queries and responses with a OnePoint Communications SCP.

- 10 4 2 SS7 AIN Access shall provide OnePoint Communications SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and OnePoint Communications SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the OnePoint Communications SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.
- 10 4 3 Interface Requirements
- 10 4 3 1 BellSouth shall provide the following STP options to connect OnePoint Communications or OnePoint Communications-designated local switching systems to the BellSouth SS7 network:
- 10 4 3 1 1 An A-link interface from OnePoint Communications local switching systems, and,
- 10 4 3 1 2 A B-link interface from OnePoint Communications local STPs.
- 10 4 3 2 Each type of interface shall be provided by one or more layers of signaling links.
- 10 4 3 3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 10 4 3 4 BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 10 4 3 5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 10 4 4 Message Screening
- 10 4 4 1 BellSouth shall set message screening parameters so as to accept valid messages from OnePoint Communications local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the OnePoint Communications switching system has a valid signaling relationship.
- 10 4 4 2 BellSouth shall set message screening parameters so as to pass valid messages from OnePoint Communications local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the OnePoint Communications switching system has a valid signaling relationship.
- 10 4 4 3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from OnePoint Communications from any signaling

point or network interconnected through BellSouth's SS7 network where the OnePoint Communications SCP has a valid signaling relationship

10 5 **Service Control Points (SCP)/Databases**

10 5 1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.

10 5 2 A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

10.5 3 **Technical Requirements for SCPs/Databases**

10 5 3 1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.

10 5 3 2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g., SS7, ISDN and X.25).

10.5 3 3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

10 6 **Local Number Portability Database**

10 6 1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

10 7 **SS7 Network Interconnection**

10 7 1 SS7 Network Interconnection is the interconnection of OnePoint Communications local signaling transfer point switches or OnePoint Communications local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, OnePoint Communications

- local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 10 7 2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and OnePoint Communications or other third-party switching systems with A-link access to the BellSouth SS7 network
- 10.7 3 If traffic is routed based on dialed or translated digits between a OnePoint Communications local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the OnePoint Communications local signaling transfer point switches and BellSouth or other third-party local switch
- 10 7 4 SS7 Network Interconnection shall provide
- 10 7 4 1 Signaling Data Link functions, as specified in ANSI T1 111 2,
- 10.7 4 2 Signaling Link functions, as specified in ANSI T1 111 3, and
- 10 7 4 3 Signaling Network Management functions, as specified in ANSI T1 111 4
- 10 7 5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1 112 This includes GTT and SCCP Management procedures as specified in ANSI T1.112 4 Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination Where the destination signaling point is a OnePoint Communications local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of OnePoint Communications local STPs and shall not include SCCP Subsystem Management of the destination
- 10 7 6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113
- 10 7 7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1 114
- 10 7 8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP

10 7.9 Interface Requirements

10 7.9 1 The following SS7 Network Interconnection interface options are available to connect OnePoint Communications or OnePoint Communications-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network

10 7 9 1 1 A-link interface from OnePoint Communications local or tandem switching systems, and

10 7 9 1 2 B-link interface from OnePoint Communications STPs

10 7 9 2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface

10 7 9 3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP

10 7.9 4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references

10 7 9 5 BellSouth shall set message screening parameters to accept messages from OnePoint Communications local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the OnePoint Communications switching system has a valid signaling relationship

11 **Automatic Location Identification/Data Management System (ALI/DMS)**

11 1 The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. OnePoint Communications will be required to provide BellSouth daily updates to E911 database. OnePoint Communications shall also be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users

11 2 Technical Requirements

11.2.1 BellSouth shall provide OnePoint Communications the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to OnePoint Communications after OnePoint Communications provides End User information for input into the ALI/DMS database.

11.2.2 OnePoint Communications shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.

12 Calling Name Database Service

12.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides OnePoint Communications the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.

12.2 OnePoint Communications shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60) calendar days prior to OnePoint Communications's access to BellSouth's CNAM Database Services and shall be addressed to OnePoint Communications's Local Contract Manager.

12.3 BellSouth's provision of CNAM Database Services to OnePoint Communications requires interconnection from OnePoint Communications to BellSouth CNAM SCPs. Such interconnections shall be established pursuant to Attachment 3 of this Agreement.

12.4 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, OnePoint Communications shall provide its own CNAM SSP. OnePoint Communications's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".

12.5 If OnePoint Communications elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that OnePoint Communications desires to query.

12.6 If OnePoint Communications queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel

Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.

12 7 The mechanism to be used by OnePoint Communications for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by OnePoint Communications in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of OnePoint Communications to provide accurate information to BellSouth on a current basis.

12 8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.

12 9 OnePoint Communications CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

**13 Service Creation Environment and Service Management System (SCE/SMS)
Advanced Intelligent Network Access**

13 1 BellSouth's SCE/SMS AIN Access shall provide OnePoint Communications the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.

13 2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to OnePoint Communications. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.

13 3 BellSouth SCP shall partition and protect OnePoint Communications service logic and data from unauthorized access.

13 4 When OnePoint Communications selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable OnePoint Communications to use BellSouth's SCE/SMS AIN Access to create and administer applications.

13 5 OnePoint Communications access will be provided via remote data connection
(e g., dial-in, ISDN)

13 6 BellSouth shall allow OnePoint Communications to download data forms and/or
tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth

14 **Operational Support Systems**

14 1 BellSouth has developed and made available electronic interfaces by which
OnePoint Communications may submit LSRs electronically.

14 2 LSRs submitted by means of one of these electronic interfaces will incur an OSS
electronic ordering charge. An individual LSR will be identified for billing
purposes by its Purchase Order Number (PON). LSRs submitted by means other
than one of these interactive interfaces (mail, fax, courier, etc) will incur a manual
order charge. All OSS charges are specified in Exhibit A of this Attachment.

14 3 **Denial/Restoral OSS Charge**

14.3 1 In the event OnePoint Communications provides a list of customers to be denied
and restored, rather than an LSR, each location on the list will require a separate
PON and therefore will be billed as one LSR per location.

14 4 **Cancellation OSS Charge**

14 4 1 OnePoint Communications will incur an OSS charge for an accepted LSR that is
later canceled.

14 5 Supplements or clarifications to a previously billed LSR will not incur another OSS
charge.

14 6 **Network Elements and Other Services Manual Additive**

14 6 1 The Commissions in some states have ordered per element manual additive
nonrecurring charges (NRC) for Network Elements and Other Services ordered by
means other than one of the interactive interfaces. These ordered Network
Elements and Other Services manual additive NRCs will apply in these states,
rather than the charge per LSR. The per element charges are listed in Exhibit A.

UNBUNDLED NETWORK ELEMENTS - Alabama													
CATEGORY	RATE ELEMENTS	Inten m	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2	Exhibit A		
					Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/bcoms3/clec/html/interconnection.htm													
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"													
NOTE (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states													
NOTE (2) Any element that can be ordered electronically will be billed according to the SOMECS rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMECS rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLEC's bill when it submits an LSR to BellSouth													
	OSS - Electronic Service Order Charge Per Local Service Request (LSR) - UNE Only			SOMECS		3.50	0.00	3.50	0.00				
	OSS - Manual Service Order Charge Per Local Service Request (LSR) - UNE Only			SOMAN		15.66	0.00	1.97	0.00				
UNE SERVICE DATE ADVANCEMENT CHARGE													
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No. 1 Tariff, Section 5 as applicable													
			UAL UEANL UCL UEF UDF UEQ UDL UENTW UDN UEA UHL ULC, USL UT112 UT148 U1TD1 UT1D3 U1TDX UT1O3 U1TS1 UT1VX UC1BC UC1BL UC1CC UC1CL UC1DC UC1DL UC1EC UC1EL UC1FC, UC1FL, UC1GC UC1GL UC1HC UC1HL UDL12 UDL48 UDLO3 UDLX, UE3 ULD12 ULD48 ULD01 ULD03 ULDDX, ULD03 ULDS1 ULDVX; UNC1X UNC3X, UNCDX UNCNX UNCSX UNCVX UNLD1 UNLD3 UXTD1 UXTD3 UXTS1 U1TUC U1TUD U1TUB U1TUA										
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day													
SDASP													
200.00													
UNBUNDLED EXCHANGE ACCESS LOOP													
2-WIRE ANALOG VOICE GRADE LOOP													
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	2	UEANL	UEAL2	21.05	37.81	17.56	23.49	5.30				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	3	UEANL	UEAL2	34.34	37.81	17.56	23.49	5.30				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	UEANL	UEASL	12.58	37.81	17.56	23.49	5.30				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	2	UEANL	UEASL	21.05	37.81	17.56	23.49	5.30				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	3	UEANL	UEASL	34.34	37.81	17.56	23.49	5.30				
Unbundled Miscellaneous Rate Element Tag Loop at End User Premise													
	Loop Testing - Basic 1st Half Hour		UEANL	URET1		8.33	0.83						
	Loop Testing - Basic Additional Half Hour		UEANL	URETA		34.16	34.16						
			UEANL	URETA		19.85	19.85						

UNBUNDLED NETWORK ELEMENTS - Alabama												
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Nonrecurring First	Add'l	SOME	SOMAN	OSS Rates (\$) SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch (U/L-SL1)			UEANL	UREWO		15.78	8.94				
	Unbundled Voice Loop - Non-Design Voice Loop - billing for BST providing make-up (Engineering Information - E1)			UEANL	UEANM		13.44					
	Manual Order Coordination for U/L-SL1s (per loop)			UEANL	UEAMC		8.15	8.15				
	Order Coordination for Specified Conversion Time for U/L-SL1 (per LSR)			UEANL	OCOSL		18.09					
2-WIRE UNBUNDLED COPPER LOOP												
	2-Wire Unbundled Copper Loop - Non-Design Zone 1	1	1	UEQ	UEQ2X	11.20	34.14	15.10				4.15
	2 Wire Unbundled Copper Loop - Non-Design Zone 2	1	2	UEQ	UEQ2X	13.27	34.14	15.10				4.15
	2 Wire Unbundled Copper Loop - Non-Design Zone 3	1	3	UEQ	UEQ2X	15.07	34.14	15.10				4.15
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise			UEQ	URETL		8.33	0.83				
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Design (per loop)			UEQ	USBMC		8.15					
	Unbundled Copper Loop - Non-Design Copper Loop - billing for BST providing make-up (Engineering Information - E1)			UEQ	UEQMU		13.44					
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.16	34.16				
	Loop Testing - Basic Additional Half Hour			UEQ	URET1		19.85	19.85				
	CLEC to CLEC Conversion Charge Without Outside Dispatch (U/L-ND)			UEQ	UREWO		14.27	7.43				
UNBUNDLED EXCHANGE ACCESS LOOP												
2-WIRE ANALOG VOICE GRADE LOOP												
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	12.58	37.81	17.56				5.30
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	12.58	37.81	17.56				5.30
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56				5.30
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	21.05	37.81	17.56				5.30
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17.56				5.30
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	34.34	37.81	17.56				5.30
UNBUNDLED EXCHANGE ACCESS LOOP												
2-WIRE ANALOG VOICE GRADE LOOP												
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.38	88.00	55.00				7.44
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	22.85	88.00	55.00				7.44
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.14	88.00	55.00				7.44
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09					
	Battery Signaling - Zone 1		1	UEA	UEAR2	14.38	88.00	55.00				7.44
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	22.85	88.00	55.00				7.44
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	36.14	88.00	55.00				7.44
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09					
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36				
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10				
4-WIRE ANALOG VOICE GRADE LOOP												
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	25.34	131.97	94.51				14.50
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	38.58	131.97	94.51				14.50
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.02	131.97	94.51				14.50
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09					
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36				

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Inten m	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic- Add'l		Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First			SOME	SOMAN	
2-WIRE	ISDN Digital Grade Loop - Zone 1	1	UDN	UHL2X	21 88	117 24	79 77	52 88	10 54				
	2-Wire ISDN Digital Grade Loop - Zone 2	2	UDN	UHL2X	32 85	117 24	79 77	52 88	10 54				
	2-Wire ISDN Digital Grade Loop - Zone 3	3	UDN	UHL2X	48 55	117 24	79 77	52 88	10 54				
	Order Coordination For Specified Conversion Time (per LSR)		UDN	OCOSL		18 09							
	CLEC to CLEC Conversion Charge without outside dispatch		UDN	UREWO		91 63	44 16						
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP												
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2X	11 01	110 00	68 00	47 24	7 44				
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2X	12 73	110 00	68 00	47 24	7 44				
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2X	14 30	110 00	68 00	47 24	7 44				
	Order Coordination for Specified Conversion Time (per LSR)		UAL	OCOSL		18 09							
2-WIRE	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2W	11 01	90 00	57 00	47 24	7 44				
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2W	12 73	90 00	57 00	47 24	7 44				
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2W	14 30	90 00	57 00	47 24	7 44				
	Order Coordination for Specified Conversion Time (per LSR)		UAL	OCOSL		18 09							
	CLEC to CLEC Conversion Charge without outside dispatch		UAL	UREWO		86 20	40 40						
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP												
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	UHL	UHL2X	8 74	110 00	68 00	47 24	7 44				
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	2	UHL	UHL2X	10 17	110 00	68 00	47 24	7 44				
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	3	UHL	UHL2X	11 44	110 00	68 00	47 24	7 44				
	Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL		18 09							
4-WIRE	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL2W	8 74	90 00	57 00	47 24	7 44				
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL2W	10 17	90 00	57 00	47 24	7 44				
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL2W	11 44	90 00	57 00	47 24	7 44				
	Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL		18 09							
	CLEC to CLEC Conversion Charge without outside dispatch		UHL	UREWO		86 14	40 40						
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP												
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4X	13 95	148 36	68 00	51 70	9 73				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4X	15 56	148 36	68 00	51 70	9 73				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4X	15 25	148 36	68 00	51 70	9 73				
	Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL		18 09							
4-WIRE	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4W	13 95	94 00	57 00	51 70	9 73				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4W	15 56	94 00	57 00	51 70	9 73				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4W	15 25	94 00	57 00	51 70	9 73				
	Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL		18 09							
	CLEC to CLEC Conversion Charge without outside dispatch		UHL	UREWO		86 14	40 40						
	4-WIRE DS1 DIGITAL LOOP												
	4-Wire DS1 Digital Loop - Zone 1	1	USL	USLXX	82 55	252 47	157 54	44 70	11 71				
	4-Wire DS1 Digital Loop - Zone 2	2	USL	USLXX	154 18	252 47	157 54	44 70	11 71				
	4-Wire DS1 Digital Loop - Zone 3	3	USL	USLXX	314 52	252 47	157 54	44 70	11 71				
	Order Coordination for Specified Conversion Time (per LSR)		USL	OCOSL		18 09							

AMENDMENT EXHIBIT 2

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Inter/ m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Nonrecurring		First	Add I			Disconnect	Incremental Charge - Manual Svc Order vs Electronic-1st Add I	Incremental Charge - Manual Svc Order vs Electronic-1st Add I	
						Rec	First								SOME
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.05							
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP														
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	26.09	126.27	88.80	59.14	14.50					
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	35.95	126.27	88.80	59.14	14.50					
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	37.88	126.27	88.80	59.14	14.50					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	26.09	126.27	88.80	59.14	14.50					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	35.95	126.27	88.80	59.14	14.50					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50					
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	26.09	126.27	88.80	59.14	14.50					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	35.95	126.27	88.80	59.14	14.50					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	37.88	126.27	88.80	59.14	14.50					
2-WIRE	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09								
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75							
	Unbundled COPPER LOOP														
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44					
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44					
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15								
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44					
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44					
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.30	91.46	54.30	47.24	7.44					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15								
CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		97.23	42.48								
4-WIRE	COPPER LOOP														
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73					
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73					
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15								
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73					
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	20.76	114.21	67.05	51.70	9.73					
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15								
	CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		97.23	42.48							
	LOOP MODIFICATION														
				UCL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR	ULM2L		0.00	0.00							
Unbundled Loop Modification Removal of Load Coils - 2 Wire per less than or equal to 18K ft. per Unbundled Loop				UHL, UCL, UEA, UEQ, ULS, UEA, UEANL, UEPSR	ULM4L		0.00	0.00							
Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft. per Unbundled Loop				UHL, UCL, UEA, UEQ, ULS, UEA, UEANL, UEPSR	ULM6L		32.41	32.41							
SUB-LOOPS	Unbundled Loop Modification Removal of Bridged Tap Removal per unbundled loop			UHL, UCL, UEA, UEQ, ULS, UEA, UEANL, UEPSR	ULMBT		32.41	32.41							

AMENDMENT EXHIBIT 2

UNBUNDLED NETWORK ELEMENTS - Alabama																		
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A			
						Rec	Nonrecurring		Nonrecurring Disconnect Add'l	SOME			SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Add'l	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
							First	Add'l										
	Sub-Loop Distribution																	
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up																	
				UEANL	USBSA			244.42										
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up																	
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSB			22.64										
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSC			177.45										
				UEANL	USBSD			55.15										
	Sub Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70								
	Sub Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70								
				UEANL	USBMC		8.15	8.15										
	Order Coordination for Unbundled Sub-Loops per sub-loop pair																	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07								
	Sub-Loop Distribution Per 4 Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07								
				UEANL	USBMC		8.15	8.15										
	Order Coordination for Unbundled Sub-Loops per sub-loop pair			UEANL	USBR2	2.27	53.01	18.17	45.25	6.70								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)																	
	Order Coordination for Unbundled Sub-Loops per sub-loop pair			UEANL	USBMC		8.15	8.15										
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	5.16	59.25	24.41	49.71	9.07								
				UEANL	USBMC		8.15	8.15										
	Order Coordination for Unbundled Sub-Loops per sub-loop pair			UEANL	URET1		34.16	34.16										
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		19.85	19.85										
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	8.76	65.80	30.96	45.25	6.70								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70								
				UEF	USBMC		8.15	8.15										
	Order Coordination for Unbundled Sub-Loops per sub-loop pair			UEF	UCS4X	6.11	79.03	44.19	49.71	9.07								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	12.61	79.03	44.19	49.71	9.07								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	15.36	79.03	44.19	49.71	9.07								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X													
				UEF	USBMC		8.15	8.15										
	Order Coordination for Unbundled Sub-Loops per sub-loop pair			UEF	URET1		34.16	34.16										
	Loop Testing - Basic 1st Half Hour			UEF	URET1		19.85	19.85										
	Loop Testing - Basic Additional Half Hour			UEF	URET1		19.85	19.85										
	Unbundled Network Terminating Wire (UNTW)			UNTW	UNENPP	0.40	30.01											
	Unbundled Network Terminating Wire (UNTW) per Pair																	
	Network Interface Device (NID)			UNTW	UNID12		43.23	28.38										
	Network Interface Device (NID) - 1-2 lines			UNTW	UNID16		63.97	49.11										
	Network Interface Device (NID) - 1-6 lines			UNTW	UNID22		5.87	5.87										
	Network Interface Device Cross Connect - 2 W			UNTW	UNID24		5.87	5.87										
	Network Interface Device Cross Connect - 4W			UNTW	UNID24		5.87	5.87										
	UNE OTHER, PROVISIONING ONLY - NO RATE			UNTW	UNDBX	0.00	0.00											
	NID - Dispatch and Service Order for NID installation			UNTW	UNENPP	0.00	0.00											
	UNTW Circuit id Establishment Provisioning Only - No Rate			UNTW	UNENPP	0.00	0.00											
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNENPP	0.00	0.00											
	UNE OTHER, PROVISIONING ONLY - NO RATE			UNTW	UNENPP	0.00	0.00											

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First			SOME C	SOMAN	OSS Rates (\$)	SOMAN
	Unbundled Contact Name Provisioning Only - no rate			UAL UCL UDC UDL		0.00	0.00								
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UDN UEA UHL ULC	UNEON										
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA UDN UCL UDC	USBFO	0.00	0.00								
	Unbundled DS1 Loop - Superframe Format Option - no rate			UEA USL UCL UDL	USBFR	0.00	0.00								
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOSF	0.00	0.00								
	HIGH CAPACITY UNBUNDLED LOCAL LOOP			USL	CCOEF	0.00	0.00								
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	8.38									
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	308.98	451.52	263.94	119.49	83.58					
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	8.38									
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	319.83	451.52	263.94	119.49	83.58					
LOOP MAKE-UP	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)			UMK	UMKLW		20.00	20.00							
	Loop Makeup - Preordering With Reservation per spare facility queried (Manual)			UMK	UMKLP		21.00	21.00							
	Loop Makeup-With or Without Reservation per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.59	0.59							
LINE SHARING AND LINE SPLITTING															
	NOTE 1 The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows														
	NOTE 1 10/02/2003 - 10/01/2004 25% of the rate for an unbundled copper loop non-designed ("UCLND")														
	NOTE 1 10/02/2004 - 10/01/2005 50% of the rate for UCLND														
	NOTE 1 10/02/2005 - 10/01/2006 75% of the rate for UCLND														
	NOTE 1 Above will apply to USOCs ULSDT and ULSC1														
	**NOTE 2 The Line Sharing monthly recurring rates with USOCs ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003														
LINE SHARING															
SPLITTERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter per System 96 Line Capacity			ULS	ULSDA	155.97	188.79	0.00	177.98	0.00					
	Line Sharing Splitter per System 24 Line Capacity			ULS	ULSDB	38.99	188.79	0.00	177.98	0.00					
	Line Sharing Splitter Per System 8 Line Capacity			ULS	ULSDB	12.73	377.58	0.00	355.96	0.00					
	Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD)			ULS	ULSDG		86.47	0.00	49.84	0.00					
END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
	Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.51	10.60	10.01	4.92					
	Line Share Service TRO per line activation BST owned splitter Central Office Localized (25% of UCLND) - please see NOTE 1 (E 10/2/2003)			ULS	ULSDT	2.80	18.51	10.60	10.01	4.92					
	Line Share Service TRO per line activation, BST owned splitter - Central Office Localized (50% of UCLND) - please see NOTE 1 (E 10/2/2004)			ULS	ULSDT	5.60	18.51	10.60	10.01	4.92					
	Line Share Service TRO per line activation BST owned splitter - Central Office Localized (75% of UCLND) - please see NOTE 1 (E 10/2/2005)			ULS	ULSDT	8.40	18.51	10.60	10.01	4.92					
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		16.39	8.19							
	Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		16.39	8.19							
	Line Sharing - per Line Activation (DLEC owned Splitter) - OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.02	9.83					

AMENDMENT EXHIBIT 2

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First			SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	SOMAN
	Line Share Service - TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/22/2003)			ULS	ULSCT	2.80	47.44	19.31	20.02	9.83					
	Line Share Service - TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/22/2004)			ULS	ULSCT	5.60	47.44	19.31	20.02	9.83					
	Line Share Service - TRO per line activation, CLEC owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/22/2005)			ULS	ULSCT	8.40	47.44	19.31	20.02	9.83					
	LINE SPLITTING														
	END USER ORDERING-CENTRAL OFFICE BASED														
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61									
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.01	21.19	20.02	9.83					
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83					
	MAINTENANCE														
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00							
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50							
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00							
	UNBUNDLED DEDICATED TRANSPORT														
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT														
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.008838									
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90					
	Interoffice Channel - Dedicated Transport - 1-2 Wire Voice Grade Rev Bat - Per Mile per month			U1TVX	1L5XX	0.008838									
	Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat - Facility Termination			U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90					
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.008838									
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination			U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90					
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.008838									
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90					
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.008838									
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90					
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.18									
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination			U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44					
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	4.09									
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	703.52	278.75	162.76	60.20	28.46					
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4.09									
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	701.37	278.75	162.76	60.20	28.46					
	DARK FIBER														
	Dark Fiber, Four Fiber Strands Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF UDFCX	1L5DF	23.29									
	NRC Dark Fiber - Interoffice Channel			UDF UDFCX	UDF14		639.09	137.87	317.06	197.66					
	Dark Fiber, Four Fiber Strands Per Route Mile or Fraction Thereof per month - Local Loop			UDF UDFCX	1L5DL	60.32									
	NRC Dark Fiber - Local Loop			UDF UDFCX	UDFL4		639.09	137.87	317.06	197.66					

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring First	Add'l -	Nonrecurring Disconnect - First -	Adtl'l -	SOME C	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
	8XX ACCESS TEN DIGIT SCREENING														
	8XX Access Ten Digit Screening Per Call					0.00056									
	8XX Access Ten Digit Screening Reservation Charge Per 8XX Number Reserved				NBR1X		2.58	0.44							
	8XX Access Ten Digit Screening Per 8XX No Established W/O POTS Translations				OHD		5.94	0.81	4.57	0.54					
	8XX Access Ten Digit Screening Per 8XX No Established With POTS Translations				OHD		5.94	0.81	4.57	0.54					
	8XX Access Ten Digit Screening Customized Area of Service Per 8XX Number				OHD		2.58	1.29							
	8XX Access Ten Digit Screening Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No				OHD		3.02	1.73							
	8XX Access Ten Digit Screening Change Charge Per Request				OHD		3.02	0.44							
	8XX Access Ten Digit Screening Call Handling and Destination Features				OHD		2.58								
	8XX Access Ten Digit Screening w/ 8FL No Delivery				OHD	0.000565									
	8XX Access Ten Digit Screening w/ POTS No Delivery				OHD	0.000565									
	LINE INFORMATION DATA BASE ACCESS (LIDB)														
	LIDB Common Transport Per Query				OQT	0.00002									
	LIDB Validation Per Query				OQT	0.012002									
	LIDB Originating Point Code Establishment or Change				OQT OQU		34.32		42.08						
	SIGNALING (CCS7)														
	CCS7 Signaling Connection Per 56Kbps Facility					15.46	35.53	35.53	16.44	16.44					
	CCS7 Signaling Termination Per STP Port				PT8SX	130.83									
	CCS7 Signaling Usage Per Call Setup Message				UDB	0.0000142									
	CCS7 Signaling Usage Per TCAF Message				UDB	0.0000569									
	CCS7 Signaling Connection Per link (A link)				UDB	15.46	35.53	35.53	16.44	16.44					
	CCS7 Signaling Connection Per link (B link) (also known as D link)				UDB	15.46	35.53	35.53	16.44	16.44					
	CCS7 Signaling Usage Per ISUP Message				UDB	0.0000142									
	CCS7 Signaling Usage Surrogate per link per LATA				UDB	650.33									
	CCS7 Signaling Point Code per Originating Point Code Establishment or Change, per STP affected				UDB		29.01	29.01	35.57	35.57					
	E911 SERVICE														
	Local Channel - Dedicated - 2-wr Voice Grade					13.97	193.10	33.17	36.64	3.20					
	Interface Transport - Dedicated - 2-wr Voice Grade Per Mile					0.008838									
	Interface Transport - Dedicated - 2-wr Voice Grade Per Facility Termination														
	Local Channel - Dedicated - DS1 - Zone 1					21.13	40.54	27.41	16.74	6.90					
	Local Channel - Dedicated - DS1 - Zone 2					35.76	177.47	153.72	22.19	15.26					
	Local Channel - Dedicated - DS1 - Zone 3					49.98	177.47	153.72	22.19	15.26					
	Interface Transport - Dedicated - DS1 Per Mile					107.63	177.47	153.72	22.19	15.26					
	Interface Transport - Dedicated - DS1 Per Facility Termination					0.18									
	Interface Transport - Dedicated - DS1 Per Facility Termination					60.16	89.27	81.81	16.35	14.44					
	CALLING NAME (CNAM) SERVICE														
	CNAM For DB Owners - Service Establishment				OQV		22.95	21.11	21.11						
	CNAM For Non DB Owners - Service Establishment				OQV		22.95	21.11	21.11						
	CNAM For DB Owners - Service Provisioning With Point Code Establishment				OQV		990.88	732.84	268.93	197.74					
	CNAM For Non DB Owners - Service Provisioning With Point Code Establishment				OQV		342.33	245.14	275.25	197.74					
	CNAM for DB Owners Per Query				OQV	0.000902									
	CNAM for Non DB Owners Per Query				OQV	0.000902									
	SELECTIVE ROUTING														
	Selective Routing Per Unique Line Class Code Per Request Per Switch						84.70	84.70	14.11	14.11					
	VIRTUAL COLLOCATION														
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting				UEFSR UEFSB	VE1LS	12.30	11.80	6.03	5.44					

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interm	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A		
					Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l			Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	SOMAN	SOMAN	
	PHYSICAL COLLOCATION					Rec					SOMECH	SOMAN	SOMAN	SOMAN	
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting		UEPSR UEPSB	PEILS		0.03	12.30	11.80	6.03	5.44					
	AIN SELECTIVE CARRIER ROUTING														
	Regional Service Establishment		SRC	SRCEC			101 098 91		8,590 70						
	End Office Establishment		SRC	SRCEO			169 88	169 88	1 70	1 70					
	Query NRC per query		SRC			0.002749									
	AIN - BELLSOUTH AIN SMS ACCESS SERVICE														
	AIN SMS Access Service - Service Establishment Per State Initial Setup		A1N	CAMSE			39 44	39 44	40 69	40 69					
	AIN SMS Access Service - Port Connection - Dial/Shared Access		A1N	CAMDP			7 83	7 83	9 09	9 09					
	AIN SMS Access Service - Port Connection - ISDN Access		A1N	CAMIP			7 83	7 83	9 09	9 09					
	AIN SMS Access Service - User Identification Codes - Per User ID Code		A1N	CAMAU			35 00	35 00	27 06	27 06					
	AIN SMS Access Service - Security Card Per User ID Code Initial or Replacement		A1N	CAMRC			41 88	41 88	11 71	11 71					
	AIN SMS Access Service - Storage Per Unit (100 Kilobytes)					0.002188									
	AIN SMS Access Service - Session, Per Minute					0.59									
	AIN SMS Access Service - Company Performed Session Per Minute					0.73									
	AIN - BELLSOUTH AIN TOOLKIT SERVICE														
	AIN Toolkit Service - Service Establishment Charge, Per State Initial Setup		CAM	BAPSC			39 44	39 44	40 69	40 69					
	AIN Toolkit Service - Training Session Per Customer			BAPVX			4 202 17	4 202 17							
	AIN Toolkit Service - Trigger Access Charge Per Trigger Per DN Term Attempt			BAPT			7 83	7 83	9 09	9 09					
	AIN Toolkit Service - Trigger Access Charge Per Trigger Per DN Off-Hook Delay			BAPTD			7 83	7 83	9 09	9 09					
	AIN Toolkit Service - Trigger Access Charge Per Trigger Per DN Off-Hook Immediate			BAPTM			7 83	7 83	9 09	9 09					
	AIN Toolkit Service - Trigger Access Charge Per Trigger, Per DN 10-Digit PDDP			BAPTO			34 47	34 47	14 36	14 36					
	AIN Toolkit Service - Trigger Access Charge Per Trigger Per DN CDP			BAPTC			34 47	34 47	14 36	14 36					
	AIN Toolkit Service - Trigger Access Charge Per Trigger Per DN Feature Code			BAPTF			34 47	34 47	14 36	14 36					
	AIN Toolkit Service - Query Charge Per Query					0.05									
	AIN Toolkit Service - Type 1 Node Charge Per AIN Toolkit Subscription Per Node Per Query					0.00582									
	AIN Toolkit Service - SCP Storage Charge Per SMS Access Account Per 100 Kilobytes					0.05									
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription		CAM	BAPNS			10 17	7 83	7 83	5 50	5 50				
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription		CAM	BAPLS			2 87	8 66	8 66						
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription		CAM	BAPDS			7 39	7 83	7 83	5 50	5 50				
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription		CAM	BAPES			0 10	8 66	8 66						
	ENHANCED EXTENDED LINK (EELs)														
	NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as Ordinarily Combined Network Elements														
	NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as Currently Combined Network Elements														
	EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DST INTEROFFICE TRANSPORT														
	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX		14 38	88 00	55 00	47 24	7 44					
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX		22 85	88 00	55 00	47 24	7 44					
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX		36 14	88 00	55 00	47 24	7 44					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.18									

UNBUNDLED NETWORK ELEMENTS - Alabama																
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)						Svc Order Submitted Elec per LSR	Attachment 2		Exhibit A	
						Nonrecurring		Disconnect Add'l	First	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l		Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l		
						Rec	Add'l					SOMEc			SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	100 Channelization System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Voice Grade COCI - Per Month			UNC1X	1D1VG	0.53	6.58	4.72								
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNC1X	UEAL2	14.38	88.00	55.00	47.24	7.44						
	Each Additional 2 Wire VG Loop (SL 2) in Combination - Zone 2		2	UNC1X	UEAL2	22.85	88.00	55.00	47.24	7.44						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNC1X	UEAL2	36.14	88.00	55.00	47.24	7.44						
	Voice Grade COCI - Per Month			UNC1X	1D1VG	0.53	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT															
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNC1X	UEAL4	25.34	131.97	94.51	59.14	14.50						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNC1X	UEAL4	38.58	131.97	94.51	59.14	14.50						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNC1X	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	100 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Voice Grade COCI in combination - per month			UNC1X	1D1VG	0.53	6.58	4.72								
	Additional 4-Wire Analog Voice Grade Loop in same DS1		1	UNC1X	UEAL4	25.34	131.97	94.51	59.14	14.50						
	Interoffice Transport Combination - Zone 1			UNC1X	UEAL4	38.58	131.97	94.51	59.14	14.50						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		2	UNC1X	UEAL4	38.58	131.97	94.51	59.14	14.50						
	Interoffice Transport Combination - Zone 2			UNC1X	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		3	UNC1X	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Interoffice Transport Combination - Zone 3			UNC1X	UEAL4	0.53	6.58	4.72								
	Additional Voice Grade COCI in combination - per month			UNC1X	1D1VG	0.53	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
	EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT															
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNC1X	UDL56	26.09	126.27	88.80	59.14	14.50						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNC1X	UDL56	35.95	126.27	88.80	59.14	14.50						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNC1X	UDL56	37.88	126.27	88.80	59.14	14.50						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	100 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	OCU-LDP COCI (data) per month (2 4-6Kbps)			UNC1X	1D1DD	1.12	6.58	4.72								
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1	UNC1X	UDL56	26.09	126.27	88.80	59.14	14.50						
	Interoffice Transport Combination - Zone 1			UNC1X	UDL56	35.95	126.27	88.80	59.14	14.50						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		2	UNC1X	UDL56	35.95	126.27	88.80	59.14	14.50						
	Interoffice Transport Combination - Zone 2			UNC1X	UDL56	37.88	126.27	88.80	59.14	14.50						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		3	UNC1X	UDL56	37.88	126.27	88.80	59.14	14.50						
	Interoffice Transport Combination - Zone 3			UNC1X	UDL56	1.12	6.58	4.72								
	Additional OCU-LDP COCI (data) in combination per month (2 4-6Kbps)			UNC1X	1D1DD	1.12	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
	EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT															

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Nonrecurring		First	Disconnect Add'l			OSS Rates (\$)		Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
						Rec	Add'l					SOMECS	SOMAN		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	26 09	126 27	88 80	59 14	14 50					
	First 4 Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	35 95	126 27	88 80	59 14	14 50					
	First 4 Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	37 88	126 27	88 80	59 14	14 50					
	Interface Transport - Dedicated - DS1 combination - Per Mile Per Month			UNCDX	1L5XX	0 18									
	Interface Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNCDX	U1TF1	60 16	89 27	81 81	16 35	14 44					
	1/10 Channel System in combination Per Month			UNCDX	MQ1	101 06	91 04	62 57	10 54	9 79					
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCDX	1D1DD	1 12	6 58	4 72							
	Interface Transport Combination - Zone 1		1	UNCDX	UDL64	26 09	126 27	88 80	59 14	14 50					
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL64	35 95	126 27	88 80	59 14	14 50					
	Interface Transport Combination - Zone 2		3	UNCDX	UDL64	37 88	126 27	88 80	59 14	14 50					
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCDX	UDL64	37 88	126 27	88 80	59 14	14 50					
	Interface Transport Combination - Zone 3			UNCDX	UDL64	37 88	126 27	88 80	59 14	14 50					
	Additional OCU-DP COCI (data) - in combination - per month (2 4-64Kbps)			UNCDX	1D1DD	1 12	6 58	4 72							
	Nonrecurring Currently Combined Network Elements Switch - As- Is Charge			UNCDX	UNCCC		5 59	5 59	6 98	6 98					
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT														
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNCDX	USLXX	82 55	252 47	157 54	44 70	11 71					
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNCDX	USLXX	154 18	252 47	157 54	44 70	11 71					
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNCDX	USLXX	314 52	252 47	157 54	44 70	11 71					
	Interface Transport - Dedicated - DS1 combination - Per Mile Per Month			UNCDX	1L5XX	0 18									
	Interface Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNCDX	U1TF1	60 16	89 27	81 81	16 35	14 44					
	Nonrecurring Currently Combined Network Elements Switch - As- Is Charge			UNCDX	UNCCC		5 59	5 59	6 98	6 98					
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT														
	First DS1 Loop in Combination - Zone 1		1	UNCDX	USLXX	82 55	252 47	157 54	44 70	11 71					
	First DS1 Loop in Combination - Zone 2		2	UNCDX	USLXX	154 18	252 47	157 54	44 70	11 71					
	First DS1 Loop in Combination - Zone 3		3	UNCDX	USLXX	314 52	252 47	157 54	44 70	11 71					
	Interface Transport - Dedicated - DS3 combination - Per Mile Per Month			UNCDX	1L5XX	4 09									
	Interface Transport - Dedicated - DS3 - Facility, Termination per month			UNCDX	U1TF3	703 52	278 75	162 76	60 20	58 46					
	3/1 Channel System in combination per month			UNCDX	MQ3	166 13	178 14	93 97	33 26	31 83					
	DS1 COCI in combination per month			UNCDX	UC1D1	12 70	6 58	4 72							
	Additional DS Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNCDX	USLXX	82 55	252 47	157 54	44 70	11 71					
	Additional DS1 Loop in DS3 Interoffice Transport Combination		2	UNCDX	USLXX	154 18	252 47	157 54	44 70	11 71					
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNCDX	USLXX	314 52	252 47	157 54	44 70	11 71					
	Additional DS1 COCI in combination per month			UNCDX	UC1D1	12 70	6 58	4 72							
	Nonrecurring Currently Combined Network Elements Switch - As- Is Charge			UNCDX	UNCCC		5 59	5 59	6 98	6 98					
	EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT														
	2-Wire/VG Loop in combination - Zone 1		1	UNCDX	UEAL2	14 38	88 00	55 00	47 24	7 44					
	2 Wire/VG Loop in combination - Zone 2		2	UNCDX	UEAL2	22 85	88 00	55 00	47 24	7 44					
	2 Wire/VG Loop in combination - Zone 3		3	UNCDX	UEAL2	36 14	88 00	55 00	47 24	7 44					
	Interface Transport - 2 wire VG - Dedicated - Per Mile Per Month			UNCDX	1L5XX	0 008838									
	Interface Transport - 2 wire VG - Dedicated - Facility Termination per month			UNCDX	U1TV2	21 13	40 54	27 41	16 74	6 90					

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring First	Add l	Nonrecurring First			SOMEc	SOMAN	OSS Rates (\$)	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge														
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP / 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT			UNCVX	UNCCC										
	4-Wire/VG Loop in combination - Zone 1	1	UNCVX		UEAL4	25 34	131 97	84 51	59 14	59 14	6 98				
	4-Wire/VG Loop in combination - Zone 2	2	UNCVX		UEAL4	38 58	131 97	94 51	59 14	59 14	14 50				
	4-Wire/VG Loop in combination - Zone 3	3	UNCVX		UEAL4	60 02	131 97	94 51	59 14	59 14	14 50				
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0 008938									
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	18 73	40 54	27 41	16 74	6 90					
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC										
	EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT			UNCVX	UNCCC										
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	8 38									
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	308 98	451 52	263 94	119 49	83 58					
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4 09									
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	703 52	278 75	162 76	60 20	58 46					
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC										
	EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT			UNC3X	UNCCC										
	STS-1 Local Loop in combination - per mile per month			UNC3X	1L5ND	8 38									
	STS-1 Local Loop in combination - Facility Termination per month			UNC3X	UDLS1	319 83	451 52	263 94	119 49	83 58					
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNC3X	1L5XX	4 09									
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNC3X	U1TFS	701 37	278 75	162 76	60 20	58 46					
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC										
	EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT			UNC3X	UNCCC										
	First 2-Wire ISDN Loop in Combination - Zone 1	1	UNC3X		U1L2X	21 88	117 24	79 77	52 88	10 54					
	First 2-Wire ISDN Loop in Combination - Zone 2	2	UNC3X		U1L2X	32 85	117 24	79 77	52 88	10 54					
	First 2 Wire ISDN Loop in Combination - Zone 3	3	UNC3X		U1L2X	48 55	117 24	79 77	52 88	10 54					
	Interoffice Transport - Dedicated - DS1 combination - per mile per month			UNC1X	1L5XX	0 18									
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44					
	1/0 Channel System in combination - per month			UNC1X	MG1	101 06	91 04	62 57	10 54	9 79					
	2-wire ISDN COCI (BRITE) - in combination - per month			UNC1X	UC1CA	2 41		6 98	4 72						
	Additional 2-wire ISDN Loop in same DS1interoffice Transport Combination - Zone 1	1	UNC3X		U1L2X	21 88	117 24	79 77	52 88	19 54					
	Additional 2-wire ISDN Loop in same DS1interoffice Transport Combination - Zone 2	2	UNC3X		U1L2X	32 85	117 24	79 77	52 88	10 54					
	Additional 2-wire ISDN Loop in same DS1interoffice Transport Combination - Zone 3	3	UNC3X		U1L2X	48 55	117 24	79 77	52 88	10 54					
	Additional 2-wire ISDN COCI (BRITE) - in combination- per month			UNC1X	UC1CA	2 41		6 98	4 72						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC										
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT			UNC1X	UNCCC										
	First DS1 Loop Combination - Zone 1	1	UNC1X		USLXX	82 55	252 47	157 54	44 70	11 71					
	First DS1 Loop Combination - Zone 2	2	UNC1X		USLXX	154 18	252 47	157 54	44 70	11 71					
	First DS1 Loop Combination - Zone 3	3	UNC1X		USLXX	314 52	252 47	157 54	44 70	11 71					
	Interoffice Transport - STS-1 combination - Per Mile Per Month			UNC3X	1L5XX	4 09									
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNC3X	U1TFS	701 37	278 75	162 76	60 20	58 46					

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2				Exhibit A			
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES (\$)						Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOME C	SOME C	SOME C	SOME C	SOME C	SOME C	SOME C
	3/1 Channel System in combination per month			UNCSX	MQ3	166 13	178 14	93 97	33 26	31 83							
	DS1 COCI in combination per month			UNCI1X	UC1D1	12 70	6 58	4 72									
	Additional DS1 Loop in the same STS-1 Interface Transport Combination - Zone 1	1		UNCI1X	USLXX	82 55	252 47	157 54	44 70	11 71							
	Additional DS1 Loop in the same STS-1 Interface Transport Combination - Zone 2	2		UNCI1X	USLXX	154 18	252 47	157 54	44 70	11 71							
	Additional DS1 Loop in the same STS-1 Interface Transport Combination - Zone 3	3		UNCI1X	USLXX	314 52	252 47	157 54	44 70	11 71							
	DS1 COCI in combination per month			UNCI1X	UC1D1	12 70	6 58	4 72									
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		5 59	5 59	6 98								
	EXTENDED 4-WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH 56 Kbps INTERFACE TRANSPORT																
	4-wire 56 kbps Local Loop in combination - Zone 1	1		UNCDX	UDL56	26 09	126 27	88 80	59 14	14 50							
	4-wire 56 kbps Local Loop in combination - Zone 2	2		UNCDX	UDL56	35 95	126 27	88 80	59 14	14 50							
	4-wire 56 kbps Local Loop in combination - Zone 3	3		UNCDX	UDL56	37 88	126 27	88 80	59 14	14 50							
	Interface Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0 008838											
	Interface Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	15 12	40 54	27 41	16 74	6 90							
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		5 59	5 59	6 98	6 98							
	EXTENDED 4-WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH 64 Kbps INTERFACE TRANSPORT																
	4-wire 64 kbps Local Loop in combination - Zone 1	1		UNCDX	UDL64	26 09	126 27	88 80	59 14	14 50							
	4-wire 64 kbps Local Loop in combination - Zone 2	2		UNCDX	UDL64	35 95	126 27	88 80	59 14	14 50							
	4-wire 64 kbps Local Loop in combination - Zone 3	3		UNCDX	UDL64	37 88	126 27	88 80	59 14	14 50							
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0 008838											
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	15 12	40 54	27 41	16 74	6 90							
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		5 59	5 59	6 98	6 98							
	EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTERFACE TRANSPORT w/ 3/1 MUX																
	First 2-wire VG Loop (SL2) in combination - Zone 1	1		UNCVX	UEAL2	14 38	88 00	55 00	47 24	7 44							
	First 2-wire VG Loop (SL2) in combination - Zone 2	2		UNCVX	UEAL2	22 85	88 00	55 00	47 24	7 44							
	First 2-wire VG Loop (SL2) in combination - Zone 3	3		UNCVX	UEAL2	36 14	88 00	55 00	47 24	7 44							
	First Interface Transport - Dedicated - DS1 combination - Per Mile			UNCI1X	1L5XX	0 18											
	First Interface Transport - Dedicated - DS1 combination - Facility Termination per month			UNCI1X	U1TF1	60 16	89 27	81 81	16 35	14 44							
	Per each DS1 Channelization System Per Month			UNCI1X	MD1	101 06	91 04	82 57	10 54	9 79							
	3/1 Channel System in combination per month			UNCI1X	1D1VG	0 53	6 58	4 72									
	Per each DS1 COCI in combination per month			UNCI1X	UC1D1	166 13	178 14	93 97	33 26	31 83							
	Each Additional 2-Wire VG Loop (SL2) in the same DS1 Interface Transport Combination - Zone 1	1		UNCVX	UEAL2	14 38	88 00	55 00	47 24	7 44							
	Each Additional 2-Wire VG Loop (SL2) in the same DS1 Interface Transport Combination - Zone 2	2		UNCVX	UEAL2	22 85	88 00	55 00	47 24	7 44							
	Each Additional 2-Wire VG Loop (SL2) in the same DS1 Interface Transport Combination - Zone 3	3		UNCVX	UEAL2	36 14	88 00	55 00	47 24	7 44							
	Each Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0 53	6 58	4 72									
	Each Additional DS1 Interface Channel per mile in same 3/1 Channel System per month			UNCI1X	1L5XX	0 18											
	Each Additional DS1 Interface Channel Facility Termination in same 3/1 Channel System per month			UNCI1X	U1TF1	60 16	89 27	81 81	16 35	14 44							
	Each Additional DS1 COCI combination per month			UNCI1X	UC1D1	12 70	6 58	4 72									
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCI1X	UNCCC		5 59	5 59	6 98	6 98							
	EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTERFACE TRANSPORT w/ 3/1 MUX																

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Nonrecurring		Nonrecurring Disconnect				Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l
						Rec	First	Add'l	First						
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50					
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50					
	First 4 Wire Analog Voice Grade Local Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50					
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.18									
	First Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44					
	Per each 100 Channel System in combination Per Month			UNC1X	MO1	101.06	91.04	62.57	10.54	9.79					
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72							
	3/1 Channel System in combination per month			UNC3X	MO3	166.13	178.14	93.97	33.26	31.83					
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72							
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50					
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50					
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50					
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.18									
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44					
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72							
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98					
EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX															
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50					
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50					
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50					
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.18									
	First Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44					
	Per each 100 Channel System in combination Per Month			UNC1X	MO1	101.06	91.04	62.57	10.54	9.79					
	Per each OC4-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72							
	3/1 Channel System in combination per month			UNC3X	MO3	166.13	178.14	93.97	33.26	31.83					
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72							
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50					
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50					
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50					
	OC4-DP COCI (data) COCI in combination per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72							
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.18									
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44					
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	12.70	6.58	4.72							
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98					
EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX															

UNBUNDLED NETWORK ELEMENTS - Alabama																	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Attachment 2		Exhibit A			
						Rec	Nonrecurring		Nonrecurring Disconnect			Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st		
							First	Add'l								First	Add'l
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26 09	126 27	88 80	59 14	14 50							
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35 95	126 27	88 80	59 14	14 50							
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37 88	126 27	88 80	59 14	14 50							
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 18											
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44							
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	101 06	91 04	62 57	10 54	9 79							
	Per each OCUP COCI (data) in combination - per month (2 4-64Kbps)			UNCDX	1D1DD	1 12	6 58	4 72									
	3/1 Channel System in combination per month			UNCDX	MQ3	166 13	178 14	93 97	33 26	31 83							
	Per each DS1 COCI in combination per month			UNCDX	UC1D1	12 70	6 58	4 72									
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26 09	126 27	88 80	59 14	14 50							
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35 95	126 27	88 80	59 14	14 50							
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37 88	126 27	88 80	59 14	14 50							
	Additional OCUP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64Kbps)			UNCDX	1D1DD	1 12	6 58	4 72									
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 18											
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44							
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	12 70	6 58	4 72									
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNC1X	UNCCC		5 59	5 59	6 98	6 98							
EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																	
	First 2 Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	21 88	117 24	79 77	52 88	10 54							
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	32 85	117 24	79 77	52 88	10 54							
	First 2 Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	48 55	117 24	79 77	52 88	10 54							
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0 18											
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44							
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	101 06	91 04	62 57	10 54	9 79							
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2 41	6 58	4 72									
	3/1 Channel System in combination per month			UNCNX	MQ3	166 13	178 14	93 97	33 26	31 83							
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12 70	6 58	4 72									
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	21 88	117 24	79 77	52 88	10 54							
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	32 85	117 24	79 77	52 88	10 54							
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	48 55	117 24	79 77	52 88	10 54							
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel system combination - per month			UNCNX	UC1CA	2 41	6 58	4 72									
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 18											
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44							

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2				Exhibit A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- 1st
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOME	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	12 70	6 59	4 72									
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge			UNC1X	UNCCC		5 59	5 59	6 98								
	EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																
	First 4-wire DS1 Digital Local Loop in Combination - Zone 1	1	UNC1X	USLXX	USLXX	82 55	252 47	157 54	44 70								
	First 4-wire DS1 Digital Local Loop in Combination - Zone 2	2	UNC1X	USLXX	USLXX	154 18	252 47	157 54	44 70								
	First 4-wire DS1 Digital Local Loop in Combination - Zone 3	3	UNC1X	USLXX	USLXX	314 52	252 47	157 54	44 70								
	First Interface Transport - Dedicated DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 18											
	First Interface Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	60 16	89 27	81 81	16 35								
	3/1 Channel System in combination per month			UNC3X	MO3	166 13	178 14	93 97	31 63								
	Per each DS1 COCI combination per month			UNC1X	UC1D1	12 70	6 59	4 72									
	Each Additional DS1 Interface Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 18											
	Each Additional DS1 Interface Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	60 16	89 27	81 81	16 35								
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	12 70	6 59	4 72									
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 1	1	UNC1X	USLXX	USLXX	82 55	252 47	157 54	44 70								
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 2	2	UNC1X	USLXX	USLXX	154 18	252 47	157 54	44 70								
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 3	3	UNC1X	USLXX	USLXX	314 52	252 47	157 54	44 70								
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge			UNC1X	UNCCC		5 59	5 59	6 98								
	EXTENDED 4-WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																
	First 4-wire 56 kbps Local Loop in combination - Zone 1	1	UNC0X	UDL56	UDL56	26 09	126 27	88 80	59 14								
	First 4-wire 56 kbps Local Loop in combination - Zone 2	2	UNC0X	UDL56	UDL56	35 95	126 27	88 80	59 14								
	First 4-wire 56 kbps Local Loop in combination - Zone 3	3	UNC0X	UDL56	UDL56	37 88	126 27	88 80	59 14								
	First 4-wire 56 kbps Interface Transport - Dedicated - Per Mile per month			UNC0X	1L5XX	0 008838											
	First 4-wire 56 kbps Interface Transport - Dedicated - Facility Termination per month			UNC0X	U1TD5	15 12	40 54	27 41	6 90								
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge			UNC0X	UNCCC		5 59	5 59	6 98								
	EXTENDED 4-WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																
	First 4-wire 64 kbps Local Loop in combination - Zone 1	1	UNC0X	UDL64	UDL64	26 09	126 27	88 80	59 14								
	First 4-wire 64 kbps Local Loop in combination - Zone 2	2	UNC0X	UDL64	UDL64	35 95	126 27	88 80	59 14								
	First 4-wire 64 kbps Local Loop in combination - Zone 3	3	UNC0X	UDL64	UDL64	37 88	126 27	88 80	59 14								
	First 4-wire 65 kbps Interface Transport - Dedicated - Per Mile per month			UNC0X	1L5XX	0 008838											
	First 4-wire 64 kbps Interface Transport - Dedicated - Facility Termination per month			UNC0X	U1TD6	15 12	40 54	27 41	6 90								
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge			UNC0X	UNCCC		5 59	5 59	6 98								
	ADDITIONAL NETWORK ELEMENTS																
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply																
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not																
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge (One applies to each combination)																
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge - 2 wire 4-Wire VG			UNC0X	UNCCC		5 59	5 59	6 98								
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge - 56/64 kbps			UNC0X	UNCCC		5 59	5 59	6 98								
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge - DS1			UNC1X	UNCCC		5 59	5 59	6 98								

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Nonrecurring		First	Disconnect Add'l			Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- 1st
						Rec	Add'l								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - DS3			UNC3X	UNCCC		5.59	5.59	6.98	6.98					
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - STS1			UNCSX	UNCCC		5.59	5.59	6.98	6.98					
	Optional Features & Functions														
	Clear Channel Capability Extended Frame Option - per DS1	I		U1TD1 ULDD1,UNC1X	CCOEF	01	01	01	01	01					
	Clear Channel Capability Super FrameOption - per DS1	I		U1TD1 ULDD1,UNC1X	CCOSF	01	01	01	01	01					
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I		ULDD1 U1TD1 UNC1X, USL	NRCCC	184 85\$	23 81\$	1 99\$	0 7741\$						
	C-bit Parity Option - Subsequent Activity - per DS3	I		U1TD3, ULDD3, UE3 UNC3X	NRCC3	219 13\$	7 67\$	0 7355\$	0\$						
	MULTIPLERS														
	DS1 to DS0 Channel System per month			UNC1X	MQ1	101 06	91 04	62 57	10 54	9 79					
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) used for a Local Loop			UDL	1D1DD	1 12	6 58	4 72	0 00	0 00					
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1 12	6 58	4 72	0 00	0 00					
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA	2 41	6 58	4 72	0 00	0 00					
	2-wire ISDN COCI (BRITE) DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2 41	6 58	4 72	0 00	0 00					
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0 53	6 58	4 72	0 00	0 00					
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0 53	6 58	4 72	0 00	0 00					
	DS3 to DS1 Channel System per month			UNC3X	MQ3	166 13	178 14	93 97	33 26	31 83					
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	166 13	178 14	93 97	33 26	31 83					
	DS1 COCI used with Loop per month			USL	UC1D1	12 70	6 58	4 72	0 00	0 00					
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	12 70	6 58	4 72	0 00	0 00					
	DS1 COCI used with Interface Channel per month			U1TD1	UC1D1	12 70	6 58	4 72	0 00	0 00					
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	12 70	6 58	4 72	0 00	0 00					
	UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)														
	Exchange Ports														
	NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs														
	2-WIRE VOICE GRADE LINE PORT RATES (RES)														
	Exchange Ports - 2-Wire Analog Line Port- Res			UEPSR	UEPRL	1 38	2 38	2 27	1 42	1 33					
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	1 38	2 38	2 27	1 42	1 33					
	Exchange Ports - 2-Wire Analog Line Port outguing only - Res			UEPSR	UEPRO	1 38	2 38	2 27	1 42	1 33					
	Exchange Ports - 2-Wire VG unbundled AL extended local dialing party Port with Caller ID - Res			UEPSR	UEPAR	1 38	2 38	2 27	1 42	1 33					
	Exchange Ports - 2-Wire VG unbundled res low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1 38	2 38	2 27	1 42	1 33					
	Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan without Caller ID			UEPSR	UEPWA	1 38	2 38	2 27	1 42	1 33					
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPSR	UEPRT	1 38	2 38	2 27	1 42	1 33					
	Subsequent Activity			UEPSR	USASC	0 00	0 00	0 00							
	FEATURES														
	All Available Vertical Features														
	2 WIRE VOICE GRADE LINE PORT RATES (BUS)														

UNBUNDLED NETWORK ELEMENTS - Alabama																			
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2			Exhibit A				
						Nonrecurring		Disconnect Add'l	Incremental Charge - Manual/Svc Order vs Electronic- 1st			SOMAN	SOMECH	Incremental Charge - Manual Svc Order vs Electronic- Add'l	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l			
						First	Add'l												
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911																		
	Local Capability (E 4/1/2004)			UEPEX	UEPEX	84.32	203.81	101.56	79.18	20.08									
	Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)			UEPDX	UEPDX	84.32	203.81	101.56	79.18	20.08									
	Physical Collocation - DS1 Cross-Connects			UEPEX	UEPDX	1.11	22.03	15.93	6.40	5.79									
	Virtual collocation - Special Access & UNE cross-connect per DS1			UEPEX	UEPDX	1.11	22.03	15.93	6.40	5.79									
	Detailed E911 with Locator Capability (required with UEPEX port)																		
	Unbundled Exchange Ports 4-Wire ISDN DS1 Port - E911																		
	Locator Capability - Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,804.00		156.08										
	Unbundled Exchange Ports 4-Wire ISDN DS1 Port - E911			UEPEX	UEP1B	0.00	175.14												
	Locator Capability - Subsequent Profile Changes Additions Deletions																		
	New or Additional PRI Telephone Numbers																		
	Unbundled Exchange Ports 4-Wire ISDN DS1 Port - E911																		
	Locator Capability 2 way Telephone Numbers per number in E911 profile [New or Additional]			UEPEX	UEP1C	0.0697	0.49												
	Unbundled Exchange Ports 4-Wire ISDN DS1 Port - E911																		
	Locator Capability - Outdial Telephone Numbers per number in E911 profile [New or Additional]			UEPEX	UEP1D	0.0697	11.51												
	Unbundled Exchange Ports 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option [New or Additional]			UEPDX	UEP1E	0.00	0.049												
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]																		
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR72T	0.00	23.02												
	LOCAL NUMBER PORTABILITY																		
	Local Number Portability (1 per port)			UEPEX	LNPCN	1.75													
	INTERFACE (Provisioning Only)																		
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00											
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00											
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00											
	New or Additional Channel																		
	New or Additional Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.53												
	New or Additional Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.53												
	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.53												
	New or Additional Usage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	14.53												
	New or Additional Usage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	14.53												
	New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	14.53												
	CALL TYPES																		
	Inward			UEPEX	UEPDX	0.00	0.00	0.00											
	Outward			UEPEX	PR7CO	0.00	0.00	0.00											
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00											
	UNBUNDLED PORT WITH REMOTE CALL FORWARDING CAPABILITY																		
	UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE																		
	Unbundled Remote Call Forwarding Service Area Calling - Res			UEPVR	UERAC	1.38	2.38	2.27	1.42	1.33									
	Unbundled Remote Call Forwarding Service Local Calling - Res			UEPVR	UERLC	1.38	2.38	2.27	1.42	1.33									
	Unbundled Remote Call Forwarding Service IntraLATA - Res			UEPVR	UERTE	2.38	2.27	2.27	1.42	1.33									
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.38	2.38	2.27	1.42	1.33									
	Non-Recurring																		
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR	USAC2		0.10	0.10											
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10											
	UNBUNDLED REMOTE CALL FORWARDING - Bus																		
	Unbundled Remote Call Forwarding Service Area Calling - Bus			UEPVB	UERAC	1.38	2.38	2.27	1.42	1.33									
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.38	2.38	2.27	1.42	1.33									

UNBUNDLED NETWORK ELEMENTS - Alabama																		
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Attachment 2				Exhibit A			
						Nonrecurring		Incremental			Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st Add'l	Charge - Manual Svc Order vs Electronic- 1st Add'l	Incremental Charge - Manual Svc Order vs Electronic- 1st Add'l	Incremental Charge - Manual Svc Order vs Electronic- 1st Add'l			
						First	Add'l	SOME	SOMAN							SOMAN	SOMAN	
						Rec	First	Add'l	First	Add'l								
	Unbundled Remote Call Forwarding Service-InterLATA - Bus -			UEPVB		-- 1.38	2.38	2.27	1.42	1.33								
	Unbundled Remote Call Forwarding Service- IntraLATA - Bus			UEPVB		1.38	2.38	2.27	1.42	1.33								
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB														
	Non-Recurring					1.38	2.38	2.27	1.42	1.33								
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVB			0.10											
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVB			0.10	0.10										
	UNBUNDLED LOCAL SWITCHING, PORT USAGE																	
	End Office Switching (Port Usage)																	
	End Office Switching Function Per MOU					0.0007025												
	End Office Trunk Port - Shared Per MOU					0.0001638												
	Tandem Switching (Port Usage) (Local or Access Tandem)																	
	Tandem Switching Function Per MOU					0.000095												
	Tandem Trunk Port - Shared Per MOU					0.0002015												
	Tandem Switching Function Per MOU (Melded)					0.000040993												
	Tandem Trunk Port - Shared Per MOU (Melded)					0.000086947												
	Melded Factor: 43-15% of the Tandem Rate																	
	Common Transport																	
	Common Transport Per Mile Per MOU					0.0000023												
	Common Transport - Facilities Termination Per MOU					0.0003224												
	UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																	
	Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports																	
	Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit																	
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations																	
	The first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections																	
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																	
	UNE Port/Loop Combination Rates																	
	2-Wire VG Loop/Port Combo - Zone 1	1				12.70												
	2-Wire VG Loop/Port Combo - Zone 2	2				21.19												
	2-Wire VG Loop/Port Combo - Zone 3	3				34.80												
	UNE Loop Rates																	
	2-Wire Voice Grade Loop (SL1) - Zone 1	1		UEPRX	UEPLX	11.55												
	2-Wire Voice Grade Loop (SL1) - Zone 2	2		UEPRX	UEPLX	20.04												
	2-Wire Voice Grade Loop (SL1) - Zone 3	3		UEPRX	UEPLX	33.65												
	2-Wire Voice Grade Line Port Rates (Res)																	
	2-Wire voice unbundled port residence			UEPRX	UEPRL	1.15	40.19	19.83	24.91	6.63								
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.15	40.19	19.83	24.91	6.63								
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.15	40.19	19.83	24.91	6.63								
	2-Wire voice Grade unbundled Alabama extended local dialing party port with Caller ID - res			UEPRX	UEPAR	1.15	40.19	19.83	24.91	6.63								
	2-Wire voice unbundles res low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.15	40.19	19.83	24.91	6.63								
	2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID			UEPRX	UEPWA	1.15	40.19	19.83	24.91	6.63								
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	1.15	40.19	19.83	24.91	6.63								
	FEATURES																	
	All Features Offered																	
	LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)					1.98	0.00	0.00										
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED					0.35												
	2-Wire Voice Grade Loop / Line Port Combination - Conversion Switch-as-is																	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion Switch with change						0.10	0.10										
	ADDITIONAL NRCs						0.10	0.10										

UNBUNDLED NETWORK ELEMENTS - Alabama																		
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Attachment 2			Exhibit A				
						Rec	Nonrecurring		Nonrecurring Disconnect		SOMEc	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st Add I	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st Add I	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st Add I	
							First	Add I										First
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00										
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83										
OFF/ON PREMISES EXTENSION CHANNELS																		
	2-Wire Analog Voice Grade Extension Loop - Non-Design	1		UEPRX	UEAEN	12.58	37.81	17.56	23.49	5.30								
	2-Wire Analog Voice Grade Extension Loop - Non-Design	2		UEPRX	UEAEN	21.05	37.81	17.56	23.49	5.30								
	2-Wire Analog Voice Grade Extension Loop - Non-Design	3		UEPRX	UEAEN	34.34	37.81	17.56	23.49	5.30								
	2-Wire Analog Voice Grade Extension Loop - Design	1		UEPRX	UEAED	14.38	88.00	55.00	47.24	7.44								
	2-Wire Analog Voice Grade Extension Loop - Design	2		UEPRX	UEAED	22.85	88.00	55.00	47.24	7.44								
	2-Wire Analog Voice Grade Extension Loop - Design	3		UEPRX	UEAED	36.14	88.00	55.00	47.24	7.44								
INTEROFFICE TRANSPORT																		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2	21.13	40.54	27.41	16.74	6.90								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	U1TVM	0.008838	0.00	0.00										
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																		
UNE Port/Loop Combination Rates																		
	2-Wire VG Loop/Port Combo - Zone 1	1				12.70												
	2-Wire VG Loop/Port Combo - Zone 2	2				21.19												
	2-Wire VG Loop/Port Combo - Zone 3	3				34.80												
UNE Loop Rates																		
	2-Wire Voice Grade Loop (SL1) - Zone 1	1		UEPBX	UEPLX	11.55												
	2-Wire Voice Grade Loop (SL1) - Zone 2	2		UEPBX	UEPLX	20.04												
	2-Wire Voice Grade Loop (SL1) - Zone 3	3		UEPBX	UEPLX	33.65												
2-Wire Voice Grade Line Port (Bus)																		
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.15	40.19	19.83	24.91	6.63								
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.15	40.19	19.83	24.91	6.63								
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.15	40.19	19.83	24.91	6.63								
	2-Wire voice Grade unbundled Alabama extended local dialing party port with Caller ID - bus			UEPBX	UEPAW	1.15	40.19	19.83	24.91	6.63								
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.15	40.19	19.83	24.91	6.63								
	2-Wire Voice Unbundled Alabama Business Dialing Plan without Caller ID			UEPBX	UEPWB	1.15	40.19	19.83	24.91	6.63								
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	1.15	40.19	19.83	24.91	6.63								
LOCAL NUMBER PORTABILITY																		
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35												
FEATURES																		
	All Features Offered			UEPBX	UEPVF	1.88	0.00	0.00										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		0.10	0.10										
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		0.10	0.10										
ADDITIONAL NRCs																		
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2		0.00	0.00										
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83										
OFF/ON PREMISES EXTENSION CHANNELS																		
	2-Wire Analog Voice Grade Extension Loop - Non-Design	1		UEPBX	UEAEN	12.58	37.81	17.56	23.49	5.30								
	2-Wire Analog Voice Grade Extension Loop - Non-Design	2		UEPBX	UEAEN	21.05	37.81	17.56	23.49	5.30								
	2-Wire Analog Voice Grade Extension Loop - Non-Design	3		UEPBX	UEAEN	34.34	37.81	17.56	23.49	5.30								
	2-Wire Analog Voice Grade Extension Loop - Design	1		UEPBX	UEAED	14.38	88.00	55.00	47.24	7.44								
	2-Wire Analog Voice Grade Extension Loop - Design	2		UEPBX	UEAED	22.85	88.00	55.00	47.24	7.44								
	2-Wire Analog Voice Grade Extension Loop - Design	3		UEPBX	UEAED	36.14	88.00	55.00	47.24	7.44								
INTEROFFICE TRANSPORT																		

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Attachment 2		Exhibit A		
						Nonrecurring		Nonrecurring Disconnect			Incremental Charge - Manual Svc Order vs Electronic- 1st Add'l	Incremental Charge - Manual Svc Order vs Electronic- 1st Add'l	SOMAN	SOMAN	
						First	Add'l	First	Add'l						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade Facility Termination														
	Interoffice Transport - Dedicated 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPBX	U1TV2	21.13	40.54	27.41	16.74	6.90					
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			UEPBX	U1TVM	0.008838	0.00	0.00							
	UNE Port/Loop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1	1				12.70									
	2-Wire VG Loop/Port Combo - Zone 2	2				21.19									
	2-Wire VG Loop/Port Combo - Zone 3	3				34.80									
	UNE Loop Rates														
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1			UEPLX	11.55									
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2			UEPLX	20.04									
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3			UEPLX	33.65									
	2-Wire Voice Grade Line Port Rates (RES - PBX)														
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res				UEPRD	1.15	69.08	32.41	37.43	6.20					
	LOCAL NUMBER PORTABILITY														
	Local Number Portability (1 per port)				LNPCP	3.15	0.00	0.00							
	FEATURES														
	All Features Offered				UEPVF	1.98	0.00	0.00							
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is				UEPRG										
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change				UEPRG		7.91	1.90							
	ADDITIONAL NRCS				USACC		7.81	1.90							
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity				UEPRG		0.00	0.00							
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7.32	7.32							
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise				UEPRG		8.33	0.83							
	OFFICE PREMISES EXTENSION CHANNELS														
	Local Channel Voice grade, per termination	1			UEPRG	14.36	88.00	55.00	47.24	7.44					
	Local Channel Voice grade, per termination	2			UEPRG	22.85	88.00	55.00	47.24	7.44					
	Local Channel Voice grade, per termination	3			UEPRG	36.14	88.00	55.00	47.24	7.44					
	Non-Wire Direct Serve Channel Voice Grade	1			UEPRG	22.41	131.60	61.92	90.50	13.40					
	Non-Wire Direct Serve Channel Voice Grade	2			UEPRG	23.88	131.60	61.92	90.50	13.40					
	Non-Wire Direct Serve Channel Voice Grade	3			UEPRG	33.72	131.60	61.92	90.50	13.40					
	INTEROFFICE TRANSPORT														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination				UEPRG										
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile				UEPRG	21.13	40.54	27.41	16.74	6.90					
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)				UEPRG	0.008838	0.00	0.00							
	UNE Port/Loop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1	1				12.70									
	2-Wire VG Loop/Port Combo - Zone 2	2				21.19									
	2-Wire VG Loop/Port Combo - Zone 3	3				34.80									
	UNE Loop Rates														
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1			UEPPX	11.55									
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2			UEPPX	20.04									
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3			UEPPX	33.65									
	2-Wire Voice Grade Line Port Rates (BUS - PBX)														
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus				UEPPC	1.15	69.08	32.41	37.43	6.20					
	Line Side Unbundled Outward PBX Trunk Port - Bus				UEPPC	1.15	69.08	32.41	37.43	6.20					
	Line Side Unbundled Incoming PBX Trunk Port - Bus				UEPPI	1.15	69.08	32.41	37.43	6.20					

UNBUNDLED NETWORK ELEMENTS - Alabama													
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Attachment 2	Exhibit A
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMECA	SOMAN	SOMAN
	2-Wire Voice Unbundled 2 Way Combination PBX Alabama Calling Port				UEPPX	1.15	69.08	32.41	37.43	6.20			
	2-Wire Voice Unbundled PBX LD Terminal Ports				UEPLD	1.15	69.08	32.41	37.43	6.20			
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port				UEPPX	1.15	69.08	32.41	37.43	6.20			
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports				UEPXB	1.15	69.08	32.41	37.43	6.20			
	2-Wire Voice Unbundled PBX LD DDD Terminals Port				UEPXC	1.15	69.08	32.41	37.43	6.20			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port				UEPXD	1.15	69.08	32.41	37.43	6.20			
	Capable Port				UEPXE	1.15	69.08	32.41	37.43	6.20			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port				UEPXL	1.15	69.08	32.41	37.43	6.20			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port				UEPPX	1.15	69.08	32.41	37.43	6.20			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port				UEPPX	1.15	69.08	32.41	37.43	6.20			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port				UEPXS	1.15	69.08	32.41	37.43	6.20			
	LOCAL NUMBER PORTABILITY												
	Local Number Portability (1 per port)				LNPXP	3.15	0.00	0.00					
	FEATURES												
	All Features Offered				UEPVF	1.98	0.00	0.00					
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED												
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As Is				USAC2		7.91	1.90					
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change				USACC		7.91	1.90					
	ADDITIONAL NRCS												
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity				USAS2	0.00	0.00	0.00					
	PBX Subsequent Activity Change/Rearrange Multiline Hunt Group						7.32	7.32					
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise				URETL		8.33	0.83					
	OFFICE PREMISES EXTENSION CHANNELS												
	Local Channel Voice grade, per termination		1		P2JHX	14.38	88.00	55.00	47.24	7.44			
	Local Channel Voice grade, per termination		2		P2JHX	22.85	88.00	55.00	47.24	7.44			
	Local Channel Voice grade, per termination		3		P2JHX	36.14	88.00	55.00	47.24	7.44			
	Non-Wire Direct Serve Channel Voice Grade		1		SDD2X	22.41	131.60	61.92	90.50	13.40			
	Non-Wire Direct Serve Channel Voice Grade		2		SDD2X	23.88	131.60	61.92	90.50	13.40			
	Non-Wire Direct Serve Channel Voice Grade		3		SDD2X	33.72	131.60	61.92	90.50	13.40			
	INTEROFFICE TRANSPORT												
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination				UITV2	21.13	40.54	27.41	16.74	6.90			
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile				UITVM	0.008838	0.00	0.00					
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT												
	UNE Port/Loop Combination Rates												
	2-Wire VG Coin Port/Loop Combo - Zone 1		1			12.70							
	2-Wire VG Coin Port/Loop Combo - Zone 2		2			21.19							
	2-Wire VG Coin Port/Loop Combo - Zone 3		3			34.80							
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SL1) - Zone 1		1		UEPCO	11.55							
	2-Wire Voice Grade Loop (SL1) - Zone 2		2		UEPCO	20.04							
	2-Wire Voice Grade Loop (SL1) - Zone 3		3		UEPCO	33.65							
	2-Wire Voice Grade Line Ports (COIN)												
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL KY LA MS)				UEPRF	1.15	40.19	19.83	24.91	6.63			
	2-Wire Coin 2 Way with Operator Screening (AL KY)				UEPRE	1.15	40.19	19.83	24.91	6.63			
	2-Wire Coin 2 Way with Operator Screening and Blocking 011 900/976 1+DDD (AL KY LA MS)				UEPRA	1.15	40.19	19.83	24.91	6.63			

UNBUNDLED NETWORK ELEMENTS - Alabama																
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring		Disconnect Add'l	OSS Rates (\$)			Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st		
							First	Add'l		SOMEc					SOMAN	SOMAN
-	2-Wire Con 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)			UEPCO	UEPRB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Con 2 Way with Operator Screening & Blocking 900/976 1+DDD 011+ & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	40.19	19.83	24.91	6.63						
	2-Wire Con Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	1.15	40.19	19.83	24.91	6.63						
	2-Wire Con Outward with Operator Screening and Blocking 011 900/976 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Con Outward Operator Screening & Blocking 900/976 1+DDD 011+ and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.15	40.19	19.83	24.91	6.63						
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.15	40.19	19.83	24.91	6.63						
	2-Wire Con Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.15	40.19	19.83	24.91	6.63						
	ADDITIONAL UNE CON PORT/LOOP (RC)			UEPCO	URECU	1.56	0.00	0.00	0.00	0.00						
	LOCAL NUMBER PORTABILITY			UEPCO	LNPCX	0.35										
	Local Number Portability (1 per port)			UEPCO												
	NONRECURRING CHARGES - CURRENTLY COMBINED			UEPCO												
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		0.10	0.10								
	ADDITIONAL NRCS			UEPCO												
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83								
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)															
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1		1			15.76										
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2		2			24.23										
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3		3			37.52										
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.38										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	22.85										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	36.14										
	2-Wire Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice Grade unbundled Alabama extended local dialing party port with Caller ID - res			UEPFR	UEPAR	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundles res low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.38	90.38	57.27	48.66	8.77						
	2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID			UEPFR	UEPWA	1.38	90.38	57.27	48.66	8.77						
	INTEROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFR	1L5XX	0.008838										
	FEATURES															
	All Features Offered			UEPFR	UEPVF	1.98	0.00	0.00								
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFR	USAC2	8.48	1.87									

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect Add'l			OSS Rates (\$)	
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change Unbundled Miscellaneous Rate Element Tag Designed Loop at End User Premise			UEPFR	USACC		8 48	1 87					
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)			UEPFR	URETN		11 21	1 10					
	UNE Port/Loop Combination Rates												
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1		1			15 76							
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2		2			24 23							
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3		3			37 52							
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14 38							
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	22 85							
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	36 14							
	2-Wire Voice Grade Line Port (Bus)												
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1 38	90 38	57 27	48 66	8 77			
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1 38	90 38	57 27	48 66	8 77			
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1 38	90 38	57 27	48 66	8 77			
	2-Wire voice Grade unbundled Alabama extended local dialing party port with Caller ID - bus			UEPFB	UEPAW	1 38	90 38	57 27	48 66	8 77			
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1 38	90 38	57 27	48 66	8 77			
	2-Wire voice Unbundled Alabama Business Dialing Plan without Caller ID			UEPFB	UEPWB	1 38	90 38	57 27	48 66	8 77			
	LOCAL NUMBER PORTABILITY Local Number Portability (1 per port)			UEPFB	LNPCX	0 35							
	INTEROFFICE TRANSPORT												
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2	21 13	40 54	27 41	16 74	6 90			
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1LSXX	0 008838							
	FEATURES												
	All Features Offered			UEPFB	UEPVF	1 98	0 00	0 00					
	NONRECURRING CHARGES (NRCA) - CURRENTLY COMBINED												
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFB	USAC2		8 48	1 87					
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFB	USACC		8 48	1 87					
	Unbundled Miscellaneous Rate Element Tag Designed Loop at End User Premise			UEPFB	URETN		11 21	1 10					
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)												
	UNE Port/Loop Combination Rates												
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1		1			15 76							
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2		2			24 23							
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3		3			37 52							
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14 38							
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	22 85							
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	36 14							
	2-Wire Voice Grade Line Port Rates (BUS - PBX)												
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1 38	119 27	69 85	61 18	8 34			
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1 38	119 27	69 85	61 18	8 34			
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1 38	119 27	69 85	61 18	8 34			
	2-Wire Voice Unbundled 2 Way Combination PBX Alabama Calling Port			UEPFP	UEPA2	1 38	119 27	69 85	61 18	8 34			
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1 38	119 27	69 85	61 18	8 34			
	2-Wire Voice Unbundled 2 Way Combination PBX Usage Port			UEPFP	UEPXA	1 38	119 27	69 85	61 18	8 34			
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1 38	119 27	69 85	61 18	8 34			
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1 38	119 27	69 85	61 18	8 34			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1 38	119 27	69 85	61 18	8 34			

UNBUNDLED NETWORK ELEMENTS - Alabama																	
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A			
						Rec	Nonrecurring		Disconnect Add'l			SOMAN	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
							First	Add'l									
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.38	119.27	69.85	61.18	8.34							
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.38	119.27	69.85	61.18	8.34							
	2 Wire Voice Unbundled 2 Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.38	119.27	69.85	61.18	8.34							
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1.38	119.27	69.85	61.18	8.34							
	2-Wire Voice Unbundled 1 Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.38	119.27	69.85	61.18	8.34							
	LOCAL NUMBER PORTABILITY Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00									
	INTEROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	UITY2	21.13	40.54	27.41	16.74	6.90							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	1L5XX	0.008838											
	FEATURES All Features Offered			UEPFP	UEPVF	1.98	0.00	0.00									
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFP	USAC2		8.48	1.87									
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFP	USACC		8.48	1.87									
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFP	URETN		11.21	1.10									
	UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
	2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																
	UNE Port/Loop Combination Rates																
	2-Wire VG Loop/2 Wire DID Trunk Port Combo - UNE Zone 1	1				22.40											
	2-Wire VG Loop/2 Wire DID Trunk Port Combo - UNE Zone 2	2				30.88											
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	3				44.17											
	UNE Loop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1	UEPXX		UECD1	14.38											
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	2	UEPXX		UECD1	22.85											
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	3	UEPXX		UECD1	36.14											
	UNE Port Rate																
	Exchange Ports - 2-Wire DID Port			UEPXX	UEPD1	8.02	207.31	73.74	107.14	11.20							
	NONRECURRING CHARGES - CURRENTLY COMBINED 2-Wire Voice Grade Loop / 2 Wire DID Trunk Port Combination - Switch-as-is			UEPXX	USAC1		7.31	1.87									
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPXX	USATC		7.31	1.87									
	ADDITIONAL NRCs 2-Wire DID Subsequent Activity - Add Trunks Per Trunk Unbundled Miscellaneous Rate Element Tag Designed Loop at End User Premise			UEPXX	USAS1		26.78	26.78									
	Telephone Number/Trunk Group Establishment Charges			UEPXX	URETN		11.21	1.10									
	DID Trunk Termination (One Per Port)			UEPXX	NDT	0.00	0.00	0.00									
	Additional DID Numbers for each Group of 20 DID Numbers			UEPXX	ND4	0.00	0.00	0.00									
	DID Numbers Non consecutive DID Numbers, Per Number			UEPXX	ND5	0.00	0.00	0.00									
	Reserve Non-Consecutive DID numbers			UEPXX	ND6	0.00	0.00	0.00									
	Reserve DID Numbers			UEPXX	NDV	0.00	0.00	0.00									
	LOCAL NUMBER PORTABILITY Local Number Portability (1 per port)			UEPXX	LNPCP	3.15	0.00	0.00									
	2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																
	UNE Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1	1	UEPPB	UEPPR		27.28											

UNBUNDLED NETWORK ELEMENTS - Alabama																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Disc Add 1	Attachment 2	Exhibit A			
						Nonrecurring First	Add 1	Nonrecurring Disconnect First	Add 1	SOME C	SOME M	OSS Rates (\$)	SOME M	SOME A	Incremental Charge - Manual Svc Order vs Electronic-Disc Add 1	Incremental Charge - Manual Svc Order vs Electronic-Disc Add 1
						Rec										
	2-Wire ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR	37.86										
	3-Wire ISDN Digital Grade Loop/3W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR	53.84										
	UNE Loop Rates															
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	19.03										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	29.62										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	45.60										
	UNE Port Rate															
	Exchange Port 2-Wire ISDN Line Side Port															
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion					8.24	132.76	100.67	21.28							
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion															
	ADDITIONAL NRCs															
	Unbundled Miscellaneous Rate Element Tag Designed Loop at End User Premise															
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise															
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)															
	B-CHANNEL USER PROFILE ACCESS															
	CVS/CSD (DMS/ESS)															
	CVS (EWS/D)															
	CSD															
	B-CHANNEL AREA PLUS USER PROFILE ACCESS (AL,KY,LA,MS,SC,MS, & TN)															
	CVS/CSD (DMS/ESS)															
	CVS (EWS/D)															
	CSD															
	USER TERMINAL PROFILE															
	User Terminal Profile (EWS/D only)															
	VERTICAL FEATURES															
	All Vertical Features One per Channel B User Profile															
	INTEROFFICE CHANNEL MILEAGE															
	Interoffice Channel Mileage each including first mile and facilities termination															
	Interoffice Channel Mileage each additional mile															
	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT															
	The UNE-P DS1 combination rates below for 4-Wire ISDN DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement															
	Request for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion															
	UNE Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP		166.87										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP		238.50										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP		398.85										
	UNE Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	82.55										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	154.18										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP</												

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	First	Add'l	SOME	SOMAN	SOMAN
	4-Wire DS1 Loop/4-Wire ISDN Digi Trk Port - Subseqt Actv-												
	Inward/Two way Tel Nos (except NC)												
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -												
	Outward Tel Numbers (All States except NC)												
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -												
	Subsequent Inward Tel Numbers												
	LOCAL NUMBER PORTABILITY												
	Local Number Portability (1 per port)												
	INTERFACE (Provisioning Only)												
	Voice/Data												
	Digital Data												
	Inward Data												
	New or Additional 'B' Channel												
	New or Additional - Voice/Data B Channel												
	New or Additional - Digital Data B Channel												
	New or Additional Inward Data B Channel												
	CALL TYPES												
	Inward												
	Outward												
	Two-way												
	Interoffice Channel Mileage												
	Fixed Each Including First Mile												
	Each Airline-Fractional Additional Mile												
	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT												
	The UNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion												
	UNE Port/Loop Combination Rates												
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		142.84							
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		214.26							
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		374.61							
	UNE Loop Rates												
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC		82.55							
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC		154.18							
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC		314.52							
	UNE Port Rate												
	4-Wire DDITS Digital Trunk Port (E 4/1/2004)					60.09	454.49	253.23	117.29	14.17			
	NONRECURRING CHARGES - CURRENTLY COMBINED												
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination												
	- Switch-as-is (E 4/1/2004)						129.49	67.02					
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination												
	- Conversion with DS1 Changes (E 4/1/2004)						129.49	67.02					
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination												
	- Conversion with Change Trunk (E 4/1/2004)						129.49	67.02					
	ADDITIONAL NRCs												
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -												
	Subsequent Channel Activation/Chan - 2-Way Trunk						14.48		14.48				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent												
	Channel Activation/Chan - 1-Way Outward Trunk						14.48		14.48				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subseqnt Channel												
	Activation/Chan - Inward Trunk w/out DID						14.48		14.48				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subseqnt Chan												
	Activation Per Chan - Inward Trunk with DID						14.48		14.48				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subseqnt Chan												
	Activation / Chan - 2-Way DID w User Trans						14.48		14.48				
	BIPOLAR 8 ZERO SUBSTITUTION												
	B82S - Superframe Format						0.00s		600.00s				
	B82S - Extended Superframe Format						0.00s		600.00s				
	Alternate Mark Inversion												
	AMI - Superframe Format						0.00		0.00				

UNBUNDLED NETWORK ELEMENTS - Alabama														
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Attachment 2	Exhibit A		
						Rec	Nonrecurring		Nonrecurring First	Disconnect Add'l	SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
							First	Add'l					SOMAN	SOMAN
	AMI - Extended SuperFrame Format			UEPDC	MCOPD			0.00	0.00					
	Telephone Number/Trunk Group Establishment Charges													
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00								
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00								
	Telephone Number for 1 Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00								
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00		0.00						
	DID Numbers Non- consecutive DID Numbers Per Number			UEPDC	ND5	0.00								
	Reserve Non-Consecutive DID Nos			UEPDC	ND6	0.00		0.00						
	Reserve DID Numbers			UEPDC	NDV	0.00		0.00						
	Dedicated DS1 (Interface Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port													
	Interface Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	60.16	89.27	81.81	16.35	14.44				
	Interface Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.18	0.00	0.00						
	Interface Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00						
	Interface Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.18	0.00	0.00						
	Interface Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00					
	Interface Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNO4	0.18	0.00	0.00						
	Local Number Portability per DSO Activated			UEPDC	LNPOC	3.15	0.00	0.00	0.00					
	Central Office Terminating Point			UEPDC	CTG	0.00								
	4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT													
	System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations													
	Each System can have up to 24 combinations of rates depending on type and number of ports used													
	The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this rate exhibit apply to the embedded base in place as of 10/2003 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement													
	Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion													
	UNE DS1 Loop													
	4-Wire DS1 Loop - UNE Zone 1	1	UEPMG	USLDC	82.55	0.00	0.00	0.00						
	4-Wire DS1 Loop - UNE Zone 2	2	UEPMG	USLDC	154.18	0.00	0.00	0.00						
	4-Wire DS1 Loop - UNE Zone 3	3	UEPMG	USLDC	314.52	0.00	0.00	0.00						
	UNE DSO Channelization Capacities (D4 Channel Bank Configurations)													
	24 DSO Channel Capacity - 1 per DS1		UEPMG	VJM24	101.40	0.00	0.00	0.00						
	48 DSO Channel Capacity - 1 per 2 DS1s		UEPMG	VJM48	202.80	0.00	0.00	0.00						
	96 DSO Channel Capacity - 1 per 4 DS1s		UEPMG	VJM96	405.60	0.00	0.00	0.00						
	144 DSO Channel Capacity - 1 per 6 DS1s		UEPMG	VJM144	608.40	0.00	0.00	0.00						
	192 DSO Channel Capacity - 1 per 8 DS1s		UEPMG	VJM192	811.20	0.00	0.00	0.00						
	240 DSO Channel Capacity - 1 per 10 DS1s		UEPMG	VJM240	1014.00	0.00	0.00	0.00						
	288 DSO Channel Capacity - 1 per 12 DS1s		UEPMG	VJM288	1216.80	0.00	0.00	0.00						
	384 DSO Channel Capacity - 1 per 16 DS1s		UEPMG	VJM384	1622.40	0.00	0.00	0.00						
	480 DSO Channel Capacity - 1 per 20 DS1s		UEPMG	VJM480	2028.00	0.00	0.00	0.00						
	576 DSO Channel Capacity - 1 per 24 DS1s		UEPMG	VJM576	2433.60	0.00	0.00	0.00						
	672 DSO Channel Capacity - 1 per 28 DS1s		UEPMG	VJM672	2839.20	0.00	0.00	0.00						
	Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System													
	A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations													
	Multiple of this configuration functioning as one are considered Add'l after the minimum system configuration is counted													
	NRC - Conversion (Currently Combined) with or without			UEPMG	USAC4	0.00	150.48	8.36						
	BellSouth Allowed Changes													
	System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's													
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fee Activation (E 4/1/2004)			UEPMG	VJMD4	0.00	716.11	468.04	148.75	17.65				
	Bipolar 8 Zero Substitution													
	Clear Channel Capability Format - Subsequent													
	Activity Only			UEPMG	CCOSF	0.00	0.00	600.00s						
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	600.00s						

UNBUNDLED NETWORK ELEMENTS - Alabama																
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A		
						Rec	Nonrecurring		Nonrecurring Disconnect Add I			SOMEC	OSS Rates (\$)		SOMAN	SOMAN
							First	Add I					First	Add I		
	Alternate Mark Inversion (AMI)															
	Superframe Format															
	Extended Superframe Format				UEPMG			0.00								
	Exchange Ports Associated with 4-Wire DST Loop with Channelization with Port				UEPMG			0.00								
	Exchange Ports															
	Line Side Combination Channelized PBX Trunk Port - Business (E 4/1/2004)				UEPPX			1.15	0.00	0.00	0.00					
	Line Side Outward Channelized PBX Trunk Port - Business (E 4/1/2004)				UEPPX			1.15	0.00	0.00	0.00					
	Line Side Inward Only Channelized PBX Trunk Port without DID (E 4/1/2004)				UEPPX			1.15	0.00	0.00	0.00					
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port (E 4/1/2004)				UEPPX			8.05	0.00	0.00	0.00					
	Unbundled Exchange Ports 2-Wire Channelized - Outdial - (AL KY LA MS & TN) Conversion from Network Access Service (E 4/1/2004)				UEPPX			1.15								
	Unbundled Exchange Ports 2-Wire Channelized - Combination (AL KY LA MS & TN) Conversion from Network Access Service (E 4/1/2004)				UEPPX			1.15								
	2-Wire Channelized PBX Area Calling Service Combination Port (AL Only) (E 4/1/2004)				UEPPX			1.15	0.00	0.00						
	2 Wire Channelized PBX Area Calling Service Outgoing Only Port (AL Only) (E 4/1/2004)				UEPPX			1.15	0.00	0.00						
	Feature Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4 Bank				UEPPX			0.56	54.55							
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank				UEPPX			0.56	77.03							
	Telephone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)				UEPPX			0.00	0.00	0.00						
	DID Numbers - groups of 20 - Valid all States				UEPPX			0.00	0.00	0.00						
	Non-Consecutive DID Numbers - per number				UEPPX			0.00	0.00	0.00						
	Reserve Non-Consecutive DID Numbers				UEPPX			0.00	0.00	0.00						
	Reserve DID Numbers				UEPPX			0.00	0.00	0.00						
	Local Number Portability															
	Local Number Portability - 1 per port				UEPPX			3.15	0.00	0.00						
	Local Number Portability - Vertical and Optional															
	Local Switching Features Offered with Line Side Ports Only															
	All Features Available				UEPPX			1.98	0.00	0.00						
UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES																
	1 Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports															
	2 Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit															
	3 End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations															
	4 The first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections Additional NRCs may apply also and are categorized accordingly															
	5 Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an individual Case Basis, until further notice															
	UNE-P CENTREX - 1AESS - (Valid in AL FL GA KY LA MS & TN only)															
	2-Wire VG Loop/2 Wire Voice Grade Port (Centrex) Combo															
	UNE Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non Design															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non Design															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design															
	UNE Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design															

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Nonrecurring		Nonrecurring Disconnect First	OSS Rates (\$)			Incremental Charge - Manual Svc Order vs Electronic- 1st Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l		
						First	Add'l		SOME					SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP91		24.00									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP91		37.29									
UNE Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	11.55									
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	20.04									
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	33.65									
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	14.38									
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	22.85									
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	36.14									
UNE Ports															
All States (Except North Carolina and South Carolina)															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91	UEPYB	1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex with Caller ID)Basic Local Local Area			UEP91	UEPYH	1.15	40.19	19.83	24.91	6.63					
	2 Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area			UEP91	UEPYM	1.15	90.38	57.27	48.66	8.77					
	2 Wire Voice Grade Port Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	1.15	90.38	57.27	48.66	8.77					
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP91	UEPY9	1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP91	UEPY2	1.15	40.19	19.83	24.91	6.63					
AL, KY, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPOA	1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPOB	1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPOH	1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2, 3			UEP91	UEPQM	1.15	90.38	57.27	48.66	8.77					
	2 Wire Voice Grade Port Diff Serving Wire Center - 2, 3 800 Service Term			UEP91	UEPQZ	1.15	90.38	57.27	48.66	8.77					
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPO9	1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPO2	1.15	40.19	19.83	24.91	6.63					
Local Switching															
	Centrex Intercom Functionality per port			UEP91	URECS	0.5488									
Local Number Portability															
	Local Number Portability (1 per port)			UEP91	LNPC	0.35									
Features															
	All Standard Features Offered, per port			UEP91	UEPVF	1.98									
	All Select Features Offered, per port			UEP91	UEPVS	0.00	405.52								
	All Centrex Control Features Offered, per port			UEP91	UEPVC	1.98									
NARS															
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register - Initial			UEP91	UARIY	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register - Outdial			UEP91	UAROY	0.00	0.00	0.00	0.00	0.00					
Miscellaneous Terminations															
	2-Wire Trunk Side			UEP91	CENAF	8.05	119.31	18.74	59.90	3.76					
Interface Channel Mileage - 2-Wire															
	Interface Channel Facilities Termination - Voice Grade			UEP91	M1GBC	21.13	40.54	27.41	16.74	6.90					
	Interface Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.008638									
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
	D4 Channel Bank Feature Activations			UEP91	1PQWS	0.56									
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91											

AMENDMENT EXHIBIT 2

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Attachment 2		Exhibit A		
						Rec	Nonrecurring		Nonrecurring First		Disconnect Add'l	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
							Add'l	SOMAN							
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot				1PQW6	0.56									
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot				1PQW7	0.56									
	Feature Activation on D-4 Channel Bank Centrex Loop Slot				1PQWP	0.56									
	Different Wire Center				1PQWV	0.56									
	Feature Activation on D-4 Channel Bank Private Line Loop Slot				1PQWQ	0.56									
	Feature Activation on D-4 Channel Bank T1e Line/Trunk Loop Slot				1PQWA	0.56									
	Feature Activation on D-4 Channel Bank WATS Loop Slot														
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex														
	Conversion - Currently Combined Switch-As-Is with allowed changes per port				USAC2	0.10	0.10								
	Conversion of Existing Centrex Common Block				USACN	37.75	16.58								
	New Centrex Standard Common Block				UEP91	0.00	667.21								
	New Centrex Customized Common Block				UEP91	0.00	667.21								
	Secondary Block per Block				MZCCT	0.00	78.02								
	NAR Establishment Charge Per Occasion				URECA	0.00	72.73								
	Additional Non-Recurring Charges (NRC)														
	Unbundled Miscellaneous Rate Element Tag Loop at End Use Premise				URETL		8.33	0.83							
	Unbundled Miscellaneous Rate Element Tag Design Loop at End Use Premise				URETN		11.21	1.10							
	UNE-P CENTREX - BESS (Valid in All States)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
	UNE Port/Loop Combination Rates (Non-Design)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design	1		UEP95		12.70									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	2		UEP95		21.19									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	3		UEP95		34.80									
	UNE Port/Loop Combination Rates (Design)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1		UEP95		15.53									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design	2		UEP95		24.00									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design	3		UEP95		37.29									
	UNE Loop Rate														
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1		UEP95	UECS1	11.55									
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2		UEP95	UECS1	20.04									
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3		UEP95	UECS1	33.65									
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1		UEP95	UECS2	14.38									
	2-Wire Voice Grade Loop (SL 2) - Zone 2	2		UEP95	UECS2	22.85									
	2-Wire Voice Grade Loop (SL 2) - Zone 3	3		UEP95	UECS2	36.14									
	UNE Port Rate														
	All States														
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex with Caller ID)Basic Local Area			UEP95	UEPYH	1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)Basic Local Area			UEP95	UEPYM	1.15	90.38	57.27	48.66	8.77					
	2-Wire Voice Grade Port Diff Serving Wire Center 2.3 - 800 Service Term - Basic Local Area			UEP95	UEPYZ	1.15	90.38	57.27	48.66	8.77					
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	1.15	40.19	19.83	24.91	6.63					

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First			SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	Add'l
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2	1.15	40.19	19.83	24.91	6.63					
AL, KY, LA, MS, SC, & TN Only	2-Wire Voice Grade Port (Centrex)			UEP95	UEPQA	1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex with Caller ID1)			UEP95	UEPQH	1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2.3			UEP95	UEPQM	1.15	90.38	57.27	48.66	8.77					
	2-Wire Voice Grade Port Diff Serving Wire Center - 800 Service Term 2.3			UEP95	UEPQZ	1.15	90.38	57.27	48.66	8.77					
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15	40.19	19.83	24.91	6.63					
Local Switching															
	Centrex Intercom Functionality, per port			UEP95	URECS	0.5488									
Local Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPOC	0.35									
Features															
	All Standard Features Offered per port			UEP95	UEPVF	1.98									
	All Select Features Offered per port			UEP95	UEPV5	0.00	405.52								
	All Centrex Control Features Offered, per port			UEP95	UEPVC	1.98									
NARS															
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register - Initial			UEP95	UARI1X	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00					
Miscellaneous Terminations															
2-Wire Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	8.05	119.31	18.74	59.90	3.76					
4-Wire Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	MIHD1	60.09	202.02	95.69	72.59	2.46					
	DS0 Channels Activated, each			UEP95	MIHDO	0.00	14.48								
Interoffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	MITGBC	21.13	40.54	27.41	16.74	6.90					
	Interoffice Channel Mileage, per mile or fraction of mile			UEP95	MITGBM	0.008838									
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56									
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP95	1PQW6	0.56									
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.56									
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.56									
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56									
	Feature Activation on D-4 Channel Bank Trunk Loop Slot			UEP95	1PQWQ	0.56									
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56									
Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2		0.10	0.10							
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		37.75	16.58							
	New Centrex Standard Common Block			UEP95	MTACS	0.00	667.21								
	New Centrex Customized Common Block			UEP95	MTACC	0.00	667.21								
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73								
Additional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83							

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Attachment 2		Exhibit A		
						Rec	Nonrecurring		Nonrecurring Disconnect Add'l		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
							First	Add'l							
	Unbundled Miscellaneous Rate Element Tag Design Loop at End Use Premise			UEP95	URETN		11 21	1 10							
	UNE-P CENTREX - DMS100 (Valid in All States)														
	2 Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
	UNE Port Loop Combination Rates (Non-Design)														
	2 Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9D		12 70									
	2 Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non Design		2	UEP9D		21 19									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non Design		3	UEP9D		34 80									
	UNE Port Loop Combination Rates (Design)														
	2-Wire VG Loop/2 Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9D		15 53									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		24 00									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9D		37 29									
	UNE Loop Rate														
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11 55									
	2 Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	20 04									
	2 Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	33 65									
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14 38									
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	22 85									
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	36 14									
	UNE Port Rate														
	ALL STATES														
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1 15	40 19	19 83	24 91	6 63					
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1 15	40 19	19 83	24 91	6 63					
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1 15	40 19	19 83	24 91	6 63					
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1 15	40 19	19 83	24 91	6 63					
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	1 15	40 19	19 83	24 91	6 63					
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1 15	40 19	19 83	24 91	6 63					
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3Basic Local Area			UEP9D	UEPYG	1 15	40 19	19 83	24 91	6 63					
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1 15	40 19	19 83	24 91	6 63					
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	1 15	40 19	19 83	24 91	6 63					
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1 15	40 19	19 83	24 91	6 63					
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	1 15	40 19	19 83	24 91	6 63					
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1 15	40 19	19 83	24 91	6 63					
	2-Wire Voice Grade Port (Centrex/Caller ID)Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYW	1 15	40 19	19 83	24 91	6 63					
	2-Wire Voice Grade Port (Centrex)Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYJ	1 15	40 19	19 83	24 91	6 63					
	2 Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 3-Basic Local Area			UEP9D	UEPYM	1 15	90 38	57 27	48 66	8 77					
	2 Wire Voice Grade Port (Centrex/differ SWC (EBS-PSET)2 3 4 Basic Local Area			UEP9D	UEPYO	1 15	90 38	57 27	48 66	8 77					

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted ELEC per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Nonrecurring		Disconnect	OSS Rates (\$)			Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l		
						Rec	Add'l		First					Add'l	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2 3 4														
	Basic Local Area			UEP9D		1.15	90.38	57.27	48.66	8.77					
	2 Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2.3 4														
	Basic Local Area			UEP9D		1.15	90.38	57.27	48.66	8.77					
	2 Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2 3 4														
	Basic Local Area			UEP9D		1.15	90.38	57.27	48.66	8.77					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2 3 4														
	Basic Local Area			UEP9D		1.15	90.38	57.27	48.66	8.77					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2 3 4														
	Basic Local Area			UEP9D		1.15	90.38	57.27	48.66	8.77					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2 3														
	Basic Local Area			UEP9D		1.15	90.38	57.27	48.66	8.77					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2 3 4														
	Basic Local Area			UEP9D		1.15	90.38	57.27	48.66	8.77					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2 3 4														
	Basic Local Area			UEP9D		1.15	90.38	57.27	48.66	8.77					
	2-Wire Voice Grade Port Diff Serving Wire Center - 800 Service Term 2 3														
	2-Wire Voice Grade Port terminated in on Megalink or equivalent														
	Basic Local Area			UEP9D		1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP8D		1.15	40.19	19.83	24.91	6.63					
AL, KY, LA, MS, SC, & TN Only	2-Wire Voice Grade Port (Centrex)			UEP9D		1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D		1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP8D		1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D		1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D		1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D		1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D		1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D		1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D		1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D		1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D		1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex with Caller ID)Msg Wlg Lamp Indication)4			UEP9D		1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex/Msg Wlg Lamp Indication)4			UEP9D		1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D		1.15	40.19	19.83	24.91	6.63					
	2 3			UEP9D		1.15	90.38	57.27	48.66	8.77					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2 3 4			UEP9D		1.15	90.38	57.27	48.66	8.77					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2 3 4			UEP9D		1.15	90.38	57.27	48.66	8.77					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2 3 4			UEP9D		1.15	90.38	57.27	48.66	8.77					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2 3 4			UEP9D		1.15	90.38	57.27	48.66	8.77					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2 3 4			UEP9D		1.15	90.38	57.27	48.66	8.77					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2 3 4			UEP9D		1.15	90.38	57.27	48.66	8.77					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2 3 4			UEP9D		1.15	90.38	57.27	48.66	8.77					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2 3 4			UEP9D		1.15	90.38	57.27	48.66	8.77					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2 3 4			UEP9D		1.15	90.38	57.27	48.66	8.77					

UNBUNDLED NETWORK ELEMENTS - Alabama														
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Exhibit A
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEc	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port Diff Serving Wire Center - 800 Service Term 2 3			UEP9D	UEPQZ	1.15	90.38	57.27	48.66	8.77				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	40.19	19.83	24.91	8.63				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	40.19	19.83	24.91	8.63				
	Local Switching													
	Centrex Intercom Functionality per port			UEP9D	URECS	0.5488								
	Local Number Portability													
	Local Number Portability (1 per port)			UEP9D	LNPC	0.35								
	Features													
	All Standard Features Offered per port			UEP9D	UEPVF	1.98								
	All Select Features Offered per port			UEP9D	UEPVS	0.00	405.52							
	All Centrex Control Features Offered per port			UEP9D	UEPVC	1.98								
	NARS													
	Unbundled Network Access Register - Combination			UEP9D	UARC	0.00	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register - Inward			UEP9D	UARI1X	0.00	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register - Outdial			UEP9D	UARO1X	0.00	0.00	0.00	0.00	0.00				
	Miscellaneous Terminations													
	2-Wire Trunk Side													
	Trunk Side Terminations each			UEP9D	CEND6	8.05	119.31	18.74	59.90	3.76				
	4-Wire Digital (1.544 Megabits)													
	DS1 Circuit Terminations each			UEP9D	M1HD1	60.09	202.02	95.89	72.59	2.46				
	DS0 Channels Activated per Channel			UEP9D	M1HDO	0.00	14.48							
	Interface Channel Mileage - 2-Wire													
	Interface Channel Facilities Termination			UEP9D	M1GBC	21.13	40.54	27.41	16.74	6.90				
	Interface Channel mileage per mile or fraction of mile			UEP9D	M1GBM	0.008838								
	Feature Activation (DS0) Centrex Loops on Channelized DS1 Service													
	D4 Channel Bank Feature Activations													
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56								
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP9D	1PQW6	0.56								
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.56								
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.56								
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56								
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.56								
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56								
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex													
	NRC Conversion Currently Combined Switch-As-is with allowed changes, per port			UEP9D	USAC2		0.10	0.10						
	Conversion of existing Centrex Common Block each			UEP9D	USACN		37.75	16.58						
	New Centrex Standard Common Block			UEP9D	MTACS	0.00	667.21							
	New Centrex Customized Common Block			UEP9D	MTACC	0.00	667.21							
	NAR Establishment Charge Per Occasion			UEP9D	URECA	0.00	72.73							
	Additional Non-Recurring Charges (NRC)													
	Unbundled Miscellaneous Rate Element Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83						
	Unbundled Miscellaneous Rate Element Tag Design Loop at End Use Premise			UEP9D	URETN		11.21	1.10						
	UNE P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)													
	2 Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo													
	UNE Port/Loop Combination Rates (Non-Design)													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9E		12.70								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9E		21.19								

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st Add l	Attachment 2	Incremental Charge - Manual Svc Order vs Electronic- 1st Add l	Exhibit A	
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First						SOME
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design						34.80								
	UNE PortLoop Combination Rates (Design)		3	UEP9E											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9E			15.53								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9E			24.00								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9E			37.29								
	UNE Loop Rate														
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1		11.55								
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1		20.04								
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1		33.65								
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2		14.38								
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2		22.85								
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2		36.14								
	UNE Port Rate														
	AL FL KY LA MS & TN only														
	2-Wire Voice Grade Port (Centrex) Basic Local Area				UEPYA		1.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area				UEPYB		1.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex with Caller ID)Basic Local Area				UEPYH		1.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 3 Basic Local Area				UEPYM		1.15	90.38	57.27	48.66	8.77				
	2-Wire Voice Grade Port Diff Serving Wire Center 2 3 - 800 Service Term - Basic Local Area				UEPYZ		1.15	90.38	57.27	48.66	8.77				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area				UEPY9		1.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area				UEPY2		1.15	40.19	19.83	24.91	6.63				
	AL KY LA MS & TN Only														
	2-Wire Voice Grade Port (Centrex)				UEPOA		1.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex 800 termination)				UEPOB		1.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex with Caller ID)1				UEPQH		1.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 3				UEPOM		1.15	90.38	57.27	48.66	8.77				
	2-Wire Voice Grade Port Diff Serving Wire Center 2.3 - 800 Service Term				UEPOZ		1.15	90.38	57.27	48.66	8.77				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent				UEPO9		1.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port Terminated on 800 Service Term				UEPO2		1.15	40.19	19.83	24.91	6.63				
	Local Switching														
	Centrex Intercom Functionality per port				URECS		0.5488								
	Local Number Portability														
	Local Number Portability (1 per port)				LNPOC		0.35								
	Features														
	All Standard Features Offered, per port				UEPVF		1.98								
	All Select Features Offered, per port				UEPV9		0.00	405.52							
	All Centrex Control Features Offered per port				UEPVC		1.98								
	NARS														
	Unbundled Network Access Register - Combination				UJARCX		0.00	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register - Indial				UJARYX		0.00	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register - Outdial				UJAROX		0.00	0.00	0.00	0.00	0.00				
	Miscellaneous Terminations														
	2-Wire Trunk Side														
	Trunk Side Terminations each				CEND6		8.05	119.31	18.74	59.90	3.76				
	4-Wire Digital (1.544 Megabits)														
	DS1 Circuit Terminations each				M1HD1		60.09	202.02	95.69	72.59	2.46				

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Nonrecurring		Nonrecurring Disconnect				Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l
						Rec	First	Add'l	First						
	DSO Channel Activated Per Channel			UEP9E	MHDO	0.00	14.48								
	Interface Channel Mileage - 2-Wire														
	Interface Channel Facilities Termination			UEP9E	MTGBC	21.13	40.54		27.41	16.74	6.90				
	Interface Channel Mileage per mile or fraction of mile			UEP9E	MTGBM	0.006338									
	Feature Activations (DSO) Centrex Loops on Channelized DS1 Service														
	D4 Channel Bank Feature Activations														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.56									
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP9E	1PQW6	0.56									
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.56									
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0.56									
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.56									
	Feature Activation on D-4 Channel Bank Tye Line/Trunk Loop Slot			UEP9E	1PQWQ	0.56									
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.56									
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex changes per port			UEP9E	USAC2		0.10		0.10						
	NRC Conversion Currently Combined Switch-As-is with allowed conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.75		16.58						
	New Centrex Standard Common Block			UEP9E	MTACS	0.00	667.21								
	New Centrex Customized Common Block			UEP9E	MTACC	0.00	667.21								
	NAR Establishment Charge Per Occasion			UEP9E	URECA	0.00	72.73								
	Additional Non-Recurring Charges (NRC)														
	Unbundled Miscellaneous Rate Element Tag Loop at End Use Premise			UEP9E	URETL		8.33		0.83						
	Unbundled Miscellaneous Rate Element Tag Design Loop at End Use Premise			UEP9E	URETN		11.21		1.10						
	UNE-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
	UNE Port/Loop Combination Rates (Non-Design)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP93		12.70									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP93		21.19									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP93		34.80									
	UNE Port/Loop Combination Rates (Design)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP93		15.53									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP93		24.00									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP93		37.29									
	UNE Loop Rate														
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11.55									
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	20.04									
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	33.65									
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	14.38									
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	22.85									
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	36.14									
	UNE Port Rate														
	AL, KY, LA, MS, & TN only														
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	1.15	40.19		19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP93	UEPYB	1.15	40.19		19.83	24.91	6.63				

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Inter m	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
					Rec	Nonrecurring First	Add 1	Nonrecurring First	Disconnect Add 1	SOMECSOMAN	SOMECSOMAN	SOMECSOMAN	SOMECSOMAN
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area		UEP93		1.15	40.19	19.83	24.91	8.63				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3 Basic Local Area		UEP93		1.15	90.38	57.27	48.66	8.77				
	2-Wire Voice Grade Port Diff Serving Wire Center - 2.3 - 800 Service Term - Basic Local Area		UEP93		1.15	90.38	57.27	48.66	8.77				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area		UEP93		1.15	40.19	19.83	24.91	8.63				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area		UEP93		1.15	40.19	19.83	24.91	8.63				
	2-Wire Voice Grade Port (Centrex 800 termination)		UEP93		1.15	40.19	19.83	24.91	8.63				
	2-Wire Voice Grade Port (Centrex with Caller ID) 1		UEP93		1.15	40.19	19.83	24.91	8.63				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3		UEP93		1.15	90.38	57.27	48.66	8.77				
	2-Wire Voice Grade Port Diff Serving Wire Center - 2.3 - 800 Service Term		UEP93		1.15	90.38	57.27	48.66	8.77				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		UEP93		1.15	40.19	19.83	24.91	8.63				
	2-Wire Voice Grade Port Terminated on 800 Service Term		UEP93		1.15	40.19	19.83	24.91	8.63				
	Local Switching												
	Centrex Intercom Functionality, per port		UEP93		0.5488								
	Local Number Portability												
	Local Number Portability (1 per port)		UEP93		0.35								
	Features												
	All Standard Features Offered, per port		UEP93		1.98								
	All Centrex Control Features Offered, per port		UEP93		1.98								
	NARS												
	Unbundled Network Access Register - Combination		UEP93		0.00	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register - Initial		UEP93		0.00	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register - Outdial		UEP93		0.00	0.00	0.00	0.00	0.00				
	Miscellaneous Terminations												
	2-Wire Trunk Side												
	Trunk Side Terminations, each		UEP93		8.05	119.31	18.74	59.90	3.76				
	Digital (1.544 Megabits)												
	DS1 Circuit Terminations, each		UEP93		60.09	202.02	95.69	72.59	2.46				
	DS0 Channels Activated, Per Channel		UEP93		0.00	14.48							
	Interoffice Channel Mileage - 2-Wire												
	Interoffice Channel Facilities Termination		UEP93		21.13	40.54	27.41	16.74	6.90				
	Interoffice Channel mileage, per mile or fraction of mile		UEP93		0.00838								
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service												
	D4 Channel Bank Feature Activations												
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		UEP93		0.56								
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot		UEP93		0.56								
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		UEP93		0.56								
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center		UEP93		0.56								
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		UEP93		0.56								
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot		UEP93		0.56								
	Feature Activation on D-4 Channel Bank WATS Loop Slot		UEP93		0.56								
	Feature Activation on D-4 Channel Bank WATS Loop Slot		UEP93		0.56								
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex												
	NRC Conversion Currently Combined Switch-As-is with allowed changes, per port		UEP93			0.10	0.10						
	Conversion of Existing Centrex Common Block, each		UEP93			37.75	16.58						
	New Centrex Standard Common Block		UEP93		0.00	657.21							

AMENDMENT EXHIBIT 2

UNBUNDLED NETWORK ELEMENTS - Alabama													
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A
											Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add I	
											OSS Rates (\$)	SOMAN	
						Rec	Nonrecurring First	Add I	Nonrecurring First	Disconnect Add I	SOMECS	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
	New Centrex Customized Common Block												Incremental Charge - Manual Svc Order vs Electronic- Disc Add I
	NAR Establishment Charge Per Occasion			UEP93	MIACC	0.00	667.21						Charge - Manual Svc Order vs Electronic- Disc 1st
	Additional Non Recurring Charges (NRC)			UEP93	URECA	0.00	72.73						Charge - Manual Svc Order vs Electronic- Disc Add I
	Unbundled Miscellaneous Rate Element Tag Loop at End Use Premise												Charge - Manual Svc Order vs Electronic- Disc 1st
	Unbundled Miscellaneous Rate Element Tag Design Loop at End Use Premise			UEP93	URETL		8.33	0.83					Charge - Manual Svc Order vs Electronic- Disc Add I
	Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD			UEP93	URETN		11.21	1.10					Charge - Manual Svc Order vs Electronic- Disc 1st
	Note 2 - Requires Intanoffice Channel Mileage												Charge - Manual Svc Order vs Electronic- Disc Add I
	Note 3 - Installation is combination of installation charge for SL2 Loop and Port												Charge - Manual Svc Order vs Electronic- Disc 1st
	Note 4 - Requires Specific Customer Premises Equipment												Charge - Manual Svc Order vs Electronic- Disc Add I
	Note Rates displaying an R in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions												Charge - Manual Svc Order vs Electronic- Disc 1st

[illegible]

AMENDMENT EXHIBIT 2

UNBUNDLED NETWORK ELEMENTS - Florida															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring		Nonrecurring Disconnect Add'l			Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							First	Add'l							
	CLEC to CLEC Conversion Charge Without Outside Dispatch (U/L-SL1)			UEANL	UREWO		15 78	8 94							
	Unbundled Voice Loop - Non-Design Voice Loop - billing for BST providing make-up (Engineering Information - E1)			UEANL	UEANM		13 49								
	Manual Order Coordination for U/L-SL1s (per loop)			UEANL	UEAMC		9 00	9 00							
	Order Coordination for Specified Conversion Time for U/L-SL1 (per LSR)			UEANL	OCOSL		23 02								
	2-WIRE UNBUNDLED COPPER LOOP														
	2-Wire Unbundled Copper Loop - Non-Design Zone 1	1	1	UEQ	UEQ2X	7 69	44 98	20 90	24 88	6 45					
	2-Wire Unbundled Copper Loop - Non-Design Zone 2	1	2	UEQ	UEQ2X	10 92	44 98	20 90	24 88	6 45					
	2-Wire Unbundled Copper Loop - Non-Design Zone 3	1	3	UEQ	UEQ2X	19 38	44 98	20 90	24 88	6 45					
	Unbundled Miscellaneous Rate Element - Tag Loop at End User Premise			UEQ	URETL		8 33	0 83							
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Design (per loop)			UEQ	USBMC		9 00								
	Unbundled Copper Loop - Non-Design Cooper Loop - billing for BST providing make-up (Engineering Information - E1)			UEQ	UEOMU		13 49								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		48 65	48 65							
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23 95	23 95							
	CLEC to CLEC Conversion Charge Without Outside Dispatch (U/L-ND)			UEQ	UREWO		14 27	7 43							
	UNBUNDLED EXCHANGE ACCESS LOOP														
	2-WIRE ANALOG VOICE GRADE LOOP														
	2-Wire Analog Voice Grade Loop - Service Level 1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	10 69	48 57	22 83	25 62	6 57					
	2-Wire Analog Voice Grade Loop - Service Level 1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	10 69	48 57	22 83	25 62	6 57					
	2-Wire Analog Voice Grade Loop - Service Level 1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	15 20	48 57	22 83	25 62	6 57					
	2-Wire Analog Voice Grade Loop - Service Level 1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	15 20	48 57	22 83	25 62	6 57					
	2-Wire Analog Voice Grade Loop - Service Level 1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	26 97	48 57	22 83	25 62	6 57					
	2-Wire Analog Voice Grade Loop - Service Level 1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	26 97	48 57	22 83	25 62	6 57					
	UNBUNDLED EXCHANGE ACCESS LOOP														
	2-WIRE ANALOG VOICE GRADE LOOP														
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	12 24	135 75	82 47	63 53	12 01					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	17 40	135 75	82 47	63 53	12 01					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	30 87	135 75	82 47	63 53	12 01					
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23 02								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	12 24	135 75	82 47	63 53	12 01					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	17 40	135 75	82 47	63 53	12 01					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	30 87	135 75	82 47	63 53	12 01					
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23 02								
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87 71	36 35							
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11 21	1 10							
	4-WIRE ANALOG VOICE GRADE LOOP														
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	18 89	167 86	115 15	67 08	15 56					
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	26 84	167 86	115 15	67 08	15 56					
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	47 62	167 86	115 15	67 08	15 56					
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23 02								
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87 71	36 35							

UNBUNDLED NETWORK ELEMENTS - Florida														
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add I	Incremental Charge - Manual Svc Order vs Electronic-Add I	Exhibit A	
						Nonrecurring		Nonrecurring Disconnect Add'l	QSS Rates (\$)					
						Rec	First		Add'l					SOMAN
	2-WIRE ISDN DIGITAL GRADE LOOP													
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	UHL2X	19 28	147 69	94 41	62 23	10 71				
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	UHL2X	27 40	147 69	94 41	62 23	10 71				
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	UHL2X	48 62	147 69	94 41	62 23	10 71				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23 02							
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91 61	44 15						
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP													
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	8 30	149 53	103 85	75 05	15 63				
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	11 80	149 53	103 85	75 05	15 63				
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	20 94	149 53	103 85	75 05	15 63				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23 02							
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2W	8 30	124 83	71 12	60 64	9 12				
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W	11 80	124 83	71 12	60 64	9 12				
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W	20 94	124 83	71 12	60 64	9 12				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23 02							
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86 19	40 39						
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP													
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	7 22	159 09	113 41	75 05	15 63				
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	10 26	159 09	113 41	75 05	15 63				
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	18 21	159 09	113 41	75 05	15 63				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23 02							
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	7 22	134 40	80 69	60 64	9 12				
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	10 26	134 40	80 69	60 64	9 12				
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	18 21	134 40	80 69	60 64	9 12				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23 02							
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86 12	40 39						
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP													
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	10 86	193 31	138 98	77 15	12 61				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	15 44	193 31	138 98	77 15	12 61				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	27 39	193 31	138 98	77 15	12 61				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23 02							
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	10 86	168 62	115 47	62 74	11 22				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	15 44	168 62	115 47	62 74	11 22				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	27 39	168 62	115 47	62 74	11 22				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23 02							
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86 12	40 39						
	4-WIRE DS1 DIGITAL LOOP													
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	70 74	313 75	181 48	61 22	13 53				
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	100 54	313 75	181 48	61 22	13 53				
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	178 39	313 75	181 48	61 22	13 53				
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23 02							

UNBUNDLED NETWORK ELEMENTS - Florida																		
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A				
						Rec	Nonrecurring		Nonrecurring Disconnect First			Add I	Incremental Charge - Manual Svc Order vs Electronic- 1st	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Disc Add I	SOMAN
							First	Add I										
	Sub-Loop Distribution																	
	Sub Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		487 23											
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		6 25											
	Sub Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	I		UEANL	USBSC		169 25											
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD		38 65											
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	6 46	60 19	21 78	47 50	5 26								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	9 18	60 19	21 78	47 50	5 26								
	Sub-Loop Distribution Per 2 Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	16 29	60 19	21 78	47 50	5 26								
	Order Coordination for Unbundled Sub-Loops per sub-loop pair																	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7 37	68 83	30 42	49 71	6 60								
	Sub-Loop Distribution Per 4 Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	10 47	68 83	30 42	49 71	6 60								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	18 58	68 83	30 42	49 71	6 60								
	Order Coordination for Unbundled Sub-Loops per sub-loop pair																	
	Sub-Loop 2-Wire Intra-Building Network Cable (INC)	I		UEANL	USBMC	3 98	51 84	13 44	47 50	5 26								
	Order Coordination for Unbundled Sub-Loops per sub-loop pair																	
	Sub-Loop 4-Wire Intra-Building Network Cable (INC)	I		UEANL	USBMC	9 37	55 91	17 51	49 71	6 60								
	Order Coordination for Unbundled Sub-Loops per sub-loop pair																	
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		9 00	9 00										
	Loop Testing - Basic Additional Half Hour			UEANL	URET1		48 65	48 65										
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	5 15	23 95	23 95										
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS2X	60 19	21 78	21 78	47 50	5 26								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	7 31	60 19	21 78	47 50	5 26								
	Order Coordination for Unbundled Sub-Loops per sub-loop pair																	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	USBMC	12 98	60 19	21 78	47 50	5 26								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	USBMC	9 00	68 83	30 42	49 71	6 60								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	USBMC	7 61	68 83	30 42	49 71	6 60								
	Order Coordination for Unbundled Sub-Loops per sub-loop pair																	
	Loop Testing - Basic 1st Half Hour			UEF	USBMC	13 51	68 83	30 42	49 71	6 60								
	Loop Testing - Basic Additional Half Hour			UEF	USBMC		9 00	9 00										
	Unbundled Network Terminating Wire (UNTW)			UEF	URET1		23 95	23 95										
	Unbundled Network Terminating Wire (UNTW) per Pair			UEF	URET1		23 95	23 95										
	Network Interface Device (NID)			UNTW	UENPP	0 4572	16 02											
	Network Interface Device (NID) - 1-2 lines			UNTW	UNID12													
	Network Interface Device (NID) - 1-6 lines			UNTW	UNID16		71 49	48 87										
	Network Interface Device Cross Connect - 2 W			UNTW	UNDC2		113 89	89 07										
	Network Interface Device Cross Connect - 4W			UNTW	UNDC4		7 63	7 63										
	UNID Dispatch and Service Order for NID installation			UNTW	UNDBX	0 00	0 00											
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UNTW	UNCE	0 00	0 00											
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNECN	0 00	0 00											
	UNID Dispatch and Service Order for NID installation			UNTW	UNDBX	0 00	0 00											
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UNTW	UNCE	0 00	0 00											
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNECN	0 00	0 00											
	UNID Dispatch and Service Order for NID installation			UNTW	UNDBX	0 00	0 00											
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UNTW	UNCE	0 00	0 00											
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNECN	0 00	0 00											
	UNID Dispatch and Service Order for NID installation			UNTW	UNDBX	0 00	0 00											
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UNTW	UNCE	0 00	0 00											
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNECN	0 00	0 00											
	UNID Dispatch and Service Order for NID installation			UNTW	UNDBX	0 00	0 00											
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UNTW	UNCE	0 00	0 00											
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNECN	0 00	0 00											
	UNID Dispatch and Service Order for NID installation			UNTW	UNDBX	0 00	0 00											
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UNTW	UNCE	0 00	0 00											
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNECN	0 00	0 00											
	UNID Dispatch and Service Order for NID installation			UNTW	UNDBX	0 00	0 00											
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UNTW	UNCE	0 00	0 00											
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNECN	0 00	0 00											
	UNID Dispatch and Service Order for NID installation			UNTW	UNDBX	0 00	0 00											
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UNTW	UNCE	0 00	0 00											
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNECN	0 00	0 00											
	UNID Dispatch and Service Order for NID installation			UNTW	UNDBX	0 00	0 00											
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UNTW	UNCE	0 00	0 00											
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNECN	0 00	0 00											
	UNID Dispatch and Service Order for NID installation			UNTW	UNDBX	0 00	0 00											
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UNTW	UNCE	0 00	0 00											
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNECN	0 00	0 00											
	UNID Dispatch and Service Order for NID installation			UNTW	UNDBX	0 00	0 00											
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UNTW	UNCE	0 00	0 00											
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNECN	0 00	0 00											
	UNID Dispatch and Service Order for NID installation			UNTW	UNDBX	0 00	0 00											
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UNTW	UNCE	0 00	0 00											
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNECN	0 00	0 00											
	UNID Dispatch and Service Order for NID installation			UNTW	UNDBX	0 00	0 00											
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UNTW	UNCE	0 00	0 00											
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNECN	0 00	0 00											
	UNID Dispatch and Service Order for NID installation			UNTW	UNDBX	0 00	0 00											
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UNTW	UNCE	0 00	0 00											
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNECN	0 00	0 00											
	UNID Dispatch and Service Order for NID installation			UNTW	UNDBX	0 00	0 00											
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UNTW	UNCE	0 00	0 00											
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNECN	0 00	0 00											
	UNID Dispatch and Service Order for NID installation			UNTW	UNDBX	0 00	0 00											
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UNTW	UNCE	0 00	0 00											
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNECN	0 00	0 00											
	UNID Dispatch and Service Order for NID installation			UNTW	UNDBX	0 00	0 00											
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UNTW	UNCE	0 00	0 00											
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNECN	0 00	0 00											
	UNID Dispatch and Service Order for NID installation			UNTW	UNDBX	0 00	0 00											
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UNTW	UNCE	0 00	0 00											
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNECN	0 00	0 00											
	UNID Dispatch and Service Order for NID installation			UNTW	UNDBX	0 00	0 00											
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UNTW	UNCE	0 00	0 00											
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNECN	0 00	0 00											
	UNID Dispatch and Service Order for NID installation			UNTW	UNDBX	0 00	0 00											
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UNTW	UNCE	0 00	0 00											
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNECN	0 00	0 00											
	UNID Dispatch and Service Order for NID installation			UNTW	UNDBX	0 00	0 00											
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UNTW	UNCE	0 00	0 00											
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNECN	0 00	0 00											
	UNID Dispatch and Service Order for NID installation			UNTW	UNDBX	0 00	0 00											
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UNTW	UNCE	0 00	0 00											
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNECN	0 00	0 00											
	UNID Dispatch and Service Order for NID installation			UNTW	UNDBX	0 00	0 00											
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UNTW	UNCE	0 00	0 00											
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNECN	0 00	0 00											
	UNID Dispatch and Service Order for NID installation			UNTW	UNDBX	0 00	0 00											
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UNTW	UNCE	0 00	0 00											
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNECN	0 00	0 00											
	UNID Dispatch and Service Order for NID installation			UNTW	UNDBX	0 00	0 00											
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UNTW	UNCE	0 00	0 00											
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNECN	0 00	0 00											
	UNID Dispatch and Service Order for NID installation			UNTW	UNDBX	0 00	0 00											
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UNTW	UNCE	0 00	0 00											
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNECN	0 00	0 00											
	UNID Dispatch and Service Order for NID installation			UNTW	UNDBX	0 00	0 00											
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UNTW	UNCE	0 00	0 00											
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNECN	0 00	0 00											

UNBUNDLED NETWORK ELEMENTS - Florida																
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A		
						Rec	Nonrecurring		Nonrecurring First			Disconnect Add'l	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
							First	Add'l								
	Unbundled Contact Name, Provisioning Only - no rate			UAL UCL UDC UDL UDN UEA UHL ULC	UNEON	0.00										
	Unbundled Sub Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA UDN UCL UDC	USBFQ	0.00										
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA USL UCL UDL	USBFR	0.00										
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00										
	Unbundled DS1 Loop - Expanded Superframe Format option no rate			USL	CCOEF	0.00										
HIGH CAPACITY UNBUNDLED LOCAL LOOP																
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1LSND	10.92										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	386.88	556.37	343.01	139.13	96.84						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1LSND	10.92										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84						
LOOP MAKE-UP																
	Loop Makeup - Preordering Without Reservation per working or spare facility queued (Manual)			UMK	UMKLW	52.17										
	Loop Makeup - Preordering With Reservation per spare facility queued (Manual)			UMK	UMKLP	55.07	55.07									
	Loop Makeup-With or Without Reservation per working or spare facility queued (Mechanized)			UMK	UMKMQ	0.6784	0.6784									
LINE SHARING AND LINE SPLITTING																
	NOTE 1 The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows															
	NOTE 1 10/02/2003 - 10/01/2004 25% of the rate for an unbundled copper loop non-designed ("UCLND")															
	NOTE 1 10/02/2004 - 10/01/2005 50% of the rate for UCLND															
	NOTE 1 10/02/2005 - 10/01/2006 75% of the rate for UCLND															
	NOTE 1 Above will apply to USOCs ULSDT and ULSC1															
	NOTE 2 The Line Sharing monthly recurring rates with USOCs ULSDC and ULSCC applies only to circuits installed and in service on or before October 1, 2003															
LINE SHARING																
	SPLITTERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter per System 96 Line Capacity			ULS	ULSDA	119.72	379.13	0.00		347.90	0.00					
	Line Sharing Splitter per System 24 Line Capacity			ULS	ULSDB	28.93	379.13	0.00		347.90	0.00					
	Line Sharing Splitter Per System 8 Line Capacity			ULS	ULSD8	8.33	379.13	0.00		347.90	0.00					
	Line Sharing DLEC Owned Splitter in CO-CFA activation- (deactivation (per LSOD))			ULS	ULSDG	173.66	0.00			97.42	0.00					
END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING																
	Line Sharing - per Line Activation (BST Owned Splitter) - OBSOLETE see NOTE 2			ULS	ULSDC	0.61	29.68	21.28	19.57	9.61						
	Line Share Service TRO per line activation BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003)			ULS	ULSDT	1.99	29.68	21.28	19.57	9.61						
	Line Share Service TRO per line activation BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004)			ULS	ULSDT	3.98	29.68	21.28	19.57	9.61						
	Line Share Service TRO per line activation BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005)			ULS	ULSDT	5.97	29.68	21.28	19.57	9.61						
	Line Sharing - per Subsequent Activity per Line Rearrangement - (BST Owned Splitter)			ULS	ULSDS	21.68	16.44									
	Line Sharing - per Subsequent Activity per Line Rearrangement - (DLEC Owned Splitter)			ULS	ULSDS	21.68	16.44									
	Line Sharing - per Line Activation (DLEC owned Splitter) - OBSOLETE see NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						

UNBUNDLED NETWORK ELEMENTS - Florida																			
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2			Exhibit A			
						Rec	Nonrecurring		Nonrecurring Disconnect				SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-1st	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-1st	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-1st
							First	Add'l	First	Add'l									
	Line Share Service TRO per line activation CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003)			ULS	ULSCT	1.99	47.44	19.31	20.67	12.74									
	Line Share Service TRO per line activation CLEC owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004)			ULS	ULSCT	3.98	47.44	19.31	20.67	12.74									
	Line Share Service TRO per line activation CLEC owned splitter Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005)			ULS	ULSCT	5.97	47.44	19.31	20.67	12.74									
	LINE SPLITTING																		
	END USER ORDERING-CENTRAL OFFICE BASED																		
	Line Splitting - per line activation CLEC owned splitter			UEPSR UEPSB	UREOS	0.61													
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61									
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61									
	MAINTENANCE																		
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00											
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50											
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00											
	UNBUNDLED DEDICATED TRANSPORT																		
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT																		
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0091													
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03									
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat - Per Mile per month			U1TVX	1L5XX	0.0091													
	Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat - Facility Termination			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03									
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0091													
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03									
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0091													
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03									
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0091													
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03									
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.1856													
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05									
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	3.87													
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56									
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	3.87													
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56									
DARK FIBER																			
	Dark Fiber, Four Fiber Strands Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF UDFCX	1L5DF	26.85													
	NRC Dark Fiber Interoffice Channel			UDF UDFCX	UDF14		751.34	193.88	356.21	230.11									
	Dark Fiber Four Fiber Strands Per Route Mile or Fraction Thereof per month - Local Loop			UDF UDFCX	1L5DL	55.04													
	NRC Dark Fiber Local Loop			UDF UDFCX	UDFL4		751.34	193.88	356.21	230.11									

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
						Rec	Nonrecurring First	Add'l	Nonrecurring First			OSS Rates (\$)	SOMAN
8XX ACCESS TEN DIGIT SCREENING	8XX Access Ten Digit Screening Per Call												
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved		OHD			0.0006252							
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations		OHD		N8R1X		4.15	0.70					
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations		OHD				8.78	1.18	5.77				
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number		OHD		N8FTX		8.78	1.18	5.77				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.		OHD		N8FCX		4.15	2.07					
	8XX Access Ten Digit Screening, Change Charge Per Request		OHD		N8FMX		4.85	2.78					
	8XX Access Ten Digit Screening, Call Handling and Destination Features		OHD		N8FAX		4.85	0.70					
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations		OHD		N8FDX		4.15	4.15					
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations		OHD										
LINE INFORMATION DATA BASE ACCESS (LIDB)	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations		OHD			0.0006252							
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations		OHD			0.0006252							
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations		OHD			0.0006252							
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations		OHD			0.0006252							
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations		OHD			0.0006252							
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations		OHD			0.0006252							
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations		OHD			0.0006252							
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations		OHD			0.0006252							
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations		OHD			0.0006252							
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations		OHD			0.0006252							
SIGNALING (CCS7)	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations		OHD			0.0006252							
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations		OHD			0.0006252							
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations		OHD			0.0006252							
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations		OHD			0.0006252							
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations		OHD			0.0006252							
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations		OHD			0.0006252							
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations		OHD			0.0006252							
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations		OHD			0.0006252							
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations		OHD			0.0006252							
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations		OHD			0.0006252							
E911 SERVICE	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations		OHD			0.0006252							
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations		OHD			0.0006252							
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations		OHD			0.0006252							
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations		OHD			0.0006252							
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations		OHD			0.0006252							
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations		OHD			0.0006252							
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations		OHD			0.0006252							
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations		OHD			0.0006252							
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations		OHD			0.0006252							
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations		OHD			0.0006252							

UNBUNDLED NETWORK ELEMENTS - Florida																
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2			Exhibit A	
						Rec	Nonrecurring		Nonrecurring Disconnect Add'l			Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- 1st	
							First	Add'l								SOME
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00						
PHYSICAL COLOCATION	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58						
AIN SELECTIVE CARRIER ROUTING	Regional Service Establishment			SRC	SRCEC		193.444.00		7.737.00							
	End Office Establishment			SRC	SRCEO		187.36	187.36	0.69	0.69						
	Query NRC per query			SRC		0.0031868										
AIN BELL SOUTH AIN SMS ACCESS SERVICE	AIN SMS Access Service - Service Establishment Per State Initial Setup			AIN	CAMSE		43.56	43.56	44.93	44.93						
	AIN SMS Access Service - Port Connection - Dial/Shared Access			AIN	CAMDP		8.64	8.64	10.03	10.03						
	AIN SMS Access Service - Port Connection - ISDN Access			AIN	CAM1P		8.64	8.64	10.03	10.03						
	AIN SMS Access Service - User Identification Codes - Per User ID Code			AIN	CAMAU		38.66	38.66	29.88	29.88						
	AIN SMS Access Service - Security Card Per User ID Code, Initial or Replacement			AIN	CAMRC		75.10	75.10	12.93	12.93						
	AIN SMS Access Service - Storage Per Unit (100 Kilobytes)					0.0028										
	AIN SMS Access Service - Session Per Minute					0.7809										
	AIN SMS Access Service - Company Performed Session Per Minute					0.4609										
AIN BELL SOUTH AIN TOOLKIT SERVICE	AIN Toolkit Service - Service Establishment Charge Per State Initial Setup			CAM	BAPSC		43.56	43.56	44.93	44.93						
	AIN Toolkit Service - Training Session Per Customer				BAPVX		8.439.00	8.439.00								
	AIN Toolkit Service - Trigger Access Charge Per Trigger Per DN Term Attempt				BAPTT		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge Per Trigger Per DN Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge Per Trigger Per DN Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge Per Trigger Per DN 10-Digit PODP				BAPTO		38.06	38.06	15.86	15.86						
	AIN Toolkit Service - Trigger Access Charge Per Trigger Per DN CDP				BAPTC		38.06	38.06	15.86	15.86						
	AIN Toolkit Service - Trigger Access Charge Per Trigger Per DN Feature Code				BAPTF		38.06	38.06	15.86	15.86						
	AIN Toolkit Service - Query Charge Per Query					0.0535927										
	Subscription Per Node Per Query					0.0063698										
	AIN Toolkit Service - SCP Storage Charge Per SMS Access Account Per 100 Kilobytes					0.06										
	AIN Toolkit Service Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS	8.34	8.64	8.64	6.08	6.08						
	Subscription			CAM	BAPLS	3.73	9.56	9.56								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS	4.73	8.64	8.64	6.08	6.08						
	AIN Toolkit Service Call Event Special Study - Per AIN Toolkit Service Subscription			CAM	BAPES	0.12	9.56	9.56								
ENHANCED EXTENDED LINK (EELs)																
NOTE The monthly recurring and non-recurring charges below will apply and the Switch-As-4s Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements																
NOTE The monthly recurring and the Switch-As-4s Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements																
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																
	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	First 2 Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						

UNBUNDLED NETWORK ELEMENTS - Florida															
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring		Nonrecurring Disconnect			Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	
							First	Add I							SOME
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month					0.1856									
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	1L5XX										
	1/0 Channelization System in combination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95					
	Voice Grade COCI - Per Month			UNC1X	MO1	146.77	101.42	71.62							
				UNC1X	1D1VG	1.38	10.07	7.08	0.00	0.00					
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNC1X	UEAL2	12.24	127.59	60.54	42.79	2.81					
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNC1X	UEAL2	17.40	127.59	60.54	42.79	2.81					
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNC1X	UEAL2	30.87	127.59	60.54	42.79	2.81					
	Voice Grade COCI - Per Month			UNC1X	1D1VG	1.38	10.07	7.08	0.00	0.00					
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge			UNC1X	UNC1X		8.98	8.98	8.98	8.98					
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT															
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNC1X	UEAL4	18.89	127.59	60.54	42.79	2.81					
	First 4 Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNC1X	UEAL4	26.84	127.59	60.54	42.79	2.81					
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNC1X	UEAL4	47.62	127.59	60.54	42.79	2.81					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856									
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95					
	1/0 Channel System in combination Per Month			UNC1X	MO1	146.77	101.42	71.62							
	Voice Grade COCI in combination - per month			UNC1X	1D1VG	1.38	10.07	7.08	0.00	0.00					
	Additional 4 Wire Analog Voice Grade Loop in same DS1		1	UNC1X	UEAL4	18.89	127.59	60.54	42.79	2.81					
	Interoffice Transport Combination - Zone 1			UNC1X	UEAL4										
	Additional 4-Wire Analog Voice Grade Loop in same DS1		2	UNC1X	UEAL4	26.84	127.59	60.54	42.79	2.81					
	Interoffice Transport Combination - Zone 2			UNC1X	UEAL4										
	Additional 4-Wire Analog Voice Grade Loop in same DS1		3	UNC1X	UEAL4	47.62	127.59	60.54	42.79	2.81					
	Interoffice Transport Combination - Zone 3			UNC1X	UEAL4										
	Additional Voice Grade COCI in combination - per month			UNC1X	1D1VG	1.38	10.07	7.08	0.00	0.00					
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge			UNC1X	UNC1X		8.98	8.98	8.98	8.98					
EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT															
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNC1X	UDL56	22.20	127.59	60.54	42.79	2.81					
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNC1X	UDL56	31.56	127.59	60.54	42.79	2.81					
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNC1X	UDL56	55.99	127.59	60.54	42.79	2.81					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856									
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95					
	1/0 Channel System in combination Per Month			UNC1X	MO1	146.77	101.42	71.62							
	OCU-DP COCI (data) per month (2-4-64Kbps)			UNC1X	1D1DD	2.10	10.07	7.08	0.00	0.00					
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1	UNC1X	UDL56	22.20	127.59	60.54	42.79	2.81					
	Interoffice Transport Combination - Zone 1			UNC1X	UDL56										
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		2	UNC1X	UDL56	31.56	127.59	60.54	42.79	2.81					
	Interoffice Transport Combination - Zone 2			UNC1X	UDL56										
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		3	UNC1X	UDL56	55.99	127.59	60.54	42.79	2.81					
	Interoffice Transport Combination - Zone 3			UNC1X	UDL56										
	Additional OCUI-DP COCI (data) - in combination per month (2-4-64Kbps)			UNC1X	1D1DD	2.10	10.07	7.08	0.00	0.00					

UNBUNDLED NETWORK ELEMENTS - Florida																		
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A				
						Nonrecurring		Nonrecurring First	Disconnect Add'l			Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l			
						Rec	Add'l									SOME	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		8.98	8.98										
	EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																	
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81								
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81								
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81								
	Interface Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856												
	Interface Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95								
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62	0.00	0.00								
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	UD1DD	2.10	10.07	7.08										
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interface Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interface Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interface Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81								
	Additional OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	UD1DD	2.10	10.07	7.08	0.00	0.00								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		8.98	8.98	8.98									
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																	
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45								
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45								
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45								
	Interface Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856												
	Interface Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		8.98	8.98	8.98									
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																	
	First DS1 Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45								
	First DS1 Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45								
	First DS1 Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45								
	Interface Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	3.87												
	Interface Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	1071.00	314.45	130.88	38.60	18.23								
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07								
	DS1 COCI in combination per month			UNC1X	UC1D1	13.78	10.07	7.08	0.00	0.00								
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45								
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45								
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45								
	Additional DS1 COCI in combination per month			UNC1X	UC1D1	13.78	10.07	7.08	0.00	0.00								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		8.98	8.98	8.98									
	EXTENDED 2 WIRE VOICE GRADE EXTENDED LOOP 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT																	
	2-WireVG Loop in combination - Zone 1		1	UNC1X	UEAL2	12.24	127.59	60.54	42.79	2.81								
	2-WireVG Loop in combination - Zone 2		2	UNC1X	UEAL2	17.40	127.59	60.54	42.79	2.81								
	2-WireVG Loop in combination - Zone 3		3	UNC1X	UEAL2	30.87	127.59	60.54	42.79	2.81								

AMENDMENT EXHIBIT 2

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc Add l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add l
						Rec	Nonrecurring First	Add l	Nonrecurring First	Disconnect Add l	SOME	SOMAN	SOMAN
	Interoffice Transport - 2 wire VG - Dedicated - Per Mile Per Month				1L5XX	0.0091							
	Interoffice Transport - 2 wire VG - Dedicated - Facility Termination per month			UNCVX									
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX		25.32	94.70	52.59	50.49	21.53			
	4-Wire VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT			UNCVX			8.98	8.98	8.98	8.98			
	4-Wire VG Loop in combination - Zone 1	1		UNCVX		18.89	127.59	60.54	42.79	2.81			
	4-Wire VG Loop in combination - Zone 2	2		UNCVX		26.84	127.59	60.54	42.79	2.81			
	4-Wire VG Loop in combination - Zone 3	3		UNCVX		47.82	127.59	60.54	42.79	2.81			
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX									
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX		0.0091							
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX		22.58	94.70	52.59	50.49	21.53			
	EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT			UNCVX			8.98	8.98	8.98	8.98			
	DS3 Local Loop in combination - per mile per month			UNCVX									
	DS3 Local Loop in combination - per mile per month			UNCVX		10.92							
	DS3 Local Loop in combination - Facility Termination per month			UNCVX		386.88	249.97	162.05	67.10	26.82			
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNCVX		3.87							
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNCVX									
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX		1.071.00	314.45	130.88	38.60	18.23			
	EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT			UNCVX			8.98	8.98	8.98	8.98			
	STS-1 Local Loop in combination - per mile per month			UNCVX									
	STS-1 Local Loop in combination - Facility Termination per month			UNCVX		10.92							
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCVX		426.60	249.97	162.05	67.10	26.82			
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCVX		3.87							
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX		1.056.00	314.45	130.88	38.60	18.23			
	EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT			UNCVX			8.98	8.98	8.98	8.98			
	First 2-Wire ISDN Loop in Combination - Zone 1	1		UNCVX		19.26	127.59	60.60	42.79	2.81			
	First 2-Wire ISDN Loop in Combination - Zone 2	2		UNCVX		27.40	127.59	60.60	42.79	2.81			
	First 2-Wire ISDN Loop in Combination - Zone 3	3		UNCVX		48.62	127.59	60.60	42.79	2.81			
	Interoffice Transport - Dedicated - DS1 combination - per mile per month			UNCVX									
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNCVX		0.1856							
	1/0 Channel System in combination - per month			UNCVX		88.44	174.46	122.46	45.61	17.95			
	Additional 2-wire ISDN COC (BRITE) - in combination - per month			UNCVX		145.77	101.42	71.62	0.00	0.00			
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 1	1		UNCVX		3.86	10.07	7.08					
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 2	2		UNCVX		19.28	127.59	60.60	42.79	2.81			
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 3	3		UNCVX		27.40	127.59	60.60	42.79	2.81			
	Additional 2-wire ISDN COC (BRITE) - in combination - per month			UNCVX		48.62	127.59	60.60	42.79	2.81			
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX		3.86	10.07	7.08	0.00	0.00			
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT			UNCVX			8.98	8.98	8.98	8.98			
	First DS1 Loop Combination - Zone 1	1		UNCVX		70.74	217.75	121.62	51.44	14.45			
	First DS1 Loop Combination - Zone 2	2		UNCVX		100.54	217.75	121.62	51.44	14.45			
	First DS1 Loop Combination - Zone 3	3		UNCVX		178.39	217.75	121.62	51.44	14.45			

UNBUNDLED NETWORK ELEMENTS - Florida																
CATEGORY	RATE ELEMENTS	Interl m	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A			
					Nonrecurring		Add'l	Disconnect			Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st			
					First	Rec										
	Interface Transport - Dedicated - STS-1 combination - Per Mile Per Month		UNCSX	1LSXX	3 87											
	Interface Transport - Dedicated - STS 1 combination - Facility Termination per month		UNCSX	U1TFS	1 056 00	314 45	130 88	38 60	18 23							
	3/1 Channel System in combination per month		UNCSX	MO3	211 19	199 28	118 64	40 34	39 07							
	DS1 COCI in combination per month		UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00							
	Additional DS1 Loop in the same STS-1 Interface Transport Combination - Zone 1	1	UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45							
	Additional DS1 Loop in the same STS-1 Interface Transport Combination - Zone 2	2	UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45							
	Additional DS1 Loop in the same STS-1 Interface Transport Combination - Zone 3	3	UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45							
	DS1 COCI in combination per month		UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00							
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		UNCCC	UNCCC	8 98	8 98	8 98	8 98	8 98							
	EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERFACE TRANSPORT		UNCDX													
	4-wire 56 kbps Local Loop in combination - Zone 1	1	UNCDX	UDL56	22 20	127 59	60 54	42 79	2 81							
	4-wire 56 kbps Local Loop in combination - Zone 2	2	UNCDX	UDL56	31 56	127 59	60 54	42 79	2 81							
	4-wire 56 kbps Local Loop in combination - Zone 3	3	UNCDX	UDL56	55 99	127 59	60 54	42 79	2 81							
	Interface Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month		UNCDX	1LSXX	0 0091											
	Interface Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month		UNCDX	U1TD5	18 44	94 70	52 59	50 49	21 53							
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		UNCCC	UNCCC	8 98	8 98	8 98	8 98	8 98							
	EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERFACE TRANSPORT		UNCDX													
	4-wire 64 kbps Local Loop in Combination - Zone 1	1	UNCDX	UDL64	22 20	127 59	60 54	42 79	2 81							
	4-wire 64 kbps Local Loop in Combination - Zone 2	2	UNCDX	UDL64	31 56	127 59	60 54	42 79	2 81							
	4-wire 64 kbps Local Loop in Combination - Zone 3	3	UNCDX	UDL64	55 99	127 59	60 54	42 79	2 81							
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month		UNCDX	1LSXX	0 0091											
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month		UNCDX	U1TD6	18 44	94 70	52 59	50 49	21 53							
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		UNCCC	UNCCC	8 98	8 98	8 98	8 98	8 98							
	EXTENDED 2 WIRE VOICE GRADE LOOP WITH DS1 INTERFACE TRANSPORT w/ 3/1 MUX		UNCVX													
	First 2-wire VG Loop (SL2) in Combination - Zone 1	1	UNCVX	UEAL2	12 24	127 59	60 54	42 79	2 81							
	First 2-wire VG Loop (SL2) in Combination - Zone 2	2	UNCVX	UEAL2	17 40	127 59	60 54	42 79	2 81							
	First 2-wire VG Loop (SL2) in Combination - Zone 3	3	UNCVX	UEAL2	30 87	127 59	60 54	42 79	2 81							
	First Interface Transport - Dedicated - DS1 combination - Per Mile		UNCVX	1LSXX	0 1856											
	First Interface Transport - Dedicated - DS1 combination - Facility Termination per month		UNCVX	U1TF1	88 44	174 46	122 46	45 61	17 95							
	Per each DS1 Channelization System Per Month		UNCVX	MO1	146 77	101 42	71 62	0 00	0 00							
	3/1 Channel System in combination per month		UNCVX	1D1VG	1 38	10 07	7 08	0 00	0 00							
	Per each DS1 COCI in combination per month		UNCVX	MO3	211 19	199 28	118 64	40 34	39 07							
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interface Transport Combination - Zone 1	1	UNCVX	UC1D1	13 76	10 07	7 08	0 00	0 00							
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interface Transport Combination - Zone 2	2	UNCVX	UEAL2	12 24	127 59	60 54	42 79	2 81							
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interface Transport Combination - Zone 3	3	UNCVX	UEAL2	17 40	127 59	60 54	42 79	2 81							
	Each Additional Voice Grade COCI in combination - per month		UNCVX	1D1VG	1 38	10 07	7 08	0 00	0 00							
	Each Additional DS1 Interface Channel per mile in same 3/1 Channel System per month		UNCVX	1LSXX	0 1856											
	Each Additional DS1 Interface Channel Facility Termination in same 3/1 Channel System per month		UNCVX	U1TF1	88 44	174 46	122 46	45 61	17 95							
	Each Additional DS1 COCI combination per month		UNCVX	UC1D1	13 76	10 07	7 08	0 00	0 00							

UNBUNDLED NETWORK ELEMENTS - Florida														
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Exhibit A Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOMEK	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge				UNC1X		8.98	8.98	8.98					
	EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX				UNC1X									
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 1		1	UNC1X	UEAL4	18.89	127.59	60.54	42.79	2.81				
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 2		2	UNC1X	UEAL4	26.84	127.59	60.54	42.79	2.81				
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 3		3	UNC1X	UEAL4	47.62	127.59	60.54	42.79	2.81				
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856								
	First Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95				
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62						
	Per each Voice Grade COCI in combination - per month			UNC1X	1D1VG	1.38	10.07	7.08	0.00	0.00				
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07				
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNC1X	UEAL4	18.89	127.59	60.54	42.79	2.81				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNC1X	UEAL4	26.84	127.59	60.54	42.79	2.81				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNC1X	UEAL4	47.62	127.59	60.54	42.79	2.81				
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1856								
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95				
	Additional Voice Grade COCI - in combination - per month			UNC1X	1D1VG	1.38	10.07	7.08	0.00	0.00				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNC1X		8.98	8.98	8.98	8.98				
	EXTENDED 4-WIRE 56 Kbps DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX				UNC1X									
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 1		1	UNC1X	UDL56	22.20	127.59	60.54	42.79	2.81				
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 2		2	UNC1X	UDL56	31.56	127.59	60.54	42.79	2.81				
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3		3	UNC1X	UDL56	55.99	127.59	60.54	42.79	2.81				
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856								
	First Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95				
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62						
	Per each OC1-UP COCI (data) COCI per month (2.4-54Kbps)			UNC1X	1D1DD	2.10	10.07	7.08	0.00	0.00				
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07				
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00				
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNC1X	UDL56	22.20	127.59	60.54	42.79	2.81				
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNC1X	UDL56	31.56	127.59	60.54	42.79	2.81				
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNC1X	UDL56	55.99	127.59	60.54	42.79	2.81				
	OC1-UP COCI (data) COCI in combination per month (2.4- 64Kbps)			UNC1X	1D1DD	2.10	10.07	7.08	0.00	0.00				
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1856								
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95				
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00				

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2				Exhibit A			
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l
						Rec	First	Nonrecurring	Disconnect								
								Add'l	First								
	Nonrecurring Currently Combined Network Elements Switch As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98								
	EXTENDED 4-WIRE 64 Kbps Digital Loop in a DS1 Interoffice Transport Combination - Zone 1	1		UNC1X	UDL64	22.20	127.59	60.54	42.79	2.81							
	First 4-Wire 64Kbps Digital Loop in a DS1 Interoffice Transport Combination - Zone 2	2		UNC1X	UDL64	31.56	127.59	60.54	42.79	2.81							
	First 4-Wire 64Kbps Digital Loop in a DS1 Interoffice Transport Combination - Zone 3	3		UNC1X	UDL64	55.99	127.59	60.54	42.79	2.81							
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856											
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95							
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62									
	Per each OC4 DP COCI (data) in combination - per month (2.4-64Kbps)			UNC1X	1D1DD	2.10	10.07	7.08	0.00	0.00							
	3/1 Channel System in combination per month			UNC1X	MQ3	211.19	199.28	118.64	40.34	39.07							
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00							
	Additional 4-Wire 64Kbps Digital Loop in same DS1 Interoffice Transport Combination - Zone 1	1		UNC1X	UDL64	22.20	127.59	60.54	42.79	2.81							
	Additional 4-Wire 64Kbps Digital Loop in same DS1 Interoffice Transport Combination - Zone 2	2		UNC1X	UDL64	31.56	127.59	60.54	42.79	2.81							
	Additional 4-Wire 64Kbps Digital Loop in same DS1 Interoffice Transport Combination - Zone 3	3		UNC1X	UDL64	55.99	127.59	60.54	42.79	2.81							
	Additional OC4-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64Kbps)			UNC1X	1D1DD	2.10	10.07	7.08	0.00	0.00							
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1856											
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95							
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00							
	Nonrecurring Currently Combined Network Elements Switch As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98							
	EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1	1		UNC1X	U1L2X	19.28	127.59	60.60	42.79	2.81							
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2	2		UNC1X	U1L2X	27.40	127.59	60.60	42.79	2.81							
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3	3		UNC1X	U1L2X	48.62	127.59	60.60	42.79	2.81							
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1856											
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95							
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	146.77	101.42	71.62									
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNC1X	UC1CA	3.66	10.07	7.08	0.00	0.00							
	3/1 Channel System in combination per month			UNC1X	MQ3	211.19	199.28	118.64	40.34	39.07							
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00							
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 1	1		UNC1X	U1L2X	19.28	127.59	60.60	42.79	2.81							
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 2	2		UNC1X	U1L2X	27.40	127.59	60.60	42.79	2.81							
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 3	3		UNC1X	U1L2X	48.62	127.59	60.60	42.79	2.81							
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel system combination- per month			UNC1X	UC1CA	3.66	10.07	7.08	0.00	0.00							

UNBUNDLED NETWORK ELEMENTS - Florida																
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A		
						Rec	Nonrecurring First	Add'l	Nonrecurring First			Disconnect Add'l	SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	SOMAN
	Each Additional DS1 Interface Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 1856										
	Each Additional DS1 Interface Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	88 44	174 46	122 48	45 61	17 95						
	Each Additional DS1 COC in the same 3/1 channel system combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		8 98	8 98	8 98	8 98						
	EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX															
	First 4-wire DS1 Digital Local Loop in Combination - Zone 1	1		UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45						
	First 4-wire DS1 Digital Local Loop in Combination - Zone 2	2		UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45						
	First 4 wire DS1 Digital Local Loop in Combination - Zone 3	3		UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45						
	First Interface Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 1856										
	First Interface Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
	3/1 Channel System in combination per month			UNC3X	MQ3	211 19	199 28	118 64	40 34	39 07						
	Per each DS1 COC combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00						
	Each Additional DS1 Interface Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 1856										
	Each Additional DS1 Interface Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
	Additional 4-Wire DS1 COC in the same 3/1 channel system combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 1	1		UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 2	2		UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 3	3		UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		8 98	8 98	8 98	8 98						
	EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT															
	First 4-wire 56 kbps Local Loop in combination - Zone 1	1		UNC0X	UDL56	22 20	127 59	60 54	42 79	2 81						
	First 4-wire 56 kbps Local Loop in combination - Zone 2	2		UNC0X	UDL56	31 56	127 59	60 54	42 79	2 81						
	First 4-wire 56 kbps Local Loop in combination - Zone 3	3		UNC0X	UDL56	55 99	127 59	60 54	42 79	2 81						
	First 4-wire 56 kbps Interface Transport - Dedicated - Per Mile per month			UNC0X	1L5XX	0 0091										
	First 4-wire 56 kbps Interface Transport - Dedicated - Facility Termination per month			UNC0X	U1TD5	18 44	94 70	52 59	50 49	21 53						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC0X	UNCCC		8 98	8 98	8 98	8 98						
	EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT															
	First 4-wire 64 kbps Local Loop in combination - Zone 1	1		UNC0X	UDL64	22 20	127 59	60 54	42 79	2 81						
	First 4-wire 64 kbps Local Loop in combination - Zone 2	2		UNC0X	UDL64	31 56	127 59	60 54	42 79	2 81						
	First 4-wire 64 kbps Local Loop in combination - Zone 3	3		UNC0X	UDL64	55 99	127 59	60 54	42 79	2 81						
	First 14-wire 65 kbps Interface Transport - Dedicated - Per Mile per month			UNC0X	1L5XX	0 0091										
	First 4-wire 64 kbps Interface Transport - Dedicated - Facility Termination per month			UNC0X	U1TD8	18 44	94 70	52 59	50 49	21 53						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC0X	UNCCC		8 98	8 98	8 98	8 98						
	ADDITIONAL NETWORK ELEMENTS															
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply															
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not															
	Nonrecurring Currently Combined Network Elements - Switch As Is Charge (One applies to each combination)															
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		8 98	8 98	8 98	8 98						

UNBUNDLED NETWORK ELEMENTS - Florida																	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Attachment 2		Exhibit A			
						Rec	Nonrecurring		Add'l			Nonrecurring Disconnect		SOME	SOMAN	SOMAN	SOMAN
							First	Add'l				First	Add'l				
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge - 56/64 kbps			UNCDX	UNCCC			8.98	8.98	8.98	8.98						
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge - DS1			UNC1X	UNCCC			8.98	8.98	8.98	8.98						
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge - DS3			UNC3X	UNCCC			8.98	8.98	8.98	8.98						
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge - STS1			UNCSX	UNCCC			8.98	8.98	8.98	8.98						
	Optional Features & Functions																
	Clear Channel Capability Extended Frame Option - per DS1	I		U1TD1,UNC1X	CCOEF		01	01	01	01							
	Clear Channel Capability Super Frame Option - per DS1	I		U1TD1	CCOSF		01	01	01	01							
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I		U1TD1, U1TD1, UNC1X,USL	NRCCC		184.92S	23.82S	2.07S	0.8S							
	C-bit Party Option - Subsequent Activity - per DS3	I		U1TD3, U1DD3 UE3 UNC3X	NRCCC3		219.09S	7.67S	0.773S	0S							
	MULTIPLEXERS																
	DS1 to DS0 Channel System per month			UNC1X	MQ1		146.77	101.42	71.62								
	OCU-DP COCI (data) - DS1 to DS0 Channel System per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD		2.10	10.07	7.08								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD		2.10	10.07	7.08	0.00	0.00						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA		3.66	10.07	7.08								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA		3.66	10.07	7.08	0.00	0.00						
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG		1.38	10.07	7.08								
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG		1.38	10.07	7.08	0.00	0.00						
	DS3 to DS1 Channel System per month			UNC3X	MQ3		211.19	199.28	118.64	40.34	39.07						
	STS-1 to DS1 Channel System per month			UNKCS	MQ3		211.19	199.28	118.64	40.34	39.07						
	DS1 COCI used with Loop per month			USL	UC1D1		13.76	10.07	7.08								
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1		13.76	10.07	7.08	0.00	0.00						
	DS1 COCI used with Interface Channel per month			U1TD1	UC1D1		13.76	10.07	7.08	0.00	0.00						
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1		13.76	10.07	7.08	0.00	0.00						
	UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																
	Exchange Ports																
	NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs																
	2-WIRE VOICE GRADE LINE PORT RATES (RES)																
	Exchange Ports - 2-Wire Analog Line Port- Res			UEPSR	UEPRL		1.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC		1.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res			UEPSR	UEPRO		1.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res			UEPSR	UEPAF		1.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire VG unbundled Florida Residence Area Calling Plan, without Caller ID capability			UEPSR	UEPA9		1.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7 and Caller ID			UEPSR	UEPA1		1.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7 - without Caller ID capability			UEPSR	UEPA8		1.40	3.74	3.63	1.88	1.80						

UNBUNDLED NETWORK ELEMENTS - Florida														
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring		Nonrecurring Disconnect		Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	
							First	Add'l						First
	Exchange Ports - 2-Wire VG unbundled res low usage line port with Caller ID (LUM)				UEPSR	1.40	3.74	3.63	1.88	1.80				
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability				UEPSR	1.40	3.74	3.63	1.88	1.80				
	Subsequent Activity				UEPSC	0.00	0.00	0.00						
FEATURES														
	All Available Vertical Features				UEPVF	2.26	0.00	0.00						
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)													
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus				UEPBL	1.40	3.74	3.63	1.88	1.80				
	unbundled port with Caller+484 ID - Bus				UEPBC	1.40	3.74	3.63	1.88	1.80				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus				UEPSB	1.40	3.74	3.63	1.88	1.80				
	Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus				UEPSB	1.40	3.74	3.63	1.88	1.80				
	2 Wire voice unbundled Incoming Only Port without Caller ID Capability				UEPBE	1.40	3.74	3.63	1.88	1.80				
	Subsequent Activity				UEPSB	0.00	0.00	0.00						
FEATURES														
	All Available Vertical Features				UEPVF	2.26	0.00	0.00						
	EXCHANGE PORT RATES (DID & PBX)													
	2-Wire VG Unbundled 2-Way PBX Trunk - Res				UEPRD	1.40	39.06	18.18	12.35	0.7187				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus				UEPPC	1.40	39.06	18.18	12.35	0.7187				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus				UEPPO	1.40	39.06	18.18	12.35	0.7187				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus				UEPP1	1.40	39.06	18.18	12.35	0.7187				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus				UEPLD	1.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled PBX LD Terminal Ports				UEPLD	1.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled 2-Way PBX Usage Port				UEPXA	1.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports				UEPSP	1.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port				UEPXB	1.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port				UEPXC	1.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD				UEPXD	1.40	39.06	18.18	12.35	0.7187				
	Capable Port				UEPXE	1.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				UEPXL	1.40	39.06	18.18	12.35	0.7187				
	Administrative Calling Port				UEPXL	1.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				UEPXM	1.40	39.06	18.18	12.35	0.7187				
	Room Calling Port				UEPXM	1.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				UEPXD	1.40	39.06	18.18	12.35	0.7187				
	Discount Room Calling Port				UEPXD	1.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port				UEPXS	1.40	39.06	18.18	12.35	0.7187				
	Subsequent Activity				UEPXS	0.00	0.00	0.00						
FEATURES														
	All Available Vertical Features				UEPVF	2.26	0.00	0.00						
	EXCHANGE PORT RATES (COIN)													
	Exchange Ports - Coin Port				UEPSC	1.40	3.74	3.63	1.88	1.80				
NOTE	Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports													
NOTE	Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process													
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)														
EXCHANGE PORT RATES														
The DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Port in this rate exhibit apply to the embedded base in place as of 10/2003 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement														
Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion														
	Exchange Ports - 2-Wire DID Port				UEPEX	8.73	78.41	15.62	41.94	4.26				
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability (E 4/1/2004)				UEPDD	54.95	151.11	77.75	48.81	3.10				
	Exchange Ports - 2-Wire ISDN Port (See Notes below)				UEPTX	8.83	46.83	50.68	27.64	11.93				
	All Features Offered				UEPFX	2.26	0.00	0.00						
	Exchange Ports - 2-Wire ISDN Port - Channel Profiles				UEPTX	0.00	0.00	0.00						
NOTE	Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process													

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	SOMECSOMAN	SOMECSOMAN	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.													
EXCHANGE PORT RATES (continued)													
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911												
	Locator Capability (E 4/1/2004)				UEPEX		82 74						
	Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)				UEPDX		82 74		174 61				
	Physical Collocation - DS1 Cross-Connects				UEPEX UEPDX		1 32		95 17				
	Virtual collocation - Special Access & UNE cross-connect per DS1				UEPEX UEPDX		27 77		15 52				
	Detailed E911 with Locator Capability (required with UEPDX port)				CNC1X		7 50		155 00				
	Unbundled Exchange Ports 4-Wire ISDN DS1 Port E911												
	Locator Capability Initial Profile Establishment per CLEC per State				UEP1A		0 00		1 809 00				
	Unbundled Exchange Ports 4-Wire ISDN DS1 Port - E911								151 12				
	Locator Capability - Subsequent Profile Changes Additions Deletions				UEP1B		0 00		175 66				
	New or Additional PRI Telephone Numbers												
	Unbundled Exchange Ports 4-Wire ISDN DS1 Port - E911												
	Locator Capability 2-Way Telephone Numbers per number in E911 profile (New or Additional)				UEP1C		0 0699		0 5412				
	Unbundled Exchange Ports 4-Wire ISDN DS1 Port - E911												
	Locator Capability - Outdial Telephone Numbers per number in E911 profile (New or Additional)				UEP1D		0 0699		12 71				
	Unbundled Exchange Ports 4-Wire ISDN DS1 Port - Inward												
	Telephone Numbers - Inward Data Only Option (New or Additional)				UEP1E		0 00		0 5412				
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent (New)												
	Inward Tel Numbers (Customer Testing Purposes)				PR72T		0 00		25 42				
	LOCAL NUMBER PORTABILITY												
	Local Number Portability (1 per port)				LNPCN		1 75						
	INTERFACE (Provisioning Only)				UEPDX								
	Voice/Data												
	Digital Data				PR71V		0 00		0 00				
	Inward Data				PR71D		0 00		0 00				
					PR71E		0 00		0 00				
	New or Additional Channel												
	New or Additional - Voice/Data "B" Channel				PR7BV		0 00		15 48				
	New or Additional - Digital Data "B" Channel				PR7BF		0 00		15 48				
	New or Additional Inward Data "B" Channel				PR7BD		0 00		15 48				
	New or Additional Usage Sensitive Voice Data "B" Channel				PR7BS		0 00						
	New or Additional Usage Sensitive Digital Data "B" Channel				PR7BU		0 00						
	New or Additional PRI "D" Channel				PR7EX		0 00		15 48				
	CALL TYPES												
	Inward				PR7C1		0 00		0 00				
	Outward				PR7C0		0 00		0 00				
	Two-way				PR7CC		0 00		0 00				
	UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY												
	UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE												
	Unbundled Remote Call Forwarding Service Area Calling - Res				UEPVR		1 40		3 74			1 80	
	Unbundled Remote Call Forwarding Service Local Calling - Res				UEPVR		1 40		3 74			1 80	
	Unbundled Remote Call Forwarding Service Inter-ATA - Res				UEPVR		1 40		3 63			1 80	
	Unbundled Remote Call Forwarding Service Intra-ATA - Res				UEPVR		1 40		3 63			1 80	
	Non-Recurring												
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is				USAC2		0 102		0 102				
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)				USACC		0 102		0 102				
	UNBUNDLED REMOTE CALL FORWARDING - Bus												
	Unbundled Remote Call Forwarding Service Area Calling - Bus				UEPVB		1 40		3 74			1 80	

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st
						Nonrecurring - Add'l	Nonrecurring - First	Nonrecurring - Add'l	Nonrecurring - First				
						Rec							
	Unbundled Remote Call Forwarding Service Local Calling - Bus			UEPVB	UEPVB	1.40	3.74	3.63	1.88	1.80			
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UEPVB	1.40	3.74	3.63	1.88	1.80			
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UEPVB	1.40	3.74	3.63	1.88	1.80			
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UEPVB	1.40	3.74	3.63	1.88	1.80			
	Non-Recuring												
	Unbundled Remote Call Forwarding Service - Conversion - Switch-asis			UEPVB	USAC2	0.102	0.102						
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVB	USACC	0.102	0.102						
	UNBUNDLED LOCAL SWITCHING, PORT USAGE												
	End Office Switching (Port Usage)												
	End Office Switching Function Per MOU					0.0007662							
	End Office Trunk Port - Shared Per MOU					0.000164							
	Tandem Switching (Port Usage) (Local or Access Tandem)					0.0001319							
	Tandem Switching Function Per MOU					0.000235							
	Tandem Trunk Port - Shared Per MOU					0.00027185							
	Tandem Switching Function Per MOU (Maided)					0.00048434							
	Tandem Trunk Port - Shared Per MOU (Maided)												
	Maided Factor 20.61% of the Tandem Rate												
	Common Transport												
	Common Transport - Per Mile Per MOU					0.0000035							
	Common Transport Facilities Termination Per MOU					0.0004372							
	UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES												
	Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports												
	Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit												
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations												
	The first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections												
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)												
	UNE Port/Loop Combination Rates												
	2-Wire VG Loop/Port Combo - Zone 1		1			10.84							
	2-Wire VG Loop/Port Combo - Zone 2		2			15.05							
	2-Wire VG Loop/Port Combo - Zone 3		3			25.60							
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.77							
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	13.88							
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	24.63							
	2-Wire Voice Grade Line Port Rates (Res)												
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.17	53.31	26.46	27.50	8.37			
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.17	53.31	26.46	27.50	8.37			
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.17	53.31	26.46	27.50	8.37			
	2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPRX	UEPAF	1.17	53.31	26.46	27.50	8.37			
	2-Wire voice unbundled res low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.17	53.31	26.46	27.50	8.37			
	2-Wire voice unbundled Florida extended dialing with Caller ID			UEPRX	UEPA1	1.17	53.31	26.46	27.50	8.37			
	2-Wire voice unbundled Florida extended dialing port without Caller ID capability			UEPRX	UEPA8	1.17	53.31	26.46	27.50	8.37			
	2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability			UEPRX	UEPA9	1.17	53.31	26.46	27.50	8.37			
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	1.17	53.31	26.46	27.50	8.37			
	FEATURES												
	All Features Offered												
	LOCAL NUMBER PORTABILITY												
	Local Number Portability (1 per port)					2.26	0.00						
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED					0.35							

AMENDMENT EXHIBIT 2

UNBUNDLED NETWORK ELEMENTS - Florida														
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A
						Nonrecurring		Nonrecurring Disconnect				Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add I	
						First	Add I	First	Add I					
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		0 102	0 102						
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		0 102	0 102						
	ADDITIONAL NRCs													
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0 00	0 00	0 00						
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise			UEPRX	URETL		8 33	0 83						
	OFFICE PREMISES EXTENSION CHANNELS													
	2 Wire Analog Voice Grade Extension Loop - Non-Design	1		UEPRX	UEAEN	10 69	49 57	22 83	25 62	6 57				
	2 Wire Analog Voice Grade Extension Loop - Non-Design	2		UEPRX	UEAEN	15 20	49 57	22 83	25 62	6 57				
	2 Wire Analog Voice Grade Extension Loop - Non-Design	3		UEPRX	UEAEN	26 97	49 57	22 83	25 62	6 57				
	2 Wire Analog Voice Grade Extension Loop - Design	1		UEPRX	UEAED	12 24	135 75	82 47	63 53	12 01				
	2 Wire Analog Voice Grade Extension Loop - Design	2		UEPRX	UEAED	17 40	135 75	82 47	63 53	12 01				
	2 Wire Analog Voice Grade Extension Loop - Design	3		UEPRX	UEAED	30 87	135 75	82 47	63 53	12 01				
	INTEROFFICE TRANSPORT													
	Interface Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	UITV2	25 32	47 35	31 76						
	Interface Transport Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	UITVM	0 0091	0 00	0 00						
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)													
	UNE Port/Loop Combination Rates													
	2-Wire VG Loop/Port Combo - Zone 1	1				10 94								
	2-Wire VG Loop/Port Combo - Zone 2	2				15 05								
	2-Wire VG Loop/Port Combo - Zone 3	3				25 80								
	UNE Loop Rates													
	2-Wire Voice Grade Loop (SL1) - Zone 1	1		UEPBX	UEPLX	9 77								
	2-Wire Voice Grade Loop (SL1) - Zone 2	2		UEPBX	UEPLX	13 88								
	2-Wire Voice Grade Loop (SL1) - Zone 3	3		UEPBX	UEPLX	24 63								
	2-Wire Voice Grade Line Port (Bus)													
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1 17	53 31	26 46	27 50	8 37				
	2-Wire voice unbundled port with Caller ID - bus			UEPBX	UEPBC	1 17	53 31	26 46	27 50	8 37				
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1 17	53 31	26 46	27 50	8 37				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPBI	1 17	53 31	26 46	27 50	8 37				
	2-Wire voice unbundled incoming Only Port without Caller ID Capability			UEPBX	UEPBE	1 17	53 31	26 46	27 50	8 37				
	LOCAL NUMBER PORTABILITY													
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35								
	FEATURES													
	All Features Offered			UEPBX	UEPVF	2 26	0 00	0 00						
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED													
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch as-is			UEPBX	USAC2		0 102	0 102						
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		0 102	0 102						
	ADDITIONAL NRCs													
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2		0 00	0 00						
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise			UEPBX	URETL		8 33	0 83						
	OFFICE PREMISES EXTENSION CHANNELS													
	2 Wire Analog Voice Grade Extension Loop - Non-Design	1		UEPBX	UEAEN	10 69	49 57	22 83	25 62	6 57				
	2 Wire Analog Voice Grade Extension Loop - Non-Design	2		UEPBX	UEAEN	15 20	49 57	22 83	25 62	6 57				
	2 Wire Analog Voice Grade Extension Loop - Non-Design	3		UEPBX	UEAEN	26 97	49 57	22 83	25 62	6 57				
	2 Wire Analog Voice Grade Extension Loop - Design	1		UEPBX	UEAED	12 24	135 75	82 47	63 53	12 01				
	2 Wire Analog Voice Grade Extension Loop - Design	2		UEPBX	UEAED	17 40	135 75	82 47	63 53	12 01				
	2 Wire Analog Voice Grade Extension Loop - Design	3		UEPBX	UEAED	30 87	135 75	82 47	63 53	12 01				
	INTEROFFICE TRANSPORT													

UNBUNDLED NETWORK ELEMENTS - Florida																	
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A			
						Nonrecurring		Nonrecurring First	Disconnect Add'l			Incremental Charge - Manual Svc Order vs Electronic- 1st Add'l		Incremental Charge - Manual Svc Order vs Electronic- 1st Add'l			
						Rec	Add'l					SOMAN	SOMAN	SOMAN	SOMAN		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination																
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPBX	U1TV2	25.32	47.35	31.78									
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			UEPBX	U1TVM	0.0091	0.00	0.00									
	UNE Port/L Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1				10.94											
	2-Wire VG Loop/Port Combo - Zone 2	2				15.05											
	2-Wire VG Loop/Port Combo - Zone 3	3				25.80											
	UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1		UEPRG	UEPLX	9.77											
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2		UEPRG	UEPLX	13.88											
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3		UEPRG	UEPLX	24.63											
	2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	1.17	174.81	100.65	75.88	12.73							
	LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00									
	FEATURES																
	All Features Offered			UEPRG	UEPVF	2.26	0.00	0.00									
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91									
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		8.45	1.91									
	ADDITIONAL NRCS																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00									
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7.88	7.88									
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83									
	OFFICE PREMISES EXTENSION CHANNELS																
	Local Channel Voice grade per termination	1		UEPRG	P2JHX	12.24	135.75	82.47	63.53	12.01							
	Local Channel Voice grade per termination	2		UEPRG	P2JHX	17.40	135.75	82.47	63.53	12.01							
	Local Channel Voice grade, per termination	3		UEPRG	P2JHX	30.87	135.75	82.47	63.53	12.01							
	Non-Wire Direct Serve Channel Voice Grade	1		UEPRG	SDD2X	12.92	120.38	43.56	95.00	10.54							
	Non-Wire Direct Serve Channel Voice Grade	2		UEPRG	SDD2X	18.36	120.38	43.56	95.00	10.54							
	Non-Wire Direct Serve Channel Voice Grade	3		UEPRG	SDD2X	32.58	120.38	43.56	95.00	10.54							
	INTEROFFICE TRANSPORT																
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRG	U1TV2	25.32	47.35	31.78									
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRG	U1TVM	0.0091	0.00	0.00									
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
	UNE Port/L Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1				10.94											
	2-Wire VG Loop/Port Combo - Zone 2	2				15.05											
	2-Wire VG Loop/Port Combo - Zone 3	3				25.80											
	UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1		UEPPX	UEPLX	9.77											
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2		UEPPX	UEPLX	13.88											
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3		UEPPX	UEPLX	24.63											
	2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.17	174.81	100.65	75.88	12.73							
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPRO	1.17	174.81	100.65	75.88	12.73							
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPI	1.17	174.81	100.65	75.88	12.73							
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.17	174.81	100.65	75.88	12.73							

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOME	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				UEPXA	1.17	174.81	100.65	75.88	12.73			
	2-Wire Voice Unbundled PBX Toll Terminal Hotel/Hospital				UEPXB	1.17	174.81	100.65	75.88	12.73			
	2-Wire Voice Unbundled PBX LD DDD Terminal Port				UEPXC	1.17	174.81	100.65	75.88	12.73			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port				UEPXD	1.17	174.81	100.65	75.88	12.73			
	Capable Port				UEPXE	1.17	174.81	100.65	75.88	12.73			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				UEPXL	1.17	174.81	100.65	75.88	12.73			
	Administrative Calling Port				UEPXM	1.17	174.81	100.65	75.88	12.73			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				UEPXP	1.17	174.81	100.65	75.88	12.73			
	Discount Room Calling Port				UEPXS	1.17	174.81	100.65	75.88	12.73			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port				UEPXX	1.17	174.81	100.65	75.88	12.73			
	LOCAL NUMBER PORTABILITY												
	Local Number Portability (1 per port)				LNPCP	3.15	0.00	0.00					
	FEATURES												
	All Features Offered				UEPVF	2.28	0.00	0.00					
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED												
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Conversion - Switch As-Is				USAC2		8.45	1.91					
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Conversion - Switch with Change				USACC		8.45	1.91					
	ADDITIONAL NRCs												
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Subsequent Activity				USAS2	0.00	0.00	0.00					
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7.86	7.86					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise				URETL		8.33	0.83					
	OFFICE PREMISES EXTENSION CHANNELS												
	Local Channel Voice grade per termination	1			P2JHX	12.24	135.75	82.47	63.53	12.01			
	Local Channel Voice grade per termination	2			P2JHX	17.40	135.75	82.47	63.53	12.01			
	Local Channel Voice grade per termination	3			P2JHX	30.87	135.75	82.47	63.53	12.01			
	Non-Wire Direct Serve Channel Voice Grade	1			SDD2X	12.92	120.38	43.56	95.00	10.54			
	Non-Wire Direct Serve Channel Voice Grade	2			SDD2X	18.36	120.38	43.56	95.00	10.54			
	Non-Wire Direct Serve Channel Voice Grade	3			SDD2X	32.58	120.38	43.56	95.00	10.54			
	INTEROFFICE TRANSPORT												
	Interoffice Transport - Dedicated - 2-Wire Voice Grade - Facility Termination				U1TV2	25.32	47.35	31.78					
	Interoffice Transport - Dedicated - 2-Wire Voice Grade - Per Mile or Fraction Mile				U1TVM	0.0081	0.00	0.00					
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT												
	UNE Port/Loop Combination Rates												
	2-Wire VG Can Port/Loop Combo - Zone 1	1				10.84							
	2-Wire VG Can Port/Loop Combo - Zone 2	2				15.05							
	2-Wire VG Can Port/Loop Combo - Zone 3	3				25.80							
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SL1) - Zone 1	1			UEPLX	9.77							
	2-Wire Voice Grade Loop (SL1) - Zone 2	2			UEPLX	13.88							
	2-Wire Voice Grade Loop (SL1) - Zone 3	3			UEPLX	24.63							
	2-Wire Voice Grade Line Ports (COIN)												
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (FL)				UEP2F	1.17	53.31	26.46	27.50	8.37			
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (FL)				UEPFA	1.17	53.31	26.46	27.50	8.37			
	2-Wire Coin 2-Way with Operator Screening and Blocking 900/976, 1+DDD 011+ and Local (FL)				UEPCG	1.17	53.31	26.46	27.50	8.37			
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)				UEPRK	1.17	53.31	26.46	27.50	8.37			

CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR		Attachment 2		Exhibit A	
						Rec	Nonrecurring		First	Disconnect	Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN
							First	Add'l								
	2-Wire Con Outward with Operator Screening and Blocking 900/976, 1+DDD 011+ (FL)			UEPCO	UEPOF	1.17	53.31	26.46	27.50	8.37						
	2-Wire Con Outward with Operator Screening and Blocking 900/976 1+DDD 011+ and Local (FL GA)			UEPCO	UEPCO	1.17	53.31	26.46	27.50	8.37						
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.17	53.31	26.46	27.50	8.37						
	2-Wire Con Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.17	53.31	26.46	27.50	8.37						
	ADDITIONAL LINE COIN PORT/LOOP (RC)															
	UNE Con Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.86	0.00	0.00	0.00	0.00						
	LOCAL NUMBER PORTABILITY			UEPCO	LNPCX	0.35										
	Local Number Portability (1 per port)			UEPCO												
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		0.102	0.102								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		0.102	0.102								
	ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83								
	2-WIRE VOICE LOOP/ 2-WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)															
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1		1			13.64										
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2		2			18.80										
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3		3			32.27										
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17.40										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30.87										
	2-Wire Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPFR	UEPAF	1.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled res low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.40	174.81	100.65	75.88	12.73						
	INTEROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFR	1LSXX	0.0091										
	FEATURES															
	All Features Offered			UEPFR	UEPVF	2.28	0.00	0.00								
	LOCAL NUMBER PORTABILITY			UEPFR	LNPCX	0.35										
	Local Number Portability (1 per port)			UEPFR												
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFR	USAC2		16.97	3.73								
	Combination - Conversion - Switch-as-is			UEPFR	USACC		16.97	3.73								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFR	USACC		16.97	3.73								
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.97	3.73								
	Unbundled Miscellaneous Rate Element Tag Designed Loop at End User Premise			UEPFR	URETN		11.21	1.10								
	2-WIRE VOICE LOOP/ 2-WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)															
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1		1			13.64										
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2		2			18.80										
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3		3			32.27										

UNBUNDLED NETWORK ELEMENTS - Florida															
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st Add I	Incremental Charge - Manual Svc Order vs Electronic- Disc Add I	Exhibit A	
						Rec	Nonrecurring First	Add I	Nonrecurring First	SOMEK	SOMAN	OSS Rates (\$) SOMAN	SOMAN		
UNE Loop Rates	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12 24									
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17 40									
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	30 87									
	2-Wire Voice Grade Line Port (Bus)														
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1 40	174 81	100 65	75 88						
	2-Wire voice unbundled port with Caller + EAB4 ID - bus			UEPFB	UEPBC	1 40	174 81	100 65	75 88						
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1 40	174 81	100 65	75 88						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPBI	1 40	174 81	100 65	75 88						
	LOCAL NUMBER PORTABILITY														
	Local Number Portability (1 per port)			UEPFB	LNPCX	0 35									
INTEROFFICE TRANSPORT	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2	25 32	47 35	31 78							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1LSXX	0 0091									
				UEPFB	UEPVF	2 28	0 00	0 00							
FEATURES	All Features Offered														
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2 Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion Switch-as-is			UEPFB	USAC2		16 97	3 73							
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFB	USACC		16 97	3 73							
	Unbundled Miscellaneous Rate Element Tag Designed loop at End User Premise			UEPFB	URETN		11 21	1 10							
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)															
UNE Port/Loop Combination Rates	2-Wire VG Loop/IO Transport/Port Combo - Zone 1		1			13 64									
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2		2			18 80									
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3		3			32 27									
UNE Loop Rates	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12 24									
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17 40									
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	30 87									
2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1 40	174 81	100 65	75 88						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1 40	174 81	100 65	75 88						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1 40	174 81	100 65	75 88						
	2 Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1 40	174 81	100 65	75 88						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1 40	174 81	100 65	75 88						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1 40	174 81	100 65	75 88						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1 40	174 81	100 65	75 88						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1 40	174 81	100 65	75 88						
	Capable Port			UEPFP	UEPXE	1 40	174 81	100 65	75 88						
	2-Wire Voice Unbundled 2 Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1 40	174 81	100 65	75 88						
	2-Wire Voice Unbundled 2 Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1 40	174 81	100 65	75 88						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXD	1 40	174 81	100 65	75 88						
	2-Wire Voice Unbundled 1 Way Outgoing PBX Measured Port			UEPFP	UEPXS	1 40	174 81	100 65	75 88						
	LOCAL NUMBER PORTABILITY														
	Local Number Portability (1 per port)			UEPFP	LNPCP	3 15	0 00	0 00							
INTEROFFICE TRANSPORT	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1TV2	25 32	47 35	31 78							

UNBUNDLED NETWORK ELEMENTS - Florida																
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2			Exhibit A		
						Rec	Nonrecurring				Nonrecurring Disconnect First	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add 1	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add 1	
							Add 1	-								SOMAN
	Interface Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	1L5XX	0.0091										
FEATURES	All Features Offered			UEPFP	UEPVF	2.26	0.00	0.00								
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion Switch-as-is			UEPFP	USAC2		16.97	3.73								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion Switch with change			UEPFP	USACC		16.97	3.73								
	Unbundled Miscellaneous Rate Element Tag Designed Loop at End User Premise			UEPFP	URETN		11.21	1.10								
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																
UNE Port/Loop Combination Rates																
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				20.95										
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				26.11										
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				39.58										
UNE Loop Rates																
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1		UEPPX	UECD1	12.24										
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2		UEPPX	UECD1	17.40										
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3		UEPPX	UECD1	30.87										
UNE Port Rate																
Exchange Ports - 2-Wire DID Port				UEPPX	UEPD1	8.71	214.16	98.28								
NONRECURRING CHARGES - CURRENTLY COMBINED																
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is				UEPPX	USAC1		7.85	1.87								
2-Wire Voice Grade Loop / 2 Wire DID Trunk Port Conversion with BellSouth Allowable Changes				UEPPX	USA1C		7.85	1.87								
ADDITIONAL NRCs																
2-Wire DID Subsequent Activity - Add Trunks Per Trunk Unbundled Miscellaneous Rate Element Tag Designed Loop at End User Premise				UEPPX	USAS1		32.26	32.26								
Telephone Number/Trunk Group Establishment Charges				UEPPX	URETN		11.21	1.10								
DID Trunk Termination (One Per Port)				UEPPX	NDT	0.00	0.00	0.00								
DID Numbers Establish Trunk Group and Provide First Group of 20 DID Numbers				UEPPX	NDZ	0.00	0.00	0.00								
Additional DID Numbers for each Group of 20 DID Numbers				UEPPX	ND4	0.00	0.00	0.00								
DID Numbers Non-consecutive DID Numbers Per Number				UEPPX	ND5	0.00	0.00	0.00								
Reserve Non-Consecutive DID numbers				UEPPX	ND6	0.00	0.00	0.00								
Reserve DID Numbers				UEPPX	NDV	0.00	0.00	0.00								
LOCAL NUMBER PORTABILITY																
Local Number Portability (1 per port)				UEPPX	LNPQP	3.15	0.00	0.00								
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																
UNE Port/Loop Combination Rates																
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1		UEPPB	UEPPR		22.63									
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2		UEPPB	UEPPR		29.05									
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3		UEPPB	UEPPR		45.84									
UNE Loop Rates																
2-Wire ISDN Digital Grade Loop - UNE Zone 1		1		UEPPB	UEPPR		15.25									
2-Wire ISDN Digital Grade Loop - UNE Zone 2		2		UEPPB	UEPPR		21.67									
2 Wire ISDN Digital Grade Loop - UNE Zone 3		3		UEPPB	UEPPR		38.46									
UNE Port Rate																
Exchange Port - 2-Wire ISDN Line Side Port				UEPPB	UEPPB		194.52	145.09								
NONRECURRING CHARGES - CURRENTLY COMBINED																

UNBUNDLED NETWORK ELEMENTS - Florida																	
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Attachment 2			Exhibit A		
												Incremental Charge - Manual Svc Order vs Electronic- 1st			Incremental Charge - Manual Svc Order vs Electronic- Disc 1st		
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First			SOMECD	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB UEPPR	USACB	0.00	25.22	17.00									
	ADDITIONAL NRCs																
	Unbundled Miscellaneous Rate Element Tag Designed Loop at End User Premise			UEPPB UEPPR	URETN		11.21	1.10									
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise			UEPPB UEPPR	URETL		8.33	0.83									
	LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB UEPPR	LNPCX	0.35	0.00	0.00									
	B-COMM USER PROFILE ACCESS																
	CVS/CSD (DMS/ESS)			UEPPB UEPPR	U1UCA	0.00	0.00	0.00									
	CVS (EWSD)			UEPPB UEPPR	U1UCB	0.00	0.00	0.00									
	CSD			UEPPB UEPPR	U1UCC	0.00	0.00	0.00									
	B-COMM AREA PLUS USER PROFILE ACCESS (AL,KY,LAMS SC,MS, & TN)																
	USER TERMINAL PROFILE			UEPPB UEPPR	U1UMA	0.00	0.00	0.00									
	User Terminal Profile (EWSD only)			UEPPB UEPPR	UEPVF	2.26	0.00	0.00									
	VERTICAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB UEPPR	MTGNC	25.3281	47.35	31.78	18.31	7.03							
	INTEROFFICE CHANNEL MILEAGE			UEPPB UEPPR	MTGNM	0.0091	0.00	0.00									
	Interoffice Channel mileage each including first mile and facilities termination																
	Interoffice Channel mileage each, additional mile																
	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																
	The UNE-P DS1 combination rates below for in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement Requests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion																
	UNE Port Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP		153.48											
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP		183.28											
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP		261.12											
	UNE Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	70.74											
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	100.54											
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	178.38											
	UNE Port Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)			UEPPP	UEPPP	82.74	488.36	276.65									
	NONRECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E 4/1/2004)			UEPPP	USACP	0.00	84.17	61.38									
	ADDITIONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Dgtl Trk Port - Subseqt Activ- Inward/Two way Tel Nos. (except NC)			UEPPP	PR7TF		0.5412										
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		12.71	12.71									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers			UEPPP	PR7ZT		25.42	25.42									
	LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75											
	INTERFACE (Provisioning Only)																
	Voice/Data			UEPPP	PR7IV	0.00	0.00	0.00									
	Digital Data			UEPPP	PR7ID	0.00	0.00	0.00									
	Inward Data			UEPPP	PR7IE	0.00	0.00	0.00									
	New or Additional B* Channel			UEPPP	PR7BV	0.00	15.48	15.48									
	New or Additional - Voice/Data B Channel			UEPPP	PR7BF	0.00	15.48	15.48									
	New or Additional - Digital Data B Channel			UEPPP	PR7BD	0.00	15.48	15.48									
	CALL TYPES																

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
						Nonrecurring First	Nonrecurring Add'l	Disconnect First	Disconnect Add'l	SOME	SOMAN	SOMAN	SOMAN
	Inward			UEPPP	PR7C1	0.00	0.00						
	Outward			UEPPP	PR7CO	0.00	0.00						
	Two-way			UEPPP	PR7CC	0.00	0.00						
	Interoffice Channel Mileage												
	Fixed Each Including First Mile			UEPPP	1LN1A	88 6256	105 54	98 47	21 47	19 05			
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0 1856							
	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT												
	The UNE-P DS1 combination rates below for in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement Request for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion												
	UNE Port/Loop Combination Rates												
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1		UEPDC		125 69							
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	2		UEPDC		155 49							
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	3		UEPDC		233 33							
	UNE Loop Rates												
	4-Wire DS1 Digital Loop - UNE Zone 1	1		UEPDC	USLDC	70 74							
	4-Wire DS1 Digital Loop - UNE Zone 2	2		UEPDC	USLDC	100 54							
	4-Wire DS1 Digital Loop - UNE Zone 3	3		UEPDC	USLDC	178 38							
	UNE Port Rate												
	4-Wire DDITS Digital Trunk Port (E 4/1/2004)			UEPDC	UDD1T	54 95	464 86	259 23					
	NONRECURRING CHARGES - CURRENTLY COMBINED												
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E 4/1/2004)			UEPDC	USAC4		95 31	46 71					
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E 4/1/2004)			UEPDC	USAWA		95 31	46 71					
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E 4/1/2004)			UEPDC	USAWB		95 31	46 71					
	ADDITIONAL NRCs												
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15 69	15 69					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15 69	15 69					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan Inward Trunk without DID			UEPDC	UDTTC		15 69	15 69					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15 69	15 69					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15 69	15 69					
	BIPOLAR 8 ZERO SUBSTITUTION												
	B8ZS - Superframe Format			UEPDC	CCOSF	0.00h	655 00s						
	B8ZS - Extended Superframe Format			UEPDC	CCOEF	0.00h	655 00s						
	Alternate Mark Inversion												
	AMI - Superframe Format			UEPDC	MCOSE		0.00	0.00					
	AMI - Extended Superframe Format			UEPDC	MCOFO		0.00	0.00					
	Telephone Number/Trunk Group Establishment Charges												
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00							
	DID Numbers Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00					
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00							
	DID Numbers Non consecutive DID Numbers, Per Number			UEPDC	ND5	0.00							
	Reserve Non-Consecutive DID Nos			UEPDC	ND6	0.00	0.00	0.00					
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00					
	Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port												
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LN01	88 44	105 54	98 47	21 47	19 05			
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LN0A	0 1856	0.00	0.00					

UNBUNDLED NETWORK ELEMENTS - Florida														
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Add I	Incremental Charge - Manual Svc Order vs Electronic- Add I	Exhibit A Incremental Charge - Manual Svc Order vs Electronic- Disc Add I	
						Nonrecurring		Nonrecurring Disconnect First	OSS Rates (\$)					
						Add I	First		SOMAN					SOMAN
	Interface Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00						
	Interface Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.1856	0.00	0.00						
	Interface Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00						
	Interface Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNO4	0.1856	0.00	0.00						
	Local Number Portability, per DSO Activated			UEPDC	LNQCP	3.15	0.00	0.00	0.00					
	Central Office Terminating Point			UEPDC	CTG	0.00								
	4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT													
	System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations													
	Each System can have up to 24 combinations of rates depending on type and number of ports used													
	The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this rate exhibit apply to the embedded base in place as of 10/2003 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.													
	Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion													
	UNE DS1 Loop													
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	70.74	0.00	0.00						
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	100.54	0.00	0.00						
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	178.38	0.00	0.00						
	UNE DSO Channelization Capacities (D4 Channel Bank Configurations)													
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	118.06	0.00	0.00						
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	236.12	0.00	0.00						
	96 DSO Channel Capacity - 1 per 4 DS1s			UEPMG	VUM96	472.24	0.00	0.00						
	144 DSO Channel Capacity - 1 per 6 DS1s			UEPMG	VUM144	708.36	0.00	0.00						
	192 DSO Channel Capacity - 1 per 8 DS1s			UEPMG	VUM192	944.48	0.00	0.00						
	240 DSO Channel Capacity - 1 per 10 DS1s			UEPMG	VUM240	1180.60	0.00	0.00						
	288 DSO Channel Capacity - 1 per 12 DS1s			UEPMG	VUM288	1416.72	0.00	0.00						
	384 DSO Channel Capacity - 1 per 16 DS1s			UEPMG	VUM384	1888.96	0.00	0.00						
	480 DSO Channel Capacity - 1 per 20 DS1s			UEPMG	VUM480	2361.20	0.00	0.00						
	576 DSO Channel Capacity - 1 per 24 DS1s			UEPMG	VUM576	2833.44	0.00	0.00						
	672 DSO Channel Capacity - 1 per 28 DS1s			UEPMG	VUM672	3305.68	0.00	0.00						
	Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System													
	A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations													
	Multiple of this configuration functioning as one are considered Add I after the minimum system configuration is counted													
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	96.77	4.24							
	System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's													
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fee Activation (E 4/1/2004)			UEPMG	VUMD4	0.00	726.11	488.21	145.32	17.24				
	Bipolar 8 Zero Substitution													
	Clear Channel Capability Formal - Subsequent Activity Only			UEPMG	CCOSF	0.00	0.00	655.00s						
	Clear Channel Capability Formal - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	655.00s						
	Alternate Mark Inversion (AMI)													
	Superframe Formal			UEPMG	MCO5F	0.00	0.00	0.00						
	Extended Superframe Formal			UEPMG	MCOFO	0.00	0.00	0.00						
	Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port													
	Exchange Ports													
	Line Side Combination Channelized PBX Trunk Port - Business (E 4/1/2004)			UEPPX	UEPCX	1.40	0.00	0.00	0.00	0.00				
	Line Side Outward Channelized PBX Trunk Port - Business (E 4/1/2004)			UEPPX	UEPOX	1.40	0.00	0.00	0.00	0.00				
	Line Side Inward Only Channelized PBX Trunk Port without DID (E 4/1/2004)			UEPPX	UEPIX	1.40	0.00	0.00	0.00	0.00				
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port (E 4/1/2004)			UEPPX	UEPDM	8.71	0.00	0.00	0.00	0.00				
	Feature Activations - Unbundled Loop Concentration													

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic Add'l	Incremental Charge - Manual Svc Order vs Electronic Disc 1st
						Nonrecurring First	Nonrecurring Add'l	Nonrecurring First	Nonrecurring Add'l	SOMECH	SOMAN	SOMAN	SOMAN
	Feature (Service) Activation for each Line Port Terminated in D4 Bank					0.6402	25.40	13.41	3.96				
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank					0.6402	78.16	18.42	56.03				
Telephone Number Group Establishment Charges for DID Service													
	DID Trunk Termination (1 per Port)					0.00	0.00	0.00					
	Establish Trk Grp and Provide 1st 20 DID Nos (FL GA, NC, & SC)					0.00	0.00	0.00					
	DID Numbers - groups of 20 - Valid all States					0.00	0.00	0.00					
	Non-Consecutive DID Numbers - per number					0.00	0.00	0.00					
	Reserve Non-Consecutive DID Numbers					0.00	0.00	0.00					
	Reserve DID Numbers					0.00	0.00	0.00					
	Local Number Portability												
	Local Number Portability - 1 per port					3.15	0.00	0.00					
	FEATURES - Vertical and Optional												
	Local Switching Features Offered with Line Side Ports Only												
	All Features Available					2.26	0.00	0.00					
UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES													
	1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports												
	2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit												
	3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations												
	4. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections												
	5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis until further notice												
UNE-P CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, & TN only)													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo												
	Non Design		1	UEP91		10.94							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non Design		2	UEP91		15.05							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non Design		3	UEP91		25.80							
UNE Port/Loop Combination Rates (Design)													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP91		13.41							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP91		18.57							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP91		32.04							
UNE Loop Rate													
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.77							
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	13.88							
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	24.63							
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	12.24							
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	17.40							
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	30.87							
UNE Ports													
	2-Wire Voice Grade Port (Centrex) Basic Local Area												
	2-Wire Voice Grade Port (Centrex) Basic Local Area												
	2-Wire Voice Grade Port (Centrex) 800 termination)Basic Local Area												
	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area												
	2-Wire Voice Grade Port (Centrex from off Serving Wire Center) Note 2 3 Basic Local Area												
	2-Wire Voice Grade Port Diff Serving Wire Center - 800 Service Term - Basic Local Area												
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area												

UNBUNDLED NETWORK ELEMENTS - Florida															
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Nonrecurring		Nonrecurring Disconnect				Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l		
						First	Add'l	First	Add'l					SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91		1.17	53.31	26.46	27.50	8.37					
	Georgia and Florida Only														
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPHA	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP91	UEPHM	1.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port Diff Serving Wire Center 2.3 800 Service Term			UEP91	UEPHZ	1.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	1.17	53.31	26.46	27.50	8.37					
	Local Switching														
	Centrex Intercom Functionality per port			UEP91	URECS		0.7384								
	Local Number Portability														
	Local Number Portability (1 per port)			UEP91	LNPPC		0.35								
	Features														
	All Standard Features Offered, per port			UEP91	UEPVF		2.26								
	All Select Features Offered per port			UEP91	UEPVS		0.00	370.70							
	All Centrex Control Features Offered per port			UEP91	UEPVC		2.26								
	NARS														
	Unbundled Network Access Register - Combination			UEP91	UARCX		0.00	0.00	0.00	0.00					
	Unbundled Network Access Register - Indial			UEP91	UAR1X		0.00	0.00	0.00	0.00					
	Unbundled Network Access Register - Outdial			UEP91	UAROX		0.00	0.00	0.00	0.00					
	Miscellaneous Terminations														
	2-Wire Trunk Side														
	Trunk Side Terminations each			UEP91	CENAG		8.73								
	Interface Channel Mileage - 2-Wire														
	Interface Channel Facilities Termination - Voice Grade			UEP91	M1GBC		25.32								
	Interface Channel mileage per mile or fraction of mile			UEP91	M1GBM		0.0091								
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service														
	D4 Channel Bank Feature Activations														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS		0.66								
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6		0.66								
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7		0.66								
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP		0.66								
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV		0.66								
	Feature Activation on D-4 Channel Bank T1e Line/Trunk Loop Slot			UEP91	1PQWQ		0.66								
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA		0.66								
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-is with allowed changes per port														
	Conversion of Existing Centrex Common Block			UEP91	USAC2		21.50	8.42							
	New Centrex Standard Common Block			UEP91	USACN		5.17	8.32							
	New Centrex Customized Common Block			UEP91	MTACS		0.00	618.82							
	Secondary Block per Block			UEP91	MTACC		0.00	618.82							
	NAR Establishment Charge Per Occasion			UEP91	M2CC1		0.00	71.31							
	UNE-P CENTREX - SESS (Valid in All States)			UEP91	URECA		0.00	66.48							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
	UNE Port Loop Combination Rates (Non-Design)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP95			10.94								

AMENDMENT EXHIBIT 2

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2				Exhibit A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add 1st	Incremental Charge - Manual Svc Order vs Electronic-Add 1st	Incremental Charge - Manual Svc Order vs Electronic-Add 1st	Incremental Charge - Manual Svc Order vs Electronic-Add 1st	Incremental Charge - Manual Svc Order vs Electronic-Add 1st	Incremental Charge - Manual Svc Order vs Electronic-Add 1st
						Rec	Nonrecurring - First	Nonrecurring - Add'l	Nonrecurring Disconnect - First	SOME-EC	SOME-AN	OSS Rates (\$)	SOME-AN	SOME-AN	SOME-AN	SOME-AN	SOME-AN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP95		15 05											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP95		25 80											
	UNE Port/Loop Combination Rates (Design)																
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		1	UEP95		13 41											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP95		18 57											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP95		32 04											
	UNE Loop Rate																
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9 77											
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	13 88											
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	24 63											
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	12 24											
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	17 40											
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	30 87											
	UNE Port Rate																
	All States																
	2-Wire Voice Grade Port (Centrex) Basic Local Area				UEPYA	1 17	53 31	26 46	27 50	8 37							
	2-Wire Voice Grade Port (Centrex 800 termination)				UEPYB	1 17	53 31	26 46	27 50	8 37							
	2-Wire Voice Grade Port (Centrex with Caller ID)Basic Local Area				UEPYH	1 17	53 31	26 46	27 50	8 37							
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 3 Basic Local Area				UEPYM	1 17	139 49	86 10	65 41	13 81							
	2-Wire Voice Grade Port Diff Serving Wire Center 2 3 - 800 Service Term - Basic Local Area				UEPYZ	1 17	139 49	86 10	65 41	13 81							
	2-Wire Voice Grade Port Terminated in on Megalink or equivalent - Basic Local Area				UEPY9	1 17	53 31	26 46	27 50	8 37							
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area				UEPY2	1 17	53 31	26 46	27 50	8 37							
	AL, KY, LA, MS, SC, & TN Only																
	FL & GA Only																
	2-Wire Voice Grade Port (Centrex)				UEPHA	1 17	53 31	26 46	27 50	8 37							
	2-Wire Voice Grade Port (Centrex 800 termination)				UEPHB	1 17	53 31	26 46	27 50	8 37							
	2-Wire Voice Grade Port (Centrex with Caller ID)1				UEPHH	1 17	53 31	26 46	27 50	8 37							
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 3				UEPHM	1 17	139 49	86 10	65 41	13 81							
	2-Wire Voice Grade Port Diff Serving Wire Center - 800 Service Term 2 3				UEPHZ	1 17	139 49	86 10	65 41	13 81							
	2-Wire Voice Grade Port terminated in on Megalink or equivalent				UEPH9	1 17	53 31	26 46	27 50	8 37							
	2-Wire Voice Grade Port Terminated on 800 Service Term				UEPH2	1 17	53 31	26 46	27 50	8 37							
	Local Switching																
	Centrex Intercom Functionality per port				URECS	0 7384											
	Local Number Portability																
	Local Number Portability (1 per port)				LNPPC	0 35											
	Features																
	All Standard Features Offered per port				UEPVF	2 26											
	All Select Features Offered per port				UEPVS	370 70											
	All Centrex Control Features Offered per port				UEPVC	2 26											
	NARS																
	Unbundled Network Access Register Combination				UARCX	0 00	0 00	0 00	0 00	0 00							
	Unbundled Network Access Register - Initial				UARYX	0 00	0 00	0 00	0 00	0 00							
	Unbundled Network Access Register - Outdial				UAROY	0 00	0 00	0 00	0 00	0 00							
	Miscellaneous Terminations																
	2-Wire Trunk Side																
	Trunk Side Terminations each				CEND6	8 73											

UNBUNDLED NETWORK ELEMENTS - Florida															
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Nonrecurring		Nonrecurring Disconnect				Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add 1	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add 1
						Rec	First	Add 1	First						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3Basic Local Area			UEP9D	UEPYG	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3 Basic Local Area			UEP9D	UEPYU	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3 Basic Local Area			UEP9D	UEPYV	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPY3	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYH	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYW	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 3-Basic Local Area			UEP9D	UEPYJ	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2 3 4 Basic Local Area			UEP9D	UEPYM	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2 3 4 Basic Local Area			UEP9D	UEPYO	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2 3 4 Basic Local Area			UEP9D	UEPYP	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2 3 4 Basic Local Area			UEP9D	UEPYQ	1.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M512)2 3 4 Basic Local Area			UEP9D	UEPYR	1.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2 3 4 Basic Local Area			UEP9D	UEPYS	1.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2 3 4 Basic Local Area			UEP9D	UEPY4	1.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2. 3 Basic Local Area			UEP9D	UEPY5	1.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2 3 4 Basic Local Area			UEP9D	UEPY6	1.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2.3 4 Basic Local Area			UEP9D	UEPY7	1.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port Diff Serving Wire Center - 800 Service Term 2 3 Basic Local Area			UEP9D	UEPYZ	1.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port terminated on on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.17	53.31	26.46	27.50	8.37					
FL & GA Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPHC	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPHD	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPHE	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPHF	1.17	53.31	26.46	27.50	8.37					

UNBUNDLED NETWORK ELEMENTS - Florida															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Nonrecurring		Nonrecurring Disconnect				Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Addl	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Addl
						Rec	First	Addl	First						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4				UEPHG	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4				UEPHT	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4				UEPHU	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4				UEPHV	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4				UEPH3	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex with Caller ID)				UEPHH	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wlg Lamp Indication)4				UEPHW	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex/Msg Wlg Lamp Indication)4				UEPHJ	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 3				UEPHM	1.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSSET)2 3 4				UEPHO	1.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4				UEPHP	1.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2 3 4				UEPHQ	1.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2 3 4				UEPHR	1.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2 3,4				UEPHS	1.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2 3 4				UEPH4	1.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2 3 4				UEPH5	1.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2 3 4				UEPH6	1.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2 3 4				UEPH7	1.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port Diff Serving Wire Center - 800 Service Term 2 3				UEPHZ	1.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port terminated in on Megalink or equivalent				UEPH9	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port Terminated on 800 Service Term				UEPH2	1.17	53.31	26.46	27.50	8.37					
Local Switching	Centrex Intercom Functionality per port				URECS	0.7384									
Local Number Portability	Local Number Portability (1 per port)				LNPOC	0.35									
Features	All Standard Features Offered per port				UEPVF	2.26									
	All Select Features Offered per port				UEPVS	0.00	370.70								
	All Centrex Control Features Offered per port				UEPVC	2.26									
NARS	Unbundled Network Access Register - Combination				UARCX	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register - Inward				UARIX	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register - Outdial				UAROX	0.00	0.00	0.00	0.00	0.00					
Miscellaneous Terminations															
2-Wire Trunk Side	Trunk Side Terminations each				CEND6	8.73									
4-Wire Digital (1.544 Megabits)	DS1 Circuit Terminations each				MT1HD1	54.95									
	DS0 Channels Activated per Channel				MT1DO	0.00	15.69								
Interface Channel Mileage - 2-Wire	Interface Channel Facilities Termination				MTGBC	25.32									
	Interface Channel mileage per mile or fraction of mile				MTGBM	0.0081									
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot				1PQWS	0.66									

UNBUNDLED NETWORK ELEMENTS - Florida															
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Attachment 2		Exhibit A		
						Rec	Nonrecurring		Nonrecurring Disconnect First		Add'l	Incremental Charge - Manual Svc Order vs Electronic- 1st	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	SOMAN
								First							
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP9D	1PQW6	0.66									
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.66									
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.66									
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66									
	Feature Activation on D-4 Channel Bank T1e Line/Trunk Loop Slot			UEP9D	1PQWQ	0.66									
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66									
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex changes, per port			UEP9D	USAC2		21.50	8.42							
	NRC Conversion Currently Combined Switch As-is with allowed Conversion of existing Centrex Common Block, each			UEP9D	USACN		5.17	8.32							
	New Centrex Standard Common Block			UEP9D	MTACS	0.00	618.82								
	New Centrex Customized Common Block			UEP9D	MTACC	0.00	618.82								
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66.48								
	Additional Non-Recurring Charges (NRC)														
	Unbundled Miscellaneous Rate Element Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83							
	Unbundled Miscellaneous Rate Element Tag Design Loop at End Use Premise			UEP9D	URETN		11.21	1.10							
	UNE-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
	UNE Port/Loop Combination Rates (Non-Design)														
	2 Wire VG Loop/2 Wire Voice Grade Port (Centrex) Port Combo - Non-Design	1		UEP9E		10.94									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	2		UEP9E		15.05									
	2 Wire VG Loop/2 Wire Voice Grade Port (Centrex)Port Combo - Non-Design	3		UEP9E		25.80									
	UNE Port/Loop Combination Rates (Design)														
	2-Wire VG Loop/2 Wire Voice Grade Port (Centrex) Port Combo - Design	1		UEP9E		13.41									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design	2		UEP9E		18.57									
	2 Wire VG Loop/2 Wire Voice Grade Port (Centrex)Port Combo - Design	3		UEP9E		32.04									
	UNE Loop Rate														
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1		UEP9E	UECS1	9.77									
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2		UEP9E	UECS1	13.88									
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3		UEP9E	UECS1	24.63									
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1		UEP9E	UECS2	12.24									
	2-Wire Voice Grade Loop (SL 2) - Zone 2	2		UEP9E	UECS2	17.40									
	2-Wire Voice Grade Loop (SL 2) - Zone 3	3		UEP9E	UECS2	30.87									
	UNE Port Rate														
	AL, FL, KY, LA, MS, & TN only														
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	1.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex with Caller ID)Basic Local Area			UEP9E	UEPYH	1.17	53.31	26.46	27.50	8.37					
	2 Wire Voice Grade Port (Centrex from diff Serving Wire Center)2.3 Basic Local Area			UEP9E	UEPYM	1.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port Diff Serving Wire Center 2.3 - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	1.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEPY9	1.17	53.31	28.46	27.50	8.37					

CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)				Svc Order/ Submitted Elec per LSR	Svc Order/ Submitted Manually per LSR	Attachment 2				Exhibit A			
						Nonrecurring Add'l	First	Nonrecurring First	Add'l	Nonrecurring First	Add'l	OSS Rates (\$)				Incremental			
												SOME	SOMAN	SOMAN	SOMAN	Charge - Manual Svc Order vs Electronic- Add'l	Charge - Manual Svc Order vs Electronic- Disc 1st	Charge - Manual Svc Order vs Electronic- Disc Add'l	Charge - Manual Svc Order vs Electronic- Disc Add'l
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area																		
Florida	Only																		
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEP9E	1.17	53.31	26.46	27.50	8.37									
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEP9E	1.17	53.31	26.46	27.50	8.37									
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9E	UEP9E	1.17	53.31	26.46	27.50	8.37									
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center/2.3			UEP9E	UEP9E	1.17	53.31	26.46	27.50	8.37									
	2-Wire Voice Grade Port Diff Serving Wire Center - 800 Service Term 2.3			UEP9E	UEP9E	1.17	139.49	86.10	65.41	13.81									
	2-Wire Voice Grade Port Terminated in on Megalink or equivalent			UEP9E	UEP9E	1.17	139.49	86.10	65.41	13.81									
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEP9E	1.17	53.31	26.46	27.50	8.37									
	Local Switching			UEP9E	UEP9E	1.17	53.31	26.46	27.50	8.37									
	Centrex Intercom Functionality per port			UEP9E	UEP9E	0.7384													
	Local Number Portability			UEP9E	UEP9E														
	Local Number Portability (1 per port)			UEP9E	UEP9E	0.35													
	Features			UEP9E	UEP9E														
	All Standard Features Offered per port			UEP9E	UEP9E	2.26													
	All Select Features Offered per port			UEP9E	UEP9E	0.00													
	All Centrex Control Features Offered per port			UEP9E	UEP9E	2.26	370.70												
NARS																			
	Unbundled Network Access Register - Combination			UEP9E	UEP9E	0.00	0.00	0.00	0.00	0.00									
	Unbundled Network Access Register - Initial			UEP9E	UEP9E	0.00	0.00	0.00	0.00	0.00									
	Unbundled Network Access Register - Outdial			UEP9E	UEP9E	0.00	0.00	0.00	0.00	0.00									
	Miscellaneous Terminations																		
	2-Wire Trunk Side																		
	Trunk Side Terminations each			UEP9E	CEN06	8.73													
	4-Wire Digital (1.544 Megabits)																		
	DS1 Circuit Terminations each			UEP9E	M1HD1	54.95													
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.69												
	Interoffice Channel Mileage - 2-Wire																		
	Interoffice Channel Facilities Termination			UEP9E	M1GBC	25.32													
	Interoffice Channel Mileage per mile or fraction of mile			UEP9E	M1GBM	0.0091													
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																		
	D4 Channel Bank Feature Activations																		
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66													
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP9E	1PQW6	0.66													
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.66													
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0.66													
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66													
	Feature Activation on D-4 Channel Bank T1e Line/Trunk Loop Slot			UEP9E	1PQWQ	0.66													
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66													
	Non-Recurring Charges (NRC) Associated with LINE-P Centrex																		
	NRC Conversion Currently Combined Switch-As-is with allowed changes per port			UEP9E	USAC2		21.50	8.42											
	Conversion of Existing Centrex Common Block each			UEP9E	USACN		5.17	8.32											
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	618.82												
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	618.82												
	NAR Establishment Charge Per Occasion			UEP9E	URECA	0.00	66.48												
	Additional Non-Recurring Charges (NRC)																		
	Unbundled Miscellaneous Rate Element Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83											

AMENDMENT EXHIBIT 2

UNBUNDLED NETWORK ELEMENTS - Florida																			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2				Exhibit A			
						Rec	Nonrecurring		Nonrecurring Disconnect			Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l				
							First	Add'l	First							Add'l			
	Unbundled Miscellaneous Rate Element Tag Design Loop at End Use Premise																		
	Note 1 - Required Port for Centrex Control in TAESS, SESS & EWSD			UEPSE	URETN		11 21	1 10											
	Note 2 - Requires Interoffice Channel Mileage																		
	Note 3 - Installation is combination of Installation charge for SL2 Loop and Port																		
	Note 4 - Requires Specific Customer Premises Equipment																		
	Note Rates displaying an R in interim column are interim and subject to rate true-up as set forth in General Terms and Conditions																		

[illegible]

UNBUNDLED NETWORK ELEMENTS - Georgia																
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A		
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First			SOMECH	SOMAN	OSS Rates (\$) SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UWL-SL1)															
	Unbundled Voice Loop - Non-Design Voice Loop - billing for BST providing make-up (Engineering Information - E1)			UEANL	UREWO		15.75	8.92								
	Manual Order Coordination for UWL-SL1s (per loop)			UEANL	UEANM		7.30									
	Order Coordination for Specified Conversion Time for UWL-SL1 (per LSR)			UEANL	UEAMC		18.92	18.92								
	2-WIRE UNBUNDLED COPPER LOOP - NON-DESIGNED				OCOSL		57.79									
	2-Wire Unbundled Copper Loop Non-Designed- Zone 1	1	UEQ		UEQ2X	11.02	44.69	22.40	0.00							
	2-Wire Unbundled Copper Loop Non-Designed- Zone 2	2	UEQ		UEQ2X	12.72	44.69	22.40	0.00							
	2-Wire Unbundled Copper Loop Non-Designed- Zone 3	3	UEQ		UEQ2X	20.22	44.69	22.40	0.00							
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise			UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2-Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		18.92	18.92								
	Unbundled Copper Loop - Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E1)			UEQ	UEQMU		7.30	7.30								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		25.12	25.12								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		13.62	13.62								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	UREWO		14.25	7.42								
	UNBUNDLED EXCHANGE ACCESS LOOP															
	2-WIRE ANALOG VOICE GRADE LOOP															
	UNE Loop Rates for Line Splitting (In Ga PSC ordered the line splitting loop USOCs match the lower port-loop combo rates UEPLX)															
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	1	1	UEPSR UEPSB	UEALS	9.56	10.05	7.36	1.37							
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	1	1	UEPSR UEPSB	UEABS	9.56	10.05	7.36	1.37							
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	1	2	UEPSR UEPSB	UEALS	14.86	10.05	7.36	1.37							
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	1	2	UEPSR UEPSB	UEABS	14.86	10.05	7.36	1.37							
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3	1	3	UEPSR UEPSB	UEALS	31.66	10.05	7.36	1.37							
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3	1	3	UEPSR UEPSB	UEABS	31.66	10.05	7.36	1.37							
	UNBUNDLED EXCHANGE ACCESS LOOP															
	2-WIRE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	1	UEA	UEAL2	11.57	79.85	24.65	18.92							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	2	UEA	UEAL2	16.95	79.85	24.65	18.92							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	3	UEA	UEAL2	33.08	79.85	24.65	18.92							
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	1	UEA	UEAR2	11.57	79.85	24.65	18.92							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	2	UEA	UEAR2	16.95	79.85	24.65	18.92							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	3	UEA	UEAR2	33.08	79.85	24.65	18.92							
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10								
	4-WIRE ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1	1	1	UEA	UEAL4	17.80	93.01	28.17	19.52							
	4-Wire Analog Voice Grade Loop - Zone 2	2	2	UEA	UEAL4	21.68	93.01	28.17	19.52							
	4-Wire Analog Voice Grade Loop - Zone 3	3	3	UEA	UEAL4	30.25	93.01	28.17	19.52							
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
	2-WIRE ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1	1	1	UDN	U1L2X	21.89	180.06	35.25	18.23							
	2-Wire ISDN Digital Grade Loop - Zone 2	2	2	UDN	U1L2X	25.27	180.06	35.25	18.23							
	2-Wire ISDN Digital Grade Loop - Zone 3	3	3	UDN	U1L2X	40.17	180.06	35.25	18.23							
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		57.79									

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Somec	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		120.98	33.04					
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP												
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	1	UAL	UAL2X	11.23	44.69	31.55	0.00				
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	1	2	UAL	UAL2X	12.97	44.69	31.55	0.00				
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	1	3	UAL	UAL2X	20.62	44.69	31.55	0.00				
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		57.79						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	1	UAL	UAL2W	11.23	44.69	31.55	0.00				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	1	2	UAL	UAL2W	12.97	44.69	31.55	0.00				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	1	3	UAL	UAL2W	20.62	44.69	31.55	0.00				
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		57.79						
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		44.69	29.29					
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP												
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	1	UHL	UHL2X	7.88	44.69	31.55	0.00				
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	1	2	UHL	UHL2X	9.09	44.69	31.55	0.00				
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	1	3	UHL	UHL2X	14.48	44.69	31.55	0.00				
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		57.79						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL2W	7.88	44.69	31.55	0.00				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL2W	9.09	44.69	31.55	0.00				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL2W	14.48	44.69	31.55	0.00				
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		57.79						
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		44.69	31.55					
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP												
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL4X	10.39	44.69	31.55	0.00				
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL4X	12.00	44.69	31.55	0.00				
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL4X	19.07	44.69	31.55	0.00				
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		57.79						
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL4W	10.39	44.69	31.55	0.00				
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL4W	12.00	44.69	31.55	0.00				
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL4W	19.07	44.69	31.55	0.00				
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		57.79						
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		44.69	31.55					
	4-WIRE DS1 DIGITAL LOOP												
	4-Wire DS1 Digital Loop - Zone 1	1	1	USL	USLXX	41.02	211.93	72.49	38.24				
	4-Wire DS1 Digital Loop - Zone 2	2	2	USL	USLXX	48.41	211.93	72.49	38.24				
	4-Wire DS1 Digital Loop - Zone 3	3	3	USL	USLXX	62.03	211.93	72.49	38.24				
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		57.79						
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		100.91	42.97					
	4-WIRE 19.2, 36 OR 64 Kbps DIGITAL GRADE LOOP												
	4 Wire Unbundled Digital 19.2 Kbps	1	1	UDL	UDL19	21.86	196.66	37.00	18.82				
	4 Wire Unbundled Digital 19.2 Kbps	2	2	UDL	UDL19	28.36	196.66	37.00	18.82				
	4 Wire Unbundled Digital 19.2 Kbps	3	3	UDL	UDL19	39.22	196.66	37.00	18.82				

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2				Exhibit A			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental		Incremental		Incremental	
						Rec	Nonrecurring First	Add'l	Nonrecurring First			SOME	SOMAN	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Charge - Manual Svc Order vs Electronic- Disc 1st	Charge - Manual Svc Order vs Electronic- Disc Add'l
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up				USBSB		7 29										
	Sub-Loop - Per Building Equipment Room - CLEC Feeder			UEANL	USBSB												
	Facility Set-Up			UEANL	USBSB		175 09										
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSB		51 61										
	Unbundled Sub-Loops Riser Cable 2-Wire per Loop Working and Spare Loop Activation			UEANL	USBSB	3 61	28 46	3 85	2 20	0 01							
	Unbundled Sub-Loops Riser Cable 4-Wire per Loop Working and Spare Loop Activation			UEANL	USBSB	7 67	31 07	4 79	2 27	0 01							
	Sub-Loop Distribution Per 2 Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	6 52	28 46	3 85	2 20	0 01							
	Sub-Loop Distribution Per 2 Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	10 18	28 46	3 85	2 20	0 01							
	Sub-Loop Distribution Per 2 Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	19 51	28 46	3 85	2 20	0 01							
	Sub-Loop Distribution Per 4 Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	5 93	31 07	4 79	2 27	0 01							
	Sub-Loop Distribution Per 4 Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	9 71	31 07	4 79	2 27	0 01							
	Sub-Loop Distribution Per 4 Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	18 85	31 07	4 79	2 27	0 01							
	Order Coordination for Unbundled Sub-Loops per sub-loop pair			UEANL	USBMC		18 92	18 92									
	Sub-Loop 2-Wire IntraBuilding Network Cable (INC)			UEANL	USBR2	3 61	28 46	3 85	2 20	0 01							
	Order Coordination for Unbundled Sub-Loops per sub-loop pair			UEANL	USBMC		18 92	18 92									
	Sub-Loop 4-Wire IntraBuilding Network Cable (INC)			UEANL	USBR4	7 67	31 07	4 79	2 27	0 01							
	Order Coordination for Unbundled Sub-Loops per sub-loop pair			UEANL	USBMC		18 92	18 92									
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		25 12	25 12									
	Loop Testing - Basic Additional Half Hour			UEANL	URET1		13 62	13 62									
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5 94	28 46	3 85	2 20	0 01							
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	7 51	28 46	3 85	2 20	0 01							
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	9 22	28 46	3 85	2 20	0 01							
	Order Coordination for Unbundled Sub-Loops per sub loop pair			UEF	USBMC		18 92	18 92									
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6 37	31 07	4 79	2 27	0 01							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	6 32	31 07	4 79	2 27	0 01							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	9 10	31 07	4 79	2 27	0 01							
	Order Coordination for Unbundled Sub-Loops per sub-loop pair			UEF	USBMC		18 92	18 92									
	Loop Testing - Basic 1st Half Hour			UEF	URET1		25 12	25 12									
	Loop Testing - Basic Additional Half Hour			UEF	URET1		13 62	13 62									
	Unbundled Network Terminating Wire (UNTW)			UNTW	UNENPP	0 533	25 12	12 28									
	Unbundled Network Terminating Wire (UNTW) per Pair			UNTW	UNENPP												
	Network Interface Device (NID)			UNTW	UNENPP												
	Network Interface Device (NID) - 1-2 lines		1	UNTW	UNENPP												
	Network Interface Device (NID) - 1-6 lines		1	UNTW	UNENPP												
	Network Interface Device Cross Connect - 2 W		1	UNTW	UNENPP												
	Network Interface Device Cross Connect - 4W		1	UNTW	UNENPP												
	PROVISIONING ONLY - NO RATE			UNTW	UNENPP												
	NID - Dispatch and Service Order for NID installation			UNTW	UNENPP	0 00	0 00										
	UNTW Circuit id Establishment, Provisioning Only - No Rate			UNTW	UNENPP	0 00	0 00										
	Unbundled Contract Name Provisioning Only - No Rate			UNTW	UNENPP	0 00	0 00										
	UNE OTHER, PROVISIONING ONLY - NO RATE			UNTW	UNENPP												

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First			SOMAN	SOMAN
	Unbundled Contact Name Provisioning Only - no rate			UALUCL UDC UDL	UNECLN	0.00	0.00						
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEAULU UCL UDL	USBFQ	0.00	0.00						
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEAULU UCL UDL	USBFQ	0.00	0.00						
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00						
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00						
HIGH CAPACITY UNBUNDLED LOCAL LOOP													
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1LSND	10.97							
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	253.38	1 753.23	131.90	112.91	75.68			
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1LSND	10.97							
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	305.42	1 753.23	131.90	112.91	75.68			
LOOP MAKE-UP													
	Loop Makeup - Preordering Without Reservation per working or spare facility queried (Manual)			UMK	UMKLW		15.19	15.19					
	Loop Makeup - Preordering With Reservation per spare facility queried (Manual)			UMK	UMKLP		19.85	19.85					
	Loop Makeup - With or Without Reservation per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.82	0.82					
LINE SHARING AND LINE SPLITTING													
NOTE 1 The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows													
NOTE 1 10/02/2004 - 10/01/2004 25% of the rate for an unbundled copper loop non-designed ("UCLND")													
NOTE 1 10/02/2004 - 10/01/2005 50% of the rate for UCLND													
NOTE 1 10/02/2005 - 10/01/2006 75% of the rate for UCLND													
NOTE 1 Above will apply to USOCs ULSDT and ULSDT													
NOTE 2 The Line Sharing monthly recurring rates with USOCs ULSDC and ULSDC applies only to circuits installed and in service on or before October 1, 2003													
LINE SHARING													
SPLITTERS-CENTRAL OFFICE BASED													
	Line Sharing Splitter per System 96 Line Capacity			ULS	ULSDA	131.00	0.00	0.00	0.00	0.00			
	Line Sharing Splitter per System 24 Line Capacity			ULS	ULSDB	32.00	0.00	0.00	0.00	0.00			
	Line Sharing Splitter per System 8 Line Capacity			ULS	ULSD8	11.00	0.00	0.00	0.00	0.00			
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)			ULS	ULSDG		66.34	0.00	51.20	0.00			
END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING													
	Line Sharing - per Line Activation (BST Owned Splitter) - OBSOLETE see "NOTE 2"			ULS	ULSDC	0.61	10.51	7.70	7.00	4.20			
	Line Share Service TRO per line activation BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003)			ULS	ULSDT	2.76	10.51	7.70	7.00	4.20			
	Line Share Service TRO per line activation BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004)			ULS	ULSDT	5.51	10.51	7.70	7.00	4.20			
	Line Share Service TRO per line activation BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005)			ULS	ULSDT	8.27	10.51	7.70	7.00	4.20			
	Line Sharing - per Subsequent Activity per Line Rearrangement (BST Owned Splitter)			ULS	ULSDS		36.23	13.23	16.94	1.69			
	Line Sharing - per Subsequent Activity per Line Rearrangement (DLEC Owned Splitter)			ULS	ULSDS		36.23	13.23	16.94	1.69			
	Line Sharing - per Line Activation (DLEC owned Splitter) - OBSOLETE see "NOTE 2"			ULS	ULSDC	0.61	17.82	9.36	8.53	4.30			

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order/ Submitted Elec per LSR	Svc Order/ Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
						Rec	Nonrecurring First	Add'l	Nonrecurring Discontinued First	SOME	SOMAN	SOMAN	SOMAN
	Line Share Service - TRO per line activation - CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/22/2003)				ULSCT	2.76	17.82	9.36	8.53	4.30			
	Line Share Service - TRO per line activation - CLEC owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/22/2004)				ULSCT	5.51	17.82	9.36	8.53	4.30			
	Line Share Service - TRO per line activation - CLEC owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/22/2005)				ULSCT	8.27	17.82	9.36	8.53	4.30			
	LINE SPLITTING												
	END USER ORDERING-CENTRAL OFFICE BASED												
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61							
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.6297	20.10	12.40	7.68	4.30			
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.6288	20.10	12.40	7.68	4.30			
	MAINTENANCE												
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00					
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50					
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00					
	UNBUNDLED DEDICATED TRANSPORT												
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT												
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			UITVX	1L5XX	0.0057							
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination			UITVX	UITV2	12.87	48.46	19.48	16.58	5.00			
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat - Per Mile per month			UITVX	1L5XX	0.0057							
	Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat Facility Termination			UITVX	UITP2	12.87	48.46	19.48	16.58	5.00			
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade Per Mile per month			UITVX	1L5XX	0.0057							
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade Facility Termination			UITVX	UITV4	10.78	48.46	19.48	16.58	5.00			
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			UITDX	1L5XX	0.0057							
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			UITDX	UITD5	7.83	48.46	19.48	16.58	5.00			
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			UITDX	1L5XX	0.0057							
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			UITDX	UITD6	7.83	48.46	19.48	16.58	5.00			
	Interoffice Channel - Dedicated Transport - DS1 - Per Mile per month			UITD1	1L5XX	0.1154							
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination			UITD1	UITF1	34.19	111.03	80.28	31.36	21.73			
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			UITD3	1L5XX	2.53							
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			UITD3	UITF3	342.02	320.47	86.32	66.77	52.81			
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			UITS1	1L5XX	2.53							
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			UITS1	UITFS	358.67	320.47	86.32	66.77	52.81			
	DARK FIBER												
	Dark Fiber - Four Fiber Strands - Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF UDFCX	1L5DF	23.29							
	NRC - Dark Fiber - Interoffice Channel			UDF UDFCX	UDF14		1,776.53	89.75	73.64	18.70			
	Dark Fiber - Four Fiber Strands - Per Route Mile or Fraction Thereof per month - Local Loop			UDF UDFCX	1L5DL	46.84							
	NRC - Dark Fiber - Local Loop			UDF UDFCX	UDFL4		1,745.99	87.54	73.64	18.70			

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
						Rec	Nonrecurring -Add'l	First	Disconnect -Add'l			SOME	SOMAN
8XX ACCESS TEN DIGIT SCREENING	8XX Access Ten Digit Screening, Per Call					0.0008543							
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved				N8R1X		2.50	0.43					
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTIS Translations						5.65	0.76	4.24	0.51			
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTIS Translations				N8FTX		5.65	0.76	4.24	0.51			
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number				N8FCX		2.50	1.25					
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.				N8FMX		2.93	1.68					
	8XX Access Ten Digit Screening, Change Charge Per Request Features				N8FAX		2.93	0.43					
	8XX Access Ten Digit Screening, Call Handling and Destination				N8FDX		2.50						
	8XX Access Ten Digit Screening, w/8FL No. Delivery					0.0008543							
	8XX Access Ten Digit Screening, w/POTS No. Delivery					0.0008543							
LINE INFORMATION DATA BASE ACCESS (LIDB)	LIDB Common Transport Per Query					0.000682							
	LIDB Validation Per Query					0.0268682							
	LIDB Originating Point Code Establishment or Change												
	CCS7 Signaling Connection, Per 56Kbps Facility				N8BPX		33.24	33.24	39.35	39.35			
	CCS7 Signaling Termination, Per STP Port				TPP++	8.73	34.77	16.91	16.91	16.91			
	CCS7 Signaling Usage, Per Call Setup Message				PTBSX	108.80							
	CCS7 Signaling Usage, Per TCAP Message					0.000132							
	CCS7 Signaling Connection, Per Link (A link) (same as E 3.1) link) (same as E 3.1)				TPP++	8.73	34.77	16.91	16.91	16.91			
	CCS7 Signaling Usage, Per ISUP Message (same as E 3.3) link) (same as E 3.3)				TPP++	8.73	34.77	16.91	16.91	16.91			
	CCS7 Signaling Usage, Surrogate, per link				STU56	907.44							
E911 SERVICE	CCS7 Signaling Point Code Establishment or Change, per STP affected				CCAP0		28.15	28.15	33.32	33.32			
	Local Channel - Dedicated - 2-wr Voice Grade					7.74	121.07	53.30	46.40	13.37			
	Interface Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0057							
	Interface Transport - Dedicated - 2-wr Voice Grade Per Facility Termination					12.87	48.46	19.48	16.58	5.00			
	Local Channel - Dedicated - DST - Zone 1					18.47	149.46	111.20	40.36	26.12			
	Local Channel - Dedicated - DST - Zone 2					56.30	149.46	111.20	40.36	26.12			
	Local Channel - Dedicated - DST - Zone 3					164.70	149.46	111.20	40.36	26.12			
	Interface Transport - Dedicated - DST Per Mile					0.1154							
	Interface Transport - Dedicated - DST Per Facility Termination					34.19	111.03	80.28	31.36	21.73			
	Interface Transport - Dedicated - DST Per Facility Termination												
CALLING NAME (CNAM) SERVICE	CNAM For DB Owners - Service Establishment						22.90		20.32				
	CNAM For Non DB Owners - Service Establishment						22.90		20.32				
	CNAM For DB Owners - Service Provisioning With Point Code Establishment						959.77	709.83	251.47	184.91			
	CNAM For Non DB Owners - Service Provisioning With Point Code Establishment						331.89	237.45	257.65	184.91			
	CNAM for DB Owners - Per Query					0.0009824							
	CNAM for Non DB Owners - Per Query					0.0009824							
	CNAM (Non-Databases Owner) NRC applies when using the (Character Based User Interface (CHUI))						595.00						
	Selective Routing Per Unique Line Class Code Per Request Per Switch				CDDCH		102.19	61.15	12.68	6.34			
SELECTIVE ROUTING													
VIRTUAL COLLOCATION													

UNBUNDLED NETWORK ELEMENTS - Georgia															
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2	Exhibit A		
						Rec	Nonrecurring First.	Add'l	Nonrecurring Disconnect First	Add'l	SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0188	0.00	0.00	0.00	0.00					
PHYSICAL COLLOCATION	Physical Collocation 2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0197	0.00	0.00							
AIN SELECTIVE CARRIER ROUTING	Regional Service Establishment			SRC	SRCEC		101.311.67	101.311.67	7.833.25	7.833.25					
	End Office Establishment			SRC	SRCEO		158.92	158.92	1.64	1.64					
	Line/Port NRC per end user			SRC	SRCLP		2.06	2.06							
	Query NRC per query			SRC		0.0020368									
AIN - BELL SOUTH AIN SMS ACCESS SERVICE	AIN SMS Access Service - Service Establishment Per State Initial Setup			AIN	CAMSE		41.41	41.41	41.63	41.63					
	AIN SMS Access Service - Port Connection - Dial/Shared Access			AIN	CAMDP		8.15	8.15	9.16	9.16					
	AIN SMS Access Service - Port Connection - ISDN Access			AIN	CAM1P		8.15	8.15	9.16	9.16					
	AIN SMS Access Service - User Identification Codes - Per User ID Code			AIN	CAMAU		35.29	35.29	26.50	26.50					
	AIN SMS Access Service - Security Card Per User ID Code Initial or Replacement			AIN	CAMRC		40.24	40.24	11.72	11.72					
	AIN SMS Access Service - Storage Per Unit (100 Kilobytes)					0.0038									
	AIN SMS Access Service - Session Per Minute					1.81									
	AIN SMS Access Service - Company Performed Session Per Minute					0.8923									
AIN - BELL SOUTH AIN TOOLKIT SERVICE	AIN Toolkit Service - Service Establishment Charge Per State Initial Setup			CAM	BAPSC		41.41	41.41	41.63	41.63					
	AIN Toolkit Service - Training Session Per Customer				BAPVX		4.236.62	4.236.62							
	AIN Toolkit Service - Trigger Access Charge Per Trigger, Per DN Term Attempt				BAPTT		8.15	8.15	9.16	9.16					
	AIN Toolkit Service - Trigger Access Charge Per Trigger, Per DN Off-Hook Delay				BAPTD		8.15	8.15	9.16	9.16					
	AIN Toolkit Service - Trigger Access Charge Per Trigger Per DN Off-Hook Immediate				BAPTM		8.15	8.15	9.16	9.16					
	AIN Toolkit Service - Trigger Access Charge Per Trigger Per DN 10-Digit PODP				BAPTO		33.98	33.98	14.09	14.09					
	AIN Toolkit Service - Trigger Access Charge Per Trigger Per DN CDP				BAPTC		33.98	33.98	14.09	14.09					
	AIN Toolkit Service - Trigger Access Charge Per Trigger Per DN Feature Code				BAPTF		33.98	33.98	14.09	14.09					
	AIN Toolkit Service - Query Charge Per Query					0.0271438									
	AIN Toolkit Service - Type 1 Node Charge Per AIN Toolkit Subscription Per Node Per Query					0.0059195									
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account Per 100 Kilobytes					0.04									
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS		14.78	8.15	5.71	5.71					
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS		6.46	8.98	8.98						
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS		8.54	8.15	5.71	5.71					
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription			CAM	BAPES		0.22	8.98	8.98						
ENHANCED EXTENDED LINK (EELs)															
NOTE The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as Ordinarily Combined Network Elements															
NOTE The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as Currently Combined Network Elements															
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DST INTERFACING TRANSPORT															
	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2		11.57	195.94	36.38	18.42					
	First 2 Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2		16.95	195.94	36.38	18.42					

UNBUNDLED NETWORK ELEMENTS - Georgia															
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring - First	Add I	Nonrecurring Disconnect - First			SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
	First 2 Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33 08	195 94	36 38	18 42	6 86					
	Interface Transport - Dedicated - DS1 combination - Per Mile														
	Termination Per Month														
	10 Channelization System in combination Per Month														
	Voice Grade COCI - Per Month														
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	11 57	195 94	36 38	18 42	6 86					
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	16 95	195 94	36 38	18 42	6 86					
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	33 08	195 94	36 38	18 42	6 86					
	Voice Grade COCI - Per Month														
	Nonrecurring Currently Combined Network Elements Switch -As-														
	Is Charge														
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT														
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	17 80	195 94	36 38	18 42	6 86					
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	21 68	195 94	36 38	18 42	6 86					
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	30 25	195 94	36 38	18 42	6 86					
	Interface Transport - Dedicated - DS1 combination - Per Mile														
	Per Month														
	Interface Transport - Dedicated - DS1 - Facility Termination Per Month														
	10 Channel System in combination Per Month														
	Voice Grade COCI in combination - per month														
	Additional 4-Wire Analog Voice Grade Loop in same DS1														
	Interface Transport Combination - Zone 1		1	UNCVX	UEAL4	17 80	195 94	36 38	18 42	6 86					
	Additional 4-Wire Analog Voice Grade Loop in same DS1														
	Interface Transport Combination - Zone 2		2	UNCVX	UEAL4	21 68	195 94	36 38	18 42	6 86					
	Additional 4-Wire Analog Voice Grade Loop in same DS1														
	Interface Transport Combination - Zone 3		3	UNCVX	UEAL4	30 25	195 94	36 38	18 42	6 86					
	Additional Voice Grade COCI in combination - per month														
	Nonrecurring Currently Combined Network Elements Switch -As-														
	Is Charge														
	EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT														
	First 4 Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	21 86	195 94	36 38	18 42	6 86					
	First 4 Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	28 36	195 94	36 38	18 42	6 86					
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	38 22	195 94	36 38	18 42	6 86					
	Interface Transport - Dedicated - DS1 combination - Per Mile														
	Per Month														
	Interface Transport - Dedicated - DS1 - combination Facility Termination Per Month														
	10 Channel System in combination Per Month														
	OCU-DP COCI (data) per month (2 4-64Kbs)														
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1														
	Interface Transport Combination - Zone 1		1	UNCDX	UDL56	21 86	195 94	36 38	18 42	6 86					
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1														
	Interface Transport Combination - Zone 2		2	UNCDX	UDL56	28 36	195 94	36 38	18 42	6 86					
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1														
	Interface Transport Combination - Zone 3		3	UNCDX	UDL56	38 22	195 94	36 38	18 42	6 86					
	Additional OCU-DP COCI (data) in combination per month (2 4-64Kbs)														

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2			Exhibit A		
CATEGORY	RATE ELEMENTS	Interl m	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l		
					Rec	Nonrecurring First	Add'l	Nonrecurring First						Disconnect Add'l	SOME
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge					5.70	5.70	6.61							
	EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT		UNC1X	UNCCC											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDX	UDL64	21.86	195.94	36.38	18.42							
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDX	UDL64	28.36	195.94	36.38	18.42							
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDX	UDL64	38.22	195.94	36.38	18.42							
	Interface Transport - Dedicated - DS1 combination - Per Mile Termination Per Month		UNC1X	1L5XX	0.1154										
	1/10 Channel System in combination Per Month		UNC1X	U1TF1	34.19	87.76	45.73	43.80							
	OCU-DP COCI (data) in combination - per month (2.4-64kbs)		UNC1X	MQ1	69.75	86.10									
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interface Transport Combination - Zone 1	1	UNCDX	UDL64	0.9963	27.33	2.90	16.86							
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interface Transport Combination - Zone 2	2	UNCDX	UDL64	21.86	195.94	36.38	18.42							
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interface Transport Combination - Zone 3	3	UNCDX	UDL64	28.36	195.94	36.38	18.42							
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interface Transport Combination - Zone 1	1	UNCDX	UDL64	38.22	195.94	36.38	18.42							
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interface Transport Combination - Zone 2	2	UNCDX	UDL64	28.36	195.94	36.38	18.42							
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interface Transport Combination - Zone 3	3	UNCDX	UDL64	38.22	195.94	36.38	18.42							
	Additional OCU-DP COCI (data) - in combination - per month (2.4-64kbs)		UNCDX	1D1DD	0.9963	27.33	2.90	16.86							
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		UNC1X	UNCCC		5.70	5.70	6.61							
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT		UNC1X	UNCCC											
	First DS1 Loop in Combination - Zone 1	1	UNC1X	USLXX	41.02	209.45	70.44	37.91							
	First DS1 Loop in Combination - Zone 2	2	UNC1X	USLXX	46.41	209.45	70.44	37.91							
	First DS1 Loop in Combination - Zone 3	3	UNC1X	USLXX	62.03	209.45	70.44	37.91							
	Interface Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0.1154										
	Interface Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	34.19	87.76	45.73	43.80							
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		UNC1X	UNCCC		5.70	5.70	6.61							
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT		UNC1X	UNCCC											
	First DS1 Loop in Combination - Zone 1	1	UNC1X	USLXX	41.02	209.45	70.44	37.91							
	First DS1 Loop in Combination - Zone 2	2	UNC1X	USLXX	46.41	209.45	70.44	37.91							
	First DS1 Loop in Combination - Zone 3	3	UNC1X	USLXX	62.03	209.45	70.44	37.91							
	Interface Transport - Dedicated - DS3 combination - Per Mile Per Month		UNC3X	1L5XX	2.53										
	Interface Transport - Dedicated - DS3 - Facility Termination per month		UNC3X	U1TF3	342.02	325.91	77.07	49.58							
	3/1Channel System in combination per month		UNC3X	MQ3	121.90										
	DS1 COCI in combination per month		UNC1X	UC1D1	7.35	27.33	2.90	16.86							
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	41.02	209.45	70.44	37.91							
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	46.41	209.45	70.44	37.91							
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	62.03	209.45	70.44	37.91							
	Additional DS1 COCI in combination per month		UNC1X	UC1D1	7.35	27.33	2.90	16.86							
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		UNC3X	UNCCC		5.70	5.70	6.61							
	EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT		UNC3X	UNCCC											
	2-Wire/VG Loop in combination - Zone 1	1	UNC3X	UEAL2	11.57	195.94	36.38	18.42							
	2-Wire/VG Loop in combination - Zone 2	2	UNC3X	UEAL2	16.95	195.94	36.38	18.42							
	2-Wire/VG Loop in combination - Zone 3	3	UNC3X	UEAL2	33.08	195.94	36.38	18.42							

AMENDMENT EXHIBIT 2

UNBUNDLED NETWORK ELEMENTS - Georgia																	
CATEGORY	RATE ELEMENTS	Inten m	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2			Exhibit A		
					Rec	Nonrecurring		Disconnect Add'l	Incremental Charge - Manual Svc Order vs Electronic- Add'l			Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Add'l		
						First	Add'l									SOMEc	SOMAN
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month		UNCVX	1L5XX	0.0057												
-	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month		UNCVX	U11T2	12.87	66.53	33.61	43.42	27.60								
-	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge		UNCVX	UNCCC		5.70	5.70	6.61	6.61								
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT																	
-	4-WireVG Loop in combination - Zone 1	1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86								
-	4-WireVG Loop in combination - Zone 2	2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86								
-	4-WireVG Loop in combination - Zone 3	3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86								
-	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month		UNCVX	1L5XX	0.0057												
-	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month		UNCVX	U11T4	10.78	66.53	33.61	43.42	27.60								
-	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge		UNCVX	UNCCC		5.70	5.70	6.61	6.61								
EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																	
-	DS3 Local Loop in combination - per mile per month		UNC3X	1L5ND	10.97												
-	DS3 Local Loop in combination - Facility Termination per month		UNC3X	UE3PX	253.38	1 260.47	628.84	41.53	20.76								
-	Interoffice Transport - Dedicated - DS3 - Per Mile per month		UNC3X	1L5XX	2.53												
-	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month		UNC3X	U11F3	342.02	325.91	77.07	49.56	32.88								
-	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge		UNC3X	UNCCC		5.70	5.70	6.61	6.61								
EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT																	
-	STS-1 Local Loop in combination - per mile per month		UNC5X	1L5ND	10.97												
-	STS-1 Local Loop in combination - Facility Termination per month		UNC5X	UDLS1	305.42	1 260.47	628.84	41.53	20.76								
-	Interoffice Transport - Dedicated - STS-1 combination - per mile per month		UNC5X	1L5XX	2.53												
-	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month		UNC5X	U11F5	358.67	325.91	77.07	49.56	32.88								
-	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge		UNC5X	UNCCC		5.70	5.70	6.61	6.61								
EXTENDED 2 WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT																	
-	First 2-Wire ISDN Loop in Combination - Zone 1	1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86								
-	First 2-Wire ISDN Loop in Combination - Zone 2	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86								
-	First 2-Wire ISDN Loop in Combination - Zone 3	3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86								
-	Interoffice Transport - Dedicated - DS1 combination - per mile per month		UNC1X	1L5XX	0.1154												
-	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U11F1	34.19	87.76	45.73	43.80	27.97								
-	1/0 Channel System in combination - per month		UNC1X	MQ1	69.75	86.10											
-	2-wire ISDN COC (BRITE) - in combination - per month		UNCNX	UCTCA	1.66	27.33	2.90	16.86	1.04								
-	Additional 2-wire ISDN Loop in same DS1interoffice Transport Combination - Zone 1	1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86								
-	Additional 2-wire ISDN Loop in same DS1interoffice Transport Combination - Zone 2	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86								
-	Additional 2-wire ISDN Loop in same DS1interoffice Transport Combination - Zone 3	3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86								
-	Additional 2-wire ISDN COC (BRITE) - in combination - per month		UNCNX	UCTCA	1.66	27.33	2.90	16.86	1.04								
-	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge		UNC1X	UNCCC		5.70	5.70	6.61	6.61								
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT																	
-	First DS1 Loop Combination - Zone 1	1	UNC1X	LSLXX	41.02	209.45	70.44	37.91	6.86								
-	First DS1 Loop Combination - Zone 2	2	UNC1X	LSLXX	46.41	209.45	70.44	37.91	6.86								
-	First DS1 Loop Combination - Zone 3	3	UNC1X	LSLXX	62.03	209.45	70.44	37.91	6.86								

UNBUNDLED NETWORK ELEMENTS - Georgia																	
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A			
						Rec	Nonrecurring		Nonrecurring Disconnect - First - Add'l			SOMEC	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
							- First -	Add'l									
	Interface Transport - Dedicated - STS-1 combination - Per Mile			UNCSX	1LSXX	2.53											
	Interface Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88							
	3/1 Channel System in combination per month			UNCSX	MQ3	121.90											
	DS1 COCI in combination per month			UNCI1X	UC1D1	7.35	27.33	2.90	16.86	1.04							
	Additional DS1 Loop in the same STS-1 Interface Transport Combination - Zone 1		1	UNCI1X	USLXX	41.02	209.45	70.44	37.91	6.86							
	Additional DS1 Loop in the same STS-1 Interface Transport Combination - Zone 2		2	UNCI1X	USLXX	46.41	209.45	70.44	37.91	6.86							
	Additional DS1 Loop in the same STS-1 Interface Transport Combination - Zone 3		3	UNCI1X	USLXX	62.03	209.45	70.44	37.91	6.86							
	DS1 COCI in combination per month			UNCI1X	UC1D1	7.35	27.33	2.90	16.86	1.04							
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNCSX	UNCCC		5.70	5.70	6.61	6.61							
	EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERFACE TRANSPORT																
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86							
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86							
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86							
	Interface Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1LSXX	0.0057											
	Interface Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60							
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61							
	EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERFACE TRANSPORT																
	4-wire 64 kbps Local Loop in Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86							
	4-wire 64 kbps Local Loop in Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86							
	4-wire 64 kbps Local Loop in Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86							
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1LSXX	0.0057											
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60							
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61							
	EXTENDED 2 WIRE VOICE GRADE LOOP WITH DS1 INTERFACE TRANSPORT w/ 3/1 MUX																
	First 2 wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86							
	First 2 wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86							
	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86							
	First Interface Transport - Dedicated - DS1 combination - Per Mile			UNCI1X	1LSXX	0.1154											
	First Interface Transport - Dedicated - DS1 combination - Facility Termination per month			UNCI1X	U1TF1	34.19	87.76	45.73	43.80	27.97							
	Per each DS1 Channelization System Per Month			UNCI1X	MQ1	69.75	86.10										
	Per each Voice Grade COCI - Per Month per month			UNCI1X	1D1VG	0.4689	27.33	2.90	16.86	1.04							
	3/1 Channel System in combination per month			UNCSX	MQ3	121.90											
	Per each DS1 COCI in combination per month			UNCI1X	UC1D1	7.35	27.33	2.90	16.86	1.04							
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interface Transport Combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86							
	Each Additional 2 Wire VG Loop(SL2) in the same DS1 Interface Transport Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86							
	Each Additional 2 Wire VG Loop(SL2) in the same DS1 Interface Transport Combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86							
	Each Additional Voice Grade COCI in combination - per month			UNCI1X	1D1VG	0.4689	27.33	2.90	16.86	1.04							
	Each Additional DS1 Interface Channel per mile in same 3/1 Channel System per month			UNCI1X	1LSXX	0.1154											
	Each Additional DS1 Interface Channel Facility Termination in same 3/1 Channel System per month			UNCI1X	U1TF1	34.19	87.76	45.73	43.80	27.97							
	Each Additional DS1 COCI combination per month			UNCI1X	UC1D1	7.35	27.33	2.90	16.86	1.04							

CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)						Attachment 2		Exhibit A	
												Incremental Charge - Manual Svc Order vs Electronic-1st		Incremental Charge - Manual Svc Order vs Electronic-1st	
						Rec	Nonrecurring	First	Disconnect	Nonrecurring	First	SOME	SOMAN	SOME	SOMAN
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge														
	EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX			UNC1X	UNCC										
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 1		1	UNC1X	UEAL4	17 80	195 94	36 38	18 42	6 61	6 61				
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 2		2	UNC1X	UEAL4	21 68	195 94	36 38	18 42	6 61	6 61				
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 3		3	UNC1X	UEAL4	30 25	195 94	36 38	18 42	6 61	6 61				
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 1154									
	First Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	34 19	87 76	45 73	43 80	27 97	27 97				
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	69 75	86 10								
	Per each Voice Grade COCI in combination - per month			UNC1X	1D1VG	0 4689	27 33	2 90	16 86	1 04	1 04				
	3/1 Channel System in combination per month			UNC1X	MQ3	121 90									
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7 35	27 33	2 90	16 86	1 04	1 04				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNC1X	UEAL4	17 80	195 94	36 38	18 42	6 61	6 61				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNC1X	UEAL4	21 68	195 94	36 38	18 42	6 61	6 61				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNC1X	UEAL4	30 25	195 94	36 38	18 42	6 61	6 61				
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 1154									
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	34 19	87 76	45 73	43 80	27 97	27 97				
	Additional Voice Grade COCI in combination - per month			UNC1X	1D1VG	0 4689	27 33	2 90	16 86	1 04	1 04				
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge			UNC1X	UNCC										
	EXTENDED 4-WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH 56 Kbps INTEROFFICE TRANSPORT w/ 3/1 MUX			UNC1X	UNCC										
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 1		1	UNC1X	UDL56	21 86	195 94	36 38	18 42	6 61	6 61				
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 2		2	UNC1X	UDL56	28 36	195 94	36 38	18 42	6 61	6 61				
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3		3	UNC1X	UDL56	38 22	195 94	36 38	18 42	6 61	6 61				
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 1154									
	First Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	34 19	87 76	45 73	43 80	27 97	27 97				
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	69 75	86 10								
	Per each COCI COCI (data) COCI per month (2 4-6Kbps)			UNC1X	1D1DD	0 9963	27 33	2 90	16 86	1 04	1 04				
	3/1 Channel System in combination per month			UNC1X	MQ3	121 90									
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7 35	27 33	2 90	16 86	1 04	1 04				
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNC1X	UDL56	21 86	195 94	36 38	18 42	6 61	6 61				
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNC1X	UDL56	28 36	195 94	36 38	18 42	6 61	6 61				
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNC1X	UDL56	38 22	195 94	36 38	18 42	6 61	6 61				
	OCU-DP COCI (data) COCI in combination per month (2 4-6Kbps)			UNC1X	1D1DD	0 9963	27 33	2 90	16 86	1 04	1 04				
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 1154									
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	34 19	87 76	45 73	43 80	27 97	27 97				
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	7 35	27 33	2 90	16 86	1 04	1 04				

UNBUNDLED NETWORK ELEMENTS - Georgia															
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring		Nonrecurring Disconnect First			Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
							First	Add'l							
-	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61					
	EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX														
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNC0X	UDL64	21.86	195.94	36.38	18.42	6.86					
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNC0X	UDL64	28.36	195.94	36.38	18.42	6.86					
	First 4 Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNC0X	UDL64	38.22	195.94	36.38	18.42	6.86					
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1154									
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97					
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	69.75	86.10								
	Per each OC4-DP COCI (data) in combination per month (2 4-64Kbps)			UNC0X	1D1DD	0.9963	27.33	2.90	16.86	1.04					
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90									
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04					
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNC0X	UDL64	21.86	195.94	36.38	18.42	6.86					
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNC0X	UDL64	28.36	195.94	36.38	18.42	6.86					
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNC0X	UDL64	38.22	195.94	36.38	18.42	6.86					
	Additional OC4-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64Kbps)			UNC0X	1D1DD	0.9963	27.33	2.90	16.86	1.04					
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1154									
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97					
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04					
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61					
	EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX														
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86					
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86					
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86					
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1154									
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97					
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	69.75	86.10								
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04					
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90									
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86					
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86					
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86					
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel system combination- per month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04					

UNBUNDLED NETWORK ELEMENTS - Georgia															
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Attachment 2	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Exhibit A	
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 1154									
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	34 19	87 76	45 73	27 97						
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	7 35	27 33	2 90	1 04						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5 70	5 70	6 61						
	EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX														
	First 4-wire DS1 Digital Local Loop in Combination - Zone 1	1		UNC1X	USLXX	41 02	209 45	70 44	37 91	6 86					
	First 4-wire DS1 Digital Local Loop in Combination - Zone 2	2		UNC1X	USLXX	46 41	209 45	70 44	37 91	6 86					
	First 4-wire DS1 Digital Local Loop in Combination - Zone 3	3		UNC1X	USLXX	62 03	209 45	70 44	37 91	6 86					
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 1154									
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	34 19	87 76	45 73	27 97						
	3/1 Channel System in combination per month			UNC3X	MQ3	121 90									
	Per each DS1 COCI combination per month			UNC1X	UC1D1	7 35	27 33	2 90	1 04						
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 1154									
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	34 19	87 76	45 73	27 97						
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	7 35	27 33	2 90	1 04						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 1	1		UNC1X	USLXX	41 02	209 45	70 44	37 91	6 86					
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 2	2		UNC1X	USLXX	46 41	209 45	70 44	37 91	6 86					
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 3	3		UNC1X	USLXX	62 03	209 45	70 44	37 91	6 86					
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5 70	5 70	6 61						
	EXTENDED 4-WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT														
	First 4-wire 56 kbps Local Loop in combination - Zone 1	1		UNCDX	UDL56	21 86	195 94	36 38	18 42	6 86					
	First 4-wire 56 kbps Local Loop in combination - Zone 2	2		UNCDX	UDL56	28 36	195 94	36 38	18 42	6 86					
	First 4 wire 56 kbps Local Loop in combination - Zone 3	3		UNCDX	UDL56	38 22	195 94	36 38	18 42	6 86					
	First 4 wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0 0057									
	First 4 wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	7 83	66 53	33 61	43 42	27 60					
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5 70	5 70	6 61						
	EXTENDED 4-WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT														
	First 4-wire 64 kbps Local Loop in combination - Zone 1	1		UNCDX	UDL64	21 86	195 94	36 38	18 42	6 86					
	First 4-wire 64 kbps Local Loop in combination - Zone 2	2		UNCDX	UDL64	28 36	195 94	36 38	18 42	6 86					
	First 4-wire 64 kbps Local Loop in combination - Zone 3	3		UNCDX	UDL64	38 22	195 94	36 38	18 42	6 86					
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0 0057									
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	7 83	66 53	33 61	43 42	27 60					
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5 70	5 70	6 61						
	ADDITIONAL NETWORK ELEMENTS														
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply														
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not														
	Nonrecurring Currently Combined Network Elements Switch As Is Charge (One applies to each combination)			UNCYX			5 70	5 70	6 61						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG			UNCYX	UNCCC		5 70	5 70	6 61						

UNBUNDLED NETWORK ELEMENTS - Georgia											Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add 1	Incremental Charge - Manual Svc Order vs Electronic-Add 1	Incremental Charge - Manual Svc Order vs Electronic-Add 1
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First			SOME	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge - 5664 kbps			UNCDX	UNCCC		5.70	5.70	6.61	6.61				
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge - DS1			UNC1X	UNCCC		5.70	5.70	6.61	6.61				
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge - DS3			UNC3X	UNCCC		5.70	5.70	6.61	6.61				
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge - STS1			UNCSX	UNCCC		5.70	5.70	6.61	6.61				
Optional Features & Functions														
	Clear Channel Capability Extended Frame Option - per DS1	I		ULDD1 UNC1X	COEF	0I	0I	0I	0I					
	Clear Channel Capability Super Frame Option - per DS1	I		ULDD1 UNC1X	COOF	0I	0I	0I	0I					
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I		ULDD1 ULTD1 UNC1X USL	NRCC	184.62S	23.78S	2.03S	0.79S					
	C-bit Parity Option - Subsequent Activity - per DS3	I		ULDD3 ULDD3 UE3 UNC3X	NRCC3	218.74S	7.66S	0.7591S	DS					
MULTIPLXERS														
	DS1 to DS0 Channel System per month			UNC1X	MG1	69.75	86.10							
	OCU-DP COCI (data) - DS1 to DS0 Channel System per month (2.4-54kbs) used for a Local Loop			UDL	1D1DD	0.9963	11.98	11.39	6.61	6.61				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-54kbs) used for connection to a channelized DS1 Local Channel in the same SVC as collocation			UITUD	1D1DD	0.9963	11.98	11.39	6.61	6.61				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA	1.66	15.81	11.39	6.61	6.61				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SVC as collocation			UITUB	UC1CA	1.66	15.81	11.39	6.61	6.61				
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.4689	11.98	11.39	6.61	6.61				
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SVC as collocation			UITUC	1D1VG	0.4689	11.98	11.39	6.61	6.61				
	DS3 to DS1 Channel System per month			UNC3X	MG3	121.90								
	STS-1 to DS1 Channel System per month			UNC3X	MG3	121.90								
	DS1 COCI used with Loop per month			USL	UC1D1	7.35	15.81	11.39	6.61	6.61				
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SVC as collocation) per month			UITUA	UC1D1	7.35	15.81	11.39	6.61	6.61				
	DS1 COCI used with Interface Channel per month			UITD1	UC1D1	7.35	15.81	11.39	6.61	6.61				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	7.35	15.81	11.39	6.61	6.61				
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)														
Exchange Ports														
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs														
2-WIRE VOICE GRADE LINE PORT RATES (RES)														
	Exchange Ports - 2-Wire Analog Line Port - Res			UEPSR	UEPRL	1.09	2.42	2.31	1.37	1.28				
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	1.09	2.42	2.31	1.37	1.28				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res			UEPSR	UEPRO	1.09	2.42	2.31	1.37	1.28				
	Exchange Ports - 2-Wire VG unbundled res low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.09	2.42	2.31	1.37	1.28				
	Exchange Ports - 2-Wire Voice Georgia basic dialing port without Caller ID			UEPSR	UEPWC	1.09	2.42	2.31	1.37	1.28				
	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res			UEPSR	UEPWQ	1.09	2.42	2.31	1.37	1.28				
	2-Wire voice unbundled Georgia basic dialing port - outgoing only			UEPSR	UEPWR	1.09	2.42	2.31	1.37	1.28				

UNBUNDLED NETWORK ELEMENTS - Georgia																	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted ELEC per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A			
						Rec	Nonrecurring		Disconnect Add'l			Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l		
							First	Add'l								SOME	SOMAN
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPSR	UEPRT	1.09	2.42	2.31	1.37	1.28							
	2-Wire Voice Grade Unbundled Port without Caller ID capability Georgia			UEPSR	UEPRV	1.09	2.42	2.31	1.37	1.28							
	2-Wire Voice Grade Unbundled Port with Caller ID capability Georgia			UEPSR	UEPRU	1.09	2.42	2.31	1.37	1.28							
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00									
FEATURES																	
	All Available Vertical Features			UEPSR	UEPVF	0.775	0.00	0.00									
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)																
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1.09	2.42	2.31	1.37	1.28							
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E4B4 ID - Bus			UEPSB	UEPBC	1.09	2.42	2.31	1.37	1.28							
	Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing Port with Caller ID capability			UEPSB	UEPWP	1.09	2.42	2.31	1.37	1.28							
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus			UEPSB	UEPBO	1.09	2.42	2.31	1.37	1.28							
	Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.09	2.42	2.31	1.37	1.28							
	Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID			UEPSB	UEPWD	1.09	2.42	2.31	1.37	1.28							
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPSB	UEPBE	1.09	2.42	2.31	1.37	1.28							
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00									
FEATURES																	
	All Available Vertical Features			UEPSB	UEPVF	0.775	0.00	0.00									
	EXCHANGE PORT RATES (DID & PBX)																
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.09	28.88	13.63	11.48	0.83							
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.09	28.88	13.63	11.48	0.83							
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.09	28.88	13.63	11.48	0.83							
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPPI	1.09	28.88	13.63	11.48	0.83							
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83							
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83							
	2-Wire Voice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.09	28.88	13.63	11.48	0.83							
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.09	28.88	13.63	11.48	0.83							
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.09	28.88	13.63	11.48	0.83							
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXC	1.09	28.88	13.63	11.48	0.83							
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXD	1.09	28.88	13.63	11.48	0.83							
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.09	28.88	13.63	11.48	0.83							
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.09	28.88	13.63	11.48	0.83							
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.09	28.88	13.63	11.48	0.83							
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.09	28.88	13.63	11.48	0.83							
	2-Wire voice unbundled Georgia basic dialing port - 1-Way			UEPSP	UEPXS	1.09	28.88	13.63	11.48	0.83							
	Outdial Trunk			UEPSP	UEPWS	1.09	28.88	13.63	11.48	0.83							
	2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk			UEPSP	UEPWT	1.09	28.88	13.63	11.48	0.83							
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX Trunk			UEPSP	UEPPQ	1.09	28.88	13.63	11.48	0.83							
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00									
FEATURES																	
	All Available Vertical Features			UEPSP	UEPVF	0.775	0.00	0.00									
	EXCHANGE PORT RATES (COIN)																
	Exchange Ports - Coin Port			UEPSP	UEPSE	1.09	2.42	2.31	1.37	1.28							
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports																	

UNBUNDLED NETWORK ELEMENTS - Georgia															
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring		Disconnect Add'l			Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							First	Add'l							
	NOTE Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.														
	UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)														
	EXCHANGE PORT RATES														
	The DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Port in this rate exhibit apply to the embedded base in place as of 10/20/04 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.														
	Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.														
	Exchange Ports - 2-Wire DID Port			UEPEX	UEEP2	5.50	122.26	18.65	54.82	3.45					
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability (E 4/1/2004)			UEPDD	UEPDD	41.20	200.96	93.00	65.81	2.33					
	Exchange Ports - 2-Wire ISDN Port (See Notes below)			UEPTX, UEPXS	UEPMA	6.09	76.39	51.50	45.67	10.36					
	All Features Offered			UEPTX, UEPXS	UEPVF	0.00	0.00	0.00							
	Exchange Ports - 2-Wire ISDN Port - Channel Profiles			UEPTX, UEPXS	U1UMA	0.00	0.00	0.00							
	NOTE Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.														
	NOTE Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.														
	EXCHANGE PORT RATES (continued)														
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911			UEPEX	UEPEX	65.13	198.74	97.29	72.95	17.69					
	Locator Capability (E 4/1/2004)			UEPDX	UEPDX	65.13	198.74	97.29	72.95	17.69					
	Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)			UEPEX	UEP1P	0.3726									
	Physical Collocation - DS1 Cross-Connects			UEPEX	UEPDX										
	Virtual collocation - Special Access & UNE cross-connect per DS1			UEPEX	UEPDX	0.3726									
	Detailed E911 with Locator Capability (required with UEPDX port)														
	Unbundled Exchange Ports - 4-Wire ISDN DS1 Port - E911			UEPEX	UEP1A	0.00	1,818.00								
	Locator Capability - Initial Profile Establishment per CLEC per State			UEPEX											
	Unbundled Exchange Ports - 4-Wire ISDN DS1 Port - E911			UEPEX	UEP1B	0.00	176.57								
	Locator Capability - Subsequent Profile Changes, Additions, Deletions														
	New or Additional PRI Telephone Numbers														
	Unbundled Exchange Ports - 4-Wire ISDN DS1 Port - E911														
	Locator Capability 2-way Telephone Numbers per number in E911 profile (New or Additional)			UEPEX	UEP1C	0.0703	0.50								
	Unbundled Exchange Ports - 4-Wire ISDN DS1 Port - E911														
	Locator Capability - Outdial Telephone Numbers per number in E911 profile (New or Additional)			UEPEX	UEP1D	0.0703	10.72	10.72							
	Unbundled Exchange Ports - 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option (New or Additional)			UEPDX	UEP1E	0.00	0.50								
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent (New)			UEPEX	PRZT	0.00	21.43	21.43							
	Inward Tel Numbers (Customer Testing Purposes)														
	LOCAL NUMBER PORTABILITY														
	Local Number Portability (1 per port)			UEPEX	LNPCN	1.75									
	INTERFACE (Provisioning Only)														
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00							
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00							
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00							
	New or Additional Channel														
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	28.71								
	New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	28.71								
	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	28.71								
	New or Additional Usage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00									
	New or Additional Usage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00									
	New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	28.71								
	CALL TYPES														
	Inward			UEPEX	UEPDX	0.00	0.00	0.00							
	Outward			UEPEX	PR7CO	0.00	0.00	0.00							
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00							
	UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY														
	UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE														
	Unbundled Remote Call Forwarding Service Area Calling Res			UEPVR	UERAC	1.09	2.42	2.31	1.37	1.28					

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
						Nonrecurring	First	Add'l	Nonrecurring Disconnect				
						Rec			First			SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.09	2.42	2.31	1.37	1.28			
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.09	2.42	2.31	1.37	1.28			
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.09	2.42	2.31	1.37	1.28			
Non-Recurring													
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR	USAC2		2.01	0.31					
	Unbundled Remote Call Forwarding Service Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		2.01	0.31					
UNBUNDLED REMOTE CALL FORWARDING - Bus													
	Unbundled Remote Call Forwarding Service Area Calling - Bus			UEPVB	UERAC	1.09	2.42	2.31	1.37	1.28			
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.09	2.42	2.31	1.37	1.28			
	Unbundled Remote Call Forwarding Service InterLATA - Bus			UEPVB	UERTE	1.09	2.42	2.31	1.37	1.28			
	Unbundled Remote Call Forwarding Service IntraLATA - Bus			UEPVB	UERTR	1.09	2.42	2.31	1.37	1.28			
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.09	2.42	2.31	1.37	1.28			
Non-Recurring													
	Unbundled Remote Call Forwarding Service - Conversion Switch-as-is			UEPVB	USAC2		2.01	0.31					
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		2.01	0.31					
UNBUNDLED LOCAL SWITCHING - PORT USAGE													
	End Office Switching (Port Usage)					0.0006153							
	End Office Trunk Port - Shared, Per MOU					0.0001226							
	End Office Switching Function, Per MOU												
	Tandem Switching (Port Usage) (Local or Access Tandem)					0.0000972							
	Tandem Switching Function Per MOU					0.0001557							
	Tandem Trunk Port - Shared, Per MOU					0.00017904							
	Tandem Switching Function Per MOU (Melded)					0.00002868							
	Tandem Trunk Port - Shared, Per MOU (Melded)												
	Melded Factor 18.42% of the Tandem Rate												
Common Transport													
	Common Transport - Per Mile, Per MOU					0.0000027							
	Common Transport - Facilities Termination Per MOU					0.0001914							
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES													
	Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports												
	Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit												
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Con Port/Loop Combinations.												
	The first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections												
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)													
UNE Port/Loop Combination Rates													
	2-Wire VG Loop/Port Combo - Zone 1	1				10.48							
	2-Wire VG Loop/Port Combo - Zone 2	2				15.76							
	2-Wire VG Loop/Port Combo - Zone 3	3				32.56							
UNE Loop Rates													
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX		9.56							
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX		14.86							
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX		31.66							
2-Wire Voice Grade Line Port Rates (Res)													
	2-Wire voice unbundled port - residence		UEPRX	UEPRL		0.9019	10.05	7.36	1.37	1.28			
	2-Wire voice unbundled port with Caller ID - res		UEPRX	UEPRC		0.9019	10.05	7.36	1.37	1.28			
	2-Wire voice unbundled port outgoing only - res		UEPRX	UEPRO		0.9019	10.05	7.36	1.37	1.28			
	2-Wire voice unbundles res low usage line port with Caller ID (LUM)												
	2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - res		UEPRX	UEPAP		0.9019	10.05	7.36	1.37	1.28			
			UEPRX	UEPWC		0.9019	10.05	7.36	1.37	1.28			

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2				Exhibit A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l
						Rac	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire voice unbundled Georgia basic dialing port for use with Caller ID - res			UEPRX	UEPWQ	0.9019	10.05	7.36	1.37	1.28							
	2-Wire voice unbundled Georgia basic dialing port - outgoing only			UEPRX	UEPWR	0.9019	10.05	7.36	1.37	1.28							
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	0.9019	10.05	7.36	1.37	1.28							
	2-Wire Voice Grade Unbundled Port without Caller ID Georgia			UEPRX	UEPRV	0.9019	10.05	7.36	1.37	1.28							
	2-Wire Voice Grade Unbundled Port with Caller ID Georgia			UEPRX	UEPRU	0.9019	10.05	7.36	1.37	1.28							
FEATURES	All Features Offered			UEPRX	UEPVF	0.775	0.00	0.00									
LOCAL NUMBER PORTABILITY	Local Number Portability (1 per port)			UEPRX	LNPX	0.35											
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-ends			UEPRX	USAC2		0.10	0.10									
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		0.10	0.10									
ADDITIONAL NRCs	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00									
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83									
OFFICE PREMISES EXTENSION CHANNELS	2 Wire Analog Voice Grade Extension Loop - Non-Design	1		UEPRX	UEAEN	10.51	40.02	9.99	5.61	1.72							
	2 Wire Analog Voice Grade Extension Loop - Non-Design	2		UEPRX	UEAEN	15.85	40.02	9.99	5.61	1.72							
	2 Wire Analog Voice Grade Extension Loop - Non-Design	3		UEPRX	UEAEN	31.97	40.02	9.99	5.61	1.72							
	2 Wire Analog Voice Grade Extension Loop - Design	1		UEPRX	UEAEO	11.57	79.85	24.65	18.92	7.87							
	2 Wire Analog Voice Grade Extension Loop - Design	2		UEPRX	UEAEO	16.85	79.85	24.65	18.92	7.87							
	2 Wire Analog Voice Grade Extension Loop - Design	3		UEPRX	UEAEO	33.08	79.85	24.65	18.92	7.87							
INTEROFFICE TRANSPORT	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2	12.87	48.46	19.48	16.58	5.00							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	U1TVM	0.0057	0.00	0.00									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	2-Wire Voice Grade Loop (SL1) - Zone 1	1		UEPBX	UEPLX	9.56											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2		UEPBX	UEPLX	14.86											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3		UEPBX	UEPLX	31.66											
2-Wire Voice Grade Line Port (Bus)	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	0.9019	10.05	7.36	1.37	1.28							
	2-Wire voice unbundled port with Caller ID - bus			UEPBX	UEPBC	0.9019	10.05	7.36	1.37	1.28							
	2-Wire voice unbundled port outgoing only bus			UEPBX	UEPBO	0.9019	10.05	7.36	1.37	1.28							
	2-Wire voice unbundled incoming only port with Caller ID - bus			UEPBX	UEPBI	0.9019	10.05	7.36	1.37	1.28							
	2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - bus			UEPBX	UEPWD	0.9019	10.05	7.36	1.37	1.28							
	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - bus			UEPBX	UEPWP	0.9019	10.05	7.36	1.37	1.28							
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	0.9019	10.05	7.36	1.37	1.28							
LOCAL NUMBER PORTABILITY	Local Number Portability (1 per port)			UEPBX	LNPX	0.35											
FEATURES	All Features Offered			UEPBX	UEPVF	0.775	0.00	0.00									
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED				UEPBX													

UNBUNDLED NETWORK ELEMENTS - Georgia															
CATEGORY	RATE ELEMENTS	Interim	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Attachment 2			Exhibit A		
					Rec	Nonrecurring		Nonrecurring Disconnect First		Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	
						First	Add'l								SOMECH
	2 Wire Voice Grade Loop / Line Port Combination - Conversion Switch as-is			USAC2			0.10	0.10							
	2 Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			USACC			0.10	0.10							
	ADDITIONAL NRCs														
	2 Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			USAS2			0.00	0.00							
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise			URETL			8.33	0.83							
	OFF/OFF PREMISES EXTENSION CHANNELS														
	2 Wire Analog Voice Grade Extension Loop - Non-Design	1	UEPBX	UEAEN	10.51		40.02	9.99	5.61	1.72					
	2 Wire Analog Voice Grade Extension Loop - Non-Design	2	UEPBX	UEAEN	15.85		40.02	9.99	5.61	1.72					
	2 Wire Analog Voice Grade Extension Loop - Non-Design	3	UEPBX	UEAEN	31.97		40.02	9.99	5.61	1.72					
	2 Wire Analog Voice Grade Extension Loop - Design	1	UEPBX	UEAED	11.57		79.85	24.65	18.92	7.87					
	2 Wire Analog Voice Grade Extension Loop - Design	2	UEPBX	UEAED	16.95		79.85	24.65	18.92	7.87					
	2 Wire Analog Voice Grade Extension Loop - Design	3	UEPBX	UEAED	33.08		79.85	24.65	18.92	7.87					
	INTEROFFICE TRANSPORT														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			U1TV2	12.87		48.46	19.48	16.58	5.00					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			U1TVM	0.0057		0.00	0.00							
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)														
	UNE Port/Loop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1	1			10.46										
	2-Wire VG Loop/Port Combo - Zone 2	2			15.76										
	2-Wire VG Loop/Port Combo - Zone 3	3			32.56										
	UNE Loop Rates														
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEPRG	UEPLX	9.56										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEPRG	UEPLX	14.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEPRG	UEPLX	31.66										
	2-Wire Voice Grade Line Port Rates (RES - PBX)														
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRD	0.9019		10.05	7.36	1.37	1.28					
	LOCAL NUMBER PORTABILITY														
	Local Number Portability (1 per port)			LNPCP	3.15		0.00	0.00							
	FEATURES														
	All Features Offered			UEPVF	0.775		0.00	0.00							
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Conversion - Switch-As-Is			USAC2			0.10	0.10							
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Conversion - Switch with Change			USACC			0.10	0.10							
	ADDITIONAL NRCs														
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Subsequent Activity			USAS2			0.00	0.00							
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						6.70	6.70							
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise			URETL			8.33	0.83							
	OFF/OFF PREMISES EXTENSION CHANNELS														
	Local Channel Voice grade per termination	1	UEPRG	P2JHX	11.57		79.85	24.65	18.92	7.87					
	Local Channel Voice grade per termination	2	UEPRG	P2JHX	16.95		79.85	24.65	18.92	7.87					
	Local Channel Voice grade per termination	3	UEPRG	P2JHX	33.08		79.85	24.65	18.92	7.87					
	Non-Wire Direct Serve Channel Voice Grade	1	UEPRG	SDD2X	12.74		56.92	7.70	4.40	0.02					
	Non-Wire Direct Serve Channel Voice Grade	2	UEPRG	SDD2X	19.76		56.92	7.70	4.40	0.02					
	Non-Wire Direct Serve Channel Voice Grade	3	UEPRG	SDD2X	37.18		56.92	7.70	4.40	0.02					
	INTEROFFICE TRANSPORT														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			U1TV2	12.87		48.46	19.48	16.58	5.00					

AMENDMENT EXHIBIT 2

UNBUNDLED NETWORK ELEMENTS - Georgia															
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring First	Add I	Nonrecurring First			Disconnect Add I	SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Add I
	Interface Transport Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile														
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			UEPRG	U1TVM	0.0057	0.00	0.00							
	UNE Port/Loop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1	1				10.46									
	2-Wire VG Loop/Port Combo - Zone 2	2				15.76									
	2-Wire VG Loop/Port Combo - Zone 3	3				32.56									
	UNE Loop Rates														
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1		UEPPX	UEPLX	9.56									
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2		UEPPX	UEPLX	14.86									
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3		UEPPX	UEPLX	31.66									
	2-Wire Voice Grade Line Port Rates (BUS - PBX)														
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	0.9019	10.05	7.36	1.37	1.28					
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	0.9019	10.05	7.36	1.37	1.28					
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPI	0.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	0.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	0.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	0.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	0.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	0.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	0.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Unbundled 2 Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	0.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Unbundled 2 Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	0.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	0.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	0.9019	10.05	7.36	1.37	1.28					
	2-Wire voice unbundled Georgia basic dialing port - 1-Way Outdial Trunk			UEPPX	UEPWS	0.9019	10.05	7.36	1.37	1.28					
	2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk			UEPPX	UEPWT	0.9019	10.05	7.36	1.37	1.28					
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX Trunk			UEPPX	UEPPQ	0.9019	10.05	7.36	1.37	1.28					
	2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Ports			UEPPX	UEPPS	0.9019	10.05	7.36	1.37	1.28					
	2-Wire voice unbundled Georgia basic dialing port - PBX Toll Terminal Ports			UEPPX	UEPPT	0.9019	10.05	7.36	1.37	1.28					
	2-Wire voice unbundled Georgia basic dialing port - PBX LD DDD Terminal Port			UEPPX	UEPPU	0.9019	10.05	7.36	1.37	1.28					
	2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Switchboard Port			UEPPX	UEPPV	0.9019	10.05	7.36	1.37	1.28					
	2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Switchboard DDD Capable Port			UEPPX	UEPPW	0.9019	10.05	7.36	1.37	1.28					
	2-Wire voice unbundled Georgia basic dialing port - PBX 2-Way Trunk			UEPPX	UEPPC	0.9019	10.05	7.36	1.37	1.28					
	LOCAL NUMBER PORTABILITY														
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00							
	FEATURES														
	All Features Offered			UEPPX	UEPVF	0.775	0.00	0.00							
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		0.10	0.10							
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		0.10	0.10							
	ADDITIONAL NRCS														

UNBUNDLED NETWORK ELEMENTS - Georgia																
CATEGORY	RATE ELEMENTS	Interim	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A			
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First			SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	SOMAN	SOMAN
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		UEPPX	USAS2	0.00	0.00	0.00									
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					6.70	6.70									
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		UEPPX	URETL		8.33	0.83									
OFF/ON PREMISES EXTENSION CHANNELS																
	Local Channel Voice grade, per termination	1	UEPPX	P2JHX	11.57	79.85	24.65	18.92	7.87							
	Local Channel Voice grade, per termination	2	UEPPX	P2JHX	16.95	79.85	24.65	18.92	7.87							
	Local Channel Voice grade, per termination	3	UEPPX	P2JHX	33.08	79.85	24.65	18.92	7.87							
	Non-Wire Direct Serve Channel Voice Grade	1	UEPPX	SDD2X	12.74	56.92	7.70	4.40	0.02							
	Non-Wire Direct Serve Channel Voice Grade	2	UEPPX	SDD2X	19.78	56.92	7.70	4.40	0.02							
	Non-Wire Direct Serve Channel Voice Grade	3	UEPPX	SDD2X	37.18	56.92	7.70	4.40	0.02							
INTEROFFICE TRANSPORT																
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		UEPPX	UITV2	12.87	48.46	19.48	16.58	5.00							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		UEPPX	UITVM	0.0037	0.00	0.00									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
UNE Port/Loop Combination Rates																
	2 Wire VG Coin Port/Loop Combo - Zone 1	1			10.46											
	2 Wire VG Coin Port/Loop Combo - Zone 2	2			15.76											
	2 Wire VG Coin Port/Loop Combo - Zone 3	3			32.56											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPCO	UEPLX	9.56											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPCO	UEPLX	14.86											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPCO	UEPLX	31.66											
2-Wire Voice Grade Line Ports (COIN)																
	2-Wire Coin 2-Way with Operator Screening (GA)		UEPCO	UEPGC	0.9019	10.05	7.36	1.37	1.28							
	2-Wire Coin 2-Way with Operator Screening and Blocking 011		UEPCO	UEP2G	0.9019	10.05	7.36	1.37	1.28							
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (GA)		UEPCO	UEPGA	0.9019	10.05	7.36	1.37	1.28							
	2-Wire Coin 2-Way with Operator Screening and 900/976 Blocking (GA)		UEPCO	UEPGB	0.9019	10.05	7.36	1.37	1.28							
	2-Wire Coin 2-Way with Operator Screening and Blocking 900/976, 1+DDD, 011+ and Local (GA)		UEPCO	UEPCH	0.9019	10.05	7.36	1.37	1.28							
	2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)		UEPCO	UEPRJ	0.9019	10.05	7.36	1.37	1.28							
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+ and Local (FL, GA)		UEPCO	UEPCQ	0.9019	10.05	7.36	1.37	1.28							
	2-Wire 2 Way Smartline with 900/976 (all states except LA)		UEPCO	UEPCK	0.9019	10.05	7.36	1.37	1.28							
	2 Wire Coin Outward Smartline with 900/976 (all states except LA)		UEPCO	UEPCR	0.9019	10.05	7.36	1.37	1.28							
ADDITIONAL UNE COIN PORT/LOOP (RC)																
	UNE Coin Port/Loop Combo Usage (Flat Rate)		UEPCO	URECU	3.59	0.00	0.00	0.00	0.00							
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPCO	LNPCX	0.35											
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPCO	USAC2		0.10	0.10									
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPCO	USACC		0.10	0.10									
ADDITIONAL NRCs																
	2 Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPCO	USAS2		0.00	0.00									
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		UEPCO	URETL		8.33	0.83									
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)																

UNBUNDLED NETWORK ELEMENTS - Georgia														
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Attachment 2		Exhibit A	
						Nonrecurring		Disconnect			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						First	Add'l	First	Add'l					
						Rec								
	UNE Port/Loop Combination Rates													
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1	1				25.53								
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2	2				30.92								
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3	3				47.04								
	UNE Loop Rates													
	2-Wire Voice Grade Loop (SL2) - Zone 1	1		UEPFR	UECF2	11.57								
	2-Wire Voice Grade Loop (SL2) - Zone 2	2		UEPFR	UECF2	16.95								
	2-Wire Voice Grade Loop (SL2) - Zone 3	3		UEPFR	UECF2	33.08								
	2-Wire Voice Grade Line Port Rates (Res)													
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.09	166.05	43.66	41.89	15.44				
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.09	166.05	43.66	41.89	15.44				
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.09	166.05	43.66	41.89	15.44				
	2-Wire voice unbundles res low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.09	166.05	43.66	41.89	15.44				
	2-Wire voice unbundled Georgia basic dialing port, without Caller ID capability - res			UEPFR	UEPWC	1.09	166.05	43.66	41.89	15.44				
	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res			UEPFR	UEPWQ	1.09	166.05	43.66	41.89	15.44				
	2-Wire voice unbundled Georgia basic dialing port - outgoing only			UEPFR	UEPWR	1.09	166.05	43.66	41.89	15.44				
	INTEROFFICE TRANSPORT													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	12.87	48.46	19.48	16.58	5.00				
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFR	1L5XX	0.0057	0.00	0.00						
	FEATURES			UEPFR	UEPVF	0.775	0.00	0.00						
	All Features Offered			UEPFR	LNPCX	0.35								
	LOCAL NUMBER PORTABILITY													
	Local Number Portability (1 per port)			UEPFR	LNPCX									
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED													
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFR	USAC2		7.85	1.86						
	Combination - Conversion - Switch-as-is			UEPFR	USACC		7.85	1.86						
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFR	USACC									
	Combination - Conversion - Switch-With-Change			UEPFR	USACC									
	Combination - Conversion - Switch-With-Change			UEPFR	USACC									
	Unbundled Miscellaneous Rate Element Tag Designed Loop at End User Premise			UEPFR	URETN		11.19	1.10						
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)			UEPFR	URETN		11.19	1.10						
	UNE Port/Loop Combination Rates													
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1	1				25.53								
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2	2				30.92								
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3	3				47.04								
	UNE Loop Rates													
	2-Wire Voice Grade Loop (SL2) - Zone 1	1		UEPFB	UECF2	11.57								
	2-Wire Voice Grade Loop (SL2) - Zone 2	2		UEPFB	UECF2	16.95								
	2-Wire Voice Grade Loop (SL2) - Zone 3	3		UEPFB	UECF2	33.08								
	2-Wire Voice Grade Line Port (Bus)													
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.09	166.05	43.66	41.89	15.44				
	2-Wire voice unbundled port with Caller ID - bus			UEPFB	UEPBC	1.09	166.05	43.66	41.89	15.44				
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.09	166.05	43.66	41.89	15.44				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPBI	1.09	166.05	43.66	41.89	15.44				
	2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - bus			UEPFB	UEPBD	1.09	166.05	43.66	41.89	15.44				
	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - bus			UEPFB	UEPWP	1.09	166.05	43.66	41.89	15.44				
	LOCAL NUMBER PORTABILITY													
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35								
	INTEROFFICE TRANSPORT													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2	12.87	48.46	19.48	16.58	5.00				

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Interm	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN
	Interface Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		UEPFB	1LSXX	0.0057	0.00	0.00						
FEATURES	All Features Offered		UEPFB	UEPVF	0.775	0.00	0.00						
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		UEPFB	USAC2		7.85	1.86						
	Combination - Conversion - Switch-as-us		UEPFB	USACC		7.85	1.86						
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		UEPFB	URETN		11.19	1.10						
	Combination - Conversion - Switch with change		UEPFB										
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise		UEPFB										
2-WIRE VOICE LOOP/ 2-WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)													
UNE Port/Loop Combination Rates													
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1	1			25.53								
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2	2			30.92								
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3	3			47.04								
UNE Loop Rates													
	2-Wire Voice Grade Loop (SL2) - Zone 1	1	UEPFP	UECF2	11.57								
	2-Wire Voice Grade Loop (SL2) - Zone 2	2	UEPFP	UECF2	16.95								
	2-Wire Voice Grade Loop (SL2) - Zone 3	3	UEPFP	UECF2	33.08								
2-Wire Voice Grade Line Port Rates (BUS - PBX)													
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPFP	UEPPC	1.09	166.05	43.66	41.89					
	Line Side Unbundled Outward PBX Trunk Port - Bus		UEPFP	UEPPO	1.09	166.05	43.66	41.89					
	Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPFP	UEPPI	1.09	166.05	43.66	41.89					
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPFP	UEPLD	1.09	166.05	43.66	41.89					
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		UEPFP	UEPXA	1.09	166.05	43.66	41.89					
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPFP	UEPXB	1.09	166.05	43.66	41.89					
	2-Wire Voice Unbundled PBX LD DDD Terminal Ports		UEPFP	UEPXC	1.09	166.05	43.66	41.89					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPFP	UEPXD	1.09	166.05	43.66	41.89					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPFP	UEPXE	1.09	166.05	43.66	41.89					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPFP	UEPXL	1.09	166.05	43.66	41.89					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPFP	UEPXM	1.09	166.05	43.66	41.89					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPFP	UEPXO	1.09	166.05	43.66	41.89					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPFP	UEPXS	1.09	166.05	43.66	41.89					
	2-Wire voice unbundled Georgia basic dialing port - 1-Way		UEPFP	UEPWS	1.09	166.05	43.66	41.89					
	2-Wire voice unbundled Georgia basic dialing port - 2-Way		UEPFP	UEPWT	1.09	166.05	43.66	41.89					
LOCAL NUMBER PORTABILITY													
	Local Number Portability (1 per port)		UEPFP	LNPCP	3.15	0.00	0.00						
INTEROFFICE TRANSPORT													
	Interface Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		UEPFP	UITV2	12.87	48.46	19.48	16.58					
	Interface Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		UEPFP	1LSXX	0.0057	0.00	0.00						
FEATURES	All Features Offered		UEPFP	UEPVF	0.775	0.00	0.00						
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		UEPFP	USAC2		7.85	1.86						
	Combination - Conversion - Switch-as-us		UEPFP	USACC		7.85	1.86						
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		UEPFP	URETN		11.19	1.10						
	Combination - Conversion - Switch with change		UEPFP										
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise		UEPFP										

UNBUNDLED NETWORK ELEMENTS - Georgia															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring		Nonrecurring Disconnect			Incremental Charge - Manual Order vs Electronic-1st	Incremental Charge - Manual Order vs Electronic-Add 1	Incremental Charge - Manual Order vs Electronic-1st	Incremental Charge - Manual Order vs Electronic-Add 1
							First	Add 1							
	UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES														
	2-WIRE VOICE GRADE LOOP - BUS ONLY - WITH 2-WIRE DID TRUNK PORT														
	UNE Port/Loop Combination Rates														
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	1				17.05									
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	2				22.44									
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	3				38.56									
	UNE Loop Rates														
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1		UEPPX	UECD1	11.57									
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	2		UEPPX	UECD1	16.95									
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	3		UEPPX	UECD1	33.08									
	UNE Port Rate														
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	5.48	174.55	13.64	59.31	4.27					
	NONRECURRING CHARGES - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop / 2 Wire DID Trunk Port Combination - Switch-as-is			UEPPX	USAC1	6.66	1.86								
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Charges			UEPPX	USATC	6.66	1.86								
	ADDITIONAL NRCs														
	Unbundled Miscellaneous Rate Element Tag Designed Loop at End User Premise			UEPPX	URETN	11.19	1.10								
	Telephone Number/Trunk Group Establishment Charges														
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00							
	DID Numbers Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00							
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00							
	DID Numbers Non- consecutive DID Numbers Per Number			UEPPX	ND5	0.00	0.00	0.00							
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00							
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00							
	LOCAL NUMBER PORTABILITY														
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00							
	2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT														
	UNE Port/Loop Combination Rates														
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1	1		UEPPB	UEPPR	19.44									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2	2		UEPPB	UEPPR	24.45									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3	3		UEPPB	UEPPR	38.09									
	UNE Loop Rates														
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	1		UEPPB	UEPPR	14.25									
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	2		UEPPB	UEPPR	19.28									
	2-Wire ISDN Digital Grade Loop - UNE Zone 3	3		UEPPB	UEPPR	32.80									
	UNE Port Rate														
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	5.19	161.36	141.68	43.68	8.37					
	NONRECURRING CHARGES - CURRENTLY COMBINED														
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB	UEPPR	0.00	42.52	26.99							
	ADDITIONAL NRCs														
	2-Wire ISDN Loop / 2 Wire ISDN Port Combination - Sub Active Non Feature/Add Trunk			UEPPB	UEPPR	0.00									
	Unbundled Miscellaneous Rate Element Tag Designed Loop at End User Premise			UEPPB	UEPPR	11.19	1.10								
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise			UEPPB	UEPPR	8.33	0.83								
	LOCAL NUMBER PORTABILITY														
	Local Number Portability (1 per port)			UEPPB	LNPCX	0.35	0.00	0.00							
	B-CANAL USER PROFILE ACCESS														
	CVS/CSD (DMS/SESS)			UEPPB	UTUCA	0.00	0.00	0.00							

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First			SOMAN	SOMAN
	CVS (EWSO)			UEPPB UEPPR	U1UCB	0.00	0.00	0.00					
	CSD			UEPPB UEPPR	U1UCC	0.00	0.00	0.00					
	B-CHANNEL AREA PLUS USER PROFILE ACCESS (AL-KY LA MS SC, MS, & TN)												
	USER TERMINAL PROFILE												
	User Terminal Profile (EWSO only)												
	VERTICAL FEATURES			UEPPB UEPPR	U1UMA	0.00	0.00	0.00					
	All Vertical Features - One per Channel B User Profile			UEPPB UEPPR	UEPVF	0.775	0.00	0.00					
	INTEROFFICE CHANNEL MILEAGE												
	Interoffice Channel mileage each including first mile and facilities termination			UEPPB UEPPR	M1GNC	12.8757	48.46	19.48	16.58	5.00			
	Interoffice Channel mileage each additional mile			UEPPB UEPPR	M1GNM	0.0057	0.00	0.00					
	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT												
	The UNE-P DS1 combination rates below for in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.												
	Requests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.												
	UNE Port/Loop Combination Rates												
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP		106.15							
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP		111.54							
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP		127.15							
	UNE Loop Rates												
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	41.02							
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	48.41							
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	62.03							
	UNE Port Rate												
	Exchange Ports 4-Wire ISDN DS1 Port (E 4/1/2004)			UEPPP	UEPPP	65.13	365.73	187.42	73.41	21.80			
	NONRECURRING CHARGES - CURRENTLY COMBINED												
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E 4/1/2004)			UEPPP	USACP	0.00	122.56	77.97					
	ADDITIONAL NRCs												
	4-Wire DS1 Loop/4-Wire ISDN Digi Trk Port - Subseqt Activ-Inward/Two way Tel Nos (except NC)			UEPPP	PR7TF		0.50						
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		10.72						
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers			UEPPP	PR7ZT		21.43						
	LOCAL NUMBER PORTABILITY												
	Local Number Portability (1 per port)			UEPPP	LNPNON	1.75							
	INTERFACED (Provisioning Only)												
	Voice/Data			UEPPP	PR7IV	0.00	0.00	0.00					
	Digital Data			UEPPP	PR7ID	0.00	0.00	0.00					
	Inward Data			UEPPP	PR7IE	0.00	0.00	0.00					
	New or Additional B Channel												
	New or Additional Voice/Data B Channel			UEPPP	PR7BV	0.00	13.59						
	New or Additional Digital Data B Channel			UEPPP	PR7BF	0.00	13.59						
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	13.59						
	CALL TYPES												
	Inward			UEPPP	PR7C1	0.00	0.00	0.00					
	Outward			UEPPP	PR7CO	0.00	0.00	0.00					
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00					
	Interoffice Channel Mileage												
	Fixed Each Including First Mile			UEPPP	1LN1A	34.31	111.03	80.28	31.36	21.73			
	Each Annular Fractional Additional Mile			UEPPP	1LN1B	0.1154							
	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT												
	The UNE-P DS1 combination rates below for in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.												
	Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.												
	UNE Port/Loop Combination Rates												
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		82.22							

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)						Svc Order Submitted Elec per LSR		Svc Order Submitted Manually per LSR		Attachment 2		Exhibit A	
						Nonrecurring						Disconnect Add'l	SOME	SOMAN	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
						Rec	First	Add'l	First	Add'l									
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		87.61													
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		103.22													
	UNE Loop Rates																		
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	41.02													
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	46.41													
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	62.03													
	UNE Port Rate																		
	4-Wire DDITS Digital Trunk Port (E 4/1/2004)			UEPDC	UDDIT	41.20	392.25	185.06	80.17	7.86									
	NONRECURRING CHARGES - CURRENTLY COMBINED																		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch as-is (E 4/1/2004)			UEPDC	USAC4		132.19	66.79											
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E 4/1/2004)			UEPDC	USAWA		132.19	66.79											
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E 4/1/2004)			UEPDC	USAWB		132.19	66.79											
	ADDITIONAL NRCs																		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order			UEPDC	USAS4		0.00	0.00											
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		13.95	13.95											
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		13.95	13.95											
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - Inward Trunk without DID			UEPDC	UDTTC		13.95	13.95											
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		13.95	13.95											
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		13.95	13.95											
	BIPOLAR & ZERO SUBSTITUTION																		
	B8ZS - Superframe Format			UEPDC	CCOSF	0.00h	392.25s												
	B8ZS - Extended Superframe Format			UEPDC	CCOEF	0.00i	392.25s												
	Alternate Mark Inversion																		
	AMI - Superframe Format			UEPDC	MCOSF		0.00	0.00											
	AMI - Extended Superframe Format			UEPDC	MCOPD		0.00	0.00											
	Telephone Number/Trunk Group Establishment Charges																		
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00													
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00													
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00													
	DID Numbers - Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00											
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00													
	DID Numbers - Non-Consecutive DID Numbers - Per Number			UEPDC	ND5	0.00													
	Reserve Non-Consecutive DID Nos			UEPDC	ND6	0.00	0.00	0.00											
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00											
	Dedicated DS1 (Interface Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port																		
	Interface Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	34.19	111.03	80.28	31.36	21.73									
	Interface Channel Mileage - Additional rate per mile - 0-8 miles (Facilities Termination)			UEPDC	1LNOA	0.1154	0.00	0.00											
	Interface Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00											
	Interface Channel Mileage - Additional rate per mile - 9-25 miles (Facilities Termination)			UEPDC	1LNOB	0.1154	0.00	0.00											
	Interface Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00											
	Interface Channel Mileage - Additional rate per mile - 25+ miles (Local Number Portability per DS0 Activated)			UEPDC	1LNO4	0.1154	0.00	0.00											
	Central Office Terminating Point			UEPDC	LNPCP	3.15													
				UEPDC	CTG	0.00													

UNBUNDLED NETWORK ELEMENTS - Georgia												
CATEGORY	RATE ELEMENTS	Inter m	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Attachment 2		Exhibit A
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOMEc	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
	4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT											
	System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations											
	Each System can have up to 24 combinations of rates depending on type and number of ports used											
	The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this rate exhibit apply to the embedded base in place as of 10/20/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement											
	Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion											
	UNE DS1 Loop											
	4-Wire DS1 Loop - UNE Zone 1	1	UEPMG	USLDC	41.02	0.00	0.00					
	4-Wire DS1 Loop - UNE Zone 2	2	UEPMG	USLDC	46.41	0.00	0.00					
	4-Wire DS1 Loop - UNE Zone 3	3	UEPMG	USLDC	62.03	0.00	0.00					
	UNE DSO Channelization Capacities (D4 Channel Bank Configurations)											
	24 DSO Channel Capacity - 1 per DS1		UEPMG	VJM24	43.04	0.00	0.00					
	48 DSO Channel Capacity - 1 per 2 DS1s		UEPMG	VJM48	86.08	0.00	0.00					
	96 DSO Channel Capacity - 1 per 4 DS1s		UEPMG	VJM96	172.16	0.00	0.00					
	144 DSO Channel Capacity - 1 per 6 DS1s		UEPMG	VJM144	258.24	0.00	0.00					
	192 DSO Channel Capacity - 1 per 8 DS1s		UEPMG	VJM19	344.32	0.00	0.00					
	240 DSO Channel Capacity - 1 per 10 DS1s		UEPMG	VJM20	430.40	0.00	0.00					
	288 DSO Channel Capacity - 1 per 12 DS1s		UEPMG	VJM28	516.48	0.00	0.00					
	384 DSO Channel Capacity - 1 per 16 DS1s		UEPMG	VJM38	688.64	0.00	0.00					
	480 DSO Channel Capacity - 1 per 20 DS1s		UEPMG	VJM40	860.80	0.00	0.00					
	576 DSO Channel Capacity - 1 per 24 DS1s		UEPMG	VJM57	1 032.96	0.00	0.00					
	672 DSO Channel Capacity - 1 per 28 DS1s		UEPMG	VJM67	1 205.12	0.00	0.00					
	Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System											
	A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations											
	Multiple of this configuration functioning as one are considered Add'l after the minimum system configuration is counted											
	NRC - Conversion (Currently Combined) with or without											
	BellSouth Allowed Changes		UEPMG	USAC4	0.00	153.24	8.37					
	System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and											
	New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's											
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port		UEPMG	VJMD4	0.00	379.04	253.97	69.43	8.35			
	and Assoc Fee Activation (E 4/1/2004)											
	Bipolar 8 Zero Substitution											
	Clear Channel Capability Format - Superframe - Subsequent		UEPMG	CCOSF	0.00	0.00	392.25s					
	Activity Only											
	Clear Channel Capability Format - Extended Superframe -		UEPMG	CCOEF	0.00	0.00	392.25s					
	Subsequent Activity Only											
	Alternate Mark Inversion (AMI)		UEPMG	MCOSF	0.00	0.00	0.00					
	Superframe Format		UEPMG	MCOPO	0.00	0.00	0.00					
	Extended Superframe Format											
	Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port											
	Exchange Ports											
	Line Side Combination Channelized PBX Trunk Port - Business		UEPPX	UEPCX	1.09	0.00	0.00	0.00	0.00			
	(E 4/1/2004)											
	Line Side Outward Channelized PBX Trunk Port - Business		UEPPX	UEPOX	1.09	0.00	0.00	0.00	0.00			
	(E 4/1/2004)											
	Line Side Inward Only Channelized PBX Trunk Port without DID		UEPPX	UEPIX	1.09	0.00	0.00	0.00	0.00			
	(E 4/1/2004)											
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port		UEPPX	UEPDM	5.50	0.00	0.00	0.00	0.00			
	(E 4/1/2004)											
	Feature Activations - Unbundled Loop Concentration											
	Feature (Service) Activation for each Line Port Terminated in D4		UEPPX	1PQWM	0.4689	12.90	6.80	1.96	1.95			
	Bank											
	Feature (Service) Activation for each Trunk Port Terminated in		UEPPX	1PQWU	0.4689	38.09	9.18	26.77	5.34			
	D4 Bank											
	Telephone Number Group Establishment Charges for DID Service											
	DID Trunk Termination (1 per Port)		UEPPX	NDT	0.00	0.00	0.00	0.00	0.00			
	Esiab Trk Grp and Provide 1st 20 DID Nos (FL GA, NC & SC)		UEPPX	NDZ	0.00	0.00	0.00	0.00	0.00			
	DID Numbers - groups of 20 - Valid all States		UEPPX	ND4	0.00	0.00	0.00	0.00	0.00			
	Non-Consecutive DID Numbers - per number		UEPPX	ND5	0.00	0.00	0.00	0.00	0.00			
	Reserve Non-Consecutive DID Numbers		UEPPX	ND6	0.00	0.00	0.00	0.00	0.00			

UNBUNDLED NETWORK ELEMENTS - Georgia																			
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A					
						Rec	Nonrecurring		Nonrecurring Disconnect First			Add I	Incremental Charge - Manual Svc Order vs Electronic- 1st	SOMAN	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Add I	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	SOMAN
							First	Add I											
	Reserve DID Numbers					0.00	0.00	0.00											
	Local Number Portability			UEPPX	NDV														
	Local Number Portability - 1 per port																		
	FEATURES - Vertical and Optional			UEPPX	LNCP	3.15	0.00	0.00											
	Local Switching Features Offered with Line Side Ports Only																		
	Local Switching Features Available			UEPPX	UEPVF	0.775	0.00	0.00											
UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES																			
	1 Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports																		
	2 Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit																		
	3 End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations																		
	4 The first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections Additional NRCs may apply also and are categorized accordingly																		
	5 Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis until further notice																		
	UNE P CENTREX - 1AESS (Valid in AL, FL, GA, KY, LA, MS, & TN only)																		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																		
	UNE Port/Loop Combination Rates (Non-Design)																		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP91		10.46													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		2	UEP91		15.76													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		3	UEP91		32.56													
	UNE Port/Loop Combination Rates (Design)																		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP91		12.47													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		2	UEP91		17.85													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		3	UEP91		33.98													
	UNE Loop Rate																		
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.56													
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	14.86													
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	31.66													
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	11.57													
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	16.95													
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	33.08													
	UNE Ports																		
	All States (Except North Carolina and South Carolina)																		
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port (Centrex 800 termination) Basic Local Area			UEP91	UEPYB	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port (Centrex with Caller ID) Note 1 Basic Local Area			UEP91	UEPYH	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area			UEP91	UEPYM	0.9019	82.27	26.96	20.29	9.15									
	2-Wire Voice Grade Port (Centrex 800 Service Term - Basic Local Area			UEP91	UEPYZ	0.9019	82.27	26.96	20.29	9.15									
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP91	UEPY9	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91	UEPY2	0.9019	10.05	7.36	1.37	1.28									
	Georgia and Florida Only																		
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPHA	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port (Centrex with Caller ID) 1			UEP91	UEPHH	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2, 3			UEP91	UEPHM	0.9019	82.27	26.96	20.29	9.15									
	2-Wire Voice Grade Port Diff Serving Wire Center 2, 3 - 800 Service Term			UEP91	UEPHZ	0.9019	82.27	26.96	20.29	9.15									

UNBUNDLED NETWORK ELEMENTS - Georgia																	
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Attachment 2			Exhibit A		
												SOME	OSS Rates (\$)		Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l			SOMAN	SOMAN			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent				UEP91	0.9019	10.05	7.36	1.37	1.28							
	2-Wire Voice Grade Port Terminated on 800 Service Term				UEP91	0.9019	10.05	7.36	1.37	1.28							
	Local Switching																
	Centrex Intercom Functionality, per port				URECS	0.4237											
	Local Number Portability																
	Local Number Portability (1 per port)				LNPCC	0.35											
	Features																
	All Standard Features Offered, per port				UEPVF	0.775											
	All Select Features Offered, per port				UEPVS	0.00	0.00										
	All Centrex Control Features Offered, per port				UEPVC	0.00											
	NARS																
	Unbundled Network Access Register - Combination				UARCX	0.00	0.00	0.00	0.00	0.00							
	Unbundled Network Access Register - Initial				UARI1X	0.00	0.00	0.00	0.00	0.00							
	Unbundled Network Access Register - Outdial				UARO1X	0.00	0.00	0.00	0.00	0.00							
	Miscellaneous Terminations																
	2-Wire Trunk Side																
	Trunk Side Terminations, each				CENA6	5.50	122.26	19.65	54.82	3.45							
	Interface Channel Mileage - 2-Wire																
	Interface Channel Facilities Termination - Voice Grade				UEP91	12.87	48.46	19.48	16.58	5.00							
	Interface Channel Mileage, per mile or fraction of mile				MTGBC	0.0057											
	Feature Activations (DSO) Centrex Loops on Channelized DS1 Service																
	D4 Channel Bank Feature Activations																
	Feature Activation on D-4 Channel Bank Centrex Loop Slot				UEP91	0.4689											
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot				UEP91	0.4689											
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot				UEP91	0.4689											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center				UEP91	0.4689											
	Feature Activation on D-4 Channel Bank Private Line Loop Slot				UEP91	0.4689											
	Feature Activation on D-4 Channel Bank T1e Line/Trunk Loop Slot				UEP91	0.4689											
	Feature Activation on D-4 Channel Bank WATS Loop Slot				UEP91	0.4689											
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex																
	(Conversion - Currently Combined Switch-As-Is with allowed changes, per port				UEP91	0.10	0.10	0.10									
	New Centrex Standard Common Block				UEP91	0.00	317.90	37.59	48.99	5.92							
	New Centrex Customized Common Block				UEP91	0.00	317.90	37.59	48.99	5.92							
	Secondary Block, per Block				UEP91	0.00	77.10										
	NAR Establishment Charge, Per Occasion				URECA	0.00	0.00										
	Additional Non-Recurring Charges (NRC)																
	(Unbundled Miscellaneous Rate Element, Tag Loop at End Use				UEP91	8.33	0.83										
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at				UEP91	11.19	1.10										
	End Use Premise																
	UNE-P CENTREX - SESS (Valid in All States)																
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																
	UNE Port/Loop Combination Rates (Non-Design)																
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design	1		UEP95		10.46											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	2		UEP95		15.76											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	3		UEP95		32.56											
	UNE Port/Loop Combination Rates (Design)																
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1		UEP95		12.47											

UNBUNDLED NETWORK ELEMENTS - Georgia																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Nonrecurring		Disconnect Add'l	OSS Rates (\$)				Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st		
						Rec	First		SOME	SOMAN					SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP95		17 85										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP95		33 98										
	UNE Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9 56										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	14 86										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	31 66										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	11 57										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	16 95										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	33 08										
	UNE Port Rate															
	All States															
	2-Wire Voice Grade Port (Centrex) Basic Local Area				UEPYA	0 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex 800 termination)				UEPYB	0 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex with Caller ID)Basic Local Area				UEPYH	0 9019	10 05	7 36	1 37	1 28						
	2 Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 3 Basic Local Area				UEPYM	0 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port Diff Serving Wire Center 2 3 - 800 Service Term - Basic Local Area				UEPYZ	0 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area				UEPY9	0 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area				UEPY2	0 9019	10 05	7 36	1 37	1 28						
	FL & GA Only															
	2-Wire Voice Grade Port (Centrex)				UEPHA	0 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex 800 termination)				UEPHB	0 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex with Caller ID)1				UEPHH	0 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 3				UEPHM	0 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2 3				UEPHZ	0 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent				UEPH9	0 9019	10 05	7 36	1 37	1 28						
	2 Wire Voice Grade Port Terminated on 800 Service Term				UEPH2	0 9019	10 05	7 36	1 37	1 28						
	Local Switching															
	Centrex Intercom Functionality per port				URECS	0 4237										
	Local Number Portability															
	Local Number Portability (1 per port)				LNPOC	0 35										
	Features															
	All Standard Features Offered per port				UEPVF	0 775										
	All Select Features Offered per port				UEPV5	0 00	0 00									
	All Centrex Control Features Offered per port				UEPVC	0 00										
	NARS															
	Unbundled Network Access Register - Combination				UARCX	0 00	0 00	0 00	0 00	0 00						
	Unbundled Network Access Register - Indial				UARYX	0 00	0 00	0 00	0 00	0 00						
	Unbundled Network Access Register - Outdial				UAROY	0 00	0 00	0 00	0 00	0 00						
	Miscellaneous Terminations															
	2-Wire Trunk Side															
	Trunk Side Terminations each				CEND6	5 50	122 26	18 65	54 82	3 45						
	4-Wire Digital (1 544 Megabits)															
	DS1 Circuit Terminations each				M1HD1	41 20	200 96	93 00	65 81	2 33						
	DS0 Channels Activated each				M1HDO	0 00	13 95									
	Interoffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination				M1GBC	12 87	48 46	19 48	16 58	5 00						
	Interoffice Channel mileage per mile or fraction of mile				M1GBM	0 0057										
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
	D4 Channel Bank Feature Activations															

UNBUNDLED NETWORK ELEMENTS - Georgia															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Nonrecurring		Nonrecurring Disconnect				Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l		
						Rec	First	Add'l	First					SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.4689									
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP95	1PQW6	0.4689									
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.4689									
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.4689									
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.4689									
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP95	1PQWQ	0.4689									
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.4689									
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex														
	NRC Conversion Currently Combined Switch-As-Is with allowed changes per port			UEP95	USAC2	0.00	0.10	0.10	48.99	5.92					
	New Centrex Standard Common Block			UEP95	MTACS	0.00	317.90	37.59	48.99	5.92					
	New Centrex Customized Common Block			UEP95	MTACC	0.00	317.90	37.59	48.99	5.92					
	NAR Establishment Charge Per Occasion			UEP95	URECA	0.00	0.00								
	Additional Non-Recurring Charges (NRC)														
	Unbundled Miscellaneous Rate Element Tag Loop at End Use Premise			UEP95	URETL	8.33	0.83								
	Unbundled Miscellaneous Rate Element Tag Design Loop at End Use Premise			UEP95	URETN	11.19	1.10								
	UNE P CENTREX - DMS100 (Valid in All States)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
	UNE Port/Loop Combination Rates (Non-Design)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9D		10.46									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		15.76									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9D		32.56									
	UNE Port/Loop Combination Rates (Design)														
	2-Wire VG Loop/2 Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9D		12.47									
	2-Wire VG Loop/2 Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		17.85									
	2-Wire VG Loop/2 Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9D		33.98									
	UNE Loop Rate														
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.56									
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	14.86									
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	31.66									
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	11.57									
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	16.95									
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	33.08									
	UNE Port Rate														
	ALL STATES														
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	0.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	0.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	0.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	0.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	0.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	0.9019	10.05	7.36	1.37	1.28					

AMENDMENT EXHIBIT 2

UNBUNDLED NETWORK ELEMENTS - Georgia																	
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2			Exhibit A		
						Nonrecurring		Disconnect				Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l		
						Rec	Add'l	First	Add'l							SOMEc	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3Basic Local Area				UEP9D	0 9019	10 05	7 36	1 37	1 28							
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3 Basic Local Area				UEP9D	0 9019	10 05	7 36	1 37	1 28							
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3 Basic Local Area				UEP9D	0 9019	10 05	7 36	1 37	1 28							
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3 Basic Local Area				UEP9D	0 9019	10 05	7 36	1 37	1 28							
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3 Basic Local Area				UEP9D	0 9019	10 05	7 36	1 37	1 28							
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area				UEP9D	0 9019	10 05	7 36	1 37	1 28							
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wig Lamp Indication)4 Basic Local Area				UEP9D	0 9019	10 05	7 36	1 37	1 28							
	2-Wire Voice Grade Port (Centrex/Msg Wig Lamp Indication)4 Basic Local Area				UEP9D	0 9019	10 05	7 36	1 37	1 28							
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 3-Basic Local Area				UEP9D	0 9019	10 05	7 36	1 37	1 28							
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSE)72 3 4 Basic Local Area				UEP9D	0 9019	82 27	26 96	20 29	9 15							
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2 3 4 Basic Local Area				UEP9D	0 9019	82 27	26 96	20 29	9 15							
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2 3 4 Basic Local Area				UEP9D	0 9019	82 27	26 96	20 29	9 15							
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2 3 4 Basic Local Area				UEP9D	0 9019	82 27	26 96	20 29	9 15							
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3 4 Basic Local Area				UEP9D	0 9019	82 27	26 96	20 29	9 15							
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3 4 Basic Local Area				UEP9D	0 9019	82 27	26 96	20 29	9 15							
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area				UEP9D	0 9019	82 27	26 96	20 29	9 15							
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2 3,4 Basic Local Area				UEP9D	0 9019	82 27	26 96	20 29	9 15							
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2 3 4 Basic Local Area				UEP9D	0 9019	82 27	26 96	20 29	9 15							
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2 3				UEP9D	0 9019	82 27	26 96	20 29	9 15							
	2-Wire Voice Grade Port terminated on an Megalink or equivalent Basic Local Area				UEP9D	0 9019	10 05	7 36	1 37	1 28							
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area				UEP9D	0 9019	10 05	7 36	1 37	1 28							
	FL & GA Only																
	2-Wire Voice Grade Port (Centrex)				UEPHA	0 9019	10 05	7 36	1 37	1 28							
	2-Wire Voice Grade Port (Centrex 800 termination)				UEPHB	0 9019	10 05	7 36	1 37	1 28							
	2-Wire Voice Grade Port (Centrex / EBS-PSE)74				UEPHC	0 9019	10 05	7 36	1 37	1 28							
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4				UEPHD	0 9019	10 05	7 36	1 37	1 28							
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4				UEPHE	0 9019	10 05	7 36	1 37	1 28							
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4				UEPHF	0 9019	10 05	7 36	1 37	1 28							
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4				UEPHG	0 9019	10 05	7 36	1 37	1 28							
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4				UEPHI	0 9019	10 05	7 36	1 37	1 28							
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4				UEPHJ	0 9019	10 05	7 36	1 37	1 28							
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4				UEPHK	0 9019	10 05	7 36	1 37	1 28							
	2-Wire Voice Grade Port (Centrex with Caller ID) Indication)4				UEPHH	0 9019	10 05	7 36	1 37	1 28							
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wig Lamp Indication)4				UEPHW	0 9019	10 05	7 36	1 37	1 28							
	2-Wire Voice Grade Port (Centrex/Msg Wig Lamp Indication)4				UEPHU	0 9019	10 05	7 36	1 37	1 28							

UNBUNDLED NETWORK ELEMENTS - Georgia																
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A		
						Nonrecurring		Nonrecurring Disconnect				Incremental Charge - Manual Svc Order vs Electronic- Add I	Incremental Charge - Manual Svc Order vs Electronic- Add I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add I	
						Rec	First	Add I	First							Add'l
	2 Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 3															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSE)2 3 4			UEP9D	UEPHM	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2 3 4			UEP9D	UEPHO	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2 3 4			UEP9D	UEPHP	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2 3 4			UEP9D	UEPHQ	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2 3 4			UEP9D	UEPHR	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2 3 4			UEP9D	UEPHS	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2 3 4			UEP9D	UEPH4	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2 3 4			UEP9D	UEPH5	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2 3 4			UEP9D	UEPH6	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port Diff Serving Wire Center - 800 Service Term 2 3			UEP9D	UEPH7	0.9019	82.27	26.96	20.29	9.15						
	2 Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPHZ	0.9019	82.27	26.96	20.29	9.15						
	2 Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH9	0.9019	10.05	7.36	1.37	1.28						
Local Switching	Centrex Intercom Functionality per port			UEP9D	URECS	0.4237										
Local Number Portability	Local Number Portability (1 per port)			UEP9D	LNPOC	0.35										
Features	All Standard Features Offered per port			UEP9D	UEPVF	0.775										
	All Select Features Offered per port			UEP9D	UEPVS	0.00	0.00									
	All Centrex Control Features Offered per port			UEP9D	UEPVC	0.00										
NARS	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Inward			UEP9D	UARI1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
Miscellaneous Terminations																
2-Wire Trunk Side																
Trunk Side Terminations each				UEP9D	CEND8	5.50	122.26	18.65	54.82	3.45						
4-Wire Digital (1.544 Megabits)																
DS1 Circuit Terminations each				UEP9D	M1HD1	41.20	200.96	93.00	65.81	2.33						
DS0 Channels Activated per Channel				UEP9D	M1HDO	0.00	13.95									
Interoffice Channel Mileage - 2-Wire																
Interoffice Channel Facilities Termination				UEP9D	M1GBC	12.87	48.46	19.48	16.56	5.00						
Interoffice Channel mileage per mile or fraction of mile				UEP9D	M1GBM	0.0057										
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																
D4 Channel Bank Feature Activations																
Feature Activation on D-4 Channel Bank Centrex Loop Slot				UEP9D	1PQWS	0.4889										
Feature Activation on D-4 Channel Bank FX line Side Loop Slot				UEP9D	1PQW6	0.4889										
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot				UEP9D	1PQW7	0.4889										
Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center				UEP9D	1PQWP	0.4889										
Feature Activation on D-4 Channel Bank Private Line Loop Slot				UEP9D	1PQWV	0.4889										
Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot				UEP9D	1PQWQ	0.4889										

UNBUNDLED NETWORK ELEMENTS - Georgia																			
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)						Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2			Exhibit A		
						Rec	Nonrecurring		Nonrecurring First	Disconnect Add'l	OSS Rates (\$)			Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l			
							First	Add'l			SOME						SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank WATS Loop Slot						0.4689												
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex			UEP9D	1POWA														
	NRC Conversion Currently Combined Switch-As-Is with allowed changes per port																		
	New Centrex Standard Common Block			UEP9D	USAC2		0.10		0.10										
	New Centrex Customized Common Block			UEP9D	MIACS	0.00	317.90		37.59		48.99		5.92						
	NAR Establishment Charge Per Occasion			UEP9D	MIACC	0.00	317.90		37.59		48.99		5.92						
	Additional Non-Recurring Charges (NRC)			UEP9D	URECA	0.00	0.00												
	Unbundled Miscellaneous Rate Element Tag Loop at End Use Premise			UEP9D	URETL			8.33	0.83										
	Unbundled Miscellaneous Rate Element Tag Design Loop at End Use Premise			UEP9D	URETN			11.19	1.10										
	Additional Non-Recurring Charges (NRC)																		
	Unbundled Miscellaneous Rate Element Tag Loop at End Use Premise			UEP9E	URETL														
	Unbundled Miscellaneous Rate Element Tag Design Loop at End Use Premise			UEP9E	URETN														
	Note 1 - Required Port for Centrex Control in IAESS, 5ESS & EWSD																		
	Note 2 - Requires Interoffice Channel Mileage																		
	Note 3 - Installation is combination of Installation charge for SL2 Loop and Port																		
	Note 4 - Requires Specific Customer Premises Equipment																		
	Note Rates displaying an "R" in interim column are interim and subject to rate true-up as set forth in General Terms and Conditions																		

AMENDMENT EXHIBIT 2

UNBUNDLED NETWORK ELEMENTS - Kentucky														
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Manually per LSR	Attachment 2	Exhibit A			
						Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	OSS Rates (\$)	SOMAN	SOMAN		
						Rec								
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internal Website http://www.interconnection.bellsouth.com/become_a_client/telinterconnection.htm													
OPERATIONAL SUPPORT SYSTEMS (OSS) - REGIONAL RATES														
NOTE (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states														
NOTE (2) Any element that can be ordered electronically will be billed according to the SOMECS rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMECS rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth														
	OSS - Electronic Service Order Charge Per Local Service Request (LSR) - UNE Only				SOMECS	3.50	0.00	3.50	0.00					
	OSS - Manual Service Order Charge Per Local Service Request (LSR) - UNE Only				SOMAN	7.86	0.00	0.99	0.00					
UNE SERVICE DATE ADVANCEMENT CHARGE														
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff, Section 5 as applicable														
	UNE Expedite Charge per Circuit or Line Assignable USOC per Day			UAL UEANL, UCL UEF UDF UEQ UDL UENTW UDN UEA UHL ULC USL U1T12 U1T48 U1TD1 U1TD3 U1TDX, U1T03 U1TS1 U1TYX, UC1BC UC1BL UC1CC UC1CL UC1DC UC1DL UC1EC UC1EL UC1FC UC1FL UC1GC UC1GL UC1HC UC1HL U1L12 UDL48 UDL03 UDL5X, UE3 ULD12 ULD48 ULDD1 ULD03 ULDDX, ULD03 ULDS1 ULDVX, UNC1X UNC3X UNCDX UNCNX UNC5X UNCVX, UNLD1 UNLD3 UXTD1 UXTD3 UXTS1 U1TUC U1TUD U1TUB U1TUA	SDASP	200.00								
UNBUNDLED EXCHANGE ACCESS LOOP														
2-WIRE ANALOG VOICE GRADE LOOP														
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1		UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	2		UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	3		UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1		UEANL	UEASL	10.56	46.66	22.57	26.65	7.65				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	2		UEANL	UEASL	15.34	46.66	22.57	26.65	7.65				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	3		UEANL	UEASL	31.11	46.66	22.57	26.65	7.65				
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise			UEANL	URETL		8.33	0.83						
	Loop Testing - Basic Tst Half Hour			UEANL	URET1		46.88	46.88						
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		24.16	24.16						

UNBUNDLED NETWORK ELEMENTS - Kentucky																
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring		Nonrecurring Disconnect Add'l	SOME			SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Add'l	
							First	Add'l								SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UWL-SL1)			UEANL	UREWO		15.78	8.94								
	Unbundled Voice Loop - Non-Design Voice Loop - billing for BST providing make-up (Engineering Information - E1)			UEANL	UEANM		13.49	13.49								
	Manual Order Coordination for UWL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
	Order Coordination for Specified Conversion Time for UWL-SL1 (per LSR)			UEANL	OCOSL		23.01	23.01								
	2-WIRE UNBUNDLED COPPER LOOP															
	2-Wire Unbundled Copper Loop - Non-Design Zone 1	1	1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	25.64		6.65				
	2-Wire Unbundled Copper Loop - Non-Design - Zone 2	1	2	UEQ	UEQ2X	11.51	44.97	20.89	25.64	25.64		6.65				
	2-Wire Unbundled Copper Loop - Non-Design - Zone 3	1	3	UEQ	UEQ2X	13.19	44.97	20.89	25.64	25.64		6.65				
	Unbundled Miscellaneous Rate Element - Tag Loop at End User Premise			UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2-Wire Unbundled Copper Loop - Non-Design (per loop)			UEQ	USBMC		9.00	9.00								
	Unbundled Copper Loop - Non-Design Copper Loop - billing for BST providing make-up (Engineering Information - E1)			UEQ	UEQMU		13.49	13.49								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		46.88	46.88								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		24.16	24.16								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	UREWO		14.27	7.43								
	UNBUNDLED EXCHANGE ACCESS LOOP															
	2-WIRE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	26.65		7.65				
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	26.65		7.65				
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	26.65		7.65				
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	26.65		7.65				
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	26.65		7.65				
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	26.65		7.65				
	UNBUNDLED EXCHANGE ACCESS LOOP															
	2-WIRE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.67	134.89	81.87	73.65	73.65		14.88				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.45	134.89	81.87	73.65	73.65		14.88				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.22	134.89	81.87	73.65	73.65		14.88				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	12.67	134.89	81.87	73.65	73.65		14.88				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	17.45	134.89	81.87	73.65	73.65		14.88				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65	73.65		14.88				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10								
	4-WIRE ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	29.26	164.11	112.36	78.91	78.91		18.66				
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	34.25	164.11	112.36	78.91	78.91		18.66				
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	65.06	164.11	112.36	78.91	78.91		18.66				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								

UNBUNDLED NETWORK ELEMENTS - Kentucky														
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Exhibit A	
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEK	SOMAN	OSS Rates (\$) SOMAN	SOMAN
2-WIRE	ISDN DIGITAL GRADE LOOP -													
		1	UDN		UHL2X	18.44	146.77	95.02	71.38	13.83				
		2	UDN		UHL2X	25.08	146.77	95.02	71.38	13.83				
		3	UDN		UHL2X	42.87	146.77	95.02	71.38	13.83				
					OCOSL		23.01							
					UREWO		91.63	44.16						
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP													
		1	UAL		UAL2X	10.82	141.98	79.73	69.02	11.47				
		2	UAL		UAL2X	11.79	141.98	79.73	69.02	11.47				
		3	UAL		UAL2X	12.87	141.98	79.73	69.02	11.47				
					OCOSL		23.01							
		1	UAL		UAL2W	10.82	121.18	69.00	69.09	11.54				
		2	UAL		UAL2W	11.79	121.18	69.00	69.09	11.54				
		3	UAL		UAL2W	12.87	121.18	69.00	69.09	11.54				
					OCOSL		23.01							
					UREWO		86.20	40.40						
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP													
		1	UHL		UHL2X	8.75	151.54	89.29	69.09	11.54				
		2	UHL		UHL2X	9.56	151.54	89.29	69.09	11.54				
		3	UHL		UHL2X	10.61	151.54	89.29	69.09	11.54				
					OCOSL		23.01							
		1	UHL		UHL2W	8.75	130.74	78.56	69.09	11.54				
		2	UHL		UHL2W	9.56	130.74	78.56	69.09	11.54				
		3	UHL		UHL2W	10.61	130.74	78.56	69.09	11.54				
					OCOSL		23.01							
					UREWO		86.14	40.40						
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP													
		1	UHL		UHL4X	13.95	185.75	123.50	74.95	14.69				
		2	UHL		UHL4X	15.68	185.75	123.50	74.95	14.69				
		3	UHL		UHL4X	16.98	185.75	123.50	74.95	14.69				
					OCOSL		23.01							
		1	UHL		UHL4W	13.95	164.95	114.04	77.32	15.80				
		2	UHL		UHL4W	15.68	164.95	114.04	77.32	15.80				
		3	UHL		UHL4W	16.98	164.95	114.04	77.32	15.80				
					OCOSL		23.01							
					UREWO		86.14	40.40						
4-WIRE	DS1 DIGITAL LOOP													
		1	USL		USLXX	86.47	306.69	174.44	65.83	14.55				
		2	USL		USLXX	114.10	306.69	174.44	65.83	14.55				
		3	USL		USLXX	287.76	306.69	174.44	65.83	14.55				
					OCOSL		23.01							

UNBUNDLED NETWORK ELEMENTS - Kentucky													
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Attachment 2 Incremental Charge - Manual Svc Order vs Electronic- 1st	Exhibit A Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
						Rec	Nonrecurring		Nonrecurring Disconnect		SOMEc	SOMAN	SOMAN
							First	Add'l	First	Add'l			
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		101 09	43 04					
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			USL									
	4 Wire Unbundled Digital 19.2 Kbps	1	UDL		UDL19	27 59	157 81	106 06	78 91	18 66			
	4 Wire Unbundled Digital 19.2 Kbps	2	UDL		UDL19	32 48	157 81	106 06	78 91	18 66			
	4 Wire Unbundled Digital 19.2 Kbps	3	UDL		UDL19	36 37	157 81	106 06	78 91	18 66			
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL		UDL56	27 59	157 81	106 06	78 91	18 66			
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL		UDL56	32 48	157 81	106 06	78 91	18 66			
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL		UDL56	36 37	157 81	106 06	78 91	18 66			
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		23 01						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL		UDL64	27 59	157 81	106 06	78 91	18 66			
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL		UDL64	32 48	157 81	106 06	78 91	18 66			
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL		UDL64	36 37	157 81	106 06	78 91	18 66			
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		23 01						
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		102 13	49 75					
2-WIRE	UNBUNDLED COPPER LOOP												
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	1	UCL		UCLPB	10 82	140 95	78 70	69 09	11 54			
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	2	UCL		UCLPB	11 79	140 95	78 70	69 09	11 54			
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	3	UCL		UCLPB	12 87	140 95	78 70	69 09	11 54			
	Order Coordination for Unbundled Copper Loops (per loop)				UCLMC		9 00						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL		UCLPW	10 82	120 15	67 97	69 09	11 54			
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL		UCLPW	11 79	120 15	67 97	69 09	11 54			
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL		UCLPW	12 87	120 15	67 97	69 09	11 54			
	Order Coordination for Unbundled Copper Loops (per loop)				UCLMC		9 00						
	CLEC to CLEC Conversion Charge without outside dispatch (UCL Des)				UREWO		97 23	42 48					
4-WIRE	COPPER LOOP												
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1	UCL		UCL4S	16 92	170 31	108 06	74 95	14 69			
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	2	UCL		UCL4S	17 36	170 31	108 06	74 95	14 69			
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	3	UCL		UCL4S	28 10	170 31	108 06	74 95	14 69			
	Order Coordination for Unbundled Copper Loops (per loop)				UCLMC		9 00						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL		UCL4W	16 92	149 52	97 33	74 95	14 69			
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL		UCL4W	17 36	149 52	97 33	74 95	14 69			
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL		UCL4W	28 10	149 52	97 33	74 95	14 69			
	Order Coordination for Unbundled Copper Loops (per loop)				UCLMC		9 00						
	CLEC to CLEC Conversion Charge without outside dispatch (UCL Des)				UREWO		97 23	42 48					
LOOP MODIFICATION													
	Unbundled Loop Modification Removal of Load Coils - 2 Wire pair less than or equal to 18K ft. per Unbundled Loop			UAL UHL UCL UEQ ULS UEA UEANL UEPSR UEPSB									
	Unbundled Loop Modification Removal of Load Coils less than or equal to 18K ft. per Unbundled Loop			UHL UCL UEA UEQ ULS UEA UEANL UEPSR UEPSB	ULM2L		9 24						
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UHL UCL UEA UEQ ULS UEA UEANL UEPSR UEPSB	ULM4L		9 24						
					ULM6T		10 47						

UNBUNDLED NETWORK ELEMENTS - Kentucky																			
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)						Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2			Exhibit A		
						Rec	Nonrecurring		Disconnect Add'l	OSS Rates (\$)				Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l		
							First	Add'l		SOME	SOMAN							SOMAN	SOMAN
SUB-LOOPS	Sub-Loop Distribution																		
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		207 91	207 91											
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		12 50	12 50											
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set Up	I		UEANL	USBSC		80 87	80 87											
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD		45 04	45 04											
	Sub Loop Distribution Per 2 Wire Analog Voice Grade Loop - Zone 1	I	1	UEANL	USBN2	6 34	85 03	39 05	59 81	7 90									
	Sub-Loop Distribution Per 2 Wire Analog Voice Grade Loop - Zone 2	I	2	UEANL	USBN2	9 06	85 03	39 05	59 81	7 90									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	I	3	UEANL	USBN2	14 82	85 03	39 05	59 81	7 90									
	Order Coordination for Unbundled Sub-Loops, per sub loop pair			UEANL	USBMC		9 00	9 00											
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	8 14	102 31	56 32	65 24	10 88									
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	8 63	102 31	56 32	65 24	10 88									
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	25 60	102 31	56 32	65 24	10 88									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	I		UEANL	USBMC		9 00	9 00											
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2 57	68 35	22 36	59 81	7 90									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9 00	9 00											
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	4 98	76 49	30 51	65 24	10 88									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9 00	9 00											
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		46 88	46 88											
	Loop Testing - Basic Additional Half Hour			UEANL	URET2		24 16	24 16											
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	5 45	85 03	39 05	59 81	7 90									
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS2X	7 06	85 03	39 05	59 81	7 90									
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	9 67	85 03	39 05	59 81	7 90									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9 00	9 00											
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	7 09	102 31	56 32	65 24	10 88									
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS4X	8 66	102 31	56 32	65 24	10 88									
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	19 40	102 31	56 32	65 24	10 88									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9 00	9 00											
	Loop Testing - Basic 1st Half Hour			UEF	URET1		46 88	46 88											
	Loop Testing - Basic Additional Half Hour			UEF	URET2		24 16	24 16											
	Unbundled Network Terminating Wire (UNTW)			UEANL	UEANL														
	Unbundled Network Terminating Wire (UNTW) per Pair			UEANL	UEANL														
	Network Interface Device (NID)			UEANL	UEANL														
	Network Interface Device (NID) - 1-2 lines			UEANL	UEANL														
	Network Interface Device (NID) - 1-6 lines			UEANL	UEANL														
	Network Interface Device Cross Connect - 2 W			UEANL	UEANL														
	Network Interface Device Cross Connect - 4W			UEANL	UEANL														
UNE OTHER, PROVISIONING ONLY - NO RATE																			
	NID - Dispatch and Service Order for NID installation			UEANL	UEANL	0 00	0 00												
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UEANL	UEANL	0 00	0 00												
	Unbundled Contract Name Provisioning Only - No Rate			ENTW	ENTW	0 00	0 00												
UNE OTHER, PROVISIONING ONLY - NO RATE																			

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment 2				Exhibit A			
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Add'l		Incremental Charge - Manual Svc Order vs Electronic- Add'l		Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect Add'l			SOME	SOMAN	SOME	SOMAN	SOME	SOMAN
	Unbundled Contact Name Provisioning Only - no rate			U/L UCL UDC UDL	UNECH	0.00	0.00										
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA UDH UCL UDC	USBF-Q	0.00	0.00										
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA USL UCL UDL	USBFR	0.00	0.00										
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00										
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00										
	HIGH CAPACITY UNBUNDLED LOCAL LOOP																
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	9.25											
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	308.31	551.38	338.08	173.00	120.42							
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	9.25											
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42							
	LOOP MAKE-UP																
	Loop Makeup - Preordering Without Reservation per working or spare facility quenced (Manual)			UMK	UMK1W		23.40	23.40									
	Loop Makeup - Preordering With Reservation per spare facility quenced (Manual)			UMK	UMK1P		24.85	24.85									
	Loop Makeup - With or Without Reservation per working or spare facility quenced (Mechanized)			UMK	UMK1MQ		0.67	0.67									
	LINE SHARING AND LINE SPLITTING																
	NOTE 1 The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows																
	NOTE 1 10/02/2004 - 10/01/2004 25% of the rate for an unbundled copper loop non-designed (UCLND)																
	NOTE 1 10/02/2004 - 10/01/2005 50% of the rate for UCLND																
	NOTE 1 10/02/2005 - 10/01/2006 75% of the rate for UCLND																
	NOTE 1 Above will apply to USOCs ULSDT and ULSDT																
	**NOTE 2 The Line Sharing monthly recurring rates with USOCs ULSDC and ULSCC applies only to circuits installed and in service on or before October 1, 2003																
	LINE SHARING																
	SPLITTERS-CENTRAL OFFICE BASED																
	Line Sharing Splitter per System 96 Line Capacity			ULS	ULSDA	198.83	379.05	0.00		358.55	0.00						
	Line Sharing Splitter per System 24 Line Capacity			ULS	ULSDB	49.71	379.05	0.00		358.55	0.00						
	Line Sharing Splitter per System 8 Line Capacity			ULS	ULSD8	16.94	377.71	0.00		357.29	0.00						
	Line Sharing-DLEC Owned Splitter in CO CFA activation (deactivation per LSOD)			ULS	ULSDG		173.82	0.00		100.40	0.00						
	END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING																
	Line Sharing - per Line Activation (BST Owned Splitter) - OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	37.18	21.28		20.17	9.90						
	Line Share Service TRO per line activation BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003)			ULS	ULSDT	2.65	37.16	21.28		20.17	9.90						
	Line Share Service TRO per line activation BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004)			ULS	ULSDT	5.29	37.16	21.28		20.17	9.90						
	Line Share Service TRO per line activation BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005)			ULS	ULSDT	7.94	37.16	21.28		20.17	9.90						
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		32.90	16.43									
	Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSDS		32.90	16.43									
	Line Sharing - per Line Activation (DLEC owned Splitter) - OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31		20.67	12.74						

UNBUNDLED NETWORK ELEMENTS - Kentucky															
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring		Nonrecurring Disconnect			OSS Rates (\$)		Incremental	Incremental
							First	Add'l	First	Add'l	SOME	SOMAN	SOMAN	Charge - Manual Svc Order vs Electronic- Disc 1st	Charge - Manual Svc Order vs Electronic- Disc Add'l
	Line Share Service - TRO per line activation - CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003)				ULSCT	2.65	47.44	19.31	20.67	12.74					
	Line Share Service - TRO per line activation - CLEC owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004)				ULSCT	5.29	47.44	19.31	20.67	12.74					
	Line Share Service - TRO per line activation - CLEC owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005)				ULSCT	7.94	47.44	19.31	20.67	12.74					
	LINE SPLITTING														
	END USER ORDERING-CENTRAL OFFICE BASED														
	Line Splitting - per line activation CLEC owned splitter			UEPSR UEPSB	UREOS	0.61									
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.02	21.20	21.10	9.87					
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.02	21.20	21.10	9.87					
	MAINTENANCE														
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00							
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50							
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00							
	UNBUNDLED DEDICATED TRANSPORT														
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT														
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.01									
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75					
	Interoffice Channel - Dedicated Transport - 1- 2-Wire Voice Grade Rev Bat - Per Mile per month			U1TVX	1L5XX	0.01									
	Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75					
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.01									
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75					
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0115									
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75					
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0115									
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75					
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.23									
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination			U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49					
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	4.97									
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75					
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4.97									
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	1,149.51	335.40	219.24	89.57	87.75					
	DARK FIBER														
	Dark Fiber - Four Fiber Strands Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF - UDFCX	1L5DF	30.74									
	NRC - Dark Fiber - Interoffice Channel			UDF - UDFCX	UDF14		732.53	192.67	377.27	241.67					
	Dark Fiber - Four Fiber Strands Per Route Mile or Fraction Thereof per month - Local Loop			UDF - UDFCX	1L5DL	47.01									
	NRC - Dark Fiber - Local Loop			UDF - UDFCX	UDFL4		732.53	192.67	377.27	241.67					

UNBUNDLED NETWORK ELEMENTS - Kentucky															
CATEGORY	RATE ELEMENTS	Inter m	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Attachment 2	Incremental Charge - Manual Svc Order vs Electronic- 1st	Exhibit A		
					Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN	
8XX ACCESS TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening Per Call		OHD		0.0006478										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved		OHD	N8R1X		4.14	0.70								
	8XX Access Ten Digit Screening Per 8XX No Established W/O POTS Translations		OHD			8.78	1.18	7.08	0.86						
	8XX Access Ten Digit Screening Per 8XX No Established With POTS Translations		OHD	N8FTX		8.78	1.18	7.08	0.86						
	8XX Access Ten Digit Screening Customized Area of Service Per 8XX Number		OHD	N8FCX		4.14	2.07								
	8XX Access Ten Digit Screening Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No		OHD	N8FMX		4.85	2.78								
	8XX Access Ten Digit Screening, Change Charge Per Request		OHD	N8FAX		4.85	0.70								
	8XX Access Ten Digit Screening Call Handling and Destination Features		OHD	N8FDX		4.14	4.14								
	8XX Access Ten Digit Screening w/ 8FL No Delivery		OHD		0.0006478										
	8XX Access Ten Digit Screening w/ POTS No Delivery		OHD		0.0006478										
LINE INFORMATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query		OQT		0.000023										
	LIDB Validation Per Query		OQU		0.0137322										
	LIDB Originating Point Code Establishment or Change		OQT OQU	N8BPX		55.12		67.59							
SIGNALING (CCS7)															
	CCS7 Signaling Connection Per 56 Kbps Facility		UDB	TTP++	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Termination Per STP Port		UDB	PT8SX	151.39										
	CCS7 Signaling Usage Per TCAP Message		UDB		0.0000656										
	CCS7 Signaling Connection Per link (A link)		UDB	TTP++	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection, Per link (B link) (also known as D link)		UDB	TTP++	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Usage Per ISUP Message		UDB		0.0000164										
	CCS7 Signaling Usage Surrogate, per link per LATA		UDB	STU56	751.08										
	CCS7 Signaling Point Code per Originating Point Code		UDB	CCAPO		46.02	46.02	56.43	56.43						
	Establishment or Change, per STP affected		UDB			46.02	46.02	56.43	56.43						
	CCS7 Signaling Point Code per Destination Point Code		UDB	CCAPD		46.02	46.02	56.43	56.43						
	Establishment or Change, Per Slp Affected		UDB			46.02	46.02	56.43	56.43						
E911 SERVICE															
	Local Channel - Dedicated - 2-wr Voice Grade				18.57	265.78	46.96	46.79	4.98						
	Interface Transport - Dedicated - 2-wr Voice Grade Per Mile				0.0115										
	Interface Transport - Dedicated - 2-wr Voice Grade Per Facility Termination														
	Local Channel - Dedicated DS1 - Zone 1				29.11	47.34	31.78	22.77	8.75						
	Local Channel - Dedicated DS1 - Zone 2				40.46	209.60	176.51	30.21	21.07						
	Local Channel - Dedicated DS1 - Zone 3				43.39	209.60	176.51	30.21	21.07						
	Interface Transport - Dedicated DS1 Per Mile				164.50	209.60	176.51	30.21	21.07						
	Interface Transport - Dedicated DS1 Per Facility Termination				0.23										
CALLING NAME (CNAM) SERVICE															
	Interface Transport - Dedicated - DS1 Per Facility Termination				98.04	105.52	98.46	23.09	20.49						
	CNAM For DB Owners Service Establishment		OQV			25.34	25.34	23.30	23.30						
	CNAM For Non DB Owners Service Establishment		OQV			25.34	25.34	23.30	23.30						
	CNAM For DB Owners - Service Provisioning With Point Code Establishment		OQV			1.591.54	1.177.08	431.85	317.61						
	CNAM For Non DB Owners Service Provisioning With Point Code Establishment		OQV			546.40	393.74	438.93	317.61						
	CNAM for DB Owners Per Query		OQV		0.0010348										
	CNAM for Non DB Owners Per Query		OQV		0.0010348										
	CNAM (Non Database Owner) NRC applies when using the Character Based User Interface (CHUI)		OQV	CDDCH		595.00	595.00								
SELECTIVE ROUTING															
	Selective Routing Per Unique Line Class Code Per Request Per Switch					93.53	93.53	15.58	15.58						

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add I
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring First	Nonrecurring Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add I
VIRTUAL COLLOCATION	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting												
	Physical Collocation												
PHYSICAL COLLOCATION	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting												
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting												
AIN SELECTIVE CARRIER ROUTING	Regional Service Establishment												
	End Office Establishment												
LINE - BELL SOUTH AIN SMS ACCESS SERVICE	Line/Port NRC per end user												
	Query NRC per query												
AIN - BELL SOUTH AIN SMS ACCESS SERVICE	AIN SMS Access Service - Service Establishment Per State Initial Setup												
	AIN SMS Access Service - Port Connection - Dual/Shared Access												
AIN - BELL SOUTH AIN TOOLKIT SERVICE	AIN SMS Access Service - Port Connection - ISDN Access												
	AIN SMS Access Service - User Identification Codes - Per User ID Code												
AIN - BELL SOUTH AIN TOOLKIT SERVICE	AIN SMS Access Service - Security Card Per User ID Code Initial or Replacement												
	AIN SMS Access Service - Storage Per Unit (100 Kilobytes)												
AIN - BELL SOUTH AIN TOOLKIT SERVICE	AIN SMS Access Service - Session Per Minute												
	AIN SMS Access Service - Company Performed Session Per Minute												
AIN - BELL SOUTH AIN TOOLKIT SERVICE	AIN Toolkit Service - Service Establishment Charge Per State Initial Setup												
	AIN Toolkit Service - Training Session Per Customer												
AIN - BELL SOUTH AIN TOOLKIT SERVICE	AIN Toolkit Service - Trigger Access Charge Per Trigger Per DN Term Attempt												
	AIN Toolkit Service - Trigger Access Charge Per Trigger Per DN Off-Hook Delay												
AIN - BELL SOUTH AIN TOOLKIT SERVICE	AIN Toolkit Service - Trigger Access Charge Per Trigger Per DN Off-Hook Immediate												
	AIN Toolkit Service - Trigger Access Charge Per Trigger Per DN 10-Digit FODP												
AIN - BELL SOUTH AIN TOOLKIT SERVICE	AIN Toolkit Service - Trigger Access Charge Per Trigger Per DN CDP												
	AIN Toolkit Service - Trigger Access Charge Per Trigger Per DN Feature Code												
AIN - BELL SOUTH AIN TOOLKIT SERVICE	AIN Toolkit Service - Query Charge Per Query												
	AIN Toolkit Service - Type 1 Node Charge Per AIN Toolkit Subscription Per Node Per Query												
AIN - BELL SOUTH AIN TOOLKIT SERVICE	AIN Toolkit Service - SCP Storage Charge Per SMS Access Account Per 100 Kilobytes												
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription												
AIN - BELL SOUTH AIN TOOLKIT SERVICE	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription												
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription												
AIN - BELL SOUTH AIN TOOLKIT SERVICE	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription												
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription												
ENHANCED EXTENDED LINK (EELS)													
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined Network Elements'													
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined Network Elements'													
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT													
First 2-Wire VG Loop (SL2) in Combination - Zone 1													
			1	UNGVX	UEAL2	12.67	125.22	60.48	59.69	7.84			

CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)						Svc Order Submitted Elec per LSR			Svc Order Submitted Manually per LSR			Attachment 2			Exhibit A		
						RATES (\$)						Nonrecurring First	Nonrecurring Add'l	Disconnect Add'l	SOME	SOMAN	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
							Rec	First	Add'l	Nonrecurring	First	Add'l	Disconnect										
	First 2 Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2		17 45	125 22	60 48		59 69	7 84											
	First 2 Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2		33 22	125 22	60 48		59 69	7 84											
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNCVX	1L5XX		0 19																
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNCVX	U1TF1		79 02	181 24	123 53		56 72	22 32											
	1/0 Channel System in combination Per Month			UNCVX	MO1		113 33	57 26	14 74		1 86	1 67											
	Voice Grade COCI - Per Month			UNCVX	1D1VG		0 62	6 71	4 84														
	Each Additional 2 Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2		12 67	125 22	60 48		59 69	7 84											
	Each Additional 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2		17 45	125 22	60 48		59 69	7 84											
	Each Additional 2 Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2		33 22	125 22	60 48		59 69	7 84											
	Voice Grade COCI - Per Month			UNCVX	1D1VG		0 62	6 71	4 84														
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC			8 98	8 98		11 17	11 17											
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4		29 26	125 22	60 48		59 69	7 84											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4		34 25	125 22	60 48		59 69	7 84											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4		85 06	125 22	60 48		59 69	7 84											
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNCVX	1L5XX		0 19																
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNCVX	U1TF1		79 02	181 24	123 53		56 72	22 32											
	1/0 Channel System in combination Per Month			UNCVX	MO1		113 33	57 26	14 74		1 86	1 67											
	Voice Grade COCI in combination - per month			UNCVX	1D1VG		0 62	6 71	4 84														
	Additional 4-Wire Analog Voice Grade Loop in same DS1		1	UNCVX	UEAL4		29 26	125 22	60 48		59 69	7 84											
	Interoffice Transport Combination - Zone 1			UNCVX	UEAL4		34 25	125 22	60 48		59 69	7 84											
	Additional 4-Wire Analog Voice Grade Loop in same DS1		2	UNCVX	UEAL4		34 25	125 22	60 48		59 69	7 84											
	Interoffice Transport Combination - Zone 2			UNCVX	UEAL4		85 06	125 22	60 48		59 69	7 84											
	Additional 4-Wire Analog Voice Grade Loop in same DS1		3	UNCVX	UEAL4		85 06	125 22	60 48		59 69	7 84											
	Interoffice Transport Combination - Zone 3			UNCVX	1D1VG		0 62	6 71	4 84														
	Additional Voice Grade COCI in combination - per month			UNCVX	UNCCC			8 98	8 98		11 17	11 17											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC																		
	EXTENDED 4-WIRE 56 Kbps EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56		27 59	125 22	60 48		59 69	7 84											
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56		32 48	125 22	60 48		59 69	7 84											
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56		36 37	125 22	60 48		59 69	7 84											
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNCVX	1L5XX		0 19																
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNCVX	U1TF1		79 02	181 24	123 53		56 72	22 32											
	1/0 Channel System in combination Per Month			UNCVX	MO1		113 33	57 26	14 74		1 86	1 67											
	OCU-UP COCI (data) per month (2.4-64Kbps)			UNCVX	1D1DD		1 32	6 71	4 84														
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL56		27 59	125 22	60 48		59 69	7 84											
	Interoffice Transport Combination - Zone 1			UNCDX	UDL56		32 48	125 22	60 48		59 69	7 84											
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL56		32 48	125 22	60 48		59 69	7 84											
	Interoffice Transport Combination - Zone 2			UNCDX	UDL56		36 37	125 22	60 48		59 69	7 84											
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		3	UNCDX	UDL56		36 37	125 22	60 48		59 69	7 84											
	Interoffice Transport Combination - Zone 3			UNCDX	UDL56																		

UNBUNDLED NETWORK ELEMENTS - Kentucky														
CATEGORY	RATE ELEMENTS	Inter m	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2	Incremental Charge - Manual Svc Order vs Electronic- 1st Add'l	Incremental Charge - Manual Svc Order vs Electronic- 1st Add'l	Exhibit A
					Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOME	SOMAN	OSS Rates (\$)	SOMAN	SOMAN
	2-Wire/VG Loop in combination - Zone 3			UEAL2	33 22	125 22	60 48	59 69	7 84					
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month	3	UNCVX	1L5XX	0 01									
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month		UNCVX	U1TV2	23 95	98 09	53 67	56 31	22 42					
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		UNCVX	UNCCC		8 98	8 98	11 17	11 17					
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT													
	4-Wire/VG Loop in combination - Zone 1	1	UNCVX	UEAL4	29 26	125 22	60 48	59 69	7 84					
	4-Wire/VG Loop in combination - Zone 2	2	UNCVX	UEAL4	34 23	125 22	60 48	59 69	7 84					
	4-Wire/VG Loop in combination - Zone 3	3	UNCVX	UEAL4	85 06	125 22	60 48	59 69	7 84					
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month		UNCVX	1L5XX	0 01									
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month		UNCVX	U1TV4	21 28	98 09	53 67	56 31	22 42					
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		UNCVX	UNCCC		8 98	8 98	11 17	11 17					
	EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT													
	DS3 Local Loop in combination - per mile per month		UNC3X	1L5ND	9 25									
	DS3 Local Loop in combination - Facility Termination per month		UNC3X	UE3PX	308 31	237 36	147 69	83 43	32 67					
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		UNC3X	1L5XX	4 09									
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month		UNC3X	U1TF3	966 89	350 56	141 58	48 00	23 39					
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		UNC3X	UNCCC		8 98	8 98	11 17	11 17					
	EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT													
	STS-1 Local Loop in combination - per mile per month		UNC5X	1L5ND	9 25									
	STS-1 Local Loop in combination - Facility Termination per month		UNC5X	UDLS1	320 51	237 36	147 69	83 43	32 67					
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month		UNC5X	1L5XX	4 09									
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month		UNC5X	U1TFS	945 79	350 56	141 58	48 00	23 39					
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		UNC5X	UNCCC		8 98	8 98	11 17	11 17					
	EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT													
	First 2 Wire ISDN Loop in Combination - Zone 1	1	UNCNX	U1L2X	18 44	125 22	60 48	59 69	7 84					
	First 2 Wire ISDN Loop in Combination - Zone 2	2	UNCNX	U1L2X	23 08	125 22	60 48	59 69	7 84					
	First 2 Wire ISDN Loop in Combination - Zone 3	3	UNCNX	U1L2X	42 87	125 22	60 48	59 69	7 84					
	Interoffice Transport - Dedicated - DS1 combination - per mile per month		UNC1X	1L5XX	0 19									
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	79 02	181 24	123 53	56 72	22 32					
	110 Channel System in combination - per month		UNC1X	MO1	113 33	57 26	14 74	1 86	1 67					
	2-wire ISDN COCI (BRITE) - in combination - per month		UNCNX	UC1CA	2 84	6 71	4 84							
	Additional 2 wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCNX	U1L2X	18 44	125 22	60 48	59 69	7 84					
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCNX	U1L2X	25 08	125 22	60 48	59 69	7 84					
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCNX	U1L2X	42 87	125 22	60 48	59 69	7 84					
	Additional 2-wire ISDN COCI (BRITE) - in combination- per month		UNCNX	UC1CA	2 84	6 71	4 84							
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		UNC1X	UNCCC		8 98	8 98	11 17	11 17					
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT													
	First DS1 Loop Combination - Zone 1	1	UNC1X	USLXX	86 47	210 70	114 60	63 96	17 97					
	First DS1 Loop Combination - Zone 2	2	UNC1X	USLXX	114 10	210 70	114 60	63 96	17 97					

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment 2				Exhibit A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l
						Rec	First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOME	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96			17.97					
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month																
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNC-SX	1L5XX	4.09											
	3/1 Channel System in combination per month			UNC-SX	UT1FS	945.79	350.56	141.58	48.00			23.39					
	DS1 COCI in combination per month			UNC-SX	M03	158.20	115.48	56.53	15.12			5.30					
	Additional DS1 Loop in the same STS-1 Interoffice Transport Combination - Zone 1		1	UNC1X	UC1D1	11.80	6.71	4.84									
	Additional DS1 Loop in the same STS-1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	86.47	210.70	114.60	63.96			17.97					
	Additional DS1 Loop in the same STS-1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	114.10	210.70	114.60	63.96			17.97					
	DS1 COCI in combination per month			UNC1X	UC1D1	297.76	210.70	114.60	63.96			17.97					
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge			UNC1X	UC1D1	11.80	6.71	4.84									
	EXTENDED 4-WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH 56 Kbps INTEROFFICE TRANSPORT			UNC-SX	UNCCC	8.98	8.98		11.17			11.17					
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNC-DX	UDL56	27.59	125.22	60.48	59.69			7.84					
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNC-DX	UDL56	32.48	125.22	60.48	59.69			7.84					
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNC-DX	UDL56	36.37	125.22	60.48	59.69			7.84					
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNC-DX	1L5XX	0.01											
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNC-DX	UT1D5	17.25	98.09	53.67	56.31			22.42					
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge			UNC-DX	UNCCC	8.98	8.98		11.17			11.17					
	EXTENDED 4-WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH 64 Kbps INTEROFFICE TRANSPORT			UNC-DX	UNCCC	8.98	8.98		11.17			11.17					
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNC-DX	UDL64	27.59	125.22	60.48	59.69			7.84					
	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNC-DX	UDL64	32.48	125.22	60.48	59.69			7.84					
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNC-DX	UDL64	36.37	125.22	60.48	59.69			7.84					
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNC-DX	1L5XX	0.01											
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNC-DX	UT1D6	17.25	98.09	53.67	56.31			22.42					
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge			UNC-DX	UNCCC	8.98	8.98		11.17			11.17					
	EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX			UNC-DX	UNCCC	8.98	8.98		11.17			11.17					
	First 2-wire VG Loop (SL2) in combination - Zone 1		1	UNC-VX	UEAL2	12.67	125.22	60.48	59.69			7.84					
	First 2-wire VG Loop (SL2) in combination - Zone 2		2	UNC-VX	UEAL2	17.45	125.22	60.48	59.69			7.84					
	First 2-wire VG Loop (SL2) in combination - Zone 3		3	UNC-VX	UEAL2	33.22	125.22	60.48	59.69			7.84					
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC-VX	1L5XX	0.19											
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC-VX	UT1F1	79.02	181.24	123.53	56.72			22.32					
	Per each DS1 Channelization System Per Month			UNC-VX	M01	113.33	57.26	14.74	1.86			1.67					
	Per each Voice Grade COCI - Per Month per month			UNC-VX	UD1VG	0.62	6.71	4.84									
	3/1 Channel System in combination per month			UNC-VX	M03	158.20	115.48	56.53	15.12			5.30					
	Per each DS1 COCI in combination per month			UNC-VX	UC1D1	11.80	6.71	4.84									
	Each Additional 2-Wire VG Loop (SL2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNC-VX	UEAL2	12.67	125.22	60.48	59.69			7.84					
	Each Additional 2-Wire VG Loop (SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNC-VX	UEAL2	17.45	125.22	60.48	59.69			7.84					
	Each Additional 2-Wire VG Loop (SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNC-VX	UEAL2	33.22	125.22	60.48	59.69			7.84					
	Each Additional Voice Grade COCI in combination - per month			UNC-VX	UD1VG	0.62	6.71	4.84									
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC-VX	1L5XX	0.19											
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC-VX	UT1F1	79.02	181.24	123.53	56.72			22.32					

UNBUNDLED NETWORK ELEMENTS - Kentucky																
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring		Nonrecurring First	Disconnect Add'l			OSS Rates (\$)		Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st
							First	Add'l					SOMAN	SOMAN		
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	11 80	6 71	4 84								
	Nonrecurring Currently Combined Network Elements Switch As-Is Charge			UNC1X	UNCCC		8 98	8 98	11 17	11 17						
	EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX															
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 1		1	UNCVX	UEAL4	29 26	125 22	60 48		59 69	7 84					
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 2		2	UNCVX	UEAL4	34 25	125 22	60 48		59 69	7 84					
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 3		3	UNCVX	UEAL4	85 06	125 22	60 48		59 69	7 84					
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 19										
	First Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	79 02	181 24	123 53		56 72	22 32					
	Per each 10 Channel System in combination Per Month			UNC1X	MQ1	113 33	57 26	14 74		1 86	1 67					
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0 62	6 71	4 84								
	3/1 Channel System in combination per month			UNC3X	MQ3	158 20	115 48	56 53		15 12	5 30					
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11 80	6 71	4 84								
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29 26	125 22	60 48		59 69	7 84					
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	34 25	125 22	60 48		59 69	7 84					
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85 06	125 22	60 48		59 69	7 84					
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 19										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	79 02	181 24	123 53		56 72	22 32					
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0 62	6 71	4 84								
	Nonrecurring Currently Combined Network Elements Switch As-Is Charge			UNC1X	UNCCC		8 98	8 98	11 17	11 17						
	EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX															
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 1		1	UNCDX	UDL56	27 59	125 22	60 48		59 69	7 84					
	First 4 Wire 56Kbps Digital Grade Local Loop in Combination - Zone 2		2	UNCDX	UDL56	32 48	125 22	60 48		59 69	7 84					
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3		3	UNCDX	UDL56	36 37	125 22	60 48		59 69	7 84					
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 19										
	First Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	79 02	181 24	123 53		56 72	22 32					
	Per each 10 Channel System in combination Per Month			UNC1X	MQ1	113 33	57 26	14 74		1 86	1 67					
	Per each OC4-DP COCI (data) COCI per month (2 4-64kbs)			UNCVX	1D1DD	1 32	6 71	4 84								
	3/1 Channel System in combination per month			UNC3X	MQ3	158 20	115 48	56 53		15 12	5 30					
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11 80	6 71	4 84								
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27 59	125 22	60 48		59 69	7 84					
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	32 48	125 22	60 48		59 69	7 84					
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36 37	125 22	60 48		59 69	7 84					
	OC4-DP COCI (data) COCI in combination per month (2 4-64kbs)			UNCVX	1D1DD	1 32	6 71	4 84								
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 19										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	79 02	181 24	123 53		56 72	22 32					

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment 2				Exhibit A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add 1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add 1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add 1st
						Rec	First	Nonrecurring	Nonrecurring Disconnect								
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	11 80	6 71	4 84									
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNC1X		8 98	8 98	11 17								
EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																	
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNC1X	UNC1X	UDL64	27 59	125 22	60 48	59 69	7 84							
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNC1X	UNC1X	UDL64	32 48	125 22	60 48	59 69	7 84							
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNC1X	UNC1X	UDL64	36 37	125 22	60 48	59 69	7 84							
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 19											
	First Interoffice Transport - Dedicated - DS1 combination Facility Termination Per Month			UNC1X	U1TF1	79 02	181 24	123 53	56 72	22 32							
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	113 33	57 26	14 74	1 86	1 67							
	Per each OCUP-DC COCI (data) in combination - per month (2 4-64Kbps)																
	3/1 Channel System in combination per month			UNC1X	1D1DD	1 32	6 71	4 84		5 30							
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNC1X	UNC1X	UDL64	27 59	125 22	60 48	59 69	7 84							
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNC1X	UNC1X	UDL64	32 48	125 22	60 48	59 69	7 84							
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNC1X	UNC1X	UDL64	36 37	125 22	60 48	59 69	7 84							
	Additional OCUP-DC COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64Kbps)			UNC1X	1D1DD	1 32	6 71	4 84									
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 19											
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	79 02	181 24	123 53	56 72	22 32							
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	11 80	6 71	4 84									
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNC1X		8 98	8 98	11 17								
EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																	
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1	1	UNC1X	UNC1X	U1L2X	18 44	125 22	60 48	59 69	7 84							
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2	2	UNC1X	UNC1X	U1L2X	25 08	125 22	60 48	59 69	7 84							
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3	3	UNC1X	UNC1X	U1L2X	42 87	125 22	60 48	59 69	7 84							
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0 19											
	First Interoffice Transport - Dedicated - DS1 combination Facility Termination per month			UNC1X	U1TF1	79 02	181 24	123 53	56 72	22 32							
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	113 33	57 26	14 74	1 86	1 67							
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNC1X	UC1CA	2 84	6 71	4 84									
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11 80	6 71	4 84									
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNC1X	UNC1X	U1L2X	18 44	125 22	60 48	59 69	7 84							
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNC1X	UNC1X	U1L2X	25 08	125 22	60 48	59 69	7 84							
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNC1X	UNC1X	U1L2X	42 87	125 22	60 48	59 69	7 84							
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel system combination- per month			UNC1X	UC1CA	2 84	6 71	4 84									

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment 2				Exhibit A			
CATEGORY	RATE ELEMENTS	Interim	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add 1	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add 1	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add 1	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add 1
					Rec	Nonrecurring First	Nonrecurring Add 1	Disconnect First	Disconnect Add 1	SOME	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interface Channel per mile in same 3/1 Channel System per month		UNC1X	1L5XX	0 19												
	Each Additional DS1 Interface Channel Facility Termination in same 3/1 Channel System per month		UNC1X	UT1F1	79 02	181 24	123 53	56 72	22 32								
	Each Additional DS1 COCI in the same 3/1 channel system combination per month		UNC1X	UC1D1	11 80	6 71	4 84										
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge		UNC1X	UNCCC		8 98	8 98	11 17	11 17								
	EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																
	First 4-wire DS1 Digital Local Loop in Combination - Zone 1	1	UNC1X	USLXX	86 47	210 70	114 60	63 96	17 97								
	First 4-wire DS1 Digital Local Loop in Combination - Zone 2	2	UNC1X	USLXX	114 10	210 70	114 60	63 96	17 97								
	First 4-wire DS1 Digital Local Loop in Combination - Zone 3	3	UNC1X	USLXX	297 76	210 70	114 60	63 96	17 97								
	First Interface Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 19												
	First Interface Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	UT1F1	79 02	181 24	123 53	56 72	22 32								
	3/1 Channel System in combination per month		UNC3X	MQ3	158 20	115 48	56 53	15 12	5 30								
	Per each DS1 COCI combination per month		UNC1X	UC1D1	11 80	6 71	4 84										
	Each Additional DS1 Interface Channel per mile in same 3/1 Channel System per month		UNC1X	1L5XX	0 19												
	Each Additional DS1 Interface Channel Facility Termination in same 3/1 Channel System per month		UNC1X	UT1F1	79 02	181 24	123 53	56 72	22 32								
	Each Additional DS1 COCI in the same 3/1 channel system combination per month		UNC1X	UC1D1	11 80	6 71	4 84										
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 1	1	UNC1X	USLXX	86 47	210 70	114 60	63 96	17 97								
	Additional 4 Wire DS1 Digital Local Loop in Combination - Zone 2	2	UNC1X	USLXX	114 10	210 70	114 60	63 96	17 97								
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 3	3	UNC1X	USLXX	297 76	210 70	114 60	63 96	17 97								
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge		UNC1X	UNCCC		8 98	8 98	11 17	11 17								
	EXTENDED 4-WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																
	First 4-wire 56 kbps Local Loop in combination - Zone 1	1	UNCDCX	UDL56	27 59	125 22	60 48	59 69	7 84								
	First 4-wire 56 kbps Local Loop in combination - Zone 2	2	UNCDCX	UDL56	32 48	125 22	60 48	59 69	7 84								
	First 4-wire 56 kbps Local Loop in combination - Zone 3	3	UNCDCX	UDL56	38 37	125 22	60 48	59 69	7 84								
	First 4-wire 56 kbps Interface Transport - Dedicated - Per Mile per month		UNCDCX	1L5XX	0 01												
	First 4-wire 56 kbps Interface Transport - Dedicated - Facility Termination per month		UNCDCX	UT1D5	17 25	98 09	53 67	56 31	22 42								
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge		UNCDCX	UNCCC		8 98	8 98	11 17	11 17								
	EXTENDED 4-WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																
	First 4-wire 64 kbps Local Loop in combination - Zone 1	1	UNCDCX	UDL64	27 59	125 22	60 48	59 69	7 84								
	First 4-wire 64 kbps Local Loop in combination - Zone 2	2	UNCDCX	UDL64	32 48	125 22	60 48	59 69	7 84								
	First 4-wire 64 kbps Local Loop in combination - Zone 3	3	UNCDCX	UDL64	36 37	125 22	60 48	59 69	7 84								
	First 4-wire 65 kbps Interface Transport - Dedicated - Per Mile per month		UNCDCX	1L5XX	0 01												
	First 4-wire 64 kbps Interface Transport - Dedicated - Facility Termination per month		UNCDCX	UT1D8	17 25	98 09	53 67	56 31	22 42								
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge		UNCDCX	UNCCC		8 98	8 98	11 17	11 17								
	ADDITIONAL NETWORK ELEMENTS																
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply																
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not																
	Nonrecurring Currently Combined Network Elements Switch As Is Charge (One applies to each combination)																
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge 2 wire/4-Wire VG		UNCVX	UNCCC		8 98	8 98	11 17	11 17								

UNBUNDLED NETWORK ELEMENTS - Kentucky																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A		
						Rec	Nonrecurring		Nonrecurring Disconnect First			Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							First	Add'l								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps			UNCDC	UNCCC		8.98	8.98	11.17	11.17						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3			UNC3X	UNCCC		8.98	8.98	11.17	11.17						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - STS1			UNC3X	UNCCC		8.98	8.98	11.17	11.17						
	Optional Features & Functions															
	Clear Channel Capability Extended Frame Option - per DS1	I		U1TD1	CCOEF		0I	0I	0I	0I						
	Clear Channel Capability Super FrameOption - per DS1	I		U1TD1	CCOSF		0I	0I	0I	0I						
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I		ULDD1 U1TD1	NRCCC		184.91S	23.82S	1.99S	0.76S						
	C-bit Parity Option - Subsequent Activity per DS3	I		U1TD3 USL	NRCC3		205.70S	7.20S	69.24S	0S						
	MULTIPLXERS															
	DS1 to DS0 Channel System per month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4 kbps) used for a Local Loop			UDL	1D1DD	1.32	10.07	7.08								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4 kbps) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.32	10.07	7.08								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UCTCA	2.84	10.07	7.08								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UCTCA	2.84	10.07	7.08								
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1DIVG	0.6228	10.07	7.08								
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1DIVG	0.6228	10.07	7.08								
	DS3 to DS1 Channel System per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	STS-1 to DS1 Channel System per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	DS1 COCI used with Loop per month			USL	UC1D1	11.80	10.07	7.08								
	DS1 COCI used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUA	UC1D1	11.80	10.07	7.08								
	DS1 COCI used with Interface Channel per month			U1TD1	UC1D1	11.80	10.07	7.08								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	11.80	10.07	7.08								
	UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)															
	Exchange Ports															
	NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs															
	2-WIRE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports 2-Wire Analog Line Port- Res			UEPSR	UEPRL	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res			UEPSR	UEPRO	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire VG unbundled KY extended local dialing party Port with Caller ID - Res			UEPSR	UEPRM	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire VG unbundled res low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan without Caller ID			UEPSR	UEPWE	1.49	3.74	3.63	2.23	2.13						
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPSR	UEPRT	1.49	3.74	3.63	2.23	2.13						

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOME	SOMAN	SOMAN	SOMAN
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00					
FEATURES	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00					
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)												
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1.49	3.74	3.63	2.23	2.13			
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller ID - Bus			UEPSB	UEPBC	1.49	3.74	3.63	2.23	2.13			
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus			UEPSB	UEPBO	1.49	3.74	3.63	2.23	2.13			
	Exchange Ports - 2-Wire VG unbundled KY extended local dialing party Port with Caller ID - Bus			UEPSB	UEPBM	1.49	3.74	3.63	2.23	2.13			
	Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.49	3.74	3.63	2.23	2.13			
	Exchange Ports - 2-Wire Voice Kentucky Business Dialing Plan without Caller ID			UEPSB	UEPWF	1.49	3.74	3.63	2.23	2.13			
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPSB	UEPBE	1.49	3.74	3.63	2.23	2.13			
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00					
FEATURES	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00					
	EXCHANGE PORT RATES (DID & PBX)												
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.49	39.05	18.17	15.38	0.89			
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.49	39.05	18.17	15.38	0.89			
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.49	39.05	18.17	15.38	0.89			
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPPI	1.49	39.05	18.17	15.38	0.89			
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89			
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89			
	2-Wire Voice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.49	39.05	18.17	15.38	0.89			
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.49	39.05	18.17	15.38	0.89			
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.49	39.05	18.17	15.38	0.89			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.49	39.05	18.17	15.38	0.89			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.49	39.05	18.17	15.38	0.89			
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling Port Without LUD			UEPSP	UEPXF	1.49	39.05	18.17	15.38	0.89			
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPSP	UEPXF	1.49	39.05	18.17	15.38	0.89			
	2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPSP	UEPXG	1.49	39.05	18.17	15.38	0.89			
	2-Wire Voice Unbundled 2-Way PBX Kentucky Area Calling Port Without LUD			UEPSP	UEPXH	1.49	39.05	18.17	15.38	0.89			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXJ	1.49	39.05	18.17	15.38	0.89			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXL	1.49	39.05	18.17	15.38	0.89			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXM	1.49	39.05	18.17	15.38	0.89			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXO	1.49	39.05	18.17	15.38	0.89			
	Subsequent Activity			UEPSP	UEPXS	0.00	0.00	0.00					
FEATURES	All Available Vertical Features			UEPSP	UEPVF	0.00	0.00	0.00					
	EXCHANGE PORT RATES (COIN)												
	Exchange Ports - Coin Port			UEPSP	UEPSE	1.49	3.74	3.63	2.23	2.13			
	Local Switching Features offered with Port												
	NOTE Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched data transmission by B-Channels associated with 2-wire ISDN ports												
	NOTE Access to B Channel or D Channel Packet Capabilities will be determined by the Bona Fide Request/New Business Request Process												
	Exchange port - 4-wire ISDN trunk port - all available features included			UEPEX		101.60	188.36	95.15	61.92	22.67			
	UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)												
	EXCHANGE PORT RATES												

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	SOMECH	SOMAN	SOMAN	SOMAN
The DS1 Port rates below for 4-Wire DDIIS Trunk Port and 4-Wire ISDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.													
Requests for 4-Wire DDIIS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.													
	Exchange Ports - 2-Wire DID Port			UEPEX	UEP2	10.51	92.18	15.82	53.16				
	Exchange Ports - 2-Wire DID Port with DID capability (E 4/1/2004)			UEPDD	UEPDD	74.77	164.86	77.74	60.69				
	Exchange Ports - 2-Wire ISDN Port (See Notes below)			UEPTX	UEPSX	13.46	60.60	50.67	32.83				
	All Features Offered			UEPTX	UEPSX	0.00	0.00	0.00	0.00				
	Exchange Ports - 2-Wire ISDN Port - Channel Profiles			UEPTX	UEPSX	0.00	0.00	0.00	0.00				
NOTE: Transmission/usage charges associated with POTIS circuit switched usage will also apply to circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.													
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.													
EXCHANGE PORT RATES (continued)													
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911			UEPEX	UEPEX	101.60	188.36	95.15	61.92				
	Locator Capability (E 4/1/2004)			UEPEX	UEPEX	101.60	188.36	95.15	61.92				
	Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)			UEPEX	UEPEX	1.48	44.23	31.98	12.81				
	Physical Collocation - DS1 Cross-Connects			UEPEX	UEPEX	1.48	44.23	31.98	12.81				
	Virtual collocation - Special Access & UNE cross-connect per DS1			UEPEX	UEPEX	1.48	44.23	31.98	12.81				
Detailed E911 with Locator Capability (required with UEPEX port)													
	Unbundled Exchange Ports 4-Wire ISDN DS1 Port - E911			UEPEX	UEPEX	0.00	1811.00		156.69				
	Locator Capability - Initial Profile Establishment per CLEC per State			UEPEX	UEPEX	0.00	1811.00		156.69				
	Unbundled Exchange Ports 4-Wire ISDN DS1 Port - E911			UEPEX	UEPEX	0.00	1811.00		156.69				
	Locator Capability - Subsequent Profile Changes Additions			UEPEX	UEPEX	0.00	1811.00		156.69				
	Deletions			UEPEX	UEPEX	0.00	1811.00		156.69				
New or Additional PRI Telephone Numbers													
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			UEPEX	UEPEX	0.07	0.54						
	Locator Capability 2-Way Telephone Numbers, per number in E911 profile (New or Additional)			UEPEX	UEPEX	0.07	0.54						
	Unbundled Exchange Ports 4-Wire ISDN DS1 Port - E911			UEPEX	UEPEX	0.07	12.71	12.71					
	Locator Capability - Outdial Telephone Numbers per number in E911 profile (New or Additional)			UEPEX	UEPEX	0.07	12.71	12.71					
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option (New or Additional)			UEPEX	UEPEX	0.00	0.54						
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent (New)			UEPEX	UEPEX	0.00	25.41	25.41					
	Inward Tel Numbers (Customer Testing Purposes)			UEPEX	UEPEX	0.00	25.41	25.41					
LOCAL NUMBER PORTABILITY													
	Local Number Portability (1 per port)			UEPEX	UEPEX	1.75							
INTERFACE (provisioning only)													
	Voice/Data			UEPEX	UEPEX	0.00	0.00	0.00					
	Digital Data			UEPEX	UEPEX	0.00	0.00	0.00					
	Inward Data			UEPEX	UEPEX	0.00	0.00	0.00					
New or Additional Channel													
	New or Additional - Voice/Data "B" Channel			UEPEX	UEPEX	0.00	15.48						
	New or Additional - Digital Data "B" Channel			UEPEX	UEPEX	0.00	15.48						
	New or Additional Inward Data "B" Channel			UEPEX	UEPEX	0.00	15.48						
	New or Additional Usage Sensitive Voice Data "B" Channel			UEPEX	UEPEX	0.00	15.48						
	New or Additional Usage Sensitive Digital Data "B" Channel			UEPEX	UEPEX	0.00	15.48						
	New or Additional PRI "D" Channel			UEPEX	UEPEX	0.00	15.48						
CALL TYPES													
	Inward			UEPEX	UEPEX	0.00	0.00	0.00					
	Outward			UEPEX	UEPEX	0.00	0.00	0.00					
	Two-way			UEPEX	UEPEX	0.00	0.00	0.00					
UNBUNDLED PORT WITH REMOTE CALL FORWARDING CAPABILITY													
UNBUNDLED REMOTE CALL FORWARDING - RESIDENCE													
	Unbundled Remote Call Forwarding Service, Area Calling - Res			UEPVR	UEPVR	1.49	3.74	3.63					
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UEPVR	1.48	3.74	3.63					
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UEPVR	1.49	3.74	3.63					

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st Add I
						Rec	Nonrecurring First	Nonrecurring Add I	Nonrecurring Disconnect First	SOME C	SOMAN	SOMAN	SOMAN
Non-Recurring	Unbundled Remote Call Forwarding Service - Conversion			UEPVR	UETR	1 49	3 74	3 63					
	Unbundled Remote Call Forwarding Service - Conversion with Switch-as-is			UEPVR	USAC2		0 10	0 10					
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		0 10	0 10					
UNBUNDLED REMOTE CALL FORWARDING - BUS													
	Unbundled Remote Call Forwarding Service - Area Calling - Bus			UEPVB	UERAC	1 49	3 74	3 63					
	Unbundled Remote Call Forwarding Service - Local Calling - Bus			UEPVB	UERLC	1 49	3 74	3 63					
	Unbundled Remote Call Forwarding Service - InterLATA - Bus			UEPVB	UERTE	1 49	3 74	3 63					
	Unbundled Remote Call Forwarding Service - IntraLATA - Bus			UEPVB	UETR	1 49	3 74	3 63					
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UEVJ	1 49	3 74	3 63					
Non-Recurring													
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVB	USAC2		0 10	0 10					
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		0 10	0 10					
UNBUNDLED LOCAL SWITCHING - PORT USAGE													
	End Office Switching (Port Usage)					0 0011971							
	End Office Trunk Port - Shared, Per MOU					0 0002112							
	Tandem Switching (Port Usage) (Local or Access Tandem)					0 000194							
	Tandem Trunk Port - Shared, Per MOU					0 0002416							
	Tandem Switching Function Per MOU (Melded)					0 000094381							
	Tandem Trunk Port - Shared, Per MOU (Melded)					0 000117538							
	Melded Factor - 48.65% of the Tandem Rate												
Common Transport													
	Common Transport - Per Mile, Per MOU					0 000003							
	Common Transport - Facilities Termination Per MOU					0 0007468							
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES													
	Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports												
	Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.												
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations												
	The first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections												
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)													
UNE Port/Loop Combination Rates													
	2-Wire VG Loop/Port Combo - Zone 1	1				10 79							
	2-Wire VG Loop/Port Combo - Zone 2	2				15 52							
	2-Wire VG Loop/Port Combo - Zone 3	3				31 74							
UNE Loop Rates													
	2-Wire Voice Grade Loop (SL1) - Zone 1	1		UEPRX	UEPLX	9 64							
	2-Wire Voice Grade Loop (SL1) - Zone 2	2		UEPRX	UEPLX	14 37							
	2-Wire Voice Grade Loop (SL1) - Zone 3	3		UEPRX	UEPLX	30 59							
2-Wire Voice Grade Line Port Rates (Res)													
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1 15	21 29	15 49	2 85	2 67			
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1 15	21 29	15 49	2 85	2 67			
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1 15	21 29	15 49	2 85	2 67			
	2-Wire voice Grade unbundled Kentucky extended local dialing party port with Caller ID - res			UEPRX	UEPRM	1 15	21 29	15 49	2 85	2 67			
	2-Wire voice unbundled res low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1 15	21 29	15 49	2 85	2 67			
	2-Wire Unbundled Kentucky Residence Dialing Plan without Caller ID			UEPRX	UEPWE	1 15	21 29	15 49	2 85	2 67			
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	1 15	21 29	15 49	2 85	2 67			

UNBUNDLED NETWORK ELEMENTS - Kentucky															
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
FEATURES															
	All Features Offered				UEPVF	0.00	0.00	0.00							
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			LNPCX		0.35									
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion Switch-as-is				USAC2		0.10	0.10							
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change				USACC		0.10	0.10							
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity				USAS2	0.00	0.00	0.00							
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise				URETL		8.33	0.83							
OFF/OFF PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop - Non-Design	1			UEAEN	10.56	46.66	22.57	26.65	7.65					
	2 Wire Analog Voice Grade Extension Loop - Non-Design	2			UEAEN	15.34	46.66	22.57	26.65	7.65					
	2 Wire Analog Voice Grade Extension Loop - Non-Design	3			UEAEN	31.11	46.66	22.57	26.65	7.65					
	2 Wire Analog Voice Grade Extension Loop - Design	1			UEAPX	12.67	134.89	81.87	73.65	14.88					
	2 Wire Analog Voice Grade Extension Loop - Design	2			UEAED	17.45	134.89	81.87	73.65	14.88					
	2 Wire Analog Voice Grade Extension Loop - Design	3			UEAPX	33.22	134.89	81.87	73.65	14.88					
INTEROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination				U1TV2	23.95	98.09	53.67	56.31	22.42					
	Interoffice Transport - Dedicated 2 Wire Voice Grade - Per Mile or Fraction Mile				U1TYM	0.0095	0.00	0.00							
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
LINE PORT/Loop Combination Rates															
	2-Wire VG Loop/Port Combo Zone 1	1				10.79									
	2-Wire VG Loop/Port Combo - Zone 2	2				15.52									
	2-Wire VG Loop/Port Combo - Zone 3	3				31.74									
LINE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	1			UEPBX	9.64									
	2-Wire Voice Grade Loop (SL1) - Zone 2	2			UEPBX	14.37									
	2-Wire Voice Grade Loop (SL1) - Zone 3	3			UEPLX	30.59									
2-Wire Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus				UEPBL	1.15	21.29	15.49	2.85	2.67					
	2-Wire voice unbundled port with Caller + E484 ID - bus				UEPBC	1.15	21.29	15.49	2.85	2.67					
	2-Wire voice unbundled port outgoing only - bus				UEPBO	1.15	21.29	15.49	2.85	2.67					
	2-Wire voice Grade unbound Kentucky extended local dialing party port with Caller ID - bus				UEPBM	1.15	21.29	15.49	2.85	2.67					
	2-Wire voice unbundled incoming only port with Caller ID - Bus				UEPBT	1.15	21.29	15.49	2.85	2.67					
	2-Wire Voice Unbundled Kentucky Business Dialing Plan without Caller ID				UEPWF	1.15	21.29	15.49	2.85	2.67					
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability				UEPBE	1.15	21.29	15.49	2.85	2.67					
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)				LNPCX	0.35									
FEATURES															
	All Features Offered				UEPVF	0.00	0.00	0.00							
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is				USAC2		0.10	0.10							
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change				USACC		0.10	0.10							
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity				USAS2		0.00	0.00							

UNBUNDLED NETWORK ELEMENTS - Kentucky																	
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2			Exhibit A		
						Rec	Nonrecurring		Nonrecurring First			Disconnect Add'l	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
							First	Add'l									
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83									
OFF/ON PREMISES EXTENSION CHANNELS																	
	2 Wire Analog Voice Grade Extension Loop - Non-Design	1		UEPBX	UEAEN	10.56	46.66	22.57	26.65	7.65							
	2 Wire Analog Voice Grade Extension Loop - Non-Design	2		UEPBX	UEAEN	15.34	46.66	22.57	26.65	7.65							
	2 Wire Analog Voice Grade Extension Loop - Non-Design	3		UEPBX	UEAEN	31.11	46.66	22.57	26.65	7.65							
	2 Wire Analog Voice Grade Extension Loop - Design	1		UEPBX	UEAED	12.67	134.89	81.87	73.65	14.88							
	2 Wire Analog Voice Grade Extension Loop - Design	2		UEPBX	UEAED	17.45	134.89	81.87	73.65	14.88							
	2 Wire Analog Voice Grade Extension Loop - Design	3		UEPBX	UEAED	33.22	134.89	81.87	73.65	14.88							
INTEROFFICE TRANSPORT																	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPBX	U1TV2	23.95	98.09	53.67	56.31	22.42							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPBX	U1TVM	0.0095	0.00	0.00									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																	
UNE Port Loop Combination Rates																	
	2-Wire VG Loop/Port Combo - Zone 1	1				10.79											
	2-Wire VG Loop/Port Combo - Zone 2	2				15.52											
	2-Wire VG Loop/Port Combo - Zone 3	3				31.74											
UNE Loop Rates																	
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1		UEPRG	UEPLX	9.64											
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2		UEPRG	UEPLX	14.37											
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3		UEPRG	UEPLX	30.59											
2-Wire Voice Grade Line Port Rates (RES - PBX)																	
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	1.15	21.29	15.49	2.85	2.67							
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00									
FEATURES																	
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00									
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As Is			UEPRG	USAC2		8.45	1.91									
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		8.45	1.91									
ADDITIONAL NRCs																	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00									
	PBX Subsequent Activity Change/Rearrange Multiline Hunt Group						7.86	7.86									
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83									
OFF/ON PREMISES EXTENSION CHANNELS																	
	Local Channel Voice grade per termination	1		UEPRG	P2JHX	12.67	134.89	81.87	73.65	14.88							
	Local Channel Voice grade per termination	2		UEPRG	P2JHX	17.45	134.89	81.87	73.65	14.88							
	Local Channel Voice grade per termination	3		UEPRG	P2JHX	33.22	134.89	81.87	73.65	14.88							
	Non-Wire Direct Serve Channel Voice Grade	1		UEPRG	SDD2X	12.68	170.06	78.10	119.62	15.80							
	Non-Wire Direct Serve Channel Voice Grade	2		UEPRG	SDD2X	18.12	170.06	78.10	119.62	15.80							
	Non-Wire Direct Serve Channel Voice Grade	3		UEPRG	SDD2X	29.64	170.06	78.10	119.62	15.00							
INTEROFFICE TRANSPORT																	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRG	U1TV2	23.95	98.09	53.67	56.31	22.42							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRG	U1TVM	0.0095	0.00	0.00									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																	
UNE Port Loop Combination Rates																	
	2-Wire VG Loop/Port Combo - Zone 1	1				10.79											
	2-Wire VG Loop/Port Combo - Zone 2	2				15.52											
	2-Wire VG Loop/Port Combo - Zone 3	3				31.74											

UNBUNDLED NETWORK ELEMENTS - Kentucky															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Manually Submitted per LSR	Attachment 2		Exhibit A	
						Nonrecurring		First	Disconnect			Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add 1	
						Rec	Add 1								SOMEC
	UNE Loop Rates														
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9 64									
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	14 37									
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	30 59									
	2-Wire Voice Grade Line Port Rates (BUS - PBX)														
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1 15	21 29	15 49	2 85	2 67					
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1 15	21 29	15 49	2 85	2 67					
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1 15	21 29	15 49	2 85	2 67					
	2-Wire Voice Unbundled OutDial Alabama NAR Area Calling Port			UEPPX	UEPOA										
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1 15	21 29	15 49	2 85	2 67					
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1 15	21 29	15 49	2 85	2 67					
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1 15	21 29	15 49	2 85	2 67					
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1 15	21 29	15 49	2 85	2 67					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1 15	21 29	15 49	2 85	2 67					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1 15	21 29	15 49	2 85	2 67					
	2-Wire Voice Unbundled 2 Way PBX Kentucky Room Area Calling Port without LUD			UEPPX	UEPXF	1 15	21 29	15 49	2 85	2 67					
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPPX	UEPXF	1 15	21 29	15 49	2 85	2 67					
	2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPPX	UEPXF	1 15	21 29	15 49	2 85	2 67					
	2-Wire Voice Unbundled 2 Way Kentucky Area Calling Port without LUD			UEPPX	UEPXF	1 15	21 29	15 49	2 85	2 67					
	2-Wire Voice Unbundled OutDial Kentucky NAR Area Calling Port			UEPPX	UEPXF	1 15	21 29	15 49	2 85	2 67					
	2-Wire Voice Unbundled 2 Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1 15	21 29	15 49	2 85	2 67					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1 15	21 29	15 49	2 85	2 67					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPFO	1 15	21 29	15 49	2 85	2 67					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1 15	21 29	15 49	2 85	2 67					
	LOCAL NUMBER PORTABILITY														
	Local Number Portability (1 per port)			UEPPX	LNPOP	3 15	0 00	0 00							
	FEATURES														
	All Features Offered			UEPPX	UEPVF	0 00	0 00	0 00							
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion Switch-As-Is			UEPPX	USAC2		8 45	1 91							
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		8 45	1 91							
	ADDITIONAL NRCs														
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0 00	0 00	0 00							
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7 86	7 86							
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise			UEPPX	URETL		8 33	0 63							
	OFF/ON PREMISES EXTENSION CHANNELS														
	Local Channel Voice grade per termination		1	UEPPX	P2JHX	12 67	134 89	81 87	73 65	14 88					
	Local Channel Voice grade per termination		2	UEPPX	P2JHX	17 45	134 89	81 87	73 65	14 88					
	Local Channel Voice grade per termination		3	UEPPX	P2JHX	33 22	134 89	81 87	73 65	14 88					
	Non Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12 68	170 06	78 10	119 62	15 80					
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	18 12	170 06	78 10	119 62	15 80					
	Non Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	29 64	170 06	78 10	119 62	15 00					
	INTEROFFICE TRANSPORT														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPPX	UITV2	23 95	98 09	53 67	56 31	22 42					

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment 2				Exhibit A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Disconnect First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile																
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT			UEPPX	UITYM	0.0095	0.00	0.00									
	UNE Port/Loop Combination Rates																
	2-Wire VG Coin Port/Loop Combo - Zone 1	1				10.79											
	2-Wire VG Coin Port/Loop Combo - Zone 2	2				15.62											
	2-Wire VG Coin Port/Loop Combo - Zone 3	3				31.74											
	UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1		UEPCO	UEPLX	9.64											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2		UEPCO	UEPLX	14.37											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3		UEPCO	UEPLX	30.59											
	2-Wire Voice Grade Line Ports (COIN)																
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL KY, LA MS)																
	2-Wire Coin 2-Way with Operator Screening (AL KY)			UEPRF	UEPRF	1.15	21.29	15.49	2.85	2.87							
	2-Wire Coin 2-Way with Operator Screening and Blocking 011 900/976 1+DDD (AL KY LA MS)			UEPRE	UEPRE	1.15	21.29	15.49	2.85	2.87							
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (KY)			UEPRA	UEPRA	1.15	21.29	15.49	2.85	2.87							
	2-Wire Coin 2-Way with Operator Screening & Blocking 900/976 1+DDD 011+ and Local (AL KY LA MS)			UEPCA	UEPCA	1.15	21.29	15.49	2.85	2.87							
	2-Wire Coin Outward without Blocking and without Operator Screening (KY LA MS)			UEPCD	UEPCD	1.15	21.29	15.49	2.85	2.87							
	2-Wire Coin Outward with Operator Screening and 011 Blocking (GA KY MS)			UEPCN	UEPCN	1.15	21.29	15.49	2.85	2.87							
	2-Wire Coin Outward with Operator Screening and Blocking 011 900/976 1+DDD (AL KY LA MS)			UEPCN	UEPCN	1.15	21.29	15.49	2.85	2.87							
	2-Wire Coin Outward Operator Screening & Blocking 900/976 1+DDD 011+ and Local (AL KY LA MS)			UEPCN	UEPCN	1.15	21.29	15.49	2.85	2.87							
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCN	UEPCN	1.15	21.29	15.49	2.85	2.87							
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCN	UEPCN	1.15	21.29	15.49	2.85	2.87							
	ADDITIONAL UNE COIN PORT/LOOP (RC)																
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	UEPCO	2.57	0.00	0.00	0.00	0.00							
	LOCAL NUMBER PORTABILITY			UEPCO	UEPCO	0.35											
	NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	UEPCO		0.10	0.10									
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	UEPCO		0.10	0.10									
	ADDITIONAL NRCS																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	UEPCO		0.00	0.00									
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise			UEPCO	UEPCO		8.33	0.83									
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)			UEPCO	UEPCO												
	UNE Port/Loop Combination Rates																
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1	1				13.90											
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2	2				18.88											
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3	3				34.45											
	UNE Loop Rates																
	2-Wire Voice Grade Loop (SL2) - Zone 1	1		UEPFR	UEPFR	12.67											
	2-Wire Voice Grade Loop (SL2) - Zone 2	2		UEPFR	UEPFR	17.45											
	2-Wire Voice Grade Loop (SL2) - Zone 3	3		UEPFR	UEPFR	33.22											
	2-Wire Voice Grade Line Port Rates (Res)																
	2-Wire voice unbundled port - residence			UEPFR	UEPFR	1.23	128.96	64.11	61.92	9.97							
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPFR	1.23	128.96	64.11	61.92	9.97							
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPFR	1.23	128.96	64.11	61.92	9.97							