| UNBUNDLE! | D NETWORK ELEMENTS - North Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: A |
|-----------|--|-------------|------|--------|----------------|--------|---------|------------|--------------|------------|--|-----------|-------------|--|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | II . | Submitted | Incremental | | Incremental Charge - | Incremental Charge - Manual Svo Order vs. |
| | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | <u> </u> |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3 | | | UEP9D | UEPUZ | 2.28 | 164.57 | 128.16 | | | | | 40.18 | 9.45 | | |
| | ,- | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPU9 | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPU2 | 2.28 | 79.59 | 63.97 | | | | | 40.18 | 9.45 | | ļ |
| | Switching | | | LIEBAR | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.903 | | | | | ļ | | | | | |
| | Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0.35 | | | | | | | | | | |
| Feature | | | | UEP9D | LNPCC | 0.35 | | | | | . | | | | | . |
| | All Standard Features Offered, per port | \vdash | | UEP9D | UEPVF | 3.40 | | | | | } | | | | | |
| | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 457.83 | | | | | | 40.18 | 9.45 | | |
| | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 3.40 | -107.03 | | | | 1 | | 40.10 | 3.43 | 1 | |
| NARS | | | | 05 | 1-2: .0 | 3.40 | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 0.00 | 40.18 | 9.45 | İ | 1 |
| | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 0.00 | 40.18 | 9.45 | | |
| | Unbundled Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 0.00 | 40.18 | 9.45 | | |
| | laneous Terminations | | | | | | | | | | | | | | | |
| | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9D | CEND6 | 12.36 | | | | | | | | | | |
| | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 123.65 | | | | | | | 40.18 | 9.45 | | |
| | DS0 Channels Activiated per Channel | | | UEP9D | M1HDO | 0.00 | 28.81 | | | | | | 40.18 | 9.45 | | |
| | fice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP9D | M1GBC | 18.00 | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | M1GBM | 0.0282 | | | | | | | | | | |
| | e Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | 1 | | | | | | | | | | | |
| D4 Cha | annel Bank Feature Activations | | | LIEDOD | 40014/0 | 0.05 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.65 | | | | | 1 | | | | | |
| . ' | Footure Astination on D.4 Channel Book EV line Cide Land Clat | | | UEP9D | 1PQW6 | 0.65 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP9D | TPQVV6 | 0.65 | | | | | | | | | | - |
| | Slot | | | UEP9D | 1PQW7 | 0.65 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | Different Wire Center | | | UEP9D | 1PQWP | 0.65 | | | | | | | | | | |
| . ' | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | ├ | | UEP9D | 1PQWV | 0.65 | | | | | | | | | | |
| ı l ' | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | LIEDOD | 40000 | 0.0- | | | | | | 1 | | | | |
| | Slot | \vdash | | UEP9D | 1PQWQ 1PQWA | 0.65 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | TPQWA | 0.65 | | | | | - | | | | | |
| Non-Re | ecurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed | \vdash | | | + + | - | | | | | | | | | | + |
| ı l ' | changes, per port | | | UEP9D | USAC2 | | 2.77 | 0.40 | | | | 1 | 40.18 | 9.45 | | |
| | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 695.11 | 0.40 | | | | - | 40.18 | 9.45 | | + |
| - | New Centrex Standard Common Block | | | UEP9D | M1ACC | 0.00 | 695.11 | | | | 1 | | 40.18 | 9.45 | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0.00 | 72.73 | | | | | | 40.18 | 9.45 | 1 | |
| | onal Non-Recurring Charges (NRC) | | | | | 2.00 | 0 | | | | | | 12.10 | 37.0 | | 1 |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise | | | UEP9D | URETL | | 8.33 | 0.83 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise | | | UEP9D | URETN | | 11.20 | 1.10 | | | | | | | | |
| | - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | OLI 3D | OINE IIN | | 11.20 | 1.10 | | | | | | | | |
| | 2 - Required For for Centrex Control in TAE33, 3E33 & EW3D | | | | + + | | + | | | | | | | | | † |
| | - Installation is combination of Installation charge for SL2 Lo | op and P | ort | | + + | | | | | | | - | | | | |
| | | | J | | | | | | | | | | | | | + |
| | - Requires Specific Customer Premises Equipment | | | | | | I | | | | | | | | | |

| IINRI | INDI F | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | hit: Δ |
|----------|----------|--|--|----------|-------------------------|----------------|-----------------|------------------|-----------------|--|-----------------|--|--|--|--|----------------|---------------|
| OIAD | JINDLL | | 1 | 1 | ı | | I | | | | | Svc Order | Svc Order | Incremental | | | |
| | | | | | | | | | | | | 1 | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | Manually | | Manual Svc | Manual Svc | Manual Svc |
| CATE | GORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| 07112 | | | m | | | | | | = (4) | | | per LSR | per LSR | | | | |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | _ | Nonre | curring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | 1 | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| | The "Z | one" shown in the sections for stand-alone loops or loops as | part of | a com | bination refers to Ge | ographically | Deaveraged U | NE Zones. To | view Geograp | hically Deavera | aged UNE Zon | e Designation | ons by Cent | ral Office, refe | er to internet | Nebsite: | ' |
| | http://v | www.interconnection.bellsouth.com/become_a_clec/html/inter | rconnec | tion.ht | m | | | | | | | | | | | | |
| OPER | ATIONAI | SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | | | | | | | | | | | | | | | |
| | NOTE: | (1) CLEC should contact its contract negotiator if it prefers th | ne "state | speci | fic" OSS charges as | ordered by t | he State Comm | issions. The | OSS charges c | urrently contai | ned in this rat | e exhibit are | the BellSo | uth "regional | " service orde | ring charges. | CLEC may |
| | elect e | ither the state specific Commission ordered rates for the servi | ice orde | ring ch | narges, or CLEC may | elect the re | gional service | ordering charg | je, however, Cl | LEC can not of | otain a mixture | of the two | regardless i | f CLEC has a | interconnecti | on contract e | stablished in |
| | | f the 9 states. | | | | | | | | | | | | | | | |
| | NOTE: | (2) Any element that can be ordered electronically will be bill | led acco | rding | to the SOMEC rate lis | sted in this o | ategory. Pleas | se refer to Bell | South's Local | Ordering Hand | book (LOH) to | determine | if a product | can be order | ed electronica | lly. For those | e elements |
| | that ca | nnot be ordered electronically at present per the LOH, the list | ed SOM | EC rat | e in this category ref | lects the cha | arge that would | l be billed to a | CLEC once el | ectronic orderi | ng capabilities | s come on-li | ne for that | element. Oth | erwise, the ma | anual ordering | g charge, |
| | SOMAI | N, will be applied to a CLECs bill when it submits an LSR to B | BellSoutl | h. | | | | | | | | | | | | | |
| | 1 | OSS - Electronic Service Order Charge, Per Local Service | | | | | | | | | | | | | | | |
| | | Request (LSR) - UNE Only | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| | | OSS - Manual Service Order Charge, Per Local Service Request | | | | | | | | | | | | | | | |
| | | (LSR) - UNE Only | | | | SOMAN | | 15.69 | 0.00 | 1.97 | 0.00 | | | | | | |
| UNE S | ERVICE | DATE ADVANCEMENT CHARGE | | | | | | | | | | | | | | | |
| | NOTE: | The Expedite charge will be maintained commensurate with | BellSou | th's F0 | CC No.1 Tariff, Section | n 5 as appli | cable. | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | UAL, UEANL, UCL, | | | | | | | | | | | | |
| | | | | | UEF, UDF, UEQ, | | | | | | | | | | | | |
| | | | | | UDL, UENTW, UDN, | | | | | | | | | | | | |
| | | | | | UEA, UHL, ULC, | | | | | | | | | | | | |
| | | | | | USL, U1T12, U1T48, | | | | | | | | | | | | |
| | | | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | | | | | U1TDX, U1TO3, | | | | | | | | | | | | |
| | | | | | U1TS1, U1TVX, | | | | | | | | | | | | |
| | | | | | UC1BC, UC1BL, | | | | | | | | | | | | |
| | | | | | UC1CC, UC1CL, | | | | | | | | | | | | |
| | | | | | UC1DC, UC1DL, | | | | | | | | | | | | |
| | | | | | UC1EC, UC1EL, | | | | | | | | | | | | |
| | | | | | UC1FC, UC1FL, | | | | | | | | | | | | |
| | | | | | UC1GC, UC1GL, | | | | | | | | | | | | |
| | | | | | UC1HC, UC1HL, | | | | | | | | | | | | |
| | | | | | UDL12, UDL48, | | | | | | | | | | | | |
| | | | | | UDLO3, UDLSX, | | | | | | | | | | | | |
| | | | | | UE3, ULD12, | | | | | | | | | | | | |
| | | | | | ULD48, ULDD1, | | | | | | | | | | | | |
| | | | | | ULDD3, ULDDX, | | | | | | | | | | | | |
| | | | | | ULDO3, ULDS1, | | | | | | | | | | | | |
| | | | | | ULDVX, UNC1X, | | | | | | | | | | | | |
| | | | | | UNC3X, UNCDX, | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | UNCNX, UNCSX, | | | | | | | | | | | | |
| | | | | | UNCVX, UNLD1, | | | | | | | | | | | | |
| | | | | | UNLD3, UXTD1, | | | | | | | | | | | | |
| | | INF F I'V OL O' 'V I' A ' II- IIOOO | | | UXTD3, UXTS1, | | | | | | | | | | | | |
| | | UNE Expedite Charge per Circuit or Line Assignable USOC, per | | | U1TUC, U1TUD, | 00400 | | 200.00 | | | | | | | | | |
| LINIDII | NDI ED 1 | Day | 1 | | U1TUB, U1TUA | SDASP | | 200.00 | | | | <u> </u> | | | | | |
| ONRO | | EXCHANGE ACCESS LOOP | 1 | | | | | | | | | <u> </u> | | | | | |
| - | 2-WIRE | ANALOG VOICE GRADE LOOP | 1 | 4 | LIEANI | LIEALO | 14.94 | 37.92 | 17.62 | 23.56 | F 00 | <u> </u> | | | | | |
| <u> </u> | + | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | } | | UEANL UEANL | UEAL2 UEAL2 | 14.94 21.39 | 37.92 37.92 | 17.62 | 23.56 | 5.32 | | | | | | |
| <u> </u> | + | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | - | | | | | | | | 5.32 | | <u> </u> | | | | |
| <u> </u> | + | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | - | | UEANL | UEAL2 | 26.72 | 37.92 | 17.62 | 23.56 | 5.32 | | <u> </u> | | | | |
| <u> </u> | + | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | } | | UEANL | UEASL | 14.94 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | |
| <u> </u> | + | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | } | 2 | UEANL | UEASL | 21.39 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | |
| <u> </u> | 1 | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | - | 3 | UEANL | UEASL | 26.72 | 37.92 | 17.62 | 23.56 | 5.32 | _ | - | - | - | | |
| 1 | 1 | Unbundled Miscellaneous Rate Element, Tag Loop at End User | 1 | 1 | LIFANII | LIDET: | | | | I | | | | I | I | | |
| - | + | Premise | | <u> </u> | UEANL | URETL | | 8.33 | 0.83 | | | ļ | - | | | | |
| ⊢— | + | Loop Testing - Basic 1st Half Hour | - | <u> </u> | UEANL | URET1 | - | 34.23 | 34.23 | . | - | ! | | - | - | | |
| | 1 | Loop Testing - Basic Additional Half Hour | <u> </u> | | UEANL | URETA | l | 19.90 | 19.90 | 1 | | 1 | 1 | 1 | 1 | | 1 |

Version 3Q03: 11/12/2003 Page 273 of 348

| UNBUNDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | ment: 2 | 1 | bit: A |
|----------------|--|--|--|---------------|----------|-------|-----------------|------------|--|------------|--|--|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | II . | Svc Order Submitted Manually per LSR | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonred | urring | Nonrecurring | Disconnect | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | |
| | (UVL-SL1) | | | UEANL | UREWO | | 15.81 | 8.96 | | | | | | | | |
| | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | | | | | | | | | | | | | |
| | providing make-up (Engineering Information - E.I.) | | | UEANL | UEANM | | 13.47 | 13.47 | | | | | | | | |
| | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 8.17 | 8.17 | | | | | | | | |
| | Order Coordination for Specified Conversion Time for UVL-SL1 | | | | | | | | | | | | | | | l |
| | (per LSR) | | | UEANL | OCOSL | | 18.13 | 18.13 | | | | | | | | |
| 2-WIRE | Unbundled COPPER LOOP | <u> </u> | | 1150 | LUEGOV | 10.01 | 00.10 | 10.10 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | 1 | | UEQ | UEQ2X | 12.94 | 36.40 | 16.10 | 22.66 | 4.42 | | | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | | UEQ | UEQ2X | 14.51 | 36.40 | 16.10 | 22.66 | 4.42 | 1 | | | | | - |
| - | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | | 3 | UEQ | UEQ2X | 15.02 | 36.40 | 16.10 | 22.66 | 4.42 | ļ | | | - | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise | | | UEQ | URETL | | 8.33 | 0.83 | | | | | | | 1 | 1 |
| | Manual Order Coordination 2 Wire Unbundled Copper Loop - | | - | ULV | UKEIL | | 0.33 | 0.83 | | | | - | | | + | |
| 1 | Non-Designed (per loop) | 1 | | UEQ | USBMC | | 8.17 | 8.17 | | | | | | | I | 1 |
| | Unbundled Copper Loop, Non-Design Copper Loop, billing for | <u> </u> | | OL W | CODIVIC | | 0.17 | 0.17 | | | | | | | | |
| | BST providing make-up (Engineering Information - E.I.) | | | UEQ | UEQMU | | 13.47 | 13.47 | | | | | | | | ĺ |
| | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 34.23 | 34.23 | | | 1 | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 19.90 | 19.90 | | | 1 | | | | | |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | 024 | O.K.E.IX | | 10.00 | 10.00 | | | | | | | | |
| | (UCL-ND) | | | UEQ | UREWO | | 14.30 | 7.45 | | | | | | | | ĺ |
| UNBUNDLED E | XCHANGE ACCESS LOOP | | | | 1 | | | | | | | | | | | |
| 2-WIRE | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEPSR UEPSB | UEALS | 14.94 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEPSR UEPSB | UEABS | 14.94 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEPSR UEPSB | UEALS | 21.39 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | _ | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UEPSR UEPSB | UEABS | 21.39 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | 3 | UEPSR UEPSB | UEALS | 20.70 | 27.00 | 47.00 | 22.50 | 5.32 | | | | | | ĺ |
| | Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | 3 | UEPSK UEPSB | UEALS | 26.72 | 37.92 | 17.62 | 23.56 | 5.32 | - | - | | | | |
| | Zone 3 | | 3 | UEPSR UEPSB | UEABS | 26.72 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | l |
| LINBUNDI ED E | EXCHANGE ACCESS LOOP | | 3 | OLF SK OLF SB | ULABS | 20.72 | 31.92 | 17.02 | 23.30 | 5.52 | <u> </u> | | 1 | | | |
| | ANALOG VOICE GRADE LOOP | | | | + | | | | | | | | | | - | — |
| 2 ****** | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | <u> </u> | | | 1 | | | | | | | | 1 | | 1 | |
| 1 | Ground Start Signaling - Zone 1 | 1 | 1 | UEA | UEAL2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | I | 1 |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | - | | | | | | | | |
| | Ground Start Signaling - Zone 2 | <u> </u> | 2 | UEA | UEAL2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | <u></u> |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 18.13 | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | l |
| | Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | _ | | LIEADO | | | | | | | | | | 1 | 1 |
| | Battery Signaling - Zone 2 | ļ | 2 | UEA | UEAR2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3 | 1 | 3 | UEA | UEAR2 | 20.40 | 105.00 | 60.40 | E2 05 | 10.04 | | | | | I | 1 |
| | Order Coordination for Specified Conversion Time (per LSR) | ! | 3 | UEA | OCOSL | 28.46 | 105.98 18.13 | 68.43 | 53.05 | 10.61 | | - | | - | | |
| 1 | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.90 | 36.44 | | | 1 | | | l | t | |
| + | Loop Tagging - Service Level 2 (SL2) | | | UEA | URETL | | 11.24 | 1.10 | | | | | | | t | <u> </u> |
| 4-WIRE | ANALOG VOICE GRADE LOOP | | | S=/ (| JIKETE | | 11.24 | 1.10 | | | | | | | t | — |
| 1 | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | † | |
| 1 | 4-Wire Analog Voice Grade Loop - Zone 2 | i e | | UEA | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | | İ | İ | 1 | |
| | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | İ | | 1 | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 18.13 | | 1 | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.90 | 36.44 | | | | | | | | |

| CATEGORY RATE ELEMENTS Intering Zone BCS USOC RATES (\$) | | Order vs. Order vs. |
|--|--|---|
| CATEGORY RATE ELEMENTS Intering Nonecurring None | Charge - Manual Svc Order vs. Electronic- 1st Charge - Manual Sv Order vs. Electronic- Add'l | Charge - c Manual Svc Order vs Electronic- Disc 1st Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| CATEGORY RATE ELEMENTS Intering Zone BCS USOC RATES (\$) | Manual Svc Order vs. Electronic- 1st OSS Rates (\$) | c Manual Svc Order vs. - Electronic- Disc 1st Manual Svc Order vs. Electronic- Disc Add'l |
| CATEGORY RATE ELEMENTS None BCS USOC RATES (\$) Per LSR Per LSR Per LSR Per LSR | Order vs. Electronic- 1st OSS Rates (\$) | Order vs. Electronic- Disc 1st Order vs. Electronic- Disc Add'l |
| Rec Nonrecurring | Electronic- 1st Electronic Add'l | - Electronic- Electronic- Disc 1st Disc Add'I |
| Nonrecurring Nonrecurring Nonrecurring Nonrecurring Some | 1st Add'l OSS Rates (\$) | Disc 1st Disc Add'I |
| New Som | OSS Rates (\$) | |
| New Som | | SOMAN SOMAN |
| New Som | SOMAN SOMAN | SOMAN SOMAN |
| 2-Wire ISDN Digital Grade Loop - Zone 1 | | |
| 2-Wire ISDN Digital Grade Loop - Zone 2 | | |
| 2-Wire ISDN Digital Grade Loop - Zone 3 3 UDN U1L2X 37.70 117.58 80.03 53.05 10.61 | | |
| Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch UDN UREWO 91.82 44.25 2-WIRE ASYMMETRICAL DIBITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 1 1 UAL UAL2X 12.19 120.84 70.56 50.37 7.93 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 2 UAL UAL2X 13.71 120.84 70.56 50.37 7.93 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 3 UAL UAL2X 14.14 120.84 70.56 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservation - Zone 1 UAL UAL2W 12.19 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservaton - Zone 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservaton - Zone 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservaton - Zone 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W | | |
| CLEC to CLEC Conversion Charge without outside dispatch 2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 1 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 3 3 UAL UAL2X 13.71 120.84 70.56 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservation - Zone 1 1 UAL UAL2W 12.19 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservator - Zone 2 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservator - Zone 2 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservator - Zone 2 3 UAL UAL2W 13.71 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 | | |
| 2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP | | |
| 2 Wire Unbundled ADSL Loop including manual service inquiry | | |
| Reacility reservation - Zone 1 | | |
| 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 2 UAL UAL2X 13.71 120.84 70.56 50.37 7.93 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 3 UAL UAL2X 14.14 120.84 70.56 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL OCOSL 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 3 UAL UAL2W 13.71 95.81 57.82 50.37 7.93 UAL UAL2W 13.71 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 | | |
| & facility reservation - Zone 2 2 UAL UAL2X 13.71 120.84 70.56 50.37 7.93 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 3 UAL UAL2X 14.14 120.84 70.56 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL OCOSL 18.13 | | |
| 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 3 UAL UALZX 14.14 120.84 70.56 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 1 UAL UALZW 12.19 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 2 UAL UALZW 13.71 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 2 UAL UALZW 13.71 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 3 UAL UALZW 14.14 95.81 57.82 50.37 7.93 UAL OCOSL 18.13 CLEC to CLEC Conversion Time (per LSR) UAL OCOSL 18.13 CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.38 40.48 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93 | | |
| Refacility reservation - Zone 3 | | |
| Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 1 UAL UAL2W 12.19 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 3 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL OCOSL 18.13 CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.38 40.48 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93 | | T T |
| 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 1 UAL UAL2W 12.19 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 3 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 | | |
| Facility reservaton - Zone 1 | | |
| 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL OCOSL 18.13 CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.38 40.48 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93 | | |
| Facility reservation - Zone 2 | | |
| 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3 3 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL OCOSL 18.13 CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.38 40.48 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93 2 UNITED COMPATIBLE UNITED COMPATIBLE UPLICATION OF THE COMPATIBLE UNITED COMPATIBLE U | | |
| Tacility reservation - Zone 3 | | |
| Order Coordination for Specified Conversion Time (per LSR) UAL OCOSL 18.13 CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.38 40.48 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93 | | |
| CLEC to CLEC Conversion Charge without outside dispatch 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93 2 Wire Unbundled HDSL Loop including manual service inquiry | | |
| 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93 2 Wire Unbundled HDSL Loop including manual service inquiry | | |
| 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93 2 Wire Unbundled HDSL Loop including manual service inquiry | | |
| & facility reservation - Zone 1 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93 2 Wire Unbundled HDSL Loop including manual service inquiry | | |
| 2 Wire Unbundled HDSL Loop including manual service inquiry | | |
| | | |
| | | |
| & facility reservation - Zone 2 2 UHL UHL2X 10.92 129.52 79.24 50.37 7.93 | | |
| 2 Wire Unbundled HDSL Loop including manual service inquiry | | |
| & facility reservation - Zone 3 3 UHL UHL2X 11.40 129.52 79.24 50.37 7.93 | | |
| Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 18.13 | | |
| 2 Wire Unbundled HDSL Loop without manual service inquiry | | |
| and facility reservation - Zone 1 1 UHL UHL2W 9.58 104.49 66.50 50.37 7.93 | | |
| 2 Wire Unbundled HDSL Loop without manual service inquiry | | |
| and facility reservation - Zone 2 2 UHL UHL2W 10.92 104.49 66.50 50.37 7.93 | | |
| 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - 7 one 3 | | |
| | | |
| Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 18.13 | | + |
| CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 86.32 40.48 | | + |
| 4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP 4 Wire Unbundled HDSL Loop including manual service inquiry | | + |
| 4 Wire Unbundled HUSL Loop including manual service inquiry and facility reservation - Zone 1 1 UHL UHL4X 16.02 158.18 107.89 55.12 10.38 | | 1 |
| aind lacinity reservation - 2016 1 Uril. Unit.4 16.02 156.16 107.69 55.12 10.36 14-Wire Unbundled HDSL Loop including manual service inquiry | | + + + |
| 4-vivile Unburinder HIDS. Loop including manual service inquiry and facility reservation - Zone 2 UHL UHL4X 14.33 158.18 107.89 55.12 10.38 | | 1 |
| and lacinity reservation - Zone 2 Unit Unit.4A 14.33 136.16 107.89 35.12 10.36 4-Wire Unbundled HDSL Loop including manual service inquiry | | + |
| and facility reservation - Zone 3 UHL UHL4X 16.84 158.18 107.89 55.12 10.38 | | 1 |
| dailu latuliny reservation - 2016 3 - 3 - 5 | | + |
| 4-Wire Unbundled HDSL Loop without manual service inquiry | | + + |
| and facility reservation - Zone 1 1 UHL UHL4W 16.02 133.14 95.16 55.12 10.38 | | 1 |
| 4-Wire Unbundled HDSL Loop without manual service inquiry | | + + + |
| and facility reservation - Zone 2 UHL UHL4W 14.33 133.14 95.16 55.12 10.38 | | |
| 4-Wire Unbundled HDSL Loop without manual service inquiry | | + + + |
| and facility reservation - Zone 3 UHL UHL4W 16.84 133.14 95.16 55.12 10.38 | | |
| Order Coordination for Specified Conversion Time (per LSR) UHL IOCOSL 18.13 | | 1 |
| CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 86.32 40.48 | | 1 |
| 4-WIRE DS1 DIGITAL LOOP | | 1 |
| 4-Wire DS1 Digital Loop - Zone 1 | | |
| 4-Wire DS1 Digital Loop - Zone 2 2 USL USLXX 136.00 253.03 157.89 44.80 11.73 | | 1 |
| 4-Wire DS1 Digital Loop - Zone 3 3 USL USLXX 229.15 253.03 157.89 44.80 11.73 | | |
| Order Coordination for Specified Conversion Time (per LSR) USL OCOSL 18.13 | | |

| UNBUNDI | _ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | ment: 2 | | bit: A |
|----------|--|-------------|------|----------------|---------|-------|--------|---|--------------|------------|---|---|----------|---|---|-----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | | _ | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | 1 | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CLEC to CLEC Conversion Charge without outside dispatch | i | | USL | UREWO | | 101.30 | 43.13 | | | | | | | | |
| 4-W | IRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | i | | | | | | | | | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | i | 1 | UDL | UDL19 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | i | 2 | UDL | UDL19 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 3 | UDL | UDL19 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | ĺ | | | Î | Î | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 | UDL | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | ĺ | | | Î | Î | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | ĺ | | | Î | Î | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | ĺ | | | Î | Î | |
| | Order Coordination for Specified Conversion Time (per LSR) | i | | UDL | OCOSL | | 18.13 | | | | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | ĺ | | | Î | Î | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | | UDL | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | j | 18.13 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 102.34 | 49.85 | | | | | | | | |
| 2-W | IRE Unbundled COPPER LOOP | | | | | | İ | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed including manual | i | | | | | | | | | | | | | | |
| | service inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 12.19 | 119.91 | 69.62 | 50.37 | 7.93 | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed including manual | i | | | | | | | | | | | | | | |
| | service inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 13.71 | 119.91 | 69.62 | 50.37 | 7.93 | | | | | | |
| | 2 Wire Unbundled Copper Loop-Designed including manual | | | | 1 1 | | | | | | | İ | | | | |
| | service inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 14.14 | 119.91 | 69.62 | 50.37 | 7.93 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.17 | 8.17 | | | | İ | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual | | | | | | | | | | | İ | | | | |
| | service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 12.19 | 94.87 | 56.89 | 50.37 | 7.93 | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual | | | | 1 1 | | | | | | | İ | | | | |
| | service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 13.71 | 94.87 | 56.89 | 50.37 | 7.93 | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual | | | | | | | | | | | İ | | | | |
| | service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 14.14 | 94.87 | 56.89 | 50.37 | 7.93 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | t | | UCL | UCLMC | | 8.17 | 8.17 | | | | | | | | † |
| | CLEC to CLEC Conversion Charge without outside dispatch | 1 | | | | | | | | | | | | | | † |
| | (UCL-Des) | | | UCL | UREWO | | 94.87 | 42.57 | | | | | | | | |
| 4-W | IRE COPPER LOOP | | | | | | | | | | | İ | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 19.64 | 144.17 | 93.88 | 55.12 | 10.38 | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry | t | | | | | | | | | | | | | | † |
| | and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 20.90 | 144.17 | 93.88 | 55.12 | 10.38 | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry | 1 | | | 1 | | | | | | | | | | | † |
| | and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 19.34 | 144.17 | 93.88 | 55.12 | 10.38 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | t | | UCL | UCLMC | | 8.17 | 8.17 | | | | | | | | † |
| | 4-Wire Copper Loop-Designed without manual service inquiry | t | | | | | | | | | | | | | | † |
| | and facility reservation - Zone 1 | | 1 | UCL | UCL4W | 19.64 | 119.13 | 81.15 | 55.12 | 10.38 | | | 1 | | | |
| | 4-Wire Copper Loop-Designed without manual service inquiry | 1 | | | 1 | | | • | | | | | | | | † |
| | and facility reservation - Zone 2 | | 2 | UCL | UCL4W | 20.90 | 119.13 | 81.15 | 55.12 | 10.38 | | | | | | |
| | 4-Wire Copper Loop-Designed without manual service inquiry | | | | 100-111 | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UCL | UCL4W | 19.34 | 119.13 | 81.15 | 55.12 | 10.38 | | | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | t | Ť | UCL | UCLMC | | 8.17 | 8.17 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | 1 | | | | | *** | | | | | | | | | |
| | (UCL-Des) | | | UCL | UREWO | | 94.87 | 42.57 | | | | | | | | |
| OOP MOD | IFICATION | t | | | | | | | | | | | | | | † |
| | | 1 | | UAL, UHL, UCL, | 1 1 | | | | | | | | | | | † |
| | | | | UEQ, ULS, UEA, | | | | | | | | | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | 1 | | UEANL, UEPSR, | | | l | | | | | | I | | | |
| | pair less than or equal to 18k ft, per Unbundled Loop | 1 | | UEPSB | ULM2L | | 32.46 | 32.46 | | | | | I | | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire | 1 | | | 1 | | | | i i | | 1 | | İ | İ | İ | |
| | less than or equal to 18K ft, per Unbundled Loop | 1 | | UHL, UCL, UEA | ULM4L | | 32.46 | 32.46 | | | | | I | | | |
| | | l | | UAL, UHL, UCL, | | | 5=:10 | 20 | 1 | | | | t | İ | İ | |
| | | 1 | | UEQ, ULS, UEA, | | | l | | | | | | I | | | |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, | | | UEANL, UEPSR, | | | l | | | | | | | | | |
| | per unbundled loop | 1 | 1 | UEPSB | ULMBT | | 32.48 | 32.48 | 1 | | 1 | 1 | 1 | l | l | 1 |

| UNBU | JNDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhil | oit: A |
|----------|---------|---|--|----------|-------------------------|----------------|---------------|---------------|---------------|--|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | 1 | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| L | | | Interi | _ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | GORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | 1 | | | | | | ı | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates (\$) | | |
| | 1 | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| SUB-L | OOPS | | | | | | | | | | | | | | | | |
| | Sub-Lo | oop Distribution | | | | | | | | | | | | | | | |
| | | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | | | | | | | | | | | | | | | |
| | ļ | Up | I | | UEANL | USBSA | | 241.42 | 241.42 | | | | | | | | |
| | | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | | | UEANL | USBSB | | 22.69 | 22.69 | | | | | | | | |
| - | + | Sub-Loop - Per Building Equipment Room - CLEC Feeder | ' | | UEAINL | USBSB | | 22.09 | 22.09 | 1 | | | | | | | |
| | | Facility Set-Up | l . | | UEANL | USBSC | | 177.84 | 177.84 | | | | | | | | |
| | | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel | | | | | | | | t | | | | | | | |
| | | Set-Up | - 1 | | UEANL | USBSD | | 55.58 | 55.58 | | | | | | | | |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| <u> </u> | 1 | Zone 1 | | 1 | UEANL | USBN2 | 8.87 | 65.94 | 31.03 | 45.35 | 6.71 | | | | | | |
| | | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | Ι. | 2 | UEANL | USBN2 | 12.58 | 65.94 | 31.03 | 45.35 | 6.71 | | | | | | |
| - | + | Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | - | | UEAINL | USBINZ | 12.58 | 65.94 | 31.03 | 45.35 | 0.71 | | | | | | |
| | | Zone 3 | 1 | 3 | UEANL | USBN2 | 14.79 | 65.94 | 31.03 | 45.35 | 6.71 | | | | | | |
| | † | 20.00 | _ | J | 02, 412 | 335112 | 14.73 | 00.04 | 01.00 | 40.00 | 0.71 | | | 1 | 1 | | |
| 1 | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.17 | 8.17 | 1 | | | | | | | |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | | Zone 1 | | 1 | UEANL | USBN4 | 14.11 | 79.21 | 44.29 | 49.82 | 9.09 | | | | | | |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | _ | | | | | | | | | | | | | |
| - | - | Zone 2 | - | 2 | UEANL | USBN4 | 19.40 | 79.21 | 44.29 | 49.82 | 9.09 | | | | | | |
| | | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN4 | 18.90 | 79.21 | 44.29 | 49.82 | 9.09 | | | | | | |
| - | + | Zone 3 | | 3 | OLANL | USBIN4 | 16.90 | 19.21 | 44.23 | 49.02 | 9.09 | | | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.17 | 8.17 | | | | | | | | |
| | | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | I | | UEANL | USBR2 | 2.41 | 53.13 | 18.21 | 45.35 | 6.71 | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.17 | 8.17 | | | | | | | | |
| | | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | I | | UEANL | USBR4 | 5.36 | 59.38 | 24.47 | 49.82 | 9.09 | | | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.17 | 8.17 | | | | | | | | |
| - | + | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 34.23 | 34.23 | 1 | | | | | | | |
| | 1 | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 19.90 | 19.90 | | | | | | | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | I | 1 | UEF | UCS2X | 7.11 | 65.94 | 31.03 | 45.35 | 6.71 | | | | | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | ı | | UEF | UCS2X | 9.83 | 65.94 | 31.03 | 45.35 | 6.71 | | | | | | |
| | | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | UEF | UCS2X | 10.48 | 65.94 | 31.03 | 45.35 | 6.71 | | | | | | |
| | | | | | uee. | LIODAGO | | | | | | | | | | | |
| | + | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | 1 | UEF UEF | USBMC UCS4X | 7.85 | 8.17 79.21 | 8.17 44.29 | 49.82 | 9.09 | | | - | - | | |
| | + | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | | UEF | UCS4X UCS4X | 7.85 14.17 | 79.21 | 44.29 | 49.82 | 9.09 | - | - | - | | | |
| - | 1 | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | H | | UEF | UCS4X | 12.64 | 79.21 | 44.29 | 49.82 | 9.09 | | | | | | |
| | † | 13ppor Gribaria Gab Edop Didiribation 2016 0 | <u> </u> | Ť | | 200.// | 12.04 | 10.21 | 77.20 | 70.02 | 0.09 | | | | | | |
| | | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 8.17 | 8.17 | | | | | | | | |
| | | Loop Testing - Basic 1st Half Hour | | | UEF | URET1 | | 34.23 | 34.23 | | | | | | | | |
| | | Loop Testing - Basic Additional Half Hour | | | UEF | URETA | | 19.90 | 19.90 | | | | | | | | |
| | Unbun | dled Network Terminating Wire (UNTW) | ļ | | LIENTA/ | LIENDS | | 22.2- | 20.5 | | | | | | | | |
| - | Notice | Unbundled Network Terminating Wire (UNTW) per Pair rk Interface Device (NID) | | | UENTW | UENPP | 0.3303 | 30.20 | 30.20 | | | | | | | | |
| - | INETWO | Network Interface Device (NID) - 1-2 lines | | - | UENTW | UND12 | | 43.68 | 28.79 | | | | | | | | |
| — | † | Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 64.42 | 49.53 | + | | | | | | | |
| | 1 | Network Interface Device Cross Connect - 2 W | 1 | | UENTW | UNDC2 | | 5.92 | 5.92 | 1 | | | | İ | İ | | |
| | | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | | 5.92 | 5.92 | | | | | | | | |
| UNE O | THER, F | PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |
| | | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | |
| - | 1 | UNTW Circuit Id Establishment, Provisioning Only - No Rate | ! | | UENTW | UENCE | 0.00 | 0.00 | | ļ | | | | | | | |
| | | Unbundled Contract Name, Provisioning Only - No Rate | 1 | | UEANL,UEF,UEQ,U ENTW | UNECN | 0.00 | 0.00 | | 1 | | | | | | | |
| LINE O | THER F | PROVISIONING ONLY - NO RATE | | - | LIN I VV | UNEUN | 0.00 | 0.00 | | + | | - | - | | | | |
| SINE U | THEN, I | NOTIOIONING ONE I - NO NATE | | <u> </u> | | l | | | | 1 | | i | 1 | I | I | | |

| UNBUNI | DLED | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: A |
|----------|------|---|-------------|--|-----------------------|---------------|-----------------|-----------------|------------------|--------------|-------|---------|------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|--|
| | | | | | | | | | | | | | Svc Order Submitted Manually | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc | Charge - |
| CATEGOR | RY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. Electronic- | Order vs. Electronic- | Order vs. Electronic- | Order vs. Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | • | | Rates (\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | UAL,UCL,UDC,UDL, | | | | | | | | | | | | |
| | | Unbundled Contact Name, Provisioning Only - no rate | | | UDN,UEA,UHL,ULC | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | | UEA,UDN,UCL,UDC | LICREO | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | | 1 | UEA,UDIN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | 1 |
| | | rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | 1 | | | | | |
| | | Unbundled DS1 Loop - Expanded Superframe Format option - | | | | | | | | | | | | | | | |
| | | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| HIGH CAF | | Y UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | l | | | | | | | | | | | l | |
| | | month | | <u> </u> | UE3 | 1L5ND | 12.26 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Facility Termination per month | | | UE3 | UE3PX | 306.36 | 452.52 | 264.53 | 119.75 | 83.77 | | | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | UDLSX | 1L5ND | 12.26 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Facility | | | ODEOX | TESIND | 12.20 | | | | | | | | | | |
| | | Termination per month | | | UDLSX | UDLS1 | 313.49 | 452.52 | 264.53 | 119.75 | 83.77 | | | | | | |
| LOOP MA | | | | | | | | | | | | | | | | | |
| | | Loop Makeup - Preordering Without Reservation, per working or | | | | | | | | | | | | | | | |
| | | spare facility queried (Manual). | | | UMK | UMKLW | | 24.04 | 24.04 | | | | | | | | |
| | | Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). | | | UMK | UMKLP | | 25.49 | 25.49 | | | | | | | | |
| | | Loop MakeupWith or Without Reservation, per working or spare facility gueried (Mechanized) | | | UMK | UMKMQ | | 0.34 | 0.34 | | | | | | | | |
| LINE SHA | | AND LINE SPLITTING | | | O.V.II.C | 01111 till Q | | 0.01 | 0.01 | | | 1 | | | | | |
| | | : The Line Sharing monthly recurring rates for all installation | ns com | pleted f | rom October 02, 200 | 3 through m | idnight Octobe | r 01, 2004 shal | l be billed as f | ollows: | | | | | | | |
| | | : 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co | pper lo | op nor | -designed ("UCLND | ") | | | | | | | | | | | |
| | | : 10/02/2004 - 10/01/2005: 50% of the rate for UCLND | | | | | | | | | | | | | | | |
| | | : 10/02/2005 - 10/01/2006: 75% of the rate for UCLND | | | | | | | | | | | | | | | |
| | | : Above will apply to USOCS: ULSDT and ULSCT | | | | L | <u> </u> | | | <u></u> | | | | | | | |
| | | 2: The Line Sharing monthly recurring rates with USOCs ULS HARING | SDC and | d ULSC | C applies only to cit | cuits install | ed and inservic | e on or before | October 1, 200 | 03 | | | | | | | |
| | | ERS-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | . |
| - or | | Line Sharing Splitter, per System 96 Line Capacity | | | ULS | ULSDA | 216.22 | 189.21 | 0.00 | 178.38 | 0.00 | | | | | | |
| | | Line Sharing Splitter, per System 39 Line Capacity | | t | ULS | ULSDB | 54.05 | 189.21 | 0.00 | 178.38 | 0.00 | | | | 1 | | |
| | | Line Sharing Splitter, Per System, 8 Line Capacity | i | i i | ULS | ULSD8 | 18.02 | 189.21 | 0.00 | 178.38 | 0.00 | | İ | | | l | |
| | | Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD) | | | ULS | ULSDG | | 86.67 | 0.00 | 49.95 | 0.00 | | | | | | |
| EN | | SER ORDERING-CENTRAL OFFICE BASED LINE SHARING | | | 020 | 02020 | | 00.01 | 0.00 | 10.00 | 0.00 | | | | | | |
| | | Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2 | | | ULS | ULSDC | 0.61 | 18.55 | 10.62 | 10.04 | 4.93 | | | | | | |
| | | Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 | | | | | | | | | | | | | | | |
| | | (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter - | - | - | ULS | ULSDT | 3.24 | 18.55 | 10.62 | 10.04 | 4.93 | - | | | | | - |
| | | Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) | | | ULS | ULSDT | 6.47 | 18.55 | 10.62 | 10.04 | 4.93 | | | | | | |
| | | Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) | | | ULS | ULSDT | 9.71 | 18.55 | 10.62 | 10.04 | 4.93 | | | | | | |
| | | Line Sharing - per Subsequent Activity per Line | | i – | | | Ü I | | | 10.04 | 50 | | 1 | | | | |
| | | Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line | | | ULS | ULSDS | | 16.42 | 8.21 | | | | | | | | |
| | | Rearrangement(DLEC Owned Splitter) | | | ULS | ULSCS | | 16.42 | 8.21 | | | | | | | | |
| | | Line Sharing - per Line Activation (DLEC owned Splitter) - OBSOLETE see **NOTE 2 | | | ULS | ULSCC | 0.61 | 47.44 | 19.31 | 20.67 | 12.74 | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | ment: 2 | 1 | bit: A |
|--|--|--|------|-------------|----------|---------|---------|------------|--------------|--------|--|---|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | II . | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Line Share Service, TRO per line activation, CLEC owned | | | | | | | | | | | | | | | |
| | splitter - Central Office Located (25% of UCLND) - please see | | | | | | | | | | | | | | | l |
| | NOTE 1 (E:10/2/2003) | | | ULS | ULSCT | 3.24 | 47.44 | 19.31 | 20.67 | 12.74 | ļ | | | | | |
| | Line Share Service, TRO per line activation, CLEC owned | | | | | | | | | | | | | | | l |
| | splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) | | | ULS | ULSCT | 6.47 | 47.44 | 19.31 | 20.67 | 12.74 | | | | | | l |
| | Line Share Service, TRO per line activation, CLEC owned | | | ULS | ULSCI | 0.47 | 47.44 | 19.31 | 20.67 | 12.74 | | | | | | |
| | splitter - Central Office Located (75% of UCLND) - please see | | | | | | | | | | | | | | | ĺ |
| | NOTE 1 (E:10/2/2005) | | | ULS | ULSCT | 9.71 | 47.44 | 19.31 | 20.67 | 12.74 | | | | | | l |
| LINE S | PLITTING | | | | | **** | | | | | İ | | | | | |
| | SER ORDERING-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | |
| | Line Splitting - per line activation DLEC owned splitter | | | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | | | |
| | Line Splitting - per line activation BST owned - physical | | | UEPSR UEPSB | UREBP | 0.61 | 37.09 | 21.24 | | 9.85 | | | | | | |
| | Line Splitting - per line activation BST owned - virtual | | | UEPSR UEPSB | UREBV | 0.61 | 37.09 | 21.24 | 20.07 | 9.85 | | | | | | |
| MAINT | ENANCE | | | | 1 | | | | | | | | | | | |
| | No Trouble Found - per 1/2 hour increments - Basic | ļ | | | | | 80.00 | 55.00 | ļ | | | | ļ | | ļ | 1 |
| | No Trouble Found - per 1/2 hour increments - Overtime | | | | | | 120.00 | 82.50 | | | ļ | | | | | |
| LINIBUNDI ED | No Trouble Found - per 1/2 hour increments - Premium | | | | | | 160.00 | 110.00 | | | | | | | | |
| | DEDICATED TRANSPORT OFFICE CHANNEL - DEDICATED TRANSPORT | | - | | + | | | | | | | | 1 | | 1 | |
| INTER | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | + | | | | | | | | | | | |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.0167 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | OTTVX | TESTA | 0.0107 | | | | | 1 | | | | | - |
| | Facility Termination | | | U1TVX | U1TV2 | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | ĺ |
| | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | | | | | | | | İ | | | | | |
| | Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.0167 | | | | | | | | | | ĺ |
| | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat | | | | | | | | | | | | | | | |
| | Facility Termination | | | U1TVX | U1TR2 | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | ĺ |
| | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.0167 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade | | | | | | | | | | | | | | | |
| | - Facility Termination | | | U1TVX | U1TV4 | 21.29 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | | | | | | | | | | ĺ |
| | per month | | | U1TDX | 1L5XX | 0.0167 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | 40.70 | 40.00 | | | | | | | | | |
| | Termination | | - | U1TDX | U1TD5 | 16.76 | 40.63 | 27.47 | 16.77 | 6.91 | ļ | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0167 | | | | | | | 1 | | 1 | 1 |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | 1 | | OTIDA | 1LUAA | 0.0167 | | | + | | 1 | 1 | | 1 | | |
| | Termination | | | U1TDX | U1TD6 | 16.76 | 40.63 | 27.47 | 16.77 | 6.91 | | | 1 | | 1 | 1 |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | <u> </u> | | | 320 | 10.70 | 40.00 | 21.41 | 10.77 | 0.91 | | | 1 | 1 | 1 | |
| | month | 1 | | U1TD1 | 1L5XX | 0.3415 | | | | | | | I | | I | 1 |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | i | | | | ,,,,,,, | | | 1 | | Ì | İ | 1 | İ | 1 | |
| | Termination | 1 | | U1TD1 | U1TF1 | 77.14 | 89.47 | 81.99 | 16.39 | 14.48 | | | I | | I | 1 |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | İ | | | 1 | | | | | | | Ì | | 1 | | |
| | month | | | U1TD3 | 1L5XX | 8.02 | | | | | | | <u> </u> | | <u> </u> | <u> </u> |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | 1 |
| | Termination per month | | | U1TD3 | U1TF3 | 880.65 | 279.37 | 163.12 | 60.33 | 58.59 | | | | | | ــــــ |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | 1 | | | 1 | _ | | | | | | 1 | I | | I | 1 |
| | month | | | U1TS1 | 1L5XX | 8.02 | | | | | | | - | | - | ├ |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility | | | LIATOA | U1TFS | 880.55 | 070.07 | 400.40 | 00.00 | 58.59 | | | 1 | | 1 | 1 |
| DARK FIBER | Termination | | | U1TS1 | UTIFS | 880.55 | 279.37 | 163.12 | 60.33 | 58.59 | 1 | - | | | | |
| DAKK FIBEK | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | ! | - | | + | | | | 1 | | | - | | | | |
| 1 | Thereof per month - Interoffice Channel | | | UDF, UDFCX | 1L5DF | 36.41 | | | | | | | 1 | | 1 | 1 |
| | NRC Dark Fiber - Interoffice Channel | | | UDF, UDFCX | UDF14 | 30.41 | 640.51 | 138.17 | 317.76 | 198.11 | | | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | 55., 65i 6X | 221 14 | | 0-10.01 | 100.17 | 517.70 | 100.11 | | | <u> </u> | | <u> </u> | \vdash |
| | Thereof per month - Local Loop | 1 | | UDF, UDFCX | 1L5DL | 97.65 | | | | | | 1 | I | | I | 1 |
| | NRC Dark Fiber - Local Loop | | t | UDF, UDFCX | UDFL4 | | 640.51 | 138.17 | 317.76 | 198.11 | 1 | † | 1 | i e | 1 | |

| UNBUNDL | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: A |
|--|--|--------|--|------------|---------|------------------------|--------|------------|--------------|------------|--------------|-----------|-------------|--------------|--|--|
| | | | | | | | | | | | Svc Order | Svc Order | | | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | - | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| <u> </u> | | - | | | | - | Nonrec | in a | Nonrecurring | Disconnect | | | 220 | Rates (\$) | 1 | |
| - | | | | | - | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 8XX ACCES | S TEN DIGIT SCREENING | | | | - | | riist | Add I | FIISL | Auu i | JOINEC | JOINAN | JOWAN | JOWAN | JOWAN | JOWAN |
| JOHN AGGEG | 8XX Access Ten Digit Screening, Per Call | | | OHD | | 0.0006673 | | | | | 1 | | | | | 1 |
| | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX | | | 0.15 | | 0.0000070 | | | | | İ | İ | | | | |
| | Number Reserved | | | OHD | N8R1X | | 2.59 | 0.44 | | | | | | | | |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O | | | | | | | | | | | | | | | |
| | POTS Translations | | | OHD | | | 5.95 | 0.81 | 4.58 | 0.54 | | | | | | |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established With | | | | | | | | | | | | | | | |
| | POTS Translations | | | OHD | N8FTX | | 5.95 | 0.81 | 4.58 | 0.54 | | | | | | |
| | 8XX Access Ten Digit Screening, Customized Area of Service | | | | | | | | | | | | | | | |
| | Per 8XX Number | | | OHD | N8FCX | | 2.59 | 1.30 | | | | | | | | |
| | 8XX Access Ten Digit Screening, Multiple InterLATA CXR | | | | | | | | | | | | | | | |
| | Routing Per CXR Requested Per 8XX No. | | | OHD | N8FMX | | 3.03 | 1.74 | | | | | | | | |
| | 8XX Access Ten Digit Screening, Change Charge Per Request | | <u> </u> | OHD | N8FAX | | 3.03 | 0.44 | | | ļ | | | | ļ | ļ |
| | 8XX Access Ten Digit Screening, Call Handling and Destination | | | 0.15 | | | | | | | | | | | | |
| \vdash | Features | | <u> </u> | OHD | N8FDX | 0.0000070 | 2.59 | 2.59 | | | ļ | ļ | | | | |
| | 8XX Access Ten Digit Screening, w/ 8XX No. Delivery | | | OHD OHD | | 0.0006673 | | | | | 1 | | | | | |
| LINE INFOR | 8XX Access Ten Digit Screening, w/ POTS No. Delivery MATION DATA BASE ACCESS (LIDB) | | | OHD | - | 0.0006673 | | | | | . | - | | | - | 1 |
| LINE INFOR | LIDB Common Transport Per Query | | | OQT | - | 0.0000246 | | | 1 | | | | | | | |
| — | LIDB Validation Per Query | | - | OQU | | 0.0138158 | | | | | 1 | 1 | | | - | 1 |
| | LIDB Originating Point Code Establishment or Change | | | OQT, OQU | NRBPX | 0.0136136 | 34.40 | | 42.18 | | <u> </u> | | | | | |
| SIGNALING | | | | 001,000 | INICOLX | | 34.40 | | 42.10 | | † | | | | | |
| CICITALIITO | CCS7 Signaling Connection, Per 56 Kbps Facility | | | UDB | TPP++ | 16.93 | 35.61 | 35.61 | 16.48 | 16.48 | 1 | | | | | 1 |
| | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 163,49 | | | | | İ | İ | | | | |
| | CCS7 Signaling Usage, Per TCAP Message | | | UDB | | 0.0000692 | | | | | İ | | | | | |
| | CCS7 Signaling Connection, Per link (A link) | | 1 | UDB | TPP++ | 16.93 | 35.61 | 35.61 | 16.48 | 16.48 | | | | | | |
| | CCS7 Signaling Connection, Per link (B link) (also known as D | | | | | | | | | | | | | | | |
| | link) | | | UDB | TPP++ | 16.93 | 35.61 | 35.61 | 16.48 | 16.48 | | | | | | |
| | CCS7 Signaling Usage, Per ISUP Message | | | UDB | | 0.0000173 | | | | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 791.37 | | | | | | | | | | |
| | CCS7 Signaling Point Code, per Originating Point Code | | | | | | | | | | | | | | | |
| | Establishment or Change, per STP affected | | | UDB | CCAPO | | 29.08 | 29.08 | 35.65 | 35.65 | | | | | | |
| | CCS7 Signaling Point Code, per Destination Point Code | | | | | | | | | | | | | | | |
| | Establishment or Change, Per Stp Affected | | | UDB | CCAPD | | 29.08 | 29.08 | 35.65 | 35.65 | | | | | | |
| E911 SERVI | Local Channel - Dedicated - 2-wr Voice Grade | | 1 | | _ | 15.33 | 193.53 | 33.24 | 36.72 | 3.21 | - | - | | | | |
| - | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile | | | | - | 0.0167 | 193.53 | 33.24 | 30.72 | 3.21 | - | | | | - | |
| | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility | | 1 | | + | 0.0167 | | | | | <u> </u> | | | - | | |
| | Termination | | | | | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | I | |
| | Local Channel - Dedicated - DS1 - Zone 1 | t | | | + | 42.62 | 177.87 | 154.06 | 22.24 | 15.30 | 1 | 1 | | 1 | I | 1 |
| | Local Channel - Dedicated - DS1 - Zone 2 | | l | | | 70.32 | 177.87 | 154.06 | 22.24 | 15.30 | | | | | 1 | |
| | Local Channel - Dedicated - DS1 - Zone 3 | | | | | 190.68 | 177.87 | 154.06 | 22.24 | 15.30 | İ | | | | | |
| | Interoffice Transport - Dedicated - DS1 Per Mile | | i – | | | 0.3415 | | | | | İ | İ | | | | 1 |
| | | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 Per Facility Termination | | <u></u> | | | 77.14 | 89.47 | 81.99 | 16.39 | 14.48 | | <u> </u> | | <u> </u> | | <u> </u> |
| CALLING N | AME (CNAM) SERVICE | | | | | | | | | | | | | | | |
| | CNAM For DB Owners - Service Establishment | | | OQV | | | 23.00 | 23.00 | 21.15 | 21.15 | | | | | | |
| $oxed{oxed}$ | CNAM For Non DB Owners - Service Establishment | | <u> </u> | OQV | | | 23.00 | 23.00 | 21.15 | 21.15 | | | | | ļ | ļ |
| | CNAM For DB Owners - Service Provisioning With Point Code | | | | | | | | | | | | | | I | |
| \vdash | Establishment | | 1 | OQV | + | | 993.09 | 734.47 | 269.53 | 198.18 | - | | | | - | ļ |
| | CNAM For Non DB Owners - Service Provisioning With Point | | | 001/ | | | 040.00 | 045.63 | 075 0- | 400.40 | | | | | I | |
| \vdash | Code Establishment | - | ├ | OQV OQV | + | 0.0040400 | 343.09 | 245.69 | 275.87 | 198.18 | | ļ | | - | | |
| | CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query | - | ├ | OQV OQV | + | 0.0010433 0.0010433 | | | | | | ļ | | - | | |
| SELECTIVE | | - | | UQV | + | 0.0010433 | | | | | | | | | + | 1 |
| IOLLLOIIVE | | - | 1 | | + | | | | 1 | | 1 | 1 | | | | |
| | ISelective Routing Per Unique Line Class Code Per Peguest Per | | | | | | | | | | | | | | | |
| | Selective Routing Per Unique Line Class Code Per Request Per Switch | | | | | | 84.89 | 84.89 | 14.14 | 14.14 | | | | | | |

| CATEGORY RATE ELEMENTS BCS USOC RATES (\$) per LSR per LSR Order vs. Electronic-1st | NDLED I | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | ment: 2 | | bit: A |
|--|---------|--|----------|----------|---------------|----------|-----------------|----------------|-----------------|-----------------|---------------|-------------------|-----------------------|---|---|---|---|
| Mac | DRY | RATE ELEMENTS | | Zone | BCS | USOC | | | | | | Submitted Elec | Submitted Manually | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| Vistal Chicaginary View Closs Connects (Loop) for Line | | | | | | | Rec | | | | | | | | Rates (\$) | | |
| Spring | 1.0 | The LOUIS AND AND AND AND AND AND AND AND AND AND | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| PRYSICAL COLLOCATION | | | | | HEDOD HEDOD | VE41.0 | 0.0047 | 40.00 | 44.00 | 0.04 | F 4F | | | | ĺ | | 1 |
| Physical Colosion 2 Wine Cross Connects (Loop) for Line UEPSR UEPSB PELLS 0.0541 12.22 11.33 6.04 5.45 | | | | - | DEPSK DEPSB | VETLS | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | - | | | | | |
| Splitting | | | | | | + | | | | | | - | | | | | - |
| AM SELECTIVE CARRIER ROUTING Regional Service Establishment Regional Service Service Service Regional Service Service Service Regional Service Service Service Service Regional Service Servic | | | | | HEDSD HEDSB | DE1LS | 0.03/11 | 12 32 | 11 83 | 6.04 | 5.45 | | | | ĺ | | ĺ |
| Regional Service Establishment SRC SRCEC 101,324.34 101,324.34 8,000.85 | | | | | OLI OK OLI OB | I L ILO | 0.0341 | 12.02 | 11.00 | 0.04 | 3.43 | † | | | | | |
| End Office Establishment | | | | | SRC | SRCEC | | 101.324.34 | 101.324.34 | 8,609,85 | 8.609.85 | 1 | | | | | |
| Duty NRC, per query | | | | | | | | | | | | | | | | | |
| ANS MAS Access Service - Service Establishment, Per State, halfs Study AN SMS Access Service - Port Connoption - DisUS bursted Access - AN - CAMDP - 7.65 7.65 9.11 | | | | | | | 0.0035036 | | | | | | | | | | |
| Initial Setup | LLSOUT | H AIN SMS ACCESS SERVICE | | | | | | | | | | | | | | | |
| AN SMS Access Service - Port Connection - Dial/Shared Access AND SMS Access Service - Port Connection - SIDN Access AND SMS Access Service - Port Connection - SIDN Access AND SMS Access Service - Port Connection - SIDN Access AND SMS Access Service - Storage - Port User ID Code, Inland or Replacement - Inland or Repl | Al | IN SMS Access Service - Service Establishment, Per State, | | | | | | | | | | | | | | | |
| AN SMS Access Service - Port Connection - ISDN Access An IN CAMIP 7.85 7.85 9.11 9.11 AN ISMS Access Service - Development of Code of the ID Code of | In | itial Setup | | | A1N | CAMSE | | 39.53 | 39.53 | 40.78 | 40.78 | | | | L | | |
| AN SMS Access Service - Port Connection - ISDN Access An IN CAMIP 7.85 7.85 9.11 9.11 AN ISMS Access Service - Development of Code of the ID Code of | | | | | | | | | | | | | | | 1 | | 1 |
| ANN SUS Access Service - User Identification Codes - Per User ID Code A1N | | | | | | | | | | | | | | | └ | | |
| Di Code | | | | | A1N | CAM1P | | 7.85 | 7.85 | 9.11 | 9.11 | | | | | | |
| AIN SMS Access Service - Sensing- Per Unit (100 Kilobytes) | | | | | | | | | | | | | | | 1 | | [|
| Initial or Replacement | | | | | A1N | CAMAU | | 35.08 | 35.08 | 27.12 | 27.12 | | | | ⊢— | | \vdash |
| AIN SMS Access Service - Session, Per Minute | | | | | | 044400 | | 44.00 | 44.00 | 44.74 | 44.74 | | | | ĺ | | |
| AIN SMS Access Service - Session, Per Minute | | | | - | ATN | CAMRC | 0.0007 | 41.98 | 41.98 | 11.74 | 11.74 | | | | ├ | | |
| AIN SMS Access Service - Company Performed Session, Per Minute Mi | | | | - | | + | | | | - | | - | | | | | |
| Minute | | | | | | + | 0.7121 | | | | | - | | | | | |
| AIN - BELLSOUTH AIN TOOLKIT SERVICE AIN TOOKIT SERVICE CAM BAPSC 39.53 39.53 40.78 40.78 | | | | | | | 0.8364 | | | | | | | | ĺ | | |
| ANT Toolist Service - Service Establishment Charge, Per State, | | | | | | 1 | 0.0304 | | | | | 1 | | | | | |
| Initial Setup | | | | | | + | | | | 1 | | | | | | | |
| All Toolkit Service - Triging Session, Per Customer BAPYX 4,211.54 4,211.54 0,00 | | | | | CAM | BAPSC | | 39 53 | 39 53 | 40.78 | 40.78 | | | | ĺ | | |
| All Toolkit Service - Trigger Access Charge, Per Trigger, Per D. D. Fem. Attempt All No Collik Service - Trigger Access Charge, Per Trigger, Per D. D. D. G. D. D. G. D. D. G. D. D. G. D. D. G. D. D. G. D. D. G. D. D. G. D. D. D. D. D. D. D. D. D. D. D. D. D. | | | | | 0, 111 | | | | | | | | | | | | |
| DN. Term. Attempt | | | | | | 1 | | , | , | | | | | | | | |
| DN, Off-Hook Delay Al N Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate Al N Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate Al N Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate Al N Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate Al N Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate Al N Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Pe | | | | | | BAPTT | | 7.85 | 7.85 | 9.11 | 9.11 | | | | ĺ | | |
| ANI Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. 0ff-Hobd kinmediate ANI Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. 10-Digit PODP ANI Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. 10-Digit PODP ANI Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. CDP ANI Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. CDP ANI Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. CDP ANI Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Feature Code ANI Toolkit Service - Query ANI Toolkit Service - Special Study - Per Ali Toolkit Service Subscription ANI Toolkit Service - Special Study - Per Ali Toolkit Service Subscription ANI Toolkit Service - Call Event Report - Per Ali Toolkit Service Subscription ANI Toolkit Service - Call Event Report - Per Ali Toolkit Service Subscription CAM BAPLS A. 3.51 A. 86 BAPES D. 12 BAPTE A. 3.54 A. 34.54 A. 14.39 | Al | IN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| DN, Off-Hook Immediate AN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Dight PODP ANT Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Dight PODP AND Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Dight PODP BAPTC AND Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP AND Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Easture Code AND Toolkit Service - Query Charge, Per Query AND Toolkit Service - Query Charge, Per Alm Toolkit Subscription, Per Node, Per Ouery AND Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes AND Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes AND Toolkit Service - Special Study - Per Alm Toolkit Service Subscription AND Toolkit Service - Special Study - Per Alm Toolkit Service Subscription AND Toolkit Service - Call Event Report - Per Alm Toolkit Service Subscription AND Toolkit Service - Call Event Special Study - Per Alm Toolkit Service Subscription AND Toolkit Service - Call Event Special Study - Per Alm Toolkit Service Subscription AND Toolkit Service - Call Event Special Study - Per Alm Toolkit Service Service Subscription AND Toolkit Service - Call Event Special Study - Per Alm Toolkit Service Service Subscription CAM BAPDS A.84 A.85 A.86 BAPDS A.86 BAPDS A.86 BAPDS A.86 BAPDS A.86 BAPDS A.86 BAPDS A.86 BAPDS A.86 BAPDS A.86 BAPDS A.86 BAPDS A.86 BAPDS A.87 BAPDS A.88 CAM BAPDS A.88 CAM BAPDS A.89 BAPDS A.89 CAM BAPDS A.89 CAM BAPDS A.80 CAM BAPDS | | | | | | BAPTD | | 7.85 | 7.85 | 9.11 | 9.11 | | | | | | |
| All Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP All Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP All Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP All Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Eature Code All Toolkit Service - Query Charge, Per Query All Toolkit Service - Query Charge, Per All Toolkit Subscription, Per Node, Per Query All Toolkit Service - Storage Charge, Per SMS Access Account, Per 100 Kilobytes All Toolkit Service - Special Study - Per All Toolkit Service Subscription All Toolkit Service - Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event Report - Per All Toolkit Service Subscription All Toolkit Service - Call Event Report - Per All Toolkit Service Subscription CAM BAPLS 3.51 BAPDS A.84 3.454 3.4.54 14.39 14.39 14.39 1 | | | | | | | | | | | | | | | | | |
| DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 10 Kilobytes AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 10 Kilobytes AIN Toolkit Service - SCP Storage Charge, Per AIN Toolkit Service Subscription AIN Toolkit Service - SCP Storage Charge, Per AIN Toolkit Service Subscription AIN Toolkit Service - SCP Storage Charge, Per AIN Toolkit Service AIN Toolkit Service - SCP Storage Charge, Per AIN Toolkit Service AIN Toolkit Service - SCP Storage Charge, Per AIN Toolkit Service AIN Toolkit Service - SCP Storage Charge, Per AIN Toolkit Service AIN Toolkit Service - Scpecial Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Service Subscription CAM BAPDS BAP | | | | | | BAPTM | | 7.85 | 7.85 | 9.11 | 9.11 | | | | | | |
| All Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP All Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code All Toolkit Service - Query Charge, Per Query All Toolkit Service - Ouery Charge, Per Query All Toolkit Service - Type 1 Node Charge, Per All Toolkit Subscription, Per Node, Per Query All Toolkit Service - Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event Report - Per All Toolkit Service Subscription All Toolkit Service - Call Event Special Study - Per All Toolkit Subscription All Toolkit Service - Call Event Special Study - Per All Toolkit Service - Call Event Report - Per All Toolkit Service - Call Event Report - Per All Toolkit Service Subscription All Toolkit Service - Call Event Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event Report - Per All Toolkit Service Subscription All Toolkit Service - Call Event Report - Per All Toolkit Service Subscription All Toolkit Service - Call Event Report - Per All Toolkit Service Subscription All Toolkit Service - Call Event Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event S | | | | | | | | | | | | | | | ĺ | | |
| DN, CDP AIN Toolkit Service - Guery Charge, Per Aln Toolkit Service Subscription AIN Toolkit Service - Special Study - Per Aln Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per Aln Toolkit Service Subscription AIN Toolkit Service - Special Study - Per Aln Toolkit Service Subscription AIN Toolkit Service - Call Event Special Study - Per Aln Toolkit Service Subscription AIN Toolkit Service - Call Event Special Study - Per Aln Toolkit Service Subscription AIN Toolkit Service - Call Event Special Study - Per Aln Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per Aln Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per Aln Toolkit Service Subscription CAM BAPLS 3.51 BAPDS 8.48 7.85 7.85 5.52 5.52 AIN Toolkit Service - Call Event Special Study - Per Aln Toolkit Service Subscription CAM BAPDS 8.48 7.85 7.85 5.52 5.52 AIN Toolkit Service - Call Event Report - Per Aln Toolkit Service Subscription CAM BAPDS 8.48 7.85 7.85 7.85 7.85 7.85 7.85 7.85 7.8 | | | | | | BAPTO | | 34.54 | 34.54 | 14.39 | 14.39 | | | | | | |
| AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPLS 3.51 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPLS 3.51 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS A.88 A.88 A.88 CAM BAPDS A.88 A.88 BABES BABES A.88 BABES A.88 BABES BABES A.88 BABES BABES A.88 BABES BAB | | | | | | | | | | | | | | | ĺ | | |
| DN, Feature Code AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query AIN Toolkit Service - Storage Charge, Per SMS Access Account, Per 100 Kilobytes CAM BAPMS AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPLS AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS BAPDS BAPS AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Service Subscription CAM BAPDS BAPDS BAPDS BAPDS BABPS BAPDS BABPS BAPDS BABPS BAPDS BABPS BAPDS BABPS BAPDS BABPS BAPDS BABPS BAPDS BABPS BABPS BAPDS BABPS BAPDS BABPS BAPDS BABPS BABPS BAPDS BABPS BABPS BAPDS BABPS | | | | | | BAPTC | | 34.54 | 34.54 | 14.39 | 14.39 | | | | | | |
| AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPLS AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service CAM BAPDS AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service CAM BAPDS BAP | | | | | | DADTE | | 24.54 | 24.54 | 44.00 | 44.20 | | | | ĺ | | ĺ |
| AlN Toolkit Service - Type 1 Node Charge, Per AlN Toolkit Subscription, Per Node, Per Query AlN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes AlN Toolkit Service - Monthly report - Per AlN Toolkit Service Subscription AlN Toolkit Service - Special Study - Per AlN Toolkit Service Subscription AlN Toolkit Service - Special Study - Per AlN Toolkit Service Subscription AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription AlN Toolkit Service - Call Event Special Study - Per AlN Toolkit Service Subscription CAM BAPLS 3.51 8.68 8.68 AlN Toolkit Service - Call Event Special Study - Per AlN Toolkit Service Subscription CAM BAPDS 8.48 7.85 7.85 7.85 5.52 5.52 SERVICE Subscription CAM BAPES 0.12 8.68 8.68 CAM BAPES 0.12 8.68 8.68 CAM BAPES 0.12 8.68 8.68 CAM BAPES 0.12 8.68 8.68 CAM BAPES 0.12 8.68 8.68 CAM BAPES 0.12 8.68 8.68 CAM BAPES 0.12 8.68 8.68 CAM BAPES 0.12 8.68 8.68 CAM BAPES 0.12 8.68 8.68 CAM BAPES 0.12 8.68 8.68 CAM BAPES 0.12 8.68 8.68 CAM BAPES 0.12 8.68 8.68 CAM BAPES 0.12 8.68 8.68 CAM BAPES 0.12 8.68 8.68 CAM BAPES 0.12 8.68 8.68 CAM | | | | - | | BAPIF | 0.0550000 | 34.54 | 34.54 | 14.39 | 14.39 | - | | | | | |
| Subscription, Per Node, Per Query AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription CAM BAPMS 11.87 7.85 7.85 5.52 5.52 AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription CAM BAPLS 3.51 8.68 8.68 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS 8.48 7.85 7.85 5.52 5.52 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service CAM BAPDS 8.48 7.85 7.85 5.52 5.52 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPDS 8.48 7.85 7.85 5.52 5.52 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Currently Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DSI INTEROFFICE TRANSPORT | | | | | | 1 | 0.0556256 | | | | | 1 | | | | | |
| AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPLS 3.51 8.68 8.68 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPDS 8.48 7.85 7.85 5.52 5.52 ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Currently Combined' Network Elements. NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DSI INTEROFFICE TRANSPORT | | | | | | | 0.0069214 | | | | | | | | ĺ | | |
| Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPLS 3.51 8.68 8.68 AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPDS 8.48 7.85 7.85 7.85 7.85 7.85 7.85 7.85 7.8 | | | | | | 1 | 0.0003214 | | | | | 1 | | | | | |
| AlN Toolkit Service - Monthly report - Per AlN Toolkit Service Subscription AlN Toolkit Service - Special Study - Per AlN Toolkit Service Subscription CAM BAPLS 3.51 8.68 8.68 AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription CAM BAPLS 3.51 8.68 8.68 AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription CAM BAPDS 8.48 7.85 7.85 5.52 5.52 AlN Toolkit Service - Call Event Special Study - Per AlN Toolkit Service Subscription CAM BAPDS 8.48 7.85 7.85 5.52 5.52 CAM BAPDS 8.68 8.68 COM BAPDS 8.68 8.68 COM BAPDS 8.68 COM BAPDS 8.68 8.68 COM BAPDS 8.68 C | | | | | | | 0.07 | | | | | | | | ĺ | | |
| Subscription CAM BAPMS 11.87 7.85 7.85 5.52 5.52 | | | | | | 1 | 2.07 | | | | | | | | | İ | |
| AlN Toolkit Service - Special Study - Per AlN Toolkit Service Subscription AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription CAM BAPLS 3.51 8.68 8.68 AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription CAM BAPDS 8.48 7.85 7.85 7.85 7.85 7.85 7.85 7.85 7.8 | | | | | CAM | BAPMS | 11.87 | 7.85 | 7.85 | 5.52 | 5.52 | | | | 1 | | [|
| Subscription CAM BAPLS 3.51 8.68 8.68 8.68 8.68 8.68 8.68 8.68 8.6 | | | | | | | | | | | | | | | | 1 | |
| Subscription CAM BAPDS 8.48 7.85 7.85 5.52 5.52 5.52 SINING TOTAL Service - Call Event Special Study - Per AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPES 0.12 8.68 8.68 SINING Service Subscription CAM BAPES 0.12 8.68 8.68 SINING SERVICE SER | St | ubscription | | | CAM | BAPLS | 3.51 | 8.68 | 8.68 | | | | | | <u> </u> | | <u> </u> |
| AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements. NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT | | | | | | | | | | | | | | | | | |
| Service Subscription CAM BAPES 0.12 8.68 8.68 Service Subscription CAM BAPES 0.12 8.68 8.68 Service Subscription Service Subscription CAM BAPES 0.12 8.68 8.68 Service Subscription Service | | | | | CAM | BAPDS | 8.48 | 7.85 | 7.85 | 5.52 | 5.52 | | | | L | | |
| ENHANCED EXTENDED LINK (EELs) NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements. NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT | | | | | | | | | | | | | | | 1 | | 1 7 |
| NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT | | | | | CAM | BAPES | 0.12 | 8.68 | 8.68 | | | | | | | | └ |
| NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements. EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT | | | L | <u> </u> | | <u> </u> | <u> </u> | | | | | <u> </u> | | | | | └ |
| EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT | | | | | | | | | | | | | | | ├ | | ' |
| | | | | | | | UNE combination | ons provisione | ed as ' Current | lly Combined' N | letwork Eleme | nts. | | | ├ | | \vdash |
| T TERRIZ-WIRE VICTORI GIZTIN COMBINION - ZODE T T TO INDICA TO THE TOTAL TO MALE BY ACT STORT TO MALE TO MALE BY ACT STORT TO MALE TO | | | ED DS | | | | 16.00 | 105.00 | 60.40 | E2 05 | 10.04 | 1 | | | | | |
| First 2-Wire VG Loop (SL2) in Combination - Zone 2 2 UNCVX ULEAL2 23.13 105.98 68.43 53.05 10.61 | | | - | | | | | | | | | | - | | | | |
| First Z-Wire VG Loop (SLZ) in Combination - Zone 2 2 UNCVX UEAL2 25.13 105.98 68.43 53.05 10.61 First Z-Wire VG Loop (SLZ) in Combination - Zone 3 3 UNCVX UEAL2 25.13 105.98 68.43 53.05 10.61 | | | - | | | | | | | | | - | | | | - | \vdash |

| UNBUNDL | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: A |
|----------|--|-------------|----------|-----------------|--------------|----------------|-----------------|-----------------|-----------------------|--------------|---|-------|-------------|--|-------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | 1 | Incremental | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I |
| | | | | | | | N | | T. N | B' | | | | | | |
| | | - | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Add'l | SOMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| h | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | + | | FIRST | Addi | FIRST | Addi | SOWIEC | SUMAN | SOWAN | SOWAN | SOWAN | SUMAN |
| | per month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | |
| | 1/0 Channelization System in combination Per Month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | | | | | |
| | Voice Grade COCI - Per Month | | | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| | Voice Grade COCI - Per Month | | , J | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| L | Is Charge | <u> </u> | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | | | | | |
| EXTE | NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA | TED DS | 1 INTER | ROFFICE TRANSPO | DRT | | | | | | | | | | | |
| | First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | <u> </u> |
| | First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | |) |
| | First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | Ü | UNC1X | 1L5XX | 0.27 | 102.00 | 0 1100 | 00.00 | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - Facility Termination Per | | | | | | | | | | | | | | | |
| | Month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | |
| | 1/0 Channel System in combination Per Month Voice Grade COCI in combination - per month | | | UNC1X UNCVX | MQ1 1D1VG | 107.57 0.56 | 91.24 6.59 | 62.71 4.73 | 10.56 0.00 | 9.81 0.00 | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | \vdash | UNCVA | IDIVG | 0.56 | 0.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | |
| - | Additional Voice Grade COCI in combination - per month Nonrecurring Currently Combined Network Elements Switch -As- | - | | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | Is Charge | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | | | | | |
| EXTE | NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI | CATED | DS1 IN | | | | 0.01 | 0.01 | 1.00 | 7.00 | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | į |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | |
| | 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | | | | | |
| | OCU-DP COCI (data) per month (2.4-64kbs) | ļ | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | Additional OCU-DP COCI (data) - in combination per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |

| UNBUN | DLED | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: A |
|----------|---------|---|----------|--|------------------|-------|------------------|------------------|------------------|----------------|----------------|--|-----------|-------------|-------------|-------------|---------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | | Incremental |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGOR | RY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | "" | | | | | | | | | P = 0 = 0 = 1 | p | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | ļ., | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| \vdash | | Normalia Complia District District Compliance | | - | | - | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | | | | | ı l |
| EV | /TENI | IS Charge DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIG | CATED | DS1 IN | | | | 5.61 | 5.01 | 7.00 | 7.00 | | | | | | |
| L | VI LIVI | DED 4-WIRE 04 RBF3 EXTENDED DIGITAL LOOF WITH DEDIC | LAILD | DSTIN | TEROFFICE TRAINS | J CKI | | | | | | 1 | | | | | $\overline{}$ |
| | | First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | ı l |
| | | 1 110t 4 VVIIC 041t0p0 Digital Clade 200p III Combination 2011c 1 | | <u> </u> | ONODA | OBLOT | 25.50 | 120.00 | 00.12 | 00.00 | 14.01 | 1 | | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | ı l |
| | | , | | | | | | | | | | | | | | | $\overline{}$ |
| | | First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | <u> </u> |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | 1 |
| | | Per Month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | | interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | ı l |
| \vdash | | Termination Per Month | | <u> </u> | UNC1X UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | |
| \vdash | | 1/0 Channel System in combination Per Month | | | | MQ1 | 107.57 | 91.24 | 62.71 | | 9.81 | ļ | | | | | |
| + | | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | - | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | 0.00 | 0.00 | - | | - | | - | |
| | | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | , , |
| | | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | - | UNCDX | UDL04 | 25.53 | 120.00 | 05.12 | 39.33 | 14.01 | † | | | | | |
| | | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | i l |
| | | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | _ | 0.10271 | 05201 | 00.00 | 120.00 | 00.12 | 00.00 | | 1 | | | | | |
| | | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | ı l |
| | | Additional OCU-DP COCI (data) - in combination - per month | | | | | | | | | | | | | | | |
| | | (2.4-64kbs) | | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | i l |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | | ls Charge | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | | | | | |
| EX | | DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED DS1 | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | ļ | | | | | |
| \vdash | | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X UNC1X | USLXX | 155.43 261.89 | 253.03 253.03 | 157.89 157.89 | 44.80 44.80 | 11.73 11.73 | ļ | | | | | |
| | | 4-Wire DS1 Digital Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNCIX | USLXX | 201.89 | 253.03 | 157.89 | 44.80 | 11.73 | . | | | | | |
| | | Per Month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | i l |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility | | | ONOTA | TEOAX | 0.27 | | | | | 1 | | | | | |
| | | Termination Per Month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | ı l |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | İ | | | | | |
| | | Is Charge | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | | | | | ı l |
| EX | KTENI | DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED DS3 | INTER | OFFICE TRANSPO | RT | | | | | | | | | | | |
| | | First DS1Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | | First DS1Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | | First DS1Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | | LINICOV | 11.5 | 0.40 | | | | | | | | | | , , |
| + | | Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per | - | + | UNC3X | 1L5XX | 6.42 | | | 1 | | | | - | | - | |
| | | month | | | UNC3X | U1TF3 | 704.52 | 279.37 | 163.12 | 60.33 | 58.59 | | | | | | ı l |
| + | | 3/1Channel System in combination per month | | | UNC3X | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | † | | | | | |
| | | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | | | 3.54 | 0.00 | 0 | 5.50 | 0.30 | | | | İ | | |
| | | Zone 1 | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | ı l |
| | | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | | Zone 2 | | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | | | i T | | | | | | | | | | ı 🗆 |
| \vdash | | Zone 3 | | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | ļ | | | | | |
| \vdash | | Additional DS1 COCI in combination per month | | - | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 0.00 | 0.00 | ļ | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | 1 | | UNC3X | UNCCC | | E C4 | E C4 | 7.00 | 7.00 | | | | | | 1 |
| Ev | /TENI | Is Charge DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE | CDAD | | | | - | 5.61 | 5.61 | 7.00 | 7.00 | - | | - | | - | |
| | VI EINI | 2-WireVG Loop in combination - Zone 1 | GRAD | 1 1 | UNCVX | UEAL2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | 1 | | | l | | $\overline{}$ |
| | | 2-WireVG Loop in combination - Zone 1 | t | 2 | UNCVX | UEAL2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | 1 | | | | | |
| | | 2-WireVG Loop in combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | | | İ | | |
| | | | | | | • | | | | | | | | 1 | | 1 | |

| UNBU | NDLE | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhil | bit: A |
|----------|--------|--|----------|---------|----------------|--------------|-----------------|----------------|----------------|----------------|---------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | Disc 1st | DISC Add I |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per | | | | | | | | | | | | | | | í |
| | | Month | | | UNCVX | 1L5XX | 0.0134 | | | | | | | | | | |
| | | Interoffice Transport - 2-wire VG - Dedicated - Facility | | | | | | | | | | | | | | | í |
| | | Termination per month | | | UNCVX | U1TV2 | 19.44 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | —— |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | 11110101 | 1111000 | | 5.04 | 5.04 | 7.00 | 7.00 | | | | | | í |
| \vdash | CVTCN | Is Charge DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE | CDAD | - INITE | UNCVX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | - | - | | | | |
| | EXIEN | 4-Wire VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE 4-WireVG Loop in combination - Zone 1 | GRAD | 1 1 | UNCVX | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | |
| \vdash | | 4-WireVG Loop in combination - Zone 2 | | 2 | UNCVX | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | |
| | | 4-WireVG Loop in combination - Zone 3 | | | UNCVX | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | |
| | | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per | | - | DINCVA | ULAL4 | 45.50 | 132.30 | 34.03 | 39.33 | 14.01 | | | | 1 | | |
| | | Month | | | UNCVX | 1L5XX | 0.0134 | | | | | | | | | | l . |
| \vdash | | Interoffice Transport - 4-wire VG - Dedicated - Facility | | | | . 20, 01 | 3.0104 | | | | 1 | | | | 1 | | í |
| | | Termination per month | | | UNCVX | U1TV4 | 17.03 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | í |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | İ | İ | l | İ | | í |
| | | Is Charge | | | UNCVX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | | | | | 1 |
| | EXTEN | DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 | INTERC | FFICE | | | | | | | | | | | | | i . |
| | | DS3 Local Loop in combination - per mile per month | | | UNC3X | 1L5ND | 12.26 | | | | | | | | | | i |
| | | | | | | | | | | | | | | | | | i |
| | | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 306.36 | 452.52 | 264.53 | 119.75 | 83.77 | | | | | | i . |
| | | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 6.42 | | | | | | | | | | <u> </u> |
| | | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | i |
| | | Termination per month | | | UNC3X | U1TF3 | 704.52 | 279.37 | 163.12 | 60.33 | 58.59 | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | í |
| | =>/=== | Is Charge | | | UNC3X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | | | | | |
| | EXIEN | DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST | S-1 IN I | EROFF | | 41 END | 40.00 | | | | | | | | | | |
| - | | STS-1 Local Lolp in combination - per mile per month STS-1 Local Loop in combination - Facility Termination per | | - | UNCSX | 1L5ND | 12.26 | | | | | | | | | | |
| | | month | | | UNCSX | UDLS1 | 313.49 | 452.52 | 264.53 | 119.75 | 83.77 | | | | | | í |
| \vdash | | Interoffice Transport - Dedicated - STS-1 combination - per mile | | | ONCOX | ODLOT | 313.43 | 402.02 | 204.55 | 113.73 | 03.11 | | | | | | |
| | | per month | | | UNCSX | 1L5XX | 6.42 | | | | | | | | | | i |
| | | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | ONOOX | 120701 | 0.42 | | | | | | | | | | |
| | | Termination per month | | | UNCSX | U1TFS | 704.44 | 279.37 | 163.12 | 60.33 | 58.59 | | | | | | i |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | - | | | | | | | | | | | |
| | | Is Charge | | | UNCSX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | | | | | í |
| | EXTEN | DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE | TRAN | | | | | | | | | | | | | | i . |
| | | First 2-Wire ISDN Loop in Combination - Zone 1 | | 1 | UNCNX | U1L2X | 25.21 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | |
| | | First 2-Wire ISDN Loop in Combination - Zone 2 | | 2 | UNCNX | U1L2X | 32.76 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | |
| | | First 2-Wire ISDN Loop in Combination - Zone 3 | | 3 | UNCNX | U1L2X | 37.70 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - per mile | | | | | | | | | | | | | | | 1 |
| \vdash | | per month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility | | | LINIOAY | LIATE4 | 04 =: | 00 :- | 04.00 | 40.00 | 44.50 | | | | | | l . |
| \vdash | | Termination per month | . | - | UNC1X UNC1X | U1TF1 MQ1 | 61.71 107.57 | 89.47 91.24 | 81.99 62.71 | 16.39 10.56 | 14.48 9.81 | | | | | | |
| \vdash | | 1/0 Channel System in combination - per month | - | - | | | 107.57 2.56 | | | | 9.81 | | | - | | | |
| \vdash | | 2-wire ISDN COCI (BRITE) - in combination - per month Additional 2-wire ISDN Loop in same DS1Interoffice Transport | - | - | UNCNX | UC1CA | 2.56 | 6.59 | 4.73 | 0.00 | 0.00 | - | - | | | - | |
| | | Combination - Zone 1 | | 1 | UNCNX | U1L2X | 25.21 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | ı |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | 0140147 | O ILZA | 20.21 | 117.30 | 00.03 | 55.05 | 10.01 | <u> </u> | <u> </u> | | | | |
| | | Combination - Zone 2 | | 2 | UNCNX | U1L2X | 32.76 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | 1 |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | 52.70 | 00 | 22.00 | 22.00 | 13.01 | | | | İ | | 1 |
| | | Combination - Zone 3 | | 3 | UNCNX | U1L2X | 37.70 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | 1 |
| | | Additional 2-wire ISDN COCI (BRITE) - in combination- per | | | | | | | | | | | | | | | ſ |
| | | month | | | UNCNX | UC1CA | 2.56 | 6.59 | 4.73 | 0.00 | 0.00 | <u> </u> | <u> </u> | <u> </u> | | | <u> </u> |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | (|
| | | Is Charge | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | | | | | |
| | EXTEN | DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED STS | | | | | | | | | | | | | | |
| \vdash | | First DS1 Loop Combination - Zone 1 | | | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| \vdash | | First DS1 Loop Combination - Zone 2 | | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | | First DS1 Loop Combination - Zone 3 | | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | l | İ | | ļ | | |

| UNBUND | DLE | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | ment: 2 | | ibit: A |
|--|-----|---|--|----------|----------------|----------------|----------------|------------------|----------------|----------------|----------------|--|---|--|--|---|--|
| CATEGOR | RΥ | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | | Rates (\$) | | |
| - | - | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | | | | | THOL | Auu i | 11130 | Auu i | JOINEC | JOHAN | JOHIAN | JONIAN | JOWAN | JONIAN |
| | | Per Month | | | UNCSX | 1L5XX | 6.42 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | UNCSX | U1TFS | 704.44 | 279.37 | 163.12 | 60.33 | 58.59 | | | | | | |
| | | 3/1 Channel System in combination per month | | | UNCSX | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | | | | | |
| | | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | | Additional DS1Loop in the same STS-1 Interoffice Transport | | | | | | | | | | | | | | | |
| | | Combination - Zone 1 | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | | Additional DS1Loop in the same STS-1 Interoffice Transport | | | 11041 | 1101.707 | 455.40 | 050.00 | 457.00 | 44.00 | 44.70 | | | | | | |
| | | Combination - Zone 2 | | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | - | | - | | | |
| | | Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 3 | 1 | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | 1 | I | | | |
| \vdash | | DS1 COCI in combination per month | | - | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 0.00 | 0.00 | - | | t | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | l | | | 30.51 | 0.04 | 0.00 | 4.75 | 0.00 | 0.00 | <u> </u> | | † | 1 | | † |
| | | Is Charge | | | UNCSX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | | 1 | | | |
| EX | | DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB | BPS INT | EROFF | | 1 | | | | 1.20 | 50 | | | 1 | 1 | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 1 | | 1 | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 2 | | | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | | 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | |
| | | Per Mile per month | | | UNCDX | 1L5XX | 0.0134 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | 40.00 | | | | | | | | | |
| | | Facility Termination per month | | | UNCDX | U1TD5 | 13.41 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | - |
| | | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNCDX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | | | | | |
| FY | | DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KB | DS INT | FROFE | | UNCCC | | 5.61 | 5.01 | 7.00 | 7.00 | 1 | | 1 | | | 1 |
| | | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | 1 0 1141 | | UNCDX | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | † | | | | | |
| | | 4-wire 64 kbps Lcoal Loop in Combination - Zone 2 | | | UNCDX | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | 1 | | | | | |
| | | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | |
| | | Per Mile per month | | | UNCDX | 1L5XX | 0.0134 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | |
| | | Facility Termination per month | | | UNCDX | U1TD6 | 13.41 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | | Is Charge | | | UNCDX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | | | | | . |
| EX | | DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T | KANSP | | | LIEALO | 40.00 | 405.00 | 00.40 | 50.05 | 40.01 | 1 | - | 1 | - | | |
| — | -+ | First 2-wire VG Loop (SL2) in Combination - Zone 1 First 2-wire VG Loop (SL2) in Combination - Zone 2 | - | | UNCVX UNCVX | UEAL2 UEAL2 | 16.68 23.13 | 105.98 105.98 | 68.43 68.43 | 53.05 53.05 | 10.61 10.61 | | | | | - | |
| | - | First 2-wire VG Loop (SL2) in Combination - Zone 2 First 2-wire VG Loop (SL2) in Combination - Zone 3 | 1 | | UNCVX | UEAL2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | 1 |
| | | First Interoffice Transport - Dedicated - DS1 combination - Per | | | 5.101/ | J L / 1L L | 20.70 | 100.00 | 00.43 | 33.03 | 10.01 | - | | t | | | |
| | | Mile | 1 | | UNC1X | 1L5XX | 0.27 | | | | | | 1 | I | | | |
| | | First Interoffice Transport - Dedicated - DS1 combination - | 1 | | - | | | | | 1 | | | | 1 | l | | |
| L l | | Facility Termination per month | <u> </u> | L | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | <u></u> | <u></u> | L | <u></u> | | |
| | | Per each DS1 Channelization System Per Month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | | | | | |
| | | Per each Voice Grade COCI - Per Month per month | | | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | | | | | |
| $\vdash \vdash$ | | Per each DS1 COCI in combination per month | ļ | <u> </u> | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 0.00 | 0.00 | | | ļ | | | ļ |
| | | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | 1 | 4 | LINCVY | LIEALO | 40.00 | 405.00 | 00.40 | 50.05 | 40.04 | | 1 | I | | | |
| \vdash | | Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | 1 | UNCVX | UEAL2 | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | 1 | | | - | | |
| | | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | | 1 | | | |
| \vdash | | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | 014047 | JLALZ | 23.13 | 100.30 | 00.43 | 55.05 | 10.01 | - | - | | | | |
| | | Interoffice Transport Combination - Zone 3 | 1 | 3 | UNCVX | UEAL2 | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | | 1 | | | |
| | | Each Additional Voice Grade COCI in combination - per month | l | Ť | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | 0.00 | 0.00 | 1 | | 1 | | | |
| | | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | | | | | | | | | | | | |
| | | Channel System per month | <u> </u> | <u></u> | UNC1X | 1L5XX | 0.27 | | | <u> </u> | | | | | <u> </u> | | |
| | | Each Additional DS1 Interoffice Channel Facility Termination in | | | | | | | | | - | | | | | | |
| | | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | |
| | T | Each Additional DS1 COCI combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |

| UNBUNDL | .ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: A |
|--------------|---|--|--|------------------|----------|--------|--------|------------|-------|------------|-----------|-----------|-------------|--|-------------|--|
| | | | 1 | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Intori | | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | p | F | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | 2.00 .01 | 2.007.444. |
| | | | | | | Rec | Nonrec | | | Disconnect | | | | Rates (\$) | | |
| \vdash | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Nonrecurring Currently Combined Network Elements Switch -As- | - | | | | | | | | | | | | | | |
| EVE | Is Charge | INITED | L C | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | | | | | |
| EXII | ENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 First 4-Wire Analog Voice Grade Local Loop in Combination - | INTERC | JFFICE | TRANSPORT W/ 3/T | MUX | | | | | | | | | | | |
| | Zone 1 | | 4 | UNCVX | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | |
| | First 4-Wire Analog Voice Grade Local Loop in Combination - | | <u> </u> | UNCVA | ULAL4 | 32.39 | 132.30 | 34.03 | 39.33 | 14.01 | | | | | | |
| | Zone 2 | | 2 | UNCVX | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | ĺ |
| \vdash | First 4-Wire Analog Voice Grade Local Loop in Combination - | | - | ONOVA | OL/ LL-T | 40.00 | 102.00 | 04.00 | 00.00 | 14.01 | 1 | | | 1 | | |
| | Zone 3 | | 3 | UNCVX | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | | | | | | | | | | | | |
| | Mile Per Month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 - Facility | | | | | | i | | | | | | | | | |
| | Termination Per Month | <u> </u> | <u>L</u> | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | <u></u> |
| | Per each 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | | 9.81 | | | | | | |
| \Box | Per each Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | | 0.00 | | | | | | |
| \Box | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | | | | | |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | 400.00 | | ==== | | | | | | | ĺ |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 32.59 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | 2 | 11000 | | 40.00 | 400.00 | 04.00 | 50.05 | 44.04 | | | | | | |
| \vdash | Interoffice Transport Combination - Zone 2 Additional 4-Wire Analog Voice Grade Loop in same DS1 | 1 | 2 | UNCVX | UEAL4 | 43.89 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 43.38 | 132.38 | 94.83 | 59.35 | 14.61 | | | | | | |
| \vdash | Each Additional DS1 Interoffice Channel per mile in same 3/1 | 1 | 3 | UNCVA | ULAL4 | 43.30 | 132.30 | 34.03 | 39.33 | 14.01 | 1 | | | - | | |
| | Channel System per month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | ONOTA | TEO/O | 0.27 | | | | | 1 | | | 1 | | |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | |
| | Additional Voice Grade COCI - in combination - per month | | | UNCVX | 1D1VG | 0.56 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | 1 | 1 | | | | | | | | | | | | | |
| | Is Charge | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | | | | | |
| EXT | ENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | TRANSPORT w/ 3/1 | MUX | | | | | | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | | | | | | | | | | | | | | | ĺ |
| | Zone 1 | | 1 | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | | | | | | | | | | | | | | | ĺ |
| | Zone 2 | | 2 | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | 1 | 3 | LINCDY | LIDLEC | 04.74 | 400.00 | 00.40 | 50.05 | 44.04 | | 1 | | I | | 1 |
| \vdash | Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per | | 3 | UNCDX | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | 1 | | | | - | |
| | Mile Per Month | 1 | | UNC1X | 1L5XX | 0.27 | | | | | | 1 | | I | | 1 |
| - | First Interoffice Transport - Dedicated - DS1 - combination | | | UNUIA | ILUAA | 0.27 | | | 1 | | | | | | | |
| | Facility Termination Per Month | 1 | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | 1 | | I | | 1 |
| | Per each 1/0 Channel System in combination Per Month | 1 | t | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | | 9.81 | | | | <u> </u> | | |
| | Per each OCU-DP COCI (data) COCI per month (2.4-64kbs) | t | t | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | | 0.00 | | | | 1 | İ | |
| | 3/1 Channel System in combination per month | t | t | UNC3X | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | | | 1 | İ | |
| | Per each DS1 COCI in combination per month | i | i – | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | <u> </u> | 1 | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | 1 |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | 1 | | | I | | | | | | | | | _ | | 1 |
| $oxed{oxed}$ | Interoffice Transport Combination - Zone 2 | <u> </u> | 2 | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | L | | ↓ |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | 1 . | | | | , | | | | | | | 1 | | 1 |
| \vdash | Interoffice Transport Combination - Zone 3 | <u> </u> | 3 | UNCDX | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | - | | | - | | |
| | OCU-DP COCI (data) COCI in combination per month (2.4- | 1 | | LINCDY | 4D4DD | 4.40 | 0.50 | 4.70 | 0.00 | 0.00 | | 1 | | I | | 1 |
| \vdash | 64kbs) Each Additional DS1 Interoffice Channel per mile in same 3/1 | ! | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | Channel System per month | 1 | | UNC1X | 1L5XX | 0.27 | | | | | | 1 | | I | | 1 |
| \vdash | Each Additional DS1 Interoffice Channel Facility Termination in | | | UNCIA | ILOAA | 0.27 | | | 1 | | | | | | | |
| | same 3/1 Channel System per month | 1 | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | 1 | | I | | 1 |
| | Each Additional DS1 COCI in the same 3/1 channel system | 1 | t | | 1 | 01.71 | 55.47 | 01.00 | 10.00 | 1-740 | | | | <u> </u> | | |
| 1 1 | combination per month | 1 | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 0.00 | 0.00 | | | | 1 | | 1 |

| UNBU | JNDLEI | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: A |
|----------|--------|---|----------|--|------------------|----------|--------|--------|------------|--------------|-------|------------------------|---------|-------------|-------------------------|-------------------------|---------------------------|
| | | | | | | | | | | | | Svc Order Submitted | | Incremental | Incremental Charge - | Incremental Charge - | Incremental Charge - |
| | | | Interi | | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- Disc Add'l |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | DISC Add I |
| | | | | - | | | Rec | Nonrec | | Nonrecurring | | 201150 | 001111 | | Rates (\$) | 001441 | 001441 |
| - | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | + | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Is Charge | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | | | | | |
| | EXTEN | DED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | TRANSPORT w/ 3/1 | MUX | | | | | | | | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | ١. | | | | | | ==== | | | | | | | |
| | | Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | 1 | UNCDX | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | | Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | İ | | | | | | | | | | | |
| - | | Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | | First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | | First Interoffice Transport - Dedicated - DS1 combination - | | | ONOTA | TESTON | 0.27 | | | | | | | | | | |
| | | Facility Termination Per Month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | , |
| | | Per each Channel System 1/0 in combination Per Month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | | | | | |
| | | Per each OCU-DP COCI (data) in combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | | | | | |
| | | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | | 0.00 | | | | | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| - | | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | _ | 011027 | 00201 | 00.00 | 120.00 | 00.12 | 00.00 | | | | | | | |
| | | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | | Additional OCU-DP COCI (data) - DS1 to DS0 Channel System | | | LINCDY | 4D4DD | 4.40 | 0.50 | 4.70 | 0.00 | 0.00 | | | | | | |
| - | | combination - per month (2.4-64kbs) Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | UNCDX | 1D1DD | 1.19 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | | Channel System per month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | | Each Additional DS1 Interoffice Channel Facility Termination in | | | | İ | | | | | | | | | | | |
| | | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | |
| | | Each Additional DS1 COCI in the same 3/1 channel system combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | OTTO IX | | 0.01 | 0.00 | 0 | 0.00 | 0.00 | | | | | | |
| | | Is Charge | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | | | | | |
| - | EXTEN | DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR | RT w/ 3/ | 1 MUX | | 1 | | | | 1 | | | | | | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1 | | 1 | UNCNX | U1L2X | 25.21 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | . |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | <u> </u> | 0110101 | O I EE | 20.21 | | 00.00 | 00.00 | 10.01 | | | | | | |
| | | Transport - Zone 2 | | 2 | UNCNX | U1L2X | 32.76 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | |
| | | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | 3 | LINIONIY | 1141.27 | 27.70 | 117.50 | 90.00 | F2 05 | 10.04 | | | | | | . |
| - | | Transport - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per | | 3 | UNCNX | U1L2X | 37.70 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | |
| | | Mile per month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | | First Interoffice Transport - Dedicated - DS1 combination - | | | | | | | | | | | | | | | |
| | | Facility Termination per month | | - | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | |
| - | | Per each Channel System 1/0 in combination - per month | - | 1 | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | | | | | |
| | | Per each 2-wire ISDN COCI (BRITE) in combination - per month | | | UNCNX | UC1CA | 2.56 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | | | | | |
| <u> </u> | | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| 1 | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1 | | 1 | UNCNX | U1L2X | 25.21 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | . |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | <u> </u> | | | 20.21 | 117.00 | | 55.55 | 10.01 | | | | | | |
| | | Combination - Zone 2 | | 2 | UNCNX | U1L2X | 32.76 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | |
| | | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | _ | LINIONIV | 1141.057 | 07.70 | 447.50 | 00.00 | 50.05 | 10.01 | | | | | | , 7 |
| - | 1 | Combination - Zone 3 Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel | - | 3 | UNCNX | U1L2X | 37.70 | 117.58 | 80.03 | 53.05 | 10.61 | | | | | | |
| | | system combination- per month | | | UNCNX | UC1CA | 2.56 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | , l |
| | | | | | | | | | | | | | | 1 | | 1 | |

| ONRONDLE | D NETWORK ELEMENTS - South Carolina | | | ı | | | | | | | 00 | 06 : | | ment: 2 | | bit: A |
|------------|---|-------------|--------------|------------------|----------------|------------------|------------------|------------------|--|----------------|----------|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | ļ | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | [| | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | UNCIA | ILSAA | 0.27 | | | | | | | | | | |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | |
| | Each Additional DS1 COCI in the same 3/1 channel system | | | | | _ | | | | | | | | | | |
| | combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | | | | | |
| EXTEN | IDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE | TRANS | | | 1101101 | | 0.00 | | 44.00 | | | | | | | |
| | First 4-wire DS1 Digital Local Loop in Combination - Zone 1 | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2 First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3 | - | 3 | UNC1X UNC1X | USLXX | 155.43 261.89 | 253.03 253.03 | 157.89 157.89 | 44.80 44.80 | 11.73 11.73 | - | | | | - | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | 3 | UNUIA | USLAA | 201.09 | 200.00 | 157.09 | 44.00 | 11./3 | | | | | | |
| | Mile Per Month | | | UNC1X | 1L5XX | 0.27 | | | | | 1 | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - | | 1 | | | 2.21 | | | | | | | | | İ | |
| | Facility Termination Per Month | | | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | | | | | |
| | Per each DS1 COCI combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | | | | | | | | | | | | |
| | Channel System per month | | | UNC1X | 1L5XX | 0.27 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | LINIOAV | | 04.74 | 00.47 | 04.00 | 40.00 | 44.40 | | | | | | |
| | same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system | | 1 | UNC1X | U1TF1 | 61.71 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | |
| | combination per month | | | UNC1X | UC1D1 | 8.64 | 6.59 | 4.73 | 0.00 | 0.00 | | | | | | |
| <u> </u> | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | 1 | ONOTA | 00151 | 0.04 | 0.00 | 4.70 | 0.00 | 0.00 | | | | | | |
| | 1 | | 1 | UNC1X | USLXX | 90.87 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | | | | | | | | | | | | | | |
| | 2 | | 2 | UNC1X | USLXX | 155.43 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | | | | | | | | | | | | | | |
| | 3 | | 3 | UNC1X | USLXX | 261.89 | 253.03 | 157.89 | 44.80 | 11.73 | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | 1 | | LINIOAV | 111000 | | 5.04 | 5.04 | 7.00 | 7.00 | | | | | | |
| EVTEN | Is Charge IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II | NTEDO | EEICE | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | | | | | |
| EXIEN | First 4-wire 56 kbps Local Loop in combination - Zone 1 | I | 1 1 | UNCDX | UDL56 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| + | First 4-wire 56 kbps Local Loop in combination - Zone 1 | | 2 | UNCDX | UDL56 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | First 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile | | | | | | | | | | | | | | | |
| | per month | | | UNCDX | 1L5XX | 0.0134 | | | | | | | | | | |
| | First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | ļ | UNCDX | U1TD5 | 13.41 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | 1 | | LINCDY | LINICOC | | F C4 | F C4 | 7.00 | 7.00 | | | | | | |
| EVTEN | Is Charge IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I | NTEDO | EEICE | UNCDX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | | | | | |
| EXIEN | First 4-wire 64 kbps Local Loop in combination - Zone 1 | I | | UNCDX | UDL64 | 29.93 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | First 4-wire 64 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL64 | 33.99 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | First 4-wire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 34.74 | 126.66 | 89.12 | 59.35 | 14.61 | | | | | | |
| | First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile | | Ť | | | | | | 1 | | | | | | ĺ | |
| | per month . | <u> </u> | | UNCDX | 1L5XX | 0.0134 | | | | | | | | | | |
| | First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | <u> </u> | UNCDX | U1TD6 | 13.41 | 40.63 | 27.47 | 16.77 | 6.91 | ļ | | | | ļ | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | 1 | | LINCDY | LINGGO | | 5.01 | . | 7.00 | 7.00 | 1 | | | | | |
| ADDITIONAL | Is Charge IETWORK ELEMENTS | | 1 | UNCDX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | | | | | |
| | used as a part of a currently combined facility, the non-recurr | na cha | raes de | notanniv but a 9 | Switch As Is a | narge does ann | ilv. | | | | | | | | | |
| | used as a part of a currently combined facility, the horsecuri | | | | | | | | | | | | | | | |
| | curring Currently Combined Network Elements "Switch As Is" | | | | | Jilaige C | | | | | | | | | | |
| | | | 1 | | | | | | | | | | | | | İ |
| | Nonrecurring Currently Combined Network Elements Switch -As- | 1 | | | | | | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | ment: 2 | | bit: A |
|----------------|---|-------------|----------|-----------------------------|----------------|----------------|----------------|------------|----------|------------|---|---|--|---|--------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | Rec | | curring | | Disconnect | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | İ |
| | Is Charge - 56/64 kbps | | | UNCDX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | ļ | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS1 | | | UNC1X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS3 | | | UNC3X | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | = 0.4 | | | | | | | | | ĺ |
| Ontin | Is Charge - STS1 | | | UNCSX | UNCCC | | 5.61 | 5.61 | 7.00 | 7.00 | ļ | | | | | |
| Optioi | nal Features & Functions: | | | U1TD1, | | | | | - | | - | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 | - 1 | | ULDD1,UNC1X | CCOEF | | OI | 01 | OI | OI | | | | | | |
| | Clear Channel Capability Super FrameOption - per DS1 | - 1 | | U1TD1, ULDD1,UNC1X | CCOSF | | OI | OI | OI | OI | | | | | | |
| | Clear Channel Capability (SF/ESF) Option - Subsequent | ١ | | ULDD1, U1TD1, | NDOCC | | 105.000 | 00.000 | 4 000 | 0.700 | | | | | | |
| | Activity - per DS1 | - | | UNC1X, USL | NRCCC | | 185.26S | 23.86S | 1.99S | 0.78S | | | | | | |
| | C-bit Parity Option - Subsequent Activity - per DS3 | i | | U1TD3, ULDD3, UE3, UNC3X | NRCC3 | | 219.58S | 7.69S | .7370S | 0S | | | | | | |
| MULT | PLEXERS | | | 1000 | 1101 | | 21.21 | | 10.50 | | | | | | | |
| | DS1 to DS0 Channel System per month | | | UNC1X | MQ1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 1.19 | 6.59 | 4.73 | | | | | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | ĺ |
| | month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 1.19 | 6.59 | 4.73 | | | | | | | | ĺ |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | 01100 | 10100 | 1.19 | 0.59 | 4.73 | 1 | | 1 | | | | | |
| | month for a Local Loop | | | UDN | UC1CA | 2.56 | 6.59 | 4.73 | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation | | | U1TUB | UC1CA | 2.56 | 6.59 | 4.73 | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop | | | UEA | 1D1VG | 0.56 | 6.59 | 4.73 | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | 027 | 1.2.10 | 0.00 | 0.00 | | t | | | | | | | |
| | used for connection to a channelized DS1 Local Channel in the | | | | | | | | | | | | | | | ĺ |
| | same SWC as collocation | | | U1TUC | 1D1VG | 0.56 | 6.59 | 4.73 | | | | | | | | |
| | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | | | | | |
| | STS-1 to DS1 Channel System per month | | | UNCSX | MQ3 | 144.02 | 178.54 | 94.18 | 33.33 | 31.90 | | | | | | |
| | DS1 COCI used with Loop per month | | | USL | UC1D1 | 8.64 | 6.59 | 4.73 | | | ļ | | | | | —— |
| | DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 8.64 | 6.59 | 4.73 | | | | | | | | 1 |
| - | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 8.64 | 6.59 | 4.73 | + | | | | | | | |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | 55151 | 5.04 | 0.00 | 7.70 | <u> </u> | | | | | | 1 | |
| | month | | | ULDD1 | UC1D1 | 8.64 | 6.59 | 4.73 | | | | | | | | 1 |
| | LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | |
| | nge Ports | | | | l | | | | | | | | | | | |
| | Although the Port Rate includes all available features in GA, I | KY, LA | & TN, t | he desired features | will need to b | e ordered usir | ng retail USOC | s | | | | | | | | |
| 2-WIR | E VOICE GRADE LINE PORT RATES (RES) | | | LIEBOD | | 4.0= | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port- Res. | | <u> </u> | UEPSR | UEPRL | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | ļ | | - | - | | |
| | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | | | | | 1 |
| | Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res. | | | UEPSR | UEPAU | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | | | | | |
| | Exchange Ports - 2-Wire VG unbundled South Carolina Area | | | l | I | | | | _ | | | | | | | 1 |
| | Calling port with Caller ID - Res (LW8) Exchange Ports - 2-Wire VG unbundled res, low usage line port | | | UEPSR | UEPAJ | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | - | | | | | |
| | with Caller ID (LUM) Exchange Ports - 2-Wire VG South Carolina Residence Dialing | | | UEPSR | UEPAP | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | | | | | |
| | Plan without Caller ID | | | UEPSR | UEPWL | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | | | | | |

| NBUNDLE | D NETWORK ELEMENTS - South Carolina | | | ı | | | | | | | | - | | ment: 2 | | ibit: A |
|-----------|--|--|--|----------------|----------------|--------------|----------------|----------------|----------------|--------------|--|-----------|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Sy Order vs. |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | g Disconnect | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Exchange Ports - 2-Wire VG South Carolina Residence Area | | | | | | | | | | | | | | | |
| | Calling Plan without Caller ID capability | | | UEPSR | UEPRS | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | | | | | |
| | 2-Wire voice unbundled Low Usage Line Port without Caller ID | | | LIEDOD | LIEDDE | 4.05 | 0.00 | 0.00 | 4.40 | 4.00 | | | | | | |
| | Capability | | - | UEPSR | UEPRT USASC | 1.65 | 2.38 0.00 | 2.28 0.00 | 1.42 | 1.33 | | | | | | - |
| FEATU | Subsequent Activity | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | - | | | | | |
| | All Available Vertical Features | | | UEPSR | UEPVF | 3.04 | 0.00 | 0.00 | | | | | | | 1 | + |
| | E VOICE GRADE LINE PORT RATES (BUS) | | - | OLI OK | OLI VI | 3.04 | 0.00 | 0.00 | | | | | | | | + |
| 2 1111112 | Exchange Ports - 2-Wire Analog Line Port without Caller ID - | | - | | 1 | | | | | | 1 | | | | | † |
| | Bus | | | UEPSB | UEPBL | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | | | | | |
| | Exchange Ports - 2-Wire VG unbundled Line Port with | | | | 1 | | | | | | | | | | | |
| | unbundled port with Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | 1 | | | | |
| | | | | | İ | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | | <u> </u> | <u> </u> | | |
| | Exchange Ports - 2-Wire VG unbundled SC extended local | | | | | | | | | | | | | | | |
| | dialing parity Port with Caller ID - Bus. | | | UEPSB | UEPAZ | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | | | | | |
| | Exhange Ports - 2-Wire VG unbundled incoming only port with | | | | 1 | | | | 1 | | | | | | | |
| | Caller ID - Bus | | | UEPSB | UEPB1 | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | | | | | |
| | Exchange Ports - 2-Wire VG unbundled South Carolina Bus | | | | l | | | | | | | | | | | |
| | Area Calling Port with Caller ID - Bus (LMB) | | | UEPSB | UEPAB | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | | | | | |
| | Exchange Ports - 2-Wire Voice South Carolina Business Dialing | | | LIEDOD | LIEDWA | 4.05 | 0.00 | 0.00 | 4.40 | 4.00 | | | | | | |
| _ | Plan without Caller ID | | | UEPSB | UEPWM | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | | | | | |
| | Exchange Ports - 2-Wire Voice South Carolina Business Area Calling Port without Caller ID | | | UEPSB | UEPBB | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | | | | | |
| _ | 2-Wire voice unbundled Incoming Only Port without Caller ID | | - | OLFOB | OLFBB | 1.05 | 2.30 | 2.20 | 1.42 | 1.55 | 1 | | | | | |
| | Capability | | | UEPSB | UEPBE | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | | | | | |
| | Subsequent Activity | | - | UEPSB | USASC | 0.00 | 0.00 | 0.00 | 1.42 | 1.00 | | | | | | |
| FEATU | | | | 02. 05 | 00/100 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | All Available Vertical Features | | | UEPSB | UEPVF | 3.04 | 0.00 | 0.00 | t | | | | | | | <u> </u> |
| | All Available Vertical Features | | | | UEPVF | 3.04 | 0.00 | 0.00 | | | | | | | | |
| EXCHA | ANGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | | 1 |
| | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | | | | | |
| | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | UEPSP | UEPPC | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | | | | | |
| | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | | UEPSP | UEPPO | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | | | | | |
| | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | | UEPSP | UEPP1 | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | | | | | <u> </u> |
| | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSP | UEPLD | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | | | | ļ | Ļ |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPSP | UEPLD | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | | | | | |
| | 2-Wire Vice Unbundled 2-Way PBX Usage Port | | | UEPSP | UEPXA | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | - | UEPSP UEPSP | UEPXB UEPXC | 1.65 | 31.34 | 14.88 14.88 | 13.97 | 0.90 0.90 | | | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPSP | UEPXC | 1.65 1.65 | 31.34 31.34 | 14.88 | 13.97 13.97 | 0.90 | - | | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | - | UEPSP | UEPAD | 1.00 | 31.34 | 14.88 | 13.97 | 0.90 | - | | | | | |
| | Capable Port | | | UEPSP | UEPXE | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | - | | 021 01 | JLI AL | 1.05 | 31.34 | 14.00 | 15.97 | 0.90 | H | | | l | | \leftarrow |
| | Administrative Calling Port | | | UEPSP | UEPXL | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 1 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | l — | 021 01 | JEI AL | 1.00 | 31.34 | 14.00 | 15.57 | 0.30 | | | | | | |
| | Room Calling Port | | | UEPSP | UEPXM | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 1 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | 7 | | 004 | 50 | | 5.50 | | | | İ | İ | |
| | Discount Room Calling Port | | | UEPSP | UEPXO | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | 1 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | Ì | UEPSP | UEPXS | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | | | l | İ | 1 |
| | 2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus | | | | | | | | | | | | | | | |
| | Calling Port | | <u> </u> | UEPSP | UEPXT | 1.65 | 31.34 | 14.88 | 13.97 | 0.90 | | | | <u> </u> | | <u></u> |
| | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| FEATU | | | | | | | • | | | | | | | | | |
| | All Available Vertical Features | | | UEPSP UEPSE | UEPVF | 3.04 | 0.00 | 0.00 | | | | | | | | |
| | ANGE PORT RATES (COIN) | | <u> </u> | | 1 | | | | | | | | | | | ↓ |
| | Exchange Ports - Coin Port Switching Features offered with Port | | ļ | | + + | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | | | | ļ | + |
| | EWITCHING EASTIFICE ATTACK WITH DATE | | | i e | | | | | | | | | | | | |

| CATEGORY RATE ELEMENTS Polar Zone BCS USOC RATE (8) Section Communication | UNBUNDLF | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhil | bit: A |
|--|----------|---|--|--|-----------------|-------------|---------------|-----------------|---------------|--|--|--------------|---------------|---------------|--|----------|-------------|
| ACTEONY RATE ELEMENTS Intelligence BCS | | | | | | | | | | | | Svc Order | Svc Order | | | | Incremental |
| RATE ELEMENTS mind Zero BCS USOC RATE (4) PLEATED PLEATE DECEMBER DECE | | | | | | | | | | | | l . | | | | | Charge - |
| ### ATT ELEMENTS ### Does ### | | | Inter' | | | | | | | | | | | | | | Manual Svc |
| NOTE Access to Bichannel of Dictamed Pasket capabilities will be available and whose biffered by the pasket capabilities will be available and whose biffered by the pasket capabilities will be available and whose biffered by the pasket capabilities will be available and whose biffered by the pasket capabilities will be available and whose biffered by the pasket capabilities will be determined on the Bear for Requester Process. Pasket by the pasket capabilities will be determined on the Bear for Requester Process. Pasket by the pasket capabilities will be determined on the Bear for Requester Process. Pasket by the pasket | CATEGORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES (\$) | | | | - | | | | Order vs. |
| 141 Add Disp 1 | | | m | | | | | | | | | per Lore | per Lore | | | | Electronic- |
| Rock Received to Chammel Product capabilities will be available only minoring BPT/New Business Request Process. Allers for the pasted capabilities will be advantaged by the process. Allers for the pasted capabilities will be advantaged by the process. Allers for the pasted capabilities will be advantaged by the process. Allers for the pasted capabilities will be advantaged by the pas | | | | | | | | | | | | | | | | | Disc Add'l |
| No. First Add? Stoke | | | | | | | | | | | | | | | | D130 131 | DISC Add I |
| WIRDERCE LOCAL PROCESSION SOURCE STATE Control Process Control Process | | | | | | | Rec | | | | | | | | | | _ |
| CARBADILED LOCAL EXCHANGE SWITCHINGCORDS | | | | | | | | | | | | | | | | | SOMAN |
| EXCHANGE PORT RATES | | | e availal | ole only | through BFR/New | Business Re | quest Process | . Rates for the | packet capabi | lities will be de | etermined via t | he Bona Fi | de Request/ | New Busines | s Request Pro | cess. | |
| The DBF Fort rate below for 4-Wine DDTS Trunk Fort and 4-Wine SBM Fort in this case anability apply to the embedded base in piace and 19/200 until 47/UB. After 47/BR hade rates shall rever to surif rate or a separate agreement. | | | | | | | | | | | | | | | | | |
| Request for After DOTS Trank Ports with After SIGN DST Ports after the effective date of this amendment shall be provided pursuant to a superate agreement or traff at BellSouth's discretion. | | | | | | <u> </u> | <u> </u> | | | | L., | L | | | L | | |
| Exchange Points - 2019 For - 14/14 (1975 | | | | | | | | | | | | | riff rates or | a separate ag | reement. | | |
| Exchange Points - DUTIS Fort - 4-Wind SDP Fort with DD | | | atter the | errecti | | | | | | | | | - | | | | |
| Capability (E-MT-(2004) USPPD USPPD 7362 202.47 69.90 72.75 24.71 | | | | | UEPEX | UEPP2 | 8.86 | 119.57 | 18.78 | 60.03 | 3.77 | | | | | | |
| Exchange Pots 2-Vivin (SDN Part (See Nates below) UEPPX_UEPSX_UEPYX_UEPX_UEPX_UEPX_UEPX_UEPX_UEPX_UEPX_UEP | | | | | LIEDOD | LIEDDD | 72.62 | 202.47 | 05.00 | 72.75 | 2.47 | | | | | | |
| All Features Offices | | | - | | | | | | | | | 1 | | | - | | |
| Ecologie Ports - 2-Vive SION Port - Channel Profess | | | | | | | | | | 47.50 | 10.70 | <u> </u> | | | | | |
| NOTE: Transmission/traspe charges associated with POTS circuit exvicted usage will also apply to circuit exvitched data transmission by B-Channels associated with 2-wire ISON ports. | | | - | | | | | | | + | + | | | | + | | |
| NOTE: Access to 8 Channel et D'Channel Pecket capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Boar Flore Request Process. Septimical Poor Transfer Section (1987) Septimical Poor Transf | | | witched | usage | | | | | | ission by B-Cl | hannels assoc | iated with 2 | wire ISDN r | orts. | | | |
| EXPLANCE PORT RATES (continued) | | | | | | | | | | | | | | | s Request Pro | cess. | |
| Exchange Priors - 4-Wire ISBN DSI Port will Detailed E911 UsePEX UsePEX UsePEX 107.44 204.27 101.78 79.38 20.10 UsePEX UseP | | | | T | | 1 | | | | | 1 | 1 | 1 | | | | |
| Locator Capability (E-41/2004) | | | 1 | | | i . | İ | İ | | 1 | 1 | 1 | İ | | 1 | | |
| Physical Collocation - Dist Clores Connects UEPEX UEPDX PETP1 1.12 22.08 15.96 6.42 5.80 | | | | 1 | UEPEX | UEPEX | 107.44 | 204.27 | 101.78 | 79.35 | 20.10 | 1 | 1 | | I | | 1 |
| Physical Collaboration DST Cross-Connects UEPEX UEPDX PEIPT 1.12 2.08 1.586 6.42 5.80 | | | | | | | | | | | | İ | | | | | |
| Detailed Est high the Locator Capability (required with UEPEX port) | | Physical Collocation - DS1 Cross-Connects | | | UEPEX UEPDX | PE1P1 | 1.12 | 22.08 | 15.96 | 6.42 | 5.80 | | | | | | |
| Detailed EST1 with Locator Capability (required with UEPEX port) UEPEX UEP1A | | Virtual collocation - Special Access & UNE, cross-connect per | | | | | | | | | | | | | | | |
| Unbundled Exchange Ports, 4-Wire ISDN DSI Port - E911 UEPEX UEP18 | | | | | UEPEX UEPDX | CNC1X | 1.12 | 22.08 | 15.96 | 6.42 | 5.80 | | | | | | |
| Locato Capability - Initial Profile Establishment per CLEC per State UEPEX | | | | | | | | | | | | | | | | | |
| State | | | | | | | | | | | | | | | | | |
| Unbundled Exchange Ports, 4-Wire ISDN DSI Port - E911 Locator Capability - Cayway Telephone Numbers UEPEX UEP1C | | | | | | | | | | | | | | | | | |
| Locator Capability - Subsequent Profile Changes, Additions, Deletions UEPEX UEP1B 0.00 175.53 | | | | | UEPEX | UEP1A | 0.00 | 1,808.00 | | 156.43 | | | | | | | |
| Deletions UEPEX UEP1B 0.00 175.53 | | | | | | | | | | | | | | | | | |
| New or Additional PRI Telephone Numbers Ulphoundied Exchange Ports, 4-Wire ISDN DS1 Port - E911 Ucastor Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional] UEPEX UEP1C 0.0698 0.49 0.49 Unbundied Exchange Ports, 4-Wire ISDN DS1 Port - E911 Ucastor Capability - Outfail Telephone Numbers, per number in E911 profile [New or Additional] UEPEX UEP1D 0.0698 11.54 11.54 Unbundied Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option [New or Additional] UEPEX UEP1D 0.0698 11.54 11.54 Ulphoundied Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option [New or Additional] UEPEX UEP1D 0.0698 11.54 11.54 Ulphoundied Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option [New or Additional] UEPEX UEP1D 0.00 0.49 0.49 Additional Ulphoundied Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] Ulphoundied Exchange Ports - 4-Wire ISDN DS1 Port - Inward Data Only Option [New or Additional Ports] Ulphoundied Exchange Ports - 4-Wire ISDN DS1 Port - Inward Data Ulphoundied Exchange Ports - 4-Wire ISDN DS1 Port - Inward Data Ulphoundied Exchange Ports - 4-Wire ISDN DS1 Port - Inward Data Ulphoundied Exchange Ports - 4-Wire ISDN DS1 Port - Inward Data Ulphoundied Exchange Ports - 4-Wire ISDN DS1 Port - Inward Data Ulphoundied Exchange Ports - 4-Wire ISDN DS1 Port - Inward Data Ulphoundied Exchange Ports - 4-Wire ISDN DS1 Port - Inward Data Ulphoundied Exchange Ports - 4-Wire ISDN DS1 Port - Inward Ds1 Port - Inward | | | | | | | | | | | | | | | | | |
| Unbundled Exchange Ports, 4-Wire ISDN DST Port - E911 Locator Capability - Zewy Telephone Numbers, per number in E911 profile [New or Additional] UEPEX UEP1D | | | | | UEPEX | UEP1B | 0.00 | 175.53 | | | | | | | | | |
| Locator Capability 2-way Telephone Numbers, per number in E911 profile (New or Additional) UEPEX UEP1C 0.0698 0.49 0.49 | | | - | - | | | | | | | | 1 | | | | | |
| E911 profile [New or Additional] | | | | | | | | | | | | | | | | | |
| Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Outfall a Telephone Numbers per number in E911 profile [New or Additional] UEPEX UEP1D 0.0698 11.54 11.54 UEP1D 0.0698 11.54 11.54 UEP1D 0.0698 11.54 11.54 UEP1D 0.0698 11.54 11.54 UEP1D 0.0698 11.54 11.54 UEP1D 0.0698 11.54 11.55 UEP1D 0.0698 11.54 11.55 UEP1D 0.0698 11.54 11.55 UEP1D 0.0698 11.54 11.55 UEP1D 0.0698 11.54 11.55 UEP1D 0.0698 11.54 11.55 UEP1D 0.0698 11.54 11.55 UEP1D 0.0698 11.55 UEP1D | | | | | LIEDEY | LIED1C | 0.0608 | 0.40 | 0.40 | | | | | | | | |
| Locator Capability - Outdial Telephone Numbers, per number in E911 profile [New or Additional] UEPEX UEP1D 0.0698 11.54 11.54 | | | | | ULFLX | OLFIC | 0.0090 | 0.49 | 0.49 | | | | | | | | |
| E911 profile [New or Additional] | | | | | | | | | | | | | | | | | |
| Unbundled Exchange Ports, 4-Wire ISDN DSI Port - Inward Telephone Numbers - Inward Data Only Option [New or Additional] UEPDX | | | | | LIEPEX | UFP1D | 0.0698 | 11 54 | 11 54 | | | | | | | | |
| Telephone Numbers - Inward Data Only Option [New or Additional - Voice/Data 'B' Channel UEPEX PR7BU UEPEX PR7BU O.00 0.49 O.49 | | | | | 02. 27. | 025 | 0.0000 | 11.01 | 11.01 | | | 1 | | | | | |
| Additional UEPDX UEP1E 0.00 0.49 0.49 | | | | | | | | | | | | | | | | | |
| Exchange Ports - 4-Wire ISDN DST Port - Subsequent [New] | | | | | UEPDX | UEP1E | 0.00 | 0.49 | 0.49 | | | | | | | | |
| LOCAL NUMBER PORTABILITY | | Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] | | | | | | | | | | | | | | | |
| LOCAL NUMBER PORTABILITY | | Inward Tel Numbers [Customer Testing Purposes] | | | UEPEX | PR7ZT | 0.00 | 23.07 | 23.07 | I | I | | | | I | | 1 |
| INTERFACE (Provsioning Only) | | | | | | | | | | | | | | | | | |
| Voice/Data | | | | | UEPEX UEPDX | LNPCN | 1.75 | | | | | | | | | | |
| Digital Data | | | | | | | | | | | | | | | | | |
| Inward Data | | | | | | | | | | | | | | | | | |
| New or Additional - Voice/Data "B" Channel UEPEX PR7BF 0.00 14.56 | | 9 | | | | | | | | | | | | | | | |
| New or Additional - Voice/Data "B" Channel UEPEX PR7BV 0.00 14.56 | | | | | UEPDX | PR71E | 0.00 | 0.00 | 0.00 | ļ | ļ | ļ | | | 1 | | |
| New or Additional - Digital Data "B" Channel UEPEX PR7BF 0.00 14.56 | | | | <u> </u> | LIEDEV | DD=0:: | | | | | | ļ | | | ļ | | |
| New or Additional Inward Data "B" Channel | | | | _ | | | | | | - | - | - | | | - | | |
| New or Additional Useage Sensitive Voice Data "B" Channel UEPEX PR7BS 0.00 | | | | _ | | | | | | - | - | - | | | - | | |
| New or Additional Useage Sensitive Digital Data "B" Channel UEPEX PR7BU 0.00 14.56 | | | | - | | | | 14.56 | | | | | - | | | | - |
| New or Additional PRI "D" Channel | | | | - | | | | | | | | - | | | | | |
| CALL TYPES | | | | - | | | | 14 56 | | | | | | | | | |
| Inward | | | | - | ULFEA | r/K/EX | 0.00 | 14.56 | | | | } | - | | | | |
| Outward | | | | - | HEDEX HEDDA | PR7C1 | 0.00 | 0.00 | 0.00 | | | } | - | | | | |
| Two-way UEPEX PR7CC 0.00 0.00 0.00 0.00 0.00 0.00 UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0. | | | H | | | | | | | | | 1 | | | t | | |
| UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE | | | H | | | | | | | | | 1 | | | t | | |
| UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE | | | , | † | U-1 -/\ | . 10,00 | 0.00 | 0.00 | 0.00 | - | I | 1 | - | | I | | |
| | | | | | | 1 | | | | <u> </u> | <u> </u> | | | | <u> </u> | | |
| Unbundled Remote Call Forwarding Service, Area Calling, Res UEPVR UERAC 1.65 2.38 2.28 1.42 1.33 | | | | 1 | UEPVR | UERAC | 1.65 | 2.38 | 2 28 | 1 42 | 1.33 | † | - | | t | | l |

| UNBUND | LED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: A |
|----------|---|-------------|----------|--------------------|-------------|----------------|----------------|---------------|-----------------|------------------|--|---|-------------------------|--|--|------------------------|
| CATEGOR | | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | II . | Svc Order Submitted Manually per LSR | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - |
| | | | | | | | Nonred | curring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service, Local Calling - Res | | | UEPVR | UERLC | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | | | | | |
| | Unbundled Remote Call Forwarding Service, InterLATA - Res | | | UEPVR | UERTE | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | | | | | |
| No | Unbundled Remote Call Forwarding Service, IntraLATA - Res n-Recurring | | | UEPVR | UERTR | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | | | | | |
| INO | Unbundled Remote Call Forwarding Service - Conversion - | | | | 1 | | | | | | | | | | | |
| | Switch-as-is | | | UEPVR | USAC2 | | 0.10 | 0.10 | | | | | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion with | | | | | | | | | | | | | | | |
| | allowed change (PIC and LPIC) | | | UEPVR | USACC | | 0.10 | 0.10 | | | | | | | | |
| UN | BUNDLED REMOTE CALL FORWARDING - Bus | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service, Area Calling - Bus | | | UEPVB | UERAC | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | | | | | |
| | Onbunded Remote Call Forwarding Service, Area Calling - Bus | | | ULF VD | UERAU | 1.00 | 2.38 | 2.28 | 1.42 | 1.33 | | | | | | |
| | Unbundled Remote Call Forwarding Service, Local Calling - Bus | | | UEPVB | UERLC | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | | | | | |
| | Unbundled Remote Call Forwarding Service, InterLATA - Bus | | | UEPVB | UERTE | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | | | | | |
| | Unbundled Remote Call Forwarding Service, IntraLATA - Bus | | | UEPVB | UERTR | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | | | | | |
| | Unbundled Remote Call Forwarding Service Expanded and | | | | | | | | | | | | | | | |
| | Exception Local Calling | | | UEPVB | UERVJ | 1.65 | 2.38 | 2.28 | 1.42 | 1.33 | | | | | | |
| No | n-Recurring | | - | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is | | | UEPVB | USAC2 | | 0.10 | 0.10 | | | | | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion with | | | LIEDVD | | | 0.40 | 0.40 | | | | | | | | |
| INDUNDU | allowed change (PIC and LPIC) ED LOCAL SWITCHING, PORT USAGE | | - | UEPVB | USACC | | 0.10 | 0.10 | | | | | | | | |
| | d Office Switching (Port Usage) | | | | 1 | | | | | | | | | | | |
| | End Office Switching Function, Per MOU | | | | | 0.0010519 | | | | | 1 | | | | | |
| | End Office Trunk Port - Shared, Per MOU | | | | 1 | 0.0002136 | | | | | | | | | | |
| Tar | ndem Switching (Port Usage) (Local or Access Tandem) | | | | | | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | | | | 0.0001634 | | | | | | | | | | |
| | Tandem Trunk Port - Shared, Per MOU | | | | | 0.0002863 | | | | | | | | | | |
| | Tandem Switching Function Per MOU (Melded) | | | | | 0.00004951 | | | | | | | | | | |
| | Tandem Trunk Port - Shared, Per MOU (Melded) | | - | | | 0.000086749 | | | | | | | | | | |
| Co | Melded Factor: 30.30% of the Tandem Rate | | - | | | | | | | | . | | | | | |
| | Common Transport - Per Mile, Per MOU | | | | | 0.0000045 | | | | | 1 | | | | | 1 |
| | Common Transport - Facilities Termination Per MOU | | | | | 0.0004095 | | | | | 1 | | | | | |
| JNBUNDLI | ED PORT/LOOP COMBINATIONS - COST BASED RATES | | | | | 0.000.000 | | | | | | | | | | |
| | st Based Rates are applied where BellSouth is required by FCC an | | | | | | | | | | | | | | | |
| | atures shall apply to the Unbundled Port/Loop Combination - Cos | | | | | | | | | | | | | | | |
| | d Office and Tandem Switching Usage and Common Transport Us | | | | | | | | | | | | | | | |
| | e first and additional Port nonrecurring charges apply to Not Curro | ently C | ombine | ea Combos. For Cur | rently Comb | ined Combos th | ne nonrecurrin | g cnarges sha | i be those ider | ntified in the N | onrecurring | - Currently | Combined se | ections. | | |
| | E Port/Loop Combination Rates | - | | | <u> </u> | 1 | | | | | | | | | | |
| JIV | 2-Wire VG Loop/Port Combo - Zone 1 | - | 1 | | | 14.89 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | <u> </u> | 2 | | <u> </u> | 21.52 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 27.17 | | | | | | | | | | |
| UN | E Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 13.76 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 20.38 | | | | | | | | | | |
| 2.14 | 2-Wire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Line Port Rates (Res) | - | 3 | UEPRX | UEPLX | 26.04 | | | | | 1 | - | | | | - |
| 2-V | 2-Wire voice unbundled port - residence | - | <u> </u> | UEPRX | UEPRL | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | } | - | | | | - |
| | 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res | - | | UEPRX | UEPRC | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | 2-Wire voice unbundled port with caller 12 - res 2-Wire voice unbundled port outgoing only - res | 1 | | UEPRX | UEPRO | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | 2-Wire voice Grade unbundled South Carolina extended local | | | | | | | | | | | | | | | |
| | dialing parity port with Caller ID - res | | | UEPRX | UEPAU | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | ment: 2 | | bit: A |
|----------|---|-------------|------|----------------|----------------|----------------|------------------|----------------|----------------|----------------|----------|--|---|---|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | O.Wine union under under une de conservation a next with Calley ID | | - | | + + | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | UEPRX | UEPAP | 1.13 | 37.93 | 16.72 | | | | | | | | l . |
| | 2-Wire Voice Unbundled South Carolina Residence Dialing Plan | | | OLFIX | OLFAF | 1.13 | 37.93 | 10.72 | | | | | | | | |
| | without Caller ID | | | UEPRX | UEPWL | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | 2-Wire voice unbundled South Carolina Area Calling Port without Caller ID Capability | | | UEPRX | UEPRS | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability | | | UEPRX | UEPRT | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| FEATU | | | | LIEBBY | 1150/5 | | | | | | | | | | | ! |
| | All Features Offered | | - | UEPRX | UEPVF | 3.04 | 0.00 | 0.00 | | | | | | | | |
| LOCAL | NUMBER PORTABILITY Local Number Portability (1 per port) | - | - | UEPRX | LNPCX | 0.35 | | | | | - | | | | | |
| NONPE | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | 1 | | OLFIVA | LINEUA | 0.35 | | | | | | | | | | |
| INOINKE | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | + + | | | | | | | - | | | | |
| | Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | UEPRX | USAC2 | | 0.10 | 0.10 | | | | | | | | |
| | Switch with change | | | UEPRX | USACC | | 0.10 | 0.10 | | | | | | | | l . |
| ADDITI | ONAL NRCs | | | | 1 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | Activity | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | | | | l . |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise | | | UEPRX | URETL | | 8.33 | 0.83 | | | | | | | | |
| OFF/O | N PREMISES EXTENSION CHANNELS | | | | | | | | | | | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 1 | UEPRX | UEAEN | 14.94 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 2 | UEPRX | UEAEN | 21.39 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 3 | UEPRX | UEAEN | 26.72 | 37.92 | 17.62 | 23.56 | 5.32 | | | | | | |
| | Wire Analog Voice Grade Extension Loop – Design Wire Analog Voice Grade Extension Loop – Design | | 2 | UEPRX UEPRX | UEAED UEAED | 16.68 23.13 | 105.98 105.98 | 68.43 68.43 | 53.05 53.05 | 10.61 10.61 | | - | | | | —— |
| | 2 Wire Analog Voice Grade Extension Loop – Design | - | 3 | UEPRX | UEAED | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | 1 | | | | — |
| INTER | DFFICE TRANSPORT | | Ŭ | OLITOR | OLALD | 20.40 | 100.00 | 00.40 | 00.00 | 10.01 | | † | | | | — |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPRX | U1TV2 | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPRX | U1TVM | 0.0167 | 0.00 | 0.00 | | 0.01 | | | | | | |
| 2-WIRE | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | OLITOX | OTTVIVI | 0.0107 | 0.00 | 0.00 | | | | | | | | |
| | ort/Loop Combination Rates | | | | 1 | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.89 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 21.52 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 27.17 | · | · | | | | | | | | |
| | pop Rates | | | | <u> </u> | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | 1 | 1 | UEPBX | UEPLX | 13.76 | | | | | | 1 | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 3 | UEPBX | UEPLX | 20.38 | | | | | | - | - | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Bus) | - | 3 | UEPBX | UEPLX | 26.04 | | | | | - | - | | - | - | |
| 2-44116 | 2-Wire voice unbundled port without Caller ID - bus | 1 | | UEPBX | UEPBL | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | † | | UEPBX | UEPBC | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | † | <u> </u> | | | | |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | İ | | | | | |
| | 2-Wire voice Grade unbundled South Carolina extended local | | | | | | | | | | | | | | | |
| | dialing parity port with Caller ID - bus | | | UEPBX | UEPAZ | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPBX | UEPB1 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | 2-Wire voice unbundled South Carolina Bus Area Calling Port with Caller ID (LMB) | | | UEPBX | UEPAB | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | 2-Wire Voice Unbundled South Carolina Business Dialing Plan without Caller ID | | | UEPBX | UEPWM | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | 2-Wire voice unbundled South Carolina Business Area Calling Port without Caller ID Capability | | | UEPBX | UEPBB | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | 2-Wire voice unbundled incoming Only Port without Caller ID Capability | | | UEPBX | UEPBE | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| 1.0041 | NUMBER PORTABILITY | | | | 1 1 | | | | | | | | ĺ | | | |

| UNBUN | DLF | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: A |
|--------------------|-------|--|--|----------|--------|-------|----------------|--------|------------|--------------|------------|--|-----------|--|--|--|-------------|
| 22014 | | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | In test | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Svc |
| CATEGO | RY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | ., | | | per Lor | per Lor | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | 1st | | DISCISE | DISC Add I |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | | |
| F | EATU | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPBX | UEPVF | 3.04 | 0.00 | 0.00 | | | | | | | | |
| N | ONRE | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | | Switch-as-is | | | UEPBX | USAC2 | | 0.10 | 0.10 | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | 1 | | | | | | | | | | | | | | |
| | DDIT | Switch with change | | | UEPBX | USACC | | 0.10 | 0.10 | | | | | | | | |
| A | וווטט | ONAL NRCs | | - | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| \vdash | - | Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User | | - | UEFBA | USASZ | - | 0.00 | 0.00 | | | | | - | | - | - |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise | 1 | | UEPBX | URETL | | 8.33 | 0.83 | | | | | | I | | |
| | FF/ON | PREMISES EXTENSION CHANNELS | | - | OLFDA | ONLIL | | 0.33 | 0.63 | | | | - | | | | |
| ⊢ | / Ο Ι | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 1 | UEPBX | UEAEN | 14.94 | 37.92 | 17.62 | 23.56 | 5.32 | H | | | t | | l |
| + | - | 2 Wire Analog Voice Grade Extension Loop – Non-Design | † | 2 | UEPBX | UEAEN | 21.39 | 37.92 | 17.62 | 23.56 | 5.32 | - | | | t | | |
| | | 2 Wire Analog Voice Grade Extension Loop – Non-Design | l | 3 | UEPBX | UEAEN | 26.72 | 37.92 | 17.62 | 23.56 | 5.32 | | | | <u> </u> | | |
| | | 2 Wire Analog Voice Grade Extension Loop – Design | | 1 | UEPBX | UEAED | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| | | 2 Wire Analog Voice Grade Extension Loop – Design | | 2 | UEPBX | UEAED | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| | | 2 Wire Analog Voice Grade Extension Loop – Design | | 3 | UEPBX | UEAED | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| IN | ITERC | FFICE TRANSPORT | | | | | | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | | Termination | | | UEPBX | U1TV2 | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| | | or Fraction Mile | | | UEPBX | U1TVM | 0.0167 | 0.00 | 0.00 | | | | | | | | |
| | | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | | |
| U | NE Po | rt/Loop Combination Rates | | . | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | ļ | 1 | | _ | 14.89 | | | | | | | | | | |
| - | | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | <u> </u> | 3 | | + | 21.52 27.17 | | | | | | - | | | | |
| | NE Lo | op Rates | 1 | 3 | | + | 27.17 | | | | | 1 | | | - | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG | UEPLX | 13.76 | | | | | | | | - | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPRG | UEPLX | 20.38 | | | | | 1 | | | 1 | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 26.04 | | | | | 1 | | | 1 | | |
| 2- | | /oice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | i e | | | | | | | | | | | | | | |
| | | Res | | | UEPRG | UEPRD | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | | | | | |
| L | | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| \Box | | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| F | EATU | | ļ | | | 1 | | | | | | | | | 1 | | |
| <u> </u> | | All Features Offered | ! | | UEPRG | UEPVF | 3.04 | 0.00 | 0.00 | | | | | | ļ | | |
| N | UNRE | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | ! | - | | + | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is | 1 | | UEPRG | USAC2 | | 7.93 | 4.04 | | | | | | I | | |
| \vdash | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | - | ULFRU | USAU2 | | 7.93 | 1.91 | | | - | - | | | | |
| | | 2-wire voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change | | | UEPRG | USACC | | 7.93 | 1.91 | | | | | | 1 | | |
| Δ | DDIT | DNAL NRCs | † | | OLI NO | JUAGO | | 1.53 | 1.31 | | | - | | | t | | |
| ^ | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | † | | | 1 | | | | | | | | 1 | <u> </u> | 1 | |
| | | Subsequent Activity | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | | | | 1 | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | 1 | | | | | | | | | | İ | | 1 | | İ |
| | | Group | 1 | | | | | 7.34 | 7.34 | | | | | | I | | |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | | Premise | <u></u> | | UEPRG | URETL | | 8.33 | 0.83 | | | | | | | | |
| 0 | FF/ON | PREMISES EXTENSION CHANNELS | | | | | | | | | | | | | | | |
| | | Local Channel Voice grade, per termination | | 1 | UEPRG | P2JHX | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| $\vdash \vdash$ | | Local Channel Voice grade, per termination | ļ | | UEPRG | P2JHX | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | | | ļ | 1 | ļ | |
| \vdash | | Local Channel Voice grade, per termination | <u> </u> | 3 | UEPRG | P2JHX | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | - | | ļ | - | ļ | |
| \vdash | | Non-Wire Direct Serve Channel Voice Grade | ! | 1 | UEPRG | SDD2X | 17.74 | 131.88 | 62.06 | 90.70 | 13.42 | | | - | | | |
| | | Non-Wire Direct Serve Channel Voice Grade | 1 | 2 | UEPRG | SDD2X | 25.16 | 65.94 | 31.03 | 45.35 | 6.71 | 1 | ı | L | L | L | L |

| UNBUND | LED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: A |
|--------------|--|--------|--|----------------|----------------|-----------------|-----------------|----------------|--|---------------|-----------|-----------|--|--|--|--|
| 0.1.20.1.2 | | T | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | |
| | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | 1 | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES (\$) | | | | - | | | | |
| 0, | 10112 ======= | m | | | | | | == (+) | | | per LSR | per LSR | Order vs. | Order vs. Electronic- | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | + | | | + | | Nonrec | urring | Nonrecurring | Disconnect | † | | OSS | Rates (\$) | l | |
| | | + | | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Non-Wire Direct Serve Channel Voice Grade | + | 3 | UEPRG | SDD2X | 29.58 | 65.94 | 31.03 | 45.35 | 6.71 | COMILO | COMPAR | COMPAR | COMPAN | COMPAN | COMPAR |
| INT | EROFFICE TRANSPORT | | Ť | 020 | ODDEX | 20.00 | 00.01 | 01.00 | 10.00 | 0 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination | | | UEPRG | U1TV2 | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| | or Fraction Mile | | | UEPRG | U1TVM | 0.0167 | 0.00 | 0.00 | | | | | | | | |
| 2-W | IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | 1 | | | | | | | | | | | | | | |
| | Port/Loop Combination Rates | 1 | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.89 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | † | 2 | | | 21.52 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | † | 3 | | | 27.17 | | | | | | | | | | |
| UNI | Loop Rates | 1 | T | | 1 | | | | 1 | | | 1 | İ | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | 1 | 1 | UEPPX | UEPLX | 13.76 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | 1 | 2 | UEPPX | UEPLX | 20.38 | | | 1 | | | 1 | İ | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | 1 | 3 | UEPPX | UEPLX | 26.04 | | | | | | | | | | |
| 2-W | ire Voice Grade Line Port Rates (BUS - PBX) | 1 | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | ĺ | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | | | | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | | | | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | 1 | | UEPPX | UEPLD | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | i | | UEPPX | UEPXA | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | | ĺ | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | | ĺ | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | | | | | | |
| | Capable Port | | | UEPPX | UEPXE | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Administrative Calling Port | | | UEPPX | UEPXL | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| $oxed{oxed}$ | Room Calling Port | | | UEPPX | UEPXM | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | | | |
| oxdot | Discount Room Calling Port | | | UEPPX | UEPXO | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | | | | | |
| oxdot | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus | | | | | | | | | | | | | | | |
| \vdash | Calling Port | | | UEPPX | UEPXT | 1.13 | 69.26 | 32.50 | 37.53 | 6.22 | | | | | | ļ |
| Loc | CAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| <u> </u> | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | ļ |
| FEA | TURES | | | | | | | | | | | | | | | ļ |
| L | All Features Offered | | | UEPPX | UEPVF | 3.04 | 0.00 | 0.00 | | | | | | | | |
| NOI | NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | 1 | ! | | + | | | | | | - | | . | | - | ├ |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | 1 | 1 | LIEDDY | 110400 | | 7.00 | 4.04 | | | | 1 | | | | |
| \vdash | Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | + | - | UEPPX | USAC2 | | 7.93 | 1.91 | | | - | - | - | | | |
| 1 1 | | | | LIEDDY | LISACO | | 7.00 | 4.04 | | | | | | | | |
| 45 | Conversion - Switch with Change DITIONAL NRCs | + | + | UEPPX | USACC | | 7.93 | 1.91 | | | - | | - | | | |
| ADI | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | + | | | + | | | | | | - | | - | - | - | |
| 1 | Subsequent Activity | 1 | 1 | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 1 | | | | |
| \vdash | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | + | | OLFFA | USASZ | 0.00 | 0.00 | 0.00 | | | - | | - | - | - | |
| 1 1 | Group | | | | | | 7.34 | 7.34 | | | | | | | | |
| \vdash | Unbundled Miscellaneous Rate Element, Tag Loop at End User | + | | | + + | - | 1.34 | 1.34 | | | | | | | | |
| | Premise | 1 | 1 | UEPPX | URETL | | 8.33 | 0.83 | | | | 1 | | | | |
| OF | F/ON PREMISES EXTENSION CHANNELS | + | | OLITA | OINLIL | | 0.33 | 0.03 | | | - | | | | | |
| 1511 | Local Channel Voice grade, per termination | + | 1 | UEPPX | P2JHX | 16.68 | 105.98 | 68.43 | 53.05 | 10.61 | | | | | | |
| \vdash | Local Channel Voice grade, per termination Local Channel Voice grade, per termination | + | | UEPPX | P2JHX | 23.13 | 105.98 | 68.43 | 53.05 | 10.61 | H | | | | | |
| | Local Channel Voice grade, per termination | + | 3 | UEPPX | P2JHX | 28.46 | 105.98 | 68.43 | 53.05 | 10.61 | - | | | | | |
| \vdash | | | | | 1 2011/ | 20.40 | 100.30 | 00.43 | 55.05 | 10.01 | 1 | | 1 | | 1 | 1 |
| | | | 1 | LIFPPX | SDD2X | 17 7 <i>/</i> l | 131 88 | 62.06 | 90.70 | 13.42 | | | | | | |
| | Non-Wire Direct Serve Channel Voice Grade Non-Wire Direct Serve Channel Voice Grade | | _ | UEPPX UEPPX | SDD2X SDD2X | 17.74 25.16 | 131.88 65.94 | 62.06 31.03 | 90.70 45.35 | 13.42 6.71 | | | | | | |

| UNBUNDL | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: A |
|----------|---|------------|-------|----------------|----------------|--|-----------------|-----------------|-----------------------|-------|----------|------------------|-------------|-------------------------|-------------|--|
| | | | | | | | | | | | | | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | 1 | Submitted | - | Charge - | Charge - | Charge - |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES (\$) | | | Elec | Manually per LSR | | Manual Svc Order vs. | Order vs. | Manual Svo Order vs. |
| | | m | | | | | | (+) | | | per Lor | per Lon | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | N | | I M | D' | | | | | 2.00 .00 | |
| | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Add'l | COMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| INTE | ROFFICE TRANSPORT | | | | | | FIISL | Add I | FIISL | Addi | SOIVIEC | SUMAN | SOWIAN | SOWAN | SOWAN | SOWAN |
| 11112 | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination | | | UEPPX | U1TV2 | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| 0.1400 | or Fraction Mile | <u> </u> | | UEPPX | U1TVM | 0.0167 | 0.00 | 0.00 | | | | | | | | ļ |
| | RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR Port/Loop Combination Rates | (I | | | + | - | | | | | | | | | | ļ |
| OIVE | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 14.89 | | | | | | | | | | 1 |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 21.52 | | | | | | | | | | 1 |
| | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 27.17 | | | | | | | | | | |
| UNE | Loop Rates | | | | | | | | | | | | | | | |
| \vdash | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 13.76 | | | | | ļ | | | | | |
| \vdash | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO UEPCO | UEPLX UEPLX | 20.38 26.04 | | | | | 1 | | | | | |
| 2-Wir | e Voice Grade Line Ports (COIN) | | - | 021 00 | JLILA | 20.04 | | | | | 1 | | | | | - |
| | 2-Wire Coin 2-Way without Operator Screening and without | | | | | | | | | | | | | | | |
| \sqcup | Blocking (SC) | | | UEPCO | UEPSD | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | <u> </u> | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | LIEDOO | LIEDOA | 4.40 | 40.00 | 40.00 | 04.00 | 0.05 | | | | | | |
| \vdash | 900/976, 1+DDD (SC) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | UEPCO | UEPSA | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | (SC) | | | UEPCO | UEPSH | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking; | | | 02. 00 | 02. 0 | 0 | 10.00 | 10.00 | 200 | 0.00 | | | | | | |
| | with Dialing Parity (SC) | | | UEPCO | UEPSC | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and: 900 Blocking: | | | | | | | | | | | | | | | |
| | 900/976, 1+DDD, 011+, and Local (SC) | | | UEPCO | UEPCC | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | <u> </u> |
| | 2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD, 011+, Local; Enhanced Call OPT 3YV (SC) | | | UEPCO | UEPCE | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | 2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD, | | | 021 00 | OLI OL | 1.10 | 40.00 | 10.00 | 24.00 | 0.00 | | | | | | |
| | 011+, Local; Enhanced Call OPT AP7 (SC) | | | UEPCO | UEPCF | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | 2-Wire Coin Outward without Blocking and without Operator | | | | | | | | | | | | | | | |
| \vdash | Screening (SC) | | | UEPCO | UEPSG | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | <u> </u> |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking (SC) | | | UEPCO | UEPSF | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | | | 021 00 | OLI OI | 1.10 | 40.00 | 10.00 | 24.00 | 0.00 | | | | | | |
| | 011, 900/976, 1+DDD (SC) | | | UEPCO | UEPSJ | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | | | | | | | | | | | | | | | |
| | 900/976, 1+DDD, 011+, and Local (SC) | | | UEPCO | UEPCM | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | ļ |
| | 2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD, 011+, Local; Enhanced Calling OPT 3YW (SC) | | | UEPCO | UEPCP | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCK | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | 2-Wire Coin Outward Smartline with 900/976 (all states except | | | | 02.01. | | | | | 5.55 | | | | | | |
| | LA) | | | UEPCO | UEPCR | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| ADDI | TIONAL UNE COIN PORT/LOOP (RC) | | | LIEDOO | LIDEOLI | 4.05 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| 1.00 | UNE Coin Port/Loop Combo Usage (Flat Rate) | | | UEPCO | URECU | 4.05 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | - |
| 100 | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | 1 | | | | | <u> </u> |
| NON | RECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| \vdash | Switch-as-is | <u> </u> | - | UEPCO | USAC2 | | 0.10 | 0.10 | | | | - | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | UEPCO | USACC | | 0.10 | 0.10 | | | | | | | | |
| ADDI | TIONAL NRCs | | | 02.1 00 | 30/100 | | 0.10 | 0.10 | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | Activity | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | ļ | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | LIEDCO | LIDET | | 0.00 | 0.00 | | | | | | | | |
| 2-WII | Premise RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | I FIINF | ORT (| UEPCO RFS) | URETL | | 8.33 | 0.83 | | | 1 | | | | | |
| | Port/Loop Combination Rates | | 5 | | | | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 18.00 | | | | | | | <u> </u> | | | |

| NBUNDLEL | NETWORK ELEMENTS - South Carolina | | | ı | | | | | | | Τ | - | | ment: 2 | Exhi | |
|----------|--|--|--|---------|----------|--------|--------|------------|--|------------|--------------|-----------|---|---|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | II . | Submitted | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual S Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 24.45 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 29.78 | | | | | | | | | | |
| UNE Lo | oop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFR | UECF2 | 16.68 | | | Î | | | | | Î | Î | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFR | UECF2 | 23.13 | | | Î | | | | | Î | Î | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFR | UECF2 | 28.46 | | | Î | | | | | Î | Î | |
| 2-Wire \ | Voice Grade Line Port Rates (Res) | | | | | | | | Î | | | | | Î | Î | |
| | 2-Wire voice unbundled port - residence | | | UEPFR | UEPRL | 1.32 | 108.36 | 70.71 | 1.42 | 1.33 | | | | | | |
| | 2-Wire voice unbundled port with Caller ID - res | | | UEPFR | UEPRC | 1.32 | 108.36 | 70.71 | 1.42 | 1.33 | | | | | | |
| | 2-Wire voice unbundled port outgoing only - res | | | UEPFR | UEPRO | 1.32 | 108.36 | 70.71 | | 1.33 | İ | | | | | |
| | 2-Wire voice Grade unbundled South Carolina extended local | | | | | | | | | | İ | | | | | |
| | dialing parity port with Caller ID - res | | | UEPFR | UEPAU | 1.32 | 108.36 | 70.71 | 1.42 | 1.33 | | | | | | |
| | 2-Wire voice unbundled South Carolina Area Calling port with | | | | | | | | 1 | | i e | | | | | |
| | Caller ID - res (LW8) | | | UEPFR | UEPAJ | 1.32 | 108.36 | 70.71 | 1.42 | 1.33 | | | | | | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID | | | OLITIK | OLI 710 | 1.02 | 100.00 | 70.71 | 1.72 | 1.00 | + | | | | | |
| | (LUM) | | | UEPFR | UEPAP | 1.32 | 108.36 | 70.71 | 1.42 | 1.33 | | | | | | |
| | 2-Wire Voice Unbundled South Carolina Residence Dialing Plan | | - | OLFIK | ULFAF | 1.32 | 100.30 | 70.71 | 1.42 | 1.33 | | | | | | - |
| | without Caller ID | | | UEPFR | UEPWL | 1.32 | 108.36 | 70.71 | 1.42 | 1.33 | | | | | | |
| INTERC | OFFICE TRANSPORT | - | - | UEPFR | UEPVVL | 1.32 | 108.36 | 70.71 | 1.42 | 1.33 | | | | | | |
| | | - | - | | + + | | | | | | 1 | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | 40.00 | | | | | | | | | |
| | Termination Control of the Control o | | | UEPFR | U1TV2 | 19.44 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | 1 | LIEDED | 11.500 | | | | | | | | | | | |
| | or Fraction Mile | | | UEPFR | 1L5XX | 0.0134 | | | | | | | | | | |
| FEATU | | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPFR | UEPVF | 3.04 | 0.00 | 0.00 | | | | | | | | |
| | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPFR | LNPCX | 0.35 | | | | | | | | | | |
| | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-as-is | | | UEPFR | USAC2 | | 8.50 | 1.87 | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-With-Change | | | UEPFR | USACC | | 8.50 | 1.87 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Designed Loop at | | | | | | | | | | | | | | | |
| | End User Premise | | | UEPFR | URETN | | 11.24 | 1.10 | | | | | | | | |
| 2-WIRE | VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | E LINE F | ORT (| BUS) | | | | | Î | | | | | Î | Î | |
| UNE Po | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 18.00 | | | Î | | | | | Î | Î | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 24.45 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 29.78 | | | | | | | | | | |
| UNE Lo | oop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFB | UECF2 | 16.68 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFB | UECF2 | 23.13 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFB | UECF2 | 28.46 | | | | | i e | | | | | |
| | Voice Grade Line Port (Bus) | | Ŭ | 02.10 | 020.2 | 20.10 | | | 1 | | 1 | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPFB | UEPBL | 1.32 | 108.36 | 70.71 | 1.42 | 1.33 | 1 | | | | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPFB | UEPBC | 1.32 | 108.36 | 70.71 | | 1.33 | 1 | | | | | |
| - | 2-Wire voice unbundled port with Gallet + E-404 IB - Bus 2-Wire voice unbundled port outgoing only - bus | | | UEPFB | UEPBO | 1.32 | 108.36 | 70.71 | | 1.33 | | | | | | |
| + + | 2-Wire voice Grade unbundled South Carolina extended local | | - | OLI I D | OLI DO | 1.02 | 100.30 | 70.71 | 1.42 | 1.00 | | | | | | |
| | dialing parity port with Caller ID - bus | | l | UEPFB | UEPAZ | 1.32 | 108.36 | 70.71 | 1.42 | 1.33 | | | | l | l | 1 |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPFB | UEPB1 | 1.32 | 108.36 | 70.71 | | 1.33 | | | | | | |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled South Carolina Bus Area Calling Port | | | OLFID | OLFDI | 1.32 | 100.30 | 70.71 | 1.42 | 1.33 | } | | | 1 | 1 | |
| | with Caller ID (LMB) | | 1 | UEPFB | UEPAB | 1.32 | 108.36 | 70.71 | 1.42 | 1.33 | | | | | | 1 |
| | 2-Wire Voice Unbundled South Carolina Business Dialing Plan | - | - | ULPFB | UEPAB | 1.32 | 108.36 | 70.71 | 1.42 | 1.33 | - | | - | - | - | |
| | | | | LIEDED | UEPWM | 1 20 | 100.00 | 70.74 | 1 40 | 1 22 | | | | | | |
| | without Caller ID | — | - | UEPFB | UEPVVIVI | 1.32 | 108.36 | 70.71 | 1.42 | 1.33 | } | | - | | | |
| | NUMBER PORTABILITY | — | - | LIEDED | LNDCY | 0.05 | | | | | } | | - | | | |
| | Local Number Portability (1 per port) | | <u> </u> | UEPFB | LNPCX | 0.35 | | | 1 | | 1 | | | | | |
| | OFFICE TRANSPORT | — | | | + | | | | 1 | | <u> </u> | | - | ļ | ļ | _ |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | 1 | l | l | 1 | | | | 1 | | | | 1 | 1 | 1 | 1 |
| 1 1 | Termination | l . | I | UEPFB | U1TV2 | 19.44 | 40.63 | 27.47 | 16.77 | 6.91 | 1 | l | l | l | l | I |

| UNBUNDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | ment: 2 | | bit: A |
|----------|--|-------------|--|----------|-------|--------|--------|------------|--------------|-------|--|-----------|-------|--|----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | _ | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | | |
| | Interest Transport De Frank I OW're Veire Out In De Mile | | - | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPFB | 1L5XX | 0.0134 | | | | | | | | | | l |
| FEATU | | | | OLFIB | ILJAA | 0.0134 | | | | | | | | | | — |
| | All Features Offered | | | UEPFB | UEPVF | 3.04 | 0.00 | 0.00 | | | | | | | | |
| NONRE | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is | | | UEPFB | USAC2 | | 8.50 | 1.87 | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change | | | UEPFB | USACC | | 8.50 | 1.87 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Designed Loop at | | | | l l | | | | | | | | | | | 1 |
| | End User Premise | | ODT (| UEPFB | URETN | | 11.24 | 1.10 | | | | | | | | |
| | VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE ort/Loop Combination Rates | LINE | -UKI (| РВА) | + | | | | | | | | | | | - |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | - | 1 | | + | 18.00 | | | | | - | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | + + | 24.45 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | † † | 29.78 | | | | | | | | | İ | |
| | pop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | | UEPFP | UECF2 | 16.68 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | | UEPFP | UECF2 | 23.13 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFP | UECF2 | 28.46 | | | | | | | | | | |
| 2-Wire | Voice Grade Line Port Rates (BUS - PBX) | | | | + | | | | | | | | | | | — |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPFP | UEPPC | 1.32 | 137.32 | 83.31 | 67.02 | 11.51 | | | | | | l |
| -+- | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPFP | UEPPO | 1.32 | 137.32 | 83.31 | 67.02 | 11.51 | | | | | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPFP | UEPP1 | 1.32 | 137.32 | 83.31 | 67.02 | 11.51 | | | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPFP | UEPLD | 1.32 | 137.32 | 83.31 | 67.02 | 11.51 | | | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPFP | UEPXA | 1.32 | 137.32 | 83.31 | 67.02 | 11.51 | | | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPFP | UEPXB | 1.32 | 137.32 | 83.31 | 67.02 | 11.51 | | | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPFP | UEPXC | 1.32 | 137.32 | 83.31 | 67.02 | 11.51 | | | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | UEPFP | UEPXD | 1.32 | 137.32 | 83.31 | 67.02 | 11.51 | - | | | | | — |
| | Capable Port | | | UEPFP | UEPXE | 1.32 | 137.32 | 83.31 | 67.02 | 11.51 | | | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPFP | UEPXL | 1.32 | 137.32 | 83.31 | 67.02 | 11.51 | | | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPFP | UEPXM | 1.32 | 137.32 | 83.31 | 67.02 | 11.51 | | | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | 1 | | l | 1 | . 🗆 | 🗆 | | I T | | | | | | | 1 |
| | Discount Room Calling Port | ļ | . | UEPFP | UEPXO | 1.32 | 137.32 | 83.31 | 67.02 | 11.51 | 1 | | ļ | | | 1 |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port 2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus | | + | UEPFP | UEPXS | 1.32 | 137.32 | 83.31 | 67.02 | 11.51 | | | | | | - |
| I OCAL | Z-wire voice undurated 2-way PBX South Carolina Area Plus Calling Port NUMBER PORTABILITY | | | UEPFP | UEPXT | 1.32 | 137.32 | 83.31 | 67.02 | 11.51 | | | | | | |
| | Local Number Portability (1 per port) | | | UEPFP | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | \vdash |
| | DFFICE TRANSPORT | 1 | | | | 0.10 | 0.00 | 0.00 | | | t | † | 1 | | 1 | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | † † | | | | | | | | | | | |
| | Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | UEPFP | U1TV2 | 19.44 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | - |
| FEATU | or Fraction Mile | | | UEPFP | 1L5XX | 0.0134 | | | | | | | | | | - |
| | All Features Offered | i e | | UEPFP | UEPVF | 3.04 | 0.00 | 0.00 | | | | | | | İ | |
| NONRE | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is | | | UEPFP | USAC2 | | 8.50 | 1.87 | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch with change Unbundled Miscellaneous Rate Element, Tag Designed Loop at | | | UEPFP | USACC | | 8.50 | 1.87 | | | | | | | | |
| | End User Premise PORT/LOOP COMBINATIONS - COST BASED RATES | | | UEPFP | URETN | | 11.24 | 1.10 | | | | | | | | |
| | VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PORT | | | | | | | | | İ | | | | | |

| NBUNDLI | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | | ment: 2 | 1 | ibit: A |
|---------|---|--|--|--------|--------|---------|-------|--------|------------|--|-------|--|---|--|--|--|--------------|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | В | cs | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Manual Svc | Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | | | | | | | | | | DISC 1St | DISC Add |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | Post II and Compliant and Dates | | - | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| UNE | Port/Loop Combination Rates | | 4 | | | | 23.75 | | | - | | | | | | | - |
| _ | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 1 | | | | 30.20 | | | | | - | | | | | |
| _ | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | | | 35.52 | | | | | - | | | | | |
| LINE | Loop Rates | | 3 | | | | 33.32 | | | 1 | | 1 | | 1 | 1 | 1 | 1 |
| ONL | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | | UECD1 | 16.68 | | | | | | | | - | - | † |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | | UECD1 | 23.13 | | | | | 1 | | | 1 | 1 | 1 |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | | UECD1 | 28.46 | | | t | | | | | t | t | |
| UNE | Port Rate | | | | | | | | | | | | | | | | i e |
| | Exchange Ports - 2-Wire DID Port | | | UEPPX | | UEPD1 | 7.06 | 225.55 | 87.21 | 113.08 | 14.38 | | | | | | 1 |
| NONE | RECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - | | | | | | | | | | | | | | | | |
| | Switch-as-is | 1 | | UEPPX | | USAC1 | | 7.32 | 1.87 | 1 | | | | 1 | 1 | 1 | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | | | | İ | | | | | | | | | | |
| | with BellSouth Allowable Changes | | | UEPPX | | USA1C | | 7.32 | 1.87 | | | | | | | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | | |
| | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | | USAS1 | | 26.84 | | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Designed Loop at | | | | | | | | | | | | | | | | |
| | End User Premise | | | UEPPX | | URETN | | 11.24 | 1.10 | | | | | | | | |
| Telep | hone Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | | |
| | DID Trunk Termination (One Per Port) | | | UEPPX | | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers, Establish Trunk Group and Provide First Group | | | | | | | | | | | | | | | | |
| | of 20 DID Numbers | | | UEPPX | | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPPX | | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID numbers | | | UEPPX | | ND6 | 0.00 | 0.00 | 0.00 | - | | | | | | | - |
| 1.004 | Reserve DID Numbers | | | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | - | | - | | - | - | - | - |
| LUCA | | | | UEPPX | | LNPCP | 3.15 | 0.00 | 0.00 | | | - | | | | | 1 |
| 2-14/15 | Local Number Portability (1 per port) RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII | NE SIDE | DODT. | | | LINE CE | 3.13 | 0.00 | 0.00 | - | | 1 | | - | - | - | 1 |
| | Port/Loop Combination Rates | NE SIDE | I | | | 1 | | | | | | | | | | | |
| UNL | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | | | | | | | | | | | | - | - | |
| | UNE Zone 1 | | 1 | UEPPB | UEPPR | | 30.86 | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | i i | 02 | OLITIC | | 00.00 | | | | | 1 | | | 1 | 1 | 1 |
| | UNE Zone 2 | | 2 | UEPPB | UEPPR | | 38.60 | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | | | | | | | | | | | | | | i e |
| | UNE Zone 3 | | 3 | UEPPB | UEPPR | | 44.23 | | | | | | | | | | |
| UNE | Loop Rates | | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 21.90 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 29.64 | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | USL2X | 35.27 | | | | | | | | | | |
| UNE | Port Rate | | | | | | | | | | | | | | | | |
| | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 8.96 | 190.51 | 133.14 | 100.95 | 21.37 | | | | | | |
| NONE | RECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | 1 |
| | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | 1 | | l | | | | | | I | | | 1 | I | I | I | |
| | Combination - Conversion | ļ | ļ | UEPPB | UEPPR | USACB | 0.00 | 38.59 | 27.08 | - | - | - | | - | - | - | 1 |
| ADDI | TIONAL NRCs | | | | | | | | | - | | | | - | - | - | <u> </u> |
| | Unbundled Miscellaneous Rate Element, Tag Designed Loop at | 1 | | LIEBSS | LIEDDO | LIDETY | | 44.04 | | I | | | 1 | I | I | I | 1 |
| - | End User Premise | | - | UEPPB | UEPPR | URETN | | 11.24 | 1.10 | | - | 1 | | | | | 1 |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | 1 | | LIEDDD | HEDDD | LIDETI | | 0 22 | 0.00 | I | | | 1 | I | I | I | 1 |
| 1.004 | Premise AL NUMBER PORTABILITY | - | | UEPPB | UEPPR | URETL | | 8.33 | 0.83 | | | | | | | | - |
| LUCA | Local Number Portability (1 per port) | - | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | - |
| B.Cu | ANNEL USER PROFILE ACCESS: | - | - | UEPPB | JEFFR | LINEUX | 0.35 | 0.00 | 0.00 | | | | | | | | - |
| D-CH. | CVS/CSD (DMS/5ESS) | - | - | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | + | | | | + | + | + | 1 |
| | CVS (EWSD) | <u> </u> | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | 1 | 1 | OLFED | | | 0.00 | 0.00 | | 1 | l | | L | <u> </u> | 1 | | |
| - | CSD | | | UEPPB | LIEDDD | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |

| JNBUNDLE | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | T - | | ment: 2 | | bit: A |
|-------------------|---|--|--|-------------|--------------|-----------------|------------------|-------------------------------------|-----------------------------------|--|-------------------------------|--|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | В | scs | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonre | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CVS/CSD (DMS/5ESS) | ļ | | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | | | | | | |
| \longrightarrow | CVS (EWSD) | 1 | | UEPPB | UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | | | | | | | | |
| HEED | CSD TERMINAL PROFILE | 1 | | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| USER | User Terminal Profile (EWSD only) | 1 | - | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| VERT | ICAL FEATURES | | | OLFFB | ULFFR | OTOMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| - VERTI | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 3.04 | 0.00 | 0.00 | | | | | | | | |
| INTER | ROFFICE CHANNEL MILEAGE | | | 02.75 | OLITI | 02. 1. | 0.01 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel mileage each, including first mile and | | | | | 1 | | | | | | | | | | | |
| | facilities termination | | | UEPPB | UEPPR | M1GNC | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | Interoffice Channel mileage each, additional mile | | 1 | | | M1GNM | 0.0167 | 0.00 | 0.00 | | | | | | | | |
| | E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | | | | | | | | | | | | | | | | |
| | NE-P DS1 combination rates below for in this rate exhibit appl | | | | | | | | | | | | | nt. | | | |
| | ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1 | Trunk P | ort afte | r the effec | ctive date o | of this amend | ment shall be | provided pursu | uant to a separ | ate agreement | or tariff at Bel | South's di | scretion. | | | | |
| UNE P | Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| l | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | 1 | | | | | | | | | | | 1 |
| | Zone 1 | | 1 | UEPPP | | | 176.82 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | 044.00 | | | | | | | | | | |
| | Zone 2 | | 2 | UEPPP | | | 241.38 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | HEDDD | | | 0.47.04 | | | | | | | | | | |
| UNIT | Zone 3 | 1 | 3 | UEPPP | | + | 347.84 | | | | | | - | | | | - |
| UNE L | _oop Rates | 1 | 1 | UEPPP | | USL4P | 90.87 | | | | | - | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | 1 | 2 | UEPPP | | USL4P | 155.43 | | | | | - | | | | | |
| -+- | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | | USL4P | 261.89 | | | | | 1 | | | | 1 | 1 |
| UNE F | Port Rate | | 3 | OLFFF | | USL4F | 201.09 | | | | | | | | | | |
| ONLI | Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) | 1 | 1 | UEPPP | | UEPPP | 85.95 | 457.30 | 259.67 | 124.15 | 31.83 | | | | | | |
| NONR | ECURRING CHARGES - CURRENTLY COMBINED | | | 02 | | 02 | 00.00 | 107.00 | 200.01 | 12 11 10 | 01.00 | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | | | | 1 | | | | | | | | | | | |
| | Combination - Conversion -Switch-as-is (E:4/1/2004) | | | UEPPP | | USACP | 0.00 | 119.34 | 78.73 | | | | | | | | |
| ADDIT | TIONAL NRCs | | 1 | Î | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | | | | | | | | | | | | | | |
| | Inward/two way Tel Nos. (except NC) | | | UEPPP | | PR7TF | | 0.49 | 0.49 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | | | | | | |
| | Outward Tel Numbers (All States except NC) | | | UEPPP | | PR7TO | | 11.54 | 11.54 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | | | | | | | | | | | | | | |
| | Subsequent Inward Tel Numbers | | | UEPPP | | PR7ZT | | 23.07 | 23.07 | | | | | | | | |
| LOCA | L NUMBER PORTABILITY | 1 | <u> </u> | LIEBBB | | LNDCN | 4 | | | | | | | | | | |
| | Local Number Portability (1 per port) | 1 | <u> </u> | UEPPP | | LNPCN | 1.75 | 0.00 | 0.00 | | | | | | | | |
| $\!\!\!+\!\!\!-$ | Voice/Data Digital Data | 1 | 1 | UEPPP | | PR71V PR71D | 0.00 | 0.00 | 0.00 | | | | | - | - | | |
| -+- | Inward Data | | ├ | UEPPP | | PR71E | 0.00 | 0.00 | 0.00 | _ | | | - | | | | \vdash |
| New c | inward Data or Additional "B" Channel | + | | JLPFF | | I:IX/ IE | 0.00 | 0.00 | 0.00 | | | — | | | | | \vdash |
| IAGM O | New or Additional - Voice/Data B Channel | + | | UEPPP | | PR7BV | 0.00 | 14.56 | | | | — | | | | | |
| | New or Additional - Voice/Data B Channel | | | UEPPP | | PR7BF | 0.00 | 14.56 | | | | - | | | | | |
| | New or Additional Inward Data B Channel | 1 | † | UEPPP | | PR7BD | 0.00 | 14.56 | | | | | | | | | |
| CALL | TYPES | | t — | 1 | | 1 | 5.50 | 50 | | | | | | | | İ | İ |
| | Inward | 1 | i – | UEPPP | | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Outward | 1 | | UEPPP | | PR7CO | 0.00 | 0.00 | 0.00 | | | | | | | 1 | 1 |
| | Two-way | | | UEPPP | | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| - To . | ffice Channel Mileage | | | | | | | | | | | | | | | | |
| Intero | let te transcentation | | | UEPPP | | 1LN1A | 77.4815 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | |
| Intero | Fixed Each Including First Mile | | | | | 141.5145 | 0.3415 | 1 | | | | | | | | | |
| | Each Airline-Fractional Additional Mile | | | UEPPP | | 1LN1B | 0.3415 | | | | | | | | | | |
| 4-WIR | Each Airline-Fractional Additional Mile E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | | | |
| 4-WIR | Each Airline-Fractional Additional Mile E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT NE-P DS1 combination rates below for in this rate exhibit appl | ly to the | embe | dded base | in place a | ıs of 10/2/03 ı | ıntil 4/1/04. Af | ter 4/1/04 these | rates shall rev | vert to tariff rate | es or a separa | te commerc | ial agreeme | nt. | | | |
| 4-WIR The U | Each Airline-Fractional Additional Mile E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT NE-P DS1 combination rates below for in this rate exhibit appl sets for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff | ly to the | embed | dded base | in place a | ıs of 10/2/03 ı | ıntil 4/1/04. Af | ter 4/1/04 these a separate agre | e rates shall reveement or tariff | vert to tariff rate f at BellSouth's | es or a separa discretion. | te commerc | ial agreeme | nt. | | | |
| 4-WIR The U | Each Airline-Fractional Additional Mile E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT NE-P DS1 combination rates below for in this rate exhibit appl | ly to the | ember | dded base | in place a | ıs of 10/2/03 ı | ıntil 4/1/04. Af | ter 4/1/04 these a separate agre | e rates shall reveement or tariff | vert to tariff rate f at BellSouth's | es or a separa discretion. | te commerc | ial agreeme | nt. | | | |

| DURONDLEI | NETWORK ELEMENTS - South Carolina | | | ı | | | | | | | _ | 1_ | | ment: 2 | 1 | bit: A |
|-----------|--|--|--|-------------------|------------|--------|--------|------------|--------------|--|--|--------------|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Submitted | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonre | curring | Nonrecurring | g Disconnect | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 320.78 | | | | | | | | | | |
| | op Rates | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 90.87 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 155.43 | | | | | | | Î | Î | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 261.89 | | | | | | | | | | |
| UNE Po | ort Rate | | | | | | | | | | | | | ĺ | | |
| | 4-Wire DDITS Digital Trunk Port (E:4/1/2004) | | | UEPDC | UDD1T | 58.90 | 455.50 | 253.79 | 117.55 | 14.20 | | | Î | Î | | |
| NONRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | Î | Î | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | 1 | | | | | | | | | | | |
| | - Switch-as-is (E:4/1/2004) | | | UEPDC | USAC4 | | 129.78 | 67.17 | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | 1 | | | | | | | | | | | i e |
| | - Conversion with DS1 Changes (E:4/1/2004) | | | UEPDC | USAWA | | 129.78 | 67.17 | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | † |
| | - Conversion with Change - Trunk (E:4/1/2004) | | | UEPDC | USAWB | | 129.78 | 67.17 | | | | | | | | |
| ADDITIO | ONAL NRCs | | | 02. 50 | 00/11/2 | | 120.10 | 01.11 | | | † | | | | | 1 |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | + + | | | | | | † | | | | | 1 |
| | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 14.51 | 14.51 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | OLI DO | ODITA | | 14.51 | 14.51 | | | | | | | | |
| | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 14.51 | 14.51 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | - | - | OLFDC | ODITE | | 14.51 | 14.51 | | | - | - | | | | |
| | Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 14.51 | 14.51 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | - | - | UEPDC | UDITO | | 14.51 | 14.51 | | | - | - | | | | |
| | | | | UEPDC | UDTTD | | 14.51 | 14.51 | | | | | | | | |
| | Activation Per Chan - Inward Trunk with DID | | - | UEPDC | טווטט | | 14.51 | 14.51 | | | - | | | | | - |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | UEPDC | UDTTE | | 44.54 | 44.54 | | | | | | | | |
| | Activation / Chan - 2-Way DID w User Trans | - | - | UEPDC | UDITE | | 14.51 | 14.51 | | | | | | | | |
| | AR 8 ZERO SUBSTITUTION | | | | 22225 | | 0.00 | | | | | | | | | ļ |
| | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00i | 605.00s | | | | | | | | |
| | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00i | 605.00s | | | | | | | | |
| | te Mark Inversion | | | | | | | | | | | | | | | |
| | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| | one Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | |
| | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | | | | | |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | | | | | |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | | | | | |
| | DID Numbers, Establish Trunk Group and Provide First Group | | | | | | | | | | | | | | | |
| | of 20 DID Numbers | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Dedicat | ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 | Digital | Loop | with 4-Wire DDITS | Trunk Port | | | | | | | | Î | Î | | |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | | T i | | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO1 | 77.14 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | | |
| | , | | | | 1 | | | | | | 1 | İ | İ | İ | İ | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | 1 | | UEPDC | 1LNOA | 0.3415 | 0.00 | 0.00 | | | | 1 | | | | 1 |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | i – | | | | 3.0 0 | 0.50 | 3.30 | 1 | | 1 | i e | i e | i e | İ | |
| | Termination) | 1 | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | 1 | | | | 1 |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 | l - | t | | 1 | 0.00 | 0.00 | 3.30 | 1 | | t | | | l | 1 | |
| | miles | l | | UEPDC | 1LNOB | 0.3415 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | 02.1 00 | 121400 | 0.0410 | 0.00 | 0.00 | † | | | - | | | † | |
| | Termination) | 1 | 1 | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | I | l | | | 1 |
| - | Tommanotty | | | 021 00 | 151400 | 0.00 | 0.00 | 0.00 | 1 | | | | | | 1 | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | 1 | 1 | UEPDC | 1LNOC | 0.3415 | 0.00 | 0.00 | | | | I | l | | | 1 |
| | Local Number Portability, per DS0 Activated | - | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 1 | | | | | | - | |
| | Central Office Termininating Point | - | - | UEPDC | CTG | 0.00 | 0.00 | 0.00 | 1 | - | - | | - | - | 1 | + |
| | DS1 LOOP WITH CHANNELIZATION WITH PORT | - | | UEPUC | UIG | 0.00 | | | 1 | | | | | | - | ├── |
| | DST LOOP WITH CHANNELIZATION WITH PORT | ı | 1 | l | | | | | ļ | ļ | 1 | | | | ļ | ↓ |
| | is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | | | | 1 1 | | | | | | | | | | | |

| UNBUN | DLE | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: A |
|-----------------|--------|--|-----------|----------|--------------------|----------------|------------------|------------------|--------------|--|------------------|-----------|--------------|-----------------|--|--------------|-------------|
| 32014 | | Goddi Galollia | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | 1 | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | Manually | | Manual Svc | | Manual Svc |
| CATEGO | RY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | ., | | | per Lor | per Lor | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | DISC 1St | DISC Add I |
| | | | | | | | Rec | | curring | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | E-P DS1 combination rates below for 4-Wire DS1 Loop with (| | | | | | | | | | | shall revert | to tariff rates | or a separate | agreement. | |
| | | sts for 4-Wire DS1 Loop with Channelization with Port after the | e effect | ive date | e of this amendmen | t shall be pro | vided pursuan | nt to a separate | agreement or | tariff at BellSo | uth's discretion | on. | | | | | |
| U | NE DS | S1 Loop | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 90.87 | 0.00 | 0.00 | | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 2 | | 2 | UEPMG | USLDC | 155.43 | 0.00 | 0.00 | | | | | | | | |
| | | 4-Wire DS1 Loop - UNE Zone 3 | | 3 | UEPMG | USLDC | 261.89 | 0.00 | 0.00 | | | | | | | | |
| U | NE DS | 60 Channelization Capacities (D4 Channel Bank Configuratio | ns) | | | | | | | | | | | | | | |
| | | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 82.78 | 0.00 | 0.00 | | | | | | | | |
| | | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 165.56 | 0.00 | 0.00 | | | | | | | | |
| | | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 331.12 | | 0.00 | | | | | | | | |
| oxdot | | 144 DS0 Channel Capacity - 1 per 6 DS1s | <u> </u> | | UEPMG | VUM14 | 496.68 | 0.00 | 0.00 | | | | | ļ | ļ | ļ | ļ |
| oxdot | | 192 DS0 Channel Capacity -1 per 8 DS1s | <u> </u> | | UEPMG | VUM19 | 662.24 | 0.00 | 0.00 | | | | | ļ | ļ | ļ | ļ |
| | | 240 DS0 Channel Capacity - 1 per 10 DS1s | ļ | | UEPMG | VUM2O | 827.80 | 0.00 | 0.00 | | | | | | | ļ | |
| | | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 993.36 | 0.00 | 0.00 | | | | | | | | |
| | | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,324.48 | 0.00 | 0.00 | | | | | | | | |
| | | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM4O | 1,655.60 | 0.00 | 0.00 | | | | | | | | |
| | | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 1,986.72 | 0.00 | 0.00 | | | | | | ļ | | |
| | | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 2,317.84 | | 0.00 | | | | | | | | |
| | | curring Charges (NRC) Associated with 4-Wire DS1 Loop wit | | | | | | /stem | | | | | | | | | |
| | | num System configuration is One (1) DS1, One (1) D4 Channe | | | | | | | | | | | | | | | |
| M | ultipl | es of this configuration functioning as one are considered A | dd'l afte | r the m | inimum system cor | nfiguration is | counted. | | | | | | | | | | |
| | | NRC - Conversion (Currently Combined) with or without | | | | | | | | | | | | | | | |
| | | BellSouth Allowed Changes | | | UEPMG | USAC4 | 0.00 | 150.81 | 8.38 | | | | | | | | |
| | | Additions at End User Locations Where 4-Wire DS1 Loop wi | | | | ination Curre | ently Exists and | d | | | | | | | | | |
| N | ew (N | ot Currently Combined) in all states, except in Density Zone | of Top | 8 MSA | 's | | | | | | | | | | | | |
| | | 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port | | | | | | | | | | | | | | | |
| | | and Assoc Fea Activation (E:4/1/2004) | | | UEPMG | VUMD4 | 0.00 | 717.71 | 425.81 | 149.08 | 17.69 | | | | | | |
| В | ipolar | 8 Zero Substitution | | | | | | | | | | | | | | | |
| | | Clear Channel Capability Format, superframe - Subsequent | | | | | | | | | | | | | | | |
| | | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00i | 605.00s | | | | | | | | |
| | | Clear Channel Capability Format - Extended Superframe - | | | | | | | | | | | | | | | |
| | | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00i | 605.00s | | | | | | | | |
| Α | lterna | te Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| | | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | ge Ports Associated with 4-Wire DS1 Loop with Channelizati | on with | Port | | <u> </u> | | . | | | | ļ | | ļ | . | | ļ |
| E | xchan | ge Ports | | | | 1 | | | | | | 1 | | | | | |
| | | Line Side Combination Channelized PBX Trunk Port - Business | 1 | 1 | | | | | | | | | 1 | | I | | 1 |
| $oxed{oxed}$ | | (E:4/1/2004) | ļ | | UEPPX | UEPCX | 1.13 | 0.00 | 0.00 | 0.00 | 0.00 | ļ | | ļ | | | ļ |
| | | Line Side Outward Channelized PBX Trunk Port - Business | | | LIEBBY . | | | | | | | | | | 1 | | |
| \vdash | | (E:4/1/2004) | <u> </u> | | UEPPX | UEPOX | 1.13 | 0.00 | 0.00 | 0.00 | 0.00 | ļ | | | _ | | |
| | | Line Side Inward Only Channelized PBX Trunk Port without DID | 1 | 1 | LIEDDY | LIEDAY | | | | | | | 1 | | I | | 1 |
| \vdash | | (E:4/1/2004) | <u> </u> | | UEPPX | UEP1X | 1.13 | 0.00 | 0.00 | 0.00 | 0.00 | ļ | | | _ | | |
| | | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | 1 | 1 | | | | | | | | | 1 | | I | | 1 |
| <u> </u> | | (E:4/1/2004) | <u> </u> | | UEPPX | UEPDM | 7.09 | 0.00 | 0.00 | 0.00 | 0.00 | ļ | | | _ | | |
| F | eature | Activations - Unbundled Loop Concentration | <u> </u> | . | | 1 | - | - | | - | | <u> </u> | | . | - | . | |
| | | Feature (Service) Activation for each Line Port Terminated in D4 | | | LIEDDY | 4001444 | 0.50 | 05.45 | 40 | 1.00 | | | | | 1 | | |
| $\vdash \vdash$ | | Bank | <u> </u> | . | UEPPX | 1PQWM | 0.56 | 25.45 | 13.44 | 4.20 | 4.17 | <u> </u> | | . | - | . | |
| | | Feature (Service) Activation for each Trunk Port Terminated in | 1 | 1 | LIEDDY | 40014/11 | 0 | 70.01 | 40.10 | 50.00 | 44.00 | | 1 | | I | | 1 |
| | ala::1 | D4 Bank | ! | - | UEPPX | 1PQWU | 0.56 | 78.31 | 18.46 | 59.37 | 11.60 | } | - | | | | |
| ⊢ ⊢ | eleph | one Number/ Group Establishment Charges for DID Service | ! | - | HEDDY | NDT | 0.00 | 0.00 | 2.00 | | - | } | - | | | | |
| \vdash | | DID Trunk Termination (1 per Port) | ├ | - | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | ļ | - | - | | - | - |
| \vdash | | Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) | <u> </u> | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | ļ | | | _ | | |
| | | DID Numbers - groups of 20 - Valid all States | ! | . | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | - | | | - | | |
| $\vdash \vdash$ | | Non-Consecutive DID Numbers - per number | <u> </u> | . | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | - | | <u> </u> | | . | - | . | ļ |
| \vdash | | Reserve Non-Consecutive DID Numbers | ! | . | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | - | | | - | | |
| | | Reserve DID Numbers | <u> </u> | . | UEPPX | NDV | 0.00 | 0.00 | 0.00 | - | | <u> </u> | | . | - | . | |
| L | ocal N | lumber Portability | | | LIEDDY | LNDCD | | | | | | | | | | | ļ |
| ullet | | Local Number Portability - 1 per port | <u> </u> | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | 1 | <u> </u> | <u> </u> | l | l | 1 | l | L |

| UNBUND | LED N | ETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: A |
|-----------------|------------|---|----------|---------|---------------------|----------------|-------------------|----------------|----------------|-----------------|-----------------|------------|---------------|---------------|--------------|---------------|-------------|
| 320112 | <u> ''</u> | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incrementa |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | Manual Svc | Manual Svc | | Manual Svo |
| CATEGOR | Y | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | 2.00 .01 | 2.007.444. |
| | | | | | | | Rec | Nonre | | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 6 - Vertical and Optional | | - | | | | | | | 1 | | | | | | |
| LO | | ching Features Offered with Line Side Ports Only Features Available | | | UEPPX | UEPVF | 3.04 | 0.00 | 0.00 | | | - | | | | | |
| LINBLINDL | | TREX PORT/LOOP COMBINATIONS - COST BASED RATES | <u> </u> | - | UEPPA | UEFVF | 3.04 | 0.00 | 0.00 | | - | - | | | | | |
| | | sed Rates are applied where BellSouth is required by FCC | | State (| Commission rule to | nrovide Unhi | undled Local S | witching or Sv | vitch Ports | | | | | | | | |
| | | s shall apply to the Unbundled Port/Loop Combination - C | | | | | | | | dled Port secti | on of this Rate | Exhibit. | | | | | |
| | | ce and Tandem Switching Usage and Common Transport | | | | | | | | | | | oin Port/Lo | op Combinat | ons. | | |
| 4. 1 | he first | and additional Port nonrecurring charges apply to Not Cu | urrently | Combi | ned Combos. For | Currently Co | mbined Combo | s, the nonrect | urring charges | shall be those | identified in t | he Nonrecu | rring - Curre | ently Combine | ed sections. | Additional NR | Cs may |
| | | and are categorized accordingly. | | | | - | | | | | | | - | - | | | - |
| 5. | Market | Rates for Unbundled Centrex Port/Loop Combination will | be nego | otiated | on an Individual Ca | se Basis, un | til further notic | э. | | | | | | | | | |
| | | NTREX - 5ESS (Valid in All States) | | | | | | | | | | | | | | | |
| | | Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UN | | .oop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | Vire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | ł | | | | | | | | | | | | | | |
| | | n-Design | ļ | 1 | UEP95 | 1 | 14.89 | | | | ļ | | | | | | |
| | | Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | _ | | | | | | | | | | | | | |
| | | n-Design | | 2 | UEP95 | | 21.52 | | | | | | | | | | |
| | | Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | LIEDOF | | 07.47 | | | | | | | | | | |
| | | n-Design | | 3 | UEP95 | | 27.17 | | | | | | | | | | |
| UN | | Loop Combination Rates (Design) Vire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | - | | + | | | | | - | - | | | | | |
| | | sign | 1 | 4 | UEP95 | | 17.81 | | | | | | | | | | |
| | | Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | - | UEF95 | 1 | 17.01 | | | | - | 1 | | | | | |
| 1 | | sign | | 2 | UEP95 | | 24.26 | | | | | | | | | | |
| | | Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OLI 50 | 1 | 24.20 | | | | | - | | | | | |
| | | sign | | 3 | UEP95 | | 29.59 | | | | | | | | | | |
| UN | E Loop | | | | | | | | | | | | | | | | |
| | | Vire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 13.76 | | | | | | | | | | |
| | 2-V | Vire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 20.38 | | | | | | | | | | |
| | 2-V | Vire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 26.04 | | | | | | | | | | |
| | 2-V | Vire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 16.68 | | | | | | | | | | |
| | | Vire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 23.13 | | | | | | | | | | |
| | | Vire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 28.46 | | | | | | | | | | |
| | E Port F | Rate | | | | | | | | | | | | | | | |
| All | States | W. M. D. J. | | | LIEDAS | 11551/4 | | 10.00 | 10.00 | 0.1.00 | | | | | | | |
| \vdash | | Vire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | | Vire Voice Grade Port (Centrex 800 termination) | | - | UEP95 | UEPYB | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | 2-V Are | Vire Voice Grade Port (Centrex with Caller ID)1Basic Local | 1 | | LIEDOS | LIEDVU | 4 40 | 40.20 | 10.00 | 24.00 | 6.65 | | 1 | | | | 1 |
| \vdash | , 0 | Vire Voice Grade Port (Centrex from diff Serving Wire | ! | - | UEP95 | UEPYH | 1.13 | 40.30 | 19.90 | 24.98 | 6.05 | - | - | - | - | | - |
| | | nter)2,3 Basic Local Area | 1 | | UEP95 | UEPYM | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | 1 | | | | 1 |
| | | Vire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 | | | OLF 93 | OLFTW | 1.13 | 100.30 | 70.71 | 34.47 | 11.54 | 1 | | | | | |
| 1 | | vice Term - Basic Local Area | | | UEP95 | UEPYZ | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | | | | | |
| | | Vire Voice Grade Port terminated in on Megalink or equivalent | | | 021 00 | OLI IZ | 1.10 | 100.00 | 70.71 | 04.47 | 11.04 | | | | | | |
| | | asic Local Area | | | UEP95 | UEPY9 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | | Vire Voice Grade Port Terminated on 800 Service Term - | 1 | | | | | | | | | | | | | İ | |
| | | sic Local Area | 1 | | UEP95 | UEPY2 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | 1 | | | | 1 |
| AL | | , MS, SC, & TN Only | | | | | | | | | | | | | | | |
| | | Vire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | | Vire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPQB | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | | Vire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPQH | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | | Vire Voice Grade Port (Centrex from diff Serving Wire | | | l | 1 | | | | | 1 | | | | | | |
| $\vdash \vdash$ | | nter)2,3 | ļ | | UEP95 | UEPQM | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | | | | | |
| l I | | Vire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | LIEDOS | LIEDOZ | 4.40 | 400.00 | 70 7. | | | | | | | | |
| | Ter | m 2,3 | ļ | - | UEP95 | UEPQZ | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | | | | | |
| | | | | | | | | | | | | | | | | | i |
| | 2.11 | Vira Vaiga Crada Dart terminated in an Magalini | | | LIEDOE | LIEDOO | 1 40 | 40.00 | 10.00 | 24.00 | 6.05 | | | | | | |
| | | Vire Voice Grade Port terminated in on Megalink or equivalent Vire Voice Grade Port Terminated on 800 Service Term | | | UEP95 UEP95 | UEPQ9 UEPQ2 | 1.13 1.13 | 40.30 40.30 | 19.90 19.90 | 24.98 24.98 | 6.65 6.65 | | | | | | |

| UNBUNDL | ED NETWORK ELEMENTS - South Carolina | | | 1 | | 1 | | | | | 1 | | | ment: 2 | . | ibit: A |
|----------|---|--|--|----------------|----------------|--------|-----------------|------------|--------------|-----------|----------|-----------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | I . | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 1 1 | Centrex Intercom Funtionality, per port | ļ | | UEP95 | URECS | 0.7996 | | | | | | | | | | |
| Local | Number Portability Local Number Portability (1 per port) | <u> </u> | | UEP95 | LNPCC | 0.35 | | | | | | - | | | | |
| Featu | | 1 | 1 | OLF 93 | LINFOC | 0.33 | | | | | 1 | | | | | 1 |
| - Cutt | All Standard Features Offered, per port | 1 | | UEP95 | UEPVF | 3.04 | | | | | | | | | | |
| | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 406.42 | | | | | | | | | |
| | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 3.04 | | | | | | | | | | |
| NARS | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | ļ | | | | | ļ |
| Minn | Unbundled Network Access Register - Outdial | ļ | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | - |
| | ellaneous Terminations e Trunk Side | <u> </u> | | | + | | | | | | 1 | | | | 1 | + |
| Z-VVII | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.86 | 119.57 | 18.78 | 60.03 | 3.77 | 1 | | | | 1 | |
| 4-Wir | e Digital (1.544 Megabits) | 1 | | | 0200 | 0.00 | 110.07 | 10.70 | 00.00 | 0.77 | 1 | | | | 1 | |
| 1 | DS1 Circuit Terminations, each | i – | | UEP95 | M1HD1 | 73.62 | 202.47 | 95.90 | 72.75 | 2.47 | | | | | | 1 |
| | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 14.51 | | i | | | | | | | |
| Interd | office Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP95 | M1GBC | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | M1GBM | 0.0167 | | | | | | | | | | |
| | re Activations (DS0) Centrex Loops on Channelized DS1 Service | ce | | | | | | | | | | | | | | ļ |
| D4 Ci | nannel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot | 1 | | UEP95 | 1PQWS | 0.56 | | | | | . | - | | | | |
| | Teature Activation on 5-4 Chainer Bank Centrex Loop Stot | | | OLF 93 | IFQWS | 0.30 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP95 | 1PQW7 | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP95 | 1PQWP | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop | 1 | <u> </u> | UEP95 | IPQWV | 0.56 | | | | | | | | | | 1 |
| | Slot | | | UEP95 | 1PQWQ | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.56 | | | | | | | | | | |
| Non-l | Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP95 | USAC2 | | 37.93 | 16.72 | | | | | | | | |
| | New Centrex Standard Common Block | . | <u> </u> | UEP95 | M1ACS | 0.00 | 668.70 | | | | | | | | 1 | |
| | New Centrex Customized Common Block NAR Establishment Charge, Per Occasion | | ! | UEP95 UEP95 | M1ACC URECA | 0.00 | 668.70 72.89 | | | | 1 | | | | 1 | |
| Δddit | ional Non-Recurring Charges (NRC) | 1 | | ULF90 | UKECA | 0.00 | 12.89 | | | | 1 | — | | | 1 | + |
| Audit | Unbundled Miscellaneous Rate Element, Tag Loop at End Use | † | | + | + | | | | | | 1 | | | | - | |
| | Premise | 1 | 1 | UEP95 | URETL | | 8.33 | 0.83 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise | | | UEP95 | URETN | | 11.24 | 1.10 | | | | | | | | |
| IINF- | P CENTREX - DMS100 (Valid in All States) | | | OLF 30 | OINLIIN | | 11.24 | 1.10 | | | 1 | | | | 1 | |
| | e VG Loop/2-Wire Voice Grade Port (Centrex) Combo | 1 | | | + | | | | | | 1 | | | | 1 | † |
| | Port/Loop Combination Rates (Non-Design) | 1 | t | | | | | | | | | | | | | i e |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design | - | 1 | UEP9D | | 14.89 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | <u> </u> | | | | | | | | | | | | | |
| | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 2 | UEP9D | | 21.52 | | | | | 1 | | | | 1 | |
| | Non-Design | <u> </u> | 3 | UEP9D | | 27.17 | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Design) | | | | | | | | | · · · · · | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design | 1 | 1 | UEP9D | | 17.81 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP9D | | 24.26 | | | | | | | | | | |

| ATECOMY RATE FLEMENTS MM 2 and BCS USO RATES (3) RATES (3) RATES (4) RATES (5) RATES (5) RATES (6) RATES (6) RATES (6) RATES (7) | UNBUNDLE | D NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | Attach | ment: 2 | Exhi | oit: A |
|--|---|--|--|--------------|--------|----------|-------|--------|------------|--------------|------------|-------------------|-----------------------|---|---|---|---|
| No. Print April Colore | | | | Zone | BCS | usoc | | | RATES (\$) | | | Submitted Elec | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- |
| Piret Add Piret Add Piret Add Piret Add South Sout | | | | | | | Boo | Nonrec | curring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | - |
| Design | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| New York Control Code 11-20rd 1 | | | | | LIEDOD | | 00.50 | | | | | | | | | | |
| 2-View Value Classes Level (11, 7-Zeve 1 | LINE | | 1 | 3 | UEP9D | - | 29.59 | | | | | | | | | | |
| 2 NW Vesto Clarate Long (8.1) - Zone 2 | ONE | | | 1 | LIEP9D | UECS1 | 13.76 | | | | | | | | | | |
| 2-We vised Grante Long (Est 17, 20m. 3 3, 0,500) | | | 1 | 2 | | | | | | | | | | | | | |
| 2-Wire Votor Grade Loop (R. 2) - Zere 2 | | | | 3 | | | | | | | | | | | | | |
| 2-Wire Vices Grade Part (Centres) Sept. Local Area 2-Wire Voca Grade Part (Centr | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | | | | | | | | | | | | |
| UEPRO UEPYA 1.13 40.30 19.00 24.96 6.65 | | | | | | | | | | | | | | | | | |
| ALE TATES 2 2 2 2 2 2 2 2 2 | <u> </u> | | ļ | 3 | UEP9D | UECS2 | 28.46 | | | | | | | | | | |
| 2-Wire Voice Grade Port (Centres & Bite Local Area UEPPO UEPYA 1.13 40.30 19.00 24.88 6.65 | | | | 1 | | 1 | | | | | | | | | | | |
| 2-Wire Voice Grade Port Contrex / EBS-MS21038asic Local Area 2-Wire Voice Grade Port Contrex / EBS-MS20038asic Local 3-Wire Voice Grade Port Contrex / EBS-MS20038asic Local 4-Wire Voice Grade Port Contrex / EBS-MS20038asic Local 4-Wire Voice Grade Port Contrex / EBS-MS20038asic Local 4-Wire Voice Grade Port Contrex / EBS-MS21038asic Local 4-Wire Voice Grade Port Contrex More Grade Port Contrex More Grade Port Contrex More Grade Port Contrex More Grade Port Contrex More Grade Port Contrex More Grade Port Contrex More Grade Port Contrex More Grade Port Contrex More Grade Port Contrex More Grade Port Contrex More Grade Port Contrex More Grad | ALL S | | | 1 | UFP9D | UΕΡΥΔ | 1 13 | 40 30 | 19 90 | 24 98 | 6.65 | | | | | | |
| Area | | | <u> </u> | | 02.00 | JEI I/K | 1.10 | 40.00 | 10.00 | 24.90 | 0.00 | | | | | | |
| 2-Wire Voca Grade Port (Centrex / EBS-NSC093)Sasic Local 2-Wire Voca Grade Port (Centrex / EBS-NSC093)Sasic Local 2-Wire Voca Grade Port (Centrex / EBS-NSC093)Sasic Local 2-Wire Voca Grade Port (Centrex / EBS-NSC093)Sasic Local 3-Wire Voca Grade Port (Centrex / EBS-NSC093)Sasic Local 4-Res 3-Wire Voca Grade Port (Centrex / EBS-NSC093)Sasic Local 4-Res | 1 1 | | | | UEP9D | UEPYB | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| 2-Wire Voice Grade Port (Centrex / EBS-MS009)38asic Local | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local | | | | | | | | | | | | | | | |
| Area UEPRO UEPYD 1.13 40.30 19.90 24.98 6.65 | | | | | UEP9D | UEPYC | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| 2-Vivire Voice Grade Port (Centrex / EBS-Mc209)) 8 Basic Local UEP90 UEPY | | | | | | | | 40.00 | 40.00 | | | | | | | | |
| Area UEP9D UEPYF 1.13 40.30 19.90 24.98 6.65 | | | ļ | 1 | UEP9D | UEPYD | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| 2-Vive Voice Grade Port (Centrex / EBS-M6312);8Basic Local UEP9D UEPYF 1.13 40,30 19,90 24,98 6.65 | | , | | | LIEDOD | LIEDVE | 1 13 | 40.30 | 10 00 | 24 08 | 6 65 | | | | | | |
| Area | | | 1 | 1 | OLF3D | OLFIL | 1.13 | 40.30 | 19.90 | 24.90 | 0.03 | | | | | | |
| 2-Wire Votos Grade Port (Centrex / EBS-M5312)38asc Local UEP9D UEPYT 1.13 40.30 19.90 24.98 6.65 | | | | | UEP9D | UEPYF | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 Basic Local Area UEPPD UEPYT 1.13 40.30 19.90 24.98 6.65 | | | | | | | | | | | | | | | | | |
| Area | | Area | | | UEP9D | UEPYG | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | 1 |
| 2-Wire Viole Grade Port (Centrex/EBS-MEZ69)) 3 Basic Local UEP9D UEPYU 1.13 40.30 19.90 24.98 6.65 | | | | | | | | | | | | | | | | | |
| Area C-Wire Voice Grade Port (Centrex / EBS-M6216)3 Basic Local C-Wire Voice Grade Port (Centrex / EBS-M6216)3 Basic Local C-Wire Voice Grade Port (Centrex / EBS-M6316)3 Basic Local C-Wire Voice Grade Port (Centrex / EBS-M6316)3 Basic Local C-Wire Voice Grade Port (Centrex with Caller ID) Basic Local C-Wire Voice Grade Port (Centrex with Caller ID) Basic Local C-Wire Voice Grade Port (Centrex Caller ID) Basic Local C-Wire Voice Grade Port (Centrex Caller ID) Basic Local C-Wire Voice Grade Port (Centrex Caller ID) Basic Local C-Wire Voice Grade Port (Centrex Caller ID) Basic Local C-Wire Voice Grade Port (Centrex Caller ID) Basic Local C-Wire Voice Grade Port (Centrex Caller ID) Basic Local C-Wire Voice Grade Port (Centrex Caller ID) Basic Local C-Wire Voice Grade Port (Centrex Caller ID) Basic Local C-Wire Voice Grade Port (Centrex Caller ID) Basic Local C-Wire Voice Grade Port (Centrex Caller ID) Basic Local C-Wire Voice Grade Port (Centrex Caller ID) Basic Local C-Wire Voice Grade Port (Centrex Caller ID) Basic Local C-Wire Voice Grade Port (Centrex Caller ID) Basic Local C-Wire Voice Grade Port (Centrex Caller ID) Basic Local C-Wire Voice Grade Port (Centrex Caller ID) Basic Local C-Wire Voice Grade Port (Centrex Caller Sex-BSC9)(2), 4 C-Wire Voice Grade Port (Centrex Caller Sex-BSC9)(2), 4 C-Wire Voice Grade Port (Centrex Caller Sex-BSC9)(2), 4 C-Wire Voice Grade Port (Centrex Caller Sex-BSC9)(2), 4 C-Wire Voice Grade Port (Centrex Caller Sex-BSC9)(2), 4 C-Wire Voice Grade Port (Centrex Caller Sex-BSC9)(2), 4 C-Wire Voice Grade Port (Centrex Caller Sex-BSC9)(2), 4 C-Wire Voice Grade Port (Centrex Caller Sex-BSC9)(2), 4 C-Wire Voice Grade Port (Centrex Caller Sex-BSC9)(2), 4 C-Wire Voice Grade Port (Centrex Caller Sex-BSC9)(2), 4 C-Wire Voice Grade Port (Centrex Caller Sex-BSC9)(2), 4 C-Wire Voice Grade Port (Centrex Caller Sex-BSC9)(2), 4 C-Wire Voice Grade Port (Centrex Caller Sex-BSC9)(2), 4 C-Wire Voice Grade Port (Centrex Caller Sex | | | ļ | | UEP9D | UEPYT | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| 2-Wire Voice Grade Port (Centrex / EBS-MS216)(3) Basic Local UEP9D UEPYV 1.13 40.30 19.90 24.98 6.66 A Area 2-Wire Voice Grade Port (Centrex / EBS-MS316)(3) Basic Local UEP9D UEPY3 1.13 40.30 19.90 24.98 6.66 A Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local UEP9D UEPY4 1.13 40.30 19.90 24.98 6.66 A Area 2-Wire Voice Grade Port (Centrex Caller ID) Basic Local Area UEP9D UEPYH 1.13 40.30 19.90 24.98 6.65 A Area 2-Wire Voice Grade Port (Centrex Mag Wig Lamp Indication))4 UEP9D UEPYW 1.13 40.30 19.90 24.98 6.65 A Area 2-Wire Voice Grade Port (Centrex Mag Wig Lamp Indication))4 UEP9D UEPYW 1.13 40.30 19.90 24.98 6.65 A Area 2-Wire Voice Grade Port (Centrex Mag Wig Lamp Indication))4 UEP9D UEPYW 1.13 40.30 19.90 24.98 6.65 A Area 2-Wire Voice Grade Port (Centrex Mag Wig Lamp Indication))4 UEP9D UEPYW 1.13 40.30 19.90 24.98 6.65 A Area 2-Wire Voice Grade Port (Centrex Mag Wig Lamp Indication))4 UEP9D UEPYW 1.13 40.30 19.90 24.98 6.65 A Area 2-Wire Voice Grade Port (Centrex Mag Wig Lamp Indication))4 UEP9D UEPYW 1.13 40.30 19.90 24.98 6.65 A Area 4.98 | | | | | LIEDOD | HEDVII | 1 12 | 40.20 | 10.00 | 24.00 | 6.65 | | | | | | |
| Area | | | <u> </u> | 1 | UEP9D | UEPTU | 1.13 | 40.30 | 19.90 | 24.98 | 0.00 | | | | | | |
| 2-Wire Voice Grade Port (Centrex /EBS-M6316))3 Basic Local | | | | | LIEPAD | LIEPYV | 1 13 | 40 30 | 19 90 | 24 98 | 6.65 | | | | | | |
| Area | | | | | OLI OD | OLI IV | 1.10 | 40.00 | 10.00 | 24.00 | 0.00 | | | | | | |
| Area UEP9D UEPYH 1.13 40.30 19.90 24.98 6.65 | | | | | UEP9D | UEPY3 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| 2-Wire Voice Grade Port (Centrew/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area UEP9D UEPYW 1.13 40.30 19.90 24.98 6.65 | | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | | | | | | | | | | | | | | | |
| Indication) 4 Basic Local Area | | | | | UEP9D | UEPYH | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 UEP9D UEPYJ 1.13 40.30 19.90 24.98 6.65 | | | | | | | | 40.00 | 40.00 | | | | | | | | |
| Basic Local Area | | | ļ | 1 | UEP9D | UEPYW | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area UEP9D UEPYO 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area UEP9D UEPYO 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYO 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYO 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYO 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYO 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYC 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYC 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYC 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYC 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYC 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYC 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYC 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYC 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYC 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYC 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYC 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYC 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYC 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYC 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYC 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYC 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYC 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYC 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYC 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYC 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYC 1.13 108.36 70.71 54.47 11.94 | | | | | LIEDOD | I IEDV I | 1 13 | 40.30 | 10 00 | 24 08 | 6 65 | | | | | | |
| 2.3-Basic Local Area | — | | 1 | 1 | OLI 3D | OLI 13 | 1.10 | 40.30 | 13.30 | 24.30 | 0.03 | | | | | | |
| 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 UEP9D UEPYO 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYO 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYO 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYO 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYO 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYO 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYO 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYO 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYO 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYO 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYO 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYO 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYO 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYO 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYO 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYO 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYO 1.13 108.36 70.71 54.47 11.94 UE | | | | | UEP9D | UEPYM | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | | | | | |
| 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area UEP9D UEPYP 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYR 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYR 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYR 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYR 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYR 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYR 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYR 1.13 108.36 70.71 54.47 11.94 UEPPD UEPYR 1.13 108.36 70.71 54.47 11.94 | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 | | | | | | | | | | | | | | | |
| Basic Local Area | | | | | UEP9D | UEPYO | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | | | | | |
| 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area UEP9D UEPYQ 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5308)2,3,4 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area UEP9D UEPY4 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area UEP9D UEPY5 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area UEP9D UEPY5 1.13 108.36 70.71 54.47 11.94 UEP9D UEPY6 1.13 108.36 70.71 54.47 11.94 | | | | | | l | | | | | | | | | | | |
| Basic Local Area | \vdash | | ļ | 1 | UEP9D | UEPYP | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | | | | | |
| 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94 | | | | | LIEDOD | LIEDVO | 1 12 | 109.26 | 70.71 | 54.47 | 11 04 | | | | | | |
| Basic Local Area | | | | | UEP9D | UEFTQ | 1.13 | 100.30 | 70.71 | 54.47 | 11.94 | | | | | | |
| Basic Local Area | | | | | UEP9D | UEPYR | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | | | | | |
| Basic Local Area | | | | | | | | | | | | | | | | | |
| Basic Local Area | | Basic Local Area | ļ | | UEP9D | UEPYS | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | | | | | |
| 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area UEP9D UEPY5 1.13 108.36 70.71 54.47 11.94 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area UEP9D UEPY6 1.13 108.36 70.71 54.47 11.94 | | | | | | | I | , | | | | | | | | | , 7 |
| Basic Local Area | \vdash | | . | 1 | UEP9D | UEPY4 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | | | - | | |
| 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area UEP9D UEPY6 1.13 108.36 70.71 54.47 11.94 | | | | | LIEPOD | LIEDVE | 1 10 | 100 26 | 70.74 | 5A A7 | 11 04 | | | | | | , |
| Basic Local Area UEP9D UEPY6 1.13 108.36 70.71 54.47 11.94 | | | | 1 | OLFBD | OLF 13 | 1.13 | 100.30 | 70.71 | 54.47 | 11.94 | | | | | | |
| 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 | | | 1 | | UEP9D | UEPY6 | 1,13 | 108,36 | 70.71 | 54.47 | 11.94 | | | | | | , |
| Basic Local Area UEP9D UEPY7 1.13 108.36 70.71 54.47 11.94 | | | | | | | | | | | | | Ì | | | | |
| | | | <u> </u> | | UEP9D | UEPY7 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | | | <u> </u> | | |

| NRANDL | ED NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | ment: 2 | 1 | bit: A |
|---------|--|----------|--|----------------|----------------|--------|--------|------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Sv |
| ATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | , | | | per Lor | per Lor | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | | | | II . |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | 1 | 1 |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | 11130 | Addi | 11130 | Auu i | JONIEC | JONAN | JOHIAN | JONAN | JOHIAN | JOINAIN |
| | Term 2.3 | | | UEP9D | UEPYZ | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | - | OLFBD | ULF 12 | 1.13 | 100.30 | 70.71 | 34.47 | 11.54 | | | | | 1 | 1 |
| | Basic Local Area | | | UEP9D | UEPY9 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | | | | UEP9D | UEPY9 | 1.13 | 40.30 | 19.90 | 24.98 | 0.00 | | | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | | | | | | 40.00 | | | | | | | | | |
| | Local Area | | | UEP9D | UEPY2 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | ļ |
| AL, P | Y, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPQA | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPQB | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)4 | | | UEP9D | UEPQC | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)4 | | $\bot \Box$ | UEP9D | UEPQD | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)4 | | | UEP9D | UEPQE | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112)4 | | | UEP9D | UEPQF | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)4 | | | UEP9D | UEPQG | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)4 | | | UEP9D | UEPQT | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | İ |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208)4 | | 1 | UEP9D | UEPQU | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | 1 | 1 |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216)4 | | | UEP9D | UEPQV | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)4 | | 1 | UEP9D | UEPQ3 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | † |
| | 2-Wire Voice Grade Port (Centrex vith Caller ID) | | | UEP9D | UEPQH | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | <u> </u> |
| | 2-Wire Voice Grade Fort (Centrex/Caller ID/Msq Wtg Lamp | | - | OLI 3D | OLI QII | 1.10 | 40.50 | 13.30 | 24.30 | 0.03 | | | | | 1 | 1 |
| | | | | UEP9D | UEPQW | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | Indication)4 | | | | | | | | | | | | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4 | | | UEP9D | UEPQJ | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | | | | | | | |
| | 2,3 | | | UEP9D | UEPQM | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 | | | UEP9D | UEPQO | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 | | | UEP9D | UEPQP | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 | | | UEP9D | UEPQQ | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 | | | UEP9D | UEPQR | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | | | | | |
| | · · · · · | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 | | | UEP9D | UEPQS | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | | | | | |
| | , , , , , | | 1 | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 | | | UEP9D | UEPQ4 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | | | | | |
| | | 1 | 1 | | J X7 | 1.10 | 100.00 | 70.71 | 54.47 | 11.54 | | | | | 1 | 1 |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 | | | UEP9D | UEPQ5 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | | | | | |
| | 2 TYTIC VOICE CTAGE FOR CONTRACTOR SWO / LBG-W3200)2,3,4 | - | 1 | 021 30 | טבו עט | 1.13 | 100.30 | 10.71 | 34.47 | 11.34 | | | | | } | } |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 | | 1 | UEP9D | UEPQ6 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | | | | | |
| | 2-vviie voice Grade Fort (Centrex/diller SWC /EBS-IVI5216)2,3,4 | I | | OEFBD | UEFUD | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | | | | 1 | 1 |
| | 2 Miro Voigo Crado Bort (Contravidiffor CMC /EBC MEGGO) 0.4 | | | LIEDOD | LIEDO7 | 4 40 | 400.00 | 70.74 | F4 47 | 44.04 | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 | - | | UEP9D | UEPQ7 | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | | | | 1 | + |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | LIEDOD | LIEBO7 | 4 | 400.00 | 70 | | 44.51 | | | | | | |
| | Term 2,3 | | Ļ | UEP9D | UEPQZ | 1.13 | 108.36 | 70.71 | 54.47 | 11.94 | | | | | | |
| | L | | 1 | l | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPQ9 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | ļ | ļ |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPQ2 | 1.13 | 40.30 | 19.90 | 24.98 | 6.65 | | | | | ļ | ļ |
| Loca | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.7996 | | | | | | | | | | |
| Loca | Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | $\bot \Box$ | UEP9D | LNPCC | 0.35 | | | | | | | | | | |
| Featu | ires | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP9D | UEPVF | 3.04 | | _ | | _ | | | | | | |
| | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 406.42 | | | | | | | | | |
| | All Centrex Control Features Offered, per port | | 1 | UEP9D | UEPVC | 3.04 | | | | | | | | | | İ |
| | | | | 1 | 1 | | | | | | | | | | Ì | İ |
| NAR | 8 | | | | | | | | | | | | | | | |
| NAR | | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| NAR | Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward | | | UEP9D UEP9D | UARCX UAR1X | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |

| UNBUNDLEI | NETWORK ELEMENTS - South Carolina | | | | | | | | | | | | | ment: 2 | | bit: A |
|-----------|---|-------------|---------|----------------------|----------------|------------------|--------|------------|--------------|------------|---------|-----------|--------------------|--|---------------------------------------|--|
| | | | | | | | | | | | 1 | Submitted | | Incremental Charge - | Incremental Charge - Manual Svc | Charge - |
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Disc Add'l |
| 1 | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | I. | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Miscell | aneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9D | CEND6 | 8.86 | 119.57 | 18.78 | 60.03 | 3.77 | | | | | | |
| 4-Wire | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 73.62 | 202.47 | 95.90 | 72.75 | 2.47 | | | | | | |
| | DS0 Channels Activiated per Channel | | | UEP9D | M1HDO | 0.00 | 14.51 | | | | | | | | | |
| Interoff | ice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP9D | M1GBC | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | | Î | | Î |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | M1GBM | 0.0167 | | | | | | | | | | |
| Feature | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | |
| D4 Cha | nnel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.56 | | | | | | | | | | Ī |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9D | 1PQW7 | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9D | 1PQWP | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | UEP9D | 1PQWQ | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.56 | | | | | | | | | | _ |
| | curring Charges (NRC) Associated with UNE-P Centrex | | | OLF 9D | IFQWA | 0.50 | | | | | 1 | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | 40.70 | | | | | | | | |
| | changes, per port | | | UEP9D | USAC2 | 0.00 | 37.93 | 16.72 | | | | | | | | |
| | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 668.70 | | | | 1 | | | | | |
| | New Centrex Customized Common Block | | | UEP9D UEP9D | M1ACC URECA | 0.00 | 668.70 | | | | 1 | | | | | |
| | NAR Establishment Charge, Per Occasion nal Non-Recurring Charges (NRC) | \vdash | | UEP9D | UKEUA | 0.00 | 72.89 | | | | 1 | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End Use | | | | 1 | | | | | | | | | | | |
| | Premise | | | UEP9D | URETL | | 8.33 | 0.83 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise | | | UEP9D | URETN | | 11.24 | 1.10 | | | | | | | | |
| | - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| | - Requres Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| | - Installation is combination of Installation charge for SL2 Lo | op and F | ort | | | | | • | | | | | | | | |
| | - Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | |
| Note: F | Rates displaying an "R" in Interim column are interim and sub | ject to r | ate tru | e-up as set forth in | General Terr | ns and Condition | ns. | | | | | | _ | | | |

| LIMBI | NDI E | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | A 44 1- | | F.1. | |
|----------|--|---|----------|-----------|--------------------------|-------------------|--|------------------|---------------|----------------|--|--|--|--|--|--|---------------|
| UNDU | NDLE | D NETWORK ELEWIENTS - Tellilessee | | _ | I | | | | | | | Cue Ouden | Cus Onder | | ment: 2 | | bit: A |
| | | | | | | | | | | | | 1 | 1 | Incremental | Incremental | Incremental | |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| CATE | OBV | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | Elec | Manually | | Manual Svc | Manual Svc | |
| CATE | IOK I | RATE ELEMENTS | m | Zone | ВСЗ | 0300 | | | KATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | 1 | | | + | | | - | Nonrecurring | | Nonrecurrin | g Disconnect | 1 | 1 | 088 | Rates (\$) | l | |
| - | | | | + | | | Rec | First | Add'l | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| - | | | | 1 | | | | FIISL | Addi | FIISt | Auu i | SOWIEC | JOWAN | JOWAN | JOWAN | JOWAN | JOWAN |
| - | The "7 | I one" shown in the sections for stand-alone loops or loops as | nart of | a comi | ination refers to Ge | l ographically | Deaveraged II | NF Zones To | view Geogran | hically Deaver | aged LINE Zon | e Designation | ons by Cent | ral Office refe | er to internet | Nehsite: | |
| | | vww.interconnection.bellsouth.com/become a clec/html/inter | | | | ograpinoan | Deaveragea o | THE EDITION TO | view ocograp | inouny Deaver | agea one con | c Designativ | one by ocine | iai Omoc, reic | or to internet | repolic. | |
| OPER/ | | L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" | | 1 | | | | | | | | | | | | | |
| | | (1) CLEC should contact its contract negotiator if it prefers the | e "state | e specif | ic" OSS charges as | ordered by t | he State Comm | issions. The (| OSS charges o | urrently conta | ined in this rat | e exhibit are | the BellSo | uth "regional | " service orde | ring charges | CLFC may |
| | | ither the state specific Commission ordered rates for the servi | | | | | | | | | | | | | | | |
| | | f the 9 states. | | Jg 0. | .a. goo, o. ooa, | 0.0000 | 9.01.0. 00.1.00 | o. ao g | , | 0 000 | | 0 | . oga. a.ooo . | | | 0 00 | 0.000.101.100 |
| - | | (2) Any element that can be ordered electronically will be bill | ed acco | ording | to the SOMEC rate lis | sted in this | category. Pleas | se refer to Bell | South's Local | Ordering Hand | lbook (LOH) to | determine | if a product | can be order | ed electronica | Illy. For thos | e elements |
| | | nnot be ordered electronically at present per the LOH, the list | | • | | | 0 , | | | • | ` ' | | • | | | • | |
| | | N, will be applied to a CLECs bill when it submits an LSR to B | | | e iii tiiis category rei | iects the ch | arge triat would | be billed to a | OLLO ONCE EI | ectionic order | ing capabilities | s come on-n | ine for that | elelilelit. Otile | erwise, the m | andar ordenni | g charge, |
| — | | (3) OSS - Manual Service Order Charge, Per Element - UNE Or | | | a annlicable rate ele | ment for CC | MAN chargo** | ı | ı | | 1 | | | | | 1 | |
| — | NOTE: | OSS - Electronic Service Order Charge, Per Local Service | y 121 | - Cast 3t | o applicable rate ele | mention 30 | I Glarye | <u> </u> | | 1 | | | H | | | | |
| | 1 | Request (LSR) - UNE Only | | 1 | | SOMEC | I | 3.50 | 0.00 | 3.50 | 0.00 | | | I | I | | |
| LINES | PVICE | DATE ADVANCEMENT CHARGE | | + | | SOMEC | 1 | 3.30 | 0.00 | 3.30 | 0.00 | | | | | | |
| OI4L O | | The Expedite charge will be maintained commensurate with | Relison | ith's FC | C No 1 Tariff Section | n 5 as annli | cable | | | | | | 1 | | | | |
| - | NOTE. | The Expedite charge will be maintained commensurate with | Denood | 1 | l lann, section | | Cable. | | | | 1 | | | | | | |
| | | | | | UAL, UEANL, UCL, | | | | | | | | | | | | |
| | | | | | UEF, UDF, UEQ, | | | | | | | | | | | | |
| | | | | | UDL, UENTW, UDN, | | | | | | | | | | | | |
| | | | | | UEA. UHL. ULC. | | | | | | | | | | | | |
| | | | | | USL, U1T12, U1T48, | | | | | | | | | | | | |
| | | | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | | | | | U1TDX, U1TO3, | | | | | | | | | | | | |
| | | | | | U1TS1, U1TVX, | | | | | | | | | | | | |
| | | | | | UC1BC, UC1BL, | | | | | | | | | | | | |
| | | | | | UC1CC, UC1CL, | | | | | | | | | | | | |
| | | | | | UC1DC, UC1DL, | | | | | | | | | | | | |
| | | | | | UC1EC, UC1EL, | | | | | | | | | | | | |
| | | | | | UC1FC, UC1FL, | | | | | | | | | | | | |
| | | | | | UC1GC, UC1GL, | | | | | | | | | | | | |
| | | | | | UC1HC, UC1HL, | | | | | | | | | | | | |
| | | | | | UDL12, UDL48, | | | | | | | | | | | | |
| | | | | | UDLO3, UDLSX, | | | | | | | | | | | | |
| | | | | | UE3. ULD12. | | | | | | | | | | | | |
| | | | | | ULD48, ULDD1, | | | | | | | | | | | | |
| | | | | | ULDD3, ULDDX, | | | | | | | | | | | | |
| | | | | | ULDO3, ULDS1, | | | | | | | | | | | | |
| | | | | | ULDVX. UNC1X. | | | | | | | | | | | | |
| | | | | | UNC3X, UNCDX, | | | | | | | | | | | | |
| | | | | | UNCNX, UNCSX, | | | | | | | | | | | | |
| | | | | | UNCVX, UNLD1. | | | | | | | | | | | | |
| | | | | | UNLD3, UXTD1, | | | | | | | | | | | | |
| | | | | | UXTD3, UXTS1, | | | | | | | | | | | | |
| | | UNE Expedite Charge per Circuit or Line Assignable USOC, per | | | U1TUC, U1TUD, | | | | | | | | | | | | |
| | | Dav | | | U1TUB, U1TUA | SDASP | | 200.00 | | | | | | | | | |
| LINDIII | IDI ED E | EXCHANGE ACCESS LOOP | | + | OTTOB, OTTOA | SDASF | - | 200.00 | | | | 1 | 1 | - | - | | |
| OHEOI | | E ANALOG VOICE GRADE LOOP | | + | | | | <u> </u> | | 1 | | | H | | | | |
| — | _ ***** | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | † | <u> </u> | 20.35 | 10.54 | 13.32 | 13.32 |
| — | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 2 | UEANL | UEAL2 | 17.23 | 31.99 | 20.02 | 10.65 | | † | <u> </u> | 20.35 | 10.54 | 13.32 | 13.32 |
| - | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 3 | UEANL | UEAL2 | 22.53 | 31.99 | 20.02 | 10.65 | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| — | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEASL | 13.19 | 31.99 | 20.02 | 10.65 | | † | <u> </u> | 20.35 | 10.54 | 13.32 | 13.32 |
| — | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 2 | UEANL | UEASL | 17.23 | 31.99 | 20.02 | 10.65 | | † | <u> </u> | 20.35 | 10.54 | 13.32 | 13.32 |
| | l - | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 3 | UEANL | UEASL | 22.53 | 31.99 | 20.02 | 10.65 | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 1 | Unbundled Miscellaneous Rate Element, Tag Loop at End User | † | T | O = / 11 1 E | JL/ IUL | 22.00 | 31.39 | 20.02 | 10.03 | 1.41 | 1 | | 20.33 | 10.54 | 10.02 | 10.02 |
| | 1 | Premise | | 1 | UEANL | URETL | I | 8.33 | 0.83 | | | 1 | | 20.35 | 10.54 | 13.32 | 13.32 |
| \vdash | <u> </u> | Loop Testing - Basic 1st Half Hour | | + | UEANL | URET1 | | 78.92 | 78.92 | | | + | | 20.35 | 10.54 | 13.32 | 13.32 |
| \vdash | | Loop Testing - Basic 1st Hall Hour | H | + | UEANL | URETA | | 23.33 | 23.33 | 1 | | | H | 20.35 | 10.54 | 13.32 | 13.32 |
| \vdash | | CLEC to CLEC Conversion Charge Without Outside Dispatch | - | + | OLAINE | ONLIA | | 20.00 | 20.00 | 1 | + | | - | 20.33 | 10.34 | 13.32 | 13.32 |
| | 1 | (UVL-SL1) | | 1 | UEANL | UREWO | I | 15.80 | 8.95 | | | 1 | | 20.35 | 10.54 | 13.32 | 13.32 |
| | l | (OVE OE1) | 1 | 1 | OLAINE | CIVEAAA | 1 | 13.00 | 0.93 | 1 | 1 | 1 | 1 | 20.33 | 10.34 | 13.32 | 13.32 |

Version 3Q03: 11/12/2003 Page 308 of 348

| UNBU | NDLE | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | 1 | ibit: A |
|-------|---------|--|-------------|----------|---------------|----------------|----------|--------------|----------------|--------------|-------|--|--|---|---|----------|---|
| CATEG | ORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | | l | | | | | | | | | | | |
| | | providing make-up (Engineering Information - E.I.) | | | UEANL | UEANM | | 28.80 | 28.80 | | | ļ | | | | | |
| | | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 36.52 | 36.52 | | | ļ | | | | | |
| | | Order Coordination for Specified Conversion Time for UVL-SL1 | | | 1.15 4.5.11 | 00001 | | 04.00 | 04.00 | | | | | | | | |
| | 2 W/IDE | (per LSR) Unbundled COPPER LOOP | | | UEANL | OCOSL | | 34.29 | 34.29 | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | | 1 | UEQ | UEQ2X | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | 1 | ł | 20.35 | 10.54 | 13.32 | 13.3 |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | i i | 2 | UEQ | UEQ2X | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | † | † | 20.35 | 10.54 | 13.32 | 13.3 |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | i i | | UEQ | UEQ2X | 22.53 | 31.99 | 20.02 | | 1.41 | † | † | 20.35 | | | 13.3 |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User | i i | Ŭ | 024 | O L Q L X | 22.00 | 01.00 | 20.02 | 10.00 | | 1 | | 20.00 | 10.01 | .0.02 | 10.0. |
| | | Premise | | | UEQ | URETL | | 8.33 | 0.83 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | | Manual Order Coordination 2 Wire Unbundled Copper Loop - | | İ | | 1 | | | | | | İ | İ | | | | |
| | | Non-Designed (per loop) | | L | UEQ | USBMC | <u> </u> | 36.52 | 36.52 | <u> </u> | | | <u> </u> | | <u> </u> | | <u></u> |
| | | Unbundled Copper Loop, Non-Design Copper Loop, billing for | | | | | | | | | | | | | | | |
| | | BST providing make-up (Engineering Information - E.I.) | | | UEQ | UEQMU | | 28.80 | 28.80 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 78.92 | 78.92 | | | | | 20.35 | 10.54 | | 13.3 |
| | | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 23.33 | 23.33 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | 40.00 | 40.00 |
| | | (UCL-ND) | | | UEQ | UREWO | | 14.29 | 7.44 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | | XCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP | | - | | | | | | | | 1 | | | - | | |
| | Z-WIKE | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | - | | - | | | | | | | | | - | | |
| | | Zone 1 | | 1 | UEPSR UEPSB | UEALS | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | <u> </u> | OLI OK OLI OD | OLALO | 13.13 | 31.99 | 20.02 | 10.03 | 1.41 | <u> </u> | <u> </u> | 20.55 | 10.54 | 13.32 | 10.0 |
| | | Zone 1 | | 1 | UEPSR UEPSB | UEABS | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | i i | OLI OK OLI OB | CEADO | 10.10 | 01.00 | 20.02 | 10.00 | 1.41 | 1 | | 20.00 | 10.04 | 10.02 | 10.0 |
| | | Zone 2 | | 2 | UEPSR UEPSB | UEALS | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | | Zone 2 | | 2 | UEPSR UEPSB | UEABS | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | | Zone 3 | | 3 | UEPSR UEPSB | UEALS | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | | Zone 3 | | 3 | UEPSR UEPSB | UEABS | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| - | 2-WIRE | ANALOG VOICE GRADE LOOP | | - | | - | | | | | | 1 | | | - | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | 1 | UEA | UEAL2 | 16.56 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| - | | Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | ' | UEA | UEALZ | 10.30 | 75.06 | 40.20 | 20.70 | 17.04 | 1 | 1 | 20.33 | 10.54 | 13.32 | 13.3. |
| | | Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 21.63 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | 02/1 | 027122 | 21.00 | 70.00 | 10.20 | 20.70 | 11.01 | 1 | 1 | 20.00 | 10.01 | 10.02 | 10.0. |
| | | Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 28.28 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 34.29 | | | | İ | İ | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | | Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 16.56 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | | Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 21.63 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | | | | | | | | | | | | | |
| | | Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 28.28 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 34.29 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | ļ | UEA | UREWO | - | 75.06 | 36.41 | - | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | | Loop Tagging - Service Level 2 (SL2) | | - | UEA | URETL | | 11.23 | 1.10 | | | - | - | 20.35 | 10.54 | 13.32 | 13.3 |
| | | ANALOG VOICE GRADE LOOP | | 4 | UEA | UEAL4 | 24.70 | 122.76 | 85.57 | 76.35 | 39.16 | - | - | 20.35 | 10.54 | 13.32 | 13.3 |
| | | 4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2 | - | | UEA | UEAL4 UEAL4 | 32.25 | 122.76 | 85.57 85.57 | | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | | 4-Wire Analog Voice Grade Loop - Zone 3 | | | UEA | UEAL4 | 42.17 | 122.76 | 85.57 | | 39.16 | 1 | 1 | 20.35 | 10.54 | 13.32 | 13.3 |
| | | Order Coordination for Specified Conversion Time (per LSR) | - | | UEA | OCOSL | 42.17 | 34.29 | 00.37 | 70.35 | 33.10 | | | 20.33 | 10.34 | 13.32 | 13.3 |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 75.06 | 36.41 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2-WIRE | ISDN DIGITAL GRADE LOOP | | | | 1 | İ | . 5.50 | 33.11 | İ | | | | 20.00 | | .0.52 | .5.0 |
| | | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 22.22 | 142.76 | 88.88 | 76.35 | 39.16 | İ | İ | 20.35 | 10.54 | 13.32 | 13.3 |

| NRONDL | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | 1 - | | | ment: 2 | | ibit: A |
|---------|---|--|----------|------------|----------------|-------|----------------|------------|--|------------|--|--|----------|--|---|----------|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Nonrecurring | | Nonrecurring | Disconnect | | 1 | oss | Rates (\$) | 1 | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN | U1L2X | 29.02 | 142.76 | 88.88 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 37.95 | 142.76 | 88.88 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination For Specified Conversion Time (per LSR) | | | UDN | OCOSL | | 34.29 | | | | ĺ | | | | Î | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 91.77 | 44.22 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| 2-WIF | RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | ATIBLE | LOOP | | | | | | | | ĺ | | | | Î | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 13.82 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | 1 | UAL | UALZX | 13.82 | 270.01 | 234.63 | 74.54 | 39.14 | - | - | 20.35 | 10.54 | 13.32 | 13.3 |
| | & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 18.05 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| _ | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | OAL | UALZA | 10.03 | 270.01 | 254.05 | 74.54 | 33.14 | | 1 | 20.55 | 10.54 | 10.02 | 10.0 |
| | & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 23.60 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Specified Conversion Time (per LSR) | 1 | Ť | UAL | OCOSL | 20.00 | 34.29 | 204.00 | 7 7.04 | 00.14 | | | 20.00 | 10.04 | 10.02 | 10. |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | 1 | | | 2000L | | 04.20 | | 1 | | | | † | | i | 1 |
| | facility reservation - Zone 1 | 1 1 | 1 | UAL | UAL2W | 13.82 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | <u> </u> | Ė | | 1 1 | | | | | | | | | | 12.32 | 1 |
| | facility reservation - Zone 2 | 1 | 2 | UAL | UAL2W | 18.05 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | 1 1 | | | | | | | | | | 10.02 | 1 |
| | facility reservation - Zone 3 | 1 | 3 | UAL | UAL2W | 23.60 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 34.29 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | ı | | UAL | UREWO | | 31.99 | 20.02 | | | ĺ | | 20.35 | 10.54 | 13.32 | 13. |
| 2-WIF | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE I | OOP | | | | | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 10.83 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 14.15 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 18.50 | 270.01 | 234.63 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 34.29 | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | ١. | | | | | | | 40.0= | | | | | | | |
| _ | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 10.83 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13. |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | Ι. | 2 | UHL | 11111 0147 | 44.45 | 24.00 | 20.02 | 40.05 | 4 44 | | | 20.25 | 10.54 | 13.32 | 40 |
| -+ | and facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry | | | UHL | UHL2W | 14.15 | 31.99 | 20.02 | 10.65 | 1.41 | - | - | 20.35 | 10.54 | 13.32 | 13. |
| | and facility reservation - Zone 3 | ١., | 3 | UHL | UHL2W | 18.50 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13. |
| | Order Coordination for Specified Conversion Time (per LSR) | - | | UHL | OCOSL | 10.50 | 34.29 | 20.02 | 10.03 | 1.41 | 1 | 1 | 20.33 | 10.54 | 13.32 | 13. |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13. |
| 4-WIF | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE I | OOP | OFF | OKEWO | | 31.33 | 20.02 | | | | - | 20.55 | 10.54 | 13.32 | 10. |
| 7 **** | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | | + | | | | | | 1 | 1 | | | | |
| | and facility reservation - Zone 1 | 1 | 1 | UHL | UHL4X | 13.93 | 279.60 | 244.22 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13. |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | 1 | | | | | | | | | | | | | 1 | 1 |
| | and facility reservation - Zone 2 | <u> </u> | 2 | UHL | UHL4X | 18.20 | 279.60 | 244.22 | 74.54 | 39.14 | <u></u> | <u></u> | 20.35 | 10.54 | 13.32 | 13. |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 23.80 | 279.60 | 244.22 | 74.54 | 39.14 | | | 20.35 | 10.54 | 13.32 | 13. |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 34.29 | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | I | 1 | UHL | UHL4W | 13.93 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13. |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | Ι. | | l | [J | | | | | _ | | | | | | |
| _ | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 18.20 | 31.99 | 20.02 | 10.65 | 1.41 | 1 | - | 20.35 | 10.54 | 13.32 | 13. |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | Ι. | _ | | | 00.00 | 04.00 | 00.00 | 40.0- | | | | 00.6= | 10.51 | 10.00 | 1 |
| - | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 23.80 | 31.99 | 20.02 | 10.65 | 1.41 | | 1 | 20.35 | 10.54 | 13.32 | 13. |
| - | Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch | | - | UHL UHL | OCOSL UREWO | | 34.29 31.99 | 20.02 | | | 1 | - | 20.35 | 10.54 | 13.32 | 13. |
| 4 18/15 | RE DS1 DIGITAL LOOP | | - | UFIL | UKEWU | | 31.99 | 20.02 | | | 1 | - | 20.35 | 10.54 | 13.32 | 13. |
| 4-1/11 | 4-Wire DS1 Digital Loop - Zone 1 | ! | 1 | USL | USLXX | 57.73 | 313.08 | 219.72 | 96.86 | 40.45 | 1 | - | 18.98 | 8.43 | 11.95 | 11 |
| _ | 4-Wire DS1 Digital Loop - Zone 1 | | | USL | USLXX | 75.40 | 313.08 | 219.72 | 96.86 | 40.45 | | | 18.98 | 8.43 | 11.95 | |
| _ | 4-Wire DS1 Digital Loop - Zone 2 | | | USL | USLXX | 98.59 | 313.08 | 219.72 | 96.86 | 40.45 | | H | 18.98 | 8.43 | 11.95 | 11 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | 30.39 | 34.59 | 213.12 | 30.00 | 40.45 | | - | 10.30 | 0.43 | 11.95 | 11. |
| | CLEC to CLEC Conversion Charge without outside dispatch | l - | | USL | UREWO | | 130.47 | 40.11 | | | 1 | | 20.35 | 10.54 | 13.32 | 13. |
| | RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | - | | 3.12.770 | | .00.77 | 70.11 | + | | + | | 20.00 | 10.04 | 10.02 | 10. |

| UNBUNDL | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | 1 | ibit: A |
|------------|---|-------------|------|---|----------|-------|--------------|------------|--------------|------------|-------|---|-------|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l |
| - $ -$ | | | | | | | Nonrecurring | | Nonrecurring | Disconnect | | l . | OSS | Rates (\$) | 1 | I |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 31.10 | 207.01 | 141.38 | 90.70 | 44.18 | | 00 | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 40.61 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 53.11 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | | UDL | UDL56 | 31.10 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL | UDL56 | 40.61 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | | UDL | UDL56 | 53.11 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 34.29 | | | | | | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | 1 | UDL | UDL64 | 31.10 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | UDL64 | 40.61 | 207.01 | 141.38 | 90.70 | 44.18 | İ | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 53.11 | 207.01 | 141.38 | 90.70 | 44.18 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 34.29 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 102.28 | 49.82 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 2-WI | RE Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | | | | | | | |
| | service inquiry & facility reservation - Zone 1 | - 1 | 1 | UCL | UCLPB | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | | | | | | | |
| | service inquiry & facility reservation - Zone 2 | - 1 | 2 | UCL | UCLPB | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Unbundled Copper Loop-Designed including manual | | | | | | | | | | | | | | | |
| | service inquiry & facility reservation - Zone 3 | - 1 | 3 | UCL | UCLPB | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop-Designed without manual | | | | | | | | | | | | | | | |
| | service inquiry and facility reservation - Zone 1 | - 1 | 1 | UCL | UCLPW | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Unbundled Copper Loop-Designed without manual | | | | | | | | | | | | | | | |
| | service inquiry and facility reservation - Zone 2 | - 1 | 2 | UCL | UCLPW | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2-Wire Unbundled Copper Loop-Designed without manual | | | | | | | | | | | | | | | |
| | service inquiry and facility reservation - Zone 3 | - 1 | 3 | UCL | UCLPW | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | |
| | (UCL-Des) | - 1 | | UCL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| 4-WI | RE COPPER LOOP | | | | | | | | | | | | | | | |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | - 1 | 1 | UCL | UCL4S | 24.70 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | - 1 | 2 | UCL | UCL4S | 32.25 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Copper Loop-Designed including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | - 1 | 3 | UCL | UCL4S | 42.17 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | | |
| | 4-Wire Copper Loop-Designed without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | - 1 | 1 | UCL | UCL4W | 24.70 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Copper Loop-Designed without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | - 1 | 2 | UCL | UCL4W | 32.25 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4-Wire Copper Loop-Designed without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | ı | 3 | UCL | UCL4W | 42.17 | 122.76 | 85.57 | 76.35 | 39.16 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 36.52 | 36.52 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | |
| | (UCL-Des) | ı | | UCL | UREWO | | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| LOOP MODII | FICATION | | | | | | | | | | | | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | | | UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, | | | 27.40 | | | | | | | | 40.00 | 40.00 |
| | pair less than or equal to 18k ft, per Unbundled Loop | | | UEPSB | ULM2L | | 65.40 | 65.40 | | | - | ļ | 20.35 | 10.54 | 13.32 | 13.32 |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | | | | 05.40 | 05.40 | | | | | 00.0- | 10.51 | 10.00 | 40.00 |
| | less than or equal to 18K ft, per Unbundled Loop | | | UHL, UCL, UEA | ULM4L | | 65.40 | 65.40 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | | | UAL, UHL, UCL, | | | | | | | | 1 | I | | I | |
| | Hobundled Loop Medification Personal of Pridered Tea Personal | | | UEQ, ULS, UEA, | | | | | | | | 1 | I | | I | |
| - 1 | Unbundled Loop Modification Removal of Bridged Tap Removal, | ١. | | UEANL, UEPSR, UEPSB | ULMBT | | 65.44 | 65.44 | | | | 1 | 20.35 | 10.54 | 13.32 | 13.32 |
| | | | | | | | | | | | | | | | 1.3.32 | 13.32 |
| SUB-LOOPS | per unbundled loop | - | | OLI OB | OLIVID I | | 00.44 | 00.44 | | | 1 | | 20.55 | 10.54 | 10.02 | |

| UNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: A |
|--------------|--|--|----------|------------------|----------------|--------|-----------------------|----------------|--------------|------------|----------|--|--|--|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | - | - | | | | Monroourring | | Nonrecurring | Disconnect | | | 000 | Rates (\$) | | |
| | | - | + | | | Rec | Nonrecurring First | Add'l | First | Add'l | COMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- | - | 1 | | | | FIRST | Addi | FIRST | Addi | SOWIEC | SOWAN | SUMAN | SOWAN | SUMAN | SUMAN |
| | Up | | | UEANL | USBSA | | 517.25 | 517.25 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | ОР | <u> </u> | 1 | OLANE | OODOA | | 317.23 | 317.23 | | | 1 | 1 | 20.55 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | 1 | | UEANL | USBSB | | 42.68 | 42.68 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder | | | | | | | | | | 1 | | | | | |
| | Facility Set-Up | - 1 | | UEANL | USBSC | | 313.01 | 313.01 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel | | | | | | | | | | | | | | | |
| | Set-Up | I | | UEANL | USBSD | | 108.06 | 108.06 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Statewide | | SW | UEANL | USBN2 | 10.02 | 148.84 | 112.34 | 73.14 | 36.65 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.29 | 34.29 | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | + | UEAINL | USBIVIC | | 34.29 | 34.29 | | | 1 | 1 | | | | |
| | Zone 1 | | 1 | UEANL | USBN4 | 7.30 | 147.93 | 75.11 | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | <u> </u> | 02,442 | 002.11 | 7.00 | | 70.11 | 00.00 | 10.00 | 1 | | 20.00 | 10.01 | 10.02 | 10.02 |
| | Zone 2 | | 2 | UEANL | USBN4 | 9.54 | 147.93 | 75.11 | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEANL | USBN4 | 12.47 | 147.93 | 75.11 | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.29 | 34.29 | | | | | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | ı | 1 | UEANL | USBR2 | 1.35 | 94.56 | 29.35 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Consideration for Habrard of Cub Long and sub-land are | | | UEANL | USBMC | | 34.29 | 34.29 | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | | + | UEANL | USBR4 | 2.26 | 116.14 | 34.29 | | | - | - | 20.35 | 10.54 | 13.32 | 13.32 |
| | Sub-Loop 4-Wile Intrabuliding Network Cable (INC) | - ' | + | OLANL | USBK4 | 2.20 | 110.14 | 37.10 | | | 1 | 1 | 20.33 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 34.29 | 34.29 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | 1 | UEANL | URET1 | | 78.92 | 78.92 | | | | | | | | |
| | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 23.33 | 23.33 | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | I | 1 | UEF | UCS2X | 5.16 | 110.71 | 37.89 | 94.41 | 13.09 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | I | 2 | UEF | UCS2X | 6.74 | 110.71 | 37.89 | 94.41 | 13.09 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | 3 | UEF | UCS2X | 8.81 | 110.71 | 37.89 | 94.41 | 13.09 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | 1 | UEF UEF | USBMC UCS4X | 6.52 | 34.29 117.12 | 34.29 44.30 | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | <u> </u> | 2 | UEF | UCS4X | 8.52 | 117.12 | 44.30 | 99.96 | 16.98 | - | - | 20.35 | 10.54 | 13.32 | 13.32 |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | <u> </u> | | UEF | UCS4X UCS4X | 11.14 | 117.12 | 44.30 | 99.96 | 16.98 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | - This sopper officialists our-Loop Distribution - Zolle 3 | - '- | - | OL1 | J007A | 11.14 | 111.12 | 44.30 | 33.30 | 10.90 | | — | 20.35 | 10.54 | 13.32 | 13.32 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | 1 | UEF | USBMC | | 34.29 | 34.29 | | | | | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEF | URET1 | | 78.92 | 78.92 | | | | | | 1 | | |
| | Loop Testing - Basic Additional Half Hour | | | UEF | URETA | | 23.33 | 23.33 | | | | | | | | |
| | dled Network Terminating Wire (UNTW) | | | | | | | | | | | | | | | |
| | Unbundled Network Terminating Wire (UNTW) per Pair | | 1 | UENTW | UENPP | 0.4555 | 2.48 | 2.48 | | | ļ | | 20.35 | 10.54 | 13.32 | 13.32 |
| Networ | k Interface Device (NID) | . | 1 | LIENTAL | LINIDAO | | 00.00 | 54.50 | 0.0001 | 0.0001 | ļ | | 00.00 | 40.7 | 40.00 | 40.00 |
| | Network Interface Device (NID) - 1-2 lines | ₩ | - | UENTW | UND12 | | 89.69 | 54.56 | 0.6391 | 0.6391 | | 1 | 20.35 | 10.54 | 13.32 | 13.32 |
| | Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W | ╂ | + | UENTW UENTW | UND16 UNDC2 | | 129.65 11.11 | 94.51 11.11 | 0.6522 | 0.6522 | | | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | 13.32 13.32 |
| 1 | Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W | | + | UENTW | UNDC2 UNDC4 | | 11.11 | 11.11 | | | <u> </u> | | 20.35 | 10.54 | 13.32 | 13.32 |
| UNE OTHER: P | PROVISIONING ONLY - NO RATE | t | † | J_11111 | 311237 | | 11.11 | 11.11 | | | l | <u> </u> | 20.33 | 10.54 | 10.02 | 10.02 |
| , | NID - Dispatch and Service Order for NID installation | t | † | UENTW | UNDBX | 0.00 | 0.00 | | | | | † | 1 | | | |
| | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | 1 | | |
| | <u> </u> | | | UEANL,UEF,UEQ,U | | | | | | | | | | | | |
| | Unbundled Contract Name, Provisioning Only - No Rate | | <u> </u> | ENTW | UNECN | 0.00 | 0.00 | | | | | | | | | |
| UNE OTHER, P | PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |
| | | 1 | | | | | | | | | | | | | | |
| | Haland Hall Control Name Books 1 Control | | 1 | UAL,UCL,UDC,UDL, | LINECT | | | | | | | | | | | |
| | Unbundled Contact Name, Provisioning Only - no rate | | 1 | UDN,UEA,UHL,ULC | UNECN | 0.00 | 0.00 | | | | | | | | | ├ |
| l I | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no | 1 | | UEA,UDN,UCL,UDC | l | 0.00 | 0.00 | | 1 | | 1 | 1 | I | l | 1 | 1 |

| UNBUI | NDLE | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: A |
|----------|--------|--|-------------|--|------------------------|----------------|----------------|-----------------|------------------|--------------|--------|--------------|---|---|--|---|---|
| CATEG | ORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | II . | Svc Order Submitted Manually per LSR | Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | | | | LIODED | 0.00 | 0.00 | | | | | | | | | |
| | | Linkundled DC1 Loop Superfrome Formet Option no rete | | 1 | UEA,USL,UCL,UDL USL | USBFR CCOSF | 0.00 | 0.00 | | - | | | | - | | | |
| | | Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option - | | | USL | CCOSF | 0.00 | 0.00 | | - | | | | - | | | |
| | | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| HIGH C | APACIT | Y UNBUNDLED LOCAL LOOP | | | 002 | | 0.00 | 0.00 | | t | | | | t | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | | month | | | UE3 | 1L5ND | 9.19 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | | UE3 | UE3PX | 374.24 | 595.37 | 304.50 | 234.83 | 170.16 | | | 36.84 | 36.84 | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | LIDL 6V | 11 END | 0.40 | | | | | | | 1 | | | |
| | | month High Capacity Unbundled Local Loop - STS-1 - Facility | - | - | UDLSX | 1L5ND | 9.19 | - | | - | | | | - | - | | |
| | | Termination per month | | 1 | UDLSX | UDLS1 | 389.35 | 595.37 | 304.50 | 215.82 | 151.15 | | | 36.84 | 36.84 | | |
| | |): Rates provided in TN for both electronic and manual Loop | Makeu | p are ir | | | | | | | | nents from t | he Tenness | | | | 1 |
| LOOP N | | | I | 1 | | | | The position of | , a pormanom | l attended | | | | | / / tutilolling | | |
| | | Loop Makeup - Preordering Without Reservation, per working or | | Ì | | | | | | | | | | | | | |
| | | spare facility queried (Manual). | R | | UMK | UMKLW | | 0.76 | 0.76 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Loop Makeup - Preordering With Reservation, per spare facility | | | | | | | | | | | | | | | |
| | | queried (Manual). | R | | UMK | UMKLP | | 0.76 | 0.76 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Loop MakeupWith or Without Reservation, per working or | _ | | 1.15.41.2 | | | 0.70 | 0.70 | | | | | | | | |
| I INE CL | LADING | spare facility queried (Mechanized) AND LINE SPLITTING | R | | UMK | UMKMQ | - | 0.76 | 0.76 | - | | . | | - | | | |
| | | : The Line Sharing monthly recurring rates for all installation | le comi | aleted t | rom October 02, 200 | 3 through m | idnight Octob | ar 01 2004 shal | l ha hillad se f | ollows. | | | | - | | | |
| | | : 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co | | | | | I | 01, 2004 31181 | i be billed as i | l liows. | | + | | | | | |
| | | : 10/02/2004 – 10/01/2005: 50% of the rate for UCLND | pper ie | l l | designed (GOLIND | ľ | | | | | | 1 | | | | | 1 |
| | | : 10/02/2005 - 10/01/2006: 75% of the rate for UCLND | | | | | | | | | | | | | | | |
| ĺ | NOTE 1 | : Above will apply to USOCS: ULSDT and ULSCT | | | | | | | | | | | | | | | |
| | | 2: The Line Sharing monthly recurring rates with USOCs ULS | SDC and | d ULSC | C applies only to ci | rcuits install | ed and inservi | ce on or before | October 1, 20 | 03 | | | | | | | |
| | | HARING | | | | | | | | | | | | | | | |
| | | ERS-CENTRAL OFFICE BASED | | | | | 100.00 | 4=0.00 | | | | | | | | 10.00 | |
| - | | Line Sharing Splitter, per System 96 Line Capacity | | | ULS | ULSDA | 100.00 | | 0.00 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 13.32 | 13.32 13.32 |
| | | Line Sharing Splitter, per System 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton- | | 1 | ULS | ULSDB | 25.00 | 150.00 | 0.00 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | deactivation (per LSOD) | | | ULS | ULSDG | | 163.06 | 0.00 | 92.71 | 0.00 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | SER ORDERING-CENTRAL OFFICE BASED LINE SHARING | | | ULO | OLODG | | 103.00 | 0.00 | 92.71 | 0.00 | | | 20.33 | 10.54 | 13.32 | 13.32 |
| | | Line Sharing - per Line Activation (BST Owned splitter) - | l | t | | | 1 | 1 | | 1 | | | | 1 | | | — |
| | | OBSOLETE see **NOTE 2 | | | ULS | ULSDC | 0.61 | 40.00 | 31.39 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| - 1 | | Line Share Service, TRO per line activation, BST owned splitter - | | | | | | | | | | | | | | | |
| | | Central Office Located (25% of UCLND) - please see NOTE 1 | 1 | 1 | | | 1 | | | 1 | | | 1 | I | | | |
| | | (E:10/2/2003) | | | ULS | ULSDT | 2.94 | 40.00 | 31.39 | 0.00 | 0.00 | | | | | | |
| | | Line Share Service, TRO per line activation, BST owned splitter - | | | | | | | | | | | | | | | |
| | | Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) | | | ULS | ULSDT | 5.87 | 40.00 | 31.39 | 0.00 | 0.00 | | | | | | |
| | | Line Share Service, TRO per line activation, BST owned splitter - | | | ULS | ULSDI | 5.67 | 40.00 | 31.39 | 0.00 | 0.00 | | | - | | | |
| | | Central Office Located (75% of UCLND) - please see NOTE 1 | 1 | 1 | | | 1 | | | 1 | | | 1 | I | | | |
| | | (E:10/2/2005) | 1 | 1 | ULS | ULSDT | 8.81 | 40.00 | 31.39 | 0.00 | 0.00 | | 1 | I | | | |
| İ | | Line Sharing - per Subsequent Activity per Line | İ | 1 | | | | | | | | | | | | | |
| | | Rearrangement(BST Owned Splitter) | <u> </u> | <u>L</u> | ULS | ULSDS | <u></u> | 30.00 | 15.00 | <u></u> | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Line Sharing - per Subsequent Activity per Line | | | | | | | | | | | | | | | |
| | | Rearrangement(DLEC Owned Splitter) | ļ | <u> </u> | ULS | ULSCS | | 30.00 | 15.00 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | Line Sharing - per Line Activation (DLEC owned Splitter) - | 1 | 1 | | 111.000 | | | 10.01 | 0.00 | 0.00 | | 1 | 00.6= | 10.51 | 10.00 | 40.00 |
| | | OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, CLEC owned | - | | ULS | ULSCC | 0.61 | 47.44 | 19.31 | 0.00 | 0.00 | ļ | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | splitter - Central Office Located (25% of UCLND) - please see | | | | | 1 | | | | | | | 1 | | | |
| | | NOTE 1 (E:10/2/2003) | 1 | 1 | ULS | ULSCT | 2.94 | 47.44 | 19.31 | 0.00 | 0.00 | | 1 | I | | | |
| \dashv | | Line Share Service, TRO per line activation, CLEC owned | | t — | | | 2.34 | -7774 | 10.01 | 0.00 | 0.30 | | | | | | † |
| | | splitter - Central Office Located (50% of UCLND) - please see | l | | | l | I | | | I | | | 1 | 1 | 1 | | |
| | | NOTE 1 (E:10/2/2004) | | | ULS | ULSCT | 5.87 | 47.44 | 19.31 | 0.00 | 0.00 | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | T | 1 | 1 | | | | | la - : | I | | ment: 2 | 1 | ibit: A |
|-------------|--|--|--|----------------------------|---------|--------------|--------------|------------|--------|--|----------|---|--|--|---|------------------------------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Sv Order vs. |
| | | | | | | Rec | Nonrecurring | | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Line Share Service, TRO per line activation, CLEC owned | | | | | | | | | | | | | | | |
| | splitter - Central Office Located (75% of UCLND) - please see | | | | | | | | | | | | | | | |
| | NOTE 1 (E:10/2/2005) | | | ULS | ULSCT | 8.81 | 47.44 | 19.31 | 0.00 | 0.00 | | | | | | |
| | PLITTING | | | | | | | | | | | | | | | |
| END U | SER ORDERING-CENTRAL OFFICE BASED | | ļ | LIEDOD LIEDOD | UREOS | 0.04 | | | + | | 1 | | | | - | + |
| | Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical | | | UEPSR UEPSB UEPSR UEPSB | UREBP | 0.61 0.61 | 48.96 | 21.39 | 35.06 | 10.79 | + | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Line Splitting - per line activation BST owned - physical | | 1 | UEPSR UEPSB | UREBV | 0.61 | 48.96 | 21.39 | | 10.79 | 1 | ł | 20.35 | 10.54 | 13.32 | |
| MAINT | ENANCE | | 1 | OLF SK OLF SB | UNLBV | 0.01 | 40.90 | 21.39 | 33.00 | 10.79 | 1 | ł | 20.33 | 10.54 | 13.32 | 13.3 |
| Impaire | No Trouble Found - per 1/2 hour increments - Basic | | 1 | | + | | 80.00 | 55.00 | | | + | † | | | | + |
| | No Trouble Found - per 1/2 hour increments - Overtime | | | | | | 120.00 | 82.50 | | | | İ | | | | |
| | No Trouble Found - per 1/2 hour increments - Premium | | | | | | 160.00 | 110.00 | | | | İ | | | | † |
| UNBUNDLED I | DEDICATED TRANSPORT | | | | | | | | | | | | | | | 1 |
| INTER | OFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | 1 |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.0054 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Facility Termination | | | U1TVX | U1TV2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | | |
| | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | | | | | | | | | | | | | |
| | Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.0054 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. | 1 | | | | | | | | | | | | | | |
| | Facility Termination | | | U1TVX | U1TR2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | | |
| | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade | 1 | | | 41 =>04 | | | | | | | | | | | |
| | Per Mile per month | | | U1TVX | 1L5XX | 0.0054 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade | | | 11477.07 | U1TV4 | 04.00 | 07.07 | 00.00 | 00.70 | 40.07 | | | 45.00 | 45.00 | | |
| \vdash | - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | 1 | U1TVX | U11V4 | 24.09 | 37.87 | 26.02 | 30.78 | 13.07 | + | | 15.08 | 15.08 | | + |
| | per month | | | U1TDX | 1L5XX | 0.0174 | | | | | | | | | | |
| — | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | - | <u> </u> | UTIDA | ILJAA | 0.0174 | | | + | - | + | 1 | 1 | 1 | - | + |
| | Termination | | | U1TDX | U1TD5 | 17.98 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | | |
| - | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | 1 | OTTEX | 01103 | 17.50 | 33.33 | 17.57 | 21.50 | 3.51 | + | | 20.55 | 21.03 | | + |
| | per month | | | U1TDX | 1L5XX | 0.0174 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | 01157 | 120701 | 0.0171 | | | † | | 1 | İ | | | t | † |
| | Termination | | | U1TDX | U1TD6 | 17.98 | 55.39 | 17.37 | 27.96 | 3.51 | | | 20.35 | 21.09 | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | - | | | | | | | | | | | | 1 |
| | month | | | U1TD1 | 1L5XX | 0.3562 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | 1 |
| | Termination | | | U1TD1 | U1TF1 | 77.86 | 112.40 | 76.27 | 19.55 | 14.99 | | | 20.35 | 21.09 | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | <u> </u> | U1TD3 | 1L5XX | 2.34 | | | 1 | | <u> </u> | <u> </u> | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | I | | | | I | | 1 | | 1 | 1 | I | |
| \vdash | Termination per month | | <u> </u> | U1TD3 | U1TF3 | 848.99 | 395.29 | 176.56 | 109.04 | 105.91 | | | 36.84 | 36.84 | - | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per | | | LIATOA | 41.577 | 000 | | | 1 | 1 | | | | | 1 | |
| \vdash | month | - | | U1TS1 | 1L5XX | 2.34 | | | + | | | | | | | + |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination | | | U1TS1 | U1TFS | 849.30 | 395.29 | 176.56 | 109.04 | 105.91 | | | 36.84 | 36.84 | 1 | 1 |
| DARK FIBER | reminauUll | | | 01101 | UIIFO | 849.30 | 395.29 | 176.35 | 109.04 | 105.91 | + | } | 30.84 | 30.84 | | + |
| DANK CIDEK | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | H | | | + | | 1 | | 1 | | + | 1 | | | t | + |
| | Thereof per month - Interoffice Channel | | | UDF, UDFCX | 1L5DF | 28.74 | | | 1 | I | 1 | | | | I | |
| | NRC Dark Fiber - Interoffice Channel | | t | UDF, UDFCX | UDF14 | 25.74 | 1,121.00 | 153.19 | 580.26 | 357.17 | <u> </u> | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | , | 1-2 | İ | .,.200 | .00.10 | 333.20 | 337.117 | | | 20.00 | 10.04 | .5.62 | 10.0. |
| | Thereof per month - Local Loop | | | UDF, UDFCX | 1L5DL | 58.83 | | | 1 | 1 | | | | | 1 | |
| | NRC Dark Fiber - Local Loop | | i – | UDF, UDFCX | UDFL4 | | 1,121.00 | 153.19 | 580.26 | 357.17 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| 8XX ACCESS | TEN DIGIT SCREENING | | i – | | | | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, Per Call | | | OHD | | 0.0005192 | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX | | | | | | | | | | | | | | | |
| | Number Reserved | | <u> </u> | OHD | N8R1X | | 5.21 | 0.76 | | | | | 20.35 | 20.35 | 13.28 | 13.2 |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O | | | | | | | | | | | | | | | |
| | POTS Translations | | | OHD | | | 11.47 | 1.46 | 7.34 | 0.7602 | 1 | 1 | 20.35 | 20.35 | 13.28 | 13.2 |

| UNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: A |
|--|--|--|--|-------------|----------|------------------------|--------------|------------|--------------|--------------|--|---|--|---|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | II . | Svc Order Submitted Manually per LSR | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established With | | | OLID | NOFTY | | 44.47 | 4.40 | 7.04 | 0.7000 | | | 00.05 | 00.05 | 40.00 | 40.00 |
| | POTS Translations 8XX Access Ten Digit Screening, Customized Area of Service | | 1 | OHD | N8FTX | | 11.47 | 1.46 | 7.34 | 0.7602 | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | Per 8XX Number | | | OHD | N8FCX | | 4.47 | 2.24 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | 8XX Access Ten Digit Screening, Multiple InterLATA CXR | | | | | | | | | | | | | | | |
| | Routing Per CXR Requested Per 8XX No. | | | OHD | N8FMX | | 5.23 | 3.00 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | 8XX Access Ten Digit Screening, Change Charge Per Request | | | OHD | N8FAX | | 5.97 | 0.76 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | 8XX Access Ten Digit Screening, Call Handling and Destination | | | | | | | | | | | | | | | |
| | Features | | ļ | OHD | N8FDX | | 4.47 | | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| LINE INFORMA | ATION DATA BASE ACCESS (LIDB) | | | 007 | | 0.0000054 | | | | | ļ | | | | | |
| | LIDB Common Transport Per Query LIDB Validation Per Query | | 1 | OQT OQU | - | 0.0000354 0.0117403 | | | | | - | | | - | | - |
| | LIDB Validation Per Query LIDB Originating Point Code Establishment or Change | | - | OQT, OQU | NRBPX | 0.0117403 | 49.03 | | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| SIGNALING (C | | | 1 | 0Q1, 0QU | MINDLY | | 49.03 | | 1 | 1 | } | | 20.35 | 20.35 | 13.28 | 13.28 |
| SIGNALING (C | CCS7 Signaling Termination, Per STP Port | | 1 | UDB | PT8SX | 138.41 | | | | | 1 | | | | 1 | |
| | CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per TCAP Message | - | | UDB | 1 100/ | 0.0000916 | | | | | | - | | | t | |
| | CCS7 Signaling Osage, Fer TOAF Message CCS7 Signaling Connection, Per link (A link) | † | 1 | UDB | TPP++ | 17.84 | 130.84 | 130.84 | 1 | | 1 | | 20.35 | 20.35 | 13.32 | 13.32 |
| | CCS7 Signaling Connection, Per link (B link) (also known as D | | | 000 | 1 | 17.01 | 100.01 | 100.01 | | | İ | | 20.00 | 20.00 | 10.02 | 10.02 |
| | link) | | | UDB | TPP++ | 17.84 | 130.84 | 130.84 | | | | | 20.35 | 20.35 | 13.32 | 13.32 |
| | CCS7 Signaling Usage, Per ISUP Message | | | UDB | | 0.0000373 | | | | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 352.30 | | | | | | | | | | |
| | Signaling Point Code, per Originating Point Code Establishment | | | | | | | | | | | | | | | |
| | or Change, per STP | | | UDB | CCAPO | | 121.77 | 121.77 | | | | | 20.35 | 20.35 | 13.32 | 13.32 |
| CALLING NAM | E (CNAM) SERVICE | | | | | | | | | | | | | | | |
| | CNAM For DB Owners - Service Establishment | | | OQV | | | 43.27 | | | | | | | | | |
| | CNAM For Non DB Owners - Service Establishment | | | OQV | | | 43.27 | | | | | | | | | |
| | CNAM For DB Owners - Service Provisioning With Point Code | | | | | | | | | | | | | | | |
| | Establishment | | | OQV | | | 1,868.00 | 1,382.00 | | | | | | | | |
| | CNAM For Non DB Owners - Service Provisioning With Point | | | | | | | | | | | | | | | |
| | Code Establishment | | | OQV | ļ | 0.0010=11 | 645.50 | 432.23 | | | | | | | | |
| | CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query | | 1 | OQV | - | 0.0010541 0.0010541 | | | | | | | | | 1 | |
| | CNAM (Non-Databs Owner), NRC, applies when using the | | - | OQV | + | 0.0010541 | | | | | | | | | | |
| | Character Based User Interface (CHUI) | | | oqv | CDDCH | | | | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| SELECTIVE RO | | - | 1 | OQV | CDDCIT | | | | 1 | | 1 | | 20.33 | 20.33 | 13.20 | 13.20 |
| OLLLO IIVE KO | Selective Routing Per Unique Line Class Code Per Request Per | | 1 | | + | | | | | | 1 | | | | | |
| | Switch | | | | | | 179.60 | 179.60 | | | | | 20.35 | 20.35 | | |
| VIRTUAL COLI | | | | | | | | | | | | | | | | |
| | Virtual Collocation-2 Wire Cross Connects (Loop) for Line | 1 | | | 1 | l | | | 1 | ĺ | Ì | | ĺ | ĺ | 1 | ĺ |
| | Splitting | <u> </u> | | UEPSR UEPSB | VE1LS | 0.57 | 11.62 | 9.90 | 10.38 | 8.66 | <u> </u> | <u> </u> | 19.99 | 19.99 | 19.99 | 19.99 |
| PHYSICAL COI | | | | | | | | · | | | | | | | | |
| | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | | | | | | <u> </u> | | | | | | | | |
| | Splitting | | | UEPSR UEPSB | PE1LS | 0.7905 | 11.62 | 9.90 | 10.38 | 8.66 | | | 19.99 | 19.99 | 19.99 | 19.99 |
| AIN SELECTIV | E CARRIER ROUTING | | | | | | | | | | | | | | | |
| | Regional Service Establishment | | | SRC | SRCEC | | 190,638.00 | | ļ | | | | 20.35 | ļ | 1 | ļ |
| | End Office Establishment | | _ | SRC | SRCEO | 0.05 | 317.55 | 317.55 | 3.19 | 3.19 | | | 20.35 | 20.35 | 13.28 | 13.28 |
| AIN DELLOS | Query NRC, per query | . | 1 | SRC | + | 0.0206047 | | | 1 | - | ļ | | . | - | | - |
| AIN - BELLSOL | JTH AIN SMS ACCESS SERVICE AIN SMS Access Service - Service Establishment, Per State, | - | 1 | | 1 | - | 1 | | | | ļ | ļ | | . | | . |
| | | | | A4N | CAMSE | | 125 50 | 125.50 | | | | 1 | 20.25 | 20.25 | 12.00 | 12.00 |
| | Initial Setup | - | 1 | A1N | CAMSE | | 135.56 | 135.56 | 1 | | | - | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN SMS Access Service - Port Connection - Dial/Shared Access | | | A1N | CAMDP | | 41.75 | 41.75 | | | | 1 | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access | - | | A1N | CAM1P | | 41.75 | 41.75 | | | | - | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN SMS Access Service - User Identification Codes - Per User | | 1 | , | C/ W/111 | | 71.75 | 71.75 | 1 | | | | 20.00 | 20.00 | 10.20 | 10.20 |
| 1 | ID Code | | | A1N | CAMAU | | 96.63 | 96.63 | | | | 1 | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN SMS Access Service - Security Card, Per User ID Code, | 1 | | | 1 | l | 33.30 | 22.30 | 1 | İ | | | | | 10.20 | 12.20 |
| | Initial or Replacement | | | A1N | CAMRC | | 113.67 | 113.67 | | | | 1 | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | | | 0.0024 | | | | | | | | | | |
| | AIN SMS Access Service - Session, Per Minute | | | | | 0.0820123 | | | | | | | | | | |

| UNBUNDLI | ED NETWORK ELEMENTS - Tennessee | | | | ı | | | | | | r - | | Attach | | | bit: A |
|-------------|--|--|--------------|------------------------------------|----------------------|-----------------|------------------|-----------------|-----------------|----------------|-----------|---|--|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | ļ | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | AIN ONO A O D. f I O B. | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | AIN SMS Access Service - Company Performed Session, Per Minute | | | | | 2.27 | | | | | | | | | | |
| AIN - BELLS | DUTH AIN TOOLKIT SERVICE | 1 | 1 | | | 2.21 | | | | | | | | | | |
| | AIN Toolkit Service - Service Establishment Charge, Per State, | | | | | | | | 1 | | | | | | | |
| | Initial Setup | | | CAM | BAPSC | | 132.04 | 132.04 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN Toolkit Service - Training Session, Per Customer | | | | BAPVX | | 7,915.00 | 7,915.00 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | DN, Term. Attempt | | ļ | | BAPTT | | 31.21 | 31.21 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | DADTD | | 04.04 | 24.04 | | | | | 00.05 | 00.05 | 40.00 | 40.00 |
| | DN, Off-Hook Delay AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per | - | - | | BAPTD | | 31.21 | 31.21 | - | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | DN, Off-Hook Immediate | | | | BAPTM | | 31.21 | 31.21 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | t | | | 1 | 01.21 | 01.21 | | | | | 20.00 | 20.00 | 10.20 | 10.20 |
| | DN, 10-Digit PODP | | | | BAPTO | | 85.24 | 85.24 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | DN, CDP | | | | BAPTC | | 85.24 | 85.24 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | L | | | | | | | | | | | |
| | DN, Feature Code | | 1 | | BAPTF | 0.0044000 | 85.24 | 85.24 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit | - | | | | 0.0211882 | | | | | | | | | | |
| | Subscription, Per Node, Per Query | | | | | 0.0054774 | | | | | | | | | | |
| | AIN Toolkit Service - SCP Storage Charge, Per SMS Access | | | | | 0.0004774 | | | 1 | | | | | | | |
| | Account, Per 100 Kilobytes | | | | | 1.50 | | | | | | | | | | |
| | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service | | | | | | | | | | | | | | | |
| | Subscription | | | CAM | BAPMS | 17.43 | 33.52 | 33.52 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN Toolkit Service - Special Study - Per AIN Toolkit Service | | | | | | | | | | | | | | | |
| | Subscription | | | CAM | BAPLS | 0.1321116 | 36.23 | 36.23 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription | | | CAM | BAPDS | 17.35 | 33.52 | 33.52 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| | AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit | | 1 | CAIVI | DAPUS | 17.35 | 33.32 | 33.32 | | | | | 20.33 | 20.35 | 13.20 | 13.20 |
| | Service Subscription | | | CAM | BAPES | 0.0511435 | 36.23 | 36.23 | | | | | 20.35 | 20.35 | 13.28 | 13.28 |
| ENHANCED E | EXTENDED LINK (EELs) | | | 0, 111 | 2, 20 | 0.0011100 | 00.20 | 00.20 | † † | | | | 20.00 | 20.00 | 10.20 | 10.20 |
| | : The monthly recurring and non-recurring charges below will | apply a | nd the | Switch-As-Is Charge | will not app | oly for UNE cor | mbinations pro | visioned as ' C | Ordinarily Comb | ined' Network | Elements. | | | | | |
| | : The monthly recurring and the Switch-As-Is Charge and not t | | | | | UNE combinat | ions provisione | ed as ' Current | ly Combined' N | etwork Eleme | nts. | | | | | |
| EXTE | NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT | TED DS | | | | | | | | | | | | | | |
| | First 2-Wire VG Loop (SL2) in Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.56 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | First 2-Wire VG Loop (SL2) in Combination - Zone 2 First 2-Wire VG Loop (SL2) in Combination - Zone 3 | - | 3 | UNCVX UNCVX | UEAL2 UEAL2 | 21.63 28.28 | 108.76 108.76 | 35.47 35.47 | 72.94 72.94 | 10.86 10.86 | | | 20.35 | 21.09 21.09 | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | OINOVA | ULALZ | 20.28 | 100.76 | 35.47 | 12.94 | 10.00 | | | 20.33 | 21.09 | | |
| | per month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | | |
| | 1/0 Channelization System in combination Per Month | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | | | | |
| | Voice Grade COCI - Per Month | | | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | Each Additional 2 Wire VG Loop (SL 2) in Combination 7 4 | | 1 | LINCVY | LIEALO | 16.50 | 100 70 | 25 47 | 72.04 | 10.00 | | | 20.25 | 21.09 | | |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.56 | 108.76 | 35.47 | 72.94 | 10.86 | - | | 20.35 | 21.09 | | |
| | | | 2 | UNCVX | UEAL2 | 21.63 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 | | | | | 50 | | | | | | | | 50 | i e | |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2 | | | ONOVA | | | 1 | | | | | | | | | |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.28 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month | | | | UEAL2 1D1VG | 28.28 0.91 | 108.76 5.70 | 35.47 4.42 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month Nonrecurring Currently Combined Network Elements Switch -As- | - | | UNCVX UNCVX | 1D1VG | | 5.70 | 4.42 | | | | | | | | |
| | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | 3 | UNCVX UNCVX UNC1X | 1D1VG UNCCC | | | | 72.94 9.12 | 9.12 | | | 20.35 | 21.09 | | |
| EXTE | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month Nonrecurring Currently Combined Network Elements Switch -As- | | 3 | UNCVX UNCVX UNC1X | 1D1VG UNCCC | | 5.70 | 4.42 | | | | | | | | |
| EXTE | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT | | 3 1 INTE | UNCVX UNCVX UNC1X ROFFICE TRANSPOR | 1D1VG UNCCC RT | 0.91 | 5.70 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | | |
| EXTE | Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | 3 | UNCVX UNCVX UNC1X | 1D1VG UNCCC | | 5.70 | 4.42 | | | | | | | | |

| UNBUN | NDLE | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | | ibit: A |
|--------|--------|---|-------------|--------|-----------------|--------|--------|--------------|------------|--|-------|----------|---|---|--|---|--|
| CATEGO | ORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | II . | Svc Order Submitted Manually per LSR | Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | 400 =0 | | = | | | | | | | |
| | | First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNCVX | UEAL4 | 42.18 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | + |
| | | Per Month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 - Facility Termination Per | | | ONOTA | TESTON | 0.5502 | | | | | | | | | | + |
| | | Month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | | |
| | | 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | | | | 1 |
| | | Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 24.70 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | <u> </u> |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 | | 2 | 1110101 | UEAL4 | 00.00 | 100.70 | 35.47 | 70.04 | 40.00 | | | 20.35 | 21.09 | | |
| | | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | UNCVX | UEAL4 | 32.26 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 42.18 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | | Additional Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | 10.00 | 1 | | 20.00 | 21.00 | | + |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | 0.10171 | 15110 | 0.01 | 0.70 | 2 | | | | | t | | | † |
| | | Is Charge | | | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | | |
| E | EXTEN | DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC | CATED | DS1 IN | TEROFFICE TRANS | SPORT | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL56 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL56 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 | | | UNCDX | UDLS6 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | | First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL56 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | _ | | | | | | | | | | | | | † |
| | | Per Month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - DS1 - combination Facility | | | | | | | | | | | | | | | 1 |
| | | Termination Per Month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | | |
| | | 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | | 2.74 | | | | | | <u> </u> |
| | | OCU-DP COCI (data) per month (2.4-64kbs) | | | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | 1 | | | + |
| | | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | ' | UNCDA | UDLS0 | 31.10 | 100.70 | 33.47 | 72.54 | 10.80 | | | 20.33 | 21.09 | | + |
| | | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | 1 |
| | | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | | Additional OCU-DP COCI (data) - in combination per month (2.4- | | | | | | | | | | | | | | | |
| | | 64kbs) | | | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | LINICAV | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.25 | 21.09 | | |
| - | EXTENI | Is Charge DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC | ATED | DS1 IN | UNC1X | | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | | + |
| | LATEIN | DED 4-WIRE 04 RBI O EXTENDED DIOTTAL LOOF WITH DEDIC | AILD | 001111 | TEROTTIOE TRAIN | JI OKI | | | | | | | | <u> </u> | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 | | 1 | UNCDX | UDL64 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | | | | | | | | | | | | | | | | | 1 |
| | | First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 | | 2 | UNCDX | UDL64 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | <u> </u> |
| Γ | Ţ | | _ | l | | 1 | | I T | | | | | | _ | | | |
| | | First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | 1 | | 20.35 | 21.09 | | |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.3562 | | | | | | 1 | I | | | 1 |
| | | interoffice Transport - Dedicated - DS1 combination - Facility | | - | ONCIA | ILOAA | 0.3362 | | | | | | | + | | | + |
| | | Termination Per Month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | | |
| | | 1/0 Channel System in combination Per Month | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | | 2.74 | | | | | | † |
| | | OCU-DP COCI (data) - in combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | | OINCDA | UDL04 | 40.01 | 100.76 | 33.47 | 12.94 | 10.86 | | | 20.35 | 21.09 | | + |
| | | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | 1 | l | 20.35 | 21.09 | 1 | 1 |

| UNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: A |
|--------------|--|--|--|----------------|----------------|----------------|------------------|----------------|----------------|----------------|--|--|-------------|--|-------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | 1 | Incremental | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates (\$) | l . | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Additional OCU-DP COCI (data) - in combination - per month | | | | 1 | | | | | | | | | | | |
| | (2.4-64kbs) | - | ļ | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | 1 | | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | | |
| EXTEN | IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED DS1 | INTER | | | | 32.73 | 24.02 | 5.12 | 3.12 | | | 20.55 | 21.03 | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 1 | 1 | 1 | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 98.59 | 228.40 | 161.74 | 79.87 | 24.88 | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | - | ├ | UNC1X | 1L5XX | 0.3562 | | | | | 1 | - | | - | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | 1 | <u> </u> | 5.1017 | 31111 | 77.30 | 171.24 | 110.12 | 70.07 | 50.30 | 1 | | 20.00 | 21.03 | | |
| | Is Charge | | | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | | |
| EXTEN | IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED DS3 | | | RT | | | | | | | | | | | |
| | First DS1Loop in Combination - Zone 1 | | | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | | |
| | First DS1Loop in Combination - Zone 2 | | 2 | UNC1X | USLXX | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | | |
| | First DS1Loop in Combination - Zone 3 | - | 3 | UNC1X | USLXX | 98.59 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | | |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month | | | UNC3X | 1L5XX | 2.34 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | <u> </u> | ONOOX | TESTA | 2.04 | | | | | 1 | 1 | | | | |
| | month | | | UNC3X | U1TF3 | 854.97 | 482.01 | 153.81 | 64.43 | 35.43 | | | 36.84 | 36.84 | | |
| | 3/1Channel System in combination per month | | | UNC3X | MQ3 | 222.98 | 156.02 | 49.41 | 17.12 | 6.77 | | | | | | |
| | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | UNCIX | USLAA | 75.40 | 220.40 | 101.74 | 19.01 | 24.00 | | | 20.33 | 21.09 | | |
| | Zone 3 | | 3 | UNC1X | USLXX | 98.59 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | | |
| | Additoinal DS1 COCI in combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | - | | | | | | | | | | | | | | |
| | Is Charge | <u> </u> | <u> </u> | UNC3X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | | |
| EXTEN | IDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE | GRAD | E INTE | | | 40.50 | 400.70 | 05.47 | 70.04 | 10.00 | | | | | | |
| | 2-WireVG Loop in combination - Zone 1 2-WireVG Loop in combination - Zone 2 | | 2 | UNCVX UNCVX | UEAL2 UEAL2 | 16.56 21.63 | 108.76 108.76 | 35.47 35.47 | 72.94 72.94 | 10.86 10.86 | | | | | | |
| | 2-WireVG Loop in combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.28 | 108.76 | 35.47 | 72.94 | 10.86 | | | | | | |
| | Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per | | | | | | | | | | | | | | | |
| | Month | | | UNCVX | 1L5XX | 0.0174 | | | | | | | | | | |
| | Interoffice Transport - 2-wire VG - Dedicated - Facility | | | | | | | | I] | | | | | | | |
| | Termination per month | | | UNCVX | U1TV2 | 21.79 | 79.83 | 44.08 | 69.32 | 31.00 | ļ | | 20.35 | 21.09 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNCVX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | | |
| EXTEN | IDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE | GRAD | E INTE | | | | 32.13 | 24.02 | 5.12 | 3.12 | | - | 20.33 | 21.09 | | |
| | 4-WireVG Loop in combination - Zone 1 | | 1 | UNCVX | UEAL4 | 24.70 | 108.76 | 35.47 | 72.94 | 10.86 | | | | | | |
| | 4-WireVG Loop in combination - Zone 2 | | 2 | UNCVX | UEAL4 | 32.26 | 108.76 | 35.47 | 72.94 | 10.86 | | | | | | |
| | 4-WireVG Loop in combination - Zone 3 | | 3 | UNCVX | UEAL4 | 42.18 | 108.76 | 35.47 | 72.94 | 10.86 | | | | | | |
| | Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per | | | LINICVY | 11 5 7 7 | 0.0474 | | | | | | | | | | |
| | Month Interoffice Transport - 4-wire VG - Dedicated - Facility | | | UNCVX | 1L5XX | 0.0174 | | | + | | - | | | | | <u> </u> |
| | Termination per month | | | UNCVX | U1TV4 | 27.30 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | t | | 1 | 27.50 | | 50 | 55.52 | 050 | | | 20.50 | 250 | | |
| | Is Charge | | <u>L</u> | UNCVX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | | |
| EXTEN | IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 | INTERC | FFICE | | | | | | | | | | | | | |
| | DS3 Local Loop in combination - per mile per month | - | <u> </u> | UNC3X | 1L5ND | 9.19 | | | | | | | | | | |
| | DS3 Local Loop in combination - Facility Termination per month | | | UNC3X | UE3PX | 373.47 | 240.23 | 180.87 | 106.78 | 45.24 | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | † | | UNC3X | 1L5XX | 2.34 | 240.23 | 100.07 | 100.76 | 45.24 | 1 | | | | | - |
| | 1 | | | | 1 | | | | | | | | | | | |

| ONRONDF | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | 1 | bit: A |
|--|---|--|--|----------------|----------------|------------------|------------------|-----------------|----------------|----------------|--|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC3X | U1TF3 | 854.97 | 482.01 | 153.81 | 64.43 | 35.43 | | | 36.84 | 36.84 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | LINIO0V | 1111000 | | 50.70 | 04.00 | 0.40 | 0.40 | | | 00.04 | 00.04 | | |
| EVTE | Is Charge ENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST | C 4 INIT | FRAFE | UNC3X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 36.84 | 36.84 | | |
| EXIL | STS-1 Local Lolp in combination - per mile per month | 3-1 INT | I | UNCSX | 1L5ND | 9.19 | | | | | 1 | | | | 1 | 1 |
| | STS-1 Local Loop in combination - Facility Termination per | | | ONOOA | ILOIND | 0.10 | | | | | 1 | | | | | |
| | month | | | UNCSX | UDLS1 | 394.56 | 240.23 | 180.87 | 106.78 | 45.24 | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - per mile | | | | | | | | | | | | | | | |
| | per month | | | UNCSX | 1L5XX | 2.34 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCSX | U1TFS | 849.30 | 482.01 | 153.81 | 64.43 | 35.43 | | | 36.84 | 36.84 | 1 | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| <u> </u> | Is Charge | <u> </u> | 2000 | UNCSX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | 1 | | 36.84 | 36.84 | | 1 |
| EXTE | NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE | TRAN | | LINIONIX | 1141.07/ | 00.00 | 100.70 | 05.47 | 70.04 | 40.00 | | | 00.05 | 04.00 | | |
| | First 2-Wire ISDN Loop in Combination - Zone 1 First 2-Wire ISDN Loop in Combination - Zone 2 | | 1 2 | UNCNX UNCNX | U1L2X U1L2X | 22.22 29.02 | 108.76 108.76 | 35.47 35.47 | 72.94 72.94 | 10.86 10.86 | | | 20.35 20.35 | 21.09 21.09 | | |
| | First 2-Wire ISDN Loop in Combination - Zone 2 First 2-Wire ISDN Loop in Combination - Zone 3 | 1 | 3 | UNCNX | U1L2X U1L2X | 37.95 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | Interoffice Transport - Dedicated - DS1 combination - per mile | | J | OINOINA | UILZA | 31.95 | 100.76 | 33.47 | 12.94 | 10.00 | | | 20.33 | 21.09 | | |
| | per month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | 0.10.71 | 120701 | 0.0002 | | | | | | | | | t | |
| | Termination per month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | | |
| | 1/0 Channel System in combination - per month | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | | | | |
| | 2-wire ISDN COCI (BRITE) - in combination - per month | | | UNCNX | UC1CA | 3.24 | 5.70 | 4.42 | | | | | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCNX | U1L2X | 22.22 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCNX | U1L2X | 29.02 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | LINIONIX | 1141.00/ | 07.05 | 400.70 | 05.47 | 70.04 | 40.00 | | | 00.05 | 04.00 | | |
| | Combination - Zone 3 Additional 2-wire ISDN COCI (BRITE) - in combination- per | | 3 | UNCNX | U1L2X | 37.95 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 1 | |
| | month | | | UNCNX | UC1CA | 3.24 | 5.70 | 4.42 | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCINA | OCICA | 3.24 | 3.70 | 4.42 | | | | | | | - | |
| | Is Charge | | | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | | |
| EXTE | NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT | ED STS | -1 INT | | | | - | | **** | | | | | | t | |
| | First DS1 Loop Combination - Zone 1 | | | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | | |
| | First DS1 Loop Combination - Zone 2 | | 2 | UNC1X | USLXX | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | | |
| | First DS1 Loop Combination - Zone 3 | | 3 | UNC1X | USLXX | 98.59 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | | |
| | Interoffice Transport - Dedicated - STS-1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | <u> </u> | UNCSX | 1L5XX | 2.34 | | | | | | | | | ļ | |
| | Interoffice Transport - Dedicated - STS-1 combination - Facility | | | LINGOV | LIATEO | 040.00 | 400.01 | 450.01 | 04.40 | 05.40 | | | 20.01 | 00.01 | 1 | |
| | Termination per month 3/1 Channel System in combination per month | - | - | UNCSX UNCSX | U1TFS MQ3 | 849.30 222.98 | 482.01 156.02 | 153.81 49.41 | 64.43 17.12 | 35.43 6.77 | 1 | | 36.84 | 36.84 | 1 | 1 |
| | DS1 COCI in combination per month | - | | UNC1X | UC1D1 | 17.58 | 5.70 | 49.41 | 17.12 | 0.77 | - | | | | | - |
| | Additional DS1Loop in the same STS-1 Interoffice Transport | | 1 | ONOIA | CCIDI | 17.50 | 5.70 | 4.42 | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | I | |
| | Additional DS1Loop in the same STS-1 Interoffice Transport | | <u> </u> | | | 510 | 223.40 | .07 | 7 3.07 | 200 | | | 20.00 | 200 | 1 | |
| | Combination - Zone 2 | | 2 | UNC1X | USLXX | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | I | |
| | Additional DS1Loop in the same STS-1 Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 3 | | 3 | UNC1X | USLXX | 98.59 | 228.40 | 161.74 | 79.87 | 24.88 | | | 20.35 | 21.09 | | |
| | DS1 COCI in combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | 1 | | | l | | | | | | | | | | 1 | |
| | Is Charge | | FDCT | UNCSX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 36.84 | 36.84 | ļ | |
| EXTE | NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE | SPS INT | | | LIDLES | 04.40 | 100.70 | 05 13 | 70.01 | 10.00 | | | | - | | |
| \vdash | 4-wire 56 kbps Local Loop in combination - Zone 1 | | | UNCDX | UDL56 | 31.10 40.61 | 108.76 | 35.47 35.47 | 72.94 | 10.86 10.86 | - | | | - | | - |
| | 4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3 | - | 3 | UNCDX UNCDX | UDL56 UDL56 | 40.61 53.11 | 108.76 108.76 | 35.47 35.47 | 72.94 72.94 | 10.86 | - | | | | | - |
| \vdash | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | 3 | ONODA | ODESO | 55.11 | 100.76 | 33.47 | 12.94 | 10.00 | H | | | | t | |
|] ! | | | | | | | | | | | | | | | | |

| UNBUNDL | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | | bit: A |
|----------------|--|-------------|--------------|----------------|--------------|-----------------|--|---------------|--------------|-------|---|---|--|--|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | UNCDX | U1TD5 | 21.19 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| EVE | Is Charge NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE | DO INT | FDOFF | UNCDX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | | |
| EXIE | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | SPS INT | | UNCDX | UDL64 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | | | - | - |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 1 | | 2 | UNCDX | UDL64 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | 1 | | | | 1 | 1 |
| | 4-wire 64 kbps Lcoal Loop in Combination - Zone 3 | | 3 | UNCDX | UDL64 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | ٽ | ONODA | ODLOT | 00.11 | 100.70 | 00.47 | 72.04 | 10.00 | | | | | | |
| | Per Mile per month | | | UNCDX | 1L5XX | 0.0174 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | 0.0 | | | † † | | | | | İ | 1 | 1 |
| | Facility Termination per month | | | UNCDX | U1TD6 | 21.19 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | I | I |
| ĺ | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNCDX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | | |
| EXTE | NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T | RANSP | | | | | | | | | | | | | | |
| | First 2-wire VG Loop (SL2) in Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.56 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | First 2-wire VG Loop (SL2) in Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 21.63 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | First 2-wire VG Loop (SL2) in Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.28 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | | | | | | | | | | | | |
| | Mile | | | UNC1X | 1L5XX | 0.3562 | | | 1 | | | | | | 1 | - |
| | First Interoffice Transport - Dedicated - DS1 combination - | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | | |
| | Facility Termination per month Per each DS1 Channelization System Per Month | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | - | | 20.35 | 21.09 | | |
| - | Per each Voice Grade COCI - Per Month per month | | 1 | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | 3.04 | 2.74 | 1 | | | | - | - |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 222.98 | 156.02 | 49.41 | 17.12 | 6.77 | | | 36.84 | 36.84 | - | |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | 17.12 | 0.77 | 1 | | 30.04 | 30.04 | | |
| | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | | | ONOTA | 00101 | 17.00 | 0.70 | 7.72 | | | 1 | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 16.56 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 21.63 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 28.28 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | Each Additional Voice Grade COCI in combination - per month | | | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | | | | | | | | | | | | |
| | Channel System per month | | | UNC1X | 1L5XX | 0.3562 | L | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | | | | | | | | | | | | | |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | 1 | - |
| | Each Additional DS1 COCI combination per month Nonrecurring Currently Combined Network Elements Switch -As- | 1 | - | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | + | | 1 | | | | | - |
| | Is Charge | | | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | | |
| FYTE | INDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT | FROFE | ICF TP | | | | 32.13 | 24.02 | 5.12 | 5.12 | | | 20.33 | 21.09 | | |
| LAIL | First 4-Wire Analog Voice Grade Local Loop in Combination - | | | | T | | | | 1 | | <u> </u> | | | | † | † |
| | Zone 1 | | 1 | UNCVX | UEAL4 | 24.70 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | I | I |
| | First 4-Wire Analog Voice Grade Local Loop in Combination - | | Ė | | 1 | | | | | | | | | | 1 | 1 |
| | Zone 2 | | 2 | UNCVX | UEAL4 | 32.26 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | 1 | 1 |
| | First 4-Wire Analog Voice Grade Local Loop in Combination - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UNCVX | UEAL4 | 42.18 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | | | | | | | | | | | | |
| | Mile Per Month | | | UNC1X | 1L5XX | 0.3562 | | | 1 | | | | | ļ | L | |
| | First Interoffice Transport - Dedicated - DS1 - Facility | | | | l | | | | | | | | | | I | I |
| | Termination Per Month | | ļ | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | - | | 20.35 | 21.09 | - | - |
| | Per each 1/0 Channel System in combination Per Month | | - | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | | . | | |
| | Per each Voice Grade COCI in combination - per month | | - | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 49.41 | 17.40 | 6 77 | | | 36.84 | 36.84 | | |
| | 3/1 Channel System in combination per month Per each DS1 COCI in combination per month | | - | UNC3X UNC1X | MQ3 UC1D1 | 222.98 17.58 | 156.02 5.70 | 49.41 | 17.12 | 6.77 | | | 30.84 | 30.84 | | |
| - | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | 1 | UNUIA | OCIDI | 17.58 | 5.70 | 4.42 | + + | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 24.70 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | I | I |
| 1 | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | <u> </u> | | 52 | 2-7.70 | 100.70 | 00.47 | 12.54 | 10.00 | | | 20.00 | 21.00 | <u> </u> | <u> </u> |
| | Interoffice Transport Combination - Zone 2 | 1 | 2 | UNCVX | UEAL4 | 32.26 | 108.76 | 35.47 | 72.94 | 10.86 | 1 | | 20.35 | 21.09 | 1 | 1 |

| ONBONDE | ED NETWORK ELEMENTS - Tennessee | | | ı | | | | | | | 1 - | | | ment: 2 | | bit: A |
|--|--|-------------|--|--|--------|--------|--------------|------------|--------------|------------|---|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| 1 | | | 1 | | | | Nonrecurring | | Nonrecurring | Disconnect | 1 | | OSS | Rates (\$) | L | I. |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | 1 | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 42.18 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | | | | | | | | | | | | |
| | Channel System per month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | | | | | | | | | | | | | |
| ļ | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | ļ | | 20.35 | 21.09 | | |
| | Additional Voice Grade COCI - in combination - per month Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCVX | 1D1VG | 0.91 | 5.70 | 4.42 | | | 1 | | | | 1 | |
| | Is Charge | 1 | | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | | |
| EYTE | NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 | INTER | FEICE | | | | 32.73 | 24.02 | 9.12 | 5.12 | 1 | | 20.33 | 21.09 | 1 | 1 |
| LXIL | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | | 1 | I TRANSPORT OF THE STATE OF THE | III OX | | | | | | i e | | | | | |
| ı l | Zone 1 | | 1 | UNCDX | UDL56 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | | | | | | | | | | İ | | | | | |
| | Zone 2 | | 2 | UNCDX | UDL56 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | First 4-Wire 56Kbps Digital Grade Local Loop in Combination - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UNCDX | UDL56 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | | | | | | | | | | | | |
| | Mile Per Month | | | UNC1X | 1L5XX | 0.3562 | | | | | ļ | | | | | |
| | First Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | | |
| | Per each 1/0 Channel System in combination Per Month | | 1 | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | 1 | | 20.35 | 21.09 | 1 | 1 |
| | Per each OCU-DP COCI (data) COCI per month (2.4-64kbs) | | | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | 3.04 | 2.14 | | | | | | |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 222.98 | 156.02 | 49.41 | 17.12 | 6.77 | † | | 36.84 | 36.84 | t | † |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | İ | | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 | | | | | =0.44 | =- | | ==== | | | | | | | |
| | Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) COCI in combination per month (2.4- | | 3 | UNCDX | UDL56 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | 1 | | 20.35 | 21.09 | 1 | |
| | 64kbs) | | | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | UNCDA | 10100 | 0.91 | 3.70 | 4.42 | | | + | | | | - | |
| | Channel System per month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | | | | | | | | † | | | | t | † |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | | |
| | Each Additional DS1 COCI in the same 3/1 channel system | | | | | | | | | | | | | | | |
| | combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | i | | | | | | | | | | | | | | |
| EVE | Is Charge | INITED | - | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | ļ | | 20.35 | 21.09 | | 1 |
| EXIE | NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | INTERC | PFFICE | I KANSPORT W/ 3/1 | MUX | | | | | | . | | | | - | - |
| | Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | - | ONODA | ODLOT | 31.10 | 100.70 | 33.47 | 72.34 | 10.00 | † | | 20.55 | 21.03 | - | + |
| | Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | <u> </u> | | | | | | | | İ | | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | | | | | | | | | | | | | |
| | Mile Per Month | | <u> </u> | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - | | | l | I | | | | | | | | | | _ | |
| \vdash | Facility Termination Per Month | | <u> </u> | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | ļ | | 20.35 | 21.09 | | ļ |
| | Per each Channel System 1/0 in combination Per Month Per each OCU-DP COCI (data) in combination - per month (2.4- | - | ├ | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | ļ | | | - | 1 | ļ |
| | Per each OCU-DP COCI (data) in combination - per month (2.4-64kbs) | | 1 | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | | | I | |
| | 3/1 Channel System in combination per month | - | | UNC3X | MQ3 | 222.98 | 156.02 | 49.41 | 17.12 | 6.77 | 1 | | 36.84 | 36.84 | | 1 |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | 17.12 | 0.77 | 1 | | 30.04 | 30.04 | † | 1 |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | t | | | 00 | 5.70 | 72 | | | | | | İ | 1 | |
| 1 1 | Interoffice Transport Combination - Zone 1 | l | 1 | UNCDX | UDL64 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | I | |

| CNDUNDLE | D NETWORK ELEMENTS - Tennessee | | 1 | | | | | | | | Cup Order | Sup Ord | | ment: 2 | | bit: A |
|-------------------|--|-------------|-------|------------|--------|--------|--------------|------------|--------------|-------|--|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | 2 | LINODY | LIDIOA | 40.04 | 100.70 | 05.47 | 70.04 | 40.00 | | | 00.05 | 04.00 | | ĺ |
| | Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 | | 2 | UNCDX | UDL64 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | . | | 20.35 | 21.09 | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | l |
| | Additional OCU-DP COCI (data) - DS1 to DS0 Channel System | | Ŭ | ONODA | OBLOT | 00.11 | 100.70 | 00.47 | 72.04 | 10.00 | | | 20.00 | 21.00 | | |
| | combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 0.91 | 5.70 | 4.42 | | | | | | | | l |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | | | | | | | | | | | | |
| | Channel System per month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | | l | | | | | | | | | | | l |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | | |
| | Each Additional DS1 COCI in the same 3/1 channel system combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | | | | 1 |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | 014017 | 00101 | 17.30 | 3.70 | 4.42 | + | | 1 | - | | | | <u> </u> |
| | Is Charge | | | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | | l |
| EXTE | NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR | RT w/ 3/ | 1 MUX | | | | | | | | | | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | | | | | | | | | | | |
| \longrightarrow | Transport - Zone 1 | | 1 | UNCNX | U1L2X | 22.22 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | _ | LINIONIV | U1L2X | 29.02 | 400.70 | 35.47 | 72.94 | 40.00 | | | 20.35 | 21.09 | | l |
| | Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | 2 | UNCNX | UILZX | 29.02 | 108.76 | 35.47 | 72.94 | 10.86 | . | | 20.35 | 21.09 | | - |
| | Transport - Zone 3 | | 3 | UNCNX | U1L2X | 37.95 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | l |
| | First Interoffice Transport - Dedicated - DS1 combination - Per | | | ONOR | OTLEX | 07.00 | 100.70 | 00.47 | 72.04 | 10.00 | | | 20.00 | 21.00 | | |
| | Mile per month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | l |
| | First Interoffice Transport - Dedicated - DS1 combination - | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | | |
| | Per each Channel System 1/0 in combination - per month | | | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | | | | | | —— |
| | Per each 2-wire ISDN COCI (BRITE) in combination - per month | | | UNCNX | UC1CA | 3.24 | 5.70 | 4.42 | | | | | | | | l |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 222.98 | 156.02 | 49.41 | 17.12 | 6.77 | | | 36.84 | 36.84 | | |
| | Per each DS1 COCI in combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | 2 | 0 | | | 00.01 | 00.01 | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCNX | U1L2X | 22.22 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | _ | | | | | | | | | | | | | l |
| | Combination - Zone 2 | | 2 | UNCNX | U1L2X | 29.02 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 | | 3 | UNCNX | U1L2X | 37.95 | 108.76 | 35.47 | 72.94 | 10.86 | | | 20.35 | 21.09 | | l |
| | Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel | | 3 | UNCINA | UILZA | 37.95 | 100.76 | 35.47 | 72.94 | 10.00 | | | 20.33 | 21.09 | | |
| | system combination- per month | | | UNCNX | UC1CA | 3.24 | 5.70 | 4.42 | | | | | | | | 1 |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | | | | | | | | | | | | |
| | Channel System per month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | | | | .= | | | | | | | | | l |
| | same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | | — |
| | combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | | | | l |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | 014017 | 00101 | 17.30 | 3.70 | 4.42 | + | | | | | | | |
| | Is Charge | | | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | | 1 |
| EXTE | NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE | TRANS | | w/ 3/1 MUX | | | | | | | | | | | | |
| | First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1 | | | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | | | | | |
| | First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2 | | | UNC1X | USLXX | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | | | | | | |
| | First 4-wire DS1 Digital Local Loop in Combination - Zone 3 | | 3 | UNC1X | USLXX | 98.59 | 228.40 | 161.74 | 79.87 | 24.88 | 1 | | | | | |
| | First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.3562 | | | | | | | | | | 1 |
| | First Interoffice Transport - Dedicated - DS1 combination - | | | ONOIA | ILUAA | 0.3362 | | | 1 | | | | | | | |
| | Facility Termination Per Month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | | 1 |
| | 3/1 Channel System in combination per month | | | UNC3X | MQ3 | 222.98 | 156.02 | 49.41 | 17.12 | 6.77 | | | 36.84 | 36.84 | | |
| | Per each DS1 COCI combination per month | | | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | | | | | | | | |
| | Each Additional DS1 Interoffice Channel per mile in same 3/1 | | | | 1 | | | | | | | | | | | 1 |
| | Channel System per month | | | UNC1X | 1L5XX | 0.3562 | | | | l | l | <u>l</u> | | | | L |

| ONRONDLE | ED NETWORK ELEMENTS - Tennessee | | | ı | | | | | | | _ | 1- | | ment: 2 | | bit: A |
|----------|---|-------------|--|------------------------------|-----------|--------------|--------------|------------|--------|--------------|----------|---|-------|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrecurring | | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Each Additional DS1 Interoffice Channel Facility Termination in | | | | | | | | | | | | | | | |
| | same 3/1 Channel System per month | | | UNC1X | U1TF1 | 77.86 | 171.24 | 113.12 | 70.07 | 30.90 | | | 20.35 | 21.09 | | ļ |
| | Each Additional DS1 COCI in the same 3/1 channel system | | | LINIOAY | 110454 | 47.50 | 5.70 | 4.40 | | | | | | | | |
| - | combination per month Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | - | UNC1X | UC1D1 | 17.58 | 5.70 | 4.42 | 1 | 1 | | | | | | |
| | Additional 4-wire DST Digital Local Loop in Combination - Zone | | 1 | UNC1X | USLXX | 57.73 | 228.40 | 161.74 | 79.87 | 24.88 | | | | | | |
| | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | | ONCIA | USLAA | 31.13 | 220.40 | 101.74 | 19.01 | 24.00 | | | | | | |
| | 2 | | 2 | UNC1X | USLXX | 75.40 | 228.40 | 161.74 | 79.87 | 24.88 | | | | | | |
| | Additional 4-Wire DS1 Digital Local Loop in Combination - Zone | | | 0.10.77 | 002/01 | 70.10 | 220.10 | | | 200 | | | | | | |
| | 3 | | 3 | UNC1X | USLXX | 98.59 | 228.40 | 161.74 | 79.87 | 24.88 | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | 1 | 1 | 1 | |
| | Is Charge | | | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | L | | 20.35 | 21.09 | | |
| EXTE | NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II | NTERO | | | | | | | | | | | | | | |
| | First 4-wire 56 kbps Local Loop in combination - Zone 1 | | | UNCDX | UDL56 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | | | | |
| | First 4-wire 56 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL56 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | | | | | | |
| | First 4-wire 56 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL56 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | | | | ļ |
| 1 | First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile | | | LINCDY | 41.5727 | 0.047 | 1 | | 1 | 1 | | | | | | |
| | per month | | | UNCDX | 1L5XX | 0.0174 | | | | | | | | | | |
| | First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility | | | LINCDY | U1TD5 | 21.19 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | | |
| | Termination per month Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCDX | 01105 | 21.19 | 79.83 | 44.08 | 69.32 | 31.00 | - | | 20.35 | 21.09 | | - |
| | Is Charge | | | UNCDX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 21.09 | | |
| EYTE | NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II | ITEROI | EEICE : | | UNCCC | | 52.73 | 24.02 | 9.12 | 9.12 | 1 | | 20.35 | 21.09 | | 1 |
| LATE | First 4-wire 64 kbps Local Loop in combination - Zone 1 | TILICO | | UNCDX | UDL64 | 31.10 | 108.76 | 35.47 | 72.94 | 10.86 | | | | | | |
| | First 4-wire 64 kbps Local Loop in combination - Zone 2 | | 2 | UNCDX | UDL64 | 40.61 | 108.76 | 35.47 | 72.94 | 10.86 | 1 | | | | | † |
| | First 4-wire 64 kbps Local Loop in combination - Zone 3 | | 3 | UNCDX | UDL64 | 53.11 | 108.76 | 35.47 | 72.94 | 10.86 | | | | | | |
| | First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile | | Ŭ | 0.1027 | 00201 | 00.11 | 100.70 | 00.11 | , 2.01 | 10.00 | | | | | | |
| | per month | | | UNCDX | 1L5XX | 0.0174 | | | | | | | | | | |
| ĺ | First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCDX | U1TD6 | 21.19 | 79.83 | 44.08 | 69.32 | 31.00 | | | 20.35 | 21.09 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNCDX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 10.54 | | |
| | NETWORK ELEMENTS | | | | | | | | | | | | | | | ļ |
| | used as a part of a currently combined facility, the non-recurr | | | | | | | | | | | | | | | |
| | used as ordinarily combined network elements in All States, th | | | | | As Is Charge | does not. | | | | | | | | | - |
| Nonre | ecurring Currently Combined Network Elements "Switch As Is" Nonrecurring Currently Combined Network Elements Switch -As- | unarge | (One a | ipplies to each comi | oination) | | - | - | - | - | | | | | | - |
| 1 | Is Charge - 2 wire/4-Wire VG | | | UNCVX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 53.73 | 24.62 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | 0140 V | 514000 | | 32.13 | 24.02 | 9.12 | 5.12 | H | | 55.75 | 24.02 | | |
| 1 | Is Charge - 56/64 kbps | | | UNCDX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 20.35 | 10.54 | | |
| + | Nonrecurring Currently Combined Network Elements Switch -As- | | | | 3.1000 | | 02.73 | 24.02 | 0.12 | 5.12 | † | | 20.00 | 10.04 | 1 | |
| 1 | Is Charge - DS1 | | | UNC1X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 53.73 | 24.62 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | İ | | | | | 1 | | | | | | | 1 | |
| [| Is Charge - DS3 | | L | UNC3X | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | <u> </u> | <u> </u> | 53.73 | 24.62 | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge - STS1 | | | UNCSX | UNCCC | | 52.73 | 24.62 | 9.12 | 9.12 | | | 53.73 | 24.62 | | |
| Optio | nal Features & Functions: | | | | | | | | | | | | | | | |
| 1 | | _ | | U1TD1, | | | | | | | | | | | | |
| | Clear Channel Capability Extended Frame Option - per DS1 | ı | ļ | ULDD1,UNC1X | CCOEF | | 01 | UI | UI | UI | 1 | | | | | |
| 1 | Class Channel Conchility Conce Franco Onting 11 7 704 | | | U1TD1, | 00005 | | | OI. | 01 | OI | | | | | | |
| | Clear Channel Capability (SE/ESE) Option - per DS1 | | - | ULDD1,UNC1X ULDD1, U1TD1, | CCOSF | | 01 | UI | UI | UI | | | | | | |
| 1 | Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1 | | | UNC1X, USL | NRCCC | | 185.16S | 23.85S | 2.03S | 0.79S | | | 45.68 | 1.76 | | |
| | notivity - per DOT | | | U1TD3, ULDD3, | 141/000 | | 100.100 | 23.033 | 2.000 | 0.130 | | - | 45.08 | 1.70 | | |
| | C-bit Parity Option - Subsequent Activity - per DS3 | | | UE3, UNC3X | NRCC3 | | 219.46S | 7.68S | .7637S | os | | | 45.68 | 1.76 | | |
| MIUT | [PLEXERS | | | OLO, UNCOA | INICOS | | 213.403 | 7.000 | .10313 | 00 | | | 45.00 | 1.76 | | |
| INIOLI | DS1 to DS0 Channel System per month | | <u> </u> | UNC1X | MQ1 | 80.77 | 105.76 | 14.48 | 3.04 | 2.74 | <u> </u> | † | 20.35 | 9.80 | 1 | — |
| | | | t | | 1 | 001 | | | 0.54 | | 1 | † | 20.00 | 3.30 | † | 1 |
| 1 | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |

| ONDONDE | ED NETWORK ELEMENTS - Tennessee | | 1 | | | | | | | | Sup Order | Cva Ord | Attach | | | ibit: A |
|----------|---|-------------|-----------|--------------------|------------------|----------------|---------------------------------------|------------|--------------|-------|-----------|-----------------------|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | month (2.4-64kbs) used for connection to a channelized DS1 | | | | | | | | | | | | | | | |
| | Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 1.82 | 6.07 | 4.66 | | | | | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | LIDAL | 110404 | 0.40 | 0.07 | 4.00 | | | | | | | | |
| | month for a Local Loop 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | UDN | UC1CA | 3.10 | 6.07 | 4.66 | | | | | | | | |
| | month used for connection to a channelized DS1 Local Channel | | | | | | | | | | | | | | | |
| | in the same SWC as collocation | | | U1TUB | UC1CA | 3.10 | 6.07 | 4.66 | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | 01100 | 0010/1 | 0.10 | 0.07 | 4.00 | | | | | | | | † |
| | used for a Local Loop | | | UEA | 1D1VG | 0.91 | 6.07 | 4.66 | | | | | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | | | | | | |
| | used for connection to a channelized DS1 Local Channel in the | | | | | | | | | | | | | | | |
| | same SWC as collocation | | | U1TUC | 1D1VG | 0.91 | 6.07 | 4.66 | | | | | | | | |
| | DS3 to DS1 Channel System per month | | | UNC3X | MQ3 | 222.98 | 156.02 | 49.41 | 17.12 | 6.77 | | | 20.35 | 9.80 | | |
| | STS-1 to DS1 Channel System per month | | | UNCSX | MQ3 | 222.98 | 156.02 | 49.41 | 17.12 | 6.77 | | | 20.35 | 9.80 | | |
| | DS1 COCI used with Loop per month | | | USL | UC1D1 | 17.58 | 6.07 | 4.66 | | | | | | | | |
| | DS1 COCI (used for connection to a channelized DS1 Local | | | | | | | | | | | | | | | |
| | Channel in the same SWC as collocation) per month | | | U1TUA | UC1D1 | 17.58 | 6.07 | 4.66 | | | | | | | | |
| | DS1 COCI used with Interoffice Channel per month | | | U1TD1 | UC1D1 | 17.58 | 6.07 | 4.66 | | | | | | | | |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | | | | | | | | | | | | |
| | month | | | ULDD1 | UC1D1 | 17.58 | 6.07 | 4.66 | | | | | | | | |
| | LOCAL EXCHANGE SWITCHING(PORTS) | | | | _ | | | | | | | | | | 1 | 1 |
| | ange Ports : Although the Port Rate includes all available features in GA, I | (V I A | 9 TNI + | ha desired feature | s will pood to b | o ordorod usi | ag rotail HSOCs | | | | | | | | - | . |
| | E VOICE GRADE LINE PORT RATES (RES) | (I, LA | DX 114, L | le desired realure | S WIII HEEG TO D | e ordered usii | I I I I I I I I I I I I I I I I I I I | • | | | | | | | - | 1 |
| 2-44114 | Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exertaings Forto 2 Willowinding Enter on Trees | | | 02. O.K | OZ. IIZ | 1.00 | 0.00 | 0.10 | 0.00 | 2.02 | | | 20.00 | 10.01 | 10.02 | · · · · · · |
| | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exchange Ports - 2-Wire VG unbundled TN extended local | | | | | | | | | | | | | | | |
| | dialing parity Port with Caller ID - Res. | | | UEPSR | UEPAQ | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus | | | | | | | | | | | | | | | |
| | with Caller ID - Res (AC7) | | | UEPSR | UEPAH | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling | | | | | | | | | | | | | | | |
| | port with Caller ID - Res (F2R) | | - | UEPSR | UEPAK | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (TACER) | | | LIEDOD | UEPAL | 1.89 | 9.93 | 0.10 | 2.66 | 2.02 | | | 20.35 | 10.54 | 12.22 | 1.4 |
| | Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling | | <u> </u> | UEPSR | UEPAL | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | port with Caller ID - Res (TACSR) | | | UEPSR | UEPAM | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling | | | OLI OIX | OLI AW | 1.03 | 9.93 | 3.13 | 5.00 | 2.32 | | | 20.55 | 10.54 | 10.02 | 1.7 |
| | port with Caller ID - Res (1MF2X) | | | UEPSR | UEPAN | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling | | | 021 011 | 02.7.1 | | 0.00 | 0.10 | 0.00 | 2.02 | | | 20.00 | 10.01 | 10.02 | |
| | port with Caller ID - Res (2MR) | | | UEPSR | UEPAO | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exchange Ports - 2-Wire VG unbundled res, low usage line port | | | | | | | | | | | | | | | |
| | with Caller ID (LUM) | | | UEPSR | UEPAP | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exchange Port - 2-Wire VG Tennessee Residence Dialing Plan | | | | | | | | | | | | | | | |
| | without Caller ID | | | UEPSR | UEPWN | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exchange Port - 2-Wire VG Tennessee Residence Area Plus | | | | | | | | | | | | | | _ | |
| | without Caller ID | | | UEPSR | UEPRR | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire voice unbundled Low Usage Line Port without Caller ID | | | | | | | | | | 1 | | | | | |
| | Capability | | - | UEPSR | UEPRT | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| FEAT | Subsequent Activity | | - | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.4 |
| FEAT | URES All Available Vertical Features | | - | UEPSR | UEPVF | 0.00 | 0.00 | 0.00 | | | - | | 20.35 | 10.54 | 13.32 | 1.4 |
| | TAIL AVAILABLE VEHICAL FEATURES | l . | 1 | UEFOR | UEPVF | 0.00 | U.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.4 |
| 2-///10 | | | | | | | | | l I | | | | | | | II . |
| 2-WIR | E VOICE GRADE LINE PORT RATES (BUS) Exchange Ports - 2-Wire Analog Line Port without Caller ID - | | | | | | | | | | | | | | | |

| CHOONDE | ED NETWORK ELEMENTS - Tennessee | | l | | | | | | | | Svc Order | Svc Order | | ment: 2 Incremental | Incremental | bit: A Incremental |
|----------|--|-------------|--|----------------|----------------|--------------|--------------|--------------|--------------|--------------|------------------------------|-----------------------|---|---|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Submitted Elec per LSR | Submitted Manually | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Exchange Ports - 2-Wire VG unbundled Line Port with | | | LIEDOD | LIEDDO | 1.89 | 0.00 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | |
| | unbundled port with Caller+E484 ID - Bus. | | - | UEPSB | UEPBC | 1.89 | 9.93 | 9.19 | 3.00 | 2.92 | | - | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exchange Ports - 2-Wire VG unbundled TN extended local | | | | | | | | | | | | | | | |
| | dialing parity Port with Caller ID - Bus. | | | UEPSB | UEPAV | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exhange Ports - 2-Wire VG unbundled incoming only port with | | | | | | | | | | | | | | | |
| | Caller ID - Bus | | | UEPSB | UEPB1 | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area | | | | | | | | | | | | | | | |
| | Calling Port Economy Option - Bus (TACC1) | | | UEPSB | UEPAC | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| 1 | Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Standard Option - Bus (TACC2) | | 1 | UEPSB | UEPAD | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville | | | 021 00 | OLI AD | 1.09 | 9.93 | 5.19 | 3.00 | 2.32 | † | - | 20.35 | 10.34 | 13.32 | 1.4 |
| | & Memphis Local Calling Port - Bus (B2F) | | | UEPSB | UEPAE | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville | | | | | | | | | | | | | | | |
| | & Memphis Local Calling Port | | | UEPSB | UEPB2 | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exchange Ports - 2-W VG unbundled TN, Business Line Inward, | | | | | | | | | | | | | | | |
| | Collierville & Memphis Local Calling Plan | | | UEPSB | UEPB3 | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exchange Ports - 2-Wire Voice Tennessee Business Dialing | | | | | | | | | | | | | | | |
| | Plan without Caller ID | | | UEPSB | UEPWO | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | ļ | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID Capability | | | UEPSB | UEPBE | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Subsequent Activity | | - | UEPSB | USASC | 0.00 | 0.00 | 0.00 | 3.00 | 2.92 | 1 | 1 | 20.35 | 10.54 | 13.32 | 1.4 |
| FEAT | | | | OLI OD | OUAGO | 0.00 | 0.00 | 0.00 | | | | | 20.55 | 10.54 | 10.02 | 1.4 |
| | All Available Vertical Features | | | UEPSB | UEPVF | 0.00 | 0.00 | 0.00 | | | İ | | 20.35 | 10.54 | 13.32 | 1.4 |
| EXCH | ANGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | | |
| | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | UEPSP | UEPPC | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | | UEPSP | UEPPO | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSP UEPSP | UEPP1 UEPLD | 1.79 1.79 | 9.93 9.93 | 9.19 9.19 | 3.66 3.66 | 2.92 2.92 | | | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | 1.4 1.4 |
| <u> </u> | 2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus | | | UEPSP | UEPT2 | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire TN Outward Calling Plan PBX Trunk - Bus | | | UEPSP | UEPTO | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPSP | UEPLD | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Voice Unbundled 2-Way PBX Tennessee Calling Port | | | UEPSP | UEPT2 | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee | | | | | | | | | | | | | | | |
| | Calling Port | | | UEPSP | UEPTO | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Vice Unbundled 2-Way PBX Usage Port | | | UEPSP | UEPXA | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | ļ | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPSP UEPSP | UEPXC UEPXD | 1.79 1.79 | 9.93 9.93 | 9.19 9.19 | 3.66 3.66 | 2.92 2.92 | . | - | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | 1.4 1.4 |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | UEFSF | UEPAD | 1.79 | 9.93 | 9.19 | 3.00 | 2.92 | | | 20.33 | 10.54 | 13.32 | 1.4 |
| | Capable Port | | | UEPSP | UEPXE | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | 02. 0. | 02.7.2 | | 0.00 | 0.10 | 0.00 | 2.02 | | | 20.00 | .0.0. | 10.02 | |
| | Administrative Calling Port | | | UEPSP | UEPXL | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Room Calling Port | | | UEPSP | UEPXM | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy | | | | I 7 | | | | | | | | | | | |
| | Administrative Calling Port TN Calling Port | | | UEPSP | UEPXN | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | 1 | LIEDED | UEPXO | 1.79 | 9.93 | 9.19 | 2.00 | 2.00 | | | 20.35 | 10.54 | 12.22 | 1.40 |
| | Discount Room Calling Port Unbundled Exchange Ports, PBX Trunk Combination, | | - | UEPSP | UEPXU | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | 1 | - | 20.35 | 10.54 | 13.32 | 1.4 |
| | Collierville and Memphis Local Calling Plan | | | UEPSP | UEPA6 | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Unbundled Exchange Ports, PBX Trunk Combination, first trunk, | | | 0. | 02.70 | 1.73 | 0.00 | 5.19 | 3.30 | 2.02 | 1 | <u> </u> | 20.00 | 10.04 | 10.02 | 1.7 |
| | Collierville and Memphis Local Calling Plan | | | UEPSP | UEPA7 | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPSP | UEPXS | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-Wire Voice Unbundled PBX Collierville and Memphis Calling | | | | | | | | | | | | | | | |
| | Port | | l | UEPSP | UEPXU | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | 1 | | 20.35 | 10.54 | 13.32 | 1.4 |

| UNBUN | DLED N | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: A |
|----------|--|---|-----------|----------|---|---|--|--|----------------|------------------|-----------------|---------------|----------------|---|--|-------------|------------|
| | | | 1 | 1 | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | | Incrementa |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | l | | | | | | | | | Elec | | Manual Svc | Manual Svc | | Manual Sv |
| CATEGOR | RY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | .,, | | | per Lor | per Lor | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | - | | Disc 1st | Disc Auu i |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Wire Voice Unbundled 2-Way PBX Tennessee RegionServ | | | | | | | | | | | | | | | |
| \vdash | | alling Port | | | UEPSP | UEPXV | 1.79 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| <u> </u> | | ubsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| FE | EATURE | | | | LIEBOB LIEBOE | | | | | | | | | | 10 = 1 | 10.00 | |
| - | | Available Vertical Features | | | UEPSP UEPSE | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| E) | | GE PORT RATES (COIN) | - | | | | 0.44 | 0.00 | 0.10 | 0.00 | 2.92 | | | 00.05 | 40.54 | 40.00 | 4.4 |
| N. | | schange Ports - Coin Port ransmission/usage charges associated with POTS circuit sv | | | | manuit annitale | 2.11 | 9.93 | 9.19 | 3.66 | | -4 | uina ICDN m | 20.35 | 10.54 | 13.32 | 1.40 |
| | | cess to B Channel or D Channel Packet capabilities will be | | | | | | | | | | | | | Boguest Bro | | |
| | | CAL EXCHANGE SWITCHING(PORTS) | avallal | l oni | I IIIOUGII BER/NEW | Dusiliess Re | quest Process. | Rates for the | раскет сараы | illes will be de | termined via t | lie Bolla Fic | e Kequesi/i | New Dusilies: | Request Pro | less. | |
| | | GE PORT RATES | | | | | | | | | | | | | | | |
| | | Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS | DN Bort | in thic | rato ovhibit apply t | o the embed | dod base in pla | co as of 10/2/0 | 2 until 4/1/04 | After 4/1/04 the | see rates shall | rovert to ta | iff rates or | a congrato ag | roomont | | |
| | | for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports | | | | | | | | | | | iii rates or a | a separate ay | l ement. | | |
| Re | | change Ports - 2-Wire DID Port | aiter the | enect | IVE date of this ame | UEPP2 | 8.97 | 47.75 | 47.01 | 9.21 | 8.47 | SCIEUOII. | | 20.35 | 10.54 | 13.32 | 1.4 |
| + | | schange Ports - 2-Wire DID Port schange Ports - DDITS Port - 4-Wire DS1 Port with DID | | <u> </u> | OLFLX | OLFFZ | 0.91 | 47.73 | 47.01 | 9.21 | 0.47 | | | 20.33 | 10.54 | 13.32 | 1.4 |
| | | renange Ports - DDITS Port - 4-Wire DST Port With DID | 1 | | UEPDD | UEPDD | 35.74 | 75.93 | 38.15 | 8.77 | 8.04 | 1 | | 20.35 | 10.54 | 13.32 | 1.4 |
| | | kchange Ports - 2-Wire ISDN Port (See Notes below.) | | | UEPTX, UEPSX | U1PMA | 16.26 | 30.23 | 29.49 | 4.10 | 4.10 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | | Features Offered | | | UEPTX, UEPSX | UEPVF | 0.00 | 0.00 | 0.00 | 4.10 | 4.10 | | | 20.33 | 10.54 | 13.32 | 1.4 |
| + | | schange Ports - 2-Wire ISDN Port Channel Profiles | | <u> </u> | UEPTX, UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| No | | ransmission/usage charges associated with POTS circuit s | witched | Heado | | | | | | ission by B-Ch | annole accoci | atod with 2 | wire ISDN r | orte | | | |
| | | ccess to B Channel or D Channel Packet capabilities will be | | | | | | | | | | | | | Poguet Bro | 0000 | |
| | | BE PORT RATES (continued) | avaiiai | T OIL | y tillough brk/ivew | l Business Re | quest Flocess. | Rates for the | раскет сараы | illes will be de | terrifice via t | le Bolla Fic | e Requesti | vew busines: | l Request Fit | less. | |
| L-/ | | schange Ports - 4-Wire ISDN DS1 Port with Detailed E911 | | | | | | | | | | | | | | | |
| | | ocator Capability (E:4/1/2004) | | | UEPEX | UEPEX | 75.04 | 148.66 | 147.18 | 38.46 | 36.98 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | change Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) | | | UEPDX | UEPDX | 75.04 | 148.66 | 147.18 | 38.46 | 36.98 | | | 20.35 | 10.54 | 10.02 | 1.40 |
| | | hysical Collocation - DS1 Cross-Connects | | 1 | UEPEX UEPDX | PE1P1 | 1.51 | 53.27 | 40.16 | 30.40 | 30.30 | | | 20.55 | 10.54 | | |
| | | rtual collocation - Special Access & UNE, cross-connect per | | 1 | OLI LX OLI DX | | 1.51 | 55.21 | 40.10 | | | | | | | | |
| | DS | | | | UEPEX UEPDX | CNC1X | 1.32 | 32.22 | 17.76 | 10.46 | 8.75 | | | | | | |
| Dr | | 911 with Locator Capability (required with UEPEX port) | | | OLI EX OLI BX | 0.10171 | | 02.22 | | 10.10 | 00 | 1 | | | | | 1 |
| | | bundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 | | | | 1 | | | | | | | | | | | |
| | | ocator Capability - Initial Profile Establishment per CLEC per | | | | | | | | | | | | | | | |
| | | ate | | | UEPEX | UEP1A | 0.00 | 1,699.00 | | 147.00 | | | | 20.35 | 10.54 | | |
| | | nbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 | | | | | | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | | | | | | |
| | | ocator Capability - Subsequent Profile Changes, Additions, | | | | | | | | | | | | | | | |
| | | eletions | | | UEPEX | UEP1B | 0.00 | 164.94 | | | | | | 20.35 | 10.54 | | |
| No | | dditional PRI Telephone Numbers | | | | | | | | | | | | | | | |
| | | nbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 | | | | | | | | | | | | | | | |
| | | ocator Capability 2-way Telephone Numbers, per number in | | | | | | | | | | | | | | | |
| | | 911 profile [New or Additional] | | | UEPEX | UEP1C | 0.0755 | 0.94 | | | | | | 20.35 | 10.54 | | |
| | Un | nbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 | | 1 | | 1 | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | ocator Capability - Outdial Telephone Numbers, per number in | | | | | | | | | | | | | | | |
| | | ocator Capability - Outdial Telephone Numbers, per number in 911 profile [New or Additional] | | | UEPEX | UEP1D | 0.0755 | 22.36 | 22.36 | | | | | 20.35 | 10.54 | | |
| | E9 | | | | UEPEX | UEP1D | 0.0755 | 22.36 | 22.36 | | | | | 20.35 | 10.54 | | |
| | E9 Un | 911 profile [New or Additional] | | | UEPEX | UEP1D | 0.0755 | 22.36 | 22.36 | | | | | 20.35 | 10.54 | | |
| | Un Te Ad | 911 profile [New or Additional] nbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward elephone Numbers - Inward Data Only Option [New or dditional] | | | UEPEX | UEP1D UEP1E | 0.0755 | 22.36 | 22.36 | | | | | 20.35 | 10.54 | | |
| | E9 Un Te Ad Ex | 211 profile [New or Additional] abundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward blephone Numbers - Inward Data Only Option [New or dditional] change Ports - 4-Wire ISDN DS1 Port - Subsequent [New] | | | UEPDX | UEP1E | 0.00 | 0.94 | | | | | | 20.35 | 10.54 | | |
| | E9 Un Te Ad Ex Inv | 211 profile [New or Additional] abundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward elephone Numbers - Inward Data Only Option [New or Editional] change Ports - 4-Wire ISDN DS1 Port - Subsequent [New] ward Tel Numbers [Customer Testing Purposes] | | | | | | | 22.36 | | | | | | | | |
| LC | E9 Un Te Ad Ex Inv | 211 profile [New or Additional] abundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward blephone Numbers - Inward Data Only Option [New or dditional] schange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] ward Tel Numbers [Customer Testing Purposes] UMBER PORTABILITY | | | UEPDX UEPEX | UEP1E PR7ZT | 0.00 | 0.94 | | | | | | 20.35 | 10.54 | | |
| | E9 Un Te Ad Ex Inv | 011 profile [New or Additional] abundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward blephone Numbers - Inward Data Only Option [New or Idditional] schange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] ward Tel Numbers [Customer Testing Purposes] UMBER PORTABILITY scal Number Portability (1 per port) | | | UEPDX | UEP1E | 0.00 | 0.94 | | | | | | 20.35 | 10.54 | | |
| | E9 Un Te Ad Ex Inv | 211 profile [New or Additional] abundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward blephone Numbers - Inward Data Only Option [New or dditional] schange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] ward Tel Numbers [Customer Testing Purposes] UMBER PORTABILITY | | | UEPDX UEPEX | UEP1E PR7ZT LNPCN | 0.00 | 0.94 | | | | | | 20.35 20.35 20.35 | 10.54 10.54 10.54 | | |
| | E9 Un Te Ad Ex Inv OCAL NU Lo NTERFAC | 211 profile [New or Additional] abundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward blephone Numbers - Inward Data Only Option [New or Editional] schange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] ward Tel Numbers [Customer Testing Purposes] UMBER PORTABILITY poal Number Portability (1 per port) CE (Provsioning Only) pice/Data | | | UEPEX UEPEX UEPEX UEPEX | UEP1E PR7ZT LNPCN PR71V | 0.00 0.00 1.75 | 0.94 44.71 0.00 | 44.70 | | | | | 20.35 20.35 20.35 20.35 | 10.54 10.54 10.54 10.54 | | |
| | E9 Un Te Ad Ex Inv OCAL NU Lo NTERFAC | 211 profile [New or Additional] abundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward elephone Numbers - Inward Data Only Option [New or Idditional] schange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] ward Tel Numbers [Customer Testing Purposes] UMBER PORTABILITY ocal Number Portability (1 per port) CE (Provsioning Only) pice/Data gital Data | | | UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX | UEP1E PR7ZT LNPCN PR71V PR71D | 0.00 0.00 1.75 0.00 0.00 | 0.94 44.71 0.00 0.00 | 0.00 0.00 | | | | | 20.35 20.35 20.35 20.35 20.35 | 10.54 10.54 10.54 10.54 10.54 | | |
| IN | E9 Un Te Ad Ex Inv OCAL NU Lo NTERFAC | 211 profile [New or Additional] abundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward blephone Numbers - Inward Data Only Option [New or Idditional] schange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] ward Tel Numbers [Customer Testing Purposes] UMBER PORTABILITY cal Number Portability (1 per port) CE (Provsioning Only) joe/Data gital Data ward Data | | | UEPEX UEPEX UEPEX UEPEX | UEP1E PR7ZT LNPCN PR71V | 0.00 0.00 1.75 | 0.94 44.71 0.00 | 44.70 | | | | | 20.35 20.35 20.35 20.35 | 10.54 10.54 10.54 10.54 | | |
| IN | E9 Un Te Ad Ex Inv OCAL NU Loo NTERFAC Dig Inv Inv Inv Inv Inv Inv Inv Inv Inv Inv | 211 profile [New or Additional] abundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward elephone Numbers - Inward Data Only Option [New or Idditional] schange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] ward Tel Numbers [Customer Testing Purposes] UMBER PORTABILITY cal Number Portability (1 per port) CE (Provsioning Only) cice/Data girl Data ward Data dditional Channel | | | UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX | UEP1E PR7ZT LNPCN PR71V PR71D PR71E | 0.00 0.00 1.75 0.00 0.00 0.00 | 0.94 44.71 0.00 0.00 0.00 | 0.00 0.00 | | | | | 20.35 20.35 20.35 20.35 20.35 20.35 | 10.54 10.54 10.54 10.54 10.54 | | |
| IN | E9 Un Te Ad Ex Inv OCAL NU Loo NTERFAC Dig Inv Inv Inv Inv Inv Inv Inv Inv Inv Inv | 211 profile [New or Additional] abundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward blephone Numbers - Inward Data Only Option [New or Idditional] schange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] ward Tel Numbers [Customer Testing Purposes] UMBER PORTABILITY cal Number Portability (1 per port) CE (Provsioning Only) joe/Data gital Data ward Data | | | UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX | UEP1E PR7ZT LNPCN PR71V PR71D | 0.00 0.00 1.75 0.00 0.00 | 0.94 44.71 0.00 0.00 | 0.00 0.00 | | | | | 20.35 20.35 20.35 20.35 20.35 | 10.54 10.54 10.54 10.54 10.54 | | |
| IN | E9 Un Te Ad Ex Inv OCAL NL Lo NTERFAC Vo Dig Inv Inv Neew or Ad | 211 profile [New or Additional] abundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward elephone Numbers - Inward Data Only Option [New or Idditional] schange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] ward Tel Numbers [Customer Testing Purposes] UMBER PORTABILITY cal Number Portability (1 per port) CE (Provsioning Only) cice/Data girl Data ward Data dditional Channel | | | UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX | UEP1E PR7ZT LNPCN PR71V PR71D PR71E | 0.00 0.00 1.75 0.00 0.00 0.00 | 0.94 44.71 0.00 0.00 0.00 | 0.00 0.00 | | | | | 20.35 20.35 20.35 20.35 20.35 20.35 | 10.54 10.54 10.54 10.54 10.54 | | |
| IN | E9 Un Te Ad Ex Inv OCAL NI Lo NTERFAC Vo Diq Inv Iew or Ad Nee Nee | 211 profile [New or Additional] abundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward blephone Numbers - Inward Data Only Option [New or Idditional] schange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] ward Tel Numbers [Customer Testing Purposes] UMBER PORTABILITY cal Number Portability (1 per port) CE (Provsioning Only) ice/Data gital Data ward Data dditional Channel ew or Additional - Voice/Data "B" Channel ew or Additional Inward Data "B" Channel ew or Additional Inward Data "B" Channel | | | UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX | UEP1E PR7ZT LNPCN PR71V PR71D PR71D PR71E PR7BV PR7BF PR7BD | 0.00 0.00 1.75 0.00 0.00 0.00 0.00 0.00 | 0.94 44.71 0.00 0.00 0.00 28.39 29.11 29.39 | 0.00 0.00 | | | | | 20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35 | 10.54 10.54 10.54 10.54 10.54 10.54 10.54 10.54 | | |
| IN | E9 Un Te Ad Ex Inv OCAL Nt Lo Vo Vo Inv Inv Neew or Ad Nee Nee Nee Nee Nee | 211 profile [New or Additional] abundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward blephone Numbers - Inward Data Only Option [New or Idditional] schange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] ward Tel Numbers [Customer Testing Purposes] UMBER PORTABILITY cal Number Portability (1 per port) CE (Provsioning Only) bicic/Data gital Data ward Data Idditional Channel ew or Additional - Voice/Data "B" Channel ew or Additional - Digital Data "B" Channel | | | UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX | UEP1E PR7ZT LNPCN PR71V PR71D PR71E PR7BV PR7BF | 0.00 0.00 1.75 0.00 0.00 0.00 0.00 | 0.94 44.71 0.00 0.00 0.00 28.39 29.11 | 0.00 0.00 | | | | | 20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35 | 10.54 10.54 10.54 10.54 10.54 10.54 10.54 | | |

| UNBUNDI | LED NETWORK ELEMENTS | - Tennessee | | | | | | | | | | | | | ment: 2 | Exhi | ibit: A |
|-------------|--|-----------------------------------|-------------|----------|---------------------|----------------|------------------------|--|----------------|-----------------|----------------|--|---|--|--|---|---|
| CATEGORY | Y RATE EL | EMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| ı | | | | | | + | | Nonrecurring | | Nonrecurring | Disconnect | 1 | l | oss | Rates (\$) | L | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | New or Additional PRI "D" Chan | nel | | | UEPEX | PR7EX | 0.00 | 29.39 | | | | | | 20.35 | 10.54 | | |
| CAL | LL TYPES | | | | | | | | | | | | | ĺ | | | |
| | Inward | | | | UEPEX UEPDX | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Outward | | | | UEPEX | PR7CO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Two-way | | | | UEPEX | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | BUNDLED PORT with REMOTE CA | | | | | | | | | | | | | | | | |
| UNE | BUNDLED REMOTE CALL FORWA | | | | LIEBU (D | | | | | 2.22 | | | | | 10.51 | 10.00 | |
| | Unbundled Remote Call Forward | ding Service, Area Calling, Res | | | UEPVR | UERAC | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Habitad Daniel Call Facilia | dia a Candaa I aaal Callina Baa | | | UEPVR | UERLC | 1.89 | 0.00 | 0.40 | 2.00 | 2.02 | | | 20.35 | 10.54 | 40.00 | 4.40 |
| \vdash | Unbundled Remote Call Forward Unbundled Remote Call Forward | ding Service, Local Calling - Res | - | | UEPVR | UERTE | 1.89 | 9.93 9.93 | 9.19 9.19 | 3.66 3.66 | 2.92 2.92 | - | | 20.35 | 10.54 10.54 | 13.32 13.32 | 1.40 |
| | Unbundled Remote Call Forward | | | | UEPVR | UERTR | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| Non | 1-Recurring | uning Octyloe, intrachth - Nes | | | OLI VIX | CLIVIIX | 1.09 | 3.93 | 3.13 | 5.00 | 2.32 | | | 20.33 | 10.54 | 13.32 | 1.40 |
| 1.1011 | Unbundled Remote Call Forward | ding Service - Conversion - | | | | 1 | † | | | | | | | | | <u> </u> | |
| | Switch-as-is | 5 | | | UEPVR | USAC2 | I | 1.03 | 0.29 | | | | 1 | 20.35 | 10.54 | 13.32 | 1.40 |
| | Unbundled Remote Call Forward | ding Service - Conversion with | | | | 1 | 1 | | 1.20 | | | | | | 1 | 1 | |
| | allowed change (PIC and LPIC) | Č | | | UEPVR | USACC | <u> </u> | 1.03 | 0.29 | <u> </u> | | | <u> </u> | <u> </u> | <u> </u> | <u> </u> | |
| UNE | BUNDLED REMOTE CALL FORWA | RDING - Bus | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forward | ding Service, Area Calling - Bus | | | UEPVB | UERAC | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | ding Service, Local Calling - Bus | | | UEPVB | UERLC | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Unbundled Remote Call Forward | | | | UEPVB | UERTE | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Unbundled Remote Call Forward | | | | UEPVB | UERTR | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Unbundled Remote Call Forward | ding Service Expanded and | | | | | | | | | | | | | | | |
| | Exception Local Calling | | | | UEPVB | UERVJ | 1.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| Non | n-Recurring Unbundled Remote Call Forward | ding Conting Conversion | | | | + | - | - | | | | - | | | | - | |
| | Switch-as-is | uling Service - Conversion - | | | UEPVB | USAC2 | | 1.03 | 0.29 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Unbundled Remote Call Forward | ding Service - Conversion with | | | OLF VB | USACZ | 1 | 1.03 | 0.29 | | | 1 | | 20.33 | 10.54 | 13.32 | 1.40 |
| | allowed change (PIC and LPIC) | uning Service - Conversion with | | | UEPVB | USACC | | 1.03 | 0.29 | | | | | | | | |
| UNBUNDLE | ED LOCAL SWITCHING, PORT USA | (GE | | | 02. 15 | 007.00 | t | 1.00 | 0.20 | | | | | | | t | <u> </u> |
| | Office Switching (Port Usage) | | | | | | | | | | | | | | | | |
| | End Office Switching Function, | | | | | | 0.0008041 | | | | | | | | | | |
| Tan | dem Switching (Port Usage) (Loca | al or Access Tandem) | | | | | | | | | | | | | | | |
| | Tandem Switching Function Per | MOU | | | | | 0.0009778 | | | | | | | | | | |
| | Tandem Switching Function Per | | | | | 1 | 0.000380364 | ļ | | | | | | | ļ | 1 | |
| | Melded Factor: 38.90% of the T | andem Rate | | | | 1 | | ļ | | | | | | | | ļ | |
| Con | nmon Transport | A MOUL | | | | 1 | 0.000000 | ļ | | | | - | | ļ | ļ | - | ļ |
| | Common Transport - Per Mile, P | | | <u> </u> | | + | 0.0000064 0.0003871 | | | | | 1 | - | | - | 1 | 1 |
| IINRIINDI = | Common Transport - Facilities T ED PORT/LOOP COMBINATIONS - 0 | | - | | | + | 0.0003871 | | | | | - | - | - | | | |
| | st Based Rates are applied where E | | nd/or St | ate Co | mmission rule to pr | ovide Unhun | dled Local Swi | itching or Swite | h Ports | | | | | | | | |
| | itures shall apply to the Unbundled | | | | | | | | | ed Port section | of this Rate F | xhibit | | | | | <u> </u> |
| | d Office and Tandem Switching Us | | | | | | | | | | | | n Port/Loor | Combination | ns. | t | 1 |
| | e first and additional Port nonrecur | | | | | | | | | | | | | | | 1 | |
| | IRE VOICE GRADE LOOP WITH 2- | | | | | | | | | | | | | 1 | | | |
| | E Port/Loop Combination Rates | , , | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Z | | | 1 | | | 14.18 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Z | | | 2 | | | 18.01 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Z | one 3 | | 3 | | | 23.02 | | | | | | | ļ | ļ | | |
| UNE | E Loop Rates | | | L. | LIEBBY | | | ļ | | | | | | | | ļ | ļ |
| | 2-Wire Voice Grade Loop (SL1) | | | 1 | UEPRX | UEPLX | 12.48 | ļ | | | | | | | | ļ | |
| | 2-Wire Voice Grade Loop (SL1) | | | 2 | UEPRX | UEPLX | 16.31 | ļ | | | | - | | ļ | ļ | - | ļ |
| 0.14 | 2-Wire Voice Grade Loop (SL1) | | | 3 | UEPRX | UEPLX | 21.32 | | | | | - | | - | - | | + |
| | /ire Voice Grade Line Port Rates (R | | | | l | | L | | 4= 0= | 0.45 | | | 15.00 | | | | |
| 2-00 | 2 Wire voice unbundled port re | scidonoo | | | | | | | | | | | | | | | |
| Z-VV | 2-Wire voice unbundled port - re 2-Wire voice unbundled port with | | | | UEPRX UEPRX | UEPRL UEPRC | 1.70 1.70 | 22.14 22.14 | 15.25 15.25 | 8.45 8.45 | 3.91 3.91 | | 15.69 15.69 | | | | |

| MRONDFI | ED NETWORK ELEMENTS - Tennessee | | | ı | | | | | | | 1- | 1_ | | ment: 2 | | ibit: A |
|---------|--|-------------|------|----------------|-------|----------------|--|------------|--------------|-------|--|--|--|--|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire voice Grade unbundled Tennessee extended local | | | | | | | | | | | | | | | |
| | dialing parity port with Caller ID - res | | | UEPRX | UEPAQ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Area Plus with Caller ID - res (AC7) | | | UEPRX | UEPAH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R) | | | UEPRX | UEPAK | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER) | | | UEPRX | UEPAL | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | UEPRX | UEPAM | 1.70 | | 15.25 | 8.45 | 3.91 | | | | | | |
| | ID - res (TACSR) 2-Wire voice unbundled Tennessee Area Calling port with Caller | | | | | | 22.14 | | | | | 15.69 | | | | |
| | ID - res (1MF2X) | | | UEPRX | UEPAN | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | 1 | | | 1 |
| | 2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (2MR) | | | UEPRX | UEPAO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | | UEPRX | UEPAP | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled Tennessee Residence Dialing Plan without Caller ID | | | UEPRX | UEPWN | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Area Plus Port without Caller ID Capability | | | UEPRX | UEPRR | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability | | | UEPRX | UEPRT | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| FEAT | TURES | | | 02.700 | 02 | | | 10.20 | 0.10 | 0.01 | | 10.00 | t | | | |
| | All Features Offered | | | UEPRX | UEPVF | 0.00 | 0.00 | 0.00 | | | 1 | 15.69 | | | | 1 |
| LOCA | AL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| NONE | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPRX | USAC2 | | 1.03 | 0.29 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | UEPRX | USACC | | 1.03 | 0.29 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update | | | | | | 0.76 | | | | | 15.69 | | | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise | | | UEPRX | URETL | | 8.33 | 0.83 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| OFF/0 | ON PREMISES EXTENSION CHANNELS | | | 02.700 | UNLIE | | 0.00 | 0.00 | | | 1 | | 20.00 | .0.0. | 10.02 | 10.0 |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 1 | UEPRX | UEAEN | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 2 | UEPRX | UEAEN | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 3 | UEPRX | UEAEN | 22.53 | | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Analog Voice Grade Extension Loop – Design | | 1 | UEPRX | UEAED | 16.56 | | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Analog Voice Grade Extension Loop – Design | | 2 | UEPRX | UEAED | 21.63 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | 2 Wire Analog Voice Grade Extension Loop – Design | | 3 | UEPRX | UEAED | 28.28 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| INTE | ROFFICE TRANSPORT | | - | | 1 | | | | - | | 1 | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPRX | U1TV2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPRX | U1TVM | 0.0174 | 0.00 | 0.00 | | | | | | | | |
| | RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | \Box | | | | | | ļ | |
| UNE | Port/Loop Combination Rates | | L. | | | | ļ | | | | ļ | ļ | ļ | | | ļ |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.18 | ļ | | | | ļ | ļ | ļ | | | ļ |
| _ | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 18.01 | | | | | | | - | | | |
| 100- | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | 1 | 23.02 | | | | | <u> </u> | ļ | | - | - | _ |
| UNE | Loop Rates | | - 1 | LIEDDY | UEPLX | 12.48 | | | <u> </u> | | | 1 | | - | | |
| 1 | 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX UEPBX | UEPLX | 12.48 16.31 | 1 | | | | 1 | | | - | | \vdash |
| | | | | | | | | | | | | | | | | 1 |

| UNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhil | oit: A |
|--------------|--|--|------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|---|--|----------------|--|----------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I |
| | | | | | 1 | | Nonrecurring | | Nonrecurring | Disconnect | | | 220 | Rates (\$) | | |
| | | | | | _ | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2-Wire | Voice Grade Line Port (Bus) | | | | | | 11130 | Addi | 11130 | Addi | JOHILO | JOHAN | JONIAN | JOWAN | JONIAN | JOINAIN |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire voice Grade unbundled Tennessee extended local | | | | | . =0 | | | | | | | | | | |
| | dialing parity port with Caller ID - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPBX UEPBX | UEPAV UEPB1 | 1.70 1.70 | 22.14 22.14 | 15.25 15.25 | 8.45 8.45 | 3.91 3.91 | | 15.69 15.69 | | | | |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling | | | UEPBA | UEPBI | 1.70 | 22.14 | 15.25 | 0.45 | 3.91 | | 13.09 | | | | |
| | Port Economy Option (TACC1) | | | UEPBX | UEPAC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling | | | | | | | | | | | | | | | |
| | Port Standard Option (TACC2) | | | UEPBX | UEPAD | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Bus 2-Way Collierville and | | | HEDDY | LIEDAE | | | | | | | | | | | , [|
| \vdash | Memphis Local Calling Port (B2F) 2-Wire Voice Unbundled Tennessee Business Dialing Plan | | | UEPBX | UEPAE | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | without Caller ID | | | UEPBX | UEPWO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | Tennessee Inward Collierville and Memphis Local Calling Plan | | | OLI DX | OLI WO | 1.70 | 22.17 | 10.20 | 0.40 | 0.01 | | 10.00 | | | | |
| | (BUS) | | | UEPBX | UEPB2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | Tennessee 2-Way Collierville and Memphis Local Calling Plan | | | | | | | | | | | | | | | |
| | (BUS) | | | UEPBX | UEPB3 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID | | | HEDDY | LIEDDE | 4.70 | 00.44 | 45.05 | 0.45 | 0.04 | | 45.00 | | | | |
| LOCA | Capability L NUMBER PORTABILITY | | | UEPBX | UEPBE | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| LOCA | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | | |
| FEAT | | | | 02. 5% | 2.1. 07. | 0.00 | | | | | | | | | | |
| | All Features Offered | | | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| NONR | ECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | Switch-as-is | - | | UEPBX | USAC2 | | 1.03 | 0.29 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | UEPBX | USACC | | 1.03 | 0.29 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | OLI DX | OOACC | | 1.03 | 0.23 | | | | 13.03 | | | | |
| | Subsequent Database Update | | | | | | 0.76 | | | | | 15.69 | | | | |
| ADDIT | TONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | Activity | - | | UEPBX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise | | | UEPBX | URETL | | 8.33 | 0.83 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| OFF/C | ON PREMISES EXTENSION CHANNELS | | | OLI DX | ORETE | | 0.00 | 0.00 | | | | | 20.00 | 10.04 | 10.02 | 10.02 |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 1 | UEPBX | UEAEN | 13.19 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 2 | UEPBX | UEAEN | 17.23 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 3 | UEPBX | UEAEN | 22.53 | 31.99 | 20.02 | 10.65 | 1.41 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | 2 Wire Analog Voice Grade Extension Loop – Design | - | 2 | UEPBX UEPBX | UEAED UEAED | 16.56 21.63 | 75.06 75.06 | 48.20 48.20 | 28.70 28.70 | 17.64 17.64 | | | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | 13.32 13.32 |
| | 2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design | | | UEPBX | UEAED | 28.28 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| INTER | OFFICE TRANSPORT | | 3 | OLI DX | OLALD | 20.20 | 73.00 | 40.20 | 20.70 | 17.04 | | | 20.55 | 10.54 | 13.32 | 13.32 |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination | | | UEPBX | U1TV2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| 0.14/15 | or Fraction Mile | | | UEPBX | U1TVM | 0.0174 | 0.00 | 0.00 | | | | | | | | |
| | E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) Port/Loop Combination Rates | - | | | + | | | | | | | | | | | |
| ONE P | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.18 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 18.01 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 23.02 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG | UEPLX | 12.48 | | | | | | | | | | |
| \vdash | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPRG | UEPLX | 16.31 | | | | | | | | | | |
| 2_Wire | 2-Wire Voice Grade Loop (SL 1) - Zone 3 Voice Grade Line Port Rates (RES - PBX) | | 3 | UEPRG | UEPLX | 21.32 | | | | | - | - | | | | |
| Z-44116 | TOIGE GIAGE LINE I OIT NAISS (NES - FBA) | l . | | | 1 | <u> </u> | | | L | | I. | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | 1 | | | ment: 2 | | bit: A |
|----------|---|--|--------------|--------|--------|----------------|--|------------|--------------|------------|--|---|--|--|--|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | Nonrecurring | | Nonrecurring | Disconnect | | 1 | oss | Rates (\$) | 1 | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | | | | | | | | | | | | | |
| | Res | | | UEPRG | UEPRD | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| LOCA | L NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.69 | | | | |
| FEAT | | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | ļ | 15.69 | | | | |
| NONR | ECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | ļ | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | LIEDDO | 110400 | | 4.00 | 0.00 | | | | 45.00 | | | | |
| | Conversion - Switch-As-Is | | | UEPRG | USAC2 | | 1.03 | 0.29 | | | - | 15.69 | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change | | | UEPRG | USACC | | 1.03 | 0.29 | | | | 15.69 | | | | |
| - | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | - | - | UEPRG | USACC | | 1.03 | 0.29 | | | 1 | 15.69 | | - | - | 1 |
| | Subsequent Database Update | 1 | | | | | 0.76 | | | | | 15.69 | | 1 | 1 | |
| ADDIT | FIONAL NRCs | | | | + | | 0.76 | | | | | 15.69 | | | | |
| ADDII | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | - | 1 | + | | | | 1 | | 1 | | l | t | t | |
| | Subsequent Activity | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | |
| _ | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | - | OLI NO | UUAUZ | 0.00 | 0.00 | 0.00 | | | | 13.09 | | | t | |
| | Group | | | | | | 14.64 | 14.64 | | | | 15.69 | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | 1 | 10.00 | | 1 | 1 | |
| | Premise | | | UEPRG | URETL | | 8.33 | 0.83 | | | | | 20.35 | 10.54 | 13.32 | 13. |
| OFF/C | ON PREMISES EXTENSION CHANNELS | | | 02.110 | UNLIL | | 0.00 | 0.00 | | | İ | | 20.00 | 10.01 | 10.02 | |
| | Local Channel Voice grade, per termination | | 1 | UEPRG | P2JHX | 16.56 | 75.06 | 48.20 | 28.70 | 17.64 | İ | | 20.35 | 10.54 | 13.32 | 13. |
| | Local Channel Voice grade, per termination | | 2 | UEPRG | P2JHX | 21.63 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | Local Channel Voice grade, per termination | | 3 | UEPRG | P2JHX | 28.28 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13. |
| | Non-Wire Direct Serve Channel Voice Grade | | SW | UEPRG | SDD2X | 10.02 | 148.84 | 112.34 | 73.14 | 36.65 | | | 20.35 | 10.54 | 13.32 | 13. |
| INTER | ROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination | | | UEPRG | U1TV2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| | or Fraction Mile | | | UEPRG | U1TVM | 0.0174 | 0.00 | 0.00 | | | | | | | | |
| | E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | ļ | | | | | |
| UNE | Port/Loop Combination Rates | | | | | 11.10 | | | | | 1 | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.18 | | | | | 1 | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | _ | 18.01 23.02 | - | | | | - | - | | | | |
| LIME | 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates | | 3 | | + | 23.02 | | | | | | | | | | |
| UNEL | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | - | 1 | UEPPX | UEPLX | 12.48 | | | | | 1 | | | - | - | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPPX | UEPLX | 16.31 | | | | | <u> </u> | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPPX | UEPLX | 21.32 | | | | | <u> </u> | | | | | |
| 2-Wire | e Voice Grade Line Port Rates (BUS - PBX) | | - | OLITA | OLI LX | 21.02 | | | | | † | | | | | |
| | Voice Grade Eme i oft Rates (Boo i BA) | | | | | | | | | | 1 | | | 1 | 1 | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 1.70 | | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | İ | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Tennessee | | | | | | | | | | | | | | | |
| | Calling Port | | | UEPPX | UEPT2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee | | | | | | | | | | | | | | | |
| | Calling Port | | | UEPPX | UEPTO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | L | UEPPX | UEPXB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | L | L | |
| _ | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | ļ | | UEPPX | UEPXC | 1.70 | | 15.25 | 8.45 | 3.91 | | 15.69 | | ļ | | ļ |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | ļ | | UEPPX | UEPXD | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | 1 | 1 | ļ |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | 1 | 1 | | | | | | | | | | | I | I | |
| _ | Capable Port | | <u> </u> | UEPPX | UEPXE | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | i | | | | 0 | | .0.20 | 50 | 0.01 | | .0.00 | i | 1 | 1 | |
| 1 | Room Calling Port | l | | UEPPX | UEPXM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | 1 | 15.69 | | | | |

| UNDUNDL | ED NETWORK ELEMENTS - Tennessee | | 1 | ı | | | | | | | | 06 | | ment: 2 | | bit: A |
|----------|---|-------------|--|--------|----------------|--------------|----------------|----------------|--------------|--------------|--|---|---|--|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Administrative Calling Port TN Calling Port | | | UEPPX | UEPXN | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | UEPPX | LIEDVO | 4.70 | 00.44 | 45.05 | 0.45 | 0.04 | | 45.00 | | | | |
| | Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | <u> </u> | UEPPX | UEPXO UEPXS | 1.70 1.70 | 22.14 22.14 | 15.25 15.25 | 8.45 8.45 | 3.91 3.91 | | 15.69 15.69 | | | - | - |
| - | 2-Wire Voice Unbundled PBX Collierville and Memphis Calling | | | UEPPA | UEFAS | 1.70 | 22.14 | 15.25 | 0.45 | 3.91 | | 15.69 | | | 1 | 1 |
| | Port | | | UEPPX | UEPXU | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ | | | 02.17 | 02.70 | 0 | | 10.20 | 0.10 | 0.01 | | 10.00 | | | t | |
| | Callling Port | | | UEPPX | UEPXV | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | Tennessee PBX 2-Way Combo Each Additional Trunk | | | | | | | | | | | | | | | |
| | Collierville and Memphis Local Calling Plan | | | UEPPX | UEPA6 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | Tennessee PBX 2-Way Combo First Trunk Collierville and | | | | | | | | | | | | | | | |
| 1.55 | Memphis Local Calling Plan | | | UEPPX | UEPA7 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | 1 | 1 |
| LOCA | AL NUMBER PORTABILITY | | - | LIEDDY | LNDCD | 0.4= | 0.00 | 2.00 | 1 | | | 45.00 | | | | |
| EEAT | Local Number Portability (1 per port) FURES | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.69 | | | - | - |
| FEAT | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | - |
| NON | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | ULFFX | OLF VI | 0.00 | 0.00 | 0.00 | | | | 13.09 | | | - | |
| itoit. | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | Conversion - Switch-As-Is | | | UEPPX | USAC2 | | 1.03 | 0.29 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | Conversion - Switch with Change | | | UEPPX | USACC | | 1.03 | 0.29 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | Subsequent Database Update | | | | | | 0.76 | | | | | 15.69 | | | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | Subsequent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | 1 | - |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 14.64 | 14.64 | | | | 15.69 | | | | |
| - | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | 14.04 | 14.04 | | | | 13.09 | | | 1 | 1 |
| | Premise | | | UEPPX | URETL | | 8.33 | 0.83 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| OFF/ | ON PREMISES EXTENSION CHANNELS | | | 02.17 | UNLIL | | 0.00 | 0.00 | | | | | 20.00 | 10.01 | 10.02 | 10.02 |
| | Local Channel Voice grade, per termination | | 1 | UEPPX | P2JHX | 16.56 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Local Channel Voice grade, per termination | | 2 | UEPPX | P2JHX | 21.63 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Local Channel Voice grade, per termination | | 3 | UEPPX | P2JHX | 28.28 | 75.06 | 48.20 | 28.70 | 17.64 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Non-Wire Direct Serve Channel Voice Grade | | SW | UEPPX | SDD2X | 10.02 | 148.84 | 112.34 | 73.14 | 36.65 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| INTE | ROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPPX | LIATVO | 18.58 | 55.00 | 47.07 | 07.00 | 2.54 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | <u> </u> | UEPPX | U1TV2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | - | - |
| | or Fraction Mile | | | UEPPX | U1TVM | 0.0174 | 0.00 | 0.00 | | | | | | | | |
| UNF | Port/Loop Combination Rates | | | OLITA | OTTVIVI | 0.0174 | 0.00 | 0.00 | | | | | | | | |
| 0.12 | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 14.18 | | | | | | | | | t | 1 |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 18.01 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 23.02 | i | | | | | | | | | |
| UNE | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 12.48 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 16.31 | | | | | | | | | ļ | ļ |
| 0.15" | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 21.32 | | | 1 | | | | | | | |
| 2-Wir | re Voice Grade Line Ports (COIN) | | - | | | | | | - | | 1 | | | | | |
| | 2-Wire Coin 2-Way without Operator Screening and without Blocking (TN) | | | UEPCO | UEPTB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | I | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | OLFOO | ULFID | 1.70 | 22.14 | 15.25 | 0.40 | 3.91 | | 15.69 | | | | |
| | 900/976, 1+DDD (NC, TN) | | | UEPCO | UEPRP | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | I | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | | - ' | 0 | | | 20 | | | | | | 1 | |
| | (TN) | | <u></u> | UEPCO | UEPTA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | L | L |
| | 2-Wire Coin 2-Way with Operator Screening: 900 Blocking: | | | | | | | | | | | | | | | |
| | 900/976, 1+DDD, 011+, and Local (NC, TN) | 1 | İ | UEPCO | UEPCA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | 1 | 15.69 | l | l | 1 | 1 |

| JNBUNDL | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | 1 | bit: A |
|----------|--|-------------|--|----------------|----------------|----------------|--|------------|--|-------|-------------|--|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking | 3 | | | | | | | | | | | | | | |
| | (TN) | | | UEPCO | UEPTC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 15.69 | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | | | | | . =- | | | | | | 4= 00 | | | | |
| | 900/976, 1+DDD, 011+, and Local (TN) 2-Wire 2-Way Smartline with 900/976 (all states except LA) | _ | | UEPCO UEPCO | UEPOT UEPCK | 1.70 1.88 | | 15.25 | 8.45 | 3.91 | | 15.69 15.69 | | | | |
| | 2-Wire Coin Outward Smartline with 900/976 (all states except LA) | + | | UEPCU | UEPCK | 1.88 | | | | | 1 | 15.69 | | | - | |
| | LA) | | | UEPCO | UEPCR | 1.88 | | | | | | 15.69 | | | | |
| ADD | ITIONAL UNE COIN PORT/LOOP (RC) | 1 | | OLI CO | OLI OK | 1.00 | t | | | | | 13.03 | | | | |
| ADD | UNE Coin Port/Loop Combo Usage (Flat Rate) | 1 | 1 | UEPCO | URECU | 3.45 | 0.00 | 0.00 | 0.00 | 0.00 | 1 | 15.69 | | | | |
| | Local Number Portability (1 per port) | 1 | | UEPCO | LNPCX | 0.35 | | | | | 1 | | | | t | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion | - | i – | | | 2.30 | 1 | | | | | | İ | İ | 1 | İ |
| | Switch-as-is | | L | UEPCO | USAC2 | | 1.03 | 0.29 | <u> </u> | | <u></u> | 15.69 | | <u> </u> | <u> </u> | <u></u> |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion | - | | | | | | | | | | | | | | |
| | Switch with change | | <u></u> | UEPCO | USACC | | 1.03 | 0.29 | | | | 15.69 | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | Activity | 1 | <u> </u> | UEPCO | USAS2 | 0.00 | 0.00 | 0.00 | | | ļ | 15.69 | ļ | ļ | 1 | |
| - 1 | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | l |
| | Premise | <u> </u> | | UEPCO | URETL | | 8.33 | 0.83 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| | RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR | E LINE I | PORT (| RES) | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | + | 4 | | | 40.45 | | | - | | 1 | | | | - | |
| _ | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | + | 1 2 | | + | 18.45 23.52 | - | | | | - | - | | | - | |
| _ | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | + | 3 | | - | 30.17 | | | | | - | - | | | | |
| LINE | Loop Rates | + | | | + | 30.17 | | | | | 1 | 1 | | | - | |
| OIL | 2-Wire Voice Grade Loop (SL2) - Zone 1 | + | 1 | UEPFR | UECF2 | 16.56 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | 1 | 2 | UEPFR | UECF2 | 21.63 | | | | | 1 | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | 1 | 3 | UEPFR | UECF2 | 28.28 | | | | | | | | | | |
| 2-Wi | re Voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port - residence | | | UEPFR | UEPRL | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | 1 | 15.69 | | | | |
| | 2-Wire voice unbundled port with Caller ID - res | | | UEPFR | UEPRC | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | ĺ | | |
| | 2-Wire voice unbundled port outgoing only - res | | | UEPFR | UEPRO | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice Grade unbundled Tennessee extended local | | | | | | | | | | | | | | | |
| | dialing parity port with Caller ID - res | | | UEPFR | UEPAQ | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Area Plus with Caller ID - | | | | | | | | | | | | | | | |
| | res (AC7) | | | UEPFR | UEPAH | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Area Calling port with Calle | r | 1 | LIEDED | UEPAK | 4.00 | 04.00 | F7 00 | 20.22 | 20.50 | | 45.00 | | | I | |
| | ID - res (F2R) 2-Wire voice unbundled Tennessee Area Calling port with Calle | - | | UEPFR | UEPAK | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | 1 | 15.69 | | | | - |
| | ID - res (TACER) | ' | | UEPFR | UEPAL | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | 1 | |
| - | 2-Wire voice unbundled Tennessee Area Calling port with Calle | r | | OLI I IX | OLI AL | 1.09 | 04.39 | 31.39 | 32.30 | 20.30 | | 13.09 | | | | |
| | ID - res (TACSR) | 1 | | UEPFR | UEPAM | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | I | 1 |
| | 2-Wire voice unbundled Tennessee Area Calling port with Calle | r | t | | 02. / uvi | 1.00 | 04.00 | 07.00 | 32.30 | 20.00 | | 10.00 | 1 | 1 | † | |
| | ID - res (1MF2X) | | | UEPFR | UEPAN | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | I | 1 |
| | 2-Wire voice unbundled Tennessee Area Calling port with Calle | r | t | | | 30 | 1 | 230 | 52.50 | | 1 | | İ | İ | 1 | |
| | ID - res (2MR) | | | UEPFR | UEPAO | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | 1 | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID | | | | | | | | | | | | | | | |
| | (LUM) | | <u> </u> | UEPFR | UEPAP | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled Tennessee Residence Dialing Plan | | - | | | | | | | | | | | | _ | |
| | without Caller ID | 1 | <u> </u> | UEPFR | UEPWN | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | ļ | 15.69 | | ļ | 1 | |
| INTE | ROFFICE TRANSPORT | 1 | <u> </u> | | | | | | | | ļ | | | | ļ | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | LIEDED | 11477.60 | 40 =0 | 55.00 | 47.00 | 07.00 | 0 | | | | | I | 1 |
| _ | Termination | + | <u> </u> | UEPFR | U1TV2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | 1 | | UEPFR | 1L5XX | 0.0174 | | | | | | | | | I | 1 |
| EE A | or Fraction Mile | + | | ULPFR | ILOAA | 0.0174 | 1 | | | | 1 | - | | | | - |
| FEA | All Features Offered | + | | UEPFR | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | - |
| Inc | AL NUMBER PORTABILITY | + | † | OLITA | OLF VI | 0.00 | 0.00 | 0.00 | | | | 13.09 | | | | |
| | Local Number Portability (1 per port) | + | - | UEPFR | LNPCX | 0.35 | 1 | | | | | | | | † | |
| 1 | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | + | + | | · · · · · · | 0.00 | | | | | | | | - | + | |

| IDUNULI | ED NETWORK ELEMENTS - Tennessee | | | 1 | | | | | | | | _ | | ment: 2 | 1 | ibit: A |
|---------|---|-------------|--------|--|----------|--------|--|------------|--|-------|--|--|--|---|---|--|
| TEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-as-is | | | UEPFR | USAC2 | | 16.94 | 3.72 | | | | 15.69 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change | | | UEPFR | USACC | | 16.94 | 3.72 | | | | 15.69 | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise | | | UEPFR | URETN | | 11.23 | 1.10 | | | | | 20.35 | 10.54 | 13.32 | 13.3 |
| 2-WIR | RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE | PORT (| | OILLIN | | 11.20 | 1.10 | | | | - | 20.55 | 10.54 | 10.02 | 10.0 |
| | Port/Loop Combination Rates | | 1 | 1 | | | | | | | 1 | † | | | - | 1 |
| 0.112 | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | + - | 18.45 | | | | | | | | | | 1 |
| _ | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | + - | 23.52 | | | | | | | | | | 1 |
| - | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | + - | 30.17 | | | | | | | | | | 1 |
| LINE | Loop Rates | | - | | + - | 30.17 | | | | | 1 | H | | | t | † |
| JNE | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFB | UECF2 | 16.56 | | | | | 1 | H | | | t | † |
| + | 2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFB | UECF2 | 21.63 | | | 1 | | | - | - | - | | |
| + | 2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFB | UECF2 | 28.28 | | | | | | - | - | - | | |
| 2 10/:- | e Voice Grade Line Port (Bus) | | 3 | UEPFB | UEUFZ | 28.28 | | | 1 | | | | | | | |
| ∠-VVII | | | | LIEDED | UEPBL | 1.89 | 04.00 | F7 00 | 20.00 | 20.50 | | 45.00 | - | - | | |
| - | 2-Wire voice unbundled port without Caller ID - bus | | - | UEPFB | | | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | - |
| _ | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPFB | UEPBC | 1.89 | 84.99 | 57.39 | | 20.56 | | 15.69 | | | | ļ |
| - | 2-Wire voice unbundled port outgoing only - bus 2-Wire voice Grade unbundled Tennessee extended local | | | UEPFB | UEPBO | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | 1 | |
| | | | | LIEDED | UEPAV | 4.00 | 04.00 | F7.00 | 00.00 | 00.50 | | 45.00 | | | | |
| - | dialing parity port with Caller ID - bus | | - | UEPFB | | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | 1 | 15.69 | | | | - |
| - | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | - | UEPFB | UEPB1 | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | 1 | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Economy Option (TACC1) | | | UEPFB | UEPAC | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Standard Option (TACC2) | | | UEPFB | UEPAD | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire voice unbundled Tennessee Bus 2-Way Collierville and Memphis Local Calling Port (B2F) | | | UEPFB | UEPAE | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | 2-Wire Voice Unbundled Tennessee Business Dialing Plan without Caller ID | | | UEPFB | UEPWO | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | Tennessee Inward Collierville and Memphis Local Calling Plan (BUS) | | | UEPFB | UEPB2 | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| | Tennessee 2-Way Collierville and Memphis Local Calling Plan (BUS) | | | UEPFB | UEPB3 | 1.89 | 84.99 | 57.39 | 32.36 | 20.56 | | 15.69 | | | | |
| 1.004 | L NUMBER PORTABILITY | | | OLITB | OLI DO | 1.00 | 04.33 | 37.33 | 32.30 | 20.50 | | 15.05 | | | | 1 |
| | Local Number Portability (1 per port) | | | UEPFB | LNPCX | 0.35 | | | | | | | | | | + |
| INTE | ROFFICE TRANSPORT | | | OLI I D | LIVI OA | 0.35 | | | | | 1 | H | | | t | |
| INTER | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPFB | U1TV2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | 55.39 | 11.31 | 21.90 | 3.51 | | | | | | |
| | or Fraction Mile | | | UEPFB | 1L5XX | 0.0174 | | | ļ | | _ | - | . | . | - | 1 |
| FEAT | URES | | - | LIEDED | LIED) (E | 0.00 | 2.22 | 2.00 | | | | 45.00 | - | - | 1 | <u> </u> |
| Nor | All Features Offered | | | UEPFB | UEPVF | 0.00 | 0.00 | 0.00 | 1 | | <u> </u> | 15.69 | | | - | <u> </u> |
| NONF | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | 4 | | | | | | <u> </u> | | | | - | <u> </u> |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | 1 | |
| + | Combination - Conversion - Switch-as-is | | | UEPFB | USAC2 | | 16.94 | 3.72 | ļ | | | 15.69 | . | . | - | _ |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change | | | UEPFB | USACC | | 16.94 | 3.72 | | | | 15.69 | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise | | | UEPFB | URETN | | 11.23 | 1.10 | | | | | 20.35 | 10.54 | 13.32 | 13. |
| 2-WIR | RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE F | ORT (| PBX) | | | | | | | | | | | | |
| | Port/Loop Combination Rates | | Ĺ , | | | | | | | | | | | | | |
| Ì | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 18.45 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | İ | | 23.52 | 1 | | † | | | | ĺ | ĺ | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 30.17 | | | | | | | | | | |
| UNE I | Loop Rates | | Ť | | 1 | | | | | | | | İ | İ | 1 | 1 |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFP | UECF2 | 16.56 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFP | UECF2 | 21.63 | i i | | | | İ | 1 | İ | İ | 1 | i |
| | | | | | | | | | | | | | | | | |

| UNBU | NDLE | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: A |
|-----------------|----------|---|----------|--|----------------|-------|--------|--------------|------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|--|
| 0.120 | | | | 1 | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | · · · · · · · · · · · · · · · · · · · | m | | | | | | | | | per LSK | per LSK | | | Electronic- | Electronic- |
| | | | | | | | | | | | | | | Electronic- | Electronic- | | |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | + | | Nonrecurring | | Nonrecurring | Disconnect | | l | oss | Rates (\$) | <u> </u> | |
| | | | | | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire | /oice Grade Line Port Rates (BUS - PBX) | | | | | | | 71441 | 1 01 | 71441 | 0020 | | | 00 | | |
| | | 1000 01000 11101 01110100 (200 1 27) | | | | | | | | | | | | | | | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPFP | UEPPC | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | 1 ' |
| | | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPFP | UEPPO | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPFP | UEPP1 | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPFP | UEPLD | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Tennessee | | | | | | | | | | | | | | | |
| | | Calling Port | | | UEPFP | UEPT2 | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | 1 |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee | | | | | | | | | | | | | | | |
| | | Calling Port | | | UEPFP | UEPTO | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | 1 | 15.69 | | | | 1 |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | 1 | UEPFP | UEPXA | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | ſ |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | 1 | UEPFP | UEPXB | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | 1 | UEPFP | UEPXC | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | ſ |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | 1 | UEPFP | UEPXD | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | ſ |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | | | | | | |
| | | Capable Port | | | UEPFP | UEPXE | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | 1 |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | | Administrative Calling Port | | | UEPFP | UEPXL | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | l . |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | | Room Calling Port | | | UEPFP | UEPXM | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | 1 |
| | | 2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | | Administrative Calling Port TN Calling Port | | | UEPFP | UEPXN | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | 1 |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | | | |
| | | Discount Room Calling Port | | | UEPFP | UEPXO | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | 1 |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | 1 | UEPFP | UEPXS | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | |
| | | 2-Wire Voice Unbundled PBX Collierville and Memphis Calling | | | | | | | | | | | | | | | |
| | | Port | | | UEPFP | UEPXU | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | 1 |
| | | 2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ | | | | | | | | | | | | | | | |
| | | Callling Port | | | UEPFP | UEPXV | 1.79 | 106.40 | 63.08 | 42.67 | 18.54 | | 15.69 | | | | l . |
| | LOCAL | NUMBER PORTABILITY | | | | | | | | | | | | | | | 1 |
| | | Local Number Portability (1 per port) | | | UEPFP | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.69 | | | | 1 |
| | INTERC | FFICE TRANSPORT | | | | | | | | | | | | | | | 1 |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | 1 |
| | | Termination | | | UEPFP | U1TV2 | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | 1 |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | 1 |
| | | or Fraction Mile | | | UEPFP | 1L5XX | 0.0174 | | | | | | | | | | l . |
| | FEATU | | | | | | | | | | | | | | | | 1 |
| | | All Features Offered | | | UEPFP | UEPVF | 0.00 | 0.00 | 0.00 | | | | 15.69 | | | | l . |
| | NONRE | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | 1 |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | l . |
| | | Combination - Conversion - Switch-as-is | | | UEPFP | USAC2 | | 16.94 | 3.72 | | | | 15.69 | | | | |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | l . |
| | | Combination - Conversion - Switch with change | | | UEPFP | USACC | | 16.94 | 3.72 | | | | 15.69 | | | | |
| | | Unbundled Miscellaneous Rate Element, Tag Designed Loop at | | | | | | | | | | | | | | | 1 |
| | | End User Premise | | | UEPFP | URETN | | 11.23 | 1.10 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | ORT/LOOP COMBINATIONS - COST BASED RATES | | ! | | | | | | | | | | | | | |
| | | VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PORT | | | | | | | | | | | | | | |
| \vdash | UNE PO | rt/Loop Combination Rates | | - | | + | 10.00 | | | | | | | | | | |
| \vdash | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | — | 1 | | + | 18.38 | | | | | ļ | ļ | | | | — |
| \vdash | \vdash | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | - | 2 | | + | 19.87 | | | | | ļ | ļ | | | | |
| \vdash | LINIE | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | - | 3 | | + | 24.78 | | | | | ļ | ļ | | | | |
| $\vdash \vdash$ | UNE LO | op Rates | - | 1 | LIEDDY | UECD1 | 9.60 | | | | | | | | | | |
| \vdash | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | - | | UEPPX | UECD1 | 9.60 | | | | | ļ | ļ | | | | |
| \vdash | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX UEPPX | | | | | | | | | | | | |
| \vdash | UNE Po | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | - | 3 | UEPPA | UECD1 | 16.00 | | | | | - | - | - | | | |
| \vdash | UNE PO | Exchange Ports - 2-Wire DID Port | - | | UEPPX | UEPD1 | 8.78 | 45.44 | 29.94 | 8.45 | 3.91 | | - | 30.89 | 7.03 | | |
| \vdash | NOND | CURRING CHARGES - CURRENTLY COMBINED | - | 1 | ULFFA | UEPUI | 0.78 | 45.44 | 29.94 | 0.45 | 3.91 | | - | 30.89 | 1.03 | | |
| \Box | NONKE | CONTING CHARGES - CORRENTLY COMBINED | <u> </u> | 1 | l | 1 | | Į. | | | | L | l | | l . | | |

| NNRNNDFE | D NETWORK ELEMENTS - Tennessee | | | | | 1 | | | | | | T - | | | ment: 2 | | ibit: A |
|----------|--|-------------|--|--------|--------|--|----------|--|------------|--------------|--------------|--|-----------|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | В | cs | USOC | | | RATES (\$) | | | 1 | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual S Order vs |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | g Disconnect | | | | Rates (\$) | | |
| | | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - | | | | | | | | | | | | | | | | |
| | Switch-as-is | | | UEPPX | | USAC1 | | 8.76 | 5.75 | | | | | 30.89 | 7.03 | | Ļ |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes | | | UEPPX | | USA1C | | 8.76 | 5.75 | | | | | 30.89 | 7.03 | | |
| | Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise | | | UEPPX | | URETN | | 11.23 | 1.10 | | | | | | | | |
| | one Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | | |
| | DID Trunk Termination (One Per Port) | | | UEPPX | | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | ļ |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPPX | | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | ļ |
| | Reserve Non-Consecutive DID numbers | | | UEPPX | | ND6 | 0.00 | 0.00 | 0.00 | | | <u> </u> | | | | | |
| | Reserve DID Numbers | | | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | <u> </u> | | | | | |
| | NUMBER PORTABILITY | | | | | | | | | | | ļ | | | | | ļ |
| | Local Number Portability (1 per port) | | | UEPPX | | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN | NE SIDE | PORT | | | ļ | | | | | | ļ | | | | | ļ |
| UNE Po | ort/Loop Combination Rates | | | | | | | | | | | <u> </u> | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1 | | 1 | UEPPB | UEPPR | | 32.27 | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2 | | 2 | UEPPB | UEPPR | | 34.78 | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3 | | 3 | UEPPB | UEPPR | | 44.32 | | | | | | | | | | |
| | pop Rates | | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 16.20 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 18.71 | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | USL2X | 28.25 | | | | | | | | | | |
| | ort Rate | | | | | | | | | | | | | | | | 1 |
| | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 16.07 | 141.75 | 118.37 | 49.20 | 43.26 | | | 19.99 | 19.99 | | |
| | CURRING CHARGES - CURRENTLY COMBINED 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | | | | | | | | | | | | | | | | |
| | Combination - Conversion | | | UEPPB | UEPPR | USACB | 0.00 | 117.23 | 117.23 | | | | | 19.99 | 19.99 | | |
| ADDITI | ONAL NRCs | | | | | | | | | | | | | | | | 1 |
| | 2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy- Non Feature/Add Trunk | | | UEPPB | UEPPR | USASB | | 212.88 | | | | | | 19.99 | 19.99 | | |
| | Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise | | | UEPPB | UEPPR | URETN | | 11.23 | 1.10 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | UEPPB | UEPPR | UKETN | | 11.23 | 1.10 | | | | | | | | |
| 1.004 | Premise NUMBER PORTABILITY | | | UEPPB | UEPPR | URETL | | 8.33 | 0.83 | | | - | | | | | _ |
| | Local Number Portability (1 per port) | - | - | UEPPB | UEPPR | LNDCV | 0.35 | 0.00 | 0.00 | | | | | - | - | - | + |
| | NNEL USER PROFILE ACCESS: | | | OLFFD | JLFFK | LINEON | 0.35 | 0.00 | 0.00 | | | | | | | | |
| | CVS/CSD (DMS/5ESS) | - | | UEPPB | UEPPR | LITLICA | 0.00 | 0.00 | 0.00 | | | † | | | | | |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | 1 | | | | | \vdash |
| | CSD | - | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | † | | | | | |
| | NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO | CMS & | TN) | OLI FD | JLIFK | 0.1000 | 0.00 | 0.00 | 0.00 | | | † | | | | | |
| D-ONAI | CVS/CSD (DMS/5ESS) | 5,410, 6 | | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS (EWSD) | - | | UEPPB | UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | | | | | | | | † |
| - | CSD | - | | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | | | † | | | | | |
| USER | FERMINAL PROFILE | - | | 52.10 | 52.110 | | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | User Terminal Profile (EWSD only) | | t | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | i | † |
| | CAL FEATURES | - | | J_11 D | OLITIK | CIONA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | All Vertical Features - One per Channel B User Profile | - | | UEPPB | UEPPR | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | OFFICE CHANNEL MILEAGE | - | | J_11 D | OLITIK | ○ L I V I | 0.00 | 0.00 | 0.00 | | | † | | | | | \vdash |
| | Interoffice Channel mileage each, including first mile and | - | | | | | | | | | | † | | | | | \vdash |
| | facilities termination | | | UEPPB | HEPPP | M1GNC | 17.91 | 53.99 | 17.37 | | | | | 19.99 | 19.99 | | |
| | | | - | | | M1GNM | 0.173 | 0.00 | 0.00 | H | | | | 15.33 | 13.39 | <u> </u> | |
| | Unteroffice Channel mileage each, additional mile | | | | | | | | | | | | | | | | |
| 4-WIPE | Interoffice Channel mileage each, additional mile DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | POPT | | UEPPB | UEFFR | IVITGINIVI | 0.173 | 0.00 | 0.00 | | | | | | | | |

| ONRONDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | | bit: A |
|----------|--|-------------|--|--|------------------|-------------------|--|-----------------|-----------------------|------------------|---|--|--|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | Tat | | T. N | D' | | | | | D130 131 | DISC Add I |
| | <u> </u> | | | | 1 | Rec | Nonrecurring | Add'l | Nonrecurring First | | COMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| Pogue | Lests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T | runk De | ort ofto | r the offective date o | of this amond | mont chall bo | First | | | Add'l | | | SOWAN | SUMAN | SUMAN | SUMAN |
| | Port/Loop Combination Rates | TUIIK F | I alte | l the effective date of | I tills alliellu | Illelit Silali be | provided pursu | iant to a sepai | ate agreement | or tariir at bei | l douting un | Scretion. | | 1 | | |
| ONL | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | - | | | | | | | | <u> </u> | | | 1 | | |
| | Zone 1 | | 1 | UEPPP | | 132.58 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | Ė | 02 | | .02.00 | | | | | 1 | | | | | |
| | Zone 2 | | 2 | UEPPP | | 150.25 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEPPP | | 173.44 | | | | | | | | | | |
| UNE L | oop Rates | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | USL4P | 57.73 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | USL4P | 75.40 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | USL4P | 98.59 | | | | | | | | | | |
| UNE F | Port Rate | | | LIEDDD | LIEDES | = | | 200.5 | | | ļ | | 40.0- | 10.5- | ļ | |
| No | Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004) | | - | UEPPP | UEPPP | 74.85 | 415.53 | 366.90 | 89.28 | 77.43 | ļ | | 19.99 | 19.99 | | |
| NONR | ECURRING CHARGES - CURRENTLY COMBINED | | - | | | - | | | - | | | - | - | | | - |
| | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is (E:4/1/2004) | | | UEPPP | USACP | 0.00 | 328.53 | 328.53 | | | | | 19.99 | 19.99 | 1 | |
| ADDIS | FIONAL NRCs | | - | UEFFF | USACP | 0.00 | 3∠8.53 | 3∠8.53 | + | | | | 19.99 | 19.99 | + | |
| ADDII | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | - | | | | | | | | | - | | | | - |
| | Inward/two way Tel Nos. (except NC) | | | UEPPP | PR7TF | | 0.94 | | | | | | 19.99 | 19.99 | | |
| + | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | - | ULFFF | FIXIT | | 0.94 | | | | <u> </u> | | 15.55 | 19.99 | | |
| | Outward Tel Numbers (All States except NC) | | | UEPPP | PR7TO | | 22.36 | 22.36 | | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | OLITI | 11010 | | 22.00 | 22.00 | | | 1 | 1 | 10.00 | 10.00 | 1 | 1 |
| | Subsequent Inward Tel Numbers | | | UEPPP | PR7ZT | | 44.71 | 44.70 | | | | | 19.99 | 19.99 | | |
| LOCA | L NUMBER PORTABILITY | | | | | | | | | | İ | | | | | |
| | Local Number Portability (1 per port) | | | UEPPP | LNPCN | 1.75 | | | | | | | | | | |
| INTER | RFACE (Provsioning Only) | | | | | | | | | | | | | | | |
| | Voice/Data | | | UEPPP | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Digital Data | | | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Inward Data | | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| New c | or Additional "B" Channel | | | | | | | | | | | | | | | |
| | New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 28.39 | | | | | | 19.99 | 19.99 | | |
| | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 29.11 | | | | | | 19.99 | 19.99 | | |
| | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 29.39 | | | | | | 19.99 | 19.99 | | |
| CALL | TYPES | | - | LIEDDD | DD704 | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| | Inward Outward | | - | UEPPP UEPPP | PR7C1 PR7CO | 0.00 | 0.00 | 0.00 | - | | - | | | | | |
| | Two-way | | - | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | + | | | | | | + | - |
| Intere | ffice Channel Mileage | | - | ULFFF | FRICO | 0.00 | 0.00 | 0.00 | + | | | | | | + | - |
| intero | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 76.1825 | 145.98 | 109.85 | 19.55 | | 1 | | 19.99 | 19.99 | | |
| | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.3525 | 143.30 | 103.03 | 19.55 | | † | | 13.33 | 13.33 | | 1 |
| 4-WIR | E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | 0=111 | | 0.0020 | | | | | 1 | <u> </u> | 1 | | † | t |
| The U | NE-P DS1 combination rates below for in this rate exhibit apply | to the | embe | ded base in place a | s of 10/2/03 u | ıntil 4/1/04. Af | ter 4/1/04 these | rates shall re | vert to tariff rate | es or a separa | te commerc | ial agreeme | nt. | | | |
| | ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe | | | | | | | | | | | | T | 1 | 1 | 1 |
| | Port/Loop Combination Rates | | | | 1 | | | | | | 1 | | l | İ | 1 | |
| 1 | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | 1 | 93.28 | | | | | İ | | 19.99 | 19.99 | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 110.95 | | | | | | | 19.99 | 19.99 | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 134.14 | | | | | | | 19.99 | 19.99 | | |
| UNE L | oop Rates | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 57.53 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 75.40 | | | | | | | | | L | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 98.59 | | | | | ļ | | | | | |
| UNE F | Port Rate | | | LIEDDO | LIDD4T | | 0.10.0- | 200 | | | ļ | | 40.0- | 10.5- | | |
| | 4-Wire DDITS Digital Trunk Port (E:4/1/2004) | | | UEPDC | UDD1T | 35.55 | 342.80 | 257.87 | 61.41 | 48.49 | | | 19.99 | 19.99 | - | |
| NONR | ECURRING CHARGES - CURRENTLY COMBINED | | - | ļ | 1 | | _ | | | | | | | - | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004) | | | UEPDC | USAC4 | | 312.91 | 312.91 | | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004) | | | UEPDC | USAWA | | 312.91 | 312.91 | | | | | 19.99 | 19.99 | | |

| ONBONDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | 1 | ibit: A |
|----------|--|-------------|----------|-------------------|-----------------|---------------|------------------|--------------|--|------------------|--|---|--|--|--------------------------|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Order vs. Electronic- | Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | | • | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | A ME DOAD IN A CAME DOITO TO A DOAD AND A | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | LIEDDO | 110 414/5 | | 040.04 | 040.04 | | | | | 40.00 | 40.00 | | |
| ADDIT | - Conversion with Change - Trunk (E:4/1/2004) | | | UEPDC | USAWB | | 312.91 | 312.91 | - | | | | 19.99 | 19.99 | | - |
| ADDIT | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | - | | | | | | - | | | | | | | |
| | | | | LIEDDO | USAS4 | | 94.88 | 94.88 | | | | | | | | |
| | Service Activity Per Service Order 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | - | UEPDC | USAS4 | | 94.88 | 94.88 | | | - | | | | | † |
| | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 108.67 | 108.67 | | | | | 19.99 | 19.99 | | |
| + | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | - | ULFDC | ODITA | | 100.07 | 100.07 | | | | | 19.99 | 19.99 | | <u> </u> |
| | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 108.67 | 108.67 | | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Channel | | | OLI DO | ODITE | | 100.07 | 100.01 | | | | | 10.00 | 10.00 | | † |
| | Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 108.67 | 108.67 | | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | 1555 | | .55.07 | .00.07 | 1 | | | | .0.00 | .0.00 | | |
| | Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 108.67 | 108.67 | | | | | 19.99 | 19.99 | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | i e |
| | Activation / Chan - 2-Way DID w User Trans | 1 | | UEPDC | UDTTE | | 108.67 | 108.67 | | | | | 19.99 | 19.99 | | 1 |
| BIPOL | AR 8 ZERO SUBSTITUTION | | | | | | | | | | | | | | | |
| | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00i | 590.00s | | | | | 19.99 | 19.99 | | 1 |
| | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00i | 590.00s | | | | | 19.99 | 19.99 | | |
| Alterna | ate Mark Inversion | | | | | | | | | | | | | | | |
| | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | 1 |
| | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| Teleph | none Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | |
| | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | | 19.99 | 19.99 | | |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | | 19.99 | 19.99 | | |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | | 19.99 | 19.99 | | |
| | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | | | 19.99 | 19.99 | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | | | | | | | 19.99 | 19.99 | | |
| | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Dedica | ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 | Digita | Loop | with 4-Wire DDITS | Trunk Port | | | | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO1 | 75.83 | 145.98 | 109.85 | 19.66 | 14.99 | | | | | | |
| | Later (for Observat Miles on Additional and Additio | | | LIEDDO | 41.000 | 0.0505 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | UEPDC | 1LNOA | 0.3525 | 0.00 | 0.00 | - | | | | | - | | - |
| | | | | LIEDDO | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| -+ | Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 | - | - | UEPDC | ILINU2 | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| | miles | | | UEPDC | 1LNOB | 0.3525 | 0.00 | 0.00 | | | | | | | | |
| + | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | 021 00 | ILINOD | 0.3325 | 0.00 | 0.00 | | | H | | l | | 1 | |
| | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| - | 10111111au011) | | | 02.1 00 | 12,100 | 0.00 | 0.00 | 0.00 | | | | | | | 1 | 1 |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.3525 | 0.00 | 0.00 | | | | | | | | |
| | Local Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | | 0.00 | | | | | | | | İ |
| | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | i e |
| 4-WIR | E DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | | | | | | | | | | | | |
| | n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | vations | | | | | | | | | | | | | | |
| | System can have up to 24 combinations of rates depending on | | | ber of ports used | | | | | | | | | | | | |
| | NE-P DS1 combination rates below for 4-Wire DS1 Loop with C | | | | | | | | | | | shall revert | to tariff rates | or a separate | agreement. | |
| | sts for 4-Wire DS1 Loop with Channelization with Port after the | e effect | ive dat | e of this amendme | nt shall be pro | vided pursuar | nt to a separate | agreement or | tariff at BellSou | uth's discretion | on. | | | | | |
| UNE D | S1 Loop | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 57.73 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 2 | | 2 | UEPMG | USLDC | 75.40 | | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 3 | | 3 | UEPMG | USLDC | 98.59 | 0.00 | 0.00 | | | | | | | | |
| UNE D | SO Channelization Capacities (D4 Channel Bank Configuration | ns) | | | | | | | | | | | | | | |
| | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 131.87 | | 0.00 | | | | | 19.99 | 19.99 | | |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 263.74 | | 0.00 | | | | | 19.99 | 19.99 | | <u> </u> |
| | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 527.48 | | 0.00 | ļ | | | | 19.99 | 19.99 | | <u> </u> |
| | 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM14 | 791.42 | | 0.00 | | | | | 19.99 | 19.99 | | <u> </u> |
| | | | . – | UEPMG | VUM19 | 827.76 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | 1 | |

| UNBUNDL | ED NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhil | bit: A |
|--|--|----------|----------|---------------------|---------------|-----------------|--------------|------------|--------------|------------|-----------|-------------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incrementa |
| ł | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| ł | | to to at | | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| ł | | m | | | | | | , | | | per Lor | per Lor | Electronic- | Electronic- | Electronic- | Electronic- |
| i | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| i | | | | | | | | | | | | | ist | Addi | DISC 1St | DISC Add I |
| | | | | | | В | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM2O | 1,318.70 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,582.44 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 2,109.92 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM4O | 2,637.40 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 3,164.88 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 3,692.36 | 0.00 | 0.00 | | | | | 19.99 | 19.99 | | |
| Non- | Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit | h Chani | neliztio | n with Port - Conve | rsion Charge | Based on a Sy | stem | | | | | | | | | |
| | nimum System configuration is One (1) DS1, One (1) D4 Channe | | | | | | | | | | | | | | | |
| | ples of this configuration functioning as one are considered A | | | | | | | | | | İ | | | | | |
| | NRC - Conversion (Currently Combined) with or without | | | , | Ĭ | | | | | | İ | | | | | |
| ı l | BellSouth Allowed Changes | | | UEPMG | USAC4 | 0.00 | 303.61 | 15.74 | | | | | 19.99 | 19.99 | | |
| Syste | em Additions at End User Locations Where 4-Wire DS1 Loop wi | ith Chan | nelizat | ion with Port Comb | ination Curre | ntly Exists and | | | | | İ | | | | | |
| | (Not Currently Combined) in all states, except in Density Zone | | | | 1 | | | | | | | | | ĺ | | |
| | 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port | 1 | | | | | | | | | | | | | | |
| ı I | and Assoc Fea Activation (E:4/1/2004) | | | UEPMG | VUMD4 | 0.00 | 704.68 | 441.48 | 138.36 | 16.41 | | | 19.99 | | | |
| Bipol | ar 8 Zero Substitution | 1 | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent | | | | | | | | | | İ | | | | | |
| ı l | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00i | 590.00s | | | | | | | | |
| $\overline{}$ | Clear Channel Capability Format - Extended Superframe - | | | | | | | | | | | | | | | |
| ı l | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00i | 590.00s | | | | | | | | |
| Alter | nate Mark Inversion (AMI) | | | 020 | 0002. | 0.00 | 0.00. | 000.000 | | | | | | | | |
| 7 | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| $\overline{}$ | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Exch | ange Ports Associated with 4-Wire DS1 Loop with Channelizati | ion with | Port | 020 | | 0.00 | 0.00 | 0.00 | | | † | 1 | | | | |
| | ange Ports | 1 | 1 | | + | | | | | | † | 1 | | | | |
| Exone | Line Side Combination Channelized PBX Trunk Port - Business | 1 | | | + | | | | | | 1 | | | | | |
| ı l | (E:4/1/2004) | | | UEPPX | UEPCX | 1.70 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| $\overline{}$ | Line Side Outward Channelized PBX Trunk Port - Business | | | 02.17 | 02. 0/1 | 11.70 | 0.00 | 0.00 | 0.00 | 0.00 | | | 00.00 | 7.00 | | |
| ı l | (E:4/1/2004) | | | UEPPX | UEPOX | 1.70 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| $\overline{}$ | Line Side Inward Only Channelized PBX Trunk Port without DID | | | | | | | | | | | | | | | |
| ı l | (E:4/1/2004) | | | UEPPX | UEP1X | 1.70 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| $\overline{}$ | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | 02.17 | 02 | 11.70 | 0.00 | 0.00 | 0.00 | 0.00 | | | 00.00 | 7.00 | | |
| ı l | (E:4/1/2004) | | | UEPPX | UEPDM | 8.97 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| $\overline{}$ | Unbundled Exchange Ports, 2-Wire Channelized – Outdial – | | | | | | | | | | | | | | | |
| ı l | (AL, KY, LA, MS, & TN)(Conversion from Network Access | | | | | | | | | | | | | | | |
| ı l | Service) (E:4/1/2004) | | | UEPPX | UEPCY | 1.70 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| $\overline{}$ | Unbundled Exchange Ports, 2-Wire Channelized – Combination | l – | | | 1-2. 0. | 0 | 2.00 | 0.00 | 5.00 | 0.00 | | | 55.00 | | | |
| ı I | (AL, KY, LA, MS, & TN) (Conversion from Network Access | | 1 | | I | | | | | | | 1 | | | | |
| ı l | Service) (E:4/1/2004) | | 1 | UEPPX | UEPCT | 1.70 | 0.00 | 0.00 | 0.00 | 0.00 | | 1 | 30.89 | 7.03 | | |
| | Unbundled Exchange Ports, 2-Wire Channelized – Outdial – | 1 | | | 1 | 0 | 2.30 | 2.30 | 5.50 | 2.30 | | | 22.20 | 1.50 | | |
| ı I | Tennessee Only – Calling Plan - Regionsery (E:4/1/2004) | | 1 | UEPPX | UEPCZ | 1.70 | 0.00 | 0.00 | 0.00 | 0.00 | | 1 | 30.89 | 7.03 | | |
| | Unbundled Exchange Ports, 2-Wire Channelized – Two Way - | 1 | | | 1 3- | 0 | 0.50 | 5.50 | 5.50 | 0.30 | | | 55.55 | 1.50 | | |
| ı I | Tennessee Only – Calling Plan - Regionsery (E:4/1/2004) | | | UEPPX | UEPC6 | 1.70 | 0.00 | 0.00 | 0.00 | 0.00 | | | 30.89 | 7.03 | | |
| Featu | re Activations - Unbundled Loop Concentration | 1 | | | 1 | 0 | 2.30 | 2.30 | 5.50 | 2.30 | | | 22.20 | 1.50 | | |
| 1 22.00 | Feature (Service) Activation for each Line Port Terminated in D4 | 1 | | | 1 | | | | | | | | | i | | |
| ı l | Bank (includes Q.1.4, P50.1, P.50.498) | 1 | 1 | UEPPX | 1PQWM | 2.02 | 23.94 | 12.64 | 3.82 | 3.80 | | 1 | 30.89 | 7.03 | | |
| - | Feature (Service) Activation for each Trunk Port Terminated in | 1 | 1 | | 1 | | | | | 2.30 | | | 22.20 | 1.30 | | |
| ı I | D4 Bank (includes Q.1.4, P50.1, P.50.498) | | | UEPPX | 1PQWU | 2.02 | 73.67 | 17.37 | 54.09 | 10.57 | | | 30.89 | 7.03 | | |
| Teler | hone Number/ Group Establishment Charges for DID Service | 1 | 1 | | İ - | | | | | | | | | 1 | | |
| - | DID Trunk Termination (1 per Port) | 1 | 1 | UEPPX | NDT | 0.00 | 0.00 | 0.00 | İ | | | | | İ | | |
| | DID Numbers - groups of 20 - Valid all States | 1 | 1 | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | l | | | | |
| i | Non-Consecutive DID Numbers - per number | 1 | 1 | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | ĺ | | |
| i | Reserve Non-Consecutive DID Numbers | 1 | 1 | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | ĺ | | |
| | Reserve DID Numbers | 1 | 1 | UEPPX | NDV | 0.00 | 0.00 | 0.00 | İ | | | | | İ | | |
| • 1 | Number Portability | | 1 | | İ | | | | İ | | | | | İ | | |
| Local | | | | | | | | | | | | | | | . | |
| Local | | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | Local Number Portability - 1 per port URES - Vertical and Optional | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| FEAT | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |

| UNBUND | LED | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: A |
|--|--------|---|--|--|----------------------|--|-------------------|-----------------------|----------------|-----------------|-----------------|--|---------------|---------------|--|---------------|-------------|
| | Ť | | | | | | | | | | | Svc Order | Svc Order | Incremental | | | Incremental |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATEGOR | Υ | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | "" | | | | | | | | | | - | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | - | | | | Name and a series at | | Nonrecurring | . Diacommont | | | 220 | Rates (\$) | | |
| | | | - | 1 | | | Rec | Nonrecurring First | Add'l | First | Add'l | COMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| LINDINDI | ED C | ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES | <u> </u> | 1 | | 1 | | FIRST | Addi | FIRST | Addi | SOMEC | SOWAN | SOWAN | SUMAN | SUMAN | SOWAN |
| | | Based Rates are applied where BellSouth is required by FCC | | State (| Commission rule to 1 | nrovide Unb | undled Local S | witching or Sv | vitch Ports | | | | | | - | | |
| | | res shall apply to the Unbundled Port/Loop Combination - C | | | | | | | | dled Port secti | on of this Rate | Exhibit. | | | | | |
| | | Office and Tandem Switching Usage and Common Transport | | | | | | | | | | | oin Port/Lo | op Combinat | ions. | | |
| 4. 1 | The fi | rst and additional Port nonrecurring charges apply to Not Co | urrently | Comb | ined Combos. For | Currently Co | mbined Combo | s, the nonrecu | urring charges | shall be those | identified in t | he Nonrecu | rring - Curre | ently Combine | ed sections. | Additional NR | Cs may |
| | | so and are categorized accordingly. | | | | | | | | | | | | | | | |
| | | et Rates for Unbundled Centrex Port/Loop Combination will | | otiated | on an Individual Ca | se Basis, un | til further notic | e. | | | | | | | | | |
| | | CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only | () | | | | | | | | | | | | | | |
| | | /G Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UN | | rt/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | 1 | 4 | UEP91 | | 4440 | | | | | | | | 1 | | |
| \vdash | | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | 1 | 1 | UEPSI | 1 | 14.18 | | | - | - | - | - | | | - | |
| | | 2-wire vG Loop/2-wire voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP91 | | 18.01 | | | | | | 1 | | I | | 1 |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | - | OE1 31 | | 10.01 | | | | | | | | | | |
| | | Non-Design | | 3 | UEP91 | | 23.02 | | | | | | 1 | | I | | 1 |
| UN | | rt/Loop Combination Rates (Design) | 1 | Ť | | 1 | | | | | | | | | 1 | İ | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | 1 | | | | | | | | | | | |
| | | Design | | 1 | UEP91 | | 18.26 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | | Design | | 2 | UEP91 | | 23.33 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| L | | Design | | 3 | UEP91 | | 29.98 | | | | | | | | | | |
| UN | | op Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP91 | UECS1 | 12.48 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 | - | 2 | UEP91 | UECS1 | 12.48 | | | | | - | | | - | | |
| \vdash | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | - | 3 | UEP91 | UECS1 | 21.32 | | | | | - | | | - | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP91 | UECS2 | 16.56 | | | | | | | | - | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP91 | UECS2 | 21.63 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP91 | UECS2 | 28.28 | | | | | | | | | | |
| UN | E Po | | | | | 1 | | | | | | | | | | | |
| All | State | es (Except North Carolina and Sout Carolina) | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP91 | UEPYA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| | | Area | ļ | | UEP91 | UEPYB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic | | | LIEDO4 | LIEDVII | 4.70 | 20.44 | 45.05 | 0.45 | 2.04 | | 20.00 | 7.00 | 1 | | |
| | | Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | 1 | - | UEP91 | UEPYH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | 1 | 30.89 | 7.03 | | | |
| | | 2-vvire voice Grade Port (Centrex from diff Serving vvire Center) Note 2. 3 Basic Local Area | | 1 | UEP91 | UEPYM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | I | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | OE1 31 | OLI TIVI | 1.70 | 22.14 | 15.25 | 0.45 | 3.91 | | 30.09 | 7.03 | | | |
| | | Term - Basic Local Area | | | UEP91 | UEPYZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | 1 | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | İ | | | | 1 | | | | | | | | 1 | | |
| | | - Basic Local Area | <u> </u> | <u></u> | UEP91 | UEPY9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | L | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| | | Basic Local Area | ļ | ļ | UEP91 | UEPY2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| AL, | | LA, MS, & TN Only | | | | L | 1 | | | | | | | | | | |
| \vdash | | 2-Wire Voice Grade Port (Centrex) | | - | UEP91 | UEPQA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | 1 | 30.89 | 7.03 | | | |
| \vdash | | 2-Wire Voice Grade Port (Centrex 800 termination) | - | ├ | UEP91 | UEPQB UEPQH | 1.70 1.70 | 22.14 22.14 | 15.25 | 8.45 | 3.91 3.91 | - | 30.89 | 7.03 | | - | |
| \vdash | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire | 1 | | UEP91 | UEFUH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | - | 30.89 | 7.03 | | - | |
| | | Center)2,3 | | | UEP91 | UEPQM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | 1 | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800 | | | 0=1 01 | JEI GIVI | 1.70 | 22.14 | 10.20 | 0.40 | 5.51 | - | 30.03 | 7.03 | t | | |
| | | Service Term | | 1 | UEP91 | UEPQZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | I | | 1 |
| | T | | | | | T | | | | 270 | 2.31 | | | | 1 | | |
| L | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | <u> </u> | L | UEP91 | UEPQ9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | <u> </u> | 30.89 | 7.03 | <u> </u> | <u> </u> | <u></u> |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPQ2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| Loc | | witching | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP91 | URECS | 0.6381 | | | | | | | | | | |
| Loc | cal N | umber Portability | | 1 | | 1 | | | | | | L | <u> </u> | | L | l | l |

| JNBU | NDLE | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | 1 | ibit: A |
|-------|---------|--|-------------|------|--------|-----------|--------|--|------------|--------------|--------------|----------|---|-------|--|---|--|
| CATEG | ORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | g Disconnect | | | oss | Rates (\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Local Number Portability (1 per port) | | | UEP91 | LNPCC | 0.35 | | | | | | | | | | |
| | Feature | | | | LIEBO | | | | | | | | | = | | | |
| | | All Standard Features Offered, per port | | | UEP91 | UEPVF | 0.00 | | | | | | 30.89 | 7.03 | | | |
| | | All Select Features Offered, per port | | - | UEP91 | UEPVS | 0.00 | | | | | 1 | 30.89 | 7.03 | | - | |
| | NARS | All Centrex Control Features Offered, per port | | - | UEP91 | UEPVC | 0.00 | | | | | 1 | 30.89 | 7.03 | | - | |
| | NAKS | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 0.00 | 7.03 | | 1 | |
| | | Unbundled Network Access Register - Indial | | | UEP91 | UAR1X | 0.00 | | 0.00 | 0.00 | 0.00 | 1 | 0.00 | 7.03 | | | + |
| | | Unbundled Network Access Register - Outdial | | | UEP91 | UAROX | 0.00 | | 0.00 | | 0.00 | 1 | 0.00 | 7.03 | | | 1 |
| | Miscell | aneous Terminations | | | | | | | | | 0.00 | i e | | | | t | <u> </u> |
| | | Trunk Side | | | | 1 | | | | | | | İ | | 1 | | |
| | | Trunk Side Terminations, each | | | UEP91 | CENA6 | 8.78 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | ice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | M1GBC | 18.58 | | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 | M1GBM | 0.0174 | | | | | | | | | | |
| | | Activations (DS0) Centrex Loops on Channelized DS1 Service | е | | | | | ļ | | | | ļ | ļ | | | ļ | |
| | D4 Cha | nnel Bank Feature Activations | | | LIEDOA | 4001410 | 0.00 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP91 | 1PQW6 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP91 | 1PQW7 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | OLI 91 | II QW/ | 0.00 | | | | | | | | | | |
| | | Different Wire Center | | | UEP91 | 1PQWP | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP91 | 1PQWQ | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.66 | | | 1 | | 1 | 1 | | | - | |
| | Non-Re | curring Charges (NRC) Associated with UNE-P Centrex | | | OLI 01 | 11 000000 | 0.00 | | | 1 | | 1 | | | | | + |
| | | Conversion - Currently Combined Switch-As-Is with allowed | | | | | | | | | | | İ | | | | |
| | | changes, per port | | | UEP91 | USAC2 | | 1.03 | 0.29 | | | | 30.89 | 7.03 | | | |
| | | New Centrex Standard Common Block | | | UEP91 | M1ACS | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | 1 |
| | | New Centrex Customized Common Block | | | UEP91 | M1ACC | 0.00 | | | | | | 30.89 | 7.03 | | | 1 |
| | | Secondary Block, per Block | | | UEP91 | M2CC1 | 0.00 | | | | | | 30.89 | 7.03 | | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | | 68.57 | | | | | 30.89 | 7.03 | | | 1 |
| | Additio | nal Non-Recurring Charges (NRC) | | | | | | | | | | | | | | | |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise | | | UEP91 | URETL | | 8.33 | 0.83 | | | | | | | | |
| | | Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise | | | UEP91 | URETN | | 11.23 | 1.10 | | | | | | | | |
| | IINF-P | CENTREX - 5ESS (Valid in All States) | | | OLF91 | UKLIN | | 11.23 | 1.10 | | | | | | | | |
| | | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | İ | | | | |
| | | ort/Loop Combination Rates (Non-Design) | | | | 1 | | | | | | 1 | İ | | | t | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | 1 | | | | | |
| | | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | UEP95 | | 14.18 | | | | | | | | | | |
| | | Non-Design | | 2 | UEP95 | | 18.01 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP95 | | 23.02 | | | | | | | | | | |
| | UNF P | ort/Loop Combination Rates (Design) | | - 3 | OL1 90 | + | 20.02 | | | 1 | | | | 1 | | † | |
| | J | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | _ | LIEDOS | | 10.00 | | | | | | | | | 1 | |
| | | Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | UEP95 | | 18.26 | | | | | | 1 | 1 | | | |
| | | Design | | 2 | UEP95 | | 23.33 | | | | | | | | | | <u> </u> |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 3 | UEP95 | | 29.98 | | | | | | | | | | |
| | | pop Rate | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 12.48 | | | | | | | | | | |

| NRONDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | T - | | ment: 2 | 1 | bit: A |
|---------|--|-------------|----------|--------|---------|--------|--------------|------------|--------------|-------|----------|---|---|---|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge Manual S Order vs Electroni Disc Add |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | UEP95 | UECS1 | 16.31 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 21.32 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 16.56 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 21.63 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 28.28 | | | | | | | | | | |
| | ort Rate | | | | \perp | | | | | | | | | | | |
| All Sta | | | | LIEDAE | 11551/4 | | 20.44 | | 0.45 | | | | = 00 | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP95 | UEPYH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | 22.14 | | | | | | | | | |
| | Center)2,3 Basic Local Area | | | UEP95 | UEPYM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area | | | UEP95 | UEPYZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP95 | UEPY9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| AI KY | Basic Local Area LA. MS. SC. & TN Only | | | UEP95 | UEPY2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | - | 30.89 | 7.03 | | | |
| AL, KI | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| - | 2-Wire Voice Grade Fort (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPQB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex odo terrimation) 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | - | UEP95 | UEPQH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| - | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | OLI 00 | OLI GII | 1.70 | 22.17 | 10.20 | 0.40 | 0.01 | | 00.00 | 7.00 | | | |
| | Center)2,3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP95 | UEPQM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | Term 2,3 | | | UEP95 | UEPQZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPQ9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPQ2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | A Only | | | | | | | | | | | | | | | |
| Local S | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.6381 | | | | | | | | | | |
| Local I | Number Portability | | | | | | | | | | | | | | | |
| Feature | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | - | | | | | | | | | |
| i catur | All Standard Features Offered, per port | | - | UEP95 | UEPVF | 0.00 | | | | | | 30.89 | 7.03 | | | |
| - | All Select Features Offered, per port | | - | UEP95 | UEPVS | 0.00 | 433.78 | | | | † | 30.89 | 7.03 | | | |
| _ | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 0.00 | 100.70 | | | | 1 | 30.89 | 7.03 | | 1 | |
| NARS | | | | | - | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 0.00 | 7.03 | | | |
| | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 0.00 | 7.03 | | | |
| | Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 0.00 | 7.03 | | | |
| Miscel | aneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | Trunk Side | | İ | | 1 | | | | | | | | 1 | | | |
| | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.78 | 47.75 | 47.01 | 9.21 | 8.47 | | 30.89 | 7.03 | | | |
| | Digital (1.544 Megabits) | | | | 1 | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 35.55 | 75.93 | 38.15 | | | | 30.89 | 7.03 | | | |
| | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 108.67 | | | | | 30.89 | 7.03 | | | |
| Interof | fice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP95 | M1GBC | 18.58 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | M1GBM | 0.0174 | | | | | | | | | | |
| | e Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | |
| D4 Cha | nnel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.66 | | · · · · · | | • | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP95 | 1PQW7 | 0.66 | | | | | | | | | | |

| ONDONDLE | D NETWORK ELEMENTS - Tennessee | | 1 | ı | | | | | | | Cur Out | Core Cond | | ment: 2 | + | bit: A |
|----------|--|-------------|--|----------------|----------------|----------------|--------------|------------|--------------|------------|--|---|--|--|----------|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | Different Wire Center | | | UEP95 | 1PQWP | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop | | - | UEF95 | IFQVV | 0.00 | | | | | + | | | | | - |
| | Slot | | | UEP95 | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.66 | | | | | <u> </u> | | | | | |
| Non-R | ecurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP95 | USAC2 | | 1.03 | 0.29 | | | | 30.89 | 7.03 | | | |
| | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | NAR Establishment Charge, Per Occasion | ļ | <u> </u> | UEP95 | URECA | 0.00 | 68.57 | | | | 1 | 30.89 | 7.03 | | | |
| Additi | onal Non-Recurring Charges (NRC) | ļ | <u> </u> | | | | | | | | | | | | 1 | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise | 1 | | UEP95 | URETL | | 8.33 | 0.83 | | | 1 | | | | | |
| - | Unbundled Miscellaneous Rate Element, Tag Design Loop at | | 1 | UEF95 | UKETL | | 0.33 | 0.63 | | | + | | | | | 1 |
| | End Use Premise | | | UEP95 | URETN | | 11.23 | 1.10 | | | | | | | | |
| UNE-P | CENTREX - DMS100 (Valid in All States) | | 1 | OLI SO | OKETIV | | 11.20 | 1.10 | | | + | | | | | † |
| | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | 1 | | | | | |
| | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 1 | UEP9D | | 14.18 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 2 | UEP9D | | 18.01 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | LIEDOD | | 00.00 | | | | | | | | | | |
| LINE D | Non-Design Port/Loop Combination Rates (Design) | | 3 | UEP9D | - | 23.02 | | | | | | | | | | |
| UNEF | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | - | | | | | | | | 1 | | | | | |
| | Design | | 1 | UEP9D | | 18.26 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | + - | OLI OD | | 10.20 | | | | | <u> </u> | | | | | |
| | Design | | 2 | UEP9D | | 23.33 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | | | | i | | | | | | | | | |
| | Design | | 3 | UEP9D | | 29.98 | | | | | | | | | | |
| UNE L | oop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 12.48 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D | UECS1 | 16.31 | | | | | 1 | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 | - | 3 | UEP9D UEP9D | UECS1 | 21.32 16.56 | | | | | + | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 | - | 2 | UEP9D UEP9D | UECS2 UECS2 | 21.63 | | | | | 1 | | | | | - |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 28.28 | | | 1 | | | | | | + | |
| UNE P | Port Rate | | Ť | 02.00 | 32002 | 20.20 | | | | | | | | | | |
| | TATES | i e | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | i – | UEP9D | UEPYA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| | Area | | <u> </u> | UEP9D | UEPYB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local | 1 | | | | | | | | | 1 | | | | | |
| | Area | ļ | <u> </u> | UEP9D | UEPYC | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | 1 | 30.89 | 7.03 | | ļ | 1 |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | 1 | | LIEBOD | UEPYD | 1.70 | 22.44 | 15.25 | 8.45 | 3.91 | 1 | 30.89 | 7.03 | | | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | 1 | | UEP9D | UEFTU | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | + | 30.89 | 7.03 | | 1 | |
| | Area | 1 | | UEP9D | UEPYE | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | 1 | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | † | 02.00 | 52.12 | 1.70 | 22.17 | 10.20 | 5.45 | 0.91 | | 55.55 | 7.00 | | | |
| | Area | 1 | | UEP9D | UEPYF | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | 1 | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | İ | | | | | | | | | İ | | | | | |
| | Area | | <u> </u> | UEP9D | UEPYG | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | l | | | | | | | | | | | | l | | |
| 1 | Area | l | 1 | UEP9D | UEPYT | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | l | 1 | 1 |

| <u> </u> | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: A |
|----------|--|-------------|--|----------------|----------------|--------------|----------------|----------------|--------------|--------------|--------------|---|--|--|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Increment Charge - Manual St Order vs Electronic Disc Add |
| | | | | | | Dee | Nonrecurring | | Nonrecurring | Disconnect | | • | oss | Rates (\$) | | • |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYU | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYV | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local | | | | | . =0 | | | | | | | = | | | |
| | Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | | | UEP9D | UEPY3 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | - | 30.89 | 7.03 | | | |
| | Area | | | UEP9D | UEPYH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | OLI 3D | OLI III | 1.70 | 22.14 | 10.20 | 0.40 | 3.31 | | 30.03 | 7.03 | | | |
| | Indication))4 Basic Local Area | | | UEP9D | UEPYW | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/Msq Wtq Lamp Indication))4 | | | 02.02 | 02 | | | 10.20 | 00 | 0.01 | i e | 00.00 | 7.00 | | | |
| | Basic Local Area | | | UEP9D | UEPYJ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | | | | | | | |
| | 2,3-Basic Local Area | | | UEP9D | UEPYM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 | | | LIEDOD | UEPYP | 4.70 | 20.44 | 45.05 | 0.45 | 2.04 | | 20.00 | 7.00 | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 | | | UEP9D | UEPTP | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | - | 30.89 | 7.03 | | | |
| | Basic Local Area | | | UEP9D | UEPYQ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 | | | OLF3D | OLFIQ | 1.70 | 22.14 | 13.23 | 0.40 | 3.91 | | 30.09 | 7.03 | | | |
| | Basic Local Area | | | UEP9D | UEPYR | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 | | | OLI OD | OLI IIX | 1.70 | 22.17 | 10.20 | 0.40 | 0.01 | 1 | 00.00 | 7.00 | | | |
| | Basic Local Area | | | UEP9D | UEPYS | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 | | | | | | | | | | 1 | | | | | |
| | Basic Local Area | | | UEP9D | UEPY4 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY5 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 | | | | | . =0 | | | | | | | = | | | |
| | Basic Local Area | | | UEP9D | UEPY6 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area | | | UEP9D | UEPY7 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| - | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | OLF3D | OLF 17 | 1.70 | 22.14 | 13.23 | 0.40 | 3.91 | | 30.09 | 7.03 | | | |
| | Term 2.3 | | | UEP9D | UEPYZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | 1 | | | | | | 1 | | | | | |
| | Basic Local Area | | | UEP9D | UEPY9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | | | | | | | | | | | | | | | |
| | Local Area | | | UEP9D | UEPY2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| AL, KY, | , LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPQA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | - | UEP9D | UEPQB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | 1 | 30.89 | 7.03 | | | |
| _ | 2-Wire Voice Grade Port (Centrex / EBS-PSET)4 2-Wire Voice Grade Port (Centrex / EBS-M5009)4 | | | UEP9D UEP9D | UEPQC UEPQD | 1.70 1.70 | 22.14 22.14 | 15.25 15.25 | 8.45 8.45 | 3.91 3.91 | - | 30.89 30.89 | 7.03 7.03 | | | |
| _ | 2-Wire Voice Grade Port (Centrex / EBS-M5009)4 2-Wire Voice Grade Port (Centrex / EBS-M5209)4 | | - | UEP9D | UEPQE | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | 1 | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Fort (Centrex / EBS-M5203)4 2-Wire Voice Grade Port (Centrex / EBS-M5112)4 | | | UEP9D | UEPQF | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)4 | | l | UEP9D | UEPQG | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)4 | | | UEP9D | UEPQT | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208)4 | | | UEP9D | UEPQU | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | l | İ |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216)4 | | | UEP9D | UEPQV | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | l | İ |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)4 | | | UEP9D | UEPQ3 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPQH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | l | 1 | | | | | | | | | | | |
| | Indication)4 | | <u> </u> | UEP9D | UEPQW | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | ļ | 30.89 | 7.03 | | | |
| - | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4 | | <u> </u> | UEP9D | UEPQJ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | ļ | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3 | | | UEP9D | UEPQM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| _ | <u> </u> | | | OLI 3D | OLI WIVI | 1.70 | 22.14 | 10.25 | 0.45 | 3.31 | 1 | 30.09 | 1.03 | | | \vdash |
| | | 1 1 | ı | UEP9D | UEPQO | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | 1 | 30.89 | I | | ı | I |

| NBUND | LE | NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | | bit: A |
|-----------|----------|--|-------------|------|----------------|----------------|---------------|-----------------|------------|--|-------|---|---|--|---|---|--|
| ATEGOR | Υ | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2.3.4 | | | UEP9D | UEPQP | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | - | 2-Wile Voice Grade Port (Centrexdiner SWC /EBS-W5009)2,3,4 | | | UEF9D | UEFQF | 1.70 | 22.14 | 15.25 | 0.40 | 3.91 | | 30.09 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 | | | UEP9D | UEPQQ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | | | | | | | | | | | | | | | | |
| | - | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 | | | UEP9D | UEPQR | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 | | | UEP9D | UEPQS | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2 Wile value Grade For (Germonalite) GWO/EBG WigoT2/2,0,4 | | | OLI OD | OLI QU | 1.70 | 22.14 | 10.20 | 0.40 | 0.01 | | 00.00 | 7.00 | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 | | | UEP9D | UEPQ4 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | | | | | | | | | | | | | | | | |
| _ | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 | | | UEP9D | UEPQ5 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 | | | UEP9D | UEPQ6 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | \dashv | | | | 02 | | 0 | 22.14 | 10.20 | 5.40 | 0.01 | | 55.55 | 7.00 | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 | | | UEP9D | UEPQ7 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | LIEDOD | LIEDOZ | 4 70 | 00.41 | 45.00 | | 0.01 | | 00.00 | 7.00 | | | |
| | | Term 2,3 | | | UEP9D | UEPQZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPQ9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPQ2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| Lo | | witching | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.6381 | | | | | | | | | | |
| Lo | | lumber Portability Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0.35 | | | - | | | | | | | |
| Fea | ature | | | | UEF9D | LINFCC | 0.33 | | | | | | | | | | |
| - 1.5 | | All Standard Features Offered, per port | | | UEP9D | UEPVF | 0.00 | | | | | | 30.89 | 7.03 | | | |
| | | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 433.78 | | | | | 30.89 | 7.03 | | | |
| | | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 0.00 | | | | | | 30.89 | 7.03 | | | |
| NA | RS | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 0.00 | 7.03 | | | |
| | | Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 0.00 | 7.03 | | | |
| | | Unbundled Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 0.00 | 7.03 | | | |
| Mis | | aneous Terminations | | | | | | | | | | | | | | | |
| 2-V | | Trunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP9D | CEND6 | 8.78 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| 4-V | | Digital (1.544 Megabits) | | | | | | == 00 | 00.45 | | | | | = | | | |
| | | DS1 Circuit Terminations, each DS0 Channels Activiated per Channel | | | UEP9D UEP9D | M1HD1 M1HDO | 35.55 0.00 | 75.93 108.67 | 38.15 | - | | | 30.89 30.89 | 7.03 7.03 | | | |
| Int | | ice Channel Mileage - 2-Wire | | | UEF9D | WITHDO | 0.00 | 106.67 | | | | | 30.09 | 7.03 | | | |
| | | Interoffice Channel Facilities Termination | | | UEP9D | M1GBC | 18.58 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | M1GBM | 0.0174 | | | | | | | | | | |
| | | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | |
| D4 | | nnel Bank Feature Activations | | | LIEBAR | 4001112 | | | | | | | | | | | |
| $-\vdash$ | - | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | 3.00 | | | | | | | | | | |
| | | Slot | | | UEP9D | 1PQW7 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9D | 1PQWP | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | LIEDOD | 40000 | 0.00 | | | | | | | | | | |
| _ | _ | Feature Activation on D-4 Channel Bank WATS Loop Slot | - | - | UEP9D UEP9D | 1PQWQ 1PQWA | 0.66 | - | | | | | | | | | |
| No | | curring Charges (NRC) Associated with UNE-P Centrex | | | OLFSD | IFWVVA | 00.00 | | | | | | | | | | |
| 7 | | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | | changes, per port | | | UEP9D | USAC2 | | 1.03 | 0.29 | | | 1 | 30.89 | 7.03 | | | |

| UNBL | INDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | | ibit: A |
|------|----------|---|-------------|----------|--------|--------|--------|--------------|------------|--------------|------------|----------|---|---|--|---|--|
| ATEC | SORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | II . | Svc Order Submitted Manually per LSR | Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | | 68.57 | | | | | 30.89 | 7.03 | | | |
| | Additio | onal Non-Recurring Charges (NRC) | | | | | | | | | | | | | | | |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End Use | | | | | | | | | | | | | | | |
| | | Premise | | | UEP9D | URETL | | 8.33 | 0.83 | | | | | | | | 1 |
| | | Unbundled Miscellaneous Rate Element, Tag Design Loop at | | | | | | | | | | | | | | | |
| | | End Use Premise | | | UEP9D | URETN | | 11.23 | 1.10 | | | | | | | | 1 |
| | | CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | | | | | | | | | | | | | | | |
| | | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | 1 |
| | UNE P | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | 1 |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | 1 | l | | | | | | | | 1 | I | | | |
| | | Non-Design | | 1 | UEP9E | | 14.18 | | | | | | | | | | 1 |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | l | | | | | | | | | 1 | | | |
| | | Non-Design | | 2 | UEP9E | | 18.01 | | | | | | | | | | 1 |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | l | | | | | | | | | 1 | | | |
| | | Non-Design | | 3 | UEP9E | | 23.02 | | | | | | | | | | |
| | UNE P | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | | Design | | 1 | UEP9E | | 18.26 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | | Design | | 2 | UEP9E | | 23.33 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | | Design | | 3 | UEP9E | | 29.98 | | | | | | | | | | |
| | UNE L | pop Rate | | | | | | | | | | | | | | | 1 |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9E | UECS1 | 12.48 | | | | | | | | | | 1 |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9E | UECS1 | 16.31 | | | | | | | | | | 1 |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E | UECS1 | 21.32 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9E | UECS2 | 16.56 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9E | UECS2 | 21.63 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9E | UECS2 | 28.28 | | | | | | | | | | 1 |
| | | ort Rate | | | | | | | | | | | | | | | 1 |
| | AL, FL | , KY, LA, MS, & TN only | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9E | UEPYA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | 1 | | | |
| | 1 | Area | | <u> </u> | UEP9E | UEPYB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | <u> </u> |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | 1 | | | |
| | | Area | | ļ | UEP9E | UEPYH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | ļ |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | 1 | | | | | | | | | 1 | I | | | |
| | 1 | Center)2,3 Basic Local Area | | <u> </u> | UEP9E | UEPYM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 | | | l | [] | | | | | | | | 1 | | | |
| | L | Service Term - Basic Local Area | | | UEP9E | UEPYZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | ļ | 30.89 | 7.03 | | | ļ |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | l | 1 | | | | | | | | 1 | | | |
| | | - Basic Local Area | | | UEP9E | UEPY9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | ļ |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | 1 | | | |
| | | Basic Local Area | | | UEP9E | UEPY2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | ļ |
| | AL, KY | , LA, MS, & TN Only | | | | 1 | | ļ | | | | ļ | | | | | ļ |
| | 1 | 2-Wire Voice Grade Port (Centrex) | | <u> </u> | UEP9E | UEPQA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | <u> </u> |
| | L | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPQB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | ļ | 30.89 | 7.03 | | | ļ |
| | _ | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | - | UEP9E | UEPQH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | ļ | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | LIEDOE | LIEDO: | | | | | | | | | | | |
| | 1 | Center)2,3 | | ļ | UEP9E | UEPQM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 | | 1 | | | | | | | | | | | | | |
| | | Service Term | | | UEP9E | UEPQZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | ļ |
| | | <u> </u> | | | l | | |] | | | | | 1 | I | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPQ9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | Ļ. | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9E | UEPQ2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | ļ | 30.89 | 7.03 | | | ↓ |
| | Local S | Switching | | | | | | | | | | | | | | | ↓ |
| | 1 | Centrex Intercom Funtionality, per port | | 1 | UEP9E | URECS | 0.6381 | L l | | <u> </u> | | <u> </u> | | 1 | l | | 1 |

| NRONI | ULEL | NETWORK ELEMENTS - Tennessee | _ | | ı | 1 | | | | | | 0 | 06 | | ment: 2 | + | ibit: A |
|---------|-------|---|--|--|----------------|----------------|--------|--------------|------------|--|-------|--|---|--|---|---|---|
| CATEGOR | RΥ | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Lo | | umber Portability | | | | | | | | | | | | | | | ļ |
| | | Local Number Portability (1 per port) | | | UEP9E | LNPCC | 0.35 | | | | | | | | | | |
| Fe | ature | | | | LIEDAE | LUEDVE | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP9E | UEPVF | 0.00 | | | | | | 30.89 | 7.03 | | | |
| | | All Select Features Offered, per port | | | UEP9E | UEPVS | 0.00 | 433.78 | | | | | 30.89 | 7.03 | | | ļ |
| NI. | ARS | All Centrex Control Features Offered, per port | ļ | | UEP9E | UEPVC | 0.00 | | | | | | 30.89 | 7.03 | | | |
| N/ | ARS | Habita diad Naturali Assass Basistas Cambinatina | 1 | 1 | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 0.00 | 7.03 | | | |
| | | Unbundled Network Access Register - Combination | | | | | | 0.00 | | | 0.00 | | | | | | |
| | | Unbundled Network Access Register - Indial | | | UEP9E UEP9E | UAR1X UAROX | 0.00 | | 0.00 | 0.00 | | | 0.00 | 7.03 | | | - |
| DA: | | Unbundled Network Access Register - Outdial aneous Terminations | | | UEP9E | UARUX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | - | 0.00 | 7.03 | | | |
| | | Trunk Side | | | | + | | | | + + | | | | | | 1 | |
| 2-1 | | Trunk Side Trunk Side Terminations, each | | 1 | UEP9E | CEND6 | 8.78 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | 1 | \vdash |
| 4-1 | | Digital (1.544 Megabits) | | | OLI OL | SEINDO | 0.70 | 22.14 | 15.25 | 0.40 | 3.91 | H | 30.08 | 7.03 | | 1 | \vdash |
| | | DS1 Circuit Terminations, each | | 1 | UEP9E | M1HD1 | 35.55 | 75.93 | 38.15 | | | H | 30.89 | 7.03 | | 1 | |
| | | DS0 Channel Activated Per Channel | | | UEP9E | M1HDO | 0.00 | 108.67 | 50.15 | + + | | | 30.89 | 7.03 | | † | |
| Int | | ice Channel Mileage - 2-Wire | 1 | | 0L1 0L | | 0.00 | 100.07 | | † † | | | 30.03 | 7.03 | 1 | 1 | |
| | | Interoffice Channel Facilities Termination | | | UEP9E | M1GBC | 18.58 | 22.14 | 15.25 | 8.45 | 3.91 | 1 | 30.89 | 7.03 | | | t |
| | | Interoffice Channel mileage, per mile or fraction of mile | 1 | | UEP9E | M1GBM | 0.0174 | 22.17 | 10.20 | 0.40 | 0.01 | | 00.00 | 7.00 | | | + |
| Fe | | Activations (DS0) Centrex Loops on Channelized DS1 Service | ce | | | | | | | | | | | | | | |
| | | nnel Bank Feature Activations | Ī | | | | | | | | | | | | | İ | 1 |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9E | 1PQWS | 0.66 | | | | | | | | | | 1 |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9E | 1PQW6 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP9E | 1PQW7 | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | İ | | | | | 1 |
| | _ | Different Wire Center | | | UEP9E | 1PQWP | 0.66 | | | | | | | | | | - |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop | | | UEP9E | 1PQWV | 0.66 | | | | | | | | | | |
| | | Slot | | | UEP9E | 1PQWQ | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E | 1PQWA | 0.66 | | | 1 | | | | | | | + |
| No | | curring Charges (NRC) Associated with UNE-P Centrex | | | OLI 3L | II QWA | 0.00 | | | 1 | | | | | | | + |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed | 1 | | | + | | | | | | | | | | | + |
| | | changes, per port | 1 | 1 | UEP9E | USAC2 | | 1.03 | 0.29 | 1 | | | 30.89 | 7.03 | | | |
| | | New Centrex Standard Common Block | t | t | UEP9E | M1ACS | 0.00 | 658.60 | 0.20 | † † | | | 30.89 | 7.03 | İ | | |
| - | | New Centrex Customized Common Block | 1 | i – | UEP9E | M1ACC | 0.00 | 658.60 | | 1 | | | 30.89 | 7.03 | ĺ | | 1 |
| | | NAR Establishment Charge, Per Occasion | | 1 | UEP9E | URECA | 0.00 | 68.57 | | 1 | | | 30.89 | 7.03 | | | |
| Ac | | nal Non-Recurring Charges (NRC) | | | | | | | | | | | | | | | |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise | | | UEP9E | URETL | | 8.33 | 0.83 | | | | | | | | |
| | | Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise | | | UEP9E | URETN | | 11.23 | 1.10 | | | | | | | | |
| UI | | CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) | | 1 | | | | | | 1 | | | | | | | |
| | | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | i – | | | | | | | | | | | | | |
| | | rt/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design | | 1 | UEP93 | | 14.18 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 2 | UEP93 | | 18.01 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP93 | | 23.02 | | | | | | | | | | |
| UN | NE Po | rt/Loop Combination Rates (Design) | Ì | | | | | | | | | | | | | | 1 |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design | - | 1 | UEP93 | | 18.26 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP93 | | 23.33 | | | | | | | | | | |

| | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | | ment: 2 | | ibit: A |
|---------|---|-------------|------|--------|---------|--------|--------------|------------|--------------|-------|-------|-----------|----------|--|---|--------------------------------|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Submitted | | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge Manual S Order vs |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | • | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 3 | UEP93 | | 29.98 | | | | | | | | | | |
| | pop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP93 | UECS1 | 12.48 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP93 | UECS1 | 16.31 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP93 | UECS1 | 21.32 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP93 | UECS2 | 16.56 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP93 | UECS2 | 21.63 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP93 | UECS2 | 28.28 | | | | | | | | | | |
| | ort Rate | | | | | | | | | | | | | | | |
| AL, KY | , LA, MS, & TN only | | | | | . =- | 20.44 | 4= 0= | 0.45 | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | ļ | | UEP93 | UEPYA | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | - | 30.89 | 7.03 | . | ļ | ₩ |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | 1 | | LIEBOO | LIEDVO | 4 = | 00.11 | 45.00 | | 0.01 | | 00.00 | | | | 1 |
| | Area | . | | UEP93 | UEPYB | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | ↓ |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | 1 | | LIEBOO | LIEDY" | | | .= | | | | | | | | 1 |
| | Area | ļ | | UEP93 | UEPYH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | ↓ |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | 1 | | LIEBOO | LIEDVA. | | | .= | | | | | | | | |
| | Center)2,3 Basic Local Area | | | UEP93 | UEPYM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800 | | | | | | | | | | | | | | | |
| | Service Term - Basic Local Area | | | UEP93 | UEPYZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | - Basic Local Area | | | UEP93 | UEPY9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP93 | UEPY2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP93 | UEPQA | 1.70 | | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP93 | UEPQB | 1.70 | | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP93 | UEPQH | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2,3 | | | UEP93 | UEPQM | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800 | | | | | | | | | | | | | | | |
| | Service Term | | | UEP93 | UEPQZ | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP93 | UEPQ9 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP93 | UEPQ2 | 1.70 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | |
| Local S | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP93 | URECS | 0.6381 | | | | | | | | | | |
| Local N | lumber Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP93 | LNPCC | 0.35 | | | | | | | | | | |
| Feature | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP93 | UEPVF | 0.00 | | | | | | | | | | |
| | All Centrex Control Features Offered, per port | | | UEP93 | UEPVC | 0.00 | | | | | | | | | | |
| NARS | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | ļ | | UEP93 | UARCX | 0.00 | | 0.00 | 0.00 | 0.00 | | 0.00 | 7.03 | ļ | ļ | ↓ |
| | Unbundled Network Access Register - Indial | ļ | | UEP93 | UAR1X | 0.00 | | 0.00 | 0.00 | 0.00 | | 0.00 | 7.03 | | | ↓ |
| | Unbundled Network Access Register - Outdial | ļ | | UEP93 | UAROX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 0.00 | 7.03 | ļ | ļ | ↓ |
| | aneous Terminations | . | | | | | | | | | | | | | | ↓ |
| | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | <u> </u> | | UEP93 | CEND6 | 8.78 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | | | ↓ |
| | Digital (1.544 Megabits) | . | | LIEBOO | NAME : | | | | | | | | L | | | ↓ |
| | DS1 Circuit Terminations, each | . | | UEP93 | M1HD1 | 35.55 | | 38.15 | | | | 30.89 | 7.03 | | | ↓ |
| | DS0 Channels Activated, Per Channel | ļ | | UEP93 | M1HDO | 0.00 | 108.67 | | | | | 30.89 | 7.03 | | | ├ |
| | ice Channel Mileage - 2-Wire | . | | LIEBOO | | 10 | | | | | | | | | | ↓ |
| | Interoffice Channel Facilities Termination | ļ | | UEP93 | M1GBC | 18.58 | 22.14 | 15.25 | 8.45 | 3.91 | | 30.89 | 7.03 | ļ | | ↓ |
| | Interoffice Channel mileage, per mile or fraction of mile | l | | UEP93 | M1GBM | 0.0174 | ļ | | | | | | ļ | | | |
| | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | . | ļ | | ↓ |
| | nnel Bank Feature Activations | I | | | | | | | | | ļ | | | | ļ | ↓ |
| D4 Cha | | | | | | | | | | | | | | | | |
| D4 Cha | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP93 | 1PQWS | 0.66 | ļ | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Tennessee | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: A |
|----------|---|---------|----------|----------------------|---------------------|----------------|--------------|------------|--------------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Intent | | | | | | | | | Elec | | | | | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 131 | Addi | Diac iat | Disc Add I |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | g Disconnect | | | | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP93 | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | Different Wire Center | | | UEP93 | 1PQWP | 0.66 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP93 | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP93 | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP93 | 1PQWA | 0.66 | | | | | | | | | | |
| Non-R | ecurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP93 | USAC2 | | 1.03 | 0.29 | | | | 30.89 | 7.03 | | | |
| | New Centrex Standard Common Block | | | UEP93 | M1ACS | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | New Centrex Customized Common Block | | | UEP93 | M1ACC | 0.00 | 658.60 | | | | | 30.89 | 7.03 | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP93 | URECA | | 68.57 | | | | | 30.89 | 7.03 | | | |
| Additi | onal Non-Recurring Charges (NRC) | | | | | | | | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End Use | | | | | | | | | | | | | | | |
| | Premise | | | UEP93 | URETL | | 8.33 | 0.83 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Design Loop at | | | | | | | | | | | | | | | |
| | End Use Premise | | | UEP93 | URETN | | 11.23 | 1.10 | | | | | | | | |
| | - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| | 2 - Requres Interoffice Channel Mileage | | | | | | | | | | | | | | | ļ |
| | - Installation is combination of Installation charge for SL2 Lo | op and | Port | | | | | | | | | | | | | |
| | - Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | |
| Note: | Rates displaying an "R" in Interim column are interim and sub | ject to | rate tru | e-up as set forth in | General Terr | ns and Conditi | ons. | | | | | | | | | |

Attachment 3

Network Interconnection

TABLE OF CONTENTS

| GENERAL | 3 |
|---|--|
| | |
| DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT) | |
| NETWORK INTERCONNECTION | 4 |
| INTERCONNECTION TRUNK GROUP ARCHITECTURES | |
| NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTI | ON 13 |
| LOCAL DIALING PARITY | 17 |
| INTERCONNECTION COMPENSATION | 17 |
| FRAME RELAY SERVICE INTERCONNECTION | 23 |
| ORDERING CHARGES | 20 |
| es | Exhibit A |
| ic Architecture | Exhibit B |
| e Way Architecture | Exhibit C |
| Way Architecture | Exhibit D |
| ergroup Architecture | Exhibit E |
| | DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT) NETWORK INTERCONNECTION |

NETWORK INTERCONNECTION

1. GENERAL

- 1.1 The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (Local Traffic), ISP-bound Traffic, and exchange access (Switched Access Traffic) on the following terms:
- 2. DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)
- 2.1 For purposes of this attachment only, the following terms shall have the definitions set forth below:
- 2.1.1 **Call Termination** has the meaning set forth for "termination" in 47CFR § 51.701(d).
- 2.1.2 **Call Transport** has the meaning set forth for "transport" in 47 CFR § 51.701(c).
- 2.1.3 **Call Transport and Termination** is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching.
- 2.1.4 **Common (Shared) Transport** is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into the Local Exchange Routing Guide (LERG).
- 2.1.5 **Dedicated Interoffice Facility** is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching within the LATA on the other Party's network.
- 2.1.6 **End Office Switching** is defined as the function that establishes a communications path between the trunk side and line side of the End Office switch.
- 2.1.7 **Fiber Meet** is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends.
- 2.1.8 **Final Trunk Group** is defined as the trunk group that does not carry overflow traffic.
- 2.1.9 **Interconnection Point (IP)** is the physical telecommunications equipment interface that interconnects the networks of BellSouth and Global Connection.

Version 1Q03: 02/28/03

- 2.1.10 **IntraLATA Toll Traffic** is as defined in Section 7 of this Attachment.
- 2.1.11 **ISP-bound Traffic** is as defined in Section 7 of this Attachment.
- 2.1.12 **Local Channel** is defined as a switched transport facility between a Party's Interconnection Point and the IP's Serving Wire Center.
- 2.1.13 **Local Traffic** is as defined in Section 7 of this Attachment.
- 2.1.14 **Reciprocal Trunk Group** is defined as a one-way trunk group carrying BellSouth originated traffic to be terminated by Global Connection
- 2.1.15 **Serving Wire Center** is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP.
- 2.1.16 **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching.
- 2.1.17 **Transit Traffic** is traffic originating on Global Connection's network that is switched and/or transported by BellSouth and delivered to a third party's network, or traffic originating on a third party's network that is switched and/or transported by BellSouth and delivered to Global Connection's network.

3. NETWORK INTERCONNECTION

- 3.1 This Attachment pertains only to the provision of network interconnection where Global Connection owns, leases from a third party or otherwise provides its own switch(es).
- 3.2 Network interconnection may be provided by the Parties at any technically feasible point within BellSouth's network. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request (BFR/NBR) process set out in this Agreement.
- 3.2.1 Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within BellSouth's serving territory in the LATA in which traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic.
- Pursuant to the provisions of this Attachment, the location of the initial IP in a given LATA shall be established by mutual agreement of the Parties. Subject to the requirements for installing additional IPs, as set forth below, any IPs existing prior to the Effective Date of the Agreement will be accepted as initial IPs and will

Version 1Q03: 02/28/03

not require re-grooming. When the Parties mutually agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between each other, the Parties shall mutually agree to the location of IP(s). If the Parties are unable to agree to a mutual initial IP, each Party, as originating Party, shall establish a single IP in the LATA for the delivery of its originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the other Party for Call Transport and Termination by the terminating Party.

3.2.3 When first establishing the interconnection arrangement in each LATA, the location of the IP shall be established by mutual agreement of the Parties. In selecting the IP, both Parties will act in good faith and select the point that is most efficient for both Parties. If the Parties are unable to agree on the location of the IP, each Party will designate IPs for its originated traffic. Additional IP(s) in a LATA may be established by mutual agreement of the Parties. Notwithstanding the foregoing, additional IP(s) in a particular LATA shall be established, at the request of either Party, when the Local Traffic and ISP-bound Traffic exceeds 8.9 million minutes per month for three consecutive months at the proposed location of the additional IP. BellSouth will not request the establishment of an IP where physical or virtual collocation space is not available or where BellSouth fiber connectivity is not available. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic the Parties must agree to the location of the IP(s).

3.3 Interconnection via Dedicated Facilities

- 3.3.1 Local Channel Facilities. As part of Call Transport and Termination, the originating Party may obtain Local Channel facilities from the terminating Party. The percentage of Local Channel facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of Local Channel facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of Local Channel facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.2 **Dedicated Interoffice Facilities.** As a part of Call Transport and Termination, the originating Party may obtain Dedicated Interoffice Facilities from the terminating Party. The percentage of Dedicated Interoffice Facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of the Dedicated Interoffice Facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of the Dedicated Interoffice Facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.3 The facilities purchased pursuant to this Section 3 shall be ordered via the Access Service Request (ASR) process.

3.4 Fiber Meet

- 3.4.1 Notwithstanding Section 3.2.1, 3.2.2, and 3.2.3 above, if Global Connection elects to establish interconnection with BellSouth pursuant to a Fiber Meet Local Channel, Global Connection and BellSouth shall jointly engineer, operate and maintain a Synchronous Optical Network (SONET) transmission system by which they shall interconnect their transmission and routing of Local Traffic via a Local Channel at either the DS1 or DS3 level. The Parties shall work jointly to determine the specific transmission system. However, Global Connection's SONET transmission system must be compatible with BellSouth's equipment, and the Data Communications Channel (DCC) must be turned off.
- Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network.
- 3.4.3 The Parties shall agree to a Fiber Meet point between the BellSouth Serving Wire Center and the Global Connection Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet Point. BellSouth shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type Common Language Location Identification (CLLI) code will be established for each Fiber Meet point. All orders for interconnection facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility.
- 3.4.4 Upon verbal request by Global Connection, BellSouth shall allow Global Connection access to the fusion splice point for the Fiber Meet point for maintenance purposes on Global Connection's side of the Fiber Meet point.
- 3.4.5 Neither Party shall charge the other for its Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic. All other appropriate charges will apply. Global Connection shall be billed for a mixed use of the Local Channel using the actual traffic Global Connection elects to transmit over the facility and the rates from this Agreement and the appropriate tariff(s). Charges for switched and special access services shall be billed in accordance with the applicable access service tariff.

4. INTERCONNECTION TRUNK GROUP ARCHITECTURES

4.1 BellSouth and Global Connection shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks in accordance with the following provisions set forth in this Agreement. For trunking purposes, traffic will be routed based on the digits dialed by the originating End User and in accordance with the LERG.

- 4.2 Global Connection shall establish an interconnection trunk group(s) to at least one BellSouth access tandem within the LATA for the delivery of Global Connection's originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and for the receipt and delivery of Transit Traffic. To the extent Global Connection desires to deliver Local Traffic, ISP-bound Traffic, IntraLATA Toll Traffic and/or Transit Traffic to BellSouth access tandems within the LATA, other than the tandems(s) to which Global Connection has established interconnection trunk groups, Global Connection shall order Multiple Tandem Access, as described in this Attachment, to such other BellSouth access tandems.
- 4.2.1 Notwithstanding the forgoing, Global Connection shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where Global Connection has homed (i.e. assigned) its NPA/NXXs. Global Connection shall home its NPA/NXXs on the BellSouth tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate center assigned to each BellSouth tandem is defined in the LERG. Global Connection shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.
- 4.3 Switched access traffic will be delivered to and from Interexchange Carriers (IXCs) based on Global Connection's NXX access tandem homing arrangement as specified by Global Connection in the LERG.
- Any Global Connection interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2) affects traffic delivered to Global Connection from a BellSouth switch, and (3) requires special BellSouth switch translations and other network modifications will require Global Connection to submit a BFR/NBR via the BFR/NBR Process as set forth in this Agreement.
- 4.5 Recurring and nonrecurring rates associated with interconnecting trunk groups between BellSouth and Global Connection are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the rate shall be as set forth in the appropriate BellSouth tariff for switched access services.
- 4.6 For two-way trunk groups that carry only both Parties' Local Traffic, the Parties shall be compensated at 50% of the nonrecurring and recurring rates for dedicated trunks and DS1 facilities. Global Connection shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.
- 4.7 All trunk groups will be provisioned as Signaling System 7 (SS7) capable where technically feasible. If SS7 is not technically feasible multi-frequency (MF) protocol signaling shall be used.

- 4.8 In cases where Global Connection is also an IXC, the IXC's Feature Group D (FG D) trunk group(s) must remain separate from the local interconnection trunk group(s).
- Each Party shall order interconnection trunks and trunk group including trunk and trunk group augmentations via the ASR process. A Firm Order Confirmation (FOC) shall be returned to the ordering Party, after receipt of a valid, error free ASR, within the timeframes set forth in each state's applicable Performance Measures. Notwithstanding the foregoing, blocking situations and projects shall be managed through BellSouth's Carrier Interconnection Switching Center (CISC) Project Management Group and Global Connection's equivalent trunking group, and FOCs for such orders shall be returned in the timeframes applicable to the project. A project is defined as (1) a new trunk group or (2) a request for more than 96 trunks on a single or multiple group(s) in a given BellSouth local calling area.

4.10 Interconnection Trunk Groups for Exchange of Local Traffic and Transit Traffic

Upon mutual agreement of the Parties in a joint planning meeting, the Parties' shall exchange Local Traffic on two-way interconnection trunk group(s) with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Parties shall agree upon the IP(s) for two-way interconnection trunk groups transporting both Parties' Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic. Global Connection shall order such two-way trunks via the Access Service Request (ASR) process. BellSouth will use the Trunk Group Service Request (TGSR) to request changes in trunking. Furthermore, the Parties shall jointly review trunk performance and forecasts on a periodic basis. The Parties' use of two-way interconnection trunk groups for the transport of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between the Parties does not preclude either Party from establishing additional one-way interconnection trunks for the delivery of its originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the other Party.

4.10.1 **BellSouth Access Tandem Interconnection**

BellSouth access tandem interconnection at a single access tandem provides access to those end offices subtending that access tandem (Intratandem Access). Access tandem interconnection is available for any of the following access tandem architectures

4.10.1.1 **Basic Architecture**

In the basic architecture, Global Connection's originating Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between Global Connection and BellSouth access tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between Global Connection and Independent

Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Global Connection desires to exchange traffic. This trunk group also carries Global Connection originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to Global Connection. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The basic Architecture is illustrated in Exhibit B.

4.10.1.2 One-Way Trunk Group Architecture

In one-way trunk group architecture, the Parties interconnect using three separate trunk groups. A one-way trunk group provides Intratandem Access for Global Connection-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic destined for BellSouth End Users. A second one-way trunk group carries BellSouth-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic destined for Global Connection End-Users. A two-way trunk group provides Intratandem Access for Global Connection's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Global Connection and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Global Connection desires to exchange traffic. This trunk group also carries Global Connection originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to Global Connection. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.

4.10.1.3 **Two-Way Trunk Group Architecture**

The two-way trunk group Architecture establishes one two-way trunk group to provide Intratandem Access for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between Global Connection and BellSouth. In addition, a separate two-way transit trunk group must be established for Global Connection's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Global Connection and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Global Connection desires to exchange traffic. This trunk group also carries

Global Connection originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Global Connection. However, where Global Connection is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the two-way Local Traffic trunk group carrying ISP-bound Traffic and IntraLATA Toll Traffic. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The two-way trunk group architecture is illustrated in Exhibit D.

4.10.1.4 **Supergroup Architecture**

In the supergroup architecture, the Parties' Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and Global Connection's Transit Traffic are exchanged on a single two-way trunk group between Global Connection and BellSouth to provide Intratandem Access to Global Connection. This trunk group carries Transit Traffic between Global Connection and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Global Connection desires to exchange traffic. This trunk group also carries Global Connection originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Global Connection. However, where Global Connection is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the Supergroup. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit E.

4.10.1.5 **Multiple Tandem Access Interconnection**

4.10.1.5.1 Where Global Connection does not choose access tandem interconnection at every BellSouth access tandem within a LATA, Global Connection may utilize BellSouth's multiple tandem access interconnection (MTA). To utilize MTA Global Connection must establish an interconnection trunk group(s) at a BellSouth access tandem through multiple BellSouth access tandems within the LATA as required. BellSouth will route Global Connection's originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic for LATA wide transport and termination. Global Connection must also establish an interconnection trunk group(s) at all BellSouth access tandems where Global Connection NXXs are homed as described in Section 4.2.1 above. If Global Connection does not have

NXXs homed at any particular BellSouth access tandem within a LATA and elects not to establish an interconnection trunk group(s) at such BellSouth access tandem, Global Connection can order MTA in each BellSouth access tandem within the LATA where it does have an interconnection trunk group(s) and BellSouth will terminate Global Connection's Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to End-Users served through those BellSouth access tandems where Global Connection does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.

- 4.10.1.5.2 Global Connection may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the BellSouth network to an Interexchange Carrier (IXC). Switched access traffic originated by or terminated to Global Connection will be delivered to and from IXCs based on Global Connection's NXX access tandem homing arrangement as specified by Global Connection in the LERG.
- 4.10.1.5.3 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A to this Attachment and shall be billed in addition to any Call Transport and Termination charges.
- 4.10.1.5.4 To the extent Global Connection does not purchase MTA in a LATA served by multiple access tandems, Global Connection must establish an interconnection trunk group(s) to every access tandem in the LATA to serve the entire LATA. To the extent Global Connection routes its traffic in such a way that utilizes BellSouth's MTA service without properly ordering MTA, Global Connection shall pay BellSouth the associated MTA charges.

4.10.2 **Local Tandem Interconnection**

- 4.10.2.1 Local Tandem Interconnection arrangement allows Global Connection to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of Global Connection-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic transported and terminated by BellSouth to BellSouth end offices served by those BellSouth local tandems, and (2) for local Transit Traffic transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.
- 4.10.2.2 When a specified local calling area is served by more than one BellSouth local tandem, Global Connection must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, Global Connection may choose to establish an interconnection trunk group(s) at the BellSouth local tandems where it has no codes homing but is not required to do so. Global Connection may deliver Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices

subtending other BellSouth local tandems in the same local calling area where Global Connection does not choose to establish an interconnection trunk group(s). It is Global Connection's responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to Global Connection's codes. Likewise, Global Connection shall obtain its routing information from the LERG.

- 4.10.2.3 Notwithstanding establishing an interconnection trunk group(s) to BellSouth's local tandems, Global Connection must also establish an interconnection trunk group(s) to BellSouth access tandems within the LATA on which Global Connection has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access (SWA) and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth shall not switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's A35 General Subscriber Services Tariff).
- 4.10.2.4 BellSouth's provisioning of Local Tandem Interconnection assumes that Global Connection has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.

4.10.3 **Direct End Office-to-End Office Interconnection**

- 4.10.3.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the terminating Party on a direct end office-to-end office basis.
- 4.10.3.2 The Parties shall utilize direct end office-to-end office trunk groups under any one of the following conditions:
- 4.10.3.2.1 Tandem Exhaust If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between Global Connection and BellSouth.
- 4.10.3.2.2 Traffic Volume –To the extent either Party has the capability to measure the amount of traffic between Global Connection's switch and a BellSouth end office and where such traffic exceeds or is forecasted to exceed a single DS1 of traffic per month, then the Parties shall install and retain direct end office trunking sufficient to handle such traffic volumes. Either Party will install additional capacity between such points when overflow traffic exceeds or is forecasted to

exceed a single DS1 of traffic per month. In the case of one-way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.

4.10.3.2.3 Mutual Agreement - The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above.

4.10.4 Transit Traffic Trunk Group

Transit Traffic trunks can either be two-way trunks or two one-way trunks ordered by Global Connection to deliver and receive Transit Traffic. Establishing Transit Traffic trunks at BellSouth access and local tandems provides intratandem access to the third parties also interconnected at those tandems.

4.10.4.1 **Toll Free Traffic**

- 4.10.4.1.1 If Global Connection chooses BellSouth to perform the Service Switching Point (SSP) Function (i.e., handle Toll Free database queries) from BellSouth's switches, all Global Connection originating Toll Free traffic will be routed over the Transit Traffic Trunk Group and shall be delivered using GR-394 format. Carrier Code "0110" and Circuit Code (to be determined for each LATA) shall be used for all such calls.
- 4.10.4.1.2 Global Connection may choose to perform its own Toll Free database queries from its switch. In such cases, Global Connection will determine the nature (local/intraLATA/interLATA) of the Toll Free call (local/IntraLATA/InterLATA) based on the response from the database. If the call is a BellSouth local or intraLATA Toll Free call, Global Connection will route the post-query local or IntraLATA converted ten-digit local number to BellSouth over the local or intraLATA trunk group. If the call is a third party (ICO, IXC, CMRS or other CLEC) local or intraLATA Toll Free call, Global Connection will route the postquery local or intraLATA converted ten-digit local number to BellSouth over the Transit Traffic Trunk Group and Global Connection shall provide to BellSouth a Toll Free billing record when appropriate. If the query reveals the call is an interLATA Toll Free call, Global Connection will route the post-query interLATA Toll Free call (1) directly from its switch for carriers interconnected with its network or (2) over the Transit Traffic Trunk Group to carriers that are not directly connected to Global Connection's network but that are connected to BellSouth's access tandem.
- 4.10.5 All post-query Toll Free calls for which Global Connection performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend a BellSouth access tandem within the LATA.

5. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION

- 5.1 <u>Network Management and Changes</u>. The Parties will exchange toll-free maintenance contact numbers and escalation procedures. The Parties will provide public notice of network changes in accordance with applicable federal and state rules and regulations.
- Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Telcordia Standard No. TR-NWT-00499. Where Global Connection chooses to utilize Signaling System 7 signaling, also known as Common Channel Signaling (SS7), SS7 connectivity is required between the Global Connection switch and the BellSouth Signaling Transfer Point (STP). BellSouth will provide SS7 signaling using Common Channel Signaling Access Capability in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall provide calling number ID (Calling Party Number) when technically feasible.
- Quality of Interconnection. The local interconnection for the transmission and routing of telephone exchange service and exchange access that each Party provides to each other will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible, or to any other Party to which each Party provides local interconnection.
- Network Management Controls. Both Parties will work cooperatively to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.
- SS7 Signaling. Both Parties will utilize LEC-to-LEC SS7 Signaling, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All SS7 signaling parameters will be provided, including but not limited to automatic number identification (ANI), originating line information (OLI) calling company category and charge number. All privacy indicators will be honored, and the Parties will exchange Transactional Capabilities Application Part (TCAP) messages to facilitate full interoperability of SS7-based features between the respective networks. Neither Party shall alter the SS7 parameters, or be a party to altering such parameters, or knowingly pass SS7 parameters that have been altered in order to circumvent appropriate interconnection charges.
- 5.6 <u>Signaling Call Information</u>. BellSouth and Global Connection will send and receive 10 digits for Local Traffic. Additionally, BellSouth and Global Connection will exchange the proper call information, i.e. originated call company number and

destination call company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.

5.7 Forecasting for Trunk Provisioning

- 5.7.1 Within six (6) months after execution of this Agreement, Global Connection shall provide an initial interconnection trunk group forecast for each LATA in which it plans to provide service within BellSouth's region. Upon receipt of Global Connection's forecast, the Parties shall conduct a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed "Confidential Information" under the General Terms and Conditions of this Agreement.
- 5.7.1.1 At a minimum, the forecast shall include the projected quantity of Transit Trunks, Global Connection-to-BellSouth one-way trunks (Global Connection Trunks), BellSouth-to-Global Connection one-way trunks (Reciprocal Trunk Groups) and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' Local Traffic and IntraLATA Toll Traffic. The quantities shall be projected for a minimum of six months and shall include an estimate of the current year plus the next two years total forecasted quantities. The Parties shall mutually develop Reciprocal Trunk Groups and/or two-way interconnection trunk forecast quantities.
- 5.7.1.2 All forecasts shall include, at a minimum, Access Carrier Terminal Location (ACTL), trunk group type (local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for Global Connection location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).
- Once initial interconnection trunk forecasts have been developed, Global Connection shall continue to provide interconnection trunk forecasts on a semiannual basis or at otherwise mutually agreeable intervals. Global Connection shall use its best efforts to make the forecasts as accurate as possible based on reasonable engineering criteria. The Parties shall continue to develop Reciprocal Trunk Group and/or two-way interconnection trunk forecasts as described in Section 5.7.1.1.
- 5.7.3 The submitting and development of interconnection trunk forecasts shall not replace the ordering process for local interconnection trunks. Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.

5.8 Trunk Utilization

- 5.8.1 For the Reciprocal Trunk Groups that are Final Trunk Groups (Reciprocal Final Trunk Groups), BellSouth and Global Connection shall monitor traffic on each interconnection Reciprocal Final Trunk Group that is ordered and installed. The Parties agree that the Reciprocal Final Trunk Groups will be utilized at 60 percent (60%) of the time consistent busy hour utilization level within 90 days of installation. The Parties agree that the Reciprocal Final Trunk Groups will be utilized at eighty percent (80%) of the time consistent busy hour utilization level within 180 days of installation. Any Reciprocal Final Trunk Group not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth may disconnect any Under-utilized Reciprocal Final Trunk Groups and Global Connection shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.
- 5.8.1.1 BellSouth's CISC will notify Global Connection of any under-utilized Reciprocal Trunk Groups and the number of such trunk groups that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated Global Connection interface. Global Connection will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Global Connection expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager will discuss the information with Global Connection to determine if agreement can be reached on the number of Reciprocal Final Trunk Groups to be removed. If no agreement can be reached, BellSouth will issue disconnect orders to Global Connection. The due date of these orders will be four weeks after Global Connection was first notified in writing of the underutilization of the trunk groups.
- To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.
- For the two-way trunk groups, BellSouth and Global Connection shall monitor traffic on each interconnection trunk group that is ordered and installed. The Parties agree that within 90 days of the installation of the BellSouth two-way trunk or trunks, the trunks will be utilized at 60 percent (60%) of the time consistent busy hour utilization level. The Parties agree that within 180 days of the installation of a trunk or trunks, the trunks will be utilized at eighty percent (80%) of the time consistent busy hour utilization level. Any trunk or trunks not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth will request the disconnection of any Under-utilized two-way

trunk(s) and Global Connection shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.

- 5.8.3.1 BellSouth's LISC will notify Global Connection of any under-utilized two-way trunk groups and the number of trunks that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated Global Connection interface. Global Connection will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the two-way trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Global Connection expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager will discuss the information with Global Connection to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, Global Connection will issue disconnect orders to BellSouth. The due date of these orders will be four weeks after Global Connection was first notified in writing of the underutilization of the trunk groups.
- To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.

6. LOCAL DIALING PARITY

6.1 BellSouth and Global Connection shall provide local and toll dialing parity, as defined in FCC rules and regulations, with no unreasonable dialing delays. Dialing parity shall be provided for all originating telecommunications services that require dialing to route a call.

7. INTERCONNECTION COMPENSATION

- 7.1 Compensation for Call Transportation and Termination for Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic
- 7.1.1 For the purposes of this Attachment and for reciprocal compensation between the Parties pursuant to this Attachment, Local Traffic is defined as any telephone call that originates in one exchange and terminates in either the same exchange, or other local calling area associated with the originating exchange as defined and specified in Section A3 of BellSouth's General Subscriber Service Tariff.
- 7.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body.

- 7.1.2 ISP-bound Traffic is defined as calls to an information service provider or Internet service provider (ISP) that are dialed by using a local dialing pattern (7 or 10 digits) by a calling party in one exchange to an ISP server or modem in either the same exchange or a corresponding Extended Area Service (EAS) exchange as defined and specified in Section A3 of BellSouth's General Subscriber Service tariff. ISP-bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction.
- 7.1.3 Notwithstanding the definitions of Local Traffic and ISP-bound traffic above, and pursuant to the FCC's Order on Remand and Report and Order in CC Docket 99-68 released April 27, 2001 (ISP Order on Remand), BellSouth and Global Connection agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Global Connection that exceeds a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered ISP-bound traffic for compensation purposes. BellSouth and Global Connection further agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Global Connection that does not exceed a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered Local Traffic for compensation purposes.
- 7.1.4 Neither Party shall pay compensation to the other Party for per minute of use rate elements associated with the Call Transport and Termination of Local Traffic or ISP-bound Traffic.
- 7.1.5 The appropriate elemental rates set forth in Exhibit A of this Attachment shall apply for Transit Traffic as described in Sections 7.6 and 7.6.1 below and to Multiple Tandem Access as described in Section 4.10.1.5 above.
- 7.1.6 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-bound Traffic for purposes of determining compensation for the call.
- 7.1.7 IntraLATA Toll Traffic is defined as all traffic that originates and terminates within a single LATA that is not Local or ISP-bound traffic under this Attachment.
- 7.1.7.1 For terminating its intraLATA toll traffic on the other company's network, the originating Party will pay the terminating Party BellSouth's current intrastate or interstate, whichever is appropriate, terminating switched access tariff rates as set forth in BellSouth's Access Services Tariffs as filed and in effect with the FCC or Commission. The appropriate charges will be determined by the routing of the call. Additionally, if one Party is the other Party's End User's presubscribed interexchange carrier or if one Party's End User uses the other Party as an interexchange carrier on a 101XXXXX basis, the originating party will charge the other Party the appropriate BellSouth originating switched access tariff rates as set forth in BellSouth's Intrastate or Interstate Access Services Tariff as filed and in effect with the FCC or appropriate Commission.

- 7.1.8 If Global Connection assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to Global Connection End Users physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a Global Connection customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, Global Connection agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to Global Connection at BellSouth's switched access tariff rates.
- 7.2 If Global Connection does not identify such interLATA traffic to BellSouth, to the best of BellSouth's ability BellSouth will determine which whole Global Connection NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's Access Service Tariff. BellSouth shall make appropriate billing adjustments if Global Connection can provide sufficient information for BellSouth to determine whether or not said traffic is Local or ISP-bound Traffic.

7.3 **Jurisdictional Reporting**

- 7.3.1 Percent Local Use. Each Party shall report to the other a Percent Local Usage (PLU) factor. The application of the PLU will determine the amount of local or ISP-bound minutes to be billed to the other Party. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month based on local and ISP-bound usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- 7.3.2 Percent Local Facility. Each Party shall report to the other a Percent Local Facility (PLF) factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLU and PLF calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- 7.3.3 Percent Interstate Usage. Each Party shall report to the other the projected Percent Interstate Usage (PIU) factor. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to Global Connection. After interstate and

intrastate traffic percentages have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and billing of local interconnection. Each Party shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month, for all services showing the percentages of use for the past three months ending the last day of December, March, June and September.

- 7.3.4 Notwithstanding the provisions in Section 7.3.1, 7.3.2, and 7.3.3 above, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information shall, at the terminating Party's option, be utilized to determine the appropriate jurisdictional reporting factors (PLU, PIU, and/or PLF), in lieu of those provided by the originating Party. In the event that the terminating Party opts to utilize its own data to determine jurisdictional reporting factors, such terminating Party shall notify the originating Party at least 15 days prior to the beginning of the calendar quarter in which the terminating Party will begin to utilize its own data. Such factors shall subject to the Dispute Resolution provisions in this Agreement, as well as the Audit provisions set forth in 7.3.5 below.
- 7.3.5 Audits. On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and Global Connection shall retain records of call detail for a minimum of nine months from which the PLU, PLF and/or PIU can be ascertained. The audit shall be conducted during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditor paid for by the Party requesting the audit. The PLF, PLU and/or PIU shall be adjusted based upon the audit results and shall apply for the quarter the audit was completed, for the quarter prior to the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLF, PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.

7.4 Compensation for 8XX Traffic

- 7.4.1 Compensation for 8XX Traffic. Each Party shall pay the other the appropriate switched access charges set forth in the BellSouth intrastate or interstate switched access tariffs. Global Connection will pay BellSouth the database query charge as set forth in the BellSouth intrastate or interstate switched access tariffs as applicable.
- 7.4.2 Records for 8XX Billing. Each Party will provide to the other the appropriate records necessary for billing intraLATA 8XX customers. The records provided will be in a standard EMI format.

7.4.3 <u>8XX Access Screening</u>. BellSouth's provision of 8XX Toll Free Dialing (TFD) to Global Connection requires interconnection from Global Connection to BellSouth's 8XX Signal Channel Point (SCP). Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. Global Connection shall establish SS7 interconnection at the BellSouth Local Signal Transfer Points serving the BellSouth 8XX SCPs that Global Connection desires to query. The terms and conditions for 8XX TFD are set out in BellSouth's Intrastate Access Services Tariff.

7.5 Mutual Provision of Switched Access Service

- 7.5.1 Switched Access Traffic. Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 8XX), 900 access and their successors. Additionally, any Public Switched Telephone Network interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or in which the Parties' Switched Access Services are used for the origination or termination of the call, shall not be considered Local Traffic or ISP-bound Traffic.
- 7.5.2 If the BellSouth End User chooses Global Connection as their presubscribed interexchange carrier, or if the BellSouth End User uses Global Connection as an interexchange carrier on a 101XXXX basis, BellSouth will charge Global Connection the appropriate BellSouth tariff charges for originating switched access services.
- 7.5.3 Where the originating Party delivers a call to the terminating Party over switched access facilities, the originating Party will pay the terminating Party terminating, switched access charges as set forth in BellSouth's Intrastate or Interstate Access Services Tariff, as appropriate.
- 7.5.4 When Global Connection's end office switch provides an access service connection to or from an interexchange carrier (IXC) by a direct trunk group to the IXC utilizing BellSouth facilities, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by Global Connection as the Party providing the end office function. Each party will use the Multiple Exchange

Carrier Access Billing (MECAB) guidelines to establish meet point billing for all applicable traffic. The Parties shall utilize a thirty (30) day billing period.

- 7.5.4.1 When Global Connection's end office subtends the BellSouth Access Tandem switch for receipt or delivery of switched access traffic and provides an access service connection to or from an IXC via BellSouth's Access Tandem switch, BellSouth, as the tandem company agrees to provide to Global Connection, as the End Office Company, as defined in MECAB, at no charge, all the switched access detail usage data, recorded at the access tandem, within no more than sixty (60) days after the recording date. Each Party will notify the other when it is not feasible to meet these requirements. As business requirements change, data reporting requirements may be modified as necessary.
- 7.5.5 BellSouth, as the tandem provider company, will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data that is lost or damaged by the tandem provider company or any third party involved in processing or transporting data.
- 7.5.6 BellSouth, as the tandem provider company, agrees to recreate the lost or damaged data within forty-eight (48) hours of notification by the other or by an authorized third party handling the data.
- 7.5.7 Any claims against BellSouth, as the tandem provider company, for unbillable or uncollectible revenue should be filed with the tandem provider company within 120 days of the usage date.
- 7.5.8 BellSouth, as the tandem provider company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Party to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial Billing Party. Each Party agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.
- 7.5.9 Global Connection agrees not to deliver switched access traffic to BellSouth for termination except over Global Connection ordered switched access trunks and facilities.

7.6 **Transit Traffic**

7.6.1 BellSouth shall provide tandem switching and transport services for Global Connection's Transit Traffic. Rates for local Transit Traffic and ISP-bound Transit Traffic shall be the applicable Call Transport and Termination charges as set forth in Exhibit A to this Attachment. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in BellSouth Interstate or

Intrastate Switched Access tariffs. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines. Traffic between Global Connection and Wireless Type 1 third parties shall not be treated as Transit Traffic from a routing or billing perspective. Traffic between Global Connection and Wireless Type 2A or a third party CLEC utilizing BellSouth switching shall not be treated as Transit Traffic from a routing or billing perspective until BellSouth and the Wireless carrier or a third party CLEC utilizing BellSouth switching have the capability to properly meet-point-bill in accordance with MECAB guidelines.

7.6.2 The delivery of traffic that transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees. BellSouth agrees to deliver Transit Traffic to the terminating carrier; provided, however, that Global Connection is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of Transit Traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to Global Connection. In the event that the terminating third party carrier imposes on BellSouth any charges or costs for the delivery of Transit Traffic, Global Connection shall reimburse BellSouth for such costs. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.

8. FRAME RELAY SERVICE INTERCONNECTION

- 8.1 In addition to the Local Interconnection services set forth above, BellSouth will offer a network to network Interconnection arrangement between BellSouth's and Global Connection's frame relay switches as set forth below. The following provisions will apply only to Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service in those states in which Global Connection is certified and providing Frame Relay Service as a Local Exchange Carrier and where traffic is being exchanged between Global Connection and BellSouth Frame Relay Switches in the same LATA.
- 8.2 The Parties agree to establish two-way Frame Relay facilities between their respective Frame Relay Switches to the mutually agreed upon Frame Relay Service point(s) of interconnection (IP(s)) within the LATA. All IPs shall be within the same Frame Relay Network Serving Areas as defined in Section A40 of BellSouth's General Subscriber Service Tariff except as set forth in this Attachment.
- 8.3 Upon the request of either Party, such interconnection will be established where BellSouth and Global Connection have Frame Relay Switches in the same LATA. Where there are multiple Frame Relay switches in one central office, an interconnection with any one of the switches will be considered an interconnection with all of the switches at that central office for purposes of routing packet traffic.

- 8.4 The Parties agree to provision local and intraLATA Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service (both intrastate and interstate) over Frame Relay interconnection facilities between the respective Frame Relay switches and the IPs.
- 8.5 The Parties agree to assess each other reciprocal charges for the facilities that each provides to the other according to the Percent Local Circuit Use Factor (PLCU), determined as follows:
- 8.5.1 If the data packets originate and terminate in locations in the same LATA, and are consistent with the local definitions of the Agreement, the traffic is considered local. Frame Relay framed packet data is transported within Virtual Circuits (VC). For the purposes of this Agreement, if all the data packets transported within a VC remain within the LATA, then consistent with the local definitions in this Agreement, the traffic on that VC is local (Local VC).
- 8.5.2 If the originating and terminating locations of the two-way packet data traffic are not in the same LATA, the traffic on that VC is interLATA (InterLATA VC).
- 8.5.3 The PLCU is determined by dividing the total number of Local VCs, by the total number of VCs on each Frame Relay facility. To facilitate implementation, Global Connection may determine its PLCU in aggregate, by dividing the total number of Local VCs in a given LATA by the total number VCs in that LATA. The Parties agree to renegotiate the method for determining PLCU, at BellSouth's request, and within 90 days, if BellSouth notifies Global Connection that it has found that this method does not adequately represent the PLCU.
- 8.5.4 If there are no VCs on a facility when it is billed, the PLCU will be zero.
- 8.5.5 BellSouth will provide the circuit between the Parties' respective Frame Relay Switches. The Parties will be compensated as follows: BellSouth will invoice, and Global Connection will pay, the total nonrecurring and recurring charges for the circuit based upon the rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Global Connection will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed charges for the circuit by one-half of Global Connection's PLCU.
- 8.6 The Parties agree to compensate each other for Frame Relay network-to-network interface (NNI) ports based upon the NNI rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Compensation for each pair of NNI ports will be calculated as follows: BellSouth will invoice, and Global Connection will pay, the total nonrecurring and recurring charges for the NNI port. Global Connection will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed nonrecurring and recurring charges for the NNI port by Global Connection's PLCU.

- 8.7 Each Party agrees that there will be no charges to the other Party for its own subscriber's Permanent Virtual Circuit (PVC) rate elements for the local PVC segment from its Frame Relay switch to its own subscriber's premises. PVC rate elements include the Data Link Connection Identifier (DLCI) and Committed Information Rate (CIR).
- 8.8 For the PVC segment between the Global Connection and BellSouth Frame Relay switches, compensation for the PVC charges is based upon the rates in BellSouth's Interstate Access Tariff, FCC No. 1.
- 8.9 Compensation for PVC rate elements will be calculated as follows:
- 8.9.1 If Global Connection orders a VC connection between a BellSouth subscriber's PVC segment and a PVC segment from the BellSouth Frame Relay switch to the Global Connection Frame Relay switch, BellSouth will invoice, and Global Connection will pay, the total nonrecurring and recurring PVC charges for the PVC segment between the BellSouth and Global Connection Frame Relay switches. If the VC is a Local VC, Global Connection will then invoice and BellSouth will pay, the total nonrecurring and recurring PVC charges billed for that segment. If the VC is not local, no compensation will be paid to Global Connection for the PVC segment.
- 8.9.2 If BellSouth orders a Local VC connection between a Global Connection subscriber's PVC segment and a PVC segment from the Global Connection Frame Relay switch to the BellSouth Frame Relay switch, BellSouth will invoice, and Global Connection will pay, the total nonrecurring and recurring PVC and CIR charges for the PVC segment between the BellSouth and Global Connection Frame Relay switches. If the VC is a Local VC, Global Connection will then invoice and BellSouth will pay the total nonrecurring and recurring PVC and CIR charges billed for that segment. If the VC is not local, no compensation will be paid to Global Connection for the PVC segment.
- 8.9.3 The Parties agree to compensate each other for requests to change a PVC segment or PVC service order record, according to the Feature Change charge as set forth in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 8.9.4 If Global Connection requests a change, BellSouth will invoice and Global Connection will pay a Feature Change charge for each affected PVC segment.
- 8.9.4.1 If BellSouth requests a change to a Local VC, Global Connection will invoice and BellSouth will pay a Feature Change charge for each affected PVC segment.
- 8.9.5 The Parties agree to limit the sum of the CIR for the VCs on a DS1 NNI port to not more than three times the port speed, or not more than six times the port speed on a DS3 NNI port.


- 8.9.6 Except as expressly provided herein, this Agreement does not address or alter in any way either Party's provision of Exchange Access Frame Relay Service, Managed Shared Frame Relay Service or interLATA Frame Relay Service. All charges by each Party to the other for carriage of Exchange Access Frame Relay Service or interLATA Frame Relay Service are included in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 8.10 Global Connection will identify and report quarterly to BellSouth the PLCU of the Frame Relay facilities it uses, per Section 8.5.3 above.
- 8.11 Either Party may request a review or audit of the various service components, consistent with the provisions of section E2 of the BellSouth State Access Services tariffs or Section 2 of the BellSouth FCC No.1 Tariff.

9. ORDERING CHARGES

9.1 The terms, conditions and rates for Ordering Charges are as set forth in FCC Tariff for Access Service Records.


Basic Architecture

Exhibit B



One-Way Architecture

Exhibit C



Two-Way Architecture

Exhibit D





Exhibit E

Supergroup Architecture



| LOCAL INT | TERCONNECTION - Alabama | | | | | | | | | | | | | ment: 3 | | ibit: A |
|------------|--|-----------|---------|---------------------|----------------|---|-----------------|------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------------------------------|
| | | | | | | | | | | <u> </u> | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Intori | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | |
| | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | DISC Add 1 |
| | | | | | + | _ 1 | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | Charge - Manual Svo Order vs. |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | | | | | | | | | | | | | | | |
| LOCAL INTE | RCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | |
| | : "bk" beside a rate indicates that the Parties have agreed to bi | ll and k | eep for | that element pursu | ant to the ter | ms and conditi | ons in Attachn | nent 3. | | | | | | | | |
| TAND | DEM SWITCHING | | | | | | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | | OHD | | 0.000498bk | | | | | | | | | | |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | | | | | | | | | | | |
| | only) | | | OHD | | 0.000498 | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | | OHD | | 0.0015 | | | | | | | | | | |
| * This | s charge is applicable only to transit traffic and is applied in add | dition to | appli | cable switching and | l/or intercon | nection charges | | | | | | | | | | |
| TRUN | IK CHARGE | | | | | | | | | | | | | | | |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP++ | | 21.56 | 8.12 | | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDE0P | 0.00 | | | 1 | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS1** | | | 0H1 OH1MS | TDE1P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| ** Thi | is rate element is recovered on a per MOU basis and is included | in the | End Of | ffice Switching and | Tandem Swi | ching, per MOU | J rate elements | 3 | | | | | | | | |
| COMI | MON TRANSPORT (Shared) | | | | | | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | OHD | | 0.0000023bk | | | | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | | OHD | | 0.0003224bk | | | | | | | | | | |
| LOCAL INTE | RCONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | |
| INTE | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | OHL, OHM | 1L5NF | 0.008838 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | OHL, OHM | 1L5NF | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | | | | | | | | | | |
| | per month | | | OHL, OHM | 1L5NK | 0.008838 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | | | 1 | | | | | | | |
| | Termination per month | | | OHL, OHM | 1L5NK | 15.12 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | | | | | | | | | | | | | |
| | per month | | | OHL, OHM | 1L5NK | 0.008838 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | , | | | | | 1 | | | | | | | |
| | Termination per month | | | OHL, OHM | 1L5NK | 15.12 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | 1 | | | | | | | |
| | month | | | OH1, OH1MS | 1L5NL | 0.18 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OH1, OH1MS | 1L5NL | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | OH3, OH3MS | 1L5NM | 4.09 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OH3, OH3MS | 1L5NM | 703.52 | 278.75 | 162.76 | 60.20 | 58.46 | | | | | | |
| LOCA | AL CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL, OHM | TEFV2 | 13.97 | 193.10 | 33.17 | 36.64 | 3.20 | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | 14.93 | 193.53 | 33.60 | 37.11 | 3.67 | | | | | | |
| | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 35.76 | 177.47 | 153.72 | 22.19 | 15.26 | | | | | | |
| | i i | | | | | İ | | | İ | | | | | | | |
| | Local Channel - Dedicated - DS3 Facility Termination per month | | l | OH3 | TEFHJ | 416.54 | 451.52 | 263.94 | 119.49 | 83.58 | | | | | 1 | |
| | AL INTERCONNECTION MID-SPAN MEET | | | | | <u> </u> | | | | | | | | | | |
| NOTE | E: If Access service ride Mid-Span Meet, one-half the tariffed ser | rvice Lo | cal Ch | | able. | <u> </u> | | | | | | | | | | |
| | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | | | |
| | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | İ | | | | | | | |
| MULT | TIPLEXERS | | | | | İ | | | İ | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | 101.06 | 91.04 | 62.57 | 10.54 | 9.79 | | | | | | |
| | DS3 to DS1 Channel System per month | | | OH3, OH3MS | SATNS | 166.13 | 178.14 | 93.97 | 33.26 | 31.63 | | | | | | |
| 1 | | | | OLIA OLIANO | 0.4.T.0.0 | 40.70 | 0.50 | 4.72 | 1 | | | | | | | |
| | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 12.70 | 6.58 | 4.72 | | | | | | | | |

| LOCAL INT | TERCONNECTION - Florida | | | | | | | | | | | | | ment: 3 | | ibit: A |
|------------|--|-----------|--------|---|----------------|-----------------|-----------------|------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|--|
| | | | | | | | | | | - | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | | Manual Svc | Manual Svc | _ | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | - (17 | | | per LSK | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | _ 1 | Nonrec | urring | Nonrecurring | Disconnect | | 1 | oss | Rates (\$) | | I. |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| LOCAL INTE | RCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | |
| | : "bk" beside a rate indicates that the Parties have agreed to bi | ll and k | eep fo | that element pursu | ant to the ter | ms and conditi | ons in Attachn | nent 3. | | | | | | | | |
| TANE | DEM SWITCHING | | | | | | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | | OHD | | 0.0006019bk | | | | | | | | | | |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | | | | | | | | | | | |
| | only) | | | OHD | | 0.0006019 | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | | OHD | | 0.0015 | | | | | | | | | | |
| * This | s charge is applicable only to transit traffic and is applied in ad- | dition to | appli | cable switching and | l/or intercon | nection charges | | | | | | | | | | |
| TRUN | IK CHARGE | | | | | | | | | | | | | | | |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP++ | | 21.73 | 8.19 | | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDE0P | 0.00 | | | | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS1** | | | 0H1 OH1MS | TDE1P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| ** Thi | is rate element is recovered on a per MOU basis and is included | in the | End O | ffice Switching and | Tandem Swit | ching, per MOL | J rate elements | 3 | | | | | | | | |
| COM | MON TRANSPORT (Shared) | | | | | | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | OHD | | 0.0000035bk | | | | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | | OHD | | 0.0004372bk | | | | | | | | | | |
| LOCAL INTE | RCONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | |
| INTE | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | OHL, OHM | 1L5NF | 0.0091 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | OHL. OHM | 1L5NF | 25.32 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | , | | | | | | | | | | | | |
| | per month | | | OHL, OHM | 1L5NK | 0.0091 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | , | | | | | | | | | | | | |
| | Termination per month | | | OHL, OHM | 1L5NK | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | | | | | | | | | | | | | |
| | per month | | | OHL, OHM | 1L5NK | 0.0091 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OHL, OHM | 1L5NK | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | , | | | | | | | | | | | | |
| | month | | | OH1, OH1MS | 1L5NL | 0.1856 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | 1 | | | | | | | | | | | |
| | Termination per month | | | OH1, OH1MS | 1L5NL | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | , | | | | | | | | | | | | |
| | month | | | OH3, OH3MS | 1L5NM | 3.87 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OH3, OH3MS | 1L5NM | 1,071.00 | 335.46 | 219.28 | 72.03 | 70.56 | | | | | | |
| LOCA | AL CHANNEL - DEDICATED TRANSPORT | | | | | , | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL, OHM | TEFV2 | 19.66 | 265.84 | 46.97 | 37.63 | 4.00 | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | 20.45 | 266.54 | 47.67 | 44.22 | 5.33 | | | | | | |
| | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 36.49 | 216.65 | 183.54 | 24.30 | 16.95 | İ | | | | | |
| | | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - DS3 Facility Termination per month | | 1 | ОН3 | TEFHJ | 531.91 | 556.37 | 343.01 | 139.13 | 96.84 | | | | | I | |
| LOCA | AL INTERCONNECTION MID-SPAN MEET | l | | İ | 1 | | | | | | | | | İ | İ | |
| | : If Access service ride Mid-Span Meet, one-half the tariffed ser | rvice Lo | cal Ch | annel rate is applica | able. | † | | | | | | | | İ | İ | |
| | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | İ | İ | |
| | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | | | İ | | | | | |
| MUL | TIPLEXERS | | | | | | | | | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | l | | OH1, OH1MS | SATN1 | 146.77 | 101.42 | 71.62 | 11.09 | 10.49 | | | | İ | İ | |
| | DS3 to DS1 Channel System per month | | | OH3, OH3MS | SATNS | 211.19 | 199.28 | 118.64 | 40.34 | 39.07 | | | | | t | Ì |
| | | | | | | | | | | | | | | | | |
| | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 13.76 | 10.07 | 7.08 | | | | | | | | |

| LOCAL INT | ERCONNECTION - Georgia | | | | | | | | | | | | Attach | ment: 3 | Exhi | ibit: A |
|--|--|--|----------|-----------------------|----------------|-------------------|-----------------|----------------|--|--------------|--------------|-----------|-------------|-------------|--|--|
| | | | | | | | | | - | - | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | | Manual Svc | Manual Svc | _ | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | - (1) | | | per LSK | per LON | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | _ | Nonrec | urrina | Nonrecurrin | g Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| LOCAL INTER | CONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | |
| | : "bk" beside a rate indicates that the Parties have agreed to bi | II and k | eep fo | r that element pursu | ant to the te | ms and conditi | ons in Attachr | nent 3. | | | | | | | | |
| | EM SWITCHING | | | | | | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | | OHD | | 0.0011009bk | | | | | | | | | | |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | | | | | | | | | | | |
| | only) | | | OHD | | 0.0011009 | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | | OHD | | 0.0015 | | | | | | | | | | |
| * This | charge is applicable only to transit traffic and is applied in ad- | dition to | appli | cable switching and | l/or interconi | nection charges | | | | | | | | | | |
| | K CHARGE | | | | | | | | | | | | | | | |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP++ | | 21.53 | 8.11 | İ | | | | | İ | İ | |
| | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDE0P | 0.00 | 50 | | 1 | 1 | | | | İ | İ | 1 |
| | Dedicated End Office Trunk Port Service-per DS1** | | | 0H1 OH1MS | TDE1P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| ** This | s rate element is recovered on a per MOU basis and is included | in the | Fnd O | | | | I rate elements | | | | | | | | | |
| | MON TRANSPORT (Shared) | | | lines outroming and | 1 | , por in o | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | OHD | | 0.0000080bk | | | | | | | | | | 1 |
| | Common Transport - Facilities Termination Per MOU | | | OHD | + | 0.0004152bk | | | | | | | | | | 1 |
| LOCAL INTER | RCONNECTION (DEDICATED TRANSPORT) | | | 0.1.5 | | 0.000 1102DK | | | | | | | | | | 1 |
| | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | 1 |
| 1111111 | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | + | | | | | | | | | | | |
| | Per Mile per month | | | OHL. OHM | 1L5NF | 0.0222 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | OTIE, OTIM | TEOIN | 0.0222 | | | | | | | | | | |
| | Facility Termination per month | | | OHL. OHM | 1L5NF | 17.07 | 79.61 | 36.08 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | OTIL, OTIVI | TESIVI | 17.07 | 73.01 | 30.00 | | | | | | | | |
| | per month | | | OHL, OHM | 1L5NK | 0.0222 | | | | | | | | | | |
| - | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | OTIL, OTIVI | ILOIVIC | 0.0222 | | | 1 | | 1 | | | | | |
| | Termination per month | | | OHL, OHM | 1L5NK | 16.45 | 79.61 | 36.08 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | | | | | | | | | | | | | |
| | per month | | | OHL, OHM | 1L5NK | 0.0222 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | 0111 01114 | 41.55.07 | 40.45 | 70.04 | 00.00 | | | | | | | | |
| | Termination per month Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | OHL, OHM | 1L5NK | 16.45 | 79.61 | 36.08 | | | | | | | | |
| | l · | | | 0114 0114140 | 41.5511 | 0.4500 | | | | | | | | | | |
| | month Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | OH1, OH1MS | 1L5NL | 0.4523 | | | - | | | | | | | |
| | Termination per month | | | OH1, OH1MS | 1L5NL | 78.47 | 147.07 | 111.75 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | - | On I, On IIVIS | ILSINL | 10.41 | 147.07 | 111.75 | | | | | | | | |
| | month | | | OH3, OH3MS | 1L5NM | 2.72 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | OT 13, OT ISINIS | TESTAIN | 2.12 | | | | | | | | | | |
| | Termination per month | | | OH3, OH3MS | 1L5NM | 788.00 | 511.10 | 330.77 | | | | | | | | |
| LOCA | L CHANNEL - DEDICATED TRANSPORT | | | OI IS, OI ISIVIS | ILJINIVI | 700.00 | 311.10 | 330.77 | | | | | | | | |
| LOGA | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL. OHM | TEFV2 | 13.91 | 382.95 | 62.40 | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | 14.99 | 368.44 | 64.05 | - | | 1 | | | | - | |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month | 1 | | OHL, OHW | TEFHG | 38.36 | 356.15 | 312.89 | | 1 | 1 | 1 | | 1 | | 1 |
| | Local Ghaillei - Deulcaleu - DGT pel Hionth | 1 | | 0.11 | ILI IIG | 30.30 | 330.15 | 312.69 | | 1 | 1 | 1 | | 1 | | 1 |
| | Local Channel - Dedicated - DS3 Facility Termination per month | | | ОНЗ | TEFHJ | 515.91 | 639.50 | 426.31 | | | | | | | | |
| 1.004 | L INTERCONNECTION MID-SPAN MEET | 1 | | 0110 | ILITIO | 313.91 | 039.30 | 420.31 | | | | - | | - | | + |
| | : If Access service ride Mid-Span Meet, one-half the tariffed ser | vice I o | cal Cr | annol rato is applied | hle | | | | | | | - | | - | | + |
| NOTE | Local Channel - Dedicated - DS1 per month | AICE FO | cai CN | OH1MS | TEFHG | 0.00 | 0.00 | | | 1 | | | | - | | |
| | Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month | <u> </u> | | OH1MS OH3MS | TEFHG | | 0.00 | | - | - | | | | | - | |
| | Local Channel - Dedicated - DS3 per month IPLEXERS | | | OHSIVIO | IEFHJ | 0.00 | 0.00 | | | - | <u> </u> | | | - | | |
| MULI | | 1 | | OU4 OU4BAC | CATNIA | 400.00 | 400.00 | 400.50 | | 1 | ļ | | | 1 | | |
| | Channelization - DS1 to DS0 Channel System | ļ | | OH1, OH1MS | SATN1 | 126.22 | 198.22 | 123.59 | 1 | 1 | 1 | | | | 1 | |
| | DS3 to DS1 Channel System per month | 1 | | OH3, OH3MS | SATNS | 182.04 | 280.66 | 195.33 | | 1 | ļ | | | 1 | | |
| | DS3 Interface Unit (DS1 COCI) per month | L | L | OH1, OH1MS | SATCO | 11.02 | 12.02 | 8.66 | <u></u> | 1 | ! | . | | ļ | | |
| i Notes | : If no rate is identified in the contract, the rates, terms, and co | ndition | is for t | ne specific service o | or function w | III be as set for | n in applicable | e BellSouth ta | ritt. | 1 | | | | | 1 | <u> </u> |

| LOCAL IN | FERCONNECTION - Kentucky | | | | | | | | | | | | | ment: 3 | | bit: A |
|------------|---|--|----------|--------------------------|----------------|-----------------|-----------------|------------|--------------|------------|--|-----------|-------------|-------------|--|-------------|
| | | | | | | | | | - | - | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Intori | | | | | | | | | Elec | | Manual Svc | Manual Svc | _ | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | - (17 | | | per LSK | per Lon | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | _ 1 | Nonrec | urring | Nonrecurring | Disconnect | | 1 | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| LOCAL INTE | RCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | |
| NOTI | E: "bk" beside a rate indicates that the Parties have agreed to bi | ll and k | eep fo | that element pursu | ant to the ter | rms and conditi | ons in Attachn | nent 3. | | | | | | | | |
| TANI | DEM SWITCHING | | | | | | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | | OHD | | 0.0006772bk | | | | | | | | | | |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | | | | | | | | | | | |
| | only) | | | OHD | | 0.0006772 | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | | OHD | | 0.0015 | | | | | | | | | | |
| | s charge is applicable only to transit traffic and is applied in ad- | dition to | o appli | cable switching and | l/or intercon | nection charges | | | | | | | | | | |
| TRUI | NK CHARGE | | | | | | | | | | | | | | | |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP++ | | 21.58 | 8.13 | | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDE0P | 0.00 | | | | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS1** | | | 0H1 OH1MS | TDE1P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| | is rate element is recovered on a per MOU basis and is included | in the | End O | ffice Switching and | Tandem Swi | tching, per MOl | J rate elements | 3 | | | | | | | | |
| COM | MON TRANSPORT (Shared) | | | | | | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | OHD | | 0.0000030bk | | | | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | | OHD | | 0.0007466bk | | | | | | | | | | |
| | RCONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | |
| INTE | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | OHL, OHM | 1L5NF | 0.01 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | OHL, OHM | 1L5NF | 29.11 | 47.34 | 31.78 | 22.77 | 8.75 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | | | | | | | | | | |
| | per month | | | OHL, OHM | 1L5NK | 0.0115 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OHL, OHM | 1L5NK | 20.97 | 47.35 | 31.78 | 22.77 | 8.75 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | | | | | | | | | | | | | |
| | per month | | | OHL, OHM | 1L5NK | 0.0115 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OHL, OHM | 1L5NK | 20.97 | 47.35 | 31.78 | 22.77 | 8.75 | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | OH1, OH1MS | 1L5NL | 0.23 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | 1 | | | | | | | | | | | |
| | Termination per month | ļ | <u> </u> | OH1, OH1MS | 1L5NL | 96.04 | 105.52 | 98.46 | 23.09 | 20.49 | ļ | | | ļ | . | ļ |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | 0110 0110:20 | 41.5512. | | | | | | | | | | 1 | |
| | month | | | OH3, OH3MS | 1L5NM | 4.97 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | 0110 0110:20 | 41.5512. | | | | | | | | | | 1 | |
| | Termination per month | <u> </u> | | OH3, OH3MS | 1L5NM | 1,175.15 | 335.40 | 219.24 | 89.57 | 87.75 | | | | | | |
| LOC | AL CHANNEL - DEDICATED TRANSPORT | | | 0 | TEE: 10 | 40.55 | | 10.00 | 10 =0 | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL, OHM | TEFV2 | 18.57 | 265.78 | 46.96 | 46.79 | 4.98 | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | 19.86 | 266.48 | 47.65 | 47.54 | 5.73 | | | | | | |
| | Local Channel - Dedicated - DS1 per month | <u> </u> | <u> </u> | OH1 | TEFHG | 40.46 | 209.60 | 176.51 | 30.21 | 21.07 | | | | | - | |
| l | Level Observed Bulliants I BOO Facility Tourist it | 1 | | 0110 | | 570.05 | 554.00 | 200 22 | 470.00 | 400 10 | | | | l | I | l |
| H | Local Channel - Dedicated - DS3 Facility Termination per month | <u> </u> | <u> </u> | OH3 | TEFHJ | 576.05 | 551.38 | 338.08 | 173.00 | 120.42 | <u> </u> | | | ļ | - | |
| | AL INTERCONNECTION MID-SPAN MEET | ndes! | l C' | onnol roto in anni'i | l able | | | | | | | | | | 1 | - |
| NOTI | E: If Access service ride Mid-Span Meet, one-half the tariffed ser | VICE LO | cai Ch | | | 0.00 | 0.00 | | | | ļ | | | 1 | | 1 |
| | Local Channel - Dedicated - DS1 per month | | <u> </u> | OH1MS OH3MS | TEFHG TEFHJ | 0.00 | 0.00 | | | | - | | | | | |
| | Local Channel - Dedicated - DS3 per month TIPLEXERS | | <u> </u> | OHSIVIO | IEFHJ | 0.00 | 0.00 | | | | | | | - | | - |
| IWIUL | | | <u> </u> | OH1, OH1MS | SATN1 | 113.33 | 101.40 | 71.60 | 13.79 | 13.04 | - | | | | | |
| | Channelization - DS1 to DS0 Channel System | 1 | 1 | - , | SATNS | | | 118.62 | 50.16 | 48.59 | | | | - | | - |
| | IDS2 to DS1 Channel System per month | | | | | | | | | | | | | | | • |
| | DS3 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) per month | | | OH3, OH3MS OH1, OH1MS | SATCO | 158.20 11.80 | 199.23 10.07 | 7.08 | 50.16 | 40.39 | 1 | | | | | |

| LOCAL INT | ERCONNECTION - Louisiana | | | | | | | | | | | | Attach | ment: 3 | Exhi | bit: A |
|----------------|---|--|--|----------------------|---------------|-----------------|-----------------|------------------------|--------------|--------------|--------------|-----------|-------------|-------------|--------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | | Manual Svc | Manual Svc | _ | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | - (1) | | | per LSK | per LON | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | _ | Nonrec | curring | Nonrecurring | g Disconnect | | | oss | Rates (\$) | | |
| - | | | | | | Rec | First | Add'l | First | Add'l | | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| - | | | | | | | | | | | | | | | | |
| LOCAL INTER | RCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | |
| | : "bk" beside a rate indicates that the Parties have agreed to bi | II and k | eep fo | r that element pursu | ant to the te | ms and conditi | ons in Attachr | nent 3. | | | | | | | | |
| | EM SWITCHING | | | | | | | | | | | | | | | |
| - | Tandem Switching Function Per MOU | | | OHD | | 0.0005507bk | | | | | | | | | | |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | | | | | | | | | | | |
| | only) | | | OHD | | 0.0005507 | | | | | | | | | | |
| - | Tandem Intermediary Charge, per MOU* | | | OHD | | 0.0015 | | | | | | | | | | |
| * This | charge is applicable only to transit traffic and is applied in ad | dition to | o appli | cable switching and | /or interconi | nection charges | i. | | | | | | | | | |
| | K CHARGE | | 1 | | | | | | | | | | | | | |
| 1 | Installation Trunk Side Service - per DS0 | | | OHD | TPP++ | | 21.64 | 8.15 | İ | İ | | | | | İ | İ |
| - | Dedicated End Office Trunk Port Service-per DS0** | 1 | | OHD | TDE0P | 0.00 | | 20 | İ | 1 | | | | İ | İ | İ |
| | Dedicated End Office Trunk Port Service-per DS1** | | | 0H1 OH1MS | TDE1P | 0.00 | | | 1 | 1 | İ | İ | | | | İ |
| - | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | | | | | | | |
| - | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| ** This | s rate element is recovered on a per MOU basis and is included | in the | End O | | | | J rate elements | | | | | | | | | |
| | MON TRANSPORT (Shared) | | | The current grant | 1 | , por me | rate cicinonic | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | OHD | + | 0.0000032bk | | | | | 1 | | | | | |
| -+ | Common Transport - Facilities Termination Per MOU | | | OHD | + | 0.0003748bk | | | | | 1 | | | | | |
| LOCAL INTER | RCONNECTION (DEDICATED TRANSPORT) | | | 0.10 | + | 0.00001 10DK | | | | | 1 | | | | | |
| | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | OHL. OHM | 1L5NF | 0.013 | | | | | | | | | | |
| -+ | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | 0.12, 0.1 | | 0.0.0 | | | | | 1 | | | | | |
| | Facility Termination per month | | | OHL. OHM | 1L5NF | 22.60 | 39.36 | 26.62 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | OTIE, OTIVI | 120141 | 22.00 | 00.00 | 20.02 | | | 1 | | | | | |
| | per month | | | OHL, OHM | 1L5NK | 0.013 | | | | | | | | | | |
| -+ | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | 0.12, 0.1 | | 0.0.0 | | | | | 1 | | | | | |
| | Termination per month | | | OHL, OHM | 1L5NK | 15.61 | 39.37 | 26.62 | | | | | | | | |
| -+ | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | 0.12, 0.1 | | 10.01 | 00.01 | 20.02 | | | 1 | | | | | |
| | per month | | | OHL, OHM | 1L5NK | 0.013 | | | | | | | | | | |
| -+ | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | OTIL, OTIVI | TEOTHY | 0.010 | | | | | 1 | | | | | |
| | Termination per month | | | OHL, OHM | 1L5NK | 15.61 | 39.37 | 26.62 | | | | | | | | |
| -+ | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | 0.12, 0.1 | | 10.01 | 00.01 | 20.02 | | | 1 | | | | | |
| | month | | | OH1, OH1MS | 1L5NL | 0.2652 | | | | | | | | | | |
| -+ | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | OTTI, OTTINO | TEOTAL | 0.2002 | | | | | 1 | | | | | |
| | Termination per month | | | OH1, OH1MS | 1L5NL | 70.47 | 86.69 | 79.44 | | | | | | | | |
| -+ | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | 0.11, 0.11110 | 120112 | | 00.00 | 70.11 | | | 1 | | | | | |
| | month | | | OH3, OH3MS | 1L5NM | 6.04 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | , | | | | | | | | | | | | |
| | Termination per month | | | OH3, OH3MS | 1L5NM | 850.45 | 270.69 | 158.05 | | | | | | | | |
| LOCA | L CHANNEL - DEDICATED TRANSPORT | | | OT 10, OT 10IVIO | ILOIVI | 000.40 | 270.00 | 100.00 | | | 1 | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL. OHM | TEFV2 | 18.32 | 187.51 | 32.21 | | | 1 | | | | | |
| -+ | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | 19.41 | 187.94 | 32.63 | | | | | | | | |
| -+ | Local Channel - Dedicated - Ville Voice Grade per month | | | OH1 | TEFHG | 39.18 | 172.34 | 149.27 | | | | | | | | |
| + | 2554 Sharrior Dodioacoa DOT per month | 1 | | 0.11 | 120 | 33.10 | 112.54 | 170.27 | | | | | | | | |
| | Local Channel - Dedicated - DS3 Facility Termination per month | 1 | | ОНЗ | TEFHJ | 469.44 | 438.46 | 256.30 | I | I | | | | | I | l |
| LOCA | L INTERCONNECTION MID-SPAN MEET | | I | 00 | 1.21110 | 400.44 | -100.40 | 200.00 | | t | | | | | | |
| | : If Access service ride Mid-Span Meet, one-half the tariffed ser | rvice I c | ral Ch | annel rate is applic | able | 1 | | | t | t | 1 | 1 | | 1 | 1 | 1 |
| NOTE: | | VICE LC | Jan Oll | OH1MS | TEFHG | 0.00 | 0.00 | | | | 1 | 1 | | 1 | | 1 |
| NOTE. | II acal Channal Dadicated DS1 per month | | | | TEFHJ | 0.00 | 0.00 | | 1 | 1 | 1 | 1 | | - | 1 | 1 |
| NOTE | Local Channel - Dedicated - DS1 per month | | | | | | 0.00 | | 1 | 1 | 1 | | | 1 | i | 1 |
| | Local Channel - Dedicated - DS3 per month | | | OH3MS | IEFNJ | 0.00 | | | | | | | | | | |
| | Local Channel - Dedicated - DS3 per month IPLEXERS | | | | | | | 60.76 | | | | | | | | |
| | Local Channel - Dedicated - DS3 per month TPLEXERS Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | 105.09 | 88.41 | 60.76 | | | | | | | | |
| | Local Channel - Dedicated - DS3 per month IPLEXERS | | | | | | | 60.76 91.25 4.58 | | | | | | | | |

| LOCAL IN | TERCONNECTION - Mississippi | | | | | | | | | | | | | ment: 3 | | bit: A |
|------------|--|-----------|----------|-----------------------|----------------|----------------|-----------------|------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | 1 | |] | | | | | | - | Svc Order | | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Intori | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | B | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| LOCAL INTE | RCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | |
| NOT | : "bk" beside a rate indicates that the Parties have agreed to bi | II and k | eep fo | that element pursu | ant to the ter | ms and conditi | ons in Attachn | nent 3. | | | | | | | | |
| TANI | DEM SWITCHING | | | | | | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | | OHD | | 0.0005379bk | | | | | | | | | | |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | | | | | | | | | | | |
| | only) | | | OHD | | 0.0005379 | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | | OHD | | 0.0015 | | | | | | | | | | |
| * This | s charge is applicable only to transit traffic and is applied in ad- | dition to | appli | cable switching and | l/or intercon | ection charges | | | | | | | | | | |
| TRU | IK CHARGE | | | | | | | | | | | | | | | |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP++ | | 21.58 | 8.13 | | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDE0P | 0.00 | | | | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS1** | | | 0H1 OH1MS | TDE1P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| ** Th | is rate element is recovered on a per MOU basis and is included | in the | End O | | | | J rate elements | 1 | | | | | | | | |
| | MON TRANSPORT (Shared) | 1 | <u> </u> | l and an incoming and | 1 | , po o | 7.410 0.0 | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | OHD | | 0.0000026bk | | | | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | | OHD | | 0.0004541bk | | | | | | | | | | |
| LOCAL INTE | RCONNECTION (DEDICATED TRANSPORT) | | | 01.15 | | 0.000 10 1151 | | | | | | | | | | |
| | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| 11111 | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | OHL. OHM | 1L5NF | 0.0098 | | | | | | | | | | |
| - | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | OFIL, OF IIVI | ILJINI | 0.0096 | | | - | | | | | | - | - |
| | Facility Termination per month | | | OHL. OHM | 1L5NF | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | | | | | |
| - | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | Onl, Onivi | ILSINF | 22.52 | 40.77 | 21.31 | 17.20 | 7.11 | | | | | - | - |
| | per month | | | OHL, OHM | 1L5NK | 0.0098 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | <u> </u> | Onl, Onivi | ILSINK | 0.0096 | | | | | | | | | | |
| | Termination per month | | | OHL, OHM | 1L5NK | 15.68 | 40.78 | 27.57 | 17.26 | 7.11 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | <u> </u> | Onl, Onivi | ILSINK | 13.00 | 40.76 | 21.31 | 17.20 | 7.11 | | | | | | |
| | | | | 0111 01114 | 1L5NK | 0.0000 | | | | | | | | | | |
| | per month | | - | OHL, OHM | 1L5NK | 0.0098 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | 4= 00 | 40.00 | | | | | | | | | |
| | Termination per month | | | OHL, OHM | 1L5NK | 15.68 | 40.78 | 27.57 | 17.26 | 7.11 | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | OH1, OH1MS | 1L5NL | 0.201 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | 1 | | | | | | | | | | | |
| | Termination per month | | | OH1, OH1MS | 1L5NL | 57.33 | 89.79 | 82.28 | 16.86 | 14.90 | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | OH3, OH3MS | 1L5NM | 4.76 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OH3, OH3MS | 1L5NM | 641.90 | 280.37 | 163.70 | 62.08 | 60.29 | | | | | | |
| LOCA | AL CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL, OHM | TEFV2 | 14.91 | 194.22 | 33.36 | 37.79 | 3.30 | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | 15.99 | 194.66 | 33.80 | 38.27 | 3.78 | | | | | | |
| | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 36.83 | 178.50 | 154.61 | 22.89 | 15.74 | | | | | | |
| | | 1 | 1 | | | | | | | | | | | I | | |
| | Local Channel - Dedicated - DS3 Facility Termination per month | <u> </u> | <u> </u> | OH3 | TEFHJ | 413.87 | 454.13 | 264.47 | 123.23 | 86.19 | <u> </u> | | | | | |
| | AL INTERCONNECTION MID-SPAN MEET | | | | | | | | | - | | | | | | |
| NOT | : If Access service ride Mid-Span Meet, one-half the tariffed ser | rvice Lo | cal Ch | | | | | | | | | | | | | |
| | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | | | |
| | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | | | | | | | | |
| MUL | TIPLEXERS | | | | | İ | | | | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | 102.85 | 91.57 | 62.94 | 10.87 | 10.10 | | | | | | |
| | DS3 to DS1 Channel System per month | | | OH3, OH3MS | SATNS | 170.63 | 179.17 | 94.52 | 34.30 | 32.82 | İ | | | | | |
| | DOS to DO i Chariner System per month | | | | | | | | | | | | | | | |
| | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 12.96 | 6.62 | 4.74 | | | | | | | | |

| LOCAL INT | ERCONNECTION - North Carolina | | | | | | | | | | | | | ment: 3 | | bit: A |
|-------------|--|-----------|--------|-----------------------|----------------|----------------|-----------------|------------|-------------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | . <u></u> | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Intori | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | _ | Nonrec | curring | Nonrecurrin | g Disconnect | | | oss | Rates (\$) | 1 | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| LOCAL INTE | RCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | |
| | : "bk" beside a rate indicates that the Parties have agreed to bi | ll and k | eep fo | that element pursu | ant to the ter | ms and conditi | ons in Attachr | nent 3. | | | | | | | | |
| | DEM SWITCHING | | | | | | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | | OHD | | 0.0012000bk | | | | | | | | | | |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | | | | | | | | | | | |
| | only) | | | OHD | | 0.0012 | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | | OHD | | 0.0015 | | | | | | | | | | |
| * This | s charge is applicable only to transit traffic and is applied in ad- | dition to | appli | cable switching and | l/or intercon | ection charges | | | | | | | | | | |
| | NK CHARGE | | | 1 | | ľ | | | | | | | | | | |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP++ | | 21.55 | 8.12 | | | 1 | | | | | |
| | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDE0P | 0.00 | | | | | 1 | | | | | |
| | Dedicated End Office Trunk Port Service-per DS1** | | | 0H1 OH1MS | TDE1P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | 1 | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| ** Thi | is rate element is recovered on a per MOU basis and is included | in the | End O | ffice Switching and | Tandem Swi | china, per MOl | J rate elements | 3 | | | | | | | | |
| | MON TRANSPORT (Shared) | | | | | J, 1 | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | OHD | | 0.0000100bk | | | | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | | OHD | | 0.0003400bk | | | | | | | | | | |
| LOCAL INTE | RCONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | |
| | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | OHL. OHM | 1L5NF | 0.0282 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | , | | | | | | | | | | | | |
| | Facility Termination per month | | | OHL. OHM | 1L5NF | 18.00 | 137.48 | 52.58 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | , | | | | | | | | | | | | |
| | per month | | | OHL, OHM | 1L5NK | 0.0282 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | , | | | | | | | | | | | | |
| | Termination per month | | | OHL, OHM | 1L5NK | 17.40 | 137.48 | 52.58 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | , | | | | | | | | | | | | |
| | per month | | | OHL, OHM | 1L5NK | 0.0282 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OHL, OHM | 1L5NK | 17.40 | 137.48 | 52.58 | | | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | , | | | | | | | | | | | | |
| | month | | | OH1, OH1MS | 1L5NL | 0.5753 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | 1 | | | | | | | | | | | |
| | Termination per month | 1 | | OH1, OH1MS | 1L5NL | 71.29 | 217.17 | 163.75 | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | 1 | | OH3, OH3MS | 1L5NM | 12.98 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | 1 | | | | | 1 | | | | | | |
| | Termination per month | 1 | 1 | OH3, OH3MS | 1L5NM | 720.38 | 794.94 | 579.55 | | | | | | | | l |
| LOCA | AL CHANNEL - DEDICATED TRANSPORT | | | 1 | | | | | | İ | İ | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | 1 | | OHL, OHM | TEFV2 | 11.24 | 553.80 | 89.69 | | † | | | | | | İ |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | 12.03 | 562.23 | 92.67 | | İ | İ | | | | | |
| | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 27.05 | 534.48 | 462.69 | | İ | İ | | | | | |
| | | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - DS3 Facility Termination per month | 1 | 1 | OH3 | TEFHJ | 298.92 | 438.46 | 256.30 | | | | | | | | |
| LOCA | AL INTERCONNECTION MID-SPAN MEET | | | | 1 | | _ | | | 1 | 1 | | | | | |
| NOTE | : If Access service ride Mid-Span Meet, one-half the tariffed ser | rvice Lo | cal Ch | annel rate is applica | able. | | | | | 1 | | | | | | |
| | Local Channel - Dedicated - DS1 per month | 1 | | OH1MS | TEFHG | 0.00 | 0.00 | | İ | İ | | | | İ | | İ |
| | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | | İ | İ | | | | | |
| MUL | TIPLEXERS | | | | | | | | | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | 1 | | OH1, OH1MS | SATN1 | 146.69 | 197.78 | 140.06 | | † | | | | | | İ |
| | DS3 to DS1 Channel System per month | 1 | | OH3, OH3MS | SATNS | 233.10 | 403.97 | 234.40 | İ | İ | | | | İ | | İ |
| l l | | | | | | | | | | · | | | | | | |
| | DS3 Interface Unit (DS1 COCI) per month | | | OH1, OH1MS | SATCO | 16.07 | 13.09 | 9.38 | | | | | | | | |

| LOCAL IN | TERCONNECTION - South Carolina | | | | | | | | | | | | | ment: 3 | | ibit: A |
|--|---|-----------|--|--------------------------|----------------|----------------|---------------------------------------|---------------|--|---------------------------------------|-----------|-----------|-------------|-------------|--|-------------|
| | | | |] | | | · · · · · · · · · · · · · · · · · · · | | | · · · · · · · · · · · · · · · · · · · | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Intori | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | _ 1 | Nonrec | curring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | I. |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| LOCAL INTE | RCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | |
| | E: "bk" beside a rate indicates that the Parties have agreed to bi | ill and k | eep fo | that element pursu | ant to the ter | ms and conditi | ons in Attachr | nent 3. | | | | | | | | |
| | DEM SWITCHING | | | | | | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | | OHD | | 0.0007360bk | | | 1 | | | | | | | |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | | | | | | | | | | | |
| | only) | | | OHD | | 0.000736 | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | | OHD | | 0.0015 | | | | | | | | | | |
| * Thi | s charge is applicable only to transit traffic and is applied in ad | dition to | appli | cable switching and | l/or intercon | ection charges | | | | | | | | | | |
| | NK CHARGE | | 1 | | | | | | 1 | | | | | | | |
| | Installation Trunk Side Service - per DS0 | | | OHD | TPP++ | | 21.65 | 8.16 | 1 | | 1 | | | | | |
| | Dedicated End Office Trunk Port Service-per DS0** | | | OHD | TDE0P | 0.00 | | | | | | | | | | |
| | Dedicated End Office Trunk Port Service-per DS1** | | | 0H1 OH1MS | TDE1P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| ** Th | is rate element is recovered on a per MOU basis and is included | d in the | End O | ffice Switching and | Tandem Swi | china, per MOL | J rate elements | 5 | | | | | | | | |
| | MON TRANSPORT (Shared) | | | | | J, 1 | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | OHD | | 0.0000045bk | | | | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | 1 | OHD | | 0.0004095bk | | | | | | | | | | |
| LOCAL INTE | RCONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | |
| | ROFFICE CHANNEL - DEDICATED TRANSPORT | | 1 | | | | | | | | | | | | | |
| 1 | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | 1 | | | | | | | | | | | | | |
| | Per Mile per month | | | OHL, OHM | 1L5NF | 0.0167 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | 1 | | | | | | | | | | | | | |
| | Facility Termination per month | | | OHL, OHM | 1L5NF | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | 1 | O. 12, O. 1111 | 120.41 | 200 | 10.00 | 2,,,,, | 10.11 | 0.01 | | | | | | |
| | per month | | | OHL, OHM | 1L5NK | 0.0167 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | 1 | | | | | | | | | | | | | |
| | Termination per month | | | OHL, OHM | 1L5NK | 16.76 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | 1 | | | | | | | | | | | | | |
| | per month | | | OHL, OHM | 1L5NK | 0.0167 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OHL, OHM | 1L5NK | 16.76 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | 1 | | | | | | | | | | | | | |
| | month | | | OH1, OH1MS | 1L5NL | 0.3415 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | 1 | orri, orrinio | 120.12 | 0.0110 | | | | | | | | | | |
| | Termination per month | | 1 | OH1, OH1MS | 1L5NL | 77.14 | 89.47 | 81.99 | 16.39 | 14.48 | | | | | I | |
| <u> </u> | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | . , | 1 | 1 | | 200 | 12.00 | 10 | | | | | t | |
| | month | | 1 | OH3, OH3MS | 1L5NM | 8.02 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OH3, OH3MS | 1L5NM | 880.65 | 279.37 | 163.12 | 60.33 | 58.59 | | | | | | |
| LOC | AL CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL. OHM | TEFV2 | 15.33 | 193.53 | 33.24 | 36.72 | 3.21 | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | 16.54 | 193.97 | 33.68 | 37.19 | 3.68 | | | | | | |
| | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 42.62 | 177.87 | 154.06 | 22.24 | 15.30 | | | | | t | Ì |
| | | | | | 1 | 02 | | | | | İ | İ | | | | |
| | Local Channel - Dedicated - DS3 Facility Termination per month | | | OH3 | TEFHJ | 446.00 | 452.52 | 264.53 | 119.75 | 83.77 | | | | | 1 | |
| LOC | AL INTERCONNECTION MID-SPAN MEET | | t | | 1 - | | | | | | 1 | i | | | 1 | Ì |
| | E: If Access service ride Mid-Span Meet, one-half the tariffed se | rvice Lo | cal Ch | annel rate is applica | able. | † 1 | | | † | | | | | | t | Ì |
| | Local Channel - Dedicated - DS1 per month | 1 | 1 | IOH1MS | TEFHG | 0.00 | 0.00 | | | | 1 | i | | | | İ |
| | Local Channel - Dedicated - DS3 per month | 1 | | OH3MS | TEFHJ | 0.00 | 0.00 | | † † | | 1 | | | 1 | † | |
| MIII | TIPLEXERS | 1 | 1 | SSIVIO | | 0.00 | 0.00 | | | | 1 | - | | 1 | | |
| I III JL | Channelization - DS1 to DS0 Channel System | 1 | | OH1. OH1MS | SATN1 | 107.57 | 91.24 | 62.71 | 10.56 | 9.81 | 1 | | | | | 1 |
| | S. G. M. S. Zation Do r to Doo Onamier Oystem | . | | - , | | | | | | | 1 | ! | | | 1 | 1 |
| | DS3 to DS1 Channel System per month | | | IOH3 OH3MS | ISAINS | 144 02 1 | 1/8 54 | 94 18 | 33 33 1 | 31 90 | | | | | | |
| | DS3 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) per month | | | OH3, OH3MS OH1, OH1MS | SATNS | 144.02 8.64 | 178.54 6.59 | 94.18 4.73 | 33.33 | 31.90 | | | | | | |

| LOCAL IN | TERCONNECTION - Tennessee | | | | | | | | | | | | | ment: 3 | | ibit: A |
|----------|---|-----------|--------|----------------------|----------------|----------------|-----------------|------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | _ | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | , | , | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | D130 131 | Disc Add I |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | RCONNECTION (CALL TRANSPORT AND TERMINATION) | | | | | | | | | | | | | | | |
| | E: "bk" beside a rate indicates that the Parties have agreed to bi | II and k | eep fo | r that element pursu | ant to the ter | ms and conditi | ons in Attachn | nent 3. | | | | | | | | |
| TANI | DEM SWITCHING | | | | | | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | | OHD | | 0.0009778bk | | | | | | | | | | |
| | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | | | | | | | | | | | |
| | only) | | | OHD | | 0.0009778 | | | | | | | | | | |
| | Tandem Intermediary Charge, per MOU* | | | OHD | | 0.0015 | | | | | | | | | | |
| | s charge is applicable only to transit traffic and is applied in ad | dition to | appli | cable switching and | l/or interconi | ection charges | i. | | | | | | | | | |
| TRUI | NK CHARGE | | | | | | | | | | | | | | | |
| \vdash | Installation Trunk Side Service - per DS0 | ļ | | OHD | TPP++ | ļ | 21.59 | 8.09 | ļ | | ļ | | | | . | ļ |
| | Dedicated End Office Trunk Port Service-per DS0** | <u> </u> | | OHD | TDE0P | 0.00 | | | | | | | | | 1 | |
| | Dedicated End Office Trunk Port Service-per DS1** | | | 0H1 OH1MS | TDE1P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | | | | | | | |
| | Dedicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | |
| | is rate element is recovered on a per MOU basis and is included | in the | End O | ffice Switching and | Tandem Swi | ching, per MOI | J rate elements | 1 | | | | | | | | |
| COM | MON TRANSPORT (Shared) | | | | | | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | OHD | | 0.0000064bk | | | | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | | OHD | | 0.0003871bk | | | | | | | | | | |
| | RCONNECTION (DEDICATED TRANSPORT) | | | | | | | | | | | | | | | |
| INTE | ROFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Per Mile per month | | | OHL, OHM | 1L5NF | 0.0174 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | OHL, OHM | 1L5NF | 18.58 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | | | | | | | | | | | |
| | per month | | | OHL, OHM | 1L5NK | 0.0174 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OHL, OHM | 1L5NK | 17.98 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | | | | | | | | | | | | | |
| | per month | | | OHL, OHM | 1L5NK | 0.0174 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OHL, OHM | 1L5NK | 17.98 | 55.39 | 17.37 | 27.96 | 3.51 | | | | | | |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | OH1, OH1MS | 1L5NL | 0.3562 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OH1, OH1MS | 1L5NL | 77.86 | 112.40 | 76.27 | 19.55 | 14.99 | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | OH3, OH3MS | 1L5NM | 2.34 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - DS3 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | OH3, OH3MS | 1L5NM | 848.99 | 395.29 | 176.56 | 109.04 | 105.91 | | | | | | |
| LOC | AL CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL, OHM | TEFV2 | 19.43 | 199.33 | 24.16 | 54.81 | 4.80 | | | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade per month | | | OHL, OHM | TEFV4 | 20.56 | 201.53 | 24.83 | 55.52 | 5.51 | | | | | | |
| | Local Channel - Dedicated - DS1 per month | | | OH1 | TEFHG | 40.99 | 277.35 | 233.26 | 33.18 | 22.30 | | | | | | |
| | | | | | | | | | | · <u> </u> | | <u> </u> | | | _ | |
| | Local Channel - Dedicated - DS3 Facility Termination per month | | | OH3 | TEFHJ | 611.30 | 595.37 | 304.50 | 215.82 | 151.15 | | | | | | |
| | AL INTERCONNECTION MID-SPAN MEET | | | | | | | | | | | | | | | |
| NOT | E: If Access service ride Mid-Span Meet, one-half the tariffed ser | rvice Lo | cal Ch | | | | | | | · · | | | | | | |
| \Box | Local Channel - Dedicated - DS1 per month | | | OH1MS | TEFHG | 0.00 | 0.00 | | | · · | | | | | | |
| | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | | · · | | | | | | |
| MUL | TIPLEXERS | | | L | 1 | | | | | | ļ | | | | | |
| | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | 80.77 | 141.87 | 77.11 | 44.47 | 42.62 | | | | | | |
| | DS3 to DS1 Channel System per month | | | OH3, OH3MS | SATNS | 222.98 | 308.03 | 108.47 | 6.34 | 4.23 | | | | | | |
| | DS3 Interface Unit (DS1 COCI) per month | 1 | 1 | OH1, OH1MS | SATCO | 17.58 | 6.07 | 4.66 | 1 | | | | | | | |
| | s: If no rate is identified in the contract, the rates, terms, and co | | | | | | | | | | | | | | | |

Attachment 4

Physical Collocation

BELLSOUTH

PHYSICAL COLLOCATION

1. Scope of Attachment

- 1.1 The rates, terms, and conditions contained within this Attachment shall only apply when Global Connection is physically collocated as a sole occupant or as a Host within a BellSouth Premises location pursuant to this Attachment. BellSouth Premises include BellSouth Central Offices and Serving Wire Centers (hereinafter "Premises"). This Attachment is applicable to Premises owned or leased by BellSouth. However, if the Premises occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions contained in this Attachment.
- Right to Occupy. BellSouth shall offer to Global Connection collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the FCC. Subject to the rates, terms and conditions of this Attachment, where space is available and it is technically feasible, BellSouth will allow Global Connection to occupy a certain area designated by BellSouth within a Premises, or on BellSouth property upon which the Premises is located, of a size which is specified by Global Connection and agreed to by BellSouth (hereinafter "Collocation Space"). The necessary rates, terms and conditions for h premises as defined by the FCC, other than BellSouth Premises, shall be negotiated upon reasonable request for collocation at such premises.
- 1.2.1 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth in this Attachment.
- 1.2.1.1 In all states other than Florida, the size specified by Global Connection may contemplate a request for space sufficient to accommodate Global Connection's growth within a twenty-four (24) month period.
- 1.2.1.2 In the state of Florida, the size specified by Global Connection may contemplate a request for space sufficient to accommodate Global Connection's growth within an eighteen (18) month period.
- 1.3 Space Allocation. BellSouth shall attempt to accommodate Global Connection's requested preferences, if any. In allocating Collocation Space, BellSouth shall not materially increase Global Connection's cost or materially delay Global Connection's occupation and use of the Collocation Space, assign Collocation Space that will impair the quality of service or otherwise limit the service Global Connection wishes to offer, reduce unreasonably the total space available for physical collocation or preclude unreasonable physical collocation within the Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocated telecommunications carrier; (c) used to provide physical access to

occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by BellSouth or another collocated telecommunications carrier; or (f) essential for the administration and proper functioning of Premises. BellSouth may segregate Collocation Space and require separate entrances for collocated telecommunications carriers to access their Collocation Space, pursuant to FCC Rules.

- 1.4 <u>Space Reclamation.</u> In the event of space exhaust within a Premises, BellSouth may include in its documentation for the Petition for Waiver filed with the Commission, any unutilized space in the Premises. Global Connection will be responsible for the justification of unutilized space within its Collocation Space, if the Commission requires such justification.
- 1.5 <u>Use of Space</u>. Global Connection shall use the Collocation Space for the purposes of installing, maintaining and operating Global Connection's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements for the provision of telecommunications services, as specifically set forth in this Agreement. The Collocation Space assigned to Global Connection may not be used for any purposes other than as specifically described herein or in any amendment hereto.
- 1.6 <u>Rates and Charges</u>. Global Connection agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.7 If any due date contained in this Attachment falls on a weekend or National holiday, the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less, National holidays will be excluded.
- 1.8 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. <u>Space Availability Report</u>

- 2.1 Space Availability Report. Upon request from Global Connection and at the Global Connection's expense, BellSouth will provide a written report (Space Availability Report) describing in detail the space that is available for collocation at a particular Premises. This report will include the amount of Collocation Space available at the Premises requested, the number of collocators present at the Premises, any modifications in the use of the space since the last report on the Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Premises for which the Space Availability Report was requested by Global Connection.
- 2.1.1 The request from Global Connection for a Space Availability Report must be in writing and include the Premises street address, as identified in the Local Exchange

Routing Guide (LERG) and Common Language Location Identification (CLLI) code of the Premises. CLLI code information is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4.

2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Premises within ten (10) calendar days of the receipt of such a request. BellSouth will make its best efforts to respond in ten (10) calendar days to a Space Availability Report request when the request includes from two (2) to five (5) Premises within the same state. The response time for Space Availability Report requests of more than five (5) Premises shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify Global Connection and inform Global Connection of the timeframe under which it can respond.

3. <u>Collocation Options</u>

- 3.1 <u>Cageless.</u> BellSouth shall allow Global Connection to collocate Global Connection's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Global Connection to have direct access to Global Connection's equipment and facilities in accordance with Section 5.9. BellSouth shall make cageless collocation available in single bay increments. Except where Global Connection's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Global Connection must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.
- 3.2 Caged. At Global Connection's expense, Global Connection will arrange with a Supplier certified by BellSouth (BellSouth Certified Supplier) to construct a collocation arrangement enclosure in accordance with BellSouth's Technical References (TRs) (Specifications) prior to starting equipment installation. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's enclosure Specifications, Global Connection and Global Connection's BellSouth Certified Supplier must comply with the more stringent local building code requirements. Global Connection's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Global Connection and provide, at Global Connection's expense, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for Global Connection's BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. Global Connection's BellSouth Certified Supplier shall bill Global Connection directly for all work performed for Global Connection pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Global Connection's

BellSouth Certified Supplier. Global Connection must provide the local BellSouth Central Office building contact with two Access Keys that will allow entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access Global Connection's locked enclosure prior to notifying Global Connection at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required. Upon request, BellSouth shall construct the enclosure for Global Connection.

- 3.2.1 BellSouth may elect to review Global Connection's plans and specifications prior to allowing construction to start, to ensure compliance with BellSouth's Specifications. BellSouth will notify Global Connection of its desire to execute this review in BellSouth's response to the Initial Application, if Global Connection has indicated its desire to construct its own enclosure. If Global Connection's Initial Application does not indicate its desire to construct its own enclosure, but its subsequent firm order does indicate its desire to construct its own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of Global Connection's plans and specifications. Regardless of whether or not BellSouth elects to review Global Connection's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction has been completed to ensure that it is constructed according to Global Connection's submitted plans and specifications and/or BellSouth's Specifications, as applicable. If BellSouth decides to inspect the constructed Collocation Space, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from Global Connection. BellSouth shall require Global Connection to remove or correct within seven (7) calendar days, at Global Connection's expense, any structure that does not meet Global Connection's plans and specifications or BellSouth's Specifications, if applicable.
- Shared Caged Collocation. Global Connection may allow other telecommunications carriers to share Global Connection's caged collocation arrangement, pursuant to the terms and conditions agreed to by Global Connection (Host) and the other telecommunications carriers (Guests) pursuant to this Section, except where the Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option to Global Connection. BellSouth shall be notified in writing by Global Connection upon the execution of any agreement between the Host and its Guest(s) within ten (10) calendar days of its execution and prior to the submission of any Firm Orders. Further, such notification shall include the name of the Guest(s), the term of the agreement, and a certification by Global Connection that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and Global Connection.
- 3.3.1 Global Connection, as the Host, shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents.

BellSouth shall provide Global Connection with a proration of the costs of the Collocation Space based on the number of collocators and the space used by each, with a minimum charge of one (1) bay/rack per Host/Guest. In all states other than Florida, and in addition to the above, Global Connection shall be the responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment placement for the Guest(s). In Florida, the Guest(s) may submit its own initial and additional equipment placement applications using the Host's Access Carrier Name Abbreviation (ACNA). A separate Guest application shall result in the assessment of an Initial Application Fee or a Subsequent Application Fee, as set forth in Exhibit B, which will be billed to the Host on the date that BellSouth provides its written response to the Guest(s) Bona Fide Application (Application Response).

- 3.3.2 Notwithstanding the foregoing, the Guest(s) may submit service orders directly to BellSouth to request the provisioning of interconnecting facilities between BellSouth and the Guest(s), the provisioning of services, and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest(s) pursuant to the applicable Tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 Global Connection shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Global Connection's Guest(s) in the Collocation Space, except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit an adjacent collocation arrangement (Adjacent Arrangement) on Premises' property only when space within the Premises is legitimately exhausted and where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Premises' property. An Adjacent Arrangement shall be constructed or procured by Global Connection and must be in conformance with BellSouth's design and construction Specifications. Further, Global Connection shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the rates, terms and conditions set forth in this Attachment.
- 3.4.1 If Global Connection requests Adjacent Collocation, pursuant to the conditions stated in 3.4 above, Global Connection must arrange with a BellSouth Certified Supplier to construct the Adjacent Arrangement structure in accordance with BellSouth's Specifications. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, Global Connection and Global Connection's BellSouth Certified Supplier must comply with the more stringent local building code requirements. Global Connection's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Global Connection's BellSouth Certified Supplier shall bill Global Connection directly for all work performed for Global Connection pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Global

Connection's BellSouth Certified Supplier. Global Connection must provide the local BellSouth Central Office building contact with two cards, keys or other access devices used to gain entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access Global Connection's locked enclosure prior to notifying Global Connection at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required.

- 3.4.2 Global Connection must submit its Adjacent Arrangement construction plans and specifications to BellSouth when it places its Firm Order. BellSouth shall review Global Connection's plans and specifications prior to construction of an Adjacent Arrangement(s) to ensure Global Connection's compliance with BellSouth's Specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of the plans and specifications from Global Connection for the Adjacent Arrangement. BellSouth may inspect the Adjacent Arrangement during and after construction is completed to ensure that it is constructed according to Global Connection's submitted plans and specifications. If BellSouth decides to inspect the completed Adjacent Arrangement, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from Global Connection. BellSouth shall require Global Connection to remove or correct within seven (7) calendar days at Global Connection's expense, any structure that does not meet its submitted plans and specifications or BellSouth's Specifications, if applicable.
- 3.4.3 Global Connection shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning (HVAC), lighting, and all of the facilities that are required to connect the structure (i.e., racking, conduits, etc.) to the BellSouth point of demarcation. At Global Connection's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities, subject to the same nondiscriminatory requirements as those applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC subject to individual case basis pricing. Global Connection's BellSouth Certified Supplier shall be responsible, at Global Connection's sole expense, for filing and receiving any and all necessary zoning, permits and/or licenses for an Adjacent Arrangement. BellSouth shall allow Shared Caged Collocation within an Adjacent Arrangement, pursuant to the terms and conditions set forth in 3.3 above.
- 3.5 <u>Co-Carrier Cross Connect (CCXC)</u>. The primary purpose of collocation is for a telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's unbundled network elements for the provision of telecommunications services. BellSouth will permit Global Connection to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same Premises. Both Global Connection's agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. Global Connection is

prohibited from using the Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.

- 3.5.1 Global Connection must contract with a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by Global Connection. Such connections to other collocated telecommunications carriers may be made using either optical or electrical facilities. In cases where Global Connection's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Spaces, Global Connection may use its own technicians to install co-carrier cross connects using either electrical or optical facilities between the equipment of both collocated telecommunications carriers and construct a dedicated cable support structure between the two contiguous cages. Global Connection shall deploy such optical or electrical connections directly between its own facilities and the facilities of another collocated telecommunications carrier without being routed through BellSouth's equipment. Global Connection shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect). Global Connection is responsible for ensuring the integrity of the signal.
- 3.5.2 Global Connection shall be responsible for providing a letter of authorization (LOA), with the application, to BellSouth from the other collocated telecommunications carrier to which it will be cross-connecting Global Connection-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, Global Connection may use its own technicians to construct the dedicated support structure between the two collocation arrangements.
- 3.5.3 To order CCXCs, Global Connection must submit an Initial Application or Subsequent Application to BellSouth. If no modification to the Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXCs, as defined in Exhibit B, will apply. If modifications, in addition to the placement of CCXCs, are requested, the Initial Application or Subsequent Application Fee will apply. BellSouth will bill this nonrecurring fee on the date that it provides an Application Response to Global Connection.

4. Occupancy

4.1 Occupancy. BellSouth will notify Global Connection in writing when the Collocation Space is ready for occupancy (Space Ready Date). Global Connection will schedule and complete an acceptance walkthrough of the Collocation Space with BellSouth within fifteen (15) calendar days of the Space Ready Date. BellSouth will correct any deviations in Global Connection's original or jointly amended application requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame. BellSouth will also establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted

within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to only those items identified in the initial walkthrough. If Global Connection completes its acceptance walkthrough within the fifteen (15) calendar day interval, billing will begin upon the date of Global Connection's acceptance of the Collocation Space (Space Acceptance Date). In the event that Global Connection fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Collocation Space shall be deemed accepted by Global Connection on the Space Ready Date and billing will commence from that date. If Global Connection decides to occupy the space prior to the Space Ready Date, the date Global Connection occupies the space becomes the new Space Acceptance Date and billing will begin from that date. Global Connection must notify BellSouth in writing that collocation equipment installation is complete and operational with BellSouth's network. BellSouth may, at its discretion, refuse to accept orders for cross connects until it has received such notice. For the purposes of this paragraph, Global Connection's telecommunications equipment will be deemed operational when it has been cross-connected to BellSouth's network for the purpose of provisioning telecommunication services to its customers.

- 4.2 Termination of Occupancy. In addition to any other provisions addressing termination of occupancy in this Agreement, Global Connection may terminate occupancy in a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy. Such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date that Global Connection and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that Global Connection signs off on the Space Relinquishment Form and sends this form to BellSouth, if a subsequent inspection of the terminated space by BellSouth reveals no discrepancies. If the subsequent inspection by BellSouth does reveal discrepancies, billing will cease on the date that BellSouth and Global Connection jointly conduct an inspection, which confirms that Global Connection has corrected all of the noted discrepancies. A Subsequent Application Fee will not apply for the termination of occupancy. BellSouth may terminate Global Connection's right to occupy the Collocation Space in the event that Global Connection fails to comply with any provision of this Agreement, including the payment of the applicable fees.
- 4.2.1 Upon termination of occupancy, Global Connection, at its sole expense, shall remove its equipment and any other property from the Collocation Space. Global Connection shall have thirty (30) calendar days from the Bona Fide Firm Order (BFFO) Subsequent Application date (Termination Date) to complete such removal, including the removal of all equipment and facilities of Global Connection's Guest(s), unless Global Connection's Guest(s) has assumed responsibility for the Collocation Space housing the Guest(s)'s equipment and executed the appropriate documentation required by BellSouth prior to the Global Connection removal date. Global Connection shall continue the payment of all monthly fees to BellSouth until the date thatGlobal Connection, and if applicable Global Connection's Guest(s), has fully vacated the Collocation Space and the Space Relinquishment Form has been accepted

by BellSouth. Should Global Connection or Global Connection's Guest(s) fail to vacate the Collocation Space within thirty (30) calendar days from the Termination Date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of Global Connection or Global Connection's Guest(s), in any manner that BellSouth deems fit, at Global Connection's expense and with no liability whatsoever for Global Connection's property or Global Connection's Guest(s)'s property. Upon termination of Global Connection's right to occupy specific Collocation Space, the Collocation Space will revert back to BellSouth's space inventory, and Global Connection shall surrender the Collocation Space to BellSouth in the same condition as when it was first occupied by Global Connection, with the exception of ordinary wear and tear, unless otherwise agreed to by the Parties. Global Connection's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's Specifications including, but not limited to, Central Office Record Drawings and ERMA Records. Global Connection shall be responsible for the cost of removing any Global Connection constructed enclosure, together with any supporting structures (e.g., racking, conduits, or power cables), at the termination of occupancy and restoring the grounds to their original condition.

5. <u>Use of Collocation Space</u>

- 5.1 Equipment Type. BellSouth permits the collocation of any equipment necessary for interconnection to BellSouth's network or access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Premises must be for interconnection to BellSouth's network or access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include, but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network
 Equipment Building Systems (NEBS) General Equipment Requirements: Criteria
 Level 1 requirements as outlined in Telcordia Special Report SR-3580, Issue 1.
 Except where otherwise required by a Commission, BellSouth shall comply with the

applicable FCC rules relating to denial of collocation based on Global Connection's failure to comply with this Section.

- 5.1.3 Global Connection shall not request more DS0, DS1, DS3 and optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the arrangement. The total capacity of the equipment collocated in the arrangement will include equipment contained in an application, as well as equipment already placed in the collocation arrangement. If full network termination capacity of the equipment being installed is not requested in the application, additional network terminations for the installed equipment will require the submission of another application. In the event Global Connection submits an application for terminations that will exceed the total capacity of the collocated equipment, Global Connection will be informed of the discrepancy by BellSouth and required to submit a revision to the application.
- Global Connection shall notify BellSouth whenever Global Connection submits a Method of Procedure (MOP) adding equipment to Global Connection's Collocation Space and shall provide to BellSouth a list of all UCC-1 lien holders or other entities that have a financial interest, secured or otherwise, in the equipment in Global Connection's Collocation Space. Global Connection shall submit a list of any lien holders or other entities that have a financial interest in the equipment that is collocated by Global Connection to its RCM Representative.
- 5.3 Global Connection shall not use the Collocation Space for marketing purposes, nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the Premises.
- Global Connection shall place a plaque or affix other identification (e.g., stenciling) to Global Connection's equipment, in order for BellSouth to identify Global Connection's equipment, including a list of emergency contacts with telephone numbers.
- 5.5 Entrance Facilities. Global Connection may elect to place Global Connection-owned or Global Connection-leased fiber entrance facilities into its Collocation Space. BellSouth will designate the point of interconnection in close proximity to the Premises building housing the Collocation Space, such as at an entrance manhole or a cable vault, which are physically accessible by both Parties. Global Connection will provide and place fiber cable at the point of entrance of sufficient length to be pulled through conduit and into the splice location. Global Connection will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced by BellSouth. The fire retardant riser cable will extend from the splice location to Global Connection's equipment in the Collocation Space. In the event Global Connection utilizes a non-metallic, riser-type entrance facility, a splice will not be required. Global Connection must contact BellSouth for instructions prior to placing any entrance facility cable in the manhole. Global Connection is responsible for maintenance of the entrance facilities. At Global Connection's option, BellSouth will

- accommodate, where technically feasible, a microwave entrance facility, pursuant to separately negotiated terms and conditions. In the case of adjacent collocation, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point unless BellSouth determines that limited space is available for the placement of entrance facilities.
- 5.5.1 <u>Dual Entrance Facilities</u>. BellSouth will provide at least two interconnection points at each Premise where at least two such interconnection points are available and capacity exists. Upon receipt of a request by Global Connection for dual entrance facilities to its physical Collocation Space, BellSouth shall provide Global Connection with information regarding BellSouth's capacity to accommodate the requested dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose or for utilization within twelve (12) months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for installing a second entrance facility to Global Connection's arrangement. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance facilities are not available due to lack of capacity, BellSouth will provide this information to Global Connection in the Application Response.
- 5.5.2 Shared Use. Global Connection may utilize spare capacity on an existing interconnector's entrance facility for the purpose of providing an entrance facility to Global Connection's collocation arrangement within the same Premises. BellSouth shall allow the splice, as long as the fiber is non-working fiber. Global Connection must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier for BellSouth to perform the splice of the Global Connection provided riser cable to the spare capacity on the entrance facility. If Global Connection desires to allow another telecommunications carrier to use its entrance facilities, that telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from Global Connection for BellSouth to perform the splice of that telecommunications carrier's provided riser cable to the spare capacity on Global Connection's entrance facility.
- Demarcation Point. BellSouth will designate the point(s) of demarcation between Global Connection's equipment and/or network and BellSouth's network. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on the BellSouth designated conventional distributing frame (CDF). Global Connection shall be responsible for providing, and Global Connection's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the common block and any necessary cabling identified in Section 7 of this Attachment. For all other terminations, BellSouth shall designate a demarcation point on a per arrangement basis. Global Connection or its agent must perform all required maintenance to the equipment/facilities on its side of the demarcation point, pursuant to Section 5.7,

following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests.

- 5.6.1 In Tennessee, BellSouth will designate the point(s) of demarcation between Global Connection's equipment and/or network and BellSouth's network. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. For connections to BellSouth's network, the demarcation point shall be a Global Connection-provided Point of Termination Bay (POT Bay) in a common area within the Premises. Global Connection shall be responsible for providing, and Global Connection's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the POT Bay, as well as installing the necessary cabling between Global Connection's Collocation Space and the demarcation point. Global Connection or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests. BellSouth will negotiate alternative rates, terms and conditions related to the demarcation point in Tennessee, in the event that Global Connection desires to avoid the use of an intermediary device as contemplated by the Tennessee Regulatory Authority.
- 5.7 Global Connection's Equipment and Facilities. Global Connection, or if required by this Attachment, Global Connection's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Global Connection which must be performed in compliance with all applicable BellSouth Specifications. Such equipment and facilities may include, but are not limited to, cable(s), equipment, and point of termination connections. Global Connection and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- BellSouth's Access to Collocation Space. From time to time, BellSouth may require access to the Collocation Space. BellSouth retains the right to access Global Connection's space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cabling). BellSouth will give notice to Global Connection at least forty-eight (48) hours before access to the Collocation Space is required. Global Connection may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that Global Connection will not bear any of the expense associated with this type of work.
- Access. Pursuant to Section 12, Global Connection shall have access to its Collocation Space twenty-four (24) hours a day, seven (7) days a week. Global Connection agrees to provide the name and social security number, date of birth, or driver's license number of each employee, supplier, or agent of Global Connection or Global Connection's Guests that will be provided with access keys or cards (Access Keys) prior to the issuance of said Access Keys, using form RF-2906-C, the "CLEC"

and CLEC Certified Supplier Access Request and Acknowledgement" form. Key acknowledgement forms, the "Collocation Acknowledgement Sheet" for access cards and the "Key Acknowledgement Form" for keys must be signed by Global Connection and returned to BellSouth Access Management within fifteen (15) calendar days of Global Connection's receipt. Failure to return these properly acknowledged forms will result in the holding of subsequent access key or card requests until the proper acknowledgement documents have been received by BellSouth and reflect current information. Access Keys may not be duplicated under any circumstances. Global Connection agrees to be responsible for all Access Keys and for the return of all Access Keys in the possession of Global Connection's employees, suppliers, Guests, or agents after termination of the employment relationship, the contractual obligation with Global Connection ends, upon the termination of this Attachment, or upon the termination of occupancy of an individual collocation arrangement.

- 5.9.1 BellSouth will permit one accompanied site visit to Global Connection's designated collocation arrangement location, after receipt of the BFFO without charge to Global Connection. Global Connection must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the Premises within a minimum of thirty (30) calendar days prior to the date Global Connection desires access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, Global Connection may submit a request for its one accompanied site visit to its designated collocation arrangement location at any time subsequent to BellSouth's receipt of the BFFO. In the event Global Connection desires access to the Collocation Space after submitting such a request, but prior to the approval of its access request, in addition to the first accompanied free visit, BellSouth shall permit Global Connection to access the Collocation Space accompanied by a security escort, at Global Connection's expense. Global Connection must request escorted access to its designated collocation arrangement location at least three (3) business days prior to the date such access is desired.
- 5.10 <u>Lost or Stolen Access Keys</u>. Global Connection shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. If it becomes necessary for BellSouth to re-key buildings or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), Global Connection shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- Interference or Impairment. Notwithstanding any other provisions of this Attachment, Global Connection shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications services; 2) endangers or damages the equipment, facilities or any other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Global Connection violates

the provisions of this paragraph, BellSouth shall provide written notice to Global Connection, which shall direct Global Connection to cure the violation within forty-eight (48) hours of Global Connection's actual receipt of written notice or, at a minimum, to commence curative measures within twenty-four (24) hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to conduct an inspection of the arrangement.

- 5.11.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Global Connection fails to take curative action within forty-eight (48) hours or if the violation is of a character that poses an immediate and substantial threat of damage to property or injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event, BellSouth may take such action as it deems appropriate to correct the violation, including, without limitation, the interruption of electrical power to Global Connection's equipment. BellSouth will endeavor, but is not required, to provide notice to Global Connection prior to the taking of such action and BellSouth shall have no liability to Global Connection for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.11.2 For purposes of this Section, the term "significantly degrades" shall be defined as an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Global Connection fails to take curative action within forty-eight (48) hours, then BellSouth will establish before the Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Global Connection or, if subsequently necessary, the Commission must be supported by BellSouth with specific and verifiable information. When BellSouth demonstrates that a certain technology deployed by Global Connection is significantly degrading the performance of other advanced services or traditional voice band services, Global Connection shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that it is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology
- 5.12 Personalty and its Removal. Facilities and equipment placed by Global Connection in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by Global Connection at any time. Any damage caused to the Collocation Space by Global Connection's employees, suppliers, agents or representatives during the removal of such property shall be promptly repaired by Global Connection at its sole expense. If Global Connection decides to

remove equipment from its Collocation Space and the removal requires no physical change, BellSouth will bill Global Connection a Supplemental Application Fee (Administrative Only Application Fee) as set forth in Exhibit B. This non-recurring fee will be billed on the date that BellSouth provides an Application Response.

- Alterations. Under no condition shall Global Connection or any person acting on behalf of Global Connection make any rearrangement, modification, augment, improvement, addition, and/or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the Premises, hereinafter referred to individually or collectively as "Augments", without the express written consent of BellSouth, which shall not be unreasonably withheld. The cost of any such Augment shall be paid by Global Connection. Any such Augment shall require an application and will result in the assessment of an application fee, which will be billed by BellSouth on the date that BellSouth provides Global Connection with an Application Response.
- Janitorial Service. Global Connection shall be responsible for the general upkeep of its Collocation Space. Global Connection shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to Caged Collocation Space. BellSouth shall provide a list of such suppliers on a site-specific basis, upon request.

6. Ordering and Preparation of Collocation Space

- 6.1 If any state or federal regulatory agency imposes procedures or intervals applicable to Global Connection and BellSouth that are different from the procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications that are submitted for the first time after the effective date thereof.
- 6.2 <u>Initial Application</u>. For Global Connection or Global Connection's Guest(s) initial equipment placement, Global Connection shall submit to BellSouth a Physical Expanded Interconnection Application Document (Initial Application). The Initial Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the application are completed with the appropriate type of information. An application fee will apply to each application submitted by Global Connection, which will be billed by BellSouth on the date that BellSouth provides Global Connection with an Application Response.
- 6.3 <u>Subsequent Application.</u> In the event Global Connection or Global Connection's Guest(s) desires to modify the use of the Collocation Space after a BFFO, Global Connection shall complete an application that contains all of the detailed information associated with an Augment **to** the Collocation Space, as defined in Section 5.13 of this Attachment (Subsequent Application). The Subsequent Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on

the Subsequent Application are completed with the appropriate type of information associated with the Augment. BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by Global Connection in the application. Such modifications to the Premises may include, but are not limited to: floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.

- 6.3.1 Subsequent Application Fee. The application fee paid by Global Connection for its request for an Augment shall be dependent upon the level of assessment needed for the Augment requested. Where the Subsequent Application does not require assessment for provisioning or construction work but requires administrative costs by BellSouth, a Subsequent Application Fee (Administrative Only Application Fee) will be required as set forth in Exhibit B. This Administrative Only Application Fee will be applicable in instances such as Transfer of Ownership of the Collocation Space, Removal of Equipment from the Collocation Space, modification to an application prior to BFFO and V-to-P Conversion (In Place). The fee for a Subsequent Application where the Augment requested has limited effect (e.g., requires limited assessment but no capital expenditure by BellSouth as sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. If the modification requires capital expenditure, an Initial Application Fee shall apply. This nonrecurring fee will be billed on the date that BellSouth provides Global Connection with an Application Response.
- Space Preferences. If Global Connection has previously requested and received a Space Availability Report for the Premises, Global Connection may submit up to three (3) space preferences on its application by identifying the specific space identification numbers referenced on the Space Availability Report for the space it is requesting. In the event BellSouth cannot accommodate the Global Connection's preference(s), Global Connection may accept the space allocated by BellSouth or cancel its application and submit another application requesting additional space preferences for the same central office. This application will be treated as a new application and an application fee will apply. The application fee will be billed by BellSouth on the date that BellSouth provides Global Connection with an Application Response.
- 6.5 Space Availability Notification.
- Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a requested Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Global Connection of the amount of space that is available and no application fee will apply. When BellSouth's response includes an amount of space less than that requested by Global Connection or space that is configured differently, no application fee will apply. If Global Connection decides to accept the available space, Global Connection must resubmit its application to reflect the actual space available, including the configuration

- of the space, prior to submitting a BFFO. When Global Connection resubmits its application, BellSouth will bill Global Connection the appropriate application fee.
- 6.5.2 BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and bill Global Connection an appropriate application fee on the date that BellSouth provides the Application Response. When BellSouth's Application Response includes an amount of space less than that requested by Global Connection or space that is configured differently, if Global Connection decides to accept the available space, Global Connection must amend its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO.
- 6.5.3 BellSouth will respond to a Louisiana application within ten (10) calendar days in regard to space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, the response interval is increased by five (5) calendar days for every five additional applications received within five (5) business days. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Global Connection of the amount of space that is available and no application fee will apply. When BellSouth's response includes an amount of space less than that requested by Global Connection or space that is configured differently, no application fee will apply. If Global Connection decides to accept the available space, Global Connection must resubmit its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO. When Global Connection resubmits its application, BellSouth will bill Global Connection the appropriate application fee. Denial of Application. If BellSouth notifies Global Connection that no space is available (Denial of Application), BellSouth will not assess an application fee to Global Connection. After notifying Global Connection that BellSouth has no available space in the requested Premises, BellSouth will allow Global Connection, upon request, to tour the entire Premises within ten (10) calendar days of such Denial of Application. In order to schedule this tour within ten (10) calendar days, the request for the tour of the Premises must be received by BellSouth within five (5) calendar days of the Denial of Application.
- 6.6 Filing of Petition for Waiver. Upon Denial of Application, BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement

or provision, BellSouth shall permit Global Connection to inspect any floor plans or diagrams that BellSouth provides to the Commission.

- Maiting List. On a first-come, first-served basis, governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate in that Premises. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available, according to the position of the telecommunications carriers on said waiting list.
- 6.7.1 In Florida, on a first-come, first-served basis, governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate in that Premises. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Commission and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of each telecommunications carrier on said waiting list. If BellSouth does not know sixty (60) calendar days in advance of when space will become available, BellSouth will notify the Commission and the telecommunications carriers on the waiting list within two (2) business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- 6.7.2 When space becomes available, Global Connection must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of notification by BellSouth that space will be available in the Premises previously out of space. If Global Connection has originally requested caged Collocation Space and cageless Collocation Space becomes available, Global Connection may refuse such space and notify BellSouth in writing within the thirty (30) day timeframe that Global Connection wants to maintain its place on the waiting list, without accepting the available cageless Collocation Space. Global Connection may accept an amount of space less than its originally requested space by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Global Connection does not submit an application or notify BellSouth in writing as described above, BellSouth will offer the space to the next telecommunications carrier on the waiting list and remove Global Connection from the waiting list. Upon request, BellSouth will advise Global Connection as to its position on the waiting list.
- 6.8 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Premises that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that insufficient space is available to accommodate physical collocation. BellSouth will also post a document on its Interconnection Services

website that contains a general notice when space has become available in a Premises previously on the space exhaust list.

- 6.9 <u>Application Response.</u>
- 6.9.1 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee, when space has been determined to be available for caged or cageless arrangements, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, as described in Section 8.
- In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable Global Connection to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When Global Connection submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response interval will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- 6.9.3 In Louisiana, when space has been determined to be available, BellSouth will provide an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty-five (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, the Application Response interval will be increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.10 <u>Application Modifications</u>.
- 6.10.1 If a modification or revision is made to any information in the Bona Fide Application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, at the request of Global Connection, or necessitated by technical considerations, the application shall be considered a new application and handled as a new application with respect to the response and provisioning intervals. BellSouth will charge Global Connection the appropriate application fee associated with the level of assessment performed by BellSouth. If the modification requires no labor or capital expenditure by BellSouth, but BellSouth must perform an assessment of the application to evaluate whether or not BellSouth would be required to perform necessary infrastructure or provisioning activities, then an Administrative Only Application Fee shall apply. The fee for an

application modification where the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth and where sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. A modification involving a capital expenditure by BellSouth shall require Global Connection to submit the application with an Initial Application Fee. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides Global Connection with an Application Response.

6.11 <u>Bona Fide Firm Order</u>.

- 6.11.1 Global Connection shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Bona Fide Firm Order (BFFO) to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Global Connection's Bona Fide Application or Global Connection's application will expire.
- 6.11.2 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of Global Connection's BFFO. BellSouth will acknowledge the receipt of Global Connection's BFFO within seven (7) calendar days of receipt, so that Global Connection will have positive confirmation that its BFFO has been received. BellSouth's response to a BFFO will include a Firm Order Confirmation, which contains the firm order date. No revisions can be made to a BFFO.

7. Construction and Provisioning

- 7.1 Construction and Provisioning Intervals.
- 7.1.1 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For Augments requested to the Collocation Space after initial space completion, BellSouth will complete construction for collocation arrangements as soon as possible within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant timeframe and BellSouth and Global Connection cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days of receipt of the BFFO for an Augment, BellSouth may seek an extension from the Commission.
- 7.1.2 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee, BellSouth will complete construction for caged collocation arrangements under ordinary conditions as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible within a maximum of sixty (60) calendar days

from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required such as, but not limited to, HVAC, cabling and the power plant. Extraordinary conditions shall include, but not be limited to, major BellSouth equipment rearrangements or additions; power plant additions or upgrades; major mechanical additions or upgrades; a major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.3 When Global Connection adds equipment within initial demand parameters that requires no additional space preparation work on the part of BellSouth, then no additional charges or additional intervals will be imposed by BellSouth that would delay Global Connection's operation.
- 7.1.4 In the states of Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will provide the reduced intervals outlined below to Global Connection, when Global Connection requests an Augment after the Space Ready Date for existing physical collocation space. In such instances, Global Connection must provide an accurate front equipment view (a.k.a. rack elevation drawing) specifying bay(s) for Global Connection's point of termination.
- 7.1.4.1 Simple Augments will be completed within twenty (20) calendar days after receipt of the BFFO for an:
 - Extension of Existing AC Circuit Capacity within Arrangement Where Sufficient Circuit Capacity is Available
 - Fuse Change and/or Increase or Decrease -48V DC Power from Existing ILEC BDFB
- 7.1.4.2 Minor Augments will be completed within forty-five (45) calendar days after receipt of the BFFO for:
 - 168 DS1s Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
 - 96 DS3s Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
 - 99 Fiber Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
 - Maximum of 2000 Service Ready DS0 Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 7.1.4.3 Intermediate Augments will be completed within sixty (60) calendar days after receipt of the BFFO for:

- 168 DS1s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
- 96 DS3s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
- 99 Fiber Terminations (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
- 2000 DS0s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
- Install Cable Racking or Other Support Structures as Required to Support Co-Carrier Cross Connects (Adequate Floor or Ceiling Structural Capacity Exists and Support/Protection Structure for Fiber Patch Cord is Excluded)
- 7.1.4.4 Major Augments Physical Collocation will be completed within ninety (90) calendar days after BFFO and includes all requests for additional physical collocation space (caged or cageless).
- 7.1.4.5 Major Augments Virtual Collocation will be completed within seventy-five (75) calendar days after BFFO and includes all requests for additional virtual collocation space.
- 7.1.4.6 If Global Connection submits an augment application request that includes two augment items from the same category in Sections 7.1.4.1, 7.1.4.2, and 7.1.4.3 above, the augment interval associated with the next highest augment category will apply (e.g., if two items from the minor augment category are requested on the same request, then an interval of sixty (60) calendar days from the receipt of the BFFO would apply, which is the interval associated with the intermediate category).
- 7.1.4.7 If Global Connection submits an augment application request that includes three augment items from the same category in Sections 7.1.4.1, 7.1.4.2, and 7.1.4.3 above, the major augment interval of ninety (90) calendar days from the receipt of the BFFO would apply (e.g., if three items from the simple augment category are requested on the same request for a physical collocation arrangement, then an interval of ninety (90) calendar days from the receipt of the BFFO would apply, which is the major physical augment interval; likewise if three items from the simple augment category are requested on the same request for a virtual collocation arrangement, then an interval of seventy-five (75) calendar days from the receipt of the BFFO would apply, which is the major virtual augment interval;).
- 7.1.4.8 If Global Connection submits an augment application request that includes one augment item from two separate categories in Sections 7.1.4.1, 7.1.4.2 and 7.1.4.3 above, the augment interval associated with the highest augment category will apply (e.g., if an item from the minor augment category and an item from the intermediate augment category are requested on the same request, then an interval of sixty (60) calendar days from the receipt of the BFFO would apply, which is the interval associated with the intermediate augment category).

- 7.1.4.9 All Augments not expressly included in the Simple, Minor, Intermediate or Major categories as outlined above will be placed into the appropriate category as negotiated by Global Connection and BellSouth. If Global Connection and BellSouth are unable to determine the appropriate category through negotiation, then the appropriate major augment category identified in Sections 7.1.4.4 and 7.1.4.5 would apply based on whether the augment request is for Global Connection's physical or virtual collocation arrangement.
- 7.1.4.10 Individual application fees associated with simple, minor and intermediate augment applications are contained in Exhibit B. The appropriate application fee will be assessed to Global Connection at the time BellSouth provides Global Connection with the Application Response. Global Connection will be assessed a Subsequent Application Fee for all Major Augment applications (Major Augments are defined above in Sections 7.1.4.4 and 7.1.4.5). The Subsequent Application Fee is also reflected in Exhibit B of this Attachment.
- Joint Planning. Joint planning between BellSouth and Global Connection will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Collocation Space completion interval will be provided to Global Connection during the joint planning meeting.
- 7.3 <u>Permits</u>. Each Party or its agent(s) will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agent(s) within ten (10) calendar days of the completion of the finalized construction design and specifications.
- Acceptance Walkthrough. Global Connection will schedule and complete an acceptance walkthrough of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notification to Global Connection that the Collocation Space is ready for occupancy. In the event Global Connection fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by Global Connection on the Space Ready Date. BellSouth will correct any deviations to Global Connection's original or jointly amended design and/or specification requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different timeframe.
- 7.5 <u>Circuit Facility Assignments (CFAs).</u> Unless otherwise specified, BellSouth will provide CFAs to Global Connection prior to the applicable provisioning interval set forth herein (Provisioning Interval) for those Premises in which Global Connection has a physical collocation arrangement with no POT bay or with a POT bay provided by BellSouth. BellSouth cannot provide CFAs to Global Connection prior to the Provisioning Interval for those Premises in which Global Connection has a physical collocation arrangement with a POT bay provided by Global Connection or a virtual collocation arrangement, until Global Connection provides BellSouth with the following information:

- 7.5.1 For a physical collocation arrangement with a Global Connection-provided POT bay a complete layout of the POT panels (equipment inventory update (EIU) form) showing locations, speeds, etc.
- 7.5.2 For a virtual collocation arrangement a complete layout of Global Connection's equipment (equipment inventory update (EIU) form), including the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by Global Connection's BellSouth Certified Supplier.
- 7.5.3 BellSouth cannot begin work on the CFAs until the complete and accurate EIU form is received from Global Connection. If the EIU form is provided ten (10) calendar days prior to the ending date of the Provisioning Interval, then CFAs will be made available by the ending date of the Provisioning Interval. If the EIU form is not received ten (10) calendar days prior to the ending date of the Provisioning Interval, then the CFAs will be provided within ten (10) calendar days of receipt of the EIU form.
- 7.5.4 BellSouth will bill Global Connection a nonrecurring charge, as set forth in Exhibit B, each time Global Connection requests a resend of its CFAs for any reason other than a BellSouth error in the CFAs initially provided to Global Connection.
- 7.6 Use of BellSouth Certified Supplier. Global Connection shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. Global Connection and Global Connection's BellSouth Certified Supplier must follow and comply with all of BellSouth's requirements, outlined in BellSouth TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, Global Connection must select separate BellSouth Certified Suppliers for those work activities associated with transmission equipment, switching equipment and power equipment. BellSouth shall provide Global Connection with a list of BellSouth Certified Suppliers, upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Global Connection's equipment and associated components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and Global Connection upon successful completion of installation, etc. The BellSouth Certified Supplier shall bill Global Connection directly for all work performed for Global Connection pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Global Connection's BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to Global Connection or any supplier proposed by Global Connection and will not unreasonably withhold certification. All work performed by or for Global Connection shall conform to generally accepted industry standards.
- Alarm and Monitoring. BellSouth shall place environmental alarms in the Premises for the protection of BellSouth equipment and facilities. Global Connection shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service Global Connection's Collocation Space. Upon request, BellSouth will provide Global Connection with an applicable tariffed service(s) to

facilitate remote monitoring of collocated equipment by Global Connection. Both Parties shall use best efforts to notify the other of any verified environmental condition known to that Party.

- Virtual to Physical Collocation Relocation. In the event physical Collocation Space 7.8 was previously denied at a location due to technical reasons or space limitations and physical Collocation Space has subsequently become available, Global Connection may relocate its existing virtual collocation arrangement(s) to a physical collocation arrangement(s) and pay the appropriate fees associated with physical collocation and the rearrangement or reconfiguration of services terminated in the virtual collocation arrangement, as outlined in the appropriate BellSouth Tariffs. In the event BellSouth knows when additional space for physical collocation may become available at the location requested by Global Connection, such information will be provided to Global Connection in BellSouth's written denial of physical collocation space. To the extent that (i) physical Collocation Space becomes available to Global Connection within one hundred eighty (180) calendar days of BellSouth's written denial of Global Connection's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Global Connection was not informed in the written denial that physical Collocation Space would become available within such one hundred eighty (180) calendar days, then Global Connection may relocate its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual collocation. Global Connection must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.
- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to cageless physical collocation within thirty (30) calendar days and from virtual collocation to caged physical collocation within ninety (90) calendar days.
- Virtual to Physical Conversion (In-Place). Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill Global Connection an Administrative Only Application Fee as set forth in Exhibit B on the date that BellSouth provides an Application Response to Global Connection.

- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 <u>Cancellation</u>. If at any time prior to space acceptance, Global Connection cancels its order for the Collocation Space(s) (Cancellation), BellSouth will bill the applicable nonrecurring rate(s) for any and all work processes for which work has begun or been completed. In Georgia, if Global Connection cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill Global Connection for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses.</u> Global Connection, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and/or occupy the Collocation Space.
- 7.12 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8. Rates and Charges

- 8.1 <u>Application Fee.</u> BellSouth shall assess an application fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 6.10 (Application Response). BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response to Global Connection.
- 8.1.1 In Tennessee the applicable application fee is the planning fee for both Initial Applications and Subsequent Applications placed by Global Connection. BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response to Global Connection.
- 8.2 <u>Cable Installation</u>. Cable Installation Fee(s) are assessed per entrance cable placed. This nonrecurring fee will be billed by BellSouth upon receipt of Global Connection's BFFO.
- 8.3 Recurring Charges. If Global Connection has met the applicable fifteen (15) calendar day walkthrough interval(s) specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event that Global Connection fails to complete an acceptance walkthrough within the applicable fifteen (15) calendar day interval(s), billing for recurring charges will commence on the Space Ready Date. If Global Connection occupies the space prior to the Space Ready Date, the date Global Connection occupies the space becomes the new Space Acceptance Date and billing for recurring charges begin on that date.

- Space Preparation. Space preparation fees consist of a nonrecurring charge for firm order processing and monthly recurring charges for central office modifications assessed per arrangement, per square foot and common systems modifications assessed per arrangement, per square foot for cageless collocation and per cage for caged collocation. Global Connection shall remit payment of the nonrecurring firm order processing fee coincident with submission of a BFFO. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event Global Connection opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to Global Connection as prescribed in this Section.
- 8.5 Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the Premises but does not include any power-related costs incurred by BellSouth. When the Collocation Space is enclosed, Global Connection shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, Global Connection shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 x wiring aisle depth)] X (width of rack and)spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event Global Connection's collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, Global Connection shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.
- 8.6 Power. BellSouth shall make available –48 Volt (-48V) Direct Current (DC) power for Global Connection's Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at Global Connection's option within the Premises. BellSouth will revise recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by Global Connection's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from Global Connection certifying the completion of the power reduction, including the removal of the power cabling by Global Connection's BellSouth Certified Supplier.
- 8.6.1 When obtaining power from a BDFB, fuses and power cables (A&B) must be engineered (sized), and installed by Global Connection's BellSouth Certified Supplier. When obtaining power from a BellSouth power board, power cables (A&B) must be engineered (sized), and installed by Global Connection's BellSouth Certified Supplier. Global Connection is responsible for contracting with a BellSouth Certified Supplier for power distribution feeder cable runs from a BellSouth BDFB or BellSouth power board to Global Connection's equipment. The determination of the BellSouth BDFB

or BellSouth power board as the power source will be made at BellSouth's sole, but reasonable, discretion. The BellSouth Certified Supplier contracted by Global Connection must provide BellSouth with a copy of the engineering power specifications prior to the day on which Global Connection's equipment becomes operational (Commencement Date). BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB or BellSouth power board and Global Connection's arrangement area. Global Connection shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within Global Connection's arrangement, power cable feeds, and terminations of cable. Any terminations at a BellSouth power board must be performed by a BellSouth Certified Supplier. Global Connection shall comply with all applicable National Electric Code (NEC), BellSouth TR73503, Telcordia and ANSI Standards regarding power cabling, installation, and maintenance.

- 8.6.2 If Global Connection elects to install its own DC Power Plant, BellSouth shall provide Alternating Current (AC) power to feed Global Connection's DC Power Plant. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Global Connection's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Global Connection's BellSouth Certified Supplier must also provide a copy of the engineering power specifications prior to the Commencement Date. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At Global Connection's option, Global Connection may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.6.3 In Tennessee, recurring charges for -48V DC power consumption will be assessed per ampere per month based upon the engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable racks to Global Connection's equipment or space enclosure. Global Connection shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within Global Connection's arrangement and terminations of cable within the Collocation Space.
- 8.6.3.1 In Tennessee, nonrecurring charges for –48V DC power distribution will be based on the common power feeder cable support structure between the BellSouth BDFB and Global Connection's arrangement area.
- 8.6.4 In Alabama and Louisiana, Global Connection has the option to purchase power directly from an electric utility company. Under such an option, Global Connection is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this

arrangement must be performed by a BellSouth Certified Supplier hired by Global Connection. Global Connection's BellSouth Certified Supplier must comply with all applicable safety codes, including the National Electric Safety Codes, in installing this power arrangement. If Global Connection previously had power supplied by BellSouth, Global Connection may request to change its arrangement to obtain power from an electric utility company by submitting a Subsequent Application. BellSouth will waive any application fee for this subsequent application if no other change was requested therein. Any floor space, cable racking, etc. utilized by Global Connection in provisioning said power will be billed on an ICB basis.

- 8.6.5 In South Carolina, Global Connection has the option to purchase power directly from an electric utility company where technically feasible and where space is available in a requested Premises. Under such an option, Global Connection is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and power cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Global Connection. Global Connection's BellSouth Certified Supplier must comply with all applicable national, regional, state and local safety, electrical, fire and building codes, including the National Electric Safety Code standards, in installing this power arrangement, just as BellSouth is required to comply with these codes. Global Connection must submit an application to BellSouth for the appropriate amount of Collocation Space that Global Connection requires to install this type of power arrangement. BellSouth will evaluate the request and determine if the appropriate amount of space is available within the office for the installation of Global Connection's power equipment and facilities. This type of power arrangement must be located in an appropriate area in the central office that has been properly conditioned for the installation of power equipment and conforms to the applicable national, regional, state and local safety, electrical, fire and building codes. BellSouth shall waive the application fee or any other nonrecurring charge that would otherwise be due from a CLEC that decides to reconfigure an existing collocation power arrangement so as to purchase power directly from an electric utility company as provided herein. Global Connection shall be responsible for the recurring charges associated with the central office space needed for collocation of this type of power arrangement, including space required to place associated powerrelated equipment and facilities (i.e., batteries, generator, power meter, etc.). If there is no space available for this type of power arrangement in the requested central office, BellSouth may seek a waiver of these requirements from the Commission for the central office requested. Global Connection would still have the option to order its power needs directly from BellSouth.
- 8.6.6 If Global Connection requests a reduction in the amount of power that BellSouth is currently providing, Global Connection must submit a Subsequent Application. If no modification to the Collocation Space is requested other than the reduction in power, the Subsequent Application Fee for Power Reduction as set forth in Exhibit B will apply. If modifications are requested in addition to the reduction of power, the

- Subsequent Application Fee will apply. BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response.
- 8.6.7 In Alabama and Louisiana, if Global Connection is currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific central office, Global Connection must submit a Subsequent Application. BellSouth will respond to such application within seven (7) calendar days and no application fee will apply.
- 8.7 <u>Security Escort.</u> A security escort will be required whenever Global Connection or its approved agent desires access to the entrance manhole or must have access to the Premises after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit B beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and Global Connection shall pay for such half-hour charges in the event Global Connection fails to show up.
- 8.8 <u>Cable Record charges.</u> These charges apply for work required to build cable records in BellSouth systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records. These nonrecurring fees will be billed upon receipt of Global Connection's BFFO.
- 8.9 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

9. Insurance

- 9.1 Global Connection shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 Global Connection shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.

- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Global Connection's real and personal property situated on or within BellSouth's Central Office location(s).
- 9.2.4 Global Connection may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) calendar days notice to Global Connection to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by Global Connection shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to Premises and shall remain in effect for the term of this Attachment or until all Global Connection's property has been removed from BellSouth's Premises, whichever period is longer. If Global Connection fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Global Connection.
- 9.5 Global Connection shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Global Connection shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Global Connection's insurance company. Global Connection shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 Global Connection must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self-Insurance</u>. If Global Connection's net worth exceeds five hundred million dollars (\$500,000,000), Global Connection may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. Global Connection shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Global Connection in the event that self-insurance status is not granted to Global Connection.

If BellSouth approves Global Connection for self-insurance, Global Connection shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Global Connection's corporate officers. The ability to self-insure shall continue so long as the Global Connection meets all of the requirements of this Section. If Global Connection subsequently no longer satisfies this Section, Global Connection is required to purchase insurance as indicated by Sections 9.2.1 and 9.2.2.

- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to Global Connection to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Global Connection), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. Inspections

11.1 BellSouth may conduct an inspection of Global Connection's equipment and facilities in the Collocation Space(s) prior to the activation of facilities between Global Connection's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Global Connection adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Global Connection with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. Security and Safety Requirements

- Unless otherwise specified, Global Connection will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Global Connection employee hired in the past five years being considered for work on the Premises, for the states/counties where the Global Connection employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Global Connection shall not be required to perform this investigation if an affiliated company of Global Connection has performed an investigation of the Global Connection employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Global Connection has performed a pre-employment statewide investigation of criminal history records of the Global Connection employee for the states/counties where the Global Connection employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- 12.2 Global Connection will be required to administer to its personnel assigned to the Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- Global Connection shall provide its employees and agents with picture identification, which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo identification card shall bear, at a minimum, the employee's name and photo and Global Connection's name. BellSouth reserves the right to remove from its Premises any employee of Global Connection not possessing identification issued by Global Connection or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Global Connection shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Premises. Global Connection shall be solely responsible for ensuring that any Guest(s) of Global Connection is in compliance with all subsections of this Section.
- Global Connection shall not assign to the Premises any personnel with records of felony criminal convictions. Global Connection shall not assign to the Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any Global Connection personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Global Connection chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Global Connection may, in the alternative, certify to BellSouth that it shall not assign to the Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 Global Connection shall not knowingly assign to the Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was Version 1Q03: 02/28/03

- terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 Global Connection shall not knowingly assign to the Premises any individual who was a former supplier of BellSouth and whose access to a Premises was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.5 For each Global Connection employee or agent hired by Global Connection within five years of being considered for work on the Premises, who requires access to a Premises pursuant to this Attachment, Global Connection shall furnish BellSouth, prior to an employee or agent gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certify that the employee completed the security training. If the employee's criminal history includes misdemeanor convictions, Global Connection will disclose the nature of the convictions to BellSouth at that time. In the alternative, Global Connection may certify to BellSouth that it shall not assign to the Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other Global Connection employees requiring access to a Premises pursuant to this Attachment, Global Connection shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, Global Connection shall promptly remove from Premises any employee of Global Connection BellSouth does not wish to grant access to its Premises 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Global Connection is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.
- 12.7 Security Violations. BellSouth reserves the right to interview Global Connection's employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to Global Connection's Security representative of such interview. Global Connection and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Global Connection's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill Global Connection for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that Global Connection's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill Global Connection for BellSouth property, which is stolen or damaged where an investigation determines the culpability of Global Connection's employees, agents, or suppliers and where Global Connection agrees, in good faith, with the results of such investigation.

Global Connection shall notify BellSouth in writing immediately in the event that Global Connection discovers one of its employees already working on the Premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Premises, any employee found to have violated the security and safety requirements of this Section. Global Connection shall hold BellSouth harmless for any damages resulting from such removal of its personnel from Premises.

- 12.8 <u>Use of Supplies</u>. Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- Use of Official Lines. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the Premises.
 Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- Accountability. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. <u>Destruction of Collocation Space</u>

13.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Global Connection's permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Global Connection's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Global Connection, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Global Connection may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. If Global Connection's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Global Connection. Where allowed and where practical, Global Connection may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be

rebuilt or repaired, Global Connection shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for Global Connection's permitted use, until such Collocation Space is fully repaired and restored and Global Connection's equipment installed therein (but in no event later than thirty (30) calendar days after the Collocation Space is fully repaired and restored). Where Global Connection has placed an Adjacent Arrangement pursuant to Section 3.4, Global Connection shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Adjacent Arrangement.

14. <u>Eminent Domain</u>

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and Global Connection shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

15. Nonexclusivity

Global Connection understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Global Connection agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC (Applicable Laws). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- 1.2 <u>Notice</u>. BellSouth and Global Connection shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Global Connection should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Global Connection to follow when working at a Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. Global Connection will require its suppliers, agents and others accessing the Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Global Connection when operating in the Premises.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the Global Connection space with proper notification. BellSouth reserves the right to stop any Global Connection work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Premises.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the Premises by Global Connection are owned by Global Connection. Global Connection will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Global Connection or different hazardous materials used by Global Connection at Premises. Global Connection must demonstrate adequate emergency response

- capabilities for its materials used or remaining at the Premises.
- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a Premises, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by Global Connection to BellSouth.
- Coordinated Environmental Plans and Permits. BellSouth and Global Connection will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Global Connection will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Global Connection must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and Global Connection shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Premises.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Premises, Global Connection agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Global Connection further agrees to cooperate with BellSouth to ensure that Global Connection's employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Global Connection, its employees, agents and/or suppliers.
- 2.2 The most current version of the reference documentation must be requested from Global Connection's BellSouth Regional Contract Manager (RCM) (f/k/a Account Team Collocation Coordinator ATCC).

| ENVIRONMENTAL CATEGORIES | ENVIRONMENTAL ISSUES | ADDRESSED BY THE FOLLOWING DOCUMENTATION |
|---|---|---|
| Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning materials) | Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of supplier | Std T&C 450 Fact Sheet Series 17000 Std T&C 660-3 Approved Environmental Vendor List (Contact RCM Representative) |
| Emergency response | Hazmat/waste release/spill fire safety emergency | Fact Sheet Series 17000 Building Emergency Operations Plan (EOP) (specific to and located on Premises) |
| Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks) | Compliance with all applicable local, state, & federal laws and regulations Performance of services in accordance with BST's environmental M&Ps Insurance | Std T&C 450-B (Contact RCM Representative for copy of appropriate E/S M&Ps.) Std T&C 660 |
| Transportation of hazardous material | Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of supplier | Std T&C 450 Fact Sheet Series 17000 Std T&C 660-3 Approved Environmental Vendor List (Contact RCM Representative) |
| Maintenance/operations work which may produce a waste | Compliance with all applicable local, state, & federal laws and regulations | Std T&C 450 29CFR 1910.147 (OSHA |
| Other maintenance work | Protection of BST employees and equipment | Standard) 29CFR 1910 Subpart O |

| | | (OSHA Standard) |
|---|---|--|
| Janitorial services | All waste removal and disposal must conform to all applicable federal, state and local regulations | Procurement Manager (CRES Related Matters)-BST Supply Chain Services |
| | All Hazardous Material and Waste | Fact Sheet Series 17000 |
| | Asbestos notification and protection of employees and equipment | GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom) |
| Manhole cleaning | Compliance with all applicable local, state, & federal laws and regulations | Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996 |
| | Pollution liability insurance | Std T&C 660-3 |
| | EVET approval of supplier | Approved Environmental Vendor List (Contact RCM Representative) |
| Removing or disturbing building materials that may contain asbestos | Asbestos work practices | GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740 |

3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in Section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a Premises which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

RCM – Regional Collocation Manager (f/k/a Account Team Collocation Coordinator)

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

<u>E/S</u> – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

Std T&C - Standard Terms & Conditions

Attachment 4

Remote Site Physical Collocation

BELLSOUTH

REMOTE SITE PHYSICAL COLLOCATION

1. Scope of Attachment

- 1.1 <u>Scope of Attachment.</u> The rates, terms, and conditions contained within this Attachment shall only apply when Global Connection is occupying the collocation space as a sole occupant or as a Host within a Remote Site Location ("Remote Collocation Space") pursuant to this Attachment.
- 1.2 Right to occupy. BellSouth shall offer to Global Connection Remote Collocation Space on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms, and conditions of this Attachment, where space is available and collocation is technically feasible, BellSouth will allow Global Connection to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, or on BellSouth property upon which the BellSouth Remote Site Location is located, of a size, which is specified by Global Connection and agreed to by BellSouth. BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for BellSouth Remote Site Locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions upon request for collocation at BellSouth Remote Site Locations other than those specified above.

1.3 Space Reservation.

- 1.3.1 In all states other than Florida, the number of racks/bays specified by Global Connection may contemplate a request for space sufficient to accommodate Global Connection's growth within a two-year period.
- 1.3.2 In the state of Florida, the number of racks/bays specified by Global Connection may contemplate a request for space sufficient to accommodate Global Connection's growth within an eighteen (18) month period.
- 1.3.3 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.
- 1.4 <u>Third Party Property.</u> If the Premises, or the property on which it is located, is leased by BellSouth from a Third Party or otherwise controlled by a Third Party, special

considerations and intervals may apply in addition to the terms and conditions of this Attachment. Additionally, where BellSouth notifies Global Connection that BellSouth's agreement with a Third Party does not grant BellSouth the ability to provide access and use rights to others, upon Global Connection's request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for Global Connection. Global Connection agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for Global Connection. In cases where a Third Party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Attachment and BellSouth, despite its best efforts, is unable to secure such access and use rights for Global Connection as above, Global Connection shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with Global Connection in obtaining such permission.

- 1.5 <u>Space Reclamation</u>. In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Remote Site Location. Global Connection will be responsible for any justification of unutilized space within its Remote Collocation Space, if the Commission requires such justification.
- 1.6 <u>Use of Space.</u> Global Connection shall use the Remote Collocation Space for the purposes of installing, maintaining and operating Global Connection's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements (UNEs) for the provision of telecommunications services, as specifically set forth in this Agreement. The Remote Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.7 <u>Rates and charges</u>. Global Connection agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.8 If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less National holidays will be excluded.
- 1.9 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. Space Availability Report

2.1 <u>Space Availability Report</u>. Upon request from Global Connection, BellSouth will provide a written report ("Space Availability Report"), describing in detail the space that is available for collocation and specifying the amount of Remote Collocation Space available at the Remote Site Location requested, the number of collocators

present at the Remote Site Location, any modifications in the use of the space since the last report on the Remote Site Location requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Remote Site Location.

- 2.1.1 The request from Global Connection for a Space Availability Report must be written and must include the Common Language Location Identification ("CLLI") code for both the Remote Site Location and the serving wire center. The CLLI code information for the serving wire center is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4. If Global Connection is unable to obtain the CLLI code for the Remote Site Location from, for example, a site visit to the remote site, Global Connection may request the CLLI code from BellSouth. To obtain a CLLI code for a Remote Site Location directly from BellSouth, Global Connection should submit to BellSouth a Remote Site Interconnection Request for the serving wire center CLLI code prior to submitting its request for a Space Availability Report. Global Connection should complete all the requested information and submit the Request to BellSouth. BellSouth will bill the applicable fee upon receipt of the request.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Remote Site Locations within the same state. The response time for requests of more than five (5) Remote Site Locations shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify Global Connection and inform Global Connection of the time frame under which it can respond.
- 2.2 Remote Terminal information. Upon request, BellSouth will provide Global Connection with the following information concerning BellSouth's remote terminals: (i) the address of the remote terminal; (ii) the CLLI code of the remote terminal; (iii) the carrier serving area of the remote terminal; (iv) the designation of which remote terminals subtend a particular central office; and (v) the number and address of customers that are served by a particular remote terminal.
- 2.2.1 BellSouth will provide this information on a first come, first served basis within thirty (30) calendar days of a Global Connection request subject to the following conditions: (i) the information will only be provided on a CD in the same format in which it appears in BellSouth's systems; (ii) the information will only be provided for each serving wire center designated by Global Connection, up to a maximum of thirty (30) wire centers per Global Connection request per month per state, and up to for a maximum of one hundred twenty (120) wire centers total per month per state for all CLECs; and (iii) Global Connection agrees to pay the costs incurred by BellSouth in providing the information.

3. <u>Collocation Options</u>

- 3.1 Cageless. BellSouth shall allow Global Connection to collocate Global Connection's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Global Connection to have direct access to Global Connection's equipment and facilities in accordance with Section 5.8. BellSouth shall make cageless collocation available in single rack/bay increments. Except where Global Connection's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Remote Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Global Connection must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment pursuant to Section 7.6 following.
- 3.2 Caged. At Global Connection's expense, Global Connection may arrange with a Supplier certified by BellSouth ("BellSouth Certified Supplier") to construct a collocation arrangement enclosure, where technically feasible as that term has been defined by the FCC, in accordance with BellSouth's Technical References (TR) ("Specifications") prior to starting equipment installation. BellSouth will provide Specifications upon request. Global Connection's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Global Connection and provide, at Global Connection's expense, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for Global Connection's BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. Global Connection's BellSouth Certified Supplier shall bill Global Connection directly for all work performed for Global Connection pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Global Connection's BellSouth Certified Supplier. Global Connection must provide the local BellSouth Remote Site Location contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access Global Connection's locked enclosure prior to notifying Global Connection at least forty-eight (48) hours before access to the Remote Site Location is required. Upon request, BellSouth shall construct the enclosure for Global Connection.
- 3.2.1 BellSouth may elect to review Global Connection's plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's Specifications. Notification to Global Connection indicating BellSouth's desire to execute this review will be provided in BellSouth's response to the Application, if Global Connection has indicated their desire to construct their own enclosure. If Global Connection's Application does not indicate their desire to construct their own enclosure, but their firm order does indicate their desire to construct their own enclosure, then notification

to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of the plans and specifications. Regardless of whether or not BellSouth elects to review Global Connection's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's Specifications, as applicable. BellSouth shall require Global Connection to remove or correct within seven (7) calendar days at Global Connection's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.

- 3.3 Shared Collocation. Global Connection may allow other telecommunications carriers to share Global Connection's Remote Collocation Space pursuant to terms and conditions agreed to by Global Connection ("Host") and other telecommunications carriers ("Guests") and pursuant to this Section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and such easement does not permit such an option. Global Connection shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by Global Connection that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and Global Connection.
- 3.3.1 Global Connection, as the Host, shall be the sole interface and responsible Party to BellSouth for assessment of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide Global Connection with a proration of the costs of the Remote Collocation Space based on the number of collocators and the space used by each with a minimum charge of one (1) bay/rack per Host/Guest. In those instances where the Host permits a Guest to use a shelf within the Host's bay, BellSouth will not prorate the cost of the bay. In all states other than Florida, and in addition to the foregoing, Global Connection shall be the responsible party to BellSouth for the purpose of submitting applications for bay/rack placement for the Guest. In Florida the Guest may directly submit bay/rack placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Application Fee, as set forth in Exhibit B, which will be charged to the Host. BellSouth shall bill this nonrecurring fee on the date that BellSouth provides it written response ("Application Response").
- 3.3.2 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the provision of the services and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest

pursuant to the applicable tariff or the Guest's Interconnection Agreement with BellSouth.

- 3.3.3 Global Connection shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Global Connection's Guest(s) in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit adjacent Remote Site collocation arrangements ("Remote Site Adjacent Arrangement") on the property on which the Remote Site is located when space within the Remote Site Location is legitimately exhausted, where the Remote Site Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Remote Site Location property. The Remote Site Adjacent Arrangement shall be constructed or procured by Global Connection and in conformance with BellSouth's design and construction Specifications. Further, Global Connection shall construct, procure, maintain and operate said Remote Site Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the application for the Remote Site Adjacent Arrangement.
- 3.4.1 Should Global Connection elect Adjacent Collocation, Global Connection must arrange with a BellSouth Certified Supplier to construct a Remote Site Adjacent Arrangement structure in accordance with BellSouth's Specifications. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, Global Connection and Global Connection's BellSouth Certified Supplier must comply with local building code requirements. Global Connection's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Global Connection's BellSouth Certified Supplier shall bill Global Connection directly for all work performed for Global Connection pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Global Connection's BellSouth Certified Supplier. Global Connection must provide the local BellSouth Remote Site Location contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access Global Connection's locked enclosure prior to notifying Global Connection at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the locked enclosure is required.
- 3.4.2 Global Connection must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review Global Connection's plans and specifications prior to construction of a Remote Site Adjacent Arrangement(s) to ensure compliance with BellSouth's Specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of plans and specifications. BellSouth may inspect the Remote Site Adjacent Arrangement(s) during and after construction to confirm it is

constructed according to the submitted plans and specifications. BellSouth shall require Global Connection to remove or correct within seven (7) calendar days at Global Connection's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.

- 3.4.3 Global Connection shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At Global Connection's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC, and subject to individual case basis pricing. Global Connection's BellSouth Certified Supplier shall be responsible, at Global Connection's expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared Collocation within a Remote Site Adjacent Arrangement pursuant to the terms and conditions set forth herein.
- 3.5 Co-carrier cross-connect (CCXC). The primary purpose of collocation is for a collocated telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's unbundled network elements for the provision of telecommunications services within a BellSouth Premises. BellSouth will permit Global Connection to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same Remote Site Location. Both Global Connection's agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. At no point in time shall Global Connection use the Remote Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
- 3.5.1 Global Connection must use a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by Global Connection. Such connections to other collocated telecommunications carriers may be made using either optical or electrical facilities. In cases where Global Connection's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Spaces, Global Connection will have the option of using Global Connection's own technicians to deploy co-carrier cross connects using either electrical or optical facilities between the sets of equipment and construct its own dedicated cable support structure. Global Connection shall deploy such optical or electrical connections directly between its own facilities and the facilities of other collocated telecommunications carriers without being routed through BellSouth equipment. Global Connection shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-

- connect) or LGX (Light Guide Cross-connect). Global Connection is responsible for ensuring the integrity of the signal.
- 3.5.2 Global Connection shall be responsible for providing a letter of authorization ("LOA") to BellSouth from the other collocated telecommunications carrier prior to installing the CCXC. Global Connection-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, Global Connection will have the option of using Global Connection's own technicians to construct its own dedicated support structure.
- 3.5.3 To order CCXCs, Global Connection must submit an Application. If no modification to the Remote Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXCs, as defined in Exhibit B, will apply. If modifications in addition to the placement of CCXCs are requested, the Application Fee will apply. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

4. Occupancy

4.1 Occupancy. BellSouth will notify Global Connection in writing that the Remote Collocation Space is ready for occupancy ("Space Ready Date"). Global Connection will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Global Connection that Remote Collocation Space is ready for occupancy ("Space Ready Date"). BellSouth will correct any deviations to Global Connection's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame, and BellSouth shall establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to those items identified in the initial walkthrough. If Global Connection has met the fifteen (15) calendar day interval(s), billing will begin upon the date of Global Connection's acceptance of the Collocation Space ("Space Acceptance Date"). In the event that Global Connection fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by Global Connection on the Space Ready Date and billing will commence from that date. If Global Connection decides to occupy the space prior to the Space Ready Date, the date Global Connection occupies the space becomes the new Space Acceptance Date and billing begins from that date. Global Connection must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, Global Connection's telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provision.

- 4.2 Termination of Occupancy. In addition to any other provisions addressing termination of occupancy in this Attachment, Global Connection may terminate occupancy in a particular Remote Collocation Space by submitting an Application requesting termination of occupancy; such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date Global Connection and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that Global Connection signs off on the Space Relinquishment Form and sends the form to BellSouth if a subsequent inspection of the terminated space by BellSouth reveals no discrepancies. If the subsequent inspection by BellSouth reveals discrepancies, billing will cease on the date that BellSouth and Global Connection jointly conduct an inspection which confirms that Global Connection has corrected the discrepancies. An Application Fee will not apply for termination of occupancy. BellSouth may terminate Global Connection's right to occupy the Remote Collocation Space in the event Global Connection fails to comply with any provision of this Agreement.
- 4.2.1 Upon termination of occupancy, Global Connection at its expense shall remove its equipment and other property from the Remote Collocation Space. Global Connection shall have thirty (30) calendar days from the Bona Fide Firm Order ("BFFO") Application Date ("Termination Date") to complete such removal, including the removal of all equipment and facilities of Global Connection's Guest(s), unless Global Connection's Guest(s) has assumed responsibility for the Remote Collocation Space housing the Guest(s)'s equipment and executed the documentation required by BellSouth prior to such removal date. Global Connection shall continue payment of monthly fees to BellSouth until such date as Global Connection, and if applicable Global Connection's Guest(s), has fully vacated the Remote Collocation Space and the Space Relinquish Form has been accepted by BellSouth. Should Global Connection or Global Connection's Guest(s) fail to vacate the Remote Collocation Space within thirty (30) calendar days from the Termination Date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of Global Connection or Global Connection's Guest(s), in any manner that BellSouth deems fit, at Global Connection's expense and with no liability whatsoever for Global Connection's or Global Connection's Guest(s)'s property. Upon termination of Global Connection's right to occupy Remote Collocation Space, the Remote Collocation Space will revert back to BellSouth, and Global Connection shall surrender such Remote Collocation Space to BellSouth in the same condition as when first occupied by the Global Connection except for ordinary wear and tear unless otherwise agreed to by the Parties. For CEVs and huts Global Connection's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's Specifications including but not limited to Record Drawings and ERMA Records. Global Connection shall be responsible for the cost of removing any Global Connection constructed enclosure, together with all support structures (e.g., racking, conduits, or power cables), at the termination of occupancy and restoring the grounds to their original condition.

5. Use of Remote Collocation Space

- Equipment Type. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Remote Collocation Space must be for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 3 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Global Connection's failure to comply with this Section.
- 5.1.2.1 All Global Connection equipment installation shall comply with BellSouth TR 73503-11h, "Grounding Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid-state protector unit (over-voltage protection only), which has been listed by a nationally recognized testing laboratory.
- 5.1.3 Global Connection shall identify to BellSouth whenever Global Connection submits a Method of Procedure ("MOP") adding equipment to Global Connection's Remote Collocation Space all UCC-1 lien holders or other entities that have a financial interest, secured or otherwise, in the equipment in Global Connection's Remote Collocation Space. Global Connection shall submit a copy of the list of any lien holders or other entities that have a financial interest to Global Connection's ATCC Representative.

- 5.2 Global Connection shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.
- 5.3 Global Connection shall place a plaque or other identification affixed to Global Connection's equipment to identify Global Connection's equipment, including a list of emergency contacts with telephone numbers.
- 5.4 Entrance Facilities. Global Connection may elect to place Global Connection-owned or Global Connection-leased fiber entrance facilities into the Remote Collocation Space. BellSouth will designate the point of interconnection at the Remote Site Location housing the Remote Collocation Space, which is physically accessible by both Parties. Global Connection will provide and place copper cable through conduit from the Remote Collocation Space to the Feeder Distribution Interface to the splice location of sufficient length for splicing by BellSouth. Global Connection must contact BellSouth for instructions prior to placing the entrance facility cable. Global Connection is responsible for maintenance of the entrance facilities.
- 5.4.1 Shared Use. Global Connection may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to Global Connection's collocation arrangement within the same BellSouth Remote Site Location. BellSouth shall allow splicing to the entrance facility, provided that the fiber is non-working fiber. Global Connection must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier for BellSouth to splice the Global Connection provided riser cable to the spare capacity on the entrance facility. If Global Connection desires to allow another telecommunications carrier to use its entrance facilities, then that telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from Global Connection for BellSouth to splice that telecommunications carrier's provided riser cable to the spare capacity on Global Connection's entrance facility.
- 5.5 <u>Demarcation Point</u>. BellSouth will designate the point(s) of demarcation between Global Connection's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. Global Connection or its agent must perform all required maintenance to Global Connection equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following.
- 5.6 <u>Global Connection's Equipment and Facilities</u>. Global Connection, or if required by this Attachment, Global Connection's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Global Connection which must be performed in compliance with all applicable BellSouth

Specifications. Such equipment and facilities may include but are not limited to cable(s), equipment, and point of termination connections. Global Connection and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.

- 5.7 <u>BellSouth's Access to Remote Collocation Space</u>. From time to time BellSouth may require access to the Remote Collocation Space. BellSouth retains the right to access the Remote Collocation Space for the purpose of making BellSouth equipment and Remote Site Location modifications. Except in case of emergency, BellSouth will give notice to Global Connection at least forty-eight (48) hours before access to the Remote Collocation Space is required. Global Connection may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that Global Connection will not bear any of the expense associated with this work.
- 5.8 Access. Pursuant to Section 12, Global Connection shall have access to the Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. Global Connection agrees to provide the name and social security number or date of birth or driver's license number of each employee, supplier, or agents of Global Connection or Global Connection's Guests to be provided with access keys or cards ("Access Keys") prior to the issuance of said Access Keys using form RF-2906-C "CLEC and CLEC Certified Supplier Access Request and Acknowledgement". Key acknowledgement forms, "Collocation Acknowledgement Sheet" for access cards and "Key Acknowledgement Form" for keys, must be signed by Global Connection and returned to BellSouth Access Management within fifteen (15) calendar days of Global Connection's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. Global Connection agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of Global Connection's employees, suppliers, Guests, or agents after termination of the employment relationship, contractual obligation with Global Connection or upon the termination of this Attachment or the termination of occupancy of an individual Remote Collocation Space arrangement.
- 5.8.1 BellSouth will permit one accompanied site visit to Global Connection's designated collocation arrangement location after receipt of the BFFO without charge to Global Connection. Global Connection must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Remote Site Location a minimum of thirty (30) calendar days prior to the date Global Connection desires access to the Remote Collocation Space. In order to permit reasonable access during construction of the Remote Collocation Space, Global Connection may submit such a request at any time subsequent to BellSouth's receipt of the BFFO. In the event Global Connection desires access to the Remote Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit Global Connection to access the Remote Collocation Space accompanied by a security escort

at Global Connection's expense. Global Connection must request escorted access at least three (3) business days prior to the date such access is desired.

- 5.9 <u>Lost or Stolen Access Keys</u>. Global Connection shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key Remote Site Locations or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), Global Connection shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- 5.10 Interference or Impairment. Notwithstanding any other provisions of this Attachment, Global Connection shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment and facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Global Connection violates the provisions of this paragraph, BellSouth shall give written notice to Global Connection, which notice shall direct Global Connection to cure the violation within forty-eight (48) hours of Global Connection's actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.
- 5.10.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Global Connection fails to take curative action within forty-eight (48) hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or any other entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to Global Connection's equipment. BellSouth will endeavor, but is not required, to provide notice to Global Connection prior to taking such action and shall have no liability to Global Connection for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.10.2 For purposes of this section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Global Connection fails to take curative action within forty-eight (48) hours then BellSouth will establish before the Commission that the technology deployment is causing the significant degradation.

Any claims of network harm presented to Global Connection or, if subsequently necessary, the Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, Global Connection shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.

- 5.11 Personalty and its Removal. Facilities and equipment placed by Global Connection in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain their status as personalty and may be removed by Global Connection at any time. Any damage caused to the Remote Collocation Space by Global Connection's employees, agents or representatives shall be promptly repaired by Global Connection at its expense.
- 5.11.1 If Global Connection decides to remove equipment from its Remote Collocation Space and the removal requires no physical changes, BellSouth will bill Global Connection an Administrative Only Application Fee as set forth in Exhibit B for these changes. This nonrecurring fee will be billed on the date that BellSouth provides an Application Response.
- Alterations. In no case shall Global Connection or any person acting on behalf of Global Connection make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any specialized alterations shall be paid by Global Connection. Any such material rearrangement, modification, improvement, addition, or other alteration shall require an application and Application Fee. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.
- 5.13 <u>Upkeep of Remote Collocation Space</u>. Global Connection shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. Global Connection shall be responsible for removing any Global Connection debris from the Remote Collocation Space and from in and around the Remote Site Location on each visit.

6. Ordering and Preparation of Remote Collocation Space

Should any state or federal regulatory agency impose procedures or intervals applicable to Global Connection and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the

requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof

- Remote Site Application. When Global Connection or Global Connection's Guest(s) desires to install a bay/rack in a Remote Site Location, Global Connection shall submit to BellSouth a Physical Expanded Interconnection Application Document ("Application"). The application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. An application fee will apply which will be billed on the date that BellSouth provides an Application Response. The placement of an additional bay/rack at a later date will be treated in the same fashion and an application will be required. The installation of additional shelves/equipment, subject to the restrictions contained in Section 5.10, within an existing bay/rack does not require an application.
- 6.3 Availability of Space. Upon submission of an application, BellSouth will permit Global Connection to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth has determined that there is no space available due to space limitations or that collocation at the Remote Site Location is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 7 shall apply, or BellSouth may elect to deny space in accordance with this Section in which case virtual or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify Global Connection of the amount that is available.
- 6.4 Space Availability Notification.
- Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Global Connection of the amount of space that is available and no Application Fee shall apply. When BellSouth's response includes an amount of space less than that requested by Global Connection or differently configured no application fee shall apply. If Global Connection decides to accept the available space, Global Connection must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed.
- 6.4.2 BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an Application Fee will be billed by BellSouth on the date that BellSouth provides an Application

Response. When BellSouth's Application Response includes an amount of space less than that requested by Global Connection or differently configured, if Global Connection decides to accept the available space, Global Connection must amend its application to reflect the actual space available prior to submitting a BFFO.

- BellSouth will respond to a Louisiana application within ten (10) calendar days for space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, the response interval is increased by five (5) calendar days for every five additional applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify Global Connection of the amount of space that is available and no Application Fee will apply. When BellSouth's response includes an amount of space less than that requested by Global Connection or differently configured no application fee shall apply. If Global Connection decides to accept the available space, Global Connection must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide.
- 6.5 <u>Denial of Application</u>. If BellSouth notifies Global Connection that no space is available ("Denial of Application"), BellSouth will not assess an Application Fee. After notifying Global Connection that BellSouth has no available space in the requested Remote Site Location, BellSouth will allow Global Connection, upon request, to tour the Remote Site Location within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Remote Site Location must be received by BellSouth within five (5) calendar days of the Denial of Application.
- 6.6 Filing of Petition for Waiver. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Global Connection to inspect any plans or diagrams that BellSouth provides to the Commission.
- Maiting List. On a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.

- 6.7.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of the telecommunications carrier on said waiting list. If not known sixty (60) calendar days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- 6.7.2 When space becomes available, Global Connection must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of such notification. If Global Connection has originally requested caged Remote Collocation Space and cageless Remote Collocation Space becomes available, Global Connection may refuse such space and notify BellSouth in writing within that time that Global Connection wants to maintain its place on the waiting list without accepting such space. Global Connection may accept an amount of space less than its original request by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Global Connection does not submit such an application or notify BellSouth in writing as described above, BellSouth will offer such space to the next telecommunications carrier on the waiting list and remove Global Connection from the waiting list. Upon request, BellSouth will advise Global Connection as to its position on the list.
- 6.8 Public Notification. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that there is insufficient space to accommodate collocation at the Remote Site Location. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list.
- 6.9 <u>Application Response.</u>
- 6.9.1 In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable Global Connection to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When Global Connection submits ten (10) or more applications within ten (10) calendar days, the

- initial fifteen (15) calendar day response period will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee when space has been determined to be available, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.9.3 In Louisiana, when space has been determined to be available, BellSouth will respond with an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, the Application Response interval will be increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.10 <u>Application Modifications.</u>
- 6.10.1 If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Global Connection or necessitated by technical considerations, said application shall be considered a new application and shall be handled as a new application with respect to response and provisioning intervals and BellSouth will charge Global Connection a full application fee as set forth in Exhibit B. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.
- 6.10.2 Bona Fide Firm Order.
- 6.10.3 Global Connection shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Firm Order to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Global Connection's Bona Fide application or the application will expire.
- 6.10.4 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a BFFO. BellSouth will acknowledge the receipt of Global Connection's BFFO within seven (7) calendar days of receipt indicating that the BFFO has been received. A BellSouth response to a BFFO will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a BFFO.

7. <u>Construction and Provisioning</u>

- 7.1 Construction and Provisioning Intervals.
- 7.1.1 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For changes to Remote Collocation Space after initial space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and Global Connection cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida Commission.
- 7.1.2 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions shall include, but not limited to, major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.3 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO for an initial request, and within 60 calendar days for an Augmentation, or as agreed to by the Parties. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.2 In the event BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect to make additional space available by, for example but not limited to, rearranging BellSouth facilities or constructing additional capacity. In such cases, the above intervals shall not apply and BellSouth will provision the Remote Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide Global Connection with the estimated completion date in its Response.
- 7.3 <u>Joint Planning</u>. Joint planning between BellSouth and Global Connection will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of

- a BFFO. BellSouth will provide the preliminary design of the Remote Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Remote Collocation Space completion time period will be provided to Global Connection during joint planning.
- 7.4 <u>Permits</u>. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- Acceptance Walkthrough. Global Connection will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Global Connection that the Remote Collocation Space is ready for occupancy. In the event that Global Connection fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by Global Connection on the Space Ready Date. BellSouth will correct any deviations to Global Connection's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame.
- 7.6 Use of BellSouth Certified Supplier. Global Connection shall select a supplier which has been approved by BellSouth to perform all engineering and installation work Global Connection and Global Connection's BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, Global Connection must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide Global Connection with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Global Connection's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's Outside Plant engineers and Global Connection upon successful completion of installation. The BellSouth Certified Supplier shall bill Global Connection directly for all work performed for Global Connection pursuant to this Attachment, and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to Global Connection or any supplier proposed by Global Connection and will not unreasonably withhold certification. All work performed by or for Global Connection shall conform to generally accepted industry standards.
- Alarm and Monitoring. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. Global Connection shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service Global Connection's Remote Collocation Space. Upon request, BellSouth will provide Global Connection with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by Global Connection. Both

Parties shall use best efforts to notify the other of any verified hazardous conditions known to that Party.

- 7.8 Virtual Remote Collocation Space Relocation. In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations, and physical Remote Collocation Space has subsequently become available, Global Connection may relocate its virtual Remote Collocation arrangements to physical Remote Collocation Space arrangements and pay the appropriate fees for physical Remote Collocation Space and for the rearrangement or reconfiguration of services terminated in the virtual Remote Collocation Space arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical Remote Collocation Space may become available at the location requested by Global Connection, such information will be provided to Global Connection in BellSouth's written denial of physical Remote Collocation Space. To the extent that (i) physical Remote Collocation Space becomes available to Global Connection within one hundred eighty (180) calendar days of BellSouth's written denial of Global Connection's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Global Connection was not informed in the written denial that physical Remote Collocation Space would become available within such one hundred eighty (180) calendar days, then Global Connection may relocate its virtual Remote Collocation Space arrangement to a physical Remote Collocation Space arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Collocation Space. Global Connection must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Remote Collocation Space to its physical Remote Collocation Space and will bear the cost of such relocation.
- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to physical collocation within ninety (90) calendar days.
- Virtual to Physical Conversion (In-Place). Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill Global Connection an Administrative Only Application Fee as set forth in Exhibit B for these charges on the date that BellSouth provides an Application Response.

- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 <u>Cancellation</u>. If, at any time prior to space acceptance, Global Connection cancels its order for the Remote Collocation Space(s) ("Cancellation"), BellSouth will bill the applicable nonrecurring rate for any and all work processes for which work has begun. In Georgia, if Global Connection cancels its order for Remote Collocation Space at any time prior to space acceptance, BellSouth will bill Global Connection for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses</u>. Global Connection, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and occupy the Remote Collocation Space.
- 7.12 <u>Environmental Hazard Guidelines</u>. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8. Rates and Charges

- 8.1 Recurring Charges. If Global Connection has met the applicable fifteen (15) calendar day walkthrough interval(s) specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event that Global Connection fails to complete an acceptance walkthrough within the applicable fifteen (15) calendar day interval(s), billing for recurring charges will commence on the Space Ready Date. If Global Connection occupies the space prior to the Space Ready Date, the date Global Connection occupies the space becomes the new Space Acceptance Date and billing for recurring charges begin on that date.
- 8.2 <u>Application Fee.</u> BellSouth shall assess an Application Fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 6.10 (Application Response). This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.2.1 In Tennessee, the applicable application fee is the planning fee for both Initial Applications and Subsequent Applications placed by Global Connection. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.3 <u>Rack/Bay Space</u>. The rack/bay space charge includes reasonable charges for air conditioning, ventilation and other allocated expenses associated with maintenance of the Remote Site Location, and includes amperage necessary to power Global

Connection's equipment. Global Connection shall pay rack/bay space charges based upon the number of racks/bays requested. BellSouth will assign Remote Collocation Space in conventional remote site rack/bay lineups where feasible.

- 8.4 Power. BellSouth shall make available –48 Volt (-48V) DC power for Global Connection's Remote Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at Global Connection's option within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for rack/bay space. If the power requirements for Global Connection's equipment exceeds the capacity available, then such power requirements shall be assessed on an individual case basis. BellSouth will revise recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by Global Connection's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from Global Connection certifying the completion of the power reduction, including the removal of the power cabling by Global Connection's BellSouth Certified Supplier.
- Adjacent Collocation Power. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power, where available. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Global Connection's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Global Connection's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At Global Connection's option, Global Connection may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.5 <u>Security Escort.</u> A security escort will be required whenever Global Connection or its approved agent desires access to the Remote Site Location after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit B beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and Global Connection shall pay for such half-hour charges in the event Global Connection fails to show up.
- 8.6 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

9. Insurance

- 9.1 Global Connection shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 Global Connection shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Global Connection's real and personal property situated on or within BellSouth's Remote Site Location.
- 9.2.4 Global Connection may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) calendar days notice to Global Connection to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by Global Connection shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Remote Site Location and shall remain in effect for the term of this Attachment or until all of Global Connection's property has been removed from BellSouth's Remote Site Location, whichever period is longer. If Global Connection fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Global Connection.
- 9.5 Global Connection shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this

interval may result in construction and equipment installation delays. Global Connection shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Global Connection's insurance company. Global Connection shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 Global Connection must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self-Insurance</u>. If Global Connection's net worth exceeds five hundred million dollars (\$500,000,000), Global Connection may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. Global Connection shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Global Connection in the event that self-insurance status is not granted to Global Connection. If BellSouth approves Global Connection for self-insurance, Global Connection shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Global Connection's corporate officers. The ability to self-insure shall continue so long as Global Connection meets all of the requirements of this Section. If Global Connection subsequently no longer satisfies this Section, Global Connection is required to purchase insurance as indicated by Sections 9.2.1 and Section 9.2.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to Global Connection to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Global Connection), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party

directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. <u>Inspections</u>

11.1 BellSouth may conduct an inspection of Global Connection's equipment and facilities in the Remote Collocation Space(s) prior to the activation of facilities between Global Connection's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Global Connection adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Global Connection with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. Security and Safety Requirements

- Unless otherwise specified, Global Connection will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Global Connection employee hired in the past five years being considered for work on the BellSouth Remote Site Location, for the states/counties where the Global Connection employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Global Connection shall not be required to perform this investigation if an affiliated company of Global Connection has performed an investigation of the Global Connection employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Global Connection has performed a preemployment statewide investigation of criminal history records of the Global Connection employee for the states/counties where the Global Connection employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- Global Connection will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- Global Connection shall provide its employees and agents with picture identification, which must be worn, and visible at all times while in the Remote Collocation Space or other areas in or around the Remote Site Location. The photo Identification card shall bear, at a minimum, the employee's name and photo, and Global Connection's name. BellSouth reserves the right to remove from its Remote Site Location any employee of Global Connection not possessing identification issued by Global Connection or who

have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Global Connection shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Remote Site Location. Global Connection shall be solely responsible for ensuring that any Guest(s) of Global Connection is in compliance with all subsections of this Section.

- Global Connection shall not assign to the BellSouth Remote Site Location any personnel with records of felony criminal convictions. Global Connection shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse access to any Global Connection personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Global Connection chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Global Connection may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 Global Connection shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 Global Connection shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former supplier of BellSouth and whose access to a BellSouth Remote Site Location was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.5 For each Global Connection employee or agent hired by Global Connection within five years of being considered for work on the BellSouth Remote Site Location, who requires access to a BellSouth Remote Site Location pursuant to this Attachment, Global Connection shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, Global Connection will disclose the nature of the convictions to BellSouth at that time. In the alternative, Global Connection may certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other Global Connection employees requiring access to a BellSouth Remote Site Location pursuant to this Attachment, Global Connection shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not

- subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, Global Connection shall promptly remove from BellSouth's Remote Site Location any employee of Global Connection BellSouth does not wish to grant access to its Remote Site Location 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Global Connection is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.
- 12.7 <u>Security Violations</u>. BellSouth reserves the right to interview Global Connection's employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to Global Connection's Security representative of such interview. Global Connection and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Global Connection's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill Global Connection for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that Global Connection's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill Global Connection for BellSouth property, which is stolen or damaged where an investigation determines the culpability of Global Connection's employees, agents, or suppliers and where Global Connection agrees, in good faith, with the results of such investigation. Global Connection shall notify BellSouth in writing immediately in the event that the Global Connection discovers one of its employees already working on the BellSouth Remote Site Location is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Remote Site Location, any employee found to have violated the security and safety requirements of this section. Global Connection shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth's Remote Site Location.
- 12.8 <u>Use of Supplies</u>. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Remote Site Location. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.

12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. Destruction of Remote Collocation Space

13.1 In the event a Remote Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Global Connection's permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Global Connection's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Global Connection, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Global Connection may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If Global Connection's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Global Connection. Where allowed and where practical, Global Connection may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired, Global Connection shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for Global Connection's permitted use, until such Remote Collocation Space is fully repaired and restored and Global Connection's equipment installed therein (but in no event later than thirty (30) calendar days after the Remote Collocation Space is fully repaired and restored). Where Global Connection has placed a Remote Site Adjacent Arrangement pursuant to Section 3.4, Global Connection shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

14. Eminent Domain

14.1 If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and Global Connection shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

15. Nonexclusivity

Global Connection understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Global Connection agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and Global Connection shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Global Connection should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Global Connection to follow when working at a BellSouth Remote Site Location (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. Global Connection will require its suppliers, agents and others accessing the BellSouth Remote Site Location to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Global Connection when operating in the BellSouth Remote Site Location.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the Global Connection space with proper notification. BellSouth reserves the right to stop any Global Connection work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Remote Site Location.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Remote Site Location by Global Connection are owned by Global Connection. Global Connection will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Global Connection or different hazardous materials used by Global Connection at the BellSouth Remote Site Location. Global Connection must

- demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Remote Site Location.
- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Remote Site Location, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by Global Connection to BellSouth.
- 1.7 <u>Coordinated Environmental Plans and Permits</u>. BellSouth and Global Connection will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Global Connection will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Global Connection must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and Global Connection shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Remote Site Location.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Remote Site Location, Global Connection agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Global Connection further agrees to cooperate with BellSouth to ensure that Global Connection's employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Global Connection, its employees, agents and/or suppliers.
- 2.1.1 The most current version of reference documentation must be requested from Global Connection's BellSouth Account Team Collocation Coordinator (ATCC) Representative.

| ENVIRONMENTAL CATEGORIES | ENVIRONMENTAL ISSUES | ADDRESSED BY THE FOLLOWING DOCUMENTATION |
|--|---|---|
| Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent | Compliance with all applicable local, state, & federal laws and | Std T&C 450Fact Sheet Series 17000 |

| tubes, solvents & cleaning | regulations | • Std T&C 660-3 |
|---|---|---|
| materials) | Pollution liability insurance EVET approval of supplier | Approved Environmental Vendor List (Contact ATCC Representative) |
| Emergency response | Hazmat/waste release/spill fire safety emergency | Fact Sheet Series 1700 Building Emergency Operations Plan (EOP) (specific to and located on Remote Site Location) |
| Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Remote Site Location (e.g., disposition of hazardous material/waste; maintenance of storage tanks) | Compliance with all applicable local, state, & federal laws and regulations Performance of services in accordance with BST's environmental M&Ps Insurance | Std T&C 450 Std T&C 450-B (Contact ATCC Representative for copy of appropriate E/S M&Ps.) Std T&C 660 |
| Transportation of hazardous material | Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of supplier | Std T&C 450 Fact Sheet Series 17000 Std T&C 660-3 Approved Environmental Vendor List (Contact ATCC Representative) |
| Maintenance/operations work which may produce a waste Other maintenance work | Compliance with all applicable local, state, & federal laws and regulations Protection of BST employees and equipment | Std T&C 450 29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard) |
| Janitorial services | All waste removal and disposal must conform to all applicable federal, state and local regulations All Hazardous Material and Waste Asbestos notification and protection of employees and | –Procurement Manager (CRES Related Matters)-BST Supply Chain Services Fact Sheet Series 17000 |

| | | | CLUDTENI 001DT CL : 2 |
|---|--|---|---|
| | equipment | • | GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom) |
| | | | (Huzcom) |
| Manhole cleaning | Compliance with all applicable | • | Std T&C 450 |
| | local, state, & federal laws and | • | Fact Sheet 14050 |
| | regulations | • | BSP 620-145-011PR |
| | | | Issue A, August 1996 |
| | Pollution liability insurance | • | Std T&C 660-3 |
| | EVET approval of supplier | • | Approved Environmental |
| | _ · _ · off- · · · · · · · · · · · · · · · · · · | | Vendor List (Contact ATCC |
| | | | Representative) |
| Removing or disturbing building materials that may contain asbestos | Asbestos work practices | • | GU-BTEN-001BT, Chapter 3 For questions regarding |
| contain aspestos | | | removing or disturbing materials that contain |
| | | | asbestos, call the BellSouth |
| | | | Building Service Center: |
| | | | AL, MS, TN, KY & LA |
| | | | (local area code) 557-6194 |
| | | | FL, GA, NC & SC |
| | | | (local area code) 780-2740 |
| | | | |

3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a remote site location which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

<u>ATCC</u> – Account Team Collocation Coordinator

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

 $\underline{E/S}-Environmental/Safety$

EVET - Environmental Vendor Evaluation Team

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

Std T&C - Standard Terms & Conditions

| COLLOCAT | ION - Alabama | | | | | | | | | | | | Attach | ment: 4 | Exhi | ibit: B |
|--|--|-------------|------|--|----------------|-------|----------------------|----------------------|--|-------|----------|---|--|---|-----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | RATES (\$) | | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svo Order vs. Electronic- Add'I | Order vs. | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL CO | N L OCATION | | | | | | | | | | | | | | | <u> </u> |
| PHISICAL CC | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | Wire Analog - Res | | | UEPSR | PE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | 0.00 | | | | | | | | | | |
| | Wire Line Side PBX Trunk - Bus | | | UEPSP | PE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | Wire Voice Grade PBX Trunk - Res | | | UEPSE | PE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | <u> </u> |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | LIEDOD | DE 4 DO | 0.00 | 40.00 | 44.00 | 0.00 | - 44 | | 45.00 | | | | |
| | Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | UEPSB | PE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | |
| | Wire ISDN | | | UEPSX | PE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | 5_: 5/. | | 5.00 | .2.00 | | 5.00 | 0.44 | | .0.50 | | | | |
| | Wire ISDN | | | UEPTX | PE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | <u> </u> | 15.66 | | <u> </u> | <u> </u> | |
| | Physical Collocation 4-Wire Cross Connect, Exchange Port 4- | | | | | | | | | - | | | | | | |
| | Wire ISDN DS1 | | | UEPEX | PE1R4 | 0.05 | 12.39 | 11.87 | 6.39 | 5.73 | | 15.66 | | | | <u> </u> |
| PHYSICAL CO | | | | 01.0 | DEADA | | 4 070 40 | 4 070 40 | | | | | | | | |
| | Physical Collocation - Application Fee - Initial Physical Collocation - Application Fee - Subsequent | | | CLO | PE1BA PE1CA | | 1,879.48 1,566.60 | 1,879.48 1,566.60 | | | | | | | | |
| - | Physical Collocation - Application Fee - Subsequent Physical Collocation - Cageless - Application Fee | | | CLO | PE1CH | | 1,205.26 | 1,205.26 | | | | | | | | |
| | Physical Collocation - Cageless - Application - ee Physical Collocation Administrative Only - Application Fee | | | CLO | PE1BL | | 742.15 | 1,205.20 | | | | | | | | |
| | Physical Collocation - Space Preparation - Firm Order | | | OLO | LIDE | | 742.10 | | | | | | | | | |
| | Processing | | | CLO | PE1SJ | | 600.71 | 600.71 | | | | | | | | |
| | Physical Collocation - Space Preparation - C.O. Modification per | | | | | | | | | | | | | | | |
| | square ft. | | | CLO | PE1SK | 1.96 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Common Systems Modification per square ft Cageless | | | CLO | PE1SL | 2.62 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Common Systems | | | | _ | | | | | | | | | | | |
| | Modification per Cage | | | CLO | PE1SM | 88.86 | | | | | | | | | | |
| - | Physical Collocation - Cable Installation Physical Collocation - Floor Space per Sq. Ft. | | | CLO CLO | PE1BD PE1PJ | 3.22 | 859.71 | 859.71 | 22.49 | 22.49 | | | | | | <u> </u> |
| | Physical Collocation - Floor Space per Sq. Ft. Physical Collocation - Cable Support Structure, Per Entrance | | | CLO | PETPJ | 3.22 | | | | | | | | | | 1 |
| | Cable | | | CLO | PE1PM | 17.11 | | | | | | | | | | |
| | Physical Collocation - Cageless - Cable Support Structure | | | CLO | PE1CJ | 14.97 | | | | | | | | | | |
| | Physical Collocation - Power -48V DC Power, per Fused Amp | | | CLO | PE1PL | 7.83 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Physical Collocation - 120V, Single Phase Standby Power Rate | | | CLO | PE1FB | 4.91 | | | | | | | | | | |
| | Dhysical Callegation 240V Circle Dhase Ctond Division Day | | | CLO | DE4ED | 0.04 | | | | | | | | | | |
| | Physical Collocation - 240V, Single Phase Standby Power Rate | | | CLO | PE1FD | 9.84 | | | | | | | | | | |
| | Physical Collocation - 120V, Three Phase Standby Power Rate | | | CLO | PE1FE | 14.74 | | | [| | | | | | | |
| | Thysical Collocation - 120V, Three I hase Standby I owel reate | | | OLO | 1 - 11 - | 14.74 | | | | | | | | | | |
| | Physical Collocation - 277V, Three Phase Standby Power Rate | | | CLO | PE1FG | 34.06 | | | | | | | | | | |
| | Physical Collocation - 2-Wire Cross-Connects | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX | PE1P2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | |
| + | 1 Hydrodi Conocation - 2-Wile Cross-Confidents | 1 | | CLO, UAL, UDL, | 1 - 11 - 2 | 0.03 | 12.30 | 11.00 | 0.03 | 5.44 | | | | 1 | | |
| | | | | UDN, UEA, UHL, UNCVX, UNCDX, | | | | | | | | | | | | |
| | Physical Collocation - 4-Wire Cross-Connects | | | UCL | PE1P4 | 0.05 | 12.39 | 11.87 | 6.39 | 5.73 | | | | | | |
| | | | | CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, | | | | | | | | | | | | |
| ı l | Physical Collocation - DS1 Cross-Connects | | | UDL | PE1P1 | 1.11 | 22.03 | 15.93 | 6.40 | 5.79 | | | | | | L |

| COLLO | СДТІ | ON - Alabama | | | | | | | | | | | | Attach | ment: 4 | Exhi | hit: B |
|----------|------|--|-------------|--|-------------------|----------|--|----------|------------|--------------|--|--|-----------|--------------|--------------|-------------|-------------|
| COLLO | CAII | ON - Alabama | | 1 | | | 1 | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | Manually | | Manual Svc | Manual Svc | Manual Svc |
| CATEGO | RY | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES (\$) | | | per LSR | | Order vs. | Order vs. | Order vs. | Order vs. |
| 0200 | ••• | 10112 ====== | m | | 200 | 5555 | | | (0) | | | perLSR | per LSR | | | | |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | _ 1 | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | CLO, UE3,U1TD3, | | | | | | | | | | | | |
| | | | | | UXTD3, UXTS1, | | | | | | | | | | | | |
| | | | | | UNC3X, UNCSX, | | | | | | | | | | | | |
| | | | | | ULDD3, | | | | | | | | | | | | |
| | | | | | U1TS1,ULDS1, | | | | | | | | | | | | |
| | | Physical Collocation - DS3 Cross-Connects | | | UNLD3, UDL | PE1P3 | 14.16 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | | |
| | | | | | CLO, ULDO3, | | | | | | | | | | | | |
| | | | | | ULD12, ULD48, | | | | | | | | | | | | |
| | | | | | U1TO3, U1T12, | | | | | | | | | | | | |
| | | | | | U1T48, UDLO3, | | | | | | | | | | | | |
| | | Physical Collocation - 2-Fiber Cross-Connect | | | UDL12, UDF | PE1F2 | 2.81 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | | |
| | | | | | CLO, ULDO3, | | | | | | | | |] |] | | |
| | | | 1 | | ULD12, ULD48, | | | | | | | | | Ì | Ì | | |
| | | | | | U1TO3, U1T12, | | | | | | | | | | | | |
| | | | | | U1T48, UDLO3, | | | | | | | | | | | | |
| | | Physical Collocation - Cageless - 2 Fiber Cross Connect | | | UDL12, UDF | PE1CK | 2.84 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | | |
| | | | | | CLO, ULDO3, | | | | | | | | | | | | |
| | | | | | ULD12, ULD48, | | | | | | | | | | | | |
| | | | | | U1TO3, U1T12, | | | | | | | | | | | | |
| | | | | | U1T48, UDLO3, | | | | | | | | | | | | |
| | | Physical Collocation - 4-Fiber Cross-Connect | | | UDL12, UDF | PE1F4 | 4.99 | 25.55 | 19.86 | 9.71 | 8.25 | | | | | | |
| | | | | | CLO, ULDO3, | | | | | | | | | | | | |
| | | | | | ULD12, ULD48, | | | | | | | | | | | | |
| | | | | | U1TO3, U1T12, | | | | | | | | | | | | |
| | | | | | U1T48, UDLO3, | | | | | | | | | | | | |
| | | Physical Collocation - Cageless - 4-Fiber Cross-Connect | | | UDL12, UDF | PE1CL | 5.69 | 25.55 | 19.86 | 9.71 | 8.25 | | | | | | |
| | | Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. | | | CLO | PE1BW | 156.33 | | | | | | | | | | |
| | | Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft. | | | CLO | PE1CW | 15.34 | | | | | | | | | | |
| | | Physical Collocation - Security Access System - Security System | | | 0.0 | DEANY | 45.70 | | | | | | | | | | |
| - | | per Central Office | | | CLO | PE1AX | 45.70 | | | | | | | | | | |
| | | Physical Collocation - Security Access System - New Access | | | CLO | DE444 | 0.05 | 07.70 | 07.70 | | | | | | | | |
| - | | Card Activation, per Card | | | CLO | PE1A1 | 0.05 | 27.79 | 27.79 | | | | | | | | |
| | | Physical Collocation-Security Access System-Administrative | | | | | | | | | | | | | | | |
| | | Change, existing Access Card, per Request, per State, per Card | 1 | | CLO | PE1AA | | 7.79 | 7.79 | | | | | Ì | Ì | | |
| \vdash | | Physical Collocation - Security Access System - Replace Lost or | - | 1 | OLO | FEIAA | | 1.19 | 7.79 | 1 | 1 | } | | 1 | 1 | | |
| | | Stolen Card, per Card | | | CLO | PE1AR | | 22.78 | 22.78 | | | | | 1 | 1 | | |
| \vdash | | Physical Collocation - Security Access - Initial Key, per Key | | + | CLO | PE1AK | | 13.10 | 13.10 | 1 | 1 | 1 | | 1 | 1 | | |
| + | | Physical Collocation - Security Access - Initial Rey, per Rey Physical Collocation - Security Access - Key, Replace Lost or | | | 0_0 | . L 1/41 | | 15.10 | 13.10 | | <u> </u> | | | | | | |
| | | Stolen Key, per Key | | | CLO | PE1AL | | 13.10 | 13.10 | | | | | 1 | 1 | | |
| | | Physical Collocation - Space Availability Report per premises | | | CLO | PE1SR | | 1,075.17 | 1,075.17 | 1 | | | | 1 | 1 | | |
| | | , , | | | UEANL,UEA,UDN,U | | † † | ., | ., | † | | | | İ | İ | | |
| | | | 1 | | DC,UAL,UHL,UCL,U | | | | | | | | | Ì | Ì | | |
| | | | 1 | | EQ,CLO,UDL, | | | | | | | | | Ì | Ì | | |
| | | POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, | | | UNCVX, UNCDX, | | | | | | | | | 1 | 1 | | |
| | | per cross-connect | | | UNCNX | PE1PE | 0.08 | | | | | | | 1 | 1 | | |
| | | | | | UEANL,UEA,UDN,U | | | | | 1 | | | | | | | |
| | | | 1 | | DC,UAL,UHL,UCL,U | | | | | | | | | Ì | Ì | | |
| | | POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, | | | EQ,CLO, USL, | | | | | | | | | 1 | 1 | | |
| | | per cross-connect | <u></u> | | UNCVX, UNCDX | PE1PF | 0.17 | | | <u> </u> | <u> </u> | <u></u> | <u> </u> | <u> </u> | <u></u> | | |
| | | | | | UEANL,UEA,UDN,U | | | | | | | | | | | | |
| | | | 1 | | DC,UAL,UHL,UCL,U | | | | | | | | | Ì | Ì | | |
| | | | 1 | | EQ,CLO,WDS1L,W | | | | | | | | | Ì | Ì | | |
| | | | | | DS1S, USL, U1TD1, | | | | | | | | | | | | |
| | | | | | UXTD1, UNC1X, | | | | | | | | | | | | |
| | | POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, | | | ULDD1, USLEL, | | | | | | | | | | | | |
| | | per cross-connect | | | UNLD1 | PE1PG | 1.20 | | | | | | | | | | |

| COLLOCATI | ON - Alabama | | | | | | | | | | | | Attach | ment: 4 | Exhi | bit: B |
|-----------|--|-------------|------|---|----------------|--------|-----------------|----------------|--------------|--------|-------|---|---|---|-------------------------------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Charge - Manual Svo Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Charge - Manual Svc Order vs. | Charge - Manual Svo Order vs. |
| | | | | | | Rec | | curring | Nonrecurring | | | | | Rates (\$) | | |
| | | | | HEARI HEALISTIC | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect | | | UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX | PE1PH | 10.67 | | | | | | | | | | |
| - | per cross-connect | | | UEANL,UEA,UDN,U | PEIPH | 10.67 | | | | | - | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect | | | DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1B2 | 36.40 | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1B4 | 49.09 | | | | | | | | | | |
| | Physical Collocation - Request Resend of CFA Information, per | | | | | | | | | | | | | | | |
| | CLLI | | | | PE1C9 | | 77.56 | | | | | | | | | <u></u> |
| | Nonrecurring Collocation Cable Records - per request | | | CLO | PE1CR | | 759.29 | 488.11 | 133.00 | 133.00 | | | | | | |
| | Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record | | | CLO | PE1CD | | 326.92 | 326.92 | 189.12 | 189.12 | | | | | | |
| | Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair | | | CLO | PE1CO | | 4.81 | 4.81 | 5.90 | 5.90 | | | | | | |
| | Nonrecurring Collocation Cable Records - DS1, per T1TIE | | | CLO | PE1C1 | | 2.25 | 2.25 | 2.76 | 2.76 | | | | | | Ĺ |
| | Nonrecurring Collocation Cable Records - DS3, per T3TIE | | | CLO | PE1C3 | | 7.88 | 7.88 | 9.66 | 9.66 | | | | | | L |
| | Nonrecurring Collocation Cable Records - Fiber Cable, per 99 | | | 01.0 | DE 4 O D | | 04.40 | 04.40 | 77.40 | 77.40 | | | | | | ĺ |
| | fiber records Physical Collocation - Security Escort - Basic, per Half Hour | | | CLO CLO.CLORS | PE1CB PE1BT | | 84.49 16.93 | 84.49 10.73 | 77.13 | 77.13 | | | | | | |
| | Priysical Collocation - Security Escort - Basic, per Hair Hour | | | CLO,CLORS | PEIDI | | 10.93 | 10.73 | | | | | | | | |
| | Physical Collocation - Security Escort - Overtime, per Half Hour | | | CLO,CLORS | PE1OT | | 22.05 | 13.86 | | | | | | | | |
| | Physical Collocation - Security Escort - Premium, per Half Hour | | | CLO,CLORS | PE1PT | | 27.17 | 16.98 | | | | | | | | i . |
| | V to P Conversion, Per Customer Request-Voice Grade | | | CLO | PE1BV | | 33.00 | 10.00 | | | | | | | | |
| | V to P Conversion, Per Customer Request-DS0 | | | | PE1BO | | 33.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request-DS1 | | | | PE1B1 | | 52.00 | | | | | | | | | |
| | V to P Conversion, Per Customer request-DS3 | | | CLO | PE1B3 | | 52.00 | | | | | | | | | L |
| | V to P Conversion, Per Customer Request per VG Circuit Reconfigured | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured | | | | PE1BS | | 33.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request per DS3 Circuit | | | | | | | | | | | | | | | |
| | Reconfigured V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof | | | | PE1BE PE1B7 | | 37.00 592.00 | | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects - Fiber Cable | | | | | 0.0011 | 332.00 | | | | | | | | | |
| | Support Structure, per cable, per linear ft. Physical Collocation - Co-Carrier Cross Connects - Copper/Coax | | | | PE1ES | 0.0011 | | | | | | | | | | |
| | Cable Support Structure, per cable, per lin. ft. Physical Collocation - Co-Carrier Cross Connects Only - | | | | PE1DS | 0.0016 | | | | | | | | | | |
| | Application Fee, per application | |] | CLO | PE1DT | | 584.22 | | | | | | | | | <u> </u> |

| COLLOCA | TION - Alabama | | | | | | | | | | | | Attach | ment: 4 | Exhibit: B | |
|--|---|------------------|--|--|-------|------------------|------------|----------|--------------|--------|-------|-----------|---|---|------------|-------------------------------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | RATES (\$) | | | | | Submitted | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Order vs. | Charge - Manual Svo Order vs. |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - Application to Augment Exsisting Space - | | | | | | | | | | | | | | | |
| | Simple | | | CLO | PE1KS | | 594.41 | | 1.21 | | | | | | | |
| | Physical Collocation - Application to Augment Exsisting Space - | | | 0.0 | 55.00 | | | | | | | | | | | |
| | Minor | | | CLO | PE1KM | | 833.47 | | 1.21 | | | | | | | |
| | Physical Collocation - Application to Augment Exsisting Space - Intermediate | | | CLO | PE1K1 | | 1.058.00 | | 1.21 | | | | | | | |
| AD IACENT C | COLLOCATION | | | CLO | PEIKI | | 1,058.00 | | 1.21 | | | | | | | |
| ADJACENT | Adjacent Collocation - Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.14 | | | | | | | | | | |
| | Adjacent Collocation - Space Charge per 3q. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 5.41 | | | | | | | | | | |
| | Adjacent Collocation - 2-Wire Cross-Connects | | | CLOAC | PE1P2 | 0.02 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | |
| | / Majacent Concocation 2 Wile Cross Connects | | | UEA,UHL,UDL,UCL, | | 0.02 | 12.00 | 11.00 | 0.00 | 0.44 | | | | | | |
| | Adjacent Collocation - 4-Wire Cross-Connects | | 1 | CLOAC | PE1P4 | 0.04 | 12.39 | 11.87 | 6.39 | 5.73 | | | | 1 | 1 | |
| | Adjacent Collocation - DS1 Cross-Connects | | | USL,CLOAC | PE1P1 | 1.03 | 22.03 | 15.93 | 6.40 | 5.79 | | | | | | |
| | Adjacent Collocation - DS3 Cross-Connects | | | CLOAC | PE1P3 | 13.95 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | | |
| | Adjacent Collocation - 2-Fiber Cross-Connect | | | CLOAC | PE1F2 | 2.36 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | | |
| | Adjacent Collocation - 4-Fiber Cross-Connect | | | CLOAC | PE1F4 | 4.52 | 25.55 | 19.86 | 9.71 | 8.25 | | | | | | |
| | Adjacent Collocation - Application Fee | | | CLOAC | PE1JB | | 1,576.69 | | | | | | | | | |
| | Adjacent Collocation - 120V, Single Phase Standby Power Rate | | | | | | | | | | | | | | | |
| | per AC Breaker Amp | | | CLOAC | PE1FB | 4.91 | | | | | | | | | | |
| | Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FD | 9.84 | | | | | | | | | | |
| | Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FE | 14.74 | | | | | | | | | | |
| | Adjacent Collocation - 277V, Three Phase Standby Power Rate | | | | | | | | | | | | | | | |
| | per AC Breaker Amp | | | CLOAC | PE1FG | 34.06 | | | | | | | | | | |
| | Adjacent Collocation - DC power provisioning (Alabama Only Mandate) | | | CLOAC | | | ICB | | | | | | | | | |
| | Note: ICB means Individual Case Basis | | | | | | | | | | | | | | | |
| PHYSICAL C | OLLOCATION IN THE REMOTE SITE | | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site - Application Fee | | | CLORS | PE1RA | | 307.70 | 307.70 | 168.22 | 168.22 | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 201.42 | | | | | | | | | | |
| | Physical Collocation in the Remote Site - Security Access - Key | | | CLORS | PE1RD | | 13.10 | 13.10 | | | | | | | | |
| | Physical Collocation in the Remote Site - Space Availability | | | | | | | | | | | | | | | |
| \vdash | Report per Premises Requested | | | CLORS | PE1SR | ļ | 115.87 | 115.87 | | | | | | | | ļ |
| | Physical Collocation in the Remote Site - Remote Site CLLI | | 1 | 01.000 | DE485 | | | | | | | | | 1 | 1 | |
| | Code Request, per CLLI Code Requested | | ļ | CLORS | PE1RE | | 37.56 | 37.56 | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Power, DC Power Provisioning (Alabama Only) | | | CLORS CLORS | PE1RR | ICB | 233.38 | | | | | | | 1 | 1 | |
| DHASIC VI C | OLLOCATION IN THE REMOTE SITE - ADJACENT | | - | OLUKO | | IOD | | | | | | | | - | - | - |
| I III SICAL C | OLLOGATION IN THE REMOTE SITE - ADJACENT | | | | | 1 | | | | | | | | 1 | 1 | 1 |
| | Remote Site-Adjacent Collocation - AC Power, per breaker amp | ı | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - Real Estate, per square foot | | 1 | CLORS | PE1RT | 0.134 | | | | | | | | 1 | 1 | |
| | Remote Site-Adjacent Collocation-Application Fee | - i - | | CLORS | PE1RU | 0.104 | 755.62 | 755.62 | | | | | | | | |
| NOTE | : If Security Escort and/or Add'I Engineering Fees become nec | essarv f | or rem | | | will negotiate a | | | | | | | | 1 | 1 | |
| VIRTUAL CO | | | | | | goatc u | | | | | | | | | | |
| 1 | Virtual Collocation - Application Fee | | | AMTFS | EAF | | 1,205.26 | 1,205.26 | 0.51 | 0.51 | | 15.66 | | İ | İ | |
| | Virtual Collocation - Cable Installation Cost, per cable | | | AMTFS | ESPCX | | 859.71 | 859.71 | 22.49 | 22.49 | | 15.66 | | | | |
| | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 3.22 | | | | | | | | | | |
| | Virtual Collocation - Power, per fused amp | | | AMTFS | ESPAX | 7.83 | | | | | | | | | | |
| | Virtual Collocation - Cable Support Structure, per entrance cable | | | AMTFS | ESPSX | 14.97 | | | | | | | | | | |
| | | | | UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, AMTFS, UDL, UNCVX, UNCDX. | | | | | | | | | | | | |
| 1 1 | Virtual Collocation - 2-wire Cross Connects (loop) | | | UNCNX | UEAC2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | |

| COLLOCAT | ION - Alabama | | | | | | | | | | | | Attach | ment: 4 | Exhi | ibit: B |
|-------------|---|-------------|------|--|----------------|--|--------------------|---------------|---------------|---------------|-------|-----------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted Manually | Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | | curring | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual Collocation - 4-wire Cross Connects (loop) | | | UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX AMTFS,UDL12, | UEAC4 | 0.05 | 12.39 | 11.87 | 6.39 | 5.73 | | 15.66 | | | | |
| | Virtual Collocation - 2-Fiber Cross Connects | | | UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF | CNC2F | 2.84 | 20.89 | 15.20 | 7.38 | 5.92 | | 15.66 | | | | |
| | Virtual Collocation - 2-Fiber Cross Connects | | | AMTFS,UDL12, | CNC2F | 2.84 | 20.89 | 15.20 | 7.38 | 5.92 | | 15.00 | | | | |
| | Virtual Collocation - 4-Fiber Cross Connects | | | UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF | CNC4F | 5.69 | 25.55 | 19.86 | 9.71 | 8.25 | | 15.66 | | | | |
| | Virtual collocation - Special Access & UNE, cross-connect per DS1 | | | USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1 | CNC1X | 1.11 | 22.03 | 15.93 | 6.40 | 5.79 | | 15.66 | | | | |
| | Virtual collocation - Special Access & UNE, cross-connect per DS3 | | | USL, ULC, AMTFS, U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 14.16 | 20.89 | 15.20 | 7.38 | 5.92 | | 15.66 | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot | | | AMTFS | VE1CB | 0.0026 | 20.00 | 10.20 | 1.00 | 0.02 | | 10.00 | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | | | | | | | | | | | | | |
| | Cable Support Structure, per linear ft Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable | | | AMTFS AMTFS | VE1CD VE1CC | 0.0038 | 535.37 | | | | | 15.66 | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | | | | | | | | | | | | | - |
| | Cable Support Structure, per cable Virtual Collocation Cable Records - per request | | | AMTFS AMTFS | VE1CE VE1BA | | 535.37 1,518.57 | 1,518.57 | 265.99 | 265.99 | | 15.66 15.66 | | | | 4 |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per cable | | | | | | | | | | | | | | | |
| | record Virtual Collocaiton Cable Records - VG/DS0 Cable, per each | | | AMTFS | VE1BB | | 653.83 | 653.83 | 378.24 | 378.24 | | 15.66 | | | | |
| | 100 pair | | | AMTFS | VE1BC | | 9.62 | 9.62 | 11.79 | 11.79 | | 15.66 | | | | |
| | Virtual Collocation Cable Records - DS1, per T1TIE Virtual Collocation Cable Records - DS3, per T3TIE | | - | AMTFS AMTFS | VE1BD VE1BE | | 4.50 15.75 | 4.50 15.75 | 5.52 19.32 | 5.52 19.32 | | 15.66 15.66 | | | | |
| | Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 168.97 | 168.97 | 154.25 | 154.25 | | 15.66 | | | | |
| | Virtual collocation - Security Escort - Basic, per half hour | | | AMTFS | SPTBX | | 16.93 | 10.73 | 104.20 | 134.23 | | 15.66 | | | | |
| | Virtual collocation - Security Escort - Overtime, per half hour | | | AMTFS | SPTOX | | 22.05 | 13.86 | 1 | | | 15.66 | 1 | | | 1 |
| <u> </u> | Virtual collocation - Security Escort - Premium, per half hour | | | AMTFS | SPTPX | <u> </u> | 27.17 | 16.98 | | | | 15.66 | | | | 1 |
| | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 27.93 | 10.73 | | | | 15.66 | | | | 1 |
| | Virtual collocation - Maintenance in CO - Overtime, per half hour | | | AMTFS | SPTOM | | 36.47 | 13.86 | | | | 15.66 | | | | |
| | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 45.02 | 16.98 | | | | 15.66 | | | | |
| VIRTUAL COL | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res | | | UEPSR | VE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus | | | UEPSP | VE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res | | | UEPSE | VE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus | | | UEPSB | VE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | |

| COLI | OCATIO | ON - Alabama | | | | | | | | | | | | Attachment: 4 | | Exhil | bit: B |
|---|--------|--|--------|------|-------|-------|------|--------|------------|--------------|------------|-----------|-----------|---------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | Interi | _ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | GORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | D | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | I |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire | | | | | | | | | | | | | | | |
| | | ISDN | | | UEPSX | VE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | | | | | | | | | | | | | | | |
| | | ISDN | | | UEPTX | VE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | |
| | | Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire | | | | | | | 11.87 | | | | | | | | |
| ISDN DS1 UEPEX VE1R4 0.05 12.39 | | | | | | | | | | 6.39 | 5.44 | | 15.66 | | | | |
| Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions. | | | | | | | | | | | | | | | | | |