



RECEIVED

2004 MAR -3 PM 2:09

I.R.A. DOCKET ROOM

BellSouth Telecommunications, Inc
333 Commerce Street
Suite 2101
Nashville, TN 37201-3300

guy.hicks@bellsouth.com

Guy M. Hicks
General Counsel

615 214 6301
Fax 615 214 7406

March 2, 2004

VIA HAND DELIVERY

Hon. Deborah Taylor Tate
Chairman
Tennessee Regulatory Authority
460 James Robertson Parkway
Nashville, Tennessee 37243-0505


Re: *Approval of the Amendment to the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc and Excel Telecommunications, Inc Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996*
Docket No 04-00078

Dear Chairman Tate.

Pursuant to Section 252(e) of the Telecommunications Act of 1996, Excel Telecommunications, Inc and BellSouth Telecommunications, Inc are hereby submitting to the Tennessee Regulatory Authority the original and fourteen copies of the attached Petition for Approval of the Amendment to the Interconnection Agreement dated June 22, 2003. The Amendment modifies the Agreement in accordance with the Federal Communications Commission's Triennial Order effective October 2, 2003.

Thank you for your attention to this matter

Sincerely yours,


Guy M. Hicks

cc Travis Galt, Excel Telecommunications, Inc
Michael G Hoffman, Chief Legal Officer, Excel Telecommunications, Inc

BEFORE THE TENNESSEE REGULATORY AUTHORITY
Nashville, Tennessee

In re: *Approval of the Amendment to the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc. and Excel Telecommunications, Inc. Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996*

Docket No. _____

PETITION FOR APPROVAL OF THE
AMENDMENT TO THE INTERCONNECTION AGREEMENT
NEGOTIATED BETWEEN BELL SOUTH TELECOMMUNICATIONS, INC.
AND EXCEL TELECOMMUNICATIONS, INC.
PURSUANT TO THE TELECOMMUNICATIONS ACT OF 1996

COME NOW, Excel Telecommunications, Inc. ("Excel") and BellSouth Telecommunications, Inc., ("BellSouth"), and file this request for approval of the Amendment to the Interconnection Agreement dated June 22, 2003 (the "Amendment") negotiated between the two companies pursuant to Sections 251 and 252 of the Telecommunications Act of 1996, (the "Act"). In support of their request, Excel and BellSouth state the following:

1. Excel and BellSouth have successfully negotiated an agreement for interconnection of their networks, the unbundling of specific network elements offered by BellSouth and the resale of BellSouth's telecommunications services to Excel. The Interconnection Agreement was approved by the Tennessee Regulatory Authority ("TRA") on August 4, 2003.

2. The parties have recently negotiated an Amendment to the Agreement which modifies the Agreement in accordance with the Federal Communications Commission's Triennial Order effective October 2, 2003. A copy of the Amendment is attached hereto and incorporated herein by reference.

3. Pursuant to Section 252(e) of the Telecommunications Act of 1996, Excel and BellSouth are submitting their Amendment to the TRA for its consideration and approval. The Amendment provides that either or both of the parties is authorized to submit this Amendment to the TRA for approval.

4. In accordance with Section 252(e) of the Act, the TRA is charged with approving or rejecting the negotiated Amendment between BellSouth and Excel within 90 days of its submission. The Act provides that the TRA may only reject such an agreement if it finds that the agreement or any portion of the agreement discriminates against a telecommunications carrier not a party to the agreement or the implementation of the agreement or any portion of the agreement is not consistent with the public interest, convenience and necessity.

5. Excel and BellSouth aver that the Amendment is consistent with the standards for approval.


6. Pursuant to Section 252(i) of the Act, BellSouth shall make the Agreement available upon the same terms and conditions contained therein.

Excel and BellSouth respectfully request that the TRA approve the Amendment negotiated between the parties.

This 2nd day of March, 2004.

Respectfully submitted,

BELLSOUTH TELECOMMUNICATIONS, INC

By: 


Guy M. Hicks
333 Commerce Street, Suite 2101
Nashville, Tennessee 37201-3300
(615) 214-6301
Attorney for BellSouth

CERTIFICATE OF SERVICE

I, Guy M. Hicks, hereby certify that I have served a copy of the foregoing Petition for Approval of the Amendment to the Interconnection Agreement on the following via United States Mail on the 2nd day of May, 2004.

Travis Galt
Excel Telecommunications, Inc.
LEC Services
1600 Viceroy Drive
Dallas, TX 75235

Michael G. Hoffman
Chief Legal Officer
Excel Telecommunications, Inc.
1600 Viceroy Drive
Dallas, TX 74235



Guy M. Hicks

**Amendment to the Agreement
Between
Excel Telecommunications, Inc.
and
BellSouth Telecommunications, Inc.
Dated 6/22/2003**

Pursuant to this Amendment, (the "Amendment"), Excel Telecommunications, Inc (Excel), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated 6/22/2003("Agreement") to be effective thirty (30) calendar days after the date of the last signature executing the Amendment.

WHEREAS, BellSouth and Excel entered into the Agreement on 6/22/2003, and;

WHEREAS, the Parties desire to amend the Agreement in order to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand and Further Notice of proposed Rulemaking (Triennial Order) effective on October 2, 2003;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the Parties;


NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

1. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Amendment Exhibit 1, attached hereto and by reference incorporated into this Amendment.
2. The Parties agree to delete Attachment 6, Pre-Ordering, Ordering, Provisioning, Maintenance and Repair, in its entirety and replace with Attachment 6 reflected as Amendment Exhibit 2, attached hereto and by reference incorporated into this Amendment.
3. All of the other provisions of the Agreement, dated 6/22/2003, shall remain in full force and effect.
4. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996


Signature Page

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

By: 
Name: Kristen E Lane
Title: Director
Date: 2/10/07

Excel Telecommunications, Inc.

By: 
Name: Connie F. Mitchell
Title: Vice President / Director
Date: 2/5/07

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1	INTRODUCTION.....	3
2	UNBUNDLED LOOPS	5
3	LINE SHARING	27
4	LOCAL SWITCHING.....	33
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS.....	41
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	45
7	DATABASES	49
8	BELLSOUTH SWITCHED ACCESS (SWA) 8XX TOLL FREE DIALING TEN DIGIT SCREENING SERVICE	50
9	LINE INFORMATION DATABASE (LIDB).....	50
10	SIGNALING	53
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS).....	59
12	CALLING NAME (CNAM) DATABASE SERVICE.....	60
13	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS) ADVANCED INTELLIGENT NETWORK (AIN) ACCESS	61
14	OPERATIONAL SUPPORT SYSTEMS (OSS).....	61
	Rates	Exhibit A

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES**1 Introduction**

- 1.1 This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Excel in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to Excel (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Service may require Excel to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Excel used in the provision of a qualifying service, as defined by the FCC. Excel may not access a Network Element for the sole purpose of providing non-qualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of Excel, and to the extent technically feasible, provide to Excel access to its Network Elements for the provision of Excel's qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 Excel may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C F R 51.309.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 Except to the extent required by the Report and Order on Remand and Further Notice of Proposed Rulemaking (rel. Aug. 21, 2003) ("TRO"), any Network Elements that no longer require unbundling on a national level will no longer be available pursuant to this Agreement.
- 1.7 Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element, or combination of elements that is available to Excel under Section 251(c)(3) of the Telecommunications Act of 1996. Nonrecurring switch-as-is rates for conversion of Network Elements are contained in Exhibit A of this Attachment. Conversion of a wholesale service or group of wholesale services shall be considered termination for purposes of any volume and/or term commitments and/or

grandfathered status between Excel and BellSouth. Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement.

- 1.8 Except to the extent expressly provided otherwise in this Attachment, for elements or combinations of elements that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement (for example, but not limited to, local channels or non-compliant EELs), Excel will submit orders to rearrange or disconnect those arrangements or services within thirty (30) calendar days of the Effective Date of this Amendment. If orders to rearrange or disconnect those arrangements or services are not received by the 31st day after the Effective Date of this Amendment, BellSouth may disconnect those arrangements or services without further notice. Where no re-termination or physical rearrangement of circuits or service is required, Excel will be charged a nonrecurring switch-as-is charge for the individual Network Element(s) as set forth in Exhibit A. For arrangements that require a re-termination or other physical rearrangement of circuits to comply with the terms of this Agreement, nonrecurring charges for the applicable Network Element from Exhibit A of this Attachment will apply. To the extent a Network Element requires re-termination or other physical rearrangement in order to comply with a tariff or separate agreement, the applicable rates, terms and conditions of such tariff or separate agreement shall apply.
- 1.8.1 Excel may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.8.2 Except to the extent expressly provided otherwise in this Attachment, if a Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Excel may request BellSouth to perform such routine network modifications. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Excel, BellSouth shall perform the routine network modifications.
- 1.8.3 Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.
- 1.9 Commingling of Services**
- 1.9.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications services or facilities that Excel has obtained at wholesale from BellSouth, or the

combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities.

- 1.9.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for non-qualifying services.
- 1.9.3 BellSouth will not "ratchet" a commingled circuit. Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates.
- 1.9.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment and Central Office Channel Interfaces will be billed from the same jurisdictional authorization (agreement or tariff) as the higher grade of service.
- 1.10 If Excel reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge Excel for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.
- 1.11 Rates
- 1.11.1 The prices that Excel shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment. If Excel purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.11.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.11.3 If Excel modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Excel in accordance with FCC No. 1 Tariff, Section 5.
- 1.11.4 A one-month minimum billing period shall apply to all Network Elements and Other Services

2 Unbundled Loops

2.1 General

- 2.1.1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User's customer premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User customer premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's customer premises. Excel shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.1.2 In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops.
- 2.1.1.3 In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Excel on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities.
- 2.1.1.4 Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Excel. If a request is received by BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.
- 2.1.1.5 For hybrid loops, where Excel seeks access to a hybrid loop for the provision of broadband services, BellSouth shall provide Excel with nondiscriminatory access to the time division multiplexing features, functions and capabilities of that hybrid loop, including DS1 or DS3, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's customer premises.
- 2.1.1.6 Excel may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.

- 2.1.2 The provisioning of a Loop to Excel's collocation space will require cross office cabling and cross connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at <http://www.interconnection.bellsouth.com>. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.4 The Loop shall be provided to Excel in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.5 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.5.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If Excel wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, and UCL-ND), Excel may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A of this Attachment.
- 2.1.5.2 In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by Excel (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Excel for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.
- 2.1.6 **Loop Testing/Trouble Reporting**
- 2.1.6.1 Excel will be responsible for testing and isolating troubles on the Loops. Excel must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble

report, Excel will be required to provide the results of the Excel test which indicate a problem on the BellSouth provided Loop.

2.1.6.2 Once Excel has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.

2.1.6.3 If Excel reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge Excel for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status

2.1.6.4 In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by Excel (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Excel for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.7 **Order Coordination and Order Coordination-Time Specific**

2.1.7.1 "Order Coordination" (OC) allows BellSouth and Excel to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Excel's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.

2.1.7.2 "Order Coordination – Time Specific" (OC-TS) allows Excel to order a specific time for OC to take place. BellSouth will make every effort to accommodate Excel's specific conversion time request. However, BellSouth reserves the right to negotiate with Excel a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Excel may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Excel specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order

due on the same day at the same location will be applied on a per Local Service Request (LSR) basis

2.1.8 **CLEC to CLEC Conversions for Unbundled Loops**

2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Excel when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in Excel's Interconnection Agreement before requesting a conversion.

2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.

2.1.8.3 The Loops converted to Excel pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

2.1.8.4

	Order Coordination (OC)	Order Coordination – Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non-Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non-Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office
For UVL-SL1 and UCLs, Excel must order and will be billed for both OC and OC-TS if requesting OC-TS.					

2.1.9

Bulk Migration

2.1.9.1

If Excel requests to migrate twenty-five (25) or more UNE-Port/Loop Combination (UNE-P) customers to UNE-Loop (UNE-L) in the same Central Office on the same due date, Excel must use the Bulk Migration process, which is described in the BellSouth CLEC Information Package, “UNE-Port/Loop Combination (UNE-P) to UNE-Loop (UNE-L) Bulk Migration.” This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at

www.interconnection.bellsouth.com/guides/html/unec.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per customer account as provided for in the Bulk Migration Request. The migration of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

2.1.10 **Ordering Guidelines and Processes**

2.1.10.1 For information regarding Ordering Guidelines and Processes for various UNEs, Excel should refer to the "Guides" section of the BellSouth Interconnection website, which is incorporated herein by reference, as amended from time to time. The website address is: <http://www.interconnection.bellsouth.com/>

2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address: <http://www.interconnection.bellsouth.com/guides/html/unec.html>

2.2 **Unbundled Voice Loops (UVLs)**

2.2.1 BellSouth shall make available the following UVLs:

2.2.1.1 2-wire Analog Voice Grade Loop – SL1 (Non-Designed)

2.2.1.2 2-wire Analog Voice Grade Loop – SL2 (Designed)

2.2.1.3 4-wire Analog Voice Grade Loop (Designed)

2.2.2 Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Excel will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

2.2.3 Unbundled Voice Loop - SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by Excel. Excel may also order OC-TS when a specified

conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.

- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Excel may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.2.5 Unbundled Voice Loop – SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Excel. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Excel to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 **Unbundled Digital Loops**

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
 - 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
 - 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
 - 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
 - 2.3.2.5 4-wire Unbundled DS1 Digital Loop
 - 2.3.2.6 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below
 - 2.3.2.7 DS3 Loop
 - 2.3.2.8 STS-1 Loop

- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Excel will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.3.1 Upon the Effective Date of this Amendment, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UDCs that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Excel or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. Excel may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the End User's location.
- 2.3.7 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport

for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.

- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a Service Inquiry (SI) in order to ascertain availability.
- 2.3.11 If DS3/STS-1 Loops are not readily available but can be made available through routine network modifications, as defined by the FCC, Excel may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Excel, BellSouth shall perform the routine network modifications.
- 2.3.12 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.13 Excel may access a total capacity of two (2) DS3s per End User location at the Network Element rates set forth in Exhibit A.
- 2.4 **Unbundled Copper Loops (UCL)**
- 2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.
- 2.4.2 **Unbundled Copper Loop – Designed (UCL-D)**

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Excel.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Excel to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.2.5 Upon the Effective Date of this Amendment, Unbundled Copper Loop – Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted. Any existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Amendment. Existing UCL-Ls that were provisioned prior to the Effective Date of this Amendment may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by Excel or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated
- 2.4.3 **Unbundled Copper Loop – Non-Designed (UCL-ND)**
- 2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Excel can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Excel may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Excel to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 Excel may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.
- 2.5 **Unbundled Loop Modifications (Line Conditioning)**
- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.
- 2.5.2 BellSouth will remove load coils only on copper loops and sub-loops that are less than 18,000 feet in length
- 2.5.3 For any copper loop being ordered by Excel which has over 6,000 feet of combined bridged tap will be modified, upon request from Excel, so that the loop will have a maximum of 6,000 feet of bridged tap. This modification will be performed at no additional charge to Excel. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper loop that will result in a combined total of bridged tap between 2,500 and 6,000 feet will be performed at the rates set forth in Exhibit A of this Attachment.

- 2.5.4 Excel may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design purpose), at rates pursuant to BellSouth's Special Construction Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A of this Attachment.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc) being ordered.
- 2.5.7 If Excel requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed specifications of the requested loop facility as modified. Excel will not be charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.
- 2.5.8 Excel shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Excel desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for Excel, Excel will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by Excel is available at the location for which the ULM was requested, Excel will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Excel will not be charged for ULM but will only be charged the service order charges for submitting an order.
- 2.6 **Loop Provisioning Involving Integrated Digital Loop Carriers**
- 2.6.1 Where Excel has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Excel. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Excel (e.g. hairpinning):
1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated
 3. If capacity exists, provide "side-door" porting through the switch.

4. If capacity exists, provide "Digital Access Cross Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).

2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.

2.6.3 If no alternate facility is available, and upon request from Excel, and if agreed to by both Parties, BellSouth may utilize its Special Construction (SC) process to determine the additional costs required to provision facilities. Excel will then have the option of paying the one-time SC rates to place the Loop.

2.7 Network Interface Device

2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's customer premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.

2.7.2 BellSouth shall permit Excel to connect Excel's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

2.7.3.1 Excel may access the End User's customer premises wiring by any of the following means and Excel shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:

2.7.3.1.1 BellSouth shall allow Excel to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.

2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;

- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Excel may request BellSouth to make other rearrangements to the End User customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Excel's responsibility to ensure there is no safety hazard, and Excel will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.
- 2.7.3 3 Excel shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3 4 Excel shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7 3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Excel to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross connect to Excel's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. Excel may request BellSouth to do additional work to the NID on a time and material basis. When

Excel deploys its own local Loops in a multiple-line termination device, Excel shall specify the quantity of NID connections that it requires within such device

2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein

2.8.2 **Unbundled Sub-Loop Distribution**

2.8.2.1 The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade

Unbundled Copper Sub-Loop

Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

2.8.2.2 Unbundled Sub-Loop Distribution – Voice Grade (USLD-VG) is a copper sub-loop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.

2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.

2.8.2.3.1 If Excel requests a UCSL and it is not available, Excel may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.

2.8.2.4 Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User's premises.

2.8.2.4.1 Upon request for USLD-INC from Excel, BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a

single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Excel's use on this cross-connect panel. Excel will be responsible for connecting its facilities to the 25-pair cross-connect block(s).

- 2.8.2.5 For access to Voice Grade USLD and UCSL, Excel shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Excel's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Excel is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Excel's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the website address: <http://www.interconnection.bellsouth.com/products/html/unes.html>.
- 2.8.2.7 The site set-up must be completed before Excel can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Excel's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, Excel will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when Excel requests reuse of an existing facility, and the Order Coordination charge shall be billed in addition to the USL pair rate. For expedite requests by Excel for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days.
- 2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.
- 2.8.3 **Unbundled Network Terminating Wire (UNTW)**
- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End

User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, Excel will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Excel for each pair activated commensurate to the price specified in Excel's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or

subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.

- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.
- 2.8.4 **Unbundled Sub-Loop Feeder**
- 2.8.4.1 Upon the Effective Date of this Amendment, Unbundled Sub-Loop Feeder (USLF) elements will no longer be offered by BellSouth at TELRIC prices. Within ninety (90) calendar days of the Effective Date of this Amendment, Excel will either negotiate market-based rates for these elements or will issue orders to have these elements disconnected. If, after this ninety (90)-day period, market-based rates have not been negotiated and Excel has not issued the appropriate disconnect

orders, BellSouth may immediately disconnect any remaining USLF elements and will bill Excel any applicable disconnect charges.

2.8.5 **Unbundled Loop Concentration**

2.8.5.1 Upon the Effective Date of this Amendment, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Amendment will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to this Amendment and may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Excel, or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated

2.8.6 **Dark Fiber Loop**

2.8.6.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Excel to utilize Dark Fiber Loops.

2.8.6.2 If Dark Fiber Loop is not readily available but can be made available through routine network modifications, as defined by the FCC, Excel may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Excel, BellSouth shall perform the routine network modifications.

2.8.6.3 **Requirements**

2.8.6.3.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.

2.8.6.3.2 Excel is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.

- 2.8.6.3.3 BellSouth shall use its commercially reasonable efforts to provide to Excel information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a SI from Excel.
- 2.8.6.3.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Excel within twenty (20) business days after Excel submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Excel to connect Excel provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.
- 2.9 **Loop Makeup**
- 2.9.1 **Description of Service**
- 2.9.1.1 BellSouth shall make available to Excel LMU information so that Excel can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Excel intends to install and the services Excel wishes to provide. This section addresses LMU as a preordering transaction, distinct from Excel ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide Excel LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Excel as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 Excel may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Excel and BellSouth shall not be liable in any

way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Excel's ability to provide advanced data services over the ordered Loop type. Further, if Excel orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Excel is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.2 **Submitting Loop Makeup Service Inquiries**

- 2.9.2.1 Excel may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI. Mechanized LMUs should be submitted through BellSouth's OSS interfaces. After obtaining the Loop information from the mechanized LMU process, if Excel needs further Loop information in order to determine Loop service capability, Excel may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit A of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted according to the guidelines in the LMU CLEC Information Package, incorporated herein by reference, as it may be amended from time to time, which can be found at the following BellSouth website: <http://interconnection.bellsouth.com/guides/html/unes.html>. The service interval for the return of a Manual LMUSI is three (3) business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMUSI, Excel may reserve up to ten (10) Loop facilities. For a Manual LMUSI, Excel may reserve up to three (3) Loop facilities.
- 2.9.3.2 Excel may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to Excel. During and prior to Excel placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Excel does not submit an LSR for a UNE service on a reserved facility within the four (4)-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth.

2.9.3.4 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Excel will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Excel does not reserve facilities upon an initial LMUSI, Excel's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment.

2.9.3.5 Where Excel has reserved multiple Loop facilities on a single reservation, Excel may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Excel, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Excel.

3 Line Sharing

3.1 General

3.1.1 Line Sharing is defined as the process by which Excel provides digital subscriber line service over the same copper loop that BellSouth uses to provide voice service, with BellSouth using the low frequency portion of the loop and Excel using the high frequency spectrum (as defined below) of the loop.

3.1.2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with Excel. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.

3.1.3 For the period from October 2, 2003, through October 1, 2004, Excel may request new Line Sharing arrangements. For Line Sharing arrangements placed in service between October 2, 2003, and October 1, 2004, the rates will be as set forth in Exhibit A. After October 1, 2004, Excel may not request new Line Sharing arrangements under the terms of this Agreement.

3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.

3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with Excel, all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.

3.1.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Excel the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class

5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Excel shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.

- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.8 BellSouth will provide Loop Modification to Excel on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Excel requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, Excel shall pay for the Loop to be restored to its original state.
- 3.1.9 Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and Excel desires to continue providing xDSL service on such Loop, Excel shall be required to purchase a full stand-alone Loop UNE. To the extent commercially practicable, BellSouth shall give Excel notice in a reasonable time prior to disconnect, which notice shall give Excel an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and Excel purchases the full stand-alone Loop, Excel may elect the type of Loop it will purchase. Excel will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit A to this Attachment. In the event Excel purchases a voice grade Loop, Excel acknowledges that such Loop may not remain xDSL compatible.
- 3.1.10 If Excel reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge Excel for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.
- 3.1.11 Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.

3.2 **Provisioning of Line Sharing and Splitter Space**

3.2.1 BellSouth will provide Excel with access to the High Frequency Spectrum as follows:

3.2.1.1 To order High Frequency Spectrum on a particular Loop, Excel must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.

3.2.1.2 Excel may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of Excel's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.

3.2.1.3 Once a splitter is installed on behalf of Excel in a central office in which Excel is located, Excel shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and Excel shall pay the electronic or manual ordering charges as applicable when Excel orders High Frequency Spectrum for End User service.

3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for Excel's data.

3.3 **BellSouth Provided Splitter – Line Sharing**

3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Excel access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Excel's xDSL equipment in Excel's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide Excel with a carrier notification letter, informing Excel of change. Excel shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. Excel shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.

3.3.2 BellSouth will install the splitter in (i) a common area close to Excel's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Excel's DS0 termination point as possible. Excel shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Excel on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of

this Agreement. BellSouth will cross-connect the splitter data ports to a specified Excel DS0 at such time that a Excel End User's service is established.

3.4 **CLEC Provided Splitter – Line Sharing**

3.4.1 Excel may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Excel may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.

3.4.2 Any splitters installed by Excel in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Excel may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.5 **Ordering – Line Sharing**

3.5.1 Excel shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum

3.5.2 BellSouth will provide Excel the LSR format to be used when ordering the High Frequency Spectrum

3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at <http://www.interconnection.bellsouth.com>.

3.5.4 BellSouth will provide Excel access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Excel shall pay the rates for such services, as described in Exhibit A.

3.6 **Maintenance and Repair – Line Sharing**

3.6.1 Excel shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If Excel is using a BellSouth owned splitter, Excel may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If Excel provides its own splitter, it may test from the collocation space or the Termination Point

3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. Excel will

be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.

- 3.6.3 Excel shall inform its End Users to direct data problems to Excel, unless both voice and data services are impaired, in which event the End Users should call BellSouth.
- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Excel, BellSouth will notify Excel. Excel will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Excel will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Excel's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.7 **Line Splitting**

- 3.7.1 Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.7.2 In the event Excel provides its own switching or obtains switching from a third party, Excel may engage in line splitting arrangements with another CLEC using a splitter, provided by Excel, in a Collocation Arrangement at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.7.3 Where Excel is purchasing a UNE-port and a UNE-loop, BellSouth shall offer line splitting pursuant to the following sections in this Attachment.
- 3.7.4 Excel shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if Excel will not provide voice and data services.
- 3.7.5 End Users currently receiving voice service from a Voice CLEC through a UNE-P may be converted to Line Splitting arrangements by Excel or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, a UNE port,

two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, port, and one collocation cross connection.

- 3.7.6 When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing Excel for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Excel or its authorized agent to determine if the Loop is compatible for Line Splitting Service. Excel or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and Excel or its authorized agent submits an LSR to BellSouth to change the Loop.

3.8 **Provisioning Line Splitting and Splitter Space**

- 3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Excel or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location, a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be individual stand-alone Network Elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.
- 3.8.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

3.9 **Ordering – Line Splitting**

- 3.9.1 Excel shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation CFA for use with Line Splitting.

- 3.9.2 BellSouth shall provide Excel the LSR format to be used when ordering Line Splitting service.
- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at <http://www.interconnection.bellsouth.com>.
- 3.9.4 BellSouth will provide Excel access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Excel shall pay the rates for such services as described in Exhibit A.
- 3.9.5 BellSouth will provide Loop modification to Excel on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at: <http://www.interconnection.bellsouth.com/html/unes.html>. Nonrecurring rates for this offering are as set forth in Exhibit A of this Attachment.

3.10 Maintenance – Line Splitting

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical loop between the NID at the customer's premises and the termination point. Excel will be responsible for maintaining the voice and data services. Each Party will be responsible for maintaining its own equipment.
- 3.10.2 Excel shall inform its End Users to direct all problems to Excel or its authorized agent.
- 3.10.3 If Excel is not the data provider, Excel shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

4 Local Switching

- 4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Excel for the provision of a telecommunications service.
- 4.2 **Local Circuit Switching Capability, including Tandem Switching Capability**
- 4.2.1 Local circuit switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions,

and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local circuit switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signalling service features, and Centrex, as well as any technically feasible customized routing functions.

- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Excel when Excel: (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA; or (2) serves an End User with a DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Excel is serving any End User as described in (2) above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by Excel or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.
- 4.2.3 Rates for unbundled switching at the DS1 level and above or for combinations with unbundled switching at the DS1 level and above provisioned prior to the Effective Date of this Amendment shall be those rates set forth in Exhibit A of this Attachment until April 1, 2004.
- 4.2.4 Local Switching that is not required to be provided as a UNE will be provided pursuant to a separate agreement or a tariff, at BellSouth's discretion.
- 4.2.5 Unbundled Local Switching consists of three separate unbundled elements: Unbundled Ports, End Office Switching Functionality, and End Office Interoffice Trunk Ports.
- 4.2.6 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Excel's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.7 Provided that Excel purchases unbundled local switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a Excel local End User, or originated by a BellSouth local End User and terminated to a Excel local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For

such calls, BellSouth will charge Excel the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Excel shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.

4.2.8 Where Excel purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a Excel End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs (GSST). For such local calls, BellSouth will charge Excel the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Excel shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.

4.2.9 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Excel the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

4.2.10 **Unbundled Port Features**

4.2.10.1 Charges for Unbundled Port are as set forth in Exhibit A, and as specified in such exhibit, may or may not include individual features.

4.2.10.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.

4.2.10.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.

4.2.10.4 BellSouth will provide to Excel selective routing of calls to a requested Operator System platform pursuant to this Attachment. Any other routing requests by Excel will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

4.2.11 **Remote Call Forwarding**

4.2.11.1 As an option, BellSouth shall make available to Excel an unbundled port with Remote Call Forwarding capability (URCF service). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, Excel will ensure that the following conditions are satisfied:

- 4 2.11.1.1 That the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User);
- 4 2.11.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.11.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.11 1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.11.2 In addition to the charge for the URCF service port, BellSouth shall charge Excel the rates set forth in Exhibit A for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).
- 4 2.12 **Provision for Local Switching**
- 4.2 12.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.12.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4 2.12.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS) These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.12.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Excel all Advanced Intelligent Network (AIN) triggers in connection with its SMS/SCE offering.
- 4.2.12.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Excel.
- 4 2 13 **Local Switching Interfaces.**

- 4.2.13.1 Excel shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit A. BellSouth shall provide the following local switching interfaces:
- 4.2.13.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.13.1.2 Coin phone signaling,
- 4.2.13.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.13.1.4 Two-wire analog interface to PBX;
- 4.2.13.1.5 Four-wire analog interface to PBX;
- 4.2.13.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.13.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
- 4.2.13.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.13.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 4.2.14 All End Users of Excel who have service provisioned via 4-Wire ISDN DS1 Port with E911 Locator Capability shall physically be located in the E911 Tandem Switch service area
- 4.2.15 Excel shall pass its End User's telephone number to BellSouth over the Primary Interface (PRI) trunk group via ANI or via direct Centralized Automated Message Accounting (CAMA) trunks to the appropriate E911 tandem switch.
- 4.2.16 Excel shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 Automatic Location Identification (ALI) Database.
- 4.2.17 Excel will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for the CLEC's End Users.
- 4.3 **Tandem Switching**

- 4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.
- 4.3.1.1 Where Excel utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Call Flows set forth on BellSouth's website, as amended from time to time and incorporated herein by this reference, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.
- 4.3.2 Technical Requirements
- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Excel and BellSouth;
- 4.3.2.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability,
- 4.3.2.1.4 Where applicable, Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and

- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Excel.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll free traffic received from Excel's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.3.3 Upon Excel's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Excel's traffic overflowing from direct end office high usage trunk groups
- 4.4 **AIN Selective Carrier Routing for Operator Services, Directory Assistance and Repair Centers**
- 4.4.1 Where BellSouth provides local switching to Excel, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of Excel. AIN SCR will provide Excel with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 Excel shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per central office per state basis.
- 4 4.3 AIN SCR is not available in DMS 10 switches.
- 4.4.4 Where AIN SCR is utilized by Excel, the routing of Excel's End User calls shall be pursuant to information provided by Excel and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN SCR is established.
- 4.4.5 Upon ordering AIN SCR Regional Service, Excel shall remit to BellSouth the Regional Service Order nonrecurring charges set forth in Exhibit A of this Attachment. There shall be a nonrecurring End Office Establishment Charge per office due at the addition of each central office where AIN SCR will be utilized.

Said nonrecurring charge shall be as set forth in Exhibit A of this Attachment. For each Excel End User activated, there shall be a nonrecurring End User Establishment charge as set forth in Exhibit A of this Attachment. Excel shall pay the AIN SCR Per Query Charge set forth in Exhibit A of this Attachment.

- 4.4.6 This Regional Service Order nonrecurring charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN SCRSCR Order Request - Form B, AIN SCR Central Office Identification Form - Form C, AIN SCR Routing Options Selection Form - Form D, and Routing Combinations Table - Form E. BellSouth has thirty (30) calendar days to respond to Excel's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Excel, BellSouth considers that the delivery schedule of this service commences. The remaining half of the Regional Service Order payment must be paid when at least ninety (90) percent of the Central Offices listed on the original order have been turned up for the service.
- 4.4.7 The nonrecurring End Office Establishment Charge will be billed to Excel following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End-User Establishment Charges will be billed to Excel following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN SCR Per Query Charge will be billed to Excel following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

4.5 Selective Call Routing Using Line Class Codes (SCR-LCC)

- 4.5.1 Where Excel purchases unbundled local switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route Excel's End User calls to that provider through Selective Call Routing.
- 4.5.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Excel to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.

- 4.5.3 Custom Branding for Directory Assistance (DA) is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- 4.5.4 Where available, Excel specific and unique LCCs are programmed in each BellSouth end office switch where Excel intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify Excel's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Excel intends to provide Excel - branded OCP/DA to its End Users in these multiple rate areas.
- 4.5.5 SCR-LCC supporting Custom Branding and Self Branding require Excel to order dedicated trunking from each BellSouth end office identified by Excel, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Excel Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth tariffs.
- 4.5.6 Unbranding - Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by Excel to the BellSouth TOPS.
- 4.5.7 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each LCC in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

5 Unbundled Network Element Combinations

- 5.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Excel are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Excel are not already combined by BellSouth in the location requested by Excel but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Excel are not elements that BellSouth combines for its use in its network

- 5.1.1 Upon request, BellSouth shall perform the functions necessary to combine unbundled Network Elements in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such combination is technically feasible and will not undermine the ability of other carriers to obtain access to unbundled Network Elements or to interconnect with BellSouth's network.

5.2 Enhanced Extended Links (EELs)

- 5.2.1 EELs are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide Excel with EELs where the underlying UNEs are available and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- 5.2.2 High-capacity EELs are combinations of loop and transport UNEs or commingled loop and transport facilities at the DS1 and/or DS3 level as described in 47 CFR 51.318(b). High-capacity EELs must comply with the service eligibility requirements set forth in 5.2.4 below.
- 5.2.3 By placing an order for a high-capacity EEL, Excel thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit Excel's high-capacity EELs as specified below.
- 5.2.4 If a high-capacity EEL or Ordinarily Combined Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, Excel may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Excel, BellSouth shall perform the routine network modifications.

5.2.5 Service Eligibility Criteria

- 5.2.5.1 Excel must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 5.2.5.1.1 Excel has received state certification to provide local voice service in the area being served;
- 5.2.5.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL.
- 5.2.5.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;

- 5.2.5.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 5.2.5.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- 5.2.5.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 CFR 51.318(c);
- 5.2.5.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which Excel will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Excel will have at least one (1) active DS1 local service interconnection trunk over which Excel will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 5.2.6 BellSouth may, on an annual basis, audit Excel's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that Excel failed to comply with the service eligibility criteria, Excel must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that , Excel did not comply in any material respect with the service eligibility criteria, Excel shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that Excel did comply in all material respects with the service eligibility criteria, BellSouth will reimburse Excel for its reasonable and demonstrable costs associated with the audit. Excel will maintain appropriate documentation to support its certifications.
- 5.2.7 In the event Excel converts special access services to UNEs, Excel shall be subject to the termination liability provisions in the applicable special access tariffs, if any.
- 5.3 UNE Port/Loop Combinations**
- 5.3.1 Combinations of port and loop unbundled Network Elements along with switching and transport unbundled Network Elements provide local exchange service for the

origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.

- 5.3.2 BellSouth is not required to provide combinations of port and loop Network Elements on an unbundled basis in locations where, pursuant to FCC and Commission rules, BellSouth is not required to provide local circuit switching as an unbundled Network Element.
- 5.3.3 BellSouth shall not be required to provide local circuit switching as a UNE in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Excel if Excel's customer has four (4) or more DS0 equivalent lines.
- 5.3.4 BellSouth shall not be required to provide local circuit switching as a UNE or combination of UNEs if the End User is being served by a BellSouth DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Excel is serving any End User as described above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by Excel or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.
- 5.3.5 BellSouth shall make 911 updates in the BellSouth 911 database for Excel's UNE port/Loop combinations. BellSouth will not bill Excel for 911 surcharges. Excel is responsible for paying all 911 surcharges to the applicable governmental agency.

5.4 Rates

- 5.4.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable non-recurring switch-as-is charge set forth in Exhibit A.
- 5.4.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the non-recurring and recurring charges for those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of

Network Elements shall be the sum of the recurring and non-recurring rates for those individual Network Elements as set forth in Exhibit A.

5.4.3 Except as set forth in this Section 5, BellSouth shall provide UNE port/loop combinations specifically set forth in Exhibit A that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit A.

5.4.4 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to Excel in addition to those specifically referenced in this Section 5 above, where available. To the extent Excel requests a combination for which BellSouth does not have rates and methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

6 Transport, Channelization and Dark Fiber

6.1 Transport

6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules 51.311, 51.319, and Section 251(c)(3) of the Act to interoffice transmission facilities described in this Section 6 on an unbundled basis to Excel for the provision of a qualifying service, as set forth herein.

6.1.1.1 Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that Excel uses for transmission between wire centers or switches owned by BellSouth and within the same LATA.

6.1.1.2 Dark Fiber Transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics, between wire centers or switches owned by BellSouth and within the same LATA;

6.1.1.3 Common (Shared) Transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.

6.1.1.3.1 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing unbundled Local Circuit Switching to Excel.

6.1.2 BellSouth shall

- 6.1.2.1 Provide Excel exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible features, functions, and capabilities of the transport facility;
- 6.1.2.3 Permit, to the extent technically feasible, Excel to connect such interoffice facilities to equipment designated by Excel, including but not limited to, Excel's collocated facilities; and
- 6.1.2.4 Permit, to the extent technically feasible, Excel to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
 - 6.1.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
 - 6.1.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport
 - 6.1.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.
- 6.2 **Dedicated Transport**
 - 6.2.1 BellSouth shall offer Dedicated Transport in each of the following ways:
 - 6.2.1.1 As capacity on a shared UNE facility.
 - 6.2.1.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to Excel.
 - 6.2.2 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
 - 6.2.3 Excel may obtain a maximum of twelve (12) unbundled dedicated DS3 circuits, or their equivalent, for any single route at the UNE rates set forth in Exhibit A for which dedicated DS3 transport is available as unbundled transport. Additional capacity may be purchased pursuant to the rates, terms and conditions as set forth in the applicable tariff. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more

intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.

6.2.4 Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date.

6.2.5 If Dedicated Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Excel may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Excel, BellSouth shall perform the routine network modifications.

6.2.6 Technical Requirements

6.2.6.1 The entire designated transmission service (e g., DS0, DS1, DS3) shall be dedicated to Excel designated traffic.

6.2.6.2 For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.

6.2.6 3 BellSouth shall offer the following interface transmission rates for Dedicated Transport:

6.2.6 3.1 DS0 Equivalent;

6.2.6.3.2 DS1;

6.2.6.3.3 DS3; and

6.2.6 3.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.

6.2.6.4 BellSouth shall design Dedicated Transport according to its network infrastructure. Excel shall specify the termination points for Dedicated Transport.

6 2.6 5 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.

6.2 6.6 BellSouth Technical References:

- 6.2.6.6.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.2.6.6.2 TR 73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.
- 6.2 6.6.3 TR 73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996

6.3 Unbundled Channelization (Multiplexing)

- 6.3.1 Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44 736 Mbps) or STS-1 (51.84 Mbps) UNE or collocation cross connect to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross connect system at the discretion of BellSouth. Once UC has been installed, Excel may request channel activation on an as needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 6.3.2 BellSouth shall make available the following channelization systems and interfaces:
 - 6.3.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following Central Office Channel Interfaces (COCI) are available: Voice Grade, Digital Data and ISDN.
 - 6.3.2.2 DS3 Channelization System. channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
 - 6.3.2.3 STS-1 Channelization System. channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
 - 6.3.2.4 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.
- 6.3.3 Technical Requirements
 - 6.3.3.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, Excel's channelization equipment must adhere strictly to form and protocol standards Excel must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.

6.3.3.2 TR 73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995

6.4 **Dark Fiber Transport**

6.4.1 Dark Fiber Transport is strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Excel to utilize Dark Fiber Transport

6.4.2 If Dark Fiber Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Excel may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Excel, BellSouth shall perform the routine network modifications.

6.4.3 **Requirements**

6.4.3.1 BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.

6.4.3.2 Excel is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.

6.4.3.3 BellSouth shall use its best efforts to provide to Excel information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from Excel. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.

6.4.3.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Excel within twenty (20) business days after Excel submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., LGX) to enable Excel to connect Excel provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport

7 **Databases**

- 7.1** Call Related Databases are the databases set forth in this Attachment, other than OSS, that are used in signaling networks for billing and collection, or the transmission, routing or other provision of a telecommunications service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and Calling Name (CNAM) Database Service at the prices set forth herein where BellSouth is required to provide and is providing unbundled access to local circuit switching to Excel.
- 7.2** To the extent unbundled local circuit switching is converted to market based switching pursuant to Section 4.2.2 of this Attachment, BellSouth may, at its discretion, provide access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, LIDB, Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, Calling Name (CNAM) at market based rates pursuant to a separate agreement or tariff.
- 8** **BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service**
- 8.1** The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Excel's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Excel.
- 8.2** The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.
- 9** **Line Information Database**
- 9.1** LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Excel must purchase appropriate signaling links pursuant to Section 10 of this Attachment. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept

Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

9.2 Technical Requirements

- 9.2.1 BellSouth will offer to Excel any additional capabilities that are developed for LIDB during the life of this Agreement.
- 9.2.2 BellSouth shall process Excel's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Excel what additional functions (if any) are performed by LIDB in the BellSouth network.
- 9.2.3 Within two (2) weeks after a request by Excel, BellSouth shall provide Excel with a list of the customer data items, which Excel would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 9.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.
- 9.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.
- 9.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.
- 9.2.7 All additions, updates and deletions of Excel data to the LIDB shall be solely at the direction of Excel. Such direction from Excel will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 9.2.8 BellSouth shall provide priority updates to LIDB for Excel data upon Excel's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 9.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Excel customer records will be missing from LIDB, as measured by Excel audits. BellSouth will audit Excel records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated Excel contact person to resolve the status of the records and BellSouth

will update system appropriately. BellSouth will refer record of mismatches to Excel within one (1) business day of audit. Once reconciled records are received back from Excel, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Excel to negotiate a time frame for the updates, not to exceed three business days.

- 9 2.10 BellSouth shall perform backup and recovery of all of Excel's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 9.2.11 BellSouth shall provide Excel with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Excel and BellSouth.
- 9.2.12 BellSouth shall prevent any access to or use of Excel data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Excel in writing.
- 9.2.13 BellSouth shall provide Excel performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Excel at least at parity with BellSouth Customer Data. BellSouth shall obtain from Excel the screening information associated with LIDB Data Screening of Excel data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Excel under the BFR/NBR process as set forth in Attachment 11.
- 9.2.14 BellSouth shall accept queries to LIDB associated with Excel customer records and shall return responses in accordance with industry standards.
- 9.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 9 2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 9.3 Interface Requirements
- 9.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.

- 9.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 9.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 9.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB
- 9.3.5 The application of the LIDB rates contained in Exhibit A to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor Excel shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Excel shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

10 Signaling

- 10.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

10.2 Signaling Link Transport

- 10.2.1 Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between Excel designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 10.2.2 Technical Requirements
- 10.2.3 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 10.2.3.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and

- 10.2.3.2 As a “B-link” Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs)
- 10.2.4 Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:
- 10.2.4.3 An A-link layer shall consist of two (2) links.
- 10.2.4.4 A B-link layer shall consist of four (4) links.
- 10.2.4.5 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 10.2.4.6 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and
- 10.2.4.7 No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 10.2.5 Interface Requirements
- 10.2.5.8 There shall be a DS1 (1.544 Mbps) interface at Excel’s designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 10.3 Signaling Transfer Points
- 10.3.1 A STP is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPS) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 10.3.2 Technical Requirements
- 10.3.2.9 STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. STPs also provide access to third-party local or tandem switching and third-party-provided STPs.
- 10.3.2.10 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network

User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.

- 10.3.2.11 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Excel local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Excel local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 10.3.2.12 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Excel or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Excel database, then Excel agrees to provide BellSouth with the Destination Point Code for Excel database.
- 10.3.2.13 STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 10.3.2.14 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Excel or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.
- 10.4 SS7
- 10.4.1 When technically feasible and upon request by Excel, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Excel's SS7 network to exchange TCAP queries and responses with a Excel SCP.

- 10.4.2 SS7 AIN Access shall provide Excel SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Excel SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Excel SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.
- 10.4.3 Interface Requirements
- 10.4.3.15 BellSouth shall provide the following STP options to connect Excel or Excel-designated local switching systems to the BellSouth SS7 network:
- 10.4.3.15.1 An A-link interface from Excel local switching systems; and,
- 10.4.3.15.2 A B-link interface from Excel local STPs.
- 10.4.3.16 Each type of interface shall be provided by one or more layers of signaling links.
- 10.4.3.17 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 10.4.3.18 BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 10.4.3.19 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 10.4.4 Message Screening
- 10.4.4.20 BellSouth shall set message screening parameters so as to accept valid messages from Excel local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Excel switching system has a valid signaling relationship.
- 10.4.4.21 BellSouth shall set message screening parameters so as to pass valid messages from Excel local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Excel switching system has a valid signaling relationship.
- 10.4.4.22 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Excel from any signaling point or network

interconnected through BellSouth's SS7 network where the Excel SCP has a valid signaling relationship.

10.5 **Service Control Points (SCP)/Databases**

10.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.

10.5.2 A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

10.5.3 **Technical Requirements for SCPs/Databases**

10.5.3.23 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.

10.5.3.24 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).

10.5.3.25 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

10.6 **Local Number Portability Database**

10.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

10.7 **SS7 Network Interconnection**

10.7.1 SS7 Network Interconnection is the interconnection of Excel local signaling transfer point switches or Excel local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and

databases, Excel local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

- 10.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Excel or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 10.7.3 If traffic is routed based on dialed or translated digits between a Excel local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Excel local signaling transfer point switches and BellSouth or other third-party local switch.
- 10.7.4 SS7 Network Interconnection shall provide:
 - 10.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
 - 10.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
 - 10.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 10.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Excel local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Excel local STPs and shall not include SCCP Subsystem Management of the destination.
- 10.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 10.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 10.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.

10.7.9 Interface Requirements

10.7.9.1 The following SS7 Network Interconnection interface options are available to connect Excel or Excel-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:

10.7.9.1.1 A-link interface from Excel local or tandem switching systems; and

10.7.9.1.2 B-link interface from Excel STPs.

10.7.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.

10.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.

10.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.

10.7.9.5 BellSouth shall set message screening parameters to accept messages from Excel local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Excel switching system has a valid signaling relationship

11 Automatic Location Identification/Data Management System (ALI/DMS)

11.1 The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. Excel will be required to provide BellSouth daily updates to E911 database. Excel shall also be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users.

11.2 Technical Requirements

11.2.1 BellSouth shall provide Excel the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to

Excel after Excel provides End User information for input into the ALI/DMS database.

- 11.2.2 Excel shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.

12 Calling Name Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides Excel the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- 12.2 Excel shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60) calendar days prior to Excel's access to BellSouth's CNAM Database Services and shall be addressed to Excel's Local Contract Manager.
- 12.3 BellSouth's provision of CNAM Database Services to Excel requires interconnection from Excel to BellSouth CNAM SCPs. Such interconnections shall be established pursuant to Attachment 3 of this Agreement.
- 12.4 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Excel shall provide its own CNAM SSP. Excel's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If Excel elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Excel desires to query.
- 12.6 If Excel queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.

- 12.7 The mechanism to be used by Excel for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Excel in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Excel to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 12.9 Excel CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

13 Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network Access

- 13.1 BellSouth's SCE/SMS AIN Access shall provide Excel the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- 13.2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Excel. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- 13.3 BellSouth SCP shall partition and protect Excel service logic and data from unauthorized access.
- 13.4 When Excel selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Excel to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- 13.5 Excel access will be provided via remote data connection (e.g., dial-in, ISDN).
- 13.6 BellSouth shall allow Excel to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 Operational Support Systems

- 14.1 BellSouth has developed and made available electronic interfaces by which Excel may submit LSRs electronically

- 14.2 LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit A of this Attachment.
- 14.3 Denial/Restoral OSS Charge
- 14.3.1 In the event Excel provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 14.4 Cancellation OSS Charge
- 14.4.1 Excel will incur an OSS charge for an accepted LSR that is later canceled.
- 14.5 Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 14.6 Network Elements and Other Services Manual Additive
- 14.6.1 The Commissions in some states have ordered per element manual additive nonrecurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOME	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch (U/L SL1)							8.94					
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make up (Engineering Information - E1)			UEANL	UREWO		15.78						
	Manual Order Coordination for U/L SL1s (per loop)			UEANL	UEANM		13.44						
	Order Coordination for Specified Conversion Time for U/L SL1 (per LSR)			UEANL	UEAMC		8.15						
	2-WIRE UNBUNDLED COPPER LOOP				OCOSL		18.09						
	2-Wire Unbundled Copper Loop - Non-Design Zone 1	1	1	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15			
	2-Wire Unbundled Copper Loop - Non-Design Zone 2	1	2	UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15			
	2-Wire Unbundled Copper Loop - Non-Design Zone 3	1	3	UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15			
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83					
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Design (per loop)			UEQ	USBMC		8.15						
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E1)			UEQ	UEQMU		13.44						
	Loop Testing - Basic 1st Half Hour			UEQ	URETI		34.16	34.16					
	CLEC to CLEC Conversion Charge Without Outside Dispatch (U/L ND)			UEQ	URETA		19.85	19.85					
	UNBUNDLED EXCHANGE ACCESS LOOP				UREWO		14.27	7.43					
	2-WIRE ANALOG VOICE GRADE LOOP												
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30			
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30			
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30			
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30			
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30			
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30			
	UNBUNDLED EXCHANGE ACCESS LOOP												
	2-WIRE ANALOG VOICE GRADE LOOP												
	2 Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44			
	2 Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44			
	2 Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44			
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09						
	2 Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44			
	2 Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44			
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09						
	CLEC to CLEC Conversion Charge without outside dispatch Loop tagging - Service Level 2 (SL2)			UEA	UREWO		87.72	36.36					
	4-WIRE ANALOG VOICE GRADE LOOP												
	4 Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50			
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	38.58	131.97	94.51	59.14	14.50			
	4 Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50			
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09						
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36					

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Attachment 2	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Exhibit A
						Rec	Nonrecurring Add'l	First	Nonrecurring Disconnect Add'l	SOME	SOMAN	SOMAN			
	2-WIRE ISDN DIGITAL GRADE LOOP														
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	UHL2X	21.88	117.24	79.77	52.88	10.54					
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	UHL2X	32.85	117.24	79.77	52.88	10.54					
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	UHL2X	48.55	117.24	79.77	52.88	10.54					
	Order Coordination For Specified Conversion Time (per LSR)				OCOSL		18.09								
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		91.63	44.16							
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP														
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44					
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44					
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44					
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		18.09								
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44					
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44					
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44					
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		18.09								
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		86.20	40.40							
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44					
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44					
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44					
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		18.09								
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44					
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44					
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44					
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		18.09								
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		86.14	40.40							
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73					
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73					
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73					
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		18.09								
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73					
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73					
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73					
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		18.09								
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		86.14	40.40							
	4-WIRE DS1 DIGITAL LOOP														
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	82.55	252.47	157.54	44.70	11.71					
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	154.18	252.47	157.54	44.70	11.71					
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	314.52	252.47	157.54	44.70	11.71					
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		18.09								

UNBUNDLED NETWORK ELEMENTS - Alabama										
CATEGORY	RATE ELEMENTS	Item	Zone	BCS	USOC	RATES (\$)				Exhibit A
						Nonrecurring	Nonrecurring	Disconnect	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l
						First	Add'l	First	SOMAN	SOMAN
						Rec			SOME	SOME
									Submitted Manually per LSR	Submitted Manually per LSR
									1st	1st
	CLEC to CLEC Conversion Charge without outside dispatch									
4-WIRE 19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP										
	14 Wire Unbundled Digital 19.2 Kbps									
	4 Wire Unbundled Digital 19.2 Kbps	1	UDL			26 09	88 80	59 14		
	4 Wire Unbundled Digital 19.2 Kbps	2	UDL			35 95	88 80	59 14		
	4 Wire Unbundled Digital 19.2 Kbps	3	UDL			37 88	88 80	59 14		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL			26 09	88 80	59 14		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL			35 95	88 80	59 14		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL			37 88	88 80	59 14		
	Order Coordination for Specified Conversion Time (per LSR)									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL			26 09	88 80	59 14		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL			35 95	88 80	59 14		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL			37 88	88 80	59 14		
	Order Coordination for Specified Conversion Time (per LSR)									
	CLEC to CLEC Conversion Charge without outside dispatch									
2-WIRE UNBUNDLED COPPER LOOP										
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1									
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	1	UCL			11 01	65 30	47 24	7 44	
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	2	UCL			12 73	65 30	47 24	7 44	
	Order Coordination for Unbundled Copper Loops (per loop)									
	2 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL			14 30	65 30	47 24	7 44	
	2 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL			11 01	54 30	47 24	7 44	
	2 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL			12 73	54 30	47 24	7 44	
	Order Coordination for Unbundled Copper Loops (per loop)									
	2 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL			14 30	54 30	47 24	7 44	
	2 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL			8 15	8 15			
	2 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL			97 23	42 48			
	Order Coordination for Unbundled Copper Loops (per loop)									
	CLEC to CLEC Conversion Charge without outside dispatch (UCL Des)									
4-WIRE COPPER LOOP										
	4 Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1	UCL			17 36	135 21	51 70	9 73	
	4 Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	2	UCL			20 76	135 21	51 70	9 73	
	4 Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	3	UCL			28 21	135 21	51 70	9 73	
	Order Coordination for Unbundled Copper Loops (per loop)									
	4 Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL			17 36	114 21	51 70	9 73	
	4 Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL			20 76	114 21	51 70	9 73	
	4 Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL			28 21	114 21	51 70	9 73	
	Order Coordination for Unbundled Copper Loops (per loop)									
	CLEC to CLEC conversion Charge without outside dispatch									
LOOP MODIFICATION										
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft. per Unbundled Loop									
	Unbundled Loop Modification Removal of Load Coils - 4 Wire pair less than or equal to 18k ft. per Unbundled Loop									
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop									
SUB-LOOPS										

UNBUNDLED NETWORK ELEMENTS - Alabama																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A		
						Rec	Nonrecurring		Disconnect			Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	
							First	Add'l								SOMAN
	Sub-Loop Distribution															
	Sub Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		244.42									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		22.64									
	Facility Set-Up	I		UEANL	USBSC		177.45									
	Sub Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD		55.15									
	Sub Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70						
	Order Coordination for Unbundled Sub-Loops - per sub-loop pair															
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBMC	8.46	8.15	8.15								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07						
	Order Coordination for Unbundled Sub-Loops - per sub-loop pair															
	Sub-Loop 2 Wire Intra-building Network Cable (INC)	I		UEANL	USBR2	2.27	53.01	18.17	45.25	6.70						
	Order Coordination for Unbundled Sub-Loops - per sub-loop pair															
	Sub Loop 4 Wire Intra-building Network Cable (INC)	I		UEANL	USBMC	5.16	8.15	8.15								
				UEANL	USBR4		59.25	24.41	49.71	9.07						
	Order Coordination for Unbundled Sub-Loops - per sub-loop pair															
	Loop Testing - Basic 1st Half Hour			UEANL	USBMC		8.15	8.15								
	Loop Testing - Basic Additional Half Hour			UEANL	URET1		34.16	34.16								
	2 Wire Copper Unbundled Sub Loop Distribution - Zone 1	1		UEF	URESX	6.22	65.80	30.96	45.25	6.70						
	2 Wire Copper Unbundled Sub Loop Distribution - Zone 2	2		UEF	URESX	8.76	65.80	30.96	45.25	6.70						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3		UEF	URESX	11.27	65.80	30.96	45.25	6.70						
	Order Coordination for Unbundled Sub-Loops - per sub-loop pair															
	4 Wire Copper Unbundled Sub Loop Distribution - Zone 1	1		UEF	UCS4X	6.11	79.03	44.19	49.71	9.07						
	4 Wire Copper Unbundled Sub Loop Distribution - Zone 2	2		UEF	UCS4X	12.61	79.03	44.19	49.71	9.07						
	4 Wire Copper Unbundled Sub Loop Distribution - Zone 3	3		UEF	UCS4X	15.36	79.03	44.19	49.71	9.07						
	Order Coordination for Unbundled Sub-Loops - per sub-loop pair															
	Loop Testing - Basic 1st Half Hour			UEF	USBMC		8.15	8.15								
	Loop Testing - Basic Additional Half Hour			UEF	URET1		34.16	34.16								
	Unbundled Network Terminating Wire (UNTW)			UEF	URETA		19.85	19.85								
	Unbundled Network Terminating Wire (UNTW) per Pair			UNTW	UENPP	0.40	30.01									
	Network Interface Device (NID)															
	Network Interface Device (NID) 1-2 lines			UNTW	UND12		43.23	28.38								
	Network Interface Device (NID) 1-6 lines			UNTW	UND16		63.97	49.11								
	Network Interface Device Cross Connect 2 W			UNTW	UNDC2		5.87	5.87								
	Network Interface Device Cross Connect 4W			UNTW	UNDC4		5.87	5.87								
	PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID Installation			UNTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only No Rate			UNTW	UENCE	0.00	0.00									
	Unbundled Contract Name, Provisioning Only No Rate			UNTW	UNEON	0.00	0.00									
	PROVISIONING ONLY - NO RATE															

UNBUNDLED NETWORK ELEMENTS - Alabama																	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Attachment 2			Exhibit A		
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First			SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	
	Unbundled Contact Name Provisioning Only - no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,UCL	UNEON	0.00	0.00										
	Unbundled Sub-Loop Feeder 2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00										
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,UCL,UCL,UDL	USBFR	0.00	0.00										
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00										
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00										
HIGH CAPACITY UNBUNDLED LOCAL LOOP																	
	High Capacity Unbundled Local Loop DS3 - Per Mile per month			UE3	1L5ND	8.38											
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	308.98	451.52	263.94	119.49	83.58							
	High Capacity Unbundled Local Loop - STS 1 - Per Mile per month			UDLSX	1L5ND	8.38											
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	319.83	451.52	263.94	119.49	83.58							
LOOP MAKE-UP																	
	Loop Makeup - Preordering Without Reservation, per working or spare facility queued (Manual)			UMK	UMKLW		20.00										
	Loop Makeup - Preordering With Reservation, per spare facility queued (Manual)			UMK	UMKLP		21.00										
	Loop Makeup - With or Without Reservation, per working or spare facility queued (Mechanized)			UMK	UMKMQ		0.59										
LINE SHARING AND LINE SPLITTING																	
	NOTE 1 The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows																
	NOTE 1 10/02/2003 - 10/01/2004 25% of the rate for an unbundled copper loop non-designed ("UCLND")																
	NOTE 1 10/02/2004 - 10/01/2005 50% of the rate for UCLND																
	NOTE 1 10/02/2005 - 10/01/2006 75% of the rate for UCLND																
	NOTE 1 Above will apply to USOCs ULSDT and UL SCT																
	NOTE 2 The Line Sharing monthly recurring rates with USOCs ULSDC and ULSCC applies only to circuits installed and in service on or before October 1, 2003																
LINE SHARING																	
SPLITTERS-CENTRAL OFFICE BASED																	
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	155.97	188.79	0.00	177.98	0.00							
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.99	188.79	0.00	177.98	0.00							
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	12.73	377.58	0.00	355.96	0.00							
	Line Sharing DLEC Owned Splitter in CO CFA activation-deactivation (per LSOD)			ULS	ULSDG		86.47	0.00	49.84	0.00							
END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING																	
	Line Sharing - per Line Activation (BST Owned Splitter) - OBSOLETE see "NOTE 2"			ULS	ULSDC	0.61	18.51	10.60	10.01	4.92							
	Line Share Service, TRO per line activation, BST owned splitter Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003)			ULS	ULSDT	2.80	18.51	10.60	10.01	4.92							
	Line Share Service, TRO per line activation, BST owned splitter Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004)			ULS	ULSDT	5.60	18.51	10.60	10.01	4.92							
	Line Share Service, TRO per line activation, BST owned splitter Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005)			ULS	ULSDT	8.40	18.51	10.60	10.01	4.92							
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		16.39	8.19									
	Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		16.39	8.19									
	Line Sharing - per Line Activation (DLEC owned Splitter) - OBSOLETE see "NOTE 2"			ULS	ULSCC	0.61	47.44	19.31	20.02	9.83							

UNBUNDLED NETWORK ELEMENTS - Alabama																	
CATEGORY	RATE ELEMENTS	Intern m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2			Exhibit A		
						Rec	Nonrecurring		Disconnect Add'l			Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l		
							First	Add'l								SOMEc	SOMAN
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003)			ULS	ULSCT	2.80	47.44	19.31	20.02	9.83							
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004)			ULS	ULSCT	5.60	47.44	19.31	20.02	9.83							
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005)			ULS	ULSCT	8.40	47.44	19.31	20.02	9.83							
	LINE SPLITTING																
	END USER ORDERING-CENTRAL OFFICE BASED																
	Line Splitting - per line activation CLEC owned splitter			UEPSR UEPSB	UREOS	0.61											
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.01	21.19	20.02	9.83							
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83							
	MAINTENANCE																
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00									
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50									
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00									
	UNBUNDLED DEDICATED TRANSPORT																
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT																
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			UITVX	1L5XX	0.008838											
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination			UITVX	UITV2	21.13	40.54	27.41	16.74	6.90							
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat - Per Mile per month			UITVX	1L5XX	0.008838											
	Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat Facility Termination			UITVX	UITR2	21.13	40.54	27.41	16.74	6.90							
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade Per Mile per month			UITVX	1L5XX	0.008838											
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade Facility Termination			UITVX	UITV4	18.73	40.54	27.41	16.74	6.90							
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			UITDX	1L5XX	0.008838											
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			UITDX	UITD5	15.12	40.54	27.41	16.74	6.90							
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			UITDX	1L5XX	0.008838											
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			UITDX	UITD6	15.12	40.54	27.41	16.74	6.90							
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			UITD1	1L5XX	0.18											
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination			UITD1	UITF1	60.16	89.27	81.81	16.35	14.44							
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			UITD3	1L5XX	4.09											
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			UITD3	UITF3	703.52	278.75	162.76	60.20	28.46							
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			UITS1	1L5XX	4.09											
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			UITS1	UITFS	701.37	278.75	162.76	60.20	28.46							
DARK FIBER																	
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Therel per month - Interoffice Channel			UDF UDFCX	1L5DF	23.29											
	NFC Dark Fiber - Interoffice Channel			UDF UDFCX	UDF14		639.09	137.87	317.06	197.66							
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Therel per month - Local Loop			UDF UDFCX	1L5DL	60.32											
	NFC Dark Fiber - Local Loop			UDF UDFCX	UDF14		639.09	137.87	317.06	197.66							

UNBUNDLED NETWORK ELEMENTS - Alabama																	
CATEGORY	RATE ELEMENTS	Intern m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A			
						Nonrecurring		Disconnect Add'l	OSS Rates (\$)			Incremental Charge - Manual Svc Order vs Electronic- 1st	Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	SOMAN	SOMAN	
						First	Add'l		SOMECH								SOMAN
	BXX ACCESS TEN DIGIT SCREENING																
	BXX Access Ten Digit Screening, Per Call						0.00056										
	BXX Access Ten Digit Screening, Reservation Charge Per BXX Number Reserved																
	BXX Access Ten Digit Screening, Per BXX No Established W/O POTS Translations							2.58	0.44								
	BXX Access Ten Digit Screening, Per BXX No Established With POTS Translations							5.94	0.81	4.57	0.54						
	BXX Access Ten Digit Screening, Customized Area of Service Per BXX Number							5.94	0.81	4.57	0.54						
	BXX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per BXX No							2.58	1.29								
	BXX Access Ten Digit Screening, Change Charge Per Request							3.02	1.73								
	BXX Access Ten Digit Screening, Call Handling and Destination Features							3.02	0.44								
	BXX Access Ten Digit Screening, w/ BFL No Delivery							2.58									
	BXX Access Ten Digit Screening, w/ POTS No Delivery							0.000565									
	LINE INFORMATION DATA BASE ACCESS (LIDB)							0.000565									
	LIDB Common Transport Per Query							0.00002									
	LIDB Validation Per Query							0.012002									
	LIDB Originating Point Code Establishment or Change							34.32		42.08							
	SIGNALING (CCS7)																
	CCS7 Signaling Connection, Per 56Kbps Facility							15.46	35.53	16.44	16.44						
	CCS7 Signaling Termination Per STP Port							130.83									
	CCS7 Signaling Usage, Per Call Setup Message							0.0000142									
	CCS7 Signaling Usage, Per TCAP Message							0.0000569									
	CCS7 Signaling Connection, Per link (A link)							15.46	35.53	16.44	16.44						
	CCS7 Signaling Connection, Per link (B link) (also known as D link)																
	CCS7 Signaling Usage, Per ISUP Message							15.46	35.53	16.44	16.44						
	CCS7 Signaling Usage Surrogate, per link per LATA							0.0000142									
	CCS7 Signaling Point Code, per Originating Point Code							650.33									
	Establishment or Change, per STP affected																
E911 SERVICE								29.01	29.01	35.57	35.57						
	Local Channel - Dedicated - 2-wr Voice Grade							13.97	193.10	33.17	36.64	3.20					
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile							0.008638									
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility																
	Termination							21.13	40.54	27.41	16.74	6.90					
	Local Channel - Dedicated - DS1 - Zone 1							35.76	177.47	153.72	22.19	15.26					
	Local Channel - Dedicated - DS1 - Zone 2							49.98	177.47	153.72	22.19	15.26					
	Local Channel - Dedicated - DS1 - Zone 3							107.63	177.47	153.72	22.19	15.26					
	Interoffice Transport - Dedicated - DS1 Per Mile							0.18									
	Interoffice Transport - Dedicated - DS1 Per Facility Termination							60.16	89.27	81.81	16.35	14.44					
CALLING NAME (CNAM) SERVICE																	
	CNAM For DB Owners - Service Establishment							22.95		21.11							
	CNAM For Non DB Owners - Service Establishment							22.95		21.11							
	CNAM For DB Owners - Service Provisioning With Point Code Establishment																
	CNAM For Non DB Owners - Service Provisioning With Point Code Establishment							990.88	732.84	268.93	197.74						
	CNAM for DB Owners, Per Query							342.33	245.14	275.25	197.74						
	CNAM for Non DB Owners, Per Query							0.000902									
	SELECTIVE ROUTING							0.000902									
	Selective Routing Per Unique Line Class Code Per Request Per Switch																
VIRTUAL COLLOCATION																	
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting							84.70	84.70	14.11	14.11						
								12.30	11.80	6.03	5.44						

UNBUNDLED NETWORK ELEMENTS - Alabama																	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A		
						Rec	Nonrecurring		Disconnect	Incremental Charge - Manual Svc Order vs Electronic-1st			Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st		
							First	Add'l								First	Add'l
	PHYSICAL COLLOCATION																
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting																
	AIN SELECTIVE CARRIER ROUTING																
	Regional Service Establishment			UEPSR UEPSB	PEILS	0.03		12.30	11.80	6.03	5.44						
	End Office Establishment			SRC	SRCEC			101.098.91		8,590.70							
	Query NRC, per query			SRC	SRCEO			169.88	169.88	1.70	1.70						
	Query NRC, per query			SRC		0.002749											
	AIN - BELL SOUTH AIN SMS ACCESS SERVICE																
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup				CAMSE			39.44	39.44	40.69	40.69						
	AIN SMS Access Service - Port Connection, Dial/Shared Access																
	AIN SMS Access Service - Port Connection, ISDN Access				CAMDP			7.83	7.83	9.09	9.09						
	AIN SMS Access Service - User Identification Codes - Per User ID Code				CAMIP			7.83	7.83	9.09	9.09						
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement				CAMAU			35.00	35.00	27.06	27.06						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)				CAMRC			41.88	41.88	11.71	11.71						
	AIN SMS Access Service - Session, Per Minute					0.002188											
	AIN SMS Access Service - Company Performed Session, Per Minute					0.59											
	AIN SMS Access Service - Company Performed Session, Per Minute					0.73											
	AIN - BELL SOUTH AIN TOOLKIT SERVICE																
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup				BAPSC			39.44	39.44	40.69	40.69						
	AIN Toolkit Service - Training Session, Per Customer			CAM	BAPVX			4,202.17	4,202.17								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term Attempt				BAPTT			7.83	7.83	9.09	9.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD			7.83	7.83	9.09	9.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM			7.83	7.83	9.09	9.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit POOP				BAPTO			34.47	34.47	14.36	14.36						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC			34.47	34.47	14.36	14.36						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF			34.47	34.47	14.36	14.36						
	AIN Toolkit Service - Query Charge, Per Query					0.05											
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.005682											
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.05											
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription				BAPMS			10.17	7.83	5.50	5.50						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS			2.87	8.66								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS			7.39	7.83	5.50	5.50						
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription			CAM	BAPES			0.10	8.66								
	ENHANCED EXTENDED LINK (EELs)																
	NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provided as 'Currently Combined' Network Elements																
	NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provided as 'Currently Combined' Network Elements																
	EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																
	First 2 Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38		88.00	55.00	47.24	7.44						
	First 2 Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	22.85		88.00	55.00	47.24	7.44						
	First 2 Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	36.14		88.00	55.00	47.24	7.44						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNCLX	IL5XX	0.18											

UNBUNDLED NETWORK ELEMENTS - Alabama													
CATEGORY	RATE ELEMENTS	Interim	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First		SOME C	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
								Add'l			SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
	Interface Transport Dedicated DS1 combination - Facility Termination per month		UNCI X	UITF1	60.16	89.27	81.81	16.35	14.44				
	I/O Channelization System in combination Per Month		UNCI X	MQ1	101.06	91.04	62.57	10.54	9.79				
	Voice Grade COCI - Per Month		UNCI X	1D1VG	0.53	6.58	4.72						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1	1	UNCI X	UEAL2	14.38	88.00	55.00	47.24	7.44				
	Each Additional 2 Wire VG Loop (SL 2) in Combination - Zone 2	2	UNCI X	UEAL2	22.85	88.00	55.00	47.24	7.44				
	Each Additional 2 Wire VG Loop (SL 2) in Combination - Zone 3	3	UNCI X	UEAL2	36.14	88.00	55.00	47.24	7.44				
	Voice Grade COCI - Per Month		UNCI X	1D1VG	0.53	6.58	4.72						
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge		UNCI X	UNCCC		5.59	5.59	6.98	6.98				
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT												
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1	1	UNCI X	UEAL4	25.34	131.97	94.51	59.14	14.50				
	First 4 Wire Analog Voice Grade Loop in Combination - Zone 2	2	UNCI X	UEAL4	38.58	131.97	94.51	59.14	14.50				
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3	3	UNCI X	UEAL4	60.02	131.97	94.51	59.14	14.50				
	Interface Transport Dedicated DS1 combination Per Mile		UNCI X	1L5XX	0.18								
	Interface Transport - Dedicated DS1 - Facility Termination Per Month		UNCI X	UITF1	60.16	89.27	81.81	16.35	14.44				
	I/O Channel System in combination - per month		UNCI X	MQ1	101.06	91.04	62.57	10.54	9.79				
	Voice Grade COCI in combination - per month		UNCI X	1D1VG	0.53	6.58	4.72						
	Additional 4-Wire Analog Voice Grade Loop in same DS1												
	Interface Transport Combination - Zone 1	1	UNCI X	UEAL4	25.34	131.97	94.51	59.14	14.50				
	Interface Transport Combination - Zone 2	2	UNCI X	UEAL4	38.58	131.97	94.51	59.14	14.50				
	Additional 4-Wire Analog Voice Grade Loop in same DS1												
	Interface Transport Combination - Zone 3	3	UNCI X	UEAL4	60.02	131.97	94.51	59.14	14.50				
	Additional Voice Grade COCI in combination - per month		UNCI X	1D1VG	0.53	6.58	4.72						
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge		UNCI X	UNCCC		5.59	5.59	6.98	6.98				
	EXTENDED 4-WIRE 56 Kbps EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT												
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50				
	First 4 Wire 56Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50				
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50				
	Interface Transport - Dedicated - DS1 combination Per Mile		UNCI X	1L5XX	0.18								
	Interface Transport - Dedicated - DS1 - combination Facility Termination Per Month		UNCI X	UITF1	60.16	89.27	81.81	16.35	14.44				
	I/O Channel System in combination Per Month		UNCI X	MQ1	101.06	91.04	62.57	10.54	9.79				
	OCU-DP COCI (data) per month (2 4-64kbs)		UNCDX	1D1DD	1.12	6.58	4.72						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50				
	Interface Transport Combination - Zone 1												
	Additional 4 Wire 56Kbps Digital Grade Loop in same DS1	2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50				
	Interface Transport Combination - Zone 2												
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50				
	Interface Transport Combination - Zone 3												
	Additional OCU-DP COCI (data) in combination per month (2 4-64kbs)		UNCDX	1D1DD	1.12	6.58	4.72						
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge		UNCI X	UNCCC		5.59	5.59	6.98	6.98				
	EXTENDED 4-WIRE 64 Kbps EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT												

UNBUNDLED NETWORK ELEMENTS - Alabama														
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Exhibit A Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring First	Disconnect Add'l	SOME	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge													
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT			UNCVX	UNCCC									
	4-Wire/VG Loop in combination - Zone 1	1	UNCVX	UNCVX	UEAL4	25 34	131 97	94 51	59 14	14 50				
	4 Wire/VG Loop in combination - Zone 2	2	UNCVX	UNCVX	UEAL4	38 58	131 97	94 51	59 14	14 50				
	4 Wire/VG Loop in combination - Zone 3	3	UNCVX	UNCVX	UEAL4	60 02	131 97	94 51	59 14	14 50				
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month		UNCVX	UNCVX	1L5XX	0 008838								
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month		UNCVX	UNCVX	U1TV4	18 73	40 54	27 41	16 74	6 90				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge													
	EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT			UNCVX	UNCCC									
	DS3 Local Loop in combination - per mile per month		UNCVX	UNCVX	1L5ND	8 38								
	DS3 Local Loop in combination - Facility Termination per month		UNCVX	UNCVX	UE3PX	308 98	451 52	263 94	119 49	83 58				
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		UNCVX	UNCVX	1L5XX	4 09								
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month		UNCVX	UNCVX	U1TF3	703 52	278 75	162 76	60 20	58 46				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge													
	EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT			UNCVX	UNCCC									
	STS-1 Local Loop in combination - per mile per month		UNCVX	UNCVX	1L5ND	8 38								
	STS-1 Local Loop in combination - Facility Termination per month		UNCVX	UNCVX	UDLS1	319 83	451 52	263 94	119 49	83 58				
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month		UNCVX	UNCVX	1L5XX	4 09								
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month		UNCVX	UNCVX	U1TF5	701 37	278 75	162 76	60 20	58 46				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge													
	EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT			UNCVX	UNCCC									
	First 2-Wire ISDN Loop in Combination - Zone 1	1	UNCVX	UNCVX	U1L2X	21 88	117 24	79 77	52 88	10 54				
	First 2-Wire ISDN Loop in Combination - Zone 2	2	UNCVX	UNCVX	U1L2X	32 85	117 24	79 77	52 88	10 54				
	First 2-Wire ISDN Loop in Combination - Zone 3	3	UNCVX	UNCVX	U1L2X	48 55	117 24	79 77	52 88	10 54				
	Interoffice Transport - Dedicated - DS1 combination - per mile per month		UNCVX	UNCVX	1L5XX	0 18								
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNCVX	UNCVX	U1TF1	60 16	89 27	81 81	16 35	14 44				
	1/0 Channel System in combination - per month		UNCVX	UNCVX	MO1	101 06	91 04	62 57	10 54	9 79				
	Additional 2-wire ISDN COCI (BRITE) - in combination - per month		UNCVX	UNCVX	UC1CA	2 41	6 58	4 72						
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UNCVX	U1L2X	21 88	117 24	79 77	52 88	10 54				
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UNCVX	U1L2X	32 85	117 24	79 77	52 88	10 54				
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UNCVX	U1L2X	48 55	117 24	79 77	52 88	10 54				
	Additional 2-wire ISDN COCI (BRITE) - in combination - per month		UNCVX	UNCVX	UC1CA	2 41	6 58	4 72						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge													
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT			UNCVX	UNCCC									
	First DS1 Loop Combination - Zone 1	1	UNCVX	UNCVX	USLXX	82 55	252 47	157 54	44 70	11 71				
	First DS1 Loop Combination - Zone 2	2	UNCVX	UNCVX	USLXX	154 18	252 47	157 54	44 70	11 71				
	First DS1 Loop Combination - Zone 3	3	UNCVX	UNCVX	USLXX	314 52	252 47	157 54	44 70	11 71				
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month		UNCVX	UNCVX	1L5XX	4 09								
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month		UNCVX	UNCVX	U1TF5	701 37	278 75	162 76	60 20	58 46				

UNBUNDLED NETWORK ELEMENTS - Alabama													
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)						Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR
						Rec	First	Add'l	Nonrecurring	First	Add'l	Disconnect	
	3/1 Channel System in combination per month			UNCSX		186 13	178 14	93 97		33 26	31 83		
	DS1 COCI in combination per month			UNCTX		12 70		4 72					
	Additional DS1 Loop in the same STS-1 Interoffice Transport Combination - Zone 1			UNCTX									
	Additional DS1 Loop in the same STS-1 Interoffice Transport Combination - Zone 2	1		UNCTX		82 55	252 47	157 54		44 70	11 71		
	Additional DS1 Loop in the same STS-1 Interoffice Transport Combination - Zone 3	2		UNCTX		154 18	252 47	157 54		44 70	11 71		
	DS1 COCI in combination per month			UNCTX		314 52	252 47	157 54		44 70	11 71		
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge			UNCTX		12 70	6 58	4 72					
	EXTENDED 4-WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH 56 Kbps INTEROFFICE TRANSPORT			UNCSX			5 59	5 59		6 98			
	4 wire 56 kbps Local Loop in combination - Zone 1	1		UNCDX		26 09	126 27	88 80		59 14	14 50		
	4 wire 56 kbps Local Loop in combination - Zone 2	2		UNCDX		35 95	126 27	88 80		59 14	14 50		
	4 wire 56 kbps Local Loop in combination - Zone 3	3		UNCDX		37 88	126 27	88 80		59 14	14 50		
	Interface Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX		0 008838							
	Interface Transport - Dedicated - 4 wire 56 kbps combination - Facility Termination per month			UNCDX		15 12	40 54	27 41		16 74	6 90		
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge			UNCDX			5 59	5 59		6 98			
	EXTENDED 4-WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH 64 Kbps INTEROFFICE TRANSPORT			UNCDX									
	4 wire 64 kbps Local Loop in combination - Zone 1	1		UNCDX		26 09	126 27	88 80		59 14	14 50		
	4 wire 64 kbps Local Loop in combination - Zone 2	2		UNCDX		35 95	126 27	88 80		59 14	14 50		
	4 wire 64 kbps Local Loop in combination - Zone 3	3		UNCDX		37 88	126 27	88 80		59 14	14 50		
	Interface Transport - Dedicated - 4 wire 64 kbps combination - Per Mile per month			UNCDX		0 008838							
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX		15 12	40 54	27 41		16 74	6 90		
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge			UNCDX			5 59	5 59		6 98			
	EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX			UNCDX									
	First 2-wire VG Loop (SL2) in Combination - Zone 1	1		UEAL2		14 38	88 00	55 00		47 24	7 44		
	First 2-wire VG Loop (SL2) in Combination - Zone 2	2		UEAL2		22 85	88 00	55 00		47 24	7 44		
	First 2-wire VG Loop (SL2) in Combination - Zone 3	3		UEAL2		36 14	88 00	55 00		47 24	7 44		
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNCTX		0 18							
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNCTX		60 16	89 27	81 81		16 35	14 44		
	Per each DS1 Channelization System Per Month			UNCTX		101 06	91 04	62 57		10 54	9 79		
	3/1 Channel System in combination per month			UNCVX		0 53	6 58	4 72					
	Per each DS1 COCI in combination per month			UNCVX		166 13	178 14	93 97		33 26	31 83		
	Each Additional 2-Wire VG Loop(SL-2) in the same DS1 Interoffice Transport Combination - Zone 1	1		UNCVX		12 70	6 58	4 72					
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2	2		UNCVX		14 38	88 00	55 00		47 24	7 44		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3	3		UNCVX		22 85	88 00	55 00		47 24	7 44		
	Each Additional Voice Grade COCI - In combination - per month			UNCVX		36 14	88 00	55 00		47 24	7 44		
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNCVX		0 53	6 58	4 72					
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNCTX		0 18							
	Each Additional DS1 COCI combination per month			UNCTX		60 16	89 27	81 81		16 35	14 44		
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge			UNCTX		12 70	6 58	4 72					
	EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX			UNCTX			5 59	5 59		6 98	6 98		

UNBUNDLED NETWORK ELEMENTS - Alabama														
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Manually per LSR	Attachment 2 Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Exhibit A Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring First	Disconnect Add'l	SOME	SOMAN	SOMAN	SOMAN
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50				
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50				
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50				
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNCI1X	1LSXX	0.18								
	First Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNCI1X	U1TF1	60.16	89.27	81.81	16.35	14.44				
	Per each 1/0 Channel System in combination Per Month			UNCI1X	MQ1	101.06	91.04	62.57	10.54	9.79				
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72						
	3/1 Channel System in combination per month			UNCI1X	MQ3	166.13	178.14	93.97	33.26	31.83				
	Per each DS1 COCI in combination per month			UNCI1X	UC1D1	12.70	6.58	4.72						
	Additional 4 Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50				
	Additional 4 Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50				
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNCI1X	1LSXX	0.18								
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNCI1X	U1TF1	60.16	89.27	81.81	16.35	14.44				
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72						
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge			UNCI1X	UNCCC		5.59	5.59	6.98	6.98				
EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX														
	First 4 Wire 56Kbps Digital Grade Local Loop in Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50				
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50				
	First 4 Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50				
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNCI1X	1LSXX	0.18								
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNCI1X	U1TF1	60.16	89.27	81.81	16.35	14.44				
	Per each 1/0 Channel System in combination Per Month			UNCI1X	MQ1	101.06	91.04	62.57	10.54	9.79				
	Per each OGU-DP COCI (data) COCI per month (2 4 64Kbps)			UNCDX	1D1DD	1.12	6.58	4.72						
	3/1 Channel System in combination per month			UNCI1X	MQ3	166.13	178.14	93.97	33.26	31.83				
	Per each DS1 COCI in combination per month			UNCI1X	UC1D1	12.70	6.58	4.72						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50				
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50				
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50				
	OGU DP COCI (data) COCI in combination per month (2 4-64Kbps)			UNCDX	1D1DD	1.12	6.58	4.72						
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNCI1X	1LSXX	0.18								
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNCI1X	U1TF1	60.16	89.27	81.81	16.35	14.44				
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNCI1X	UC1D1	12.70	6.58	4.72						
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge			UNCI1X	UNCCC		5.59	5.59	6.98	6.98				
EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX														

UNBUNDLED NETWORK ELEMENTS - Alabama																	
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2			Exhibit A		
						Nonrecurring		Disconnect				Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- 1st	SOMAN	SOMAN	SOMAN	SOMAN
						Rec	Add'l	First	Add'l								
	First 4 Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNC1X	UDL64	26 09	126 27	88 80	59 14	14 50							
	First 4 Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNC1X	UDL64	35 95	126 27	88 80	59 14	14 50							
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNC1X	UDL64	37 88	126 27	88 80	59 14	14 50							
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 18											
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44							
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	101 06	91 04	62 57	10 54	9 79							
	Per each OC4-DP COCI (data) in combination - per month (2 4-64kbs)			UNC1X	UD1DD	1 12	6 58	4 72									
	3/1 Channel System in combination per month			UNC1X	MQ3	166 13	178 14	93 97	33 26	31 83							
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12 70	6 58	4 72									
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNC1X	UDL64	26 09	126 27	88 80	59 14	14 50							
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNC1X	UDL64	35 95	126 27	88 80	59 14	14 50							
	Additional 4 Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNC1X	UDL64	37 88	126 27	88 80	59 14	14 50							
	Additional OC4-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4 64kbs)			UNC1X	UD1DD	1 12	6 58	4 72									
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 18											
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44							
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	12 70	6 58	4 72									
	Nonrecurring Currently Combined Network Elements Switch As Is Charge			UNC1X	UNCCC		5 59	5 59	6 98	6 98							
EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																	
	First 2 Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNC1X	U1L2X	21 88	117 24	79 77	52 88	10 54							
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNC1X	U1L2X	32 85	117 24	79 77	52 88	10 54							
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNC1X	U1L2X	48 55	117 24	79 77	52 88	10 54							
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0 18											
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44							
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	101 06	91 04	62 57	10 54	9 79							
	Per each 2 wire ISDN COCI (BRITE) in combination - per month			UNC1X	UC1CA	2 41	6 58	4 72									
	3/1 Channel System in combination per month			UNC1X	MQ3	166 13	178 14	93 97	33 26	31 83							
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12 70	6 58	4 72									
	Additional 2 wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNC1X	U1L2X	21 88	117 24	79 77	52 88	10 54							
	Additional 2 wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNC1X	U1L2X	32 85	117 24	79 77	52 88	10 54							
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNC1X	U1L2X	48 55	117 24	79 77	52 88	10 54							
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel system combination- per month			UNC1X	UC1CA	2 41	6 58	4 72									
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 18											
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44							

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect Add'l			SOME C	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	12 70	6 58	4 72							
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge			UNC1X	UNCCC		5 59	5 59	6 98	6 98					
EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX															
	First 4-wire DS1 Digital Local Loop in Combination - Zone 1		1	UNC1X	USLXX	82 55	252 47	157 54	44 70	11 71					
	First 4-wire DS1 Digital Local Loop in Combination - Zone 2		2	UNC1X	USLXX	154 18	252 47	157 54	44 70	11 71					
	First 4-wire DS1 Digital Local Loop in Combination - Zone 3		3	UNC1X	USLXX	314 52	252 47	157 54	44 70	11 71					
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 18									
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44					
	3/1 Channel System in combination per month			UNC3X	MC3	166 13	178 14	93 97	33 26	31 83					
	Per each DS1 COCI combination per month			UNC1X	UC1D1	12 70	6 58	4 72							
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 18									
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44					
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	12 70	6 58	4 72							
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 1		1	UNC1X	USLXX	82 55	252 47	157 54	44 70	11 71					
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 2		2	UNC1X	USLXX	154 18	252 47	157 54	44 70	11 71					
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 3		3	UNC1X	USLXX	314 52	252 47	157 54	44 70	11 71					
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge			UNC1X	UNCCC		5 59	5 59	6 98	6 98					
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT															
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDCX	UDL56	26 09	126 27	88 80	59 14	14 50					
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDCX	UDL56	35 95	126 27	88 80	59 14	14 50					
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDCX	UDL56	37 88	126 27	88 80	59 14	14 50					
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDCX	1L5XX	0 008838									
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDCX	U1TD5	15 12	40 54	27 41	16 74	6 90					
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge			UNCDCX	UNCCC		5 59	5 59	6 98	6 98					
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT															
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDCX	UDL64	26 09	126 27	88 80	59 14	14 50					
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDCX	UDL64	35 95	126 27	88 80	59 14	14 50					
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDCX	UDL64	37 88	126 27	88 80	59 14	14 50					
	First 4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDCX	1L5XX	0 008838									
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDCX	U1TD6	15 12	40 54	27 41	16 74	6 90					
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge			UNCDCX	UNCCC		5 59	5 59	6 98	6 98					
ADDITIONAL NETWORK ELEMENTS															
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply														
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not														
	Nonrecurring Currently Combined Network Elements -Switch As Is- Charge (One applies to each combination)														
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge 2-wire/4-Wire VG			UNCVCX	UNCCC		5 59	5 59	6 98	6 98					
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge 56/64 kbps			UNCDCX	UNCCC		5 59	5 59	6 98	6 98					
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge DS1			UNC1X	UNCCC		5 59	5 59	6 98	6 98					

UNBUNDLED NETWORK ELEMENTS - Alabama													
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Exhibit A
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Exhibit A
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge - DS3			UNC3X	UNCCC		5.59	5.59	6.98	6.98			
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge - STS1			UNC3X	UNCCC		5.59	5.59	6.98	6.98			
	Optional Features & Functions												
	Clear Channel Capability Extended Frame Option - per DS1	I		U1TD1, ULDD1, UNC1X	CCOEF		01	01	01				
	Clear Channel Capability Super FrameOption - per DS1	I		U1TD1, ULDD1, UNC1X	CCOEF		01	01	01				
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I		ULDD1, U1TD1, UNC1X, USL	NFCCC		184.85S	23.81S	1.99S	0.7741S			
	C-bit Party Option - Subsequent Activity - per DS3	I		U1TD3, ULDD3, UE3, UNC3X	NFCCC		219.13S	7.67S	0.7355S	0S			
	MULTIPLXERS												
	DS1 to DS0 Channel System per month			UNC1X	MQ1	101.06	91.04	62.57	10.54				
	OCU DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) used for a Local Loop			UDL	1D1DD	1.12	6.58	4.72	0.00	0.00			
	OCU-OP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			UITUD	1D1DD	1.12	6.58	4.72	0.00	0.00			
	2 wire ISDN COCI (BRITE) DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA	2.41	6.58	4.72	0.00	0.00			
	2-wire ISDN COCI (BRITE) DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			UITUB	UC1CA	2.41	6.58	4.72	0.00	0.00			
	Voice Grade COCI DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.53	6.58	4.72	0.00	0.00			
	Voice Grade COCI DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			UITUC	1D1VG	0.53	6.58	4.72	0.00	0.00			
	DS3 to DS1 Channel System per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83			
	STS 1 to DS1 Channel System per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83			
	DS1 COCI used with Loop per month			USL	UC1D1	12.70	6.58	4.72	0.00	0.00			
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			UITUA	UC1D1	12.70	6.58	4.72	0.00	0.00			
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	12.70	6.58	4.72	0.00	0.00			
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	12.70	6.58	4.72	0.00	0.00			
	UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)												
	Exchange Ports												
	NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs												
	2-WIRE VOICE GRADE LINE PORT RATES (RES)												
	Exchange Ports - 2 Wire Analog Line Port Res			UEPSR	UEPRL	1.38	2.38	2.27	1.42	1.33			
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	1.38	2.38	2.27	1.42	1.33			
	Exchange Ports - 2-Wire Analog Line Port outgoing only Res			UEPSR	UEPRO	1.38	2.38	2.27	1.42	1.33			
	Exchange Ports - 2 Wire VG unbundled AL extended local dialing party Port with Caller ID - Res			UEPSR	UEPAR	1.38	2.38	2.27	1.42	1.33			
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.38	2.38	2.27	1.42	1.33			
	Exchange Ports - 2 Wire VG Alabama Residence Dialing Plan without Caller Id			UEPSR	UEPWA	1.38	2.38	2.27	1.42	1.33			
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPSR	UEPRT	1.38	2.38	2.27	1.42	1.33			
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00					
	FEATURES												
	All Available Vertical Features			UEPSR	UEPVF	1.98	0.00	0.00					
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)												

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEc	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1.38	2.38	2.27	1.42	1.33					
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller-E484 ID - Bus			UEPSB	UEPBC	1.38	2.38	2.27	1.42	1.33					
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus			UEPSB	UEPBO	1.38	2.38	2.27	1.42	1.33					
	Exchange Ports - 2-Wire VG unbundled AL extended local dialing party Port with Caller ID - Bus			UEPSB	UEPAW	1.38	2.38	2.27	1.42	1.33					
	Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.38	2.38	2.27	1.42	1.33					
	Exchange Ports - 2-Wire Voice Alabama Business Dialing Plan without Caller ID			UEPSB	UEPWB	1.38	2.38	2.27	1.42	1.33					
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPSB	UEPBE USASC	1.38 0.00	2.38 0.00	2.27 0.00	1.42	1.33					
FEATURES	Subsequent Activity														
	All Available Vertical Features			UEPSB	UEPVF	1.98	0.00	0.00							
EXCHANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.38	31.27	14.85	13.94	0.90					
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.38	31.27	14.85	13.94	0.90					
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.38	31.27	14.85	13.94	0.90					
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPPI	1.38	31.27	14.85	13.94	0.90					
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90					
	2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port			UEPSP	UEPA2	1.38	31.27	14.85	13.94	0.90					
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90					
	2-Wire Voice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.38	31.27	14.85	13.94	0.90					
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.38	31.27	14.85	13.94	0.90					
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.38	31.27	14.85	13.94	0.90					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.38	31.27	14.85	13.94	0.90					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.38	31.27	14.85	13.94	0.90					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.38	31.27	14.85	13.94	0.90					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.38	31.27	14.85	13.94	0.90					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.38	31.27	14.85	13.94	0.90					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.38	31.27	14.85	13.94	0.90					
	Subsequent Activity			USASC		0.00	0.00	0.00							
FEATURES															
	All Available Vertical Features			UEPSP	UEPVF	1.98	0.00	0.00							
EXCHANGE PORT RATES (COIN)															
	Exchange Ports - Coin Port					1.38	2.38	2.27	1.42	1.33					
NOTE	Transmission/usage charges associated with POTIS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports														
NOTE	Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process														
UNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)															
EXCHANGE PORT RATES															
The DST Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement															
Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion															
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.05	119.31	18.74	59.90	3.76					
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability (E 4/1/2004)			UEPDD	UEPDD	60.09	202.02	95.69	72.59	2.46					
	Exchange Ports - 2-Wire ISDN Port (See Notes below)			UEPTX, UEPXS	UIPWA	9.79	72.77	52.99	47.79	10.74					
	All Features Offered			UEPTX, UEPXS	UEPWA	1.98	0.00	0.00							
	Exchange Ports - 2-Wire ISDN Port - Channel Profiles			UEPTX, UEPXS	UIUMA	0.00	0.00	0.00							
NOTE	Transmission/usage charges associated with POTIS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports														
NOTE	Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process														
EXCHANGE PORT RATES (continued)															

UNBUNDLED NETWORK ELEMENTS - Alabama																		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Manually per LSR	Attachment 2			Exhibit A			
						Rec	Nonrecurring		Disconnect Add'l			SOMEc	OSS Rates (\$)		Incremental Charge - Manual Order vs Electronic-1st	Incremental Charge - Manual Order vs Electronic-Disc 1st	Incremental Charge - Manual Order vs Electronic-Disc Add'l	
							First	Add'l					SOMAN	SOMAN				SOMAN
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911			UEPEX	UEPEX	84.32	203.81	101.56	79.18	20.06								
	Locator Capability (E 4/1/2004)			UEPDX	UEPDX	84.32	203.81	101.56	79.18	20.06								
	Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)			UEPEX	UEPDX	PE1P1	1.11	22.03	15.93	6.40	5.79							
	Physical Collocation - DS1 Cross-Connects																	
	Virtual collocation - Special Access & UNE, cross-connect per DS1			UEPEX	UEPDX	CNC1X	1.11	22.03	15.93	6.40	5.79							
	Detailed E911 with Locator Capability (required with UEPEX port)																	
	Unbundled Exchange Ports, 4 Wire ISDN DS1 Port - E911																	
	Locator Capability - Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,804.00		156.08									
	Unbundled Exchange Ports, 4 Wire ISDN DS1 Port - E911			UEPEX	UEP1B	0.00	175.14											
	Locator Capability - Subsequent Profile Changes, Additions, Deletions																	
	New or Additional PRI Telephone Numbers																	
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911																	
	Locator Capability 2-way Telephone Numbers, per number in E911 profile (New or Additional)			UEPEX	UEP1C	0.0697	0.49											
	Unbundled Exchange Ports, 4 Wire ISDN DS1 Port - E911																	
	Locator Capability Outdial Telephone Numbers, per number in E911 profile (New or Additional)			UEPEX	UEP1D	0.0697	11.51											
	Unbundled Exchange Ports, 4 Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option (New or Additional)			UEPDX	UEP1E	0.00	0.049											
	Exchange Ports - 4 Wire ISDN DS1 Port - Subsequent (New)			UEPEX	PR7ZT	0.00	23.02											
	Inward Tel Numbers (Customer Testing Purposes)																	
	LOCAL NUMBER PORTABILITY			UEPEX	UEPDX	LNPCN	1.75											
	Local Number Portability (1 per port)																	
	Interface (Provisioning Only)																	
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00										
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00										
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00										
	New or Additional Channel			UEPEX	PR7BV	0.00	14.53											
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BF	0.00	14.53											
	New or Additional Digital Data "B" Channel			UEPDX	PR7BD	0.00	14.53											
	New or Additional Inward Data "B" Channel			UEPEX	PR7BS	0.00	14.53											
	New or Additional Usage Sensitive Voice Data "B" Channel			UEPEX	PR7BU	0.00	14.53											
	New or Additional Usage Sensitive Digital Data "B" Channel			UEPEX	PR7EX	0.00	14.53											
	New or Additional PRI "D" Channel																	
	CALL TYPES																	
	Inward			UEPEX	UEPDX	PR7C1	0.00	0.00	0.00									
	Outward			UEPEX	PR7C0	0.00	0.00	0.00										
	Two-way			UEPEX	PR7C0	0.00	0.00	0.00										
	UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY																	
	UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE																	
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.38	2.38	2.27	1.42	1.33								
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.38	2.38	2.27	1.42	1.33								
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.38	2.38	2.27	1.42	1.33								
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.38	2.38	2.27	1.42	1.33								
	Non-Recurring																	
	Unbundled Remote Call Forwarding Service - Conversion			UEPVR	USAC2		0.10	0.10										
	Switch as-is																	
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PLC and LPIC)			UEPVR	USACC		0.10	0.10										
	UNBUNDLED REMOTE CALL FORWARDING - Bus																	
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.38	2.38	2.27	1.42	1.33								
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.38	2.38	2.27	1.42	1.33								

UNBUNDLED NETWORK ELEMENTS - Alabama												
CATEGORY	RATE ELEMENTS	Interim	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2	Exhibit A
					Rec	Nonrecurring	Nonrecurring Disconnect					
						First	Add'l	First	Add'l	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, InterLATA - Bus		UEPVB	UERTC	1.38	2.38	2.27	1.42	1.33			
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus		UEPVB	UERTH	1.38	2.38	2.27	1.42	1.33			
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling		UEPVB	UEPVJ	1.38	2.38	2.27	1.42	1.33			
Non-Recurring												
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is		UEPVB	USAC2		0.10	0.10					
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)		UEPVB	USACC		0.10	0.10					
UNBUNDLED LOCAL SWITCHING, PORT USAGE												
End Office Switching (Port Usage)												
End Office Switching Function, Per MOU					0.0007025							
End Office Trunk Port - Shared, Per MOU					0.0001638							
Tandem Switching (Port Usage) (Local or Access Tandem)												
Tandem Switching Function Per MOU					0.000095							
Tandem Trunk Port - Shared, Per MOU					0.0002015							
Tandem Switching Function Per MOU (Melded)					0.000040993							
Tandem Trunk Port - Shared, Per MOU (Melded)					0.000066947							
Melded Factor 43.15% of the Tandem Rate												
Common Transport												
Common Transport Per Mile, Per MOU					0.0000023							
Common Transport - Facilities Termination Per MOU					0.0003224							
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES												
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports												
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit												
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations												
The first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections												
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)												
UNE Port/Loop Combination Rates												
2-Wire VG Loop/Port Combo - Zone 1		1			12.70							
2-Wire VG Loop/Port Combo - Zone 2		2			21.19							
2-Wire VG Loop/Port Combo - Zone 3		3			34.80							
UNE Loop Rates												
2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11.55							
2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	20.04							
2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	33.65							
2-Wire Voice Grade Line Port Rates (Res)												
2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.15	40.19	19.83	24.91	6.63			
2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.15	40.19	19.83	24.91	6.63			
2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.15	40.19	19.83	24.91	6.63			
2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res			UEPRX	UEPAR	1.15	40.19	19.83	24.91	6.63			
2-Wire voice unbundled res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.15	40.19	19.83	24.91	6.63			
2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID			UEPRX	UEPWA	1.15	40.19	19.83	24.91	6.63			
2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	1.15	40.19	19.83	24.91	6.63			
FEATURES												
All Features Offered			UEPRX	UEPVF	1.98	0.00	0.00					
LOCAL NUMBER PORTABILITY												
Local Number Portability (1 per port)			UEPRX	LNPCX	0.35							
NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED												
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		0.10	0.10					
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		0.10	0.10					
ADDITIONAL NRCS												

UNBUNDLED NETWORK ELEMENTS - Alabama																	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2			Exhibit A		
						Rec	Nonrecurring		Nonrecurring Disconnect		SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	
							First	Add'l	First	Add'l							
	2 Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00									
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83									
OFFON PREMISES EXTENSION CHANNELS																	
	2 Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPRX	UEAEN	12.58	37.81	17.56	23.49	5.30							
	2 Wire Analog Voice Grade Extension Loop - Non-Design		2	UEPRX	UEAEN	21.05	37.81	17.56	23.49	5.30							
	2 Wire Analog Voice Grade Extension Loop - Non-Design		3	UEPRX	UEAEN	34.34	37.81	17.56	23.49	5.30							
	2 Wire Analog Voice Grade Extension Loop - Design		1	UEPRX	UEAED	14.38	88.00	55.00	47.24	7.44							
	2 Wire Analog Voice Grade Extension Loop - Design		2	UEPRX	UEAED	22.85	88.00	55.00	47.24	7.44							
	2 Wire Analog Voice Grade Extension Loop - Design		3	UEPRX	UEAED	36.14	88.00	55.00	47.24	7.44							
INTEROFFICE TRANSPORT																	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	UITV2	21.13	40.54	27.41	16.74	6.90							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	UITVM	0.008638	0.00	0.00									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																	
UNE Port/Loop Combination Rates																	
	2-Wire VG Loop/Port Combo - Zone 1		1			12.70											
	2-Wire VG Loop/Port Combo - Zone 2		2			21.19											
	2-Wire VG Loop/Port Combo - Zone 3		3			34.80											
UNE Loop Rates																	
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.55											
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20.04											
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	33.65											
2-Wire Voice Grade Line Port (Bus)																	
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.15	40.19	19.83	24.91	6.63							
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.15	40.19	19.83	24.91	6.63							
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.15	40.19	19.83	24.91	6.63							
	2-Wire voice Grade unbundled Alabama extended local dialing party port with Caller ID - bus			UEPBX	UEPAW	1.15	40.19	19.83	24.91	6.63							
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPBI	1.15	40.19	19.83	24.91	6.63							
	2-Wire Voice Unbundled Alabama Business Dialing Plan without Caller ID			UEPBX	UEPWB	1.15	40.19	19.83	24.91	6.63							
	2 Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	1.15	40.19	19.83	24.91	6.63							
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35											
FEATURES																	
	All Features Offered			UEPBX	UEPVF	1.98	0.00	0.00									
NONRECURRING CHARGES (NRCh) - CURRENTLY COMBINED																	
	2 Wire Voice Grade Loop / Line Port Combination - Conversion - Switch as-is			UEPBX	USAC2		0.10	0.10									
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		0.10	0.10									
ADDITIONAL NRChs																	
	2 Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2		0.00	0.00									
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83									
OFFON PREMISES EXTENSION CHANNELS																	
	2 Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPBX	UEAEN	12.58	37.81	17.56	23.49	5.30							
	2 Wire Analog Voice Grade Extension Loop - Non-Design		2	UEPBX	UEAEN	21.05	37.81	17.56	23.49	5.30							
	2 Wire Analog Voice Grade Extension Loop - Non-Design		3	UEPBX	UEAEN	34.34	37.81	17.56	23.49	5.30							
	2 Wire Analog Voice Grade Extension Loop - Design		1	UEPBX	UEAED	14.38	88.00	55.00	47.24	7.44							
	2 Wire Analog Voice Grade Extension Loop - Design		2	UEPBX	UEAED	22.85	88.00	55.00	47.24	7.44							
	2 Wire Analog Voice Grade Extension Loop - Design		3	UEPBX	UEAED	36.14	88.00	55.00	47.24	7.44							
INTEROFFICE TRANSPORT																	

UNBUNDLED NETWORK ELEMENTS - Alabama																	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2			Exhibit A		
						Nonrecurring		Rec	Nonrecurring Disconnect			Incremental Charge - Manual Order vs Electronic-1st	Incremental Charge - Manual Order vs Electronic-1st	Incremental Charge - Manual Order vs Electronic-1st	Incremental Charge - Manual Order vs Electronic-1st		
						First	Add'l		First							Add'l	SOMECA
	Interoffice Transport - Dedicated - 2 Wire Voice Grade Facility Termination			UEPBX	U1TV2	21 13	40 54	27 41	16 74	6 90							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade Per Mile or Fraction Mile			UEPBX	U1TVM	0.008838	0.00	0.00									
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
	UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1				12 70											
	2-Wire VG Loop/Port Combo - Zone 2	2				21 19											
	2-Wire VG Loop/Port Combo - Zone 3	3				34 80											
	UNE Loop Rates																
	2 Wire Voice Grade Loop (SL 1) - Zone 1	1		UEPRG	UEPLX	11 55											
	2 Wire Voice Grade Loop (SL 1) - Zone 2	2		UEPRG	UEPLX	20 04											
	2 Wire Voice Grade Loop (SL 1) - Zone 3	3		UEPRG	UEPLX	33 65											
	2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port			UEPRG	UEPRD	1 15	69 08	32 41	37 43	6 20							
	Res																
	LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRG	LNPCP	3 15	0.00	0.00									
	FEATURES																
	All Features Offered			UEPRG	UEPVF	1 98	0.00	0.00									
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch As Is			UEPRG	USAC2		7 91	1 90									
	2 Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		7 81	1 90									
	ADDITIONAL NRCS																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		/	UEPRG	USAS2	0 00	0 00	0 00									
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7 32	7 32									
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8 33	0 83									
	OFFICE PREMISES EXTENSION CHANNELS																
	Local Channel Voice grade, per termination	1		UEPRG	P2JHX	14 38	88 00	55 00	47 24	7 44							
	Local Channel Voice grade, per termination	2		UEPRG	P2JHX	22 85	88 00	55 00	47 24	7 44							
	Local Channel Voice grade, per termination	3		UEPRG	P2JHX	36 14	88 00	55 00	47 24	7 44							
	Non-Wire Direct Serve Channel Voice Grade	1		UEPRG	SDD2X	22 41	131 60	61 92	90 50	13 40							
	Non-Wire Direct Serve Channel Voice Grade	2		UEPRG	SDD2X	23 88	131 60	61 92	90 50	13 40							
	Non-Wire Direct Serve Channel Voice Grade	3		UEPRG	SDD2X	33 72	131 60	61 92	90 50	13 40							
	INTEROFFICE TRANSPORT																
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRG	U1TV2	21 13	40 54	27 41	16 74	6 90							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRG	U1TVM	0.008838	0.00	0.00									
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
	UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1				12 70											
	2-Wire VG Loop/Port Combo - Zone 2	2				21 19											
	2-Wire VG Loop/Port Combo - Zone 3	3				34 80											
	UNE Loop Rates																
	2 Wire Voice Grade Loop (SL 1) - Zone 1	1		UEPPX	UEPLX	11 55											
	2 Wire Voice Grade Loop (SL 1) - Zone 2	2		UEPPX	UEPLX	20 04											
	2 Wire Voice Grade Loop (SL 1) - Zone 3	3		UEPPX	UEPLX	33 65											
	2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2 Way PBX Trunk Port - Bus			UEPPX	UEPPC	1 15	69 08	32 41	37 43	6 20							
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1 15	69 08	32 41	37 43	6 20							
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1 15	69 08	32 41	37 43	6 20							

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Exhibit A	
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOMEc	SOMAN	OSS Rates (\$)	SOMAN	SOMAN	
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama Calling Port			UEPPX	UEPA2	1.15	69.08	32.41	37.43	6.20					
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	69.08	32.41	37.43	6.20					
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.15	69.08	32.41	37.43	6.20					
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	69.08	32.41	37.43	6.20					
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.15	69.08	32.41	37.43	6.20					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	69.08	32.41	37.43	6.20					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.15	69.08	32.41	37.43	6.20					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPXL	1.15	69.08	32.41	37.43	6.20					
	Administrative Calling Port			UEPPX	UEPXM	1.15	69.08	32.41	37.43	6.20					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.15	69.08	32.41	37.43	6.20					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX	UEPXD	1.15	69.08	32.41	37.43	6.20					
	Discount Room Calling Port			UEPPX	UEPXS	1.15	69.08	32.41	37.43	6.20					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	69.08	32.41	37.43	6.20					
LOCAL	NUMBER PORTABILITY														
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00							
FEATURES															
	All Features Offered			UEPPX	UEPVE	1.98	0.00	0.00							
NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		7.91	1.90							
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) Conversion - Switch with Change			UEPPX	USACC		7.91	1.90							
ADDITIONAL NRCS															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00							
	PBX Subsequent Activity Change/Rearrange Multiline Hunt						7.32	7.32							
	Unbundled Miscellaneous Rate Element, Tag Loop at End User														
	Premise			UEPPX	URETL		8.33	0.83							
OFF/ON PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	14.38	88.00	55.00	47.24	7.44					
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	22.85	88.00	55.00	47.24	7.44					
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	36.14	88.00	55.00	47.24	7.44					
	Non Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	22.41	131.60	61.92	90.50	13.40					
	Non Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	23.88	131.60	61.92	90.50	13.40					
	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	33.72	131.60	61.92	90.50	13.40					
INTEROFFICE TRANSPORT															
	Interoffice Transport Dedicated - 2 Wire Voice Grade			UEPPX	UITV2	21.13	40.54	27.41	16.74	6.90					
	Termination														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade			UEPPX	UITVM	0.008838	0.00	0.00							
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
UNE Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo - Zone 1		1				12.70								
	2-Wire VG Coin Port/Loop Combo - Zone 2		2				21.19								
	2-Wire VG Coin Port/Loop Combo - Zone 3		3				34.80								
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) Zone 1		1	UEPCO	UEPLX	11.55									
	2-Wire Voice Grade Loop (SL1) Zone 2		2	UEPCO	UEPLX	20.04									
	2-Wire Voice Grade Loop (SL1) Zone 3		3	UEPCO	UEPLX	33.65									
2-Wire Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.15	40.19	19.83	24.91	6.63					
	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	1.15	40.19	19.83	24.91	6.63					
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.15	40.19	19.83	24.91	6.63					

UNBUNDLED NETWORK ELEMENTS - Alabama																
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A		
						Nonrecurring		Disconnect Add'l	OSS Rates (\$)			Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	
						First	Add'l		SOME							SOMAN
						Rec										
	2-Wire Coin 2 Way with Operator Screening and 011 Blocking (AL, LA, MS)			UEPCO	UEPRB	1 15	40 19	19 83	24 91	6 63						
	2-Wire Coin 2 Way with Operator Screening & Blocking 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1 15	40 19	19 83	24 91	6 63						
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	1 15	40 19	19 83	24 91	6 63						
	2-Wire Coin Outward with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1 15	40 19	19 83	24 91	6 63						
	2-Wire Coin Outward Operator Screening & Blocking 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1 15	40 19	19 83	24 91	6 63						
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1 15	40 19	19 83	24 91	6 63						
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1 15	40 19	19 83	24 91	6 63						
	ADDITIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1 56	0 00	0 00	0 00	0 00						
	LOCAL NUMBER PORTABILITY			UEPCO	LNPCX	0 35										
	Local Number Portability (1 per port)															
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination			UEPCO	USAC2		0 10	0 10								
	Switch-as-is															
	2-Wire Voice Grade Loop / Line Port Combination			UEPCO	USACC		0 10	0 10								
	Switch with change															
	ADDITIONAL NRCS															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0 00	0 00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8 33	0 83								
	2-WIRE VOICE LOOP/2-WIRE VOICE GRADE IO TRANSPORT/2-WIRE LINE PORT (RES)															
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1	1				15 76										
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2	2				24 23										
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3	3				37 52										
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1	1		UEPFR	UECF2	14 38										
	2-Wire Voice Grade Loop (SL2) - Zone 2	2		UEPFR	UECF2	22 85										
	2-Wire Voice Grade Loop (SL2) - Zone 3	3		UEPFR	UECF2	36 14										
	2-Wire Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1 38	90 38	57 27	48 66	8 77						
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1 38	90 38	57 27	48 66	8 77						
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1 38	90 38	57 27	48 66	8 77						
	2-Wire voice Grade unbundled Alabama extended local dialing party port with Caller ID - res			UEPFR	UEPAR	1 38	90 38	57 27	48 66	8 77						
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1 38	90 38	57 27	48 66	8 77						
	2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID			UEPFR	UEPWA	1 38	90 38	57 27	48 66	8 77						
	INTEROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	UITV2	21 13	40 54	27 41	16 74	6 90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFR	115XX	0 008838										
	FEATURES															
	All Features Offered			UEPFR	UEPVF	1 98	0 00	0 00								
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFR	LNPCX	0 35										
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFR	USAC2		8 48	1 87								

UNBUNDLED NETWORK ELEMENTS - Alabama														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Exhibit A
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOME	SOMAN	SOMAN	SOMAN
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With Change Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise				UEPFR		8 48	1 87						
	2-WIRE VOICE LOOP/2WIRE VOICE GRADE IO TRANSPORT/2-WIRE LINE PORT (BUS)				UEPFR		11 21	1 10						
	UNE Port/Loop Combination Rates													
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1	1				15 76								
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2	2				24 23								
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3	3				37 52								
	UNE Loop Rates													
	2 Wire Voice Grade Loop (SL2) - Zone 1	1			UECF2	14 38								
	2 Wire Voice Grade Loop (SL2) - Zone 2	2			UECF2	22 85								
	2 Wire Voice Grade Loop (SL2) - Zone 3	3			UECF2	36 14								
	2-Wire Voice Grade Line Port (Bus)													
	2 Wire voice unbundled port without Caller ID - bus				UEPBL	1 38	90 38	57 27	48 66	8 77				
	2 Wire voice unbundled port with Caller + E484 ID - bus				UEPBC	1 38	90 38	57 27	48 66	8 77				
	2-Wire voice unbundled port outgoing only - bus				UEPBO	1 38	90 38	57 27	48 66	8 77				
	2-Wire voice Grade unbundled Alabama extended local dialing party port with Caller ID - bus				UEPAW	1 38	90 38	57 27	48 66	8 77				
	2-Wire voice unbundled incoming only port with Caller ID - Bus				UEPBI	1 38	90 38	57 27	48 66	8 77				
	2-Wire Voice Unbundled Alabama Business Dialing Plan without Caller ID				UEPWB	1 38	90 38	57 27	48 66	8 77				
	LOCAL NUMBER PORTABILITY													
	Local Number Portability (1 per port)				LNPCX	0 35								
	INTEROFFICE TRANSPORT													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination				UITV2	21 13	40 54	27 41	16 74	6 90				
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile				IL5XX	0 008838								
	FEATURES													
	All Features Offered				UEPVF	1 98	0 00	0 00						
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED													
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port													
	Combination - Conversion - Switch as-is				USAC2		8 48	1 87						
	2 Wire Loop / Dedicated IO Transport / 2 Wire Line Port													
	Combination - Conversion - Switch with change				USACC		8 48	1 87						
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise				URETN		11 21	1 10						
	2-WIRE VOICE LOOP/2WIRE VOICE GRADE IO TRANSPORT/2-WIRE LINE PORT (PBX)													
	UNE Port/Loop Combination Rates													
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1	1				15 76								
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2	2				24 23								
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3	3				37 52								
	UNE Loop Rates													
	2-Wire Voice Grade Loop (SL2) - Zone 1	1			UECF2	14 38								
	2-Wire Voice Grade Loop (SL2) - Zone 2	2			UECF2	22 85								
	2-Wire Voice Grade Loop (SL2) - Zone 3	3			UECF2	36 14								
	2-Wire Voice Grade Line Port Rates (BUS - PBX)													
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus				UEPPC	1 38	119 27	69 85	61 18	8 34				
	Line Side Unbundled Outward PBX Trunk Port - Bus				UEPPO	1 38	119 27	69 85	61 18	8 34				
	Line Side Unbundled Incoming PBX Trunk Port - Bus				UEPPI	1 38	119 27	69 85	61 18	8 34				
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama Calling Port													
	2-Wire Voice Unbundled PBX LD Terminal Ports				UEPA2	1 38	119 27	69 85	61 18	8 34				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port				UEPLD	1 38	119 27	69 85	61 18	8 34				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports				UEPXA	1 38	119 27	69 85	61 18	8 34				
	2 Wire Voice Unbundled PBX LD DDD Terminals Port				UEPFB	1 38	119 27	69 85	61 18	8 34				
	2 Wire Voice Unbundled PBX LD Terminal Switchboard Port				UEPFD	1 38	119 27	69 85	61 18	8 34				

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Nonrecurring		Nonrecurring Disconnect Add'l	OSS Rates (\$)			Incremental Charge - Manual Svc Order vs Electronic- 1st Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st		
						Rec	Add'l		SOME					SOMAN	SOMAN
	2 Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1 38	119 27	69 85	61 18	8 34					
	2 Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1 38	119 27	69 85	61 18	8 34					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1 38	119 27	69 85	61 18	8 34					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1 38	119 27	69 85	61 18	8 34					
	2-Wire Voice Unbundled 1 Way Outgoing PBX Measured Port			UEPFP	UEPXS	1 38	119 27	69 85	61 18	8 34					
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFP	LNPCP	3 15	0 00	0 00							
INTEROFFICE TRANSPORT															
	Interoffice Transport Dedicated - 2 Wire Voice Grade Facility Termination			UEPFP	UITV2	21 13	40 54	27 41	16 74	6 90					
	Interoffice Transport Dedicated 2 Wire Voice Grade Per Mile or Fraction Mile			UEPFP	1L5XX	0 008838									
FEATURES															
	All Features Offered			UEPFP	UEPVF	1 98	0 00	0 00							
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2 Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination. Switch-as-is			UEPFP	USAC2		8 48	1 87							
	2 Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination. Conversion. Switch with change			UEPFP	USACC		8 48	1 87							
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFP	URETN		11 21	1 10							
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES															
2-WIRE VOICE GRADE LOOP - BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
UNE Port/Loop Combination Rates															
1 2 Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				22 40									
2 2 Wire VG Loop/2 Wire DID Trunk Port Combo - UNE Zone 2		2				30 88									
2 Wire VG Loop/2 Wire DID Trunk Port Combo - UNE Zone 3		3				44 17									
UNE Loop Rates															
1 2 Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1		UEPPX	UECD1	14 38									
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2		UEPPX	UECD1	22 85									
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3		UEPPX	UECD1	36 14									
UNE Port Rate															
Exchange Ports - 2-Wire DID Port				UEPPX	UEPD1	8 02	207 31	73 74	107 14	11 20					
NONRECURRING CHARGES - CURRENTLY COMBINED															
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is				UEPPX	USAC1		7 31	1 87							
2 Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes				UEPPX	USA1C		7 31	1 87							
ADDITIONAL NRCs															
2 Wire DID Subsequent Activity - Add Trunks. Per Trunk				UEPPX	USAS1		26 78	26 78							
Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise				UEPPX	URETN		11 21	1 10							
Telephone Number/Trunk Group Establishment Charges															
DID Trunk Termination (One Per Port)				UEPPX	NDT	0 00	0 00	0 00							
Additional DID Numbers for each Group of 20 DID Numbers				UEPPX	ND4	0 00	0 00	0 00							
DID Numbers. Non-consecutive DID Numbers, Per Number				UEPPX	ND5	0 00	0 00	0 00							
Reserve Non-Consecutive DID numbers				UEPPX	ND6	0 00	0 00	0 00							
Reserve DID Numbers				UEPPX	NDV	0 00	0 00	0 00							
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15	0 00	0 00							
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT															
UNE Port/Loop Combination Rates															
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1		UEPPB	UEPPR	27 28									

UNBUNDLED NETWORK ELEMENTS - Alabama														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Nonrecurring		Nonrecurring Disconnect	Incremental Charge - Manual Svc Order vs Electronic-1st		Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st		
						First	Add'l						SOMECH	SOMAN
						Rec	First	Add'l	First	Add'l				
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port													
	UNE Zone 2		2	UEPPB	UEPPR		37 86							
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port													
	UNE Zone 3		3	UEPPB	UEPPR		53 84							
	UNE Loop Rates													
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19 03							
	2 Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29 62							
	2 Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	45 60							
	UNE Port Rate													
	Exchange Port - 2 Wire ISDN Line Side Port						8 24	190 01	132 76	100 67	21 28			
	NONRECURRING CHARGES - CURRENTLY COMBINED													
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port													
	Combination - Conversion													
	ADDITIONAL NRCS													
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at													
	End User Premise													
	Unbundled Miscellaneous Rate Element, Tag Loop at End User													
	Premise													
	LOCAL NUMBER PORTABILITY													
	Local Number Portability (1 per port)													
	B-CHANNEL USER PROFILE ACCESS													
	CVS/CSD (DMS/SESS)													
	CVS (EWSU)													
	CSD													
	B-CHANNEL AREA PLUS USER PROFILE ACCESS (AL,KY,LAMS SC,MS, & TN)													
	CVS/CSD (DMS/SESS)													
	CVS (EWSU)													
	CSD													
	USER TERMINAL PROFILE													
	User Terminal Profile (EWSU only)													
	VERTICAL FEATURES													
	All Vertical Features - One per Channel B User Profile													
	INTEROFFICE CHANNEL MILEAGE													
	Interoffice Channel mileage each, including first mile and													
	facilities termination													
	Interoffice Channel mileage each, additional mile													
	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT													
	The UNE-P DS1 combination rates below for 4-Wire ISDN DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate agreement													
	UNE Port/Loop Combination Rates													
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE													
	Zone 1		1	UEPPP			166 87							
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE													
	Zone 2		2	UEPPP			238 50							
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE													
	Zone 3		3	UEPPP			398 85							
	UNE Loop Rates													
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P		82 55							
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P		154 18							
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P		314 52							
	UNE Port Rate													
	Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)						84 32	456 28	259 10	123 88	31 77			
	NONRECURRING CHARGES - CURRENTLY COMBINED													
	4 Wire DS1 Digital Loop / 4 Wire ISDN DS1 Digital Trunk Port													
	Combination - Conversion - Switch-as is (E 4/1/2004)													
	ADDITIONAL NRCS													
				UEPPP	USACP		0 00	119 07	78 56					

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Nonrecurring	Add'l	First	Nonrecurring Disconnect			SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
							Rec								
	4-Wire DS1 Loop/4-W ISDN Dgtl Trk Port - Subsq Actvy Inward/Two way Tel Ncs (except NC)				UEPPP			0.49							
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port Outward Tel Numbers (All States except NC)				UEPPP			11.51							
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers				UEPPP			23.02							
LOCAL NUMBER PORTABILITY					UEPPP		1.75								
INTERFACE (Provisioning Only)					UEPPP			0.00	0.00						
	Voice/Data				UEPPP			0.00	0.00						
	Digital Data				UEPPP			0.00	0.00						
	Inward Data				UEPPP			0.00	0.00						
New or Additional "B" Channel					UEPPP			0.00	14.53						
New or Additional - Voice/Data B Channel					UEPPP			0.00	14.53						
New or Additional Digital Data B Channel					UEPPP			0.00	14.53						
New or Additional Inward Data B Channel					UEPPP			0.00	14.53						
CALL TYPES															
Inward					UEPPP			0.00	0.00						
Outward					UEPPP			0.00	0.00						
Two way					UEPPP			0.00	0.00						
Interoffice Channel Mileage															
Fixed Each Including First Mile					UEPPP		60.34	89.27	81.81	16.35	14.44				
Each Airline-Fractional Additional Mile					UEPPP		0.18								
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
The UNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion															
Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion															
UNE Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC			142.64								
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC			214.26								
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC			374.61								
UNE Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC			82.55								
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC			154.18								
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC			314.52								
UNE Port Rate															
	4-Wire DDITS Digital Trunk Port (E 4/1/2004)				UEPDC		60.09	454.49	253.23	117.29	14.17				
NONRECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Switch as-is (E 4/1/2004)				UEPDC			129.49	67.02						
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with DS1 Changes (E 4/1/2004)				UEPDC			129.49	67.02						
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Conversion with Change - Trunk (E 4/1/2004)				UEPDC			129.49	67.02						
ADDITIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk				UEPDC			14.48	14.48						
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk				UEPDC			14.48	14.48						
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan - Inward Trunk w/out DID				UEPDC			14.48	14.48						
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID				UEPDC			14.48	14.48						
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans				UEPDC			14.48	14.48						
BIPOLAR 8 ZERO SUBSTITUTION															
	B8ZS Superframe Format				UEPDC			0.00	600.00s						
	B8ZS Extended Superframe Format				UEPDC			0.00	600.00s						
	Alternate Mark Inversion				UEPDC			0.00	0.00						
	AMI-Superframe Format				UEPDC			0.00	0.00						

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic- Add1	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add1
						Rec	Nonrecurring First	Nonrecurring Add1	Nonrecurring Disconnect First	SOMECH	SOMAN	SOMAN	SOMAN
	AMI Extended SuperFrame Format			UEPDC	MCPOPO		0.00	0.00					
	Telephone Number/Trunk Group Establishment Charges			UEPDC									
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							
	Telephone Number for 1 Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00							
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00						
	DID Numbers, Non- consecutive DID Numbers - Per Number			UEPDC	ND5	0.00	0.00						
	Reserve Non-Consecutive DID Nos			UEPDC	ND6	0.00	0.00						
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00						
	Dedicated DS1 (Interface Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port												
	Interface Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	60.16	89.27	81.81	16.35			14.44	
	Interface Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.18	0.00	0.00					
	Interface Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00					
	Interface Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.18	0.00	0.00					
	Interface Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00				
	Interface Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOG	0.18	0.00	0.00					
	Local Number Portability, per DSO Activated			UEPDC	LNOC	3.15	0.00	0.00	0.00				
	Central Office Terminating Point			UEPDC	CTG	0.00							
	4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT												
	System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations												
	The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement												
	Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion												
	UNE DS1 Loop												
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	82.55	0.00	0.00					
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	154.18	0.00	0.00					
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	314.52	0.00	0.00					
	UNE DSO Channelization Capacities (D4 Channel Bank Configurations)												
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	101.40	0.00	0.00					
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	202.80	0.00	0.00					
	96 DSO Channel Capacity - 1 per 4 DS1s			UEPMG	VUM96	405.60	0.00	0.00					
	144 DSO Channel Capacity - 1 per 6 DS1s			UEPMG	VUM144	608.40	0.00	0.00					
	192 DSO Channel Capacity - 1 per 8 DS1s			UEPMG	VUM192	811.20	0.00	0.00					
	240 DSO Channel Capacity - 1 per 10 DS1s			UEPMG	VUM240	1,014.00	0.00	0.00					
	288 DSO Channel Capacity - 1 per 12 DS1s			UEPMG	VUM288	1,216.80	0.00	0.00					
	384 DSO Channel Capacity - 1 per 16 DS1s			UEPMG	VUM384	1,622.40	0.00	0.00					
	480 DSO Channel Capacity - 1 per 20 DS1s			UEPMG	VUM480	2,028.00	0.00	0.00					
	576 DSO Channel Capacity - 1 per 24 DS1s			UEPMG	VUM576	2,433.60	0.00	0.00					
	672 DSO Channel Capacity - 1 per 28 DS1s			UEPMG	VUM672	2,839.20	0.00	0.00					
	Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System												
	A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations												
	Multiple of this configuration functioning as one are considered Add1 after the minimum system configuration is counted												
	NRC Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0.00	150.48	8.36					
	System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's												
	1 DS1/04 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E 4/1/2004)			UEPMG	VUMD4	0.00	716.11	468.04	148.75			17.65	
	Bipolar 8 Zero Substitution												
	Clear Channel Capability Format, superframe Subsequent Activity Only			UEPMG	CCOSF	0.00	0.00	600.00s					
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	600.00s					

UNBUNDLED NETWORK ELEMENTS - Alabama																
CATEGORY	RATE ELEMENTS	Inter m	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Manually Submitted per LSR	Attachment 2	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Exhibit A		
					Rec	Nonrecurring First	Add'l	Disconnect Add'l	SOME C	SOMAN	OSS Rates (\$)	SOMAN	SOMAN			
	Alternate Mark Inversion (AMI)													SOMAN		
	Superframe Format															
	Extended Superframe Format			UEPMG	0.00	0.00	0.00									
	Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port			UEPMG	0.00	0.00	0.00									
	Exchange Ports															
	Line Side Combination Channelized PBX Trunk Port - Business (E 4/1/2004)			UEPPX	1.15	0.00	0.00	0.00								
	Line Side Outward Channelized PBX Trunk Port - Business (E 4/1/2004)			UEPPX	1.15	0.00	0.00	0.00								
	Line Side Inward Only Channelized PBX Trunk Port without DID (E 4/1/2004)			UEPPX	1.15	0.00	0.00	0.00								
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port (E 4/1/2004)			UEPPX	8.05	0.00	0.00	0.00								
	Unbundled Exchange Ports, 2-Wire Channelized - Outdial - (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) (E 4/1/2004)			UEPPX	1.15											
	Unbundled Exchange Ports, 2-Wire Channelized - Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E 4/1/2004)			UEPPX	1.15											
	2-Wire Channelized PBX Area Calling Service Combination Port (AL Only) (E 4/1/2004)			UEPPX	1.15	0.00	0.00									
	2 Wire Channelized PBX Area Calling Service Outgoing Only Port (AL Only) (E 4/1/2004)			UEPPX	1.15	0.00	0.00									
	Feature Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	0.56	54.55										
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	0.56	77.03										
	Telephone Number/Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00									
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00									
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00									
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00									
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00									
	Local Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	FEATURES - Vertical and Optional															
	Local Switching Features Offered with Line Side Ports Only			UEPPX	UEPVF		0.00									
	All Features Available															
UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES																
1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports																
2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit																
3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations																
4. The first and additional Port nonrecurring charges apply to Not Currently Combined Combs. For Currently Combined Combs, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. Additional NRCs may apply also and are categorized accordingly																
5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an individual Case Basis, until further notice																
UNE-P CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, & TN only)																
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																
UNE Port/Loop Combination Rates (Non-Design)																
2 Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non Design																
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non Design																
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non Design																
UNE Port/Loop Combination Rates (Design)																
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design																

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Nonrecurring		Nonrecurring Disconnect	OSS Rates (\$)			Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l		
						Rec	First		First					Add'l	SOME
	2 Wire VG Loop/2 Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP91			24 00								
	2 Wire VG Loop/2 Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP91			37 29								
UNE Loop Rate	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1		11 55								
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1		20 04								
	2 Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1		33 65								
	2 Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2		14 38								
	2 Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2		22 85								
	2 Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2		36 14								
UNE Ports															
All States (Except North Carolina and South Carolina)	2 Wire Voice Grade Port (Centrex) Basic Local Area			UEPYA			1 15	40 19	19 83	24 91	6 63				
	2 Wire Voice Grade Port (Centrex 800 termination) Basic Local Area			UEPYB			1 15	40 19	19 83	24 91	6 63				
	2 Wire Voice Grade Port (Centrex with Caller ID) Note 1 Basic Local Area			UEPYH			1 15	40 19	19 83	24 91	6 63				
	2 Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area			UEPYM			1 15	90 38	57 27	48 66	8 77				
	2-Wire Voice Grade Port Diff Serving Wire Center - 800 Service Term Basic Local Area			UEPYZ			1 15	90 38	57 27	48 66	8 77				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEPY9			1 15	40 19	19 83	24 91	6 63				
AL, KY, LA, MS, & TN Only	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEPY2			1 15	40 19	19 83	24 91	6 63				
	2-Wire Voice Grade Port (Centrex)			UEPOA			1 15	40 19	19 83	24 91	6 63				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEPOB			1 15	40 19	19 83	24 91	6 63				
	2-Wire Voice Grade Port (Centrex with Caller ID) 1			UEPOH			1 15	40 19	19 83	24 91	6 63				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3			UEPOM			1 15	90 38	57 27	48 66	8 77				
	2 Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800 Service Term			UEPOZ			1 15	90 38	57 27	48 66	8 77				
Local Switching	2 Wire Voice Grade Port terminated in on Megalink or equivalent			UEPO9			1 15	40 19	19 83	24 91	6 63				
	2 Wire Voice Grade Port Terminated on 800 Service Term			UEPO2			1 15	40 19	19 83	24 91	6 63				
	Centrex Intercom Functionality, per port			URECS			0 5488								
	Local Number Portability			LNPOC			0 95								
	Local Number Portability (1 per port)			UEPVF			1 98								
	All Standard Features Offered, per port			UEPVS			0 00	405 52							
Features	All Select Features Offered, per port			UEPVC			1 98								
	All Centrex Control Features Offered, per port														
	Unbundled Network Access Register - Combination			UEP91			0 00	0 00	0 00	0 00	0 00				
	Unbundled Network Access Register - Initial			UEP91			0 00	0 00	0 00	0 00	0 00				
	Unbundled Network Access Register - Outdial			UEP91			0 00	0 00	0 00	0 00	0 00				
	Miscellaneous Terminations														
2-Wire Trunk Side	Trunk Side Terminations, each			CEN46			8 05	119 31	18 74	59 90	3 76				
	Interoffice Channel Mileage - 2-Wire														
	Interoffice Channel Facilities Termination - Voice Grade			UEP91			21 13	40 54	27 41	16 74	6 90				
	Interoffice Channel Mileage, per mile or fraction of mile			UEP91			0 008838								
	Feature Activations (DSO) Centrex Loops on Channelized DS1 Service														
	D4 Channel Bank Feature Activations														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91			0 56								

UNBUNDLED NETWORK ELEMENTS - Alabama													
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Incremental Charge - Manual Svc Order vs Electronic- Add'l	Exhibit A Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect Add'l	SOMECS	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot				1PQW6	0.56							
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot				1PQW7	0.56							
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center				1PQWP	0.56							
	Feature Activation on D-4 Channel Bank Private Line Loop Slot				1PQWV	0.56							
	Feature Activation on D-4 Channel Bank Trunk Loop Slot				1PQWQ	0.56							
	Feature Activation on D-4 Channel Bank WATS Loop Slot				1PQWA	0.56							
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-is with allowed changes, per port				USAC2	0.10	0.10						
	Conversion of Existing Centrex Common Block				USACN		37.75	16.58					
	New Centrex Standard Common Block				MIACS	0.00	667.21						
	New Centrex Customized Common Block				MIACC	0.00	667.21						
	Secondary Block, per Block				M2CC1	0.00	78.02						
	NAR Establishment Charge, Per Occasion				URECA	0.00	72.73						
	Additional Non-Recurring Charges (NRC)												
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise				URETL		8.33	0.83					
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise				URETN		11.21	1.10					
	UNE-P CENTREX - 5ESS (Valid in All States)												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo												
	UNE Port/Loop Combination Rates (Non-Design)												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP95		12.70							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		2	UEP95		21.19							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		3	UEP95		34.80							
	UNE Port/Loop Combination Rates (Design)												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP95		15.53							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		2	UEP95		24.00							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		3	UEP95		37.29							
	UNE Loop Rate												
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	11.55							
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	20.04							
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	33.65							
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.38							
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	22.85							
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	36.14							
	UNE Port Rate												
	All States												
	2-Wire Voice Grade Port (Centrex) Basic Local Area				UEPYA	1.15	40.19	19.83	24.91	6.63			
	2-Wire Voice Grade Port (Centrex 800 termination)				UEPYB	1.15	40.19	19.83	24.91	6.63			
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area				UEPYH	1.15	40.19	19.83	24.91	6.63			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3 Basic Local Area				UEPYM	1.15	90.38	57.27	48.66	8.77			
	2-Wire Voice Grade Port, Diff Serving Wire Center 2.3 - 800 Service Term Basic Local Area				UEPVZ	1.15	90.38	57.27	48.66	8.77			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area				UEPV9	1.15	40.19	19.83	24.91	6.63			

UNBUNDLED NETWORK ELEMENTS - Alabama																	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2			Exhibit A		
						Rec	Nonrecurring		Nonrecurring Disconnect			OSS Rates (\$)			Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							First	Add'l				First	SOMEc	SOMAN			
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9S	URETN		11 21	1 10									
	UNE-P CENTREX - DMS100 (Valid in All States)																
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																
	UNE Port/Loop Combination Rates (Non-Design)																
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non Design		1	UEP9D		12 70											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non Design		2	UEP9D		21 19											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9D		34 80											
	UNE Port/Loop Combination Rates (Design)																
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9D		15 53											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		24 00											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9D		37 29											
	UNE Loop Rate																
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11 55											
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	20 04											
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	33 65											
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14 38											
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	22 85											
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	36 14											
	UNE Port Rate																
	ALL STATES																
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1 15	40 19	19 83		24 91	6 63						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1 15	40 19	19 83		24 91	6 63						
	2-Wire Voice Grade Port (Centrex / EBS PSE T)3Basic Local Area			UEP9D	UEPYC	1 15	40 19	19 83		24 91	6 63						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1 15	40 19	19 83		24 91	6 63						
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	1 15	40 19	19 83		24 91	6 63						
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1 15	40 19	19 83		24 91	6 63						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3Basic Local Area			UEP9D	UEPYG	1 15	40 19	19 83		24 91	6 63						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1 15	40 19	19 83		24 91	6 63						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	1 15	40 19	19 83		24 91	6 63						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1 15	40 19	19 83		24 91	6 63						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	1 15	40 19	19 83		24 91	6 63						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1 15	40 19	19 83		24 91	6 63						
	2-Wire Voice Grade Port (Centrex/Caller ID)Msg Wig Lamp Indication)4 Basic Local Area			UEP9D	UEPYW	1 15	40 19	19 83		24 91	6 63						
	2-Wire Voice Grade Port (Centrex/Msg Wig Lamp Indication)4 Basic Local Area			UEP9D	UEPYJ	1 15	40 19	19 83		24 91	6 63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 3-Basic Local Area			UEP9D	UEPYM	1 15	90 38	57 27		48 66	8 77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSE T)2,3,4 Basic Local Area			UEP9D	UEPYO	1 15	90 38	57 27		48 66	8 77						

UNBUNDLED NETWORK ELEMENTS - Alabama																						
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2			Exhibit A							
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'l	Disconnect	SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1.15	90.38	57.27	48.66	8.77												
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	1.15	90.38	57.27	48.66	8.77												
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1.15	90.38	57.27	48.66	8.77												
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1.15	90.38	57.27	48.66	8.77												
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.15	90.38	57.27	48.66	8.77												
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS M5208)2,3 Basic Local Area			UEP9D	UEPY5	1.15	90.38	57.27	48.66	8.77												
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.15	90.38	57.27	48.66	8.77												
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.15	90.38	57.27	48.66	8.77												
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPYZ	1.15	90.38	57.27	48.66	8.77												
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.15	40.19	19.83	24.91	6.63												
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.15	40.19	19.83	24.91	6.63												
AL, KY, LA, MS, SC, & TN Only	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPOA	1.15	40.19	19.83	24.91	6.63												
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPOB	1.15	40.19	19.83	24.91	6.63												
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPOC	1.15	40.19	19.83	24.91	6.63												
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPOD	1.15	40.19	19.83	24.91	6.63												
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPOE	1.15	40.19	19.83	24.91	6.63												
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPOF	1.15	40.19	19.83	24.91	6.63												
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPOG	1.15	40.19	19.83	24.91	6.63												
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.15	40.19	19.83	24.91	6.63												
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQU	1.15	40.19	19.83	24.91	6.63												
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPOV	1.15	40.19	19.83	24.91	6.63												
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPO3	1.15	40.19	19.83	24.91	6.63												
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPOH	1.15	40.19	19.83	24.91	6.63												
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPOW	1.15	40.19	19.83	24.91	6.63												
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPOJ	1.15	40.19	19.83	24.91	6.63												
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3			UEP9D	UEPQM	1.15	90.38	57.27	48.66	8.77												
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS PSET)2,3,4			UEP9D	UEPQO	1.15	90.38	57.27	48.66	8.77												
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS M5009)2,3,4			UEP9D	UEPOP	1.15	90.38	57.27	48.66	8.77												
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPOQ	1.15	90.38	57.27	48.66	8.77												
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS M5112)2,3,4			UEP9D	UEPOR	1.15	90.38	57.27	48.66	8.77												
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS M5312)2,3,4			UEP9D	UEPOS	1.15	90.38	57.27	48.66	8.77												
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPO4	1.15	90.38	57.27	48.66	8.77												
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPO5	1.15	90.38	57.27	48.66	8.77												
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPO6	1.15	90.38	57.27	48.66	8.77												
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS M5316)2,3,4			UEP9D	UEPO7	1.15	90.38	57.27	48.66	8.77												

UNBUNDLED NETWORK ELEMENTS - Alabama														
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Attachment 2	Exhibit A		
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'l	SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3			UEP9D	UEPQZ	1 15	90 38	57 27	48 66	8 77				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1 15	40 19	19 83	24 91	6 63				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1 15	40 19	19 83	24 91	6 63				
Local Switching	Centrex Intercom Functionality, per port			UEP9D	URECS	0 5488								
Local Number Portability	Local Number Portability			UEP9D	LNPPC	0 35								
Features	All Standard Features Offered, per port			UEP9D	UEPVF	1 98								
	All Select Features Offered, per port			UEP9D	UEPVS	0 00	405 52							
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	1 98								
NARS	Unbundled Network Access Register - Combination			UEP9D	UARCX	0 00	0 00	0 00	0 00	0 00				
	Unbundled Network Access Register - Inward			UEP9D	UARIX	0 00	0 00	0 00	0 00	0 00				
	Unbundled Network Access Register - Outdial			UEP9D	UAROY	0 00	0 00	0 00	0 00	0 00				
Miscellaneous Terminations														
2-Wire Trunk Side	Trunk Side Terminations each			UEP9D	CEND6	8 05	119 31	18 74	59 90	3 76				
4-Wire Digital (1 544 Megabits)	DS1 Circuit Terminations, each			UEP9D	MTHD1	60 09	202 02	95 69	72 59	2 46				
	DS0 Channels Activated per Channel			UEP9D	MTHD0	0 00	14 48							
Interoffice Channel Mileage - 2-Wire	Interoffice Channel Facilities Termination			UEP9D	MTGBC	21 13	40 54	27 41	16 74	6 90				
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MTGBM	0 008838								
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service														
D4 Channel Bank Feature Activations														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0 56								
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0 56								
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0 56								
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0 56								
	Feature Activation on D 4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0 56								
	Feature Activation on D 4 Channel Bank Trunk Loop Slot			UEP9D	1PQWQ	0 56								
	Feature Activation on D 4 Channel Bank Trunk Loop Slot			UEP9D	1PQWA	0 56								
Non-Recurring Charges (NRC) Associated with UNE-P Centrex														
	NRC Conversion Currently Combined Switch AS-is with allowed changes per port			UEP9D	USAC2		0 10	0 10						
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		37 75	16 58						
	New Centrex Standard Common Block			UEP9D	MTACS	0 00	667 21							
	New Centrex Customized Common Block			UEP9D	MTACC	0 00	667 21							
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0 00	72 73							
Additional Non-Recurring Charges (NRC)														
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8 33	0 83						
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11 21	1 10						
UNE-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)														
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
UNE Port/Loop Combination Rates (Non-Design)														
	2-Wire VG Loop/2 Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9E		12 70								
	2-Wire VG Loop/2 Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9E		21 19								

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Elec Submitted per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Nonrecurring		Nonrecurring Disconnect	OSS Rates (\$)			Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Add'l		
						Rec	First		Add'l					First	Add'l
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non Design		3	UEP9E			34.80								
	UNE Port/Loop Combination Rates (Design)														
	2 Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design		1	UEP9E			15.53								
	2 Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9E			24.00								
	2 Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9E			37.29								
	UNE Loop Rate														
	2 Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1		11.55								
	2 Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1		20.04								
	2 Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1		33.65								
	2 Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2		14.38								
	2 Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2		22.85								
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2		36.14								
	UNE Port Rate														
	AL, FL, KY, LA, MS, & TN only														
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA		1.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB		1.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex with Caller ID)Basic Local Area			UEP9E	UEPYH		1.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP9E	UEPYM		1.15	90.38	57.27	48.66	8.77				
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area			UEP9E	UEPVZ		1.15	90.38	57.27	48.66	8.77				
	2 Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9E	UEPY9		1.15	40.19	19.83	24.91	6.63				
	2 Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2		1.15	40.19	19.83	24.91	6.63				
	AL, KY, LA, MS, & TN Only														
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPOA		1.15	40.19	19.83	24.91	6.63				
	2 Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPOB		1.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPOH		1.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP9E	UEPQM		1.15	90.38	57.27	48.66	8.77				
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term			UEP9E	UEPQZ		1.15	90.38	57.27	48.66	8.77				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9		1.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2		1.15	40.19	19.83	24.91	6.63				
	Local Switching			UEP9E	URECS		0.5488								
	Centrex Intercom Functionality, per port			UEP9E											
	Local Number Portability			UEP9E	LNPOC		0.35								
	Local Number Portability (1 per port)			UEP9E											
	Features			UEP9E	UEPVF		1.98								
	All Standard Features Offered, per port			UEP9E	UEPVS		0.00	405.52							
	All Select Features Offered, per port			UEP9E	UEPVC		1.98								
	All Centrex Control Features Offered, per port			UEP9E											
	NARS			UEP9E	UARCX		0.00	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register - Combination			UEP9E	UARI1X		0.00	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register - Initial			UEP9E	UARO1X		0.00	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register - Outdial			UEP9E											
	Miscellaneous Terminations														
	2-Wire Trunk Side			UEP9E	CEND6		8.05	119.31	18.74	59.90	3.76				
	Trunk Side Terminations each			UEP9E											
	4-Wire Digital (1.544 Megabits)			UEP9E	MTHD1		60.09	202.02	95.69	72.59	2.46				
	DS1 Circuit Terminations each			UEP9E											

UNBUNDLED NETWORK ELEMENTS - Alabama																
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring		Nonrecurring First	Disconnect Add'l			Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
							SOMECS	SOMAN			SOMAN	SOMAN				
	DSO Channel Activated Per Channel				UEP9E	MTHDO	0.00	14.48								
	Interface Channel Mileage - 2-Wire															
	Interface Channel Facilities Termination				UEP9E	MTGBC	21.13	40.54	16.74	6.90						
	Interface Channel mileage, per mile or fraction of mile				UEP9E	MTGBM	0.008838									
	Feature Activations (DSO) Centrex Loops on Channelized DS1 Service															
	D4 Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot				UEP9E	1PQWS	0.56									
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot				UEP9E	1PQW6	0.56									
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot				UEP9E	1PQW7	0.56									
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center				UEP9E	1PQWP	0.56									
	Feature Activation on D-4 Channel Bank Private Line Loop Slot				UEP9E	1PQWV	0.56									
	Feature Activation on D-4 Channel Bank T1e Line/Trunk Loop Slot				UEP9E	1PQWQ	0.56									
	Feature Activation on D-4 Channel Bank WATS Loop Slot				UEP9E	1PQWA	0.56									
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch As-Is with allowed changes, per port				UEP9E	USAC2		0.10	0.10							
	Conversion of Existing Centrex Common Block each				UEP9E	USACN		37.75	16.58							
	New Centrex Standard Common Block				UEP9E	MTACS	0.00	667.21								
	New Centrex Customized Common Block				UEP9E	MTACC	0.00	667.21								
	NAR Establishment Charge, Per Occasion				UEP9E	URECA	0.00	72.73								
	Additional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise				UEP9E	URETL		8.33	0.83							
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise				UEP9E	URETN		11.21	1.10							
	UNE-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Port/Loop Combination Rates (Non-Design)															
	2 Wire VG Loop/2 Wire Voice Grade Port (Centrex) Port Combo - Non Design		1	UEP93			12.70									
	2 Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non Design		2	UEP93			21.19									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP93			34.80									
	UNE Port/Loop Combination Rates (Design)															
	2 Wire VG Loop/2 Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP93			15.53									
	2 Wire VG Loop/2 Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP93			24.00									
	2 Wire VG Loop/2 Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP93			37.29									
	UNE Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1		11.55									
	2 Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1		20.04									
	2 Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1		33.65									
	2 Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2		14.38									
	2 Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2		22.85									
	2 Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2		36.14									
	UNE Port Rate															
	AL, KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA		1.15	40.19	19.83	24.91	6.63					
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP93	UEPYB		1.15	40.19	19.83	24.91	6.63					

UNBUNDLED NETWORK ELEMENTS - Alabama												
CATEGORY	RATE ELEMENTS	Intern m	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Submitted Manually per LSR	Attachment 2	Exhibit A
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect Add'l	SOMECSOMAN	Incremental Charge - Manual Svc Order vs Electronic- Add'l	SOMECSOMAN	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
	2 Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area		UEP93	UEPYH	1.15	40.19	19.83	24.91	6.63			
	2 Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3 Basic Local Area		UEP93	UEPYM	1.15	90.38	57.27	48.66	8.77			
	2 Wire Voice Grade Port, Diff Serving Wire Center - 2.3 800 Service Term Basic Local Area		UEP93	UEPYZ	1.15	90.38	57.27	48.66	8.77			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area		UEP93	UEPY9	1.15	40.19	19.83	24.91	6.63			
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area		UEP93	UEPY2	1.15	40.19	19.83	24.91	6.63			
	2-Wire Voice Grade Port (Centrex)		UEP93	UEPOA	1.15	40.19	19.83	24.91	6.63			
	2-Wire Voice Grade Port (Centrex 800 termination)		UEP93	UEPOB	1.15	40.19	19.83	24.91	6.63			
	2-Wire Voice Grade Port (Centrex with Caller ID) 1		UEP93	UEPOH	1.15	40.19	19.83	24.91	6.63			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3		UEP93	UEPQM	1.15	90.38	57.27	48.66	8.77			
	2 Wire Voice Grade Port, Diff Serving Wire Center - 2.3 800 Service Term		UEP93	UEPOZ	1.15	90.38	57.27	48.66	8.77			
	2 Wire Voice Grade Port terminated in on Megalink or equivalent		UEP93	UEPO9	1.15	40.19	19.83	24.91	6.63			
	2 Wire Voice Grade Port Terminated on 800 Service Term		UEP93	UEPO2	1.15	40.19	19.83	24.91	6.63			
	Local Switching		UEP93	UEPCS	0.5488							
	Local Number Portability		UEP93	LNPCG	0.35							
	Local Number Portability (1 per port)		UEP93	UEPVF	1.98							
	All Standard Features Offered, per port		UEP93	UEPVC	1.98							
	All Centrex Control Features Offered, per port		UEP93									
	NAHS		UEP93	UARCX	0.00	0.00	0.00	0.00	0.00			
	Unbundled Network Access Register - Combination		UEP93	UARIY	0.00	0.00	0.00	0.00	0.00			
	Unbundled Network Access Register - Initial		UEP93	UAROY	0.00	0.00	0.00	0.00	0.00			
	Unbundled Network Access Register - Outdial		UEP93									
	Miscellaneous Terminations											
	2-Wire Trunk Side		UEP93	CEND6	8.05	119.31	18.74	59.90	3.76			
	Trunk Side Terminations, each											
	4-Wire Digital (1.544 Megabits)		UEP93	M1HD1	60.09	202.02	95.69	72.59	2.46			
	DS1 Circuit Terminations, each		UEP93	M1HDO	0.00	14.48						
	DS0 Channels Activated, Per Channel		UEP93									
	Interoffice Channel Mileage - 2-Wire		UEP93	M1GBC	21.13	40.54	27.41	16.74	6.90			
	Interoffice Channel Facilities Termination		UEP93	M1GBM	0.008838							
	Interoffice Channel mileage, per mile or fraction of mile											
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service											
	D4 Channel Bank Feature Activations											
	Feature Activation on D 4 Channel Bank Centrex Loop Slot		UEP93	1PQWS	0.56							
	Feature Activation on D 4 Channel Bank FX Line Side Loop Slot		UEP93	1PQW6	0.56							
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		UEP93	1PQW7	0.56							
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		UEP93	1PQWP	0.56							
	Different Wire Center											
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		UEP93	1PQWV	0.56							
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot		UEP93	1PQWQ	0.56							
	Feature Activation on D-4 Channel Bank WATS Loop Slot		UEP93	1PQWA	0.56							
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex changes, per port		UEP93	USAC2		0.10	0.10					
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port		UEP93	USACN		37.75	16.58					
	Conversion of Existing Centrex Common Block, each		UEP93	M1ACS	0.00	667.21						
	New Centrex Standard Common Block											

UNBUNDLED NETWORK ELEMENTS - Alabama														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Manually Submitted per LSR	Attachment 2		Exhibit A
						Nonrecurring		Nonrecurring Disconnect				Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	
						Rec	First	Add'l	First	SOME	SOMAN			OSS Rates (\$)
	New Centrex Customized Common Block													
	NAR Establishment Charge, Per Occasion				MIACC	0.00	667.21							
	Additional Non-Recurring Charges (NRC)				URECA	0.00	72.73							
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise													
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise				URETL		8.33	0.83						
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise				URETN		11.21	1.10						
	Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD													
	Note 2 - Requires Interface Channel Mileage													
	Note 3 - Installation is combination of Installation charge for SL2 Loop and Port													
	Note 4 - Requires Specific Customer Premises Equipment													
	Note Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions													

UNBUNDLED NETWORK ELEMENTS - Florida																	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2			Exhibit A		
						Nonrecurring		First	Disconnect			Charge - Manual Svc Order vs Electronic-1st Add'l	Charge - Manual Svc Order vs Electronic-1st Add'l	Charge - Manual Svc Order vs Electronic-1st Add'l	Charge - Manual Svc Order vs Electronic-1st Add'l		
						Rec	Add'l									SOMECH	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UWL-SL1)																
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E1)			UEANL	UREWO		15.78	8.94									
	Manual Order Coordination for UWL-SL1s (per loop)			UEANL	UEANM		13.49										
	Order Coordination for Specified Conversion Time for UWL-SL1 (per LSR)			UEANL	UEAMC		9.00	9.00									
	2-WIRE UNBUNDLED COPPER LOOP																
	1 2-Wire Unbundled Copper Loop - Non-Design Zone 1	1	1	UEQ	UEQ2X		7.69	20.90	24.88	6.45							
	2 2-Wire Unbundled Copper Loop - Non-Design Zone 2	1	2	UEQ	UEQ2X		10.92	20.90	24.88	6.45							
	3 2-Wire Unbundled Copper Loop - Non-Design Zone 3	1	3	UEQ	UEQ2X		19.38	20.90	24.88	6.45							
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83									
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Design (per loop)			UEQ	USBMC		9.00										
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E1)			UEQ	UEQMU		13.49										
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		48.65	48.65									
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.95	23.95									
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	UREWO		14.27	7.43									
	UNBUNDLED EXCHANGE ACCESS LOOP																
	2-WIRE ANALOG VOICE GRADE LOOP																
	1 2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1	1	UEPSR UEPSB	UEALS		10.69	22.83	25.62	6.57							
	2 2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1	1	UEPSR UEPSB	UEABS		10.69	22.83	25.62	6.57							
	2 2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2	2	2	UEPSR UEPSB	UEALS		15.20	22.83	25.62	6.57							
	2 2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2	2	2	UEPSR UEPSB	UEABS		15.20	22.83	25.62	6.57							
	2 2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3	3	UEPSR UEPSB	UEALS		26.97	22.83	25.62	6.57							
	2 2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3	3	UEPSR UEPSB	UEABS		26.97	22.83	25.62	6.57							
	UNBUNDLED EXCHANGE ACCESS LOOP																
	2-WIRE ANALOG VOICE GRADE LOOP																
	1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	1	UEA	UEAL2		12.24	135.75	82.47	63.53	12.01						
	2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	2	UEA	UEAL2		17.40	135.75	82.47	63.53	12.01						
	2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	3	UEA	UEAL2		30.87	135.75	82.47	63.53	12.01						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02										
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	1	UEA	UEAR2		12.24	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	2	UEA	UEAR2		17.40	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	3	UEA	UEAR2		30.87	135.75	82.47	63.53	12.01						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02										
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35									
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10									
	4-WIRE ANALOG VOICE GRADE LOOP																
	1 4-Wire Analog Voice Grade Loop - Zone 1	1	1	UEA	UEAL4		18.89	167.86	115.15	67.08	15.56						
	2 4-Wire Analog Voice Grade Loop - Zone 2	2	2	UEA	UEAL4		26.84	167.86	115.15	67.08	15.56						
	3 4-Wire Analog Voice Grade Loop - Zone 3	3	3	UEA	UEAL4		47.62	167.86	115.15	67.08	15.56						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02										
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35									

UNBUNDLED NETWORK ELEMENTS - Florida										
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC	RATES (\$)				Disconnect Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	
	2-WIRE ISDN DIGITAL GRADE LOOP									
	2 Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19 28	147 59	94 41	62 23	10 71
	2 Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	27 40	147 59	94 41	62 23	10 71
	2 Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48 62	147 59	94 41	62 23	10 71
	Order Coordination For Specified Conversion Time (per LSR)				OCOSL		23 02			
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		91 61	44 15		
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP									
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	8 30	149 53	103 85	75 05	15 63
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	11 80	149 53	103 85	75 05	15 63
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	20 94	149 53	103 85	75 05	15 63
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		23 02			
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2W	8 30	124 83	71 12	60 64	9 12
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W	11 80	124 83	71 12	60 64	9 12
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W	20 94	124 83	71 12	60 64	9 12
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		23 02			
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		86 19	40 39		
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP									
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	7 22	159 09	113 41	75 05	15 63
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	10 26	159 09	113 41	75 05	15 63
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	18 21	159 09	113 41	75 05	15 63
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		23 02			
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	7 22	134 40	80 69	60 64	9 12
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	10 26	134 40	80 69	60 64	9 12
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	18 21	134 40	80 69	60 64	9 12
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		23 02			
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		86 12	40 39		
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP									
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	10 86	193 31	138 98	77 15	12 61
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	15 44	193 31	138 98	77 15	12 61
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	27 39	193 31	138 98	77 15	12 61
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		23 02			
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	10 86	168 62	115 47	62 74	11 22
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	15 44	168 62	115 47	62 74	11 22
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	27 39	168 62	115 47	62 74	11 22
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		23 02			
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		86 12	40 39		
	4-WIRE DS1 DIGITAL LOOP									
	4 Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	70 74	313 75	181 48	61 22	13 53
	4 Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	100 54	313 75	181 48	61 22	13 53
	4 Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	178 39	313 75	181 48	61 22	13 53
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		23 02			

UNBUNDLED NETWORK ELEMENTS - Florida													
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Nont recurring		Disconnect	Exhibit A
						Rec	First	Add'l	First	SOME	SOMAN	Charge - Manual Svc Order vs Electronic- 1st Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		101 07	43 04					
4-WIRE 19 2, 56 OR 64 KBPS DIGITAL GRADE LOOP													
4 Wire Unbundled Digital 19 2 Kbps			1	UDL	UDL19	22 20	161 56	108 85	67 08	15 56			
4 Wire Unbundled Digital 19 2 Kbps			2	UDL	UDL19	31 56	161 56	108 85	67 08	15 56			
4 Wire Unbundled Digital 19 2 Kbps			3	UDL	UDL19	55 99	161 56	108 85	67 08	15 56			
4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			1	UDL	UDL56	22 20	161 56	108 85	67 08	15 56			
4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			2	UDL	UDL56	31 56	161 56	108 85	67 08	15 56			
4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			3	UDL	UDL56	55 99	161 56	108 85	67 08	15 56			
Order Coordination for Specified Conversion Time (per LSR)					OCOSL	23 02							
4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			1	UDL	UDL64	22 20	161 56	108 85	67 08	15 56			
4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			2	UDL	UDL64	31 56	161 56	108 85	67 08	15 56			
4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			3	UDL	UDL64	55 99	161 56	108 85	67 08	15 56			
Order Coordination for Specified Conversion Time (per LSR)					OCOSL	23 02							
CLEC to CLEC Conversion Charge without outside dispatch					UREWO	102 11		49 74					
2-WIRE UNBUNDLED COPPER LOOP													
2 Wire Unbundled Copper Loop Designed including manual service inquiry & facility reservation - Zone 1			1	UCL	UCLPB	8 30	148 50	102 82	75 05	15 63			
2 Wire Unbundled Copper Loop Designed including manual service inquiry & facility reservation - Zone 2			2	UCL	UCLPB	11 80	148 50	102 82	75 05	15 63			
2 Wire Unbundled Copper Loop Designed including manual service inquiry & facility reservation - Zone 3			3	UCL	UCLPB	20 94	148 50	102 82	75 05	15 63			
Order Coordination for Unbundled Copper Loops (per loop)					UCLMC		9 00						
2 Wire Unbundled Copper Loop Designed without manual service inquiry and facility reservation - Zone 1			1	UCL	UCLPW	8 30	123 81	70 09	60 64	9 12			
2 Wire Unbundled Copper Loop Designed without manual service inquiry and facility reservation - Zone 2			2	UCL	UCLPW	11 80	123 81	70 09	60 64	9 12			
2 Wire Unbundled Copper Loop Designed without manual service inquiry and facility reservation - Zone 3			3	UCL	UCLPW	20 94	123 81	70 09	60 64	9 12			
Order Coordination for Unbundled Copper Loops (per loop)					UCLMC		9 00						
CLEC to CLEC Conversion Charge without outside dispatch (UCL - Des)					UREWO		97 21	42 47					
4-WIRE COPPER LOOP													
4-Wire Copper Loop Designed including manual service inquiry and facility reservation - Zone 1			1	UCL	UCL4S	11 83	177 87	132 76	77 15	17 73			
4 Wire Copper Loop Designed including manual service inquiry and facility reservation - Zone 2			2	UCL	UCL4S	16 81	177 87	132 76	77 15	17 73			
4 Wire Copper Loop Designed including manual service inquiry and facility reservation - Zone 3			3	UCL	UCL4S	29 82	177 87	132 76	77 15	17 73			
Order Coordination for Unbundled Copper Loops (per loop)					UCLMC		9 00						
4-Wire Copper Loop Designed without manual service inquiry and facility reservation - Zone 1			1	UCL	UCL4W	11 83	153 18	100 03	62 74	11 22			
4-Wire Copper Loop Designed without manual service inquiry and facility reservation - Zone 2			2	UCL	UCL4W	16 81	153 18	100 03	62 74	11 22			
4-Wire Copper Loop Designed without manual service inquiry and facility reservation - Zone 3			3	UCL	UCL4W	29 82	153 18	100 03	62 74	11 22			
Order Coordination for Unbundled Copper Loops (per loop)					UCLMC		9 00						
CLEC to CLEC Conversion Charge without outside dispatch					UREWO		97 21	42 47					
LOOP MODIFICATION													
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UCL, UCL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0 00	0 00					
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop			UCL, UCL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM4L		0 00	0 00					
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UEPSB	ULM8T		10 52	10 52					
SUB-LOOPS													

UNBUNDLED NETWORK ELEMENTS - Florida															
CATEGORY	RATE ELEMENTS	Intern m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Nonrecurring		Disconnect Add'l	Incremental Charge - Manual Svc Order vs Electronic- 1st			Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- 1st	
						First	Add'l								SOME
						Rec									
	Sub-Loop Distribution														
	Sub-Loop Per Cross Box Location CLEC Feeder Facility Set-Up	I		UEANL	USBSA		487.23								
	Sub-Loop Per Cross Box Location - Per 25 Pair Panel Set Up	I		UEANL	USBSB		6.25								
	Sub-Loop - Per Building Equipment Room CLEC Feeder Facility Set-Up	I		UEANL	USBSC		169.25								
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD		38.65								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop Zone 1		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26					
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26					
	Sub-Loop Distribution Per 2 Wire Analog Voice Grade Loop Zone 3		3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26					
	Order Coordination for Unbundled Sub-Loops per sub-loop pair			UEANL	USBMC		9.00	9.00							
	Sub-Loop Distribution Per 4 Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00							
	Sub-Loop 2-Wire IntraBuilding Network Cable (INC)	I		UEANL	USBR2	3.96	51.84	13.44	47.50	5.26					
	Order Coordination for Unbundled Sub-Loops per sub-loop pair			UEANL	USBMC		9.00	9.00							
	Sub-Loop 4 Wire IntraBuilding Network Cable (INC)	I		UEANL	USBR4	9.37	55.91	17.51	49.71	6.60					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00							
	Loop Testing Basic 1st Half Hour			UEANL	URET1		48.65	48.65							
	Loop Testing Basic Additional Half Hour			UEANL	URETA		23.95	23.95							
	2 Wire Copper Unbundled Sub Loop Distribution - Zone 1	I	1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26					
	2 Wire Copper Unbundled Sub Loop Distribution - Zone 2	I	2	UEF	UCS2X	7.31	60.19	21.78	47.50	5.26					
	2 Wire Copper Unbundled Sub Loop Distribution - Zone 3	I	3	UEF	UCS2X	12.98	60.19	21.78	47.50	5.26					
	Order Coordination for Unbundled Sub Loops, per sub loop pair			UEF	USBMC		9.00	9.00							
	4 Wire Copper Unbundled Sub-Loop Distribution Zone 1	I	1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS4X	7.61	68.83	30.42	49.71	6.60					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00							
	Loop Testing Basic 1st Half Hour			UEF	URET1		48.65	48.65							
	Loop Testing Basic Additional Half Hour			UEF	URETA		23.95	23.95							
	Unbundled Network Terminating Wire (UNTW)			UEP	UEP										
	Unbundled Network Terminating Wire (UNTW) per Pair			UEP	UEP	0.4572	18.02								
	Network Interface Device (NID)			UEP	UEP										
	Network Interface Device (NID) 1.2 lines			UEP	UEP										
	Network Interface Device (NID) 1.6 lines			UEP	UEP										
	Network Interface Device Cross Connect - 2 W			UEP	UEP										
	Network Interface Device Cross Connect -4W			UEP	UEP										
	UNBUNDLED NETWORK TERMINATING WIRE (UNTW) - NO RATE			UEP	UEP										
	NID - Dispatch and Service Order for NID installation			UEP	UEP	0.00	0.00								
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UEP	UEP	0.00	0.00								
	Unbundled Contract Name, Provisioning Only - No Rate			UEP	UEP	0.00	0.00								
	UNBUNDLED NETWORK TERMINATING WIRE (UNTW) - NO RATE			UEP	UEP										

UNBUNDLED NETWORK ELEMENTS - Florida																	
CATEGORY	RATE ELEMENTS	Intern m	Zone	BCS	USOC	RATES (\$)				Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Attachment 2		Exhibit A		
						Rec	First	Add'l	First	Add'l	SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	SOMAN
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003)			ULS	ULSCT	1.99	47.44	19.31	20.67	12.74							
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004)			ULS	ULSCT	3.98	47.44	19.31	20.67	12.74							
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005)			ULS	ULSCT	5.97	47.44	19.31	20.67	12.74							
	LINE SPLITTING																
	END USER ORDERING-CENTRAL OFFICE BASED																
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61											
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61							
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61							
	MAINTENANCE																
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00									
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50									
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00									
	UNBUNDLED DEDICATED TRANSPORT																
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT																
	Interoffice Channel - Dedicated Transport - 2 Wire Voice Grade - Per Mile per month			UITVX	1LSXX	0.0091											
	Interoffice Channel - Dedicated Transport - 2 Wire Voice Grade - Facility Termination			UITVX	UITV2	25.32	47.35	31.78	18.31	7.03							
	Interoffice Channel - Dedicated Transport - 2 Wire Voice Grade Rev Bat - Per Mile per month			UITVX	1LSXX	0.0091											
	Interoffice Channel - Dedicated Transport - 2 Wire VG - Rev Bat Facility Termination			UITVX	UITR2	25.32	47.35	31.78	18.31	7.03							
	Interoffice Channel - Dedicated Transport - 4 Wire Voice Grade Per Mile per month			UITVX	1LSXX	0.0091											
	Interoffice Channel - Dedicated Transport - 4 Wire Voice Grade Facility Termination			UITVX	UITV4	22.58	47.35	31.78	18.31	7.03							
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			UITDX	1LSXX	0.0091											
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			UITDX	UITD5	18.44	47.35	31.78	18.31	7.03							
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			UITDX	1LSXX	0.0091											
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			UITDX	UITD6	18.44	47.35	31.78	18.31	7.03							
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			UITD1	1LSXX	0.1856											
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			UITD1	UITF1	88.44	105.54	98.47	21.47	19.05							
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			UITD3	1LSXX	3.87											
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			UITD3	UITF3	1,071.00	335.46	219.28	72.03	70.56							
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			UITS1	1LSXX	3.87											
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			UITS1	UITFS	1,056.00	335.46	219.28	72.03	70.56							
	DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Therod per month - Interoffice Channel			UDF, UDFCX	1LSDF	26.85											
	NFC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		751.34	193.88	356.21	230.11							
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Therod per month - Local Loop			UDF, UDFCX	1L5DL	55.04											
	NFC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		751.34	193.88	356.21	230.11							

UNBUNDLED NETWORK ELEMENTS - Florida																	
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A			
						Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l		
8XX ACCESS TEN DIGIT SCREENING	8XX Access Ten Digit Screening, Per Call					0.0006252											
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved				NBR1X	4.15	0.70										
	8XX Access Ten Digit Screening, Per 8XX No Established W/O POTS Translations					8.78	1.18	5.77	0.70								
	8XX Access Ten Digit Screening, Per 8XX No Established With POTS Translations				NBFTX	8.78	1.18	5.77	0.70								
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number				NBFCX	4.15	2.07										
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No				NBFMX	4.85	2.78										
	8XX Access Ten Digit Screening, Change Charge Per Request				NBFAX	4.85	0.70										
	8XX Access Ten Digit Screening, Call Handling and Destination Features				NBFDX	4.15	4.15										
	8XX Access Ten Digit Screening, w/ 8FL No Delivery, per query					0.0006252											
	8XX Access Ten Digit Screening, w/ POTS No Delivery, per query					0.0006252											
LINE INFORMATION DATA BASE ACCESS (LIDB)	LIDB Common Transport Per Query					0.0000203											
	LIDB Validation Per Query					0.0136959											
	LIDB Originating Point Code Establishment or Change				NRBPX	55.13	55.13	55.13	55.13								
	SIGNALING (CCS7)																
	CCS7 Signaling Termination, Per STP Port				PTBSX	135.05											
	CCS7 Signaling Usage, Per TCAP Message					0.0000607											
	CCS7 Signaling Connection, Per link (A link)				TTP++	17.93	43.57	18.31	18.31								
	CCS7 Signaling Connection, Per link (B link) (also known as D link)																
	CCS7 Signaling Usage, Per ISUP Message				TTP++	17.93	43.57	18.31	18.31								
	CCS7 Signaling Usage Surrogate, per link per LATA					0.0000152											
	CCS7 Signaling Point Code, per Originating Point Code				STU56	694.32											
	Establishment or Change, per STP affected				CCAPO	46.03	46.03	46.03	46.03								
	E911 SERVICE																
		Local Channel - Dedicated - 2 wr Voice Grade - Zone 1					21.94	265.84	46.97	37.63	4.00						
Local Channel - Dedicated - 2 wr Voice Grade - Zone 2						29.62	265.84	46.97	37.63	4.00							
Local Channel - Dedicated - 2 wr Voice Grade - Zone 3						57.22	265.84	46.97	37.63	4.00							
Interoffice Transport - Dedicated - 2 wr Voice Grade Per Mile						0.0091											
Interoffice Transport - Dedicated - 2 wr Voice Grade Per Facility Termination						25.32	47.35	18.31	18.31	7.03							
Local Channel - Dedicated - DS1 - Zone 1						35.28	216.65	183.54	21.47	19.05							
Local Channel - Dedicated - DS1 - Zone 2						47.63	216.65	183.54	21.47	19.05							
Local Channel - Dedicated - DS1 - Zone 3						92.01	216.65	183.54	21.47	19.05							
Interoffice Transport - Dedicated - DS1 Per Mile						0.1856											
Interoffice Transport - Dedicated - DS1 Per Facility Termination						88.44	105.54	98.47	21.47	19.05							
CALLING NAME (CNAM) SERVICE	CNAM For DB Owners - Service Establishment					25.35	25.35	19.01	19.01								
	CNAM For Non DB Owners - Service Establishment				OQV	25.35	25.35	19.01	19.01								
	CNAM For DB Owners - Service Provisioning With Point Code Establishment				OQV												
	CNAM For Non DB Owners - Service Provisioning With Point Code Establishment				OQV	1,592.00	1,177.00	352.36	259.09								
	CNAM for DB Owners, Per Query				OQV	546.51	393.82	358.06	259.09								
	CNAM for Non DB Owners - Per Query				OQV	0.001024											
SELECTIVE ROUTING																	
	Selective Routing Per Unique Line Class Code Per Request Per Switch					93.55	93.55	12.71	12.71								
VIRTUAL COLLOCATION																	

UNBUNDLED NETWORK ELEMENTS - Florida																	
CATEGORY	RATE ELEMENTS	Interi m	BCS	USOC	RATES (\$)						Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A		
					Rec	Nonrecurring		Nonrecurring		Disconnect			OSS Rates (\$)				
						First	Add'l	First	Add'l	First	Add'l	SOME	SOMAN	SOMAN	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Disc 1st	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting		UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00		0.00							
PHYSICAL COLLOCATION																	
	Physical Collocation 2 Wire Cross Connects (Loop) for Line Splitting		UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58								
AIN SELECTIVE CARRIER ROUTING																	
	Regional Service Establishment		SRC	SRCEC		193,444.00		7,737.00									
	End Office Establishment		SRC	SRCEO		187.36	187.36	0.69									
	Query NRC, per query		SRC		0.0031868												
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																	
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup		AIN	CAMSE		43.56	43.56	44.93	44.93								
	AIN SMS Access Service - Port Connection - Dial/Shared Access		AIN	CAMDP		8.64	8.64	10.03	10.03								
	AIN SMS Access Service - Port Connection - ISDN Access		AIN	CAMIP		8.64	8.64	10.03	10.03								
	AIN SMS Access Service - User Identification Codes - Per User ID Code		AIN	CAMAU		38.66	38.66	29.88	29.88								
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement		AIN	CAMRC		75.10	75.10	12.93	12.93								
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)				0.0028												
	AIN SMS Access Service - Session, Per Minute				0.7609												
	AIN SMS Access Service - Company Performed Session, Per Minute				0.4609												
AIN - BELLSOUTH AIN TOOLKIT SERVICE																	
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup		CAM	BAPSC		43.56	43.56	44.93	44.93								
	AIN Toolkit Service - Training Session, Per Customer			BAPVX		8,439.00	8,439.00										
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term, Attempt			BAPTT		8.64	8.64	10.03	10.03								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay			BAPTD		8.64	8.64	10.03	10.03								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate			BAPTM		8.64	8.64	10.03	10.03								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit POOP			BAPTO		38.06	38.06	15.86	15.86								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, COP			BAPTC		38.06	38.06	15.86	15.86								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code			BAPTF		38.06	38.06	15.86	15.86								
	AIN Toolkit Service - Query Charge, Per Query				0.0535927												
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query				0.0063698												
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 kilobytes				0.06												
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription		CAM	BAPMS	8.34	8.64	8.64	6.08	6.08								
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription		CAM	BAPLS	3.73	9.56	9.56										
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription		CAM	BAPDS	4.73	8.64	8.64	6.08	6.08								
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription		CAM	BAPES	0.12	9.56	9.56										
ENHANCED EXTENDED LINK (EELs)																	
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements																	
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements																	
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																	
	First 2-Wire VG Loop (SL2) in Combination - Zone 1	1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81								
	First 2-Wire VG Loop (SL2) in Combination - Zone 2	2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81								
	First 2-Wire VG Loop (SL2) in Combination - Zone 3	3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81								

UNBUNDLED NETWORK ELEMENTS - Florida															
1 CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Nonrecurring		Nonrecurring First	Disconnect Add'l			Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Add'l								
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0 1856									
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	88 44	174 46	45 61	17 95						
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	146 77	101 42	71 62							
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1 38	10 07	0 00							
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	12 24	127 59	42 79	2 81						
	Each Additional 2 Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	17 40	127 59	42 79	2 81						
	Each Additional 2 Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	30 87	127 59	42 79	2 81						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1 38	10 07	0 00							
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNC1X	UNCCC		8 98	8 98	8 98						
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT														
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	18 89	127 59	42 79	2 81						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	26 84	127 59	42 79	2 81						
	First 4-Wire Analog Voice Grade Loop In Combination - Zone 3		3	UNCVX	UEAL4	47 62	127 59	42 79	2 81						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 1856									
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	88 44	174 46	45 61	17 95						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146 77	101 42	71 62							
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	1 38	10 07	0 00							
	Additional 4-Wire Analog Voice Grade Loop in same DS1		1	UNCVX	UEAL4	18 89	127 59	42 79	2 81						
	Interoffice Transport Combination - Zone 1			UNCVX	UEAL4	26 84	127 59	42 79	2 81						
	Additional 4 Wire Analog Voice Grade Loop in same DS1		2	UNCVX	UEAL4	26 84	127 59	42 79	2 81						
	Interoffice Transport Combination - Zone 2			UNCVX	UEAL4	47 62	127 59	42 79	2 81						
	Additional 4 Wire Analog Voice Grade Loop in same DS1		3	UNCVX	UEAL4	47 62	127 59	42 79	2 81						
	Interoffice Transport Combination - Zone 3			UNCVX	1D1VG	1 38	10 07	0 00							
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	1 38	10 07	0 00							
	Nonrecurring Currently Combined Network Elements Switch - As- Is Charge			UNC1X	UNCCC		8 98	8 98	8 98						
	EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT														
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	22 20	127 59	42 79	2 81						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	31 56	127 59	42 79	2 81						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	55 99	127 59	42 79	2 81						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 1856									
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	88 44	174 46	45 61	17 95						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146 77	101 42	71 62							
	OCU DP COCI (data) per month (2 4 64Kbps)			UNCDX	1D1DD	2 10	10 07	0 00							
	Additional 4 Wire 56Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL56	22 20	127 59	42 79	2 81						
	Interoffice Transport Combination - Zone 1			UNCDX	UDL56	31 56	127 59	42 79	2 81						
	Additional 4 Wire 56Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL56	31 56	127 59	42 79	2 81						
	Interoffice Transport Combination - Zone 2			UNCDX	UDL56	55 99	127 59	42 79	2 81						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		3	UNCDX	UDL56	55 99	127 59	42 79	2 81						
	Interoffice Transport Combination - Zone 3			UNCDX	UDL56	55 99	127 59	42 79	2 81						
	Additional OCU-DP COCI (data) - in combination per month (2 4 64Kbps)			UNCDX	1D1DD	2 10	10 07	0 00							

UNBUNDLED NETWORK ELEMENTS - Florida																						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A							
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st Add'l	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st Add'l						
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98												
	EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																					
	First 4 Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81												
	First 4 Wire 64Kbps Digital Grade Loop in Combination - Zone 2	2	2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81												
	First 4 Wire 64Kbps Digital Grade Loop in Combination - Zone 3	3	3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81												
	Interface Transport - Dedicated DS1 combination - Per Mile Per Month			UNC1X	1LSXX	0.1856																
	Interface Transport - Dedicated DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95												
	1/0 Channel System in combination - Per Month			UNC1X	MD1	146.77	101.42	71.62														
	OCU-DP COCI (data) in combination - per month (2 4 64kbs)			UNCDX	ID1DD	2.10	10.07	7.08	0.00	0.00												
	Additional 4 Wire 64Kbps Digital Grade Loop in same DS1 Interface Transport Combination - Zone 1	1	1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81												
	Additional 4 Wire 64Kbps Digital Grade Loop in same DS1 Interface Transport Combination - Zone 2	2	2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81												
	Additional 4 Wire 64Kbps Digital Grade Loop in same DS1 Interface Transport Combination - Zone 3	3	3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81												
	Additional OCU DP COCI (data) - in combination - per month (2 4 64kbs)			UNCDX	ID1DD	2.10	10.07	7.08	0.00	0.00												
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98												
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																					
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45												
	4-Wire DS1 Digital Loop in Combination - Zone 2	2	2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45												
	4-Wire DS1 Digital Loop in Combination - Zone 3	3	3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45												
	Interface Transport - Dedicated DS1 combination - Per Mile Per Month			UNC1X	1LSXX	0.1856																
	Interface Transport - Dedicated DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95												
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98												
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																					
	First DS1 Loop in Combination - Zone 1	1	1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45												
	First DS1 Loop in Combination - Zone 2	2	2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45												
	First DS1 Loop in Combination - Zone 3	3	3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45												
	Interface Transport - Dedicated DS3 combination - Per Mile Per Month			UNC3X	1LSXX	3.87																
	Interface Transport - Dedicated DS3 - Facility Termination per month			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23												
	3/1 Channel System in combination per month			UNC3X	MD3	211.19	199.28	118.64	40.34	39.07												
	DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00												
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 1	1	1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45												
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 2	2	2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45												
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 3	3	3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45												
	Additional DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00												
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98												
	EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT																					
	2-WireVG Loop in combination - Zone 1	1	1	UNC1X	UEAL2	12.24	127.59	60.54	42.79	2.81												
	2-WireVG Loop in combination - Zone 2	2	2	UNC1X	UEAL2	17.40	127.59	60.54	42.79	2.81												
	2-WireVG Loop in combination - Zone 3	3	3	UNC1X	UEAL2	30.87	127.59	60.54	42.79	2.81												

UNBUNDLED NETWORK ELEMENTS - Florida															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring		Nonrecurring Disconnect			OSS Rates (\$)		Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Disc Add'l
							First	Add'l				SOME	SOMAN		
	Interoffice Transport 2-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0091									
	Interoffice Transport 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53					
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98					
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT														
	4 WireVG Loop in combination - Zone 1	1	UNCVX	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81					
	4 WireVG Loop in combination - Zone 2	2	UNCVX	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81					
	4-WireVG Loop in combination - Zone 3	3	UNCVX	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81					
	Interoffice Transport 4 wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0091									
	Interoffice Transport 4 wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53					
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98					
	EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT														
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.92									
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	386.88	249.97	162.05	67.10	26.82					
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3.87									
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23					
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98					
	EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT														
	STS 1 Local Loop in combination - per mile per month			UNC5X	1L5ND	10.92									
	STS 1 Local Loop in combination - Facility Termination per month			UNC5X	UDLS1	426.60	249.97	162.05	67.10	26.82					
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNC5X	1L5XX	3.87									
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNC5X	U1TFS	1,056.00	314.45	130.88	38.60	18.23					
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC5X	UNCCC		8.98	8.98	8.98	8.98					
	EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT														
	First 2-Wire ISDN Loop in Combination - Zone 1	1	UNCNX	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81					
	First 2-Wire ISDN Loop in Combination - Zone 2	2	UNCNX	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81					
	First 2-Wire ISDN Loop in Combination - Zone 3	3	UNCNX	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81					
	Interoffice Transport - Dedicated - DS1 combination - per mile per month			UNC1X	1L5XX	0.1856									
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95					
	1/0 Channel System in combination - per month			UNC1X	MQ1	146.77	101.42	71.62	0.00	0.00					
	2 wire ISDN COG (BRITE) - in combination - per month			UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00					
	Additional 2 wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCNX	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81					
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCNX	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81					
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCNX	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81					
	Additional 2-wire ISDN COG (BRITE) - in combination- per month			UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00					
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98					
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT														
	First DS1 Loop Combination - Zone 1	1	UNC1X	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45					
	First DS1 Loop Combination - Zone 2	2	UNC1X	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45					
	First DS1 Loop Combination - Zone 3	3	UNC1X	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45					

UNBUNDLED NETWORK ELEMENTS - Florida													
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st Add'l	Attachment 2 Incremental Charge - Manual Svc Order vs Electronic- 1st Add'l	Exhibit A Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOMECD	SOMAN	SOMAN	SOMAN
	Interface Transport - Dedicated STS-1 combination - Per Mile Per Month			UNCSX	1LSXX	3.87							
	Interface Transport - Dedicated STS-1 combination - Facility Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60				
	3/1 Channel System in combination per month			UNCSX	MO3	211.19	199.28	118.64	40.34				
	DS1 COCI in combination per month			UNCTX	UC1D1	13.76	10.07	7.08	0.00				
	Additional DS1 Loop in the same STS-1 Interoffice Transport Combination - Zone 1	1		UNCTX	USLXX	70.74	217.75	121.62	51.44				
	Additional DS1 Loop in the same STS-1 Interoffice Transport Combination - Zone 2	2		UNCTX	USLXX	100.54	217.75	121.62	51.44				
	Additional DS1 Loop in the same STS-1 Interoffice Transport Combination - Zone 3	3		UNCTX	USLXX	178.39	217.75	121.62	51.44				
	DS1 COCI in combination per month			UNCTX	UC1D1	13.76	10.07	7.08	0.00				
	Nonrecurring Currently Combined Network Elements Switch - As- Is Charge			UNCSX	UNCCC		8.98	8.98	8.98				
	EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT												
	4-wire 56 kbps Local Loop in combination - Zone 1	1		UNCDX	UDL56	22.20	127.59	60.54	42.79				
	4-wire 56 kbps Local Loop in combination - Zone 2	2		UNCDX	UDL56	31.56	127.59	60.54	42.79				
	4-wire 56 kbps Local Loop in combination - Zone 3	3		UNCDX	UDL56	55.99	127.59	60.54	42.79				
	Interface Transport - Dedicated 4 wire 56 kbps combination Per Mile per month			UNCDX	1LSXX	0.0091							
	Interface Transport - Dedicated 4 wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49				
	Nonrecurring Currently Combined Network Elements Switch - As- Is Charge			UNCDX	UNCCC		8.98	8.98	8.98				
	EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT												
	4 wire 64 kbps Local Loop in Combination - Zone 1	1		UNCDX	UDL64	22.20	127.59	60.54	42.79				
	4 wire 64 kbps Local Loop in Combination - Zone 2	2		UNCDX	UDL64	31.56	127.59	60.54	42.79				
	4 wire 64 kbps Local Loop in Combination - Zone 3	3		UNCDX	UDL64	55.99	127.59	60.54	42.79				
	Interface Transport - Dedicated 4 wire 64 kbps combination - Per Mile per month			UNCDX	1LSXX	0.0091							
	Interface Transport - Dedicated 4 wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49				
	Nonrecurring Currently Combined Network Elements Switch - As- Is Charge			UNCDX	UNCCC		8.98	8.98	8.98				
	EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX												
	First 2 wire VG Loop (SL2) in Combination - Zone 1	1		UNCVX	UEAL2	12.24	127.59	60.54	42.79				
	First 2 wire VG Loop (SL2) in Combination - Zone 2	2		UNCVX	UEAL2	17.40	127.59	60.54	42.79				
	First 2 wire VG Loop (SL2) in Combination - Zone 3	3		UNCVX	UEAL2	30.87	127.59	60.54	42.79				
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNCTX	1LSXX	0.1856							
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNCTX	U1TF1	88.44	174.46	122.46	45.61				
	Per each DS1 Channelization System Per Month			UNCTX	MO1	146.77	101.42	71.62					
	Per each Voice Grade COCI Per Month per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00				
	3/1 Channel System in combination per month			UNCVX	MO3	211.19	199.28	118.64	40.34				
	Per each DS1 COCI in combination per month			UNCTX	UC1D1	13.76	10.07	7.08	0.00				
	Each Additional 2 Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1	1		UNCVX	UEAL2	12.24	127.59	60.54	42.79				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2	2		UNCVX	UEAL2	17.40	127.59	60.54	42.79				
	Each Additional 2 Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3	3		UNCVX	UEAL2	30.87	127.59	60.54	42.79				
	Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00				
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNCTX	1LSXX	0.1856							
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNCTX	U1TF1	88.44	174.46	122.46	45.61				
	Each Additional DS1 COCI combination per month			UNCTX	UC1D1	13.76	10.07	7.08	0.00				

UNBUNDLED NETWORK ELEMENTS - Florida																			
CATEGORY	RATE ELEMENTS	Intern m	Zone	BCS	USOC	RATES (\$)						Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A			
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'l	Disconnect Add'l			SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	SOMAN
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge																		
	EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX			UNCIX	UNCCC														
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 1		1	UNCVX	UEAL4	18 89	127 59	60 54	42 79	2 81									
	First 4 Wire Analog Voice Grade Local Loop in Combination - Zone 2		2	UNCVX	UEAL4	26 84	127 59	60 54	42 79	2 81									
	First 4 Wire Analog Voice Grade Local Loop in Combination - Zone 3		3	UNCVX	UEAL4	47 62	127 59	60 54	42 79	2 81									
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNCIX	1LSXX	0 1856													
	First Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNCIX	U1TF1	88 44	174 46	122 46	45 61	17 95									
	Per each 1/0 Channel System in combination Per Month			UNCIX	MO1	146 77	101 42	71 62											
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	1 38	10 07	7 08	0 00	0 00									
	3/1 Channel System in combination per month			UNCVX	MO3	211 19	199 28	118 64	40 34	39 07									
	Per each DS1 COCI in combination per month			UNCIX	UC1D1	13 76	10 07	7 08	0 00	0 00									
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18 89	127 59	60 54	42 79	2 81									
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26 84	127 59	60 54	42 79	2 81									
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47 62	127 59	60 54	42 79	2 81									
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNCIX	1LSXX	0 1856													
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNCIX	U1TF1	88 44	174 46	122 46	45 61	17 95									
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	1 38	10 07	7 08	0 00	0 00									
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge			UNCIX	UNCCC		8 98	8 98	8 98	8 98									
	EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																		
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 1		1	UNCDX	UDL56	22 20	127 59	60 54	42 79	2 81									
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 2		2	UNCDX	UDL56	31 56	127 59	60 54	42 79	2 81									
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3		3	UNCDX	UDL56	55 99	127 59	60 54	42 79	2 81									
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNCIX	1LSXX	0 1856													
	First Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNCIX	U1TF1	88 44	174 46	122 46	45 61	17 95									
	Per each 1/0 Channel System in combination Per Month			UNCIX	MO1	146 77	101 42	71 62											
	Per each OCU DP COCI (data) COCI per month (2 4-64Kbs)			UNCDX	1D1DD	2 10	10 07	7 08	0 00	0 00									
	3/1 Channel System in combination per month			UNCDX	MO3	211 19	199 28	118 64	40 34	39 07									
	Per each DS1 COCI in combination per month			UNCIX	UC1D1	13 76	10 07	7 08	0 00	0 00									
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	22 20	127 59	60 54	42 79	2 81									
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	31 56	127 59	60 54	42 79	2 81									
	Additional 4 Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	55 99	127 59	60 54	42 79	2 81									
	OCU DP COCI (data) COCI in combination per month (2 4-64Kbs)			UNCDX	1D1DD	2 10	10 07	7 08	0 00	0 00									
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNCIX	1LSXX	0 1856													
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNCIX	U1TF1	88 44	174 46	122 46	45 61	17 95									
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNCIX	UC1D1	13 76	10 07	7 08	0 00	0 00									

UNBUNDLED NETWORK ELEMENTS - Florida													
CATEGORY	RATE ELEMENTS	Inter m	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A
					Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'l	SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st Add'l
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge					8 98	8 98	8 98	8 98				
	EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX		UNC1X	UNCCC									
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNC1X	UDL64	22 20	127 59	60 54	42 79	2 81				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNC1X	UDL64	31 56	127 59	60 54	42 79	2 81				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNC1X	UDL64	55 99	127 59	60 54	42 79	2 81				
	First Interoffice Transport - Dedicated DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 1856								
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95				
	Per each Channel System 1/0 in combination - per month (2 4-64Kbps)		UNC1X	MQ1	146 77	101 42	71 62						
	Per each OCU DP COCI (data) in combination - per month (2 4-64Kbps)												
	3/1 Channel System in combination per month		UNC1X	1D1DD	2 10	10 07	7 08	0 00	0 00				
	Per each DS1 COCI in combination per month		UNC1X	MQ3	211 19	199 28	118 64	40 34	39 07				
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00				
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNC1X	UDL64	22 20	127 59	60 54	42 79	2 81				
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNC1X	UDL64	31 56	127 59	60 54	42 79	2 81				
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64Kbps)		UNC1X	1D1DD	2 10	10 07	7 08	0 00	0 00				
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month		UNC1X	1L5XX	0 1856								
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month		UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95				
	Each Additional DS1 COCI in the same 3/1 channel system combination per month		UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00				
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		8 98	8 98	8 98	8 98				
	EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX												
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1	1	UNC1X	U1L2X	19 28	127 59	60 60	42 79	2 81				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2	2	UNC1X	U1L2X	27 40	127 59	60 60	42 79	2 81				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3	3	UNC1X	U1L2X	48 62	127 59	60 60	42 79	2 81				
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNC1X	1L5XX	0 1856								
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95				
	Per each Channel System 1/0 in combination - per month		UNC1X	MQ1	146 77	101 42	71 62						
	Per each 2-wire ISDN COCI (BRITE) in combination - per month		UNC1X	UC1CA	3 66	10 07	7 08	0 00	0 00				
	3/1 Channel System in combination per month		UNC1X	MQ3	211 19	199 28	118 64	40 34	39 07				
	Per each DS1 COCI in combination per month		UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00				
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNC1X	U1L2X	19 28	127 59	60 60	42 79	2 81				
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNC1X	U1L2X	27 40	127 59	60 60	42 79	2 81				
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNC1X	U1L2X	48 62	127 59	60 60	42 79	2 81				
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel system combination - per month		UNC1X	UC1CA	3 66	10 07	7 08	0 00	0 00				

UNBUNDLED NETWORK ELEMENTS - Florida													
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Incremental Charge - Manual Svc Order vs Electronic- 1st	Exhibit A Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
						Nonrecurring Add'l	First	Disconnect Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN
						Rec							
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1856							
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95			
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00			
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98			
EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX													
	First 4 wire DS1 Digital Local Loop in Combination - Zone 1	1	UNC1X	USLXX	USLXX	70.74	217.75	121.62	51.44	14.45			
	First 4 wire DS1 Digital Local Loop in Combination - Zone 2	2	UNC1X	USLXX	USLXX	100.54	217.75	121.62	51.44	14.45			
	First 4 wire DS1 Digital Local Loop in Combination - Zone 3	3	UNC1X	USLXX	USLXX	178.39	217.75	121.62	51.44	14.45			
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856							
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95			
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07			
	Per each DS1 COCI combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00			
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1856							
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95			
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00			
	Additional 4 Wire DS1 Digital Local Loop in Combination - Zone 1	1	UNC1X	USLXX	USLXX	70.74	217.75	121.62	51.44	14.45			
	Additional 4 Wire DS1 Digital Local Loop in Combination - Zone 2	2	UNC1X	USLXX	USLXX	100.54	217.75	121.62	51.44	14.45			
	Additional 4 Wire DS1 Digital Local Loop in Combination - Zone 3	3	UNC1X	USLXX	USLXX	178.39	217.75	121.62	51.44	14.45			
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98			
EXTENDED 4-WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT													
	First 4-wire 56 kbps Local Loop in combination - Zone 1	1	UNCDCX	UDL56	UDL56	22.20	127.59	60.54	42.79	2.81			
	First 4-wire 56 kbps Local Loop in combination - Zone 2	2	UNCDCX	UDL56	UDL56	31.56	127.59	60.54	42.79	2.81			
	First 4 wire 56 kbps Local Loop in combination - Zone 3	3	UNCDCX	UDL56	UDL56	55.99	127.59	60.54	42.79	2.81			
	First 4 wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDCX	1L5XX	0.0091							
	First 4 wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDCX	U1TD5	18.44	94.70	52.59	50.49	21.53			
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNCDCX	UNCCC		8.98	8.98	8.98	8.98			
EXTENDED 4-WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT													
	First 4 wire 64 kbps Local Loop in combination - Zone 1	1	UNCDCX	UDL64	UDL64	22.20	127.59	60.54	42.79	2.81			
	First 4 wire 64 kbps Local Loop in combination - Zone 2	2	UNCDCX	UDL64	UDL64	31.56	127.59	60.54	42.79	2.81			
	First 4 wire 64 kbps Local Loop in combination - Zone 3	3	UNCDCX	UDL64	UDL64	55.99	127.59	60.54	42.79	2.81			
	First 4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDCX	1L5XX	0.0091							
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDCX	U1TD6	18.44	94.70	52.59	50.49	21.53			
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNCDCX	UNCCC		8.98	8.98	8.98	8.98			
ADDITIONAL NETWORK ELEMENTS													
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply												
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not												
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)												
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC	8.98	8.98	8.98	8.98	8.98			

UNBUNDLED NETWORK ELEMENTS - Florida													
CATEGORY	RATE ELEMENTS	Inter m	BCS	USOC	RATES (\$)				Nonrecurring Add'l	First	Nonrecurring Add'l	Disconnect Add'l	Svc Order Submitted Elec per LSR
					Rec	First	374	363	188	180	SOME	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled res low usage line port with Caller ID (LUM)		UEPSA	UEPAP	1.40	374	363	188	180				
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability		UEPSA	UEPRT	1.40	374	363	188	180				
	Subsequent Activity		UEPSR	USASC	0.00	0.00	0.00						
FEATURES													
	All Available Vertical Features				2.26	0.00	0.00						
2-WIRE VOICE GRADE LINE PORT RATES (BUS)													
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus		UEPSB	UEPBL	1.40	374	363	188	180				
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller-ID-484 ID - Bus		UEPSB	UEPBC	1.40	374	363	188	180				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus		UEPSB	UEPBO	1.40	374	363	188	180				
	Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus		UEPSB	UEPB1	1.40	374	363	188	180				
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability		UEPSB	UEPBE	1.40	374	363	188	180				
	Subsequent Activity		UEPSB	USASC	0.00	0.00	0.00						
FEATURES													
	All Available Vertical Features				2.26	0.00	0.00						
EXCHANGE PORT RATES (DID & PBX)													
	2-Wire VG Unbundled 2-Way PBX Trunk - Res		UEPSE	UEPRD	1.40	39.06	18.18	12.35	0.7187				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		UEPSP	UEPPC	1.40	39.06	18.18	12.35	0.7187				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		UEPSP	UEPPD	1.40	39.06	18.18	12.35	0.7187				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		UEPSP	UEPPT	1.40	39.06	18.18	12.35	0.7187				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled 2-Way PBX Usage Port		UEPSP	UEPXA	1.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPSP	UEPXB	1.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled PBX LD DDD Terminal Port		UEPSP	UEPXC	1.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPSP	UEPXD	1.40	39.06	18.18	12.35	0.7187				
	Capable Port		UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187				
	Administrative Calling Port		UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187				
	Room Calling Port		UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		UEPSP	UEPXO	1.40	39.06	18.18	12.35	0.7187				
	Discount Room Calling Port		UEPSP	UEPXS	1.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPSP	USASC	0.00	0.00	0.00						
	Subsequent Activity		UEPSP	USASC	0.00	0.00	0.00						
FEATURES													
	All Available Vertical Features		UEPSP	UEPSE	2.26	0.00	0.00						
EXCHANGE PORT RATES (COIN)													
	Exchange Ports - Coin Port				1.40	374	363	188	180				
NOTE	Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports												
NOTE	Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process												
UNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)													
EXCHANGE PORT RATES													
	The DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/7/04 After 4/7/04 these rates shall revert to tariff rates or a separate agreement												
	Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion												
	Exchange Ports - 2-Wire DID Port		UEPEX	UEP22	8.73	78.41	15.92	41.94	4.26				
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability (E 4/1/2004)		UEPDD	UEPDD	54.95	151.11	77.75	48.81	3.10				
	Exchange Ports - 2-Wire ISDN Port (See Notes below)		UEPTX, UEPXS	UEPMA	8.83	48.83	50.68	27.64	11.93				
	All Features Offered		UEPTX, UEPXS	UEPVS	2.26	0.00	0.00						
	Exchange Ports - 2-Wire ISDN Port - Channel Profiles		UEPTX, UEPXS	UEPMA	0.00	0.00	0.00						
NOTE	Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process												

UNBUNDLED NETWORK ELEMENTS - Florida															
CATEGORY	RATE ELEMENTS	Item	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'l	Disconnect	SOMEc	SOMAN	SOMAN	SOMAN
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.														
	EXCHANGE PORT RATES (Continued)														
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911														
	Locator Capability (E 4/1/2004)			UEPEX		82.74	174.61	95.17	49.80	18.23					
	Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)			UEPDX		82.74	174.61	95.17	49.80	18.23					
	Physical Collocation - DST Cross-Connects			UEPEX	UEPDX	1.32	27.77	15.52	5.93	4.77					
	Virtual collocation - Special Access & UNE, cross-connect per DS1			UEPEX	UEPDX	7.50	155.00	14.00							
	Detailed E911 with Locator Capability (required with UEPEX port)														
	Unbundled Exchange Ports, 4 Wire ISDN DS1 Port - E911														
	Locator Capability - Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,809.00		151.12						
	Unbundled Exchange Ports, 4 Wire ISDN DS1 Port - E911														
	Locator Capability - Subsequent Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	175.66								
	New or Additional PRI Telephone Numbers														
	Unbundled Exchange Ports, 4 Wire ISDN DS1 Port - E911														
	Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional]			UEPEX	UEP1C	0.0699	0.5412								
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911														
	Locator Capability - Outdial Telephone Numbers, per number in E911 profile [New or Additional]			UEPEX	UEP1D	0.0699	12.71	12.71							
	Unbundled Exchange Ports, 4 Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option [New or Additional]			UEPDX	UEP1E	0.00	0.5412								
	Exchange Ports 4-Wire ISDN DS1 Port - Subsequent [New]			UEPEX	PR1ZT	0.00	25.42	25.42							
	Inward Tel Numbers (Customer Testing Purposes)														
	LOCAL NUMBER PORTABILITY														
	Local Number Portability (1 per port)			UEPEX	UEPDX	1.75									
	Interface (Provisioning Only)														
	Voice/Data			UEPEX		0.00	0.00	0.00							
	Digital Data			UEPEX		0.00	0.00	0.00							
	Inward Data			UEPDX		0.00	0.00	0.00							
	New or Additional Channel														
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	15.48								
	New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	15.48								
	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	15.48								
	New or Additional Usage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00									
	New or Additional Usage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00									
	New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	15.48								
	CALL TYPES														
	Inward			UEPEX	UEPDX	0.00	0.00	0.00							
	Outward			UEPEX		0.00	0.00	0.00							
	Two way			UEPEX	PR7CC	0.00	0.00	0.00							
	UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY														
	UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE														
	Unbundled Remote Call Forwarding Service - Area Calling, Res			UEPVR	UERAC	1.40	3.74	3.63	1.88	1.80					
	Unbundled Remote Call Forwarding Service - Local Calling - Res			UEPVR	UERLC	1.40	3.74	3.63	1.88	1.80					
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.40	3.74	3.63	1.88	1.80					
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.40	3.74	3.63	1.88	1.80					
	Non-Recurring														
	Unbundled Remote Call Forwarding Service - Conversion - Switch as-is			UEPVR	USAC2		0.102	0.102							
	Unbundled Remote Call Forwarding Service - Conversion with allowed charge (PIC and LPIC)			UEPVR	USACC		0.102	0.102							
	UNBUNDLED REMOTE CALL FORWARDING - BUS														
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.40	3.74	3.63	1.88	1.80					

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Nonrecurring Add'l	First	Nonrecurring Disconnect Add'l		SOME	SOMAN	SOMAN	SOMAN
						Rec							
	Unbundled Remote Call Forwarding Service - Local Calling - Bus			UEPVB	UEPVB	1.40	3.74	1.88	1.80				
	Unbundled Remote Call Forwarding Service - InterLATA - Bus			UEPVB	UEPVB	1.40	3.74	1.88	1.80				
	Unbundled Remote Call Forwarding Service - IntraLATA - Bus			UEPVB	UEPVB	1.40	3.74	1.88	1.80				
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UEPVB	1.40	3.74	1.88	1.80				
	Non-Recurring												
	Unbundled Remote Call Forwarding Service - Conversion Switch-as-is			UEPVB	USAC2		0.102						
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		0.102						
	UNBUNDLED LOCAL SWITCHING, PORT USAGE												
	End Office Switching (Port Usage)												
	End Office Switching Function, Per MOU					0.0007662							
	End Office Trunk Port - Shared, Per MOU					0.000164							
	Tandem Switching (Port Usage) (Local or Access Tandem)												
	Tandem Switching Function Per MOU					0.0001319							
	Tandem Trunk Port - Shared, Per MOU					0.000235							
	Tandem Switching Function Per MOU (Melded)					0.00027185							
	Tandem Trunk Port - Shared, Per MOU (Melded)					0.00048434							
	Melded Factor - 20.61% of the Tandem Rate												
	Common Transport												
	Common Transport - Per Mile, Per MOU					0.0000035							
	Common Transport - Facilities Termination Per MOU					0.0004372							
	UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES												
	Cost Based Rates are applied where Belisouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports												
	Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit												
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations												
	The first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections												
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)												
	UNE Port/Loop Combination Rates												
	2-Wire VG Loop/Port Combo Zone 1	1				10.94							
	2-Wire VG Loop/Port Combo Zone 2	2				15.05							
	2-Wire VG Loop/Port Combo Zone 3	3				25.80							
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SL1) - Zone 1	1		UEPRX	UEPLX	9.77							
	2-Wire Voice Grade Loop (SL1) - Zone 2	2		UEPRX	UEPLX	13.88							
	2-Wire Voice Grade Loop (SL1) - Zone 3	3		UEPRX	UEPLX	24.63							
	2-Wire Voice Grade Line Port Rates (Res)												
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.17	53.31	27.50	8.37				
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.17	53.31	26.46	8.37				
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.17	53.31	26.46	8.37				
	2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPRX	UEPAF	1.17	53.31	26.46	8.37				
	2-Wire voice unbundled res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.17	53.31	27.50	8.37				
	2-Wire voice unbundled Florida extended dialing with Caller ID			UEPRX	UEPAI	1.17	53.31	26.46	8.37				
	2-Wire voice unbundled Florida extended dialing port without Caller ID capability			UEPRX	UEPA8	1.17	53.31	26.46	8.37				
	2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability			UEPRX	UEPA9	1.17	53.31	26.46	8.37				
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRI	1.17	53.31	26.46	8.37				
	FEATURES												
	All Features Offered			UEPRX	UEPVF	2.26	0.00						
	LOCAL NUMBER PORTABILITY												
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.95							
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED												

UNBUNDLED NETWORK ELEMENTS - Florida															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First			SOMEc	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
	2 Wire Voice Grade Loop / Line Port Combination - Conversion Switch-as-is			UEPRX	USAC2		0.102	0.102							
	2 Wire Voice Grade Loop / Line Port Combination - Conversion Switch with change			UEPRX	USACC		0.102	0.102							
	ADDITIONAL NRCs														
	2 Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00							
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83							
	OFF/OFF PREMISES EXTENSION CHANNELS														
	2 Wire Analog Voice Grade Extension Loop - Non-Design	1		UEPRX	UEAEN	10.69	49.57	22.83	25.62	6.57					
	2 Wire Analog Voice Grade Extension Loop - Non-Design	2		UEPRX	UEAEN	15.20	49.57	22.83	25.62	6.57					
	2 Wire Analog Voice Grade Extension Loop - Non-Design	3		UEPRX	UEAEN	26.97	49.57	22.83	25.62	6.57					
	2 Wire Analog Voice Grade Extension Loop - Design	1		UEPRX	UEAED	12.24	135.75	82.47	63.53	12.01					
	2 Wire Analog Voice Grade Extension Loop - Design	2		UEPRX	UEAED	17.40	135.75	82.47	63.53	12.01					
	2 Wire Analog Voice Grade Extension Loop - Design	3		UEPRX	UEAED	30.87	135.75	82.47	63.53	12.01					
	INTEROFFICE TRANSPORT														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	UITV2	25.32	47.35	31.78							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	UITVM	0.0091	0.00	0.00							
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)														
	UNE Port/Loop Combination Rates														
	2-Wire VG Loop/Port Combo Zone 1	1				10.94									
	2-Wire VG Loop/Port Combo Zone 2	2				15.05									
	2-Wire VG Loop/Port Combo Zone 3	3				25.80									
	UNE Loop Rates														
	2-Wire Voice Grade Loop (SL1) - Zone 1	1		UEPBX	UEPLX	9.77									
	2-Wire Voice Grade Loop (SL1) - Zone 2	2		UEPBX	UEPLX	13.88									
	2-Wire Voice Grade Loop (SL1) - Zone 3	3		UEPBX	UEPLX	24.63									
	2-Wire Voice Grade Line Port (Bus)														
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.17	53.31	26.46	27.50	8.37					
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.17	53.31	26.46	27.50	8.37					
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.17	53.31	26.46	27.50	8.37					
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPBI	1.17	53.31	26.46	27.50	8.37					
	2-Wire voice unbundled incoming Only Port without Caller ID Capability			UEPBX	UEPBE	1.17	53.31	26.46	27.50	8.37					
	LOCAL NUMBER PORTABILITY														
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35									
	FEATURES														
	AIL Features Offered			UEPBX	UEPVF	2.26	0.00	0.00							
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2 Wire Voice Grade Loop / Line Port Combination - Conversion Switch as-is			UEPBX	USAC2		0.102	0.102							
	2 Wire Voice Grade Loop / Line Port Combination - Conversion Switch with change			UEPBX	USACC		0.102	0.102							
	ADDITIONAL NRCs														
	2 Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2		0.00	0.00							
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83							
	OFF/OFF PREMISES EXTENSION CHANNELS														
	2 Wire Analog Voice Grade Extension Loop - Non-Design	1		UEPBX	UEAEN	10.69	49.57	22.83	25.62	6.57					
	2 Wire Analog Voice Grade Extension Loop - Non-Design	2		UEPBX	UEAEN	15.20	49.57	22.83	25.62	6.57					
	2 Wire Analog Voice Grade Extension Loop - Non-Design	3		UEPBX	UEAEN	26.97	49.57	22.83	25.62	6.57					
	2 Wire Analog Voice Grade Extension Loop - Design	1		UEPBX	UEAED	12.24	135.75	82.47	63.53	12.01					
	2 Wire Analog Voice Grade Extension Loop - Design	2		UEPBX	UEAED	17.40	135.75	82.47	63.53	12.01					
	2 Wire Analog Voice Grade Extension Loop - Design	3		UEPBX	UEAED	30.87	135.75	82.47	63.53	12.01					
	INTEROFFICE TRANSPORT														

UNBUNDLED NETWORK ELEMENTS - Florida													
CATEGORY	RATE ELEMENTS	Interim	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Incremental Charge - Manual Order vs Electronic- 1st	Incremental Charge - Manual Order vs Electronic- 1st	Exhibit A Charge - Manual Order vs Electronic- 1st
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOMECS	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade Termination		UEPBX	U1TV2	25 32	47 35	31 78						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		UEPBX	U1TVM	0 0091	0 00	0 00						
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)												
	UNE Port/Loop Combination Rates												
	2 Wire VG Loop/Port Combo - Zone 1	1			10 94								
	2 Wire VG Loop/Port Combo - Zone 2	2			15 05								
	2-Wire VG Loop/Port Combo - Zone 3	3			25 80								
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEPRG	UEPLX	9 77								
	2 Wire Voice Grade Loop (SL 1) - Zone 2	2	UEPRG	UEPLX	13 88								
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEPRG	UEPLX	24 63								
	2-Wire Voice Grade Line Port Rates (RES - PBX)												
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res		UEPRG	UEPRD	1 17	174 81	100 65	75 88					
	LOCAL NUMBER PORTABILITY												
	Local Number Portability (1 per port)		UEPRG	LNPCP	3 15	0 00	0 00						
	FEATURES												
	All Features Offered		UEPRG	UEPVF	2 26	0 00	0 00						
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED												
	2 Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is		UEPRG	USAC2		8 45	1 91						
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) Conversion - Switch with Change		UEPRG	USACC		8 45	1 91						
	ADDITIONAL NRCs												
	2 Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		UEPRG	USAS2	0 00	0 00	0 00						
	PBX Subsequent Activity Change/Rearrange Multiline Hunt Group					7 86	7 86						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premises		UEPRG	URETL		8 33	0 83						
	OFF/ON PREMISES EXTENSION CHANNELS												
	Local Channel Voice grade, per termination	1	UEPRG	P2JHX	12 24	135 75	82 47	63 53					
	Local Channel Voice grade, per termination	2	UEPRG	P2JHX	17 40	135 75	82 47	63 53					
	Local Channel Voice grade, per termination	3	UEPRG	P2JHX	30 87	135 75	82 47	63 53					
	Non-Wire Direct Serve Channel Voice Grade	1	UEPRG	SDD2X	12 92	120 38	43 56	95 00					
	Non-Wire Direct Serve Channel Voice Grade	2	UEPRG	SDD2X	18 36	120 38	43 56	95 00					
	Non-Wire Direct Serve Channel Voice Grade	3	UEPRG	SDD2X	32 58	120 38	43 56	95 00					
	INTEROFFICE TRANSPORT												
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Termination		UEPRG	U1TV2	25 32	47 35	31 78						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		UEPRG	U1TVM	0 0091	0 00	0 00						
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)												
	UNE Port/Loop Combination Rates												
	2-Wire VG Loop/Port Combo - Zone 1	1			10 94								
	2 Wire VG Loop/Port Combo - Zone 2	2			15 05								
	2-Wire VG Loop/Port Combo - Zone 3	3			25 80								
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEPPX	UEPLX	9 77								
	2 Wire Voice Grade Loop (SL 1) - Zone 2	2	UEPPX	UEPLX	13 88								
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEPPX	UEPLX	24 63								
	2-Wire Voice Grade Line Port Rates (BUS - PBX)												
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPPX	UEPPC	1 17	174 81	100 65	75 88					
	Line Side Unbundled Outward PBX Trunk Port - Bus		UEPPX	UEPPO	1 17	174 81	100 65	75 88					
	Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPPX	UEPPI	1 17	174 81	100 65	75 88					
	2-Wire VG Unbundled PBX LD Terminal Ports		UEPPX	UEPLD	1 17	174 81	100 65	75 88					

UNBUNDLED NETWORK ELEMENTS - Florida												
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Exhibit A
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect Add'l	SOMECSOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
	2 Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPXA	117	174.81	100.65	75.88	12.73		SOMAN
	2 Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	117	174.81	100.65	75.88	12.73		
	2 Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXC	117	174.81	100.65	75.88	12.73		
	2 Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPPX	UEPXD	117	174.81	100.65	75.88	12.73		
	2 Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPXE	117	174.81	100.65	75.88	12.73		
	Administrative Calling Port			UEPPX	UEPXL	117	174.81	100.65	75.88	12.73		
	2-Wire Voice Unbundled 2 Way PBX Hotel/Hospital Economy			UEPPX	UEPXM	117	174.81	100.65	75.88	12.73		
	Room Calling Port			UEPPX	UEPXM	117	174.81	100.65	75.88	12.73		
	Discount Room Calling Port			UEPPX	UEPXD	117	174.81	100.65	75.88	12.73		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	117	174.81	100.65	75.88	12.73		
	LOCAL NUMBER PORTABILITY											
	Local Number Portability (1 per port)			UEPPX	LNPCP	315	0.00	0.00				
	FEATURES											
	All Features Offered			UEPPX	UEPVF	226	0.00	0.00				
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED											
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPPX	USAC2		8.45	1.91				
	Conversion - Switch-As Is											
	2 Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPPX	USACC		8.45	1.91				
	Conversion - Switch with Change											
	ADDITIONAL NRCS											
	2-Wire Voice Grade Loop/ Line Port Combination (PBX)			UEPPX	USAS2	0.00	0.00	0.00				
	Subsequent Activity											
	PBX Subsequent Activity - Charge/Rearrange Multiline Hunt											
	Group						7.86	7.86				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User											
	Premise			UEPPX	URETL		8.33	0.83				
	OFF/ON PREMISES EXTENSION CHANNELS											
	Local Channel Voice grade, per termination	1		UEPPX	P2JHX	12.24	135.75	82.47	63.53	12.01		
	Local Channel Voice grade, per termination	2		UEPPX	P2JHX	17.40	135.75	82.47	63.53	12.01		
	Local Channel Voice grade, per termination	3		UEPPX	P2JHX	30.87	135.75	82.47	63.53	12.01		
	Non Wire Direct Serve Channel Voice Grade	1		UEPPX	SDD2X	12.92	120.38	43.56	95.00	10.54		
	Non Wire Direct Serve Channel Voice Grade	2		UEPPX	SDD2X	18.36	120.38	43.56	95.00	10.54		
	Non-Wire Direct Serve Channel Voice Grade	3		UEPPX	SDD2X	32.58	120.38	43.56	95.00	10.54		
	INTEROFFICE TRANSPORT											
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			UEPPX	U1TV2	25.32	47.35	31.78				
	Termination											
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPPX	U1TVM	0.0091	0.00	0.00				
	or Fraction Mile											
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT											
	LINE Port/Loop Combination Rates											
	2 Wire VG Coin Port/Loop Combo - Zone 1	1				10.94						
	2-Wire VG Coin Port/Loop Combo - Zone 2	2				15.05						
	2-Wire VG Coin Port/Loop Combo - Zone 3	3				25.80						
	UNE Loop Rates											
	2 Wire Voice Grade Loop (SL1) - Zone 1	1		UEPCO	UEPLX	9.77						
	2-Wire Voice Grade Loop (SL1) - Zone 2	2		UEPCO	UEPLX	13.88						
	2-Wire Voice Grade Loop (SL1) - Zone 3	3		UEPCO	UEPLX	24.63						
	2-Wire Voice Grade Line Ports (COIN)											
	2 Wire Coin 2 Way with Operator Screening and Blocking 011, 900/976, 1+DDD (FL)			UEPCO	UEP2F	1.17	53.31	26.46	27.50	8.37		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (FL)			UEPCO	UEPFA	1.17	53.31	26.46	27.50	8.37		
	2 Wire Coin 2 Way with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	1.17	53.31	26.46	27.50	8.37		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	1.17	53.31	26.46	27.50	8.37		

UNBUNDLED NETWORK ELEMENTS - Florida																
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Manually per LSR	Attachment 2		Exhibit A		
						Rec	Nonrecurring		Disconnect Add'l			Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	
							First	Add'l								SOME
	2 Wire Coin Outward with Operator Screening and Blocking 900976.1+DDD. 011+ (FL)			UEPCO	UEPOF	1.17	53.31	26.46	27.50	8.37						
	2 Wire Coin Outward with Operator Screening and Blocking 900976.1+DDD. 011+, and Local (FL GA)			UEPCO	UEPCO	1.17	53.31	26.46	27.50	8.37						
	2 Wire 2-Way Smartline with 900976 (all states except LA)			UEPCO	UEPCX	1.17	53.31	26.46	27.50	8.37						
	2 Wire Coin Outward Smartline with 900976 (all states except LA)			UEPCO	UEPCR	1.17	53.31	26.46	27.50	8.37						
	ADDITIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.86	0.00	0.00	0.00	0.00						
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	2 Wire Voice Grade Loop / Line Port Combination - Conversion - Switch as-is			UEPCO	USAC2		0.102	0.102								
	2 Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		0.102	0.102								
	ADDITIONAL NRCs															
	2 Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83								
	2-WIRE VOICE LOOP/2-WIRE VOICE GRADE IO TRANSPORT/2-WIRE LINE PORT (RES)															
	UNE Port/Loop Combination Rates															
	2 Wire VG Loop/IO Transport/Port Combo - Zone 1		1			13.64										
	2 Wire VG Loop/IO Transport/Port Combo - Zone 2		2			18.80										
	2 Wire VG Loop/IO Transport/Port Combo - Zone 3		3			32.27										
	UNE Loop Rates															
	2 Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.24										
	2 Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17.40										
	2 Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30.87										
	2-Wire Voice Grade Line Port Rates (Res)															
	2 Wire voice unbundled port - residence			UEPFR	UEPRL	1.40	174.81	100.65	75.88	12.73						
	2 Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.40	174.81	100.65	75.88	12.73						
	2 Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.40	174.81	100.65	75.88	12.73						
	2 Wire voice unbundled Florida Area Calling with Caller ID - res			UEPFR	UEPAF	1.40	174.81	100.65	75.88	12.73						
	2 Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.40	174.81	100.65	75.88	12.73						
	INTEROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFR	1L5XX	0.0091										
	FEATURES															
	All Features Offered			UEPFR	UEPVF	2.26	0.00	0.00								
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2 Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.97	3.73								
	2 Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch With-Change			UEPFR	USACC		16.97	3.73								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFR	URETN		11.21	1.10								
	2-WIRE VOICE LOOP/2-WIRE VOICE GRADE IO TRANSPORT/2-WIRE LINE PORT (BUS)															
	UNE Port/Loop Combination Rates															
	2 Wire VG Loop/IO Transport/Port Combo - Zone 1		1			13.64										
	2 Wire VG Loop/IO Transport/Port Combo - Zone 2		2			18.80										
	2 Wire VG Loop/IO Transport/Port Combo - Zone 3		3			32.27										

UNBUNDLED NETWORK ELEMENTS - Florida													
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Nonrecurring Add'l	First	Nonrecurring Add'l	First
						Rec							
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB									
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB									
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB									
	2-Wire Voice Grade Line Port (Bus)												
	2-Wire voice unbundled port without Caller ID - bus			UEPFB		1.40	174.81	100.65	75.88			12.73	
	2-Wire voice unbundled port with Caller ID - bus			UEPFB		1.40	174.81	100.65	75.88			12.73	
	2-Wire voice unbundled port outgoing only - bus			UEPFB		1.40	174.81	100.65	75.88			12.73	
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB		1.40	174.81	100.65	75.88			12.73	
	LOCAL NUMBER PORTABILITY												
	Local Number Portability (1 per port)			LNPCX		0.35							
	INTEROFFICE TRANSPORT												
	Interoffice Transport - Dedicated 2 Wire Voice Grade - Facility Termination			UEPFB		25.32	47.35	31.78					
	Interoffice Transport - Dedicated 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB		0.0091							
	FEATURES												
	All Features Offered												
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED												
	2 Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFB		2.26	0.00	0.00					
	Combination - Conversion - Switch-as-is			UEPFB									
	2 Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFB			16.97	3.73					
	Combination - Conversion - Switch with change			UEPFB			16.97	3.73					
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFB			11.21	1.10					
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)												
	UNE Port/Loop Combination Rates												
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1		1			13.64							
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2		2			18.80							
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3		3			32.27							
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP		12.24							
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP		17.40							
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP		30.87							
	2-Wire Voice Grade Line Port Rates (BUS - PBX)												
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP		1.40	174.81	100.65	75.88			12.73	
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP		1.40	174.81	100.65	75.88			12.73	
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP		1.40	174.81	100.65	75.88			12.73	
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP		1.40	174.81	100.65	75.88			12.73	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP		1.40	174.81	100.65	75.88			12.73	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP		1.40	174.81	100.65	75.88			12.73	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP		1.40	174.81	100.65	75.88			12.73	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP		1.40	174.81	100.65	75.88			12.73	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDO Capable Port			UEPFP		1.40	174.81	100.65	75.88			12.73	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFP		1.40	174.81	100.65	75.88			12.73	
	Administrative Calling Port			UEPFP		1.40	174.81	100.65	75.88			12.73	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP		1.40	174.81	100.65	75.88			12.73	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP		1.40	174.81	100.65	75.88			12.73	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP		1.40	174.81	100.65	75.88			12.73	
	LOCAL NUMBER PORTABILITY												
	Local Number Portability (1 per port)			LNPCP		3.15	0.00	0.00					
	INTEROFFICE TRANSPORT												
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP		25.32	47.35	31.78					

UNBUNDLED NETWORK ELEMENTS - Florida															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Attachment 2		Exhibit A	
						Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l			Incremental Charge - Manual Order vs Electronic-1st	SOMAN	Incremental Charge - Manual Order vs Electronic-1st	SOMAN
	Interface Transport - Dedicated 2 Wire Voice Grade for Fraction Mile			UEPFP	ILSXX		0.0091								
FEATURES				UEPFP	UEPVF		2.26	0.00							
	All Features Offered														
NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFP	USAC2		16.97	3.73							
	Combination - Conversion - Switch-as-is														
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFP	USACC		16.97	3.73							
	Combination - Conversion - Switch with change														
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFP	URETN		11.21	1.10							
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES															
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
UNE Port/Loop Combination Rates															
2 Wire VG Loop/2 Wire DID Trunk Port Combo - UNE Zone 1		1					20.95								
2 Wire VG Loop/2 Wire DID Trunk Port Combo - UNE Zone 2		2					26.11								
2 Wire VG Loop/2 Wire DID Trunk Port Combo - UNE Zone 3		3					39.58								
UNE Loop Rates															
2 Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1		UEPPX	UECD1		12.24								
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2		UEPPX	UECD1		17.40								
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3		UEPPX	UECD1		30.87								
UNE Port Rate															
Exchange Ports - 2-Wire DID Port				UEPPX	UEPDI		8.71	214.16	98.29						
NONRECURRING CHARGES - CURRENTLY COMBINED															
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is				UEPPX	USAC1		7.85	1.87							
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Charges				UEPPX	USA1C		7.85	1.87							
ADDITIONAL NRCS															
2-Wire DID Subsequent Activity - Add Trunks, Per Trunk				UEPPX	USAS1		32.26	32.26							
Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise				UEPPX	URETN		11.21	1.10							
Telephone Number/Trunk Group Establishment Charges				UEPPX	NDT		0.00	0.00							
DID Trunk Termination (One Per Port)															
DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers				UEPPX	NDZ		0.00	0.00							
Additional DID Numbers for each Group of 20 DID Numbers				UEPPX	ND4		0.00	0.00							
DID Numbers, Non- consecutive DID Numbers - Per Number				UEPPX	ND5		0.00	0.00							
Reserve Non-Consecutive DID numbers				UEPPX	ND6		0.00	0.00							
Reserve DID Numbers				UEPPX	NDV		0.00	0.00							
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)				UEPPX	LNPCP		3.15	0.00	0.00						
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT															
UNE Port/Loop Combination Rates															
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1		UEPPB	UEPPR		22.63								
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2		UEPPB	UEPPR		29.05								
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3		UEPPB	UEPPR		45.84								
UNE Loop Rates															
2 Wire ISDN Digital Grade Loop - UNE Zone 1		1		UEPPB	UEPPR	USL2X	15.25								
2-Wire ISDN Digital Grade Loop - UNE Zone 2		2		UEPPB	UEPPR	USL2X	21.67								
2 Wire ISDN Digital Grade Loop - UNE Zone 3		3		UEPPB	UEPPR	USL2X	38.46								
UNE Port Rate															
Exchange Port - 2-Wire ISDN Line Side Port				UEPPB	UEPPR	UEPPB	7.98	194.52	145.09						
NONRECURRING CHARGES - CURRENTLY COMBINED															

UNBUNDLED NETWORK ELEMENTS - Florida															
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Nonrecurring First	Rec	Nonrecurring Add'l	Nonrecurring Disconnect First	Add'l	SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB UEPPR	USACB	25.22	0.00	17.00							
	ADDITIONAL NRCs														
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPPB UEPPR	URETN	11.21		1.10							
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPPB UEPPR	URETL	8.33		0.83							
	LOCAL NUMBER PORTABILITY			UEPPB UEPPR	LNPCX	0.00	0.35	0.00	0.00						
	Local Number Portability (1 per port)														
	B-CHANNEL USER PROFILE ACCESS			UEPPB UEPPR	UIUCA	0.00	0.00	0.00	0.00						
	CVS/CSD (DMS/SESS)			UEPPB UEPPR	UIUCB	0.00	0.00	0.00	0.00						
	CVS (EWSD)			UEPPB UEPPR	UIUCC	0.00	0.00	0.00							
	CSD														
	B-CHANNEL AREA PLUS USER PROFILE ACCESS (AL,KY,LAMS SC,MS, & TN)														
	USER TERMINAL PROFILE			UEPPB UEPPR	UIUMA	0.00	0.00	0.00							
	User Terminal Profile (EWSD only)														
	VERTICAL FEATURES			UEPPB UEPPR	UEPVF	0.00	2.26	0.00							
	All Vertical Features - One per Channel B User Profile														
	INTEROFFICE CHANNEL MILEAGE														
	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB UEPPR	MIKNC	47.35	25.3291	31.78	18.31	7.03					
	Interoffice Channel mileage each, additional mile			UEPPB UEPPR	MIKNC	0.00	0.0091	0.00							
	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT														
	The UNE-P DS1 combination rates below for in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement Requests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion														
	UNE Port/Loop Combination Rates														
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1	UEPPP			153.48								
	Zone 1														
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		2	UEPPP			183.28								
	Zone 2														
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		3	UEPPP			261.12								
	Zone 3														
	UNE Loop Rates														
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P		70.74								
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P		100.54								
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P		178.38								
	UNE Port Rate														
	Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)			UEPPP		488.36	82.74	276.65							
	NONRECURRING CHARGES - CURRENTLY COMBINED														
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch as-is (E 4/1/2004)			UEPPP	USACP	84.17	0.00	61.38							
	ADDITIONAL NRCs														
	4-Wire DS1 Loop/4-W ISDN Dgtl Trk Port - Subsq Acty- Inward/two way Tel Nos (except NC)			UEPPP	PR7TF	0.5412									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP	PR7TO	12.71		12.71							
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port Subsequent Inward Tel Numbers			UEPPP	PR7ZT	25.42		25.42							
	LOCAL NUMBER PORTABILITY														
	Local Number Portability (1 per port)			UEPPP	LNPCN		1.75								
	INTERFACE (Provisioning Only)														
	Voice/Data			UEPPP	PR7TV	0.00	0.00	0.00							
	Digital Data			UEPPP	PR7TD	0.00	0.00	0.00							
	Inward Data			UEPPP	PR7IE	0.00	0.00	0.00							
	New or Additional "B" Channel			UEPPP	PR7BV	0.00	0.00	15.48							
	New or Additional - Voice/Data B Channel			UEPPP	PR7BF	0.00	0.00	15.48							
	New or Additional - Digital Data B Channel			UEPPP	PR7BD	0.00	0.00	15.48							
	New or Additional Inward Data B Channel			UEPPP											
	CALL TYPES														

UNBUNDLED NETWORK ELEMENTS - Florida												
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Attachment 2	Exhibit A
						Nonrecurring	Nonrecurring	Nonrecurring	Disconnect	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	First	Add'l	First	SOMECSOMAN	SOMANSOMAN	SOMAN
	Inward			UEPPP	PR7C1	0.00	0.00	0.00				
	Outward			UEPPP	PR7C0	0.00	0.00	0.00				
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00				
Interoffice Channel Mileage				UEPPP	1LN1A	88 6256	105.54	98.47	21.47	19.05		
	Fixed Each Including First Mile			UEPPP	1LN1B	0.1856						
	Each Airline Fractional Additional Mile											
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT												
The UNE-P DST combination rates below for in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/7/04. After 4/7/04 these rates shall revert to tariff rates or a separate commercial agreement.												
Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.												
UNE Port/Loop Combination Rates												
4W DS1 Digital Loop/4W DDITS Trunk Port	UNE Zone 1		1	UEPDC			125.69					
4W DS1 Digital Loop/4W DDITS Trunk Port	UNE Zone 2		2	UEPDC			155.49					
4W DS1 Digital Loop/4W DDITS Trunk Port	UNE Zone 3		3	UEPDC			233.33					
UNE Loop Rates												
4-Wire DS1 Digital Loop - UNE Zone 1			1	UEPDC	USLDC		70.74					
4-Wire DS1 Digital Loop - UNE Zone 2			2	UEPDC	USLDC		100.54					
4-Wire DS1 Digital Loop - UNE Zone 3			3	UEPDC	USLDC		178.38					
UNE Port Rate												
4-Wire DDITS Digital Trunk Port (E 4/1/2004)				UEPDC	UDD1T	54.95	464.86	259.23				
NONRECURRING CHARGES - CURRENTLY COMBINED												
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				UEPDC	USAC4		95.31	46.71				
Switch-as-is (E 4/1/2004)												
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				UEPDC	USAWA		95.31	46.71				
Conversion with DS1 Changes (E 4/1/2004)				UEPDC	USAWB		95.31	46.71				
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				UEPDC								
Conversion with Change - Trunk (E 4/1/2004)												
ADDITIONAL NRCS												
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port NRC - Subsequent Channel Activation/Chan 2-Way Trunk				UEPDC	UD1TA		15.69	15.69				
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port Subsequent Channel Activation/Chan 1-Way Outward Trunk				UEPDC	UD1TB		15.69	15.69				
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port Subsqnt Channel Activation/Chan Inward Trunk w/out DID				UEPDC	UD1TC		15.69	15.69				
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port Subsqnt Chan Activation Per Chan - Inward Trunk with DID				UEPDC	UD1TD		15.69	15.69				
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port Subsqnt Chan Activation / Chan - 2-Way DID w User Trans				UEPDC	UD1TE		15.69	15.69				
BIPOLAR 8 ZERO SUBSTITUTION												
B8ZS - Superframe Format				UEPDC	CCOSF		0.00	655.00s				
B8ZS - Extended Superframe Format				UEPDC	CCOEF		0.00	655.00s				
Alternate Mark Inversion				UEPDC	MCOSF		0.00	0.00				
AMI Superframe Format				UEPDC	MCOPF		0.00	0.00				
AMI - Extended SuperFrame Format												
Telephone Number/Trunk Group Establishment Charges												
Telephone Number for 2-Way Trunk Group				UEPDC	UD1GX	0.00						
Telephone Number for 1-Way Outward Trunk Group				UEPDC	UD1GY	0.00						
Telephone Number for 1-Way Inward Trunk Group Without DID				UEPDC	UD1GZ	0.00						
DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers				UEPDC	NDZ	0.00	0.00	0.00				
DID Numbers for each Group of 20 DID Numbers				UEPDC	ND4	0.00						
DID Numbers, Non-consecutive DID Numbers - Per Number				UEPDC	ND5	0.00						
Reserve Non-Consecutive DID Nos				UEPDC	ND6	0.00	0.00	0.00				
Reserve DID Numbers				UEPDC	NDV	0.00	0.00	0.00				
Dedicated DS1 (Interoffice Channel Mileage) - FXVCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port												
Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)				UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05		
Interoffice Channel Mileage - Additional rate per mile - 0-8 miles				UEPDC	1LNOA	0.1856	0.00	0.00				

UNBUNDLED NETWORK ELEMENTS - Florida													
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Exhibit A
						Rec	Nonrecurring First	Add'l	Disconnect Add'l	SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
	Interface Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00					
	Interface Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.1856	0.00	0.00					
	Interface Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00				
	Interface Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1856	0.00	0.00					
	Local Number Portability, per DSO Activated			UEPDC	1LNCP	3.15	0.00	0.00	0.00				
	Central Office Terminating Point			UEPDC	CTG	0.00							
	4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT												
	System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations												
	Each System can have up to 24 combinations of rates depending on type and number of ports used												
	The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement												
	Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion												
	UNE DS1 Loop												
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	70.74	0.00	0.00					
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	100.54	0.00	0.00					
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	178.38	0.00	0.00					
	UNE DSO Channelization Capacities (D4 Channel Bank Configurations)												
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	118.06	0.00	0.00					
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	236.12	0.00	0.00					
	96 DSO Channel Capacity - 1 per 4 DS1s			UEPMG	VUM96	472.24	0.00	0.00					
	144 DSO Channel Capacity - 1 per 6 DS1s			UEPMG	VUM144	708.36	0.00	0.00					
	192 DSO Channel Capacity - 1 per 8 DS1s			UEPMG	VUM192	944.48	0.00	0.00					
	240 DSO Channel Capacity - 1 per 10 DS1s			UEPMG	VUM240	1,180.60	0.00	0.00					
	288 DSO Channel Capacity - 1 per 12 DS1s			UEPMG	VUM288	1,416.72	0.00	0.00					
	384 DSO Channel Capacity - 1 per 16 DS1s			UEPMG	VUM384	1,888.96	0.00	0.00					
	480 DSO Channel Capacity - 1 per 20 DS1s			UEPMG	VUM480	2,361.20	0.00	0.00					
	576 DSO Channel Capacity - 1 per 24 DS1s			UEPMG	VUM576	2,833.44	0.00	0.00					
	672 DSO Channel Capacity - 1 per 28 DS1s			UEPMG	VUM672	3,305.68	0.00	0.00					
	Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System												
	A Minimum System Configuration is One (1) DS1, One (1) D4 Channel Bank, and Up to 24 DSO Ports with Feature Activations												
	Multiple of this configuration functioning as one are considered Add'l after the minimum system configuration is counted												
	NRC - Conversion (Currently Combined) with or without			UEPMG	USAC4	0.00	96.77	4.24					
	BellSouth Allowed Changes												
	System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's												
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fee Activation (E 4/1/2004)			UEPMG	VUMD4	0.00	726.11	468.21	145.32	17.24			
	Bipolar 8 Zero Substitution												
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0.00	0.00	655.00s					
	Clear Channel Capability Format - Extended Superframe Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	655.00s					
	Alternate Mark Inversion (AMI)												
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00					
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00					
	Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port												
	Line Side Combination Channelized PBX Trunk Port - Business (E 4/1/2004)			UEPPX	UEPCX	1.40	0.00	0.00	0.00				
	Line Side Outward Channelized PBX Trunk Port - Business (E 4/1/2004)			UEPPX	UEPOX	1.40	0.00	0.00	0.00				
	Line Side Inward Only Channelized PBX Trunk Port without DID (E 4/1/2004)			UEPPX	UEPIX	1.40	0.00	0.00	0.00				
	2 Wire Trunk Side Unbundled Channelized DID Trunk Port (E 4/1/2004)			UEPPX	UEPDM	8.71	0.00	0.00	0.00				
	Feature Activations - Unbundled Loop Concentration												

UNBUNDLED NETWORK ELEMENTS - Florida												
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOME C	SOMAN	SOMAN
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.6402	25.40	13.41	3.96			
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.6402	78.16	18.42	56.03			
Telephone Number/ Group Establishment Charges for DID Service												
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				
	Establish Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00				
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00				
	Reserve Non Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				
Local Number Portability												
	Local Number Portability - 1 per port			UEPPX	LNQCP	3.15	0.00	0.00				
FEATURES - Vertical and Optional												
Local Switching Features Offered with Line Side Ports Only				UEPPX	UEPVF	2.26	0.00	0.00				
All Features Available												
UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES												
1 Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports												
2 Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit												
3 End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations												
4 The first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections												
5 Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an individual case basis, until further notice												
UNE-P CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, & TN only)												
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo												
UNE Port/Loop Combination Rates (Non-Design)												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP91		10.94						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP91		15.05						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP91		25.80						
UNE Port/Loop Combination Rates (Design)												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP91		13.41						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP91		18.57						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP91		32.04						
UNE Loop Rate												
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.77						
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	13.88						
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	24.63						
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	12.24						
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	17.40						
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	30.87						
UNE Ports												
All States (Except North Carolina and South Carolina)												
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1.17	53.31	26.46	27.50			8.37
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91	UEPYB	1.17	53.31	26.46	27.50			8.37
	2-Wire Voice Grade Port (Centrex with Caller ID)Note 1 Basic Local Area			UEP91	UEPYH	1.17	53.31	26.46	27.50			8.37
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area			UEP91	UEPYM	1.17	139.49	86.10	65.41			13.81
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	1.17	139.49	86.10	65.41			13.81
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP91	UEPY9	1.17	53.31	26.46	27.50			8.37

UNBUNDLED NETWORK ELEMENTS - Florida																				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A						
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'l	SOMECS	SOMAN	Incremental Charge - Manual Order vs Electronic-1st	SOMAN	Incremental Charge - Manual Order vs Electronic-1st	SOMAN	Incremental Charge - Manual Order vs Electronic-1st	SOMAN	Incremental Charge - Manual Order vs Electronic-1st	
	2 Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area																			
	Georgia and Florida Only																			
	2 Wire Voice Grade Port (Centrex)																			
	2 Wire Voice Grade Port (Centrex 800 termination)																			
	2 Wire Voice Grade Port (Centrex with Caller ID)																			
	2 Wire Voice Grade Port (Centrex from diff Serving Wire Center/2.3																			
	2 Wire Voice Grade Port, Diff Serving Wire Center 2.3 - 800 Service Term																			
	2 Wire Voice Grade Port Terminated in on Megalink or equivalent																			
	2 Wire Voice Grade Port Terminated on 800 Service Term																			
	Local Switching																			
	Centrex Intercom Functionality, per port																			
	Local Number Portability																			
	Local Number Portability (1 per port)																			
	Features																			
	All Standard Features Offered, per port																			
	All Select Features Offered, per port																			
	All Centrex Control Features Offered, per port																			
	NARS																			
	Unbundled Network Access Register - Combination																			
	Unbundled Network Access Register - Initial																			
	Unbundled Network Access Register - Outdial																			
	Miscellaneous Terminations																			
	2-Wire Trunk Side																			
	Trunk Side Terminations, each																			
	Interface Channel Mileage - 2-Wire																			
	Interface Channel Facilities Termination - Voice Grade																			
	Interface Channel mileage, per mile or fraction of mile																			
	Interface Channel Mileage, per mile or fraction of mile																			
	Feature Activations (DSO) Centrex Loops on Channelized DS1 Service																			
	D4 Channel Bank Feature Activations																			
	Feature Activation on D-4 Channel Bank Centrex Loop Slot																			
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot																			
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot																			
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center																			
	Feature Activation on D-4 Channel Bank Private Line Loop Slot																			
	Feature Activation on D-4 Channel Bank Trunk/Trunk Loop Slot																			
	Feature Activation on D-4 Channel Bank WATS Loop Slot																			
	Feature Activation on D-4 Channel Bank WATS Loop Slot																			
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex																			
	Conversion Currently Combined Switch As is with allowed changes, per port																			
	Conversion of Existing Centrex Common Block																			
	New Centrex Standard Common Block																			
	New Centrex Customized Common Block																			
	Secondary Block, per Block																			
	INAR Establishment Charge, Per Occasion																			
	UNE-P CENTREX - 5ESS (Valid in All States)																			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																			
	UNE Port/Loop Combination Rates (Non-Design)																			
	2-Wire VG Loop/2 Wire Voice Grade Port (Centrex) Port Combo - Non Design																			
			1	UEP95																

UNBUNDLED NETWORK ELEMENTS - Florida															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Nonrecurring		Disconnect Add'l	SOMEc			SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Add'l	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Add'l
						Rec	First								
	2-Wire VG Loop/2 Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP95			15 05								
	2-Wire VG Loop/2 Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP95			25 80								
	UNE Port/Loop Combination Rates (Design)														
	2-Wire VG Loop/2 Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP95			13 41								
	2-Wire VG Loop/2 Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP95			18 57								
	2-Wire VG Loop/2 Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP95			32 04								
	UNE Loop Rate														
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1		9 77								
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1		13 88								
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1		24 63								
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2		12 24								
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2		17 40								
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2		30 87								
	UNE Port Rate														
	All States														
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA		1 17	53 31	26 46	27 50	8 37				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB		1 17	53 31	26 46	27 50	8 37				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP95	UEPYH		1 17	53 31	26 46	27 50	8 37				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP95	UEPYM		1 17	139 49	86 10	65 41	13 81				
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area			UEP95	UEPYZ		1 17	139 49	86 10	65 41	13 81				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9		1 17	53 31	26 46	27 50	8 37				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2		1 17	53 31	26 46	27 50	8 37				
	AL, KY, LA, MS, SC, & TN Only														
	FL & GA Only														
	2 Wire Voice Grade Port (Centrex)			UEP95	UEPHA		1 17	53 31	26 46	27 50	8 37				
	2 Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB		1 17	53 31	26 46	27 50	8 37				
	2 Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH		1 17	53 31	26 46	27 50	8 37				
	2 Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 3			UEP95	UEPHM		1 17	139 49	86 10	65 41	13 81				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP95	UEPHZ		1 17	139 49	86 10	65 41	13 81				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9		1 17	53 31	26 46	27 50	8 37				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2		1 17	53 31	26 46	27 50	8 37				
	Local Switching														
	Centrex Intercom Functionality, per port			UEP95	URECS		0 7384								
	Local Number Portability														
	Local Number Portability (1 per port)			UEP95	LNPOC		0 35								
	Features														
	All Standard Features Offered, per port			UEP95	UEPVF		2 26								
	All Select Features Offered, per port			UEP95	UEPV5		0 00	370 70							
	All Centrex Control Features Offered, per port			UEP95	UEPVC		2 26								
	NARS														
	Unbundled Network Access Register Combination			UEP95	UARCX		0 00	0 00	0 00	0 00	0 00				
	Unbundled Network Access Register Initial			UEP95	UARI1X		0 00	0 00	0 00	0 00	0 00				
	Unbundled Network Access Register Outdial			UEP95	UARO1X		0 00	0 00	0 00	0 00	0 00				
	Miscellaneous Terminations														
	2-Wire Trunk Side														
	Trunk Side Terminations each			UEP95	CEND6		8 73								

UNBUNDLED NETWORK ELEMENTS - Florida																
CATEGORY	RATE ELEMENTS	Inter m	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2			Exhibit A		
						Nonrecurring First	Add'l	Nonrecurring First	Add'l	SOMECSOMAN	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	
	4-Wire Digital (1 544 Megabits)															
	DS1 Circuit Terminations, each				UEP95	54 95										
	DS0 Channels Activated, each				UEP95	0 00	15 69									
	Interface Channel Mileage - 2-Wire															
	Interface Channel Facilities Termination				UEP95	25 32										
	Interface Channel mileage, per mile or fraction of mile				UEP95	0 0091										
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
	D4 Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot				UEP95	0 66										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot				UEP95	0 66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot				UEP95	0 66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center				UEP95	0 66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot				UEP95	0 66										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot				UEP95	0 66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot				UEP95	0 66										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch As is with allowed changes per port				UEP95	0 00	21 50	8 42								
	Conversion of Existing Centrex Common Block, each				UEP95	5 17	8 32									
	New Centrex Standard Common Block				UEP95	0 00	618 82									
	New Centrex Customized Common Block				UEP95	0 00	618 82									
	NAR Establishment Charge, Per Occasion				UEP95	0 00	66 48									
	Additional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise				UEP95	8 33	0 83									
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise				UEP95	11 21	1 10									
	UNE-P CENTREX - DMS100 (Valid in All States)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2 Wire Voice Grade Port (Centrex) Port Combo - Non-Design	1			UEP9D	10 94										
	2-Wire VG Loop/2 Wire Voice Grade Port (Centrex)Port Combo - Non-Design	2			UEP9D	15 05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	3			UEP9D	25 80										
	UNE Port/Loop Combination Rates (Design)															
	2 Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1			UEP9D	13 41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design	2			UEP9D	18 57										
	2 Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design	3			UEP9D	32 04										
	UNE Loop Rate															
	2 Wire Voice Grade Loop (SL 1) - Zone 1	1			UECS1	9 77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2			UECS1	13 88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3			UECS1	24 63										
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1			UECS2	12 24										
	2-Wire Voice Grade Loop (SL 2) - Zone 2	2			UECS2	17 40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3	3			UECS2	30 87										
	UNE Port Rate															
	ALL STATES															
	2-Wire Voice Grade Port (Centrex) Basic Local Area				UEPYA	1 17										

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOME C	SOME M	SOME A	SOME N
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPHG	1.17	53.31	26.46	8.37				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHT	1.17	53.31	26.46	8.37				
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPHU	1.17	53.31	26.46	8.37				
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPHV	1.17	53.31	26.46	8.37				
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPHW	1.17	53.31	26.46	8.37				
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1.17	53.31	26.46	8.37				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wlg Lamp Indication)4			UEP9D	UEPHW	1.17	53.31	26.46	8.37				
	2-Wire Voice Grade Port (Centrex/Msg Wlg Lamp Indication)4			UEP9D	UEPHU	1.17	53.31	26.46	8.37				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3			UEP9D	UEPHM	1.17	139.49	86.10	65.41	13.81			
	2-Wire Voice Grade Port (Centrex/differ. SWC /EBS PSE)12,3,4			UEP9D	UEPHO	1.17	139.49	86.10	65.41	13.81			
	2-Wire Voice Grade Port (Centrex/differ. SWC /EBS M5009)2,3,4			UEP9D	UEPHP	1.17	139.49	86.10	65.41	13.81			
	2-Wire Voice Grade Port (Centrex/differ. SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	1.17	139.49	86.10	65.41	13.81			
	2-Wire Voice Grade Port (Centrex/differ. SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	1.17	139.49	86.10	65.41	13.81			
	2-Wire Voice Grade Port (Centrex/differ. SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	1.17	139.49	86.10	65.41	13.81			
	2-Wire Voice Grade Port (Centrex/differ. SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	1.17	139.49	86.10	65.41	13.81			
	2-Wire Voice Grade Port (Centrex/differ. SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	1.17	139.49	86.10	65.41	13.81			
	2-Wire Voice Grade Port (Centrex/differ. SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	1.17	139.49	86.10	65.41	13.81			
	2-Wire Voice Grade Port (Centrex/differ. SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	1.17	139.49	86.10	65.41	13.81			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPHZ	1.17	139.49	86.10	65.41	13.81			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.17	53.31	26.46	27.50	8.37			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	1.17	53.31	26.46	27.50	8.37			
	Local Switching			UEP9D	URECS	0.7384							
	Local Number Portability			UEP9D	LNPPC	0.35							
	Local Number Portability (1 per port)			UEP9D	LNPPC	0.35							
	All Standard Features Offered, per port			UEP9D	UEPVF	2.26							
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	370.70						
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.26							
	NARS			UEP9D	UARCX	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register - Combination			UEP9D	UARIY	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register - Inward			UEP9D	UAROY	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register - Outdial			UEP9D	UAROY	0.00	0.00	0.00	0.00				
	Miscellaneous Terminations			UEP9D									
	2-Wire Trunk Side			UEP9D									
	Trunk Side Terminations, each			UEP9D	GEND6	8.73							
	4-Wire Digital (1 544 Megabits)			UEP9D	M1HDI	54.95							
	DST Circuit Terminations, each			UEP9D	M1HDI	54.95							
	DSO Channels Activated per Channel			UEP9D	M1HDO	0.00	15.69						
	Interoffice Channel Mileage - 2-Wire			UEP9D	M1GBC	25.32							
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	25.32							
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GSM	0.0091							
	Feature Activations (DSO) Centrex Loops on Channelized DS1 Service			UEP9D									
	Da Channel Bank Feature Activations			UEP9D									
	Feature Activation on D 4 Channel Bank Centrex Loop Slot			UEP9D	1POWS	0.66							

UNBUNDLED NETWORK ELEMENTS - Florida																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Attachment 2			Exhibit A		
						Nonrecurring		Disconnect	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st		
						First	Add'l								SOME	SOMAN
						Rec	First	Add'l	First	Add'l						
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D		0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D		0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D		0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D		0.66										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP9D		0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D		0.66										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		21.50	8.42								
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		5.17	8.32								
	New Centrex Standard Common Block			UEP9D	MTACS	0.00	618.82									
	New Centrex Customized Common Block			UEP9D	MTACC	0.00	618.82									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66.48									
	Additional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.21	1.10								
	UNE-P CENTREX - EWSO (Valid in AL, FL, KY, LA, MS & TN)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9E		10.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9E		15.05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9E		25.80										
	UNE Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9E		13.41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9E		18.57										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9E		32.04										
	UNE Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	24.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	12.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	17.40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	30.87										
	UNE Port Rate															
	AL, FL, KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)Basic Local Area			UEP9E	UEPYH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2.3 Basic Local Area			UEP9E	UEPYM	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Dfl Serving Wire Center 2.3 - 800 Service Term. Basic Local Area			UEP9E	UEPYZ	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9E	UEPY9	1.17	53.31	26.46	27.50	8.37						

UNBUNDLED NETWORK ELEMENTS - Florida										
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Exhibit A
						Nonrecurring	Disconnect	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
						First	Add'l	First	Add'l	First
						Rec				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2	1 17	53 31	26 46	27 50	8 37
	Florida Only									
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPHA	1 17	53 31	26 46	27 50	8 37
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPHB	1 17	53 31	26 46	27 50	8 37
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9E	UEPHH	1 17	53 31	26 46	27 50	8 37
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP9E	UEPHM	1 17	139 49	86 10	65 41	13 81
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9E	UEPHZ	1 17	139 49	86 10	65 41	13 81
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPH9	1 17	53 31	26 46	27 50	8 37
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPH2	1 17	53 31	26 46	27 50	8 37
	Local Switching									
	Centrex Intercom Functionality, per port			UEP9E	UREGS	0 7384				
	Local Number Portability									
	Local Number Portability (1 per port)			UEP9E	LNPOC	0 35				
	Features									
	All Standard Features Offered, per port			UEP9E	UEPVF	2 26				
	All Select Features Offered, per port			UEP9E	UEPVS		370 70			
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2 26				
	NARS									
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0 00	0 00	0 00	0 00	0 00
	Unbundled Network Access Register - Initial			UEP9E	UARI1X	0 00	0 00	0 00	0 00	0 00
	Unbundled Network Access Register - Ouidial			UEP9E	UARO1X	0 00	0 00	0 00	0 00	0 00
	Miscellaneous Terminations									
	2-Wire Trunk Side									
	Trunk Side Terminations, each			UEP9E	CEND6	8 73				
	4-Wire Digital (1 944 Megabits)									
	DST Circuit Terminations, each			UEP9E	MIHD1	54 95				
	DSO Channel Activated Per Channel			UEP9E	MIHDO	0 00	15 69			
	Interoffice Channel Mileage - 2-Wire									
	Interoffice Channel Facilities Termination			UEP9E	MIG5C	25 32				
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0 0091				
	Feature Activations (DSO) Centrex Loops on Channelized DS1 Service									
	D4 Channel Bank Feature Activations									
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0 66				
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP9E	1PQW6	0 66				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0 66				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWP	0 66				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0 66				
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP9E	1PQWQ	0 66				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0 66				
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex									
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2	21 50	8 42			
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN	5 17	8 32			
	New Centrex Standard Common Block			UEP9E	MIACS	0 00	618 82			
	New Centrex Customized Common Block			UEP9E	MIACC	0 00	618 82			
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0 00	66 48			
	Additional Non-Recurring Charges (NRC)									
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use									
	Premise			UEP9E	URETL	8 33	0 83			

UNBUNDLED NETWORK ELEMENTS - Florida																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A		
						Rec	Nonrecurring		Nonrecurring Disconnect First			Incremental Charge - Manual Order vs Electronic-1st	Incremental Charge - Manual Order vs Electronic-Disc 1st	Incremental Charge - Manual Order vs Electronic-Disc Add'l	Incremental Charge - Manual Order vs Electronic-Disc 1st	Incremental Charge - Manual Order vs Electronic-Disc Add'l
							Add'l	Add'l								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise				UEP9E		11 21	1 10								
	Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note 2 - Requires Interoffice Channel Mileage															
	Note 3 - Installation is combination of Installation charge for SL2 Loop and Port															
	Note 4 - Requires Specific Customer Premises Equipment															
	Note Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions															

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC	RATES (\$)		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Add'l		Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	
						Nonrecurring First	Nonrecurring Add'l			SOME	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch (U/L-SL1)				UEANL	15.75	8.92						
	Unbundled Voice Loop, Non-Design Voice Loop, Billing for BST making up (Engineering Information - E 1)				UEANL	7.30	7.30						
	Manual Order Coordination for U/L SL1s (per loop)				UEANL	18.92	18.92						
	Order Coordination for Specified Conversion Time for U/L-SL1 (per LSR)				UEANL	57.79							
	2-WIRE UNBUNDLED COPPER LOOP - NON-DESIGNED												
	2 Wire Unbundled Copper Loop Non-Designed- Zone 1	1	UEQ		UEQ2X	11.02	22.40	0.00					
	2 Wire Unbundled Copper Loop Non-Designed- Zone 2	2	UEQ		UEQ2X	12.72	22.40	0.00					
	2 Wire Unbundled Copper Loop Non-Designed- Zone 3	3	UEQ		UEQ2X	20.22	22.40	0.00					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise				URETL	8.33	0.83						
	Manual Order Coordination 2 Wire Unbundled Copper Loop Non-Designed (per loop)				UEQ	18.92	18.92						
	Unbundled Copper Loop Non-Design Copper Loop, Billing for BST providing make up (Engineering Information - E 1)				UEQMU	7.30	7.30						
	Loop Testing - Basic 1st Half Hour				UEQ	25.12	25.12						
	Loop Testing - Basic Additional Half Hour				URETA	13.62	13.62						
	CLEC to CLEC Conversion Charge Without Outside Dispatch (U/L ND)				UEQ	14.25	7.42						
	UNBUNDLED EXCHANGE ACCESS LOOP												
	2-WIRE ANALOG VOICE GRADE LOOP												
	UNE Loop Rates for Line Splitting (In Ga. PSC ordered the line splitting loop (USOCs match the lower port-loop combo rates UEPLX))												
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	1	UEPSR	UEPSB	UEALS	9.56	7.36	1.37					
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	1	UEPSR	UEPSB	UEABS	9.56	7.36	1.37					
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	1	UEPSR	UEPSB	UEALS	14.86	7.36	1.37					
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	1	UEPSR	UEPSB	UEABS	14.86	7.36	1.37					
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3	1	UEPSR	UEPSB	UEALS	31.66	7.36	1.37					
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3	1	UEPSR	UEPSB	UEABS	31.66	7.36	1.37					
	UNBUNDLED EXCHANGE ACCESS LOOP												
	2-WIRE ANALOG VOICE GRADE LOOP												
	2-Wire Analog Voice Grade Loop Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	UEA		UEAL2	11.57	79.85	18.92					
	2-Wire Analog Voice Grade Loop Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	UEA		UEAL2	16.95	79.85	18.92					
	2-Wire Analog Voice Grade Loop Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	UEA		UEAL2	33.08	79.85	18.92					
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		24.65						
	2-Wire Analog Voice Grade Loop Service Level 2 w/Reverse Battery Signaling - Zone 1	1	UEA		UEAR2	11.57	79.85	18.92					
	2-Wire Analog Voice Grade Loop Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEA		UEAR2	16.95	79.85	18.92					
	2-Wire Analog Voice Grade Loop Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEA		UEAR2	33.08	79.85	18.92					
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		24.65						
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		36.36						
	Loop Tagging - Service Level 2 (SL2)				URETL	11.19	1.10						
	4-WIRE ANALOG VOICE GRADE LOOP												
	4-Wire Analog Voice Grade Loop - Zone 1	1	UEA		UEAL4	17.80	93.01	19.52					
	4-Wire Analog Voice Grade Loop - Zone 2	2	UEA		UEAL4	21.68	93.01	19.52					
	4-Wire Analog Voice Grade Loop - Zone 3	3	UEA		UEAL4	30.25	93.01	19.52					
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		57.79						
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		87.72						
	2-WIRE ISDN DIGITAL GRADE LOOP												
	2-Wire ISDN Digital Grade Loop - Zone 1	1	UDN		U1L2X	21.89	180.06	18.23					
	2-Wire ISDN Digital Grade Loop - Zone 2	2	UDN		U1L2X	25.27	180.06	18.23					
	2-Wire ISDN Digital Grade Loop - Zone 3	3	UDN		U1L2X	40.17	180.06	18.23					
	Order Coordination For Specified Conversion Time (per LSR)				OCOSL		57.79						

UNBUNDLED NETWORK ELEMENTS - Georgia															
CATEGORY	RATE ELEMENTS	Item	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring Add'l	First	Nonrecurring Disconnect Add'l	SOME	SOMAN	Incremental Charge - Manual Order vs Electronic-1st	Incremental Charge - Manual Order vs Electronic-1st Add'l	Incremental Charge - Manual Order vs Electronic-1st	Incremental Charge - Manual Order vs Electronic-1st Add'l
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO			120 98	33 04						
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP														
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	1	UAL	UAL2X	11 23		44 69	0 00						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	1	2	UAL	UAL2X	12 97		44 69	0 00						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	1	3	UAL	UAL2X	20 62		44 69	0 00						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL			57 79							
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	1	UAL	UAL2W	11 23		44 69	0 00						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	1	2	UAL	UAL2W	12 97		44 69	0 00						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	1	3	UAL	UAL2W	20 62		44 69	0 00						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL			57 79							
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO			44 69	29 29						
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	1	UHL	UHL2X	7 88		44 69	0 00						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	1	2	UHL	UHL2X	9 09		44 69	0 00						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	1	3	UHL	UHL2X	14 48		44 69	0 00						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL			57 79							
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL2W	7 88		44 69	0 00						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL2W	9 09		44 69	0 00						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL2W	14 48		44 69	0 00						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL			57 79							
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO			44 69	31 55						
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL4X	10 39		44 69	0 00						
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL4X	12 00		44 69	0 00						
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL4X	19 07		44 69	0 00						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL			57 79							
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL4W	10 39		44 69	0 00						
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL4W	12 00		44 69	0 00						
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL4W	19 07		44 69	0 00						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL			57 79							
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO			44 69	31 55						
	4-WIRE DS1 DIGITAL LOOP														
	4 Wire DS1 Digital Loop - Zone 1	1	1	USL	USLXX	41 02		211 93	72 49					7 20	
	4 Wire DS1 Digital Loop - Zone 2	2	2	USL	USLXX	46 41		211 93	72 49					38 24	7 20
	4 Wire DS1 Digital Loop - Zone 3	3	3	USL	USLXX	62 03		211 93	72 49					38 24	7 20
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL			57 79							
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO			100 91	42 97						
	4-WIRE 19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP														
	4 Wire Unbundled Digital 19.2 Kbps	1	1	UDL	UDL19	21 86		196 66	37 00					18 82	7 20
	4 Wire Unbundled Digital 19.2 Kbps	2	2	UDL	UDL19	28 36		196 66	18 82					18 82	7 20
	4 Wire Unbundled Digital 19.2 Kbps	3	3	UDL	UDL19	38 22		196 66	18 82					18 82	7 20

UNBUNDLED NETWORK ELEMENTS - Georgia																
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Exhibit A
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS Rates (\$)	SOMAN	SOMAN	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	21 86	196 66	37 00	18 82	7 20						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	28 36	196 66	37 00	18 82	7 20						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	38 22	196 66	37 00	18 82	7 20						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57 79									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	21 86	196 66	37 00	18 82	7 20						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	28 36	196 66	37 00	18 82	7 20						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38 22	196 66	37 00	18 82	7 20						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57 79									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101 95	49 66								
	2-WIRE UNBUNDLED COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	I	1	UCL	UCLPB	12 02	44 69	31 55	0 00	0 00						
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	I	2	UCL	UCLPB	13 88	44 69	31 55	0 00	0 00						
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	I	3	UCL	UCLPB	22 07	44 69	31 55	0 00	0 00						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18 92	18 92								
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	I	1	UCL	UCLPW	12 02	44 69	31 55	0 00	0 00						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	I	2	UCL	UCLPW	13 88	44 69	31 55	0 00	0 00						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	I	3	UCL	UCLPW	22 07	44 69	31 55	0 00	0 00						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18 92	18 92								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18 92	18 92								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)	I		UCL	UREWO		44 69	31 55								
	4-WIRE COPPER LOOP															
	4 Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	I	1	UCL	UCL4S	16 65	44 69	31 55	0 00	0 00						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	I	2	UCL	UCL4S	19 22	44 69	31 55	0 00	0 00						
	4 Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	I	3	UCL	UCL4S	30 55	44 69	31 55	0 00	0 00						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18 92	18 92								
	4-Wire Copper Loop Designed without manual service inquiry and facility reservation - Zone 1	I	1	UCL	UCL4W	16 65	44 69	31 55	0 00	0 00						
	4-Wire Copper Loop Designed without manual service inquiry and facility reservation - Zone 2	I	2	UCL	UCL4W	19 22	44 69	31 55	0 00	0 00						
	4 Wire Copper Loop Designed without manual service inquiry and facility reservation - Zone 3	I	3	UCL	UCL4W	30 55	44 69	31 55	0 00	0 00						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18 92	18 92								
	CLEC to CLEC conversion Charge without outside dispatch	I		UCL	UREWO		44 69	31 55								
	LOOP MODIFICATION															
	Unbundled Loop Modification Removal of Load Coils - 2 Wire per less than or equal to 18K ft. per Unbundled Loop	I		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0 00	0 00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft. per Unbundled Loop	I		UHL, UCL, UEA, UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM4L		0 00	0 00								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop				ULMBT		17 91									
SUB-LOOPS																
	Sub-Loop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up			UEANL	USBSA		255 76									

UNBUNDLED NETWORK ELEMENTS - Georgia																
CATEGORY	RATE ELEMENTS	Intern m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A		
						Rec	Nonrecurring		Nonrecurring First			Disconnect Add'l	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
							First	Add'l								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up							7 29								
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSB			175 09								
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set Up			UEANL	USBSC											
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working and Spare Loop Activation			UEANL	USBSD			51 61								
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working and Spare Loop Activation			UEANL	USBRD	3 61		28 46	3 85	2 20	0 01					
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	7 67		31 07	4 79	2 27	0 01					
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	6 52		28 46	3 85	2 20	0 01					
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	10 18		28 46	3 85	2 20	0 01					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	19 51		28 46	3 85	2 20	0 01					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	5 93		31 07	4 79	2 27	0 01					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	9 71		31 07	4 79	2 27	0 01					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	18 85		31 07	4 79	2 27	0 01					
	Sub-Loop 2-Wire Intra-Building Network Cable (INC)			UEANL	USBR2	3 61		18 92	18 92							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC			28 46	3 85	2 20	0 01					
	Sub-Loop 4-Wire Intra-Building Network Cable (INC)			UEANL	USBR4	7 67		18 92	18 92	2 27	0 01					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC			18 92	18 92							
	Loop Testing - Basic 1st Half Hour			UEANL	URET1			25 12	25 12							
	Loop Testing - Basic Additional Half Hour			UEANL	URETA			13 62	13 62							
	2 Wire Copper Unbundled Sub Loop Distribution - Zone 1		1	UEF	UCS2X	5 94		28 46	3 85	2 20	0 01					
	2 Wire Copper Unbundled Sub Loop Distribution - Zone 2		2	UEF	UCS2X	7 51		28 46	3 85	2 20	0 01					
	2 Wire Copper Unbundled Sub Loop Distribution - Zone 3		3	UEF	UCS2X	9 22		28 46	3 85	2 20	0 01					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC			18 92	18 92							
	4 Wire Copper Unbundled Sub Loop Distribution - Zone 1		1	UEF	UCS4X	6 37		31 07	4 79	2 27	0 01					
	4 Wire Copper Unbundled Sub Loop Distribution - Zone 2		2	UEF	UCS4X	6 32		31 07	4 79	2 27	0 01					
	4 Wire Copper Unbundled Sub Loop Distribution - Zone 3		3	UEF	UCS4X	9 10		31 07	4 79	2 27	0 01					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC			18 92	18 92							
	Loop Testing - Basic 1st Half Hour			UEF	URET1			18 92	18 92							
	Loop Testing - Basic Additional Half Hour			UEF	URETA			25 12	25 12							
	Unbundled Network Terminating Wire (UNTW)			UENTW	UENPP	0 533		13 62	13 62							
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP			25 12	12 28							
	Network Interface Device (NID)			UENTW	UND12											
	Network Interface Device (NID) 1-2 lines			UENTW	UND12			32 86	20 69							
	Network Interface Device (NID) 1-6 lines			UENTW	UND16			56 03	43 86							
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2			2 45	2 45							
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4			2 45	2 45							
	UNE OTHER, PROVISIONING ONLY - NO RATE			UENTW	UNDBX	0 00		0 00								
	NID - Dispatch and Service Order for NID Installation			UENTW	UNDBX	0 00		0 00								
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0 00		0 00								
	Unbundled Contract Name, Provisioning Only - No Rate			UENTW	UNEON	0 00		0 00								
	UNE OTHER, PROVISIONING ONLY - NO RATE			UENTW	UNEON	0 00		0 00								

UNBUNDLED NETWORK ELEMENTS - Georgia																	
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2			Exhibit A		
						Rec	Nonrecurring		Nonrecurring Disconnect Add'l			Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l		
							First	Add'l								SOME	SOMAN
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UCL, UDN,UEA,UHL,UIC	UNEON	0.00	0.00										
	Unbundled Sub-Loop Feeder 2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFO	0.00	0.00										
	Unbundled Sub-Loop Feeder 4 Wire Cross Box Jumper - no rate			UEA,UCL,UCL,UDL	USBER	0.00	0.00										
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00										
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00										
	HIGH CAPACITY UNBUNDLED LOCAL LOOP																
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	IL5ND	10.97											
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	253.38	1,753.23	131.90	112.91	75.88							
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	IL5ND	10.97											
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	305.42	1,753.23	131.90	112.91	75.88							
	LOOP MAKE-UP																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)			UMK	UMKLW		15.19	15.19									
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)			UMK	UMKLP		19.85	19.85									
	Loop Makeup-With or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.82	0.82									
	LINE SHARING AND LINE SPLITTING																
	NOTE 1 The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows																
	NOTE 1 10/02/2003 - 10/01/2004 25% of the rate for an unbundled copper loop non-designed ("UCLND")																
	NOTE 1 10/02/2004 - 10/01/2005 50% of the rate for UCLND																
	NOTE 1 10/02/2005 - 10/01/2006 75% of the rate for UCLND																
	NOTE 1 Above will apply to USOCs ULSDT and ULSDT																
	NOTE 2 The Line Sharing monthly recurring rates with USOCs ULSDC and ULSDC applies only to circuits installed and in service on or before October 1, 2003																
	LINE SHARING																
	SPLITTERS-CENTRAL OFFICE BASED																
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	131.00	0.00	0.00	0.00	0.00							
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	32.00	0.00	0.00	0.00	0.00							
	Line Sharing Splitter, per System 8 Line Capacity			ULS	ULSDB	11.00	0.00	0.00	0.00	0.00							
	Line Sharing-DLEC Owned Splitter in CO CFA activation- deactivation (per LSOD)			ULS	ULSDG		66.34	0.00	51.20	0.00							
	END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING																
	Line Sharing - per Line Activation (BST Owned Splitter)			ULS	ULSDC	0.61	10.51	7.70	7.00	4.20							
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003)			ULS	ULSDT	2.76	10.51	7.70	7.00	4.20							
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004)			ULS	ULSDT	5.51	10.51	7.70	7.00	4.20							
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005)			ULS	ULSDT	8.27	10.51	7.70	7.00	4.20							
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		36.23	13.23	16.94	1.69							
	Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSDS		36.23	13.23	16.94	1.69							
	Line Sharing - per Line Activation (DLEC owned Splitter) - OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	17.82	9.36	8.53	4.30							

UNBUNDLED NETWORK ELEMENTS - Georgia																	
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2			Exhibit A		
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect Add'l			SOME C	SOMAN	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	SOMAN
	Line Share Service, TRO per line activation, GLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003)			ULS	ULSCT	2 76	17 82	9 36	8 53	4 30							
	Line Share Service, TRO per line activation, GLEC owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004)			ULS	ULSCT	5 51	17 82	9 36	8 53	4 30							
	Line Share Service, TRO per line activation, GLEC owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005)			ULS	ULSCT	8 27	17 82	9 36	8 53	4 30							
	LINE SPLITTING																
	END USER ORDERING-CENTRAL OFFICE BASED																
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0 61											
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0 6297	20 10	12 40	7 68	4 30							
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0 6288	20 10	12 40	7 68	4 30							
	MAINTENANCE																
	No Trouble Found - per 1/2 hour increments - Basic						80 00	55 00									
	No Trouble Found - per 1/2 hour increments - Overtime						120 00	82 50									
	No Trouble Found - per 1/2 hour increments - Premium						160 00	110 00									
	UNBUNDLED DEDICATED TRANSPORT																
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT																
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Per Mile per month			UITVX	1L5XX	0 0057											
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination			UITVX	UITV2	12 87	48 46	19 48	16 58	5 00							
	Rev Bat - Per Mile per month			UITVX	1L5XX	0 0057											
	Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat - Facility Termination			UITVX	UITR2	12 87	48 46	19 48	16 58	5 00							
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade Per Mile per month			UITVX	1L5XX	0 0057											
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination			UITVX	UITV4	10 78	48 46	19 48	16 58	5 00							
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			UITDX	1L5XX	0 0057											
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			UITDX	UITD5	7 83	48 46	19 48	16 58	5 00							
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			UITDX	1L5XX	0 0057											
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			UITDX	UITD6	7 83	48 46	19 48	16 58	5 00							
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			UITD1	1L5XX	0 1154											
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination			UITD1	UITF1	34 19	111 03	80 28	31 36	21 73							
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			UITD3	1L5XX	2 53											
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			UITD3	UITF3	342 02	320 47	86 32	66 77	52 81							
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			UITS1	1L5XX	2 53											
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			UITS1	UITFS	358 67	320 47	86 32	66 77	52 81							
DARK FIBER																	
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	23 29											
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		1,776 53	89 75	73 64	18 70							
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF, UDFCX	1L5DL	46 84											
	NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		1,745 99	87 54	73 64	18 70							

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring First	Disconnect Add'l	SOMECE	SOMAN	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VEILS	0.0188	0.00	0.00	0.00	0.00			
PHYSICAL COLLOCATION													
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PETLS	0.0197	0.00	0.00					
AIN SELECTIVE CARRIER ROUTING													
	Regional Service Establishment			SRC	SRGEC		101.311 67	101.311 67	7.833 25	7.833 25			
	End Office Establishment			SRC	SRGEO		158.92	158.92	1.64	1.64			
	Line/Port NRC; per end user			SRC	SRCLP		2.06	2.06					
	Query NRC; per query			SRC		0.0020688							
AIN - BELL SOUTH AIN SMS ACCESS SERVICE													
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			AIN	CAMSE		41.41	41.41	41.63	41.63			
	AIN SMS Access Service - Port Connection Dial/Shared Access			AIN	CAMDP		8.15	8.15	9.16	9.16			
	AIN SMS Access Service - Port Connection ISDN Access			AIN	CAMIP		8.15	8.15	9.16	9.16			
	AIN SMS Access Service - User Identification Codes - Per User ID Code			AIN	CAMAU		35.29	35.29	26.50	26.50			
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			AIN	CAMRC		40.24	40.24	11.72	11.72			
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0038							
	AIN SMS Access Service - Session, Per Minute					1.81							
	AIN SMS Access Service - Company Performed Session, Per Minute					0.8323							
AIN - BELL SOUTH AIN TOOLKIT SERVICE													
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		41.41	41.41	41.63	41.63			
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		4.236 62	4.236 62					
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term Attempt				BAPTT		8.15	8.15	9.16	9.16			
	AIN Toolkit Service - Trigger Access Charge Per Trigger, Per DN, Off Hook Delay				BAPTD		8.15	8.15	9.16	9.16			
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off Hook Immediate				BAPTM		8.15	8.15	9.16	9.16			
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PDDP				BAPTO		33.98	33.98	14.09	14.09			
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN CDP				BAPTC		33.98	33.98	14.09	14.09			
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF	0.0271438	33.98	33.98	14.09	14.09			
	AIN Toolkit Service - Query Charge, Per Query					0.0059195							
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription Per Node, Per Query					0.04							
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes												
	AIN Toolkit Service - Monthly report Per AIN Toolkit Service Subscription			CAM	BAPMS	14.78	8.15	8.15	5.71	5.71			
	AIN Toolkit Service - Special Study Per AIN Toolkit Service Subscription			CAM	BAPLS	6.46	8.98	8.98					
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS	8.54	8.15	8.15	5.71	5.71			
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription			CAM	BAPEs	0.22	8.98	8.98					
ENHANCED EXTENDED LINK (EELs)													
	NOTE The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements												
	NOTE The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements												
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT													
	First 2 Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.96			
	First 2 Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.96			

UNBUNDLED NETWORK ELEMENTS - Georgia																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A		
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First			SOME C	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st
	First 2 Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33 08	195 94	36 38	18 42	6 86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNCVX	1LSXX	0 1154										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNCVX	U1TF1	34 19	87 76	45 73	43 80	27 97						
	1/0 Channelization System in combination Per Month			UNCVX	MQ1	69 75	86 10									
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0 4689	27 33	2 90	16 86	1 04						
	Each Additional 2-Wire VG Loop (SL 2) In Combination - Zone 1		1	UNCVX	UEAL2	11 57	195 94	36 38	18 42	6 86						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	16 95	195 94	36 38	18 42	6 86						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	33 08	195 94	36 38	18 42	6 86						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0 4689	27 33	2 90	16 86	1 04						
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge			UNCVX	UNCCC		5 70	5 70	6 61	6 61						
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT															
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	17 80	195 94	36 38	18 42	6 86						
	First 4 Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	21 68	195 94	36 38	18 42	6 86						
	First 4 Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	30 25	195 94	36 38	18 42	6 86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNCVX	1LSXX	0 1154										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNCVX	U1TF1	34 19	87 76	45 73	43 80	27 97						
	1/0 Channel System in combination - per month			UNCVX	MQ1	69 75	86 10									
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0 4689	27 33	2 90	16 86	1 04						
	Additional 4 Wire Analog Voice Grade Loop in same DS1		1	UNCVX	UEAL4	17 80	195 94	36 38	18 42	6 86						
	Interoffice Transport Combination - Zone 1			UNCVX	UEAL4	21 68	195 94	36 38	18 42	6 86						
	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	UEAL4											
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	30 25	195 94	36 38	18 42	6 86						
	Interoffice Transport COCI in combination - per month			UNCVX	1D1VG	0 4689	27 33	2 90	16 86	1 04						
	Additional Voice Grade COCI in combination - per month			UNCVX	UNCCC		5 70	5 70	6 61	6 61						
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge			UNCVX	UNCCC											
	EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT															
	First 4 Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	21 86	195 94	36 38	18 42	6 86						
	First 4 Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	28 36	195 94	36 38	18 42	6 86						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	38 22	195 94	36 38	18 42	6 86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNCDX	1LSXX	0 1154										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNCDX	U1TF1	34 19	87 76	45 73	43 80	27 97						
	1/0 Channel System in combination Per Month			UNCDX	MQ1	69 75	86 10									
	OCU DP COCI (data) per month (2 4-64Kbps)			UNCDX	1D1DD	0 9963	27 33	2 90	16 86	1 04						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			UNCDX	UDL56											
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	21 86	195 94	36 38	18 42	6 86						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			UNCDX	UDL56											
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	28 36	195 94	36 38	18 42	6 86						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			UNCDX	UDL56											
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38 22	195 94	36 38	18 42	6 86						
	Additional OCU-DP COCI (data) - in combination per month (2 4-64Kbps)			UNCDX	1D1DD	0 9963	27 33	2 90	16 86	1 04						

UNBUNDLED NETWORK ELEMENTS - Georgia													
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Nonrecurring First	Nonrecurring Add'l	Nonrecurring First	Nonrecurring Add'l
						Rec							
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge			UNC1X	UNCCC		5 70	5 70	6 61				
	EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT												
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1		UNC1X	UDL64	21 86	195 94	36 38	18 42	6 61			
	First 4 Wire 64Kbps Digital Grade Loop in Combination - Zone 2	2		UNC1X	UDL64	28 36	195 94	36 38	18 42	6 61			
	First 4 Wire 64Kbps Digital Grade Loop in Combination - Zone 3	3		UNC1X	UDL64	38 22	195 94	36 38	18 42	6 61			
	Interface Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1LSXX	0 1154							
	Interface Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	UITF1	34 19	87 76	45 73	43 80	27 97			
	1/0 Channel System in combination Per Month			UNC1X	MQ1	69 75	86 10						
	OCU-DP COCI (data) - in combination - per month (2 4-64Kbps)			UNC1X	1D1DD	0 9963	27 33	2 90	16 86	1 04			
	Additional 4 Wire 64Kbps Digital Grade Loop in same DS1												
	Interface Transport Combination - Zone 1	1		UNC1X	UDL64	21 86	195 94	36 38	18 42	6 61			
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1												
	Interface Transport Combination - Zone 2	2		UNC1X	UDL64	28 36	195 94	36 38	18 42	6 61			
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1												
	Interface Transport Combination - Zone 3	3		UNC1X	UDL64	38 22	195 94	36 38	18 42	6 61			
	Additional OCU-DP COCI (data) - in combination - per month (2 4-64Kbps)			UNC1X	1D1DD	0 9963	27 33	2 90	16 86	1 04			
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge			UNC1X	UNCCC		5 70	5 70	6 61				
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT												
	4-Wire DS1 Digital Loop in Combination - Zone 1	1		UNC1X	USLXX	41 02	209 45	70 44	37 91	6 86			
	4-Wire DS1 Digital Loop in Combination - Zone 2	2		UNC1X	USLXX	46 41	209 45	70 44	37 91	6 86			
	4-Wire DS1 Digital Loop in Combination - Zone 3	3		UNC1X	USLXX	62 03	209 45	70 44	37 91	6 86			
	Interface Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1LSXX	0 1154							
	Interface Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	UITF1	34 19	87 76	45 73	43 80	27 97			
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge			UNC1X	UNCCC		5 70	5 70	6 61				
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT												
	First DS1 Loop in Combination - Zone 1	1		UNC1X	USLXX	41 02	209 45	70 44	37 91	6 86			
	First DS1 Loop in Combination - Zone 2	2		UNC1X	USLXX	46 41	209 45	70 44	37 91	6 86			
	First DS1 Loop in Combination - Zone 3	3		UNC1X	USLXX	62 03	209 45	70 44	37 91	6 86			
	Interface Transport - Dedicated - DS3 combination - Per Mile			UNC1X	1LSXX	2 53							
	Interface Transport - Dedicated - DS3 - Facility Termination per month			UNC1X	UITF3	342 02	325 91	77 07	49 56	32 88			
	3/1 Channel System in combination per month			UNC1X	MQ3	121 90							
	DS1 COCI in combination per month			UNC1X	UC1D1	7 35	27 33	2 90	16 86	1 04			
	Additional DS1 Loop in DS3 Interface Transport Combination - Zone 1	1		UNC1X	USLXX	41 02	209 45	70 44	37 91	6 86			
	Additional DS1 Loop in DS3 Interface Transport Combination - Zone 2	2		UNC1X	USLXX	46 41	209 45	70 44	37 91	6 86			
	Additional DS1 Loop in DS3 Interface Transport Combination - Zone 3	3		UNC1X	USLXX	62 03	209 45	70 44	37 91	6 86			
	Additional DS1 COCI in combination per month			UNC1X	UC1D1	7 35	27 33	2 90	16 86	1 04			
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge			UNC1X	UNCCC		5 70	5 70	6 61				
	EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/2 WIRE VOICE GRADE INTEROFFICE TRANSPORT												
	2 Wire/VG Loop in combination - Zone 1	1		UNC1X	UEAL2	11 57	195 94	36 38	18 42	6 86			
	2 Wire/VG Loop in combination - Zone 2	2		UNC1X	UEAL2	16 95	195 94	36 38	18 42	6 86			
	2 Wire/VG Loop in combination - Zone 3	3		UNC1X	UEAL2	33 08	195 94	36 38	18 42	6 86			

UNBUNDLED NETWORK ELEMENTS - Georgia													
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Exhibit A Incremental Charge - Manual Svc Order vs Electronic-1st Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect	SOMEC	OSS Rates (\$)		SOMAN
							First	Add'l	First		SOMAN	SOMAN	SOMAN
	Interface Transport - 2-wire VG - Dedicated - Per Mile Per Month				UNCVX	0.0057							
	Interface Transport - 2-wire VG - Dedicated - Facility Termination per month				UNCVX	12.87	66.53	33.61	43.42	27.60			
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge				UNCVX		5.70	5.70	6.61	6.61			
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT												
	4 WireVG Loop in combination - Zone 1	1	UNCVX	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86			
	4 WireVG Loop in combination - Zone 2	2	UNCVX	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86			
	4 WireVG Loop in combination - Zone 3	3	UNCVX	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86			
	Interface Transport - 4-wire VG - Dedicated - Per Mile Per Month				UNCVX	0.0057							
	Interface Transport - 4-wire VG - Dedicated - Facility Termination per month				UNCVX	10.78	66.53	33.61	43.42	27.60			
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge				UNCVX		5.70	5.70	6.61	6.61			
	EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT												
	DS3 Local Loop in combination - per mile per month				UNC3X	10.97							
	DS3 Local Loop in combination - Facility Termination per month				UNC3X	253.38	1,260.47	628.84	41.53	20.76			
	Interface Transport - Dedicated - DS3 - Per Mile per month				UNC3X	2.53							
	Interface Transport - Dedicated - DS3 combination - Facility Termination per month				UNC3X	342.02	325.91	77.07	49.56	32.88			
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge				UNC3X		5.70	5.70	6.61	6.61			
	EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT												
	STS 1 Local Loop in combination - per mile per month				UNC3X	10.97							
	STS 1 Local Loop in combination - Facility Termination per month				UNC3X	305.42	1,260.47	628.84	41.53	20.76			
	Interface Transport - Dedicated - STS-1 combination - per mile per month				UNC3X	2.53							
	Interface Transport - Dedicated - STS-1 combination - Facility Termination per month				UNC3X	358.67	325.91	77.07	49.56	32.88			
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge				UNC3X		5.70	5.70	6.61	6.61			
	EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT												
	First 2-Wire ISDN Loop in Combination - Zone 1	1	UNCNX	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86			
	First 2-Wire ISDN Loop in Combination - Zone 2	2	UNCNX	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86			
	First 2-Wire ISDN Loop in Combination - Zone 3	3	UNCNX	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86			
	Interface Transport - Dedicated - DS1 combination - per mile per month				UNC1X	0.1154							
	Interface Transport - Dedicated - DS1 combination - Facility Termination per month				UNC1X	34.19	87.76	45.73	43.80	27.97			
	10 Channel System in combination - per month				UNC1X	69.75	86.10						
	2-wire ISDN COCI (BRITE) - in combination - per month				UNCNX	1.66	27.33	2.90	16.86	1.04			
	Additional 2-wire ISDN Loop in same DS1 Interface Transport Combination - Zone 1	1	UNCNX	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86			
	Additional 2-wire ISDN Loop in same DS1 Interface Transport Combination - Zone 2	2	UNCNX	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86			
	Additional 2-wire ISDN Loop in same DS1 Interface Transport Combination - Zone 3	3	UNCNX	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86			
	Additional 2-wire ISDN COCI (BRITE) - in combination- per month				UNCNX	1.66	27.33	2.90	16.86	1.04			
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge				UNC1X		5.70	5.70	6.61	6.61			
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT												
	First DS1 Loop Combination - Zone 1	1	UNC1X	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86			
	First DS1 Loop Combination - Zone 2	2	UNC1X	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86			
	First DS1 Loop Combination - Zone 3	3	UNC1X	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86			

UNBUNDLED NETWORK ELEMENTS - Georgia																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A		
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEc	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- 1st
	Interface Transport - Dedicated - STS 1 combination - Per Mile Per Month					2 53										
	Interface Transport - Dedicated - STS 1 combination - Facility Termination per month		UNCSX		1LSXX											
	3/1 Channel System in combination per month		UNCSX		U1TF5	358 67	325 91	77 07	49 56	32 88						
	DS1 COCI in combination per month		UNCSX		MD3	121 90										
	Additional DS1 Loop in the same STS 1 Interface Transport Combination - Zone 1		UNCSX		UC1D1	7 35	27 33	2 90	16 86	1 04						
	Additional DS1 Loop in the same STS 1 Interface Transport Combination - Zone 2	1	UNCSX		USLXX	41 02	209 45	70 44	37 91	6 86						
	Additional DS1 Loop in the same STS-1 Interface Transport Combination - Zone 3	2	UNCSX		USLXX	46 41	209 45	70 44	37 91	6 86						
	DS1 COCI in combination per month		UNCSX		USLXX	62 03	209 45	70 44	37 91	6 86						
	Nonrecurring Currently Combined Network Elements Switch As-Is Charge		UNCSX		UC1D1	7 35	27 33	2 90	16 86	1 04						
	EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERFACE TRANSPORT						5 70		6 61							
	4 wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX		21 86	195 94	36 38	18 42	6 86						
	4 wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX		28 36	195 94	36 38	18 42	6 86						
	4 wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX		38 22	195 94	36 38	18 42	6 86						
	Interface Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month		UNCDX		1LSXX	0 0057										
	Interface Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month		UNCDX		U1TD5	7 83	66 53	33 61	43 42	27 60						
	Nonrecurring Currently Combined Network Elements Switch As-Is Charge		UNCDX		UNCCC		5 70		6 61							
	EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERFACE TRANSPORT															
	4 wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX		21 86	195 94	36 38	18 42	6 86						
	4 wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX		28 36	195 94	36 38	18 42	6 86						
	4 wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX		38 22	195 94	36 38	18 42	6 86						
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month		UNCDX		1LSXX	0 0057										
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month		UNCDX		U1TD6	7 83	66 53	33 61	43 42	27 60						
	Nonrecurring Currently Combined Network Elements Switch As-Is Charge		UNCDX		UNCCC		5 70		6 61							
	EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTERFACE TRANSPORT w/ 3/1 MUX															
	First 2 wire VG Loop (SL2) in combination - Zone 1		1	UNCVX		11 57	195 94	36 38	18 42	6 86						
	First 2 wire VG Loop (SL2) in combination - Zone 2		2	UNCVX		16 95	195 94	36 38	18 42	6 86						
	First 2 wire VG Loop (SL2) in combination - Zone 3		3	UNCVX		33 08	195 94	36 38	18 42	6 86						
	First Interface Transport - Dedicated - DS1 combination - Per Mile		UNCSX		1LSXX	0 1154										
	First Interface Transport - Dedicated - DS1 combination - Facility Termination per month		UNCSX		U1TF1	34 19	87 76	45 73	43 80	27 97						
	Per each DS1 Channelization System Per Month		UNCSX		MD1	69 75	86 10									
	Per each Voice Grade COCI - Per Month per month		UNCVX		1D1VG	0 4689	27 33	2 90	16 86	1 04						
	3/1 Channel System in combination per month		UNCVX		MD3	121 90										
	Per each DS1 COCI in combination per month		UNCSX		UC1D1	7 35	27 33	2 90	16 86	1 04						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interface Transport Combination - Zone 1		1	UNCVX		11 57	195 94	36 38	18 42	6 86						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interface Transport Combination - Zone 2		2	UNCVX		16 95	195 94	36 38	18 42	6 86						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interface Transport Combination - Zone 3		3	UNCVX		33 08	195 94	36 38	18 42	6 86						
	Each Additional Voice Grade COCI in combination - per month		UNCVX		1D1VG	0 4689	27 33	2 90	16 86	1 04						
	Each Additional DS1 Interface Channel per mile in same 3/1 Channel System per month		UNCSX		1LSXX	0 1154										
	Each Additional DS1 Interface Channel Facility Termination in same 3/1 Channel System per month		UNCSX		U1TF1	34 19	87 76	45 73	43 80	27 97						
	Each Additional DS1 COCI combination per month		UNCSX		UC1D1	7 35	27 33	2 90	16 86	1 04						

UNBUNDLED NETWORK ELEMENTS - Georgia														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Attachment 2	Exhibit A	
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOME C	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge						5.70	5.70	6.61	6.61		SOMAN	SOMAN	SOMAN
	EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX			UNC1X	UNCCC									
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86				
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86				
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86				
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1154								
	First Interoffice Transport - Dedicated - DS1 Facility Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				
	Per each 1/0 Channel System in combination Per Month			UNC1X	MO1	69.75	86.10							
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04				
	3/1 Channel System in combination per month			UNC3X	MO3	121.90								
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86				
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1154								
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04				
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61				
	EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT w/ 3/1 MUX													
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86				
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86				
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86				
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1154								
	First Interoffice Transport - Dedicated - DS1 combination Facility Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				
	Per each 1/0 Channel System in combination Per Month			UNC1X	MO1	69.75	86.10							
	Per each OCU DP COCI (data) COCI per month (2 4 64kbs)			UNC3X	1D1DD	0.9663	27.33	2.90	16.86	1.04				
	3/1 Channel System in combination per month			UNC3X	MO3	121.90								
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04				
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86				
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86				
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86				
	OCU-DP COCI (data) COCI in combination per month (2 4-64kbs)			UNCDX	1D1DD	0.9663	27.33	2.90	16.86	1.04				
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1154								
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04				

UNBUNDLED NETWORK ELEMENTS - Georgia													
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2	Exhibit A
						Rec	Nonrecurring Add'l	Nonrecurring First	Disconnect Add'l	SOME C	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNC1X	UNCCC		5.70	5.70	6.61				
	EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX												
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1		UNC1X	UDL64	21.86	195.94	18.42	6.86				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2		UNC1X	UDL64	28.36	195.94	18.42	6.86				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3		UNC1X	UDL64	38.22	195.94	18.42	6.86				
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1154							
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	34.19	87.76	43.80	27.97				
	Per each Channel System 1/0 in combination Per Month			UNC1X	MO1	69.75	86.10						
	Per each OCUP COCI (data) in combination - per month (2 4-64Kbps)			UNC1X	UDL64	0.9963	27.33	2.90	1.04				
	3/1 Channel System in combination per month			UNC1X	UC1D1	121.90	27.33	2.90	1.04				
	Per each DS1 COCI in combination per month			UNC1X	UDL64	7.35	27.33	2.90	1.04				
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1		UNC1X	UDL64	21.86	195.94	18.42	6.86				
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2		UNC1X	UDL64	28.36	195.94	18.42	6.86				
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3		UNC1X	UDL64	38.22	195.94	18.42	6.86				
	Additional OCUP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64Kbps)			UNC1X	UDL64	0.9963	27.33	2.90	1.04				
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1154							
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	43.80	27.97				
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	7.35	27.33	2.90	1.04				
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNC1X	UNCCC		5.70	5.70	6.61				
	EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX												
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1	1		UNC1X	U1L2X	19.82	195.94	18.42	6.86				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2	2		UNC1X	U1L2X	26.26	195.94	18.42	6.86				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3	3		UNC1X	U1L2X	42.17	195.94	18.42	6.86				
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1154							
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	34.19	87.76	43.80	27.97				
	Per each Channel System 1/0 in combination - per month			UNC1X	MO1	69.75	86.10						
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNC1X	UC1CA	1.66	27.33	2.90	1.04				
	3/1 Channel System in combination per month			UNC1X	UC1D1	121.90	27.33	2.90	1.04				
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	1.04				
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 1	1		UNC1X	U1L2X	19.82	195.94	18.42	6.86				
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 2	2		UNC1X	U1L2X	26.26	195.94	18.42	6.86				
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 3	3		UNC1X	U1L2X	42.17	195.94	18.42	6.86				
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel system combination- per month			UNC1X	UC1CA	1.66	27.33	2.90	1.04				

UNBUNDLED NETWORK ELEMENTS - Georgia														
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Exhibit A
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	SOME C	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interface Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1154								
	Each Additional DS1 Interface Channel Facility Termination in same 3/1 Channel System per month			UNC1X	UITF1	34.19	87.76	45.73	43.80	27.97				
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61				
	EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX													
	First 4-wire DS1 Digital Local Loop in Combination - Zone 1	1	UNC1X	UNCCC	USLXX	41.02	209.45	70.44	37.91	6.86				
	First 4-wire DS1 Digital Local Loop in Combination - Zone 2	2	UNC1X	UNCCC	USLXX	46.41	209.45	70.44	37.91	6.86				
	First 4-wire DS1 Digital Local Loop in Combination - Zone 3	3	UNC1X	UNCCC	USLXX	62.03	209.45	70.44	37.91	6.86				
	First Interface Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1154								
	First Interface Transport - Dedicated - DS1 combination Facility Termination Per Month			UNC1X	UITF1	34.19	87.76	45.73	43.80	27.97				
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90								
	Per each DS1 COCI combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04				
	Each Additional DS1 Interface Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1154								
	Each Additional DS1 Interface Channel Facility Termination in same 3/1 Channel System per month			UNC1X	UITF1	34.19	87.76	45.73	43.80	27.97				
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04				
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 1	1	UNC1X	UNCCC	USLXX	41.02	209.45	70.44	37.91	6.86				
	Additional 4 Wire DS1 Digital Local Loop in Combination - Zone 2	2	UNC1X	UNCCC	USLXX	46.41	209.45	70.44	37.91	6.86				
	Additional 4 Wire DS1 Digital Local Loop in Combination - Zone 3	3	UNC1X	UNCCC	USLXX	62.03	209.45	70.44	37.91	6.86				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61				
	EXTENDED 4-WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT													
	First 4-wire 56 kbps Local Loop in combination - Zone 1	1	UNCDCX	UDL56	UDL56	21.86	195.94	36.38	18.42	6.86				
	First 4-wire 56 kbps Local Loop in combination - Zone 2	2	UNCDCX	UDL56	UDL56	28.36	195.94	36.38	18.42	6.86				
	First 4-wire 56 kbps Local Loop in combination - Zone 3	3	UNCDCX	UDL56	UDL56	38.22	195.94	36.38	18.42	6.86				
	First 4-wire 56 kbps Interface Transport - Dedicated - Per Mile per month			UNCDCX	1L5XX	0.0057								
	First 4-wire 56 kbps Interface Transport - Dedicated - Facility Termination per month			UNCDCX	UITD5	7.83	66.53	33.61	43.42	27.60				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDCX	UNCCC		5.70	5.70	6.61	6.61				
	EXTENDED 4-WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT													
	First 4-wire 64 kbps Local Loop in combination - Zone 1	1	UNCDCX	UDL64	UDL64	21.86	195.94	36.38	18.42	6.86				
	First 4-wire 64 kbps Local Loop in combination - Zone 2	2	UNCDCX	UDL64	UDL64	28.36	195.94	36.38	18.42	6.86				
	First 4-wire 64 kbps Local Loop in combination - Zone 3	3	UNCDCX	UDL64	UDL64	38.22	195.94	36.38	18.42	6.86				
	First 4-wire 65 kbps Interface Transport - Dedicated - Per Mile per month			UNCDCX	1L5XX	0.0057								
	First 4-wire 64 kbps Interface Transport - Dedicated - Facility Termination per month			UNCDCX	UITD6	7.83	66.53	33.61	43.42	27.60				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDCX	UNCCC		5.70	5.70	6.61	6.61				
	ADDITIONAL NETWORK ELEMENTS													
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply													
	When used as a part of a currently combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not													
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)													
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4 Wire VG			UNCVCX	UNCCC		5.70	5.70	6.61	6.61				

UNBUNDLED NETWORK ELEMENTS - Georgia														
CATEGORY	RATE ELEMENTS	Intern m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Incremental Charge - Manual Svc Order vs Electronic- 1st Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Exhibit A Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Nonrecurring Add'l	First	Nonrecurring Disconnect Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps			UNCDX	UNCCC		5.70	5.70	6.61					
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1			UNC1X	UNCCC		5.70	5.70	6.61					
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3			UNC3X	UNCCC		5.70	5.70	6.61					
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - STS1			UNCSX	UNCCC		5.70	5.70	6.61					
	Optional Features & Functions													
	Clear Channel Capability Extended Frame Option - per DS1	I		U1TD1, ULDD1,UNC1X	CCOEF	01	01	01	01					
	Clear Channel Capability Super FrameOption -per DS1	I		U1TD1, ULDD1,UNC1X	CCOSF	01	01	01	01					
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity -per DS1	I		ULDD1, U1TD1, UNC1X, USL	NFCCC	184.62S	23.78S	2.03S	0.79S					
	C bit Parity Option - Subsequent Activity - per DS3	I		U1TD3, ULDD3, UE3, UNC3X	NFCC3	218.74S	7.66S	0.7591S	0S					
	MULTIPLERS													
	DS1 to DS0 Channel System per month			UNC1X	MQ1	69.75	86.10							
	OCU DP COCI (data) - DS1 to DS0 Channel System - per month (2.4 64kbs) used for a Local Loop			UDL	D1DD	0.9963	11.98	6.61	6.61					
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4 64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	D1DD	0.9963	11.98	6.61	6.61					
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systemsem - per month for a Local Loop			UDN	UC1CA	1.66	15.81	11.39	6.61	6.61				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systemsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	1.66	15.81	11.39	6.61	6.61				
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	D1VG	0.4689	11.98	6.61	6.61	6.61				
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	D1VG	0.4689	11.98	6.61	6.61	6.61				
	DS3 to DS1 Channel System per month			UNC3X	MG3	121.90								
	STS-1 to DS1 Channel System per month			UNC3X	MG3	121.90								
	DS1 COCI used with Loop per month			USL	UC1DI	7.35	15.81	11.39	6.61	6.61				
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1DI	7.35	15.81	11.39	6.61	6.61				
	DS1 COCI used with Interface Channel per month			U1TD1	UC1DI	7.35	15.81	11.39	6.61	6.61				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1DI	7.35	15.81	11.39	6.61	6.61				
	UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)													
	Exchange Ports													
	NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs													
	2-WIRE VOICE GRADE LINE PORT RATES (RES)													
	Exchange Ports - 2-Wire Analog Line Port- Res			UEPSR	UEPRL	1.09	2.42	2.31	1.37	1.28				
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	1.09	2.42	2.31	1.37	1.28				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res			UEPSR	UEPRO	1.09	2.42	2.31	1.37	1.28				
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.09	2.42	2.31	1.37	1.28				
	Exchange Ports - 2-Wire Voice Georgia basic dialing port without Caller ID			UEPSR	UEPWC	1.09	2.42	2.31	1.37	1.28				
	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res			UEPSR	UEPWQ	1.09	2.42	2.31	1.37	1.28				
	2-Wire voice unbundled Georgia basic dialing port - outgoing only			UEPSR	UEPWR	1.09	2.42	2.31	1.37	1.28				

UNBUNDLED NETWORK ELEMENTS - Georgia													
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Incremental Charge - Manual Svc Order vs Electronic-1st	Exhibit A Incremental Charge - Manual Svc Order vs Electronic-1st
						Rec	Nonrecurring First	Nonrecurring Add'l	Disconnect Add'l	SOME C	SOME M	SOME S	SOME A
	2 Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPSR	UEPRT	1.09	2.42	2.31	1.37	1.28			
	2 Wire Voice Grade Unbundled Port without Caller ID capability, Georgia			UEPSR	UEPRV	1.09	2.42	2.31	1.37	1.28			
	2 Wire Voice Grade Unbundled Port with Caller ID capability, Georgia			UEPSR	UEPRU	1.09	2.42	2.31	1.37	1.28			
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00					
FEATURES	All Available Vertical Features			UEPSR	UEPVF	0.775	0.00	0.00					
2-WIRE VOICE GRADE LINE PORT RATES (BUS)	Exchange Ports 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1.09	2.42	2.31	1.37	1.28			
	Exchange Ports 2 Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus			UEPSB	UEPBC	1.09	2.42	2.31	1.37	1.28			
	Exchange Ports 2 Wire Voice Georgia Business Basic Dialing Port, with Caller ID capability			UEPSB	UEPWP	1.09	2.42	2.31	1.37	1.28			
	Exchange Ports 2 Wire Analog Line Port outgoing only - Bus			UEPSB	UEPBO	1.09	2.42	2.31	1.37	1.28			
	Exchange Ports - 2 Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.09	2.42	2.31	1.37	1.28			
	Exchange Ports - 2 Wire Voice Georgia Business Dialing Plan without Caller ID			UEPSB	UEPWD	1.09	2.42	2.31	1.37	1.28			
	2 Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPSB	UEPBE	1.09	2.42	2.31	1.37	1.28			
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00					
FEATURES	All Available Vertical Features			UEPSB	UEPVF	0.775	0.00	0.00					
EXCHANGE PORT RATES (IDD & PBX)	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.09	28.88	13.63	11.48	0.83			
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.09	28.88	13.63	11.48	0.83			
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.09	28.88	13.63	11.48	0.83			
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPPI	1.09	28.88	13.63	11.48	0.83			
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83			
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83			
	2-Wire Voice Unbundled 2 Way PBX Usage Port			UEPSP	UEPXA	1.09	28.88	13.63	11.48	0.83			
	2-Wire Voice Unbundled PBX Toll Terminal Ports			UEPSP	UEPXB	1.09	28.88	13.63	11.48	0.83			
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.09	28.88	13.63	11.48	0.83			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.09	28.88	13.63	11.48	0.83			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.09	28.88	13.63	11.48	0.83			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.09	28.88	13.63	11.48	0.83			
	Room Calling Port			UEPSP	UEPXM	1.09	28.88	13.63	11.48	0.83			
	2 Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.09	28.88	13.63	11.48	0.83			
	2 Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.09	28.88	13.63	11.48	0.83			
	2-Wire voice unbundled Georgia basic dialing port 1-Way			UEPSP	UEPWS	1.09	28.88	13.63	11.48	0.83			
	2-Wire voice unbundled Georgia basic dialing port 2-Way			UEPSP	UEPWT	1.09	28.88	13.63	11.48	0.83			
	2 Wire voice unbundled Georgia basic dialing port - 2-way PBX Trunk			UEPSP	UEPPQ	1.09	28.88	13.63	11.48	0.83			
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00					
FEATURES	All Available Vertical Features			UEPSP	UEPVF	0.775	0.00	0.00					
EXCHANGE PORT RATES (COIN)	Exchange Ports Coin Port					1.09	2.42	2.31	1.37	1.28			
NOTE	Transmission/usage charges associated with POTs circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports												

UNBUNDLED NETWORK ELEMENTS - Georgia															Attachment 2			Exhibit A		
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l						
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	SOMAN						
	NOTE Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process					Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process														
	UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																			
	EXCHANGE PORT RATES																			
	The DSI Port rates below for 4-Wire DDTIS Trunk Port and 4-Wire ISDN Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement																			
	Requests for 4-Wire DDTIS Trunk Ports with 4-Wire ISDN DSI Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion																			
	Exchange Ports - 2 Wire DIO Port			UEPEX		5.50	122.26	18.65	54.82	3.45										
	Exchange Ports - DDTIS Port - 4 Wire DSI Port with DID capability (E 4/1/2004)			UEPDD		41.20	200.96	93.00	65.81	2.33										
	Exchange Ports - 2 Wire ISDN Port (See Notes below)			UEPTX, UEPSX	UEPMA	6.09	76.39	51.50	45.67	10.36										
	All Features Offered			UEPTX, UEPSX	UEPVE	0.775	0.00	0.00												
	Exchange Ports - 2 Wire ISDN Port Channel Profiles			UEPTX, UEPSX	UEUMA	0.00	0.00	0.00												
	NOTE Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports																			
	NOTE Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process																			
	EXCHANGE PORT RATES (continued)																			
	Exchange Ports - 4-Wire ISDN DSI Port with Detailed E911			UEPEX		65.13	198.74	97.29	72.95	17.69										
	Locator Capability (E 4/1/2004)			UEPDX		65.13	198.74	97.29	72.95	17.69										
	Exchange Ports - 4-Wire ISDN DSI Port (E 4/1/2004)			UEPEX	PE1P1	0.3726														
	Physical Collocation DS1 Cross-Connects																			
	Virtual collocation Special Access & UNE, cross-connect per DS1			UEPEX	UEPDX	0.3726														
	Detailed E911 with Locator Capability (required with UEPEX port)																			
	Unbundled Exchange Ports, 4-Wire ISDN DSI Port - E911			UEPEX		0.00	1,818.00													
	Locator Capability Initial Profile Establishment per CLEC per State																			
	Unbundled Exchange Ports, 4-Wire ISDN DSI Port - E911			UEPEX		0.00	176.57													
	Locator Capability Subsequent Profile Changes, Additions, Deletions																			
	New or Additional PRI Telephone Numbers																			
	Unbundled Exchange Ports, 4-Wire ISDN DSI Port - E911																			
	Locator Capability 2-way Telephone Numbers, per number in E911 profile (New or Additional)			UEPEX	UEP1C	0.0703	0.50													
	Unbundled Exchange Ports, 4-Wire ISDN DSI Port - E911																			
	Locator Capability Outdial Telephone Numbers, per number in E911 profile (New or Additional)			UEPEX	UEP1D	0.0703	10.72	10.72												
	Unbundled Exchange Ports, 4-Wire ISDN DSI Port - Inward Telephone Numbers - Inward Data Only Option (New or Additional)			UEPDX	UEP1E	0.00	0.50													
	Exchange Ports 4-Wire ISDN DSI Port - Subsequent (New)			UEPEX	PR7ZI	0.00	21.43	21.43												
	Inward Tel Numbers (Customer Testing Purposes)																			
	LOCAL NUMBER PORTABILITY																			
	Local Number Portability (1 per port)			UEPEX	UEPDX	1.75														
	INTERFACE (Provisioning Only)																			
	Voice/Data			UEPEX		0.00	0.00	0.00												
	Digital Data			UEPEX		0.00	0.00	0.00												
	Inward Data			UEPDX		0.00	0.00	0.00												
	New or Additional Channel			UEPEX		0.00	28.71													
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	28.71													
	New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	28.71													
	New or Additional Inward Data "B" Channel			UEPEX	PR7BD	0.00														
	New or Additional Usage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00														
	New or Additional Usage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00														
	New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	28.71													
	CALL TYPES																			
	Inward			UEPEX	UEPDX	0.00	0.00	0.00												
	Outward			UEPEX		0.00	0.00	0.00												
	Two-way			UEPEX		0.00	0.00	0.00												
	UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY																			
	UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE																			
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UEFRAC	1.09	2.42	2.31	1.37	1.28										

UNBUNDLED NETWORK ELEMENTS - Georgia														
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Exhibit A Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMECH	SOMAN	OSS Rates (\$) SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.09	2.42	2.31	1.37	1.28				
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTE	1.09	2.42	2.31	1.37	1.28				
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.09	2.42	2.31	1.37	1.28				
Non-Recurring	Unbundled Remote Call Forwarding Service - Conversion - Switch as-is			UEPVR	USAC2		2.01	0.31						
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		2.01	0.31						
	UNBUNDLED REMOTE CALL FORWARDING - BUS													
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.09	2.42	2.31	1.37	1.28				
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.09	2.42	2.31	1.37	1.28				
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTE	1.09	2.42	2.31	1.37	1.28				
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.09	2.42	2.31	1.37	1.28				
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.09	2.42	2.31	1.37	1.28				
Non-Recurring	Unbundled Remote Call Forwarding Service - Conversion - Switch as-is			UEPVB	USAC2		2.01	0.31						
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		2.01	0.31						
	UNBUNDLED LOCAL SWITCHING, PORT USAGE													
	End Office Switching (Port Usage)					0.0006153								
	End Office Trunk Port - Shared - Per MOU					0.0001226								
Tandem	Tandem Switching (Port Usage) (Local or Access Tandem)													
	Tandem Switching Function Per MOU					0.0000872								
	Tandem Trunk Port - Shared, Per MOU					0.0001557								
	Tandem Switching Function Per MOU (Maided)					0.000017904								
	Tandem Trunk Port - Shared, Per MOU (Maided)					0.00002668								
	Maided Factor - 18.42% of the Tandem Rate													
Common Transport														
	Common Transport - Per Mile, Per MOU					0.0000027								
	Common Transport - Facilities Termination Per MOU					0.0001914								
	UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES													
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.														
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.														
The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.														
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)														
UNE Port/Loop Combination Rates														
	2 Wire VG Loop/Port Combo - Zone 1		1			10.46								
	2 Wire VG Loop/Port Combo - Zone 2		2			15.76								
	2 Wire VG Loop/Port Combo - Zone 3		3			32.56								
UNE Loop Rates														
	12 Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.56								
	12 Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	14.86								
	12 Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	31.66								
2-Wire Voice Grade Line Port Rates (Res)														
	12 Wire voice unbundled port - residence			UEPRX	UEPRL	0.9019	10.05	7.36	1.37	1.28				
	12 Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	0.9019	10.05	7.36	1.37	1.28				
	12 Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	0.9019	10.05	7.36	1.37	1.28				
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	0.9019	10.05	7.36	1.37	1.28				
	2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - res			UEPRX	UEPWC	0.9019	10.05	7.36	1.37	1.28				

UNBUNDLED NETWORK ELEMENTS - Georgia															
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2	Exhibit A	
						Rec	Nonrecurring Add'l	First	Nonrecurring Disconnect Add'l	SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Dec 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
	2 Wire voice unbundled Georgia basic dialing port for use with Caller ID - res			UEPRX	UEPWQ	0.9019	10.05	7.36	1.37	1.28					
	2 Wire voice unbundled Georgia basic dialing port - outgoing only			UEPRX	UEPWR	0.9019	10.05	7.36	1.37	1.28					
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	0.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Unbundled Port without Caller ID, Georgia			UEPRX	UEPRV	0.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Unbundled Port with Caller ID, Georgia			UEPRX	UEPRU	0.9019	10.05	7.36	1.37	1.28					
FEATURES															
	All Features Offered			UEPRX	UEPVF	0.775	0.00	0.00							
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35									
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2 Wire Voice Grade Loop / Line Port Combination - Conversion Switch as-is			UEPRX	USAC2		0.10	0.10							
	2 Wire Voice Grade Loop / Line Port Combination - Conversion Switch with change			UEPRX	USACC		0.10	0.10							
ADDITIONAL NRCs															
	2 Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00							
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83							
OFFICE PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop - Non Design	1		UEPRX	UEAEN	10.51	40.02	9.99	5.61	1.72					
	2 Wire Analog Voice Grade Extension Loop - Non-Design	2		UEPRX	UEAEN	15.85	40.02	9.99	5.61	1.72					
	2 Wire Analog Voice Grade Extension Loop - Non-Design	3		UEPRX	UEAEN	31.97	40.02	9.99	5.61	1.72					
	2 Wire Analog Voice Grade Extension Loop - Design	1		UEPRX	UEAED	11.57	79.85	24.65	18.92	7.87					
	2 Wire Analog Voice Grade Extension Loop - Design	2		UEPRX	UEAED	16.95	79.85	24.65	18.92	7.87					
	2 Wire Analog Voice Grade Extension Loop - Design	3		UEPRX	UEAED	33.08	79.85	24.65	18.92	7.87					
INTEROFFICE TRANSPORT															
	Interoffice Transport - Dedicated 2 Wire Voice Grade - Facility Termination			UEPRX	UITV2	12.87	48.46	19.48	16.58	5.00					
	Interoffice Transport - Dedicated 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	UITVM	0.0057	0.00	0.00							
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE Port/Loop Combination Rates															
	2 Wire VG Loop/Port Combo - Zone 1	1				10.46									
	2 Wire VG Loop/Port Combo - Zone 2	2				15.76									
	2-Wire VG Loop/Port Combo - Zone 3	3				32.56									
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	1		UEPBX	UEPLX	9.56									
	2-Wire Voice Grade Loop (SL1) - Zone 2	2		UEPBX	UEPLX	14.86									
	2-Wire Voice Grade Loop (SL1) - Zone 3	3		UEPBX	UEPLX	31.66									
2-Wire Voice Grade Line Port (Bus)															
	2 Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	0.9019	10.05	7.36	1.37	1.28					
	2 Wire voice unbundled port with Caller ID - bus			UEPBX	UEPBC	0.9019	10.05	7.36	1.37	1.28					
	2 Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	0.9019	10.05	7.36	1.37	1.28					
	2 Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPBI	0.9019	10.05	7.36	1.37	1.28					
	2 Wire voice unbundled Georgia basic dialing port, without Caller ID capability - bus			UEPBX	UEPWD	0.9019	10.05	7.36	1.37	1.28					
	2 Wire voice unbundled Georgia basic dialing port for use with Caller ID - bus			UEPBX	UEPWP	0.9019	10.05	7.36	1.37	1.28					
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	0.9019	10.05	7.36	1.37	1.28					
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35									
FEATURES															
	All Features Offered			UEPBX	UEPVF	0.775	0.00	0.00							
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															

UNBUNDLED NETWORK ELEMENTS - Georgia													
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2	Exhibit A
						Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	SOME C	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
						Rec							
	2 Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as is			UEPBX	USAC2		0.10	0.10				SOMAN	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		0.10	0.10					
	ADDITIONAL NRCS												
	2-Wire Voice Grade Loop/Line Port Combination Subsequent Activity			UEPBX	USAS2		0.00	0.00					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83					
	OFF/ON PREMISES EXTENSION CHANNELS												
	2 Wire Analog Voice Grade Extension Loop - Non-Design	1		UEPBX	UEAEN	10.51	40.02	9.99	5.61	1.72			
	2 Wire Analog Voice Grade Extension Loop - Non-Design	2		UEPBX	UEAEN	15.85	40.02	9.99	5.61	1.72			
	2 Wire Analog Voice Grade Extension Loop - Non-Design	3		UEPBX	UEAEN	31.97	40.02	9.99	5.61	1.72			
	2 Wire Analog Voice Grade Extension Loop - Design	1		UEPBX	UEAED	11.57	79.85	24.65	18.92	7.87			
	2 Wire Analog Voice Grade Extension Loop - Design	2		UEPBX	UEAED	16.95	79.85	24.65	18.92	7.87			
	2 Wire Analog Voice Grade Extension Loop - Design	3		UEPBX	UEAED	33.08	79.85	24.65	18.92	7.87			
	INTEROFFICE TRANSPORT												
	Interoffice Transport - Dedicated - 2 Wire Voice Grade Facility Termination			UEPBX	UITV2	12.87	48.46	19.48	16.58	5.00			
	Interoffice Transport - Dedicated - 2 Wire Voice Grade Per Mile or Fraction Mile			UEPBX	UITVM	0.0057	0.00	0.00					
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)												
	UNE Port/Loop Combination Rates												
	2-Wire VG Loop/Port Combo - Zone 1	1				10.46							
	2-Wire VG Loop/Port Combo - Zone 2	2				15.76							
	2 Wire VG Loop/Port Combo - Zone 3	3				32.56							
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1		UEPRG	UEPLX	9.56							
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2		UEPRG	UEPLX	14.86							
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3		UEPRG	UEPLX	31.66							
	2-Wire Voice Grade Line Port Rates (RES - PBX)												
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port Res			UEPRG	UEPRD	0.9019	10.05	7.36	1.37	1.28			
	LOCAL NUMBER PORTABILITY												
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00					
	FEATURES												
	All Features Offered			UEPRG	UEPVF	0.775	0.00	0.00					
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED												
	2 Wire Voice Grade Loop/ Line Port Combination (PBX)			UEPRG	USAC2		0.10	0.10					
	Conversion - Switch-As-Is												
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		0.10	0.10					
	ADDITIONAL NRCS												
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					
	PBX Subsequent Activity Change/Rearrange Multiline Hunt Group						6.70	6.70					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83					
	OFF/ON PREMISES EXTENSION CHANNELS												
	Local Channel Voice grade, per termination	1		UEPRG	P2JHX	11.57	79.85	24.65	18.92	7.87			
	Local Channel Voice grade, per termination	2		UEPRG	P2JHX	16.95	79.85	24.65	18.92	7.87			
	Local Channel Voice grade, per termination	3		UEPRG	P2JHX	33.08	79.85	24.65	18.92	7.87			
	Non-Wire Direct Serve Channel Voice Grade	1		UEPRG	SDD2X	12.74	56.92	7.70	4.40	0.02			
	Non-Wire Direct Serve Channel Voice Grade	2		UEPRG	SDD2X	19.76	56.92	7.70	4.40	0.02			
	Non-Wire Direct Serve Channel Voice Grade	3		UEPRG	SDD2X	37.18	56.92	7.70	4.40	0.02			
	INTEROFFICE TRANSPORT												
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRG	UITV2	12.87	48.46	19.48	16.58	5.00			

UNBUNDLED NETWORK ELEMENTS - Georgia															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	SOMECS	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st Add'l	Incremental Charge - Manual Svc Order vs Electronic- 1st Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st Add'l
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile														
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			UEPRG	U1TVM	0.0057	0.00	0.00							
	UNE Port/Loop Combination Rates														
	1 2 Wire VG Loop/Port Combo - Zone 1	1				10.46									
	2 2-Wire VG Loop/Port Combo - Zone 2	2				15.76									
	3 2 Wire VG Loop/Port Combo - Zone 3	3				32.56									
	UNE Loop Rates														
	1 2 Wire Voice Grade Loop (SL 1) - Zone 1	1			UEPLX	9.56									
	2 2-Wire Voice Grade Loop (SL 1) - Zone 2	2			UEPLX	14.86									
	3 2-Wire Voice Grade Loop (SL 1) - Zone 3	3			UEPLX	31.66									
	2-Wire Voice Grade Line Port Rates (BUS - PBX)														
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus				UEPPC	0.9019	10.05	7.36	1.37	1.28					
	Line Side Unbundled Outward PBX Trunk Port - Bus				UEPPO	0.9019	10.05	7.36	1.37	1.28					
	Line Side Unbundled Incoming PBX Trunk Port - Bus				UEPPX	0.9019	10.05	7.36	1.37	1.28					
	2 Wire Voice Unbundled PBX LD Terminal Ports				UEPLD	0.9019	10.05	7.36	1.37	1.28					
	2 Wire Voice Unbundled 2-Way Combination PBX Usage Port				UEPPX	0.9019	10.05	7.36	1.37	1.28					
	2 Wire Voice Unbundled PBX Toll Terminal Hotel Ports				UEPXB	0.9019	10.05	7.36	1.37	1.28					
	2 Wire Voice Unbundled PBX LD DDD Terminals Port				UEPPX	0.9019	10.05	7.36	1.37	1.28					
	2 Wire Voice Unbundled PBX LD Terminal Switchboard Port				UEPPX	0.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port				UEPPX	0.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port				UEPPX	0.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Unbundled 2 Way PBX Hotel/Hospital Economy Room Calling Port				UEPPX	0.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Unbundled 1 Way Outgoing PBX Hotel/Hospital Discount Room Calling Port				UEPXX	0.9019	10.05	7.36	1.37	1.28					
	2 Wire Voice Unbundled 1 Way Outgoing PBX Measured Port				UEPXX	0.9019	10.05	7.36	1.37	1.28					
	2 Wire voice unbundled Georgia basic dialing port - 1-Way Outdial Trunk				UEPPX	0.9019	10.05	7.36	1.37	1.28					
	2 Wire voice unbundled Georgia basic dialing port - 2-Way Trunk				UEPPX	0.9019	10.05	7.36	1.37	1.28					
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX Trunk				UEPPX	0.9019	10.05	7.36	1.37	1.28					
	2 Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Ports				UEPPX	0.9019	10.05	7.36	1.37	1.28					
	2-Wire voice unbundled Georgia basic dialing port - PBX Toll Terminal Ports				UEPPT	0.9019	10.05	7.36	1.37	1.28					
	2-Wire voice unbundled Georgia basic dialing port - PBX LD DDD Terminal Port				UEPPX	0.9019	10.05	7.36	1.37	1.28					
	2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Switchboard Port				UEPPX	0.9019	10.05	7.36	1.37	1.28					
	2 Wire voice unbundled Georgia basic dialing port PBX LD Terminal Switchboard DDD Capable Port				UEPPX	0.9019	10.05	7.36	1.37	1.28					
	2 Wire voice unbundled Georgia basic dialing port PBX 2 Way Trunk				UEPPC	0.9019	10.05	7.36	1.37	1.28					
	LOCAL NUMBER PORTABILITY														
	Local Number Portability (1 per port)				LNPCP	3.15	0.00	0.00							
	FEATURES														
	All Features Offered				UEPVF	0.775	0.00	0.00							
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is														
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change				USACC	0.10	0.10	0.10							
	ADDITIONAL NRCs														

UNBUNDLED NETWORK ELEMENTS - Georgia														
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A
						Rec	Nonrecurring		Nonrecurring Disconnect	SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
							First	Add'l	First	Add'l				
	2 Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00						
	PBX Subsequent Activity Change/Rearrange Multiline Hunt Group						6.70	6.70						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83						
	OFFICE PREMISES EXTENSION CHANNELS													
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	11.57	79.85	24.65	18.92	7.87				
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX		79.85	24.65	18.92	7.87				
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	33.08	79.85	24.65	18.92	7.87				
	Non Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12.74	56.92	7.70	4.40	0.02				
	Non Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	19.76	56.92	7.70	4.40	0.02				
	Non Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	37.18	56.92	7.70	4.40	0.02				
	INTEROFFICE TRANSPORT													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPPX	U1TV2	12.87	48.46	19.48	16.58	5.00				
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPPX	U1TVM	0.0057	0.00	0.00						
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT													
	UNE Port/Loop Combination Rates													
	2-Wire VG Coin Port/Loop Combo - Zone 1		1			10.46								
	2-Wire VG Coin Port/Loop Combo - Zone 2		2			15.76								
	2-Wire VG Coin Port/Loop Combo - Zone 3		3			32.56								
	UNE Loop Rates													
	2 Wire Voice Grade Loop (SLI) - Zone 1		1	UEPCO	UEPLX	9.56								
	2 Wire Voice Grade Loop (SLI) - Zone 2		2	UEPCO	UEPLX	14.86								
	2 Wire Voice Grade Loop (SLI) - Zone 3		3	UEPCO	UEPLX	31.66								
	2-Wire Voice Grade Line Ports (COIN)													
	2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	0.9019	10.05	7.36	1.37	1.28				
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (GA)			UEPCO	UEP2G	0.9019	10.05	7.36	1.37	1.28				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (GA)			UEPCO	UEPGA	0.9019	10.05	7.36	1.37	1.28				
	2 Wire Coin 2 Way with Operator Screening and 900/976 Blocking (GA)			UEPCO	UEPGB	0.9019	10.05	7.36	1.37	1.28				
	2 Wire Coin 2 Way with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	0.9019	10.05	7.36	1.37	1.28				
	2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ	0.9019	10.05	7.36	1.37	1.28				
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	0.9019	10.05	7.36	1.37	1.28				
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	0.9019	10.05	7.36	1.37	1.28				
	2 Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	0.9019	10.05	7.36	1.37	1.28				
	ADDITIONAL UNE COIN PORT/LOOP (RC)													
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.59	0.00	0.00	0.00	0.00				
	LOCAL NUMBER PORTABILITY			UEPCO	LNPCX	0.35								
	Local Number Portability (1 per port)													
	NONRECURRING CHARGES - CURRENTLY COMBINED													
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2	0.10	0.10	0.10	/					
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC	0.10	0.10	0.10						
	ADDITIONAL NRCS													
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2	0.00	0.00	0.00						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPCO	URETL	8.33	0.83	0.83						
	2-WIRE VOICE LOOP/2-WIRE VOICE GRADE TO TRANSPORT/2-WIRE LINE PORT (RES)													

UNBUNDLED NETWORK ELEMENTS - Georgia															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'l	SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
	UNE Port/Loop Combination Rates														SOMAN
	2 Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			25.53									
	2 Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.92									
	2 Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			47.04									
	UNE Loop Rates														
	2 Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	11.57									
	2 Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	16.95									
	2 Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	33.08									
	2-Wire Voice Grade Line Port Rates (Res)														
	2 Wire voice unbundled port - residence			UEPFR	UEPRL	1.09	166.05	43.66	41.89	15.44					
	2 Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.09	166.05	43.66	41.89	15.44					
	2 Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.09	166.05	43.66	41.89	15.44					
	2 Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.09	166.05	43.66	41.89	15.44					
	2 Wire voice unbundled Georgia basic dialing port, without Caller ID capability - res			UEPFR	UEPWC	1.09	166.05	43.66	41.89	15.44					
	2 Wire voice unbundled Georgia basic dialing port for use with Caller ID - res			UEPFR	UEPWQ	1.09	166.05	43.66	41.89	15.44					
	2 Wire voice unbundled Georgia basic dialing port outgoing only			UEPFR	UEPWR	1.09	166.05	43.66	41.89	15.44					
	INTEROFFICE TRANSPORT														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	12.87	48.46	19.48	16.58	5.00					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFR	U1L5XX	0.0057	0.00	0.00							
	FEATURES														
	All Features Offered			UEPFR	UEPVF	0.775	0.00	0.00							
	LOCAL NUMBER PORTABILITY														
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35									
	NONRECURRING CHARGES (NRGs) - CURRENTLY COMBINED														
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFR	USAC2		7.85	1.86							
	Combination - Conversion - Switch-as-is														
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFR	USACC		7.85	1.86							
	Combination - Conversion - Switch-With Change														
	Unbundled Miscellaneous Rate Element, Tag Designated Loop at End User Premise			UEPFR	URETN		11.19	1.10							
	2-WIRE VOICE LOOP/2WIRE VOICE GRADE IO TRANSPORT/2-WIRE LINE PORT (BUS)														
	UNE Port/Loop Combination Rates														
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			25.53									
	2 Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.92									
	2 Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			47.04									
	UNE Loop Rates														
	2 Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	11.57									
	2 Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	16.95									
	2 Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	33.08									
	2-Wire Voice Grade Line Port (Bus)														
	2 Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.09	166.05	43.66	41.89	15.44					
	2 Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.09	166.05	43.66	41.89	15.44					
	2 Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.09	166.05	43.66	41.89	15.44					
	2 Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPBI	1.09	166.05	43.66	41.89	15.44					
	2 Wire voice unbundled Georgia basic dialing port, without Caller ID capability - bus			UEPFB	UEPWD	1.09	166.05	43.66	41.89	15.44					
	2 Wire voice unbundled Georgia basic dialing port for use with Caller ID - bus			UEPFB	UEPWP	1.09	166.05	43.66	41.89	15.44					
	LOCAL NUMBER PORTABILITY														
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35									
	INTEROFFICE TRANSPORT														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2	12.87	48.46	19.48	16.58	5.00					

UNBUNDLED NETWORK ELEMENTS - Georgia													
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Nonrecurring First	Add'l	Nonrecurring Disconnect First		Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l		Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
											SOME	SOMAN	
	Interface Transport - Dedicated 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1L5XX	0.0057	0.00	0.00					
FEATURES	All Features Offered			UEPFB	UEPVB	0.775	0.00	0.00					
NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Switch as-is			UEPFB	USAC2								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Switch with change			UEPFB	USACC								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFB	URETN								
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)													
UNE Port/Loop Combination Rates													
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1		1			25.53							
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2		2			30.92							
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3		3			47.04							
UNE Loop Rates													
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	11.57							
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	16.95							
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	33.98							
2-Wire Voice Grade Line Port Rates (BUS - PBX)													
	Line Side Unbundled Combination 2 Way PBX Trunk Port - Bus			UEPFP	UEPFC	1.09	166.05	43.66	41.89	15.44			
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPFO	1.09	166.05	43.66	41.89	15.44			
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPPI	1.09	166.05	43.66	41.89	15.44			
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.09	166.05	43.66	41.89	15.44			
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.09	166.05	43.66	41.89	15.44			
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.09	166.05	43.66	41.89	15.44			
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.09	166.05	43.66	41.89	15.44			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.09	166.05	43.66	41.89	15.44			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.09	166.05	43.66	41.89	15.44			
	2-Wire Voice Unbundled 2 Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.09	166.05	43.66	41.89	15.44			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.09	166.05	43.66	41.89	15.44			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1.09	166.05	43.66	41.89	15.44			
	2-Wire Voice Unbundled 1 Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.09	166.05	43.66	41.89	15.44			
	2-Wire voice unbundled Georgia basic dialing port - 1-Way			UEPFP	UEPWS	1.09	166.05	43.66	41.89	15.44			
	Oudial Trunk												
	2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk			UEPFP	UEPWT	1.09	166.05	43.66	41.89	15.44			
LOCAL NUMBER PORTABILITY													
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00					
INTEROFFICE TRANSPORT													
	Interface Transport - Dedicated - 2 Wire Voice Grade Facility Termination			UEPFP	U1TV2	12.87	48.46	19.48	16.58	5.00			
	Interface Transport - Dedicated - 2 Wire Voice Grade Per Mile or Fraction Mile			UEPFP	1L5XX	0.0057	0.00	0.00					
FEATURES	All Features Offered			UEPFP	UEPVB	0.775	0.00	0.00					
NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Switch as-is			UEPFP	USAC2								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Switch with change			UEPFP	USACC								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFP	URETN								

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)		Nonrecurring First	Nonrecurring Add'l	Nonrecurring First	Nonrecurring Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec						SOMAN	SOMAN
	UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES												
	2-WIRE VOICE GRADE LOOP - BUS ONLY - WITH 2-WIRE DID TRUNK PORT												
	UNE Port/Loop Combination Rates												
	2 Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			17 05							
	2 Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			22 44							
	2 Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			38 56							
	UNE Loop Rates												
	2 Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	11 57							
	2 Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	16 95							
	2 Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	33 08							
	UNE Port Rate												
	Exchange Ports - 2-Wire DID Port					5 48		174 55	13 64	59 31	4 27		
	NONRECURRING CHARGES - CURRENTLY COMBINED												
	2 Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is			UEPPX	USAC1		6 66		1 86				
	2 Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Charges			UEPPX	USATC		6 66		1 86				
	ADDITIONAL NRCS												
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPPX	URETN		11 19		1 10				
	Telephone Number/Trunk Group Establishment Charges												
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0 00	0 00		0 00				
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPPX	NDZ	0 00	0 00		0 00				
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0 00	0 00		0 00				
	DID Numbers, Non-consecutive DID Numbers, Per Number			UEPPX	ND5	0 00	0 00		0 00				
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0 00	0 00		0 00				
	Reserve DID Numbers			UEPPX	NDV	0 00	0 00		0 00				
	LOCAL NUMBER PORTABILITY												
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15	0 00		0 00				
	2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT												
	UNE Port/Loop Combination Rates												
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR	19 44							
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR	24 45							
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR	38 09							
	UNE Loop Rates												
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	14 25							
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	19 26							
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	32 90							
	UNE Port Rate												
	Exchange Ports - 2-Wire ISDN Line Side Port			UEPPB	UEPPB	5 19	161 36	141 68		43 68	8 37		
	NONRECURRING CHARGES - CURRENTLY COMBINED												
	2-Wire ISDN Digital Grade Loop / 2 Wire ISDN Line Side Port Combination - Conversion			UEPPB	USACB	0 00	42 52	26 99					
	ADDITIONAL NRCS												
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Active Non Feature/Add Trunk			UEPPB	USASB		0 00						
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPPB	URETN		11 19		1 10				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPPB	URETL		8 33		0 83				
	LOCAL NUMBER PORTABILITY												
	Local Number Portability (1 per port)			UEPPB	LNPCX	0 35	0 00		0 00				
	B-CANAL USER PROFILE ACCESS												
	CVS/GSD (DMS/SESS)			UEPPB	UTUCA	0 00	0 00		0 00				

UNBUNDLED NETWORK ELEMENTS - Georgia														
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Attachment 2	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Exhibit A
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOMEC	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	
	CVS (EWSO)			UEPPB UEPPR	UTUCB	0.00	0.00	0.00						
	GSD			UEPPB UEPPR	UTUCC	0.00	0.00	0.00						
	B-CHANNEL AREA PLUS USER PROFILE ACCESS (AL,KY,LA,MS,SC,MS, & TN)													
	USER TERMINAL PROFILE													
	VERTICAL FEATURES			UEPPB UEPPR	UTUMA	0.00	0.00	0.00						
	All Vertical Features One per Channel B User Profile			UEPPB UEPPR	UEPVF	0.775	0.00	0.00						
	INTEROFFICE CHANNEL MILEAGE													
	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB UEPPR	MIGNC	12.8757	48.48	19.48	16.58	5.00				
	Interoffice Channel mileage each additional mile			UEPPB UEPPR	MIGNM	0.0057	0.00	0.00						
	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT													
	The UNE-P DS1 combination rates below for in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement													
	Requests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion													
	UNE Port/Loop Combination Rates													
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 1		1	UEPPP		106.15								
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 2		2	UEPPP		111.54								
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 3		3	UEPPP		127.15								
	UNE Loop Rates													
	4 Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	41.02								
	4 Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	46.41								
	4 Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	62.03								
	UNE Port Rate													
	Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)			UEPPP	UEPPP	65.13	365.73	187.42	73.41	21.80				
	NONRECURRING CHARGES - CURRENTLY COMBINED													
	4 Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination Conversion Switch as-is (E 4/1/2004)			UEPPP	USACP	0.00	122.56	77.97						
	ADDITIONAL NRCS													
	4-Wire DS1 Loop/4-W ISDN Dgtl Trk Port - Subsqtl Actv- Inward/two way Tel Nos (except NC)			UEPPP	PR7TF		0.50							
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		10.72							
	4 Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers			UEPPP	PR7ZI		21.43							
	LOCAL NUMBER PORTABILITY													
	Local Number Portability (1 per port)			UEPPP	LNPON	1.75								
	INTERFACE (Provisioning Only)													
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00						
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00						
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00						
	New or Additional "B" Channel													
	New or Additional Voice/Data B Channel			UEPPP	PR7BV	0.00	13.59							
	New or Additional Digital Data B Channel			UEPPP	PR7BF	0.00	13.59							
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	13.59							
	CALL TYPES													
	Inward			UEPPP	PR7C1	0.00	0.00	0.00						
	Outward			UEPPP	PR7C0	0.00	0.00	0.00						
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00						
	Interoffice Channel Mileage													
	Fixed Each Including First Mile			UEPPP	1LN1A	34.31	111.03	80.28	31.36	21.73				
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.1154								
	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT													
	The UNE-P DS1 combination rates below for in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04 After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement													
	Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion													
	UNE Port/Loop Combination Rates													
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		82.22								

UNBUNDLED NETWORK ELEMENTS - Georgia													
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC	RATES (\$)				Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l
						Rec							
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		87 61							
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		103 22							
	UNE Loop Rates												
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC		41 02	USLDC						
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC		46 41	USLDC						
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC		62 03	USLDC						
	UNE Port Rate												
	4-Wire DDITS Digital Trunk Port (E 4/1/2004)			UEPDC		41 20	UDD1T	185 06	80 17	7 86			
	NONRECURRING CHARGES - CURRENTLY COMBINED												
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination												
	Switch-as-is (E 4/1/2004)												
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			UEPDC		132 19	USAC4	66 79					
	Conversion with DS1 Changes (E 4/1/2004)			UEPDC		132 19	USAWA	66 79					
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			UEPDC		132 19	USAWB	66 79					
	Conversion with Change - Trunk (E 4/1/2004)												
	ADDITIONAL NRCS												
	4 Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC		0 00	USAS4	0 00					
	Service Activity Per Service Order												
	4 Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			UEPDC		13 95	UDTTA	13 95					
	Subsequent Channel Activation/Chan - 2 Way Trunk												
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC		13 95	UDTTB	13 95					
	Channel Activation/Chan - 1-Way Outward Trunk												
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel			UEPDC		13 95	UDTTC	13 95					
	Activation/Chan - Inward Trunk w/out DID												
	4 Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC		13 95	UDTTO	13 95					
	Activation Per Chan - Inward Trunk with DID												
	4 Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC		13 95	UDTTE	13 95					
	Activation / Chan - 2-Way DID w User Trans												
	BIPOLAR 8 ZERO SUBSTITUTION			UEPDC		0 00	CCOSF	392 25s					
	B8ZS - Extended Superframe Format			UEPDC		0 00	CCOEF	392 25s					
	Alternate Mark Inversion												
	AMI - Superframe Format			UEPDC		0 00	MCOSF	0 00					
	AMI - Extended Superframe Format			UEPDC		0 00	MCOPF	0 00					
	Telephone Number/Trunk Group Establishment Charges												
	Telephone Number for 2-Way Trunk Group			UEPDC		0 00	UDTGX						
	Telephone Number for 1-Way Outward Trunk Group			UEPDC		0 00	UDTGY						
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC		0 00	UDTGZ						
	DID Numbers, Establish Trunk Group and Provide First Group												
	of 20 DID Numbers			UEPDC		0 00	NDZ	0 00					
	DID Numbers for each Group of 20 DID Numbers			UEPDC		0 00	ND4						
	DID Numbers, Non consecutive DID Numbers Per Number			UEPDC		0 00	ND5						
	Reserve Non-Consecutive DID Nos			UEPDC		0 00	ND6	0 00					
	Reserve DID Numbers			UEPDC		0 00	NDV	0 00					
	Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port												
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC		34 19	1LN01	111 03	80 28	31 36	21 73		
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC		0 1154	1LN0A	0 00	0 00				
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC		0 00	1LN02	0 00	0 00				
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC		0 1154	1LN0B	0 00	0 00				
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC		0 00	1LN03	0 00	0 00				
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC		0 1154	1LN0C	0 00	0 00				
	Local Number Portability, per DS0 Activated			UEPDC		3 15	1LN0CP						
	Central Office Terminating Point			UEPDC		0 00	GTG						

UNBUNDLED NETWORK ELEMENTS - Georgia										
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Exhibit A
						Nonrecurring	Nonrecurring	Disconnect	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st
						First	Add'l	First	SOMAN	SOMAN
								Add'l		
	4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT									
	System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations									
	Each System can have up to 24 combinations of rates depending on type and number of ports used									
	The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement									
	Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion									
	UNE DS1 Loop									
	4 Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	0.00	0.00			
	4 Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	0.00	0.00			
	4 Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	0.00	0.00			
	UNE DSO Channelization Capacities (D4 Channel Bank Configurations)									
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	0.00	0.00			
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	0.00	0.00			
	96 DSO Channel Capacity - 1 per 4 DS1s			UEPMG	VUM96	0.00	0.00			
	144 DSO Channel Capacity - 1 per 6 DS1s			UEPMG	VUM144	0.00	0.00			
	192 DSO Channel Capacity - 1 per 8 DS1s			UEPMG	VUM192	0.00	0.00			
	240 DSO Channel Capacity - 1 per 10 DS1s			UEPMG	VUM240	0.00	0.00			
	288 DSO Channel Capacity - 1 per 12 DS1s			UEPMG	VUM288	0.00	0.00			
	384 DSO Channel Capacity - 1 per 16 DS1s			UEPMG	VUM384	0.00	0.00			
	480 DSO Channel Capacity - 1 per 20 DS1s			UEPMG	VUM480	0.00	0.00			
	576 DSO Channel Capacity - 1 per 24 DS1s			UEPMG	VUM576	0.00	0.00			
	672 DSO Channel Capacity - 1 per 28 DS1s			UEPMG	VUM672	0.00	0.00			
	Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System									
	A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations									
	Multiple of this configuration functioning as one are considered Add'l after the minimum system configuration is counted									
	NRC - Conversion (Currently Combined) with or without									
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	153.24	8.37		
	System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's									
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fee Activation (E 4/1/2004)			UEPMG	VUMD4	0.00	379.04	253.97	69.43	8.35
	Bipolar 8 Zero Substitution									
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0.00	0.00	392.25s		
	Clear Channel Capability Format - Extended Superframe Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	392.25s		
	Alternate Mark Inversion (AMI)									
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00		
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00		
	Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port									
	Exchange Ports									
	Line Side Combination Channelized PBX Trunk Port - Business (E 4/1/2004)			UEPPX	UEPCX	1.09	0.00	0.00	0.00	
	Line Side Outward Channelized PBX Trunk Port - Business (E 4/1/2004)			UEPPX	UEPOX	1.09	0.00	0.00	0.00	
	Line Side Inward Only Channelized PBX Trunk Port without DID (E 4/1/2004)			UEPPX	UEPTX	1.09	0.00	0.00	0.00	
	2 Wire Trunk Side Unbundled Channelized DID Trunk Port (E 4/1/2004)			UEPPX	UEPDM	5.50	0.00	0.00	0.00	
	Feature Activations - Unbundled Loop Concentration									
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.4689	12.90	6.80	1.96	1.95
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQUW	0.4689	38.09	9.18	26.77	5.34
	Telephone Number/Group Establishment Charges for DID Service									
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00		
	Establish TR Grp and Provide 1st 20 DID Nos (FL,GA, NC, & SC)			UEPPX	NDZ	0.00	0.00	0.00		
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00		
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00		
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00		

UNBUNDLED NETWORK ELEMENTS - Georgia										
CATEGORY	RATE ELEMENTS	Interim	BCS	USOC	RATES (\$)			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Exhibit A
					Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOMECD	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Add'l
	Reserve DID Numbers		UEPPX	NDV	0.00	0.00				
	Local Number Portability									
	Local Number Portability 1 per port		UEPPX	LNPCP	3.15	0.00				
	FEATURES - Vertical and Optional									
	Local Switching Features Offered with Line Side Ports Only									
	All Features Available		UEPPX	UEPVF	0.75	0.00				
UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES										
1	Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports									
2	Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit									
3	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Con Port/Loop Combinations									
4	The first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections Additional NRCs may apply also and are categorized accordingly									
5	Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis, until further notice									
UNE-P CENTREX - TAESS - (Valid in AL, FL, GA, KY, LA, MS, & TN only)										
UNE Port/Loop Combination Rates (Non-Design)										
	2 Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design	1	UEP91		10.46					
	2 Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design	2	UEP91		15.76					
	2 Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design	3	UEP91		32.56					
UNE Port/Loop Combination Rates (Design)										
	2 Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1	UEP91		12.47					
	2 Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	2	UEP91		17.85					
	2 Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	3	UEP91		33.98					
UNE Loop Rate										
	2 Wire Voice Grade Loop (SL 1) - Zone 1	1	UEP91	UECS1	9.56					
	2 Wire Voice Grade Loop (SL 1) - Zone 2	2	UEP91	UECS1	14.86					
	2 Wire Voice Grade Loop (SL 1) - Zone 3	3	UEP91	UECS1	31.66					
	2 Wire Voice Grade Loop (SL 2) - Zone 1	1	UEP91	UECS2	11.57					
	2 Wire Voice Grade Loop (SL 2) - Zone 2	2	UEP91	UECS2	16.95					
	2 Wire Voice Grade Loop (SL 2) - Zone 3	3	UEP91	UECS2	33.08					
UNE Ports										
All States (Except North Carolina and South Carolina)										
	2 Wire Voice Grade Port (Centrex 1 Basic Local Area		UEP91	UEPYA	0.9019	10.05	7.36	1.37	1.28	
	2 Wire Voice Grade Port (Centrex 800 termination) Basic Local Area		UEP91	UEPYB	0.9019	10.05	7.36	1.37	1.28	
	2 Wire Voice Grade Port (Centrex with Caller ID) Not a Basic Local Area		UEP91	UEPYH	0.9019	10.05	7.36	1.37	1.28	
	2 Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area		UEP91	UEPYM	0.9019	82.27	26.96	20.29	9.15	
	2 Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term Basic Local Area		UEP91	UEPYZ	0.9019	82.27	26.96	20.29	9.15	
	2 Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area		UEP91	UEPY9	0.9019	10.05	7.36	1.37	1.28	
	2 Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area		UEP91	UEPY2	0.9019	10.05	7.36	1.37	1.28	
Georgia and Florida Only										
	2 Wire Voice Grade Port (Centrex 1)		UEP91	UEPHA	0.9019	10.05	7.36	1.37	1.28	
	2 Wire Voice Grade Port (Centrex 800 termination)		UEP91	UEPHB	0.9019	10.05	7.36	1.37	1.28	
	2 Wire Voice Grade Port (Centrex with Caller ID) 1		UEP91	UEPHH	0.9019	10.05	7.36	1.37	1.28	
	2 Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3		UEP91	UEPHM	0.9019	82.27	26.96	20.29	9.15	
	2 Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term		UEP91	UEPHZ	0.9019	82.27	26.96	20.29	9.15	

UNBUNDLED NETWORK ELEMENTS - Georgia													
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Attachment 2	Exhibit A
						Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	SOMECSOMAN	SOMECSOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec							
	2-Wire Voice Grade Port terminated in on Megalink or equivalent					0.9019	10.05	7.36	1.37				
	2-Wire Voice Grade Port Terminated on 800 Service Term					0.9019	10.05	7.36	1.37				
	Local Switching												
	Centrex Intercom Functionality, per port					0.4237							
	Local Number Portability												
	Local Number Portability (1 per port)					0.35							
	Features												
	All Standard Features Offered, per port					0.775							
	All Select Features Offered, per port					0.00							
	All Centrex Control Features Offered per port					0.00							
	NARS												
	Unbundled Network Access Register Combination					0.00	0.00	0.00	0.00				
	Unbundled Network Access Register - Indial					0.00	0.00	0.00	0.00				
	Unbundled Network Access Register - Ouidial					0.00	0.00	0.00	0.00				
	Miscellaneous Terminations												
	2-Wire Trunk Side												
	Trunk Side Terminations, each					5.50	122.26	18.65	54.82				
	Interoffice Channel Mileage - 2-Wire												
	Interoffice Channel Facilities Termination Voice Grade					12.87	48.46	19.48	16.58				
	Interoffice Channel mileage, per mile or fraction of mile					0.0057							
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service												
	D4 Channel Bank Feature Activations												
	Feature Activation on D-4 Channel Bank Centrex Loop Slot					0.4689							
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot					0.4689							
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot					0.4689							
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center					0.4689							
	Feature Activation on D-4 Channel Bank Private Line Loop Slot					0.4689							
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot					0.4689							
	Feature Activation on D-4 Channel Bank WATS Loop Slot					0.4689							
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex					0.4689							
	Conversion - Currently Combined Switch-As is with allowed changes, per port					0.10	0.10	0.10					
	New Centrex Standard Common Block					0.00	317.90	37.59	48.99				
	New Centrex Customized Common Block					0.00	317.90	37.59	48.99				
	Secondary Block, per Block					0.00	77.10						
	NAR Establishment Charge, Per Occasion					0.00	0.00						
	Additional Non-Recurring Charges (NRC)												
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise												
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise					8.33	0.83						
	UNE-P CENTREX - SESS (Valid in All States)					11.19	1.10						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo												
	UNE Port/Loop Combination Rates (Non-Design)												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non Design	1		UEP95		10.46							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non Design	2		UEP95		15.76							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non Design	3		UEP95		32.56							
	UNE Port/Loop Combination Rates (Design)												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1		UEP95		12.47							

UNBUNDLED NETWORK ELEMENTS - Georgia														
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Manually per LSR	Attachment 2	Exhibit A	
						Rec	Nonrecurring Add'l	Nonrecurring Disconnect First	Add'l	SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st Add'l	
	2-Wire VG Loop/2 Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP95		17.85								
	2-Wire VG Loop/2 Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP95		33.98								
UNE Loop Rate														
	2 Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.56								
	2 Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	14.86								
	2 Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	31.66								
	2 Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	11.57								
	2 Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	16.96								
	2 Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	33.08								
UNE Port Rate														
All States														
	2 Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	0.9019	10.05	7.36	1.37	1.28				
	2 Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	0.9019	10.05	7.36	1.37	1.28				
	2 Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP95	UEPYH	0.9019	10.05	7.36	1.37	1.28				
	2 Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3 Basic Local Area			UEP95	UEPYM	0.9019	82.27	26.96	20.29	9.15				
	2 Wire Voice Grade Port, Diff Serving Wire Center 2.3 - 800 Service Term - Basic Local Area			UEP95	UEPYZ	0.9019	82.27	26.96	20.29	9.15				
	2 Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	0.9019	10.05	7.36	1.37	1.28				
	2 Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2	0.9019	10.05	7.36	1.37	1.28				
FL & GA Only														
	2 Wire Voice Grade Port (Centrex)			UEP95	UEPHA	0.9019	10.05	7.36	1.37	1.28				
	2 Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	0.9019	10.05	7.36	1.37	1.28				
	2 Wire Voice Grade Port (Centrex with Caller ID) 1			UEP95	UEPHH	0.9019	10.05	7.36	1.37	1.28				
	2 Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3			UEP95	UEPHM	0.9019	82.27	26.96	20.29	9.15				
	2 Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3			UEP95	UEPHZ	0.9019	82.27	26.96	20.29	9.15				
	2 Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	0.9019	10.05	7.36	1.37	1.28				
	2 Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	0.9019	10.05	7.36	1.37	1.28				
Local Switching														
	Centrex Intercom Functionality, per port			UEP95	URECS	0.4237								
Local Number Portability														
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35								
Features														
	All Standard Features Offered, per port			UEP95	UEPVF	0.775								
	All Select Features Offered, per port			UEP95	UEPVS	0.00	0.00							
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00								
NARS														
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register - Individual			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register - Outdial			UEP95	UAROY	0.00	0.00	0.00	0.00	0.00				
Miscellaneous Terminations														
2-Wire Trunk Side														
	Trunk Side Terminations, each			UEP95	CEND6	5.50	122.26	18.65	54.82	3.45				
4-Wire Digital (1.544 Megabits)														
	DS1 Circuit Terminations, each			UEP95	MIHD1	41.20	200.96	93.00	65.81	2.33				
	DS0 Channels Activated, each			UEP95	MIHDO	0.00	13.95							
Interoffice Channel Mileage - 2-Wire														
	Interoffice Channel Facilities Termination			UEP95	MIIBC	12.87	48.46	19.48	16.58	5.00				
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0057								
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service														
D4 Channel Bank Feature Activations														

UNBUNDLED NETWORK ELEMENTS - Georgia													
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Attachment 2	Exhibit A
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOMEc	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.4689							
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP95	1PQW6	0.4689							
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.4689							
	Feature Activation on D-4 Channel Bank Centrex Loop Slot Different Wire Center			UEP95	1PQWP	0.4689							
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.4689							
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP95	1PQWQ	0.4689							
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.4689							
	NRC Conversion Currently Combined Switch-As-Is with allowed charges per port			UEP95	USAC2	0.10	0.10						
	New Centrex Standard Common Block			UEP95	IMTACS	0.00	317.90	37.59	48.99	5.92			
	New Centrex Customized Common Block			UEP95	IMTACC	0.00	317.90	37.59	48.99	5.92			
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	0.00						
	Additional Non-Recurring Charges (NRC)												
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP95	URETL	8.33	0.83						
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP95	URETN	11.19	1.10						
	UNE-P CENTREX - DMS100 (Valid in All States)												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo												
	UNE Port/Loop Combination Rates (Non-Design)												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design	1	UEP9D			10.46							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	2	UEP9D			15.76							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	3	UEP9D			32.56							
	UNE Port/Loop Combination Rates (Design)												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1	UEP9D			12.47							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design	2	UEP9D			17.85							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design	3	UEP9D			33.98							
	UNE Loop Rate												
	2-Wire Voice Grade Loop (SL 1) Zone 1	1	UEP9D	UECS1		9.56							
	2-Wire Voice Grade Loop (SL 1) Zone 2	2	UEP9D	UECS1		14.86							
	2-Wire Voice Grade Loop (SL 1) Zone 3	3	UEP9D	UECS1		31.66							
	2-Wire Voice Grade Loop (SL 2) Zone 1	1	UEP9D	UECS2		11.57							
	2-Wire Voice Grade Loop (SL 2) Zone 2	2	UEP9D	UECS2		16.95							
	2-Wire Voice Grade Loop (SL 2) Zone 3	3	UEP9D	UECS2		33.08							
	UNE Port Rate												
	ALL STATES												
	2-Wire Voice Grade Port (Centrex) Basic Local Area		UEP9D	UEPYA		0.9019	10.05	7.36	1.37	1.28			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area		UEP9D	UEPYB		0.9019	10.05	7.36	1.37	1.28			
	2-Wire Voice Grade Port (Centrex / EBS-PSE T3)Basic Local Area		UEP9D	UEPYC		0.9019	10.05	7.36	1.37	1.28			
	2-Wire Voice Grade Port (Centrex / EBS-M5009)Basic Local Area		UEP9D	UEPYD		0.9019	10.05	7.36	1.37	1.28			
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3 Basic Local Area		UEP9D	UEPYE		0.9019	10.05	7.36	1.37	1.28			
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3 Basic Local Area		UEP9D	UEPYF		0.9019	10.05	7.36	1.37	1.28			

UNBUNDLED NETWORK ELEMENTS - Georgia																			
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A				
						Nonrecurring		Nonrecurring First	Disconnect Add'l	SOME			OSS Rates (\$)		Incremental Charge - Manual Svc Order vs Electronic- Add'l	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Add'l						SOMAN	SOMAN					
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3Basic Local Area			UEP9D	UEPYG	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3 Basic Local Area			UEP9D	UEPV3	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port (Centrex/Caller ID)Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYW	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPVJ	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2.3.4 Basic Local Area			UEP9D	UEPYM	0.9019	82.27	26.96	20.29	9.15									
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSE)2.3.4 Basic Local Area			UEP9D	UEPYO	0.9019	82.27	26.96	20.29	9.15									
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2.3.4 Basic Local Area			UEP9D	UEPYP	0.9019	82.27	26.96	20.29	9.15									
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5209)2.3.4 Basic Local Area			UEP9D	UEPYQ	0.9019	82.27	26.96	20.29	9.15									
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2.3.4 Basic Local Area			UEP9D	UEPYR	0.9019	82.27	26.96	20.29	9.15									
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2.3.4 Basic Local Area			UEP9D	UEPYS	0.9019	82.27	26.96	20.29	9.15									
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2.3.4 Basic Local Area			UEP9D	UEPY4	0.9019	82.27	26.96	20.29	9.15									
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2.3.4 Basic Local Area			UEP9D	UEPY5	0.9019	82.27	26.96	20.29	9.15									
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2.3.4 Basic Local Area			UEP9D	UEPY6	0.9019	82.27	26.96	20.29	9.15									
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2.3.4 Basic Local Area			UEP9D	UEPY7	0.9019	82.27	26.96	20.29	9.15									
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3			UEP9D	UEPYZ	0.9019	82.27	26.96	20.29	9.15									
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	0.9019	10.05	7.36	1.37	1.28									
FL & GA Only																			
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port (Centrex / EBS-PSE)4			UEP9D	UEPHC	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPHD	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPHE	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPHF	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPHG	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHI	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPHU	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPHV	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPH3	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port (Centrex/Caller ID)Msg Wtg Lamp Indication)4			UEP9D	UEPHW	0.9019	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHU	0.9019	10.05	7.36	1.37	1.28									

UNBUNDLED NETWORK ELEMENTS - Georgia																
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	SOMAN
	2 Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3			UEP9D	UEPHM	0.9019	82.27	26.96	20.29	9.15						
	2 Wire Voice Grade Port (Centrex/differ SWC /EBS PSE T)2.3.4			UEP9D	UEPHO	0.9019	82.27	26.96	20.29	9.15						
	2 Wire Voice Grade Port (Centrex/differ SWC /EBS M5009)2.3.4			UEP9D	UEPHP	0.9019	82.27	26.96	20.29	9.15						
	2 Wire Voice Grade Port (Centrex/differ SWC /EBS 5209)2.3.4			UEP9D	UEPHQ	0.9019	82.27	26.96	20.29	9.15						
	2 Wire Voice Grade Port (Centrex/differ SWC /EBS M5112)2.3.4			UEP9D	UEPHR	0.9019	82.27	26.96	20.29	9.15						
	2 Wire Voice Grade Port (Centrex/differ SWC /EBS M5312)2.3.4			UEP9D	UEPHS	0.9019	82.27	26.96	20.29	9.15						
	2 Wire Voice Grade Port (Centrex/differ SWC /EBS M5008)2.3.4			UEP9D	UEPH4	0.9019	82.27	26.96	20.29	9.15						
	2 Wire Voice Grade Port (Centrex/differ SWC /EBS M5208)2.3.4			UEP9D	UEPH5	0.9019	82.27	26.96	20.29	9.15						
	2 Wire Voice Grade Port (Centrex/differ SWC /EBS M5216)2.3.4			UEP9D	UEPH6	0.9019	82.27	26.96	20.29	9.15						
	2 Wire Voice Grade Port (Centrex/differ SWC /EBS M5316)2.3.4			UEP9D	UEPH7	0.9019	82.27	26.96	20.29	9.15						
	2 Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3			UEP9D	UEPHZ	0.9019	82.27	26.96	20.29	9.15						
	2 Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	0.9019	10.05	7.36	1.37	1.28						
	2 Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	0.9019	10.05	7.36	1.37	1.28						
Local Switching																
Centrex Intercom Functionality, per port				UEP9D	URECS	0.4237										
Local Number Portability																
Local Number Portability (1 per port)				UEP9D	LNPC	0.35										
Features																
All Standard Features Offered, per port				UEP9D	UEPVF	0.775										
All Select Features Offered, per port				UEP9D	UEPVS	0.00	0.00									
All Centrex Control Features Offered, per port				UEP9D	UEPVC	0.00										
NARS																
Unbundled Network Access Register - Combination				UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
Unbundled Network Access Register - Inward				UEP9D	UARYX	0.00	0.00	0.00	0.00	0.00						
Unbundled Network Access Register - Outdial				UEP9D	UAROY	0.00	0.00	0.00	0.00	0.00						
Miscellaneous Terminations																
2-Wire Trunk Side																
Trunk Side Terminations, each				UEP9D	CEND6	5.50	122.26	18.65	54.82	3.45						
4-Wire Digital (1.544 Megabits)																
DS1 Circuit Terminations, each				UEP9D	M1HD1	41.20	200.96	93.00	65.81	2.33						
DS0 Channels Activated per Channel				UEP9D	M1HDO	0.00	13.95									
Interoffice Channel Mileage - 2-Wire																
Interoffice Channel Facilities Termination				UEP9D	M1GBC	12.87	48.46	19.48	16.58	5.00						
Interoffice Channel mileage, per mile or fraction of mile				UEP9D	M1GBM	0.0057										
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																
D4 Channel Bank Feature Activations																
Feature Activation on D-4 Channel Bank Centrex Loop Slot				UEP9D	1PQWS	0.4689										
Feature Activation on D-4 Channel Bank FX Line Side Loop Slot				UEP9D	1PQW6	0.4689										
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot				UEP9D	1PQW7	0.4689										
Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center				UEP9D	1PQWP	0.4689										
Feature Activation on D-4 Channel Bank Private Line Loop Slot				UEP9D	1PQWV	0.4689										
Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot				UEP9D	1PQWQ	0.4689										

UNBUNDLED NETWORK ELEMENTS - Georgia													
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Incremental Charge - Manual Svc Order vs Electronic-Add'l	Exhibit A Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOMECD	SOMAN	SOMAN	SOMAN
						0.4689							
	Feature Activation on D 4 Channel Bank WATS Loop Slot			UEP9D	1PQWA								
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex												
	NRC Conversion Currently Combined Switch-As is with allowed changes, per port												
	New Centrex Standard Common Block			UEP9D	USAC2		0.10	0.10					
	New Centrex Customized Common Block			UEP9D	MTACS	0.00	317.90	37.59	48.99	5.92			
	NAR Establishment Charge, Per Occasion			UEP9D	MTACC	0.00	317.90	37.59	48.99	5.92			
	Additional Non-Recurring Charges (NRC)			UEP9D	URECA	0.00	0.00						
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83					
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.19	1.10					
	Additional Non-Recurring Charges (NRC)												
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9E	URETL								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN								
	Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD												
	Note 2 - Requires Interoffice Channel Mileage												
	Note 3 - Installation is combination of installation charge for SL2 Loop and Port												
	Note 4 - Requires Specific Customer Premises Equipment												
	Note Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions												

UNBUNDLED NETWORK ELEMENTS - Kentucky														
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Exhibit A Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UWL SL1)			UEANL	UREWO		15.78	8.94						
	Unbundled Voice Loop, Non Design Voice Loop billing for BST providing make-up (Engineering Information - E1)			UEANL	UEANM		13.49	13.49						
	Manual Order Coordination for UWL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00						
	Order Coordination for Specified Conversion Time for UWL-SL1 (per LSR)			UEANL	OCOSL		23.01	23.01						
	2-WIRE UNBUNDLED COPPER LOOP													
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	10.58	44.97	20.89	25.64				6.65	
	2-Wire Unbundled Copper Loop - Non-Designed - Zone 2	1	2	UEQ	UEQ2X	11.51	44.97	20.89	25.64				6.65	
	2-Wire Unbundled Copper Loop - Non-Designed - Zone 3	1	3	UEQ	UEQ2X	13.19	44.97	20.89	25.64				6.65	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83						
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		9.00	9.00						
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E1)			UEQ	UEQMU		13.49	13.49						
	Loop Testing - Basic 1st Half Hour			UEQ	URETT		46.88	46.88						
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		24.16	24.16						
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	UREWO		14.27	7.43						
	UNBUNDLED EXCHANGE ACCESS LOOP													
	2-WIRE ANALOG VOICE GRADE LOOP													
	2 Wire Analog Voice Grade Loop-Service Level 1 Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65				7.65	
	2 Wire Analog Voice Grade Loop-Service Level 1 Line Splitting Zone 1		1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65				7.65	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65				7.65	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65				7.65	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting Zone 3		3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65				7.65	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting Zone 3		3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65				7.65	
	UNBUNDLED EXCHANGE ACCESS LOOP													
	2-WIRE ANALOG VOICE GRADE LOOP													
	2 Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.67	134.89	81.87	73.65				14.88	
	2 Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.45	134.89	81.87	73.65				14.88	
	2 Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.22	134.89	81.87	73.65				14.88	
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01							
	2 Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	12.67	134.89	81.87	73.65				14.88	
	2 Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	17.45	134.89	81.87	73.65				14.88	
	2 Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65				14.88	
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01							
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36						
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10						
	4-WIRE ANALOG VOICE GRADE LOOP													
	4 Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	29.26	164.11	112.36	78.91				18.66	
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	34.25	164.11	112.36	78.91				18.66	
	4 Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	85.06	164.11	112.36	78.91				18.66	
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01							
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36						

UNBUNDLED NETWORK ELEMENTS - Kentucky														
CATEGORY	RATE ELEMENTS	Intern m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2	Exhibit A	
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMECS	SOMAN	SOMAN	SOMAN
2-WIRE	2-WIRE ISDN DIGITAL GRADE LOOP													
	2 Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83				
	2 Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25.08	146.77	95.02	71.38	13.83				
	2 Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	42.87	146.77	95.02	71.38	13.83				
	Order Coordination For Specified Conversion Time (per LSR)				OCOSL		23.01							
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		91.63	44.16						
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47				
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47				
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47				
2-WIRE	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		23.01							
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54				
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		23.01							
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		86.20	40.40						
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54				
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54				
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54				
2-WIRE	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		23.01							
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54				
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		23.01							
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		86.14	40.40						
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69				
4-WIRE	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		23.01							
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80				
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		23.01							
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		86.14	40.40						
	4-WIRE DS1 DIGITAL LOOP													
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	86.47	306.69	174.44	65.83	14.55				
	4 Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	114.10	306.69	174.44	65.83	14.55				
	4 Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	297.76	306.69	174.44	65.83	14.55				
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		23.01							

UNBUNDLED NETWORK ELEMENTS - Kentucky															
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect Add'l			Incremental Charge - Manual Svc Order vs Electronic- 1st	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Add'l	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.04							
4-WIRE	19.2 56 OR 64 KBPS DIGITAL GRADE LOOP														
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.59	157.81	106.06	78.91	18.66					
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	32.48	157.81	106.06	78.91	18.66					
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	36.37	157.81	106.06	78.91	18.66					
	4 Wire Unbundled Digital Loop 56 Kbps Zone 1		1	UDL	UDL56	27.59	157.81	106.06	78.91	18.66					
	4 Wire Unbundled Digital Loop 56 Kbps Zone 2		2	UDL	UDL56	32.48	157.81	106.06	78.91	18.66					
	4 Wire Unbundled Digital Loop 56 Kbps Zone 3		3	UDL	UDL56	36.37	157.81	106.06	78.91	18.66					
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01								
	4 Wire Unbundled Digital Loop 64 Kbps Zone 1		1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66					
	4 Wire Unbundled Digital Loop 64 Kbps Zone 2		2	UDL	UDL64	32.48	157.81	106.06	78.91	18.66					
	4 Wire Unbundled Digital Loop 64 Kbps Zone 3		3	UDL	UDL64	36.37	157.81	106.06	78.91	18.66					
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01								
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75							
2-WIRE	Unbundled COPPER LOOP														
	2-Wire Unbundled Copper Loop Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54					
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54					
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00								
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54					
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54					
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL Des)			UCL	UREWO		97.23	42.48							
4-WIRE	COPPER LOOP														
	4 Wire Copper Loop Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69					
	4 Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69					
	4 Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00								
	4 Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69					
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69					
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL Des)			UCL	UREWO		97.23	42.48							
LOOP MODIFICATION															
				UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB											
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop				ULM2L		9.24		9.24						
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop				ULM4L		9.24		9.24						
				UHL, UCL, UEA, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB											
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop				ULMBT		10.47		10.47						

UNBUNDLED NETWORK ELEMENTS - Kentucky																	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A			
						Rec	Nonrecurring		Disconnect Add'l			Incremental Charge - Manual Svc Order vs Electronic- 1st Add'l	Incremental Charge - Manual Svc Order vs Electronic- 1st Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st Add'l			
							First	Add'l							SOMAN	SOMAN	SOMAN
SUB-LOOPS	Sub-Loop Distribution																
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1		UEANL	USBSA		207 91	207 91									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		12 50	12 50									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	1		UEANL	USBSC		80 87	80 87									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1		UEANL	USBSD		45 04	45 04									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	1	UEANL	USBN2	6 34	85 03	39 05	59 81	7 90							
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	1	2	UEANL	USBN2	9 06	85 03	39 05	59 81	7 90							
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	1	3	UEANL	USBN2	14 82	85 03	39 05	59 81	7 90							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9 00	9 00									
	Sub-Loop Distribution Per 4 Wire Analog Voice Grade Loop - Zone 1	1		UEANL	USBN4	8 14	102 31	56 32	65 24	10 88							
	Sub-Loop Distribution Per 4 Wire Analog Voice Grade Loop - Zone 2	2		UEANL	USBN4	8 63	102 31	56 32	65 24	10 88							
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	3		UEANL	USBN4	25 60	102 31	56 32	65 24	10 88							
	Order Coordination for Unbundled Sub-Loops, per sub loop pair			UEANL	USBMC		9 00	9 00									
	Sub-Loop 2 Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	2 57	68 35	22 36	59 81	7 90							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9 00	9 00									
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	4 98	78 49	30 51	65 24	10 88							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9 00	9 00									
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		48 88	46 88									
	Loop Testing - Basic Additional Half Hour			UEANL	URET1		24 16	24 16									
	2 Wire Copper Unbundled Sub Loop Distribution - Zone 1	1	1	UEF	UCS2X	5 45	85 03	39 05	59 81	7 90							
	2 Wire Copper Unbundled Sub Loop Distribution - Zone 2	1	2	UEF	UCS2X	7 06	85 03	39 05	59 81	7 90							
	2 Wire Copper Unbundled Sub Loop Distribution - Zone 3	1	3	UEF	UCS2X	9 67	85 03	39 05	59 81	7 90							
	Order Coordination for Unbundled Sub-Loops, per sub loop pair			UEF	USBMC		9 00	9 00									
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	7 09	102 31	56 32	65 24	10 88							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS4X	8 66	102 31	56 32	65 24	10 88							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS4X	19 40	102 31	56 32	65 24	10 88							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9 00	9 00									
	Loop Testing - Basic 1st Half Hour			UEF	URET1		48 88	46 88									
	Loop Testing - Basic Additional Half Hour			UEF	URET1		24 16	24 16									
	Unbundled Network Terminating Wire (UNTW)			UEANL	UEANL												
	Unbundled Network Terminating Wire (UNTW) per Pair			UEANL	UEANL												
	Network Interface Device (NID)			UEANL	UEANL												
	Network Interface Device (NID) - 1-2 lines			UEANL	UEANL												
	Network Interface Device (NID) - 1-6 lines			UEANL	UEANL												
	Network Interface Device Cross Connect - 2 W			UEANL	UEANL												
	Network Interface Device Cross Connect - 4W			UEANL	UEANL												
UNE OTHER, PROVISIONING ONLY - NO RATE	PROVISIONING ONLY - NO RATE																
	NID Dispatch and Service Order for NID installation			UEANL	UNDBX	0 00	0 00	0 00									
	UNTW Circuit Id Establishment - Provisioning Only - No Rate			UEANL,UEF,UEQ,U	UNECN	0 00	0 00	0 00									
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0 00	0 00	0 00									
UNE OTHER, PROVISIONING ONLY - NO RATE	PROVISIONING ONLY - NO RATE																

UNBUNDLED NETWORK ELEMENTS - Kentucky																	
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Attachment 2		Exhibit A			
						Rec	Nonrecurring		Nonrecurring Disconnect Add'l			Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l		
							First	Add'l								SOME	SOMAN
	Unbundled Contact Name, Provisioning Only - no rate			UAL UCLUDC,UDL, UDN,UEA,UHL,ULC	UNEEN	0.00		0.00									
	Unbundled Sub Loop Feeder 2 Wire Cross Box Jumper - no rate			UEA,UDN UCL UDC	USBFQ	0.00		0.00									
	Unbundled Sub Loop Feeder 4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFQ	0.00		0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00		0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00		0.00									
	HIGH CAPACITY UNBUNDLED LOCAL LOOP																
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	9.25											
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	308.31		551.38	338.08	173.00	120.42						
	High Capacity Unbundled Local Loop - STS 1 - Per Mile per month			UDLSX	1L5ND	9.25											
	High Capacity Unbundled Local Loop - STS 1 - Facility Termination per month			UDLSX	UDLS1	320.51		551.38	338.08	173.00	120.42						
	LOOP MAKE-UP																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queued (Manual)			UMK	UMKLW			23.40	23.40								
	Loop Makeup - Preordering With Reservation, per spare facility queued (Manual)			UMK	UMKLP			24.85	24.85								
	Loop Makeup -With or Without Reservation, per working or spare facility queued (Mechanized)			UMK	UMKMQ			0.67	0.67								
	LINE SHARING AND LINE SPLITTING																
	NOTE 1 - The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows																
	NOTE 1 - 10/02/2003 - 10/01/2004 25% of the rate for an unbundled copper loop non-designed ("UCLND")																
	NOTE 1 - 10/02/2004 - 10/01/2005 50% of the rate for UCLND																
	NOTE 1 - 10/02/2005 - 10/01/2006 75% of the rate for UCLND																
	NOTE 1 - Above will apply to USOCs ULSDT and ULSDT																
	**NOTE 2 - The Line Sharing monthly recurring rates with USOCs ULSDC and ULSDC applies only to circuits installed and in service on or before October 1, 2003																
	LINE SHARING																
	SPLITTERS-CENTRAL OFFICE BASED																
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	198.83		379.05	0.00		358.55						
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	49.71		379.05	0.00		358.55						
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSDB	16.94		377.71	0.00		357.29						
	Line Sharing-DLEC Owned Splitter in CO-CFA activation deactivation (per LSOD)			ULS	ULSDG			173.62	0.00		100.40						
	END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING																
	Line Sharing - per Line Activation (BST Owned Splitter) - OBSOLETE see **NOTE 2			ULS	ULSDC	0.61		37.16	21.28		20.17						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003)			ULS	ULSDT	2.65		37.16	21.28		20.17						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004)			ULS	ULSDT	5.29		37.16	21.28		20.17						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005)			ULS	ULSDT	7.94		37.16	21.28		20.17						
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS			32.90	16.43								
	Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSDS			32.90	16.43								
	Line Sharing - per Line Activation (DLEC owned Splitter) OBSOLETE see **NOTE 2			ULS	ULSDC	0.61		47.44	19.31		20.67						

UNBUNDLED NETWORK ELEMENTS - Kentucky																		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2			Exhibit A			
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEc	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	SOMAN
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E 10/2/2003)				ULSCT	2.65	47.44	19.31	20.67	12.74								
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E 10/2/2004)				ULSCT	5.29	47.44	19.31	20.67	12.74								
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005)				ULSCT	7.94	47.44	19.31	20.67	12.74								
	LINE SPLITTING																	
	END USER ORDERING-CENTRAL OFFICE BASED																	
	Line Splitting - per line activation CLEC owned splitter				UEPSR UEPSB	0.61												
	Line Splitting - per line activation BST owned - physical				UEPSR UEPSB	0.61	37.02	21.20	21.10	9.87								
	Line Splitting - per line activation BST owned - virtual				UEPSR UEPSB	0.61	37.02	21.20	21.10	9.87								
	MAINTENANCE																	
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00										
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50										
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00										
	UNBUNDLED DEDICATED TRANSPORT																	
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT																	
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month				U1TVX	0.01												
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination				U1TVX	29.11	47.34	31.78	22.77	8.75								
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat - Per Mile per month				U1TVX	0.01												
	Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat Facility Termination				U1TVX	29.11	47.34	31.78	22.77	8.75								
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month				U1TVX	0.01												
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade Facility Termination				U1TVX	25.86	47.34	31.78	22.77	8.75								
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month				U1TDX	0.0115												
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination				U1TDX	20.97	47.35	31.78	22.77	8.75								
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month				U1TDX	0.0115												
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination				U1TDX	20.97	47.35	31.78	22.77	8.75								
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month				U1TD1	0.23												
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination				U1TD1	96.04	105.52	98.46	23.09	20.49								
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month				U1TD3	4.97												
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month				U1TD3	1,175.15	335.40	219.24	89.57	87.75								
	Interoffice Channel - Dedicated Transport - STS 1 - Per Mile per month				U1TS1	4.97												
	Interoffice Channel - Dedicated Transport - STS 1 - Facility Termination				U1TS1	1,149.51	335.40	219.24	89.57	87.75								
	DARK FIBER																	
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Therel per month - Interoffice Channel				UDF, UDFCX	30.74												
	NRC Dark Fiber - Interoffice Channel				UDF, UDFCX		732.53	192.67	377.27	241.67								
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Therel per month - Local Loop				UDF, UDFCX	47.01												
	NRC Dark Fiber - Local Loop				UDF, UDFCX		732.53	192.67	377.27	241.67								

UNBUNDLED NETWORK ELEMENTS - Kentucky																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Attachment 2	Exhibit A			
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEK	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Add'l	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	SOMAN
	8XX ACCESS TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call					0.0006478										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved						4.14	0.70								
	8XX Access Ten Digit Screening, Per 8XX No Established W/O POTS Translations						8.78	1.18	7.08	0.86						
	8XX Access Ten Digit Screening, Per 8XX No Established With POTS Translations						8.78	1.18	7.08	0.86						
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number						4.14	2.07								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No						4.85	2.78								
	8XX Access Ten Digit Screening, Change Charge Per Request						4.85	0.70								
	8XX Access Ten Digit Screening, Call Handling and Destination Features						4.14	4.14								
	8XX Access Ten Digit Screening w/ 8FL No Delivery, 8XX Access Ten Digit Screening, w/ POTS No Delivery					0.0006478										
	8XX Access Ten Digit Screening, w/ POTS No Delivery					0.0006478										
	LINE INFORMATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query					0.000023										
	LIDB Validation Per Query					0.0137322										
	LIDB Originating Point Code Establishment or Change						55.12		67.59							
	SIGNALING (CCS7)															
	CCS7 Signaling Connection, Per 56 Kbps Facility					20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Termination, Per STP Port					151.39										
	CCS7 Signaling Usage, Per TCAP Message					0.0000656										
	CCS7 Signaling Connection, Per Link (A link)					20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection, Per Link (B link) (also known as D link)															
	CCS7 Signaling Usage, Per ISUP Message					20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Usage Surrogate, per link per LATA					0.0000164										
	CCS7 Signaling Usage, per Originating Point Code					751.08										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected															
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Slip Affected						46.02	46.02	56.43	56.43						
	E911 SERVICE															
	Local Channel, Dedicated - 2 wr Voice Grade					18.57	265.78	46.96	46.79	4.98						
	Interoffice Transport, Dedicated - 2-wr Voice Grade Per Mile					0.0115										
	Interoffice Transport, Dedicated - 2-wr Voice Grade Per Facility Termination															
	Local Channel, Dedicated - DS1 - Zone 1					29.11	47.34	31.78	22.77	8.75						
	Local Channel, Dedicated - DS1 - Zone 2					40.46	209.60	176.51	30.21	21.07						
	Local Channel, Dedicated - DS1 - Zone 3					43.39	209.60	176.51	30.21	21.07						
	Local Channel, Dedicated - DS1 - Zone 3					164.50	209.60	176.51	30.21	21.07						
	Interoffice Transport, Dedicated - DS1 Per Mile					0.23										
	Interoffice Transport, Dedicated - DS1 Per Facility Termination															
	CALLING NAME (GNAM) SERVICE					96.04	105.52	98.46	23.09	20.49						
	GNAM For DB Owners - Service Establishment															
	GNAM For Non DB Owners - Service Establishment					25.34	25.34	23.30	23.30							
	GNAM For Non DB Owners - Service Provisioning With Point Code Establishment					25.34	25.34	23.30	23.30							
	GNAM For DB Owners - Service Provisioning With Point Code Establishment															
	GNAM For Non DB Owners - Service Provisioning With Point Code Establishment					1,591.54	1 177.08	431.95	317.61							
	GNAM for DB Owners, Per Query						546.40	393.74	438.93	317.61						
	GNAM for DB Owners, Per Query					0.0010348										
	GNAM for Non DB Owners, Per Query					0.0010348										
	GNAM (Non Dalabs Owner), NRC, applies when using the Character Based User Interface (CHUI)						595.00	595.00								
	SELECTIVE ROUTING															
	Selective Routing Per Unique Line Class Code Per Request Per Switch						93.53	93.53	15.58	15.58						

UNBUNDLED NETWORK ELEMENTS - Kentucky														
CATEGORY	RATE ELEMENTS	Intern m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First		SOME C	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	SOMAN
	VIRTUAL COLLOCATION													
	Virtual Collocation 2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0309	24.68	23.68	12.14	10.95				
	PHYSICAL COLLOCATION													
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95				
AIN SELECTIVE CARRIER ROUTING				SRC	SRCEC		193,401.00	193,401.00	9,483.34	9,483.34				
	Regional Service Establishment			SRC	SRCEO		194.09	194.09	0.85	0.85				
	End Office Establishment			SRC	SRCLP		2.06	2.06						
	Line/Port NRC, per end user			SRC										
	Query NRC, per query					0.0037502								
AIN - BELL SOUTH AIN SMS ACCESS SERVICE														
	AIN SMS Access Service			AIN	CAMSE		43.55	43.55	44.93	44.93				SOMAN
	Initial Setup													
	AIN SMS Access Service - Port Connection - Dial/Shared Access			AIN	CAMDP		8.64	8.64	10.03	10.03				
	AIN SMS Access Service - Port Connection - ISDN Access			AIN	CAM1P		8.64	8.64	10.03	10.03				
	AIN SMS Access Service - User Identification Codes - Per User ID Code			AIN	CAMAU		38.65	38.65	29.88	29.88				
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			AIN	CAMRC		75.08	75.08	12.93	12.93				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0025								
	AIN SMS Access Service - Session, Per Minute					0.666								
	AIN SMS Access Service - Company Performed Session, Per Minute					0.4608								
AIN - BELL SOUTH AIN TOOLKIT SERVICE														
	AIN Toolkit Service - Service Establishment Charge - Per State, Initial Setup			CAM	BAPSC		43.55	43.55	44.93	44.93				
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,436.93	8,436.93						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term Attempt				BAPTT		8.64	8.64	10.03	10.03				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10 Digit PODP				BAPTO		51.01	51.01	18.50	18.50				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		51.01	51.01	18.50	18.50				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		51.01	51.01	18.50	18.50				
	AIN Toolkit Service - Query Charge, Per Query					0.0549207								
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.0066492								
	AIN Toolkit Service - SCP Storage Charge - Per SMS Access Account - Per 100 Kilobytes					0.07								
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS	7.87	8.64	8.64	6.08	6.08				
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	3.26	9.56	9.56						
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS	4.72	8.64	8.64	6.08	6.08				
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription			CAM	BAPES	0.11	9.56	9.56						
ENHANCED EXTENDED LINK (EELs)														
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements														
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements														
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT														
	First 2 Wire VG Loop (SL2) in Combination - Zone 1	1	UNCVX	UEAL2		12.67	125.22	60.48	59.69	7.84				

UNBUNDLED NETWORK ELEMENTS - Kentucky															
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOMECE	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17 45	125 22	60 48	59 69	7 84					
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33 22	125 22	60 48	59 69	7 84					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNCVX	1L5XX	0 19									
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNCVX	U1TF1	79 02	181 24	123 53	56 72	22 32					
	I/O Channelization System in combination Per Month			UNCVX	MD1	113 33	57 26	14 74	1 86	1 67					
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0 62	6 71	4 84							
	Each Additional 2 Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	12 67	125 22	60 48	59 69	7 84					
	Each Additional 2 Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	17 45	125 22	60 48	59 69	7 84					
	Each Additional 2 Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	33 22	125 22	60 48	59 69	7 84					
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0 62	6 71	4 84							
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNCVX	UNCCC		8 98	8 98	11 17	11 17					
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT														
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	29 26	125 22	60 48	59 69	7 84					
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	34 25	125 22	60 48	59 69	7 84					
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	85 06	125 22	60 48	59 69	7 84					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per Month			UNCVX	1L5XX	0 19									
	Interoffice Transport - Dedicated - DS1 Facility Termination Per Month			UNCVX	U1TF1	79 02	181 24	123 53	56 72	22 32					
	I/O Channel System in combination Per Month			UNCVX	MD1	113 33	57 26	14 74	1 86	1 67					
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0 62	6 71	4 84							
	Additional 4-Wire Analog Voice Grade Loop in same DS1		1	UNCVX	UEAL4	29 26	125 22	60 48	59 69	7 84					
	Interoffice Transport Combination - Zone 1			UNCVX	UEAL4										
	Additional 4 Wire Analog Voice Grade Loop in same DS1		2	UNCVX	UEAL4	34 25	125 22	60 48	59 69	7 84					
	Interoffice Transport Combination - Zone 2			UNCVX	UEAL4										
	Additional 4-Wire Analog Voice Grade Loop in same DS1		3	UNCVX	UEAL4	85 06	125 22	60 48	59 69	7 84					
	Interoffice Transport Combination - Zone 3			UNCVX	UEAL4										
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0 62	6 71	4 84							
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNCVX	UNCCC		8 98	8 98	11 17	11 17					
	EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT														
	First 4 Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	27 59	125 22	60 48	59 69	7 84					
	First 4 Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	32 48	125 22	60 48	59 69	7 84					
	First 4 Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	36 37	125 22	60 48	59 69	7 84					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per Month			UNCDX	1L5XX	0 19									
	Interoffice Transport - Dedicated - DS1 combination Facility Termination Per Month			UNCDX	U1TF1	79 02	181 24	123 53	56 72	22 32					
	I/O Channel System in combination Per Month			UNCDX	MD1	113 33	57 26	14 74	1 86	1 67					
	OCU DP COCI (data) per month (2 4-56Kbps)			UNCDX	1D1DD	1 32	6 71	4 84							
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL56	27 59	125 22	60 48	59 69	7 84					
	Interoffice Transport Combination - Zone 1			UNCDX	UDL56										
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL56	32 48	125 22	60 48	59 69	7 84					
	Interoffice Transport Combination - Zone 2			UNCDX	UDL56										
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		3	UNCDX	UDL56	36 37	125 22	60 48	59 69	7 84					
	Interoffice Transport Combination - Zone 3			UNCDX	UDL56										

UNBUNDLED NETWORK ELEMENTS - Kentucky														
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Exhibit A Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN
	Additional OCU-DP COCI (data) - in combination per month (2 4-6kbs)			UNCDX	1D1DD	1.32	6.71	4.84						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	8.98	8.98	8.98	11.17					
	EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT													
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84				
	First 4 Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84				
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.19								
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32				
	OCU DP COCI (data) - in combination - Per month (2 4-6kbs)			UNC1X	MO1	113.33	57.26	14.74	1.86	1.67				
	Additional 4 Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84				
	Additional 4 Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84				
	Additional 4 Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84				
	Additional OCU DP COCI (data) - in combination per month (2 4-6kbs)			UNCDX	1D1DD	1.32	6.71	4.84						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	11.17					
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT													
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97				
	4 Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97				
	4 Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.19								
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32				
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	11.17					
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT													
	First DS1 Loop in Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97				
	First DS1 Loop in Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97				
	First DS1 Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97				
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	4.09								
	Interoffice Transport - Dedicated - DS3 Facility Termination per month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39				
	3/1 Channel System in combination per month			UNC3X	MO3	158.20	115.48	56.53	15.12	5.30				
	DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84						
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97				
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97				
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97				
	Additional DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		8.98	8.98	11.17					
	EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT													
	2-WireVG Loop in combination - Zone 1		1	UNC1X	UEAL2	12.67	125.22	60.48	59.69	7.84				
	2-WireVG Loop in combination - Zone 2		2	UNC1X	UEAL2	17.45	125.22	60.48	59.69	7.84				

UNBUNDLED NETWORK ELEMENTS - Kentucky															
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A	
						Rec	Nonrecurring First	Nonrecurring Add'l	Disconnect Add'l			SOMECH	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
	2 WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84					
	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.01									
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42					
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17					
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT														
	4-WireVG Loop in combination - Zone 1	1	UNCVX	UEAL4	UEAL4	29.26	125.22	60.48	59.69	7.84					
	4-WireVG Loop in combination - Zone 2	2	UNCVX	UEAL4	UEAL4	34.25	125.22	60.48	59.69	7.84					
	4 WireVG Loop in combination - Zone 3	3	UNCVX	UEAL4	UEAL4	85.06	125.22	60.48	59.69	7.84					
	Interoffice Transport - 4 wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.01									
	Interoffice Transport - 4 wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	21.26	98.09	53.67	56.31	22.42					
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17					
	EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT														
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	9.25									
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	308.31	237.36	147.69	83.43	32.67					
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.09									
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39					
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNC3X	UNCCC		8.98	8.98	11.17	11.17					
	EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT														
	STS-1 Local Loop in combination - per mile per month			UNC5X	1L5ND	9.25									
	STS-1 Local Loop in combination - Facility Termination per month			UNC5X	UDLS1	320.51	237.36	147.69	83.43	32.67					
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNC5X	1L5XX	4.09									
	Interoffice Transport - Dedicated - STS 1 combination - Facility Termination per month			UNC5X	U1TFS	945.79	350.56	141.58	48.00	23.39					
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNC5X	UNCCC		8.98	8.98	11.17	11.17					
	EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT														
	First 2 Wire ISDN Loop in Combination - Zone 1	1	UNCNX	U1L2X	U1L2X	18.44	125.22	60.48	59.69	7.84					
	First 2 Wire ISDN Loop in Combination - Zone 2	2	UNCNX	U1L2X	U1L2X	25.08	125.22	60.48	59.69	7.84					
	First 2 Wire ISDN Loop in Combination - Zone 3	3	UNCNX	U1L2X	U1L2X	42.87	125.22	60.48	59.69	7.84					
	Interoffice Transport - Dedicated - DS1 combination - per mile per month			UNC1X	1L5XX	0.19									
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32					
	1/0 Channel System in combination - per month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67					
	2 wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.84	6.71	4.84							
	Additional 2 wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1	1	UNCNX	U1L2X	U1L2X	18.44	125.22	60.48	59.69	7.84					
	Additional 2 wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2	2	UNCNX	U1L2X	U1L2X	25.08	125.22	60.48	59.69	7.84					
	Additional 2 wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3	3	UNCNX	U1L2X	U1L2X	42.87	125.22	60.48	59.69	7.84					
	Additional 2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.84	6.71	4.84							
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17					
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT														
	First DS1 Loop Combination - Zone 1	1	UNC1X	USLXX	USLXX	86.47	210.70	114.60	63.96	17.97					
	First DS1 Loop Combination - Zone 2	2	UNC1X	USLXX	USLXX	114.10	210.70	114.60	63.96	17.97					

UNBUNDLED NETWORK ELEMENTS - Kentucky														
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted ELEC per LSR	Svc Order Submitted Manually per LSR	Attachment 2	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Exhibit A
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOMECH	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	SOMAN	SOMAN
	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97				
	Interface Transport - Dedicated - STS-1 combination - Per Month			UNC1X	USLXX	4.09								
	Interface Transport - Dedicated - STS-1 combination - Facility Termination per month			UNC1X	USLXX	945.79	350.56	141.58	48.00	23.39				
	31 Channel System in combination per month			UNC1X	USLXX	158.20	115.48	56.53	15.12	5.30				
	DS1 COCI in combination per month			UNC1X	USLXX	11.80	6.71	4.84						
	Additional DS1 Loop in the same STS-1 Interface Transport Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97				
	Additional DS1 Loop in the same STS-1 Interface Transport Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97				
	Additional DS1 Loop in the same STS-1 Interface Transport Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97				
	DS1 COCI in combination per month			UNC1X	USLXX	11.80	6.71	4.84						
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNC1X	USLXX	8.98	8.98		11.17	11.17				
	EXTENDED 4-WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH 56 Kbps INTERFACE TRANSPORT													
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNC1X	USLXX	27.59	125.22	60.48	59.69	7.84				
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNC1X	USLXX	32.48	125.22	60.48	59.69	7.84				
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNC1X	USLXX	36.37	125.22	60.48	59.69	7.84				
	Interface Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNC1X	USLXX	0.01								
	Interface Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNC1X	USLXX	17.25	98.09	53.67	56.31	22.42				
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNC1X	USLXX	8.98	8.98		11.17	11.17				
	EXTENDED 4-WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH 64 Kbps INTERFACE TRANSPORT													
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNC1X	USLXX	27.59	125.22	60.48	59.69	7.84				
	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNC1X	USLXX	32.48	125.22	60.48	59.69	7.84				
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNC1X	USLXX	36.37	125.22	60.48	59.69	7.84				
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNC1X	USLXX	0.01								
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNC1X	USLXX	17.25	98.09	53.67	56.31	22.42				
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNC1X	USLXX	8.98	8.98		11.17	11.17				
	EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTERFACE TRANSPORT w/ 3/1 MUX													
	First 2 wire VG Loop (SL2) in combination - Zone 1		1	UNC1X	USLXX	12.67	125.22	60.48	59.69	7.84				
	First 2 wire VG Loop (SL2) in combination - Zone 2		2	UNC1X	USLXX	17.45	125.22	60.48	59.69	7.84				
	First 2 wire VG Loop (SL2) in combination - Zone 3		3	UNC1X	USLXX	33.22	125.22	60.48	59.69	7.84				
	First Interface Transport - Dedicated - DS1 combination - Per Mile			UNC1X	USLXX	0.19								
	First Interface Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	USLXX	79.02	181.24	123.53	56.72	22.32				
	Per each DS1 Channelization System Per Month			UNC1X	USLXX	113.33	57.26	14.74	1.86	1.67				
	Per each Voice Grade COCI - Per Month per month			UNC1X	USLXX	0.62	6.71	4.84						
	31 Channel System in combination per month			UNC1X	USLXX	158.20	115.48	56.53	15.12	5.30				
	DS1 COCI in combination per month			UNC1X	USLXX	11.80	6.71	4.84						
	Each Additional 2 Wire VG Loop(SL 2) in the same DS1 Interface Transport Combination - Zone 1		1	UNC1X	USLXX	12.67	125.22	60.48	59.69	7.84				
	Each Additional 2 Wire VG Loop(SL2) in the same DS1 Interface Transport Combination - Zone 2		2	UNC1X	USLXX	17.45	125.22	60.48	59.69	7.84				
	Each Additional 2 Wire VG Loop(SL2) in the same DS1 Interface Transport Combination - Zone 3		3	UNC1X	USLXX	33.22	125.22	60.48	59.69	7.84				
	Each Additional Voice Grade COCI in combination - per month			UNC1X	USLXX	0.62	6.71	4.84						
	Each Additional DS1 Interface Channel per mile in same 3/1 Channel System per month			UNC1X	USLXX	0.19								
	Each Additional DS1 Interface Channel Facility Termination in same 3/1 Channel System per month			UNC1X	USLXX	79.02	181.24	123.53	56.72	22.32				

UNBUNDLED NETWORK ELEMENTS - Kentucky														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Attachment 2		Exhibit A
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect Add'l			SOMECH	SOMAN	
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	11 80	6 71	4 84						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNC1X		8 98		11 17					
EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX														
	First 4 Wire Analog Voice Grade Local Loop in Combination - Zone 1		1	UNC1X	UEAL4	29 26	125 22	60 48	59 69					
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 2		2	UNC1X	UEAL4	34 25	125 22	60 48	59 69					
	First 4 Wire Analog Voice Grade Local Loop in Combination - Zone 3		3	UNC1X	UEAL4	85 06	125 22	60 48	59 69					
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 19								
	First Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	79 02	181 24	123 53	56 72					
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	113 33	57 26	14 74	1 86					
	Per each Voice Grade COCI in combination - per month			UNC1X	1D1VG	0 62	6 71	4 84						
	3/1 Channel System in combination per month			UNC1X	MQ3	158 20	115 48	56 53	15 12					
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11 80	6 71	4 84						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNC1X	UEAL4	29 26	125 22	60 48	59 69					
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNC1X	UEAL4	34 25	125 22	60 48	59 69					
	Additional 4 Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNC1X	UEAL4	85 06	125 22	60 48	59 69					
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 19								
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	79 02	181 24	123 53	56 72					
	Additional Voice Grade COCI in combination - per month			UNC1X	1D1VG	0 62	6 71	4 84						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNC1X		8 98		11 17					
EXTENDED 4-WIRE 56 Kbps DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX														
	First 4 Wire 56Kbps Digital Grade Local Loop in Combination - Zone 1		1	UNC1X	UDL56	27 59	125 22	60 48	59 69					
	First 4 Wire 56Kbps Digital Grade Local Loop in Combination - Zone 2		2	UNC1X	UDL56	32 48	125 22	60 48	59 69					
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3		3	UNC1X	UDL56	36 37	125 22	60 48	59 69					
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 19								
	First Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	79 02	181 24	123 53	56 72					
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	113 33	57 26	14 74	1 86					
	Per each OC4-DP COCI (data) COCI per month (2 4-64kbs)			UNC1X	1D1DD	1 32	6 71	4 84						
	3/1 Channel System in combination per month			UNC1X	MQ3	158 20	115 48	56 53	15 12					
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11 80	6 71	4 84						
	Additional 4 Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNC1X	UDL56	27 59	125 22	60 48	59 69					
	Additional 4 Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNC1X	UDL56	32 48	125 22	60 48	59 69					
	Additional 4 Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNC1X	UDL56	36 37	125 22	60 48	59 69					
	OC4 DP COCI (data) COCI in combination per month (2 4-64kbs)			UNC1X	1D1DD	1 32	6 71	4 84						
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 19								
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	79 02	181 24	123 53	56 72					

UNBUNDLED NETWORK ELEMENTS - Kentucky																	
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)						Svc Order Submitted Elec per LSR	Svc Order Manually Submitted per LSR	Attachment 2		Exhibit A	
						Nonrecurring		Disconnect Add'l	OSS Rates (\$)		Incremental Charge - Manual Svc Order vs Electronic-1st			Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	
						Rec	First		Add'l	SOME							SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	11 80	6 71	4 84									
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8 98	8 98	11 17	11 17							
EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																	
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1		UNC1X	UDL64	27 59	125 22	60 48	59 69	7 84							
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2		UNC1X	UDL64	32 48	125 22	60 48	59 69	7 84							
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3		UNC1X	UDL64	36 37	125 22	60 48	59 69	7 84							
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 19											
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	79 02	181 24	123 53	56 72	22 32							
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	113 33	57 26	14 74	1 86	1 67							
	Per each OCCU-DP COCI (data) in combination - per month (2 4-64Kbps)			UNC1X	1D1DD	1 32	6 71	4 84									
	3/1 Channel System in combination per month			UNC1X	MQ3	158 20	115 48	56 53	15 12	5 30							
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1		UNC1X	UDL64	27 59	125 22	60 48	59 69	7 84							
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2		UNC1X	UDL64	32 48	125 22	60 48	59 69	7 84							
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3		UNC1X	UDL64	36 37	125 22	60 48	59 69	7 84							
	Additional OCCU-DP COCI (data) - DS1 to DSO Channel System combination - per month (2 4-64Kbps)			UNC1X	1D1DD	1 32	6 71	4 84									
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 19											
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	79 02	181 24	123 53	56 72	22 32							
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	11 80	6 71	4 84									
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8 98	8 98	11 17	11 17							
EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																	
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1	1		UNC1X	U1L2X	18 44	125 22	60 48	59 69	7 84							
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2	2		UNC1X	U1L2X	25 08	125 22	60 48	59 69	7 84							
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3	3		UNC1X	U1L2X	42 87	125 22	60 48	59 69	7 84							
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0 19											
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	79 02	181 24	123 53	56 72	22 32							
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	113 33	57 26	14 74	1 86	1 67							
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNC1X	UC1CA	2 84	6 71	4 84									
	3/1 Channel System in combination per month			UNC1X	MQ3	158 20	115 48	56 53	15 12	5 30							
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11 80	6 71	4 84									
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 1	1		UNC1X	U1L2X	18 44	125 22	60 48	59 69	7 84							
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 2	2		UNC1X	U1L2X	25 08	125 22	60 48	59 69	7 84							
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 3	3		UNC1X	U1L2X	42 87	125 22	60 48	59 69	7 84							
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel system combination- per month			UNC1X	UC1CA	2 84	6 71	4 84									

UNBUNDLED NETWORK ELEMENTS - Kentucky										
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR
						Nonrecurring First	Add'l	Disconnect First	Add'l	Svc Order Submitted Elec per LSR
						Rec				
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 19				
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	79 02	123 53	56 72	22 32	
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	11 80	4 84			
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNC1X	UNCCC		8 98	11 17	11 17	
	EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX									
	First 4-wire DS1 Digital Local Loop in Combination - Zone 1	1	UNC1X	USLXX	USLXX	86 47	210 70	63 96	17 97	
	First 4-wire DS1 Digital Local Loop in Combination - Zone 2	2	UNC1X	USLXX	USLXX	114 10	210 70	63 96	17 97	
	First 4-wire DS1 Digital Local Loop in Combination - Zone 3	3	UNC1X	USLXX	USLXX	297 76	210 70	63 96	17 97	
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 19				
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	79 02	123 53	56 72	22 32	
	3/1 Channel System in combination per month			UNC3X	MD3	158 20	115 48	15 12	5 30	
	Per each DS1 COCI combination per month			UNC1X	UC1D1	11 80	4 84			
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 19				
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	79 02	123 53	56 72	22 32	
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	11 80	4 84			
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 1	1	UNC1X	USLXX	USLXX	86 47	210 70	63 96	17 97	
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 2	2	UNC1X	USLXX	USLXX	114 10	210 70	63 96	17 97	
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 3	3	UNC1X	USLXX	USLXX	297 76	210 70	63 96	17 97	
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNC1X	UNCCC		8 98	11 17	11 17	
	EXTENDED 4-WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH DSO INTEROFFICE TRANSPORT									
	First 4-wire 56 kbps Local Loop in combination - Zone 1	1	UNCDX	UDL56	UDL56	27 59	125 22	59 69	7 84	
	First 4-wire 56 kbps Local Loop in combination - Zone 2	2	UNCDX	UDL56	UDL56	32 48	125 22	59 69	7 84	
	First 4-wire 56 kbps Local Loop in combination - Zone 3	3	UNCDX	UDL56	UDL56	36 37	125 22	59 69	7 84	
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0 01				
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	17 25	53 67	56 31	22 42	
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNCDX	UNCCC		8 98	11 17	11 17	
	EXTENDED 4-WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH DSO INTEROFFICE TRANSPORT									
	First 4-wire 64 kbps Local Loop in combination - Zone 1	1	UNCDX	UDL64	UDL64	27 59	125 22	59 69	7 84	
	First 4-wire 64 kbps Local Loop in combination - Zone 2	2	UNCDX	UDL64	UDL64	32 48	125 22	59 69	7 84	
	First 4-wire 64 kbps Local Loop in combination - Zone 3	3	UNCDX	UDL64	UDL64	36 37	125 22	59 69	7 84	
	First 4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0 01				
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	17 25	53 67	56 31	22 42	
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNCDX	UNCCC		8 98	11 17	11 17	
	ADDITIONAL NETWORK ELEMENTS									
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply									
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not									
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)									
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC	8 98	8 98	11 17	11 17	