- 3.4.2 1-800-RECONEX, Inc. must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review 1-800-RECONEX, Inc.'s plans and specifications prior to construction of an Adjacent Arrangement(s) to ensure compliance with BellSouth's guidelines and specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of plans and specifications. BellSouth may inspect the Adjacent Arrangement during and after construction to confirm it is constructed according to the submitted plans and specifications. BellSouth shall require 1-800-RECONEX, Inc. to remove or correct within seven (7) calendar days at 1-800-RECONEX, Inc.'s expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's guidelines and specifications.
- 3.4.3 1-800-RECONEX, Inc. shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At 1-800-RECONEX, Inc.'s option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC, and subject to individual case basis pricing. 1-800-RECONEX, Inc.'s Certified Supplier shall be responsible, at 1-800-RECONEX, Inc.'s expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared Caged Collocation within an Adjacent Arrangement pursuant to the terms and conditions set forth herein.
- 3.5 Co-Carrier Cross Connect (CCXC). The primary purpose of collocation is for a collocated telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's unbundled network elements for the provision of telecommunications services within a BellSouth Premises. BellSouth will permit 1-800-RECONEX, Inc. to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same central office. Both 1-800-RECONEX, Inc.1-800-RECONEX, Inc.'s agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. At no point in time shall 1-800-RECONEX, Inc. use the Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
- 3.5.1 1-800-RECONEX, Inc. must use a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by 1-800-RECONEX, Inc.. Such connections to other carriers may be made using either optical or electrical facilities. 1-800-RECONEX, Inc. may deploy such optical or electrical connections directly between its own facilities and the facilities of other collocated telecommunications carriers without being routed through BellSouth equipment. 1-800-RECONEX, Inc. may not self-provision CCXC on any BellSouth distribution

frame, POT (Point of Termination) Bay, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect). 1-800-RECONEX, Inc. is responsible for ensuring the integrity of the signal.

- 3.5.2 1-800-RECONEX, Inc. shall be responsible for providing written authorization to BellSouth from the other collocated telecommunications carrier prior to installing the CCXC. 1-800-RECONEX, Inc.-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, 1-800-RECONEX, Inc. may have the option of constructing its own dedicated support structure.
- 3.5.3 To order CCXCs 1-800-RECONEX, Inc. must submit an Initial Application or Subsequent Application. If no modification to the Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXC, as defined in Exhibit C, will apply. If modifications in addition to the placement of CCXCs are requested, the Initial Application or Subsequent Application Fee will apply. This non-recurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

4. Occupancy

- Occupancy. BellSouth will notify 1-800-RECONEX, Inc. in writing that the 4.1 Collocation Space is ready for occupancy ("Space Ready Date"). 1-800-RECONEX, Inc. will schedule and complete an acceptance walk through of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying 1-800-RECONEX, Inc. that the Collocation Space is ready for occupancy. In the event that 1-800-RECONEX, Inc. fails to complete an acceptance walk through within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by 1-800-RECONEX, Inc.. Billing will commence on the Space Ready Date or the date 1-800-RECONEX, Inc.1-800-RECONEX, Inc. accepts the space ("Space Acceptance Date"), whichever is sooner. 1-800-RECONEX, Inc. must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, 1-800-RECONEX, Inc.'s telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provisioning.
- 4.2 <u>Termination of Occupancy</u>. In addition to any other provisions addressing termination of occupancy in this Agreement, 1-800-RECONEX, Inc. may terminate occupancy in a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy. A Subsequent Application Fee will not apply for termination of occupancy. BellSouth may terminate 1-800-RECONEX, Inc.'s right to occupy the Collocation Space in the event 1-800-RECONEX, Inc. fails to comply with any provision of this Agreement including the payment of applicable fees.

Upon termination of occupancy, 1-800-RECONEX, Inc. at its expense shall remove its equipment and other property from the Collocation Space. 1-800-RECONEX, Inc. shall have thirty (30) calendar days from the termination date to complete such removal, including the removal of all equipment and facilities of 1-800-RECONEX, Inc.'s Guests, unless 1-800-RECONEX, Inc.'s Guest has assumed responsibility for the Collocation Space housing the Guest's equipment and executed the documentation required by BellSouth prior to such removal date. 1-800-RECONEX, Inc. shall continue payment of monthly fees to BellSouth until such date as 1-800-RECONEX, Inc., and if applicable 1-800-RECONEX, Inc.'s Guest, has fully vacated the Collocation Space and the Space Relinquish Form has been accepted by BellSouth. Should 1-800-RECONEX, Inc. or 1-800-RECONEX, Inc.'s Guest fail to vacate the Collocation Space within thirty (30) calendar days from the termination date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of 1-800-RECONEX, Inc. or 1-800-RECONEX, Inc.'s Guest(s), in any manner that BellSouth deems fit, at 1-800-RECONEX, Inc.'s expense and with no liability whatsoever for 1-800-RECONEX, Inc.'s property or 1-800-RECONEX, Inc.'s Guest(s)'s property. Upon termination of 1-800-RECONEX, Inc.'s right to occupy Collocation Space, the Collocation Space will revert back to BellSouth, and 1-800-RECONEX, Inc. shall surrender such Collocation Space to BellSouth in the same condition as when first occupied by 1-800-RECONEX, Inc. except for ordinary wear and tear, unless otherwise agreed to by the Parties. 1-800-RECONEX, Inc.'s BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's guidelines and specifications including but not limited to Central Office Record Drawings and ERMA Records. 1-800-RECONEX, Inc. shall be responsible for the cost of removing any enclosure, together with all support structures (e.g., racking, conduits, power cables, etc.), at the termination of occupancy and restoring the grounds to their original condition.

5. Use of Collocation Space

- 5.1 <u>Equipment Type</u>. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Premises must be for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: Traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized

databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.

- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1; equipment design spatial requirements per GR-63-CORE, Section 2; thermal heat dissipation per GR-063-CORE, Section 4, Criteria 77-79; acoustic noise per GR-063-CORE, Section 4, Criterion 128, and National Electric Code standards. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on 1-800-RECONEX, Inc.'s failure to comply with this Section.
- 5.1.3 1-800-RECONEX, Inc. shall not request more DS0, DS1, DS3 and optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the arrangement. The total capacity of the equipment collocated in the arrangement will include equipment contained in the application in question as well as equipment already placed in the arrangement. If full network termination capacity of the equipment being installed is not requested in the application, additional network terminations for the installed equipment will require the submission of another application. In the event that 1-800-RECONEX, Inc. submits an application for terminations that exceed the total capacity of the collocated equipment, 1-800-RECONEX, Inc. will be informed of the discrepancy and will be required to submit a revision to the application.
- 5.2 1-800-RECONEX, Inc. shall identify to BellSouth whenever 1-800-RECONEX, Inc. submits a Method of Procedure ("MOP") adding equipment to 1-800-RECONEX, Inc.'s Collocation Space all entities that have an interest, secured and otherwise, in the equipment in 1-800-RECONEX, Inc.'s Collocation Space.
- 5.3 1-800-RECONEX, Inc. shall not use the Collocation Space for marketing purposes nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the Premises.
- 5.4 1-800-RECONEX, Inc. shall place a plaque or other identification affixed to 1-800-RECONEX, Inc.'s equipment necessary to identify 1-800-RECONEX, Inc.'s equipment, including a list of emergency contacts with telephone numbers.
- 5.5 <u>Entrance Facilities</u>. 1-800-RECONEX, Inc. may elect to place 1-800-RECONEX, Inc.-owned or 1-800-RECONEX, Inc.-leased fiber entrance facilities into the Collocation Space. BellSouth will designate the point of interconnection in close proximity to the Premises building housing the Collocation Space, such as an entrance

manhole or a cable vault, which are physically accessible by both Parties. 1-800-RECONEX, Inc. will provide and place fiber cable at the point of entrance of sufficient length to be pulled through conduit and into the splice location. 1-800-RECONEX, Inc. will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced by BellSouth, which will extend from the splice location to 1-800-RECONEX, Inc.'s equipment in the Collocation Space. In the event 1-800-RECONEX, Inc. utilizes a non-metallic, riser-type entrance facility, a splice will not be required. 1-800-RECONEX, Inc. must contact BellSouth for instructions prior to placing the entrance facility cable in the manhole. 1-800-RECONEX, Inc. is responsible for maintenance of the entrance facilities. At 1-800-RECONEX, Inc.'s option BellSouth will accommodate where technically feasible a microwave entrance facility pursuant to separately negotiated terms and conditions. In the case of adjacent collocation, unless BellSouth determines that limited space is available for the entrance facilities, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point.

- Dual Entrance. BellSouth will provide at least two interconnection points at each Premises where there are at least two such interconnection points available and where capacity exists. Upon receipt of a request for physical collocation under this Attachment, BellSouth shall provide 1-800-RECONEX, Inc. with information regarding BellSouth's capacity to accommodate dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose for utilization within 12 months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for installing a second entrance facility to 1-800-RECONEX, Inc.'s arrangement. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance is not available due to lack of capacity, BellSouth will so state in the Application Response.
- 5.5.2 <u>Shared Use.</u> 1-800-RECONEX, Inc. may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to 1-800-RECONEX, Inc.'s collocation arrangement within the same BellSouth Premises. BellSouth shall allow the splice, provided that the fiber is non-working fiber. 1-800-RECONEX, Inc. must arrange with BellSouth for BellSouth to splice the 1-800-RECONEX, Inc. provided riser cable to the spare capacity on the entrance facility. The rates set forth in Exhibit C will apply. If 1-800-RECONEX, Inc. desires to allow another telecommunications carrier to use its entrance facilities, additional rates, terms and conditions will apply and shall be negotiated between the Parties.
- Demarcation Point. BellSouth will designate the point(s) of demarcation between 1-800-RECONEX, Inc.'s equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on the BellSouth designated conventional distributing frame (CDF). 1-800-RECONEX, Inc. shall be responsible for providing, and a supplier certified by BellSouth ("BellSouth Certified Supplier")

shall be responsible for installing and properly labeling/stenciling the common block and necessary cabling pursuant to Section 7. For all other terminations BellSouth shall designate a demarcation point on a per arrangement basis. 1-800-RECONEX, Inc. or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests.

- 5.6.1 In Tennessee, BellSouth will designate the point(s) of demarcation between 1-800-RECONEX, Inc.'s equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For connections to BellSouth's network, the demarcation point shall be a 1-800-RECONEX, Inc. provided Point of Termination Bay (POT Bay) in a common area within the Premises. 1-800-RECONEX, Inc. shall be responsible for providing, and a supplier certified by BellSouth shall be responsible for installing and properly labeling/stenciling the POT Bay as well as installing the necessary cabling between 1-800-RECONEX, Inc.'s Collocation Space and the demarcation point. 1-800-RECONEX, Inc. or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests. BellSouth will negotiate alternative rates, terms and conditions related to the demarcation point in Tennessee in the event that 1-800-RECONEX, Inc. desires to avoid the use of an intermediary device as contemplated by the Tennessee Regulatory Authority.
- 5.7 <u>1-800-RECONEX, Inc.'s Equipment and Facilities</u>. 1-800-RECONEX, Inc., or if required by this Attachment, 1-800-RECONEX, Inc.'s BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by 1-800-RECONEX, Inc. which must be performed in compliance with all applicable BellSouth policies and guidelines. Such equipment and facilities may include but are not limited to cable(s), equipment, and point of termination connections. 1-800-RECONEX, Inc. and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- BellSouth's Access to Collocation Space. From time to time BellSouth may require access to the Collocation Space. BellSouth retains the right to access such space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cables). BellSouth will give notice to 1-800-RECONEX, Inc. at least forty-eight (48) hours before access to the Collocation Space is required. 1-800-RECONEX, Inc. may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that 1-800-RECONEX, Inc. will not bear any of the expense associated with this work.

- 5.9 Access. Pursuant to Section 12, 1-800-RECONEX, Inc. shall have access to the Collocation Space twenty-four (24) hours a day, seven (7) days a week. 1-800-RECONEX, Inc. agrees to provide the name and social security number or date of birth or driver's license number of each employee, supplier, or agent of 1-800-RECONEX, Inc. or 1-800-RECONEX, Inc.'s Guests provided with access keys or devices ("Access Keys") prior to the issuance of said Access Keys. Key acknowledgement forms must be signed by 1-800-RECONEX, Inc. and returned to BellSouth Access Management within fifteen (15) calendar days of 1-800-RECONEX, Inc.'s receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. 1-800-RECONEX, Inc. agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of 1-800-RECONEX, Inc.'s employees, suppliers, Guests, or agents after termination of the employment relationship, contractual obligation with 1-800-RECONEX, Inc. or upon the termination of this Attachment or the termination of occupancy of an individual collocation arrangement.
- 5.9.1 BellSouth will permit one accompanied site visit to 1-800-RECONEX, Inc.'s designated collocation arrangement location after receipt of the Bona Fide Firm Order (BFFO) without charge to 1-800-RECONEX, Inc. 1-800-RECONEX, Inc. must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Premises a minimum of thirty (30) calendar days prior to the date 1-800-RECONEX, Inc. desires access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, 1-800-RECONEX, Inc. may submit such a request at any time subsequent to BellSouth's receipt of the BFFO. In the event 1-800-RECONEX, Inc. desires access to the Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit 1-800-RECONEX, Inc. to access the Collocation Space accompanied by a security escort at 1-800-RECONEX, Inc. to access the Collocation Space accompanied by a security escort at 1-800-RECONEX, Inc.'s expense. 1-800-RECONEX, Inc. must request escorted access at least three (3) business days prior to the date such access is desired.
- 5.10 <u>Lost or Stolen Access Keys</u>. 1-800-RECONEX, Inc. shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key buildings or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), 1-800-RECONEX, Inc. shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- Interference or Impairment. Notwithstanding any other provisions of this Attachment, 1-800-RECONEX, Inc. shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of

injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of 1-800-RECONEX, Inc. violates the provisions of this paragraph, BellSouth shall give written notice to 1-800-RECONEX, Inc., which notice shall direct 1-800-RECONEX, Inc. to cure the violation within forty-eight (48) hours of 1-800-RECONEX, Inc.'s actual receipt of written notice or, at a minimum, to commence curative measures within twenty-four (24) hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.

- 5.11.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if 1-800-RECONEX, Inc. fails to take curative action within forty-eight (48) hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to 1-800-RECONEX, Inc.'s equipment. BellSouth will endeavor, but is not required, to provide notice to 1-800-RECONEX, Inc. prior to taking such action and shall have no liability to 1-800-RECONEX, Inc. for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.11.2 For purposes of this Section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and 1-800-RECONEX, Inc. fails to take curative action within forty-eight (48) hours then BellSouth will establish before the relevant Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to 1-800-RECONEX, Inc. or, if subsequently necessary, the relevant Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, 1-800-RECONEX, Inc. shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly deployed technology.
- 5.12 Personalty and its Removal. Facilities and equipment placed by 1-800-RECONEX, Inc. in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by 1-800-RECONEX, Inc. at any time. Any damage caused to the Collocation Space by 1-800-RECONEX, Inc.'s Version 2Q02: 5/31/02

- employees, agents or representatives during the removal of such property shall be promptly repaired by 1-800-RECONEX, Inc. at its expense.
- 5.12.1 <u>If</u> 1-800-RECONEX, Inc. decides to remove equipment from its Collocation Space and the removal requires no physical changes, BellSouth will bill 1-800-RECONEX, Inc. an Administrative Only Application Fee as set forth in Exhibit C for these charges. This non-recurring fee will be billed on the date that BellSouth provides an Application Response.
- Alterations. In no case shall 1-800-RECONEX, Inc. or any person acting on behalf of 1-800-RECONEX, Inc. make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the BellSouth Premises without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any such specialized alterations shall be paid by 1-800-RECONEX, Inc.. Any such material rearrangement, modification, improvement, addition, or other alteration shall require a Subsequent Application and Subsequent Application Fee which will be billed by BellSouth on the date that BellSouth makes an Application Response.
- Janitorial Service. 1-800-RECONEX, Inc. shall be responsible for the general upkeep of the Collocation Space. 1-800-RECONEX, Inc. shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to Caged Collocation Space. BellSouth shall provide a list of such suppliers on a site-specific basis upon request.

6. Ordering and Preparation of Collocation Space

- Should any state or federal regulatory agency impose procedures or intervals applicable to 1-800-RECONEX, Inc. and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof.
- Initial Application. For 1-800-RECONEX, Inc. or 1-800-RECONEX, Inc.'s Guest(s) initial equipment placement, 1-800-RECONEX, Inc. shall submit to BellSouth a Physical Expanded Interconnection Application Document ("Initial Application"). The Initial Application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. An application fee will apply which will be billed by BellSouth on the date that BellSouth makes an Application Response.
- 6.3 <u>Subsequent Application.</u> In the event 1-800-RECONEX, Inc. or 1-800-RECONEX, Inc.'s Guest(s) desires to modify the use of the Collocation Space after a BFFO, 1-800-RECONEX, Inc. shall complete an application detailing all information regarding

the modification to the Collocation Space ("Subsequent Application"). The Subsequent Application is Bona Fide when it is complete and accurate, meaning that all required fields on the Subsequent Application are completed with the appropriate type of information. BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by 1-800-RECONEX, Inc. in the application. Such necessary modifications to the Premises may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.

- 6.3.1 <u>Subsequent Application Fee.</u> The application fee paid by 1-800-RECONEX, Inc. for its request to modify the use of the Collocation Space shall be dependent upon the level of assessment needed for the modification requested. The fee for a Subsequent Application where the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit C. If the modification requires capital expenditure, an Initial Application Fee shall apply. This non-recurring fee will be billed on the date that BellSouth makes an Application Response.
- Space Preferences. If 1-800-RECONEX, Inc. has previously requested and received a Space Availability Report for the Premises, 1-800-RECONEX, Inc. may submit up to three (3) space preferences on its application identifying specific space identification numbers as referenced on the Space Availability Report. In the event that BellSouth can-not accommodate the 1-800-RECONEX, Inc.'s preference(s), 1-800-RECONEX, Inc. may elect to accept the space allocated by BellSouth or may cancel its application and submit another application requesting additional preferences, which will be treated as a new application and an application fee will apply which will be billed by BellSouth on the date that BellSouth makes an Application Response.
- 6.5 Space Availability Notification.
- Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify 1-800-RECONEX, Inc. of the amount of space that is available and no application fee shall apply. When BellSouth's response includes an amount of space less than that requested by 1-800-RECONEX, Inc. or differently configured, 1-800-RECONEX, Inc. must resubmit its application to reflect the actual space available.
- 6.5.2 BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an application fee will be billed by BellSouth

on the date that BellSouth makes an Application Response. When BellSouth's Application Response includes an amount of space less than that requested by 1-800-RECONEX, Inc. or differently configured, 1-800-RECONEX, Inc. must amend its application to reflect the actual space available prior to submitting a BFFO.

- BellSouth will respond to a Louisiana application within ten (10) calendar days for space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, it is increased by five (5) calendar days for every five additional applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify 1-800-RECONEX, Inc. of the amount of space that is available and no application fee shall apply. When BellSouth's response includes an amount of space less than that requested by 1-800-RECONEX, Inc. or differently configured, 1-800-RECONEX, Inc. must resubmit its application to reflect the actual space available. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide.
- Denial of Application. If BellSouth notifies 1-800-RECONEX, Inc. that no space is available ("Denial of Application"), BellSouth will not assess an Application Fee. After notifying 1-800-RECONEX, Inc. that BellSouth has no available space in the requested Premises, BellSouth will allow 1-800-RECONEX, Inc., upon request, to tour the entire Premises within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Premises must be received by BellSouth within five (5) calendar days of the Denial of Application.
- 6.7 <u>Filing of Petition for Waiver</u>. Upon Denial of Application, BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit 1-800-RECONEX, Inc. to inspect any floor plans or diagrams that BellSouth provides to the Commission.
- Maiting List. On a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.
- 6.8.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting

carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of telecommunications carrier on said waiting list. If not known sixty (60) calendar days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two (2) business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.

- 6.8.2 When space becomes available, 1-800-RECONEX, Inc. must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of such notification. If 1-800-RECONEX, Inc. has originally requested caged Collocation Space and cageless Collocation Space becomes available, 1-800-RECONEX, Inc. may refuse such space and notify BellSouth in writing within that time that 1-800-RECONEX, Inc. wants to maintain its place on the waiting list without accepting such space. 1-800-RECONEX, Inc. may accept an amount of space less than its original request by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If 1-800-RECONEX, Inc. does not submit such an application or notify BellSouth in writing as described above, BellSouth will offer such space to the next telecommunications carrier on the waiting list and remove 1-800-RECONEX, Inc. from the waiting list. Upon request, BellSouth will advise 1-800-RECONEX, Inc. as to its position on the list.
- 6.9 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Central Offices that are without available space. BellSouth shall update such document within ten (10) calendar days of the date BellSouth becomes aware that there is insufficient space to accommodate physical collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Central Office previously on the space exhaust list.
- 6.10 <u>Application Response.</u>
- 6.10.1 In Alabama, when space has been determined to be available, BellSouth will provide an Application Response within thirty (30) calendar days of the receipt of a Bona Fide application, which will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, described in Section 8.
- 6.10.2 In North Carolina, when space has been determined to be available, BellSouth will provide an Application Response within twenty-three (23) business days of the receipt of a Bona Fide application, which will include, at a minimum, the configuration of the

- space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, described in Section 8.
- 6.10.3 In Tennessee, BellSouth will provide an Application Response within fifteen (15) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee (Cageless and Virtual), and a firm price quote, based upon standardized pricing provided that 1-800-RECONEX, Inc. has given BellSouth a forecast of 1-800-RECONEX, Inc.'s collocation needs at least ten (10) calendar days prior to submitting an application. If no forecast is provided by 1-800-RECONEX, Inc. the interval for an Application Response will be thirty (30) calendar days.
- In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable 1-800-RECONEX, Inc. to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When 1-800-RECONEX, Inc. submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) day response period will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- 6.10.5 In Georgia, Kentucky, Mississippi and South Carolina, when space has been determined to be available for caged or cageless arrangements, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, as described in Section 8.
- 6.10.6 In Louisiana, when space has been determined to be available, BellSouth will provide an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty-five (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications it is increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.11 <u>Application Modifications.</u>
- 6.11.1 If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of 1-800-RECONEX, Inc. or necessitated by technical considerations, said application shall be

considered a new application and shall be handled as a new application with respect to response and provisioning intervals and BellSouth may charge 1-800-RECONEX, Inc. an additional application fee. The fee for an application modification where the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit C. A modification involving a capital expenditure by BellSouth shall require 1-800-RECONEX, Inc. to submit the application with an Initial Application Fee. This non-recurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

6.12 <u>Bona Fide Firm Order</u>.

- 6.12.1 In Kentucky and North Carolina, 1-800-RECONEX, Inc. shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when 1-800-RECONEX, Inc. has completed the Application/Inquiry process described in Section 6, preceeding, and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The BFFO must be received by BellSouth no later than five (5) business days after BellSouth's Application Response to 1-800-RECONEX, Inc.'s Bona Fide application in order to receive the intervals set forth in Section 7. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to 1-800-RECONEX, Inc.'s Bona Fide application or the application will expire. If the BFFO is received between the fifth business day and the thirtieth calendar day after the Application Response, then the intervals set forth in Section 7.1.1 will be extended day for day for each day after the fifth business day the BFFO is received until the application expires.
- 6.12.2 Except as otherwise provided, in all States that have ordered provisioning intervals but not addressed Firm Order intervals, the following shall apply. _1-800-RECONEX, Inc. shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Firm Order to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to 1-800-RECONEX, Inc.'s Bona Fide application or the application will expire.
- 6.12.3 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a BFFO. BellSouth will acknowledge the receipt of 1-800-RECONEX, Inc.'s BFFO within seven (7) calendar days of receipt indicating that the BFFO has been received. A BellSouth response to a BFFO will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a BFFO.

7. <u>Construction and Provisioning</u>

7.1 Construction and Provisioning Intervals

- In North Carolina, BellSouth will complete construction for collocation arrangements 7.1.1 within seventy-six (76) business days from receipt of an application or as agreed to by the Parties. Under extraordinary conditions, BellSouth will complete construction for collocation arrangements within ninety-one (91) business days. Examples of extraordinary conditions include, but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. In the event 1-800-RECONEX, Inc. submits a forecast as described in the following paragraph three (3) months or more prior to the application date, the above intervals shall apply. In the event 1-800-RECONEX, Inc. submits such a forecast between two (2) months and three (3) months prior to the application date, the above intervals may be extended by one (1) additional month. In the event 1-800-RECONEX, Inc. submits such a forecast less than two (2) months prior to the application date, the above intervals may be extended by sixty (60) calendar days. BellSouth will attempt to meet standard intervals for unforecasted requests and any interval adjustments will be discussed with 1-800-RECONEX, Inc. at the time the application is received. Raw space, which is space lacking the necessary infrastructure to provide Collocation Space including but not limited to HVAC, Power, etc., conversion time frames fall outside the normal intervals and are negotiated on an individual case basis. Additionally, installations to existing collocation arrangements for line sharing or line splitting, which include adding cable, adding cable and splitter, and adding a splitter, will be forty five (45) business days from receipt of an application.
- 7.1.1.1 To be considered a timely and accurate forecast, 1-800-RECONEX, Inc. must submit to BellSouth the CLEC Collocation Forecast Form, as set forth in Exhibit B attached hereto, containing the following information: Central Office/Serving Wire Center CLLI, number of Caged square feet and/or Cageless bays, number of DS0, DS1, DS3 frame terminations, number of fused amps and planned application date.
- 7.1.2 In Alabama, BellSouth will complete construction for caged collocation arrangements as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements when preconditioned space is available within thirty (30) calendar days from receipt of a BFFO (ordinary conditions) or as agreed to by the Parties. Under extraordinary conditions, BellSouth will complete construction for cageless collocation arrangements as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. Preconditioned space is defined as when all infrastructure is in place and only a record change is required to show that the space has been assigned to 1-800-RECONEX, Inc.. Ordinary conditions are defined as space available with only minor changes to support systems required, such as, but not limited to HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include, but are not limited to, major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance;

environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.3 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For changes to the Collocation Space after initial space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and 1-800-RECONEX, Inc. cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida Commission.
- In Georgia, Kentucky, Mississippi and South Carolina, BellSouth will complete 7.1.4 construction for caged collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.5 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days for caged and sixty (60) calendar days for cageless from receipt of a BFFO for an initial request, and within sixty (60) calendar days for an Augmentation, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within one hundred twenty (120) calendar days for caged and ninety (90) calendar days for cageless from the receipt of a BFFO. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for

ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.6 In Tennessee, BellSouth will complete construction for collocation arrangements under ordinary conditions as follows: (i) for caged collocation arrangements, within a maximum of ninety (90) calendar days from receipt of a BFFO, or as agreed to by the Parties; (ii) for cageless collocation arrangements, within thirty (30) calendar days from receipt of a BFFO when there is conditioned space and 1-800-RECONEX, Inc. installs the bays/racks. In no event shall the provisioning interval for cageless collocation exceed ninety (90) calendar days from the receipt of a BFFO, unless otherwise agreed to by the parties. Under extraordinary conditions, BellSouth may elect to renegotiate an alternative provisioning interval with 1-800-RECONEX, Inc. or seek a waiver from this interval from the Commission. For the purpose of defining conditioned space as referenced in the Commission order setting intervals for cageless collocation in Tennessee, conditioned space is defined as follows: i) floor space must be available; ii) floor space must be equipped with adequate air conditioning to accommodate equipment listed on application; iii) Cable racking, any fiber duct, riser cable support structure and power cable support structure must be in place to support equipment listed on the application; and iv) power plant capacity at BDFB or main power board must be available. If LGX or DGX equipment is requested on the application and adequate existing capacity is not available then conditioned space is considered unavailable. If BellSouth is required by the application to place power cabling, conditioned space is considered unavailable.
- Joint Planning. Joint planning between BellSouth and 1-800-RECONEX, Inc. will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Collocation Space completion time period will be provided to 1-800-RECONEX, Inc. during joint planning.
- 7.3 Permits. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- Acceptance Walk Through. 1-800-RECONEX, Inc. will schedule and complete an acceptance walk through of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying 1-800-RECONEX, Inc. that the Collocation Space is ready for occupancy (Space Ready Date). In the event that 1-800-RECONEX, Inc. fails to complete an acceptance walk through within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by 1-800-RECONEX, Inc.. BellSouth will correct any deviations to 1-800-RECONEX, Inc.'s original or jointly amended requirements within seven (7) calendar days after the walk through, unless the Parties jointly agree upon a different time frame.

7.5 <u>Circuit Facility Assignments (CFAs).</u> Unless otherwise specified, BellSouth will provide CFAs to 1-800-RECONEX, Inc. prior to the applicable provisioning interval set forth herein ("Provisioning Interval") for those Premises in which 1-800-RECONEX, Inc. has a physical collocation arrangement with no POT bay or with a POT bay provided by BellSouth prior to 6/1/99. BellSouth cannot provide CFAs to 1-800-RECONEX, Inc. prior to the Provisioning Interval for those Premises in which 1-800-RECONEX, Inc. has a physical collocation arrangement with a POT bay provided by 1-800-RECONEX, Inc. prior to 6/1/99 or a virtual collocation arrangement until 1-800-RECONEX, Inc. provides BellSouth with the following information:

For 1-800-RECONEX, Inc.-provided POT bay - a complete layout of the POT panels (equipment inventory update (EIU) form) showing locations, speeds, etc.

For virtual - a complete layout of 1-800-RECONEX, Inc.'s equipment (equipment inventory update (EIU) form), including the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by 1-800-RECONEX, Inc.'s BellSouth Certified Supplier

BellSouth cannot begin work on the CFAs until the complete and accurate EIU form is received from 1-800-RECONEX, Inc.. If this EIU is provided ten (10) calendar days prior to the Provisioning Interval, then CFAs will be made available by the Provisioning Interval. If this EIU is not received ten (10) calendar days prior to the Provisioning Interval, then the CFAs will be provided within ten (10) calendar days of receipt of the EIU.

- 7.5.1 BellSouth will bill 1-800-RECONEX, Inc. a nonrecurring charge, as set forth in Exhibit C, each time 1-800-RECONEX, Inc. requests a resend of its CFAs.
- 7.6 Use of BellSouth Certified Supplier. 1-800-RECONEX, Inc. shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. 1-800-RECONEX, Inc. and 1-800-RECONEX, Inc.'s BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, 1-800-RECONEX, Inc. must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide 1-800-RECONEX, Inc. with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing 1-800-RECONEX, Inc.'s equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and 1-800-RECONEX, Inc. upon successful completion of installation, etc. The BellSouth Certified Supplier shall bill 1-800-RECONEX, Inc. directly for all work performed for 1-800-RECONEX, Inc. pursuant to this Attachment, and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall consider certifying 1-800-RECONEX, Inc. or any supplier proposed

- by 1-800-RECONEX, Inc.. All work performed by or for 1-800-RECONEX, Inc. shall conform to generally accepted industry guidelines and standards.
- Alarm and Monitoring. BellSouth shall place environmental alarms in the Premises for the protection of BellSouth equipment and facilities. 1-800-RECONEX, Inc. shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service 1-800-RECONEX, Inc.'s Collocation Space. Upon request, BellSouth will provide 1-800-RECONEX, Inc. with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by 1-800-RECONEX, Inc.. Both Parties shall use best efforts to notify the other of any verified environmental condition known to that Party.
- 7.8 Virtual to Physical Collocation Relocation. In the event physical Collocation Space was previously denied at a location due to technical reasons or space limitations, and physical Collocation Space has subsequently become available, 1-800-RECONEX, Inc. may relocate its virtual collocation arrangements to physical collocation arrangements and pay the appropriate fees for physical collocation and for the rearrangement or reconfiguration of services terminated in the virtual collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical collocation may become available at the location requested by 1-800-RECONEX, Inc., such information will be provided to 1-800-RECONEX, Inc. in BellSouth's written denial of physical collocation. To the extent that (i) physical Collocation Space becomes available to 1-800-RECONEX, Inc. within one hundred eighty (180) calendar days of BellSouth's written denial of 1-800-RECONEX, Inc.'s request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) 1-800-RECONEX, Inc. was not informed in the written denial that physical Collocation Space would become available within such one hundred eighty (180) calendar days, then 1-800-RECONEX, Inc. may relocate its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual collocation. 1-800-RECONEX, Inc. must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.
- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to cageless physical collocation within sixty (60) calendar days and from virtual collocation to caged physical collocation within ninety (90) calendar days.
- 7.9 <u>Virtual to Physical Conversion (In-Place)</u>. Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation

arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days. BellSouth will bill 1-800-RECONEX, Inc. an Administrative Only Application Fee as set forth in Exhibit C for these charges on the date that BellSouth provides an Application Response.

- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days.
- 7.10 <u>Cancellation</u>. If, at any time prior to space acceptance, 1-800-RECONEX, Inc. cancels its order for the Collocation Space(s) ("Cancellation"), BellSouth will bill the applicable non-recurring rate for any and all work processes for which work has begun. In Georgia, if 1-800-RECONEX, Inc. cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill 1-800-RECONEX, Inc. for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses.</u> 1-800-RECONEX, Inc., at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Collocation Space.
- 7.12 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8. Rates and Charges

- 8.1 <u>Recurring Charges.</u> The recurring charges for space preparation begin on the Space Ready Date or on the date 1-800-RECONEX, Inc. accepts the space, whichever is first.
- 8.2 <u>Application Fee</u>. BellSouth shall assess an application fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 6 (Application Response). Payment of said application fee will be due as dictated by 1-800-RECONEX, Inc.'s current billing cycle and is non-refundable.
- 8.2.1 In Tennessee the applicable application fee is the planning fee for both Initial Applications and Subsequent Applications placed by 1-800-RECONEX, Inc.. This fee will be billed by Bellsouth on the date that BellSouth provides an Application Response.
- 8.3 <u>Space Preparation.</u> Space preparation fees consist of a nonrecurring charge for firm order processing and monthly recurring charges for central office modifications,

assessed per arrangement, per square foot, and common systems modifications, assessed per arrangement, per square foot, for cageless collocation and per cage for caged collocation. 1-800-RECONEX, Inc. shall remit payment of the nonrecurring firm order-processing fee coincident with submission of a BFFO. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event 1-800-RECONEX, Inc. opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to 1-800-RECONEX, Inc. as prescribed in this Section.

- 8.4 <u>Cable Installation</u>. Cable Installation Fee(s) are assessed per entrance cable placed. This non-recurring fee will be billed by BellSouth upon receipt of the 1-800-RECONEX, Inc.'s BFFO.
- 8.5 Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the Premises but does not include any power-related costs incurred by BellSouth. When the Collocation Space is enclosed, 1-800-RECONEX, Inc. shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, 1-800-RECONEX, Inc. shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 x wiring aisle depth)] X (width ofrack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event 1-800-RECONEX, Inc.'s collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, 1-800-RECONEX, Inc. shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.
- 8.6 <u>Power</u>. BellSouth shall make available –48 Volt (-48V) DC power for 1-800-RECONEX, Inc.'s Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at 1-800-RECONEX, Inc.'s option within the Premises.
- When obtaining power from a BDFB, fuses and power cables (A&B) must be engineered (sized), and installed by 1-800-RECONEX, Inc.'s BellSouth Certified Supplier. When obtaining power from a BellSouth power board, power cables (A&B) must be engineered (sized), and installed by 1-800-RECONEX, Inc.'s BellSouth Certified Supplier. 1-800-RECONEX, Inc. is responsible for contracting with a BellSouth Certified Supplier for power distribution feeder cable runs from a BellSouth BDFB or power board to 1-800-RECONEX, Inc.'s equipment. The determination of the BellSouth BDFB or BellSouth power board as the power source will be made at BellSouth's sole, but reasonable, discretion. The BellSouth Certified Supplier contracted by 1-800-RECONEX, Inc. must provide BellSouth a copy of the

engineering power specification prior to the day on which 1-800-RECONEX, Inc.'s equipment becomes operational. BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB or power board and 1-800-RECONEX, Inc.'s arrangement area. 1-800-RECONEX, Inc. shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within 1-800-RECONEX, Inc.'s arrangement, power cable feeds, and terminations of cable. Any terminations at a BellSouth power board must be performed by a BellSouth Certified Supplier. 1-800-RECONEX, Inc. shall comply with all applicable National Electric Code (NEC), BellSouth TR73503, Telcordia and ANSI Standards regarding power cabling.

- 8.6.2 If 1-800-RECONEX, Inc. elects to install its own DC Power Plant, BellSouth shall provide AC power to feed 1-800-RECONEX, Inc.'s DC Power Plant. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by 1-800-RECONEX, Inc.'s BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. 1-800-RECONEX, Inc.'s BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit C. AC power voltage and phase ratings shall be determined on a per location basis. At 1-800-RECONEX, Inc.'s option, 1-800-RECONEX, Inc. may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.6.3 In Tennessee, recurring charges for -48V DC power consumption will be assessed per ampere per month based upon the engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable rack to 1-800-RECONEX, Inc.'s equipment or space enclosure. 1-800-RECONEX, Inc. shall contract with a Certified Supplier who will be responsible for the following: dedicated power cable support structure within 1-800-RECONEX, Inc.'s arrangement and terminations of cable within the Collocation Space.
- 8.6.3.1 In Tennessee, non-recurring charges for –48V DC power distribution will be based on the common power feeder cable support structure between the BellSouth BDFB and 1-800-RECONEX, Inc.'s arrangement area.
- In Alabama, Louisiana and South Carolina, 1-800-RECONEX, Inc. has the option to purchase power directly from an electric utility company. Under such an option, 1-800-RECONEX, Inc. is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by 1-800-RECONEX, Inc. 1-800-RECONEX, Inc.'s BellSouth Certified Supplier

must comply with all applicable safety codes, including the National Electric Safety Codes, in installing this power arrangement. Any floor space, cable racking, etc utilized by 1-800-RECONEX, Inc. in provisioning said power will be billed on an ICB basis.

- 8.6.5 If 1-800-RECONEX, Inc. requests a reduction in the amount of power that BellSouth is currently providing 1-800-RECONEX, Inc. must submit a Subsequent Application. If no modification to the Collocation Space is requested other than the reduction in power, the Subsequent Application Fee for Power Reduction as set forth in Exhibit C will apply. If modifications are requested in addition to the reduction of power the Subsequent Application Fee will apply. This non-recurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.6.6 In Alabama, if 1-800-RECONEX, Inc. is currently served from the BellSouth power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific central office, 1-800-RECONEX, Inc. must submit a Subsequent Application. BellSouth will respond to such application within seven (7) calendar days and no application fee will apply.
- 8.7 <u>Security Escort</u>. A security escort will be required whenever 1-800-RECONEX, Inc. or its approved agent desires access to the entrance manhole or must have access to the Premises after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit C beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and 1-800-RECONEX, Inc. shall pay for such half-hour charges in the event 1-800-RECONEX, Inc. fails to show up.
- 8.8 <u>Cable Record charges.</u> These charges apply for work required to build cable records in BellSouth systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records. These non-recurring fees will be billed upon receipt of 1-800-RECONEX, Inc.'s BFFO.
- 8.9 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

9. <u>Insurance</u>

- 9.1 1-800-RECONEX, Inc. shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a Best's Insurance Rating of A-.
- 9.2 1-800-RECONEX, Inc. shall maintain the following specific coverage:

- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of 1-800-RECONEX, Inc.'s real and personal property situated on or within BellSouth's Central Office location(s).
- 9.2.4 1-800-RECONEX, Inc. may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days notice to 1-800-RECONEX, Inc. to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by 1-800-RECONEX, Inc. shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Attachment or until all 1-800-RECONEX, Inc.'s property has been removed from BellSouth's Premises, whichever period is longer. If 1-800-RECONEX, Inc. fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from 1-800-RECONEX, Inc..
- 9.5 1-800-RECONEX, Inc. shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. 1-800-RECONEX, Inc. shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from 1-800-RECONEX, Inc.'s insurance company. 1-800-RECONEX, Inc. shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street

Atlanta, Georgia 30375

- 9.6 1-800-RECONEX, Inc. must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self-Insurance</u>. If 1-800-RECONEX, Inc.'s net worth exceeds five hundred million dollars (\$500,000,000), 1-800-RECONEX, Inc. may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. 1-800-RECONEX, Inc. shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to 1-800-RECONEX, Inc. in the event that self-insurance status is not granted to 1-800-RECONEX, Inc.. If BellSouth approves 1-800-RECONEX, Inc. for self-insurance, 1-800-RECONEX, Inc. shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of 1-800-RECONEX, Inc.'s corporate officers. The ability to self-insure shall continue so long as the 1-800-RECONEX, Inc. meets all of the requirements of this Section. If 1-800-RECONEX, Inc. subsequently no longer satisfies this Section, 1-800-RECONEX, Inc. is required to purchase insurance as indicated by Sections 9.2.1 and 9.2.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to 1-800-RECONEX, Inc. to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or 1-800-RECONEX, Inc.), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. <u>Inspections</u>

BellSouth may conduct an inspection of 1-800-RECONEX, Inc.'s equipment and facilities in the Collocation Space(s) prior to the activation of facilities between 1-800-RECONEX, Inc.'s equipment and equipment of BellSouth. BellSouth may conduct an inspection if 1-800-RECONEX, Inc. adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide 1-800-RECONEX, Inc. with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. Security and Safety Requirements

- 12.1 Unless otherwise specified, 1-800-RECONEX, Inc. will be required, at its own expense, to conduct a statewide investigation of criminal history records for each 1-800-RECONEX, Inc. employee hired in the past five years being considered for work on the BellSouth Premises, for the states/counties where the 1-800-RECONEX, Inc. employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. 1-800-RECONEX, Inc. shall not be required to perform this investigation if an affiliated company of 1-800-RECONEX, Inc. has performed an investigation of the 1-800-RECONEX, Inc. employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if 1-800-RECONEX, Inc. has performed a pre-employment statewide investigation of criminal history records of the 1-800-RECONEX, Inc. employee for the states/counties where the 1-800-RECONEX, Inc. employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- 12.2 1-800-RECONEX, Inc. will be required to administer to its personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- 1-800-RECONEX, Inc. shall provide its employees and agents with picture identification, which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo identification card shall bear, at a minimum, the employee's name and photo and 1-800-RECONEX, Inc.'s name. BellSouth reserves the right to remove from its Premises any employee of 1-800-RECONEX, Inc. not possessing identification issued by 1-800-RECONEX, Inc. or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. 1-800-RECONEX, Inc. shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Premises. 1-800-RECONEX, Inc. shall be solely responsible for ensuring that any Guest of 1-800-RECONEX, Inc. is in compliance with all subsections of this Section.

- 1-800-RECONEX, Inc. shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. 1-800-RECONEX, Inc. shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any 1-800-RECONEX, Inc. personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that 1-800-RECONEX, Inc. chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, 1-800-RECONEX, Inc. may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 1-800-RECONEX, Inc. shall not knowingly assign to the BellSouth Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 1-800-RECONEX, Inc. shall not knowingly assign to the BellSouth Premises any individual who was a former supplier of BellSouth and whose access to a BellSouth Premises was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- For each 1-800-RECONEX, Inc. employee or agent hired by 1-800-RECONEX, Inc. within five years of being considered for work on the BellSouth Premises, who requires access to a BellSouth Premises pursuant to this Attachment, 1-800-RECONEX, Inc. shall furnish BellSouth, prior to an employee or agent gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, 1-800-RECONEX, Inc. will disclose the nature of the convictions to BellSouth at that time. In the alternative, 1-800-RECONEX, Inc. may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other 1-800-RECONEX, Inc. employees requiring access to a BellSouth Premises pursuant to this Attachment, 1-800-RECONEX, Inc. shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, 1-800-RECONEX, Inc. shall promptly remove from BellSouth's Premises any employee of 1-800-RECONEX, Inc. BellSouth does not wish to grant access to its Premises 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of 1-800-RECONEX, Inc. is found interfering with the property or personnel of BellSouth or

another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.

- 12.7 Notification to BellSouth. BellSouth reserves the right to interview 1-800-RECONEX, Inc.'s employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to 1-800-RECONEX, Inc.'s Security contact of such interview. 1-800-RECONEX, Inc. and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving 1-800-RECONEX, Inc.'s employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill 1-800-RECONEX, Inc. for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that 1-800-RECONEX, Inc.'s employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill 1-800-RECONEX, Inc. for BellSouth property, which is stolen or damaged where an investigation determines the culpability of 1-800-RECONEX, Inc.'s employees, agents, or suppliers and where 1-800-RECONEX, Inc. agrees, in good faith, with the results of such investigation. 1-800-RECONEX, Inc. shall notify BellSouth in writing immediately in the event that 1-800-RECONEX, Inc. discovers one of its employees already working on the BellSouth Premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth Premises, any employee found to have violated the security and safety requirements of this Section. 1-800-RECONEX, Inc. shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Premises.
- 12.8 <u>Use of Supplies</u>. Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. Destruction of Collocation Space

In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly

unsuitable for 1-800-RECONEX, Inc.'s permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for 1-800-RECONEX, Inc.'s permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to 1-800-RECONEX, Inc., except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. 1-800-RECONEX, Inc. may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. If 1-800-RECONEX, Inc.'s acceleration of the project increases the cost of the project, then those additional charges will be incurred by 1-800-RECONEX, Inc.. Where allowed and where practical, 1-800-RECONEX, Inc. may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, 1-800-RECONEX, Inc. shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for 1-800-RECONEX, Inc.'s permitted use, until such Collocation Space is fully repaired and restored and 1-800-RECONEX, Inc.'s equipment installed therein (but in no event later than thirty (30) calendar days after the Collocation Space is fully repaired and restored). Where 1-800-RECONEX, Inc. has placed an Adjacent Arrangement pursuant to Section 3, 1-800-RECONEX, Inc. shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Adjacent Arrangement.

14. Eminent Domain

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and 1-800-RECONEX, Inc. shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

15. <u>Nonexclusivity</u>

15.1 1-800-RECONEX, Inc. understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and 1-800-RECONEX, Inc. agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and 1-800-RECONEX, Inc. shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. 1-800-RECONEX, Inc. should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for 1-800-RECONEX, Inc. to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. 1-800-RECONEX, Inc. will require its suppliers, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by 1-800-RECONEX, Inc. when operating in the BellSouth Premises.
- Environmental and Safety Inspections. BellSouth reserves the right to inspect the 1-800-RECONEX, Inc. space with proper notification. BellSouth reserves the right to stop any 1-800-RECONEX, Inc. work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Premises.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, Version 2Q02: 05-31-02

stored or abandoned at the BellSouth Premises by 1-800-RECONEX, Inc. are owned by 1-800-RECONEX, Inc.. 1-800-RECONEX, Inc. will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by 1-800-RECONEX, Inc. or different hazardous materials used by 1-800-RECONEX, Inc. at BellSouth Premises. 1-800-RECONEX, Inc. must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Premises.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Premises, the Party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by 1-800-RECONEX, Inc. to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and 1-800-RECONEX, Inc. will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and 1-800-RECONEX, Inc. will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, 1-800-RECONEX, Inc. must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and 1-800-RECONEX, Inc. shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Premises.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

When performing functions that fall under the following Environmental categories on BellSouth's Premises, 1-800-RECONEX, Inc. agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. 1-800-RECONEX, Inc. further agrees to cooperate with BellSouth to ensure that 1-800-RECONEX, Inc.'s employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by 1-800-RECONEX, Inc., its employees, agents and/or suppliers.

2.2 The most current version of the reference documentation must be requested from 1-800-RECONEX, Inc.'s BellSouth Account Team Collocation Coordinator (ATCC) Representative.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION			
Disposal of hazardous material or other regulated material	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet Series 17000			
(e.g., batteries, fluorescent tubes, solvents & cleaning	Pollution liability insurance	Std T&C 660-3			
materials)	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)			
Emergency response	Hazmat/waste release/spill fire safety emergency	Fact Sheet Series 17000 Building Emergency Operations Plan (EOP) (specific to and located on Premises)			
Contract labor/outsourcing for services with environmental implications	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450			
to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Performance of services in accordance with BST's environmental M&Ps	Std T&C 450-B (Contact ATCC Representative for copy of appropriate E/S M&Ps.)			
	Insurance	Std T&C 660			
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet Series 17000			
	Pollution liability insurance	Std T&C 660-3			
	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)			
Maintenance/operations work which may produce a waste	Compliance with all applicable local, state, & federal laws and	Std T&C 450			

Other maintenance work	regulations Protection of BST employees and equipment	29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard)			
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	Procurement Manager (CRES Related Matters)-BST Supply Chain Services			
	All Hazardous Material and Waste	Fact Sheet Series 17000			
	Asbestos notification and protection of employees and equipment	GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)			
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996			
	Pollution liability insurance	Std T&C 660-3			
	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)			
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740			

3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in Section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

ATCC – Account Team Collocation Coordinator

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

<u>E/S</u> – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std T&C - Standard Terms & Conditions

THREE MONTH CLEC COLLOCATION FORECAST

CLEC NAME	DATE
-----------	-------------

STATE	Central Office/City	CAG ED Sq. Ft.	CAGELESS #		FRAME TERMINATI ONS	CLEC Provided BDFB Amps Load	BDFB	Heat Dissipation BTU/Hour	Proposed Applicatio n Date	NOTES
			Bays*	d Bays**						

^{*}Standard bays are defined as racks, bays or cabinets, including equipment and cable, with measurements equal to or less than the following: Width - 26", Depth - 12". The standard height for all collocated equipment bays in BellSouth is 7'0".

Notes: Forecast information will be used for no other purpose than collocation planning.

^{**} Any forecast for non-standard cageless bays must include an attachment describing the quantity and width and depth measurements.

Attachment 4

Remote Site Physical Collocation

BELLSOUTH

REMOTE SITE PHYSICAL COLLOCATION

1. Scope of Attachment

- 1.1 <u>Scope of Attachment.</u> The rates, terms, and conditions contained within this Attachment shall only apply when 1-800-RECONEX, Inc. is occupying the Remote Collocation Space as a sole occupant or as a Host within a Remote Site Location pursuant to this Attachment.
- 1.2 Right to occupy. BellSouth shall offer to 1-800-RECONEX, Inc. Remote Site Collocation on rates, terms, and conditions that are just, reasonable, nondiscriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms, and conditions of this Attachment where space is available and collocation is technically feasible, BellSouth will allow 1-800-RECONEX, Inc. to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, or on BellSouth property upon which the BellSouth Remote Site Location is located, of a size, which is specified by 1-800-RECONEX, Inc. and agreed to by BellSouth (hereinafter "Remote Collocation Space"). BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for BellSouth remote locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions upon request for collocation at BellSouth remote locations other than those specified above.

1.3 Space Reservation.

- 1.3.1 In all states other than Florida, the number of racks/bays specified by 1-800-RECONEX, Inc. may contemplate a request for space sufficient to accommodate 1-800-RECONEX, Inc.'s growth within a two year period.
- 1.3.2 In the state of Florida, the number of racks/bays specified by 1-800-RECONEX, Inc. may contemplate a request for space sufficient to accommodate 1-800-RECONEX, Inc.'s growth within an eighteen (18) month period.
- 1.3.3 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.
- 1.4 <u>Third Party Property.</u> If the Premises, or the property on which it is located, is leased by BellSouth from a Third Party or otherwise controlled by a Third Party, special

considerations and intervals may apply in addition to the terms and conditions of this Attachment. Additionally, where BellSouth notifies 1-800-RECONEX, Inc. that BellSouth's agreement with a Third Party does not grant BellSouth the ability to provide access and use rights to others, upon 1-800-RECONEX, Inc.'s request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for 1-800-RECONEX, Inc.. 1-800-RECONEX, Inc. agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for 1-800-RECONEX, Inc.. In cases where a Third Party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Attachment and BellSouth, despite its best efforts, is unable to secure such access and use rights for 1-800-RECONEX, Inc. as above, 1-800-RECONEX, Inc. shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with 1-800-RECONEX, Inc. in obtaining such permission.

- 1.5 <u>Space Reclamation</u>. In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Remote Site Location. 1-800-RECONEX, Inc. will be responsible for any justification of unutilized space within its Remote Collocation Space, if the appropriate state commission requires such justification.
- 1.6 <u>Use of Space.</u> 1-800-RECONEX, Inc. shall use the Remote Collocation Space for the purposes of installing, maintaining and operating 1-800-RECONEX, Inc.'s equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements (UNEs) for the provision of telecommunications services, as specifically set forth in this Attachment. The Remote Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.7 <u>Rates and charges</u>. 1-800-RECONEX, Inc. agrees to pay the rates and charges identified in Exhibit C attached hereto.
- 1.8 If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) days or less National holidays will be excluded.
- 1.9 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. Space Availability Report

2.1 <u>Space Availability Report</u>. Upon request from 1-800-RECONEX, Inc., BellSouth will provide a written report ("Space Availability Report"), describing in detail the space that is available for collocation and specifying the amount of Remote Collocation

Space available at the Remote Site Location requested, the number of collocators present at the Remote Site Location, any modifications in the use of the space since the last report on the Remote Site Location requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Remote Site Location.

- 2.1.1 The request from 1-800-RECONEX, Inc. for a Space Availability Report must be written and must include the Common Language Location Identification ("CLLI") code for both the Remote Site Location and the serving central office. The CLLI code information for the serving central office is located in the National Exchange Carriers Association (NECA) Tariff FCC No. 4. If 1-800-RECONEX, Inc. is unable to obtain the CLLI code from, for example, a site visit to the remote site, 1-800-RECONEX, Inc. may request the CLLI code from BellSouth. To obtain a CLLI code for a remote site directly from BellSouth, 1-800-RECONEX, Inc. should submit to BellSouth a Remote Site Interconnection Request for Remote Site CLLI Code prior to submitting its request for a Space Availability Report. 1-800-RECONEX, Inc. should complete all the requested information and submit the Request with the applicable fee to BellSouth.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Remote Site Locations within the same state. The response time for requests of more than five (5) Remote Site Locations shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify 1-800-RECONEX, Inc. and inform 1-800-RECONEX, Inc. of the time frame under which it can respond.
- 2.2 Remote Terminal information. Upon request, BellSouth will provide 1-800-RECONEX, Inc. with the following information concerning BellSouth's remote terminals: (i) the address of the remote terminal; (ii) the CLLI code of the remote terminal; (iii) the carrier serving area of the remote terminal; (iv) the designation of which remote terminals subtend a particular central office; and (v) the number and address of customers that are served by a particular remote terminal.
- 2.2.1 BellSouth will provide this information on a first come, first served basis within thirty (30) calendar days of a 1-800-RECONEX, Inc. request subject to the following conditions: (i) the information will only be provided on a CD in the same format in which it appears in BellSouth's systems; (ii) the information will only be provided for each serving wire center designated by 1-800-RECONEX, Inc., up to a maximum of thirty (30) wire centers per 1-800-RECONEX, Inc. request per month per state, and up to for a maximum of 120 wire centers total per month per state for all CLECs; and (iii) 1-800-RECONEX, Inc. agrees to pay the costs incurred by BellSouth in providing the information.

3. <u>Collocation Options</u>

- 3.1 Cageless. BellSouth shall allow 1-800-RECONEX, Inc. to collocate 1-800-RECONEX, Inc.'s equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow 1-800-RECONEX, Inc. to have direct access to 1-800-RECONEX, Inc.'s equipment and facilities. BellSouth shall make cageless collocation available in single rack/bay increments. Except where 1-800-RECONEX, Inc.'s equipment requires special technical considerations (e.g., special cable racking, isolated ground plane, etc.), BellSouth shall assign cageless Remote Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, 1-800-RECONEX, Inc. must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment pursuant.
- 3.2 Caged. At 1-800-RECONEX, Inc.'s expense, 1-800-RECONEX, Inc. may arrange with a Supplier certified by BellSouth ("Certified Supplier") to construct a collocation arrangement enclosure, where technically feasible as that term has been defined by the FCC, in accordance with BellSouth's guidelines and specifications prior to starting equipment installation. BellSouth will provide guidelines and specifications upon request. 1-800-RECONEX, Inc.'s Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with 1-800-RECONEX, Inc. and provide, at 1-800-RECONEX, Inc.'s expense, the documentation, including existing building architectural drawings, enclosure drawings, and specifications required and necessary for 1-800-RECONEX, Inc. to obtain the zoning, permits and/or other licenses. 1-800-RECONEX, Inc.'s Certified Supplier shall bill 1-800-RECONEX, Inc. directly for all work performed for 1-800-RECONEX, Inc. pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by 1-800-RECONEX, Inc.'s Certified Supplier. 1-800-RECONEX, Inc. must provide the local BellSouth Remote Site Location contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access 1-800-RECONEX, Inc.'s locked enclosure prior to notifying 1-800-RECONEX, Inc.. Upon request, BellSouth shall construct the enclosure for 1-800-RECONEX, Inc..
- 3.2.1 BellSouth may elect to review 1-800-RECONEX, Inc.'s plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's guidelines and specifications. Notification to 1-800-RECONEX, Inc. indicating BellSouth's desire to execute this review will be provided in BellSouth's response to the Initial Application, if 1-800-RECONEX, Inc. has indicated their desire to construct their own enclosure. If 1-800-RECONEX, Inc.'s Initial Application does not indicate their desire to construct their own enclosure, but their subsequent firm order does indicate their desire to construct their own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review

within fifteen (15) calendar days after the receipt of the plans and specifications. Regardless of whether or not BellSouth elects to review 1-800-RECONEX, Inc.'s plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's guidelines and specifications, as applicable. BellSouth shall require 1-800-RECONEX, Inc. to remove or correct within seven (7) calendar days at 1-800-RECONEX, Inc.'s expense any structure that does not meet these plans and specifications or, where applicable, BellSouth guidelines and specifications.

- Shared Collocation. 1-800-RECONEX, Inc. may allow other telecommunications carriers to share 1-800-RECONEX, Inc.'s Remote Collocation Space pursuant to terms and conditions agreed to by 1-800-RECONEX, Inc. ("Host") and other telecommunications carriers ("Guests") and pursuant to this Section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and such easement does not permit such an option. 1-800-RECONEX, Inc. shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by 1-800-RECONEX, Inc. that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and 1-800-RECONEX, Inc..
- 3.3.1 1-800-RECONEX, Inc., as the Host, shall be the sole interface and responsible Party to BellSouth for assessment of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide 1-800-RECONEX, Inc. with a proration of the costs of the Remote Collocation Space based on the number of collocators and the space used by each with a minimum charge of one (1) bay/rack per Host/Guest. In those instances where the Host permits a Guest to use a shelf within the Host's bay, BellSouth will not prorate the cost of the bay. In all states other than Florida, and in addition to the foregoing, 1-800-RECONEX, Inc. shall be the responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment placement of Guest. In Florida the Guest may directly submit initial and additional equipment placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Initial or Subsequent Application Fee, as set forth in Exhibit C, which will be charged to the Host. BellSouth shall bill this non-recurring fee on the date that BellSouth provides it written response ("Application Response").
- 3.3.2 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the

provision of the services and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest pursuant to the applicable tariff or the Guest's Interconnection Agreement with BellSouth.

- 3.3.3 1-800-RECONEX, Inc. shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of 1-800-RECONEX, Inc.'s Guests in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.4 Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit adjacent Remote Site collocation arrangements ("Remote Site Adjacent Arrangement") on the property on which the Remote Site is located, where the Remote Site Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Remote Site Location property. The Remote Site Adjacent Arrangement shall be constructed or procured by 1-800-RECONEX, Inc. and in conformance with BellSouth's design and construction specifications. Further, 1-800-RECONEX, Inc. shall construct, procure, maintain and operate said Remote Site Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the application for the Remote Site Adjacent Arrangement.
- Should 1-800-RECONEX, Inc. elect Adjacent Collocation, 1-800-RECONEX, Inc. 3.4.1 must arrange with a Certified Supplier to construct a Remote Site Adjacent Arrangement structure in accordance with BellSouth's guidelines and specifications. Where local building codes require enclosure specifications more stringent than BellSouth's standard specification, 1-800-RECONEX, Inc. and 1-800-RECONEX, Inc.'s Certified Supplier must comply with local building code requirements. 1-800-RECONEX, Inc.'s Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. 1-800-RECONEX, Inc.'s Certified Supplier shall bill 1-800-RECONEX, Inc. directly for all work performed for 1-800-RECONEX, Inc. pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by 1-800-RECONEX, Inc.'s Certified Supplier. 1-800-RECONEX, Inc. must provide the local BellSouth Remote Site Location contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access 1-800-RECONEX, Inc.'s locked enclosure prior to notifying 1-800-RECONEX, Inc..
- 3.4.2 1-800-RECONEX, Inc. must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review 1-800-RECONEX, Inc.'s plans and specifications prior to construction of a Remote Site Adjacent Arrangement(s) to ensure compliance with BellSouth's guidelines and specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of plans and specifications. BellSouth may inspect the Remote Site Adjacent Arrangement(s) during and after construction to

confirm it is constructed according to the submitted plans and specifications. BellSouth shall require 1-800-RECONEX, Inc. to remove or correct within seven (7) calendar days at 1-800-RECONEX, Inc.'s expense any structure that does not meet these plans and specifications.

- 3.4.3 1-800-RECONEX, Inc. shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At 1-800-RECONEX, Inc.'s option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC, and subject to individual case basis pricing. 1-800-RECONEX, Inc.'s Certified Supplier shall be responsible, at 1-800-RECONEX, Inc.'s expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared Collocation within a Remote Site Adjacent Arrangement pursuant to the terms and conditions set forth herein.
- 3.5 Co-carrier cross-connect (CCXC). The primary purpose of collocation is for a collocated telecommunications carrier to interconnect with BellSouth's network or access to BellSouth's unbundled network elements for the provision of telecommunications services within a BellSouth Premises. BellSouth will permit 1-800-RECONEX, Inc. to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same remote site premises. Both 1-800-RECONEX, Inc.1-800-RECONEX, Inc.'s agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. At no point in time shall 1-800-RECONEX, Inc. use the Remote Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
- 3.5.1 1-800-RECONEX, Inc. must use a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by 1-800-RECONEX, Inc.. Such connections to other carriers may be made using either optical or electrical facilities. 1-800-RECONEX, Inc. may deploy such optical or electrical connections directly between its own facilities and the facilities of other collocated telecommunications carriers without being routed through BellSouth equipment. 1-800-RECONEX, Inc. may not self-provision CCXC on any BellSouth distribution frame, P OT (Point of Termination) Bay, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect). 1-800-RECONEX, Inc. is responsible for ensuring the integrity of the signal.
- 3.5.2 1-800-RECONEX, Inc. shall be responsible for providing written authorization to BellSouth from the other collocated telecommunications carrier prior to installing the

- CCXC. 1-800-RECONEX, Inc.-provisioned CCXC shall utilize common cable support structure.
- 3.5.3 To order CCXCs 1-800-RECONEX, Inc. must submit an Initial Application or Subsequent Application. If no modification to the Remote Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXC, as defined in Exhibit C, will apply. If modifications in addition to the placement of CCXCs are requested, the Initial Application or Subsequent Application Fee will apply. BellSouth will bill this non-recurring fee on the date that BellSouth provides an Application Response.

4. <u>Occupancy</u>

- 4.1 Occupancy, BellSouth will notify 1-800-RECONEX, Inc. in writing that the Remote Collocation Space is ready for occupancy ("Space Ready Date"). 1-800-RECONEX, Inc. will schedule and complete an acceptance walk through of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying 1-800-RECONEX, Inc. that Remote Collocation Space is ready for occupancy ("Space Ready Date"). In the event that 1-800-RECONEX, Inc. fails to complete an acceptance walk through within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by 1-800-RECONEX, Inc.. Billing will commence on the Space Ready Date or the date 1-800-RECONEX, Inc.1-800-RECONEX, Inc. accepts the space ("Space Acceptance Date"), whichever is sooner. 1-800-RECONEX, Inc. must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, 1-800-RECONEX, Inc.'s telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provision.
- 4.2 <u>Termination of Occupancy</u>. In addition to any other provisions addressing termination of occupancy in this Attachment, 1-800-RECONEX, Inc. may terminate occupancy in a particular Remote Collocation Space by submitting a Subsequent Application requesting termination of occupancy. A Subsequent Application Fee will not apply for termination of occupancy. BellSouth may terminate 1-800-RECONEX, Inc.'s right to occupy the Remote Collocation Space in the event 1-800-RECONEX, Inc. fails to comply with any provision of this Agreement.
- 4.2.1 Upon termination of occupancy, 1-800-RECONEX, Inc. at its expense shall remove its equipment and other property from the Remote Collocation Space. 1-800-RECONEX, Inc. shall have thirty (30) calendar days from the termination date to complete such removal, including the removal of all equipment and facilities of 1-800-RECONEX, Inc.'s Guests, unless 1-800-RECONEX, Inc.'s Guest has assumed responsibility for the Remote Collocation Space housing the Guest's equipment and executed the documentation required by BellSouth prior to such removal date. 1-800-

RECONEX, Inc. shall continue payment of monthly fees to BellSouth until such date as 1-800-RECONEX, Inc., and if applicable 1-800-RECONEX, Inc.'s Guest, has fully vacated the Remote Collocation Space and the Space Relinquish Form has been accepted by BellSouth. Should 1-800-RECONEX, Inc. or 1-800-RECONEX, Inc.'s Guest fail to vacate the Remote Collocation Space within thirty (30) calendar days from the termination date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of 1-800-RECONEX, Inc. or 1-800-RECONEX, Inc.'s Guest, in any manner that BellSouth deems fit, at 1-800-RECONEX, Inc.'s expense and with no liability whatsoever for 1-800-RECONEX, Inc. or 1-800-RECONEX, Inc.'s Guest's property. Upon termination of 1-800-RECONEX. Inc.'s right to occupy Remote Collocation Space, the Remote Collocation Space will revert back to BellSouth, and 1-800-RECONEX, Inc. shall surrender such Remote Collocation Space to BellSouth in the same condition as when first occupied by the 1-800-RECONEX, Inc. except for ordinary wear and tear unless otherwise agreed to by the Parties. For CEVs and huts 1-800-RECONEX, Inc.'s BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's guidelines and specifications including but not limited to Record Drawings and ERMA Records. 1-800-RECONEX, Inc. shall be responsible for the cost of removing any enclosure, together with all support structures (e.g., racking, conduits, power cables, etc.), at the termination of occupancy and restoring the grounds to their original condition.

5. <u>Use of Remote Collocation Space</u>

- 5.1 <u>Equipment Type</u>. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Remote Collocated Space must be for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: Traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria

Level 3 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1; equipment design spatial requirements per GR-63-CORE, Section 2; thermal heat dissipation per GR-063-CORE, Section 4, Criteria 77-79; acoustic noise per GR-063-CORE, Section 4, Criterion 128, and National Electric Code standards. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on 1-800-RECONEX, Inc.'s failure to comply with this Section.

- 5.1.2.1 All 1-800-RECONEX, Inc. equipment installation shall comply with BellSouth TR 73503-11h, "Grounding Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid state protector unit (over-voltage protection only) which has been listed by a nationally recognized testing laboratory.
- 5.1.3 1-800-RECONEX, Inc. shall identify to BellSouth whenever 1-800-RECONEX, Inc. submits a Method of Procedure ("MOP") adding equipment to 1-800-RECONEX, Inc.'s Remote Collocation Space all entities that have an interest, secured or otherwise, in the equipment in 1-800-RECONEX, Inc.'s Remote Collocation Space.
- 5.2 1-800-RECONEX, Inc. shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.
- 5.3 1-800-RECONEX, Inc. shall place a plaque or other identification affixed to 1-800-RECONEX, Inc.'s equipment to identify 1-800-RECONEX, Inc.'s equipment, including a list of emergency contacts with telephone numbers.
- 5.4 Entrance Facilities. 1-800-RECONEX, Inc. may elect to place 1-800-RECONEX, Inc.-owned or 1-800-RECONEX, Inc.-leased fiber entrance facilities into the Remote Collocation Space. BellSouth will designate the point of interconnection at the Remote Site Location housing the Remote Collocation Space, which is physically accessible by both Parties. 1-800-RECONEX, Inc. will provide and place copper cable through conduit from the Remote Collocation Space to the Feeder Distribution Interface to the splice location of sufficient length for splicing by BellSouth. 1-800-RECONEX, Inc. must contact BellSouth for instructions prior to placing the entrance facility cable. 1-800-RECONEX, Inc. is responsible for maintenance of the entrance facilities.
- 5.4.1 Shared Use. 1-800-RECONEX, Inc. may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to 1-800-RECONEX, Inc.'s collocation arrangement within the same BellSouth Remote Site Location. BellSouth shall allow splicing to the entrance facility, provided that the fiber is non-working fiber. The rates set forth in Exhibit C will apply. If 1-800-

RECONEX, Inc. desires to allow another telecommunications carrier to use its entrance facilities, additional rates, terms and conditions will apply and shall be negotiated between the Parties.

- Demarcation Point. BellSouth will designate the point(s) of demarcation between 1-800-RECONEX, Inc.'s equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. 1-800-RECONEX, Inc. or its agent must perform all required maintenance to 1-800-RECONEX, Inc. equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following.
- 5.6 1-800-RECONEX, Inc.'s Equipment and Facilities. 1-800-RECONEX, Inc., or if required by this Attachment, 1-800-RECONEX, Inc.'s Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by 1-800-RECONEX, Inc. which must be performed in compliance with all applicable BellSouth policies and guidelines. Such equipment and facilities may include but are not limited to cable(s), equipment, and point of termination connections. 1-800-RECONEX, Inc. and its selected Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- 5.7 <u>BellSouth's Access to Remote Collocation Space</u>. From time to time BellSouth may require access to the Remote Collocation Space. BellSouth retains the right to access the Remote Collocation Space for the purpose of making BellSouth equipment and Remote Site Location modifications.
- 5.8 Access. Pursuant to Section 12, 1-800-RECONEX, Inc. shall have access to the Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. 1-800-RECONEX, Inc. agrees to provide the name and social security number or date of birth or driver's license number of each employee, supplier, or agents of 1-800-RECONEX, Inc. or 1-800-RECONEX, Inc.'s Guests provided with access keys or devices ("Access Keys") prior to the issuance of said Access Keys. Key acknowledgement forms must be signed by 1-800-RECONEX, Inc. and returned to BellSouth Access Management within fifteen (15) calendar days of 1-800-RECONEX, Inc.'s receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. 1-800-RECONEX, Inc. agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of 1-800-RECONEX, Inc.'s employees, suppliers, Guests, or agents after termination of the employment relationship, contractual obligation with 1-800-RECONEX, Inc. or upon the termination of this Attachment or the termination of occupancy of an individual Remote Site collocation arrangement.
- 5.8.1 BellSouth will permit one accompanied site visit to 1-800-RECONEX, Inc.'s designated collocation arrangement location after receipt of the Bona Fide Firm Order

(BFFO) without charge to 1-800-RECONEX, Inc. 1-800-RECONEX, Inc. must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Remote Site Location a minimum of thirty (30) calendar days prior to the date 1-800-RECONEX, Inc. desires access to the Remote Collocation Space. In order to permit reasonable access during construction of the Remote Collocation Space, 1-800-RECONEX, Inc. may submit such a request at any time subsequent to BellSouth's receipt of the BFFO. In the event 1-800-RECONEX, Inc. desires access to the Remote Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit 1-800-RECONEX, Inc. to access the Remote Collocation Space accompanied by a security escort at 1-800-RECONEX, Inc.'s expense. 1-800-RECONEX, Inc. must request escorted access at least three (3) business days prior to the date such access is desired.

- Lost or Stolen Access Keys. 1-800-RECONEX, Inc. shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key Remote Site Locations or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), 1-800-RECONEX, Inc. shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- 5.10 Interference or Impairment. Notwithstanding any other provisions of this Attachment, 1-800-RECONEX, Inc. shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment and facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of 1-800-RECONEX, Inc. violates the provisions of this paragraph, BellSouth shall give written notice to 1-800-RECONEX, Inc., which notice shall direct 1-800-RECONEX, Inc. to cure the violation within forty-eight (48) hours of 1-800-RECONEX, Inc.'s actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.
- 5.10.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if 1-800-RECONEX, Inc. fails to take curative action within 48 hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or any other entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power

- to 1-800-RECONEX, Inc.'s equipment. BellSouth will endeavor, but is not required, to provide notice to 1-800-RECONEX, Inc. prior to taking such action and shall have no liability to 1-800-RECONEX, Inc. for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.10.2 For purposes of this section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and 1-800-RECONEX, Inc. fails to take curative action within 48 hours then BellSouth will establish before the relevant Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to 1-800-RECONEX, Inc. or, if subsequently necessary, the relevant Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, 1-800-RECONEX, Inc. shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly deployed technology.
- 5.11 Personalty and its Removal. Facilities and equipment placed by 1-800-RECONEX, Inc. in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain their status as personalty and may be removed by 1-800-RECONEX, Inc. at any time. Any damage caused to the Remote Collocation Space by 1-800-RECONEX, Inc.'s employees, agents or representatives shall be promptly repaired by 1-800-RECONEX, Inc. at its expense.
- 5.11.1 <u>If</u> 1-800-RECONEX, Inc. decides to remove equipment from its Remote Collocation Space and the removal requires no physical changes, BellSouth will bill 1-800-RECONEX, Inc. an Administrative Only Application Fee as set forth in Exhibit C for these charges. This non-recurring fee will be billed on the date that BellSouth provides an Application Response.
- Alterations. In no case shall 1-800-RECONEX, Inc. or any person acting on behalf of 1-800-RECONEX, Inc. make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any specialized alterations shall be paid by 1-800-RECONEX, Inc.. Any such material rearrangement, modification, improvement, addition, or other alteration shall require an application and Application Fee. BellSouth will bill the non-recurring fee on the date that BellSouth provides an Application Response.

5.13 <u>Upkeep of Remote Collocation Space</u>. 1-800-RECONEX, Inc. shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. 1-800-RECONEX, Inc. shall be responsible for removing any 1-800-RECONEX, Inc. debris from the Remote Collocation Space and from in and around the Remote Collocation Site on each visit.

6. Ordering and Preparation of Remote Collocation Space

- Should any state or federal regulatory agency impose procedures or intervals applicable to 1-800-RECONEX, Inc. and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof
- initial Application. For 1-800-RECONEX, Inc. or 1-800-RECONEX, Inc.'s Guest(s) initial equipment placement, 1-800-RECONEX, Inc. shall submit to BellSouth a Physical Expanded Interconnection Application Document ("Initial Application"). The application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. An application fee will apply which will be billed on the date that BellSouth provides an Application Response.
- Subsequent Application In the event 1-800-RECONEX, Inc. or 1-800-RECONEX, Inc.'s Guest(s) desires to modify the use of the Remote Collocation Space after a BFFO, 1-800-RECONEX, Inc. shall complete an application detailing all information regarding the modification to the Remote Collocation Space ("Subsequent Application"). BellSouth shall determine what modifications, if any, to the Remote Site Location are required to accommodate the change requested by 1-800-RECONEX, Inc. in the application. Such necessary modifications to the Remote Site Location may include, but are not limited to floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- Application Fee for Subsequent Application. The application fee paid by 1-800-RECONEX, Inc. for its request to modify the use of the Collocation Space shall be a full Application Fee as set forth in Exhibit C. The Subsequent Application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. BellSouth will bill the non-recurring fee on the date that BellSouth provides an Application Response.
- 6.4 <u>Availability of Space.</u> Upon submission of an application, BellSouth will permit 1-800-RECONEX, Inc. to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth has determined that there is no space available due to space limitations or that Remote Site

Collocation is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 7 shall apply, or BellSouth may elect to deny space in accordance with this Section in which case virtual or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify 1-800-RECONEX, Inc. of the amount that is available.

6.5 Space Availability Notification.

- 6.5.1 Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify 1-800-RECONEX, Inc. of the amount of space that is available and no Application Fee shall apply. When BellSouth's response includes an amount of space less than that requested by 1-800-RECONEX, Inc. or differently configured, 1-800-RECONEX, Inc. must resubmit its application to reflect the actual space available.
- BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an Application Fee will be billed by BellSouth on the date that BellSouth provides an Application Response. When BellSouth's Application Response includes an amount of space less than that requested by 1-800-RECONEX, Inc. or differently configured, 1-800-RECONEX, Inc. must amend its application to reflect the actual space available prior to submitting a BFFO.
- BellSouth will respond to a Louisiana application within ten (10) calendar days for space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, it is increased by five (5) calendar days for every five additional applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify 1-800-RECONEX, Inc. of the amount of space that is available and no Application Fee will apply. When BellSouth's response includes an amount of space less than that requested by 1-800-RECONEX, Inc. or differently configured, 1-800-RECONEX, Inc. must resubmit its application to reflect the actual space available. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide.

- Denial of Application. If BellSouth notifies 1-800-RECONEX, Inc. that no space is available ("Denial of Application"), BellSouth will not assess an Application Fee. After notifying 1-800-RECONEX, Inc. that BellSouth has no available space in the requested Remote Site Location, BellSouth will allow 1-800-RECONEX, Inc., upon request, to tour the Remote Site Location within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Remote Site Location must be received by BellSouth within five (5) calendar days of the Denial of Application.
- 6.7 <u>Filing of Petition for Waiver</u>. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit 1-800-RECONEX, Inc. to inspect any plans or diagrams that BellSouth provides to the Commission.
- Maiting List. On a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.
- In Florida, on a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of telecommunications carrier on said waiting list. If not known sixty (60) calendar days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- 6.8.2 When space becomes available, 1-800-RECONEX, Inc. must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of such notification. If 1-800-RECONEX, Inc. has originally requested caged Remote Collocation Space and cageless Remote Collocation Space becomes available, 1-800-RECONEX, Inc. may refuse such space and notify BellSouth in writing within that time that 1-800-RECONEX, Inc. wants to maintain its place on the waiting list

without accepting such space. 1-800-RECONEX, Inc. may accept an amount of space less than its original request by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If 1-800-RECONEX, Inc. does not submit such an application or notify BellSouth in writing as described above, BellSouth will offer such space to the next telecommunications carrier on the waiting list and remove 1-800-RECONEX, Inc. from the waiting list. Upon request, BellSouth will advise 1-800-RECONEX, Inc. as to its position on the list.

- 6.9 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that there is insufficient space to accommodate Remote Site Collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list.
- 6.10 Application Response.
- 6.10.1 In Alabama, when space has been determined to be available, BellSouth will provide an Application Response within thirty (30) calendar days of the receipt of a Bona Fide application, which will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, described in Section 8.
- 6.10.2 In North Carolina, when space has been determined to be available, BellSouth will provide an Application Response within twenty-three (23) business days of the receipt of a Bona Fide application, which will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.10.3 In Tennessee, BellSouth will provide an Application Response within fifteen (15) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee (Cageless and Virtual), and a firm price quote based upon standardized pricing provided that 1-800-RECONEX, Inc. has given BellSouth a forecast of 1-800-RECONEX, Inc.'s collocation needs at least ten (10) calendar days prior to submitting an application. If no forecast is provided by 1-800-RECONEX, Inc. the interval for an Application Response will be thirty (30) calendar days.
- 6.10.4 In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable 1-800-RECONEX, Inc. to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records

Fee, and the space preparation fees, as described in Section 8. When 1-800-RECONEX, Inc. submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) day response period will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.

- 6.10.5 In Georgia, Kentucky, Mississippi and South Carolina, when space has been determined to be available, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.10.6 In Louisiana, when space has been determined to be available, BellSouth will respond with an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, it is increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.

6.11 <u>Application Modifications.</u>

6.11.1 If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of 1-800-RECONEX, Inc. or necessitated by technical considerations, said application shall be considered a new application and shall be handled as a new application with respect to response and provisioning intervals and BellSouth will charge 1-800-RECONEX, Inc. a full application fee as set forth in Exhibit C. BellSouth will bill the non-recurring fee on the date that BellSouth provides an Application Response.

6.12 Bona Fide Firm Order.

6.12.1 In Kentucky and North Carolina, 1-800-RECONEX, Inc. shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when 1-800-RECONEX, Inc. has completed the Application/Inquiry process described in Section 6, preceding, and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The BFFO must be received by BellSouth no later than five (5) business days after BellSouth's Application Response to 1-800-RECONEX, Inc.'s Bona Fide application. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to 1-800-RECONEX, Inc.'s Bona Fide application or the application will expire. If the BFFO is received between the fifth business day and the thirtieth calendar day after the

Application Response, then the intervals set forth in 7.1.1 will be extended day for day for each day after the fifth business day the BFFO is received until the application expires.

- 6.12.2 Except as otherwise provided, in all States that have ordered provisioning intervals but not addressed Firm Order intervals, the following shall apply._1-800-RECONEX, Inc. shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Firm Order to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to 1-800-RECONEX, Inc.'s Bona Fide application or the application will expire.
- 6.12.3 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a BFFO. BellSouth will acknowledge the receipt of 1-800-RECONEX, Inc.'s BFFO within seven (7) calendar days of receipt indicating that the BFFO has been received. A BellSouth response to a BFFO will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a BFFO.

7. Construction and Provisioning

- 7.1 Construction and Provisioning Intervals.
- 7.1.1 In North Carolina, BellSouth will complete construction for collocation arrangements within seventy-six (76) business days from receipt of an application or as agreed to by the Parties. Under extraordinary conditions, BellSouth will complete construction for collocation arrangements within ninety-one (91) business days. Examples of extraordinary conditions include, but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. In the event 1-800-RECONEX, Inc. submits a forecast as described in the following paragraph three (3) months or more prior to the application date, the above intervals shall apply. In the event 1-800-RECONEX, Inc. submits such a forecast between two (2) months and three (3) months prior to the application date, the above intervals may be extended by one (1) additional month. In the event 1-800-RECONEX, Inc. submits such a forecast less than two (2) months prior to the application date, the above intervals may be extended by sixty (60) calendar days. BellSouth will attempt to meet standard intervals for unforecasted requests and any interval adjustments will be discussed with 1-800-RECONEX, Inc. at the time the application is received. Raw space, which is space lacking the necessary infrastructure to provide Remote Collocation Space including but not limited to HVAC, Power, etc., conversion time frames fall outside the normal intervals and are negotiated on an individual case basis. Additionally, installations to existing collocation arrangements for line sharing or line splitting, which include adding cable, adding cable and splitter, and adding a splitter, will be forty five (45) business days from receipt of an application.

- 7.1.1.1 To be considered a timely and accurate forecast, 1-800-RECONEX, Inc. must submit to BellSouth the CLEC Remote Site Collocation Forecast Form, as set forth in Exhibit B attached hereto, containing the following information: Central Office/Serving Wire Center CLLI, Remote Site CLLI, number of Caged square feet and/or Cageless bays, number of DS0, DS1, DS3, STS-1, OC-3, OC-12, OC-48, and OC-192 frame terminations, number of fused amps and planned application date.
- 7.1.2 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For changes to Remote Collocation Space after initial space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and 1-800-RECONEX, Inc. cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida Commission.
- 7.1.3 In Alabama, Georgia, Kentucky, Mississippi and South Carolina, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.4 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO for an initial request, and within 60 calendar days for an Augmentation, or as agreed to by the Parties. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.5 In Tennessee, BellSouth will complete construction for collocation arrangements under Ordinary Conditions within a maximum of 90 calendar days from receipt of a BFFO, or as agreed to by the Parties. Under extraordinary conditions, BellSouth may elect to renegotiate an alternative provisioning interval with 1-800-RECONEX, Inc. or seek a waiver from this interval from the Commission.
- 7.2 In the event BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect to make additional space available by, for example but not limited to, rearranging BellSouth facilities or constructing additional capacity. In such cases, the above intervals shall not apply and BellSouth will provision the Remote

Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide 1-800-RECONEX, Inc. with the estimated completion date in its Response.

- Joint Planning. Joint planning between BellSouth and 1-800-RECONEX, Inc. will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Remote Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Remote Collocation Space completion time period will be provided to 1-800-RECONEX, Inc. during joint planning.
- 7.4 <u>Permits</u>. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- Acceptance Walk Through. 1-800-RECONEX, Inc. will schedule and complete an acceptance walk through of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying 1-800-RECONEX, Inc. that the Remote Collocation Space is ready for occupancy ("Space Ready Date"). In the event that 1-800-RECONEX, Inc. fails to complete an acceptance walk through within this fifteen (15) day interval, the Remote Collocation Space shall be deemed accepted by 1-800-RECONEX, Inc.. BellSouth will correct any deviations to 1-800-RECONEX, Inc.'s original or jointly amended requirements within seven (7) calendar days after the walk through, unless the Parties jointly agree upon a different time frame.
- 7.6 Use of BellSouth Certified Supplier. 1-800-RECONEX, Inc. shall select a supplier which has been approved by BellSouth to perform all engineering and installation work 1-800-RECONEX, Inc. and 1-800-RECONEX, Inc.'s BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, 1-800-RECONEX, Inc. must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide 1-800-RECONEX, Inc. with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing 1-800-RECONEX, Inc.'s equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's Outside Plant engineers and 1-800-RECONEX, Inc. upon successful completion of installation. The BellSouth Certified Supplier shall bill 1-800-RECONEX, Inc. directly for all work performed for 1-800-RECONEX, Inc. pursuant to this Attachment, and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall consider certifying 1-800-RECONEX, Inc. or any supplier proposed by 1-800-RECONEX, Inc.. All work performed by or for 1-800-RECONEX, Inc. shall conform to generally accepted industry guidelines and standards.

- Alarm and Monitoring. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. 1-800-RECONEX, Inc. shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service 1-800-RECONEX, Inc.'s Remote Collocation Space. Upon request, BellSouth will provide 1-800-RECONEX, Inc. with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by 1-800-RECONEX, Inc.. Both Parties shall use best efforts to notify the other of any verified hazardous conditions known to that Party.
- 7.8 Virtual Remote Site Collocation Relocation. In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations, and physical Remote Collocation Space has subsequently become available, 1-800-RECONEX, Inc. may relocate its virtual Remote Site collocation arrangements to physical Remote Site collocation arrangements and pay the appropriate fees for physical Remote Site collocation and for the rearrangement or reconfiguration of services terminated in the virtual Remote Site collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical Remote Site collocation may become available at the location requested by 1-800-RECONEX, Inc., such information will be provided to 1-800-RECONEX, Inc. in BellSouth's written denial of physical Remote Site collocation. To the extent that (i) physical Remote Collocation Space becomes available to 1-800-RECONEX, Inc. within one hundred eighty 180 calendar days of BellSouth's written denial of 1-800-RECONEX, Inc.'s request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) 1-800-RECONEX, Inc. was not informed in the written denial that physical Remote Collocation Space would become available within such one hundred eighty 180 calendar days, then 1-800-RECONEX, Inc. may relocate its virtual Remote Site collocation arrangement to a physical Remote Site collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Site collocation. 1-800-RECONEX, Inc. must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Remote Collocation Space to its physical Remote Collocation Space and will bear the cost of such relocation.
- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to physical collocation within ninety (90) calendar days.
- 7.9 <u>Virtual to Physical Conversion (In-Place)</u>. Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation

arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days. BellSouth will bill 1-800-RECONEX, Inc. an Administrative Only Application Fee as set forth in Exhibit C for these charges on the date that BellSouth provides an Application Response.

- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days.
- 7.10 <u>Cancellation</u>. If, at any time prior to space acceptance, 1-800-RECONEX, Inc. cancels its order for the Remote Collocation Space(s) ("Cancellation"), BellSouth will bill the applicable non-recurring rate for any and all work processes for which work has begun. In Georgia, if 1-800-RECONEX, Inc. cancels its order for Remote Collocation Space at any time prior to space acceptance, BellSouth will bill 1-800-RECONEX, Inc. for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses</u>. 1-800-RECONEX, Inc., at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Remote Collocation Space.
- 7.12 <u>Environmental Hazard Guidelines</u>. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8. Rates and Charges

- 8.1 <u>Recurring Charges</u>. Recurring charges begin on the Space Ready Date, or on the date 1-800-RECONEX, Inc. accepts the space, whichever is first.
- 8.2 <u>Application Fee</u>. BellSouth shall assess an Application Fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 2. Payment of said Application Fee will be due as dictated by 1-800-RECONEX, Inc.'s current billing cycle and is non-refundable.
- 8.2.1 In Tennessee the applicable Application Fee is the Planning Fee for both Initial Applications and Subsequent Applications placed by 1-800-RECONEX, Inc.. BellSouth will bill the non-recurring fee on the date that BellSouth provides an Application Response.
- 8.3 <u>Rack/Bay Space</u>. The rack/bay space charge includes reasonable charges for air conditioning, ventilation and other allocated expenses associated with maintenance of the Remote Site Location, and includes amperage necessary to power 1-800-

RECONEX, Inc.'s equipment. 1-800-RECONEX, Inc. shall pay rack/bay space charges based upon the number of racks/bays requested. BellSouth will assign Remote Collocation Space in conventional remote site rack/bay lineups where feasible.

- 8.4 <u>Power</u>. BellSouth shall make available –48 Volt (-48V) DC power for 1-800-RECONEX, Inc.'s Remote Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at 1-800-RECONEX, Inc.'s option within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for rack/bay space. If the power requirements for 1-800-RECONEX, Inc.'s equipment exceeds the capacity available, then such power requirements shall be assessed on an individual case basis.
- Adjacent Collocation Power. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power, where available. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by 1-800-RECONEX, Inc.'s BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. 1-800-RECONEX, Inc.'s BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit C. AC power voltage and phase ratings shall be determined on a per location basis. At 1-800-RECONEX, Inc.'s option, 1-800-RECONEX, Inc. may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.5 Security Escort. A security escort will be required whenever 1-800-RECONEX, Inc. or its approved agent desires access to the Remote Site Location after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit C beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and 1-800-RECONEX, Inc. shall pay for such half-hour charges in the event 1-800-RECONEX, Inc. fails to show up.
- 8.6 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

9. Insurance

- 9.1 1-800-RECONEX, Inc. shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a Best's Insurance Rating of A-.
- 9.2 1-800-RECONEX, Inc. shall maintain the following specific coverage:

- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of 1-800-RECONEX, Inc.'s real and personal property situated on or within BellSouth's Remote Site Location.
- 9.2.4 1-800-RECONEX, Inc. may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days notice to 1-800-RECONEX, Inc. to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by 1-800-RECONEX, Inc. shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Remote Site Location and shall remain in effect for the term of this Attachment or until all of 1-800-RECONEX, Inc.'s property has been removed from BellSouth's Remote Site Location, whichever period is longer. If 1-800-RECONEX, Inc. fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from 1-800-RECONEX, Inc..
- 9.5 1-800-RECONEX, Inc. shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. 1-800-RECONEX, Inc. shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from 1-800-RECONEX, Inc.'s insurance company. 1-800-RECONEX, Inc. shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center

675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 1-800-RECONEX, Inc. must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self-Insurance</u>. If 1-800-RECONEX, Inc.'s net worth exceeds five hundred million dollars (\$500,000,000), 1-800-RECONEX, Inc. may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. 1-800-RECONEX, Inc. shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to 1-800-RECONEX, Inc. in the event that self-insurance status is not granted to 1-800-RECONEX, Inc.. If BellSouth approves 1-800-RECONEX, Inc. for self-insurance, 1-800-RECONEX, Inc. shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of 1-800-RECONEX, Inc.'s corporate officers. The ability to self-insure shall continue so long as 1-800-RECONEX, Inc. meets all of the requirements of this Section. If 1-800-RECONEX, Inc. subsequently no longer satisfies this Section, 1-800-RECONEX, Inc. is required to purchase insurance as indicated by Sections 9.2.1 and Section 9.2.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to 1-800-RECONEX, Inc. to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or 1-800-RECONEX, Inc.), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. Inspections

BellSouth may conduct an inspection of 1-800-RECONEX, Inc.'s equipment and facilities in the Remote Collocation Space(s) prior to the activation of facilities between 1-800-RECONEX, Inc.'s equipment and equipment of BellSouth. BellSouth may conduct an inspection if 1-800-RECONEX, Inc. adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide 1-800-RECONEX, Inc. with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. <u>Security and Safety Requirements</u>

- 12.1 Unless otherwise specified, 1-800-RECONEX, Inc. will be required, at its own expense, to conduct a statewide investigation of criminal history records for each 1-800-RECONEX, Inc. employee hired in the past five years being considered for work on the BellSouth Remote Site Location, for the states/counties where the 1-800-RECONEX, Inc. employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. 1-800-RECONEX, Inc. shall not be required to perform this investigation if an affiliated company of 1-800-RECONEX, Inc. has performed an investigation of the 1-800-RECONEX, Inc. employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if 1-800-RECONEX, Inc. has performed a pre-employment statewide investigation of criminal history records of the 1-800-RECONEX, Inc. employee for the states/counties where the 1-800-RECONEX, Inc. employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- 12.2 1-800-RECONEX, Inc. will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- 1-800-RECONEX, Inc. shall provide its employees and agents with picture identification, which must be worn, and visible at all times while in the Remote Collocation Space or other areas in or around the Remote Site Location. The photo Identification card shall bear, at a minimum, the employee's name and photo, and 1-800-RECONEX, Inc.'s name. BellSouth reserves the right to remove from its Remote Site Location any employee of 1-800-RECONEX, Inc. not possessing identification issued by 1-800-RECONEX, Inc. or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. 1-800-RECONEX, Inc. shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Remote Site Location. 1-800-RECONEX, Inc. shall be solely responsible for ensuring that any Guest of 1-800-RECONEX, Inc. is in compliance with all subsections of this Section 12.

- 1-800-RECONEX, Inc. shall not assign to the BellSouth Remote Site Location any personnel with records of felony criminal convictions. 1-800-RECONEX, Inc. shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse access to any 1-800-RECONEX, Inc. personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that 1-800-RECONEX, Inc. chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, 1-800-RECONEX, Inc. may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 1-800-RECONEX, Inc. shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 1-800-RECONEX, Inc. shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former supplier of BellSouth and whose access to a BellSouth Remote Site Location was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- For each 1-800-RECONEX, Inc. employee or agent hired by 1-800-RECONEX, Inc. within five years of being considered for work on the BellSouth Remote Site Location, who requires access to a BellSouth Remote Site Location pursuant to this Attachment, 1-800-RECONEX, Inc. shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, 1-800-RECONEX, Inc. will disclose the nature of the convictions to BellSouth at that time. In the alternative, 1-800-RECONEX, Inc. may certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other 1-800-RECONEX, Inc. employees requiring access to a BellSouth Remote Site Location pursuant to this Attachment, 1-800-RECONEX, Inc. shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- 12.6 At BellSouth's request, 1-800-RECONEX, Inc. shall promptly remove from BellSouth's Remote Site Location any employee of 1-800-RECONEX, Inc. BellSouth

does not wish to grant access to its Remote Site Location 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of 1-800-RECONEX, Inc. is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.

- 12.7 Notification to BellSouth. BellSouth reserves the right to interview 1-800-RECONEX, Inc.'s employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to 1-800-RECONEX. Inc.'s Security contact of such interview. 1-800-RECONEX, Inc. and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving 1-800-RECONEX, Inc.'s employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill 1-800-RECONEX, Inc. for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that 1-800-RECONEX, Inc.'s employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill 1-800-RECONEX, Inc. for BellSouth property, which is stolen or damaged where an investigation determines the culpability of 1-800-RECONEX, Inc.'s employees, agents, or suppliers and where 1-800-RECONEX, Inc. agrees, in good faith, with the results of such investigation. 1-800-RECONEX, Inc. shall notify BellSouth in writing immediately in the event that the 1-800-RECONEX, Inc. discovers one of its employees already working on the BellSouth Remote Site Location is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Remote Site Location, any employee found to have violated the security and safety requirements of this section. 1-800-RECONEX, Inc. shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth's Remote Site Location.
- 12.8 <u>Use of Supplies</u>. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Remote Site Location. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. <u>Destruction of Remote Collocation Space</u>

13.1 In the event a Remote Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for 1-800-RECONEX, Inc.'s permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for 1-800-RECONEX, Inc.'s permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to 1-800-RECONEX, Inc., except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. 1-800-RECONEX, Inc. may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If 1-800-RECONEX, Inc.'s acceleration of the project increases the cost of the project, then those additional charges will be incurred by 1-800-RECONEX, Inc.. Where allowed and where practical, 1-800-RECONEX, Inc. may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired, 1-800-RECONEX, Inc. shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for 1-800-RECONEX, Inc.'s permitted use, until such Remote Collocation Space is fully repaired and restored and 1-800-RECONEX, Inc.'s equipment installed therein (but in no event later than thirty (30) calendar days after the Remote Collocation Space is fully repaired and restored). Where 1-800-RECONEX, Inc. has placed a Remote Site Adjacent Arrangement pursuant to Section 3, 1-800-RECONEX, Inc. shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

14. Eminent Domain

14.1 If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the day possession shall be taken by such public

authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and 1-800-RECONEX, Inc. shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

15. <u>Nonexclusivity</u>

15.1 1-800-RECONEX, Inc. understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and 1-800-RECONEX, Inc. agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and 1-800-RECONEX, Inc. shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. 1-800-RECONEX, Inc. should contact 1-800-743-6737 for any BellSouth MSDS required.
- Practices/Procedures. BellSouth may make available additional environmental control procedures for 1-800-RECONEX, Inc. to follow when working at a BellSouth Remote Site Location (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. 1-800-RECONEX, Inc. will require its suppliers, agents and others accessing the BellSouth Remote Site Location to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by 1-800-RECONEX, Inc. when operating in the BellSouth Remote Site Location.
- Environmental and Safety Inspections. BellSouth reserves the right to inspect the 1-800-RECONEX, Inc. space with proper notification. BellSouth reserves the right to stop any 1-800-RECONEX, Inc. work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Remote Site Location.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Remote Site Location by 1-800-RECONEX, Version 2Q02: 05/31/02

Inc. are owned by 1-800-RECONEX, Inc. 1-800-RECONEX, Inc. will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by 1-800-RECONEX, Inc. or different hazardous materials used by 1-800-RECONEX, Inc. at the BellSouth Remote Site Location. 1-800-RECONEX, Inc. must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Remote Site Location.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Remote Site Location, the Party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by 1-800-RECONEX, Inc. to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and 1-800-RECONEX, Inc. will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and 1-800-RECONEX, Inc. will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, 1-800-RECONEX, Inc. must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and 1-800-RECONEX, Inc. shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Remote Site Location.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

When performing functions that fall under the following Environmental categories on BellSouth's Remote Site Location, 1-800-RECONEX, Inc. agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. 1-800-RECONEX, Inc. further agrees to cooperate with BellSouth to ensure that 1-800-RECONEX, Inc.'s employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by 1-800-RECONEX, Inc., its employees, agents and/or suppliers.

2.1.1 The most current version of reference documentation must be requested from 1-800-RECONEX, Inc.'s BellSouth Account Team Collocation Coordinator (ATCC) Representative.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning materials)	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450Fact Sheet Series 17000
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	 Fact Sheet Series 1700 Building Emergency Operations Plan (EOP) (specific to and located on Remote Site Location)
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Remote Site Location (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Compliance with all applicable local, state, & federal laws and regulations	• Std T&C 450
	Performance of services in accordance with BST's environmental M&Ps	 Std T&C 450-B (Contact ATCC Representative for copy of appropriate E/S M&Ps.)
	Insurance	• Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450Fact Sheet Series 17000
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)
Maintenance/operations work which may produce a waste	Compliance with all applicable local, state, & federal laws and regulations	• Std T&C 450
Other maintenance work	Protection of BST employees and	• 29CFR 1910.147 (OSHA

		Page 36
	equipment	Standard) • 29CFR 1910 Subpart O (OSHA Standard)
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	Procurement Manager (CRES Related Matters)-BST Supply Chain Services
	All Hazardous Material and Waste Asbestos notification and protection of employees and	• Fact Sheet Series 17000
	equipment	GU-BTEN-001BT, Chapter 3BSP 010-170-001BS (Hazcom)
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations	 Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740

3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical Version 2Q02: 05/31/02

hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

<u>ATCC</u> – Account Team Collocation Coordinator

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

<u>E/S</u> – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

Std T&C - Standard Terms & Conditions

Version 2Q02: 05/31/02

THREE-MONTH CLEC REMOTE SITE COLLOCATION FORECAST

CLEC NAME	DATE
-----------	------

STATE	City	CLLI	# Bays	# Of 25 Pair Binder Groups At FDI	Entrance Facilities # Of Sheaths & # Of Fibers	-	NOTES

Note: Forecast information will be used for no other purpose than collocation planning.

Version 2Q02: 05/31/02

Marie Control Section Control Contro	COLLOCAT	ION - Alabama												Attachi	ment: 4	Exhil	oit: D
## RATE REMEMPS Manual Property Manual Prope												Svc Order	Svc Order				Incremental
CATEGORY MATERIAN Material	1		1														
Color Colo			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
Becronic	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Rec			""									'	l ·		Electronic-	Electronic-	Electronic-
Pirestal Collication - Application Fee - Inhall Pirestal Collication - Application - Inhall Pirestal Collication - Pirestal Collication - Application - Inhall Pirestal Collication -														1st	Add'l	Disc 1st	Disc Add'l
Pirestal Collication - Application Fee - Inhall Pirestal Collication - Application - Inhall Pirestal Collication - Pirestal Collication - Application - Inhall Pirestal Collication -				ļ													
Project Coloration				ļ			Rec										
Projected Collocation - Popularity Projected Collocation - Popularity								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Project Citionation - Application Fee - Intelligent Co. PETEX 1,378.08 1,879.08 0.51 0																	
Physical Collocation - Ageination for - State State part 81, Co. PECA	PHYSICAL CO			_	01.0	55151		4.070.40		0.54	0.54						
Private Coloniales - Application Private National Coloniales Application Private Coloniales Application Private Coloniales Application Private Coloniales - Application Private Coloniales - Application Private Coloniales - Application - Ap				ļ													
Physical Colocation - Special Programmary - CO. Modification per common Systems - Co. Modification - Programmary - Common Systems - Co. Modification - Special Programmary - Common Systems - Co. Modification - Special Programmary - Common Systems - Co. Modification - Special Programmary - Common Systems - Co. Modification - Special Programmary - Common Systems - Co. Modification - Special Programmary - Common Systems - Co. Modification - Special Programmary - Common Systems - Co. Modification - Programmary - Common Systems - Co. Modification - Programmary - Co. Modification - Co. Modifi				ļ													
Projector Collectors - Space Preparation - Co. Nudification per CLO PE18J 600.77 600.71									1,205.26	0.51	0.51						
Proceeding				_	CLO	PE1BL		742.15									
Physical Collocation - Space Programan - C.O. Modification per systems C.O. PE-15K 1.96					01.0	DE401		000 74	200 74								
Square R. CLO PETRS 1.88				_	CLO	PE15J		600.71	600.71								
Physical Collocation - Spane Preparation - Common Systems CLG PE1SU 2,00					01.0	DE401	4.00										
Modification per squares fr. Cogetions Color PETS 2.62			!	1	CLU	PE15K	1.96			1		ļ	-	 	 	-	
Prysical Colocation - Space Preparation - Comments Systems CLO PETSM 68.86 88.971 22.49					CI O	DE4C!	0.00										
Modification per Cage	\vdash		 	1	ULU	PEISL	2.62			-							
Physical Colocation - Cable Installation					CI O	DE1C14	00.00										
Physical Collocation - Flore Space per Str. E. CLO PETPI 3.22	\vdash		!	1			88.86	050.71	050 =:	00.70	00.10		-	-	-		
Physical Collocation - Cable Support Structure	\vdash		 	1			2.00	859.71	859.71	22.49	22.49			 	 	-	
Physical Collocation - Cageless	\vdash		 	1										 	 	-	
Physical Collocation - Power 484/0 CP Overs per fused Amp CLO PETPL 7.83	\vdash		<u> </u>	1									-				
Physical Collocation - Power Featurion, Application Fee CLO PETPB 399.51	\vdash			-													
Physical Collocation - 120V, Single Phase Standby Power Rate				 			7.83	000.54									
Physical Collocation - 240V. Single Phase Standby Power Rate	—	Physical Collocation - Power Reduction, Application Fee	<u> </u>	1	CLO	PETPR		399.51					-				
Physical Collocation - 240V, Single Phase Standby Power Rate		Dhysical Callegation 400V/ Circle Dhage Ctandby Dayson Date			CI O	DE4ED	4.04										
Physical Collocation - 120V, Three Phase Standby Power Rate	\vdash	Physical Collocation - 120V, Single Phase Standby Power Rate	<u> </u>	1	CLO	PETFB	4.91						-				
Physical Collocation - 120V, Three Phase Standby Power Rate		Dhusiasi Callagatias 240V Cirola Bhasa Ctardhu Bausa Bata			CI O	DE4ED	0.04										
Physical Collocation - 277V, Three Phase Standby Power Rate	\vdash	Physical Collocation - 240V, Single Phase Standby Power Rate	<u> </u>	1	CLO	PETFU	9.84						-				
Physical Collocation - 277V, Three Phase Standby Power Rate		Dhysical Callegation 420V/ These Dhace Cteadhy Davies Date			CI O	DEAEE	4474										
UEANL_UEA_UDN, U	-	Physical Collocation - 120V, Three Phase Standby Power Rate	-	-	CLO	PETFE	14.74										
UEANL_UEA_UDN, U		Dhysical Callegation 277\/ Three Dhage Standby Dower Bate			CI O	DE1EC	24.06										
DC_UAL_UHL_UC_LU EQ_UDL_UNCVX PETP2 D.03 12.30 11.80 6.03 5.44	-	Physical Collocation - 277V, Three Phase Standby Power Rate	1	 	CLO	PEIFG	34.06										
DC_UAL_UHL_UCL_U Eq. UDL_UNCVX Eq. UDL_UNCVX UNLDX, UNCNX PE1P2 0.03 12.30 11.80 6.03 5.44 CLO_UAL_UDL_UDN, URA_UHL_UNCX_UNCDX UNLX_UNCDX_UNCDX DC_UAL_UDL_UDN, URA_UHL_UNCX_UNCDX UCL_UEAN_UEC_W DS1L_WDS1S, USL_UTITO, UXTD1, UNCIX, ULDD1, USLEL_UNLD1, UNCIX, ULDD1, USLEL_UNLD1, UNCIX, ULDD1, USLEL_UNLD1, USLEL_UNLD1, USLEL_UNLD1, USLEL_UNLD1, USLEL_UNLD1, USLEL_UNLD1, USLEL_UNLD1, USLEL_UNLD1, UNCIX, U					HEANI HEATIDALH												
Physical Collocation - 2-Wire Cross-Connects																	
Physical Collocation - 2-Wire Cross-Connects																	
CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX, UCL		Physical Collection 2 Wire Cross Connects				DE1D2	0.03	12.20	11 90	6.03	5.44						
UDN, UEA, UHL, UNCX, UNCDX, UNCDX, UNCDX, UNCDX, UCL		Physical Collocation - 2-Wife Cross-Connects	-	-		PE IPZ	0.03	12.30	11.00	6.03	5.44						
DNCVX, UNCDX UCL																	
Physical Collocation - 4-Wire Cross-Connects																	
CLO, UEANL, UEQ,W DS1L, WBS1, USL, U1TD1, UNCTX, ULDD1, UNCTX, ULDD1, UNCTX, ULDD1, UNCTX, UNDD1, UNCTX, UNDD1, UNCTX, UNDD1, USLE, UNITD3, UXTD3, UNDD3,	1 1	Physical Collocation - 4-Wire Cross-Connects	1	1		DE1D4	0.05	12 20	11 07	6 20	5 72	1	1				
DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, UDL UND3, UXTD3, UXTD3, UXTD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, USSX, ULDD3, USSX, ULDD3, USSX, ULDD3, USSX, ULDD3, USSX, ULDD3, UDL PE1P3	 	Trysical Collocation - 4-vviie Closs-Collifects	 	1			0.05	12.39	11.07	0.39	5.73			 	 	l	
U1TD1, UXTD1, UXD1, UNC1X, ULDD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, UDL PE1P1 1.11 22.03 15.93 6.40 5.79 U1D1, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXD3X, UNC3X, UNCD3X, UNCD3X, UNCD3X, UNCD3X, UNLD3, UNC3X, UNLD3, UNC3X, UNLD3, UNC3X, UNLD3, UNC3X, UNLD3, UNC3X, UNLD3, UNC3X, U			1	1								1	1				
UNC1X, ULDD1, USLEL, UNLD1, USLEL, UNLD3, UXTS1, UNC3X, UNCSX, ULD3, ULD13, ULD13, ULD14, ULD3, UDL PE1P3			1	1								1	1				
Distance																	
Physical Collocation - DS1 Cross-Connects			1	1								1	1				
CLO, UE3,U1TD3, UXTD3, UXDD3, ULDD3, ULDD3, ULD2, ULD48, U1703, U1712, U1748, UDL03, UDL12, ULDF PE1F2 2.81 20.89 15.20 7.38 5.92 Physical Collocation - 2-Fiber Cross-Connect UDL12, UDF PE1F2 2.81 20.89 15.20 7.38 5.92 CLO, ULD03, ULD12, ULD48, ULD12, ULD48, ULT03, UT103, U1T12, ULD48, UT103, U1T12, ULD48, UT103, U1T12, ULT48, UDL03, ULD14, ULD48, UT103, U1T12, UT148, UDL03, UT148, UDL03, ULD14, ULD48, UT103, UT112, UT148, UDL03, UT148, UT148, UDL03, UT148, UDL03, UT148, UDL03, UT148, UT1488, UT1488, UT1488, UT1488, UT1488, UT	1 1	Physical Collocation - DS1 Cross-Connects	1	1		PF1P1	1 11	22.03	15 03	6.40	5 70	1	1				
UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, ULDD3, ULDD3, ULDD3, ULDD4, UNLD3, UDL PE1P3	 	1 Trystoca Comodation - DOT Oross-Commedia	 	 			1.11	22.03	10.50	0.40	5.75			 	 		
UNC3X, UNCSX, ULD03, ULD05, ULD05, UNLD3, ULD05, UNLD3, ULD04, ULD04, UNLD3, UT13, ULD04, UNLD3, ULD04, UNLD3, ULD12, ULD04, UNLD3, ULD12, UDF PE1F2 2.81 20.89 15.20 7.38 5.92			1	1								1	1				
ULDD3, U1TS1,ULDS1, UNLD3, UDL PE1P3			1	1								1	1				
Physical Collocation - DS3 Cross-Connects			1	1								1	1				
Physical Collocation - DS3 Cross-Connects																	
CLO, ULDO3, ULD12, ULD48, U1703, U1712, U1748, UDL03, UDL12, UDF PE1F2 2.81 20.89 15.20 7.38 5.92 Physical Collocation - 2-Fiber Cross-Connect UDL12, UDF PE1F2 2.81 20.89 15.20 7.38 5.92 CLO, ULD03, ULD14, ULD48, U1703, U1712, U1748, UDL03, U1748, UDL03, UD3, UD3, UD3, UD3, UD3, UD3, UD3, UD		Physical Collocation - DS3 Cross-Connects	1	1		PE1P3	14 16	20.89	15 20	7.38	5.92	1	1				
ULD12, ULD48, U1T03, U1T12, U1T48, U1T03, U1T14, UDL03, UDL12, UDF PE1F2 2.81 20.89 15.20 7.38 5.92 ULD12, ULD48, U1T03, U1T12, U1T48, UDL03, ULD12, ULD48, U1T03, U1T12, U1T48, UDL03, U1T48, UDL03, U1T48, UDL03, UDL		y Sonosanon See Siesa dominata	1	1			14.10	20.00	10.20	7.30	0.32	 	-				
U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF PE1F2 2.81 20.89 15.20 7.38 5.92			1	1								1	1				
U1T48, UDLO3, UDL12, UDF PE1F2 2.81 20.89 15.20 7.38 5.92 CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, U1T48, U1T48, UDLO3, U1T48			1	1								1	1				
Physical Collocation - 2-Fiber Cross-Connect UDL12, UDF PE1F2 2.81 20.89 15.20 7.38 5.92			1	1								1	1				
CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,		Physical Collocation - 2-Fiber Cross-Connect	1	1		PE1F2	2,81	20.89	15.20	7,38	5.92	1	1				
ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,		7 5	l -	1		T	2.51	20.00	.0.20		0.02			i	i	 	
U1TO3, U1T12, U1T48, UDLO3,																	
U1T48, UDLO3, U1T48, U1T48, UDLO3, U1T48, U1			1	1								1	1				
	1 1		1	1								1	1				
	1 1	Physical Collocation - Cageless - 2 Fiber Cross Connect	1	1	UDL12, UDF	PE1CK	2.84	20.89	15.20	7.38	5.92	1	l	l	l		

COLLO	CATI	ON - Alabama												Attachi	ment: 4	Exhil	oit: D
	77.11.			1		1						Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
														Manual Svc	Manual Svc		Manual Svc
CATEGOR	, l	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	Manually			Manual Svc	
CATEGOR	\ i	RATE ELEWIENTS	m	Zone	ВСЗ	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	-			_			ļ.,			I M	- B'		l		D - ((A)		
-							Rec	Nonred			g Disconnect				Rates(\$)		
				 	01.0 111.000			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					CLO, ULDO3,												
					ULD12, ULD48,												
					U1TO3, U1T12,												
					U1T48, UDLO3,												
		Physical Collocation - 4-Fiber Cross-Connect			UDL12, UDF	PE1F4	4.99	25.55	19.86	9.71	8.25						
					CLO, ULDO3,												
					ULD12, ULD48,												
					U1TO3, U1T12,												
					U1T48, UDLO3,												
		Physical Collocation - Cageless - 4-Fiber Cross-Connect		1	UDL12, UDF	PE1CL	5.69	25.55	19.86	9.71	8.25		ļ				
		Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.		1	CLO	PE1BW	156.33						ļ				
		Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.		1	CLO	PE1CW	15.34										
		Physical Collocation - Security Access System - Security System															
		per Central Office	L	<u></u>	CLO	PE1AX	45.70			<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>		
		Physical Collocation - Security Access System - New Access															
		Card Activation, per Card			CLO	PE1A1	0.05	27.79	27.79								
		•				Î								Î			
		Physical Collocation-Security Access System-Administrative															
		Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.79	7.79								
		Physical Collocation - Security Access System - Replace Lost or										İ					
		Stolen Card, per Card			CLO	PE1AR		22.78	22.78								
		Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.10	13.10								
		Physical Collocation - Security Access - Key, Replace Lost or										İ					
		Stolen Key, per Key			CLO	PE1AL		13.10	13.10								
		Physical Collocation - Space Availability Report per premises			CLO	PE1SR		1,075.17	1,075.17								
		Thydical concoalion opace manazinty hopon per promises			UEANL,UEA,UDN,U	. 2.0.0		1,070.11	1,010.11								
					DC,UAL,UHL,UCL,U												
					EQ,CLO,UDL,												
		POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,			UNCVX, UNCDX,												
		per cross-connect			UNCNX	PE1PE	0.08										
	-	per cross-connect		1	UEANL,UEA,UDN,U	FLIFL	0.00					1					
					DC,UAL,UHL,UCL,U												
		POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			EQ,CLO, USL,												
		per cross-connect			UNCVX, UNCDX	PE1PF	0.17										
	_	per cross-connect		+	UEANL, UEA, UDN, U	FLIFE	0.17					-	-				
					DC,UAL,UHL,UCL,U												
					EQ,CLO,WDS1L,W												
					DS1S, USL, U1TD1,												
					UXTD1, UNC1X,												
		DOT Day Assessments asian to 6/4/00 DC4 Cross Consent			ULDD1, USLEL,												
		POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,				DE4D0	4.00										
-		per cross-connect		 	UNLD1	PE1PG	1.20										
					UEANL,UEA,UDN,U												
					DC,UAL,UHL,UCL,U												
					EQ,CLO,UE3,												
					U1TD3, UXTD3,												
					UXTS1, UNC3X,												
					UNCSX, ULDD3,												
		DOTE: 1			U1TS1, ULDS1,	1											
		POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,	1	1	UNLD3, UDL,	L							1				
\vdash		per cross-connect		1	UDLSX	PE1PH	10.67							ļ			
			1	1	UEANL,UEA,UDN,U	l							1				
			1	1	DC,UAL,UHL,UCL,U	l					1	1	l	l	l		
			1	1	EQ,CLO, ULDO3,	l							1				
			1	1	ULD12, ULD48,	l							1				
			1	1	U1TO3, U1T12,	l					1	1	l	l	l		
		POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,	1	1	U1T48, UDLO3,	l							1				
1		per cross-connect		1	UDL12, UDF	PE1B2	36.40										

CATEGORY RATE ELEMENTS Interf 2 2 2 2 2 2 2 2 2	Exhibit	Exhibit: D	Exhi	ment: 4	Attachi												LOCATION - Alabama	COLLOCAT
Non-recurring Disconnect Section	tal Incremental II - Charge - ivc Manual Svc M	nental Increme rge - Chargo al Svc Manual	Incremental Charge - Manual Svc	Charge - Manual Svc	Incremental Charge - Manual Svc	Submitted Manually	Submitted Elec			DATEC(É)			HEOC	BC6	Zana	Interi		
IEANLE ALUDNU DECIDIO LICY LI	ic- Electronic- I	ronic- Electron	Electronic-	Electronic-	Electronic-	per LSR	per LSR			RATES(\$)			0300	ВСЗ	Zone	m	GORT RATE ELEMENTS	CATEGORT
CHAIL USAL LOCAL COLUMN CHAIL USAL LOCAL COLUMN				Rates(\$)	oss			Disconnect	Nonrecurring	urring	Nonrec	Doo						
DCLUALUPLUCUL COLCUL AUDOS UITOS	SOMAN	MAN SOMA	SOMAN	SOMAN	SOMAN	SOMAN	SOMEC	Add'l	First	Add'l	First	Rec						
CLU												49.09	PE1B4	DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,				
Nonrecuring Collocation Cable Records - per requests CLO PETCR 759.29 448.11 133.00 133.00																		
Nontrecurring Collocation Cable Records - VSCIDSO Cable, per close record learning Collocation Cable Records - VSCIDSO Cable, per close record in Cable Records - VSCIDSO Cable, per close record in Cable Records - CSCIDSO Cable, per close record in Cable Records - CSCIDSO Cable, per close record in Cable Records - CSCID Records - C																		
cable record cable Records - V\$JDSO Cable, per cable Records - V\$JDSO Cable, per cable Norman cable Records - V\$JDSO Cable, per cable Norman cable Records - V\$JDSO Cable, per cable Norman cable Records - DS1, per TTTE CLO PETCO cable Norman cable Records - DS1, per TTTE CLO PETCO cable Norman cable Records - DS2, per TTTE cable, per cable, pe								133.00	133.00	488.11	759.29		PE1CR	CLO				
Nontrocurring Collocation Cable Records - VG/DSQ Cable, per CLO PETCO 4.81 4.81 5.90 5.90			i	1				189.12	189.12	326.92	326.92		PE1CD	CLO				
each 100 pair CLO PETCO 4.81 4.81 5.90 5.90 Nonneuring Collocation Cable Records - DS1, per T1TE CLO PETC1 2.25 2.26 2.76 2.76 2.76 Nonneuring Collocation Cable Records - DS3, per T3TE CLO PETC3 7.88 9.66 9.66 Nonneuring Collocation Cable Records - DS3, per T3TE CLO PETC3 7.88 9.66 9.66 Nonneuring Collocation Cable Records - PETC Records PETC RECORDS PETC RECORDS			i	+													Nonrecurring Collocation Cable Records - VG/DS0 Cable, per	
Nonrecurring Collocation Cable Records - Fiber Cable, per 99			<u> </u>															
Nonrecuring Collocation Cable Records - Fiber Cable, per 99 CLO PEICB 84.49 84.49 77.13																		
Inter-records		-+-		+				9.66	9.66	7.88	7.88		PE1C3	CLO	$\vdash \vdash \vdash$			
Physical Collocation - Security Ecord - Basic, per Half Hour			l	1				77 13	77 13	84 49	84 49		PF1CB	CLO				
Physical Collocation - Security Escort - Overtime, per Half Hour CLO,CLORS PE10T 22.05 13.86				+				77.10	77.10									
Vi to P Conversion, Per Customer Request-Voice Grade CLO PETBV 33.00 Vi to P Conversion, Per Customer Request-DS1 CLO PETBV 33.00 Vi to P Conversion, Per Customer Request-DS1 CLO PETBV 52.00 Vi to P Conversion, Per Customer Request-DS1 CLO PETBV 52.00 Vi to P Conversion, Per Customer Request-DS1 CLO PETBV 52.00 Vi to P Conversion, Per Customer Request-DS1 CLO PETBV 52.00 Vi to P Conversion, Per Customer Request-DS1 CLO PETBV 52.00 Vi to P Conversion, Per Customer Request-DS1 CLO PETBV 23.00 Vi to P Conversion, Per Customer Request-Per DS1 Circuit Reconfigured CLO PETBV 23.00 Vi to P Conversion, Per Customer Request-Per DS1 Circuit Reconfigured CLO PETBV 33.00 Vi to P Conversion, Per Customer Request-Per DS1 Circuit Reconfigured CLO PETBV 33.00 Vi to P Conversion, Per Customer Request-Per DS2 Circuit Reconfigured CLO PETBV 33.00 Vi to P Conversion, Per Customer Request-Per DS3 Circuit Reconfigured CLO PETBV 37.00 Vi to P Conversion, Per Customer Request-Per DS3 Circuit Reconfigured CLO PETBV 37.00 Vi to P Conversion, Cable Pairs Assigned to Collo Space per 700 pre or fraction thereof CLO PETBV 37.00 Vi to P Conversion, Cable Pairs Assigned to Collo Space per 700 pre or fraction thereof CLO PETBV 592.00 Vi to P Conversion, Cable Pairs Assigned to Collo Space per 700 pre or fraction thereof CLO PETBV 592.00 Vi to P Conversion, Cable Pairs Assigned to Collo Space per 700 pre or fraction thereof CLO PETBV 592.00 Vi to P Conversion, Cable Pairs Assigned to Collo Space per 700 pre or fraction thereof CLO PETBV 592.00 Vi to P Conversion, Cable Pairs Assigned to Collo Space per 700 pre or fraction thereof CLO PETBV 592.00 Vi to P Conversion, Cable Pairs Assigned to Collo Space per 700 pre or fraction thereof CLO PETBV 592.00 Vi to P Conversion, Per Customer Space per 700 pre or fraction thereof CLO PETBV 592.00 Vi to P Conversion, Per Customer Space per 700 pre or fraction thereof CLO PETBV 592.00 Vi to P Customer Space per 700													PE1OT					
Vio P Conversion, Per Customer Request-Voice Grade CLO PE1BV 33.00			i							40.00	07.47		DEADT	CI O CI ODC			Dhusial Callagatica Constitut Forest Descrives and Half-Haus	
V10 P Conversion, Per Customer Request-DS1 CLO PE181 52.00				+						16.98	27.17	33.00						
Vit D Conversion, Per Customer Request-DS3	+			+														+
Vit D Conversion, Per Customer Request per VG Circuit Reconfigured				+														
Reconfigured												52.00	PE1B3	CLO				
V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured CLO PE1BP 23.00			i															
Reconfigured												23.00	PE1BR	CLO				<u> </u>
Vi to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			i									23.00	PF1RP	CLO				
Vi to P Conversion, Per Customer Request per DS3 Circuit Reconfigured CLO PE1BE 37.00 Vi to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof CLO PE1B7 592.00 CLO PE1B7 592.00 CLO PS1B7 592.00 CL				+								20.00		020				
Reconfigured			<u> </u>									33.00	PE1BS	CLO				
Prysical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			<u> </u>									37.00	PE1BE	CLO			Reconfigured	
Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft. CLO,UDF PE1ES 0.0011 Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft. CLO, UE3, USL PE1DS 0.0016 Physical Collocation - Co-Carrier Cross Connects - Application Fee, per application Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Res Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res UEPSP PE1R2 0.03 12.30 11.80 6.03 5.44 15.66 Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res UEPSE PE1R2 0.03 12.30 11.80 6.03 5.44 15.66 Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus Vire Analog - Bus PE1R2 0.03 12.30 11.80 6.03 5.44 15.66 PHysical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus Vire Analog - Bus Vire Analog - Bus Vire Cross Connect, Exchange Port 2- Wire Analog - Bus Vire Cross Connect, Exchange Port 2- Wire Cross Connect, Exchange Port 2- Wire Analog - Bus Vire Cross Connect, Exchange Port 2- Wire Analog - Bus Vire Cross Connect, Exchange Port 2- Vire Analog - Bus Vire Cross Connect, Exchange Port 2- Vire Analog - Bus Vire Cross Connect, Exchange Port 2- Vire Analog - Bus Vire Cross Connect, Exchange Port 2- Vire Analog - Bus Vire Cross Connect, Exchange Port 2- Vire Analog - Bus			i									502.00	DE1D7	CLO				
Support Structure, per cable, per linear ft. Support Structure, per cable, per linear ft.				+								332.00	I LIDI	OLO				
Cable Support Structure, per cable, per lin. ft.			i									0.0011	PE1ES	CLO,UDF				
Fee, per application												0.0016	PE1DS	CLO, UE3, USL			Cable Support Structure, per cable, per lin. ft.	
PHYSICAL COLLOCATION			l	1							E04 00		DE1DT	CLO				
Physical Collocation 2-Wire Cross Connect, Exchange Port 2- UEPSR PE1R2 0.03 12.30 11.80 6.03 5.44 15.66 Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus UEPSP PE1R2 0.03 12.30 11.80 6.03 5.44 15.66 Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res UEPSE PE1R2 0.03 12.30 11.80 6.03 5.44 15.66 Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus UEPSB PE1R2 0.03 12.30 11.80 6.03 5.44 15.66 Physical Collocation 2-Wire Cross Connect, Exchange Port 2- UEPSB PE1R2 0.03 12.30 11.80 6.03 5.44 15.66 Physical Collocation 2-Wire Cross Connect, Exchange Port 2- UEPSB PE1R2 0.03 12.30 11.80 6.03 5.44 15.66 Physical Collocation 2-Wire Cross Connect, Exchange Port 2- UEPSB PE1R2 0.03 12.30 11.80 6.03 5.44 15.66 Physical Collocation 2-Wire Cross Connect, Exchange Port 2- UEPSB PE1R2 0.03 12.30 11.80 6.03 5.44 15.66 Physical Collocation 2-Wire Cross Connect, Exchange Port 2- UEPSB PE1R2 0.03 12.30 11.80 6.03 5.44 15.66	+	-+-		+		 			+	-	384.22		FEIVI	OLO	\vdash			PHYSICAL CO
Wire Analog - Res				 														1
Wire Line Side PBX Trunk - Bus						15.66		5.44	6.03	11.80	12.30	0.03	PE1R2	UEPSR			Wire Analog - Res	
Physical Collocation 2-Wire Cross Connect, Exchange Port 2-				1									DE4D°	LIEDOD	T			
Wire Voice Grade PBX Trunk - Res		-		+		15.66		5.44	6.03	11.80	12.30	0.03	PE1R2	UEPSP				
Wire Analog - Bus UEPSB PE1R2 0.03 12.30 11.80 6.03 5.44 15.66 Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Image: Control of the properties of t			<u> </u>			15.66		5.44	6.03	11.80	12.30	0.03	PE1R2	UEPSE			Wire Voice Grade PBX Trunk - Res	
Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			l	1		15.66		5.44	6.03	11.80	12.30	0.03	PE1R2	UEPSB				
						15.66		5.44	6.03	11.80	12.30	0.03	PE1R2	UEPSX			Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN	
Physical Collocation 2-Wire Cross Connect, Exchange Port 2-						15.66		5.44	6.03	11.80	12.30	0.03	PE1R2	UEPTX			Wire ISDN	
Physical Collocation 4-Wire Cross Connect, Exchange Port 4-			l	1		45.00		F ==	0.00	44.0=	40.00	0.0-	DE4D4	HEDEV				
Wire ISDN DS1				+	-	15.66		5.73	6.39	11.87	12.39	0.05	PE1K4	UEPEX				AD IACENT O

COLLOCAL	ION - Alabama													ment: 4		bit: D
							•			•	Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec				Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	,	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK				
													Electronic-	Electronic-		
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.14										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.41	i		ì							1
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.02	12.30	11.80	6.03	5.44						
				UEA,UHL,UDL,UCL,											1	
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.04	12.39	11.87	6.39	5.73						
-+-	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.03	22.03	15.93	6.40	5.79					+	+
	Adjacent Collocation - DS1 Cross-Connects			CLOAC	PE1P3	13.95	20.89	15.20	7.38	5.92						
-+-	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.36	20.89	15.20	7.38	5.92	-			 	+	+
$\longrightarrow \longleftarrow$	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F4	4.52	25.55	19.86	9.71	8.25					+	+
\longrightarrow		-	-			4.52		19.86		8.25						
\longrightarrow	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,576.69		0.51							
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	4.91										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	9.84										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	14.74										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	34.06										
	Adjacent Collocation - DC power provisioning			CLOAC			ICB									1
	Note: ICB means Individual Case Basis															
PHYSICAL CC	LLOCATION IN THE REMOTE SITE														1	
1	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		307.70	307.70	168.22	168,22					1	
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	201.42	007.70	007.70	100.22	100.22					1	
	Cabinet opase in the Nemete cité per Bay Nacion			020110		201112	+					1		 	1	+
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.10	13.10								
	Physical Collocation in the Remote Site - Space Availability			0.000	55465											
	Report per Premises Requested			CLORS	PE1SR		115.87	115.87								
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		37.56	37.56								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.38									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Barrello O'to A l'accest Oulleantina Barl Fatato			01.000	DEADT	0.404										
	Remote Site-Adjacent Collocation - Real Estate, per square foot	ļ		CLORS	PE1RT	0.134						ļ		.		
	Remote Site-Adjacent Collocation-Application Fee			CLORS ote site collocation,	PE1RU		755.62	755.62						ļ	1	

COLLOCAT	ION - Florida												Attach	ment: 4	Exhil	oit: D
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Diac iat	DISC Add I
						Rec	Nonred	curring	Nonrecurrin	g Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO																
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		2,597.00		1.01							
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		2,236.00		1.01							
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		742.00									
	Physical Collocation - Space Preparation - Firm Order															
	Processing			CLO	PE1SJ		288.93									
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.			CLO	PE1SK	2.38										
	Physical Collocation - Space Preparation - Common Systems	1	1		l						1	1		I	I	
\vdash	Modification per square ft Cageless	<u> </u>	<u> </u>	CLO	PE1SL	2.96				ļ			ļ	ļ	ļ	
	Physical Collocation - Space Preparation - Common Systems	1	1	L							1	1		I	I	
	Modification per Cage			CLO	PE1SM	92.55										
\vdash	Physical Collocation - Cable Installation per Cable	<u> </u>	<u> </u>	CLO	PE1BD		1,750.00		45.16	ļ			ļ	ļ	ļ	
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	7.86										
\vdash	Physical Collocation - Cable Support Structure	ļ	 	CLO	PE1PM	18.96							ļ	.	.	
	Physical Collocation - Power, per Fused Amp			CLO	PE1PL	7.80										
	Physical Collocation - Power Reduction, Application Fee	I		CLO	PE1PR		399.43									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.38										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	10.77										
				0.0												
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.15										
	Discission College (Co. 1)			CLO	DE4E0	07.00										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	37.30					-	-				
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
	Dhysical Callacation - 2 Miss Corns Connects			EQ, UDL, UNCVX,	DE4D0	0.0070	0.00	7.00	F 74	4.50						
	Physical Collocation - 2-Wire Cross-Connects			UNLDX, UNCNX	PE1P2	0.0276	8.22	7.22	5.74	4.58	-	-				
				CLO, UAL, UDL,												
				UDN, UEA, UHL, UNCVX, UNCDX,												
	Dhysical Callagatics A Wise Come Comments			UCL	PE1P4	0.0552	0.40	7.00	5.90	4.00						
$\overline{}$	Physical Collocation - 4-Wire Cross-Connects	-			PETP4	0.0552	8.42	7.36	5.90	4.66						
				CLO,UEANL,UEQ,W												
				DS1L,WDS1S, USL, U1TD1, UXTD1,												
				UNC1X, ULDD1,												
				USLEL, UNLD1,												
	Physical Collocation - DS1 Cross-Connects			UDL	PE1P1	1.32	27.77	15.52	5.93	4.77						
$\overline{}$	Physical Collocation - DST Cross-Connects	-		CLO, UE3,U1TD3,	PEIPI	1.32	21.11	15.52	5.93	4.77						
				UXTD3, UXTS1,												
				UNC3X, UNCSX.												
				ULDD3,												
	Dhysical Collegation DC2 Cross Connects			U1TS1,ULDS1,	PE1P3	16.01	25.40	14.05	7 77	E 01						
\vdash	Physical Collocation - DS3 Cross-Connects	 	-	UNLD3, UDL CLO, ULDO3,	reir3	16.81	25.48	14.05	7.77	5.01	-	-	 	 	+	
				ULD12, ULD48,										1	1	
				U1TO3, U1T12,										1	1	
				U1T48, UDLO3,										1	1	
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	3.34	41.94	30.52	13.91	11.16						
 	r riyaldar dünüdatidir - 2-r iber diuss-dürirledi	1		CLO, ULDO3,	I LIFZ	3.34	41.94	30.32	13.91	11.16			 	t	t	
				ULD12, ULD48,												
		1	1	U1TO3, U1T12,	l						1	1		I	I	
		1	1	U1T48, UDLO3,	l						1	1		I	I	
	Physical Collocation - 4-Fiber Cross-Connect	1		UDL12, UDF	PE1F4	5.92	51.30	39.87	18.29	15.54				I	I	
 	Physical Collocation - 4-Fiber Cross-Connect Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.	 		CLO	PE1BW	189.45	31.30	33.07	10.29	15.54			 	t	 	
 	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	 	 	CLO	PE1CW	18.58			1	 			 	 	 	
	1, s.ca. Johoodhon Troided Trie Cays - Add 1 30 04. 1 t.				. L 10 VV	10.00			1	1	1	1	1	1	1	

COLLOCAT	ION - Florida												Attach	ment: 4	Exhil	oit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonred First	curring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	Physical Collocation - Security System Per Central Office Per		1				FIISL	Addi	FIISL	Addi	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
	Assignable Sq. Ft.			CLO	PE1AY	0.0105										
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0.0577	55.80									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		15.65									
	Stolen Card, per Card			CLO	PE1AR		45.75									
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.30									
	Physical Collocation - Security Access - Key, Replace Lost or			CLO	DE4AL		20.20									
	Stolen Key, per Key Physical Collocation - Space Availability Report per premises	 	 	CLO	PE1AL PE1SR		26.30 2,159.00				 	 		 	 	
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UDL, UNCVX, UNCDX, UNCNX UEANL, UEA, UDN, U	PE1PE	0.00	,									
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX UEANL,UEA,UDN,U	PE1PF	0.00										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	0.00										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	0.00										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	0.00										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	0.00										
	Physical Collocation - Request Resend of CFA Information, per CLLI			CLO	PE1C9		77.54									
	Nonrecurring Collocation Cable Records - per request	 	+	CLO	PE1C9 PE1CR		1,525.00	980.22	2 267.08		 			 	 	
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		656.50	550.22	379.78							
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		9.66	9.66		11.84				ĺ	ĺ	

COLLOCAT	ION - Florida												Attach	ment: 4	Exhil	oit: D
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intent									Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec	Nonrec			g Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		4.52	4.52	5.54	5.54						
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		15.82	15.82	19.40	19.40						
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99															
	fiber records	ļ	ļ	CLO	PE1CB		169.67	169.67	154.89	154.89						
				0.0	55450		40.00									
—	Physical Collocation - Security Escort - Basic, Per Quarter Hour	-	-	CLO	PE1BQ		10.89				1					
	Physical Collocation - Security Escort - Overtime, Per Quarter			CLO	PE1OQ		40.04									
	Hour	-	-	CLO	PETOQ		13.64				1					
1 1	Physical Collocation - Security Escort - Premium, Per Quarter Hour		1	CLO	PE1PQ		16.40								I	
\vdash	Physical Collocation - Security Escort - Basic, per Half Hour	 	+	CLO.CLORS	PE1PQ PE1BT		33.99	21.54	1		}	 	 	 	+	
 	i nysical Collocation - Security Escort - Dasic, per Hall Hour	 	1	OLO,OLORO	FEIDI		33.88	21.04	1	 	1	H	 	 	t	
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44.27	27.82							1	
 	- 175.55. Confocution County Escott - Overtime, per Hall Hour	 	t	0_0,0_010			77.21	21.02	 		 	-	 	 	 	
	Physical Collocation - Security Escort - Premium, per Half Hour		1	CLO,CLORS	PE1PT		54.55	34.10							I	
	V to P Conversion, Per Customer Request-Voice Grade	1	t	CLO	PE1BV	33.00	000	0 10	1				i	i	1	
	V to P Conversion, Per Customer Request-DS0	1	1	CLO	PE1BO	33.00					t					
	V to P Conversion, Per Customer Request-DS1	1	1	CLO	PE1B1	52.00					İ					
	V to P Conversion, Per Customer request-DS3	1	1	CLO	PE1B3	52.00					İ					
	V to P Conversion, Per Customer Request per VG Circuit															
	Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit															
	Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit															
	Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit			0.0	55455											
	Reconfigured		-	CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700	'		CLO	PE1B7	592.00										
-	prs or fraction thereof	-	1	CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001										
—	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax		 	CLO,UDF	PEIES	0.001			1		1	1			-	
	Cable Support Structure, per cable, per lin. ft.	`l		CLO, UE3, USL	PE1DS	0.0014										
h + + + + + + + + + + + + + + + + + + +	Physical Collocation - Co-Carrier Cross Connects - Application	1	1	020, 020, 002	I LIBO	0.0014					†	-				
	Fee, per application			CLO	PE1DT		584.11									
PHYSICAL CO				020			00				İ					
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	1	1		i e				1				İ	İ	t	
1 1	Wire Analog - Res		1	UEPSR	PE1R2	0.074	34.53	32.51				11.90			I	1
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	1	1		1						İ		1	1		
	Wire Line Side PBX Trunk - Bus	<u></u>	<u></u>	UEPSP	PE1R2	0.074	34.53	32.51	<u> </u>	<u></u>		11.90	<u> </u>	<u> </u>		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			_												
	Wire Voice Grade PBX Trunk - Res		1	UEPSE	PE1R2	0.074	34.53	32.51				11.90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Bus		1	UEPSB	PE1R2	0.074	34.53	32.51				11.90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			l	L										1	
\vdash	Wire ISDN	1	1	UEPSX	PE1R2	0.074	34.53	32.51	-	-		11.90	ļ	ļ	-	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		1	LIEDTY	DE4B0	0.074	04.50	20.51				44.00			I	
\vdash	Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Port 4-	1	1	UEPTX	PE1R2	0.074	34.53	32.51	+		-	11.90			 	
	Wire ISDN DS1			UEPEX	PE1R4	0.148	34.54	32.53				11.90			1	
ADJACENT C	OLLOCATION	 	1	OLFLA	ELIN4	0.148	34.34	32.33	1	 	1	11.90	 	 	t	
LEGASERIO	Adjacent Collocation - Space Charge per Sq. Ft.	t	1	CLOAC	PE1JA	0.1635			1		1	 			I	
 	Adjacent Collocation - Space Charge per Sq. 11. Adjacent Collocation - Electrical Facility Charge per Linear Ft.	t -	1	CLOAC	PE1JC	5.11			1						—	
	Adjacent Collocation - 2-Wire Cross-Connects	t	1	CLOAC	PE1P2	0.0213	24.69	23.69	11.77	10.62	1	 			I	
	,			UEA,UHL,UDL,UCL,	† -		50				1		İ	İ	1	
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0426	24.88	23.83	12.04	10.80					1	
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.22	44.24	31.98	12.07	10.91						
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	16.56	41.94	30.52	13.91	11.15						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.81	41.94	30.52	13.91	11.16						

	ON - Florida												Attachi	ment: 4	Exhil	bit: D
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
					1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											· .		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						D	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	5.36	51.30	39.87	18.29	15.54						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		2,785.00		1.01							
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FB	5.38										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FD	10.77										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FE	16.15										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FG	37.30										<u> </u>
	Adjacent Collocation - Cable Support Structure per Entrance															
	Cable		-	CLOAC	PE1PM	18.96										
	LLOCATION IN THE REMOTE SITE			01.000	25.12.1		0.17.01		200.01							
	Physical Collocation in the Remote Site - Application Fee		<u> </u>	CLORS	PE1RA	212.12	617.91		328.81							
\vdash	Cabinet Space in the Remote Site per Bay/ Rack		-	CLORS	PE1RB	219.49										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.30									
	Physical Collocation in the Remote Site - Space Availability			020110			20.00				İ					
	Report per Premises Requested			CLORS	PE1SR		232.69									
	Physical Collocation in the Remote Site - Remote Site CLLI										İ					
	Code Request, per CLLI Code Requested			CLORS	PE1RE		75.41									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.51									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee		İ	CLORS	PE1RU		755.62	755.62			İ			1		

COLLOCAT	ION - Georgia												Attachi	ment: 4	Exhib	oit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental		Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
		"											Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
		1				i I	Nonrec	urring	Nonrecurring	g Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		i e														
PHYSICAL CO	LLOCATION															
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		3,850.00									
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,130.00	3,130.00								
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		740.83									
	Physical Collocation - Space Preparation Fee Per Square Ft.			CLO	PE1SS		100.00	100.00								
	Physical Collocation - Space Preparation - Firm Order	١.		01.0	DE401		4 407 00									
	Processing	I		CLO	PE1SJ		1,187.00									
	Physical Collocation - Space Preparation - C.O. Modification per	١,		CLO	PE1SK	2.02										
 	square ft. Physical Collocation - Space Preparation - Common Systems	+-'-		OLU	FEION	2.02			+	1	1	1	 	 		
	Modification per square ft Cageless	1 1		CLO	PE1SL	2.80										
	Physical Collocation - Space Preparation - Common Systems	_		0_0	10_	2.00										
	Modification per Cage	1		CLO	PE1SM	95.23										
	Physical Collocation - Cable Installation	t i		CLO	PE1BD		2,750.00	2,750.00		İ			İ	İ		
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	7.50				<u> </u>						
	Physical Collocation - Floor Space - Zone B per Sq. Ft.			CLO	PE1PK	6.75										
	Physical Collocation - Cable Support Structure			CLO	PE1PM	13.35										
	Physical Collocation - Power -48V DC Power, per Fused Amp	I		CLO	PE1PL	8.06										
	Physical Collocation - Power Reduction, Application Fee	- 1		CLO	PE1PR		398.80									
	Physical Collocation - 120V, Single Phase Standby Power Rate	I		CLO	PE1FB	5.52										
	Physical Collocation - 240V, Single Phase Standby Power Rate	ı		CLO	PE1FD	11.05										
	Physical Collocation - 120V, Three Phase Standby Power Rate	ı		CLO	PE1FE	16.58										
	Physical Collocation - 277V, Three Phase Standby Power Rate	I		CLO	PE1FG	38.27										
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX,	DE400	0.00	40.00	40.00								
-	Physical Collocation - 2-Wire Cross-Connects		-	UNLDX, UNCNX CLO, UAL, UDL,	PE1P2	0.30	12.60	12.60								
				UDN, UEA, UHL, UNCVX, UNCDX,												
\vdash	Physical Collocation - 4-Wire Cross-Connects	<u> </u>		UCL	PE1P4	0.50	12.60	12.60	ļ				ļ	ļ		
				CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,												
	Physical Collocation - DS1 Cross-Connects	ļ		UDL	PE1P1	8.00	155.00	27.00								
				CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connects			UNLD3, UDL	PE1P3	72.00	155.00	27.00								
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
$oxed{oxed}$	Physical Collocation - 2-Fiber Cross-Connect	<u> </u>		UDL12, UDF	PE1F2	2.86	52.14	38.72								
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
	Physical Collocation - 4-Fiber Cross-Connect	1		UDL12, UDF	PE1F4	5.08	64.74	51.31								

COLLOCAT	ION - Georgia													nent: 4		bit: D
		Interi										Svc Order Submitted Manually		Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge -
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
						Rec	Nonred	curring	Nonrecurring Disco	nnect			oss	Rates(\$)		
							First	Add'l	First Ac	ld'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.	- 1		CLO	PE1BW	161.27										
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	I		CLO	PE1CW	15.82										
	Physical Collocation - Security System Per Central Office Per Assignable Sq. Ft.			CLO	PE1AY	0.0172										
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0.0607	46.20	46.20								
	Physical Collocation - Security Access System - New Access Card Deactivation, per Card			CLO	PE1A4		8.72	8.72								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		15.40	15.40								
	Physical Collocation - Security Access System- Replace Lost or															
	Stolen Card, per Card			CLO	PE1AR		45.02	45.02					L			
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.16	26.16								
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		26.16	26.16								
 	Physical Collocation - Space Availability Report per premises	-	 	CLO	PE1SR		26.16	2,148.00	 		 		 	 		
	Trystear conseason opace / wanasiny report per premises			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ.CLO.UDL.	refore		2,140.00	2,140.00								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UNCVX, UNCDX, UNCNX	PE1PE	0.40										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX	PE1PF	1.20										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL,												
	per cross-connect			UNLD1 UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U	PE1PG	1.20										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,			EQ,CLO,UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	8.00										
	per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12,	FLIFII	8.00										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			U1T48, UDLO3, UDL12, UDF	PE1B2	38.79										
				UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,		33 0										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect Physical Collocation - Request Resend of CFA Information, per			UDL12, UDF	PE1B4	52.31										
	CLLI			CLO	PE1C9		77.42									
	Nonrecurring Collocation Cable Records - per request		†	CLO	PE1CR		1,706.00		1 1		1		1			1

COLLOCA	TION - Georgia												Attach	ment: 4	Exhil	oit: D
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. zo.t	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonred	curring		g Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per															
	cable record			CLO	PE1CD		922.38									
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per															
	each 100 pair			CLO	PE1CO		18.00	18.00								
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		8.43	8.43								
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		29.49	29.49								
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99			0.0	55405			.=								
	fiber records			CLO	PE1CB		278.61	278.61								
-	Physical Collocation - Security Escort - Basic, per Half Hour	-	-	CLO,CLORS	PE1BT		41.00	25.00								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		48.00	30.00						1		
\vdash	Physical Collocation - Security Escort - Overtime, per Haif Hour	1	-	CLU,CLUKS	FEIUI		48.00	30.00	1				-		-	
	Physical Collocation - Security Escort - Premium, per Half Hour	1		CLO,CLORS	PE1PT		55.00	35.00						I		
\vdash	V to P Conversion, Per Customer Request-Voice Grade	 	 	CLO,CLORS CLO	PE1BV	33.00	55.00	35.00		1	 	-	 	 	 	
 	V to P Conversion, Per Customer Request-Voice Grade V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00					 		1		1	
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00										
	V to P Conversion, Per Customer Request per VG Circuit			020	I LIBO	02.00					1			1		
	Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit															
	Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit															
	Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit															
	Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700															
	prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			0.0	55150											
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0015										
	Physical Collocation - Co-Carrier Cross Connects - Application			CLO	DEADT		500.40									
BHAGICAL C	Fee, per application OLLOCATION			CLO	PE1DT		583.18				-	-				
PHISICAL C	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	-	1								1			-		
	Wire Analog - Res			UEPSR	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			OLI OK	I LIIVZ	0.30	12.00	12.00					10.54	0.42		
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Bus			UEPSB	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire ISDN			UEPSX	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	1												_		
	Wire ISDN	ļ	<u> </u>	UEPTX	PE1R2	0.30	12.60	12.60			ļ		18.94	8.42		
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-			LIEDEY	DE4D4	0 =0	40.00	40.00					40.01			
AD IACENT (Wire ISDN DS1 COLLOCATION	!	-	UEPEX	PE1R4	0.50	12.60	12.60	1	 			18.94	8.42	 	
ADJACENT (-	-	CLOAC	PE1JA	0.2542			1	-	 		 	 	 	
\vdash	Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Ft.	 	 	CLOAC	PE1JA PE1JC	0.2542 5.44				1	 	-	 	 	 	
 	Adjacent Collocation - Electrical Facility Charge per Linear Ft. Adjacent Collocation - 2-Wire Cross-Connects	 	!	CLOAC	PE1JC PE1P2	0.598	24.95	23.97	11.80	10.67	 		 	t	 	
 	Augustin Conocation - 2-Wile Closs-Collifects	t		UEA.UHL.UDL.UCL.		0.590	24.33	20.31	11.00	10.07			 	t	 	
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.1196	25.14	24.11	12.15	10.93				1		
	Adjacent Collocation - DS1 Cross-Connects	1		USL,CLOAC	PE1P1	1.04	44.19	32.13		10.81			1	<u> </u>	1	
	Adjacent Collocation - DS3 Cross-Connects	l –		CLOAC	PE1P3	14.12	41.93	30.69	13.71	11.04			İ	1	İ	
	Adjacent Collocation - 2-Fiber Cross-Connect	i –		CLOAC	PE1F2	2.39	41.93	30.69		11.05			1		1	
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.57	51.14	39.90	17.96	15.29						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,555.00									

COLLOCAT	ION - Georgia												Attachi	ment: 4	Exhil	oit: D
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. zo.	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Auu I
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FB	5.39										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FD	10.79										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FE	16.18										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FG	38.27										
	Adjacent Collocation - 240V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PEIJD	37.37										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		608.18	608.17	323.63	323.63						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	224.82										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		25.88	25.88								
	Physical Collocation in the Remote Site - Space Availability															
	Report per Premises Requested			CLORS	PE1SR		229.02	229.02								
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		74.22	74.22								
i i	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		232.88							Î		
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee		1	CLORS	PE1RU	0.101	755.62	755.62			†					
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary 1	for rem			vill negotiate ar					1			1		

COLLOCA	TION - Kentucky												Attach	ment: 4	Exhil	oit: D
		1	1								Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		In test									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- ()			per LSK	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL C	COLLOCATION															
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		3,773.54	3,773.54	1.01	1.01					1	
	Physical Collocation - Application Fee - Subsequent	t -	1	CLO	PE1CA		3,145.35	3,145.35	1.01	1.01						
	Physical Collocation Administrative Only - Application Fee	t -	1	CLO	PE1BL		742.12									
	Physical Collocation - Space Preparation - Firm Order															
	Processing			CLO	PE1SJ		1,206.07	1,206.07								
	Physical Collocation - Space Preparation - C.O. Modification per	t -	1				.,	.,								
	square ft.			CLO	PE1SK	2.32										
	Physical Collocation - Space Preparation - Common Systems	†	1						1		1	1	1	1	1	
	Modification per square ft Cageless	1		CLO	PE1SL	3.26			1					1		
	Physical Collocation - Space Preparation - Common Systems	†	1			5.20			†	i			i	1	1	
	Modification per Cage	1		CLO	PE1SM	110.57			1					1		
	Physical Collocation - Cable Installation	 	1	CLO	PE1BD	110.07	1,729.11		45.16					t	†	
 	Physical Collocation - Floor Space per Sq. Ft.	†	1	CLO	PE1PJ	7.99	1,720.11		70.10		 	 	 	 	1	
	Physical Collocation - Cable Support Structure		1	CLO	PE1PM	19.86										
	Physical Collocation - Power -48V DC Power, per Fused Amp		1	CLO	PE1PL	8.06										
	Physical Collocation - Power Reduction, Application Fee		1	CLO	PE1PR	0.00	399.50									
	I mysical conocation - I ower reduction, Application I ee		1	OLO	I E II K		333.30									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.44										
	Friysical Collocation - 120V, Single Friase Standby Fower Rate		1	CLO	FLIID	3.44										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	10.88										
	Friysical Collocation - 240V, Single Friase Standby Fower Rate		1	CLO	FLIID	10.00										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.32										
	I mysical conocation - 120 v, Timee i mase standby i ower reate		1	OLO		10.52										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	37.68										
	Friysical Collocation - 277 V, Three Friase Standby Fower Rate		1	CLO	FLIIG	37.00										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ, UDL, UNCVX,												
	Physical Callesstine 2 Wire Corne Connects				PE1P2	0.0333	24.68	23.68	40.44	10.95						
—	Physical Collocation - 2-Wire Cross-Connects	1	 	UNLDX, UNCNX	PE IPZ	0.0333	24.68	23.08	12.14	10.95						
				CLO, UAL, UDL,												
				UDN, UEA, UHL,												
	Blacked Oalless for AMfra Oassa Oassa II			UNCVX, UNCDX,	DE4D4	0.0665	24.88	23.82	40.77	44.40						
	Physical Collocation - 4-Wire Cross-Connects	<u> </u>	 	UCL	PE1P4	0.0665	24.88	23.82	12.77	11.46						
				CLO,UEANL,UEQ,W												
				DS1L,WDS1S, USL,												
				U1TD1, UXTD1,												
				UNC1X, ULDD1,												
				USLEL, UNLD1,												
\vdash	Physical Collocation - DS1 Cross-Connects	ļ	1	UDL	PE1P1	1.48	44.23	31.98	12.81	11.57			ļ	.	.	
				CLO, UE3,U1TD3,												
				UXTD3, UXTS1,												
				UNC3X, UNCSX,												
				ULDD3,												
				U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connects	ļ	1	UNLD3, UDL	PE1P3	18.89	41.93	30.51	14.75	11.83						
		1	1	CLO, ULDO3,			\neg		_					_	_	I
		1	1	ULD12, ULD48,					I		1	1		I	I	
		1	1	U1TO3, U1T12,	1				I		l	l	l	I	1	
		1	1	U1T48, UDLO3,					I		1	1		I	I	
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	3.75	41.93	30.51	14.76	11.84						
		1		CLO, ULDO3,						l						
		1	1	ULD12, ULD48,					I		1	1		I	I	
		1		U1TO3, U1T12,					1					1		
		1	1	U1T48, UDLO3,					I		1	1		I	I	
	Physical Collocation - 4-Fiber Cross-Connect	L	<u> </u>	UDL12, UDF	PE1F4	6.65	51.29	39.87	19.41	16.49	<u> </u>	<u> </u>		<u> </u>	<u> </u>	
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	184.97										
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	1	1	CLO	PE1CW	18.14										

COLLOCAT	ION - Kentucky												Attach	ment: 4	Exhil	oit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
ļ							Names		I Names a commission	- Di					D130 131	DISC Add I
						Rec	Nonred First	arring Add'l	First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	Physical Collocation - Security Access System - Security System						11130	Addi	11130	Addi	JOINEO	JOHAN	JONAN	JONAN	JONAN	JOWAN
	per Central Office			CLO	PE1AX	76.10										
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0.058	55.79	55.79								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		15.64	15.64								
	Stolen Card, per Card			CLO	PE1AR		45.74	45.74								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.29	26.29								
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key Physical Collocation - Space Availability Report per premises	 		CLO CLO	PE1AL PE1SR	 	26.29 2,158.67	26.29 2,158.67	1		1			-	-	
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX UEANL,UEA,UDN,U	PE1PE	0.113	2,100.07	2,100.07								
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX UEANL,UEA,UDN,U	PE1PF	0.23										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1.60										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	РЕ1РН	14.23										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	48.57										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	65.50										
	Physical Collocation - Request Resend of CFA Information, per CLLI			CLO	DE100		77.55									
	CLLI Nonrecurring Collocation Cable Records - per request	-	-	CLO	PE1C9 PE1CR		77.55 1,524.45	980.01	267.02		-			 	 	
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		656.37	656.37	379.70							
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		9.65	9.65	11.84	11.84						

COLLOCAT	ION - Kentucky													ment: 4		bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		4.52	4.52	5.54	5.54						
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		15.81	15.81	19.39	19.39						
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99															
	fiber records			CLO	PE1CB		169.63	169.63	154.85	154.85						
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33.98	21.53								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44.26	27.81								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		54.54	34.09								
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33.00	34.34	54.05								
<u> </u>	V to P Conversion, Per Customer Request-Voice Grade V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00										
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00										
	V to P Conversion, Per Customer Request per VG Circuit				DE 4D-											
	Reconfigured			CLO	PE1BR	23.00										ļ
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit			OLO	LIDI	23.00					1					
	Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700				ĺ											
	prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO.UDF	PE1ES	0.0012										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			020,021		0.0012										
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0018										
	Physical Collocation - Co-Carrier Cross Connects - Application Fee, per application			CLO	PE1DT		584.20									
PHYSICAL CO				CLO	FLIDI		364.20									
I III OIOAL OC	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			LIEDOD	DE4D0	0.0000	04.00	22.00	40.44	40.05		7.00				
	Wire Line Side PBX Trunk - Bus Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSP	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				ļ
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSB	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Wire ISDN			UEPSX	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			02. 0/		0.0000	21.00	20.00	12.11	10.00		7.00				
	Wire ISDN			UEPTX	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	PE1R4	1.48	44.23	31.98	12.81	11.57		7.86				
AD IACENT C	DLLOCATION			UEPEX	PE IK4	1.40	44.23	31.90	12.01	11.57		7.00				
ABOAGLITTO	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0173										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.35										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0258	24.68	23.68	12.14	10.95						
1				UEA,UHL,UDL,UCL,												
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0515	24.88	23.82	12.77	11.46	<u> </u>		ļ	ļ	L	
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.37	44.23	31.98	12.81	11.57						!
	Adjacent Collocation - DS3 Cross-Connects		-	CLOAC	PE1P3	18.61	41.93	30.51	14.75	11.83			-		-	
	Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect		-	CLOAC CLOAC	PE1F2 PE1F4	3.15 6.02	41.93	30.51 39.87	14.76 19.41	11.84 16.49			 	 	 	
	Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - Application Fee		-	CLOAC	PE1F4 PE1JB	6.02	51.29 3,165.50	39.87	19.41	16.49	1	-				
	Adjacent Collocation - Application Fee Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JB PE1FB	5.44	3,100.00		1.01							
	Adjacent Collocation - 240V, Single Phase Standby Power Rate		\vdash	CLUAC	FEIFB	5.44						 				
	per AC Breaker Amp			CLOAC	PE1FD	10.88										

COLLOCAT	ION - Kentucky												Attachi	ment: 4	Exhi	bit: D
												Svc Order Submitted		Incremental Charge -	Incremental Charge -	Incremental Charge -
											Elec					Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0711200111		m			0000						per LSR	per LSR	Electronic-	Electronic-		Electronic-
													1st	Add'l		
													ist	Addi	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FE	16.32										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FG	37.68										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		617.78		338.89							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	219.67										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.29									
	Physical Collocation in the Remote Site - Space Availability															
	Report per Premises Requested			CLORS	PE1SR		232.64									
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		75.40									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.42									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary f	for rem	ote site collocation,	the Parties v	vill negotiate ap	propriate rate	s.								

COLLOCAT	FION - Louisiana												Attachi	ment: 4	Exhi	bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring Dis					Rates(\$)		
\vdash			1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	DLLOCATION		1											1	1	1
FITTSICAL CO	Physical Collocation - Application Fee - Initial			CLO	PE1BA		1,837.24							-	-	
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,533.41									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		741.97									
	Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		583.33									
	Physical Collocation - Space Preparation - C.O. Modification per square ft.			CLO	PE1SK	2.31										
	Physical Collocation - Space Preparation - Common Systems															
ullet	Modification per square ft Cageless			CLO	PE1SL	2.70										
	Physical Collocation - Space Preparation - Common Systems Modification per Cage			CLO	PE1SM	91.60										
	Physical Collocation - Cable Installation			CLO	PE1BD		841.54	841.54								
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	5.30		· · · · ·								
\Box	Physical Collocation - Cable Support Structure			CLO	PE1PM	18.31										
	Physical Collocation - Power -48V DC Power, per Fused Amp	ı		CLO	PE1PL	8.32										
	Physical Collocation - Power Reduction, Application Fee	- 1		CLO	PE1PR		398.88									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.45										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	10.92										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.37										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	37.80										
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX	PE1P2	0.0318	11.94	11.46								
	Physical Collocation - 4-Wire Cross-Connects			CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX, UCL	PE1P4	0.0636	12.04	11.53								
	Physical Collocation - DS1 Cross-Connects			CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, UDL	PE1P1	1.04	21.39	15.47								
	Physical Collocation - DS3 Cross-Connects			CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL	PE1P3	13.21	20.28	14.76								
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	PE1F2	2.62	20.28	14.76								
1 1	Physical Collocation - 4-Fiber Cross-Connect		<u> </u>	UDL12, UDF CLO	PE1F4 PE1BW	4.65 184.50	24.81	19.29							-	-
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.															1

COLLOCAT	ION - Louisiana												Attachi	ment: 4	Exhil	oit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security System Per Central Office Per Assignable Sq. Ft.			CLO	PE1AY	0.0224										
	Physical Collocation - Security Access System - New Access			CLO	PEIAT	0.0224			†					+		
	Card Activation, per Card			CLO	PE1A1	0.0579	27.50									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		7.74	7.74								
1 1	Stolen Card, per Card			CLO	PE1AR		22.64	22.64								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.01	13.01	†							
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key			CLO	PE1AL		13.01	13.01								
—	Physical Collocation - Space Availability Report per premises			CLO UEANL,UEA,UDN,U	PE1SR		1,044.07	1,044.07						-		
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX UEANL,UEA,UDN,U	PE1PE	0.079										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX UEANL,UEA,UDN,U	PE1PF	0.158										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1.12										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	РЕ1РН	9.95										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	33.96										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	45.80										
	Physical Collocation - Request Resend of CFA Information, per															
	CLLI			CLO	PE1C9	10.00	77.43				1					
\vdash	Recurring Collocation Cable Records - per request Recurring Collocation Cable Records - VG/DS0 Cable, per cable	-		CLO	PE1CU	10.97			 		1			 		
	record			CLO	PE1CE	5.29			[
	Recurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CT	0.08										

COLLOCAT	ION - Louisiana												Attachi	ment: 4	Exhil	bit: D
		Interi									Svc Order Submitted Elec	Svc Order Submitted Manually	Incremental Charge -		Incremental Charge - Manual Svc	Incremental Charge - Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurrin	g Disconnect		l	oss	Rates(\$)	<u>l</u>	l
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Recurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C2	0.04										
	Recurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C4	0.13										
	Recurring Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CG	1.37										
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO.CLORS	PE1BT	1.37	16.44	10.42			1					
	1 Trysical Conocation - Security Escort - Basic, per Hair Hour			OLO,OLONO	I LIDI		10.44	10.42								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		21.41	13.45								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		26.38	16.49								
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33.00				İ			İ	İ		
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00										
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00		· · · · · ·								
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO.UDF	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0015										
	Physical Collocation - Co-Carrier Cross Connects - Application Fee, per application			CLO, 023, 032	PE1DT	0.0013	583.30									
PHYSICAL CO				CLO	PEIDI		363.30									
THIOICAL CC	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSR	PE1R2	0.0318	11.94	11.46				15.20				
	Wire Line Side PBX Trunk - Bus Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSP	PE1R2	0.0318	11.94	11.46				15.20				
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0318	11.94	11.46				15.20				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus			UEPSB	PE1R2	0.0318	11.94	11.46				15.20				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPSX	PE1R2	0.0318	11.94	11.46				15.20				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPTX	PE1R2	0.0318	11.94	11.46				15.20				
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	PE1R4	0.0636	12.04	11.53				15.20				
ADJACENT CO								•								
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0552										
\vdash	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.61	44.01	44.40								
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC UEA,UHL,UDL,UCL,	PE1P2	0.0245	11.94	11.46								
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0491	12.04	11.53	1							
\vdash	Adjacent Collocation - DS1 Cross-Connects		-	USL,CLOAC	PE1P1	0.9605	21.39	15.47								-
\vdash	Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect	1		CLOAC CLOAC	PE1P3 PE1F2	13.01 2.20	20.28	14.76 14.76	1		1	-			-	
\vdash	Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect	-		CLOAC	PE1F2 PE1F4	4.21	20.28	19.29	1		-		-	-	-	
 	Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - Application Fee			CLOAC	PE1JB	4.21	1,543.20	13.23	1				 	 		
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.45	1,040.20		1							
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.92										

per AC Adjacen PHYSICAL COLLOCAT Physical	RATE ELEMENTS	Interi m	Zone	BCS	USOC						Submitted	Submitted		Incremental Charge -	Incremental Charge -	Incremental Charge -
Adjacen per AC Adjacen per AC PHYSICAL COLLOCAT Physical	RATE ELEMENTS	1	Zone	BCS	USOC									Charge -	Charge -	Charge -
Adjacen per AC Adjacen per AC PHYSICAL COLLOCAT Physical	RATE ELEMENTS	1	Zone	BCS	USOC											
Adjacen per AC Adjacen per AC PHYSICAL COLLOCAT Physical	RATE ELEMENTS	1	Zone	BCS	USOC						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
per AC Adjacen PHYSICAL COLLOCAT Physical		m						RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
per AC Adjacen PHYSICAL COLLOCAT Physical											per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
per AC Adjacen PHYSICAL COLLOCAT Physical													1st	Add'l	Disc 1st	Disc Add'l
per AC Adjacen PHYSICAL COLLOCAT Physical															DISC 1St	DISC Add I
per AC Adjacen PHYSICAL COLLOCAT Physical						Rec	Nonrec		Nonrecurring D					Rates(\$)		
per AC Adjacen PHYSICAL COLLOCAT Physical						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Adjacen per AC PHYSICAL COLLOCAT Physica	ent Collocation - 120V, Three Phase Standby Power Rate															
per AC PHYSICAL COLLOCAT Physica	C Breaker Amp			CLOAC	PE1FE	16.37										
PHYSICAL COLLOCAT Physica	ent Collocation - 277V, Three Phase Standby Power Rate															
Physica	C Breaker Amp			CLOAC	PE1FG	37.80										
	ATION IN THE REMOTE SITE															
Cahinet	cal Collocation in the Remote Site - Application Fee			CLORS	PE1RA		298.80	298.80								
Odbinot	et Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	225.39										
				0,000	55155											
	cal Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.01	13.01								
	cal Collocation in the Remote Site - Space Availability															
	t per Premises Requested			CLORS	PE1SR		112.52	112.52								
	cal Collocation in the Remote Site - Remote Site CLLI															
	Request, per CLLI Code Requested			CLORS	PE1RE		36.47	36.47								
	te Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.21									
PHYSICAL COLLOCAT	ATION IN THE REMOTE SITE - ADJACENT															
Remote	te Site-Adjacent Collocation - AC Power, per breaker amp	<u> </u>		CLORS	PE1RS	6.27										
Remote	te Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
NOTE: If Securi	te Site-Adjacent Collocation - Real Estate, per square root			CLORS	PE1RU		755.62	755.62								

COLLOCAT	ION - Mississippi												Attach	nent: 4	Exhib	oit: D
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intent									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrec	urring		g Disconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO																
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		1,890.38		0.51							
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,575.69		0.51							
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		740.76									
	Physical Collocation - Space Preparation - Firm Order															
	Processing	I		CLO	PE1SJ		604.19									
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.	I		CLO	PE1SK	2.30										
	Physical Collocation - Space Preparation - Common Systems		1						I		1	1				
\vdash	Modification per square ft Cageless		1	CLO	PE1SL	2.52										
	Physical Collocation - Space Preparation - Common Systems		1	L					I		1	1				
	Modification per Cage	- 1		CLO	PE1SM	85.67										
\longrightarrow	Physical Collocation - Cable Installation	1	1	CLO	PE1BD		926.27	926.27	22.62	ļ			ļ			
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	5.74										
\vdash	Physical Collocation - Cable Support Structure	L	1	CLO	PE1PM	17.42							ļ			
\longrightarrow	Physical Collocation - Power -48V DC Power, per Fused Amp	I		CLO	PE1PL	7.33										
	Physical Collocation - Power Reduction, Application Fee	I		CLO	PE1PR		398.76									
	Physical Collocation - 120V, Single Phase Standby Power Rate		ļ	CLO	PE1FB	5.29										
	Physical Collocation - 240V, Single Phase Standby Power Rate	I	ļ	CLO	PE1FD	10.58										
		Ι.		0.0	55.55											
	Physical Collocation - 120V, Three Phase Standby Power Rate		ļ	CLO	PE1FE	15.87										
	District College CTT// Through District College Design	١.		CLO	PE1FG	00.05										
\vdash	Physical Collocation - 277V, Three Phase Standby Power Rate	-	1	CLO	PETFG	36.65			-		-	-				
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ, UDL, UNCVX,												
	Physical Collocation - 2-Wire Cross-Connects			UNLDX, UNCNX	PE1P2	0.0288	12.37	11.87	6.04	5.45						
	Physical Collocation - 2-wire Cross-Connects	1	-	CLO, UAL, UDL,	PE IPZ	0.0288	12.37	11.87	6.04	5.45						
				UDN, UEA, UHL, UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.0576	12.47	11.94	6.59	5.91						
	Physical Collocation - 4-wire Cross-Connects	1	-	CLO,UEANL,UEQ,W	PETP4	0.0576	12.47	11.94	6.59	5.91						
				DS1L,WDS1S, USL,												
				U1TD1, UXTD1,												
				UNC1X, ULDD1,												
				USLEL, UNLD1,												
	Physical Collocation - DS1 Cross-Connects			UDL	PE1P1	1.14	22.16	16.02	6.60	5.97						
\vdash	Friysical Collocation - DST Cross-Conflects	1	1	CLO, UE3,U1TD3,	PEIFI	1.14	22.10	10.02	0.60	5.97						
				UXTD3, UXTS1,												
				UNC3X, UNCSX.												
				ULDD3,												
				U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connects			UNLD3, UDL	PE1P3	14.49	21.01	15.29	7.61	6.10						
	. Hydroxi ddiiddii ddo drodd ddiiriolid	t -	1	CLO, ULDO3,		14.43	21.01	10.20	7.01	3.10						
				ULD12, ULD48,												
			1	U1TO3, U1T12,					I		1	1				
			1	U1T48, UDLO3,					I		1	1				
	Physical Collocation - 2-Fiber Cross-Connect		1	UDL12, UDF	PE1F2	2.87	21.01	15.29	7.61	6.10						
	,		1	CLO, ULDO3,	1	2.07	2	.0.20	1.51	5.10			İ	İ		İ
			1	ULD12, ULD48,					I		1	1				
			1	U1TO3, U1T12,					I		1	1				
			1	U1T48, UDLO3,					I		1	1				
1 1	Physical Collocation - 4-Fiber Cross-Connect			UDL12, UDF	PE1F4	5.10	25.70	19.97	10.01	8.50						
1 1																ì
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	183.20										

COLLOCAT	ION - Mississippi												Attachi	ment: 4	Exhil	bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Access System - Security System per Central Office			CLO	PE1AX	75.23										
	Physical Collocation - Security Access System - New Access			CLO	PEIAX	75.25										
	Card Activation, per Card	- 1		CLO	PE1A1	0.0576	27.95	27.95								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or	I		CLO	PE1AA		7.84	7.84								
	Stolen Card, per Card			CLO	PE1AR		22.91	22.91								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.17	13.17								
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13.17	13.17								
	Physical Collocation - Space Availability Report per premises	-		CLO	PE1SR		1,081.40	1,081.40								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect	•		UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX UEANL,UEA,UDN,U	PE1PE	0.0867	,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX UEANL,UEA,UDN,U	PE1PF	0.1734										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1.22										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	10.91										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	37.26										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	50.24										
	Physical Collocation - Request Resend of CFA Information, per			01.0	DE 40-											
	CLLI Nonrecurring Collocation Cable Records - per request		-	CLO CLO	PE1C9 PE1CR		77.41 763.69	490.94	133.77			-				-
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CR PE1CD		763.69 328.81	490.94	133.77							
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		4.84	4.84	5.93	5.93						

	ION - Mississippi													ment: 4		bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring					Rates(\$)	•	•
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		2.27	2.27	2.78	2.78						
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		7.92	7.92	9.72	9.72						
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99			0.0	55405											
	fiber records Physical Collocation - Security Escort - Basic, per Half Hour			CLO CLO,CLORS	PE1CB PE1BT		84.98 17.02	84.98 10.79	77.58	77.58						-
	Physical Collocation - Security Escort - Basic, per Hall Hour			CLO,CLORS	PEIBI		17.02	10.79								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22.17	13.94								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		27.32	17.08								
+-	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33.00	21.52	17.00	+			-				
	V to P Conversion, Per Customer Request-Voice Grade V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00					1		İ	İ	İ	
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00							1	1		
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00										
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit			CLO	I LIDI	23.00										†
	Reconfigured V to P Conversion, Per Customer Request per DS3 Circuit			CLO	PE1BS	33.00										
	Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0015										
	Physical Collocation - Co-Carrier Cross Connects - Application Fee, per application			CLO	PE1DT		583.13									
PHYSICAL CO	LLOCATION															
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus			UEPSB	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
_	Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSX	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
-+	Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Port 4-			UEPTX	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
ADJACENT CO	Wire ISDN DS1 DLLOCATION			UEPEX	PE1R4	0.0576	12.47	11.94	6.59	5.91		15.75				1
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0678										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	4.68										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC UEA,UHL,UDL,UCL,	PE1P2	0.0223	12.37	11.87	6.04	5.45						
1	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0446	12.47	11.94	6.59	5.91	<u></u>	<u> </u>	<u></u>	<u> </u>	<u></u>	
	Adjacent Collocation - DS1 Cross-Connects	•		USL,CLOAC	PE1P1	1.05	22.16	16.02	6.60	5.97						
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	14.27	21.01	15.29	7.61	6.10						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.42	21.01	15.29	7.61	6.10						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.62	25.70	19.97	10.01	8.50	ļ					ļ
	Adjacent Collocation - Application Fee Adjacent Collocation - 120V, Single Phase Standby Power Rate			CLOAC	PE1JB		1,585.83		0.51							
	per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB PE1FD	5.29 10.58										

COLLOCAT	ION - Mississippi												Attachi	ment: 4	Exhi	bit: D
												Svc Order Submitted			Incremental	Incremental Charge -
											Elec			Charge -	Charge -	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)								Manual Svc
CATEGORI	KATE ELEMENTO	m	20116	B00	0000			NATEO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-		Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring	g Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FE	15.87										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FG	36.65										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		309.48		168.63							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	210.05										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.17	13.17								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		116.54	116.54								
	Physical Collocation in the Remote Site - Remote Site CLLI			020.10			110.01	110.01								
	Code Request, per CLLI Code Requested			CLORS	PE1RE		37.77	37.77								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.14									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU	1	755.62	755.62			1			1		
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essarv 1	for rem	ote site collocation	, the Parties v	will negotiate an	propriate rate	S.			1			1		

COLLOCAT	ION - North Carolina												Attach	ment: 4	Evhil	oit: D
COLLOCAT	I Carollia	1	1								Svc Order	Svc Order	Incremental			Incremental
												Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)					Order vs.	Order vs.	Order vs.	Order vs.
		m			0000						per LSR	per LSR			Electronic-	Electronic-
													Electronic- 1st	Electronic- Add'l	Disc 1st	Disc Add'l
													1St	Addi	DISC 1St	DISC Add I
						_ 1	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	LLOCATION															
	Physical Collocation - Application Fee - Initial	I		CLO	PE1BA		3,850.00	3,850.00							Î	
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,119.00	3,119.00								
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		741.44									
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.	- 1		CLO	PE1SK	1.57										
	Physical Collocation - Space Preparation - Common Systems															
	Modification per square ft Cageless	- 1		CLO	PE1SL	3.26										
	Physical Collocation - Space Preparation - Common Systems															
	Modification per Cage	- 1	1	CLO	PE1SM	110.79										
	Space Preparation Fees - Power Per Nominal -48V Dc Amp	I		CLO	PEIFH	5.76										
	Physical Collocation - Cable Installation	I	1	CLO	PE1BD		2,305.00	2,305.00								
	Physical Collocation - Floor Space per Sq. Ft.	I		CLO	PE1PJ	3.45										
	Physical Collocation - Cable Support Structure	I		CLO	PE1PM	21.33										
	Physical Collocation - Power -48V DC Power, per Fused Amp	I		CLO	PE1PL	8.50										
	Physical Collocation - Power Reduction, Application Fee	I		CLO	PE1PR		399.13									
	Physical Collocation - 120V, Single Phase Standby Power Rate	I		CLO	PE1FB	5.50										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	11.01										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.51										
	D	١.		0.0	55.50											
	Physical Collocation - 277V, Three Phase Standby Power Rate	I		CLO	PE1FG	38.12										
				LIEANII LIEA LIBALLI												
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U EQ, UDL, UNCVX,												
	Physical Collocation - 2-Wire Cross-Connects	١.			PE1P2	0.00	41.78	39.23								
	Physical Collocation - 2-Wire Cross-Connects	ı	1	UNLDX, UNCNX CLO, UAL, UDL,	PE1P2	0.32	41.78	39.23								
				UDN, UEA, UHL,												
				UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.64	41.91	39.25								
—	Physical Collocation - 4-wife Cross-Connects	-	-	CLO,UEANL,UEQ,W	PEIP4	0.04	41.91	39.23		 						
				DS1L,WDS1S, USL,												
				U1TD1, UXTD1,												
				UNC1X, ULDD1,												
				USLEL, UNLD1,												
	Physical Collocation - DS1 Cross-Connects			UDL	PE1P1	2.34	71.02	51.08								
 	Friysical Collocation - D31 Closs-Collifects	<u> </u>	 	CLO, UE3,U1TD3,	FLIFI	2.34	71.02	31.00							1	
				UXTD3, UXTS1,												
				UNC3X, UNCSX,												
				ULDD3,												
				U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connects	1		UNLD3, UDL	PE1P3	42.84	69.84	49.43								
	Thydical Collection Dec Cross Collines	<u> </u>		CLO, ULDO3,		12.01	00.01	10.10								
				ULD12, ULD48,												
1 1		1	1	U1TO3, U1T12,							1	1		I		
				U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect	- 1		UDL12, UDF	PE1F2	2.94	51.97	38.59						1		
				CLO, ULDO3,												
1 1		1	1	ULD12, ULD48,							1	1		I		
1 1		1	1	U1TO3, U1T12,							1	1		I		
1 1		1	1	U1T48, UDLO3,							1	1		I		
	Physical Collocation - 4-Fiber Cross-Connect	I		UDL12, UDF	PE1F4	5.62	64.53	51.15		<u> </u>				<u> </u>		
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.	I		CLO	PE1BW	102.76										
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	- 1		CLO	PE1CW	10.44										

COLLOCAT	ION - North Carolina											Attachi	ment: 4	Exhil	bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)		Submitted Elec per LSR	Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring Disconnec				Rates(\$)		
			ļ			1100	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Access System - Security System per Central Office			CLO	PE1AX	41.03									
	Physical Collocation - Security Access System - New Access	- 1		CLO	PETAX	41.03					+	 			
	Card Activation, per Card	- 1		CLO	PE1A1	0.062	55.30	55.30							
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or	ı		CLO	PE1AA		15.51	15.51							
	Stolen Card, per Card			CLO	PE1AR		45.34	45.34							
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.18	26.18							
	Physical Collocation - Security Access - Key, Replace Lost or			01.0	DEAN		00.40	00.40							
\vdash	Stolen Key, per Key Physical Collocation - Space Availability Report per premises	- 1	-	CLO CLO	PE1AL PE1SR	-	26.18 2,140.00	26.18 2,140.00			-	-			-
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UDL, UNCVX, UNCDX, UNCNX UEANL, UEA, UDN, U	PE1PE	0.10	2,140.00	2,140.00							
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX UEANL,UEA,UDN,U	PE1PF	0.19									
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	0.79									
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	4.85									
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	45.30									
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	61.09									
	Physical Collocation - Request Resend of CFA Information, per			01.0	DE400										
	CLLI Nonrecurring Collocation Cable Records - per request		-	CLO CLO	PE1C9 PE1CR	1	77.48 1,707.00			+	1	-			-
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CR PE1CD		923.08								
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		18.02	18.02							

COLLOCA	FION - North Carolina												Attach	ment: 4	Exhil	bit: D
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	1	1	Charge -	Charge -	Charge -
											Elec	Manually				Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			I .		1	1		
CATEGORI	RATE ELEMENTS	m	Zone	603	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec			g Disconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		8.43	8.43								
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		29.51	29.51								
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99										ĺ	1		1		
	fiber records			CLO	PE1CB		278.82	278.82								
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO.CLORS	PE1BT		42.92	25.56			<u> </u>			<u> </u>		
	Friysical Collocation - Security Escort - Basic, per Hair Hour	1	1	CLO,CLORS	FLIDI		42.32	25.50	1	1	1	†	-	1	 	
	District College Constitution of Constitution			01 0 01 000	DEAGE		54.54	00.44								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		54.51	32.44								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		66.10	39.32			<u> </u>			<u> </u>		
	V to P Conversion, Per Customer Request-Voice Grade	\bot	\bot	CLO	PE1BV	33.00										
	V to P Conversion, Per Customer Request-DS0	ľ		CLO	PE1BO	33.00										
	V to P Conversion, Per Customer Request-DS1	1	1	CLO	PE1B1	52.00					i .			i e		İ
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00					1	1	1	1	t	i
	V to P Conversion, Per Customer Request-DSS V to P Conversion, Per Customer Request per VG Circuit	 	 	OLO	LLIDO	32.00			1	1	1	1	-	1	 	-
		1	1	01.0	DEADD	00.00					1		1		1	1
\vdash	Reconfigured	1	1	CLO	PE1BR	23.00			ļ	ļ	 	.		_		
	V to P Conversion, Per Customer Request per DS0 Circuit	1	1								1		1		1	1
	Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit															
	Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit										1	1		1	1	
	Reconfigured			CLO	PE1BE	37.00										
-		-	-	CLO	PEIDE	37.00					1			-		
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700			0.0		======										
	prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.0018										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0027										
	Physical Collocation - Co-Carrier Cross Connects - Application										ĺ	1		1		
	Fee, per application			CLO	PE1DT		583.66									
BHASICVI C	DLLOCATION	-		020			000.00									
FITTSICAL C		-	-		-				ł	ł	-	}	-	-	-	-
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-				55150											
	Wire Analog - Res			UEPSR	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Voice Grade PBX Trunk - Res	1	1	UEPSE	PE1R2	0.32	41.78	39.23			1		26.94	12.76	1	1
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	Ì	Ì								1			1		İ
	Wire Analog - Bus	1	1	UEPSB	PE1R2	0.32	41.78	39.23			1		26.94	12.76	1	1
 	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	 	+	S2. SD	. = 1132	0.02	41.70	00.20	1	1	+	 	20.04	12.70	 	
		1	1	LIEDOV	DE4D0	0.32	44.70	20.00			1		20.04	40.70	1	1
\vdash	Wire ISDN	1	-	UEPSX	PE1R2	0.32	41.78	39.23	1	1	 	 	26.94	12.76	 	-
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			LIEDTY.	DE 4 D -						1					
	Wire ISDN			UEPTX	PE1R2	0.32	41.78	39.23			ļ	1	26.94	12.76		
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-										1					1
	Wire ISDN DS1	1	1	UEPEX	PE1R4	0.64	41.91	39.25			1		26.94	12.76	1	1
ADJACENT C	OLLOCATION															
T	Adjacent Collocation - Space Charge per Sq. Ft.		†	CLOAC	PE1JA	0.179					1	1				1
 	Adjacent Collocation - Space Charge per 3q. 11. Adjacent Collocation - Electrical Facility Charge per Linear Ft.	 	 	CLOAC	PE1JC	5.96			<u> </u>	<u> </u>	 	1	t	 	t	
\vdash		-	-				44.70	20.00	-	-	1	 	-	1	-	-
\vdash	Adjacent Collocation - 2-Wire Cross-Connects	1	1	CLOAC	PE1P2	0.32	41.78	39.23	ļ	ļ	 			!		
		1	1	UEA,UHL,UDL,UCL,							1		1		1	1
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.64	41.91	39.25						ļ		
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	2.34	71.02	51.08								
	Adjacent Collocation - DS3 Cross-Connects	ľ		CLOAC	PE1P3	42.84	69.84	49.43								
	Adjacent Collocation - 2-Fiber Cross-Connect	1	1	CLOAC	PE1F2	2.94	51.97	38.59			i .			i e		İ
\vdash	Adjacent Collocation - 4-Fiber Cross-Connect	†	†	CLOAC	PE1F4	5.62	64.53	51.15	 	 	t	1		1		l
	Adjacent Collocation - Application Fee	 	 	CLOAC	PE1JB	5.02	3,153.00	31.13	 	 	 	1	 	1	 	
\vdash		 	 	CLUAC	LEINR		3,153.00		1	1	 	1	 	 	 	
	Adjacent Collocation - 120V, Single Phase Standby Power Rate			0.0.0	DE 15-						1					1
$oxed{oxed}$	per AC Breaker Amp		<u> </u>	CLOAC	PE1FB	5.50					ļ	ļ		ļ		
	Adjacent Collocation - 240V, Single Phase Standby Power Rate		1		1						l					1
	per AC Breaker Amp	1	I	CLOAC	PE1FD	11.01			1	1	1	1	1	1	1	I

COLLOCAT	ION - North Carolina												Attachi	ment: 4	Exhil	oit: D
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_ 1	Nonrec	urring	Nonrecurring I	Disconnect		<u> </u>	OSS	Rates(\$)		l .
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FE	16.51										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FG	38.12										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		865.34	865.34								
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	254.02										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.06	26.06								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		230.60	230.60								
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		74.74	74.74								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO		ĺ	CLORS	PE1RR		232.94									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
NOTE:	If Security Escort and/or Add'l Engineering Fees become nece	essary f	or rem	ote site collocation,	, the Parties v	vill negotiate ap	propriate rates	S.								

COLLOCAT	ION - South Carolina												Attach	ment: 4	Exhi	bit: D
											1		Incremental	Incremental	Incremental	Incrementa
												Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	Manually	l .	Manual Svc	Manual Svc	I .
CATEGORI	RATE ELEMENTS	m	Zone	603	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Don.	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO																
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		1,883.67	1,883.67	0.51	0.51						
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,570.10	1,570.10	0.51	0.51						ļ
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		743.66									
	Physical Collocation - Space Preparation - Firm Order			0.0	55401											
	Processing			CLO	PE1SJ		602.05	602.05								ļ
	Physical Collocation - Space Preparation - C.O. Modification per			01.0	DE 4016	0.75										
	square ft.			CLO	PE1SK	2.75			-							
	Physical Collocation - Space Preparation - Common Systems Modification per square ft Cageless			CLO	PE1SL	3.24										
	Physical Collocation - Space Preparation - Common Systems			CLO	PEISL	3.24			-		1				-	-
	Modification per Cage			CLO	PE1SM	110.16			I			1			I	
 	Physical Collocation - Cable Installation		!	CLO	PE1BD	110.10	794.22	794.22	22.54	22.54	H		1	1	t	1
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	3.95	134.22	734.22	22.04	22.04						
	Physical Collocation - Cable Support Structure			CLO	PE1PM	21.33										
	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	9.19					1					†
	Physical Collocation - Power Reduction, Application Fee	1		CLO	PE1PR	0.10	400.33		t						t	
	, ,								t						t	
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.67										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	11.36										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	17.03										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	39.33										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ, UDL, UNCVX,												
	Physical Collocation - 2-Wire Cross-Connects			UNLDX, UNCNX	PE1P2	0.0341	12.32	11.83	6.04	5.45						ļ
				CLO, UAL, UDL,												
				UDN, UEA, UHL, UNCVX, UNCDX,												
	Dhysical Callessian A Wiss Coses Connects			UCL	PE1P4	0.0682	12.42	11.90	6.40	5.74						
	Physical Collocation - 4-Wire Cross-Connects		1	CLO,UEANL,UEQ,W	PETP4	0.0682	12.42	11.90	6.40	5.74	-				-	
				DS1L,WDS1S, USL,												
				U1TD1, UXTD1,												
				UNC1X, ULDD1,												
				USLEL, UNLD1,												
	Physical Collocation - DS1 Cross-Connects			UDL	PE1P1	1.12	22.08	15.96	6.42	5.80						
				CLO, UE3,U1TD3,		1				0.00						
				UXTD3, UXTS1,												
				UNC3X, UNCSX,												
				ULDD3,												
				U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connects			UNLD3, UDL	PE1P3	14.21	20.94	15.23	7.39	5.93						
				CLO, ULDO3,												
				ULD12, ULD48,					1						1	
				U1TO3, U1T12,					1						1	
				U1T48, UDLO3,					1						1	
	Physical Collocation - 2-Fiber Cross-Connect		<u> </u>	UDL12, UDF	PE1F2	2.82	20.94	15.23	7.40	5.93					ļ	
				CLO, ULDO3,					1						1	
				ULD12, ULD48,					1						1	
			1	U1TO3, U1T12,	1				I			1			I	
	Dhysical Callegation 4 Fiber C C			U1T48, UDLO3,	DE1E4	F 04	05.04	40.00	0.70	0.00					1	
	Physical Collocation - 4-Fiber Cross-Connect Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.		-	UDL12, UDF CLO	PE1F4 PE1BW	5.01 219.19	25.61	19.90	9.73	8.26			1	1	 	
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.		-	CLO	PE1BW PE1CW	219.19			 		-		-	-	 	
	Physical Collocation - Weided Wire Cage - Add i 50 Sq. Ft.		<u> </u>	CLO	PEICW	∠1.50			l .		l		l	l	l	

COLLOCAT	ION - South Carolina												Attachi	ment: 4	Exhil	oit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
		ļ					Nonred	rurring	Nonrecurring	g Disconnect			088	Rates(\$)		
		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Access System - Security System						101	71001		71441	0020					00
	per Central Office			CLO	PE1AX	74.72										
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0.0601	27.85	27.85								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		7.81	7.81								
	Stolen Card, per Card			CLO	PE1AR		22.83	22.83								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.13	13.13								
	Physical Collocation - Security Access - Key, Replace Lost or			0.0												
	Stolen Key, per Key Physical Collocation - Space Availability Report per premises	 	-	CLO CLO	PE1AL PE1SR		13.13 1,077.57	13.13 1,077.57	1		1			-	-	
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX UEANL,UEA,UDN,U	PE1PE	0.085	1,011.31	1,011.31								
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX UEANL,UEA,UDN,U		0.1701										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1.20										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	10.71										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	36.55										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	49.29										
	Physical Collocation - Request Resend of CFA Information, per			01.0	DE 100			-								
	CLLI Nonrecurring Collocation Cable Records - per request	}	1	CLO CLO	PE1C9 PE1CR		77.71 760.98	489.20	133.29	133.29	1			-	-	
	Nonrecurring Collocation Cable Records - per request Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		327.65	327.65	189.54	189.54						
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		4.82	4.82	5.91	5.91						

COLLOCAT	ION - South Carolina												Attach	ment: 4	Exhil	oit: D
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrec			g Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		2.26	2.26		2.77						
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		7.90	7.90	9.68	9.68						
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99															
	fiber records			CLO	PE1CB		84.68	84.68	77.30	77.30						
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		16.96	10.75								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22.10	13.89								
 	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT	00.77	27.23	17.02	ļ					_	_	
ļ	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33.00										
\vdash	V to P Conversion, Per Customer Request-DS0	—		CLO	PE1BO	33.00			ļ	-			.	-	-	
	V to P Conversion, Per Customer Request-DS1	-	-	CLO	PE1B1	52.00			1	 	-	-	 	 	 	
———	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00			1	-	-	-	-	 	 	
	V to P Conversion, Per Customer Request per VG Circuit			CI O	DEADD	22.22					1	1		I	I	
\vdash	Reconfigured	-		CLO	PE1BR	23.00			1	-			 	 	 	
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP	23.00								1	1	
				CLO	PEIBP	23.00						-				
	V to P Conversion, Per Customer Request per DS1 Circuit			CLO	PE1BS	33.00										
	Reconfigured			CLO	PE1B5	33.00						-				
	V to P Conversion, Per Customer Request per DS3 Circuit			CI O	DEADE	27.00										
	Reconfigured			CLO	PE1BE	37.00						-				
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700			CLO	PE1B7	592.00										
—	prs or fraction thereof Physical Collocation - Co-Carrier Cross Connects - Fiber Cable		-	CLO	PEID/	592.00										
	Support Structure, per cable, per linear ft.			CLO.UDF	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax		-	CLO,UDF	PEIES	0.001								-	-	
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0015										
 	Physical Collocation - Co-Carrier Cross Connects - Application		-	CLO, ULS, USL	FLIDS	0.0013							1			
	Fee, per application			CLO	PE1DT		584.42									
PHYSICAL CO				OLO	ILIDI		304.42						1			
THIOICAL CO	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			02. 0.1		0.0011	12.02	11.00	0.01	0.10		10.00				
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69		1	1	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-				T - :: :-	0.00.1	12.02	50	3.54	3.40		.0.00	i	1	1	
	Wire Analog - Bus			UEPSB	PE1R2	0.0341	12.32	11.83	6.04	5.45	1	15.69		I	I	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	1									İ		İ	1	1	
	Wire ISDN			UEPSX	PE1R2	0.0341	12.32	11.83	6.04	5.45	1	15.69		I	I	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-												1			
	Wire ISDN			UEPTX	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69		1	1	
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-															
	Wire ISDN DS1	<u></u>		UEPEX	PE1R4	1.12	22.08	15.96	6.42	5.80	<u> </u>	15.69	<u></u>	L	L	
ADJACENT C	OLLOCATION															
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0939										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	6.40										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0264	12.32	11.83	6.04	5.45						
				UEA,UHL,UDL,UCL,												
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0527	12.42	11.90	6.40	5.74						
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.03	22.08	15.96		5.80						
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	14.00	20.94	15.23		5.93				L	L	
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.37	20.94	15.23	7.40	5.93			ļ			
\vdash	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.53	25.61	19.90	9.73	8.26			ļ	ļ	ļ	
\vdash	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,580.20		0.51	0.51			ļ	1	1	
	Adjacent Collocation - 120V, Single Phase Standby Power Rate													1	1	
	per AC Breaker Amp			CLOAC	PE1FB	5.67							ļ	.	.	
	Adjacent Collocation - 240V, Single Phase Standby Power Rate				L											
	per AC Breaker Amp			CLOAC	PE1FD	11.36					<u>l</u>	<u>l</u>	l	l .	l .	

COLLOCAT	ION - South Carolina												Attachr	nent: 4	Exhi	bit: D
												Svc Order Submitted		Incremental Charge -	Incremental Charge -	Incremental Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs.	Order vs.	Manual Svc Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	17.03										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	39.33										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS CLORS	PE1RA		308.38	308.38	168.60	168.60						
	Cabinet Space in the Remote Site per Bay/ Rack	PE1RB	246.44													
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.13	13.13								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		116.13	116.13								
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		37.64	37.64								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.50									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134							·			
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary f	or rem	ote site collocation,	the Parties v	vill negotiate ap	propriate rate	s.		•						

CATEOOPT SATE ELEMENTS Name Company Charges	COLLOCAT	ION - Tennessee												Attach	ment: 4	Exhil	oit: D
AFE BLENDRYS March												Svc Order	Svc Order				Incremental
RATE BLEMENTS More Sec. More												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY SATE ELEMENTS March 2006 805			Imton:														
Project Coloration	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			1					
No. No.			m									per Lore	per Lore				
Proposed Coloration - Applicator Free - Initial Color Per No. Per No																	
Prince Col. Col. Col. No. Prince Addr. First Addr. SOME SO																DISC 1St	DISC Add I
Proceduc Collection							Poc	Nonrecurring		Nonrecurrin	g Disconnect						
Project Collocation - Application File - Information File - Project Collocation - Application File - Subsequent File -							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Project Collocation - Application File - Information File - Project Collocation - Application File - Subsequent File -																	
Physical Collocation - Agricultural Collo- Agricultural Collo- Agricultural Collocation - Agricultural Collocation - Agricultural Collocation - Agricultural Collocation - Speace Physical Collocation - Speace Physical Collocation - Speace Physical Collocation - Speace Physical Collocation - Speace Physical Collocation - Speace Physical Collocation - Speace Physical Collocation - Speace Physical Collocation - Speace Physical Collocation - Speace Physical Collocation - Speace Physical Collocation - Col	PHYSICAL CO																
Private Consideration - 2004 - Aprilication Fee Private Consideration - 2004 - Aprilication Fee Private Confideration - 2004 Pregression - 1																	
Prysical Collocation - Space Preparation - Co. Modification per Co. Per 153		Physical Collocation - Application Fee - Subsequent						3,140.00	3,140.00								
Processing 1					CLO	PE1BL		743.25									
Physical Collection - Space Procession - Co. Modification per 1																	
Square Fr.			ı		CLO	PE1SJ		1,204.00	1,204.00								
Physical Collections - Space Presidency - Corporal Systems CLO PETSI 2.65																	
Modification per squared 1 - Cagoletes 1			I		CLO	PE1SK	2.74										
Physical Collocation - 260ce Preparation - Common Systems 1	1 1		1			l				I	I	1			I	I	
Modification per Cage 1	\vdash				CLO	PE1SL	2.95			.	.						
Physical Colocation - Calife Installation										I	I	1			I	I	
Physical Collocation - 10st Space pet Sq. PT. CLO PETP 0.75 Physical Collocation - 20st Space pet Sq. PT. CLO PETP 0.75 Physical Collocation - 20st Space pet Sq. PT. CLO PETP 0.75 Physical Collocation - 20st Space pet Sq. PT. CLO PETP 0.75 Physical Collocation - 20st Space pet Space pet Space 1			ı				100.14										
Physical Collocation - Calife Support Structure	\vdash		<u> </u>					1,757.00	1,757.00	ļ	ļ			ļ	ļ	ļ	
Physical Collocation - Power -480* DC Power, per Fued Amp 1 CLO PETPR 8.87																	
Physical Collocation - 120V, Single Phase Standby Power Rate 1	\vdash		<u> </u>									ļ			ļ	ļ	
Physical Collocation - 120V, Single Phase Standby Power Rate							8.87										
Physical Collocation - 240V, Single Phase Standby Power Rate 1		Physical Collocation - Power Reduction, Application Fee			CLO	PE1PR		400.10									
Physical Collocation - 240V, Single Phase Standby Power Rate 1																	
Physical Collocation - 120V, Three Phase Standby Power Rate 1		Physical Collocation - 120V, Single Phase Standby Power Rate	ı		CLO	PE1FB	5.60										
Physical Collocation - 120V, Three Phase Standby Power Rate 1																	
Physical Collocation - 277V, Three Phase Standby Power Rate 1	\vdash	Physical Collocation - 240V, Single Phase Standby Power Rate	ı		CLO	PE1FD	11.22										
Physical Collocation - 277V, Three Phase Standby Power Rate 1		51 1 1 0 11 11 10 10 11 51 51 51 51 51 51 51 51 51 51 51 51			0.0												
UEANL, UEA, UNCX, UNLDX, UNLDX, UNL	\vdash	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.82										
UEANL, UEA, UNCX, UNLDX, UNLDX, UNL		D			0.0	55450											
DC_UAL_UH_UCLU EQ. UDL_UNGXX UNIDX_UNG		Physical Collocation - 277V, Three Phase Standby Power Rate	- 1	-	CLO	PETFG	38.84					-					
DC_UAL_UH_UCLU EQ. UDL_UNGXX UNIDX_UNG					LIEANI LIEA LIDALLI												
EQ, UpL, UNCXX VEILOX VE																	
Physical Collocation - 2-Wire Cross-Connects																	
CLO, UAL, UDIL, UDN, UCOX, UNCOX, UCC, PEIP4		Dhysical Callacation - 2 Wise Cases Conserts				DE4D0	0.000	22.02	24.00								
UDN, UEA, UHIL, UNCXV, UNCDX, UCL	\vdash	Physical Collocation - 2-wire Cross-Connects				PE1P2	0.033	33.82	31.92	-	-	 					
NECK, UNCDX, UCL PE1P4 0.066 33.94 31.95																	
Physical Collocation - 4-Wire Cross-Connects																	
CLO, UEANIL, UEC, W DS1, LVDS1, LVDS1, LVDS1, LVDS1, LVDS1, LVDS1, LVDS1, LVDS1, LVDS1, LVDS1, LVDS1, LVDS1, LVDS1, LVDS1, LVDS3, LVTS1, LVDS3, LVTS3, LVDS3, LVDS3, LVDS3, LVDS3, LVDS3, LVDS3, LVDS3, LVDS3, LVDS3, LVDS4, LVDS3, LVDS4, LVDS3, LVDS4, LVDS4, LVDS3, LVDS3, LVDS4, LVDS3, LVDS4, LVDS3		Dhysical Callagation A Wise Come Comments				DE4D4	0.000	22.04	24.05								
DS1LMDS18, USL UD101, UD101, UD101, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD3, USLD3, UST31, UNC3X, UNC5X, ULD3, ULD3, ULD3, ULD3, ULD3, ULD3, ULD48, U1T03, UD112, ULD48, U1T03, UD112, ULD48, U1T03, UD112, UD148, U1T03, UD112, UD149, U1T03, UD112, UD49, U1T03, UD112, UD49, U1T03, UD112, UD49, U1T03, UD112, UD49, U1T03, UD112, UD49, U1T03, UD112, UD49, U1T03, UD112, UD49, U1T03, UD112, UD49, U1T03, UD112, UD49, U1T03, UD112, UD49, U1T03, UD112, UD49, U1T03, UD112, UD49, U1T03, UD112, UD49, U1T03, UD112, UD49, U1T03, UD112, UD49, U1T03, UD112, UD49, U1T03, UD112, UD49, U1T03, UD112, UD49, U1T03, UD112, UD5, PE1F4 28.11 50.53 38.78 16.97 14.35 2.69 2.69 1.56 1.56 Physical Collocation - 4-Fiber Cross-Connect		Physical Collocation - 4-wire Cross-Connects				PETP4	0.066	33.94	31.95			 	-				
U1TD1, UXTD1, UDD1, UNCIX, ULDD1, UNCIX, ULDD1, UNCIX, ULDD1, UNCIX, ULDD1, UNCIX, ULDD1, UNCIX, U																	
UNC1X, ULDD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD3, UNTD3, UNTD3, UNC3X, UNC5X, ULDD3, ULD3, ULD3, ULD4, UNLD3, UDL PE1P3																	
Physical Collocation - DS1 Cross-Connects																	
Physical Collocation - DS1 Cross-Connects																	
CLO, UE3, UTT03, UXTS1, UXGSX, ULDD3, UTT12, ULDD4, UTT12, U1T48, UDLO3, ULD12, ULD48, ULD12, ULD48, ULD12, ULD49, USA, ULD14, ULD14, ULD14, ULD15, USA, ULD15, USA, ULD16, ULD16, ULD16, ULD16, ULD16, ULD17, ULD48, USA, ULD17, USA, ULD18, USA, ULD19, USA, ULD19, USA, ULD19, USA, ULD19, USA, ULD19, USA, ULD19, USA, ULD19, ULD49, USA, ULD19, ULD49, USA, ULD19, ULD49, USA, ULD19, ULD49, USA, ULD19, ULD49, USA, ULD19, ULD49, USA, ULD19, ULD49, USA, USA, USA, USA, USA, USA, USA, USA		Dhysical Collegation DC1 Cross Connects				DE4D4	1 51	52.27	40.16								
Duting the property of the p	\vdash	Physical Collocation - DST Cross-Connects	1			PEIPI	1.51	55.21	40.16	-	-	1	1		-	-	
UNC3X, UNCSX, ULDD3, UTS1,ULDS1, UNLD3, UDL PE1P3																	
Physical Collocation - DS3 Cross-Connects																	
Physical Collocation - DS3 Cross-Connects																	
Physical Collocation - DS3 Cross-Connects																	
CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF PE1F2 15.64 41.56 29.82 12.96 10.34 2.69 2.69 1.56 1.56 (CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T048, U1TO3, U1T12, U1T048, U1TO3, U1T12, U1T048,		Dhysical Collegation DC2 Cross Connects				DE4D2	10.06	50.07	20.00								
ULD12, ULD48, U1T03, U1T12, U1T48, UDL03, UDL12, UDF PE1F2	\vdash	Physical Collocation - D33 Closs-Collifects	1			PEIPS	19.20	52.57	30.09	-	-	1	1		-	-	
U1TO3, U1T12, U1T48, UDLO3, UDL03, UDL12, UDF PE1F2	1 1		1			1				I	I	1			I	I	
Physical Collocation - 2-Fiber Cross-Connect										1	1				1	1	
Physical Collocation - 2-Fiber Cross-Connect UDL12, UDF PE1F2 15.64 41.56 29.82 12.96 10.34 2.69 2.69 1.56 1.56										1	1				1	1	
CLO, ULDO3, ULD12, ULD48, U1703, U1712, U1748, U1703, U1712, U1748, UDL03, U1748, UDL03, U1748, UDL03, U1749, UDL12, UDF PE1F4 28.11 50.53 38.78 16.97 14.35 2.69 2.69 1.56 1.56 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 218.53		Physical Collocation - 2-Fiher Cross-Connect				DE1E2	15.64	41.56	20.82	12.96	10.34			2.60	2.60	1 56	1 56
ULD12, ULD48, U1T03, U1T12, ULD48, U1T03, U1T12, U1T48, UDL03, U1T48, UDL03, U1T48, UDL03, U1T48, UDL12, UDF PE1F4 28.11 50.53 38.78 16.97 14.35 2.69 2.69 1.56 1.56 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 218.53 CLO PE1B	 	i nyaicar conocation - 2-1 iber cross-connect	1			I LIFZ	15.64	41.36	29.62	12.90	10.34	1	H	2.09	2.09	1.36	1.00
U1TO3, U1T12, U1T48, UDLO3, U1T48, UDLO3, UDL12, UDF PE1F4 28.11 50.53 38.78 16.97 14.35 2.69 2.69 1.56 1.56 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 218.53 2.69 2.																	
U1T48, UDLO3, UDL12, UDF PE1F4 28.11 50.53 38.78 16.97 14.35 2.69 2.69 1.56 1.56 1.56 Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 218.53 2.69			1			1				I	I	1			I	I	
Physical Collocation - 4-Fiber Cross-Connect UDL12, UDF PE1F4 28.11 50.53 38.78 16.97 14.35 2.69 2.69 1.56										1	1				1	1	
Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. CLO PE1BW 218.53		Physical Collocation - 4-Fiher Cross-Connect	1			PE1E4	28 11	50.53	38 79	16 97	14 35	1		2.60	2.60	1 56	1 56
	 		t					30.33	30.70	10.97	14.33	 	-	2.09	2.09	1.36	1.50
	 	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	 	 	CLO	PE1CW	21.44			t	t	 	t	 	 	t	

COLLOCAT	ION - Tennessee												Attachi	ment: 4	Exhil	oit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	Physical Collocation - Security Access System - Security System		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	per Central Office			CLO	PE1AX	55.99										
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0.059	55.67	55.67								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		15.61	15.61								
	Stolen Card, per Card			CLO	PE1AR		45.64	45.64								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.24	26.24								
	Physical Collocation - Security Access - Key, Replace Lost or			01.0	DEAN		00.04	00.04								
	Stolen Key, per Key Physical Collocation - Space Availability Report per premises	-	-	CLO CLO	PE1AL PE1SR		26.24 2,027.00	26.24 2,154.00								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect	·		UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX UEANL,UEA,UDN,U	PE1PE	0.40	2,027.00	2,104.00								
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX UEANL,UEA,UDN,U	PE1PF	1.20										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1.20										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	8.00										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, Per Cross-Connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	38.79										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	52.31										
	Physical Collocation - Request Resend of CFA Information, per CLLI			CLO	PE1C9		77.67									
	Nonrecurring Collocation Cable Records - per request	1	 	CLO	PE1C9		1,711.00				 					
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		925.06									
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		18.05	18.05								

COLLOCAT	ION - Tennessee												Attachi	ment: 4	Exhil	oit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	1	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
		1					Nonrecurring		Nonrecurrin	g Disconnect			OSS	Rates(\$)	1	
		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Collocation Cable Records - DS1, per T1TIE	i e		CLO	PE1C1		8.45	8.45								
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		29.57	29.57								
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99															
	fiber records	ļ	ļ	CLO	PE1CB		279.42	279.42								
	Physical Collocation - Security Escort - Basic, per Half Hour	<u> </u>		CLO,CLORS	PE1BT		33.91	21.49						-	-	
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44.17	27.76								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		54.42	34.02								
	V to P Conversion, Per Customer Request-Voice Grade	1		CLO,CLORS	PE1BV	33.00		34.02								
	V to P Conversion, Per Customer Request-DS0	1		CLO	PE1BO	33.00					i e	1				
	V to P Conversion, Per Customer Request-DS1	t		CLO	PE1B1	52.00	† †		İ					1	1	
	V to P Conversion, Per Customer request-DS3	i		CLO	PE1B3	52.00										
	V to P Conversion, Per Customer Request per VG Circuit															
	Reconfigured	ļ		CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700			CLO												
	prs or fraction thereof Physical Caged Collocation-App Cost(initial & sub)-Planning,				PE1B7	592.00										
	per request			CLO	PEIAC	16.16	2,903.66	2,903.66			1					
	Physical Caged Collocation-Space Prep-Grounding, per location Physical Caged Collocation-Space Prep-Power Delivery, per 40			CLO	PE1BB	4.32										
	amp Feed			CLO	PE1SN		142.40									
	Physical Caged Collocation-Space Prep-Power Delivery, per 100 amp Feed			CLO	PE1SO		185.72									
	Physical Caged Collocation-Space Prep-Power Delivery, per 200 amp Feed			CLO	PEISP		242.05									
	Physical Caged Collocation-Space Enclosure-Cage Preparation, per first 100 sq. ft.			CLO	PE1S1	110.97										
	Phycical Caged Collocation-Space Enclosure-Cage															
	Preparation2, per add'l 50 sq. ft. Physical Caged collocation-Cable Installation-Entrance Fiber			CLO	PE1S5	55.49										
	Structure, interduct per ft. Phycical Caged Collocation-Cable Installation-Entrance Fiber,	-		CLO	PE1CP	0.0156				1	1					
	per cable			CLO	PE1CQ	2.56	944.27									
	Physical Caged Collocation-Floor Space-Land & Buildings, per sq. ft.			CLO	PE1FS	5.94						<u> </u>				
	Physical Caged Collocation-Cable Support Structure-Cable Racking, per entrance cable			CLO	PE1CS	21.47										
	Physical Caged Collocation-Power-Power Construction, per amp			CLO	PE1PN	3.55										
	Physical Caged Collocation-Power-Power Consumption,per amp															
	AC usage Physical Caged Collocation-2-wire Cross Connects-Voice Grade			CLO	PE1PO	2.03										
	ckts, per ckt. Physical Caged Collocation-4-wire Cross Connects-Voice Grade			CLO	PE12C	0.0475	7.68			-		-		-	-	
	Ckts, per ckt. Physical Caged Collocation-DS1 Cross Connects-connection to			CLO	PE14C	0.0475	7.68									
	DCS, per ckt.			CLO	PE11S	7.68	41.65									
	Physical Caged Collocation-DS1 Cross Connects-Connection to DSX, per ckt.			CLO	PE11X	0.38	41.65									
	Physical Caged Collocation-DS3 Cross Connects-Connection to DCS, per ckt.			CLO	PE13S	53.96	298.03									

Physical Caged Collocation-DS3 Cross Connects-Connect DSX, per okt. Physical Caged Collocation-Security Access-Access Cards 5 Cards Fhysical Collocation - Co-Carrier Cross Connects - Fiber C Support Structure, per cable, per linear ft. Physical Collocation - Co-Carrier Cross Connects - Copper Cable Support Structure, per cable, per linear ft. Physical Collocation - Co-Carrier Cross Connects - Copper Cable Support Structure, per cable, per lin. ft. Physical Collocation - Co-Carrier Cross Connects - Application Physical Collocation - Co-Carrier Cross Connect, Exchange Por Wire Analog - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Voice Grade PBX Trunk - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Noice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 2-Wire Cross-Connect Adjacent Collocation - 2-Wire Cross-Connect Adjacent Collocation - 2-Wire Cross-Connect Adjacent Collocation - 2-Wire Cross-Connect Adjacent Collocation - 2-Wire Cross-Connect Adjacent Collocation - 2-Wire Cross-Connect Adjacent Collocation - 2-Wire Cross-Connect Adjacent Collocation - 2-Wire Cross-Connect Adjacent Collocation - 2-Wire Cross-Connect Adjacent Collocation - 2-Wire Cross-Connect Adjacent Collocation - 2-Wire Cross-Connect Adjacent Collocation - 2-Wire Cross-Connect Adjacent Collocatio	essee													ment: 4		bit: D
DSX, per ckt. Physical Caged Collocation-Security Access-Access Cards 5 Cards Physical Collocation - Co-Carrier Cross Connects - Fiber C Support Structure, per cable, per linear ft. Physical Collocation - Co-Carrier Cross Connects - Copper Cable Support Structure, per cable, per line. ft. Physical Collocation - Co-Carrier Cross Connects - Applica Fee, per application Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Line Side PBX Trunk - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Line Side PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Adjacent Collocation 4-Wire Cross Connect, Exchange Por Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Electrical Facility Charge per Linear Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - 120, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 4-Priber Cross-Connect Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site - Space Availability Report per Premises Requested Physical Colloc	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
DSX, per ckt. Physical Caged Collocation-Security Access-Access Cards 5 Cards Physical Collocation - Co-Carrier Cross Connects - Fiber C Support Structure, per cable, per linear ft. Physical Collocation - Co-Carrier Cross Connects - Copper Cable Support Structure, per cable, per line. ft. Physical Collocation - Co-Carrier Cross Connects - Applica Fee, per application Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Line Side PBX Trunk - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Line Side PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Vice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Adjacent Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Space Availability Rep						Rec	Nonrecurring			Disconnect				Rates(\$)	•	•
DSX, per ckt. Physical Caged Collocation-Security Access-Access Cards 5 Cards Physical Collocation - Co-Carrier Cross Connects - Fiber C Support Structure, per cable, per linear ft. Physical Collocation - Co-Carrier Cross Connects - Copper Cable Support Structure, per cable, per lin. ft. Physical Collocation - Co-Carrier Cross Connects - Applica Fee, per application PHYSICAL COLLOCATION Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Line Side PBX Trunk - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Line Side PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Vice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Adjacent Collocation 4-Wire Cross Connect, Exchange Por Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Electrical Facility Charge per Linear Adjacent Collocation - Electrical Facility Charge per Linear Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS1 Cross-Connect Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 4-Priber Cross-Connect Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Space Availability Rep						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Physical Caged Collocation-Security Access-Access Cards 5 Cards Physical Collocation - Co-Carrier Cross Connects - Fiber C Support Structure, per cable, per linear ft. Physical Collocation - Co-Carrier Cross Connects - Copper Cable Support Structure, per cable, per lin. ft. Physical Collocation - Co-Carrier Cross Connects - Applica Fee, per application PHYSICAL COLLOCATION Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Line Side PBX Trunk - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Por Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - DS3 Cross-Connect Adjacent Collocation - A-Fiber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 240V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Remote Site DLEC Data (BRSDD), per Compact D		on to														
Physical Collocation - Co-Carrier Cross Connects - Fiber C Support Structure, per cable, per linear ft. Physical Collocation - Co-Carrier Cross Connects - Copper Cable Support Structure, per cable, per lin. ft. Physical Collocation - Co-Carrier Cross Connects - Applica Fee, per application Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Line Side PBX Trunk - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Por Wire ISDN ADJACENT COLLOCATION Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS2 Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 27TV, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per			+	CLO	PE13X	9.32	298.03				-				1	
Physical Collocation - Co-Carrier Cross Connects - Fiber C Support Structure, per cable, per linear ft. Physical Collocation - Co-Carrier Cross Connects - Copper Cable Support Structure, per cable, per lin. ft. Physical Collocation - Co-Carrier Cross Connects - Applica Fee, per application PHYSICAL COLLOCATION Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Line Side PBX Trunk - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Por Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 1953 Cross-Connects Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 27VV, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 27VV, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 27VV, Three Phase Standby Power per AC Breaker Amp Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per	ged Collocation-Security Access-Access Cards,	pei		CLO	PE1A2		76.10									
Support Structure, per cable, per linear ft. Physical Collocation - Co-Carrier Cross Connects - Copper Cable Support Structure, per cable, per lin. ft. Physical Collocation - Co-Carrier Cross Connects - Applica Fee, per application PHYSICAL COLLOCATION Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Line Side PBX Trunk - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Adjacent Collocation 4-Wire Cross Connect, Exchange Por Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - 1-Electrical Facility Charge per Linear Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 1-Electrical Facility Charge per Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 1-Electrical Facility Charge Power per AC Breaker Amp Adjacent Collocation - 1-20V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 1-20V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 1-20V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 1-20V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 1-20V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Space Availability Report per Premises Requ	location - Co-Carrier Cross Connects - Fiber Ca	able		OLO	1 2 17 2		70.10									
Cable Support Structure, per cable, per lin. ft. Physical Collocation - Co-Carrier Cross Connects - Applica Fee, per application PHYSICAL COLLOCATION Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Line Side PBX Trunk - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Por Wire ISDN ADJACENT COLLOCATION Adjacent Collocation - 5-pace Charge per Sq. Ft. Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - 12-Wire Cross-Connects Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS2 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - Application Fee Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 27TV, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 27TV, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 27TV, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 100 Fee Cabinet Space in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per	ucture, per cable, per linear ft.			CLO,UDF	PE1ES	0.0013										
Physical Collocation - Co-Carrier Cross Connects - Applica Fee, per application PHYSICAL COLLOCATION Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Line Side PBX Trunk - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Por Wire ISDN DS1 Adjacent Collocation 4-Wire Cross Connect, Exchange Por Wire ISDN DS1 Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 9S1 Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - NS3 Cross-Connect Adjacent Collocation - 12-Piber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT		Coax														
Fee, per application				CLO, UE3, USL	PE1DS	0.0019										
PHYSICAL COLLOCATION Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Line Side PBX Trunk - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Por Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 3-Piber Cross-Connect Adjacent Collocation - 1-20V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 210V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT		ion		CLO	PE1DT		585.09									
Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Line Side PBX Trunk - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Por Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT			+	CLO	FLIDI		363.09									
Wire Analog - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Line Side PBX Trunk - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire IsDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Por Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT		2-	1											İ	1	
Wire Line Side PBX Trunk - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Por Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 4-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 153 Cross-Connects Adjacent Collocation - 153 Cross-Connects Adjacent Collocation - 153 Cross-Connects Adjacent Collocation - 153 Cross-Connects Adjacent Collocation - 153 Cross-Connects Adjacent Collocation - 153 Cross-Connects Adjacent Collocation - 153 Cross-Connects Adjacent Collocation - 154 Cross-Connects Adjacent Collocation - 154 Cross-Connects Adjacent Collocation - 154 Cross-Connect Adjacent Collocation - 120 V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120 V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120 V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277 V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277 V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT	- Res			UEPSR	PE1R2	0.30	19.20	19.20			<u> </u>		20.35	10.54	13.32	1.40
Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Por Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - DS3 Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Pross-Connect Adjacent Collocation - 4-Fiber Pross-Connect Adjacent Collocation - 4-Fiber Pross-Connect Adjacent Collocation - 4-Fiber Pross-Connect Adjacent Collocation - 4-Fiber Pross-Connect Adjacent Collocation - 4-Fiber Pross-Connect Adjacent Collocation - 4-Fiber Pross-Connect Adjacent Collocation - 4-Fiber Pross-Connect Adjacent Collocation - 4-Fiber Pross-Connect Adjacent Collocation - 2-Fiber Phase Standby Power per AC Breaker Amp Adjacent Collocation - 2-Fiber Phase Standby Power per AC Breaker Amp Adjacent Collocation - 2-Fiber Phase Standby Power per AC Breaker Amp Adjacent Collocation - 2-Fiber Phase Standby Power per AC Breaker Amp Adjacent Collocation - 2-Fiber Phase Standby Power per AC Breaker Amp Adjacent Collocation - 2-Fiber Standby Power per AC Breaker Amp Adjacent Collocation - 2-Fiber Standby Power per AC Breaker Amp Adjacent Collocation - 2-Fiber Standby Power per AC Breaker Amp Adjacent Collocation - 2-Fiber Standby Power per AC Breaker Amp Adjacent Collocation - 2-Fiber Standby Power per AC Breaker Amp Adjacent Collocation - 2-Fiber Stand		2-														
Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Por Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Adjacent Collocation - Electrical Facility Charge per Linear Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS2 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 150V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation in the Remote Site - Security Access - Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT				UEPSP	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
Physical Collocation 2-Wire Cross Connect, Exchange Por Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Por Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - PS3 Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 7-Piber Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 2-Fiber		2-		UEPSE	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Por Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 200, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site - Space Availability Report per Permises Requested Physical Collocation in the Remote Site - Space Availability Report per Permises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT		2-		UEPSE	PEIKZ	0.30	19.20	19.20					20.33	10.54	13.32	1.40
Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Por Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT		-		UEPSB	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
Physical Collocation 2-Wire Cross Connect, Exchange Por Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Por Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 4-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site - Application Fee Cabinet Space in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT		2-														
Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Por Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT	-			UEPSX	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
Physical Collocation 4-Wire Cross Connect, Exchange Por Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - Application Fee Adjacent Collocation - Application Fee Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp PHYSICAL COLLOCATION IN THE REMOTE SITE Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT	location 2-Wire Cross Connect, Exchange Port	2-														
Wire ISDN DS1 ADJACENT COLLOCATION Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 4-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site - Application Fee Cabinet Space in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT	Jacotian 4 Wire Cross Connect Evolungs Port	4	-	UEPTX	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
ADJACENT COLLOCATION Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 4-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - DS3 Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp PHYSICAL COLLOCATION IN THE REMOTE SITE Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT		4-		UEPEX	PE1R4	0.50	19.20	19.20					20.35	10.54	13.32	1.40
Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 4-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - DS3 Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Physical Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per			+	OLI LX	I LIK4	0.50	13.20	13.20	1		1		20.55	10.54	13.32	1.40
Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 4-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp PHYSICAL COLLOCATION IN THE REMOTE SITE Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT				CLOAC	PE1JA	0.0656										
Adjacent Collocation - 4-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp PHYSICAL COLLOCATION IN THE REMOTE SITE Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT		=t.		CLOAC	PE1JC	5.53										
Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per	Ilocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.034	11.12	10.18	11.33	10.23			1.77	1.77	1.12	1.12
Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per				UEA,UHL,UDL,UCL,												
Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Piber Cross-Connect Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp PHYSICAL COLLOCATION IN THE REMOTE SITE Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT			-	CLOAC USL,CLOAC	PE1P4 PE1P1	0.33 1.70	11.30 28.39	10.31 16.88	11.62 11.65	10.44 10.54			1.77 1.77	1.77 1.77	1.12 1.12	1.12
Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp PHYSICAL COLLOCATION IN THE REMOTE SITE Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT				CLOAC	PE1P3	19.03	26.23	15.51	13.40	10.54			1.77	1.77		1.12
Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - Application Fee Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 240V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp PHYSICAL COLLOCATION IN THE REMOTE SITE Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per			+	CLOAC	PE1F2	3.49	26.23	15.51	13.41	10.78			1.77	1.77		1.12
Adjacent Collocation - 120V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp PHYSICAL COLLOCATION IN THE REMOTE SITE Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT				CLOAC	PE1F4	6.50	29.75	19.02	17.60	14.97			1.77	1.77	1.12	1.12
per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 127V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp PHYSICAL COLLOCATION IN THE REMOTE SITE Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT				CLOAC	PE1JB		2,973.00		0.9475							
Adjacent Collocation - 240V, Single Phase Standby Power per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp PHYSICAL COLLOCATION IN THE REMOTE SITE Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT		Rate														
per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp PHYSICAL COLLOCATION IN THE REMOTE SITE Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT		2-1-		CLOAC	PE1FB	5.81										
Adjacent Collocation - 120V, Three Phase Standby Power per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp PHYSICAL COLLOCATION IN THE REMOTE SITE Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT		vale		CLOAC	PE1FD	11.64										
per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp PHYSICAL COLLOCATION IN THE REMOTE SITE Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT		Rate	+	CLOAG	1 - 11 - 0	11.04										
Adjacent Collocation - 277V, Three Phase Standby Power per AC Breaker Amp PHYSICAL COLLOCATION IN THE REMOTE SITE Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT	ker Amp		L	CLOAC	PE1FE	17.45									<u> </u>	
PHYSICAL COLLOCATION IN THE REMOTE SITE Physical Collocation in the Remote Site - Application Fee	Ilocation - 277V, Three Phase Standby Power F	Rate														
Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT				CLOAC	PE1FG	40.30									1	
Cabinet Space in the Remote Site per Bay/ Rack Physical Collocation in the Remote Site - Security Access - Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT			+	CLORS	PE1RA	ļ	580.20		312.76		-					
Physical Collocation in the Remote Site - Security Access - Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT			+	CLORS	PE1RA PE1RB	220.41	580.20		312.76		-				-	
Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT	no in the Remote Oile per Day/ Rack		+	OLOINO	LLIND	220.41	+				 				 	
Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT	location in the Remote Site - Security Access -	Key		CLORS	PE1RD		24.69									
Physical Collocation in the Remote Site - Remote Site CLL Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT	location in the Remote Site - Space Availability															
Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT				CLORS	PE1SR		218.49									
Remote Site DLEC Data (BRSDD), per Compact Disk, per PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT				CLORS	DE4DE		70.01									
PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT		``	1	CLORS CLORS	PE1RE PE1RR		70.81 234.15								 	
		,,,	+	OLONG	I LINK		234.15									
1 1			1			1										
Remote Site-Adjacent Collocation - AC Power, per breaker	-Adjacent Collocation - AC Power, per breaker	amp		CLORS	PE1RS	6.27										
Remote Site-Adjacent Collocation - Real Estate, per square				CLORS	PE1RT	0.134										

COLLOCAT	ION - Tennessee												Attachr	nent: 4	Exhil	oit: D
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	_	Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates(\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary f	or rem	ote site collocation,	the Parties v	vill negotiate a	ppropriate rate	s.								

ATTACHMENT 5 ACCESS TO NUMBERS AND NUMBER PORTABILITY

TABLE OF CONTENTS

1.	NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS	3
2.	LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT	
SC	OLUTION (LNP)	3
3.	OPERATIONAL SUPPORT SYSTEM (OSS) RATES	4

ACCESS TO NUMBERS AND NUMBER PORTABILITY

1. NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS

- During the term of this Agreement, where 1-800-RECONEX, Inc. is utilizing its own switch, 1-800-RECONEX, Inc. shall contact the North American Numbering Plan Administrator, NeuStar, for the assignment of numbering resources. In order to be assigned a Central Office Code, 1-800-RECONEX, Inc. will be required to complete the Central Office Code (NXX) Assignment Request and Confirmation Form (Code Request Form) in accordance with Industry Numbering Committee's Central Office Code (NXX) Assignment Guidelines (INC 95-0407-008).
- 1.2 Where BellSouth provides local switching or resold services to 1-800-RECONEX, Inc., BellSouth will provide 1-800-RECONEX, Inc. with on-line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. 1-800-RECONEX, Inc. acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. 1-800-RECONEX, Inc. acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center; and in such instances, BellSouth may request that 1-800-RECONEX, Inc. return unused intermediate numbers to BellSouth. 1-800-RECONEX, Inc. shall return unused intermediate numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- BellSouth will allow 1-800-RECONEX, Inc. to designate up to 100 intermediate telephone numbers per rate center for 1-800-RECONEX, Inc.'s sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. 1-800-RECONEX, Inc. acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.

2. LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT SOLUTION (LNP)

- 2.1 The Parties will offer Number Portability in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry fora.
- 2.2 <u>End User Line Charge</u>. Where 1-800-RECONEX, Inc. subscribes to BellSouth's local switching, BellSouth shall bill and 1-800-RECONEX, Inc. shall pay the end

user line charge associated with implementing LNP as set forth in BellSouth's FCC Tariff No. 1. This charge is not subject to the resale discount set forth in Attachment 1 of this Agreement.

- To limit service outage, BellSouth and 1-800-RECONEX, Inc. will adhere to the process flows and cutover guidelines for porting numbers as outlined in the LNP Reference Guide, as amended from time to time. The LNP Reference Guide, incorporated herein by reference, is accessible via the Internet at the following site: http://www.interconnection.bellsouth.com. All intervals referenced in the LNP Reference Guide shall apply to both BellSouth and 1-800-RECONEX, Inc..
- 2.4 The Parties will set Location Routing Number (LRN) unconditional or 10-digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.
- A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.
- 2.6 Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the end user.
- 2.7 BellSouth and 1-800-RECONEX, Inc. will work cooperatively to implement changes to LNP process flows ordered by the FCC or as recommended by standard industry forums addressing LNP.

3. OPERATIONAL SUPPORT SYSTEM (OSS) RATES

3.1 The terms, conditions and rates for OSS are as set forth in Attachment 2.

Attachment 6

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

TABLE OF CONTENTS

1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR	. 3
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS	. 3
3.	MISCELLANEOUS	5

PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- 1.1 BellSouth shall provide pre-ordering, ordering, provisioning, and maintenance and repair services to 1-800-RECONEX, Inc. that are equivalent to the pre-ordering, ordering, provisioning, and maintenance and repair services BellSouth provides to itself or any other CLEC, where technically feasible. The guidelines for pre-ordering, ordering, provisioning, and maintenance and repair are set forth in the various guides and business rules, as appropriate, and as they are amended from time to time during this Agreement. The guides and business rules are found at http://www.interconnection.bellsouth.com and are incorporated herein by reference.
- 1.2 For purposes of this Agreement, BellSouth's regular working hours for provisioning are defined as follows:

Monday – Friday – 8:00 a.m. – 5:00 p.m. (Excluding Holidays)
(Resale/UNE non-coordinated,
coordinated orders and order
coordinated-time specific)
Saturday - 8:00 a.m. – 5:00 p.m. (Excluding Holidays)
(Resale/UNE non-coordinated
orders)

- 1.2.1 The above hours represent the hours, either Eastern or Central Time, of the location where the physical work is being performed.
- 1.2.2 To the extent 1-800-RECONEX, Inc. requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or Project Manager to work outside of regular working hours, overtime billing charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or Project Manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of 1-800-RECONEX, Inc., BellSouth will not assess 1-800-RECONEX, Inc. additional charges beyond the rates and charges specified in this Agreement.

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

2.1 BellSouth shall provide 1-800-RECONEX, Inc. access to operations support systems ("OSS") functions for pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole

Version 2Q02: 05/31/02

responsibility of 1-800-RECONEX, Inc. to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for 1-800-RECONEX, Inc.'s access and use of BellSouth's electronic interfaces are set forth at www.interconnection.bellsouth.com and are incorporated herein by reference.

- 2.1.1 Pre-Ordering. In accordance with FCC and Commission rules and orders, BellSouth will provide electronic access to the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Access is provided through the Local Exchange Navigation System (LENS) interface and the Telecommunications Access Gateway (TAG) interface. Customer record information includes customer specific information in CRIS and RSAG. 1-800-RECONEX, Inc. shall provide to BellSouth access to customer record information including circuit numbers associated with each telephone number where applicable. 1-800-RECONEX, Inc. shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, 1-800-RECONEX, Inc. shall provide to BellSouth paper copies of customer record information including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.
- The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. 1-800-RECONEX, Inc. will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the State in which the service is provided. BellSouth reserves the right to audit 1-800-RECONEX, Inc.'s access to customer record information. If a BellSouth audit of 1-800-RECONEX, Inc. is accessing customer record information reveals that 1-800-RECONEX, Inc. is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to 1-800-RECONEX, Inc. may take corrective action, including but not limited to suspending or terminating 1-800-RECONEX, Inc.'s electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.3 <u>Service Ordering</u>. BellSouth will make available the Electronic Data Interchange (EDI) interface and the TAG ordering interface for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. 1-800-RECONEX, Inc. may integrate the EDI interface or the TAG ordering interface with the TAG pre-ordering interface. In addition, BellSouth will provide integrated pre-ordering and ordering capability through the LENS interface for non-complex and certain complex resale service requests and certain network element requests.

Version 2Q02: 05/31/02

- 2.1.4 Maintenance and Repair. 1-800-RECONEX, Inc. may report and monitor service troubles and obtain repair services from BellSouth via electronic interfaces. BellSouth provides several options for electronic trouble reporting. For exchange services, BellSouth will offer 1-800-RECONEX, Inc. non-discriminatory access to the Trouble Analysis Facilitation Interface (TAFI). In addition, BellSouth will offer an industry standard, machine-to-machine Electronic Communications Trouble Administration (ECTA) Gateway interface. For designed services, BellSouth will provide non-discriminatory trouble reporting via the ECTA Gateway. BellSouth will provide 1-800-RECONEX, Inc. an estimated time to repair, an appointment time or a commitment time, as appropriate, on trouble reports. Requests for trouble repair will be billed in accordance with the provisions of this Attachment. BellSouth and 1-800-RECONEX, Inc. agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via the Internet at http://www.interconnection.bellsouth.com.
- 2.2 <u>Change Management</u>. BellSouth provides a collaborative process for change management of the electronic interfaces through the Change Control Process (CCP). Guidelines for this process are set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at http://www.interconnection.bellsouth.com.
- 2.3 <u>BellSouth's Versioning Policy for Electronic Interfaces.</u> BellSouth's Versioning Policy is part of the Change Control Process (CCP). Pursuant to the CCP, BellSouth will issue new software releases for new industry standards for its EDI and TAG electronic interfaces. The Versioning Policy, including the appropriate notification to 1-800-RECONEX, Inc., is set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at http://www.interconnection.bellsouth.com.
- 2.4 <u>Rates.</u> Charges for use of OSS shall be as set forth in Attachments 1 and 2 of this Agreement and are incorporated herein by reference.

3. MISCELLANEOUS

- Pending Orders. Orders placed in the hold or pending status by 1-800-RECONEX, Inc. will be held for a maximum of thirty (30) days from the date the order is placed on hold. After such time, 1-800-RECONEX, Inc. shall be required to submit a new service request. Incorrect or invalid requests returned to 1-800-RECONEX, Inc. for correction or clarification will be held for thirty (30) days. If 1-800-RECONEX, Inc. does not return a corrected request within thirty (30) days, BellSouth will cancel the request.
- 3.2 <u>Single Point of Contact</u>. 1-800-RECONEX, Inc. will be the single point of contact with BellSouth for ordering activity for network elements and other services used by 1-800-RECONEX, Inc. to provide services to its end users, except that

BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected end user. 1-800-RECONEX, Inc. and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of end-user authorization will not be necessary with every request. The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law including, until superseded, the FCC guidelines and orders applicable to Presubscribed Interexchange Carrier (PIC) changes, including Un-PIC. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by 1-800-RECONEX, Inc. to provide service to that end user and may reuse such network elements or facilities to enable such other carrier to provide service to the end user. BellSouth will notify 1-800-RECONEX, Inc. that such a request has been processed, but will not be required to notify 1-800-RECONEX, Inc. in advance of such processing.

- 3.2.1 Neither BellSouth nor 1-800-RECONEX, Inc. shall prevent or delay an end-user from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall provide access to customer service records (CSRs), Firm Order Confirmations (FOCs) and Local Service Request rejects within the intervals set forth in Attachment 9 of this Agreement.
- 3.2.3 1-800-RECONEX, Inc. shall return a FOC to BellSouth within thirty-six (36) hours after 1-800-RECONEX, Inc.'s receipt from BellSouth of a valid LSR.
- 3.2.4 1-800-RECONEX, Inc. shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- 3.3 <u>Use of Facilities</u>. When a customer of 1-800-RECONEX, Inc. elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to 1-800-RECONEX, Inc. by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify 1-800-RECONEX, Inc. that such a request has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an interexchange carrier ("IXC") (i.e. PIC and LPIC changes via Customer

Account Record Exchange (CARE)), BellSouth will provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining end user billing account and other end user information required under subscription requirements.

- 3.6 Cancellation Charges. If 1-800-RECONEX, Inc. cancels a request for network elements or other services, any costs incurred by BellSouth in conjunction with the provisioning of that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if 1-800-RECONEX, Inc. places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements or services requested in accordance with the transmission characteristics of the network elements or services requested, cancellation charges described in this Section shall not apply. Where 1-800-RECONEX, Inc. places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, 1-800-RECONEX, Inc. may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should 1-800-RECONEX, Inc. elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.
- 3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by 1-800-RECONEX, Inc., Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.

Attachment 7

Billing

TABLE OF CONTENTS

1.	PAYMENT AND BILLING ARRANGEMENTS	3
2.	BILLING DISPUTES	
3.	RAO HOSTING	8
4.	OPTIONAL DAILY USAGE FILE	11
5.	ACCESS DAILY USAGE FILE	14
Ra	ites	Exhibit A

BILLING

1. PAYMENT AND BILLING ARRANGEMENTS

The terms and conditions set forth in this Attachment shall apply to all services ordered and provisioned pursuant to this Agreement.

- 1.1 <u>Billing</u>. BellSouth will bill through the Carrier Access Billing System (CABS), Tapestry and/or the Customer Records Information System (CRIS) depending on the particular service(s) provided to 1-800-RECONEX, Inc. under this Agreement. BellSouth will format all bills in CBOS Standard or CLUB/EDI format, depending on the type of service provided. For those services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the applicable industry forum.
- 1.1.1 For any service(s) BellSouth receives from 1-800-RECONEX, Inc., 1-800-RECONEX, Inc. shall bill BellSouth in CABS format.
- 1.1.2 If either Party requests multiple billing media or additional copies of bills, the Billing Party will provide these at a reasonable cost.
- 1.1.3 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to BellSouth.
- 1.1.4 BellSouth will render bills each month for resold lines on established bill days for each of 1-800-RECONEX, Inc.'s accounts. If either Party requests multiple billing media or additional copies of the bills, the Billing Party will provide these at a reasonable cost.
- 1.1.5 BellSouth will bill 1-800-RECONEX, Inc. in advance for all resold services to be provided during the ensuing billing period except charges associated with service usage, which will be billed in arrears. Charges will be calculated on an individual End User account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill 1-800-RECONEX, Inc., and 1-800-RECONEX, Inc. will be responsible for and remit to BellSouth, all charges applicable to resold services including but not limited to 911 and E911 charges, End Users common line charges, federal subscriber line charges, telecommunications relay charges (TRS), and franchise fees.
- 1.1.6 BellSouth will not perform billing and collection services for 1-800-RECONEX, Inc. as a result of the execution of this Agreement. All requests for billing services should be referred to the appropriate entity or operational group within BellSouth.
- 1.1.7 In the event that this Agreement or an amendment to this Agreement effects a rate change to recurring rate elements that are billed in advance, Bellsouth will make an adjustment to such recurring rates billed in advance and at the previously effective

rate. The adjustment shall reflect billing at the new rates from the Effective Date of the Agreement or amendment.

- 1.2 <u>Establishing Accounts.</u> After receiving certification as a local exchange carrier from the appropriate regulatory agency, 1-800-RECONEX, Inc. will provide the appropriate BellSouth local contract manager the necessary documentation to enable BellSouth to establish accounts for Local Interconnection, Network Elements and Other Services, Collocation and/or resold services. Such documentation shall include the Application for Master Account, if applicable, proof of authority to provide telecommunications services, the appropriate Operating Company Number (OCN) assigned by the National Exchange Carriers Association (NECA), Carrier Identification Code (CIC), Group Access Code (GAC), Access Customer Name and Abbreviation (ACNA), as applicable, and a tax exemption certificate, if applicable.
- 1.2.1 Payment Responsibility. Payment of all charges will be the responsibility of 1-800-RECONEX, Inc. 1-800-RECONEX, Inc. shall make payment to BellSouth for all services billed. Payments made by 1-800-RECONEX, Inc. to BellSouth as payment on account will be credited to 1-800-RECONEX, Inc.'s accounts receivable master account. BellSouth will not become involved in billing disputes that may arise between 1-800-RECONEX, Inc. and 1-800-RECONEX, Inc.'s customer.
- 1.3 <u>Payment Due</u>. Payment for services provided will be due on or before the next bill date and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.
- 1.4 If the payment due date falls on a Sunday or on a Holiday that is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 1.6, below, shall apply.
- 1.5 <u>Tax Exemption</u>. Upon BellSouth's receipt of tax exemption certificate, the total amount billed to 1-800-RECONEX, Inc. will not include those taxes or fees from which 1-800-RECONEX, Inc. is exempt. 1-800-RECONEX, Inc. will be solely responsible for the computation, tracking, reporting and payment of all taxes and like fees associated with the services provided to the end user of 1-800-RECONEX, Inc..
- 1.6 <u>Late Payment</u>. If any portion of the payment is received by BellSouth after the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment charge shall be due to BellSouth. The late payment charge

shall be the portion of the payment not received by the payment due date multiplied by a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Services Tariff, Section B2 of the Private Line Service Tariff or Section E2 of the Intrastate Access Tariff, as appropriate. In addition to any applicable late payment charges, 1-800-RECONEX, Inc. may be charged a fee for all returned checks as set forth in Section A2 of the General Subscriber Services Tariff or pursuant to the applicable state law.

- 1.7 <u>Discontinuing Service to 1-800-RECONEX, Inc.</u>. The procedures for discontinuing service to 1-800-RECONEX, Inc. are as follows:
- 1.7.1 BellSouth reserves the right to suspend or terminate service in the event of prohibited, unlawful or improper use of BellSouth facilities or service, abuse of BellSouth facilities, or any other violation or noncompliance by 1-800-RECONEX, Inc. of the rules and regulations of BellSouth's tariffs.
- 1.7.2 BellSouth reserves the right to suspend or terminate service for nonpayment. If payment of amounts not subject to a billing dispute, as described in Section 2, is not received by the bill date in the month after the original bill date, BellSouth will provide written notice to 1-800-RECONEX, Inc. that additional applications for service may be refused, that any pending orders for service may not be completed, and/or that access to ordering systems may be suspended if payment is not received by the fifteenth day following the date of the notice. In addition, BellSouth may, at the same time, provide written notice to the person designated by 1-800-RECONEX, Inc. to receive notices of noncompliance that BellSouth may discontinue the provision of existing services to 1-800-RECONEX, Inc. if payment is not received by the thirtieth day following the date of the initial notice.
- 1.7.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.
- 1.7.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and 1-800-RECONEX, Inc.'s noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to 1-800-RECONEX, Inc. without further notice.
- 1.7.5 Upon discontinuance of service on 1-800-RECONEX, Inc.'s account, service to 1-800-RECONEX, Inc.'s end users will be denied. BellSouth will reestablish service for 1-800-RECONEX, Inc. upon payment of all past due charges and the appropriate connection fee subject to BellSouth's normal application procedures. 1-800-RECONEX, Inc. is solely responsible for notifying the end user of the proposed service disconnection. If within fifteen (15) days after 1-800-RECONEX, Inc. has been denied and no arrangements to reestablish service have been made consistent with this subsection, 1-800-RECONEX, Inc.'s service will be disconnected.

1.8

Deposit Policy. 1-800 RECONEX, Inc. shall complete the BellSouth Credit Profile and provide information to BellSouth regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security. Any such security deposit shall in no way release 1-800 RECONEX, Inc. from its obligation to make complete and timely payments of its bill. 1-800 RECONEX, Inc. shall pay any applicable deposits prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security deposit, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC-1) security interest in 1-800 RECONEX, Inc.'s "accounts receivable and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing. In the event 1-800 RECONEX, Inc. fails to remit to BellSouth any deposit requested pursuant to this Section, service to 1-800 RECONEX, Inc. may be terminated, pursuant to Section 1.7.2 of this Attachment 7, and any security deposits will be applied to 1-800 RECONEX, Inc.'s account(s). In the event 1-800 RECONEX, Inc. defaults on its account, service to 1-800 RECONEX, Inc. will be terminated, pursuant to Section 1.7.2 of this Attachment 7, and any security deposits will be applied to its account. A customer may request, in writing, that BellSouth review their current credit worthiness and that BellSouth refund their security deposit(s) if such Customer meets all of the following criteria: 12 months prompt payment history of all undisputed charges; acceptable debt rating; Customer has not filed nor received protection from bankruptcy rules and statutes for a period of ten years. When conducting its review to consider refund of deposit(s), BellSouth will apply the same methodology it used to determine that a security deposit was required. If BellSouth's review determines the customer is now credit worthy, the Customer's deposit(s) will be refunded or credited to the Customer's account.

Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, including notices relating to security deposits, disconnection of services for nonpayment of charges, and rejection of additional orders from 1-800-RECONEX, Inc., shall be forwarded to the individual and/or address provided by 1-800-RECONEX, Inc. in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by 1-800-RECONEX, Inc. as the contact for billing information. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, upon written notice from 1-800-RECONEX, Inc. to BellSouth's billing organization, a final notice of disconnection of services purchased by 1-800-RECONEX, Inc. under this Agreement shall be

sent via certified mail to the individual(s) listed in the Notices provision of the General Terms and Conditions of this Agreement at least 30 days before BellSouth takes any action to terminate such services.

1.10 Rates. Rates for Optional Daily Usage File (ODUF), Access Daily Usage File (ADUF), and Centralized Message Distribution Service (CMDS) are set out in Exhibit A to this Attachment. If no rate is identified in this Attachment, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

2. BILLING DISPUTES

- 2.1 Each Party agrees to notify the other Party in writing upon the discovery of a billing dispute. 1-800-RECONEX, Inc. shall report all billing disputes to BellSouth using the Billing Adjustment Request Form (RF 1461) provided by BellSouth. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the notification date. If the Parties are unable within the 60 day period to reach resolution, then the aggrieved Party may pursue dispute resolution in accordance with the General Terms and Conditions of this Agreement.
- 2.2 For purposes of this Section 2, a billing dispute means a reported dispute of a specific amount of money actually billed by either Party. The dispute must be clearly explained by the disputing Party and supported by written documentation, which clearly shows the basis for disputing charges. By way of example and not by limitation, a billing dispute will not include the refusal to pay all or part of a bill or bills when no written documentation is provided to support the dispute, nor shall a billing dispute include the refusal to pay other amounts owed by the billed Party until the dispute is resolved. Claims by the billed Party for damages of any kind will not be considered a billing dispute for purposes of this Section. If the billing dispute is resolved in favor of the billing Party, the disputing Party will make immediate payment of any of the disputed amount owed to the billing Party or the billing Party shall have the right to pursue normal treatment procedures. Any credits due to the disputing Party, pursuant to the billing dispute, will be applied to the disputing Party's account by the billing Party immediately upon resolution of the dispute.
- If a Party disputes a charge and does not pay such charge by the payment due date, or if a payment or any portion of a payment is received by either Party after the payment due date, or if a payment or any portion of a payment is received in funds which are not immediately available to the other Party, then a late payment charge and interest, where applicable, shall be assessed. For bills rendered by either Party for payment, the late payment charge for both Parties shall be calculated based on the portion of the payment not received by the payment due date multiplied by the late factor as set forth in the following BellSouth tariffs: for services purchased from the General Subscribers Services Tariff for purposes of resale and for ports

and non-designed loops, Section A2 of the General Subscriber Services Tariff; for services purchased from the Private Line Tariff for purposes of resale, Section B2 of the Private Line Service Tariff; and for designed network elements and other services and local interconnection charges, Section E2 of the Access Service Tariff. The Parties shall assess interest on previously assessed late payment charges only in a state where it has the authority pursuant to its tariffs.

3. RAO HOSTING

- 3.1 RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to 1-800-RECONEX, Inc. by BellSouth will be in accordance with the methods and practices regularly applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 3.2 1-800-RECONEX, Inc. shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 3.3 Charges or credits, as applicable, will be applied by BellSouth to 1-800-RECONEX, Inc. on a monthly basis in arrears. Amounts due (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- 3.4 1-800-RECONEX, Inc. must have its own unique hosted RAO code. Where BellSouth is the selected CMDS interfacing host, 1-800-RECONEX, Inc. must request that BellSouth establish a unique hosted RAO code for 1-800-RECONEX, Inc.. Such request shall be in writing to the BellSouth RAO Hosting coordinator and must be submitted at least eight (8) weeks prior to provision of services pursuant to this Section. Services shall commence on a date mutually agreed by the Parties.
- 3.5 BellSouth will receive messages from 1-800-RECONEX, Inc. that are to be processed by BellSouth, another LEC in the BellSouth region or a LEC outside the BellSouth region. 1-800-RECONEX, Inc. shall send all messages to BellSouth no later than sixty (60) days after the message date.
- 3.6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from 1-800-RECONEX, Inc..
- 3.7 All data received from 1-800-RECONEX, Inc. that is to be processed or billed by another LEC within the BellSouth region will be distributed to that LEC in accordance with the Agreement(s) in effect between BellSouth and the involved LEC.
- 3.8 All data received from 1-800-RECONEX, Inc. that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in

accordance with the agreement(s) in effect between BellSouth and its connecting contractor.

- 3.9 BellSouth will receive messages from the CMDS network that are destined to be processed by 1-800-RECONEX, Inc. and will forward them to 1-800-RECONEX, Inc. on a daily basis for processing.
- 3.10 Transmission of message data between BellSouth and 1-800-RECONEX, Inc. will be via CONNECT:Direct.
- 3.10.1 Data circuits (private line or dial-up) will be required between BellSouth and 1-800-RECONEX, Inc. for the purpose of data transmission. Where a dedicated line is required, 1-800-RECONEX, Inc. will be responsible for ordering the circuit and coordinating the installation with BellSouth. 1-800-RECONEX, Inc. is responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit data will be negotiated on a individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to 1-800-RECONEX, Inc.. Additionally, all message toll charges associated with the use of the dial circuit by 1-800-RECONEX, Inc. will be the responsibility of 1-800-RECONEX, Inc.. Associated equipment on the BellSouth end, including a modem, will be negotiated on a individual case basis between the Parties. All equipment, including modems and software, that is required on the 1-800-RECONEX, Inc. end for the purpose of data transmission will be the responsibility of 1-800-RECONEX, Inc..
- 3.11 All messages and related data exchanged between BellSouth and 1-800-RECONEX, Inc. will be formatted for EMI formatted records and packed between appropriate EMI header and trailer records in accordance with accepted industry standards.
- 3.12 1-800-RECONEX, Inc. will maintain recorded message detail necessary to recreate files provided to BellSouth for a period of three (3) calendar months beyond the related message dates.
- 3.13 Should it become necessary for 1-800-RECONEX, Inc. to send data to BellSouth more than sixty (60) days past the message date(s), 1-800-RECONEX, Inc. will notify BellSouth in advance of the transmission of the data. BellSouth will work with its connecting contractor and/or 1-800-RECONEX, Inc., where necessary, to notify all affected LECs.
- In the event that data to be exchanged between the two Parties should become lost or destroyed, the Party responsible for creating the data will make every effort to restore and retransmit such data. If the data cannot be retrieved, the Party responsible for losing or destroying the data will be liable to the other Party for any

resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the resolution of the amount owed, or as mutually agreed upon by the Parties.

- 3.15 Should an error be detected by the EMI format edits performed by BellSouth on data received from 1-800-RECONEX, Inc., the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify 1-800-RECONEX, Inc. of the error. 1-800-RECONEX, Inc. will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, 1-800-RECONEX, Inc. will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- 3.16 In association with message distribution service, BellSouth will provide 1-800-RECONEX, Inc. with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 3.17 Notwithstanding anything in this Agreement to the contrary, in no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Section 3.
- 3.18 Intercompany Settlements Messages
- 3.18.1 Intercompany Settlements Messages facilitate the settlement of revenues associated with traffic originated from or billed by 1-800-RECONEX, Inc. as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between 1-800-RECONEX, Inc. and the involved company(ies), unless that company is participating in NICS.
- 3.18.2 Both traffic that originates outside the BellSouth region by 1-800-RECONEX, Inc. and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by 1-800-RECONEX, Inc., is covered by CATS. Also covered is traffic that either is originated by or billed by 1-800-RECONEX, Inc., involves a company other than 1-800-RECONEX, Inc., qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).
- 3.18.3 Once 1-800-RECONEX, Inc. is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via NICS.

- 3.18.4 BellSouth will receive the monthly NICS reports from Telcordia on behalf of 1-800-RECONEX, Inc.. BellSouth will distribute copies of these reports to 1-800-RECONEX, Inc. on a monthly basis.
- 3.18.5 BellSouth will receive the monthly CATS reports from Telcordia on behalf of 1-800-RECONEX, Inc.. BellSouth will distribute copies of these reports to 1-800-RECONEX, Inc. on a monthly basis.
- 3.18.6 BellSouth will collect the revenue earned by 1-800-RECONEX, Inc. from the Bell operating company in whose territory the messages are billed via CATS, less a per message billing and collection fee of five cents (\$0.05), on behalf of 1-800-RECONEX, Inc. BellSouth will remit the revenue billed by 1-800-RECONEX, Inc. to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on 1-800-RECONEX, Inc.. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to 1-800-RECONEX, Inc. via a monthly Carrier Access Billing System (CABS) miscellaneous bill.
- 3.18.7 BellSouth will collect the revenue earned by 1-800-RECONEX, Inc. within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of 1-800-RECONEX, Inc.. BellSouth will remit the revenue billed by 1-800-RECONEX, Inc. within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to 1-800-RECONEX, Inc. via a monthly CABS miscellaneous bill.
- 3.18.8 BellSouth and 1-800-RECONEX, Inc. agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

4. OPTIONAL DAILY USAGE FILE

- 4.1 Upon written request from 1-800-RECONEX, Inc., BellSouth will provide the Optional Daily Usage File (ODUF) service to 1-800-RECONEX, Inc. pursuant to the terms and conditions set forth in this section.
- 4.2 1-800-RECONEX, Inc. shall furnish all relevant information required by BellSouth for the provision of the ODUF.
- 4.3 The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a 1-800-RECONEX, Inc. customer.
- 4.4 Charges for the ODUF will appear on 1-800-RECONEX, Inc.s' monthly bills. The charges are as set forth in Exhibit A to this Attachment.

4.5 The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format. 4.6 Messages that error in the billing system of 1-800-RECONEX, Inc. will be the responsibility of 1-800-RECONEX, Inc.. If, however, 1-800-RECONEX, Inc. should encounter significant volumes of errored messages that prevent processing by 1-800-RECONEX, Inc. within its systems, BellSouth will work with 1-800-RECONEX, Inc. to determine the source of the errors and the appropriate resolution. 4.7 The following specifications shall apply to the ODUF feed. 4.7.1 ODUF Messages to be Transmitted 4.7.1.1 The following messages recorded by BellSouth will be transmitted to 1-800-RECONEX, Inc.: 4.7.1.1.1 Message recording for per use/per activation type services (examples: Three -Way Calling, Verify, Interrupt, Call Return, etc.) 4.7.1.1.2 Measured billable Local 4.7.1.1.3 Directory Assistance messages 4.7.1.1.4 IntraLATA Toll 4.7.1.1.5 WATS and 800 Service 4.7.1.1.6 N11 4.7.1.1.7 Information Service Provider Messages 4.7.1.1.8 **Operator Services Messages** Operator Services Message Attempted Calls (Network Element only) 4.7.1.1.9 Credit/Cancel Records 4.7.1.1.10 4.7.1.1.11 Usage for Voice Mail Message Service 4.7.1.2 Rated Incollects (messages BellSouth receives from other revenue accounting offices) can also be on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.

- 4.7.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to 1-800-RECONEX. Inc..
- 4.7.1.4 In the event that 1-800-RECONEX, Inc. detects a duplicate on ODUF they receive from BellSouth, 1-800-RECONEX, Inc. will drop the duplicate message and will not return the duplicate to BellSouth.
- 4.7.2 ODUF Physical File Characteristics
- 4.7.2.1 ODUF will be distributed to 1-800-RECONEX, Inc. via CONNECT:Direct or another mutually agreed medium. The ODUF feed will be a variable block format (2476) with a Logical Record Link (LRECL) of 2472. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 4.7.2.2 Data circuits (private line or dial-up) will be required between BellSouth and 1-800-RECONEX, Inc. for the purpose of data transmission as set forth in Section 3.10.1 above.
- 4.7.3 ODUF Packing Specifications
- 4.7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 4.7.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to 1-800-RECONEX, Inc. which BellSouth RAO that is sending the message. BellSouth and 1-800-RECONEX, Inc. will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by 1-800-RECONEX, Inc. and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 4.7.4 ODUF Pack Rejection
- 4.7.4.1 1-800-RECONEX, Inc. will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. 1-800-RECONEX, Inc. will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to 1-800-RECONEX, Inc. by BellSouth.

- 4.7.5 ODUF Control Data
- 4.7.5.1 1-800-RECONEX, Inc. will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate 1-800-RECONEX, Inc.'s receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by 1-800-RECONEX, Inc. for reasons stated in the above section.
- 4.7.6 ODUF Testing
- 4.7.6.1 Upon request from 1-800-RECONEX, Inc., BellSouth shall send ODUF test files to 1-800-RECONEX, Inc.. The Parties agree to review and discuss the ODUF content and/or format. For testing of usage results, BellSouth shall request that 1-800-RECONEX, Inc. set up a production (live) file. The live test may consist of 1-800-RECONEX, Inc.'s employees making test calls for the types of services 1-800-RECONEX, Inc. requests on ODUF. These test calls are logged by 1-800-RECONEX, Inc., and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

5. ACCESS DAILY USAGE FILE

- 5.1 Upon written request from 1-800-RECONEX, Inc., BellSouth will provide the Access Daily Usage File (ADUF) service to 1-800-RECONEX, Inc. pursuant to the terms and conditions set forth in this section.
- 5.2 1-800-RECONEX, Inc. shall furnish all relevant information required by BellSouth for the provision of ADUF.
- 5.3 ADUF will contain access messages associated with a port that 1-800-RECONEX, Inc. has purchased from BellSouth
- 5.4 Charges for ADUF will appear on 1-800-RECONEX, Inc.'s monthly bills. The charges are as set forth in Exhibit A to this Attachment. All messages will be in the standard ATIS EMI record format.
- Messages that error in the billing system of 1-800-RECONEX, Inc. will be the responsibility of 1-800-RECONEX, Inc.. If, however, 1-800-RECONEX, Inc. should encounter significant volumes of errored messages that prevent processing by 1-800-RECONEX, Inc. within its systems, BellSouth will work with 1-800-RECONEX, Inc. to determine the source of the errors and the appropriate resolution.
- 5.6 ADUF Messages To Be Transmitted
- 5.6.1 The following messages recorded by BellSouth will be transmitted to 1-800-RECONEX, Inc.:

- 5.6.1.1 Recorded originating and terminating interstate and intrastate access records associated with a port.
- 5.6.1.2 Recorded terminating access records for undetermined jurisdiction access records associated with a port.
- 5.6.2 BellSouth will perform duplicate record checks on records processed to ADUF. Any duplicate messages detected will be dropped and not sent to 1-800-RECONEX, Inc..
- 5.6.3 In the event that 1-800-RECONEX, Inc. detects a duplicate on ADUF they receive from BellSouth, 1-800-RECONEX, Inc. will drop the duplicate message and will not return the duplicate to BellSouth.
- 5.6.4 ADUF Physical File Characteristics
- ADUF will be distributed to 1-800-RECONEX, Inc. via CONNECT:Direct or another mutually agreed medium. The ADUF feed will be a fixed block format (2476) with an LRECL of 2472. The data on the ADUF feed will be in a non-compacted EMI format (210 byte). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 5.6.4.2 Data circuits (private line or dial-up) will be required between BellSouth and 1-800-RECONEX, Inc. for the purpose of data transmission as set forth in Section 3.10.1 above.
- 5.6.5 ADUF Packing Specifications
- 5.6.5.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to 1-800-RECONEX, Inc. which BellSouth RAO is sending the message. BellSouth and 1-800-RECONEX, Inc. will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by 1-800-RECONEX, Inc. and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 5.6.6 ADUF Pack Rejection
- 5.6.6.1 1-800-RECONEX, Inc. will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack

Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. 1-800-RECONEX, Inc. will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to 1-800-RECONEX, Inc. by BellSouth.

- 5.6.7 ADUF Control Data
- 5.6.7.1 1-800-RECONEX, Inc. will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate 1-800-RECONEX, Inc.'s receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by 1-800-RECONEX, Inc. for reasons stated in the above section.
- 5.6.8 ADUF Testing
- 5.6.8.1 Upon request from 1-800-RECONEX, Inc., BellSouth shall send a test file of generic data to 1-800-RECONEX, Inc. via Connect:Direct or Text File via E-Mail. The Parties agree to review and discuss the test file's content and/or format.

ODUF/ADUF	F/EODUF/CMDS - Alabama												Attachr	nent: 7	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C																
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.007037										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.000113										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.000011										
	ODUF: Message Processing, per message				N/A	0.004101										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	42.67										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.000094										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message				N/A	0.22										
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set f	orth in appli	icable BellSout	h tariff or as n	egotiated by t	he Parties upor	n request by ei	ther Party.					

ODUF/ADUF	F/EODUF/CMDS - Florida												Attachr	nent: 7	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C																
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.014391										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012973										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000071										
	ODUF: Message Processing, per message				N/A	0.006835										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.96										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010811										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message				N/A	0.229109										
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appli	icable BellSout	h tariff or as n	egotiated by t	he Parties upor	n request by ei	ther Party.					

ODUF/ADUF	F/EODUF/CMDS - Georgia												Attachr	nent: 7	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C																
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.0136327										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000434										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0001275										
	ODUF: Message Processing, per message				N/A	0.0082548										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	28.85										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000434										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	CED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message				N/A	0.0034555										
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appli	cable BellSout	h tariff or as n	egotiated by tl	he Parties upor	n request by ei	ther Party.					

ODUF/ADUF	F/EODUF/CMDS - Kentucky												Attachr	nent: 7	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C																
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.001857										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0001245										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000136										
	ODUF: Message Processing, per message				N/A	0.002506										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	35.90										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010372										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)		<u> </u>												1	
	EODUF: Message Processing, per message				N/A	0.235889										
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appli	cable BellSout	h tariff or as n	egotiated by t	he Parties upor	n request by ei	ther Party.					

ODUF/ADUF	F/EODUF/CMDS - Louisiana												Attachr	nent: 7	Exhil	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge -	Charge -	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	DEDUF/CMDS															
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.007983										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012681										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000117										
	ODUF: Message Processing, per message				N/A	0.004641										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.45										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010568										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001							·			
ENHAI	NCED OPTIONAL DAILY USAGE FILE (EODUF)		<u> </u>													
	EODUF: Message Processing, per message				N/A	0.250015										
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appli	cable BellSout	h tariff or as n	egotiated by tl	he Parties upor	n request by ei	ther Party.					

ODUF/ADUF	F/EODUF/CMDS - Mississippi												Attachr	nent: 7	Exhil	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Charge -	Charge -	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	DEDUF/CMDS															
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.008087										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012803										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000063										
	ODUF: Message Processing, per message				N/A	0.004707										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	49.04										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010669										
CENTE	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message				N/A	0.250424										
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appli	cable BellSout	h tariff or as n	egotiated by t	he Parties upor	n request by ei	ther Party.					

ODUF/ADUF	F/EODUF/CMDS - North Carolina												Attachr	nent: 7	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC							Submitted Manually	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	DEDUF/CMDS															
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.01435										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0001277										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0003										
	ODUF: Message Processing, per message				N/A	0.0032										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	54.61										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00004										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHAI	NCED OPTIONAL DAILY USAGE FILE (EODUF)		<u> </u>												1	
	EODUF: Message Processing, per message				N/A	0.2285406										
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appli	cable BellSout	h tariff or as n	egotiated by t	he Parties upor	n request by ei	ther Party.					

Version 2Q02: 07/11/02

ODUF/ADUF	F/EODUF/CMDS - South Carolina												Attachr	nent: 7	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc							Submitted	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C																
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.008061										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00013036										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000216										
	ODUF: Message Processing, per message				N/A	0.004704										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.87										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010863										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message				N/A	0.258301										
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set f	forth in appli	icable BellSout	h tariff or as n	egotiated by t	he Parties upor	n request by ei	ther Party.					

Version 2Q02: 07/11/02

ODUF/ADUF	F/EODUF/CMDS - Tennessee												Attachr	nent: 7	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC							Submitted	Charge -	Charge -	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C																
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.004										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000044										
	ODUF: Message Processing, per message				N/A	0.0027366										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	52.75										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000339										
CENTE	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message				N/A	0.004										
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set f	orth in appli	cable BellSou	th tariff or as ne	egotiated by the	ne Parties upor	request by ei	ther Party.					

Version 2Q02: 07/11/02

Attachment 8

Rights-of-Way, Conduits and Pole Attachments

Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a license agreement subsequently negotiated with BellSouth's Competitive Structure Provisioning Center.

ATTACHMENT 9

PERFORMANCE MEASUREMENTS

PERFORMANCE MEASUREMENTS

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission. Performance Measurements that have been Ordered in a particular state can currently be accessed via the internet at https://pmap.bellsouth.com. At the request of the Tennessee Regulatory Authority (TRA), the following Regional Service Quality Measurements (SQM) plan is being included as the performance measurements currently in place for the state of Tennessee. At such time that the TRA issues an Order pertaining to Performance Measurements, such Performance Measurements shall supersede the Regional SQM contained in the Agreement.

BellSouth Service Quality Measurement Plan (SQM)

Region Performance Metrics

Measurement Descriptions Version 0.06

Issue Date: June 4, 2002

Introduction

The BellSouth Service Quality Measurement Plan (SQM) describes in detail the measurements produced to evaluate the quality of service delivered to BellSouth's customers both wholesale and retail. The SQM was developed to respond to the requirements of the Communications Act of 1996 Section 251 (96 Act) which required BellSouth to provide non-discriminatory access to Competitive Local Exchange Carriers (CLEC)¹ and its Retail Customers. The reports produced by the SQM provide regulators, CLECs and BellSouth the information necessary to monitor the delivery of non-discriminatory access.

This plan results from the many divergent forces evolving from the 96 Act. The 96 Act, the Georgia Public Service Commission (GPSC) Order (Docket 7892-U 12/30/97), LCUG 1-7.0, the FCC's NPRM (CC Docket 98-56 RM9101 04/17/98), the Louisiana Public Service Commission (LPSC) Order (Docket U-22252 Subdocket C 04/19/98), numerous arbitration cases, LPSC sponsored collaborative workshops (10/98-02/00), and proceedings in Alabama, Mississippi, and North Carolina have and continue to influence the SQM.

The SQM and the reports flowing from it must change to reflect the dynamic requirements of the industry. New measurements are added as new products, systems, and processes are developed and fielded. New products and services are added as the markets for them develop and the processes stabilize. The measurements are also changed to reflect changes in systems, correct errors, and respond to both 3rd Party audit requirements and Commission requirements.

This document is intended for use by someone with knowledge of telecommunications industry, information technologies and a functional knowledge of the subject areas covered by the BellSouth Performance Measurements and the reports that flow from them.

Once it is approved, the most current copy of this document can be found on the web at URL: https://pmap.bellsouth.com in the Documentation Downloads folder.

Report Publication Dates

Each month, preliminary SQM reports will be posted to BellSouth's SQM web site (https://www.pmap.bellsouth.com) by 8:00 A.M. EST on the 21st day of each month or the first business day after the 21st. Final validated SQM reports will be posted by 8:00 A.M. on the last day of the month. Reports not posted by this time will be considered late for SEEM payment purposes. SEEM reports will posted on the 15th of the following month. Payments due will also be paid on the 15th of the following month. For instance: May data will be posted in preliminary SQM reports on June 21. Final validated SQM reports will be posted on the last day of June. Final validated SEEM reports will be posted and payments mailed on July 15th. In the event the 15th falls on a weekend or holiday, reports and payments will be posted/made the next business day.

_

Alternative Local Exchange Companies (ALEC) and Competing Local Providers (CLP) are referred to as Competitive Local Exchange Carriers (CLEC) in this document.

Report Delivery Methods

CLEC SQM and SEEM reports will be considered delivered when posted to the web site. Commissions will be given access to the web site. In addition, a copy of the Monthly State Summary reports will be filed with the appropriate Commissions as soon as possible after the last day of each month.

Document Number: RGN-V005-122101

Contents

Section 1: Operations Support Systems (OSS)	
OSS-1: Average Response Time and Response Interval (Pre-Ordering/ Ordering)	1-1
OSS-2: Interface Availability (Pre-Ordering/Ordering)	1-5
OSS-3: Interface Availability (Maintenance & Repair)	1-7
OSS-4: Response Interval (Maintenance & Repair)	1-9
PO-1: Loop Makeup - Response Time – Manual	1-11
PO-2: Loop Make Up - Response Time - Electronic	1-13
Section 2: Ordering	2-1
O-1: Acknowledgement Message Timeliness	
O-2: Acknowledgement Message Completeness	
O-3: Percent Flow-Through Service Requests (Summary)	
O-4: Percent Flow-Through Service Requests (Detail)	
O-5: Flow-Through Error Analysis	
O-6: CLEC LSR Information	
LSR Flow Through Matrix	
O-7: Percent Rejected Service Requests	
O-8: Reject Interval	
O-9: Firm Order Confirmation Timeliness	
O-10: Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual	
O-11: Firm Order Confirmation and Reject Response Completeness	
O-12: Speed of Answer in Ordering Center	
O-13: LNP-Percent Rejected Service Requests	
O-14: LNP-Reject Interval Distribution & Average Reject Interval	
O-15: LNP-Firm Order Confirmation Timeliness Interval Distribution & Firm Order Confirmation	
Average Interval	
Section 3: Provisioning	3_1
P-1: Mean Held Order Interval & Distribution Intervals.	
P-2: Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices	
P-3: Percent Missed Installation Appointments	
P-4: Average Completion Interval (OCI) & Order Completion Interval Distribution	
P-5: Average Completion Notice Interval	
P-6: % Completions/Attempts without Notice or < 24 hours Notice	
P-7: Coordinated Customer Conversions Interval	
P-7A: Coordinated Customer Conversions – Hot Cut Timeliness% Within Interval and Aver	
Interval	_
P-7B: Coordinated Customer Conversions – Average Recovery Time	
P-7C: Hot Cut Conversions - % Provisioning Troubles Received Within 7 days of a complet	
Service Order	
P-8: Cooperative Acceptance Testing - % of xDSL Loops Tested	
P-9: % Provisioning Troubles within 30 days of Service Order Completion	
P-10: Total Service Order Cycle Time (TSOCT)	
P-11: Service Order Accuracy	
P-12: LNP-Percent Missed Installation Appointments	
P-13: I.NP-Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distr	

	3-34
P-14: LNP-Total Service Order Cycle Time (TSOCT)	
Section 4: Section 4: Maintenance & Repair	4-1
M&R-1: Missed Repair Appointments.	4-1
M&R-2: Customer Trouble Report Rate	
M&R-3: Maintenance Average Duration	
M&R-4: Percent Repeat Troubles within 30 Days	
M&R-5: Out of Service (OOS) > 24 Hours	
M&R-6: Average Answer Time – Repair Centers	4-11
M&R-7: Mean Time To Notify CLEC of Network Outages	4-12
Section 5: Billing	5-1
B-1: Invoice Accuracy	5-1
B2: Mean Time to Deliver Invoices	5-3
B3: Usage Data Delivery Accuracy	5-5
B4: Usage Data Delivery Completeness	5-6
B5: Usage Data Delivery Timeliness	5-7
B6: Mean Time to Deliver Usage	
B7: Recurring Charge Completeness	
B8: Non-Recurring Charge Completeness	5-10
Section 6: Operator Services And Directory Assistance	6-1
OS-1: Speed to Answer Performance/Average Speed to Answer - Toll	
OS-2: Speed to Answer Performance/Percent Answered with "X" Seconds - Toll	6-2
DA-1: Speed to Answer Performance/Average Speed to Answer - Directory Assista	, ,
DA-2: Speed to Answer Performance/Percent Answered within "X" Seconds - Direction of the Darker Performance (Percent Answered Within "X" Seconds - Direction of the Darker Performance (Percent Answered Within "X" Seconds - Direction of the Darker Performance (Percent Answered Within "X" Seconds - Direction of the Darker Performance (Percent Answered Within "X" Seconds - Direction of the Darker Performance (Percent Answered Within "X" Seconds - Direction of the Darker Performance (Percent Answered Within "X" Seconds - Direction of the Darker Performance (Percent Answered Within "X" Seconds - Direction of the Darker Performance (Percent Answered Within "X" Seconds - Direction of the Darker Performance (Percent Answered Within "X" Seconds - Direction of the Darker Performance (Percent Answered Within "X" Seconds - Direction of the Darker Performance (Percent Answered Within "X" Seconds - Direction of the Darker Performance (Percent Answered Within "X" Seconds - Direction of the Darker Performance (Percent Answered Within "X" Seconds - Direction of the Darker Performance (Percent Answered Within "X" Seconds - Direction of the Darker Performance (Percent Answered Within "X" Seconds - Direction of the Darker Performance (Percent Answered Within "X" Seconds - Direction of the Darker Performance (Percent Answered Within "X" Seconds - Direction of the Darker Performance (Percent Answered Within "X" Seconds - Direction of the Darker Percent (Percent Answered Within "X" Seconds - Direction of the Darker Percent (Percent Answered Within "Y" Seconds - Direction of the Darker Percent (Percent Answered Within "X" Seconds - Direction of the Darker Percent (Percent Answered Within "Y" Seconds - Direction of the Darker Percent (Percent Answered Within "Y" Seconds - Direction of the Darker Percent (Percent Answered Within "Y" Seconds - Direction of the Darker Percent (Percent Answered Within "Y" Percent (Percent Answered Within "Y" Percent (Percent Answered Within "Y" Percent (Percent Answered Within "Y" Percent (Percent Answered	•
(DA)	6-4
Section 7: Database Update Information	7-1
D-1: Average Database Update Interval	
D-2: Percent Database Update Accuracy	7-3
D-3: Percent NXXs and LRNs Loaded by the LERG Effective Date	7-5
Section 8: E911	8-1
E-1: Timeliness	
E-2: Accuracy	
E-3: Mean Interval.	
Section 9: Trunk Group Performance	9-1
TGP-1: Trunk Group Performance-Aggregate	
TGP-2: Trunk Group Performance-CLEC Specific	
Section 10: Collocation	10-1
C-1: Collocation Average Response Time	
C-2: Collocation Average Arrangement Time	
C-3: Collocation Percent of Due Dates Missed	
Section 11: Change Management	11-4
CM-1: Timeliness of Change Management Notices	
CM-2: Change Management Notice Average Delay Days	

CM-4: Change Management Documentation Average Delay Days	CM-3: Timeliness of Documents Associated with Change	11-6
Section 12: Bona Fide / New Business Request Process	CM-4: Change Management Documentation Average Delay Days	11-7
BFR-1: Percentage of BFR/NBR Requests Processed Within 30 Business Days		
BFR-1: Percentage of BFR/NBR Requests Processed Within 30 Business Days	Section 12: Bona Fide / New Business Request Process	12-1
BFR-2: Percentage of Quotes Provided for Authorized BFR/NBR Requests Processed Within X (10/30/60) Business Days		
Appendix A: Reporting Scope		
A-1: Standard Service Groupings	(10/30/60) Business Days	12-2
A-1: Standard Service Groupings	Appendix A: Reporting Scope	
A-2: Standard Service Order Activities	A-1: Standard Service Groupings	1
	Appendix B: Glossary of Acronyms and Terms	1
	Appendix C: BellSouth Audit Policy	

Section 1: Operations Support Systems (OSS)

OSS-1: Average Response Time and Response Interval (Pre-Ordering/ Ordering)

Definition

Average response time and response intervals are the average times and number of requests responded to within certain intervals for accessing legacy data associated with appointment scheduling, service & feature availability, address verification, request for Telephone numbers (TNs), and Customer Service Records (CSRs).

Exclusions

None

Business Rules

The average response time for retrieving pre-order/order information from a given legacy system is determined by summing the response times for all requests submitted to the legacy systems during the reporting period and dividing by the total number of legacy system requests for that month.

The response interval starts when the client application (LENS or TAG for CLECs and RNS or ROS for BellSouth) submits a request to the legacy system and ends when the appropriate response is returned to the client application. The number of accesses to the legacy systems during the reporting period which take less than 2.3 seconds, the number of accesses which take more than 6 seconds, and the number which are less than or equal to 6.3 seconds are also captured.

Calculation

Response Time = (a - b)

- a = Date & Time of Legacy Response
- b = Date & Time of Legacy Request

Average Response Time = c / d

- c = Sum of Response Times
- d = Number of Legacy Requests During the Reporting Period

Report Structure

- · Not CLEC Specific
- Not Product/Service Specific
- Regional Level

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
• Report Month	Report Month
• Legacy Contract (per reporting dimension)	Legacy Contract (per reporting dimension)
Response Interval	Response Interval
Regional Scope	Regional Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• RSAG – Address (Regional Street Address Guide-	
Address) – stores street address information used to	
validate customer addresses. CLECs and BellSouth query	
this legacy system.	
• RSAG – TN (Regional Street Address Guide-Telephone	
number) – contains information about facilities available	
and telephone numbers working at a given address.	

CLECs and BellSouth query this legacy system.

- ATLAS (Application for Telephone Number Load Administration and Selection) – acts as a warehouse for storing telephone numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve telephone numbers. CLECs and BellSouth query this legacy system.
- **COFFI** (Central Office Feature File Interface) stores information about product and service offerings and availability. CLECs query this legacy system.
- DSAP (DOE Support Application) provides due date information. CLECs and BellSouth query this legacy system.
- HAL/CRIS (Hands-Off Assignment Logic/Customer Record Information System) – a system used to access the Business Office Customer Record Information System (BOCRIS). It allows BellSouth servers, including LENS, access to legacy systems. CLECs query this legacy system.
- P/SIMS (Product/Services Inventory Management system) – provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.
- OASIS (Obtain Available Services Information Systems)
 Information on feature and rate availability. BellSouth queries this legacy system.

Table 1: Legacy System Access Times For RNS

System	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. Sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	Х	X	X	X	X
ATLAS	ATLAS-TN	TN	Х	X	X	X	X
DSAP	DSAP	Schedule	X	X	X	X	X
CRIS	CRSACCTS	CSR	Х	X	X	X	X
OASIS	OASISCAR	Feature/Service	X	X	X	X	X
OASIS	OASISLPC	Feature/Service	Х	X	X	X	X
OASIS	OASISMTN	Feature/Service	Х	X	X	X	X
OASIS	OASISBIG	Feature/Service	Х	X	X	X	X

Table 2: Legacy System Access Times For R0S

System	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	X	X	X	X	X
DSAP	DSAP	Schedule	X	X	X	X	X
CRIS	CRSOCSR	CSR	X	X	X	X	X
OASIS	OASISBIG	Feature/Service	X	X	X	X	X

1-2

Table 3: Legacy System Access Times For LENS

System	Contract	Data	< 2.3 sec.	> 6 sec.	<6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	X	X	X	X	X
DSAP	DSAP	Schedule	X	X	X	X	X
HAL	HAL/CRIS	CSR	X	X	X	X	X
COFFI	COFFI/USOC	Feature/Service	X	X	X	X	X
P/SIMS	PSIMS/ORB	Feature/Service	X	X	X	X	X

Table 4: Legacy System Access Times For TAG

System	Contract	Data	< 2.3 sec.	> 6 sec.	<6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	X	X	X	X	X
ATLAS	ATLAS-MLH	TN	X	X	X	X	X
ATLAS	ATLAS-DID	TN	X	X	X	X	X
DSAP	DSAP	Schedule	X	X	X	X	X
CRIS	CRSECSRL	CSR	X	X	X	X	X
CRIS	CRSECSR	CSR	X	X	X	X	X

SEEM Measure

SEEM Measure				
Yes Tier I				
Tier II X				

Note: CLEC specific data is not available in this measure. Queries of this sort do not have company specific signatures.

SEEM Disaggregation - Analog/Benchmark

SEEM Analog/Benchmark SEEM Disaggregation • RSAG – Address (Regional Street Address Guide- Percent Response Received within 6.3 seconds: > 95% • Parity + 2 seconds Address) – stores street address information used to validate customer addresses. CLECs and BellSouth query this legacy system. • **RSAG** – **TN** (Regional Street Address Guide-Telephone number) – contains information about facilities available and telephone numbers working at a given address. CLECs and BellSouth query this legacy system. **ATLAS** (Application for Telephone Number Load Administration and Selection) – acts as a warehouse for storing telephone numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve telephone numbers. CLECs and BellSouth query this legacy system. **COFFI** (Central Office Feature File Interface) – stores information about product and service offerings and availability. CLECs query this legacy system. • **DSAP** (DOE Support Application) – provides due date information. CLECs and BellSouth query this legacy HAL/CRIS (Hands-Off Assignment Logic/Customer Record Information System) – a system used to access the

Business Office Customer Record Information System (BOCRIS). It allows BellSouth servers, including LENS, access to legacy systems. CLECs query this legacy system.

- P/SIMS (Product/Services Inventory Management system) – provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.
- OASIS (Obtain Available Services Information Systems)
 Information on feature and rate availability. BellSouth queries this legacy system.

SEEM OSS Legacy Systems

System	BellSouth	CLEC	
Telephone Number/Address			
RSAG-ADDR	RNS, ROS	TAG, LENS	
RSAG-TN	RNS, ROS	TAG, LENS	
ATLAS	RNS,ROS	TAG. LENS	
Appointment Scheduling			
DSAP	RNS, ROS	TAG, LENS	
CSR Data			
CRSACCTS	RNS		
CRSOCSR	ROS		
HAL/CRIS		LENS	
CRSECSRL		TAG	
CRSECSR		TAG	
	Service/Feature Availability		
OASISBIG	RNS, ROS		
PSIMS/ORB		LENS	

OSS-2: Interface Availability (Pre-Ordering/Ordering)

Definition

Percent of time applications are functionally available as compared to scheduled availability. Calculations are based upon availability of applications and interfacing applications utilized by CLECs for pre-ordering and ordering. "Functional Availability" is defined as the number of hours in the reporting period that the applications/interfaces are available to users. "Scheduled Availability" is defined as the number of hours in the reporting period that the applications/interfaces are scheduled to be available.

Scheduled availability is posted on the Interconnection web site: (www.interconnection.bellsouth.com/oss/oss_hour.html)

Exclusions

- CLEC-impacting troubles caused by factors outside of BellSouth's purview, e.g., troubles in customer equipment, troubles in networks owned by telecommunications companies other than BellSouth, etc.
- Degraded service, e.g., slow response time, loss of non-critical functionality, etc.

Business Rules

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full outages are included in the calculations for this measure. Full outages are defined as occurrences of either of the following:

- Application/interfacing application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when
 they may be directly associated with a specific application.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BST entities are given comparable opportunities for use of pre-ordering and ordering systems.

Calculation

Interface Availability (Pre-Ordering/Ordering) = (a / b) X 100

- a = Functional Availability
- b = Scheduled Availability

Report Structure

- · Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
• Legacy Contract Type (per reporting dimension)	• Legacy Contract Type (per reporting dimension)
Regional Scope	• Regional Scope
Hours of Downtime	 Hours of Downtime

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Regional Level	• >= 99.5%

OSS Interface Availability

Application	Applicable to	% Availability
EDI	CLEC	X
TAG	CLEC	X
LENS	CLEC	X
LEO	CLEC	X
LESOG	CLEC	X
LNP Gateway	CLEC	X
COG	CLEC	Under Development
SOG	CLEC	Under Development
DOM	CLEC	Under Development
DOE	CLEC/BellSouth	X
SONGS	CLEC/BellSouth	X
ATLAS/COFFI	CLEC/BellSouth	X
BOCRIS	CLEC/BellSouth	X
DSAP	CLEC/BellSouth	X
RSAG	CLEC/BellSouth	X
SOCS	CLEC/BellSouth	X
CRIS	CLEC/BellSouth	X

SEEM Measure

SEEM Measure				
Yes Tier I				
Tier II X				

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Regional Level	• >= 99.5%

SEEM OSS Interface Availability

Application	Applicable to	% Availability
EDI	CLEC	X
HAL	CLEC	X
LENS	CLEC	X
LEO Mainframe	CLEC	X
LESOG	CLEC	X
PSIMS	CLEC	X
TAG	CLEC	X

OSS-3: Interface Availability (Maintenance & Repair)

Definition

Percent of time applications are functionally available as compared to scheduled availability. Calculations are based upon availability of applications and interfacing applications utilized by CLECs for maintenance and repair. "Functional Availability" is defined as the number of hours in the reporting period that the applications/interfaces are available to users. "Scheduled Availability" is defined as the number of hours in the reporting period that the applications/interfaces are scheduled to be available.

Scheduled availability is posted on the Interconnection web site: (www.interconnection.bellsouth.com/oss/oss_hour.html)

Exclusions

- CLEC-impacting troubles caused by factors outside of BellSouth's purview, e.g., troubles in customer equipment, troubles in networks owned by telecommunications companies other than BellSouth, etc.
- Degraded service, e.g., slow response time, loss of non-critical functionality, etc.

Business Rules

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full outages are included in the calculations for this measure. Full outages are defined as occurrences of either of the following:

- Application/interfacing application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when
 they may be directly associated with a specific application.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BST entities are given comparable opportunities for use of maintenance and repair systems.

Calculation

OSS Interface Availability (a / b) X 100

- a = Functional Availability
- b = Scheduled Availability

Report Structure

- · Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Availability of CLEC TAFI	Availability of BellSouth TAFI
• Availability of LMOS HOST, MARCH, SOCS, CRIS,	• Availability of LMOS HOST, MARCH, SOCS, CRIS,
PREDICTOR, LNP and OSPCM	PREDICTOR, LNP and OSPCM
• ECTA	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Regional Level	• >= 99.5%

OSS Interface Availability (M&R)

OSS Interface	% Availability
BST TAFI	X
CLEC TAFI	X
CLEC ECTA	X
BellSouth & CLEC	X
CRIS	X
LMOS HOST	X
LNP	X
MARCH	X
OSPCM	X
PREDICTOR	X
SOCS	X

SEEM Measure

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Regional Level	• >= 99.5%

OSS Interface Availability (M&R)

OSS Interface	% Availability
CLEC TAFI	X
CLEC ECTA	X

CCCS 761 of 1497

OSS-4: Response Interval (Maintenance & Repair)

Definition

The response intervals are determined by subtracting the time a request is received on the BellSouth side of the interface from the time the response is received from the legacy system. Percentages of requests falling into each interval category are reported, along with the actual number of requests falling into those categories.

Exclusions

None

Business Rules

This measure is designed to monitor the time required for the CLEC and BellSouth interface system to obtain from BellSouth's legacy systems the information required to handle maintenance and repair functions. The clock starts on the date and time when the request is received on the BellSouth side of the interface_and the clock stops when the response has been transmitted through that same point to the requester.

Note: The OSS Response Interval BellSouth Total Report is a combination of BellSouth Residence and Business Total.

Calculation

OSS Response Interval = (a - b)

- a = Query Response Date and Time
- b = Query Request Date and Time

Percent Response Interval (per category) = (c / d) X 100

- c = Number of Response Intervals in category "X"
- d = Number of Queries Submitted in the Reporting Period

where, "X" is
$$\leq 4$$
, ≥ 4 , ≤ 10 , ≤ 10 , ≥ 10 , or ≥ 30 seconds.

Report Structure

- · Not CLEC Specific
- Not product/service specific
- · Regional Level

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
CLEC Transaction Intervals	BellSouth Business and Residential Transactions
	Intervals

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Regional Level	• Parity

Legacy System Access Times for M&R

System BellSouth & CLEC		Count				
		<= 4	> 4 <= 10	<= 10	> 10	> 30
CRIS	Х	X	Х	X	X	X
DLETH	X	X	X	X	X	X
DLR	Х	X	X	X	X	X
LMOS	Х	X	Х	X	X	X
LMOSupd	X	X	X	X	X	X
LNP	X	X	X	X	X	X
MARCH	Х	X	Х	X	X	X
OSPCM	Х	X	X	X	X	X
Predictor	Х	X	Х	X	X	X
SOCS	Х	X	X	X	X	X
NIW	Х	X	X	X	X	X

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

PO-1: Loop Makeup - Response Time - Manual

Definition

This report measures the average interval and percent within the interval from the submission of a Manual Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

Exclusions

- Inquiries, which are submitted electronically.
- Designated Holidays are excluded from the interval calculation.
- Weekend hours from 5:00PM Friday until 8:00AM Monday are excluded from the interval calculation.
- · Canceled Inquiries.

Business Rules

The CLEC Manual Loop Makeup Service Inquiry (LMUSI) process includes inquiries submitted via mail or FAX to BellSouth's Complex Resale Support Group (CRSG).

This measurement combines three intervals:

- From receipt of the Service Inquiry for Loop Makeup to hand off to the Service Advocacy Center (SAC) for "Lookup."
- 2. From SAC start date to SAC complete date.
- 3. From SAC complete date to date the Complex Resale Support Group (CRSG) distributes loop makeup information back to the CLEC.

The "Receive Date" is defined as the date the Manual LMUSI is received by the CRSG. It is counted as day Zero. LMU "Return Date" is defined as the date the LMU information is sent back to the CLEC from BellSouth. The interval calculation is reset to Zero when a CLEC initiated change occurs on the Manual LMU request.

Note: The Loop Make Up Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC.

Calculation

Response Interval = (a - b)

- a = Date and Time LMUSI returned to CLEC
- b = Date and Time the LMUSI is received

Average Interval = (c / d)

- c = Sum of all Response Intervals
- d = Total Number of LMUSIs received within the reporting period

Percent within interval = (e / f) X 100

- e = Total LMUSIs received within the interval
- f = Total Number of LMUSIs processed within the reporting period

Report Structure

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - State
 - Region
- Interval for manual LMUs:
 - $0 \le 1 \text{ day}$
 - >1 <= 2 days
 - >2 <= 3 days
 - $0 \le 3 \text{ days}$
 - >3 <= 6 days
 - >6 <= 10 days
 - > 10 days
- · Average Interval in days

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
 Total Number of Inquiries 	
• SI Intervals	
State and Region	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Loops	Benchmark
	• 95% <= 3 Business Days

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
• Loops	Benchmark
	• 95% <= 3 Business Days

PO-2: Loop Make Up - Response Time - Electronic

Definition

This report measures the average interval and the percent within the interval from the electronic submission of a Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

Exclusions

- · Manually submitted inquiries.
- Designated Holidays are excluded from the interval calculation.
- · Canceled Requests.
- · Scheduled OSS Maintenance.

Business Rules

The response interval starts when the CLEC's Mechanized Loop Makeup Service Inquiry (LMUSI) is submitted electronically through the Operational Support Systems interface, LENS, TAG or RoboTAG. It ends when BellSouth's Loop Facility Assignment and Control System (LFACS) responds electronically to the CLEC with the requested Loop Makeup data via LENS, TAG or RoboTAG Interfaces.

Note: The Loop Make Up Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC. EDI is not a pre-ordering system, and, therefore, is not applicable in this measure.

Calculation

Response Interval = (a - b)

- a = Date and Time LMUSI returned to CLEC
- b = Date and Time the LMUSI is received

Average Interval = (c / d)

- c = Sum of all response intervals
- d = Total Number of LMUSIs received within the reporting period

Percent within interval = (e / f) X 100

- e = Total LMUSIs received within the interval
- \bullet f = Total Number of LMUSIs processed within the reporting period

Report Structure

- CLEC Aggregate
- CLEC Specific
- · Geographic Scope
 - State
 - Region
- Interval for electronic LMUs:

 $0 - \le 1$ minute

>1 - <= 5 minutes

 $0 - \le 5$ minutes

 $> 5 - \le 8$ minutes

> 8 - <= 15 minutes

> 15 minutes

· Average Interval in minutes

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable

Legacy Contract	
Response Interval	
Regional Scope	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Loops	Benchmark
	• 90% <= 5 Minutes (05/01/01)
	• 95% <= 1 Minute (08/01/01)

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
• Loop	• 90% <= 5 Minutes (05/01/01)
	• 95% <= 1 Minute (08/01/01)

Section 2: Ordering

O-1: Acknowledgement Message Timeliness

Definition

This measurement provides the response interval from the time an LSR or transmission (may contain multiple LSRs from one or more CLECs in multiple states) is electronically submitted via EDI or TAG respectively until an acknowledgement notice is sent by the system.

Exclusions

· Scheduled OSS Maintenance

Business Rules

The process includes EDI & TAG system functional acknowledgements for all messages/Local Service Requests (LSRs) which are electronically submitted by the CLEC. Users of EDI may package many LSRs into one transmission which will receive the acknowledgement message. EDI users may place multiple LSRs in one "envelope" requesting service in one or more states which will mask the identity of the state and CLEC. The start time is the receipt time of the message at BellSouth's side of the interface (gateway). The end time is when the acknowledgement is transmitted by BellSouth at BellSouth's side of the interface (gateway). If more than one CLEC uses the same ordering center (aggregator), an Acknowledgement Message will be returned to the "Aggregator". However, BellSouth will not be able to determine which specific CLEC or state this message represented.

Calculation

Response Interval = (a - b)

- a = Date and Time Acknowledgement Notices returned to CLEC
- b = Date and Time messages/LSRs electronically submitted by the CLEC via EDI or TAG respectively

Average Response Interval = (c / d)

- c = Sum of all Response Intervals
- d = Total number of electronically submitted messages/LSRs received, from CLECs via EDI or TAG respectively, in the Reporting Period.

Reporting Structure

- · CLEC Aggregate
- CLEC Specific/Aggregator
- Geographic Scope
 - Region
- · Electronically Submitted LSRs

 $0 - \le 10$ minutes

>10 -<= 20 minutes

>20 - <= 30 minutes

 $0 - \le 30$ minutes

>30 - <= 45 minutes

>45 - <= 60 minutes

>60 - <= 120 minutes

>120 minutes

· Average interval for electronically submitted messages/LSRs in minutes

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
• Report Month	Not Applicable
 Record of Functional Acknowledgements 	

Issue Date: June 4, 2002

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• EDI	• EDI
	- 90% <= 30 minutes (05/01/01)
	- 95% <= 30 minutes (08/01/01)
• TAG	• TAG – 95% <= 30 minutes

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
• EDI	• EDI
	- 90% <= 30 minutes (05/01/01)
	- 95% <= 30 minutes (08/01/01)
• TAG	• TAG – 95% <= 30 minutes

O-2: Acknowledgement Message Completeness

Definition

This measurement provides the percent of transmissions/LSRs received via EDI or TAG respectively, which are acknowledged electronically.

Exclusions

- · Manually submitted LSRs
- · Scheduled OSS Maintenance

Business Rules

EDI and TAG send Functional Acknowledgements for all transmissions/LSRs, which are electronically submitted by a CLEC. Users of EDI may package many LSRs from multiple states in one transmission. If more than one CLEC uses the same ordering center, an Acknowledgement Message will be returned to the "Aggregator", however, BellSouth will not be able to determine which specific CLEC this message represented. The Acknowledgement Message is returned prior to the determination of whether the transmission/LSR will be partially mechanized or fully mechanized.

Calculation

Acknowledgement Completeness = $(a / b) \times 100$

- a = Total number of Functional Acknowledgements returned in the reporting period for transmissions/LSRs electronically submitted by EDI or TAG respectively
- b = Total number of electronically submitted transmissions/LSRs received in the reporting period by EDI or TAG respectively

Report Structure

- CLEC Aggregate
- · CLEC Specific/Aggregator
- · Geographic Scope
 - Region

Note: The Order calls for Mechanized, Partially Mechanized, and Totally Mechanized, however, the Acknowledgement message is generated before the system recognizes whether this electronic transmission will be partially or fully mechanized.

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
 Record of Functional Acknowledgements 	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• EDI	• Benchmark: 100%
• TAG	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
• EDI	• Benchmark: 100%
• TAG	

O-3: Percent Flow-Through Service Requests (Summary)

Definition

The percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual intervention.

Exclusions

- · Fatal Rejects
- · Auto Clarification
- Manual Fallout
- · CLEC System Fallout
- · Scheduled OSS Maintenance

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and two types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

Definitions:

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- 1. Complex*
- 2. Special pricing plans
- 3. Some Partial migrations
- 4. New telephone number not yet posted to BOCRIS
- 5. Pending order review required
- 6. CSR inaccuracies such as invalid or missing CSR data in CRIS
- Denials-restore and conversion, or disconnect and conversion orders
- Class of service invalid in certain states with some types of service
- 10. Low volume such as activity type "T" (move)
- 11. More than 25 business lines, or more than 15 loops
- 12. Transfer of calls option for the CLEC end users
- 13. Directory Listings (Indentions and Captions)

7. Expedites (requested by the CLEC)

*See LSR Flow-Through Matrix following O-6 for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through.

Total System Fallout: Errors that require manual review by the LSCS to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

Z Status: LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

Calculation

Percent Flow Through = a / [b - (c + d + e + f)] X 100

- a = The total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that fall out for manual processing
- d = the number of LSRs that are returned to the CLEC for clarification
- e = the number of LSRs that contain errors made by CLECs
- f = the number of LSRs that receive a Z status

Percent Achieved Flow Through = $a / [b-(c+d+e)] \times 100$

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that are returned to the CLEC for clarification
- d = the number of LSRs that contain errors made by CLECs
- e = the number of LSRs that receive Z status

Report Structure

- · CLEC Aggregate
 - Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
• Total Number of LSRs Received, by Interface, by CLEC	Total Number of Errors By Type
- TAG	- Bellsouth System Error
- EDI	
- LENS	
Total Number of Errors by Type, by CLEC	
- Fatal Rejects	
- Auto Clarification	
- CLEC Caused System Fallout	
Total Number of Errors by Error Code	
Total Fallout for Manual Processing	

SQM Disaggregation - Analog/Benchmark

	SQM Level of Disaggregation	SQM Analog/Benchmark ²
•	Residence	• Benchmark: 95%
•	Business	• Benchmark: 90%
•	UNE	• Benchmark: 85%
•	LNP	Benchmark: 85%

SEEM Measure

SEEM Measure			
Yes Tier I			
Tier II X			

SEEM Disaggregation - Analog/Benchmark

	SEEM Disaggregation	SEEM Analog/Benchmark ³
•	Residence	• Benchmark: 95%
•	Business	• Benchmark: 90%
•	UNE	• Benchmark: 85%
•	LNP	Benchmark: 85%

Benchmarks do not apply to the "Percent Achieved Flow Through."

Benchmarks do not apply to the "Percent Achieved Flow Through."

O-4: Percent Flow-Through Service Requests (Detail)

Definition

A detailed list, by CLEC, of the percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual or human intervention.

Exclusions

- · Fatal Rejects
- · Auto Clarification
- · Manual Fallout
- · CLEC System Fallout
- · Scheduled OSS Maintenance

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and three types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs, which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- Complex*
- Special pricing plans
- 3. Some Partial migrations
- New telephone number not yet posted to BOCRIS
- Pending order review required

- CSR inaccuracies such as invalid or missing CSR data in
- Expedites (requested by the CLEC)
- Denials-restore and conversion, or disconnect and conver sion orders
- Class of service invalid in certain states with some types of
- 10. Low volume such as activity type "T" (move)
- 11. More than 25 business lines, or more than 15 loops
- 12. Transfer of calls option for the CLEC end users
- 13. Directory Listings (Indentions and Captions)

*See LSR Flow-Through Matrix following O-6 for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through.

Total System Fallout: Errors that require manual review by the LSCS to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

Z Status: LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

Calculation

Percent Flow Through = a / [b - (c + d + e + f)] X 100

- a = The total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that fall out for manual processing
- d = the number of LSRs that are returned to the CLEC for clarification
- e = the number of LSRs that contain errors made by CLECs
- f = the number of LSRs that receive a Z status

Percent Achieved Flow Through = $a / [b-(c+d+e)] \times 100$

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that are returned to the CLEC for clarification
- d = the number of LSRs that contain errors made by CLECs
- e = the number of LSRs that receive Z status

Report Structure

Provides the flow through percentage for each CLEC (by alias designation) submitting LSRs through the CLEC mechanized ordering process. The report provides the following:

- CLEC (by alias designation)
- Number of fatal rejects
- · Mechanized interface used
- · Total mechanized LSRs
- Total manual fallout
- · Number of auto clarifications returned to CLEC
- · Number of validated LSRs
- · Number of BellSouth caused fallout
- · Number of CLEC caused fallout
- · Number of Service Orders Issued
- · Base calculation
- · CLEC error excluded calculation

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance	
Report Month	Report Month	
• Total Number of LSRs Received, by Interface, by CLEC	 Total Number of Errors by Type 	
- TAG	- Bellsouth System Error	
- EDI		
- LENS		
 Total Number of Errors by Type, by CLEC 		
- Fatal Rejects		
- Auto Clarification		
- CLEC Errors		
Total Number of Errors by Error Code		
Total Fallout for Manual Processing		

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark⁴
Residence	• Benchmark: 95%
• Business	• Benchmark: 90%
• UNE	Benchmark: 85%
• LNP	Benchmark: 85%

_

⁴ Benchmarks do not apply to the "Percent Achieved Flow Through."

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark ⁵
Residence	• Benchmark: 95%
• Business	• Benchmark: 90%
• UNE	Benchmark: 85%
• LNP	Benchmark: 85%

-

2-8

⁵ Benchmarks do not apply to the "Percent Achieved Flow Through."

O-5: Flow-Through Error Analysis

Definition

An analysis of each error type (by error code) that was experienced by the LSRs that did not flow through or reached a status for a FOC to be issued.

Exclusions

Each Error Analysis is error code specific, therefore exclusions are not applicable.

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

Calculation

Total for each error type.

Report Structure

Provides an analysis of each error type (by error code). The report is in descending order by count of each error code and provides the following:

- Error Type (by error code)
- · Count of each error type
- Percent of each error type
- · Cumulative percent
- Error Description
- CLEC Caused Count of each error code
- · Percent of aggregate by CLEC caused count
- · Percent of CLEC caused count
- BellSouth Caused Count of each error code
- · Percent of aggregate by BellSouth caused count
- · Percent of BellSouth by BellSouth caused count

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance	
Report Month	Report Month	
Total Number of LSRs Received	 Total Number of Errors by Type (by error code) 	
• Total Number of Errors by Type (by error code)	- BellSouth System Error	
- CLEC Caused Error		

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark	
Not Applicable	Not Applicable	

SEEM Measure

SEEM Measure				
No	Tier I			
	Tier II			

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark	
Not Applicable	Not Applicable	

CCCS 776 of 1497

O-6: CLEC LSR Information

Definition

A list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period.

Exclusions

- Fatal Rejects
- · LSRs submitted manually

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

Calculation

Not Applicable

Report Structure

Provides a list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period with an explanation of the of the columns and content. This report is available on a CLEC specific basis. The report provides the following for each LSR.

- CC
- PON
- Ver
- Timestamp
- Type
- Err#
- Note or Error Description

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
 Record of LSRs Received by CC, PON and Ver 	
• Record of Timestamp, Type, Err # and Note or Error	
Description for each LSR by CC, PON and Ver	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Not Applicable	Not Applicable

SEEM Measure

SEEM Measure					
No	Tier I				
	Tier II				

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

LSR Flow Through Matrix

Product	Product	Reqtype	ACT Type	F/T ³	Comple	l .	Planned	1	TAG	
	Туре				х.		Fallout For		2	S ⁴
					Service	Order				
2 1 DID 1	II.C		NE	N.T.	IDE	3.7	Handling ¹	N.T.	N.T.	
2 wire analog DID trunk port	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
2 wire analog port	U	A	N,T	No	UNE	No	Yes	Y	Y	N
2 wire ISDN digital line	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
2 wire ISDN digital loop	U,C	A	N,T	Yes	UNE	Yes	No	Y	Y	N
3 Way Calling	R,B	E,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
4 wire analog voice grade loop	U,C	A	N,T	Yes	UNE	Yes	No	Y	Y	N
4 wire DSO & PRI digital loop	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
4 wire DS1 & PRI digital loop	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
4 wire ISDN DSI digital trunk ports	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
Accupulse	С	Е	N,C,T,V,W	No	Yes	Yes	NA	N	N	N
ADSL	R,B,C	Е	V,W	No	UNE	No	No	Y	Y	N
Area Plus	R,B	E,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Basic Rate ISDN	U,C	A	N,T	No	Yes	Yes	Yes	Y	Y	N
Basic Rate ISDN 2 Wire	С	Е	C, D,T,V,W	No	Yes	Yes	Yes	Y	Y	N
Basic Rate ISDN 2 Wire	C	Е	N,T	No	Yes	Yes	N/A	N	N	N
Basic Rate ISDN 2 Wire UNE P	С	M	N,C,D,V	No	YES	Yes	N/A	N	N	N
Analog Data/Private Line	С	Е	N, C, T, V, W, D, P,	No	Yes	Yes	N/A	N	N	N
			Q							
Call Block	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Forwarding	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Return	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Selector	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Tracing	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Waiting	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Waiting Deluxe	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Caller ID	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
CENTREX	C	P	V,P	No	Yes	Yes	NA	N	N	N
DID ACT W	С	N	W	No	Yes	Yes	Yes	Y	Y	Y
Digital Data Transport	U	Е	N,C,T,V,W	No	UNE	Yes	NA	N	N	N
Directory Listing Indentions	B,U	B,C,E,F,	N,C,T,R,V,W,P,Q	No	No	No	Yes	Y	Y	Y
	,	J,M,N								
Directory Listings Captions	R,B,U	B,C,E,F,	N,C,T,R,V,W,P,Q	No	No	Yes	Yes	Y	Y	Y
g	, , -	J,M,N	,,,,,,,,,,							
Directory Listings (simple)	R,B,U	B,C,E,F,	N,C,T,R,V,W,P,Q	Yes	No	No	No	Y	Y	Y
		J,M,N								
DS3	U	A,M	N,C,V	No	UNE	Yes	NA	N	N	N
DS1Loop	U	A,M	N,C,V	Yes	UNE	Yes	No	Y	Y	N
DSO Loop	U	A, B	N,C,D,T,V	Yes	UNE	Yes	No	Y	Y	N
Enhanced Caller ID	R,B	E,M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
ESSX	C	P	C,D,T,V,S,B,W,L	No	Yes	Yes	NA	N	N	N
		1	,P,Q	110	100	100	1111	1,	- 1	``
Flat Rate/Business	В	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
Flat Rate/Residence	R	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
FLEXSERV	C	E	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Frame Relay	C	E	N,C,D,V,W	No	Yes	Yes	NA	N	N	N
FX	C	E	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Ga. Community Calling	R,B	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
HDSL	U	A A	N,C,D	Yes	UNE	No	No	Y	Y	N
Hunting MLH	R,B	E, M	C,D,N,T,V,W	No	C/S4	C/S	Yes	Y	Y	N
Hunting Series Completion	R,B	E, M	C,D,N,T,V,W	Yes	C/S4	C/S	No	Y	Y	Y
INP to LNP Conversion	U U	C C		No	UNE		Yes	Y	Y	N
INF TO LINE COUVERSION	U		C	140	UNE	Yes	res	ľ	1	IN

Product	Product	Reqtype	ACT Type	F/T ³	Comple	Com	Planned	EDI	TAG	
	Type				X		Fallout For		2	S^4
					Service	Order				
	~						Handling ¹			
LightGate	С	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Line Sharing	U	A	C,D	Yes	UNE	No	No	Y	Y	Y
Local Number Portability	U	С	C,D,P,V,Q	Yes	UNE	Yes	No	Y	Y	N
LNP With Complex Listing	С	С	P,V,Q,W	No	UNE	Yes	Yes	Y	Y	N
LNP with Partial Migration	U	С	D,P,V,Q	No	UNE	Yes	Yes	Y	Y	N
LNP with Complex Services	С	С	P,V,Q,W	No	UNE	Yes	Yes	Y	Y	N
Loop+INP	U	В	D,P,V,Q	Yes	UNE	No	No	Y	Y	N
Loop+LNP	U	В	C,D,N,V	Yes	UNE	No	No	Y	Y	N
Measured Rate/Bus	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Measured Rate/Res	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Megalink	C	E	N,V,W,T,D,C,P,Q	No	Yes	Yes	NA	N	N	N
Megalink-T1	С	E,M	N,V,W,T,D,C,P,Q	No	Yes	Yes	NA	N	N	N
Memory Call	R,B	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
Memory Call Ans. Svc.	R,B	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
Multiserv	С	P	N,C,D,T,V,S,B, W,L,P,Q	No	Yes	Yes	NA	N	N	N
Native Mode LAN Interconnection (NMLI)	С	Е	N,C,D,V,W	No	Yes	Yes	NA	N	N	N
Off-Prem Stations	С	Е	N,C,D,V,W,T,P,Q	No	Yes	Yes	NA	N	N	N
Optional Calling Plan	R,B	E, M	N	Yes	No	No	No	Y	Y	Y
Package/Complete Choice and Area	R,B	E, M	N,T,C,V,W	Yes	No	No	No	Y	Y	Y
Plus Pathlink Primary Rate ISDN	С	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
	В	E		No	No	No	NA NA	N	N	N
Pay Phone Provider			C,D,T,N,V,W							
PBX Standalone Port PBX Trunks	C	F E	N,C,D N,C,D,V,W,T,P,Q	No	Yes Yes	Yes Yes	Yes Yes	Y	Y	N
	R,B			No					Y	N
Port/Loop PBX	U U	M	A,C,D,V	No	No	No	Yes	Y	Y	N
Port/Loop Simple		M	A,C,D,V	Yes	No	No	Yes	Y		Y
Preferred Call Forward	R,B,U	Е	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
RCF Basic	R,B	Е	N,D,W,T,F	Yes	No	No	No	Y	Y	Y
Remote Access to CF	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Repeat Dialing	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Ringmaster	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Smartpath	R,B	Е	C,D,T,N,V,W	No	Yes	Yes	NA	N	N	N
SmartRING	С	Е	N,D,C,V,W	No	Yes	Yes	NA	N	N	N
Speed Calling	R,B	Е	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Synchronet	С	Е	N	Yes	Yes	Yes	Yes	Y	Y	N
Tie Lines	С	Е	N,C,D,V,W,T,P,Q	No	Yes	Yes	NA	N	N	N
Touchtone	R,B	Е	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Unbundled Loop-Analog 2W, SL1, SL2	U	A,B	C,D,T,N,V,W	Yes	UNE	No	No	Y	Y	Y
WATS	R,B	Е	W,D	No	Yes	Yes	NA	N	N	N
XDSL	C,U	A,B	N,T,C,V,D	Yes	UNE	No	No	Y	Y	N
XDSL Extended LOOP	C,U	A,B	N,T,C,V,D	No	UNE	Yes	NA	N	N	N
Collect Call Block	R,B	E	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
900 Call Block	R,B	Е	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
3rd Party Call Block	R,B	Е	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
Three Way Call Block	R,B	E	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
PIC/LPIC Change	R,B	Е	T,C,V,	Yes	No	No	No	Y	Y	Y
PIC/LPIC Freeze	R,B	Е	N,T,C,V	Yes	No	No	No	Y	Y	Y

Note¹: Planned Fallout for Manual Handling denotes those services that are electronically submitted and are not intended to flow through due to the complexity of the service.

Note²: The TAG column includes those LSRs submitted via Robo TAG.

Note³: For all services that indicate 'No' for flow-through, the following reasons, in addition to errors or complex services, also prompt manual handling: Expedites from CLECs, special pricing plans, denials restore and conversion or disconnect and conversion both required, partial migrations (although conversions-as-is flow through for issue 9), class of service invalid in certain states with some TOS e.g. government, or cannot be changed when changing main TN on C activity, low volume e.g. activity type T=move, pending order review required, more than 25 business lines, CSR inaccuracies such as invalid or missing CSR data in CRIS, Directory listings – Indentions, Directory listings – Captions, transfer of calls option for CLEC end user – new TN not yet posted to BOCRIS. Many are unique to the CLEC environment.

Note⁴: Services with C/S in the Complex Service and/or the Complex Order columns can be either complex or simple.

Note⁵: EELs are manually ordered.

Note⁶: LSRs submitted for Resale Products and Services for which there is a temporary promotion or discount plan will be processed identically to those LSRs ordering the same Products or Services without a promotion or discount plan.

Issue Date: June 4, 2002

O-7: Percent Rejected Service Requests

Definition

Percent Rejected Service Request is the percent of total Local Service Requests (LSRs) received which are rejected due to error or omission. An LSR is considered valid when it is submitted by the CLEC and passes edit checks to insure the data received is correctly formatted and complete.

Exclusions

- Service Requests canceled by the CLEC prior to being rejected/clarified.
- · Scheduled OSS Maintenance

Business Rules

Fully Mechanized: An LSR is considered "rejected" when it is submitted electronically but does not pass LEO edit checks in the ordering systems (EDI, LENS, TAG, LEO, LESOG) and is returned to the CLEC without manual intervention. There are two types of "Rejects" in the Mechanized category:

A **Fatal Reject** occurs when a CLEC attempts to electronically submit an LSR but required fields are either not populated or incorrectly populated and the request is returned to the CLEC before it is considered a valid LSR.

Fatal rejects are reported in a separate column, and for informational purposes ONLY. Fatal rejects are excluded from the calculation of the percent of total LSRs rejected or the total number of rejected LSRs.

An **Auto Clarification** occurs when a valid LSR is electronically submitted but rejected from LESOG because it does not pass further edit checks for order accuracy.

Partially Mechanized: A valid LSR, which is electronically submitted (via EDI, LENS, TAG) but cannot be processed electronically and "falls out" for manual handling. It is then put into "clarification" and sent back (rejected) to the CLEC.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs electronically submitted by the CLEC.

Non-Mechanized: LSRs which are faxed or mailed to the LCSC for processing and "clarified" (rejected) back to the CLEC by the BellSouth service representative.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Interconnection Purchasing Center (IPC). Trunk data is reported separately.

Calculation

Percent Rejected Service Requests = (a / b) X 100

- a = Total Number of Rejected Service Requests in the Reporting Period
- b = Total Number of Service Requests Received in the Reporting Period

Report Structure

- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
- CLEC Specific
- · CLEC Aggregate
- Geographic Scope
 - State
 - Region
- · Product Specific Percent Rejected
- Total Percent Rejected

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
 Total Number of LSRs 	
 Total Number of Rejects 	
State and Region	
• Total Number of ASRs (Trunks)	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Mechanized, Partially Mechanized and Non-Mechanized	Diagnostic
Resale - Residence	_
Resale - Business	
• Resale – Design (Special)	
Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
• 2W Analog Loop With INP Design	
• 2W Analog Loop With INP Non-Design	
• 2W Analog Loop With LNP Design	
• 2W Analog Loop With LNP Non-Design	
• UNE Loop + Port Combinations	
Switch Ports	
UNE Combination Other	
• UNE xDSL (ADSL, HDSL, UCL)	
Line Sharing	
UNE ISDN Loop	
UNE Other Design	
UNE Other Non-Design	
Local Interoffice Transport	
Local Interconnection Trunks	

SEEM Measure

SEEM Measure					
No	Tier I				
	Tier II				

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

O-8: Reject Interval

Definition

Reject Interval is the average reject time from receipt of an LSR to the distribution of a Reject. An LSR is considered valid when it is submitted by the CLEC and passes edit checks to insure the data received is correctly formatted and complete.

Exclusions

- Service Requests canceled by CLEC prior to being rejected/clarified
- Designated Holidays are excluded from the interval calculation
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM From 7:00 PM Saturday until 7:00 AM Monday

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

· Scheduled OSS Maintenance

Business Rules

Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until the LSR is rejected (date and time stamp or reject in EDI, TAG or LENS). Auto Clarifications are considered in the Fully Mechanized category.

Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until it falls out for manual handling. The stop time on partially mechanized LSRs is when the LCSC Service Representative clarifies the LSR back to the CLEC via LENS, EDI, or TAG.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs which are electronically submitted by the CLEC.

Non-Mechanized: The elapsed time from receipt of a valid LSR (date and time stamp of FAX or date and time mailed LSR is received in the LCSC) until notice of the reject (clarification) is returned to the CLEC via LON.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported separately. All interconnection trunks are counted in the non-mechanized category.

Calculation

Reject Interval = (a - b)

- a = Date and Time of Service Request Rejection
- b = Date and Time of Service Request Receipt

Average Reject Interval = (c / d)

- c = Sum of all Reject Intervals
- d = Number of Service Requests Rejected in Reporting Period

Report Structure

- CLEC Specific
- · CLEC Aggregate
- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
- Geographic Scope

- State
- Region
- Mechanized:
 - 0 <= 4 minutes
 - >4 <= 8 minutes
 - >8 <= 12 minutes
 - >12 <= 60 minutes
 - $0 \le 1 \text{ hour}$
 - >1 <= 4 hours
 - >4 <= 8 hours
 - >8 <= 12 hours
 - >12 <= 16 hours
 - >16 <= 20 hours
 - >20 <= 24 hours
 - >24 hours
- Partially Mechanized:
 - 0 <= 1 hour
 - >1 <= 4 hours
 - >4 <= 8 hours
 - > 8 <= 10 hours
- $0 \le 10 \text{ hours}$
- >10 <= 18 hours
- $0 \le 18 \text{ hours}$
- >18 <= 24 hours
- >24 hours
- Non-mechanized:
- $0 \le 1$ hour
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- 0 <= 24 hours
- > 24 hours
- Trunks:
 - <= 4 days
- >4 <= 8 days
- >8 <= 12 days
- >12 <= 14 days
- >14 <= 20 days >20 days

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Reject Interval	
 Total Number of LSRs 	
• Total Number of Rejects	
State and Region	
• Total Number of ASRs (Trunks)	

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale - Residence	Mechanized:
Resale - Business	- 97% <= I Hour
Resale - Design (Special)	Partially Mechanized:
Resale PBX	- 85% <= 24 hours
Resale Centrex	- 85% <= 18 Hours (05/01/01)

• Resale ISDN	- 85% <= 10 Hours (08/01/01)
• LNP (Standalone)	• Non-Mechanized: - 85% <= 24 hours
• INP (Standalone)	
• 2W Analog Loop Design	
• 2W Analog Loop Non-Design	
• 2W Analog Loop With INP Design	
• 2W Analog Loop With INP Non-Design	
• 2W Analog Loop With LNP Design	
• 2W Analog Loop With LNP Non-Design	
• UNE Loop + Port Combinations	
• Switch Ports	
UNE Combination Other	
• UNE xDSL (ADSL, HDSL, UCL)	
Line Sharing	
UNE ISDN Loops	
UNE Other Non-Design	
Local Interoffice Transport	
• UNE Other Design	
Local Interconnection Trunks	• Trunks: - 85% <= 4 Days

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Fully Mechanized	• 97% <= 1 Hour
Partially Mechanized	• 85% <= 24 Hours
	• 85% <= 18 Hours (05/01/01)
	• 85% <= 10 Hours (08/01/01)
Non-Mechanized	• 85% <= 24 Hours

O-9: Firm Order Confirmation Timeliness

Definition

Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of valid LSR to distribution of a Firm Order Confirmation.

Exclusions

- · Rejected LSRs
- · Designated Holidays are excluded from the interval calculation
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially Mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM From 7:00 PM Saturday until 7:00 AM Monday.

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

· Scheduled OSS Maintenance

Business Rules

- Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until the LSR is processed, appropriate service orders are generated and a Firm Order Confirmation is returned to the CLEC via EDI, LENS or TAG.
- Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS, or TAG) which falls out for manual handling until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is returned to the CLEC via EDI, LENS, or TAG.
- Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs which are electronically submitted by the CLEC
- Non-Mechanized: The elapsed time from receipt of a valid paper LSR (date and time stamp of FAX or date and time paper LSRs received in LCSC) until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is sent to the CLEC via LON.
- Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported separately.

Calculation

Firm Order Confirmation Interval = (a - b)

- a = Date & Time of Firm Order Confirmation
- b = Date & Time of Service Request Receipt)

Average FOC Interval = (c / d)

- c = Sum of all FOC Intervals
- d = Total Number of Service Requests Confirmed in Reporting Period

FOC Interval Distribution (for each interval) = (e / f) X 100

- e = Service Requests Confirmed in interval
- f = Total Service Requests Confirmed in the Reporting Period

Report Structure

- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
 - CLEC Specific
 - CLEC Aggregate
- · Geographic Scope
 - State
 - Region
- · Fully Mechanized:
- $0 \le 15$ minutes
- >15 <= 30 minutes
- >30 <= 45 minutes
- >45 <= 60 minutes
- >60 <= 90 minutes
- >90 <= 120 minutes
- >120 <= 180 minutes
- $0 \le 3$ hours
- >3 <= 6 hours
- >6 <= 12 hours
- >12 <= 24 hours
- >24 <= 48 hours
- >48 hours
- Partially Mechanized:
 - $0 \le 4$ hours
 - >4 <= 8 hours
 - > 8 < = 10 hours
 - $0 \le 10 \text{ hours}$
- >10 <= 18 hours
- $0 \le 18 \text{ hours}$
- >18 <= 24 hours
- $0 \le 24 \text{ hours}$
- >24 <= 48 hours
- >48 hours
- Non-Mechanized:
 - $0 \le 4$ hours
 - >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours >20 - <= 24 hours
- >24 <= 36 hours
- $0 \le 36 \text{ hours}$
- 0 <= 50 Hours
- >36 <= 48 hours
- >48 hours
- Trunks:
- $0 \le 5 \text{ days}$
- >5 <= 10 days
- $0 \le 10 \text{ days}$
- >10 <= 15 days
- >15 <= 20 days
- >20 days

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
• Interval for FOC	
Total Number of LSRs	
State and Region	
Total Number of ASRs (Trunks)	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale – Residence	• Mechanized: - 95% <= 3 Hours
• Resale – Business	Partially Mechanized:
• Resale – Design (Special)	- 85% <= 24 Hours
• Resale PBX	- 85% <= 18 Hours (05/01/01)
Resale Centrex	- 85% <= 10 Hours (08/01/01)
Resale ISDN	• Non-mechanized: - 85% <= 36 Hours
• LNP (Standalone)	
• INP(Standalone)	
2W Analog Loop Design	
• 2W Analog Loop Non-Design	
• 2W Analog Loop With INP Design	
• 2W Analog Loop With INP Non-Design	
• 2W Analog Loop With LNP Design	
• 2W Analog Loop With LNP Non-Design	
• UNE Loop + Port Combinations	
Switch Ports	
UNE Combination Other	
• UNE xDSL (ADSL, HDSL, UCL)	
Line Sharing	
UNE ISDN Loops	
UNE Other Design	
UNE Other Non-Design	
Local Interoffice Transport	
Local Interconnection Trunks	• Trunks: - 95% <= 10 Days

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Fully Mechanized	• 95% <= 3 Hours
Partially Mechanized	• 85% <= 24 Hours
	• 85% <= 18 Hours (05/01/01)
	• 85% <= 10 Hours (08/01/01)
Non-Mechanized	• 85% <= 36 Hours
• IC Trunks	• 95% <= 10 Days

O-10: Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual⁶

Definition

This report measures the interval and the percent within the interval from the submission of a Service Inquiry (SI) with Firm Order LSR to the distribution of a Firm Order Confirmation (FOC).

Exclusions

- Designated Holidays are excluded from the interval calculation
- Weekend hours from 5:00PM Friday until 8:00AM Monday are excluded from the interval calculation of the Service Inquiry
- · Canceled Requests
- · Electronically Submitted Requests
- · Scheduled OSS Maintenance

Business Rules

This measurement combines four intervals:

- 1. From receipt of Service Inquiry with LSR to hand off to the Service Advocacy Center (SAC) for Loop 'Look-up'.
- 2. From SAC start date to SAC complete date.
- 3. From SAC complete date to the Complex Resale Support Group (CRSG) complete date with hand off to LCSC.
- 4. From receipt of SI/LSR in the LCSC to Firm Order Confirmation.

Calculation

FOC Timeliness Interval = (a - b)

- a = Date and Time Firm Order Confirmation (FOC) for SI with LSR returned to CLEC
- b = Date and Time SI with LSR received

Average Interval = (c / d)

- c = Sum of all FOC Timeliness Intervals
- d = Total number of SIs with LSRs received in the reporting period

Percent Within Interval = (e / f) X 100

- e = Total number of Service Inquiries with LSRs received by the CRSG to distribution of FOC by the Local Carrier Service Center (LCSC)
- f = Total number of Service Inquiries with LSRs received in the reporting period

Report Structure

- CLEC Aggregate
- CLEC Specific
- · Geographic Scope
 - State
 - Region
- Intervals

 $0 - \le 3 \text{ days}$

>3 - <= 5 days

 $0 - \le 5 \text{ days}$ >5 - \le 7 days

>7 - <= 10 days

>10 - <= 15 days

>15 days

⁶ See O-9 for FOC Timeliness

• Average Interval measured in days

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Total Number of Requests	
• SI Intervals	
State and Region	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• xDSL (includes UNE unbundled ADSL, HDSL and UNE	• 95% Returned <= 5 Business days
Unbundled Copper Loops)	
Unbundled Interoffice Transport	

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

O-11: Firm Order Confirmation and Reject Response Completeness

Definition

A response is expected from BellSouth for every Local Service Request transaction (version). More than one response or differing responses per transaction is not expected. Firm Order Confirmation and Reject Response Completeness is the corresponding number of Local Service Requests received to the combination of Firm Order Confirmation and Reject Responses.

Exclusions

- Service Requests canceled by the CLEC prior to FOC or Rejected/Clarified
- · Non-Mechanized LSRs
- · Scheduled OSS Maintenance

Business Rules

Mechanized – The number of FOCs or Auto Clarifications sent to the CLEC from LENS, EDI, TAG in response to electronically submitted LSRs (date and time stamp in LENS, EDI, TAG).

Partially Mechanized – The number of FOCs or Rejects sent to the CLEC from LENS, EDI, TAG in response to electronically submitted LSRs (date and time stamp in LENS, EDI, TAG), which fall out for manual handling by the LCSC personnel.

Total Mechanized - The number of the combination of Fully Mechanized and Partially Mechanized LSRs

Non-Mechanized – The number of FOCs or Rejects sent to the CLEC via FAX Server in response to manually submitted LSRs (date and time stamp in FAX Server).

Note: Manual (Non-Mechanized) LSRs have no version control by the very nature of the manual process, therefore, non-mechanized LSRs are not captured by this report.

For CLEC Results:

Firm Order Confirmation and Reject Response Completeness is determined in two dimensions:

Percent responses is determined by computing the number of Firm Order Confirmations and Rejects transmitted by BellSouth and dividing by the number of Local Service Requests (all versions) received in the reporting period.

Percent of multiple responses is determined by computing the number of Local Service Request unique versions receiving more than one Firm Order Confirmation, Reject or the combination of the two and dividing by the number of Local Service Requests (all versions) received in the reporting period.

Calculation

Single FOC/Reject Response Expected

Firm Order Confirmation / Reject Response Completeness = (a / b) X 100

- a = Total Number of Service Requests for which a Firm Order Confirmation or Reject is Sent
- b = Total Number of Service Requests Received in the Report Period

Multiple or Differing FOC / Reject Responses Not Expected

Response Completeness = $[(a + b) / c] \times 100$

- a = Total Number of Firm Order Confirmations Per LSR Version
- b = Total Number of Reject Responses Per LSR Version
- c = Total Number of Service Requests (All Versions) Received in the Reporting Period

Report Structure

Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized

- · State and Region
- CLEC Specific
- · CLEC Aggregate
- · BellSouth Specific

2-24

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Reject Interval	
Total Number of LSRs	
 Total Number of Rejects 	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	• 95% Returned
Resale Business	
Resale Design	
Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
• 2W Analog Loop Non - Design	
• 2W Analog Loop With INP Design	
• 2W Analog Loop With INP Non - Design	
• 2W Analog Loop With LNP Design	
• 2W Analog Loop With LNP Non - Design	
UNE Loop and Port Combinations	
• Switch Ports	
UNE Combination Other	
• UNE xDSL (ADSL, HDSL, UCL)	
Line Sharing	
UNE ISDN Loops	
UNE Other Design	
UNE Other Non - Design	
Local Interoffice Transport	
• Local Interconnection Trunks	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Fully Mechanized	• 95% Returned

O-12: Speed of Answer in Ordering Center

Definition

Measures the average time a customer is in queue.

Exclusions

None

Business Rules

The clock starts when the appropriate option is selected (i.e., 1 for Resale Consumer, 2 for Resale Multiline, and 3 for UNE-LNP, etc.) and the call enters the queue for that particular group in the LCSC. The clock stops when a BellSouth service representative in the LCSC answers the call. The speed of answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC call into the BellSouth automatic call distributor (ACD) until a service representative in BellSouth's Local Carrier Service Center (LCSC) answers the CLEC call.

Calculation

Speed of Answer in Ordering Center = (a / b)

- a = Total seconds in queue
- b = Total number of calls answered in the Reporting Period

Report Structure

Aggregate

- CLEC Local Carrier Service Center
- · BellSouth
 - Business Service Center
- Residence Service Center

Note: Combination of Residence Service Center and Business Service Center data.

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Mechanized tracking through LCSC Automatic Call 	Mechanized tracking through BellSouth Retail center
Distributor	support system.

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Aggregate	• Parity with Retail
CLEC – Local Carrier Service Center	
BellSouth	
- Business Service Center	
- Residence Service Center	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

O-13: LNP-Percent Rejected Service Requests

Definition

Percent Rejected Service Request is the percent of total Local Service Requests (LSRs) which are rejected due to error or omission. An LSR is considered valid when it is electronically submitted by the CLEC and passes LNP Gateway edit checks to insure the data received is correctly formatted and complete, i.e., fatal rejects are never accepted and, therefore, are not included.

Exclusions

- · Service Requests canceled by the CLEC
- · Scheduled OSS Maintenance

Business Rules

An LSR is considered "rejected" when it is submitted electronically but does not pass edit checks in the ordering systems (EDI, TAG, LNP Gateway, LAUTO) and is returned to the CLEC without manual intervention.

Fully Mechanized: There are two types of "Rejects" in the Fully Mechanized category:

A **Fatal Reject** occurs when a CLEC attempts to electronically submit an LSR (via EDI or TAG) but required fields are not populated correctly and the request is returned to the CLEC.

Fatal rejects are reported in a separate column, and for informational purposes ONLY. They are not considered in the calculation of the percent of total LSRs rejected or the total number of rejected LSRs.

An **Auto Clarification** is a valid LSR which is electronically submitted (via EDI or TAG), but is rejected from LAUTO because it does not pass further edit checks for order accuracy. Auto Clarifications are returned without manual intervention.

Partially Mechanized: A valid LSR which is electronically submitted (via EDI or TAG), but cannot be processed electronically due to a CLEC error and "falls out" for manual handling. It is then put into "clarification", and sent back (rejected) to the CLEC.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized rejects.

Non-Mechanized: A valid LSR which is faxed or mailed to the BellSouth LCSC.

Calculation

LNP-Percent Rejected Service Requests = (a / b) X 100

- a = Number of Service Requests Rejected in the Reporting Period
- b = Number of Service Requests Received in the Reporting Period

Report Structure

- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
- CLEC Specific
- CLEC Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Not Applicable	Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	Diagnostic
• UNE Loop With LNP	

SEEM Measure

SEEM Measure			
No	Tier I		
1	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

O-14: LNP-Reject Interval Distribution & Average Reject Interval

Definition

Reject Interval is the average reject time from receipt of an LSR to the distribution of a Reject. An LSR is considered valid when it is electronically submitted by the CLEC and passes LNP Gateway edit checks to insure the data received is correctly formatted and complete.

Exclusions

- · Service Requests canceled by the CLEC
- Designated Holidays are excluded from the interval calculation
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM From 7:00 PM Saturday until 7:00 AM Monday

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

· Scheduled OSS Maintenance

Business Rules

The Reject interval is determined for each rejected LSR processed during the reporting period. The Reject interval is the elapsed time from when BellSouth receives LSR until that LSR is rejected back to the CLEC. Elapsed time for each LSR is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of rejected LSRs to produce the reject interval distribution.

An LSR is considered "rejected" when it is submitted electronically but does not pass edit checks in the ordering systems (EDI, TAG, LNP Gateway, LAUTO) and is returned to the CLEC without manual intervention.

Fully Mechanized: There are two types of "Rejects" in the Fully Mechanized category:

A **Fatal Reject** occurs when a CLEC attempts to electronically submit an LSR but required fields are not populated correctly and the request is returned to the CLEC.

An **Auto Clarification** is a valid LSR which is electronically submitted (via EDI or TAG), but is rejected from LAUTO because it does not pass further edit checks for order accuracy. Auto Clarifications are returned without manual intervention.

Partially Mechanized: A valid LSR which electronically submitted (via EDI or TAG), but cannot be processed electronically due to a CLEC error and "falls out" for manual handling. It is then put into "clarification", and sent back to the CLEC.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized rejects.

Non-Mechanized: A valid LSR which is faxed or mailed to the BellSouth LCSC.

Calculation

Reject Interval = (a - b)

- a = Date & Time of Service Request Rejection
- b = Date & Time of Service Request Receipt

Average Reject Interval = (c / d)

- c = Sum of all Reject Intervals
- d = Total Number of Service Requests Rejected in Reporting Period