Reject Interval Distribution = (e / f) X 100

- e = Service Requests Rejected in reported interval
- f = Total Number of Service Requests Rejected in Reporting Period

Report Structure

Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized

- CLEC Specific
- CLEC Aggregate
- State, Region
- Fully Mechanized:
- $0 \le 4$ minutes
- >4 <= 8 minutes
- >8 <= 12 minutes
- >12 <= 60 minutes
- $0 \le 1 \text{ hour}$
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- > 24 hours
- Partially Mechanized:
 - $0 \le 1 \text{ hour}$
 - >1 <= 4 hours
 - >4 <= 8 hours
 - > 8 <= 10 hours
 - $0 \le 10 \text{ hours}$
- >10 <= 18 hours
- $0 \le 18 \text{ hours}$
- >18 <= 24 hours
- > 24 hours
- Non-Mechanized:
- $0 \le 1 \text{ hour}$
- >1 <= 4 hours
- >4 <= 8 hours >8 - <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- $0 \le 24 \text{ hours}$
- >24 hours
- · Average Interval in Days or Hours

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Reject Interval	
 Total Number of LSRs 	
 Total number of Rejects 	
State and Region	

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	• Mechanized: 97% <= I Hour
• UNE Loop with LNP	• Partially Mechanized: 85% <= 24 Hours
	• Partially Mechanized: 85% <= 18 Hours (05/01/01)
	• Partially Mechanized: 85% <= 10 Hours (08/01/01)
	• Non-Mechanized: 85% <= 24 Hours

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

CCCS 798 of 1497

Issue Date: June 4, 2002

O-15: LNP-Firm Order Confirmation Timeliness Interval Distribution & Firm Order Confirmation Average Interval

Definition

Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of a valid LSR to distribution of a firm order confirmation.

Exclusions

- · Rejected LSRs
- Designated Holidays are excluded from the interval calculation
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially Mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group - Monday through Saturday 7:00PM until 7:00AM

From 7:00 PM Saturday until 7:00 AM Monday.

Business Resale, Complex, UNE Groups - Monday through Friday 6:00PM until 8:00AM

From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

• Scheduled OSS Maintenance

Business Rules

- Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until the LSR is processed, appropriate service orders are generated and a Firm Order Confirmation is returned to the CLEC via EDI, LENS or TAG.
- Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS, or TAG) which falls out for manual handling until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is returned to the CLEC via EDI, LENS, or TAG.
- Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs which are electronically submitted by the CLEC.
- Non-Mechanized: The elapsed time from receipt of a valid paper LSR (date and time stamp of FAX or date and time paper LSRs received in LCSC) until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is sent to the CLEC via LON.

Calculation

Firm Order Confirmation Interval = (a - b)

- a = Date & Time of Firm Order Confirmation
- b = Date & Time of Service Request Receipt)

Average FOC Interval = (c / d)

- c = Sum of all FOC Intervals
- d = Total Number of Service Requests Confirmed in Reporting Period

FOC Interval Distribution (for each interval) = (e / f) X 100

- e = Service Requests Confirmed in interval
- f = Total Service Requests Confirmed in the Reporting Period

Report Structure

Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized

- CLEC Specific
- CLEC Aggregate
- State and Region
- Fully Mechanized:
 - 0 <= 15 minutes
 - >15 <= 30 minutes
 - >30 <= 45 minutes
 - >45 <= 60 minutes
 - >60 <= 90 minutes
 - >90 <= 120 minutes
 - >120 <= 180 minutes
 - $0 \le 3$ hours
 - >3 <= 6 hours
 - >6 <= 12 hours
 - >12 <= 24 hours
 - >24 <= 48 hours
 - >48 hours
- Partially Mechanized:
- $0 \le 4$ hours
- >4 <= 8 hours
- > 8 < = 10 hours
- $0 \le 10 \text{ hours}$
- >10 <= 18 hours
- $0 \le 18 \text{ hours}$
- >18 <= 24 hours
- $0 \le 24 \text{ hours}$
- >24 <= 48 hours
- > 48 hours
- Non-Mechanized:
 - $0 \le 4$ hours
 - >4 <= 8 hours
 - >8 <= 12 hours >12 - <= 16 hours
 - >12 <= 16 flours>16 - <= 20 hours
 - >20 <= 24 hours
 - >24 <= 36 hours
 - 0 <= 36 hours
 - >36 <= 48 hours
 - >48 hours

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Total Number of LSRs	
• Total Number of FOCs	
State and Region	

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	• Mechanized: 95% <= 3 Hours
• UNE Loop with LNP	• Partially Mechanized: 85% <= 24 Hours
	• Partially Mechanized: 85% <= 18 Hours (05/01/01)
	• Partially Mechanized: 85% <= 10 Hours (08/01/01)
	• Non-Mechanized: 85% <= 36 hours

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

Section 3: Provisioning

P-1: Mean Held Order Interval & Distribution Intervals

Definition

When delays occur in completing CLEC orders, the average period that CLEC orders are held for BellSouth reasons, pending a delayed completion, should be no worse for the CLEC when compared to BellSouth delayed orders. Calculation of the interval is the total days orders are held and pending but not completed that have passed the currently committed due date; divided by the total number of held orders. This report is based on orders still pending, held and past their committed due date at the close of the reporting period. The distribution interval is based on the number of orders held and pending but not completed over 15 and 90 days. (Orders reported in the >90 day interval are also included in the >15 day interval.)

Exclusions

- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- Disconnect (D) & From (F) orders
- · Orders with appointment code of 'A' for Rural orders

Business Rules

Mean Held Order Interval: This metric is computed at the close of each report period. The held order interval is established by first identifying all orders, at the close of the reporting interval, that both have not been reported as completed in SOCS and have passed the currently committed due date for the order. For each such order, the number of calendar days between the earliest committed due date on which BellSouth had a company missed appointment and the close of the reporting period is established and represents the held order interval for that particular order. The held order interval is accumulated by the standard groupings, unless otherwise noted, and the reason for the order being held. The total number of days accumulated in a category is then divided by the number of held orders within the same category to produce the mean held order interval. The interval is by calendar days with no exclusions for Holidays or Sundays.

CLEC Specific reporting is by type of held order (facilities, equipment, other), total number of orders held, and the total and average days.

Held Order Distribution Interval: This measure provides data to report total days held and identifies these in categories of >15 days and >90 days. (Orders counted in >90 days are also included in >15 days).

Calculation

Mean Held Order Interval = a / b

- a = Sum of held-over-days for all Past Due Orders Held for the reporting period
- b = Number of Past Due Orders Held and Pending But Not Completed and past the committed due date

Held Order Distribution Interval (for each interval) = $(c / d) \times 100$

- c = # of Orders Held for >= 15 days or # of Orders Held for >= 90 days
- d = Total # of Past Due Orders Held and Pending But Not Completed)

Report Structure

- CLEC Specific
- · CLEC Aggregate
- BellSouth Aggregate
- Circuit Breakout < 10, >= 10 (except trunks)

CCCS 802 of 1497

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month CLEC Order Number and PON (PON) Order Submission Date (TICKET_ID) Committed Due Date (DD) Service Type (CLASS_SVC_DESC) Hold Reason Total Line/circuit Count Geographic Scope Note: Code in parentheses is the corresponding header found in the raw data file. 	 Report Month BellSouth Order Number Order Submission Date Committed Due Date Service Type Hold Reason Total Line/circuit Count Geographic Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
• Resale Business	Retail Business
• Resale Design	Retail Design
• Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	• Retail Residence and Business (POTS)
• INP (Standalone)	• Retail Residence and Business (POTS)
• 2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - POTS Excluding Switch- Based Orders
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design 2W Analog Loop With LNP Non-Design	Retail Residence and Business - POTS Excluding Switch-
2 W Alialog Loop With LNF Non-Design	Based Orders
• 2W Analog Loop With INP-Design	Retail Residence and Business Dispatch
• 2W Analog Loop With INP Non-Design	• Retail Residence and Business - POTS Excluding Switch-
	Based Orders
• UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
• UNE Loop + Port Combinations	Retail Residence and Business
• UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
• UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
• Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-2: Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices

Definition

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC.

The interval is from the date/time the notice is released to the CLEC/BellSouth systems until 5pm on the commitment date of the order. The Percent of Orders is the percentage of orders given jeopardy notices for facility delay in the count of orders confirmed in the report period.

Exclusions

- · Orders held for CLEC end user reasons
- Disconnect (D) & From (F) orders
- · Non-Dispatch Orders

Business Rules

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC. The number of committed orders in a report period is the number of orders that have a due date in the reporting period. Jeopardy notices for interconnection trunks results are usually zero as these trunks seldom experience facility delays. The Committed due date is considered the Confirmed due date. This report measures dispatched orders only. If an order is originally sent as non-dispatch and it is determined there is a facility delay, the order is converted to a dispatch code so the facility problem can be corrected. It will remain coded dispatched until completion.

Calculation

Jeopardy Interval = a - b

- a = Date and Time of Jeopardy Notice
- b = Date and Time of Scheduled Due Date on Service Order

Average Jeopardy Interval = c / d

- c = Sum of all jeopardy intervals
- ullet d = Number of Orders Notified of Jeopardy in Reporting Period

Percent of Orders Given Jeopardy Notice = (e / f) X 100

- e = Number of Orders Given Jeopardy Notices in Reporting Period
- f = Number of Orders Confirmed (due) in Reporting Period)

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Dispatch Orders
- Mechanized Orders
- · Non-Mechanized Orders

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month CLEC Order Number and PON Date and Time Jeopardy Notice Sent Committed Due Date Service Type 	 Report Month BellSouth Order Number Date and Time Jeopardy Notice Sent Committed Due Date Service Type
Note: Code in parentheses is the corresponding header to in the raw data file.	found

SQM Level of Disaggregation	SQM Analog/Benchmark
% Orders Given Jeopardy Notice	
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	• Retail Residence and Business (POTS)
• INP (Standalone)	• Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - (POTS Excluding
	Switch- Based Orders)
• 2W Analog Loop With LNP Design	 Retail Residence and Business Dispatch
• 2W Analog Loop With LNP Non-Design	Retail Residence and Business - (POTS Excluding
	Switch- Based Orders)
• 2W Analog Loop With INP Design	Retail Residence and Business Dispatch
• 2W Analog Loop With INP Non-Design	• Retail Residence and Business (POTS Excluding Switch-
	Based Orders)
•UNE Digital Loop < DS1	• Retail Digital Loop < DS1
•UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
•UNE Loop + Port Combinations	Retail Business and Residence
•UNE Switch Ports	• Retail Residence and Business (POTS)
•UNE Combo Other	 Retail Residence, Business and Design Dispatch
•UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
•UNE ISDN	Retail ISDN BRI
•UNE Line Sharing	ADSL Provided to Retail
•UNE Other Design	Retail Design
•UNE Other Non -Design	Retail Residence and Business
•Local Transport (Unbundled Interoffice Transport)	• Retail DS1/DS3 Interoffice
•Local Interconnection Trunks	Parity with Retail
•Average Jeopardy Notice Interval	• 95% >= 48 Hours

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-3: Percent Missed Installation Appointments

Definition

"Percent missed installation appointments" monitors the reliability of BellSouth commitments with respect to committed due dates to assure that the CLEC can reliably quote expected due dates to their retail customer as compared to BellSouth. This measure is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates and reported for Total misses and End User Misses.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders Test Orders, etc.)
- Disconnect (D) & From (F) orders
- End User Misses on Local Interconnection Trunks

Business Rules

Percent Missed Installation Appointments (PMI) is the percentage of orders with completion dates in the reporting period that are past the original committed due date. Missed Appointments caused by end-user reasons will be included and reported separately. The first commitment date on the service order that is a missed appointment is the missed appointment code used for calculation whether it is a BellSouth missed appointment or an End User missed appointment. The "due date" is any time on the confirmed due date. Which means there cannot be a cutoff time for commitments, as certain types of orders are requested to be worked after standard business hours. Also, during Daylight Savings Time, field technicians are scheduled until 9PM in some areas and the customer is offered a greater range of intervals from which to select.

Calculation

Percent Missed Installation Appointments = (a / b) X 100

- a = Number of Orders with Completion date in Reporting Period past the Original Committed Due Date
- b = Number of Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- Report in Categories of <10 lines/circuits >= 10 lines/circuits (except trunks)
- · Dispatch/No Dispatch

Report Explanation: The difference between End User MA and Total MA is the result of BellSouth caused misses. Here, Total MA is the total percent of orders missed either by BellSouth or CLEC end user. The End User MA represents the percentage of orders missed by the CLEC or their end user.

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 CLEC Order Number and PON (PON) Committed Due Date (DD) Completion Date (CMPLTN DD) Status Type Status Notice Date Standard Order Activity Geographic Scope 	 Report Month BellSouth Order Number Committed Due Date (DD) Completion Date (CMPLTN DD) Status Type Status Notice Date Standard Order Activity Geographic Scope
Note: Code in parentheses is the corresponding header found in the raw data file.	

CCCS 806 of 1497

SQM LEVEL of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - (POTS Excluding
	Switch-Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	Retail Residence and Business - (POTS Excluding
	Switch-Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With INP Design	Retail Residence and Business Dispatch
2W Analog Loop With INP Non-Design	• Retail Residence and Business (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
• UNE Loop + Port Combinations	 Retail Residence and Business
- Dispatch Out	- Dispatch Out
- Non-Dispatch	- Non-Dispatch
- Dispatch In	- Dispatch In
- Switch-Based	- Switch-Based
UNE Switch Ports	• Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
	(Including Dispatch Out and Dispatch In)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	• Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• Resale POTS	• Retail Residence and Business (POTS)
Resale Design	Retail Design
• UNE Loop + Port Combinations	Retail Residence and Business
• UNE Loops	Retail Residence and Business Dispatch
• UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

P-4: Average Completion Interval (OCI) & Order Completion Interval Distribution

Definition

The "average completion interval" measure monitors the interval of time it takes BellSouth to provide service for the CLEC or its own customers. The "Order Completion Interval Distribution" provides the percentages of orders completed within certain time periods. This report measures how well BellSouth meets the interval offered to customers on service orders.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- Disconnect (D&F) orders (Except "D" orders associated with LNP Standalone)
- "L" Appointment coded orders (where the customer has requested a later than offered interval)

Business Rules

The actual completion interval is determined for each order processed during the reporting period. The completion interval is the elapsed time from when BellSouth issues a FOC or SOCS date time stamp receipt of an order from the CLEC to BellSouth's actual order completion date. This includes all delays for BellSouth's CLEC/End Users. The clock starts when a valid order number is assigned by SOCS and stops when the technician or system completes the order in SOCS. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33-day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on the same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

The interval breakout for UNE and Design is: 0.5 = 0.4.99, 5.10 = 5.9.99, 10.15 = 10.14.99, 15.20 = 15.19.99, 20.25 = 20.24.99, 25.30 = 25.29.99, >= 30 = 30 and greater.

Calculation

Completion Interval = (a - b)

- a = Completion Date
- b = Order Issue Date

Average Completion Interval = (c / d)

- c = Sum of all Completion Intervals
- d = Count of Orders Completed in Reporting Period

Order Completion Interval Distribution (for each interval) = (e / f) X 100

- e = Service Orders Completed in "X" days
- f = Total Service Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Dispatch / No Dispatch categories applicable to all levels except trunks
- Residence & Business reported in day intervals = 0, 1, 2, 3, 4, 5, 5+
- UNE and Design reported in day intervals = 0-5, 5-10, 10-15, 15-20, 20-25, 25-30,>= 30
- All Levels are reported <10 line/circuits; >= 10 line/circuits (except trunks)
- ISDN Orders included in Non-Design

Relating to CLEC Experience	Relating to BellSouth Performance
Report MonthCLEC Company Name	Report Month
• Order Number (PON)	BellSouth Order Number

Application Date & Time (TICKET_ID)	Application Date & Time
Completion Date (CMPLTN_DT)	Order Completion Date & Time
• Service Type (CLASS_SVC_DESC)	Service Type
Geographic Scope	Geographic Scope
Note: Code in parentheses is the corresponding header found in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
• Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	Retail Residence and Business (POTS)
• INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• 2W Analog Loop With INP Design	Retail Residence and Business Dispatch
• 2W Analog Loop With INP Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
• UNE Loop + Port Combinations	Retail Residence and Business
- Dispatch Out	- Dispatch Out
- Non-Dispatch	- Non-Dispatch
- Dispatch In	- Dispatch In
- Switch-Based	- Switch-Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
	(Including Dispatch Out and Dispatch In)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
UNE xDSL (HDSL, ADSL and UCL) without	• 7 Days
conditioning	14.75
• UNE xDSL (HDSL, ADSL and UCL) with conditioning	• 14 Days
• UNE ISDN	Retail ISDN BRI
• UNE Line Sharing	ADSL Provided to Retail
• UNE Other Design	• Retail Design
• UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail

CCCS 810 of 1497

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	• Retail Residence and Business (POTS)
Resale Design	Retail Design
• UNE Loop + Port Combinations	 Retail Residence and Business
UNE Loops	• Retail Residence and Business Dispatch
UNE xDSL without conditioning	• 7 Days
UNE xDSL with conditioning	• 14 Days
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

P-5: Average Completion Notice Interval

Definitions

The Completion Notice Interval is the elapsed time between the BellSouth reported completion of work and the issuance of a valid completion notice to the CLEC.

Exclusions

- · Cancelled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D&F orders (Exception: "D" orders associated with LNP Standalone)

Business Rules

Measurement on interval of completion date and time entered by a field technician on dispatched orders, and 5PM start time on the due date for non-dispatched orders; to the release of a notice to the CLEC/BellSouth of the completion status. The field technician notifies the CLEC the work was complete and then he/she enters the completion time stamp information in his/her computer. This information switches through to the SOCS systems either completing the order or rejecting the order to the Work Management Center (WMC). If the completion is rejected, it is manually corrected and then completed by the WMC. The notice is returned on each individual order.

The start time for all orders is the completion stamp either by the field technician or the 5PM due date stamp; the end time for mechanized orders is the time stamp the notice was transmitted to the CLEC interface (LENS, EDI, OR TAG). For non-mechanized orders the end timestamp will be timestamp of order update to C-SOTS system.

Calculation

Completion Notice Interval = (a - b)

- a = Date and Time of Notice of Completion
- b = Date and Time of Work Completion

Average Completion Notice Interval = c / d

- c = Sum of all Completion Notice Intervals
- d = Number of Orders with Notice of Completion in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- · Mechanized Orders
- Non-Mechanized Orders
- Reporting intervals in Hours; 0, 1-2, 2-4, 4-8, 8-12, 12-24, >= 24 plus Overall Average Hour Interval (The categories are inclusive of these time intervals: 0-1 = 0.99; 1-2 =1-1.99; 2-4 = 2-3.99, etc.)
- Reported in categories of <10 line/circuits; >= 10 line/circuits (except trunks)

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month CLEC Order Number (so_nbr) Work Completion Date (cmpltn_dt) Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type Geographic Scope 	 Report Month BellSouth Order Number (so_nbr) Work Completion Date (cmpltn_dt) Work Completion Time Completion Notice Availability Date Completion Notice Availability Time Service Type Geographic Scope
Note: Code in parentneses is the corresponding header to	NOTE: Code in parentheses is the corresponding header

ſ	in the raw data file.	found in the raw data file.

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	Retail Residence and Business (POTS)
• INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With INP Design	Retail Residence and Business Dispatch
2W Analog Loop With INP Non-Design	Retail Residence and Business (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
• UNE Loop + Port Combinations	Retail Residence and Business
- Dispatch Out	- Dispatch Out
- Non-Dispatch	- Non-Dispatch
- Dispatch In	- Dispatch In
- Switch-Based	- Switch-Based
UNE Switch Ports	• Retail Residence and Business (POTS)
UNE Combo Other	• Retail Residence, Business and Design Dispatch (Including
	Dispatch Out and Dispatch In)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
UNE ISDN	Retail ISDN BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	• Parity with Retail

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

Issue Date: June 4, 2002

P-6: % Completions/Attempts without Notice or < 24 hours Notice

Definition

This Report measures the interval from the FOC end timestamp on the LSR until 5:00 P.M. on the original committed due date of a service order. The purpose of this measure is to report if BellSouth is returning a FOC to the CLEC in time for the CLEC to notify their customer of the scheduled date.

Exclusions

"0" dated orders or any request where the subscriber requested an earlier due date of < 24 hours prior to the original commitment date, or any LSR received < 24 hours prior to the original commitment date.

Business Rules

For CLEC Results:

Calculation would exclude any successful or unsuccessful service delivery where the CLEC was informed at least 24 hours in advance. BellSouth may also exclude from calculation any LSRs received from the requesting CLEC with less than 24 hour notice prior to the commitment date.

For BellSouth Results:

BellSouth does not provide a FOC to its retail customers.

Calculation

Percent Completions or Attempts without Notice or with Less Than 24 Hours Notice = (a / b) X 100

- a = Completion Dispatches (Successful and Unsuccessful) With No FOC or FOC Received < 24 Hours of original Committed Due Date
- b = All Completions

Report Structure

- CLEC Specific
- CLEC Aggregate
- Dispatch /Non-Dispatch
- Total Orders FOC < 24 Hours
- Total Completed Service Orders
- % FOC < 24 Hours

Relating to CLEC Experience	Relating to BellSouth Performance
Committed Due Date (DD)	Not Applicable
FOC End Timestamp	
Report Month	
 CLEC Order Number and PON 	
Geographic Scope	
- State / Region	

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Diagnostic
Resale Business	
Resale Design	
Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
• 2W Analog Loop With LNP-Design	
2W Analog Loop With LNP Non-Design	
• 2W Analog Loop With INP-Design	
• 2W Analog Loop With INP Non-Design	
• UNE Digital Loop < DS1	
• UNE Digital Loop >=DS1	
• UNE Loop + Port Combinations	
• UNE Switch ports	
UNE Combo Other	
• UNE xDSL (HDSL, ADSL and UCL)	
• UNE ISDN	
UNE Line Sharing	
• UNE Other Design	
UNE Other Non -Design	
• Local Transport (Unbundled Interoffice Transport)	
Local Interconnection Trunks	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-7: Coordinated Customer Conversions Interval

Definition

This report measures the average time it takes BellSouth to disconnect an unbundled loop from the BellSouth switch and cross connect it to CLEC equipment. This measurement applies to service orders with INP and with LNP, and where the CLEC has requested BellSouth to provide a coordinated cut over.

Exclusions

- · Any order canceled by the CLEC will be excluded from this measurement
- Delays due to CLEC following disconnection of the unbundled loop
- Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested

Business Rules

When the service order includes INP, the interval includes the total time for the cut over including the translation time to place the line back in service on the ported line. When the service order includes LNP, the interval only includes the total time for the cut over (the port of the number is controlled by the CLEC). The interval is calculated for the entire cut over time for the service order and then divided by items worked in that time to give the average per-item interval for each service order.

Calculation

Coordinated Customer Conversions Interval = (a - b)

- a = Completion Date and Time for Cross Connection of a Coordinated Unbundled Loop
- b = Disconnection Date and Time of an Coordinated Unbundled Loop

Percent Coordinated Customer Conversions (for each interval) = (c / d) X 100

- c = Total number of Coordinated Customer Conversions for each interval
- d = Total Number of Unbundled Loop with Coordinated Conversions (items) for the reporting period

Report Structure

- CLEC Specific
- CLEC Aggregate
- The interval breakout is 0.5 = 0.4.99, 5.15 = 5.14.99, >=15 = 15 and greater, plus Overall Average Interval.

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No BellSouth Analog Exists
CLEC Order Number	10 Deliboutii Aliaiog Laists
• Committed Due Date (DD)	
• Service Type (CLASS_SVC_DESC)	
Cut over Start Time	
Cut over Completion Time	
• Portability Start and Completion Times (INP orders)	
• Total Conversions (Items)	
Note: Code in parentheses is the corresponding header found in the raw data file.	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Unbundled Loops with INP/LNP	• 95% <= 15 minutes
 Unbundled Loops without INP/LNP 	

SEEM Measure

SEEM Measure			
Yes	Tier I		X
	Tier II		X

SEEM Disaggregation	SEEM Analog/Benchmark
Unbundled Loops	• 95% <= 15 minutes

P-7A: Coordinated Customer Conversions – Hot Cut Timeliness% Within Interval and Average Interval

Definition

This category measures whether BellSouth begins the cut over of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. It measures the percentage of orders where the cut begins within 15 minutes of the requested start time of the order and the average interval.

Exclusions

- · Any order canceled by the CLEC will be excluded from this measurement
- Delays caused by the CLEC
- Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested
- All unbundled loops on multiple loop orders after the first loop

Business Rules

This report measures whether BellSouth begins the cut over of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. The cut is considered on time if it starts 15 minutes before or after the requested start time. Using the scheduled time and the actual cut over start time, the measurement will calculate the percent within interval and the average interval. If a cut involves multiple lines, the cut will be considered "on time" if the first line is cut within the interval. <= 15 minutes includes intervals that began 15:00 minutes or less before the scheduled cut time and cuts that began 15 minutes or less after the scheduled cut time; >15 minutes, <= 30 minutes includes cuts within 15:00 – 30:00 minutes either prior to or after the scheduled cut time; >30 minutes includes cuts greater than 30:00 minutes either prior to or after the scheduled cut time.

Calculation

% within Interval = $(a/b) \times 100$

- a = Total Number of Coordinated Unbundled Loop Orders for the interval
- b = Total Number of Coordinated Unbundled Loop Orders for the reporting period

Interval = (c - d)

- c = Scheduled Time for Cross Connection of a Coordinated Unbundled Loop Order
- d = Actual Start Date and Time of a Coordinated Unbundled Loop Order

Average Interval = (e / f)

- · Sum of all Intervals
- Total Number of Coordinated Unbundled Loop Orders for the reporting period.

Report Structure

- CLEC Specific
- · CLEC Aggregate

Reported in intervals of early, on time and late cuts % <=15 minutes; % >15 minutes, <= 30 minutes; % > 30 minutes, plus Overall Average Interval.

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No BellSouth Analog exists
• CLEC Order Number (so_nbr)	100 Delisoutii Alidiog exists
• Committed Due Date (DD)	
• Service Type (CLASS_SVC_DESC)	
Cut over Scheduled Start Time	
Cut over Actual Start Time	
Total Conversions Orders	
Note: Code in parentheses is the corresponding header found in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
 Product Reporting Level 	• 95% Within + or – 15 minutes of Scheduled Start Time
- SL1 Time Specific	
- SL1 Non-Time Specific	
- SL2 Time Specific	
- SL2 Non-Time Specific	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
• UNE Loops	• 95% Within + or – 15 minutes of Scheduled Start time

Issue Date: June 4, 2002

P-7B: Coordinated Customer Conversions – Average Recovery Time

Definition

Measures the time between notification and resolution by BellSouth of a service outage found that can be isolated to the BellSouth side of the network. The time between notification and resolution by BellSouth must be measured to ensure that CLEC customers do not experience unjustifiable lengthy service outages during a Coordinated Customer Conversion. This report measures outages associated with Coordinated Customer Conversions prior to service order completion.

Exclusions

- Cut overs where service outages are due to CLEC caused reasons
- Cut overs where service outages are due to end-user caused reasons

Business Rules

Measures the outage duration time related to Coordinated Customer Conversions from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The duration time is defined as the time from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The interval is calculated on the total outage time for the circuits divided by the total number of outages restored during the report period to give the average outage duration.

Calculation

Recovery Time = (a - b)

- a = Date & Time That Trouble is Closed by CLEC
- b = Date & Time Initial Trouble is Opened with BellSouth

Average Recovery Time = (c / d)

- c = Sum of all the Recovery Times
- d = Number of Troubles Referred to the BellSouth

Report Structure

- CLEC Specific
- · CLEC Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	• None
CLEC Company Name	None
• CLEC Order Number (so_nbr)	
• Committed Due Date (DD)	
• Service Type (CLASS_SVC_DESC)	
• CLEC Acceptance Conflict (CLEC_CONFLICT)	
• CLEC Conflict Resolved (CLEC_RESOLVE)	
• CLEC Conflict MFC (CLEC_CONFLICT_MFC)	
Total Conversion Orders	
Note: Code in parentheses is the corresponding header found in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
 Unbundled Loops with INP/LNP 	Diagnostic
 Unbundled Loops without INP/LNP 	

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-7C: Hot Cut Conversions - % Provisioning Troubles Received Within 7 days of a completed Service Order

Definition

Percent Provisioning Troubles received within 7 days of a completed service order associated with a Coordinated and Non-Coordinated Customer Conversion. Measures the quality and accuracy of Hot Cut Conversion Activities.

Exclusions

- · Any order canceled by the CLEC
- Troubles caused by Customer Provided Equipment

Business Rules

Measures the quality and accuracy of completed service orders associated with Coordinated and Non-Coordinated Hot Cut Conversions. The first trouble report received on a circuit ID within 7 days following a service order completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed Coordinated and Non-Coordinated Hot Cut Conversion service orders and following 7 days after the completion of the service order for a trouble report issue date.

Calculation

% Provisioning Troubles within 7 days of service order completion = (a / b) $X\ 100$

- a = The sum of all Hot Cut Circuits with a trouble within 7 days following service order(s) completion
- b = The total number of Hot Cut service order circuits completed in the previous report calendar month

Report Structure

- CLEC Specific
- CLEC Aggregate
- Dispatch/Non-Dispatch

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No PollCouth Apples Evists
• CLEC Order Number (so_nbr)	No BellSouth Analog Exists
• PON	
Order Submission Date (TICKET_ID)	
Order Submission Time (TICKET_ID)	
Status Type	
Status Notice Date	
Standard Order Activity	
Geographic Scope	
Total Conversion Circuits	
Note: Code in parentheses is the corresponding header found in the raw data file.	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
UNE Loop Design	• <= 5%
UNE Loop Non-Design	

SEEM Measure

SEEM Measure			
Yes	Tier I	X	
	Tier II	X	

Issue Date: June 4, 2002

SEEM Disaggregation	SEEM Analog/Benchmark
• UNE Loops	• <= 5%

P-8: Cooperative Acceptance Testing - % of xDSL Loops Tested

Definition

The loop will be considered cooperatively tested when the BellSouth technician places a call to the CLEC representative to initiate cooperative testing and jointly performs the tests with the CLEC.

Exclusions

- Testing failures due to CLEC (incorrect contact number, CLEC not ready, etc.)
- xDSL lines with no request for cooperative testing

Business Rules

When a BellSouth technician finishes delivering an order for an xDSL loop where the CLEC order calls for cooperative testing at the customer's premise, the BellSouth technician is to call a toll free number to the CLEC testing center. The BellSouth technician and the CLEC representative at the center then test the line. As an example of the type of testing performed, the testing center may ask the technician to put a short on the line so that the center can run a test to see if it can identify the short.

Calculation

Cooperative Acceptance Testing - % of xDSL Loops Tested = $(a \ / \ b) \ X \ 100$

- a = Total number of successful xDSL cooperative tests for xDSL lines where cooperative testing was requested in the reporting period
- \hat{b} = Total Number of xDSL line tests requested by the CLEC and scheduled in the reporting period

Report Structure

- CLEC Specific
- · CLEC Aggregate
- Type of Loop tested

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month CLEC Company Name (OCN) CLEC Order Number (so_nbr) and PON (PON) Committed Due Date (DD) Service Type (CLASS_SVC_DESC) Acceptance Testing Completed (ACCEPT_TESTING) Acceptance Testing Declined (ACCEPT_TESTING) Total xDSL Orders 	No BellSouth Analog Exists
Note : Code in parentheses is the corresponding header found in the raw data file.	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation:	SQM Analog/Benchmark:
• UNE xDSL	• 95% of Lines Tested
- ADSL	
- HDSL	
- UCL	
- OTHER	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• UNE xDSL	• 95% of Lines Tested

P-9: % Provisioning Troubles within 30 days of Service Order Completion

Definition

Percent Provisioning Troubles within 30 days of Service Order Completion measures the quality and accuracy of Service order activities

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- · D & F orders
- Trouble reports caused and closed out to Customer Provided Equipment (CPE)

Business Rules

Measures the quality and accuracy of completed orders. The first trouble report from a service order after completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed service orders and following 30 days after completion of the service order for a trouble report issue date.

D & F orders are excluded as there is no subsequent activity following a disconnect.

Note: Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

Calculation

% Provisioning Troubles within 30 days of Service Order Activity = $(a / b) \times 100$

- a = Trouble reports on all completed orders 30 days following service order(s) completion
- b = All Service Orders completed in the previous report calendar month

Report Structure

- CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- Reported in categories of <10 line/circuits; >= 10 line/circuits (except trunks)
- Dispatch / No Dispatch (except trunks)

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month CLEC Order Number and PON Order Submission Date (TICKET_ID) Order Submission Time (TICKET_ID) Status Type Status Notice Date Standard Order Activity Geographic Scope 	 Report Month BellSouth Order Number Order Submission Date Order Submission Time Status Type Status Notice Date Standard Order Activity Geographic Scope
Note: Code in parentheses is the corresponding header found	
in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With INP Design	Retail Residence and Business Dispatch
2W Analog Loop With INP Non-Design	• Retail Residence and Business (POTS - Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
• UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
• UNE ISDN	Retail ISDN BRI
UNE Line Sharing	ADSL Provided to Retail
• INP (Standalone)	• Retail Residence and Business (POTS)
• LNP (Standalone)	• Retail Residence and Business (POTS)
• UNE Loop + Port Combinations	 Retail Residence and Business
- Dispatch Out	- Dispatch Out
- Non-Dispatch	- Non-Dispatch
- Dispatch In	- Dispatch In
- Switch-Based	- Switch-Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	 Retail Residence, Business and Design Dispatch
	(Including Dispatch Out and Dispatch In)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
• UNE Other Non-Design	Retail Residence and Business
• UNE Other Design	Retail Design
Local Interconnection Trunks	Parity with Retail

SEEM Measure

SEEM Measure		
Yes	Tier I	X
Tier II X		

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	• Retail Residence and Business (POTS)
Resale Design	Retail Design
UNE Loop + Port Combinations	Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

P-10: Total Service Order Cycle Time (TSOCT)

Definition

This report measures the total service order cycle time from receipt of a valid service order request to the return of a completion notice to the CLEC Interface.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D (Disconnect Except "D" orders associated with LNP Standalone.) and F (From) orders. (From is disconnect side of a move order when the customer moves to a new address)
- "L" Appointment coded orders (where the customer has requested a later than offered interval)
- Orders with CLEC/Subscriber caused delays or CLEC/Subscriber requested due date changes

Business Rules

The interval is determined for each order processed during the reporting period. This measurement combines three reports: FOC Timeliness, Average Order Completion Interval and Average Completion Notice Interval. For UNE XDSL Loop, this measurement combines Service Inquiry Interval (SI), FOC Timeliness, Average Completion Interval, and Average Completion Notice Interval.

This interval starts with the receipt of a valid service order request and stops when a completion notice is sent to the CLEC Interface (LENS, TAG OR EDI) and the BellSouth Legacy Systems. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33 day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

Reporting is by Fully Mechanized, Partially Mechanized and Non-Mechanized receipt of LSRs.

Calculation

Total Service Order Cycle Time = (a - b)

- a = Service Order Completion Notice Date
- b = Service Request Receipt Date

Average Total Service Order Cycle Time = (c / d)

- c = Sum of all Total Service Order Cycle Times
- d = Total Number Service Orders Completed in Reporting Period

Total Service Order Cycle Time Interval Distribution (for each interval) = (e / f) X 100

- e = Total Number of Service Requests Completed in "X" minutes/hours
- f = Total Number of Service Requests Received in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Fully Mechanized; Partially Mechanized; Non-Mechanized
- Report in categories of <10 line/circuits; >= 10 line/circuits (except trunks)
- Dispatch / No Dispatch categories applicable to all levels except trunks
- Intervals 0-5, 5-10, 10-15, 15-20, 20-25, 25-30, >= 30 Days. The interval breakout is: 0-5 = 0-4.99, 5-10 = 5-9.99, 10-15 = 10-14.99, 15-20 = 15-19.99, 20-25 = 20-24.99, 25-30 = 25-29.99, >= 30 = 30 and greater.

Relating to CLEC Experience	Relating to BellSouth Performance
Report MonthInterval for FOC	Report Month BellSouth Order Number

• CLEC Company Name (OCN)	Order Submission Date & Time
• Order Number (PON)	Order Completion Date & Time
• Submission Date & Time (TICKET_ID)	Service Type
• Completion Date (CMPLTN_DT)	Geographic Scope
 Completion Notice Date and Time 	
• Service Type (CLASS_SVC_DESC)	
Geographic Scope	
Note: Code in parentheses is the corresponding header found in the raw data file	

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Diagnostic
Resale Business	
Resale Design	
• Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
• 2W Analog Loop With LNP Design	
• 2W Analog Loop With LNP Non-Design	
• UNE Switch Ports	
• UNE Loop + Port Combinations	
UNE Combo Other	
• UNE xDSL (HDSL, ADSL and UCL)	
• UNE ISDN	
UNE Line Sharing	
• UNE Other Design	
UNE Other Non -Design	
• UNE Digital Loops < DS1	
• UNE Digital Loops >= DS1	
• Local Transport (Unbundled Interoffice Transport)	
Local Interconnection Trunks	

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-11: Service Order Accuracy

Definition

The "service order accuracy" measurement measures the accuracy and completeness of a sample of BellSouth service orders by comparing what was ordered and what was completed.

Exclusions

- · Cancelled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D & F orders

Business Rules

A statistically valid sample of service orders, completed during a monthly reporting period, is compared to the original account profile and the order that the CLEC sent to BellSouth. An order is "completed without error" if all service attributes and account detail changes (as determined by comparing the original order) completely and accurately reflect the activity specified on the original order and any supplemental CLEC order. For both small and large sample sizes, when a Service Request cannot be matched with a corresponding Service Order, it will not be counted. For small sample sizes an effort will be made to replace the service request.

Calculation

Percent Service Order Accuracy = (a / b) X 100

- a = Orders Completed without Error
- b = Orders Completed in Reporting Period

Report Structure

- CLEC Aggregate
- Reported in categories of <10 line/circuits; >= 10 line/circuits
- Dispatch / No Dispatch

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No BellSouth Analog Exist
 CLEC Order Number and PON 	
• Local Service Request (LSR)	
 Order Submission Date 	
 Committed Due Date 	
Service Type	
 Standard Order Activity 	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	• 95% Accurate
• Resale Business	
• Resale Design (Specials)	
• UNE Specials (Design)	
• UNE (Non-Design)	
Local Interconnection Trunks	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

P-12: LNP-Percent Missed Installation Appointments

Definition

"Percent missed installation appointments" monitors the reliability of BellSouth commitments with respect to committed due dates to assure that CLECs can reliably quote expected due dates to their retail customer as compared to BellSouth. This measure is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates and reported for total misses and End User Misses.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable

Business Rules

Percent Missed Installation Appointments (PMI) is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates. Missed Appointments caused by end-user reasons will be included and reported in a separate category. The first commitment date on the service order that is a missed appointment is the missed appointment code used for calculation whether it is a BellSouth missed appointment or an End User missed appointment. The "due date" is any time on the confirmed due date, which means there cannot be a cutoff time for commitments as certain types of orders are requested to be worked after standard business hours.

Calculation

LNP Percent Missed Installation Appointments = (a / b) X 100

- a = Number of Orders with Completion date in Reporting Period past the Original Committed Due Date
- b = Number of Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State/Region
- Report in Categories of <10 lines/circuits >= 10 lines/circuits (except trunks)

Report explanation: Total Missed Appointments is the total percent of orders missed either by BellSouth or the CLEC end user. End User MA represents the percentage of orders missed by the CLEC end user. The difference between End User Missed Appointments and Total Missed Appointments is the result of BellSouth caused misses.

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
• Report Month	Not Applicable
 CLEC Order Number and PON (PON) 	Not Applicable
• Committed Due Date (DD)	
• Completion Date (CMPLTN DD)	
• Status Type	
• Status Notice Date	
Standard Order Activity	
Geographic Scope	
Note: Code in parentheses is the corresponding header found in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	Retail Residence and Business (POTS)

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• LNP	• 95% Due Dates Met ^a

^aDue to data structure issues, BellSouth is using a benchmark comparison for SEEM rather than the Truncated Z as stated in the Order.

P-13: LNP-Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distribution

Definition

Disconnect Timeliness is defined as the interval between the time ESI Number Manager receives the valid 'Number Ported' message from NPAC (signifying the CLEC 'Activate') until the time the Disconnect is completed in the Central Office switch. This interval effectively measures BellSouth responsiveness by isolating it from impacts that are caused by CLEC related activities.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable.

Business Rules

The Disconnect Timeliness interval is determined for each telephone number ported associated with a disconnect service order processed on an LSR during the reporting period. The Disconnect Timeliness interval is the elapsed time from when BellSouth receives a valid 'Number Ported' message in ESI Number Manager (signifying the CLEC 'Activate') for each telephone number ported until each telephone number on the service order is disconnected in the Central Office switch. Elapsed time for each ported telephone number is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the total number of selected telephone numbers disconnected in the reporting period.

Calculation

Disconnect Timeliness Interval = (a - b)

- a = Completion Date and Time in Central Office switch for each number on disconnect order
- b = Valid 'Number Ported' message received date & time

Average Disconnect Timeliness Interval = (c / d)

- c = Sum of all Disconnect Timeliness Intervals
- d = Total Number of disconnected numbers completed in reporting period

Disconnect Timeliness Interval Distribution (for each interval) = (e / f) X 100

- e = Disconnected numbers completed in "X" days
- f = Total disconnect numbers completed in reporting period

Report Structure

- CLEC Specific
- · CLEC Aggregate
- Geographic Scope
 - State, Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Order Number	Not Applicable
Telephone Number/Circuit Number	
Committed Due Date	
Receipt Date/Time (ESI Number Manager)	
Date/Time of Recent Change Notice	

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	• 95% <= 15 Minutes

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
LNP Standalone	• 95% <= 15 Minutes

Issue Date: June 4, 2002

P-14: LNP-Total Service Order Cycle Time (TSOCT)

Definition

Total Service Order Cycle Time measures the interval from receipt of a valid service order request to the completion of the final service order associated with that service request.

Exclusions

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable
- "L" appointment coded orders (indicating the customer has requested a later than offered interval)
- "S" missed appointment coded orders (indicating subscriber missed appointments), except for "SP" codes (indicating subscriber prior due date requested). This would include "S" codes assigned to subsequent due date changes.

Business Rules

The interval is determined for each order processed during the reporting period. This measurement combines three reports: FOC Timeliness, Average Order Completion Interval and Average Completion Notice Interval.

This interval starts with the receipt of a valid service order request and stops when a completion notice is sent to the CLEC Interface (LENS, TAG OR EDI). Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33 day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on the same day.

Reporting is by Fully Mechanized, Partially Mechanized and Non-Mechanized receipt of LSRs.

Calculation

Total Service Order Cycle Time = (a - b)

- a = Service Order Completion Notice Date
- b = Service Request Receipt Date

Average Total Service Order Cycle Time = (c / d)

- c = Sum of all Total Service Order Cycle Times
- d = Total Number Service Orders Completed in Reporting Period

Total Service Order Cycle Time Interval Distribution (for each interval) = (e / f) X 100

- e = Total Number of Service Orders Completed in "X" minutes/hours
- f = Total Number of Service Orders Received in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Fully Mechanized; Partially Mechanized; Non-Mechanized
- Report in categories of < 10 lines/circuits; >= lines/circuits (except trunks)
- Intervals 0-5, $\overline{5}$ -10, 10-15, 15-20, 20-25, 25-30, \Rightarrow 30 Days. The interval breakout is: 0-5 = 0-4.99, 5-10 = 5-9.99, 10-15 = 10-14.99, 15-20 = 15-19.99, 20-25 = 20-24.99, 25-30 = 25-29.99, \Rightarrow 30 = 30 and greater.

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
• Interval for FOC	1 Not Applicable
CLEC Company Name (OCN)	
Order Number (PON)	
Submission Date & Time (TICKET_ID)	
Completion Date (CMPLTN_DT)	
Completion Notice Date and Time	

Service Type (CLASS_SVC_DESC)
 Geographic Scope
 Note: Code in parentheses is the corresponding header found in the raw data file

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	Diagnostic

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

CCCS 838 of 1497

Issue Date: June 4, 2002

Section 4: Section 4: Maintenance & Repair

M&R-1: Missed Repair Appointments

Definition

The percent of trouble reports not cleared by the committed date and time.

Exclusions

- · Trouble tickets canceled at the CLEC request
- BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

The negotiated commitment date and time is established when the repair report is received. The cleared time is the date and time that BellSouth personnel clear the trouble and closes the trouble report in his/her Computer Access Terminal (CAT) or workstation. If this is after the Commitment time, the report is flagged as a "Missed Commitment" or a missed repair appointment. When the data for this measure is collected for BellSouth and a CLEC, it can be used to compare the percentage of the time repair appointments are missed due to BellSouth reasons. (No access reports are not part of this measure because they are not a missed appointment.)

Note: Appointment intervals vary with force availability in the POTS environment. Specials and Trunk intervals are standard interval appointments of no greater than 24 hours. Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

Calculation

Percentage of Missed Repair Appointments = (a / b) X 100

- a = Count of Customer Troubles Not Cleared by the Quoted Commitment Date and Time
- b = Total Trouble reports closed in Reporting Period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Completion Date (CMPLTN_DT) Service Type (CLASS_SVC_DESC) Disposition and Cause (CAUSE_CD & CAUSE_DESC) 	 Report Month BellSouth Company Code Submission Date & Time Completion Date Service Type Disposition and Cause (Non-Design /Non-Special Only) Trouble Code (Design and Trunking Services) Geographic Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail business
Resale Design	Retail Design
Resale PBX	•
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	• Retail Residence & Business (POTS)
UNE Combo Other	 Retail Residence, Business and Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

SEEM Measure

SEEM Measure			
Yes	Tier I	X	
	Tier II X		

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	• Retail Residence and Business (POTS)
Resale Design	Retail Design
• UNE Loop + Port Combinations	 Retail Residence and Business
• UNE Loops	 Retail Residence and Business Dispatch
UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

M&R-2: Customer Trouble Report Rate

Definition

Percent of initial and repeated customer direct or referred troubles reported within a calendar month per 100 lines/circuits in service.

Exclusions

- Trouble tickets canceled at the CLEC request
- BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

Customer Trouble Report Rate is computed by accumulating the number of maintenance initial and repeated trouble reports during the reporting period. The resulting number of trouble reports are divided by the total "number of service" lines, ports or combination that exist for the CLECs and BellSouth respectively at the end of the report month.

Calculation

Customer Trouble Report Rate = (a / b) X 100

- a = Count of Initial and Repeated Trouble Reports closed in the Current Period
- b = Number of Service Access Lines in service at End of the Report Period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month CLEC Company Name Ticket Submission Date & Time (TICKET_ID) Ticket Completion Date (CMPLTN_DT) Service Type (CLASS_SVC_DESC) Disposition and Cause (CAUSE_CD & CAUSE_DESC) # Service Access Lines in Service at the end of period Geographic Scope Note: Code in parentheses is the corresponding header found in the raw data file. 	 Report Month BellSouth Company Code Ticket Submission Date & Time Ticket Completion Date Service Type Disposition and Cause (Non-Design /Non-Special Only) Trouble Code (Design and Trunking Services) # Service Access Lines in Service at the end of period Geographic Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
• UNE Loop + Port Combinations	Retail Residence & Business
• UNE Switch Ports	• Retail Residence & Business (POTS)
UNE Combo Other	 Retail Residence, Business and Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

SEEM Measure

SEEM Measure			
Yes	Tier I	X	
Tier II X			

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	• Retail Residence and Business (POTS)
Resale Design	• Retail Design
UNE Loop + Port Combinations	Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
• UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

M&R-3: Maintenance Average Duration

Definition

The Average duration of Customer Trouble Reports from the receipt of the Customer Trouble Report to the time the trouble report is cleared.

Exclusions

- Trouble tickets canceled at the CLEC request
- BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

For Average Duration the clock starts on the date and time of the receipt of a correct repair request. The clock stops on the date and time the service is restored and the BellSouth or CLEC customer is notified (when the technician completes the trouble ticket on his/her CAT or work systems).

Calculation

Maintenance Duration = (a - b)

- a = Date and Time of Service Restoration
- b = Date and Time Trouble Ticket was Opened

Average Maintenance Duration = (c / d)

- c = Total of all maintenance durations in the reporting period
- d = Total Closed Troubles in the reporting period

Report Structure

- · Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month Total Tickets (LINE_NBR) CLEC Company Name Ticket Submission Date & Time (TICKET_ID) Ticket Completion Date (CMPLTN_DT) Service Type (CLASS_SVC_DESC) Disposition and Cause (CAUSE_CD & CAUSE_DESC) Geographic Scope Note: Code in parentheses is the corresponding header found in the raw data file. 	 Disposition and Cause (Non-Design /Non-Special Only) Trouble Code (Design and Trunking Services)
	Geographic Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
• UNE Loop + Port Combinations	Retail Residence & Business
• UNE Switch Ports	• Retail Residence & Business (POTS)
UNE Combo Other	 Retail Residence, Business and Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

SEEM Measure

SEEM Measure			
Yes	Tier I	X	
Tier II X			

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	• Retail Residence and Business (POTS)
Resale Design	Retail Design
• UNE Loop + Port Combinations	 Retail Residence and Business
• UNE Loops	 Retail Residence and Business Dispatch
UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

CCCS 844 of 1497

M&R-4: Percent Repeat Troubles within 30 Days

Definition

Closed trouble reports on the same line/circuit as a previous trouble report received within 30 calendar days as a percent of total troubles closed reported

Exclusions

- Trouble tickets canceled at the CLEC request
- BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

Includes Customer trouble reports received within 30 days of an original Customer trouble report.

Calculation

Percent Repeat Troubles within 30 Days = (a / b) X 100

- a = Count of closed Customer Troubles where more than one trouble report was logged for the same service line within a continuous 30 days
- b = Total Trouble Reports Closed in Reporting Period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month Total Tickets (LINE_NBR) CLEC Company Name Ticket Submission Date & Time (TICKET_ID) Ticket Completion Date (CMPLTN_DT) Total and Percent Repeat Trouble Reports within 30 Days (TOT_REPEAT) Service Type Disposition and Cause (CAUSE_CD & CAUSE_DESC) Geographic Scope 	 Report Month Total Tickets BellSouth Company Code Ticket Submission Date Ticket Submission Time Ticket Completion Date Ticket Completion Time Total and Percent Repeat Trouble Reports within 30 Days Service Type
Note : Code in parentheses is the corresponding header found in the raw data file.	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
• UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	• Retail Residence and Business (POTS)
UNE Combo Other	 Retail Residence, Business & Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	 Retail Residence and Business (POTS)
Resale Design	Retail Design
UNE Loop + Port Combinations	Retail Residence and Business
• UNE Loops	Retail Residence and Business Dispatch
• UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

M&R-5: Out of Service (OOS) > 24 Hours

Definition

For Out of Service Troubles (no dial tone, cannot be called or cannot call out) the percentage of Total OOS Troubles cleared in excess of 24 hours. (All design services are considered to be out of service).

Exclusions

- Trouble Reports canceled at the CLEC request
- BellSouth Trouble Reports associated with administrative service
- Customer Provided Equipment (CPE) Troubles or CLEC Equipment Troubles

Business Rules

Customer Trouble reports that are out of service and cleared in excess of 24 hours. The clock begins when the trouble report is created in LMOS/WFA and the trouble is counted if the elapsed time exceeds 24 hours.

Calculation

Out of Service (OOS) > 24 hours = (a / b) X 100

- a = Total Cleared Troubles OOS > 24 Hours
- b = Total OOS Troubles in Reporting Period

Report Structure

- Dispatch/Non Dispatch
- CLEC Specific
- · BellSouth Aggregate
- CLEC Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Report Month Total Tickets CLEC Company Name Ticket Submission Date & Time (TICKET_ID) Ticket Completion Date (CMPLTN_DT Percentage of Customer Troubles out of Service > 24 Hours (OOS>24_FLAG) Service type (CLASS_SVC_DESC) Disposition and Cause (CAUSE_CD & CAUSE-DESC) Geographic Scope Note: Code in parentheses is the corresponding header found in the raw data file. 	 Report Month Total Tickets BellSouth Company Code Ticket Submission Date Ticket Submission time Ticket Completion Date Ticket Completion Time Percent of Customer Troubles out of Service > 24 Hours Service type Disposition and Cause (Non-Design/Non-Special only) Trouble Code (Design and Trunking Services) Geographic Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	• Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	• Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
• UNE Loop + Port Combinations	• Retail Residence & Business
UNE Switch Ports	• Retail Residence & Business (POTS)
UNE Combo Other	 Retail Residence, Business and Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	• Retail DS1/DS3 Interoffice

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

M&R-6: Average Answer Time – Repair Centers

Definition

This measures the average time a customer is in queue when calling a BellSouth Repair Center.

Exclusions

None

Business Rules

The clock starts when a CLEC Representative or BellSouth customer makes a choice on the Repair Center's menu and is put in queue for the next repair attendant. The clock stops when the repair attendant answers the call (abandoned calls are not included).

Note: The Total Column is a combined BellSouth Residence and Business number.

Calculation

Answer Time for BellSouth Repair Centers = (a - b)

- a = Time BellSouth Repair Attendant Answers Call
- b = Time of entry into queue after ACD Selection

Average Answer Time for BellSouth Repair Centers = (c / d)

- c = Sum of all Answer Times
- d = Total number of calls by reporting period

Report Structure

- CLEC Aggregate
- · BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
CLEC Average Answer Time	BellSouth Average Answer Time

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region. CLEC/BellSouth Service Centers and BellSouth	• For CLEC, Average Answer Times in UNE Center and
Repair Centers are regional.	BRMC are comparable to the Average Answer Times in
	the BellSouth Repair Centers.

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

M&R-7: Mean Time To Notify CLEC of Network Outages

Definition

This report measures the time it takes for the BellSouth Network Management Center (NMC) to notify the CLEC of major network outages.

Exclusions

None

Business Rules

BellSouth will inform the CLEC of any major network outages (key customer accounts) via a page or email. When the BellSouth NMC becomes aware of a network incident, the CLEC and BellSouth will be notified electronically. The notification time for each outage will be measured in minutes and divided by the number of outages for the reporting period. These are broadcast messages. It is up to those receiving the message to determine if they have customers affected by the incident.

The CLECs will be notified in accordance with the rules outlined in Appendix D of the CLEC "Customer Guide" which is published on the internet at: www.interconnection.bellsouth.com/guides/other_guides/html/gopue/indexf.htm.

Calculation

Time to Notify CLEC = (a - b)

- a = Date and Time BellSouth Notified CLEC
- b = Date and Time BellSouth Detected Network Incident

Mean Time to Notify CLEC = (c / d)

- c = Sum of all Times to Notify CLEC
- d = Count of Network Incidents

Report Structure

- · BellSouth Aggregate
- CLEC Aggregate
- CLEC Specific

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Major Network Events	 Major Network Events
Date/Time of Incident	 Date/Time of Incident
• Date/Time of Notification	 Date/Time of Notification

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
BellSouth Aggregate	Parity by Design
CLEC Aggregate	
CLEC Specific	

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

Section 5: Billing

B-1: Invoice Accuracy

Definition

This measure provides the percentage of accuracy of the billing invoices rendered to CLECs during the current month.

Exclusions

- Adjustments not related to billing errors (e.g., credits for service outage, special promotion credits, adjustments to satisfy the customer)
- Test Accounts

Business Rules

The accuracy of billing invoices delivered by BellSouth to the CLEC must enable them to provide a degree of billing accuracy comparative to BellSouth bills rendered to retail customers of BellSouth. CLECs request adjustments on bills determined to be incorrect. The BellSouth Billing verification process includes manually analyzing a sample of local bills from each bill period. The bill verification process draws from a mix of different customer billing options and types of service. An end-to-end auditing process is performed for new products and services. Internal measurements and controls are maintained on all billing processes.

Calculation

Invoice Accuracy = $[(a - b) / a] \times 100$

- a = Absolute Value of Total Billed Revenues during current month
- b = Absolute Value of Billing Related Adjustments during current month

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- · Geographic Scope
 - Region
 - State

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Invoice Type	Retail Type
- UNE	- CRIS
- Resale	- CABS
- Interconnection	 Total Billed Revenue
Total Billed Revenue	Billing Related Adjustments
Billing Related Adjustments	

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	 CLEC Invoice Accuracy is comparable to BellSouth
- Resale	Invoice Accuracy
- UNE	
- Interconnection	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC State	Parity With Retail
BellSouth State	

Issue Date: June 4, 2002

B2: Mean Time to Deliver Invoices

Definition

Bill Distribution is calculated as follows: CRIS BILLS-The number of workdays is reported for CRIS bills. This is calculated by counting the Bill Period date as the first work day. Weekends and holidays are excluded when counting workdays. J/N Bills are counted in the CRIS work day category for the purposes of the measurement since their billing account number (Q account) is provided from the CRIS system.

CABS BILLS-The number of calendar days is reported for CABS bills. This is calculated by counting the day following the Bill Period date as the first calendar day. Weekends and holidays are included when counting the calendar days.

Exclusions

Any invoices rejected due to formatting or content errors.

Business Rules

This report measures the mean interval for timeliness of billing records delivered to CLECs in an agreed upon format. CRIS-based invoices are measured in business days, and CABS-based invoices in calendar days.

Calculation

Invoice Timeliness = (a - b)

- a = Invoice Transmission Date
- b = Close Date of Scheduled Bill Cycle

Mean Time To Deliver Invoices = (c / d)

- c = Sum of all Invoice Timeliness intervals
- d = Count of Invoices Transmitted in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- · Geographic Scope
 - Region
 - State

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Invoice Type	Invoice Type
- UNE	- CRIS
- Resale	- CABS
- Interconnection	Invoice Transmission Count
Invoice Transmission Count	Date of Scheduled Bill Close
• Date of Scheduled Bill Close	

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	• CRIS-based invoices will be released for delivery within
• Resale	six (6) business days.
• UNE	• CABS-based invoices will be released for delivery within
Interconnection	eight (8) calendar days.
	CLEC Average Delivery Intervals for both CRIS and
	CABS Invoices are comparable to BellSouth Average
	delivery for both systems.

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC State	Parity with Retail
- CRIS	
- CABS	
BellSouth Region	

5-4

B3: Usage Data Delivery Accuracy

Definition

This measurement captures the percentage of recorded usage that is delivered error free and in an acceptable format to the appropriate Competitive Local Exchange Carrier (CLEC). These percentages will provide the necessary data for use as a comparative measurement for BellSouth performance. This measurement captures Data Delivery Accuracy rather than the accuracy of the individual usage recording.

Exclusions

None

Business Rules

The accuracy of the data delivery of usage records delivered by BellSouth to the CLEC must enable them to provide a degree of accuracy comparative to BellSouth bills rendered to their retail customers. If errors are detected in the delivery process, they are investigated, evaluated and documented. Errors are corrected and the data retransmitted to the CLEC.

Calculation

Usage Data Delivery Accuracy = $(a - b) / a \times 100$

- a = Total number of usage data packs sent during current month
- b = Total number of usage data packs requiring retransmission during current month

Report Structure

- CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- · Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	• Report Month
Record Type	Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• CLEC Usage Data Delivery Accuracy is comparable to
	BellSouth Usage Data Delivery Accuracy

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC State	Parity With Retail
BellSouth Region	-

B4: Usage Data Delivery Completeness

Definition

This measurement provides percentage of complete and accurately recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is processed and transmitted to the CLEC within thirty (30) days of the message recording date. A parity measure is also provided showing completeness of BellSouth messages processed and transmitted via CMDS. BellSouth delivers its own retail usage from recording location to billing location via CMDS as well as delivering billing data to other companies. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of these measurements is to demonstrate the level of quality of usage data delivered to the appropriate CLEC. Method of delivery is at the option of the CLEC.

Calculation

Usage Data Delivery Completeness = $(a / b) \times 100$

- a = Total number of Recorded usage records delivered during current month that are within thirty (30) days of the message recording date
- b = Total number of Recorded usage records delivered during the current month

Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Record Type	Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• CLEC Usage Data Delivery Completeness is comparable
	to BellSouth Usage Data Delivery Completeness

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

B5: Usage Data Delivery Timeliness

Definition

This measurement provides a percentage of recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is delivered to the appropriate CLEC within six (6) calendar days from the receipt of the initial recording. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of this measurement is to demonstrate the level of timeliness for processing and transmission of usage data delivered to the appropriate CLEC. The usage data will be mechanically transmitted or mailed to the CLEC data processing center once daily. The Timeliness interval of usage recorded by other companies is measured from the date BellSouth receives the records to the date BellSouth distributes to the CLEC. Method of delivery is at the option of the CLEC.

Calculation

Usage Data Delivery Timeliness Current month = (a / b) X 100

- a = Total number of usage records sent within six (6) calendar days from initial recording/receipt
- b = Total number of usage records sent

Report Structure

- CLEC Aggregate
- CLEC Specific
- · BellSouth Aggregate
- Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	• Report Month
Record Type	• Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• CLEC Usage Data Delivery Timeliness is comparable to
	BellSouth Usage Data Delivery Timeliness

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

B6: Mean Time to Deliver Usage

Definition

This measurement provides the average time it takes to deliver Usage Records to a CLEC. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of this measurement is to demonstrate the average number of days it takes BellSouth to deliver Usage data to the appropriate CLEC. Usage data is mechanically transmitted or mailed to the CLEC data processing center once daily. Method of delivery is at the option of the CLEC.

Calculation

Mean Time to Deliver Usage = (a~X~b)~/~c

- a = Volume of Records Delivered
- b = Estimated number of days to deliver
- c = Total Record Volume Delivered

Note: Any usage record falling in the 30+ day interval will be added using an average figure of 31.5 days.

Report Structure

- CLEC Aggregate
- CLEC Specific
- BellSouth Aggregate
- Region

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Record Type	Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• Mean Time to Deliver Usage to CLEC is comparable to
	Mean Time to Deliver Usage to BellSouth.

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

B7: Recurring Charge Completeness

Definition

This measure captures percentage of fractional recurring charges appearing on the correct bill.

Exclusions

None

Business Rules

The effective date of the recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill.

Calculation

Recurring Charge Completeness = $(a / b) \times 100$

- a = Count of fractional recurring charges that are on the correct bill¹
- b = Total count of fractional recurring charges that are on the correct bill

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Invoice Type	Retail Analog
Total Recurring Charges Billed	Total Recurring Charges Billed
• Total Billed on Time	Total Billed on Time

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	
Resale	• Parity
• UNE	Benchmark 90%
Interconnection	Benchmark 90%

SEEM Measure

SEEM Measure			
No	Tier I		
İ	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

¹Correct bill = next available bill

B8: Non-Recurring Charge Completeness

Definition

This measure captures percentage of non-recurring charges appearing on the correct bill.

Exclusions

None

Business Rules

The effective date of the non-recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill.

Calculation

Non-Recurring Charge Completeness = (a / b) X 100

- a = Count of non-recurring charges that are on the correct bill¹
- b = Total count of non-recurring charges that are on the correct bill

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Invoice Type	Retail Analog
Total Non-recurring Charges Billed	Total Non-recurring Charges Billed
Total Billed on Time	Total Billed on Time

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	
• Resale	• Parity
• UNE	Benchmark 90%
Interconnection	Benchmark 90%

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

¹Correct bill = next available bill

Section 6: Operator Services And Directory Assistance

OS-1: Speed to Answer Performance/Average Speed to Answer - Toll

Definition

Measurement of the average time in seconds calls wait before answered by a toll operator.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

Speed to Answer Performance/Average Speed to Answer - Toll = a / b

- a = Total queue time
- b = Total calls answered

Note: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

Report Structure

- Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (Toll)
- · Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

OS-2: Speed to Answer Performance/Percent Answered with "X" Seconds - Toll

Definition

Measurement of the percent of toll calls that are answered in less than ten seconds.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

The Percent Answered within "X" Seconds measurement for toll is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

Report Structure

- · Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (Toll)
- Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

DA-1: Speed to Answer Performance/Average Speed to Answer - Directory Assistance (DA)

Definition

Measurement of the average time in seconds calls wait before answered by a DA operator.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA) = a / b

- a = Total queue time
- b = Total calls answered

Note: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

Report Structure

- · Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (DA)
- · Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

	SQM Level of Disaggregation	SQM Analog/Benchmark
• None		 Parity by Design

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

CCCS 863 of 1497

DA-2: Speed to Answer Performance/Percent Answered within "X" Seconds - Directory Assistance (DA)

Definition

Measurement of the percent of DA calls that are answered in less than twelve seconds.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

The Percent Answered within "X" Seconds measurement for DA is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

Report Structure

- · Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP.
- Month
- Call Type (DA)
- Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

	SQM Level of Disaggregation	SQM Analog/Benchmark
 None 		Parity by Design

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

Section 7: Database Update Information

D-1: Average Database Update Interval

Definition

This report measures the interval from receipt of the database change request to the completion of the update to the database for Line Information Database (LIDB), Directory Assistance and Directory Listings. For E-911, see Section 8.

Exclusions

- · Updates Canceled by the CLEC
- · Initial update when supplemented by CLEC
- · BellSouth updates associated with internal or administrative use of local services

Business Rules

The interval for this measure begins with the date and time stamp when a service order is completed and the completion notice is released to all systems to be updated with the order information including Directory Assistance, Directory Listings, and Line Information Database (LIDB). The end time stamp is the date and time of completion of updates to the system.

For BellSouth Results:

The BellSouth computation is identical to that for the CLEC with the clarifications noted below.

Other Clarifications and Qualification:

- For LIDB, the elapsed time for a BellSouth update is measured from the point in time when the BellSouth file maintenance process makes the LIDB update information available until the date and time reported by BellSouth that database updates are completed.
- Results for the CLECs are captured and reported at the update level by Reporting Dimension (see below).
- The Completion Date is the date upon which BellSouth issues the Update Completion Notice to the CLEC.
- If the CLEC initiates a supplement to the originally submitted update and the supplement reflects changes in customer requirements (rather than responding to BellSouth initiated changes), then the update submission date and time will be the date and time of BellSouth receipt of a syntactically correct update supplement. Update activities responding to BellSouth initiated changes will not result in changes to the update submission date and time used for the purposes of computing the update completion interval.
- · Elapsed time is measured in hours and hundredths of hours rounded to the nearest tenth of an hour.
- Because this should be a highly automated process, the accumulation of elapsed time continues through off-schedule, weekends and holidays; however, scheduled maintenance windows are excluded.

Calculation

Update Interval = (a - b)

- a = Completion Date & Time of Database Update
- b = Submission Date and Time of Database Change

Average Update Interval = (c / d)

- c = Sum of all Update Intervals
- d = Total Number of Updates Completed During Reporting Period

Report Structure

- CLEC Specific (Under development)
- CLEC Aggregate
- BellSouth Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
 Database File Submission Time 	 Database File Submission Time
 Database File Update Completion Time 	 Database File Update Completion Time
 CLEC Number of Submissions 	 BellSouth Number of Submissions
• Total Number of Updates	 Total Number of Updates

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation:	SQM Analog/Benchmark:
Database Type	Parity by Design
• LIDB	
Directory Listings	
Directory Assistance	

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

CCCS 866 of 1497

D-2: Percent Database Update Accuracy

Definition

This report measures the accuracy of database updates by BellSouth for Line Information Database (LIDB), Directory Assistance, and Directory Listings using a statistically valid sample of LSRs/Orders in a manual review. This manual review is not conducted on BellSouth Retail Orders.

Exclusions

- · Updates canceled by the CLEC
- Initial update when supplemented by CLEC
- · CLEC orders that had CLEC errors
- BellSouth updates associated with internal or administrative use of local services

Business Rules

For each update completed during the reporting period, the original update that the CLEC sent to BellSouth is compared to the database following completion of the update by BellSouth. An update is "completed without error" if the database completely and accurately reflects the activity specified on the original and supplemental update (order) submitted by the CLEC. Each database (LIDB, Directory Assistance, and Directory Listings) should be separately tracked and reported.

A statistically valid sample of CLEC Orders are pulled each month. That sample will be used to test the accuracy of the database update process. This is a manual process.

Calculation

Percent Update Accuracy = (a / b) X 100

- a = Number of Updates Completed Without Error
- b = Number Updates Completed

Report Structure

- CLEC Aggregate
- CLEC Specific (not available in this report)
- BellSouth Aggregate (not available in this report)

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
 CLEC Order Number (so_nbr) and PON (PON) 	Not Applicable
• Local Service Request (LSR)	
Order Submission Date	
Number of Orders Reviewed	
Note : Code in parentheses is the corresponding header found in the raw data file.	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Database Type	• 95% Accurate
• LIDB	
Directory Assistance	
Directory Listings	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

D-3: Percent NXXs and LRNs Loaded by the LERG Effective Date

Definition

Measurement of the percent of NXX(s) and Location Routing Numbers LRN(s) loaded in end office and/or tandem switches by the Local Exchange Routing Guide (LERG) effective date when facilities are in place. BellSouth has a single provisioning process for both NXX(s) and LRN(s). In this measure, BellSouth will identify whether or not a particular NXX has been flagged as LNP capable (set triggers for dips) by the LERG effective date.

An LRN is assigned by the owner of the switch and is placed into the software translations for every switch to be used as an administrative pointer to route NXX(s) in LNP capable switches. The LRN is a result of Local Number Porting and is housed in a national database provided by the Number Portability Administration Center (NPAC). The switch owner is responsible for notifying NPAC and requesting the effective date that will be reflected in the LERG. The national database downloads routing tables into BellSouth Service Control Point (SCP) regional databases, which are queried by switches when routing ported numbers.

The basic NXX routing process includes the addition of all NXX(s) in the response translations. This addition to response translations is what supports LRN routing. Routing instructions for all NXX(s), including LRN(s), are received from the Advance Routing & Trunking System (ARTS) and all routing, including response, is established based on the information contained in the Translation Work Instructions (TWINs) document.

Exclusions

- · Activation requests where the CLEC's interconnection arrangements and facilities are not in place by the LERG effective date
- · Expedite requests

Business Rules

Data for the initial NXX(s) and LRN(s) in a local calling area will be based on the LERG effective date or completion of the initial interconnection trunk group(s), whichever is longer. Data for additional NXX(s) in the local calling area will be based on the LERG effective date. The LERG effective date is loaded into the system at the request of the CLEC. It is contingent upon the CLEC to engineer, order, and install interconnection arrangements and facilities prior to that date.

The total Count of NXX(s) and LRN(s) that were scheduled to be loaded and those that were loaded by the LERG effective date in BellSouth switches will be captured in the Work Force Administration -Dispatch In database.

Calculation

Percent NXXs/LRNs Loaded and Tested Prior to the LERG Effective Date = (a / b) X 100

- a = Count of NXXs and LRNs loaded by the LERG effective date
- b = Total NXXs and LRNs scheduled to be loaded by the LERG effective date

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth (Not Applicable)

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Company Name	Not Applicable
Company Code	
NPA/NXX	
LERG Effective Date	
Loaded Date	

SQM Level of Disaggregation	SQM Analog/Benchmark
Geographic Scope	• 100% by LERG Effective Date
- Region	

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

7-6

Section 8: E911

E-1: Timeliness

Definition

Measures the percent of batch orders for E911 database updates (to CLEC resale and BellSouth retail records) processed successfully within a 24-hour period.

Exclusions

- Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

Business Rules

The 24-hour processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing batch orders extracted from the BellSouth Service Order Control System (SOCS). Processing stops when SCC loads the individual records to the E911 database. The E911 database includes updates to the Automatic Location Identification (ALI) database. The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Timeliness = (a / b) X 100

- a = Number of batch orders processed within 24 hours
- b = Total number of batch orders submitted

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- · Report month
- · Aggregate data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

E-2: Accuracy

Definition

Measures the percent of E911 telephone number (TN) record updates (to CLEC resale and BellSouth retail records) processed successfully for E911 (including the Automatic Location Identification (ALI) database).

Exclusions

- Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

Business Rules

Accuracy is based on the number of records processed without error at the conclusion of the processing cycle. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing telephone number (TN) records extracted from BellSouth's Service Order Control System (SOCS). The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Accuracy = (a / b) X 100

- a = Number of record individual updates processed with no errors
- b = Total number of individual record updates

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- · Report month
- Aggregate data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

SEEM Measure

SEEM Measure				
No Tier I				
Tier II				

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

E-3: Mean Interval

Definition

Measures the mean interval processing of E911 batch orders (to update CLEC resale and BellSouth retail records) including processing against the Automatic Location Identification (ALI) database.

Exclusions

- · Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

Business Rules

The processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Data is posted is 4-hour increments up to and beyond 24 hours. The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Interval = (a - b)

- a = Date and time of batch order completion
- b = Date and time of batch order submission

E911 Mean Interval = (c / d)

- c = Sum of all E911 Intervals
- d = Number of batch orders completed

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- · Report month
- · Aggregate data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

SEEM Measure

SEEM Measure				
No Tier I				
	Tier II			

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

Section 9: Trunk Group Performance

TGP-1: Trunk Group Performance-Aggregate

Definition

The Trunk Group Performance report displays, over a reporting cycle, aggregate, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

Exclusions

- Trunk groups for which valid data is not available for an entire study period
- Duplicate trunk group information
- Trunk groups blocked due to CLEC network/equipment failure
- Trunk groups blocked due to CLEC delayed or refused orders
- Trunk groups blocked due to unanticipated significant increases in CLEC traffic
- Final groups actually overflowing, not blocked

Business Rules

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering.

Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting cycle.

Aggregate Monthly Blocking:

- Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth switches.
- · Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

Trunk Categorization:

This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

Point B

Point B

BellSouth End Office

CLEC Affecting Categories:

Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 3:	BellSouth End Office	CLEC Switch
Category 4:	BellSouth Local Tandem	CLEC Switch
Category 5:	BellSouth Access Tandem	CLEC Switch
Category 10:	BellSouth End Office	BellSouth Local Tandem
Category 16:	BellSouth Tandem	BellSouth Tandem
BellSouth Affecting Categories:		

BellSouth End Office

Point A

Point A

Calculation

Category 9:

Monthly Average Blocking:

• For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.

• The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

Aggregate Monthly Blocking:

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

Report Structure

- CLEC Aggregate
- BellSouth Aggregate
 - State

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Total Trunk Groups	Total Trunk Groups
Number of Trunk Groups by CLEC	 Aggregate Hourly Blocking Per Trunk Group
Hourly Blocking Per Trunk Group	Hourly Usage Per Trunk Group
Hourly Usage Per Trunk Group	Hourly Call Attempts Per Trunk Group
Hourly Call Attempts Per Trunk Group	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
CLEC aggregate	 Any 2 hour period in 24 hours where CLEC blockage
BellSouth aggregate	exceeds BellSouth blockage by more than 0.5% using
	trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for
	BellSouth

SEEM Measure

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC Aggregate	 Any 2 hour period in 24 hours where CLEC blockage
BellSouth Aggregate	exceeds BellSouth blockage by more than 0.5% using
	trunk groups 1,3,4,5,10,16 for CLECs and 9 for
	BellSouth

TGP-2: Trunk Group Performance-CLEC Specific

Definition

The Trunk Group Performance report displays, over a reporting cycle, aggregate, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

Exclusions

- · Trunk Groups for which valid data is not available for an entire study period
- Duplicate trunk group information
- Trunk groups blocked due to CLEC network/equipment failure
- Trunk groups blocked due to CLEC delayed or refused orders
- Trunk groups blocked due to unanticipated significant increases in CLEC traffic
- · Final groups actually overflowing, not blocked

Business Rules

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering.

Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting cycle.

Aggregate Monthly Blocking:

- Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth switches.
- · Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

Trunk Categorization:

• This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

CLEC Affecting Categories:

Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 3:	BellSouth End Office	CLEC Switch
Category 4:	BellSouth Local Tandem	CLEC Switch
Category 5:	BellSouth Access Tandem	CLEC Switch

Point A

Category 10: BellSouth End Office BellSouth Local Tandem
Category 16: BellSouth Tandem BellSouth Tandem

BellSouth Affecting Categories:

Point A Point B

Category 9: BellSouth End Office BellSouth End Office

CCCS 876 of 1497

Issue Date: June 4, 2002

Point B

Calculation

Monthly Average Blocking:

- For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.
- The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

Aggregate Monthly Blocking:

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

Report Structure

- CLEC Specific
 - State

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Total Trunk Groups	Total Trunk Groups
Number of Trunk Groups by CLEC	 Aggregate Hourly Blocking Per Trunk Group
Hourly Blocking Per Trunk Group	 Hourly Usage Per Trunk Group
Hourly Usage Per Trunk Group	Hourly Call Attempts Per Trunk Group
Hourly Call Attempts Per Trunk Group	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
CLEC Trunk Group	• Any 2 hour period in 24 hours where CLEC blockage
•	exceeds BellSouth blockage by more than 0.5% using
	trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for
	BellSouth

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC Trunk Group	 Any 2 hour period in 24 hours where CLEC blockage
BellSouth Trunk Group	exceeds BellSouth blockage by more than 0.5% using
	trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for
	BellSouth

Section 10: Collocation

C-1: Collocation Average Response Time

Definition

Measures the average time (counted in calendar days) from the receipt of a complete and accurate collocation application (including receipt of application fee if required) to the date BellSouth returns a response electronically or in writing. Within 10 calendar days after having received a bona fide application for physical collocation, BellSouth must respond as to whether space is available or not.

Exclusions

Any application canceled by the CLEC.

Business Rules

The clock starts on the date that BellSouth receives a complete and accurate collocation application accompanied by the appropriate application fee if required. The clock stops on the date that BellSouth returns a response. The clock will restart upon receipt of changes to the original application request.

Calculation

Response Time = (a - b)

- a = Request Response Date
- b = Request Submission Date

Average Response Time = (c / d)

- c = Sum of all Response Times
- d = Count of Responses Returned within Reporting Period

Report Structure

- · Individual CLEC (alias) Aggregate
- · Aggregate of all CLECs

Data Retained

- · Report Period
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

Level of Disaggregation	SQM Analog/Benchmark
• State	 Virtual - 20 Calendar Days
• Virtual-Initial	 Physical Caged - 30 Calendar Days
• Virtual-Augment	 Physical Cageless - 30 Calendar Days
Physical Caged-Initial	
Physical Caged-Augment	
Physical-Cageless-Initial	
Physical Cageless-Augment	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

C-2: Collocation Average Arrangement Time

Definition

Measures the average time (counted in calendar days) from receipt of a complete and accurate Bona Fide firm order (including receipt of appropriate fee if required) to the date BellSouth completes the collocation arrangement and notifies the CLEC.

Exclusions

- Any Bona Fide firm order canceled by the CLEC
- · Any Bona Fide firm order with a CLEC-negotiated interval longer than the benchmark interval

Business Rules

The clock starts on the date that BellSouth receives a complete and accurate Bone Fide firm order accompanied by the appropriate fee. The clock stops on the date that BellSouth completes the collocation arrangement and notifies the CLEC.

Calculation

Arrangement Time = (a - b)

- a = Date Collocation Arrangement is Complete
- b = Date Order for Collocation Arrangement Submitted

Average Arrangement Time = (c / d)

- c = Sum of all Arrangement Times
- d = Total Number of Collocation Arrangements Completed during Reporting Period

Report Structure

- Individual CLEC (alias) Aggregate
- · Aggregate of all CLECs

Data Retained

- Report Period
- · Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• State	• Virtual - 50 Calendar Days (Ordinary)
Virtual-Initial	 Virtual - 75 Calendar Days (Extraordinary)
Virtual-Augment	 Physical Caged - 90 Calendar Days
Physical Caged-Initial	 Physical Cageless - 60 Calendar Days (Ordinary)
Physical Caged-Augment	 Physical Cageless - 90 Calendar Days (Extraordinary)
Physical Cageless-Initial	
Physical Cageless-Augment	

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

C-3: Collocation Percent of Due Dates Missed

Definition

Measures the percent of missed due dates for both virtual and physical collocation arrangements.

Exclusions

Any Bona Fide firm order canceled by the CLEC.

Business Rules

Percent Due Dates Missed is the percent of total collocation arrangements which BellSouth is unable to complete by end of the BellSouth committed due date. The clock starts on the date that BellSouth receives a complete and accurate Bona Fide firm order accompanied by the appropriate fee if required. The arrangement is considered a missed due date if it is not completed on or before the committed due date.

Calculation

% of Due Dates Missed = $(a / b) \times 100$

- a = Number of Completed Orders that were not completed within BellSouth Committed Due Date during Reporting Period
- b = Number of Orders Completed in Reporting Period

Report Structure

- Individual CLEC (alias) Aggregate
- · Aggregate of all CLECs

Data Retained

- · Report Period
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• State	• >= 95% on time
• Virtual-Initial	
Virtual-Augment	
Physical Caged-Initial	
Physical Caged-Augment	
Physical Cageless-Initial	
Physical Cageless-Augment	

SEEM Measure

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
All Collocation Arrangements	• >= 95% on time

Section 11: Change Management

CM-1: Timeliness of Change Management Notices

Definition

Measures whether CLECs receive required software release notices on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

Exclusions

- Changes to release dates for reasons outside BellSouth control, such as the system software vendor changes. For example: a patch to fix a software problem.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process (CCP)

Business Rules

This metric is designed to measure the percent of change management notices sent to the CLECs according to notification standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features.

Calculation

Timeliness of Change Management Notices = (a / b) X 100

- a = Total number of Change Management Notifications Sent Within Required Timeframes
- b = Total Number of Change Management Notifications Sent

Report Structure

• BellSouth Aggregate

Data Retained

- · Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation		SQM Analog/Benchmark
 Region 		• 95% >= 30 Days of Release

SEEM Measure

SEEM Measure			
Yes	Tier I		
	Tier II		X

SEEM Disaggregation	SEEM Analog/Benchmark
Region	• 95% >= 30 Days of Release

CM-2: Change Management Notice Average Delay Days

Definition

Measures the average delay days for change management system release notices sent outside the time frame set forth in the Change Control Process.

Exclusions

- Changes to release dates for reasons outside BellSouth control, such as the system software vendor changes. For example: a patch to fix a software problem
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

Business Rules

This metric is designed to measure the percent of change management notices sent to the CLECs according to notification standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification due date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features.

Calculation

Change Management Notice Delay Days = (a - b)

- a = Date Notice Sent
- b = Date Notice Due

Change Management Notice Average Delay Days = (c / d)

- c = Sum of all Change Management Notice Delay Days
- d = Total Number of Notices Sent Late

Report Structure

· BellSouth Aggregate

Data Retained

- Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• <= 8 Days

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

CM-3: Timeliness of Documents Associated with Change

Definition

Measures whether CLECs received requirements or business rule documentation on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

Exclusions

- Documentation for release dates that slip less than 30 days for reasons outside BellSouth control, such as changes due to Regulatory mandate or CLEC request
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

Business Rules

This metric is designed to measure the percent of requirements or business rule documentation sent to the CLECs according to documentation standards and timeframes set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

Calculation

Timeliness of Documents Associated with Change = (a / b) X 100

- a = Change Management Documentation Sent Within Required Timeframes after Notices
- b = Total Number of Change Management Documentation Sent

Report Structure

• BellSouth Aggregate

Data Retained

- Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	• 95% >= 30 days if new features coding is required
	• 95% >= 5 days for documentation defects, corrections or
	clarifications

SEEM Measure

SEEM Measure			
Yes	Tier I		
	Tier II	X	

SEEM Disaggregation	SEEM Analog/Benchmark
• Region	• 95% >= 30 days of the change

CM-4: Change Management Documentation Average Delay Days

Definition

Measures the average delay days for requirements or business rule documentation sent outside the time frames set forth in the Change Control Process.

Exclusions

- Documentation for release dates that slip less than 30 days for reasons outside BellSouth control, such as changes due to Regulatory mandate or CLEC request
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

Business Rules

This metric is designed to measure the percent of requirements or business rule documentation sent to the CLECs according to documentation standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

Calculation

Change Management Documentation Delay Days = (a - b)

- a = Date Documentation Provided
- b = Date Documentation Due

Change Management Documentation Average Delay Days = (c / d)

- c = Sum of all CM Documentation Delay Days
- d = Total Change Management Documents Sent

Report Structure

· BellSouth Aggregate

Data Retained

- · Report Period
- Notice Date
- · Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• <= 8 Days

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

CM-5: Notification of CLEC Interface Outages

Definition

Measures the time it takes BellSouth to notify the CLEC of an outage of an interface.

Exclusions

None

Business Rules

This measure is designed to notify the CLEC of interface outages within 15 minutes of BellSouth's verification that an outage has taken place. This metric will be expressed as a percentage.

Calculation

Notification of CLEC Interface Outages = (a / b) X 100

- a = Number of Interface Outages where CLECS are notified within 15 minutes
- b = Total Number of Interface Outages

Report Structure

• CLEC Aggregate

Data Retained

Relating to CLEC Experience	Relating to BellSouth Performance
Number of Interface Outages	Not Applicable
• Number of Notifications <= 15 minutes	

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark	
• By interface type for all interfaces accessed by CLECs	• 97% in 15 Minutes	

Interface	Applicable to
EDI	CLEC
CSOTS	CLEC
LENS	CLEC
TAG	CLEC
ECTA	CLEC
TAFI	CLEC/BellSouth

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark	
Not Applicable	Not Applicable	

Section 12: Bona Fide / New Business Request Process

BFR-1: Percentage of BFR/NBR Requests Processed Within 30 Business Days

Definition

Percentage of Bona Fide/New Business Requests processed within 30 business days for the development and purchases of network elements not currently offered.

Exclusions

Any application cancelled by the CLEC

Business Rules

The clock starts when BellSouth receives a complete and accurate application. The clock stops when BellSouth completes application processing for Network Elements that are not operational at the time of the request.

Calculation

Percentage of BFR/NBR Requests Processed Within 30 Business Days = (a / b) X 100

- a = Count of number of requests processed within 30 days
- b = Total number of requests

Report Structure

- Individual CLEC (alias) Aggregate
- · Aggregate of all CLECs

Data Retained

- · Report Period
- · Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• 90% <= 30 business days

SEEM Measure

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark	
Not Applicable	Not Applicable	

BFR-2: Percentage of Quotes Provided for Authorized BFR/NBR Requests Processed Within X (10/30/60) Business Days

Definition

Percentage of quotes provided in response to Bona Fide/New Business Requests within X (10/30/60) business days for network elements not currently offered.

Exclusions

· Requests that are subject to pending arbitration

Business Rules

The clock starts when BellSouth receives a complete and accurate application. The clock stops when BellSouth responds back to the application with a price quote.

Calculation

Percentage of Quotes Provided for Authorized BFR/NBR Requests Processed Within X (10/30/60) Business Days = (a / b) X 100

- a = Count of number of requests processed within "X" days
- b = Total number of requests where "X" = 10, 30, or 60 days

Report Structure

- · New Network Elements that are operational at the time of the request
- New Network Elements that are ordered by the FCC
- New Network Elements that are not operational at the time of the request

Data Retained

- · Report Period
- · Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	• 90% <= 10/30/60 business days
	- Network Elements that are operational at the time of
	the request – 10 days
	- Network Elements that are Ordered by the FCC – 30
	days
	- New Network Elements – 90 days

SEEM Measure

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark	
Not Applicable	Not Applicable	

Appendix A: Reporting Scope

A-1: Standard Service Groupings

See individual reports in the body of the SQM.

A-2: Standard Service Order Activities

These are the generic BellSouth/CLEC service order activities which are included in the Pre-Ordering, Ordering, and Provisioning sections of this document. It is not meant to indicate specific reporting categories.

Service Order Activity Types

- Service Migrations Without Changes
- Service Migrations With Changes
- Move and Change Activities
- Service Disconnects (Unless noted otherwise)
- New Service Installations

Pre-Ordering Query Types

- · Address
- Telephone Number
- Appointment Scheduling
- Customer Service Record
- Feature Availability
- · Service Inquiry

Maintenance Query Types:

TAFI - TAFI queries the systems below

- CRIS
- March
- Predictor
- LMOS
 - DLR
 - DLETH
 - LMOSupd
- LNP
- NIW
- OSPCM
- SOCS

Report Levels

- CLEC RESH
- CLEC State
- CLEC Region
- · Aggregate CLEC State
- Aggregate CLEC Region
- BellSouth State
- · BellSouth Region

Appendix B: Glossary of Acronyms and Terms

Symbols used in calculations

Σ

A mathematical symbol representing the sum of a series of values following the symbol.

A mathematical operator representing subtraction.

+

A mathematical operator representing addition.

/

A mathematical operator representing division.

<

A mathematical symbol that indicates the metric on the left of the symbol is less than the metric on the right.

 $\leq =$

A mathematical symbol that indicates the metric on the left of the symbol is less than or equal to the metric on the right.

>

A mathematical symbol that indicates the metric on the left of the symbol is greater than the metric on the right.

>=

A mathematical symbol that indicates the metric on the left of the symbol is greater than or equal to the metric on the right.

()

Parentheses, used to group mathematical operations which are completed before operations outside the parentheses.

Α

ACD

Automatic Call Distributor - A service that provides status monitoring of agents in a call center and routes high volume incoming telephone calls to available agents while collecting management information on both callers and attendants.

Aggregate

Sum total of all items in like category, e.g. CLEC aggregate equals the sum total of all CLECs' data for a given reporting level.

ALEC

Alternative Local Exchange Company = FL CLEC

ADSL

Asymmetrical Digital Subscriber Line

ASR

Access Service Request - A request for access service terminating delivery of carrier traffic into a Local Exchange Carrier's network.

ATLAS

Application for Telephone Number Load Administration System - The BellSouth Operations System used to administer the pool of available telephone numbers and to reserve selected numbers from the pool for use on pending service requests/service orders.

ATLASTN

ATLAS software contract for Telephone Number.

Auto Clarification

The number of LSRs that were electronically rejected from LESOG and electronically returned to the CLEC for correction.

В

BFR:

Bona Fide Request

BILLING

The process and functions by which billing data is collected and by which account information is processed in order to render accurate and timely billing.

BOCRIS

Business Office Customer Record Information System (Front-end to the CRIS database.)

BRI

Basic Rate ISDN

BRC

Business Repair Center - The BellSouth Business Systems trouble receipt center which serves business and CLEC customers.

BellSouth

BellSouth Telecommunications, Inc.

C

CABS

Carrier Access Billing System

CCC

Coordinated Customer Conversions

CCP

Change Control Process

Centrex

A business telephone service, offered by local exchange carriers, which is similar to a Private Branch Exchange (PBX) but the switching equipment is located in the telephone company Central Office (CO).

CKTID

A unique identifier for elements combined in a service configuration

CLEC

Competitive Local Exchange Carrier

CLP

Competitive Local Provider = NC CLEC

CM

Change Management

CMDS

Centralized Message Distribution System - Telcordia administered national system used to transfer specially formatted messages among companies.

COFFI

Central Office Feature File Interface - Provides information about USOCs and class of service. COFFI is a part of DOE/ SONGS. It indicates all services available to a customer.

COG

Corporate Gateway - Telcordia product designed for the electronic submission of xDSL Local Service Requests.

CRIS

Customer Record Information System - The BellSouth proprietary corporate database and billing system for non-access customers and services.

CRSACCTS

CRIS software contract for CSR information

CRSG

Complex Resale Support Group

C-SOTS

CLEC Service Order Tracking System

CSR

Customer Service Record

CTTG

Common Transport Trunk Group - Final trunk groups between BellSouth & Independent end offices and the BellSouth access tandems.

CWINS Center

Customer Wholesale Interconnection Network Services Center (formerly the UNE Center).

D

DA

Directory Assistance

Design

Design Service is defined as any Special or Plain Old Telephone Service Order which requires BellSouth Design Engineering Activities.

Disposition & Cause

Types of trouble conditions, e.g. No Trouble Found, Central Office Equipment, Customer Premises Equipment, etc.

DLETH

Display Lengthy Trouble History - A history report that gives all activity on a line record for trouble reports in LMOS.

DLR

Detail Line Record - All the basic information maintained on a line record in LMOS, e.g. name, address, facilities, features etc.

DS_0

The worldwide standard speed for one digital voice signal (64000 bps).

DS-1

24 DS-0s (1.544Mb/sec., i.e. carrier systems)

DOE

Direct Order Entry System - An internal BellSouth service order entry system used by BellSouth Service Representatives to input business service orders in BellSouth format.

DOM

Delivery Order Manager - Telcordia product designed for the electronic submission of xDSL Local Service Requests.

DSAF

DOE (Direct Order Entry) Support Application - The BellSouth Operations System which assists a Service Representative or similar carrier agent in negotiating service provisioning commitments for non-designed services and Unbundled Network Elements.

DSAPDDI

DSAP software contract for schedule information.

DSL

Digital Subscriber Line

DUI

Database Update Information

Е

E911

Provides callers access to the applicable emergency services bureau by dialing a 3-digit universal telephone number.

EDI

Electronic Data Interchange - The computer-to-computer exchange of inter and/or intra-company business documents in a public standard format.

ESSX

BellSouth Centrex Service

F

Fatal Reject

LSRs electronically rejected from LEO, which checks to see of the LSR has all the required fields correctly populated.

Flow-Through

In the context of this document, LSRs submitted electronically via the CLEC mechanized ordering process that flow through to the BellSouth OSS without manual or human intervention.

FOC

Firm Order Confirmation - A notification returned to the CLEC confirming that the LSR has been received and accepted, including the specified commitment date.

FX

Foreign Exchange

GH

HAL

"Hands Off" Assignment Logic - Front end access and error resolution logic used in interfacing BellSouth Operations Systems such as ATLAS, BOCRIS, LMOS, PSIMS, RSAG and SOCS.

HALCRIS

HAL software contract for CSR information

HDSL

High Density Subscriber Loop/Line

IJK

ILEC

Incumbent Local Exchange Company

INP

Interim Number Portability

ISDN

Integrated Services Digital Network

IPC

Interconnection Purchasing Center

П

LAN

Local Area Network

LAUTO

The automatic processor in the LNP Gateway that validates LSRs and issues service orders.

LCSC

Local Carrier Service Center - The BellSouth center which is dedicated to handling CLEC LSRs, ASRs, and Preordering transactions along with associated expedite requests and escalations.

Legacy System

Term used to refer to BellSouth Operations Support Systems (see OSS)

LENS

Local Exchange Negotiation System - The BellSouth LAN/web server/OS application developed to provide both preordering and ordering electronic interface functions for CLECs.

LEO

Local Exchange Ordering - A BellSouth system which accepts the output of EDI, applies edit and formatting checks, and reformats the Local Service Requests in BellSouth Service Order format.

LERG

Local Exchange Routing Guide

LESOG

Local Exchange Service Order Generator - A BellSouth system which accepts the service order output of LEO and enters the Service Order into the Service Order Control System using terminal emulation technology.

LFACS

Loop Facilities Assessment and Control System

LIDB

Line Information Database

LISC

Local Interconnection Service Center - The center that issues trunk orders.

LMOS

Loop Maintenance Operations System - A BellSouth Operations System that stores the assignment and selected account information for use by downstream OSS and BellSouth personnel during provisioning and maintenance activities.

LMOS HOST

LMOS host computer

LMOSupd

LMOS updates

LMU

Loop Make-up

LMUS

Loop Make-up Service Inquiry

LNP

Local Number Portability - In the context of this document, the capability for a subscriber to retain his current telephone number as he transfers to a different local service provider.

Loops

Transmission paths from the central office to the customer premises.

LRN

Location Routing Number

LSR

Local Service Request - A request for local resale service or unbundled network elements from a CLEC.

M

Maintenance & Repair

The process and function by which trouble reports are passed to BellSouth and by which the related service problems are resolved.

MARCH

BellSouth Operations System which accepts service orders, interprets the coding contained in the service order image, and constructs the specific switching system Recent Change command messages for input into end office switches.

Ν

NBR

New Business Request

NC

"No Circuits" - All circuits busy announcement.

NIW

Network Information Warehouse

NMLI

Native Mode LAN Interconnection

NPA

Numbering Plan Area

NXX

The "exchange" portion of a telephone number.

0

OASIS

Obtain Availability Services Information System - A BellSouth front-end processor, which acts as an interface between COFFI and RNS. This system takes the USOCs in COFFI and translates them to English for display in RNS.

OASISBSN

OASIS software contract for feature/service

OASISCAR

OASIS software contract for feature/service

OASISLPC

OASIS software contract for feature/service

OASISMTN

OASIS software contract for feature/service

OASISNET

OASIS software contract for feature/service

OASISOCP

OASIS software contract for feature/service

ORDERING

The process and functions by which resale services or unbundled network elements are ordered from BellSouth as well as the process by which an LSR or ASR is placed with BellSouth.

OSPCM

Outside Plant Contract Management System - Provides Scheduling Information.

OSS

Operations Support System - A support system or database which is used to mechanize the flow or performance of work. The term is used to refer to the overall system consisting of hardware complex, computer operating system(s), and application which is used to provide the support functions.

Out Of Service

Customer has no dial tone and cannot call out.

P

PMAP

Performance Measurement Analysis Platform

PMOAP

Performance Measurement Quality Assurance Plan

PON

Purchase Order Number

POTS

Plain Old Telephone Service

PREDICTOR

The BellSouth Operations system which is used to administer proactive maintenance and rehabilitation activities on outside plant facilities, provide access to selected work groups (e.g. RRC & BRC) to Mechanized Loop Testing and switching system I/O ports, and provide certain information regarding the attributes and capabilities of outside plant facilities.

Preordering

The process and functions by which vital information is obtained, verified, or validated prior to placing a service request.

PRI

Primary Rate ISDN

Provisioning

The process and functions by which necessary work is performed to activate a service requested via an LSR or ASR and to initiate the proper billing and accounting functions.

PSIMS

Product/Service Inventory Management System - A BellSouth database Operations System which contains availability information on switching system features and capabilities and on BellSouth service availability. This database is used to verify the availability of a feature or service in an NXX prior to making a commitment to the customer.

PSIMSORB

PSIMS software contract for feature/service.

QR

RNS

Regional Negotiation System - An internal BellSouth service order entry system used by BellSouth Consumer Services to input service orders in BellSouth format.

ROS

Regional Ordering System

RRC

Residence Repair Center - The BellSouth Consumer Services trouble receipt center which serves residential customers.

RSAG

Regional Street Address Guide - The BellSouth database, which contains street addresses validated to be accurate with state and local governments.

RSAGADDR

RSAG software contract for address search.

RSAGTN

RSAG software contract for telephone number search.

S

SAC

Service Advocacy Center

SEEM

Self Effectuating Enforcement Mechanism

SOCS

Service Order Control System - The BellSouth Operations System which routes service order images among BellSouth drop points and BellSouth Operations Systems during the service provisioning process.

SOG

Service Order Generator - Telcordia product designed to generate a service order for xDSL.

SOIR

Service Order Interface Record - any change effecting activity to a customer account by service order that impacts 911/E911

SONGS

Service Order Negotiation and Generation System.

Issue Date: June 4, 2002

Т

TAFI

Trouble Analysis Facilitation Interface - The BellSouth Operations System that supports trouble receipt center personnel in taking and handling customer trouble reports.

TAG

Telecommunications Access Gateway – TAG was designed to provide an electronic interface, or machine-to-machine interface for the bi-directional flow of information between BellSouth's OSSs and participating CLECs.

TN

Telephone Number

Total Manual Fallout

The number of LSRs which are entered electronically but require manual entering into a service order generator.

UV

UNE

Unbundled Network Element

UCL

Unbundled Copper Link

USOC

Universal Service Order Code

WXYZ

WATS

Wide Area Telephone Service

WFA

Work Force Administration

WMC

Work Management Center

WTN

Working Telephone Number.

Appendix C: Appendix C: BellSouth Audit Policy

BellSouth currently provides many CLECs with certain audit rights as a part of their individual interconnection agreements. However, it is not reasonable for BellSouth to undergo an audit of the SQM for every CLEC with which it has a contract. BellSouth has developed a proposed Audit Plan for use by the parties to an audit. If requested by a Public Service Commission or by a CLEC exercising contractual audit rights, BellSouth will agree to undergo a comprehensive audit of the aggregate level reports for both BellSouth and the CLEC(s) each of the next five (5) years (2001-2005) to be conducted by an independent third party. The results of that audit will be made available to all the parties subject to proper safeguards to protect proprietary information. This aggregate level audit includes the following specifications:

- 1. The cost shall be borne 50% by BellSouth and 50% by the CLEC or CLECs.
- 2. The independent third party auditor shall be selected with input from BellSouth, the PSC, if applicable, and the CLEC(s).
- 3. BellSouth, the PSC and the CLEC(s) shall jointly determine the scope of the audit.

BellSouth reserves the right to make changes to this audit policy as growth and changes in the industry dictate.

Attachment 10

BellSouth Disaster Recovery Plan

CON	TENT	<u>S</u>		PAGE	
1.0	Purpo	se		2	
2.0	1				
3.0	Identifying the Problem			2	
	3.1			3	
	3.2	Enviro	nmental Concerns	4	
4.0	The Emergency Control Center (ECC)				
5.0			edures	5	
	5.1	CLEC (Outage	5	
	5.2	BellSou	outh Outage		
		5.2.1	Loss of Central Office	6	
		5.2.2	Loss of a Central Office with Serving Wire Center Functions	6	
		5.2.3	Loss of a Central Office with Tandem Functions	6	
		5.2.4	Loss of a Facility Hub	6	
	5.3	Combin	ned Outage (CLEC and BellSouth Equipment)	7	
6.0			7		
7.0	Acron	ıyms		8	

1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a Competitive Local Exchange Carrier (CLEC), general procedures have been developed to hasten the recovery process. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's Emergency Control Center (ECC) and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only; BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

For long-term outages, recovery efforts will be coordinated by the Emergency Control Center (ECC). Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to insure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- 2. Asbestos containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

4.0 THE EMERGENCY CONTROL CENTER (ECC)

The ECC is located in the Colonnade Building in Birmingham, Alabama. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available; leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of who's equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

5.2 BELLSOUTH OUTAGE

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the Central Office is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the

completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

5.2.1 Loss of a Central Office

When BellSouth loses a Central Office, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Begin restoring service to CLECs and other customers.

5.2.2 Loss of a Central Office with Serving Wire Center Functions

The loss of a Central Office that also serves as a Serving Wire Center (SWC) will be restored as described in Section 5.2.1.

5.2.3 Loss of a Central Office with Tandem Functions

When BellSouth loses a Central Office building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)
- g) Begin restoring service to CLECs and other customers.

5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Restoring service to CLECs and other customers. If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in Section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently then normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

7.0 ACRONYMS

CO - Central Office (BellSouth)

DS3 - Facility that carries 28 T1s (672 circuits)

ECC - Emergency Control Center (BellSouth)

CLEC - Competitive Local Exchange Carrier

NMC - Network Management Center

SWC - Serving Wire Center (BellSouth switch)

T1 - Facility that carries 24 circuits

Hurricane Information

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at http://www.interconnection.bellsouth.com/network/disaster/dis_resp.htm. Information concerning Mechanized Disaster Reports can also be found at this website by clicking on CURRENT MDR REPORTS or by going directly to http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm.

BST Disaster Management Plan

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

Attachment 11

Bona Fide Request and New Business Requests Process

Version 2Q02: 05/31/02

BONA FIDE REQUEST AND NEW BUSINESS REQUESTS PROCESS

- 1.0 The Parties agree that 1-800-RECONEX, Inc. is entitled to order any Network Element, Interconnection option, service option or Resale Service required to be made available by the Communications Act of 1934, as modified by the Telecommunications Act of 1996 (the "Act"), FCC requirements or State Commission requirements. 1-800-RECONEX, Inc. also shall be permitted to request the development of new or revised facilities or service options which are not required by the Act. Procedures applicable to requesting the addition of such facilities or service options are specified in this Attachment 11.
- 2.0 Bona Fide Requests ("BFR") are to be used when 1-800-RECONEX, Inc. makes a request of BellSouth to provide a new or modified network element, interconnection option, or other service option pursuant to the Act that was not previously included in the Agreement. New Business Requests ("NBRs") are to be used when 1-800-RECONEX, Inc. makes a request of BellSouth to provide a new or custom capability or function to meet 1-800-RECONEX, Inc.'s business needs that was not previously included in the Agreement.
- A BFR or a NBR shall be submitted in writing by 1-800-RECONEX, Inc. and shall specifically identify the required service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request also shall include a 1-800-RECONEX, Inc.'s designation of the request as being (i) pursuant to the Telecommunications Act of 1996 (i.e. a "BFR") or (ii) pursuant to the needs of the business (i.e. a "NBR"). The request shall be sent to 1-800-RECONEX, Inc.'s Local Contract Manager.
- 4.0 Within thirty (30) business days of its receipt of a BFR or NBR from 1-800-RECONEX, Inc., BellSouth shall respond to 1-800-RECONEX, Inc. by providing a preliminary analysis of such Interconnection, Network Element, or other facility or service option that is the subject of the BFR or NBR. The preliminary analysis shall confirm that BellSouth will either offer access to the Interconnection, Network Element, or other facility or service option, or provide an explanation of why it is not technically feasible and/or why the request does not qualify as an Interconnection or Network Element or is otherwise not required to be provided under the Act. However, if the preliminary analysis is determined to be of such complexity that it causes BellSouth to expend inordinate resources, a fee will be levied upon 1-800-RECONEX, Inc. and collected prior to the beginning of the preliminary analysis and the thirty (30) business days will

begin upon receipt of the fee. In addition to the preliminary analysis, an explanation of the fee will be provided.

- 1-800-RECONEX, Inc. may cancel a BFR or NBR at any time. If 1-800-RECONEX, Inc. cancels the request more than three (3) business days after submitting it, 1-800-RECONEX, Inc. shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the BFR or NBR up to the date of cancellation. If 1-800-RECONEX, Inc. does not cancel a BFR or NBR, 1-800-RECONEX, Inc. shall pay BellSouth's reasonable and demonstrable costs of processing and implementing the request.
- BellSouth shall propose a firm price quote and a detailed implementation plan for BFRs within thirty (30) business days of 1-800-RECONEX, Inc.'s acceptance of the preliminary analysis. BellSouth shall propose a firm price and a detailed implementation plan for NBRs within sixty (60) business days of 1-800-RECONEX, Inc.'s acceptance of the preliminary analysis.
- 7.0 If 1-800-RECONEX, Inc. accepts the preliminary analysis, BellSouth shall proceed with 1-800-RECONEX, Inc.'s BFR or NBR, and 1-800-RECONEX, Inc. agrees to pay the non-refundable amount identified in the preliminary analysis for the initial work required to develop the project plan, create the design parameters, and establish all activities and resources required to complete the BFR or NBR. These costs will be referred to as "development" costs. The development costs identified in the preliminary analysis are fixed. If 1-800-RECONEX, Inc. cancels a BFR or NBR after BellSouth has received 1-800-RECONEX, Inc.'s acceptance of the preliminary analysis, 1-800-RECONEX, Inc. agrees to pay BellSouth the reasonable, demonstrable, and actual costs, if any, directly related to complying with 1-800-RECONEX, Inc.'s BFR or NBR up to the date of cancellation, to the extent such costs were not included in the non-refundable amount set forth above.
- 8.0 If 1-800-RECONEX, Inc. believes that BellSouth's firm price quote is not consistent with the requirements of the Act, 1-800-RECONEX, Inc. may seek FCC or state Commission arbitration of its request, as appropriate. Any such arbitration applicable to Network Elements and/or Interconnection shall be conducted in accordance with standards prescribed in Section 252 of the Act.
- 9.0 Unless 1-800-RECONEX, Inc. agrees otherwise, all prices shall be consistent with the pricing principles of the Act, FCC and/or the State Commission.

- 10.0 If either Party to a BFR or NBR believes that the other Party is not requesting, negotiating, or processing the Bona Fide Request in good faith, or disputes a determination, or price or cost quote, such Party may seek FCC or state Commission resolution of the dispute, as appropriate.
- Upon agreement to the terms of a BFR or NBR, an amendment to the Agreement may be required.

AMENDMENT TO THE AGREEMENT BETWEEN 1-800-RECONEX, INC. AND

BELLSOUTH TELECOMMUNICATIONS, INC. DATED DECEMBER 13, 2002

Pursuant to this Amendment, (the "Amendment"), 1-800-RECONEX, Inc., ("1-800-RECONEX"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated December 13, 2002 ("Agreement") to be effective on the date of the last signature executing the Amendment.

WHEREAS, BellSouth and 1-800-RECONEX entered into the Agreement on December 13, 2002, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to delete the terms and conditions of the Line Information Data Base (LIDB) Resale Storage Agreement in Exhibit B of Attachment 1.
- 2. The Parties agree to add the terms and conditions of the LIDB Resale Storage Agreement, as set forth in Exhibit 1 of this Amendment, to Exhibit B of Attachment 1.
- 3. The Parties agree to delete the terms and conditions of the Line Information Data Base (LIDB) Facilities Based Storage Agreement in Exhibit A of Attachment 2.
- 4. The Parties agree to add the terms and conditions of the LIDB Facilities Based Storage Agreement, as set forth in Exhibit 2 of this Amendment, to Exhibit A of Attachment 2.
- 5. All of the other provisions of the Agreement, dated December 13, 2002, shall remain in full force and effect.
- 6. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

1-800-RECONEX, INC.	BellSouth Telecommunications, Inc.
By: <u>SIGNATURE ON FILE</u>	By: SIGNATURE ON FILE
Name: _Elizabeth R. A. Shiroishi	Name: William E Braun
Title: <u>Director</u>	Title: VP General Counsel
Date:03/20/03	Date: 03/05/03

January, 2003 Page 1 of 9

LINE INFORMATION DATA BASE (LIDB)

RESALE STORAGE AGREEMENT

I. Definitions (from Addendum)

- A. Billing number a number used by BellSouth for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number assigned by BellSouth that identifies a telephone line associated with a resold local exchange service.
- C. Special billing number a ten-digit number that identifies a billing account established by BellSouth in connection with a resold local exchange service.
- D. Calling Card number a billing number plus PIN number assigned by BellSouth.
- E. PIN number a four-digit security code assigned by BellSouth that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by 1-800-RECONEX.
- G. Billed Number Screening refers to the query service used to determine whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the query service used to determine whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number or Calling Card number as assigned by BellSouth and toll billing exception indicator provided to BellSouth by 1-800-RECONEX.
- J. Get-Data refers to the query service used to determine, at a minimum, the Account Owner and/or Regional Accounting Office for a line number. This query service may be modified to provide additional information in the future.
- K. Originating Line Number Screening ("OLNS") refers to the query service used to determine the billing, screening and call handling indicators, station type and Account Owner provided to BellSouth by 1-800-RECONEX for originating line numbers.
- L. Account Owner name of the local exchange telecommunications company that is providing dialtone on a subscriber line.

January, 2003 Page 2 of 9

II. General

- A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of 1-800-RECONEX and pursuant to which BellSouth, its LIDB customers and 1-800-RECONEX shall have access to such information. In addition, this Agreement sets forth the terms and conditions for 1-800-RECONEX's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. 1-800-RECONEX understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of 1-800-RECONEX, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Resale Agreement upon notice to 1-800-RECONEX's account team and/or Local Contract Manager to activate this LIDB Storage Agreement. The General Terms and Conditions of the Resale Agreement shall govern this LIDB Storage Agreement. The terms and conditions contained in the attached Addendum are hereby made a part of this LIDB Storage Agreement as if fully incorporated herein.
- B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:
 - 1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether 1-800-RECONEX has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth, and where the last four digits (PIN) are a security code assigned by BellSouth.

3. OLNS

BellSouth is authorized to provide originating line screening information for billing services restrictions, station type, call handling indicators, presubscribed interLATA and local carrier and account owner on the lines of 1-800-RECONEX from which a call originates.

January, 2003 Page 3 of 9

4. GetData

BellSouth is authorized to provide, at a minimum, the account owner and/or Regional Accounting Office information on the lines of 1-800-RECONEX indicating the local service provider and where billing records are to be sent for settlement purposes. This query service may be modified to provide additional information in the future.

5. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify 1-800-RECONEX of fraud alerts so that 1-800-RECONEX may take action it deems appropriate.

III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by 1-800-RECONEX pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's End User customers. BellSouth shall not be responsible to 1-800-RECONEX for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from End Users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate 1-800-RECONEX's data from BellSouth's data, the following shall apply:

(1) BellSouth will identify 1-800-RECONEX end user originated long distance charges and will return those charges to the interexchange carrier as not covered by the existing B&C agreement. 1-800-RECONEX is responsible for entering into the appropriate agreement with interexchange carriers for handling of long distance charges by their end users.

January, 2003 Page 4 of 9

Amendment Exhibit 1
Attachment 1
Page 4
EXHIBIT B

BellSouth shall have no obligation to become involved in any disputes between 1-800-RECONEX and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to 1-800-RECONEX. It shall be the responsibility of 1-800-RECONEX and the B&C Customers to negotiate and arrange for any appropriate adjustments.

IV. Fees for Service and Taxes

- A. 1-800-RECONEX will not be charged a fee for storage services provided by BellSouth to 1-800-RECONEX, as described in this LIDB Resale Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by 1-800-RECONEX in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

January, 2003 Page 5 of 9

LINE INFORMATION DATA BASE (LIDB)

FACILITIES BASED STORAGE AGREEMENT

I. Definitions

- A. Billing number a number that 1-800-RECONEX creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number that identifies a telephone line administered by 1-800-RECONEX.
- C. Special billing number a ten-digit number that identifies a billing account established by 1-800-RECONEX.
- D. Calling Card number a billing number plus PIN number.
- E. PIN number a four-digit security code assigned by 1-800-RECONEX that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by 1-800-RECONEX.
- G. Billed Number Screening refers to the query service used to determine whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the query service used to determine whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number, Calling Card number and toll billing exception indicator provided to BellSouth by 1-800-RECONEX.
- J. Account Owner name of the local exchange telecommunications company that is providing dialtone on a subscriber line.
- K. GetData refers to the query service used to determine, at a minimum, the Account Owner and/or Regional Accounting Office for a line number. This query service may be modified to provide additional information in the future.

January, 2003 Page 6 of 9

L. Originating Line Number Screening ("OLNS") – refers to the query service used to determine the billing, screening and call handling indicators, station type, and Account Owner provided to BellSouth by 1-800-RECONEX for originating line numbers.

II. General

- A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of 1-800-RECONEX and pursuant to which BellSouth, its LIDB customers and 1-800-RECONEX shall have access to such information. In addition, this Agreement sets forth the terms and conditions for 1-800-RECONEX's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. 1-800-RECONEX understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of 1-800-RECONEX, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection Agreement upon notice to 1-800-RECONEX's account team and/or Local Contract Manager to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement.
- B. BellSouth will provide responses to on-line, call-by-call queries to local exchange line and/or billing number information for the following purposes:
 - 1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether 1-800-RECONEX has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth and where the last four digits (PIN) are a security code assigned by BellSouth.

3. OLNS

BellSouth is authorized to provide originating line screening information for billing and services restrictions, station type, and Account Owner on the lines of 1-800-RECONEX from which a call originates.

January, 2003 Page 7 of 9

4. GetData

BellSouth is authorized to provide, at a minimum, the Account Owner and/or Regional Accounting Office information on the lines of 1-800-RECONEX indicating the local service provider and where billing records are to be sent for settlement purposes. This query service may be modified to provide additional information in the future.

5. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify 1-800-RECONEX of fraud alerts so that 1-800-RECONEX may take action it deems appropriate.

III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by 1-800-RECONEX pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to 1-800-RECONEX for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearinghouses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from end users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate 1-800-RECONEX's data from BellSouth's data, the following terms and conditions shall apply:

- 1. BellSouth will identify 1-800-RECONEX's end user originated long distance charges and will return those charges to the interexchange carrier as not covered by the existing B&C agreement with interexchange carriers for handling of long distance charges by their end users.
- 2. BellSouth shall have no obligation to become involved in any disputes between 1-800-RECONEX and B&C Customers. BellSouth will not issue

January, 2003 Page 8 of 9

Amendment Exhibit 2
Attachment 2
Page 4
Exhibit A

adjustments for charges billed on behalf of any B&C Customer to 1-800-RECONEX. It shall be the responsibility of 1-800-RECONEX and the B&C Customers to negotiate and arrange for any appropriate adjustments.

IV. Fees for Service and Taxes

- A. 1-800-RECONEX will not be charged a fee for storage services provided by BellSouth to 1-800-RECONEX as described in this LIDB Facilities Based Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by 1-800-RECONEX in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

January, 2003 Page 9 of 9

AMENDMENT TO THE AGREEMENT BETWEEN 1-800-RECONEX, INC. AND

BELLSOUTH TELECOMMUNICATIONS, INC. DATED DECEMBER 13, 2002

Pursuant to this Amendment, (the "Amendment"), 1-800-RECONEX, INC., ("1-800-RECONEX"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated December 13, 2002 ("Agreement") to be effective on the date of the last signature executing the Amendment.

WHEREAS, BellSouth and 1-800-RECONEX entered into the Agreement on December 13, 2002, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- The Parties agree to delete from the rates in Exhibit B of Attachment 2, the rates set forth in Exhibit 1 of this Amendment, attached hereto and incorporated herein by this reference.
- 2. All of the other provisions of the Agreement, dated December 13, 2002, shall remain in full force and effect.
- Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

1-800-RECONEX, INC.	BellSouth Telecommunications, Inc.
By: SIGNATURE ON FILE	By: SIGNATURE ON FILE
Name: William E Braun	Name: Elizabeth R. A. Shiroishi
Title: VP & General Counsel	Title: Director
Date: 3/5/03	Date: 3/20/03

UNBUN	DLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhi	bit: B
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1	Nonrec	urring	Nonrecurring	Disconnect			220	Rates(\$)		
-							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						1		11100	Addi	11130	Addi	COMILO	COMPAR	COMPAN	COMPAN	COMPAN	COMPAR
UNBUND	LED F	PORT/LOOP COMBINATIONS - COST BASED RATES															
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	ORT (RES)												
U	INE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			28.38										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			36.85										
—		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			50.14										
	INE LO	pop Rates		<u> </u>	LIEDED	LIFOFO	44.00										
		2-Wire Voice Grade Loop (SL2) - Zone 1		2	UEPFR UEPFR	UECF2 UECF2	14.38 22.85					-					
-		2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	36.14					1					
2	-Wire	Voice Grade Line Port Rates (Res)			OLITIK	OLOI Z	30.14										
		2-Wire voice unbundled port - residence			UEPFR	UEPRL	14.00	125.00	80.00	70.00	15.00		15.66				
		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	14.00	125.00	80.00	70.00	15.00		15.66		1		
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	14.00	125.00	80.00	70.00	15.00		15.66				
		2-Wire voice Grade unbundled Alabama extended local dialing															
		parity port with Caller ID - res			UEPFR	UEPAR	14.00	125.00	80.00	70.00	15.00		15.66				
		2-Wire voice unbundles res, low usage line port with Caller ID															
		(LUM)			UEPFR	UEPAP	14.00	125.00	80.00	70.00	15.00		15.66				
		2-Wire Voice Unbundled Alabama Residence Dialing Plan						40= 00		=			4= 00				
—	ITED/	without Caller ID	<u> </u>	<u> </u>	UEPFR	UEPWA	14.00	125.00	80.00	70.00	15.00		15.66				
	VIEK	DFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				-											
		Termination			UEPFR	U1TV2	21.13	40.54	27.41	16.74	6.90						
-		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLFIK	UTIVZ	21.13	40.54	21.41	10.74	0.90						
		or Fraction Mile			UEPFR	1L5XX	0.008838										
F	EATU																
		All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00				15.66				
L	OCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
N	IONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	110 4 00		0.40	4.07				45.00				
-		Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.48	1.87				15.66				
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.48	1.87				15.66				
-	-WIDE	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	FINE	OPT (USACC		0.40	1.07				15.66				
		ort/Loop Combination Rates		J. (1		+											
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			28.38										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			36.85										1
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			50.14										
U	NE L	pop Rates							· · · · · · · · · · · · · · · · · · ·								
		2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFB	UECF2	14.38										
\vdash		2-Wire Voice Grade Loop (SL2) - Zone 2	ļ		UEPFB	UECF2	22.85										
<u> </u>	187	2-Wire Voice Grade Loop (SL2) - Zone 3	 	3	UEPFB	UECF2	36.14										
2	-wire	Voice Grade Line Port (Bus)	<u> </u>		UEPFB	UEPBL	14.00	125.00	80.00	70.00	15.00	-	15.66		-		
\vdash		2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus	 	<u> </u>	UEPFB	UEPBC	14.00	125.00	80.00	70.00	15.00 15.00		15.66				
 		2-Wire voice unbundled port outgoing only - bus	 	 	UEPFB	UEPBO	14.00	125.00	80.00	70.00	15.00	-	15.66		 		
 		2-Wire voice Grade unbundled Alabama extended local dialing					00	.20.00	33.00	7 3.00	.0.00		.5.50				
		parity port with Caller ID - bus			UEPFB	UEPAW	14.00	125.00	80.00	70.00	15.00		15.66		1		
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	14.00	125.00	80.00	70.00	15.00		15.66				
		2-Wire Voice Unbundled Alabama Business Dialing Plan without															
		Caller ID	<u> </u>		UEPFB	UEPWB	14.00	125.00	80.00	70.00	15.00		15.66		ļ		
L	OCAL	NUMBER PORTABILITY	ļ			1	ļ <u>.</u>								ļ		
	UTC:	Local Number Portability (1 per port)	 	<u> </u>	UEPFB	LNPCX	0.35			1					 		-
	viek(DFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1							ļ		1			 		
		Termination			UEPFB	U1TV2	21.13	40.54	27.41	16.74	6.90				1		
		1			1	122	21.10	70.04	4111	10.74	0.30	1		1	l		1

UNDUNDL	ED NETWORK ELEMENTS - Alabama	_	1	1	1						C C1	Com Cont	Attachment:		1	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	-					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	or Fraction Mile			UEPFB	1L5XX	0.008838										
FFAT	TURES			OLITB	TESTON	0.000000										+
, .	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00				15.66				†
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.48	1.87				15.66				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFB	USACC		8.48	1.87				15.66				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			28.38										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			36.85										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	1	3			50.14										
UNE	Loop Rates	-	_	UEPFP	UECF2	14.38										+
	2-Wire Voice Grade Loop (SL2) - Zone 1	1	1	UEPFP	UECF2	14.38 22.85										+
	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3	1	3	UEPFP	UECF2	36.14										+
2-1/10	re Voice Grade Line Port Rates (BUS - PBX)	 	3	UEFFF	UEGFZ	30.14										+
2-7711	le voice Grade Line Fort Rates (BOS - FBX)	1														+
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	14.00	119.27	69.85	61.18	8.34		15.66				
	Line Side Unbundled Outward PBX Trunk Port - Bus	1		UEPFP	UEPPO	14.00	119.27	69.85	61.18	8.34		15.66				+
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	14.00	119.27	69.85	61.18	8.34		15.66				†
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama						-									1
	Calling Port			UEPFP	UEPA2	14.00	119.27	69.85	61.18	8.34		15.66				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	14.00	119.27	69.85	61.18	8.34		15.66				1
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	14.00	119.27	69.85	61.18	8.34		15.66				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	14.00	119.27	69.85	61.18	8.34		15.66				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	14.00	119.27	69.85	61.18	8.34		15.66				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	14.00	119.27	69.85	61.18	8.34		15.66				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPFP	UEPXE	14.00	119.27	69.85	61.18	8.34		15.66				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPFP	UEPXL	14.00	119.27	69.85	61.18	8.34		15.66				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	14.00	119.27	69.85	61.18	8.34		15.66				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1		UEPFP	UEPXIVI	14.00	119.27	69.85	61.18	8.34	1	15.00				+
	Discount Room Calling Port			UEPFP	UEPXO	14.00	119.27	69.85	61.18	8.34		15.66				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1		UEPFP	UEPXS	14.00	119.27	69.85	61.18	8.34		15.66				+
LOCA	AL NUMBER PORTABILITY	1		02	02.70	1 1100	110.27	00.00	01.10	0.01		10.00				+
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.66				
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															1
	Termination			UEPFP	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFP	1L5XX	0.008838										
FEAT	TURES									·	ļ					
	All Features Offered	ļ		UEPFP	UEPVF	0.00	0.00	0.00				15.66				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	<u> </u>													
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1		LIEDED	110400											1
	Combination - Conversion - Switch-as-is 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	 	<u> </u>	UEPFP	USAC2		8.48	1.87			ļ	15.66			ļ.	+
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFP	USACC		8.48	1.87				15.00				
	Combination - Conversion - Switch with change	1		ULPFP	USACC		8.48	1.8/			1	15.66		<u> </u>	1	

AMENDMENT TO THE

1-800-RECONEX, INC. AND BELLSOUTH TELECOMMUNICATIONS, INC. DATED DECEMBER 13, 2002

This Amendment is entered into by and between 1-800-RECONEX, INC. ("1-800-RECONEX") and BellSouth Telecommunications, Inc. ("BellSouth") hereinafter referred to collectively as the "Parties," to amend that certain Interconnection Agreement between the Parties dated December 13, 2002, ("Interconnection Agreement").

WHEREAS, 1-800-RECONEX, an Oregon corporation, has changed the name of said business to 1-800-RECONEX, INC. d/b/a USTEL ("1-800-RECONEX") in Florida, Georgia, North Carolina, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee and 1-800-RECONEX, Inc. ("1-800-RECONEX") in Alabama.

WHEREAS, the Parties desire that the Interconnection Agreement be amended to reflect the correct corporate entity name.

NOW, THEREFORE, in consideration of the mutual promises and covenants contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The name of 1-800-RECONEX, Inc. in the Interconnection Agreement is hereby deleted throughout the Interconnection Agreement and replaced with 1-800-RECONEX, Inc. d/b/a USTEL ("1-800-RECONEX") in Florida, Georgia, North Carolina, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee and 1-800-RECONEX, Inc. ("1-800-RECONEX") in Alabama.
- 2. All of the other provisions of the Interconnection Agreement, dated December 13, 2002, shall remain in full force and effect.
- 3. Either or both of the Parties is authorized to submit this Amendment to each Public Service Commission for approval subject to Section 252(e) of the Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives and such amendment shall be effective thirty (30) days after the last signature.

1-800-RECONEX, INC. d/b/a USTEL	BellSouth Telecommunications, Inc.
() in tell	era Dinoidio
Signature	Signature
William E Braun	Elizabeth R. A. Shiroishi
Name	Name
VP & General Counsel	Director
Title	Title
5-14-00	5/21/03
Date	Date

Amendment to the Agreement Between

1-800-RECONEX, Inc. d/b/a USTEL in FL, GA, NC, KY, LA, MS, SC and TN and 1-800-RECONEX, Inc. in AL

and

BellSouth Telecommunications, Inc. Dated December 13, 2002

Pursuant to this Amendment, (the "Amendment"), 1-800-RECONEX, Inc. d/b/a USTEL in FL, GA, NC, KY, LA, MS, SC and TN and 1-800-RECONEX, Inc. in AL (1-800-RECONEX), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated December 13, 2002 ("Agreement") to be effective 30 days after the date of the last signature executing the Amendment.

WHEREAS, BellSouth and 1-800-RECONEX entered into the Agreement on December 13, 2002, and;

WHEREAS, BellSouth and 1-800-RECONEX desire to amend the Agreement to add additional rates, terms and conditions;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to replace the Georgia rates as set forth in Exhibit C of Attachment 1, Exhibit B of Attachment 2, Exhibit A of Attachment 3, Exhibit D of Attachment 4 and Exhibit A of Attachment 7 with the Georgia rates as set forth in Amendment Exhibit 1 attached hereto and incorporated herein by this reference.
- 2. The Parties agree to add the following language to the Agreement:

The Parties recognize and agree that the rates incorporated in this Amendment are designed to implement the Georgia Public Service Commission's (GPSC) order dated June 24, 2003. If that order is stayed, reconsidered, vacated, or otherwise set aside by the GPSC or a court of competent jurisdiction, the Parties agree that this Amendment will be null and void, and the rates to be charged under the Agreement will be those rates that were in effect prior to the execution of this Amendment.

- 3. The Parties agree to add the following language to Attachment 4 of the Agreement:
- 8.6.7 In Georgia, 1-800-RECONEX, at its sole cost and expense, has either implemented meters on its BDFBs, will install meters on its BDFBs or has procured clamp-on meters for use with it's equipment if power is provided from a BellSouth BDFB. 1-800-RECONEX will submit a Subsequent Application for

each location that 1-800-RECONEX wants to convert to the metered power usage measurement option in accordance with Attachment 4, Physical Collocation, Section 6.3.1, Subsequent Application Fee, of the Agreement and agrees to include in the Comments section of the Subsequent Application the following comments: "1-800-RECONEX certifies that it has installed a meter on its BDFB, has provided a clamp-on ammeter, or that no additional equipment is necessary, and this Subsequent Application is being submitted to convert to the metered power usage measurement." BellSouth will bill 1-800-RECONEX a Subsequent Application fee, as set forth in Section 6.3.1, on the date that BellSouth provides an Application Response to the Subsequent Application. BellSouth shall then arrange in coordination with 1-800-RECONEX, via a BellSouth Certified Supplier, to take measurements of 1-800-RECONEX's actual power usage once each quarter at each of 1-800-RECONEX's collocation arrangements (i.e. quarterly metered reading service) for which 1-800-RECONEX has submitted a Subsequent Application to convert to metered power usage. After the actual power usage measurement has been completed, the measurement will be used to calculate the DC power charge based upon the metered usage readings on 1-800-RECONEX's bill for the following three (3) months or until the next measurement has been taken. Based upon such measurement, BellSouth shall bill 1-800-RECONEX for collocation power for the following quarter based upon 1-800-RECONEX's actual metered usage and the applicable rates for DC power as set forth in Exhibit B of this Attachment.

1-800-RECONEX agrees to submit a Subsequent Application to BellSouth for notification when 1-800-RECONEX has removed or installed telecommunications equipment in 1-800-RECONEX's collocated space. The associated change in the power usage will be reflected on the next quarterly power measurement billing cycle.

- 8.6.7.1 BellSouth will bill 1-800-RECONEX a one-time non-recurring charge of \$300.00 to set up BellSouth's billing systems to accept and manage the power usage measurement for the state of Georgia. BellSouth will bill 1-800-RECONEX a monthly recurring charge per site in accordance with Exhibit B of this Attachment for 1-800-RECONEX's collocation arrangements in Georgia, which represents 1) BellSouth's expenses that are associated with the loading of the measured power usage data into BellSouth's OSS and billing systems and 2) the costs for a BellSouth Certified Supplier to perform the task of measuring actual power usage.
- 8.6.7.2 BellSouth, or 1-800-RECONEX, at any time and at their own expense, shall have the right to verify the accuracy of 1-800-RECONEX's BDFB meter by performing its own meter reading via an alternate method, such as, but not limited to, a clamp-on ammeter. If the meter readings vary significantly, the Parties agree to perform a joint investigation. If 1-800-RECONEX's BDFB meter is found to be in error, then 1-800-RECONEX agrees to recalibrate, repair, or replace its meter as required. The Parties recognize that the meter readings discussed in this Amendment are instantaneous readings that can experience minor fluctuations due to usage traffic, voltage fluctuations, and calibration of the meters themselves. The readings must vary by greater than 10% or 5 Amps, whichever is greater, before any recalibration, repair, or replacement will be

required. If the BellSouth reading is substantiated, then BellSouth has the right to adjust billing retroactive to the beginning of the quarter for which the last meter reading was taken.

The BellSouth Certified Supplier hired by BellSouth to perform the meter reading must have access to 1-800-RECONEX's collocation space. The BellSouth Certified Supplier shall provide 1-800-RECONEX with sufficient notification that access is required, defined herein as a minimum of forty-eight (48) hours. Once the date and time of access has been agreed upon, 1-800-RECONEX and the BellSouth Certified Supplier shall adhere to the agreed upon date and time, or provide sufficient notification, defined herein as a minimum of three (3) hours, to the other party if the original commitment must be missed. If 1-800-RECONEX fails to provide access to its arrangements or fails to provide the BellSouth Certified Supplier with sufficient notification of the missed commitment, then 1-800-RECONEX will be assessed for each additional meter reading trip service as set forth in Exhibit B of this Attachment. BellSouth will then bill 1-800-RECONEX an "Additional Meter Reading Trip Charge" that BellSouth incurs from the BellSouth Certified Supplier. 1-800-RECONEX and the BellSouth Certified Supplier may jointly agree to relax notification requirements as convenience and practical business needs dictate on a locationby-location basis. Both Parties agree that "practical business needs" includes any service interruption/ restoration of service scenario."

- 4. All of the other provisions of the Agreement dated December 13, 2002 shall remain unchanged and in full force and effect.
- 5. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

BellSouth Telecommunications, Inc.

By: It I timber

Traine. Tarine C. Tables

Date: 2/01/03

1-800-RECONEX, INC. d/b/a USTEL ("1-800-RECONEX") in FL, GA, NC, KY, LA, MS, SC and TN and 1-800-RECONEX, Inc. ("1-800-RECONEX") in

Name: William E. DKAUN

Title: Vice-Phriber & Govern Coursel

Date: 1-25-09

RESALE DIS	SCOUNTS AND RATES - Georgia												Attachment:	1	Exhibit: C	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
															DISC 1St	DISC Add I
						Rec	Nonred			g Disconnect				Rates(\$)		
-							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE	DISCOUNTS		-													
AFFLICABLE	Residence %	-	-		-	20.30										
-	Business %				-	17.30										
-	CSAs %		-		+	17.30				-						
OPERATIONAL	L SUPPORT SYSTEMS (OSS) RATES		+ +		1	17.30					1					
	(1) CLEC should contact its contract negotiator if it prefers the	e "state	specific	" OSS charges as	ordered by t	the State Comm	issions. The (OSS charges c	urrently conta	ined in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges	CL FC may
	ither the state specific Commission ordered rates for the servi											2000	og.o	00.1.00 0.40		0220
5.501 0	OSS - Electronic Service Order Charge, Per Local Service	J 5. ac			1	1		_,, 0.	: JanJt 0.							
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						1
	OSS - Manual Service Order Charge, Per Local Service Request								0.00	0.00						
	(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						1
SELECTIVE C	ALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch						102.19	61.15	12.68	6.34						i l
DIRECTORY A	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE													
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	Loading of DA Custom Branded Anouncement per Switch per															
	OCN						1,170.00	1,170.00								İ
DIRECTORY A	SSISTANCE UNBRANDING via OLNS SOFTWARE															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								İ
OPERATOR AS	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE													
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
	Loading of Custom Branded OA Announcement per shelf/NAV															1
	per OCN						500.00	500.00								
	Loading of OA Custom Branded Announcement per Switch per															1
	OCN						1,170.00	1,170.00								
OPERATOR AS	SSISTANCE UNBRANDING via OLNS SOFTWARE															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF			1		_	ļ					ļ					
OPTIO	NAL DAILY USAGE FILE (ODUF)		1		_	0.0000000										
	ODUF: Recording, per message				_	0.0000068					ļ					
\vdash	ODUF: Message Processing, per message		1		1	0.002167				-						\vdash
\vdash	ODUF: Message Processing, per Magnetic Tape provisioned				1	36.06				1	1					\vdash
FAULAS	ODUF: Data Transmission (CONNECT:DIRECT), per message		+		+	0.00010856			-	1	1			-		\vdash
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)		1		1	0.007400				1	1					
	EODUF: Message Processing, per message					0.227409										i

UNBU	NDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								None		N	- B'			000	D - ((A)		
				-			Rec	Nonred First			g Disconnect	COMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
				-				FIRST	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Tho "7	I one" shown in the sections for stand-alone loops or loops as	part of	a comi	ination refers to Go	ographically	Desveraged II	NE Zonos To	viou Googran	hically Doayor	agod LINE Zon	n Docianatio	one by Cont	ral Office refe	or to internet \	Nobeito:	
		www.interconnection.bellsouth.com/become_a_clec/html/inter				ograpilically	Deaverageu o	NE Zones. 10	view Geograpi	ilically Deaver	aged ONE ZOII	e Designatio	ons by Cent	rai Office, refe	i to internet v	vensite.	
OPERA		_ SUPPORT SYSTEMS (OSS)	Connec	I	···							1	ı	ı	ı		1
OI LIV		(1) CLEC should contact its contract negotiator if it prefers th	e "state	speci	ic" OSS charges as	ordered by t	he State Comm	issions. The (OSS charges c	urrently conta	ined in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges	CLFC may
		ther the state specific Commission ordered rates for the servi											2000	um rogiona	00. 1.00 0.00	9 0.14. 900.	
		(2) Any element that can be ordered electronically will be bill					-						a datarmina	if a product o	on he ordere	d alaatraniaal	ly For
		elements that cannot be ordered electronically at present per t															
		generits that cannot be ordered electronically at present per t ag charge, SOMAN, will be applied to a CLECs bill when it sub-				in this cate	gory reflects th	e charge that v	vould be billed	I to a CLEC of	ice electronic (ordering cap	Dabilities CO	ine on-line to	i tilat elelilelit	. Otherwise,	trie manuai
-	oraerii	OSS - Electronic Service Order Charge, Per Local Service	omits an	LSK	o BellSouth.		1				1	1	1	ı	1		1
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request				JOIVILO		3.50	0.00	3.50	0.00	 	 				
		(LSR) - UNE Only				SOMAN		11.73	0.00	6.13	0.00						
UNF S	RVICE	DATE ADVANCEMENT CHARGE				001111111			0.00	0.10	0.00	1	1				
0.12 0.		The Expedite charge will be maintained commensurate with	BellSou	th's FO	C No.1 Tariff. Section	n 5 as appli	cable.					İ					
												İ					
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL. UENTW. UDN.												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX.												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL.												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3. ULD12.												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX.												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
		Day			U1TUB, U1TUA	SDASP		200.00									
UNRUN	DLFD F	EXCHANGE ACCESS LOOP	 		5.10D, 5110A	20,101		200.00			1	1	 				
311231		ANALOG VOICE GRADE LOOP	-	 							1						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.24	40.02	9.99	5.61	1.72						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	15.37	40.02	9.99	5.61	1.72						1
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	30.44	40.02	9.99	5.61	1.72						i
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		Ť			55	.5.52	5.50	5.51	2			İ			İ
1		Premise			UEANL	URETL		8.33	0.83								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	25.12		Ì			i			i
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		13.62	13.62					İ			İ
		CLEC to CLEC Conversion Charge Without Outside Dispatch						.5.52	.5.52					İ			İ
		(UVL-SL1)			UEANL	UREWO		15.75	8.92								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST										1		l			İ
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		7.30	7.30								
		Manual Order Coordiantion for UVL-SL1s (per loop)			UEANL	UEAMC		18.92	18.92								

Version 2Q03: 07/21/03 Page 1 of 56 CCCS 931 of 1497

CIADOI														Attachment:	2	Exhibit: B	
		D NETWORK ELEMENTS - Georgia	ı	ı —	I	1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
1													Submitted	Charge -	Charge -		
												Elec	Manually	Manual Svc	Manual Svc	Charge - Manual Svc	Charge - Manual Svo
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,				
0711200		10112 =======	m			0000			= (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs. Electronic-	Order vs. Electronic-
														Electronic-	Electronic-		
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		57.79									
7	2-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED															
		2 Wire Unbundled Copper Loop Non-Designed- Zone 1		1	UEQ	UEQ2X	11.02	44.69	22.40	25.65	7.06						
		2 Wire Unbundled Copper Loop Non-Designed- Zone 2		2	UEQ	UEQ2X	12.72	44.69	22.40	25.65	7.06						
		2 Wire Unbundled Copper Loop Non-Designed-Zone 3		3	UEQ	UEQ2X	20.22	44.69	22.40	25.65	7.06						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEQ	URETL		8.33	0.83								
		Manual Order Coordination 2 Wire Unbundled Copper Loop -															
\sqcup		Non-Designed (per loop)	ļ		UEQ	UCLMC		18.92	18.92						1	ļ	1
		Unbundled Copper Loop, Non-Design Copper Loop, billing for	1	1									1		I		
$\vdash \vdash$		BST providing make-up (Engineering Information - E.I.)	<u> </u>	<u> </u>	UEQ	UEQMU		7.30	7.30						_		
\vdash		Loop Testing - Basic 1st Half Hour	<u> </u>	<u> </u>	UEQ	URET1		25.12	25.12								
$\vdash \vdash$		Loop Testing - Basic Additional Half Hour	<u> </u>	<u> </u>	UEQ	URETA		13.62	13.62						_		
		CLEC to CLEC Conversion Charge Without Outside Dispatch	1		1150	LIDEWO		44.0-	7						1		
LINIDUS	DI ED E	(UCL-ND)	-	-	UEQ	UREWO		14.25	7.42			-			 		1
		EXCHANGE ACCESS LOOP				+						-					
		ANALOG VOICE GRADE LOOP OOP Rates for Line Splitting (In Ga. PSC ordered the line split	44:	!!С	On match the lave			31 V)									
<u> </u>			tting io		UEPSR UEPSB	UEALS	9.32	10.05	7.36	1.37	4.00	-					
\vdash		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	H		UEPSR UEPSB	UEALS	9.32	10.05	7.36	1.37	1.28 1.28						
\vdash		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	i		UEPSR UEPSB	UEALS	14.45	10.05	7.36	1.37	1.28				-		
\vdash		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	i		UEPSR UEPSB	UEABS	14.45	10.05	7.36	1.37	1.28				-		
\vdash		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	H		UEPSR UEPSB	UEALS	30.14	10.05	7.36	1.37	1.28				-		
+		2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	l i		UEPSR UEPSB	UEABS	30.14	10.05	7.36	1.37	1.28						+
UNRUN	DI ED E	EXCHANGE ACCESS LOOP	<u> </u>		OLI OK OLI OD	OLADO	30.14	10.05	7.50	1.57	1.20						
		ANALOG VOICE GRADE LOOP															İ
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															İ
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	11.26	79.85	24.65	18.92	7.87						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	16.43	79.85	24.65	18.92	7.87						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	31.49	79.85	24.65	18.92	7.87						
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				Ī											
		Battery Signaling - Zone 1		1	UEA	UEAR2	11.26	79.85	24.65	18.92	7.87						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2	<u> </u>	2	UEA	UEAR2	16.43	79.85	24.65	18.92	7.87			<u> </u>		<u> </u>	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse									. <u></u>						
$\sqcup \sqcup$		Battery Signaling - Zone 3		3	UEA	UEAR2	31.49	79.85	24.65	18.92	7.87						
$\vdash \!$		Order Coordination for Specified Conversion Time (per LSR)	ļ		UEA	OCOSL		57.79							1	ļ	1
\vdash		CLEC to CLEC Conversion Charge without outside dispatch	ļ		UEA	UREWO		87.72	36.36								
\sqcup		Loop Tagging - Service Level 2 (SL2)	ļ		UEA	URETL		11.19	1.10						1	ļ	1
<u> </u>		ANALOG VOICE GRADE LOOP	ļ	<u> </u>		ļ.,_,,									ļ		
\vdash		4-Wire Analog Voice Grade Loop - Zone 1	<u> </u>		UEA	UEAL4	17.33	93.01	28.17	19.52	8.12						
\vdash		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	20.74	93.01	28.17	19.52	8.12				-		
\vdash		4-Wire Analog Voice Grade Loop - Zone 3	 	3	UEA	UEAL4 OCOSL	28.81	93.01	28.17	19.52	8.12			-	 	-	1
\vdash		Order Coordination for Specified Conversion Time (per LSR)	-	-	UEA			57.79	26.20			-			 		1
\vdash	2 14/10	CLEC to CLEC Conversion Charge without outside dispatch	 	<u> </u>	UEA	UREWO		87.72	36.36					-	 	-	1
		ISDN DIGITAL GRADE LOOP 2-Wire ISDN Digital Grade Loop - Zone 1	-	1	UDN	U1L2X	21.89	180.06	35.25	18.23	6.97		 	-		-	1
\vdash		2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2	 		UDN	U1L2X U1L2X	25.27	180.06	35.25	18.23	6.97		 	-		-	1
\vdash		2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3	-		UDN	U1L2X	40.17	180.06	35.25	18.23	6.97	-			+		1
\vdash		Order Coordination For Specified Conversion Time (per LSR)	 	J	UDN	OCOSL	40.17	57.79	33.23	10.23	0.97			l	t	 	1
+		CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>	\vdash	UDN	UREWO		120.98	33.04						 		1
 	2-WIRF	Universal Digital Channel (UDC) COMPATIBLE LOOP	 	\vdash	0014	CINEVVO	+	120.30	33.04	-			 		+		1
	_ *****L	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	l	 		1	1			 		-	 		I	1	1
					i .	1	I .	44.69	31.55	0.00	0.00	1	ı	ı	1	ı	1

CATEGORY BATE ELEMENTS Institute South Professional Company Categor	IINRI	INDI E	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
ATE CLERCHTS Name of the company of	ONBC	NULL	NETWORK ELEMENTS - Georgia		1		1 1						Svc Order	Svc Order				Incremental
## AFTE FLENDRYS March Mar																		
CATEGORY RAFE ELEMENTS March Bods BCS																		
No. No. No.	CATE	ORY	RATE ELEMENTS		Zone	BCS	usoc			RATES (\$)				,				
Part Part				m						- (17			per Loix	per LSK				
Note Note Note Note Note Note Note Note Note Note Note Note Note																		
Section Company Comp																	DISC ISL	DISC Add I
2								Boo	Nonrec	urring	Nonrecurring	g Disconnect		•	oss	Rates(\$)		
2 2 200 1,000								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2.000 1.00			2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															ĺ
Section Sect			2	- 1	2	UDC	UDC2X	25.27	44.69	31.55	0.00	0.00						1
CLECK DICECTORMINION CONTROL			2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															i .
Description Description			3	ı	3			40.17				0.00						
A leading intermediate A2006 Long proclaming minimal services inquiry							UREWO		44.69	31.55								
Statily reservation. Zone 1 1 1 1 1 1 1 1 1 1		2-WIRE		ATIBLE	LOO	,												
2 Wise Debugsdied ADSL Loop including manual service inquiry 1 2 UAL							1141.07	44.00	44.00	04.55	0.00	0.00						l .
Stockly sessention - Zene 2 Vive Unbundled ADS, Loop Including natural service inquiry 1 2 UAL U		1		-	1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00						
2 Vivis Enhanced ADSL Lorge including immunal service inquiry 5 1 3 UAL							1141.07	40.07	44.00	04.55	0.00	0.00						i .
Stacility reservation - Zoos 3 July Cooperation Time (per LSR) July Local Cooperation Time (per LSR) July Local Cooperation Time (per LSR) July Local Cooperation Time (per LSR) Local Cooperation Time (per L	-	1			- 2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00						
Order Cordination for Specialized Convention Trins (part LSR)					2	LIAI	LIMION	20.62	44.60	21 55	0.00	0.00						1
2 Wine Unbounded ADSL Loop without manual service requiry 6 health meanwrith removement 2 wine Unbounded ADSL Loop without minuted is evide inquiry 8 2 UML UML 2W 12.07 44.69 31.55 0.00 0.00	-	+		- -	3			∠0.62		31.05	0.00	0.00	-	 	1			
facility reservation - Zone 1	-	+		-	+	OAL	JUUSL	-	51.19				-	 	1			
2 Wire Unburnded ADSL Loop without minuted service requiry 6 2 UAL UALZW 12:97 44:69 31:55 0.00 0.00					1	ΠΔΙ	1101 210/	11 22	11 60	21 55	0.00	0.00	1					1
Seality reservation - Zone 2 2 MAL	-	1				OAL	UALZVV	11.25	44.03	31.33	0.00	0.00		-				—
2 Wire Unbunded ADSL Dop without manual service inquity 6 1 3 UAL DAZW 20.62 44.68 31.55 0.00 0.00				1	2	UAI	HAL 2W	12 97	44 69	31.55	0.00	0.00						i .
Imality reservation - Zone 3		1																
Order Coordination for Specified Conversion Trine (per LSR) UAL URKWO UAL URKWO UAL URKWO UAL URKWO UAL URKWO UAL URKWO UAL URKWO UAL URKWO UAL UAL URKWO UAL UA				l i	3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00						i .
2 WIRCH HOR BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP		1																
2 Wine Libroridad FUSI, Loop including manual service inquiry 1			CLEC to CLEC Conversion Charge without outside dispatch	- 1		UAL	UREWO		44.69	29.29								
Stacility reservation - Zone 1		2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
2 Wire Unbounded HDSL Loop including manual service inquiry 1 2 UHL UHL2X 9.09 44.69 31.55 0.00 0.00																		
Stacility reservation - Zone 2				- 1	1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00						1
2 Wire Inhundled HDSL Loop including manual service inquiry 1 3 UHL																		i .
Stacility reservation - Zone 3				ı	2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00						
Order Coordination for Specified Conversion Time (per LSR)																		l .
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		ļ		ı	3			14.48		31.55	0.00	0.00						
and facility reservation - Zone 1		1			<u> </u>	UHL	OCOSL		57.79									
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 1 2 UHL								7.00	44.00	04.55	0.00	0.00						l .
and facility reservation - Zone 2	-	-			-	UHL	UHLZVV	7.88	44.69	31.55	0.00	0.00		1				——
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 3 UHL UHLX 14.48 44.69 31.55 0.00					2	ПНІ	LIHL 2\\\/	9.09	44.60	31 55	0.00	0.00						1
and facility reservation - Zone 3	-	+		<u> </u>		OTTE	OTILZVV	3.03	44.03	31.33	0.00	0.00		1				
Order Coordination for Specified Conversion Time (per LSR)				1	3	ПНІ	LIHL 2W/	14 48	44 69	31 55	0.00	0.00						l .
CLEC to CLEC Conversion Charge without outside dispatch I UHL UREWO 44.69 31.55				i i	Ť			0		01.00	0.00	0.00						
A-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP		1		1						31.55								
and facility reservation - Zone 1		4-WIRE		TIBLE	LOOP													
A-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2 1 2 UHL UHL4X 12.00 44.69 31.55 0.00			4 Wire Unbundled HDSL Loop including manual service inquiry															
and facility reservation - Zone 2					1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00						<u> </u>
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3					1													1
and facility reservation - Zone 3				ı	2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00						
Order Coordination for Specified Conversion Time (per LSR)																		i .
A-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1					3			19.07		31.55	0.00	0.00						
and facility reservation - Zone 1		ļ			1	UHL	OCOSL		57.79									
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2					١.			40.00										i .
and facility reservation - Zone 2	-	 		-	1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00						
4-Wire DS1 Digital Loop - Zone 2 USL USLXX 44.72 211.93 72.49 38.24 7.20 7.20 4-Wire DS1 Digital Loop - Zone 3 USL USLXX 59.04 211.93 72.49 38.24 7.20					2	LILLI	11111 4147	12.00	44.60	21 55	0.00	0.00						i .
and facility reservation - Zone 3	-	+		- -	-	OI IL	OI IL+VV	12.00	44.09	31.35	0.00	0.00	-	 	1			
Order Coordination for Specified Conversion Time (per LSR)					2	ПНІ	LIHL 4\M	10.07	11 60	21 55	0.00	0.00	1					1
CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 44.69 31.55		t		<u> </u>				13.01		31.33	0.00	0.00	 	 				
4-Wire DS1 Digital Loop - Zone 1		1		-						31.55					1			
4-Wire DS1 Digital Loop - Zone 1		4-WIRE		<u> </u>						050					1			
4-Wire DS1 Digital Loop - Zone 2 2 USL					1	USL	USLXX	39.61	211.93	72.49	38.24	7.20	İ					
4-Wire DS1 Digital Loop - Zone 3 3 USL USLXX 59.04 211.93 72.49 38.24 7.20 Order Coordination for Specified Conversion Time (per LSR) USL OCOSL 57.79		1			2										1			
			4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	59.04				7.20						
CLEC to CLEC Conversion Charge without outside dispatch USL UREWO 100.91 42.97																		
			CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.91	42.97								

Version 2Q03: 07/21/03 Page 3 of 56

CCCS 933 of 1497 [CCCS Amendment 8 of 69]

HND	INDI E	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
OND	JNDLL	NETWORK ELEMENTS - Georgia		1	1							Svc Order	Svc Order			Incremental	Incremental
												Submitted	1		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,				
0,112			m			0000			= (4)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
																Disc 1st	
														1st	Add'l	DISC 1St	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	g Disconnect		•	oss	Rates(\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	21.21	196.66	37.00	18.82	7.20						(
		4 Wire Unbundled Digital 19.2 Kbps		2		UDL19	27.22	196.66	37.00	18.82	7.20						
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	36.38	196.66	37.00	18.82	7.20						(
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	21.21	196.66	37.00	18.82	7.20						(
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	27.22	196.66	37.00	18.82	7.20						1
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	36.38	196.66	37.00	18.82	7.20						1
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57.79									[
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	21.21	196.66	37.00		7.20						(
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	27.22	196.66	37.00	18.82	7.20						1
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	36.38	196.66	37.00	18.82	7.20						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57.79	·								
		CLEC to CLEC Conversion Charge without outside dispatc h			UDL	UREWO		101.95	49.66								l .
	2-WIRE	Unbundled COPPER LOOP															l .
		2-Wire Unbundled Copper Loop/Short including manual service															1
		inquiry & facility reservation - Zone 1	- 1	1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00						1
		2-Wire Unbundled Copper Loop/Short including manual service															i .
		inquiry & facility reservation - Zone 2	I	2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00						l .
		2 Wire Unbundled Copper Loop/Short including manual service															1
		inquiry & facility reservation - Zone 3	- 1	3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00						1
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								1
		2-Wire Unbundled Copper Loop/Short without manual service															i .
		inquiry and facility reservation - Zone 1	- 1	1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00						1
		2-Wire Unbundled Copper Loop/Short without manual service															i .
		inquiry and facility reservation - Zone 2	ı	2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00						
		2-Wire Unbundled Copper Loop/Short without manual service															i .
		inquiry and facility reservation - Zone 3		3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
		2-Wire Unbundled Copper Loop/Long - includes manual srvc.															i .
		inquiry and facility reservation - Zone 1		1	UCL	UCL2L	35.56	44.69	31.55	0.00	0.00						
		2-Wire Unbundled Copper Loop/Long - includes manual svc.		_													i .
-	-	inquiry and facility reservation - Zone 2	ı	2	UCL	UCL2L	41.07	44.69	31.55	0.00	0.00						
		2-Wire Unbundled Copper Loop/Long - includes manual svc.															i .
		inquiry and facility reservation - Zone 3		3	UCL	UCL2L	65.28	44.69	31.55	0.00	0.00						I
	-	Order Coordination for Unbundled Copper Loops (per loop)		_	UCL	UCLMC		18.92	18.92								
		2-Wire Unbundled Copper Loop/Long - without manual service				1101 011	05.50	44.00	04.55	0.00	0.00						l .
	+	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	35.56	44.69	31.55	0.00	0.00	1					
		2-Wire Unbundled Copper Loop/Long - without manual service		2	UCL	UCL2W	44.07	44.00	24.55	0.00	0.00						l .
-	+	inquiry and facility reservation - Zone 2			UCL	UCLZVV	41.07	44.69	31.55	0.00	0.00	-					
		2-Wire Unbundled Copper Loop/Long - without manual service		_	UCL	UCL2W	CE 00	44.69	24.55	0.00	0.00						i .
-	+	inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3		UCLZW	65.28	18.92	31.55 18.92	0.00	0.00	-					
	+	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UCLIVIC		10.92	10.92	+	-	ł	-	1			
		(UCL-Des)			UCL	UREWO		44.69	31.55								1
-	4 WIDE	COPPER LOOP	-		UCL	UKEWU		44.09	31.33	-		 	-				
-	4-WIKE	4-Wire Copper Loop/Short - including manual service inquiry								+	-	ł	-	1			
		and facility reservation - Zone 1		1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00						1
	+	4-Wire Copper Loop/Short - including manual service inquiry		-	UCL	UCL43	10.00	44.09	31.33	0.00	0.00	1	1	1			—
		and facility reservation - Zone 2		2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00						1
—	+	4-Wire Copper Loop/Short - including manual service inquiry	-		UUL	UUL40	13.22	44.09	31.33	0.00	0.00	 	 	+			
		and facility reservation - Zone 3	1	3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00						1
\vdash	+	Order Coordination for Unbundled Copper Loops (per loop)		- 3	UCL	UCLMC	30.33	18.92	18.92		0.00	 	H	 	 	 	
—	+	4-Wire Copper Loop/Short - without manual service inquiry and	-			OCLIVIC		10.32	10.32	 	 	 	-	 	 	 	
		facility reservation - Zone 1	- 1	1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00						1
H	+	4-Wire Copper Loop/Short - without manual service inquiry and	- '-	+ -		COLTVV	10.03	77.03	31.33	0.00	0.00	 	H	 	 	 	
	1	facility reservation - Zone 2	1	2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00						1
—	+	4-Wire Copper Loop/Short - without manual service inquiry and	- -		100L	OOLTVV	13.22	44.09	31.33	0.00	0.00			†			
		facility reservation - Zone 3	- 1	3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00						1
	1	Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>	Ŭ	UCL	UCLMC	00.00	18.92	18.92		0.00	†	<u> </u>	1			<u> </u>
		T.T. TTT. a.i.a.i.o. io. G.i.bai.a.ou doppor Loops (por 100p)			1-0-	COLIVIO		10.02	10.02	1	L		<u> </u>		ı	L	

Version 2Q03: 07/21/03 Page 4 of 56

CCCS 934 of 1497 [CCCS Amendment 9 of 69]

UNRU	NDI F	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
ONDO	NULL	NETWORK ELEMENTS - Georgia	1	1	l	T						Svc Order	Svc Order				Incremental
													Submitted		Charge -	Charge -	Charge -
			l									Elec	Manually		Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,		Order vs.		Order vs.
071120	•		m			0000			== (+)			per LSR	per LSR	Order vs.		Order vs.	
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	g Disconnect	1		oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		4-Wire Unbundled Copper Loop/Long - includes manual svc.															
		inquiry and facility reservation - Zone 1	l ı	1	UCL	UCL4L	30.85	44.69	31.55	0.00	0.00						1
		4-Wire Unbundled Copper Loop/Long - includes manual svc.															
		inquiry and facility reservation - Zone 2	1	2	UCL	UCL4L	53.87	44.69	31.55	0.00	0.00						1
		4-Wire Unbundled Copper Loop/Long - includes manual svc.															
		inquiry and facility reservation - Zone 3	- 1	3	UCL	UCL4L	98.64	44.69	31.55	0.00	0.00						1
		Order Coordination for Unbundled Copper Loops (per loop)		1	UCL	UCLMC		18.92	18.92								
		4-Wire Unbundled Copper Loop/Long - without manual svc.													Î		
		inquiry and facility reservation - Zone 1	- 1	1	UCL	UCL4O	47.56	44.69	31.55	0.00	0.00						1
		4-Wire Unbundled Copper Loop/Long - without manual svc.													Î		
		inquiry and facility reservation - Zone 2	- 1	2	UCL	UCL4O	54.93	44.69	31.55	0.00	0.00						1
		4-Wire Unbundled Copper Loop/Long - without manual svc.															1
		inquiry and facility reservation - Zone 3		3	UCL	UCL4O	87.30	44.69	31.55	0.00	0.00					<u> </u>	<u> </u>
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								1
		CLEC to CLEC conversion Charge without outside dispatch	- 1		UCL	UREWO		44.69	31.55								<u> </u>
LOOP N	IODIFI	CATION															1
					UAL, UHL, UCL,												1
					UEQ, ULS, UEA,												l .
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,												1
		pair less than or equal to 18k ft	- 1		UEPSB	ULM2L		0.00	0.00								1
		Unbundled Loop Modification, Removal of Load Coils - 2 wire															l .
		greater than 18k ft			UCL, ULS, UEQ	ULM2G		0.00	0.00								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire															l .
		less than or equal to 18K ft			UHL, UCL, UEA	ULM4L		0.00	0.00								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire	١.														l .
		pair greater than 18k ft	l l		UCL	ULM4G		0.00	0.00								
					UAL, UHL, UCL,												l .
		Haland Halland Marker Conference Late Principle Little Donnal Late Principle Little Donnal Late Principle Little Donnal Late Principle Little Donnal Late Principle Little Donnal Late Principle Little Donnal Late Principle Little Donnal Late Principle Little Little Donnal Late Principle Little Little Donnal Late Principle Little L			UEQ, ULS, UEA,												1
		Unbundled Loop Modification Removal of Bridged Tap Removal,	١.		UEANL, UEPSR,	LUADT		0.00	0.00								l .
SUB-LC	ODC	per unbundled loop		1	UEPSB	ULMBT		0.00	0.00		-		 				
		l pop Distribution				+				 		1	 				——
-	Sub-LC	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		-		1					-	1	1	1			—
		Up			UEANL	USBSA		255.76									l .
		ОР			OLANE	OODOA		255.76			 	1	<u> </u>		1		
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		7.29									l .
		Sub-Loop - Per Building Equipment Room - CLEC Feeder		1	OLANE	ООВОВ		1.25		1		1	†				—
		Facility Set-Up			UEANL	USBSC		175.09									l .
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel		t		1				1	<u> </u>				1		
		Set-Up	1		UEANL	USBSD		51.61			I						1
		Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working	i e	t —		1		001		1	i e			İ	İ	İ	
		and Spare Loop Activation	l		UEANL	USBRC	3.61	28.46	3.85	2.20	0.01						1
		Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working	İ							1				1			ſ
		and Spare Loop Activation	1		UEANL	USBRD	7.67	31.07	4.79	2.27	0.01						1
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		i –					-				İ		1		ſ
		Zone 1	1	1	UEANL	USBN2	6.37	28.46	3.85	2.20	0.01		1				1
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 2	<u> </u>	2	UEANL	USBN2	9.88	28.46	3.85	2.20	0.01			<u> </u>		<u> </u>	
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															1
		Zone 3		3	UEANL	USBN2	18.59	28.46	3.85	2.20	0.01						
1 7		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	1								_						1
		Zone 1		1	UEANL	USBN4	5.74	31.07	4.79	2.27	0.01						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	1								I		1				1
		Zone 2	ļ	2	UEANL	USBN4	9.89	31.07	4.79	2.27	0.01	L		ļ	ļ		
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	1		l						I						1
		Zone 3	ļ	3	UEANL	USBN4	17.97	31.07	4.79	2.27	0.01			ļ			
			l								1						1
\vdash		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ļ	<u> </u>	UEANL	USBMC	201	18.92	18.92	0.00		-		1	ļ	 	
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	l		UEANL	USBR2	3.61	28.46	3.85	2.20	0.01	1	l		<u> </u>		

Version 2Q03: 07/21/03 Page 5 of 56

CCCS 935 of 1497 [CCCS Amendment 10 of 69]

IINDI	INDI EI	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
UNDU	INDLE	D NETWORK ELEMENTS - Georgia		1		l 1						Cua Ordar	Svc Order				Incremental
													Submitted		Charge -	Charge -	Charge -
			Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													· .	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														130	Auu	Diac 1at	Disc Add I
							_	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
									7144		71441		00	00	00	00	00
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								1
-				1			7.07			0.07	0.04			-			
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	7.67	31.07	4.79	2.27	0.01						
																	1
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								1
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.75	28.46	3.85	2.20	0.01						1
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	7.21	28.46	3.85	2.20	0.01						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS2X	8.80	28.46	3.85		0.01						
-		2 Wile copper official and cap been blothibation. Zone o	i i	l -	OLI	OOOZX	0.00	20.40	0.00	2.20	0.01						
1	1	Color Constitution for Halon Halon Language	l	1	luce	1100040		40.00	40.00	1	1	I	1		1	1	1
	<u> </u>	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC		18.92	18.92	ļ							——
	L	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.12	31.07	4.79		0.01						
	L	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	6.12	31.07	4.79		0.01	<u> </u>				L	<u> </u>
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	8.69	31.07	4.79	2.27	0.01						1
	1	'		1						i e		i .	i		İ	l	
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC		18.92	18.92				l				1
-	Unburn	dled Network Terminating Wire (UNTW)		+	UL1	CODIVIO	1	10.92	10.32	t		-		t			
-	Jiibun		-	+	UENTW	UENPP	0.533	05.40	40.00	1	 	-	-	-	-	-	
-	<u> </u>	Unbundled Network Terminating Wire (UNTW) per Pair		+	UENIW	UENPP	0.533	25.12	12.28	!	ļ		 	ļ		 	
	Networ	k Interface Device (NID)															
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		32.86	20.69								1
		Network Interface Device (NID) - 1-6 lines			UENTW	UND16		56.03	43.86								[
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		2.45	2.45	1							
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		2.45	2.45								
SUB-L	OOBS	THE WORK INTERIOR DEVICE CIOSS CONNECT. 444		1	OLIVIV	ONDO		2.70	2.70								—
30B-L		an Faadaa		1										-			
-	Sub-Lo	op Feeder															
		USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,												1
		Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		255.76									
		USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,												1
		set-up			UDN,UCL,UDL,UDC	USBFX		7.29	7.29								ſ
		USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		183.87	7.29	1							
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice															
		Grade - Zone 1		1	UEA	USBFA	5.72	77.57	23.66	18.92	7.87						ſ
-		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		+ '-	OLA	OODI A	5.72	11.51	23.00	10.32	7.07						
										40.00							ſ
		Grade - Zone 2		2	UEA	USBFA	7.40	77.57	23.66	18.92	7.87						
		Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,															ſ
		Voice Grade - Zone 3		3	UEA	USBFA	13.86	77.57	23.66	18.92	7.87		L	<u> </u>		<u> </u>	
		Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		57.79									1
		Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
1		Grade - Zone 1		1	UEA	USBFB	5.72	77.57	23.66	18.92	7.87		l				1
\vdash	t -	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice	—	+ '-			0.72	11.01	20.00	10.02	7.57	l	 	<u> </u>	 	 	
1		Grade - Zone 2		2	UEA	USBFB	7.40	77.57	23.66	18.92	7.87		l				1
\vdash	 			_	ULA	USDEB	7.40	11.51	23.00	18.92	1.87	!	 	1	 	-	
1	1	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice	l	1								I	1		1	1	1
<u> </u>	L	Grade - Zone 3		3	UEA	USBFB	13.86	77.57	23.66	18.92	7.87		ļ	ļ			
L	Ь	Order Coordination for Specified Time Conversion, per LSR		<u> </u>	UEA	OCOSL		57.79		<u> </u>					L		
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
	1	Voice Grade - Zone 1	l	1	UEA	USBFC	5.72	77.57	23.66	18.92	7.87	I	1		1	1	1
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		<u> </u>			****										
	1	Voice Grade - Zone 2	l	2	UEA	USBFC	7.40	77.57	23.66	18.92	7.87	I	1		1	1	1
\vdash	 		-	-	ULA	CODIC	7.40	11.31	23.00	10.92	1.01		 	 	-	-	
	1	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse	l	1 _		LIODEO						I	1		1	1	1
<u> </u>	ļ	Battery, Voice Grade - Zone 3		3	UEA	USBFC	13.86	77.57	23.66	18.92	7.87						
	ļ	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		57.79									
	1	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice	l	1		Ι Τ					l					1	1
		Grade - Zone 1		1	UEA	USBFD	12.83	89.60	26.71	19.52	8.12		l				1
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
1	1	Grade - Zone 2	l	2	UEA	USBFD	12.06	89.60	26.71	19.52	8.12	I	1		1	1	1
	i	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice		+-	-		00	22.00		12.02		-	l		i	l	
1	1	Grade - Zone 3	l	3	UEA	USBFD	12.09	89.60	26.71	19.52	8.12	I	1		1	1	1
—	 		-	1 3	UEA		12.09		20.71	19.52	0.12	-	 	-	-	-	
—	├	Order Coordination For Specified Conversion Time, Per LSR		+	UEA	OCOSL		57.79		1	-	!	 	1	1	 	
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		1									l				1
L	Ь	Grade - Zone 1		1	UEA	USBFE	12.83	89.60	26.71	19.52	8.12				L		<u></u>
	_																

Version 2Q03: 07/21/03 Page 6 of 56

CCCS 936 of 1497 [CCCS Amendment 11 of 69]

CATEGORY RATE ELEMENTS Manual Contents Secure S	IINBIINDI E	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
ARTE ELEMENTS RATE E	ONBONDE	D NETWORK ELEMENTS - Georgia		1								Svc Order	Svc Order				Incremental
CATEGORY RATE ELEMENTS Note 2006 1000 RATE 1000 1																	
## CATEGORY RATE ELEMENTS ### Zone RCS USDC RATE (B) por LSR por L																	
Biotherine Bio	CATEGORY	RATE ELEMENTS		Zone	BCS	usoc			RATES (\$)								
Second Control Seco			m						- (1)			per Loix	per LSK				
Part																	Electronic- Disc Add'l
Description Control																DISC ISL	
Unburided Solit App Faced Long, 4 Win Long-Start, Veca 2 URA USBFF 12,06 60,00 28,77 19,02 1,12							Pos	Nonrec	curring	Nonrecurring	g Disconnect						
Cardio Zero 2 10 10 10 10 10 10 10							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Unbuffels Self-Lory Feeder Loop, 4 Win SELF, 1961. Grade - Zend 3 Grade - Zend 3 Grade - Zend 3 Grade - Zend 3 Grade - Zend 3 Grade - Zend 3 Grade - Zend 3 Grade - Zend 3 Grade - Zend 3 Grade - Zend 3 Grade - Zend 3 Grade - Zend 3 Grade - Zend 3 Grade - Zend 4 Grade - Zend 3 Grade - Zend 4																	
Cruste - Zona 3				2	UEA	USBFE	12.06	89.60	26.71	19.52	8.12						
Order Coversitation For Special Convenients Time, Per LSR U.S.A. OCCIDIT. U.S.P. U.				_													
Unbounded Sub-Loop Feeder Loop 2-Vive (SPARS 1-Zore 1 1 (URN USSPT 12.58 10.52.6 20.05 10.23 6.77 1.58				3			12.09		26.71	19.52	8.12						
Debugrated Sub-Loop Feeder Loop, 2-Virol Size Size Size Size Size Size Size Size				-			10.05		00.05	40.00	0.07						
Unbounded Sub-Loop Feeder Common Strike St				<u> </u>													
Order Coordination For Specified Convenience Tree, Per LSR USN OCCOSE 57.79														-			
Unbounded Spi-Log Feeder ZWINE UCC (IDSL compatible) 1 UCC USBF S 12:56 20:56 16:23 6:07	—			3			21.34		29.03	10.23	0.97			-			
Unbunded Sub-Loop Feeder, ZWERU CERS, Compatible) 2 UDC USBFS 15.53 162.56 29.05 19.23 6.07				1			12 95		29.05	18 23	6.97						
Unbounded Sub-Loop Feeder Part Vivo Cope Loop - 2				2													
Unbounded Sub-Loop Feeder Loop, A-Wire DST - Zone 1														1	İ	İ	İ
Unbounded Sub-Loop Feeder Loop, AVINE DST - Zone 2 2 USL USSFC 1923T 1021T 60.06 86.24 7.20																	
Distance Sub-Loop Feeder Per A-Wire Cognet Loop - Zone 1 1 U.S. U.SBFG 1,500				2											1		
Unbumided Sub-Loop Feeder Park Vive Copper Loop - Zone UCL USBFH 3.63 188.71 26.67 16.68 6.97		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3			33.81		60.56	38.24	7.20						
Unburnied Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2																	
2 UCL USBFH 3.27 18.71 26.67 16.68 6.97				1	UCL	USBFH	3.63	138.71	26.67	16.68	6.97						
Unbunded sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 1		Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone															
Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		2		2	UCL	USBFH	3.27	138.71	26.67	16.68	6.97						
Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		_													
Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 UCL USBFJ 4.58 156.47 29.61 17.22 7.20	\vdash	3		_													
Sub-Loop Feeder = Per 4-Wire 12 Kpsp Digital Grade Loop																	
Sub-Loop Feeder - Per 4-Wire 12 Kope Digital Grade Loop	H													-			
Sub-Loop Feeder - Per 4-Wire 192 Ktyps Digital Grade Loop														1			
Sub-Loop Feeder - Per 4-Wire 18 2 Ktpps Digital Grade Loop																	
Sub-Loop Feeder - Per 4-Wire 65 Kbps Digital Grade Loop - 2																	
Zone 1																	
Zone 2				1	UDL	USBFO	14.66	170.69	33.41	18.82	7.20						
Sub-Loop Feeder - Per 4-Wire 68 Kbps Digital Grade Loop - Zone 3		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
Zone 3		Zone 2		2	UDL	USBFO	15.58	170.69	33.41	18.82	7.20						
Order Coordination For Specified Time Conversion, per LSR Sub-Loop Feeder - Per 4-Wire 64 Ktyps Digital Grade Loop - 1 UDL USBFP 14.66 170.69 33.41 18.82 7.20 1																	
Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -				3			18.03		33.41	18.82	7.20						
Zone 1					UDL	OCOSL		57.79									
Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2				Ι.				470.00		40.00							
Zone 2	\vdash			1	UDL	OSRFF	14.66	1/0.69	33.41	18.82	7.20	-	-	 	 	-	-
Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3				2	LIDI	LISRED	15 50	170.60	22 /4	10 00	7 20			1			
Sub-Loop Feeder Sub-Loop F					ODL	OODI'F	86.61	170.09	33.41	10.62	1.20	-	-	 	 	 	
Order Coordination For Specified Conversion Time, per LSR				3	UDL	USBFP	18.03	170 69	33 41	18 82	7 20			1			
Sub-Loop Feeder Sub-Loop F				Ť			10.00		55.41	10.02	7.20			1	1		
Sub-Loop Feeder - DS3 - Per Mile Per Month I UE3 ILSSL 12.80	SUB-LOOPS	The second secon			1	1		55						1	İ		
Sub Loop Feeder - DS3 - Facility Termination Per Month 1		oop Feeder													1		
Sub Loop Feeder - STS-1 - Per Mile Per Month UDLSX USBF7 372.78 3,396.56 406.50 163.61 92.75 UBUNDLED LOOP CONCENTRATION UDLSX USBF7 372.78 3,396.56 406.50 163.61 92.75 UBUNDLED LOOP CONCENTRATION ULC UCT8A 172.78 431.36 20.36 Unbundled Loop Concentration - System A (TR008) ULC UCT8A 39.21 334.86 20.36 Unbundled Loop Concentration - System B (TR008) ULC UCT8B 39.21 334.86 20.36 Unbundled Loop Concentration - System B (TR303) ULC UCT3A 201.80 431.36 20.36 Unbundled Loop Concentration - System B (TR303) ULC UCT3B 67.30 334.86 20.36 Unbundled Loop Concentration - DS1 Loop Interface Card ULC UCTCO 3.50 50.91 29.41 19.79 3.22 Unbundled Loop Concentration - ISDN Loop Interface (Brite Card) UDN ULC1 5.86 7.84 2.28 2.64 1.32 Unbundled Loop Concentration - UDC Loop Interface (Brite Card) UDC ULCU 5.86 7.84 2.28 2.64 1.32 Unbundled Loop Concentration - 2 Wire Voice-Loop Start or UDC ULCU 5.86 7.84 2.28 2.64 1.32 Unbundled Loop Concentration - 2 Wire Voice-Loop Start or UDC ULCU 5.86 7.84 2.28 2.64 1.32 Unbundled Loop Concentration - 2 Wire Voice-Loop Start or UDC ULCU 5.86 7.84 2.28 2.64 1.32 Unbundled Loop Concentration - 2 Wire Voice-Loop Start or UDC ULCU 5.86 7.84 2.28 2.64 1.32 Unbundled Loop Concentration - 2 Wire Voice-Loop Start or UDC ULCU 5.86 7.84 2.28 2.64 1.32 Unbundled Loop Concentration - 2 Wire Voice-Loop Start or UDC ULCU 5.86 7.84 2.28 2.64 1.32 Unbundled Loop Concentration - 2 Wire Voice-Loop Start or UDC ULCU 5.86 7.84 2.28 2.64 1.32 Unbundled Loop Concentration - 2 Wire Voice-Loop Start or UDC ULCU 5.86 7.84 2.28 2.64 1.32 Unbundled Loop Concentration - 2 Wire Voice-Loop Start or UDC ULCU 5.86 7.84 2.28 2.64 1.32 UDC UDC ULCU UCTCO ULCU UCTCO ULCU UCTCO ULCU UCTCO ULCU ULCU UCTCO ULCU UCT			I	L													
Sub Loop Feeder - STS-1 - Facility Termination Per Month UDLSX USBF7 372.78 3,396.56 406.50 163.61 92.75 UNBUNDLED LOOP CONCENTRATION ULC UCT8A 172.78 431.36 20.36 Unbundled Loop Concentration - System A (TR008) ULC UCT8B 39.21 334.86 20.36 Unbundled Loop Concentration - System B (TR008) ULC UCT8B 39.21 334.86 20.36 Unbundled Loop Concentration - System A (TR303) ULC UCT3A 201.80 431.36 20.36 Unbundled Loop Concentration - System B (TR303) ULC UCT3B 67.30 334.86 20.36 Unbundled Loop Concentration - System B (TR303) ULC UCT3B 67.30 334.86 20.36 Unbundled Loop Concentration - ISDN Loop Interface Card ULC UCTCO 3.50 50.91 29.41 19.79 3.22 Unbundled Loop Concentration - ISDN Loop Interface (Brite Card) UDN ULC1 5.86 7.84 2.28 2.64 1.32 Unbundled Loop Concentration - UDC Loop Interface (Brite Card) UDC ULCU 5.86 7.84 2.28 2.64 1.32 Unbundled Loop Concentration - 2 Wire Voice-Loop Start or UDC ULCU 5.86 7.84 2.28 2.64 1.32 Unbundled Loop Concentration - 2 Wire Voice-Loop Start or UDC ULCU 5.86 7.84 2.28 2.64 1.32 Unbundled Loop Concentration - 2 Wire Voice-Loop Start or UDC ULCU 5.86 7.84 2.28 2.64 1.32 Unbundled Loop Concentration - 2 Wire Voice-Loop Start or UDC ULCU 5.86 7.84 2.28 2.64 1.32 Unbundled Loop Concentration - 2 Wire Voice-Loop Start or UDC ULCU 5.86 7.84 2.28 2.64 1.32 Unbundled Loop Concentration - 2 Wire Voice-Loop Start or UDC ULCU 5.86 7.84 2.28 2.64 1.32 Unbundled Loop Concentration - 2 Wire Voice-Loop Start or UDC ULCU 5.86 7.84 2.28 2.64 1.32 Unbundled Loop Concentration - 2 Wire Voice-Loop Start or UDC ULCU 5.86 7.84 2.28 2.64 1.32 Unbundled Loop Concentration - 2 Wire Voice-Loop Start or UDC ULCU 5.86 7.84 2.28 2.64 1.32 ULCU ULCU ULCU ULCU ULCU ULCU ULCU ULCU ULCU ULCU ULCU ULCU ULCU ULCU								3,396.56	406.50	163.61	92.75						
UNBUNDLED LOOP CONCENTRATION ULC UCT8A 172.78 431.36 20.36 ULC UCT8B 39.21 334.86 20.36 ULC UCT8B 39.21 Nubundled Loop Concentration - System A (TR008) ULC UCT8B 39.21 334.86 20.36 ULC UCT8B 39.21 Nubundled Loop Concentration - System A (TR303) ULC UCT3A 201.80 431.36 20.36 ULC UCT3A 201.80 431.36 20.36 ULC UCT3B 431.36 ULC UCT3B 431.36 20.36 ULC UCT3B 431.36 ULC UCT3B 431.36 ULC UCT3B 431.36			I														
Unbundled Loop Concentration - System A (TR008)	<u></u>		I		UDLSX	USBF7	372.78	3,396.56	406.50	163.61	92.75			ļ			
Unbundled Loop Concentration - System B (TR008)	UNBUNDLED			<u> </u>	1110	LIOTO	400 0-	101.0-						ļ			
Unbundled Loop Concentration - System A (TR303)	\vdash			<u> </u>								<u> </u>	<u> </u>	-	ļ	 	
Unbundled Loop Concentration - System B (TR303)	\vdash			-							-			 	 	-	-
Unbundled Loop Concentration - DS1 Loop Interface Card ULC UCTCO 3.50 50.91 29.41 19.79 3.22	\vdash			-										-			
Unbundled Loop Concentration - ISDN Loop Interface (Brite Card) UDN ULCC1 5.86 7.84 2.28 2.64 1.32 Unbundled Loop Concentration - UDC Loop Interface (Brite Card) Unbundled Loop Concentration2 Wire Voice-Loop Start or	\vdash			 							2 22	-	-	+			
Card)	\vdash			 	OLC	00100	3.50	50.91	29.41	19.79	3.22	-	-	+			
Unbundled Loop Concentration - UDC Loop Interface (Brite Card) UDC ULCCU 5.86 7.84 2.28 2.64 1.32 Unbundled Loop Concentration2 Wire Voice-Loop Start or					LIDN	ULCC1	5.96	7 9/1	2 20	264	1 22			1			
Card)	 		-	t	ODIA	OLCC1	5.00	1.04	2.20	2.04	1.32			 	 		
Unbundled Loop Concentration2 Wire Voice-Loop Start or					UDC	ULCCU	5.86	7.84	2.28	2.64	1.32			I			
						1	2.00	7.01	0			İ	İ	1		İ	İ
		Ground Start Loop Interface (POTS Card)			UEA	ULCC2	1.45	7.84	2.28	2.64	1.32	1	1	I			

Version 2Q03: 07/21/03 Page 7 of 56

CCCS 937 of 1497 [CCCS Amendment 12 of 69]

UNBUN	NDLE	NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY		RATE ELEMENTS	Interi m	Zone	BCS	USOC							Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonred		Nonrecurring					Rates(\$)		
—								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	3.81	7.84	2.28	2.64	1.32						
-	_	Unbundled Loop Concentration - 4 Wire Voice Loop Interface			UEA	ULCCR	3.81	7.84	2.28	2.04	1.32						
		(Specials Card)			UEA	ULCC4	3.50	7.84	2.28	2.64	1.32						
		Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	27.35	7.84	2.28	2.64	1.32						
		Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	5.76	7.84	2.28	2.64	1.32						
		Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	5.76	7.84	2.28	2.64	1.32						
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop															
		Interface			UDL	ULCC6	5.76	7.84	2.28	2.64	1.32						<u> </u>
UNE OTI		ROVISIONING ONLY - NO RATE															
		NID - Dispatch and Service Order for NID installation		ļ	UENTW	UNDBX	0.00	0.00									
$\vdash \vdash$		UNTW Circuit Id Establishment, Provisioning Only - No Rate		-	UENTW	UENCE	0.00	0.00		 		ļ					<u> </u>
		Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN	0.00	0.00		1							
UNE OT		ROVISIONING ONLY - NO RATE			LIA I AA	OINLOIN	0.00	0.00		 		 					
0.1.2	,									t							
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
-		rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no		-	UEA,UDN,UCL,UDC	USBFQ	0.00	0.00		1							
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00				+					
		Unbundled DS1 Loop - Expanded Superframe Format option -			002	00001	0.00	0.00		1							
		no rate			USL	CCOEF	0.00	0.00									
		Y UNBUNDLED LOCAL LOOP															
N	NOTE:	minimum billing period of three months for DS3/STS-1 Local	Loop	ļ													
		High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	10.97										
		High Capacity Unbundled Local Loop - DS3 - Facility			UES	ILSIND	10.97			 							-
		Termination per month			UE3	UE3PX	253.38	1,753.23	131.90	112.91	75.88						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.97	,									
		High Capacity Unbundled Local Loop - STS-1 - Facility															
		Termination per month			UDLSX	UDLS1	305.42	1,753.23	131.90	112.91	75.88						
LOOP M																	
		Loop Makeup - Preordering Without Reservation, per working or			UMK	UMKLW		15.19	15.19	1							
 		spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility			OIVIN	UIVINLVV		15.19	15.19	 		}					-
		queried (Manual).			UMK	UMKLP		19.85	19.85								
	REQUE	NCY SPECTRUM															
		HARING							•		·						
		ERS-CENTRAL OFFICE BASED					101					ļ					
\vdash		Line Sharing Splitter, per System 96 Line Capacity		-	ULS	ULSDA	131.00 32.00	0.00	0.00	0.00	0.00	ļ		 	-		1
\vdash		Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity		 	ULS ULS	ULSDB ULSD8	11.00	0.00	0.00	0.00	0.00						
 		Line Sharing Splitter, Fel System, 6 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-		 	010	02000	11.00	0.00	0.00	0.00	0.00						
		deactivation (per LSOD)			ULS	ULSDG		131.55	0.00	0.00	0.00						
E	END US	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC	TRUM	AKA LINE SHARING												
		Line Sharing - per Line Activation (BST Owned Splitter)			ULS	ULSDC	0.61	10.51	7.70	7.00	4.20						
		Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter			ULS	ULSDS		36.23	13.23								
, l		Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter			ULS	ULSCS		36.23	13.23								
 		Line Sharing - per Line Activation (DLEC owned Splitter)			ULS	ULSCS	0.61	36.23 47.44	13.23	0.00	0.00	}					-
L		PLITTING		†	020	52000	0.01	-77.44	10.01	0.00	3.00						
E	END US	SER ORDERING-CENTRAL OFFICE BASED															

Version 2Q03: 07/21/03 Page 8 of 56

CCCS 938 of 1497 [CCCS Amendment 13 of 69]

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	e BCS	USOC							Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
		<u> </u>	<u> </u>		Lunger		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Splitting - per line activation DLEC owned splitter	1		UEPSR UEPSB	UREOS	0.61	=0.40		10.15	10.75	ļ					
	Line Splitting - per line activation BST owned - physical	-		UEPSR UEPSB	UREBP	0.61	53.48	34.48	16.45	12.75	ļ					
DEM	Line Splitting - per line activation BST owned - virtual OTE SITE HIGH FREQUENCY SPECTRUM	I	-	UEPSR UEPSB	UREBV	0.61	53.48	34.48	16.45	12.75	1					
					+				1						-	<u> </u>
SPLI	Remote Site Line Share BellSouth Owned Splitter, 24 Port			ULS	ULSRB	31.13	136.10	0.00	97.55	0.00	 					
	Remote Site Line Share Cable Pair Activation CLEC Owned at	- '		ULS	ULSKB	31.13	136.10	0.00	97.55	0.00	1				1	
	RS and Deactivation	1		ULS	ULSTG		123.70	0.00	83.61	0.00						
FND	USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRU	MAKA	REMOT				120.70	0.00	00.01	0.00	1					1
	Remote Site Line Share Line Activationfor End User Served at	T	1		T										1	1
	RS. BST Splitter	1		ULS	ULSRC	0.61	10.51	7.70	0.00	0.00						
	RS Line Share Line Activation for End User served at RS, CLEC			-	1				2.30	2.30			İ	l	1	Î .
	Splitter	- 1		ULS	ULSTC	0.61	10.51	7.70	0.00	0.00					I	
	Remote Site Line Share Subsequent Activity-RS BST Owned															
	Splitter	L		ULS	ULSRS		36.04	11.96	0.00	0.00					<u> </u>	
	Remote Site Line Share Subsequent Activity-RS CLEC Owned															
	Splitter	ı		ULS	ULSTS		36.04	11.96	0.00	0.00						ļ
MAII	NTENANCE															
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								<u> </u>
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
	D DEDICATED TRANSPORT	L	<u> </u>		L											
	E: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	g perio	d - below DS3=one	month, DS3/	STS-1=four mo	nths									
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT				1						ļ					
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			11477.07	1L5XX	0.0057										
	Per Mile per month			U1TVX	1L5XX	0.0057			-		-					
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			UTIVA	UTIVZ	12.07	40.40	19.40	10.36	5.00	 					-
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0057										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			UTIVA	ILJAA	0.0037			 		1					1
	Facility Termination			U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade			01177	OTTIVE	12.07	40.40	10.40	10.00	0.00					1	1
	Per Mile per month			U1TVX	1L5XX	0.0057										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade										İ					
	- Facility Termination			U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			U1TDX	1L5XX	0.0057										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination			U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			U1TDX	1L5XX	0.0057										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination			U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			LIATEA	41.500/	0.44=.			1						1	
	month		₩	U1TD1	1L5XX	0.1154			 		ļ		-		 	
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			U1TD1	U1TF1	34.19	111.03	80.28	31.36	21.73					I	
	Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	-	+	ועווט	UTIFT	34.19	111.03	80.28	31.36	21.73	 			-	 	+
	month			U1TD3	1L5XX	2.53			I						I	
-+-	Interoffice Channel - Dedicated Transport - DS3 - Facility	-		01100	LUAA	2.00			t		 		 		t	
	Termination per month			U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81					I	
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per				150	3-12.02	320.71	00.02	00.77	02.01			1		<u> </u>	1
	month			U1TS1	1L5XX	2.53			I						I	
	Interoffice Channel - Dedicated Transport - STS-1 - Facility				1	1			1					İ		
	Termination			U1TS1	U1TFS	358.67	320.47	86.32	66.77	52.81					1	
	AL CHANNEL - DEDICATED TRANSPORT															
NOT	E: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billi	ng perio				=four months										
	Local Channel - Dedicated - 2-Wire Voice Grade			ULDVX	ULDV2	7.74	121.07	53.30	46.40	13.37						

Version 2Q03: 07/21/03 Page 9 of 56

CCCS 939 of 1497 [CCCS Amendment 14 of 69]

UNBU	NDLE	NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	7.74	121.07	53.30	46.40	13.37						
		Local Channel - Dedicated - 4-Wire Voice Grade			ULDVX	ULDV4	8.72	125.62	54.43	46.40	13.37						
		Local Channel - Dedicated - DS1 Zone 1		1	ULDD1	ULDF1	18.16	149.46	111.20	40.36	26.12						
		Local Channel - Dedicated - DS1 Zone 2		2	ULDD1	ULDF1	52.47	149.46	111.20	40.36	26.12						
		Local Channel - Dedicated - DS1 Zone 3		3	ULDD1	ULDF1	157.03	149.46	111.20	40.36	26.12	1					
		Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination		<u> </u>	ULDD3 ULDD3	1L5NC ULDF3	1.44 147.01	445.01	145.18	112.91	75.88	.		-		-	
		Local Channel - Dedicated - DS3 - Facility Termination Local Channel - Dedicated - STS-1- Per Mile per month		1	ULDS1	1L5NC	1.44	445.01	145.18	112.91	75.88	 		-		-	1
		Local Channel - Dedicated - STS-1 - Facility Termination		1	ULDS1	ULDFS	154.62	445.01	145.18	112.91	75.88	1		-		-	
DARK F		Local Charmer - Dedicated - 010-1 - Lacinty Termination			OLDOT	OLDI O	134.02	443.01	140.10	112.51	73.00	<u> </u>			1		1
DAINI		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction										1					1
		Thereof per month - Local Channel	1		UDF, UDFCX	1L5DC	46.84							1		1	
		NRC Dark Fiber - Local Channel	1		UDF, UDFCX	UDFC4	1	1,745.99	87.54	73.64	18.70			1	İ	1	İ
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	i									Ì		1		1	1
		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	23.29										
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		1,776.53	89.75	73.64	18.70						
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	46.84										
		NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		1,745.99	87.54	73.64	18.70						
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Subloop Feeder	1		UDF, UDFCX	UDFF4	23.03										
		NRC Dark Fiber - Subloop Feeder	!		UDF, UDFCX	UDFFC		668.23	182.47	267.20	151.96						
000 40		NRC Dark Fiber - Subloop Feeder - Service Inquiry						590.13				ļ					
8XX AC		EN DIGIT SCREENING 8XX Access Ten Digit Screening, Per Call			OHD	+	0.0008543			-		-					
		8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX		1	OHD	+	0.0006545			+ + + + + + + + + + + + + + + + + + +		1		-		-	
		Number Reserved			OHD	N8R1X		2.50	0.43								
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OTID	NOICIX		2.50	0.43			1					1
		POTS Translations			OHD			5.65	0.76	4.24	0.51						
		8XX Access Ten Digit Screening, Per 8XX No. Established With				1		0.00				İ					
		POTS Translations			OHD	N8FTX		5.65	0.76	4.24	0.51						
		8XX Access Ten Digit Screening, Customized Area of Service															
		Per 8XX Number			OHD	N8FCX		2.50	1.25								
		8XX Access Ten Digit Screening, Multiple InterLATA CXR															
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		2.93	1.68								
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		2.93	0.43								
I		8XX Access Ten Digit Screening, Call Handling and Destination	1							I T				_		_	
		Features			OHD	N8FDX		2.50						ļ		ļ	ļ
		8XX Access Ten Digit Screening, w/8FL No. Delivery	ļ	.	OHD	1	0.0008543					1					ļ
LIME		8XX Access Ten Digit Screening, w/POTS No. Delivery TION DATA BASE ACCESS (LIDB)	 	-	OHD	+	0.0008543			 		ļ	ļ	 	 	 	
LINE IN			-	-	OQT	+	0.0000690			 		-		 		 	1
\vdash		LIDB Common Transport Per Query LIDB Validation Per Query		-	OQU	+	0.0000682 0.0266962			 			 	+		 	1
\vdash		LIDB Originating Point Code Establishment or Change	1	 	OQU OQT, OQU	NRBPX	0.0200902	33.24	33.24	39.35	39.35	1		 	 	 	1
SIGNAL			 		041,040	THE A		55.24	55.24	33.33	33.33	 	-	 	 	t	<u> </u>
JIJIAL		CCS7 Signaling Connection, Per 56Kbps Facility	1	†	UDB	TPP++	8.73	34.77	34.77	16.91	16.91	1	 	I		I	1
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	108.80	0-1.77	04.77	10.01	10.01			<u> </u>	1	<u> </u>	1
		CCS7 Signaling Usage, Per Call Setup Message	1		UDB		0.0000132							1	İ	1	İ
		CCS7 Signaling Usage, Per TCAP Message	1		UDB		0.0000527							1	İ	1	İ
		CCS7 Signaling Connection, Per link (A link) (same as E.3.1)			UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
		CCS7 Signaling Connection, Per link (B link) (also known as D					l	ĺ									
		link) (same as E.3.1)			UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
		CCS7 Signaling Usage, Per ISUP Message (same as E.3.3)			UDB		0.0000132										
		CCS7 Signaling Usage Surrogate, per link			UDB	STU56	907.44										
J		CCS7 Signaling Point Code, Establishment or Change, per STP	1							I T				_		_	
		affected	!	<u> </u>	UDB	CCAPO		28.15	28.15	33.32	33.32			ļ		ļ	ļ
	-RVICE			<u> </u>		1			53.30	46.40	13.37	ļ					!
E911 SE		Local Channel - Dedicated - 2-wr Voice Grade					7.74	121.07									

Version 2Q03: 07/21/03 Page 10 of 56

CCCS 940 of 1497 [CCCS Amendment 15 of 69]

UNBL	NDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec	Manually				Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Loix	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
		Termination					12.87	48.46	19.48	16.58	5.00						ĺ
		Local Channel - Dedicated - DS1 - Zone 1					18.16	149.46	111.20	40.36	26.12						
		Local Channel - Dedicated - DS1 - Zone 2					52.47	149.46	111.20	40.36	26.12						
		Local Channel - Dedicated - DS1 - Zone 3					157.03	149.46	111.20	40.36	26.12						
		Interoffice Transport - Dedicated - DS1 Per Mile					0.1154	1 10.10	111120	10.00	20.12						
		Interoffice Transport - Dedicated - DS1 Per Facility Termination					34.19	111.03	80.28	31.36	21.73						
CALLI	IG NAM	IE (CNAM) SERVICE															
	T	CNAM For DB Owners - Service Establishment			OQV			22.90		20.32							
		CNAM For Non DB Owners - Service Establishment			OQV			22.90		20.32							
		CNAM For DB Owners - Service Provisioning With Point Code			04.			22.00		20.02							
1	l	Establishment	1		OQV	1		959.77	709.83	251.47	184.91	1	1				1
-	 	CNAM For Non DB Owners - Service Provisioning With Point	-			+		300.17	700.00	201.77	10-1.01				 	 	—
		Code Establishment			OQV			331.89	237.45	257.65	184.91						
		CNAM for DB Owners, Per Query			OQV	+	0.0009924	001.00	207.40	201.00	104.01						
		CNAM for Non DB Owners, Per Query			OQV	+	0.0009924										
		CNAM (Non-Databs Owner), NRC, applies when using the			OQV	+	0.0003324										
		Character Based User Interface (CHUI)			oqv	CDDCH		595.00	595.00								ĺ
I NP O	iery Se				OQV	ODDOIT		000.00	000.00								
LIVE	lery se	LNP Charge Per query				+	0.00082										
		LNP Service Establishment Manual				+	0.00002	12.49		11.09							
		LNP Service Provisioning with Point Code Establishment				+		574.87	293.68	251.47	184.91						
OPER	TOP C	ALL PROCESSING				+		314.01	233.00	251.47	104.51						
OI LIV	I	Oper. Call Processing - Oper. Provided, Per Min Using BST				+	1										
		LIDB					1.20										ĺ
		Oper. Call Processing - Oper. Provided, Per Min Using				+	1.20										
		Foreign LIDB					1.24										ĺ
		Oper. Call Processing - Fully Automated, per Call - Using BST				+	1.24										
		LIDB					0.20										ĺ
		Oper. Call Processing - Fully Automated, per Call - Using				+	0.20										
		Foreign LIDB					0.20										ĺ
INW A F	D OPE	RATOR SERVICES				+	0.20										
11444741	J 0. L.	Inward Operator Svcs - Verification, Per Minute				+	1.15										
		Inward Operator Services - Verification and Emergency Interrupt				+	1.10										
		- Per Minute					1.15										
BRANI	ING - C	PPERATOR CALL PROCESSING				+	1.13										
DIVAIN		/ based CLEC				+											
	- doint	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00								
		Loading of Custom Branded OA Announcement per shelf/NAV				OBNOC		7,000.00	7,000.00								
		per OCN				CBAOL		500.00	500.00								
	UNEP					OD/IOE		000.00	000.00								
	O.V.	Recording of Custom Branded OA Announcement				+		7,000.00	7,000.00								
		Loading of Custom Branded OA Announcement per shelf/NAV				+		7,000.00	7,000.00								
		per OCN						500.00	500.00								ĺ
	Unhrai	nding via OLNS for UNEP CLEC				+		300.00	300.00								
	Olibiai	Loading of OA per OCN (Regional)				+		1,200.00	1,200,00								
DIREC	TORY A	SSISTANCE SERVICES				+		1,200.00	1,200.00								
DIALLO		TORY ASSISTANCE ACCESS SERVICE	-	\vdash		+	 								 	 	
—	JLO	Directory Assistance Access Service Calls, Charge Per Call	-	\vdash		+	0.275								 	 	
—	DIPEC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	DACC)	\vdash		+	0.213								 	 	
—	SINEO	Directory Assistance Call Completion Access Service (DACC),	,,,,,,,	\vdash		+	 								 	 	
1	l	Per Call Attempt	1			1	0.10					1	1				1
DIREC	LOBA V	SSISTANCE SERVICES		\vdash		+	0.10					-	-		l	 	
DINEO		TORY ASSISTANCE DATA BASE SERVICE (DADS)				+	 						 				
—	SINEO	Directory Assistance Data Base Service (DADS)	-	\vdash		+	0.04								 	 	
-	 	Directory Assistance Data Base Service Charge Fer Listing Directory Assistance Data Base Service, per month				DBSOF	150.00						 				
BPANI	ING - F	DIRECTORY ASSISTANCE	-	\vdash		20001	130.00								 	 	
DIVAM		/ Based CLEC		\vdash		+	 					-	-		l	 	
L	ı avını	Duocu OLLO		1								1	l	l	l	l	

Version 2Q03: 07/21/03 Page 11 of 56

CCCS 941 of 1497 [CCCS Amendment 16 of 69]

UNBU	INDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
	1					1	ı	Nonrec	urring	Nonrecurring	Disconnect]	OSS	Rates(\$)		1
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	<u> </u>	Recording and Provisioning of DA Custom Branded						11130	Auui	11131	Addi	JOINEC	JONAN	JOINAIN	JOINAIN	JOHAN	JONAN
		Announcement			AMT	CBADA		3,000.00	3,000.00								
	1	Loading of Custom Branded Announcement per Switch per			7 4 4 1 1	OBNOT		0,000.00	0,000.00								
		OCN			AMT	CBADC		1,170.00	1,170.00								
	UNEP (.,	.,			İ					
		Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	i	Loading of DA Custom Branded Announcement per Switch per						·									
		OCN						1,170.00	1,170.00								
	Unbrar	ding via OLNS for UNEP CLEC															
		Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
		Loading of DA per Switch per OCN						16.00	16.00								
SELEC	TIVE RO																
		Selective Routing Per Unique Line Class Code Per Request Per															
	<u> </u>	Switch				USRCR		102.19	61.15	12.68	6.34						
VIRTU	AL COLI	OCATION															
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line			LIEDOD LIEDOD	VE41.0	0.0400	0.00	0.00	0.00	0.00						
DUVCI	CAL CO	Splitting LLOCATION			UEPSR UEPSB	VE1LS	0.0188	0.00	0.00	0.00	0.00	-					
PHISIC	TAL CO	Physical Collocation-2 Wire Cross Connects (Loop) for Line				+						-					
		Splitting			UEPSR UEPSB	PE1LS	0.0197	0.00	0.00								
AIN SE	LECTIV	E CARRIER ROUTING			UEFOR UEFOB	PEILS	0.0197	0.00	0.00			1					1
AIN 3L	LECTIV	Regional Service Establishment			SRC	SRCEC		101.311.67	101.311.67	7.833.25	7.833.25	+					
	<u> </u>	End Office Establishment			SRC	SRCEO		158.92	158.92	1.64	1.64	1					
	<u> </u>	Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06	1.04	1.04	1					
	1	Query NRC, per query			SRC	GITOL.	0.0020368	2.00	2.00			1					
AIN - B		JTH AIN SMS ACCESS SERVICE										İ					
		AIN SMS Access Service - Service Establishment, Per State,															
		Initial Setup			A1N	CAMSE		41.41	41.41	41.63	41.63						
		·															
		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.15	8.15	9.16	9.16						
		AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.15	8.15	9.16	9.16						
		AIN SMS Access Service - User Identification Codes - Per User															
		ID Code			A1N	CAMAU		35.29	35.29	26.50	26.50						
		AIN SMS Access Service - Security Card, Per User ID Code,															
		Initial or Replacement			A1N	CAMRC		40.24	40.24	11.72	11.72						
	ļ	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0038					ļ					
-	-	AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per		<u> </u>			1.81					.					-
		Minute					0.8323										
AIN - B	ELLSOI	JTH AIN TOOLKIT SERVICE					0.0323					1					1
AIN - D	LLLSO	AIN Toolkit Service - Service Establishment Charge, Per State,										+					
		Initial Setup			CAM	BAPSC		41.41	41.41	41.63	41.63						
	1	AIN Toolkit Service - Training Session, Per Customer			0, 111	BAPVX		4,236.62	4,236.62	11.00	11.00	†					
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						.,	1,200.02			İ					
		DN, Term. Attempt				BAPTT		8.15	8.15	9.16	9.16						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Off-Hook Delay				BAPTD		8.15	8.15	9.16	9.16						
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	ļ	DN, Off-Hook Immediate				BAPTM		8.15	8.15	9.16	9.16						
	1	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															_
	ļ	DN, 10-Digit PODP				BAPTO		33.98	33.98	14.09	14.09						1
	1	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DARTO							1				I
	<u> </u>	DN, CDP		ļ		BAPTC		33.98	33.98	14.09	14.09				 	 	-
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DADTE		22.00	22.02	44.00	44.00						1
-	!	DN, Feature Code AIN Toolkit Service - Query Charge, Per Query	-	+		BAPTF	0.0271438	33.98	33.98	14.09	14.09	 	-	-		-	
1	 	AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit	-	 		1	0.0271438					}	 		 	 	
															1	1	1

LIMD	IINDI E	D NETWORK ELEMENTS - Georgia												Attachment:	•	Exhibit: B	
UND	UNDLE	D NETWORK ELEMENTS - Georgia			I	ı	ı					Cur Ouden	Cur Onder				In anomantal
													Svc Order	Incremental		Incremental	Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
															1		
							Rec	Nonre		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
		Account, Per 100 Kilobytes					0.04										ļ
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
		Subscription			CAM	BAPMS	14.78	8.15	8.15	5.71	5.71						
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
		Subscription			CAM	BAPLS	6.46	8.98	8.98								
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
		Subscription			CAM	BAPDS	8.54	8.15	8.15	5.71	5.71						
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
		Service Subscription			CAM	BAPES	0.22	8.98	8.98								
ENHA		KTENDED LINK (EELs)															
	NOTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	will not app	ly for UNE com	binations pro	visioned as ' C	rdinarily Comb	ined' Network	Elements.					
	NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	he non-	recurri	ng charges below w	ill apply for	UNE combination	ons provisione	ed as ' Current	ly Combined' N	letwork Eleme	nts.					
		Minimum billing is one month for DS1 and below and three m															
		ITED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT				ŔТ									ĺ		
		First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	11.26	195.94	36.38	18.42	6.86				ĺ		
		First 2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	16.43	195.94	36.38	18.42	6.86						
		First 2-Wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	31.49	195.94	36.38	18.42	6.86						
	1	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		per month			UNC1X	1L5XX	0.1154										
		Interoffice Transport - Dedicated - DS1 combination - Facility			0.10.17	120701	0.1101										
		Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	+	1/0 Channelization System in combination Per Month	-		UNC1X	MQ1	69.75	86.10	40.70	40.00	21.01						
	+	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						-
	+	Voice Grade GGG1-1 et Mortiti			ONOVA	IDIVO	0.4003	27.55	2.30	10.00	1.04						-
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	11.26	195.94	36.38	18.42	6.86						
-	+	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1	-	'	UNCVA	UEALZ	11.20	195.94	30.30	10.42	0.00	-					-
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	16.43	195.94	36.38	18.42	6.86						
-		Each Additional 2-wire vG Loop (SL 2) in Combination - Zone 2	-		UNCVX	UEALZ	16.43	195.94	30.38	18.42	0.80						
				_													
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	31.49	195.94	36.38	18.42	6.86						
		Voice Grade COCI - Per Month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
	EXTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	FED DS	1 INTE	ROFFICE TRANSPO	RT											
1	1		l														
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	17.33	195.94	36.38	18.42	6.86				ļ		ļ
L		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2	L	2	UNCVX	UEAL4	20.74	195.94	36.38	18.42	6.86	<u> </u>			<u> </u>		
L		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3	L	3	UNCVX	UEAL4	28.81	195.94	36.38	18.42	6.86	<u> </u>			<u> </u>		<u> </u>
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
1	1	Per Month	1	1	UNC1X	1L5XX	0.1154					I			1		
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	1	Month	l		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
		1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10									
	1	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04	ĺ			ĺ		
	1	Additional 4-Wire Analog Voice Grade Loop in same DS1	1			T -		0							İ		
1	1	Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL4	17.33	195.94	36.38	18.42	6.86	I			l		
	1	Additional 4-Wire Analog Voice Grade Loop in same DS1	i –	<u> </u>		1					2.30	i e			i e		
1		Interoffice Transport Combination - Zone 2	1	2	UNCVX	UEAL4	20.74	195.94	36.38	18.42	6.86	1					
\vdash	1	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	<u> </u>	2	32,127	20.74	100.04	55.56	10.72	0.00				i		†
1	1	Interoffice Transport Combination - Zone 3	l	3	UNCVX	UEAL4	28.81	195.94	36.38	18.42	6.86						
	1 -	Additional Voice Grade COCI in combination - per month	l -	Ŭ	UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04	-			†		
—	+	Nonrecurring Currently Combined Network Elements Switch -As-		-	0.101/1	.5100	0.4000	27.00	2.30	10.00	1.04	+			 		
1		Is Charge	1		UNC1X	UNCCC		5.70	5.70	6.61	6.61	1					
\vdash	EYTEN	IDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS4 IN				5.70	5.70	0.01	0.01	 			 		
<u> </u>	EXIEN	THE THINE SO REFS EXTENDED DIGITAL LOOP WITH DEDIC	L	אוופים	LINOFFICE TRANS	JKI						1			1		
1	1	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	l	4	UNCDX	UDL56	21.21	195.94	36.38	18.42	6.86						
Щ_		Ir irst 4-vviile sortups Digital Grade Loop in Combination - Zone T	l		OINCDA	UDLOO	21.21	195.94	30.38	10.42	0.86	1			l		

Version 2Q03: 07/21/03 Page 13 of 56

CCCS 943 of 1497 [CCCS Amendment 18 of 69]

UNBUNDLE	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	27.22	195.94	36.38	18.42	6.86						
	1 list 4-wire 30Kbps Digital Grade Loop III Combination - Zone 2			UNCDA	ODLSG	21.22	133.34	30.30	10.42	0.80						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	36.38	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1154										
	Interoffice Transport - Dedicated - DS1 - combination Facility							4= =0	40.00							
	Termination Per Month 1/0 Channel System in combination Per Month			UNC1X	U1TF1 MQ1	34.19 69.75	87.76 86.10	45.73	43.80	27.97	ļ					ļ
	OCU-DP COCI (data) per month (2.4-64kbs)		-	UNC1X UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						-
-	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			UNCDA	טטוטו	0.9903	21.33	2.50	10.00	1.04						
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	21.21	195.94	36.38	18.42	6.86						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	27.22	195.94	36.38	18.42	6.86						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		_													
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.38	195.94	36.38	18.42	6.86	1					
	Additional OCU-DP COCI (data) - in combination per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-			ONODX	10100	0.9903	21.00	2.50	10.00	1.04						+
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	21.21	195.94	36.38	18.42	6.86						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	27.22	195.94	36.38	18.42	6.86						
	First 4-wire 64Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL64	21.22	195.94	30.38	18.42	0.80	1					1
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	36.38	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ť							0.00						
	Per Month			UNC1X	1L5XX	0.1154										
	interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97	ļ					ļ
	1/0 Channel System in combination Per Month OCU-DP COCI (data) - in combination - per month (2.4-64kbs)		-	UNC1X UNCDX	MQ1 1D1DD	69.75 0.9963	86.10 27.33	2.90	16.86	1.04						-
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			ONCDX	10100	0.9903	27.33	2.90	10.00	1.04	1					+
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.21	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	27.22	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		_													
	Interoffice Transport Combination - Zone 3 Additional OCU-DP COCI (data) - in combination - per month		3	UNCDX	UDL64	36.38	195.94	36.38	18.42	6.86	 					ļ
	(2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-			OHODA	.0100	0.3303	21.00	2.90	10.00	1.04						
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER													
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	39.61	209.45	70.44	37.91	6.86						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	44.72	209.45	70.44	37.91	6.86						ļ
	4-Wire DS1 Digital Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile	-	3	UNC1X	USLXX	59.04	209.45	70.44	37.91	6.86	1					
	Per Month			UNC1X	1L5XX	0.1154										
	Interoffice Transport - Dedicated - DS1 combination - Facility					354										
	Termination Per Month	<u> </u>		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Nonrecurring Currently Combined Network Elements Switch -As-							<u> </u>								
- V	Is Charge	ED DCC	INITES	UNC1X	UNCCC		5.70	5.70	6.61	6.61	ļ					
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER	OFFICE TRANSPO IUNC1X	USLXX	39.61	209.45	70.44	37.91	6.86						
	First DS1Loop in Combination - Zone 1 First DS1Loop in Combination - Zone 2		2	UNC1X UNC1X	USLXX	39.61 44.72	209.45	70.44	37.91	6.86						
	First DS1Loop in Combination - Zone 3			UNC1X	USLXX	59.04	209.45	70.44	37.91	6.86						
	Interoffice Transport - Dedicated - DS3 combination - Per Mile		Ė						551	2.50			1			
1	Per Month	l	ı	UNC3X	1L5XX	2.53					1		l			1

Version 2Q03: 07/21/03 Page 14 of 56

CCCS 944 of 1497 [CCCS Amendment 19 of 69]

month 3/1Channel Sys DS1 COCI in co Additional DS1L Zone 1 Additional DS1L Zone 2 Additional DS1L Zone 3 Additional DS1L Zone 3 Additional DS1 Cone 3 Additional DS1 Cone 3 EXTENDED 2-WIRE VC 2-WireVG Loop	RATE ELEMENTS port - Dedicated - DS3 - Facility Termination per term in combination per month mbination per month pop in DS3 Interoffice Transport Combination - top	Interi	Zone	BCS UNC3X UNC3X UNC3X UNC1X UNC1X	USOC U1TF3 MQ3 UC1D1	Rec 342.02	Nonrec First	RATES (\$) curring Add'l	Nonrecurring First	Disconnect Add'I	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st		Exhibit: B Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
Interoffice Transmonth 3/1Channel Sys DS1 COCI in co Additional DS1L Zone 1 Additional DS1L Zone 2 Additional DS1L Zone 3 Additional DS1L Zone 3 Additional DS1L Express Additional DS1 Cone System State Nonrecurring Collection State Is Charge EXTENDED 2-WIRE VC 2-WireVG Loop	port - Dedicated - DS3 - Facility Termination per term in combination per month mbination per month pop in DS3 Interoffice Transport Combination - pop in DS3 Interoffice Transport Combination - pop in DS3 Interoffice Transport Combination - pop in DS3 Interoffice Transport Combination - pop in DS3 Interoffice Transport Combination - pop in DS3 Interoffice Transport Combination - pop in DS3 Interoffice Transport Combination - pop in Combination per month	m	1	UNC3X UNC3X UNC1X	U1TF3 MQ3	342.02	First	urring			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I Rates(\$)	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
Interoffice Transmonth 3/1Channel Sys DS1 COCI in co Additional DS1L Zone 1 Additional DS1L Zone 2 Additional DS1L Zone 3 Additional DS1L Zone 3 Additional DS1L Extensional DS1 (Stansian Companies) Additional DS1 (Stansian Companies) Extensional DS1 (Stansian Companies)	port - Dedicated - DS3 - Facility Termination per term in combination per month mbination per month pop in DS3 Interoffice Transport Combination - pop in DS3 Interoffice Transport Combination - pop in DS3 Interoffice Transport Combination - pop in DS3 Interoffice Transport Combination - pop in DS3 Interoffice Transport Combination - pop in DS3 Interoffice Transport Combination - pop in DS3 Interoffice Transport Combination - pop in Combination per month	m	1	UNC3X UNC3X UNC1X	U1TF3 MQ3	342.02	First	urring			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l Rates(\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
Interoffice Transmonth 3/1Channel Sys DS1 COCI in co Additional DS1L Zone 1 Additional DS1L Zone 2 Additional DS1L Zone 3 Additional DS1L Zone 3 Additional DS1L Express Additional DS1 Cone System State Nonrecurring Collection State Is Charge EXTENDED 2-WIRE VC 2-WireVG Loop	port - Dedicated - DS3 - Facility Termination per term in combination per month mbination per month pop in DS3 Interoffice Transport Combination - pop in DS3 Interoffice Transport Combination - pop in DS3 Interoffice Transport Combination - pop in DS3 Interoffice Transport Combination - pop in DS3 Interoffice Transport Combination - pop in DS3 Interoffice Transport Combination - pop in DS3 Interoffice Transport Combination - pop in Combination per month	m	1	UNC3X UNC3X UNC1X	U1TF3 MQ3	342.02	First	urring			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I Rates(\$)	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
month 3/1Channel Sys DS1 COCI in co Additional DS1L Zone 1 Additional DS1L Zone 2 Additional DS1L Zone 3 Additional DS1L Zone 3 Additional DS1 Vane 3 Additional DS1 Vane 3 EXTENDED 2-WIRE VC 12-WireVG Loop	cem in combination per month mbination per month cop in DS3 Interoffice Transport Combination - cop in DS3 Interoffice Transport Combination - cop in DS3 Interoffice Transport Combination - cop in DS3 Interoffice Transport Combination -		1	UNC3X UNC1X	MQ3	342.02	First				•		Electronic- 1st	Electronic- Add'l Rates(\$)	Electronic- Disc 1st	Electronic- Disc Add'l
month 3/1Channel Sys DS1 COCI in co Additional DS1L Zone 1 Additional DS1L Zone 2 Additional DS1L Zone 3 Additional DS1L Zone 3 Additional DS1 Cone 3 Additional DS1 Cone 3 EXTENDED 2-WIRE VC 12-WireVG Loop	cem in combination per month mbination per month cop in DS3 Interoffice Transport Combination - cop in DS3 Interoffice Transport Combination - cop in DS3 Interoffice Transport Combination - cop in DS3 Interoffice Transport Combination -		1	UNC3X UNC1X	MQ3	342.02	First				SOMEC	SOMAN	1st OSS	Add'l Rates(\$)	Disc 1st	Disc Add'l
month 3/1Channel Sys DS1 COCI in co Additional DS1L Zone 1 Additional DS1L Zone 2 Additional DS1L Zone 3 Additional DS1L Zone 3 Additional DS1 Cone 3 Additional DS1 Cone 3 EXTENDED 2-WIRE VC 12-WireVG Loop	cem in combination per month mbination per month cop in DS3 Interoffice Transport Combination - cop in DS3 Interoffice Transport Combination - cop in DS3 Interoffice Transport Combination - cop in DS3 Interoffice Transport Combination -		1	UNC3X UNC1X	MQ3	342.02	First				SOMEC	SOMAN	OSS	Rates(\$)		
month 3/1Channel Sys DS1 COCI in co Additional DS1L Zone 1 Additional DS1L Zone 2 Additional DS1L Zone 3 Additional DS1L Zone 3 Additional DS1 Cone 3 Additional DS1 Cone 3 EXTENDED 2-WIRE VC 2-WireVG Loop	cem in combination per month mbination per month cop in DS3 Interoffice Transport Combination - cop in DS3 Interoffice Transport Combination - cop in DS3 Interoffice Transport Combination - cop in DS3 Interoffice Transport Combination -		1	UNC3X UNC1X	MQ3	342.02	First				SOMEC	SOMAN			SOMAN	SOMAN
month 3/1Channel Sys DS1 COCI in co Additional DS1L Zone 1 Additional DS1L Zone 2 Additional DS1L Zone 3 Additional DS1L Zone 3 Additional DS1 Cone 3 Additional DS1 Cone 3 EXTENDED 2-WIRE VC 2-WireVG Loop	cem in combination per month mbination per month cop in DS3 Interoffice Transport Combination - cop in DS3 Interoffice Transport Combination - cop in DS3 Interoffice Transport Combination - cop in DS3 Interoffice Transport Combination -		1	UNC3X UNC1X	MQ3	342.02		Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
month 3/1Channel Sys DS1 COCI in co Additional DS1L Zone 1 Additional DS1L Zone 2 Additional DS1L Zone 3 Additional DS1L Zone 3 Additional DS1 Cone 3 Additional DS1 Cone 3 EXTENDED 2-WIRE VC 12-WireVG Loop	cem in combination per month mbination per month cop in DS3 Interoffice Transport Combination - cop in DS3 Interoffice Transport Combination - cop in DS3 Interoffice Transport Combination - cop in DS3 Interoffice Transport Combination -		1	UNC3X UNC1X	MQ3											
3/1Channel Sys DS1 COCI in co Additional DS1L Zone 1 Additional DS1L Zone 2 Additional DS1L Zone 3 Additional DS1L I Sone 3 Additional DS1 (Sone System Syst	mbination per month cop in DS3 Interoffice Transport Combination - cop in DS3 Interoffice Transport Combination - cop in DS3 Interoffice Transport Combination - cop in DS3 Interoffice Transport Combination - coCCI in combination per month		1	UNC3X UNC1X	MQ3											1
DS1 COCI in co Additional DS1L Zone 1 Additional DS1L Zone 2 Additional DS1L Zone 3 Additional DS1L I Sone 3 Additional DS1 (Nonrecurring Collaboration is Charge EXTENDED 2-WIRE VC 2-WireVG Loop	mbination per month cop in DS3 Interoffice Transport Combination - cop in DS3 Interoffice Transport Combination - cop in DS3 Interoffice Transport Combination - cop in DS3 Interoffice Transport Combination - coCCI in combination per month		1	UNC1X			325.91	77.07	49.56	32.88						
Additional DS1L Zone 1 Additional DS1L Zone 2 Additional DS1L Zone 3 Additional DS1L Zone 3 Additional DS1 (Nonrecurring Colls Charge EXTENDED 2-WIRE VC 2-WireVG Loop	cop in DS3 Interoffice Transport Combination - cop in DS3 Interoffice Transport Combination - cop in DS3 Interoffice Transport Combination - cop in DS3 Interoffice Transport Combination - coCCI in combination per month		1		UC1D1	121.90										
Zone 1 Additional DS1L Zone 2 Additional DS1L Zone 3 Additional DS1 I Nonrecurring Ct Is Charge EXTENDED 2-WIRE VC	pop in DS3 Interoffice Transport Combination - pop in DS3 Interoffice Transport Combination - pop in DS3 Interoffice Transport Combination -		1	LINC1X		7.35	27.33	2.90	16.86	1.04						
Additional DS1L Zone 2 Additional DS1L Zone 3 Additional DS1 (Nonrecurring Ci Is Charge EXTENDED 2-WIRE VC 2-WireVG Loop	coop in DS3 Interoffice Transport Combination -		2		1101.307	00.04	200 45	70.44	07.04	0.00						1
Zone 2 Additional DS1L Zone 3 Additional DS1 (Nonrecurring Ct Is Charge EXTENDED 2-WIRE VC 2-WireVG Loop	coop in DS3 Interoffice Transport Combination -		2	OHOIA	USLXX	39.61	209.45	70.44	37.91	6.86						
Additional DS1L Zone 3 Additional DS1 t Nonrecurring Ct Is Charge EXTENDED 2-WIRE VC 2-WireVG Loop	COCI in combination per month			UNC1X	USLXX	44.72	209.45	70.44	37.91	6.86						1
Zone 3 Additional DS1 i Nonrecurring Ci Is Charge EXTENDED 2-WIRE VC 2-WireVG Loop	COCI in combination per month			UNCIA	USLAA	44.72	209.45	70.44	37.91	0.00						
Additoinal DS1 of Nonrecurring Collis Charge EXTENDED 2-WIRE VC 2-WireVG Loop			3	UNC1X	USLXX	59.04	209.45	70.44	37.91	6.86						1
Nonrecurring Cu Is Charge EXTENDED 2-WIRE VC 2-WireVG Loop		1	3	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
Is Charge EXTENDED 2-WIRE VC 2-WireVG Loop		_		J., J.	30.01	7.55	21.00	2.30	10.00	1.04						
2-WireVG Loop	, zz rotnom ziomonio owiton 710			UNC3X	UNCCC		5.70	5.70	6.61	6.61						1
2-WireVG Loop	ICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	Ė INTEI				20			2.2.						
0.140 1.15 1	in combination - Zone 1			UNCVX	UEAL2	11.26	195.94	36.38	18.42	6.86						
2-WireVG Loop	n combination - Zone 2	1	2	UNCVX	UEAL2	16.43	195.94	36.38	18.42	6.86						
	n combination - Zone 3		3	UNCVX	UEAL2	31.49	195.94	36.38	18.42	6.86						i
Interoffice Trans	port - 2-wire VG - Dedicated- Per Mile Per															
Month				UNCVX	1L5XX	0.0057										
	port - 2-wire VG - Dedicated - Facility															1
Termination per	month			UNCVX	U1TV2	12.87	66.53	33.61	43.42	27.60						
	rrently Combined Network Elements Switch -As-	-														1
Is Charge			<u> </u>	UNCVX	UNCCC		5.70	5.70	6.61	6.61						
	ICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	E GRAD				4= 00	10=01		10.10							
	n combination - Zone 1			UNCVX	UEAL4	17.33	195.94	36.38	18.42	6.86						
	n combination - Zone 2 n combination - Zone 3	1	3	UNCVX	UEAL4 UEAL4	20.74 28.81	195.94 195.94	36.38 36.38	18.42 18.42	6.86 6.86						
	port - 4-wire VG - Dedicated - Per Mile Per	-	3	UNCVX	UEAL4	28.81	195.94	30.38	18.42	0.86						
Month	port - 4-wire vo - Dedicated - Fer Mile Fer			UNCVX	1L5XX	0.0057										1
	port - 4-wire VG - Dedicated - Facility	+		ONOVA	TESAX	0.0037										
Termination per				UNCVX	U1TV4	10.78	66.53	33.61	43.42	27.60						1
	Irrently Combined Network Elements Switch -As-	-		0.10171	0	10.70	00.00	00.01	.02	27.00						
Is Charge	,			UNCVX	UNCCC		5.70	5.70	6.61	6.61						1
EXTENDED D\$3 DIGIT	AL EXTENDED LOOP WITH DEDICATED DS3	INTERC	OFFICE	TRANSPORT												
DS3 Local Loop	in combination - per mile per month			UNC3X	1L5ND	10.97										
																i
	in combination - Facility Termination per month			UNC3X	UE3PX	253.38	1,260.47	628.84	41.53	20.76						
	port - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.53				·						
	port - Dedicated - DS3 combination - Facility	1	1 7		1 1											
Termination per				UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88						
	rrently Combined Network Elements Switch -As-	1		LINIONY	LINIOGG											ı
Is Charge	TAL EVTENDED LOOP WITH DEDICATES OF	L	I DO	UNC3X	UNCCC		5.70	5.70	6.61	6.61						
	TAL EXTENDED LOOP WITH DEDICATED ST	5-1 INT	EROFF		1L5ND	40.07										
	o in combination - per mile per month	+	1	UNCSX	ILDIND	10.97										
month	p in combination - Facility Termination per			UNCSX	UDLS1	305.42	1,260.47	628.84	41.53	20.76						1
	port - Dedicated - STS-1 combination - per mile	 	1	UINUUA	UDLU I	305.42	1,200.47	020.04	41.03	20.76						
per month	port Dodicated - 010-1 combination - per mile			UNCSX	1L5XX	2.53										1
	port - Dedicated - STS-1 combination - Facility	t			.20,51	2.00										
Termination per				UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						1
	rrently Combined Network Elements Switch -As-	1			1	300.01	320.01		.5.50	32.30						
Is Charge	,			UNCSX	UNCCC		5.70	5.70	6.61	6.61						1
	ON EXTENDED LOOP WITH DS1 INTEROFFICE	E TRANS	SPORT													
	N Loop in Combination - Zone 1		1	UNCNX	U1L2X	19.24	195.94	36.38	18.42	6.86						
	N Loop in Combination - Zone 2		2	UNCNX	U1L2X	25.23	195.94	36.38	18.42	6.86						
	N Loop in Combination - Zone 3		3	UNCNX	U1L2X	40.14	195.94	36.38	18.42	6.86						
	port - Dedicated - DS1 combination - per mile															
per month				UNC1X	1L5XX	0.1154										

Version 2Q03: 07/21/03 Page 15 of 56

CCCS 945 of 1497 [CCCS Amendment 20 of 69]

IINRI	INDI F	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
ONDO	JNDLL	NETWORK ELEMENTS - Georgia										Svc Order	Svc Order	Incremental			Incremental
													Submitted		Charge -	Charge -	
												Elec	Manually		Manual Svc	Manual Svc	Charge - Manual Svc
CATE	SORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				_				
I CAIL	JOICI	KATE EEEMENTO	m	20116	ВСО	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						1		Nonrec	curring	Nonrecurring	Disconnect		1	oss	Rates(\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - DS1 combination - Facility				1			7144		71441	0020	00				
		Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						1
		1/0 Channel System in combination - per month			UNC1X	MQ1	69.75	86.10									
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 1		1	UNCNX	U1L2X	19.24	195.94	36.38	18.42	6.86						i .
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 2		2	UNCNX	U1L2X	25.23	195.94	36.38	18.42	6.86						i .
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	ļ	Combination - Zone 3		3	UNCNX	U1L2X	40.14	195.94	36.38	18.42	6.86						
		Additional 2-wire ISDN COCI (BRITE) - in combination- per															1
	<u> </u>	month		<u> </u>	UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04			L			
		Nonrecurring Currently Combined Network Elements Switch -As-															l .
	1	Is Charge		<u> </u>	UNC1X	UNCCC		5.70	5.70	6.61	6.61			L			
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS														——
		First DS1 Loop Combination - Zone 1			UNC1X	USLXX	39.61	209.45	70.44		6.86						
	-	First DS1 Loop Combination - Zone 2			UNC1X	USLXX	44.72	209.45	70.44	37.91	6.86						+
-	-	First DS1 Loop Combination - Zone 3 Interoffice Transport - Dedicated - STS-1 combination - Per Mile		3	UNC1X	USLXX	59.04	209.45	70.44	37.91	6.86						
		Per Month			UNCSX	1L5XX	2.53										i .
-	+	Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCOX	ILSAA	2.55			1				-			—
		Termination per month			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						i .
		3/1 Channel System in combination per month			UNCSX	MQ3	121.90	323.91	77.07	49.30	32.00						
-	+	DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						—
		Additional DS1Loop in the same STS-1 Interoffice Transport			0.10174	00.5.	7.00	27.00	2.00	10.00							
		Combination - Zone 1		1	UNC1X	USLXX	39.61	209.45	70.44	37.91	6.86						i .
		Additional DS1Loop in the same STS-1 Interoffice Transport				1					0.00						
		Combination - Zone 2		2	UNC1X	USLXX	44.72	209.45	70.44	37.91	6.86						i .
	i	Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 3		3	UNC1X	USLXX	59.04	209.45	70.44	37.91	6.86						i .
		DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
		Nonrecurring Currently Combined Network Elements Switch -As-															l .
		Is Charge			UNCSX	UNCCC		5.70	5.70	6.61	6.61						
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	PS INT														
		4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	21.21	195.94	36.38		6.86						——
-	-	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	27.22	195.94	36.38 36.38		6.86						
	-	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	36.38	195.94	36.38	18.42	6.86						
1	1	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0057					1	1	I			1
\vdash	+	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			0.1007	ILUAA	0.0037			1	 			t	 	 	—
		Facility Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60			1			1
	1	Nonrecurring Currently Combined Network Elements Switch -As-				320	7.00	00.00	55.51	-TOFZ	27.50			<u> </u>	1	1	
1	1	Is Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61	1	1	I			1
	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KB	PS INT	EROFF		1		50	2.70	1				1	İ	İ	
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	21.21	195.94	36.38	18.42	6.86				1	1	
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	27.22	195.94	36.38	18.42	6.86						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	36.38	195.94	36.38	18.42	6.86						
1	1	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -				1 7								_			1
	<u> </u>	Per Mile per month			UNCDX	1L5XX	0.0057							L	ļ	ļ	
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -												1			1
<u> </u>	 	Facility Termination per month		ļ	UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60	ļ	<u> </u>	-	ļ	ļ	
1	1	Nonrecurring Currently Combined Network Elements Switch -As-			LINCDY	LINGGO		F 70	F 70	0.04	0.04	1	1	I			1
<u> </u>	EVTEN	Is Charge DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	DANCE	OBT	UNCDX	UNCCC		5.70	5.70	6.61	6.61		-	 	 	 	
<u> </u>	EVIEN	First 2-wire VG Loop (SL2) in Combination - Zone 1	NANSP		UNCVX	UEAL2	11.26	195.94	36.38	18.42	6.86	-	 				
	+	First 2-wire VG Loop (SL2) in Combination - Zone 1 First 2-wire VG Loop (SL2) in Combination - Zone 2	-		UNCVX	UEAL2 UEAL2	16.43	195.94	36.38		6.86	-	-	+	 	 	
\vdash	+	First 2-wire VG Loop (SL2) in Combination - Zone 2 First 2-wire VG Loop (SL2) in Combination - Zone 3	-		UNCVX	UEAL2	31.49	195.94	36.38		6.86			 	 	 	
	1	First Interoffice Transport - Dedicated - DS1 combination - Per		Ť		J £	51.48	100.04	55.50	1012	0.00			<u> </u>	1	1	
1	1	Mile			UNC1X	1L5XX	0.1154					1	1	I			1
	1	ı ·		<u> </u>		,	30				·			1			

Version 2Q03: 07/21/03 Page 16 of 56

CCCS 946 of 1497 [CCCS Amendment 21 of 69]

UNRI	JNDI F	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
0.400	, NDLE	S ITE I TORK ELLINER TO - Georgia		1								Svc Order	Svc Order	Incremental			Incremental
													Submitted		Charge -	Charge -	Charge -
			to to at									Elec	Manually		Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonred	curring	Nonrecurring	Disconnect				Rates(\$)		
							IVEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First Interoffice Transport - Dedicated - DS1 combination -															
		Facility Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
		Per each DS1 Channelization System Per Month			UNC1X	MQ1	69.75	86.10									
		Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
		3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	11.26	195.94	36.38	18.42	6.86						
		Each Additional 2-Wire VG Loop(SL2) in the same DS1					40.40			40.40							
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	16.43	195.94	36.38	18.42	6.86						
	1	Each Additional 2-Wire VG Loop(SL2) in the same DS1		2	LINICVA	LIEALO	31.49	405.04	20.00	40.40	0.00	1		I			1
-	+	Interoffice Transport Combination - Zone 3	_	3	UNCVX	UEAL2 1D1VG	0.4689	195.94 27.33	36.38 2.90	18.42 16.86	6.86 1.04		<u> </u>	 			
-	1	Each Additional Voice Grade COCI in combination - per month Each Additional DS1 Interoffice Channel per mile in same 3/1		 	UNCVX	IDIVG	0.4689	27.33	2.90	16.86	1.04	-	 	 	 	-	
					LINICAV	41.577	0.4454										
<u> </u>	+	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in	-	 	UNC1X	1L5XX	0.1154			1		 	-	 		-	
	1	same 3/1 Channel System per month	1		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97	1		I			1
	+	Each Additional DS1 COCI combination per month		<u> </u>	UNC1X	UC1D1	7.35	27.33	2.90		1.04		1	-			
-	-	Nonrecurring Currently Combined Network Elements Switch -As-			UNCIA	OCIDI	7.33	21.33	2.90	10.00	1.04		1				-
		Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						ĺ
-	EYTEN	DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	FROFE	ICE TR				3.70	3.70	0.01	0.01		1		1		
	LATEN	First 4-Wire Analog Voice Grade Local Loop in Combination -	LICOLI	I	ANOI OKT W/ 3/1 M	1											
		Zone 1		1	UNCVX	UEAL4	17.33	195.94	36.38	18.42	6.86						
	 	First 4-Wire Analog Voice Grade Local Loop in Combination -		 	ONOVA	OL/ (L-)	17.00	100.04	00.00	10.42	0.00		-				
		Zone 2		2	UNCVX	UEAL4	20.74	195.94	36.38	18.42	6.86						
		First 4-Wire Analog Voice Grade Local Loop in Combination -		-	ONOVA	O L / KL-Y	20.74	100.04	00.00	10.42	0.00		1				
		Zone 3		3	UNCVX	UEAL4	28.81	195.94	36.38	18.42	6.86						ĺ
	1	First Interoffice Transport - Dedicated - DS1 combination - Per				1					0.00						
		Mile Per Month			UNC1X	1L5XX	0.1154										
		First Interoffice Transport - Dedicated - DS1 - Facility															
		Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						ĺ
	i	Per each 1/0 Channel System in combination Per Month		i –	UNC1X	MQ1	69.75	86.10									
		Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
		3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	17.33	195.94	36.38	18.42	6.86						
		Additional 4-Wire Analog Voice Grade Loop in same DS1															l
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	20.74	195.94	36.38	18.42	6.86						
		Additional 4-Wire Analog Voice Grade Loop in same DS1															l
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	28.81	195.94	36.38	18.42	6.86						
		Each Additional DS1 Interoffice Channel per mile in same 3/1				41 =207											l
		Channel System per month			UNC1X	1L5XX	0.1154										
		Each Additional DS1 Interoffice Channel Facility Termination in			LINIOAY	LIATEA	04.40	07.70	45.70	40.00	07.07						l
	1	same 3/1 Channel System per month Additional Voice Grade COCI - in combination - per month		ļ	UNC1X UNCVX	U1TF1 1D1VG	34.19 0.4689	87.76 27.33	45.73 2.90	43.80 16.86	27.97 1.04						
-	-				UNCVX	IDIVG	0.4689	21.33	2.90	16.86	1.04		-				-
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61			1			1
-	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	PS INT	FROFE				5.70	5.70	0.01	0.01	-	 	+			
\vdash	LAILN	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	. 511		IOL TRANSFORT W	, 5, 1 11107				 				 	 		
		Zone 1		1	UNCDX	UDL56	21.21	195.94	36.38	18.42	6.86			1			1
	1	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		_ _		32200	21.21	100.04	00.00	1012	0.00			†	i	 	
	1	Zone 2		2	UNCDX	UDL56	27.22	195.94	36.38	18.42	6.86	1		I			1
	1	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		ΤĒ			222	100.04	55.50	.5.72	5.50			<u> </u>	1		
	1	Zone 3		3	UNCDX	UDL56	36.38	195.94	36.38	18.42	6.86	1		I			1
	1	First Interoffice Transport - Dedicated - DS1 combination - Per		Ť			55.56	100.04	55.50	.5.72	5.50			1	İ	İ	
	1	Mile Per Month			UNC1X	1L5XX	0.1154					1		I			1
		First Interoffice Transport - Dedicated - DS1 - combination								1							
1	1	Facility Termination Per Month	1		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97	1		I			1
					•												

Version 2Q03: 07/21/03 Page 17 of 56

CCCS 947 of 1497 [CCCS Amendment 22 of 69]

UNBUN	DLE	D NETWORK ELEMENTS - Georgia												Attachment:		Exhibit: B	
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec	urring	Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10									
		Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						ļ
		3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04	ļ					ļ
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1	LINCDY	LIDLEC	21.21	405.04	20.20	40.40	0.00						
		Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL56	21.21	195.94	36.38	18.42	6.86	.		-			-
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	27.22	195.94	36.38	18.42	6.86						
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			ONCDX	ODE30	21.22	195.94	30.30	10.42	0.80	1		1			<u> </u>
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.38	195.94	36.38	18.42	6.86						
		OCU-DP COCI (data) COCI in combination per month (2.4-		Ť	0.1027	02200	00.00	100.01	00.00	.02	0.00	İ					
		64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04		1	I			
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
[Channel System per month		L	UNC1X	1L5XX	0.1154			<u> </u>		<u> </u>	<u></u>	<u> </u>	<u></u>	<u></u>	
		Each Additional DS1 Interoffice Channel Facility Termination in															
		same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
		Each Additional DS1 COCI in the same 3/1 channel system															
		combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						ļ
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						ļ
E	XIEN	DED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERO	FFICE	TRANSPORT W/ 3/1	MUX						1					
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.21	195.94	36.38	18.42	6.86						
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			UNCDA	UDL04	21.21	195.94	30.30	10.42	0.00	 		-			
		Transport Combination - Zone 2		2	UNCDX	UDL64	27.22	195.94	36.38	18.42	6.86						
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			ONODA	ODL04	21.22	190.94	30.30	10.42	0.00	1					
		Transport Combination - Zone 3		3	UNCDX	UDL64	36.38	195.94	36.38	18.42	6.86						
		First Interoffice Transport - Dedicated - DS1 combination - Per		_			22.00										
		Mile Per Month			UNC1X	1L5XX	0.1154										
		First Interoffice Transport - Dedicated - DS1 combination -															
		Facility Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
		Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	69.75	86.10									ļ
		Per each OCU-DP COCI (data) in combination - per month (2.4-															
		64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
		3/1 Channel System in combination per month			UNC3X	MQ3	121.90			10.00							ļ
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.21	195.94	36.38	18.42	6.86						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			OIYODA	JDL04	21.21	190.94	30.38	10.42	0.86	1		 	 	 	1
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	27.22	195.94	36.38	18.42	6.86			1			
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1				32237	21.22	100.04	55.50	10.72	0.50			1		1	
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	36.38	195.94	36.38	18.42	6.86		1	I			
		Additional OCU-DP COCI (data) - DS1 to DS0 Channel System										İ				1	
		combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04			<u> </u>	<u> </u>	<u> </u>	
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month			UNC1X	1L5XX	0.1154										
		Each Additional DS1 Interoffice Channel Facility Termination in			l .	1								1			
		same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97			ļ			
		Each Additional DS1 COCI in the same 3/1 channel system			LINIOAN	110454	7	07.00	0.00	10.00			1	I			
-+		combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04	ļ		 		-	
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61		1	I			
F	XTEN	DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	PT w/ 3/2	I MIIY	OIVOIA	UNCCC	 	5.70	5.70	10.0	0.01	1		t	l	 	
	A I LIN	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	**/ 3/			+				 		 	 	 		 	
		Transport - Zone 1		1	UNCNX	U1L2X	19.24	195.94	36.38	18.42	6.86		1	I			
-		First 2-Wire ISDN Loop in a DS1 Interoffice Combination							22.00		3.00				İ		
		Transport - Zone 2		2	UNCNX	U1L2X	25.23	195.94	36.38	18.42	6.86			<u> </u>	<u> </u>	<u> </u>	
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
		Transport - Zone 3		3	UNCNX	U1L2X	40.14	195.94	36.38	18.42	6.86	1	1	1	1		

Version 2Q03: 07/21/03 Page 18 of 56

CCCS 948 of 1497 [CCCS Amendment 23 of 69]

CATEGORY RATE ELEMENTS Intering Zone BCS USOC RATES (\$) Svc Order Submitted Elec Manual Svc Order vs. Electronic- 1st Add'l Disc 1st Disc Add Nonrecurring Disconnect OSS Rates (\$) Svc Order Submitted Elec Manual Svc Order vs. Electronic- 1st Add'l Disc 1st Disc Add OSS Rates (\$) OSS Rates (\$)	LINBUNDU	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
ACTEORY RATE ELEMENTS Intrinsic Reserved	SNEONDE	LO NETWORK ELEMENTS - Georgia										Svc Order	Svc Order				Incremental
## APT FLEMENTS Internal Color Part Pa																	
## CATEGORY RATE ELEMENTS Mark BCS M900 RATES (9) M900 M10																	_
Recording Reco	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
14			m						- (1)			per Lor	per LSK				
Part Instruction - Part																	
No. No.														151	Addi	DISC 1St	DISC Add I
Fig. 1 band Clip Transport - Deliberate - 150 Contribution - Part March							Boo	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
Mile per meurith Per meurith charactery - Disclosed - Dist centrelation -							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
First framewing per words Service (Fermination per words MCCK DITT 34.19 87.70 45.70 4																	
Pacific Termination per movin					UNC1X	1L5XX	0.1154										
Pare can's Channel System (10 in combination, per month DACIX DA																	
Process Proc									45.73	43.80	27.97						
31 Clarame Systems in combination per month MoRCSX MO23 12130		Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	69.75	86.10									
31 Clarame Systems in combination per month MoRCSX MO23 12130		December 1000 (DDITE)			LINIONIN	110404	4.00	07.00	0.00	40.00	4.04						
Par each DST COCI is combination for more in DRCIX DCIVID 7.80 27.33 2.90 16.86 1.04								27.33	2.90	16.86	1.04						
Additional Zevier SION Logo in same DST Interediffice Transport 1 UNCNX UTLZX 1924 195.94 36.58 18.42 5.56								27.22	2.00	16.06	1.04						
Combination 2-years 10 MPC/DX U112X 1924 195,94 353.81 19.42 6.86	—			1	UNCIA	UCIDI	7.35	21.33	2.90	10.00	1.04						
Additional 2-wer SDN Loop is name DS htmorrison Transport Commission 2-wer SDN Loop is name DS htmorrison Transport Additional 2-wer SDN Loop is not name DS htmorrison Transport Additional 2-wer SDN Loop is not name DS htmorrison Transport Additional 2-wer SDN Loop is not name DS htmorrison Transport Additional 2-wer SDN Loop is not name DS htmorrison Transport Additional 2-wer SDN Loop is not name DS htmorrison Transport Additional 2-wer SDN Loop is not name DS htmorrison Transport Additional 2-wer SDN Loop is not name DS htmorrison Transport Additional 2-wer SDN Loop is not name DS htmorrison Transport Additional 2-wer SDN Loop is not name DS htmorrison Transport Additional 2-wer SDN Loop is not name DS htmorrison Transport Additional 2-wer SDN Loop is not name DS htmorrison Transport Additional 2-wer SDN Loop is not name DS htmorrison Transport Additional 2-wer SDN Loop				1	UNCNX	U11 2X	19 2/	195 94	36 38	18 42	6.86						
Contribution 2-vier ISDN Loop in same DS Interrofice Transport 2 UNDXX U112X 26.23 166.94 56.36				- '-	0.1011/1	J1L2/	13.24	133.34	30.36	10.42	0.00	†	 				
Additional 2-bres SDN Loco in same DS Interestive Transport 3 UNCIX U112X 4014 196,04 36.38 18.42 6.66				2	UNCNX	U1L2X	25,23	195,94	36.38	18.42	6.86	1	1				
Continuation 2-rains St. Discrete Continuation Continuat				ΙĪ		1	20.20	.00.04	33.30	.5. 72	5.50			1			
Addissoral 2-wise BDN COCT (BRITTE) in same to 0-channel system controlation per mice in mouth system controlation per mice in same 311				3	UNCNX	U1L2X	40.14	195.94	36.38	18.42	6.86	1	1				
System combination per monith UNCIX UICICA 1.66 27.33 2.90 16.86 1.04				Ť		1			22.30	1	2.30	İ		ĺ			
Each Additional DSI Interoffice Channel per mile in aame 31 UNC1X		system combination- per month		L	UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04	<u> </u>		<u> </u>			
Each Additional BSI Intereffice Channel Facility Termination in same 31 Channel System per month UNC1X U1TF1 34.19 87.76 45.73 43.80 27.97		Each Additional DS1 Interoffice Channel per mile in same 3/1															
Same 8 31 Channel System per month		Channel System per month			UNC1X	1L5XX	0.1154										
Each Additional DST OCCI in the same 3rt channel system combination per more in Combination per more in Combination per more in Combination per more in Combination per more in Combination per more in Combination per more in Section 1 (1974) 10 (1974) 1		Each Additional DS1 Interoffice Channel Facility Termination in															
Combination per month					UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
Nonrecurring Currently Combined Network Elements Switch -Ae Is Charge UNICIX UNICIX UNICIX UNICIX UNICIX UNICIX UNICIX UNICIX UNICIX USLXX 39.61 209.45 70.44 37.91 6.86		Each Additional DS1 COCI in the same 3/1 channel system															
S Charge UNCIX					UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3f MUX Sp. 1 UNC1X USLXX 39.61 209.45 70.44 37.91 6.86																	
First 4-wire DST Digital Loso Loop in Combination - Zone 1						UNCCC		5.70	5.70	6.61	6.61						
First 4-wire DST Digital Local Loop in Combination - Zone 2	EXIE		IRAN	SPORT		1101.107	00.04	200 45	70.44	07.04	0.00						
First 4-wire DS1 Digital Local Loop in Combination - Zone 3 3 UNC1X USLXX 59.04 209.46 70.44 37.91 6.86				1													
First InterOffice Transport - Dedicated - DST combination - Per UNCTX																	
Mile Per Month				3	UNCIA	USLAA	59.04	209.45	70.44	37.91	0.00						
First InterOffice Transport - Dedicated - DSI combination - UNC1X					LINC1Y	11 5YY	0.1154										
Facility Termination Per Month					UNCIX	ILJAA	0.1154										
31 Channel System in combination per month					UNC1X	U1TF1	34 19	87 76	45.73	43.80	27 97						
Per each DST COCI combination per month								07.70	40.70	40.00	27.07						
Each Additional DS1 Interoffice Channel per mile in same 3/1 UNC1X								27.33	2.90	16.86	1.04						
Channel System per month																	
Same 3/1 Channel System per month					UNC1X	1L5XX	0.1154										
Each Additional DS1 COCI in the same 3/1 channel system combination per month UNC1X		Each Additional DS1 Interoffice Channel Facility Termination in															
Combination per month					UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 1 UNC1X USLXX 39.61 209.45 70.44 37.91 6.86																	
1	\vdash				UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04		ļ	ļ			
Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 2 UNC1X USLXX 44.72 209.45 70.44 37.91 6.86 Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 3 UNC1X USLXX 59.04 209.45 70.44 37.91 6.86 Nonrecurring Currently Combined Network Elements Switch - As- Is Charge UNC1X UNCCC 5.70 5.70 6.61 6.61 EXTENDED 4-WIRE 56 KBps Digital EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT First 4-wire 56 kbps Local Loop in combination - Zone 1 1 UNCDX UDL56 27.22 195.94 36.38 18.42 6.86 First 4-wire 56 kbps Local Loop in combination - Zone 3 3 UNCDX UDL56 36.38 195.94 36.38 18.42 6.86 First 4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month UNCDX UTL5X 0.0057 First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch - As-		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
2		1		1	UNC1X	USLXX	39.61	209.45	70.44	37.91	6.86						
Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 3 UNC1X USLXX 59.04 209.45 70.44 37.91 6.86		Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		_	LINIOAY	1101.707											
3 3 WNC1X USLXX 59.04 209.45 70.44 37.91 6.86 Nonrecurring Currently Combined Network Elements Switch -As- UNC1X UNCCC 5.70 5.70 6.61 6.61 EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT First 4-wire 56 kbps Local Loop in combination - Zone 1 1 UNCDX UDL56 21.21 195.94 36.38 18.42 6.86 First 4-wire 56 kbps Local Loop in combination - Zone 2 2 UNCDX UDL56 27.22 195.94 36.38 18.42 6.86 First 4-wire 56 kbps Local Loop in combination - Zone 3 3 UNCDX UDL56 36.38 195.94 36.38 18.42 6.86 First 4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month UNCDX 1L5XX 0.0057 First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month UNCDX U1TD5 7.83 66.53 33.61 43.42 27.60 Nonrecurring Currently Combined Network Elements Switch -As-	\vdash	Z		2	UNC1X	USLXX	44.72	209.45	70.44	37.91	6.86		ļ	 			
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		Additional 4-Wire DST Digital Local Loop in Combination - Zone		2	LINICAV	LIELVY	50.04	000 45	70.44	07.04	0.00	1	1				
Is Charge	\vdash	Nonrocurring Currently Combined Natwork Florents Switch As		3	ONCIA	USLAX	59.04	209.45	70.44	37.91	6.86	-	-		-	-	
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT					LINC1X	LINCCC		5 70	5 70	6.61	6.61	1	1				
First 4-wire 56 kbps Local Loop in combination - Zone 1	FYTE		NTFRO	FFICE		514000		5.70	5.70	0.01	0.01		 				
First 4-wire 56 kbps Local Loop in combination - Zone 2	LATE					UDL56	21.21	195.94	36.38	18.42	6.86	†					
First 4-wire 56 kbps Local Loop in combination - Zone 3														1			
First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month UNCDX 1L5XX 0.0057 First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month UNCDX U1TD5 7.83 66.53 33.61 43.42 27.60 Nonrecurring Currently Combined Network Elements Switch - As-												İ		İ			
Der month						1				1		İ		İ			
Termination per month					UNCDX	1L5XX	0.0057			<u> </u>		<u> </u>	<u> </u>	<u> </u>			<u></u>
Nonrecurring Currently Combined Network Elements Switch -As-													1				
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
		Is Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61						

Version 2Q03: 07/21/03 Page 19 of 56

CCCS 949 of 1497 [CCCS Amendment 24 of 69]

UNBUND	LED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGOR	Y RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p = = = = = = = = = = = = = = = = = = =	F	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007144
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EX	TENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0	INTERO														
	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	21.21	195.94	36.38	18.42	6.86						
	First 4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	27.22	195.94	36.38	18.42	6.86						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	36.38	195.94	36.38	18.42	6.86						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.0057										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As	1														
	Is Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
	AL NETWORK ELEMENTS	<u> </u>			1											
	en used as a part of a currently combined facility, the non-recur											ļ		.		
	en used as ordinarily combined network elements in All States,					AS IS Charge of	ioes not.									-
No	nrecurring Currently Combined Network Elements "Switch As Is"		(One a	ipplies to each com	bination)											
	Nonrecurring Currently Combined Network Elements Switch -As	1		1110101	LINIOGO						1	1				
	Is Charge - 2 wire/4-Wire VG	1	1	UNCVX	UNCCC		5.70	5.70	6.61	6.61		ļ		.		
	Nonrecurring Currently Combined Network Elements Switch -As	-		LINIORY.												
	Is Charge - 56/64 kbps	1		UNCDX	UNCCC		5.70	5.70	6.61	6.61						
	Nonrecurring Currently Combined Network Elements Switch -As	1														
	Is Charge - DS1	-		UNC1X	UNCCC		5.70	5.70	6.61	6.61						
	Nonrecurring Currently Combined Network Elements Switch -As	-														
	Is Charge - DS3	1		UNC3X	UNCCC		5.70	5.70	6.61	6.61						
	Nonrecurring Currently Combined Network Elements Switch -As	1		UNCSX	UNCCC		5.70	5.70	6.61	6.61						
N/C	Is Charge - STS1	i Dili	D00				5.70	5.70	6.61	6.61						
NC	TE: Local Channel - Dedicated Transport - minimum billing perio	d - Belo	w DS3:				121.07	50.00	40.40	40.07						
	Local Channel - Dedicated - 2-Wire Voice Grade	+	1	UNCVX UNCVX	ULDV2 ULDV4	7.74		53.30	46.40 46.40	13.37						
	Local Channel - Dedicated - 4-Wire Voice Grade Local Channel - Dedicated - DS1 per month Zone 1	+	1	UNC1X	ULDF1	8.72 18.16	125.62 149.46	54.43 111.20	40.36	13.37 26.12	-	-				-
	Local Channel - Dedicated - DS1 Per Month Zone 1	1		UNC1X	ULDF1	52.47	149.46	111.20	40.36	26.12						
	Local Channel - Dedicated - DS1- Per Month Zone 3	+		UNC1X	ULDF1	157.03	149.46	111.20	40.36	26.12	-	-				-
	Local Channel - Dedicated - DS1- Per Mile per month	+	3	UNC3X	1L5NC	1.44	149.46	111.20	40.36	20.12	-	-				-
	Local Channel - Dedicated - DS3 - Fer Mile per Month Local Channel - Dedicated - DS3 - Facility Termination	+		UNC3X	ULDF3	147.01	445.01	145.18	112.91	75.88						
	Local Channel - Dedicated - BSS - Facility Fermination Local Channel - Dedicated - STS-1- Per Mile per month	+		UNCSX	1L5NC	1.44	445.01	145.10	112.91	75.00						
	Local Channel - Dedicated - STS-1 - Facility Termination	+	-	UNCSX	ULDFS	154.62	445.01	145.18	112.91	75.88	-	-				-
0"	tional Features & Functions:	+	-	UNCOX	OLDI 3	134.02	445.01	145.10	112.91	75.00	-	-				-
U).	tional realures & runctions.	1	-	U1TD1,	+											-
	Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF	0.00	0.00	0.00	0.00	0.00						
	Crear Criaminer Capability Extended Frame Option - per DST	+		U1TD1,	CCOLI	0.00	0.00	0.00	0.00	0.00						
	Clear Channel Capability Super FrameOption - per DS1			ULDD1,UNC1X	CCOSF	0.00	0.00	0.00	0.00	0.00		1				1
	Clear Channel Capability (SF/ESF) Option - Subsequent	+	†	ULDD1, U1TD1,	30001	0.00	0.00	0.00	0.00	0.00		-		 		
	Activity - per DS1	1		UNC1X, USL	NRCCC		65.02				1	1				
	7.00.001	† '	t	U1TD3, ULDD3,			00.02				†	l		†		<u> </u>
	C-bit Parity Option - Subsequent Activity - per DS3	Li		UE3, UNC3X	NRCC3		50.02									
MI	ILTIPLEXERS	† <u> </u>	1	,	1		00.02							i		t
	TE: minimum billing period is one month for DS1 to DS0 Channe	l Syster	n and i	nterfaces	1									i		t
	TE: minimum billing period is three months for DS3 to DS1 Chan				1									i		1
	DS1 to DS0 Channel System per month	1	1	UNC1X	MQ1	69.75	86.10				1			İ		1
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per	1	1		1		220				1			İ		1
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	0.9963	11.98	11.39	6.61	6.61						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per	1	1	İ	İ						1			İ		1
	month (2.4-64kbs) used for connection to a channelized DS1						J									
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	0.9963	11.98	11.39	6.61	6.61	1	1				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per	·l	1													
	month for a Local Loop			UDN	UC1CA	1.66	15.81	11.39	6.61	6.61	1	1				
				İ	1						İ			İ		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per											i				1
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel															
				U1TUB	UC1CA	1.66	15.81	11.39	6.61	6.61						
	month used for connection to a channelized DS1 Local Channel			U1TUB	UC1CA	1.66	15.81	11.39	6.61	6.61						

Version 2Q03: 07/21/03 Page 20 of 56

CCCS 950 of 1497 [CCCS Amendment 25 of 69]

HND	ND: F	D NETWORK ELEMENTS Coordin												A441	^	Europe B	
ONBU	NULE	D NETWORK ELEMENTS - Georgia		ı		1						Cun Omite	Cura Omitica	Attachment:		Exhibit: B	In anomar 1-1
													Svc Order		Incremental		Incremental
												Submitted			Charge -	Charge -	Charge -
CATE	ODV	DATE ELEMENTO	Interi	7	DOC	11000			DATES (A)			Elec	Manually		Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-				-				None		L M	. D'		l	000	D - ((A)		
	-			-			Rec	Nonrec		Nonrecurring		001150	001111		Rates(\$)	001441	001141
		V-' 0 1- 0001		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for connection to a channelized DS1 Local Channel in the			1147110	404)/0	0.4000	11.98	44.00	0.04	0.04						
		same SWC as collocation			U1TUC	1D1VG	0.4689		11.39	6.61	6.61						
		DS3 to DS1 Channel System per month		-	UNC3X	MQ3	121.90	0.00									
		STS-1 to DS1 Channel System per month		-	UNCSX	MQ3	121.90	0.00									
		DS1 COCI used with Loop per month		-	USL	UC1D1	7.35	15.81	11.39	6.61	6.61						
		DS1 COCI (used for connection to a channelized DS1 Local															
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	7.35	15.81	11.39	6.61	6.61						
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	7.35	15.81	11.39	6.61	6.61						
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															
		month			ULDD1	UC1D1	7.35	15.81	11.39	6.61	6.61						
<u> </u>	Sub-Lo	pop Feeder		.				,									
<u></u>	ļ	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	UNC1X	USBFG	13.58	190.21	60.56	38.24	7.20			ļ			
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	UNC1X	USBFG	19.25	190.21	60.56	38.24	7.20						
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	UNC1X	USBFG	33.81	190.21	60.56	38.24	7.20						
UNBUN		OCAL EXCHANGE SWITCHING(PORTS)															
		nge Ports															
		Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to b	e ordered usin	g retail USOCs	i								
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)															
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.09	2.42	2.31	1.37	1.28						
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.09	2.42	2.31	1.37	1.28						
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.09	2.42	2.31	1.37	1.28						
		Exchange Ports - 2-Wire VG unbundled res, low usage line port															
		with Caller ID (LUM)			UEPSR	UEPAP	1.09	2.42	2.31	1.37	1.28						
		Exchange Ports - 2-Wire Voice Georgia basic dialing port															
		without Caller ID			UEPSR	UEPWC	1.09	2.42	2.31	1.37	1.28						
		2-Wire voice unbundled Georgia basic dialing port for use with															
		Caller ID - res			UEPSR	UEPWQ	1.09	2.42	2.31	1.37	1.28						
		2-Wire voice unbundled Georgia basic dialing port - outgoing															
		only			UEPSR	UEPWR	1.09	2.42	2.31	1.37	1.28						
		2-Wire voice unbundled Low Usage Line Port without Caller ID															
		Capability			UEPSR	UEPRT	1.09	2.42	2.31	1.37	1.28						
		2-Wire Voice Grade Unbundled Port without Caller ID capability,															
		Georgia			UEPSR	UEPRV	1.09	2.42	2.31	1.37	1.28						
		2-Wire Voice Grade Unbundled Port with Caller ID capability,			OLI OIX	OLITICO	1.00	2.72	2.01	1.07	1.20						
		Georgia			UEPSR	UEPRU	1.09	2.42	2.31	1.37	1.28						
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00	1.07	1.20						
	FEATU				02. 0.0	00/100	0.00	0.00	0.00								
	ILAIO	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00								
	2-WIDE	VOICE GRADE LINE PORT RATES (BUS)			OLI OK	OLI VI	0.00	0.00	0.00								
	Z-VVIIXL	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
		Bus			UEPSB	UEPBL	1.09	2.42	2.31	1.37	1.28						
-	-	Exchange Ports - 2-Wire VG unbundled Line Port with		-	ULFOB	OLFBL	1.09	2.42	2.31	1.37	1.20	-	-				
		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.09	2.42	2.31	1.37	1.28						
-	-	Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing		-	UEFOD	UEPBC	1.09	2.42	2.31	1.37	1.20	-	-				
		Port, with Caller ID capability			UEPSB	UEPWP	1.09	2.42	2.31	1.37	1.28						
_		Port, with Caller ID capability		-	UEFOD	UEFWF	1.09	2.42	2.31	1.37	1.20						
1	1	Evolungo Borto, 2 Wiro Anglog Line Best evitarine and 15	1		LIEDOD	LIEDRO	4.00	2 40	0.01	4.07	4.00	1	1				1
\vdash	 	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.		-	UEPSB	UEPBO	1.09	2.42	2.31	1.37	1.28						
1	1	Exhange Ports - 2-Wire VG unbundled incoming only port with	1		LIEDOD	LIEDD4	4.00	2 40	0.01	4.07	4.00	1	1				1
\vdash	-	Caller ID - Bus		-	UEPSB	UEPB1	1.09	2.42	2.31	1.37	1.28	-	-	<u> </u>			
1	1	Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan	1		LIEDOD	LIEDWS	4.00	2.42	0.01	1.5-	1.00	1	1				1
<u> </u>	ļ	without Caller ID		<u> </u>	UEPSB	UEPWD	1.09	2.42	2.31	1.37	1.28			.			├
	l	2-Wire voice unbundled Incoming Only Port without Caller ID															1
	.	Capability		-	UEPSB	UEPBE	1.09	2.42	2.31	1.37	1.28						
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
<u> </u>	FEATU			-	LIEDOD	LUEDV "		2.00									
		All Available Vertical Features		1	UEPSB	UEPVF	0.00	0.00	0.00	1							1

Version 2Q03: 07/21/03 Page 21 of 56

CCCS 951 of 1497 [CCCS Amendment 26 of 69]

UNBUNDLI	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1			_ [Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		I
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EXCH	IANGE PORT RATES (DID & PBX)					İ						1				
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.09	28.88	13.63	11.48	0.83						
	2-Wire voice unbundled Georgia extended dialing port, PBX 1-															
\sqsubseteq	Way Outdial Trunk			UEPSE	UEPPO	1.09	28.88	13.63	11.48	0.83						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.09	28.88	13.63	11.48	0.83						
$\vdash \vdash \vdash$	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.09	28.88	13.63	11.48	0.83						
\vdash	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		<u> </u>	UEPSP	UEPP1	1.09	28.88	13.63	11.48	0.83		1				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus 2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP UEPSP	UEPLD UEPLD	1.09 1.09	28.88 28.88	13.63 13.63	11.48 11.48	0.83	 		-			
\vdash	2-Wire Vice Unbundled 2-Way PBX Usage Port		<u> </u>	UEPSP	UEPXA	1.09	28.88	13.63	11.48	0.83	+	1	-			
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		<u> </u>	UEPSP	UEPXB	1.09	28.88	13.63	11.48	0.83	+					
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		t –	UEPSP	UEPXC	1.09	28.88	13.63	11.48	0.83			1			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1	1	UEPSP	UEPXD	1.09	28.88	13.63	11.48	0.83	†		1	İ		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		İ													
L [Capable Port	<u> </u>	<u>L</u>	UEPSP	UEPXE	1.09	28.88	13.63	11.48	0.83	<u> </u>	<u></u>	<u> </u>	<u> </u>		<u> </u>
İ	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy						İ									
	Administrative Calling Port		<u> </u>	UEPSP	UEPXL	1.09	28.88	13.63	11.48	0.83	1	ļ				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	l												l		
$\vdash \vdash \vdash$	Room Calling Port			UEPSP	UEPXM	1.09	28.88	13.63	11.48	0.83	<u> </u>		L			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1							1				1			
$\vdash \vdash \vdash$	Discount Room Calling Port	ļ	1	UEPSP	UEPXO	1.09	28.88	13.63	11.48	0.83		1	-	 		ļ
\vdash	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	-	<u> </u>	UEPSP	UEPXS	1.09	28.88	13.63	11.48	0.83	+	<u> </u>	 			+
	2-Wire voice unbundled Georgia basic dialing port - 1-Way Oudial Trunk	1		UEPSP	UEPWS	1.09	20 00	13.63	11.48	0.83	1		I			
\vdash	2-Wire voice unbundled Georgia basic dialing port - 2-Way	 	 	OLFOF	OLF WO	1.09	28.88	13.03	11.48	0.83	+	 	+	 		1
	Trunk	1		UEPSP	UEPWT	1.09	28.88	13.63	11.48	0.83	1		I			
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX		<u> </u>	OLI OI	OLI WI	1.03	20.00	13.03	11.40	0.03	+					
	Trunk			UEPSP	UEPPQ	1.09	28.88	13.63	11.48	0.83						
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
FEAT	URES		i –													
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00								
EXCH	IANGE PORT RATES (COIN)															
	Exchange Ports - Coin Port					1.09	2.42	2.31		1.28						
	: Transmission/usage charges associated with POTS circuit sv															
	: Access to B Channel or D Channel Packet capabilities will be	availal	ble only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	ilities will be de	termined via	the Bona Fi	de Request/	New Business	Request Pro	cess.	
	LOCAL EXCHANGE SWITCHING(PORTS) IANGE PORT RATES	 	 		+						+	!	 	-		ļ
EXCH	Exchange Ports - 2-Wire DID Port	-	 	UEPEX	UEPP2	5.50	122.26	18.65	54.82	3.45	1	-	 	-		
	Exchange Ports - 2-wire DID Port Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	 	 	OLFLA	ULFFZ	5.50	122.20	10.03	34.62	3.45	+	-	+	 		
	capability	1		UEPDD	UEPDD	41.20	200.96	93.00	65.81	2.33	1		I			
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	1	 	UEPTX, UEPSX	U1PMA	6.09	76.39	51.50	45.67	10.36	†	1	†	1		
	All Features Offered	l	t	UEPTX, UEPSX	UEPVF	0.00	0.00	0.00		10.00	†	1	1			
	Exchange Ports - 2-Wire ISDN Port Channel Profiles	1	1	UEPTX, UEPSX	U1UMA	0.00	0.00	0.00			†		1	İ		1
NOTE	: Transmission/usage charges associated with POTS circuit sv	witched								annels assoc	iated with 2	-wire ISDN	ports.	1		
	: Access to B Channel or D Channel Packet capabilities will be													Request Pro	cess.	
EXCH	IANGE PORT RATES (continued)															
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911	l												I		
	Locator Capability			UEPEX	UEPEX	65.13	198.74	97.29	72.95	17.69						
	Exchange Ports - 4-Wire ISDN DS1 Port	ļ	<u> </u>	UEPDX	UEPDX	65.13	198.74	97.29	72.95	17.69		ļ	1			1
	Physical Collocation - DS1 Cross-Connects		1	UEPEX UEPDX	PE1P1	1.32	27.77	15.52	5.93	4.77			-			ļ
	Virtual collocation - Special Access & UNE, cross-connect per DS1	1		HEDEY HEDDY	CNC4V	0.0700					1		I			
Dotoi	led E911 with Locator Capability (required with UEPEX port)	!	1	UEPEX UEPDX	CNC1X	0.3726			1		+	1	 		-	1
Detail	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	-	 						1		1	-	 	-		
	Locator Capability - Initial Profile Establishment per CLEC per	1			1						1		I			
		I		UEPEX	UEP1A	0.00	1,818.00				1		I			
	State											1		i		1
	State Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			OLI LX	02	0.00	1,010.00									
	State Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions,			OLI LX	02	0.00	1,010.00									

Version 2Q03: 07/21/03 Page 22 of 56

CCCS 952 of 1497 [CCCS Amendment 27 of 69]

IINRIIN	וחו בי	NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CIABON	.0000	ALIMONN LELINENTO Georgia										Svc Order	Svc Order	Incremental			Incremental
]]							Submitted		Charge -	Charge -	Charge -
												Elec					
CATEGO	DV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				Manually			Manual Svc	
CATEGO	/K I	RATE ELEMENTS	m	Zone	B03	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						-		Managa		Nonrecurring	- Dia			000	Detec(f)		
\vdash							Rec	Nonrec							Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
N	lew or	Additional PRI Telephone Numbers															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability 2-way Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0703	0.50									
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Outdial Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0703	10.72	10.72								ĺ
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
		Telephone Numbers - Inward Data Only Option [New or															
		Additional]			UEPDX	UEP1E	0.00	0.50									
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]								1					1	1	
		Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	21.43	21.43		1	1		1	I	1	1
	OCAI	NUMBER PORTABILITY				1	0.00	20	2	1				1	1		
 		Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75			1			-	t	t	 	—
 		ACE (Provsioning Only)		\vdash	SELEX OFFER	_141 014	1.73			 	 		I	 	 	 	
		Voice/Data			UEPEX	PR71V	0.00	0.00	0.00	 				 	 		
h +		Digital Data			UEPEX	PR71D	0.00	0.00	0.00			-	†	 	-		
\vdash		Inward Data			UEPDX	PR71E	0.00	0.00	0.00			-	-	-	-		
—		Additional Channel			UEPDA	FR/IE	0.00	0.00	0.00								
	ew or					DD=D\/		00.71					ļ				
-		New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	28.71					ļ				
		New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	28.71									
		New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	28.71									
		New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00										
		New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00										
		New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	28.71									
	ALL T																
		Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
		Outward			UEPEX	PR7CO	0.00	0.00	0.00								
		Two-way			UEPEX	PR7CC	0.00	0.00	0.00								
		DLED PORT with REMOTE CALL FORWARDING CAPABILITY															
L	JNBUN	DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.09	2.42	2.31	1.37	1.28						
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.09	2.42	2.31	1.37	1.28						
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.09	2.42	2.31	1.37	1.28						
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.09	2.42	2.31	1.37	1.28						
N		curring															
		Unbundled Remote Call Forwarding Service - Conversion -				i	İ										
		Switch-as-is			UEPVR	USAC2		2.01	0.31			1		I	I		1
		Unbundled Remote Call Forwarding Service - Conversion with				1				1					1	1	
		allowed change (PIC and LPIC)			UEPVR	USACC		2.01	0.31					1	1		1
L	JNBUN	DLED REMOTE CALL FORWARDING - Bus							2.31	1		İ		İ	İ		
						1				İ	İ			t	1	i	
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.09	2.42	2.31	1.37	1.28	1		1	I	1	1
+		22				22.0.0	1.00	۷-۰-۲	2.01	1.57	1.20	 	-	t	t		†
		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.09	2.42	2.31	1.37	1.28	1		1	I	1	1
+	-	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERTE	1.09	2.42	2.31		1.28			 	 		
+	-	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTR	1.09	2.42	2.31	1.37	1.28			 	 		
\vdash		Unbundled Remote Call Forwarding Service, intraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and		\vdash	OFL AD	OLKIK	1.09	2.42	2.31	1.37	1.28	-	 	 	 		
					LIEDVD	UERVJ	1.09	2.42	2.31	1.37	1.28	1		1	I	1	1
		Exception Local Calling		\vdash	UEPVB	UEKVJ	1.09	2.42	2.31	1.37	1.28		<u> </u>	 	 		
P	ion-Ke	curring		\vdash		 				 	-	-	 	 	 	-	
		Unbundled Remote Call Forwarding Service - Conversion -			LIED) (D			0.01	0.01		1	1		1	I	1	1
\vdash		Switch-as-is		Ь	UEPVB	USAC2		2.01	0.31	ļ							
		Unbundled Remote Call Forwarding Service - Conversion with										1		I	I		1
		allowed change (PIC and LPIC)			UEPVB	USACC		2.01	0.31	ļ				.	.		
		OCAL SWITCHING, PORT USAGE								ļ					L		
E		fice Switching (Port Usage)								ļ				.	.		
\vdash		End Office Switching Function, Per MOU					0.0006153							ļ	ļ		
		End Office Trunk Port - Shared, Per MOU				I l	0.0001226				l			1	1		1

Version 2Q03: 07/21/03 Page 23 of 56

CCCS 953 of 1497 [CCCS Amendment 28 of 69]

HINDH	NDI EI	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
UNDU	NULE	J NETWORK ELEMENTS - Georgia		1	ı	1	ı					Cue Ouden	Cua Ondan				In anomantal
												I .	Svc Order	Incremental		Incremental	Incremental
												I .	Submitted	Charge -	Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc		Manual Svc	Manual Svc
CAILO	OICI	KATE EEEMENTO	m	20116	B00	0000			KATLO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	curring	Nonrecurring	Disconnect	1	1	oss	Rates(\$)	l	
						İ	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Tander	n Switching (Port Usage) (Local or Access Tandem)															
		Tandem Switching Function Per MOU					0.0000972					İ					
		Tandem Trunk Port - Shared, Per MOU					0.0001557										
	Commo	on Transport															
		Common Transport - Per Mile, Per MOU					0.0000027										
		Common Transport - Facilities Termination Per MOU					0.0001914										
UNBUN	DLED F	ORT/LOOP COMBINATIONS - COST BASED RATES		i i													
	Cost B	ased Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Co	mmission rule to pro	vide Unbun	dled Local Swi	ching or Swite	ch Ports.								
	Feature	es shall apply to the Unbundled Port/Loop Combination - Cos	t Based	Rate s	section in the same r	manner as th	ey are applied	to the Stand-A	lone Unbundle	ed Port section	of this Rate E	xhibit.					
		fice and Tandem Switching Usage and Common Transport Us											n Port/Loor	Combinatio	ns.		
		et and additional Port nonrecurring charges apply to Not Curr															
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)										, T	ĺ				
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			10.22										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.35										
		2-Wire VG Loop/Port Combo - Zone 3		3			31.04										
	UNE Lo	oop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.32										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	14.45										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	30.14										
	2-Wire	Voice Grade Line Port Rates (Res)		i i													
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	0.9019	10.05	7.36	1.37	1.28			Î			
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	0.9019	10.05	7.36	1.37	1.28			Î			
		2-Wire voice unbundles res, low usage line port with Caller ID															
		(LUM)			UEPRX	UEPAP	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Georgia basic dialing port without Caller															
		ID capability - res			UEPRX	UEPWC	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Georgia basic dialing port for use with															
		Caller ID - res			UEPRX	UEPWQ	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Georgia basic dialing port - outgoing															
		only			UEPRX	UEPWR	0.9019	10.05	7.36	1.37	1.28						
		2-Wire voice unbundled Low Usage Line Port without Caller ID															
		Capability			UEPRX	UEPRT	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Unbundled Port without Caller ID, Georgia			UEPRX	UEPRV	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Unbundled Port with Caller ID, Georgia			UEPRX	UEPRU	0.9019	10.05	7.36	1.37	1.28						
	FEATU																ļ
		All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00								ļ
	LOCAL	NUMBER PORTABILITY		<u> </u>		1					ļ			ļ		ļ	ļ
		Local Number Portability (1 per port)		<u> </u>	UEPRX	LNPCX	0.35				ļ			ļ		ļ	ļ
\vdash	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED				ļ						ļ		ļ			<u> </u>
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1	l								1				
		Switch-as-is		<u> </u>	UEPRX	USAC2		0.10	0.10		ļ			ļ			ļ
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			l												
\vdash		Switch with change			UEPRX	USACC		0.10	0.10			ļ		ļ			<u> </u>
\vdash	ADDITI	ONAL NRCs		<u> </u>								ļ			ļ		_
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1	LIEDDY	110465							1				
\vdash	055/5	Activity		<u> </u>	UEPRX	USAS2	0.00	0.00	0.00			ļ			ļ		_
\vdash	UFF/O	PREMISES EXTENSION CHANNELS		<u> </u>	LIEBBY							ļ			ļ		_
\vdash		2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX	UEAEN	10.24	40.02	9.99	5.61	1.72	-					
\vdash		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.37	40.02	9.99	5.61	1.72	<u> </u>		.	ļ	 	├
\vdash		2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX	UEAEN	30.44	40.02	9.99	5.61	1.72	<u> </u>		.	ļ	 	├
\vdash		2 Wire Analog Voice Grade Extension Loop – Design			UEPRX	UEAED	11.26	79.85	24.65	18.92	7.87	-					
\vdash		2 Wire Analog Voice Grade Extension Loop – Design			UEPRX	UEAED	16.43	79.85	24.65	18.92	7.87	-					
\vdash	1517777	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	31.49	79.85	24.65	18.92	7.87	-					
\vdash	INTER	OFFICE TRANSPORT		<u> </u>		 						ļ	-	-	1		
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1	LIEDDY	11477/0	47.07	70.04	20.00				1				
ш		Termination		<u> </u>	UEPRX	U1TV2	17.07	79.61	36.08	L	L	l	ı	L	L	L	

Version 2Q03: 07/21/03 Page 24 of 56

CCCS 954 of 1497 [CCCS Amendment 29 of 69]

LINIDIUNIDI F	ED NETWORK ELEMENTO													_		
UNBUNDLE	D NETWORK ELEMENTS - Georgia			ı	1	T							Attachment:		Exhibit: B	T
													Incremental	Incremental		1
												Submitted		Charge -	Charge -	Charge -
		Interi	l_								Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
					ļ		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPRX	U1TVM	0.0222	0.00	0.00								
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE F	Port/Loop Combination Rates				ļ	10.00										
\longrightarrow	2-Wire VG Loop/Port Combo - Zone 1		1			10.22										
\longrightarrow	2-Wire VG Loop/Port Combo - Zone 2		2			15.35										
	2-Wire VG Loop/Port Combo - Zone 3		3			31.04										
UNE L	oop Rates		_	LIEDDY	LIEDLY	0.00										
\longrightarrow	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.32										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	14.45										
0.1477	2-Wire Voice Grade Loop (SL1) - Zone 3	 	3	UEPBX	UEPLX	30.14					-			 	 	
2-Wire	e Voice Grade Line Port (Bus)	 	 	LIEDDY	LIEDE:	0.0040	10.0=	7.00	4.0=	1.00	-			 	 	
\vdash	2-Wire voice unbundled port without Caller ID - bus	ļ	1	UEPBX	UEPBL	0.9019	10.05	7.36	1.37	1.28				.	-	├
\vdash	2-Wire voice unbundled port with Caller + E484 ID - bus	ļ	1	UEPBX	UEPBC	0.9019	10.05	7.36	1.37	1.28				.	-	├
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port, without						40.00									
	Caller ID capability - bus			UEPBX	UEPWD	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port for use with			l	l											
	Caller ID - bus			UEPBX	UEPWP	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Incoming Only Port without Caller ID			l	1											
	Capability			UEPBX	UEPBE	0.9019	10.05	7.36	1.37	1.28						
LOCA	L NUMBER PORTABILITY			LIEBBY	LNBOY											
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT				LIEBBY .												
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDDY	110400		0.40	0.40								
	Switch-as-is			UEPBX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
4001	Switch with change			UEPBX	USACC		0.10	0.10								
ADDII	TIONAL NRCs	-			-											——
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEDDY	110400		0.00	0.00								
055/6	Activity	-		UEPBX	USAS2		0.00	0.00								——
OFF/C	ON PREMISES EXTENSION CHANNELS	-	-	LIEDDY	LIEAENI	40.04	40.00	0.00	5.04	4.70						——
	2 Wire Analog Voice Grade Extension Loop – Non-Design	-	1	UEPBX	UEAEN	10.24	40.02	9.99	5.61	1.72						——
	2 Wire Analog Voice Grade Extension Loop – Non-Design	 	3	UEPBX UEPBX	UEAEN	15.37 30.44	40.02 40.02	9.99 9.99	5.61 5.61	1.72 1.72				-		
	Wire Analog Voice Grade Extension Loop – Non-Design Wire Analog Voice Grade Extension Loop – Design	 	1	UEPBX	UEAEN	30.44 11.26	79.85	24.65	18.92	7.87				-		
		 	<u> </u>		UEAED	11.26	79.85		18.92	7.87				-		
	2 Wire Analog Voice Grade Extension Loop – Design	 	3	UEPBX UEPBX	UEAED	16.43 31.49	79.85 79.85	24.65 24.65	18.92 18.92	7.87				-		
INITER	2 Wire Analog Voice Grade Extension Loop – Design	-	3	ULPDA	UEAED	31.49	79.85	∠4.05	18.92	1.87				-	-	
INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	 		+						-			1	1	
	Termination	l		UEPBX	U1TV2	17.07	79.61	36.08								1
 	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	-	 	OLFDA	UTIVZ	17.07	19.61	30.08						-	-	
	or Fraction Mile	l		UEPBX	U1TVM	0.0222	0.00	0.00								1
2-14/15	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	-	 	ULFDA	O I I VIVI	0.0222	0.00	0.00			-			-		
	Port/Loop Combination Rates	 	!		+						 			 		
ONE	2-Wire VG Loop/Port Combo - Zone 1	-	1		+	10.22					-			-		
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	1	2		+	15.35					-			1	1	
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	-	3		+	31.04								 	 	
IIME I	Loop Rates	1	1		+	31.04								 	 	
ONEL	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEPRG	UEPLX	9.32								 	 	
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEPRG	UEPLX	14.45					-			1	1	
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	1		UEPRG	UEPLX	30.14					-			1	1	
2-14/:	e Voice Grade Line Port Rates (RES - PBX)	1	1	OLI INO	JLI LA	30.14								 	 	
2-44116	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	1	1		+	 								 	 	
	Res	l		UEPRG	UEPRD	0.9019	10.05	7.36	1.37	1.28						1
	1.00	<u> </u>	1	021110	JLI IVD	0.0010	10.03	1.30	1.07	1.20	1	1		·	·	

UNBUNE	OL FD	NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
ONDONE		NETWORK ELEMENTO Congia	I		1							Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGOR	Y	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Addi	DISC ISL	DISC Add I
							Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)		•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2	-Wire voice unbundled Georgia extended dialing port, PBX 1-															
		Vay Outdial Trunk			UEPRG	UEPPO	0.9019	10.05	7.36	1.37	1.28						
LO		NUMBER PORTABILITY															
		ocal Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FE	ATUR																
		Il Features Offered			UEPRG	UEPVF	0.00	0.00	0.00								
NC		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPRG	USAC2		0.10	0.10								
		-Wire Voice Grade Loop/ Line Port Combination (PBX) -															1
		Conversion - Switch with Change		1	UEPRG	USACC		0.10	0.10								-
AD		NAL NRCs	!	1	-												-
		-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDO	110400	0.00	2.00	0.00								1
\vdash		Subsequent Activity	!	1	UEPRG	USAS2	0.00	0.00	0.00				ļ		 	 	
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt			1			0.70	0 =0								1
		Group PREMISES EXTENSION CHANNELS	-	1	_	_		6.70	6.70								
OF				4	UEPRG	P2JHX	44.00	79.85	24.65	18.92	7.87						
\vdash		ocal Channel Voice grade, per termination	-	1	UEPRG	P2JHX P2JHX	11.26 16.43	79.85	24.65	18.92							
\vdash		ocal Channel Voice grade, per termination		2	UEPRG	P2JHX P2JHX	31.49				7.87						
\vdash		ocal Channel Voice grade, per termination	_	3	UEPRG	SDD2X	12.74	79.85 56.92	24.65	18.92 4.40	7.87 0.02	-					
-		Ion-Wire Direct Serve Channel Voice Grade Ion-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X SDD2X	12.74	56.92	7.70 7.70	4.40	0.02	-					
\vdash		Non-Wire Direct Serve Channel Voice Grade	-	3	UEPRG	SDD2X SDD2X	37.18	56.92	7.70	4.40	0.02	1					1
IN		FICE TRANSPORT	-	3	OLFRO	SDDZA	37.10	30.92	7.70	4.40	0.02	1					1
- I		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility		 											1	1	
		ermination			UEPRG	U1TV2	17.07	79.61	36.08								
—		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLI IKO	011172	17.07	70.01	00.00			1					1
		r Fraction Mile			UEPRG	U1TVM	0.0222	0.00	0.00								
2-1		OICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)					****										
		t/Loop Combination Rates		1													
		-Wire VG Loop/Port Combo - Zone 1		1			10.22										
	2	-Wire VG Loop/Port Combo - Zone 2		2			15.35										
	2	-Wire VG Loop/Port Combo - Zone 3		3			31.04								ĺ	ĺ	
UN	IE Loo	p Rates		1													
	2	-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.32										
		-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	14.45										
		-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	30.14										
2-V	Nire V	oice Grade Line Port Rates (BUS - PBX)															
			1		l												_
$\vdash \vdash$		ine Side Unbundled Combination 2-Way PBX Trunk Port - Bus	L	1	UEPPX	UEPPC	0.9019	10.05	7.36	1.37	1.28						1
$\vdash \vdash$		ine Side Unbundled Outward PBX Trunk Port - Bus	.	1	UEPPX	UEPPO	0.9019	10.05	7.36	1.37	1.28						
$\vdash \vdash$		ine Side Unbundled Incoming PBX Trunk Port - Bus	.	1	UEPPX	UEPP1	0.9019	10.05	7.36	1.37	1.28						
$\vdash \vdash$		-Wire Voice Unbundled PBX LD Terminal Ports	.	1	UEPPX	UEPLD	0.9019	10.05	7.36	1.37	1.28						
\vdash		-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	0.9019	10.05	7.36	1.37	1.28						
\vdash		-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		_	UEPPX	UEPXB	0.9019	10.05	7.36	1.37	1.28						
\vdash		-Wire Voice Unbundled PBX LD DDD Terminals Port		_	UEPPX	UEPXC	0.9019	10.05	7.36	1.37	1.28						
\vdash		-Wire Voice Unbundled PBX LD Terminal Switchboard Port		1	UEPPX	UEPXD	0.9019	10.05	7.36	1.37	1.28						
		-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port	1	1	UEPPX	UEPXE	0.9019	10.05	7.36	1.37	1.28		1				I
\vdash		-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	-	1	ULFFA	UEFAE	0.9019	10.05	1.36	1.37	1.28	-			-	-	
		-vvire voice unbundled 2-vvay PBX Hotel/Hospital Economy	1	1	UEPPX	UEPXL	0.9019	10.05	7.36	1.37	1.28		1				I
$\vdash \vdash$		-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	-	+	ULFFA	UEFAL	0.9019	10.05	1.36	1.37	1.28	-	 		-	-	
		Room Calling Port			UEPPX	UEPXM	0.9019	10.05	7.36	1.37	1.28						1
\vdash		-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	 	1	OLI I A	OLI AIVI	0.5018	10.05	1.30	1.37	1.20	H			 	 	t
		Discount Room Calling Port			UEPPX	UEPXO	0.9019	10.05	7.36	1.37	1.28						1
			 	1	UEPPX	UEPXS	0.9019	10.05	7.36	1.37	1.28		 		 		+
\vdash	2	-Wire Voice Unbundled 1-Way (Jutaoina PBX Measured Port															
	2	-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port -Wire voice unbundled Georgia basic dialing port - 1-Way	1	1	OLITA	OLI XO	0.9019	10.03	7.00	1.07	1.20						1

Version 2Q03: 07/21/03 Page 26 of 56

CCCS 956 of 1497 [CCCS Amendment 31 of 69]

NRUNDLE	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
NDONDEL	LD NETWORK ELLINENTS - Georgia			1							Svc Order	Svc Order	Incremental		Incremental	Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						(+)			per LSR	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Georgia basic dialing port - 2-Way															
	Trunk			UEPPX	UEPWT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX															
	Trunk			UEPPX	UEPPQ	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD															
	Terminal Ports			UEPPX	UEPPS	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX Toll															
	Terminal Ports			UEPPX	UEPPT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD															1
	DDD Terminal Port			UEPPX	UEPPU	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD															
	Terminal Switchboard Port			UEPPX	UEPPV	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD															Î
	Terminal Switchboard DDD Capable Port			UEPPX	UEPPW	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX 2-Way															1
	Trunk			UEPPX	UEPPC	0.9019	10.05	7.36	1.37	1.28						
LOCA	L NUMBER PORTABILITY															ĺ
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEAT	URES															
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00								
NONR	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															Ī
	Conversion - Switch-As-Is			UEPPX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															ĺ
	Conversion - Switch with Change			UEPPX	USACC		0.10	0.10								
ADDIT	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						6.70	6.70								
OFF/C	ON PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination		_	UEPPX	P2JHX	11.26	79.85	24.65	18.92	7.87						
	Local Channel Voice grade, per termination			UEPPX	P2JHX	16.43	79.85	24.65	18.92	7.87						
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	31.49	79.85	24.65	18.92	7.87						
	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12.74	56.92	7.70	4.40	0.02						1
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	19.76	56.92	7.70	4.40	0.02						
	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	37.18	56.92	7.70	4.40	0.02						
INTER	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEBBY	11477.70	.=						1				
$-\!\!\!\!-\!\!\!\!\!-$	Termination			UEPPX	U1TV2	17.07	79.61	36.08			<u> </u>	ļ		-		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDDY	LIATORA	0.0000	2.22	0.00				1				
0.1475	or Fraction Mile RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	T	-	UEPPX	U1TVM	0.0222	0.00	0.00			ļ			 		+
		(I	-	 	_						ļ			-		
UNE	Port/Loop Combination Rates		1	 		10.22					}	ļ		 		
-	2-Wire VG Coin Port/Loop Combo – Zone 1		1	_	_											
-+-	2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3		3	_	+	15.35 31.04					1					
LINE	_oop Rates		3	 	+	31.04					-	 		-		
UNEL	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.32					-	 		-		
-+-	2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPCO	UEPLX	14.45					 					
-+-	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	30.14					}			1		
2-11/:-	e Voice Grade Line Ports (COIN)		- 3	OLI CO	JLFLA	30.14								 		
Z-VVIF	2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	0.9019	10.05	7.36	1.37	1.28	1			 		
-+-	2-Wire Coin 2-Way with Operator Screening (GA) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			OLI CO	JEFGC	0.5019	10.05	1.30	1.37	1.20	 					
1	900/976. 1+DDD (GA)			UEPCO	UEP2G	0.9019	10.05	7.36	1.37	1.28		1				
-+-	2-Wire Coin 2-Way with Operator Screening and 011 Blocking		 	OLI CO	ULFZG	0.5019	10.05	1.30	1.37	1.20				 		
1	(GA)			UEPCO	UEPGA	0.9019	10.05	7.36	1.37	1.28						
				021 00	0L: 0A	0.0018	10.03	1.30	1.07	1.20	I	 		-		
-+-	2-Wire Coin 2-Way with Operator Screening and 900/976				1 1											

Version 2Q03: 07/21/03 Page 27 of 56

CCCS 957 of 1497 [CCCS Amendment 32 of 69]

HINBHIND	LED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
UNDUND	LED NETWORK ELEMENTS - Georgia	1	1		1 1						Svc Order	Svc Order		Incremental		Incremental
											1	Submitted				
											1			Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec	Manually		Manual Svc	Manual Svc	
CATEGORI	KATE ELEMENTO	m	20116	500	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1		+ +		Nonrec	curring	Nonrecurring	Disconnect	-	1	OSS	Rates(\$)	l	L
			1		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin 2-Way with Operator Screening and Blocking:							7144		71441	0020	00				
	900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin Outward with Operator Screening and 011 Blocking			02. 00	02. 0	0.0010	10.00	7.00	1.07	1.20						
	(GA. KY. MS)			UEPCO	UEPRJ	0.9019	10.05	7.36	1.37	1.28						ĺ
	2-Wire Coin Outward with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	0.9019	10.05	7.36	1.37	1.28						ĺ
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin Outward Smartline with 900/976 (all states except															
	LA)			UEPCO	UEPCR	0.9019	10.05	7.36	1.37	1.28						
ADE	DITIONAL UNE COIN PORT/LOOP (RC)		1													
	UNE Coin Port/Loop Combo Usage (Flat Rate)	1	1	UEPCO	URECU	3.59	0.00	0.00	0.00	0.00		İ	İ	l	l	
LOC	AL NUMBER PORTABILITY		1		1								ĺ			
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NON	RECURRING CHARGES - CURRENTLY COMBINED										İ					
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPCO	USAC2		0.10	0.10								l
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPCO	USACC		0.10	0.10								
ADD	DITIONAL NRCs										İ					
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent										İ					
	Activity			UEPCO	USAS2		0.00	0.00								
2-W	IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE I	PORT (RES)												
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			25.22										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.39										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			45.46										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	11.26										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	16.43										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	31.49										
2-W	ire Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundles res, low usage line port with Caller ID															ĺ
\vdash	(LUM)		1	UEPFR	UEPAP	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port, without		1	l	1				l			1				1
\vdash	Caller ID capability - res		1	UEPFR	UEPWC	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port for use with		1	l	1				l			1				1
\vdash	Caller ID - res		1	UEPFR	UEPWQ	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port - outgoing			LIEDED	LIEDWS											1
H	only	—	1	UEPFR	UEPWR	1.09	166.05	43.66	41.89	15.44	-		-	-	 	├
INTI	EROFFICE TRANSPORT		1		+				ļ		-	ļ	ļ	 	 	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1	LIEDED	11477.70							1				1
\vdash	Termination	—	1	UEPFR	U1TV2	12.87			ļ		-		-	-	 	├
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1	LIEDED	41.5707	0.005=						1				1
	or Fraction Mile	-	1	UEPFR	1L5XX	0.0057			1		 	-	 	-	-	
FEA	TURES	-	1	LIEDED	LIED\/E	0.00	0.00	0.00	1		-	-	-			
 	All Features Offered	-	1	UEPFR	UEPVF	0.00	0.00	0.00	1		 	-	 	-	-	
LOC	AL NUMBER PORTABILITY		1	LIEDED	LNDCY	0.05			-							
NO.	Local Number Portability (1 per port)	-	1	UEPFR	LNPCX	0.35			1		-					
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	-	+		+				1		-	-			-	
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFR	USAC2		7.85	1.86								1
\vdash	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	-	1	OLPER	USAUZ		7.85	1.86	1		-					
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		7.85	1.86								1
2 14/	IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	L	DODT /		USACC		7.85	1.86	1		-	-	-	-	-	
	E Port/Loop Combination Rates	LINE	I OKI (I		+ +				1		 	-	1	 	 	
UNE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	-	1		+ +	25.22			1		 	-				
\Box	12 TYTE VO LOOP/TO TRAINPORT OIL COITIDO - ZOITE I	L		l .		23.22		<u> </u>	L	l	1	<u> </u>	<u> </u>	L	L	

Version 2Q03: 07/21/03 Page 28 of 56

CCCS 958 of 1497 [CCCS Amendment 33 of 69]

UNBUN	DLE	O NETWORK ELEMENTS - Georgia												Attachment:		Exhibit: B	
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.39										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			45.46										
UI		pop Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	11.26										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	16.43										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	31.49										ļ
2-		Voice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.09	166.05	43.66	41.89	15.44						ļ
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.09	166.05	43.66	41.89	15.44						
		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.09	166.05	43.66	41.89	15.44						
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.09	166.05	43.66	41.89	15.44						
		Wire voice unbundled Georgia basic dialing port, without Caller ID capability - bus			UEPFB	UEPWD	1.09	166.05	43.66	41.89	15.44						
		2-Wire voice unbundled Georgia basic dialing port for use with															
		Caller ID - bus			UEPFB	UEPWP	1.09	166.05	43.66	41.89	15.44						ļ
LC		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										ļ
IN		DFFICE TRANSPORT															.
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDED	11477.60	40.07										
		Termination		-	UEPFB	U1TV2	12.87						1				
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDED	41.500/	0.0057										
-	EATU	or Fraction Mile		-	UEPFB	1L5XX	0.0057						1				
F				-	UEPFB	UEPVF	0.00	0.00	0.00			1	-				
N/		All Features Offered CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPFB	UEPVF	0.00	0.00	0.00			-	 				
IN		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				+						-	 				+
		Combination - Conversion - Switch-as-is			UEPFB	USAC2		7.85	1.86								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		-	OLFIB	USACZ		7.00	1.00			 	 				-
		Combination - Conversion - Switch with change			UEPFB	USACC		7.85	1.86								
2-		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	I INF F	PORT (00/100		7.00	1.00				†				
		ort/Loop Combination Rates		1	DX)							1	1				†
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			25.22						i e				
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.39						İ				
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			45.46					1	1				†
UI		oop Rates		Ť									İ				
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	11.26						i e				i e
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	16.43										1
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	31.49										
2-		Voice Grade Line Port Rates (BUS - PBX)								†			İ				
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.09	166.05	43.66	41.89	15.44			<u></u>	<u> </u>	<u> </u>	
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.09	166.05	43.66	41.89	15.44						
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.09	166.05	43.66	41.89	15.44						
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.09	166.05	43.66	41.89	15.44						
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.09	166.05	43.66	41.89	15.44						
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.09	166.05	43.66	41.89	15.44						ļ
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.09	166.05	43.66	41.89	15.44	ļ	ļ	1		ļ	<u> </u>
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.09	166.05	43.66	41.89	15.44	ļ	ļ	1		ļ	ļ
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD												I			
		Capable Port			UEPFP	UEPXE	1.09	166.05	43.66	41.89	15.44	1		-	 	 	
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			HEDED	LIEDY"	1.00	400.0-	40.00	44.00	45			I			
		Administrative Calling Port		-	UEPFP	UEPXL	1.09	166.05	43.66	41.89	15.44		 	 	 	 	
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.09	166.05	43.66	41.89	15.44						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPFP	UEPXO	1.09	166.05	43.66	41.89	15.44						L
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.09	166.05	43.66	41.89	15.44						
		2-Wire voice unbundled Georgia basic dialing port - 1-Way			l								1	I			
- 1		Oudial Trunk			UEPFP	UEPWS	1.09	166.05	43.66	41.89	15.44	<u> </u>		l			

Version 2Q03: 07/21/03 Page 29 of 56

CCCS 959 of 1497 [CCCS Amendment 34 of 69]

UNBUN	IDLE	NETWORK ELEMENTS - Georgia													Attachment:	2	Exhibit: B	
CATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	Us	soc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
								Rec	Nonred		Nonrecurring					Rates(\$)		
								1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled Georgia basic dialing port - 2-Way																
		Trunk			UEPFP	UEP	WT	1.09	166.05	43.66	41.89	15.44						_
L		NUMBER PORTABILITY			LIEDED	LND	20	0.45	0.00	0.00								ļ
		Local Number Portability (1 per port)			UEPFP	LNPO	JP	3.15	0.00	0.00								ļ
Į.		DFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1T\	/2	12.87										
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	1L5X	x	0.0057										
F	EATU				02	1.207		0.000.					1	1			1	1
H		All Features Offered			UEPFP	UEP	VF	0.00	0.00	0.00	1				1	İ	1	
1		CURRING CHARGES (NRCs) - CURRENTLY COMBINED														1		1
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port																
		Combination - Conversion - Switch-as-is			UEPFP	USA	C2		7.85	1.86								<u> </u>
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFP	USA	cc		7.85	1.86								
UNBUNE		ORT/LOOP COMBINATIONS - COST BASED RATES			_								1					
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT			Ti T												
ι	JNE Po	ort/Loop Combination Rates																
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				16.74										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				21.91										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				36.98										<u> </u>
U		pop Rates																<u> </u>
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UEC		11.26										<u> </u>
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UEC		16.43										_
	INC D	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UEC	D1	31.49			1		1				-	
		ort Rate Exchange Ports - 2-Wire DID Port		-	UEPPX	UEPI	D1	5.48	174.55	13.64	59.31	4.27	1	-	-		-	
		CURRING CHARGES - CURRENTLY COMBINED		-	UEPPA	UEPI	וע	3.40	174.55	13.04	39.31	4.21	1	-	-		-	
ľ		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
		Switch-as-is			UEPPX	USA	C1		6.66	1.86								ļ
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA ²	1C		6.66	1.86								
		ONAL NRCs																
1	Teleph	one Number/Trunk Group Establisment Charges																ļ
		DID Trunk Termination (One Per Port)			UEPPX	NDT		0.00	0.00	0.00			ļ				ļ	_
		DID Numbers, Establish Trunk Group and Provide First Group			LIEDDY	N.D.		0.00	2.22	0.00	1				I		I	
		of 20 DID Numbers Additional DID Numbers for each Group of 20 DID Numbers			UEPPX UEPPX	NDZ ND4		0.00	0.00	0.00	 		<u> </u>		 	-	 	
+		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	-	0.00	0.00	0.00	 			1	+	-	+	+
\rightarrow		Reserve Non-Consecutive DID numbers			UEPPX	ND6		0.00	0.00	0.00	+			-	t		t	
		Reserve DID Numbers			UEPPX	NDV		0.00	0.00	0.00	<u> </u>				<u> </u>	1	<u> </u>	1
L		NUMBER PORTABILITY				1			2.00	2.00	1				1		1	1
		Local Number Portability (1 per port)			UEPPX	LNPO	CP	3.15	0.00	0.00	1				1		1	1
2		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT	·													
U		ort/Loop Combination Rates																
T		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB UEPF	PR		19.03										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB UEPP			23.75										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB UEPP			36.51										
		op Rates		3	UEPPB UEPP	r.		30.51			+		 		+		 	
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPF	R USL2	2X	13.84										
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPP	R USL2	ox T	18.56										
-+		2-Wire ISDN Digital Grade Loop - UNE Zone 2		3		R USL2		31.33			t			-	 	 	t	
- lı		ort Rate		Ť	52:15 52:11	·		000			1				1	İ	1	
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPR	UEPI	РВ	5.19	161.36	141.68	43.68	8.37			1	i	1	

Version 2Q03: 07/21/03 Page 30 of 56

CCCS 960 of 1497 [CCCS Amendment 35 of 69]

UNBUNDI	LED NETWORK ELEMENTS - Georgia													Attachment:	2	Exhibit: B	
3.12011DL				1								Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
	· ·	Interi										Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	E	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	· ·	m										per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
	· ·													1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISO Add I
							Rec	Nonrec			g Disconnect				Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NON	NRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
L	Combination - Conversion	ļ		UEPPB	UEPPR	USACB	0.00	42.52	26.99								
ADD	DITIONAL NRCs	1															
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy	1		LIEDDD	LIEDDD	LICACD		0.00									
1.00	Non Feature/Add Trunk CAL NUMBER PORTABILITY	1	-	UEPPB	UEPPR	USASB		0.00				 	-				
LOCA	Local Number Portability (1 per port)	 	<u> </u>	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00		-	1	1			-	
B-CI	HANNEL USER PROFILE ACCESS:	 	<u> </u>	OLFFB	OLFFR	LINFOX	0.33	0.00	0.00		-	1	1			-	
<u> </u>	CVS/CSD (DMS/5ESS)	1	1	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00			†	-				
	CVS (EWSD)	1		UEPPB	UEPPR	U1UCB	0.00	0.00	0.00			1	1				
	CSD	1	1	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00		<u> </u>				1	<u> </u>	1
B-CF	HANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C,MS. 8	(NT	1			3.50	0.00	0.50		1	†		İ	İ	1	İ
	ER TERMINAL PROFILE	1	Ι,								1	†		İ	İ	1	İ
	User Terminal Profile (EWSD only)	1	1	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00					İ		1	
VER.	RTICAL FEATURES	1	1									İ			1		1
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								
INTE	EROFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and														ĺ		
	facilities termination				UEPPR	M1GNC	12.8757	48.46	19.48	16.58	5.00						
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0057	0.00	0.00								
	IRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	K PORT															
UNE	E Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 1		1	UEPPP			104.74										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		2				400.00										
	Zone 2	ļ	2	UEPPP			109.85					1					
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP			124.17										
LINE	E Loop Rates	1	3	UEFFF			124.17					 	-				
UNE	4-Wire DS1 Digital Loop - UNE Zone 1	 	1	UEPPP		USL4P	39.61				-	1	1			-	
	4-Wire DS1 Digital Loop - UNE Zone 2	 	2	UEPPP		USL4P	44.72				 	<u> </u>			1		1
+-+-	4-Wire DS1 Digital Loop - UNE Zone 3	1	3	UEPPP		USL4P	59.04					†	-				
UNF	E Port Rate	1	- ŭ	OLITI		OOL-11	00.04					†	-				
10.112	Exchange Ports - 4-Wire ISDN DS1 Port	1		UEPPP		UEPPP	65.13	365.73	187.42	73.41	21.80	1	1				
NON	NRECURRING CHARGES - CURRENTLY COMBINED			02		02	00.10	000.10	.07.12	70	21.00	İ					
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	t	i -								t				İ	t	İ
	Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	122.56	77.97		1					1	
ADD ⁱ	DITIONAL NRCs	1															
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.50									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -													I			
$\sqcup \sqcup \sqcup$	Outward Tel Numbers (All States except NC)	1	ļ	UEPPP		PR7TO		10.72]					
1 1 -	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	1	1								_					_	
\vdash	Subsequent Inward Tel Numbers	L	<u> </u>	UEPPP		PR7ZT		21.43			ļ	ļ		ļ	ļ	1	ļ
LOC	CAL NUMBER PORTABILITY	1	<u> </u>	====		LNES						ļ				ļ	
	Local Number Portability (1 per port)	1	1	UEPPP		LNPCN	1.75			ļ	-		-	 	ļ	-	ļ
INTE	ERFACE (Provsioning Only)	1	!	UEPPP		PR71V	0.00	0.00	0.00		-	-				-	
\vdash	Voice/Data Digital Data	1	<u> </u>	UEPPP		PR71V PR71D			0.00	1	 	 	-		-	 	-
\vdash	Inward Data	1	1	UEPPP		PR71D PR71E	0.00	0.00	0.00	1	 	 	-	-		 	-
Now	v or Additional "B" Channel	 	 	UEPPP		FK/IE	0.00	0.00	0.00		-					+	-
Ivew	New or Additional - Voice/Data B Channel	1	!	UEPPP		PR7BV	0.00	13.59		1	 	+		-	 	 	
\vdash	New or Additional - Digital Data B Channel	1	!	UEPPP		PR7BF	0.00	13.59		1	 	+		-	 	 	
\vdash	New or Additional Inward Data B Channel	 	1	UEPPP		PR7BD	0.00	13.59		+	 	 			 	 	
CAL	LL TYPES	 	†	CLITE			0.00	15.55		1	-					-	
			+	UEPPP		PR7C1	0.00	0.00	0.00	1	1	t	1	 		1	i
	Inward			IUEPPP			().()()										
	Inward Outward			UEPPP		PR7CO	0.00	0.00	0.00								

Version 2Q03: 07/21/03 Page 31 of 56

CCCS 961 of 1497 [CCCS Amendment 36 of 69]

UNBUNDI	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
ONDONDE	LD NETWORK ELEMENTO - Georgia	1	Ι	I	1						Svc Order	Svc Order		Incremental		Incremental
											1	Submitted		Charge -	Charge -	Charge -
		lustani									Elec				Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	por Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonred			Disconnect				Rates(\$)		
Intori					-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
interc	Fixed Each Including First Mile		-	UEPPP	1LN1A	34.31	111.03	80.28	31.36	21.73	1		1	1		
	Each Airline-Fractional Additional Mile		-	UEPPP	1LN1B	0.1154	111.05	00.20	31.30	21.73						
4-WIF	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		-	OLITT	TEIVIE	0.1104										
	Port/Loop Combination Rates												t			
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		80.81										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		85.91										Ī
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		100.24										
UNE	Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1			UEPDC	USLDC	39.61										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	44.72										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	59.04										
UNE	Port Rate 4-Wire DDITS Digital Trunk Port	-	<u> </u>	UEPDC	UDD1T	41.20	392.25	185.06	80.17	7.86	1	-	1		 	
NON	RECURRING CHARGES - CURRENTLY COMBINED		-	UEPDC	ווטטו	41.20	392.23	105.00	00.17	7.00	-		-			
NON	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination														1	1
	- Switch-as-is			UEPDC	USAC4		132.19	66.97								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			02. 50	00/10 1		.020	00.01					t			
	- Conversion with DS1 Changes			UEPDC	USAWA		132.19	66.97								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk			UEPDC	USAWB		132.19	66.97								
ADDI	TIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Service Activity Per Service Order			UEPDC	USAS4		0.00	0.00								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
\vdash	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		13.95	13.95								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		13.95	13.95								
\vdash	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel		-	UEPDC	UDITE		13.93	13.95			-		-			
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		13.95	13.95								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		-	OLI DO	ODITO		10.00	10.00								
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		13.95	13.95								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		13.95	13.95								
BIPO	LAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	392.25								
\vdash	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	392.25					1			
Alterr	nate Mark Inversion		<u> </u>	LIEDDO	140005		0.00	0.00					ļ			
	AMI -Superframe Format		<u> </u>	UEPDC	MCOSF		0.00	0.00					 	1	-	-
Talaa	AMI - Extended SuperFrame Format	1	-	UEPDC	МСОРО		0.00	0.00			1	-	 	1	-	
relep	hone Number/Trunk Group Establisment Charges Telephone Number for 2-Way Trunk Group		-	UEPDC	UDTGX	0.00							 	1	 	
\vdash	Telephone Number for 1-Way Outward Trunk Group		 	UEPDC	UDTGY	0.00					-		t	1		
\vdash	Telephone Number for 1-Way Cutward Trunk Group Without DID	 	l —	UEPDC	UDTGZ	0.00					 	-	I	1		
	DID Numbers, Establish Trunk Group and Provide First Group				1 1	2.00							1		İ	İ
	of 20 DID Numbers		1	UEPDC	NDZ	0.00	0.00	0.00				1	I			
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
<u> </u>	Reserve DID Numbers	<u> </u>	Ļ	UEPDC	NDV	0.00	0.00	0.00					ļ			
Dedic	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digital	Loop	with 4-Wire DDITS	I runk Port						-	ļ	-	ļ	ļ	ļ
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	34.19	111.03	80.28	31.36	21.73			1			
$\vdash \vdash \vdash$	remination)	-	<u> </u>	OLPDO	ILINUI	34.19	111.03	80.28	31.36	21./3	-	-	 	1		-
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.1154	0.00	0.00					1			
\vdash	Interoffice Channel Mileage - Additional rate per fille - 0-6 filles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities		 	021 00	ILINOA	0.1104	0.00	0.00			-		t	1		
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00					1			
	Interoffice Channel Mileage - Additional rate per mile - 9-25		İ												1	1
]	miles		1	UEPDC	1LNOB	0.1154	0.00	0.00				1	I			

Version 2Q03: 07/21/03 Page 32 of 56

CCCS 962 of 1497 [CCCS Amendment 37 of 69]

NBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	· ·
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
							Nonrec	urring	Nonrecurring	Disconnect			088	Rates(\$)		
-			-		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities				+		11131	Addi	11130	Addi	JOINEC	JONAN	JOINAIN	JOWAN	JOMAN	JOHAN
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
	Tommatony			02. 00	12.100	0.00	0.00	0.00			İ					
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1154	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15										
	Central Office Termininating Point			UEPDC	CTG	0.00										1
4-WIR	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
Syster	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations														
Each S	System can have up to 24 combinations of rates depending on	type ar	nd num	ber of ports used												
UNE D	S1 Loop															
	4-Wire DS1 Loop - UNE Zone 1			UEPMG	USLDC	39.61	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	44.72	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3	L	3	UEPMG	USLDC	59.04	0.00	0.00						ļ		
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ıs)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	43.04	0.00	0.00							ļ	
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	86.06	0.00	0.00								
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	172.16	0.00	0.00								
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	258.24	0.00	0.00								
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	344.32	0.00	0.00								
_	240 DS0 Channel Capacity - 1 per 10 DS1s		-	UEPMG	VUM2O	430.40	0.00	0.00			1					
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	516.48	0.00	0.00			-					
_	384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG UEPMG	VUM38 VUM4O	688.64 860.80	0.00	0.00			-					
_	576 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM57	1.032.96	0.00	0.00			-					
_	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	1,205.12	0.00	0.00			 					
Non D	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chann	olistic					0.00			 					
	mum System configuration is One (1) DS1, One (1) D4 Channel						sterri				1				-	
	les of this configuration functioning as one are considered Ad															
wantip	NRC - Conversion (Currently Combined) with or without	ia i aito	1 1110 111	minum system con	Inguiution is	Counted.										
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	153.24	8.37								
Syster	n Additions at End User Locations Where 4-Wire DS1 Loop wit	h Chan	nelizat				100.21	0.01			†				t	†
	Not Currently Combined) in all states, except in Density Zone 1															
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															1
	and Assoc Fea Activation			UEPMG	VUMD4	0.00	379.04	253.97	69.43	8.35						
Bipola	r 8 Zero Substitution															1
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only			UEPMG	CCOSF	0.00	0.00	379.04								
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	379.04								
Altern	ate Mark Inversion (AMI)															
_	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00							1	Ļ
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Excha	nge Ports															
_	Line Side Combination Channelized PBX Trunk Port - Business		-	UEPPX	UEPCX	1.09	0.00	0.00	0.00	0.00	1					
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.09	0.00	0.00	0.00	0.00					 	
	Line Side Inward Only Channelized DBV Trunk Bort with and DD			LIEDDY	UEP1X	1.09	0.00	0.00	0.00	0.00		1			I	1
	Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port		-	UEPPX UEPPX	UEPDM	5.50	0.00	0.00	0.00	0.00	 	-	-	-	 	+
Foat	re Activations - Unbundled Loop Concentration		<u> </u>	ULPPA	OEPDIVI	5.50	0.00	0.00	0.00	0.00	}	 		 	 	+
reatur	Feature (Service) Activation for each Line Port Terminated in D4				+						1			l	t	\vdash
	Bank			UEPPX	1PQWM	0.4689	12.90	6.80	1.96	1.95					1	
+	Feature (Service) Activation for each Trunk Port Terminated in			OLITA	11 04 4 4 1 1 1	0.4009	12.30	0.00	1.50	1.95	1			l	t	\vdash
	D4 Bank			UEPPX	1PQWU	0.4689	38.09	9.18	26.77	5.34		1			I	
Teleni	none Number/ Group Establishment Charges for DID Service			OLI I A	11 9770	5.4009	30.09	3.10	20.11	3.34	1	 			I	
. 0.001	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00						İ	1	
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								

Version 2Q03: 07/21/03 Page 33 of 56

CCCS 963 of 1497 [CCCS Amendment 38 of 69]

														Г		1	
UNBUND)LE[NETWORK ELEMENTS - Georgia				ı						10	I 0 0 .	Attachment:		Exhibit: B	h
												l .		Incremental			
												1	Submitted	_	Charge -	Charge -	Charge -
CATEGOR	Υ	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually per LSR	Manual Svc Order vs.	Manual Svc	Manual Svc	
0,1120011	.		m		200				(4)			per LSR	per LSR	Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec			g Disconnect				Rates(\$)	_	_
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers Reserve DID Numbers			UEPPX	ND6 NDV	0.00	0.00	0.00						1		
10		lumber Portability			UEPPX	NDV	0.00	0.00	0.00				-	-	-		
100		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00			ł	1	1	1		
FF		RES - Vertical and Optional			OLITA	LIVI OI	0.10	0.00	0.00			1	1		1		
		witching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
		ORT LOOP COMBINATIONS - MARKET RATES															
		Rates shall apply where BellSouth is not required to provide	unbund	lled loc	al switching or swit	ch ports per	FCC and/or St	ate Commission	n rules.								
		cludes:				L				1		L		ļ	ļ		
		fled port/loop combinations that are Currently Combined or N											-\	 	 		
		o 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda th currently is developing the billing capability to mechanica												In the interi	m where Bell	South cannot	hill Markot
		BellSouth shall bill the rates in the Cost-Based section preced								ng charges for	not currently	combined ii	I FL and NC	. In the interi	iii where bell	South Cannot	DIII Warket
		rket Rate for unbundled ports includes all available features i				i reserves un	e right to true-	up the billing t	annerence.		1	I			1	I	1
		ice and Tandem Switching Usage and Common Transport Us				s rate exhibi	t shall apply to	all combination	ons of loon/no	rt network elei	ments except	for UNF Coi	n Port/Loor	Combination	ns which have	a flat rate us	age charge
		URECU).	ago .a.			0.400	t onan appry to		о ооор, р							, aa a.o a.	
		Currently Combined scenarios the Nonrecurring charges are	listed	in the F	irst and Additional	NRC column	s for each Port	USOC. For Cu	urrently Comb	ined scenarios	. the Nonrecui	ring charge	s are listed	in the NRC - 0	Currently Con	bined section	n.
		nal NRCs may apply also and are categorized accordingly.							,		,				,		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UN	IE Po	rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			23.32										
		2-Wire VG Loop/Port Combo - Zone 2		2			28.46										
\vdash		2-Wire VG Loop/Port Combo - Zone 3		3			44.14										
UN		op Rates			LIEBBY .												
+-+		2-Wire Voice Grade Loop (SL1) - Zone 1			UEPRX UEPRX	UEPLX UEPLX	9.32 14.46						-	-	-		
\vdash		2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRX	UEPLX	30.14						-	-	-		
2-1		Voice Grade Line Port (Res)		3	ULFIX	OLFLX	30.14					ł	1	1	1		
<u> </u>	1	2-Wire voice unbundled port - residence			UEPRX	UEPRL	14.00	90.00	90.00								
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14.00	90.00	90.00								
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14.00	90.00	90.00								
		2-Wire voice unbundles res, low usage line port with Caller ID															
		(LUM)			UEPRX	UEPAP	14.00	90.00	90.00								
		2-Wire voice unbundled Georgia basic dialing port without Caller												I	I		
\vdash		ID capability - res		\vdash	UEPRX	UEPWC	14.00	90.00	90.00	1	-	ļ		 	 	-	ļ
		2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res			LIEDDY	LIEDWO	14.00	90.00	90.00					1	1		
+	-	2-Wire voice unbundled Georgia basic dialing port - outgoing		\vdash	UEPRX	UEPWQ	14.00	90.00	90.00	1		1	-	 		1	
		only			UEPRX	UEPWR	14.00	90.00	90.00					I	I		
		2-Wire voice unbundled Low Usage Line Port without Caller ID		\vdash			14.00	55.56	55.50		1			<u> </u>	<u> </u>		
		Capability			UEPRX	UEPRT	14.00	90.00	90.00					1	1		
		2-Wire Voice Grade Unbundled Port without Caller ID, Georgia			UEPRX	UEPRV	14.00	90.00	90.00		1	İ					
		2-Wire Voice Grade Unbundled Port with Caller ID, Georgia			UEPRX	UEPRU	14.00	90.00	90.00								
LO		NUMBER PORTABILITY															
$\perp \perp \perp$		Local Number Portability (1 per port)		ш	UEPRX	LNPCX	0.35			1	ļ				ļ		
FE	ATU				LIEDDY	LIEDVE	0.00	0.00	0.00					-	-		
100		All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00	1		-		 	 		
INC.	NKE	CURRING CHARGES - CURRENTLY COMBINED		\vdash						1		1	1	 	 	-	
		2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50					1	1		
		2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			OLI IVA	COACZ		71.30	71.30	1				-	-		
		change			UEPRX	USACC		41.50	41.50					I	I		
ΑD	DITIO	ONAL NRCs												1	1	İ	
		NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
		Subsequent			UEPRX	USAS2	0.00	0.00	0.00								
OF		PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	10.24	40.02	9.99	5.61	1.72		L	l	L		<u> </u>

Version 2Q03: 07/21/03 Page 34 of 56

CCCS 964 of 1497 [CCCS Amendment 39 of 69]

UNBU	NDLF	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
0.120												Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc		Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				per LSR		Order vs.	Order vs.	Order vs.
0,	•		m			0000			== (4)			per LSR	per LSR	Order vs.			
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						+		Nonrec	urring	Nonrecurring	Disconnect		1	OSS	Rates(\$)	I.	
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.37	40.02	9.99	5.61	1.72	JOINEC	JOINAIN	JOHIAN	JOHAN	JOHAN	JONIAN
-		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	30.44	40.02	9.99	5.61	1.72						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAED	11.26	79.85	24.65	18.92	7.87	1					
<u> </u>		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	16.43	79.85	24.65	18.92	7.87	-					
				_		UEAED	31.49										
	INITED	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	31.49	79.85	24.65	18.92	7.87						
-	INTER	OFFICE TRANSPORT	-	-		-											
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEBBY			== 0.4									
		Termination			UEPRX	U1TV2	17.07	79.61	36.08								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
L		or Fraction Mile		1	UEPRX	U1TVM	0.0222	0.00	0.00			1	ļ	ļ	1		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			23.32										
		2-Wire VG Loop/Port Combo - Zone 2		2			28.46										
		2-Wire VG Loop/Port Combo - Zone 3		3			44.14										
	UNE L	pop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.32						ĺ	ĺ		1	
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	14.46										
		2-Wire Voice Grade Loop (SL1) - Zone 3			UEPBX	UEPLX	30.14										
	2-Wire	Voice Grade Line Port (Bus)		Ť	02. 5%	02.2.	00.11					†					
	_ ******	2-Wire voice unbundled port without Caller ID - bus		 	UEPBX	UEPBL	14.00	90.00	90.00								
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00								
		2-Wire voice unbundled port with Galler + E-90-10 - Bus		 	UEPBX	UEPBO	14.00	90.00	90.00								
-		2-Wire voice unbundled Georgia basic dialing port, without	-	-	OLFBA	OLFBO	14.00	90.00	30.00	ļ		-	-		-		
					UEPBX	UEPWD	14.00	90.00	90.00								
		Caller ID capability - bus			UEPBX	UEPWD	14.00	90.00	90.00								
		2-Wire voice unbundled Incoming Only Port without Caller ID															
		Capability			UEPBX	UEPBE	14.00	90.00	90.00								
		2-Wire voice unbundled Georgia basic dialing port for use with															
		Caller ID - bus			UEPBX	UEPWP	14.00	90.00	90.00								
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
	FEATU																
		All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00								
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
														Î			
		2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50								
		2-Wire Voice Grade Loop / Line Port Combination - Switch with															
		change		1	UEPBX	USACC		41.50	41.50			1	l	l	1		
	ADDIT	ONAL NRCs		i i									İ				
		NRC - 2-Wire Voice Grade Loop/Line Port Combination -		1	İ	İ						1	İ	İ	1	İ	
		Subsequent		1	UEPBX	USAS2		0.00	0.00			1	l	l	1		
	OFF/O	N PREMISES EXTENSION CHANNELS				1		2.00	2.00				İ	İ			
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	10.24	40.02	9.99	5.61	1.72			i	1	i	
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	15.37	40.02	9.99	5.61	1.72	†	†	 	<u> </u>		
-		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	30.44	40.02	9.99	5.61	1.72	1	 	 	1		
		2 Wire Analog Voice Grade Extension Loop – Nori-Design 2 Wire Analog Voice Grade Extension Loop – Design	 	1	UEPBX	UEAEN	11.26	79.85	24.65	18.92	7.87	t	 	 	t	 	
—		2 Wire Analog Voice Grade Extension Loop – Design	 	2	UEPBX	UEAED	16.43	79.85	24.65	18.92	7.87	t	 	 	t	 	
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	31.49	79.85	24.65	18.92	7.87	 	 	 	 		
<u> </u>	INITED	DFFICE TRANSPORT	I	3	OLFBA	OLAED	31.49	19.00	24.00	10.92	1.01	1	-		 		
<u> </u>	MIER		I	+	-	+				1		1	-		 		
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDBY	LI4T\/0	47.07	70.01	20.00								
		Termination	-	1	UEPBX	U1TV2	17.07	79.61	36.08			1	 	 	 	-	
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1	LIEDDY	11477 04	0.0000	0.00	0.00			1	l	l	1		
		or Fraction Mile		!	UEPBX	U1TVM	0.0222	0.00	0.00	ļ		.	ļ				
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		!	L							.	ļ				
L	UNE P	ort/Loop Combination Rates		1	ļ							1	ļ	ļ	1		
		2-Wire VG Loop/Port Combo - Zone 1		1			23.32						ļ				
		2-Wire VG Loop/Port Combo - Zone 2		2			28.46										
		2-Wire VG Loop/Port Combo - Zone 3		3			44.14										
	UNE L	pop Rates															

Version 2Q03: 07/21/03 Page 35 of 56

CCCS 965 of 1497 [CCCS Amendment 40 of 69]

UNBUN	DLF	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
												Svc Order	Svc Order	Incremental			Incremental
				1								Submitted	Submitted		Charge -	Charge -	Charge -
			laster.	1								Elec	Manually	Manual Svc			Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m			-300			== (4)			per LSK	hei rok	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonred	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	9.32										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	14.46					İ					
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	30.14										
2	-Wire	Voice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
		Res			UEPRG	UEPRD	14.00	90.00	90.00								
		2-Wire voice unbundled Georgia extended dialing port, PBX 1-															
		Way Outdial Trunk			UEPRG	UEPPO	14.00	90.00	90.00								
		2-Wire voice unbundled Low Usage Line Port without Caller ID															
		Capability			UEPRX	UEPRT	14.00	90.00	90.00								
L	OCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
F	EATU									i							
		All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00					ĺ			
N	ONRE	CURRING CHARGES - CURRENTLY COMBINED															
										1				ĺ			
		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50						1		
		2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
		Change			UEPRG	USACC		41.50	41.50								
А	DDITI	ONAL NRCs															
		2 Wire Loop/Line Side Port Combination - Non feature -															
		Subsequent Activity- Nonrecurring						0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						14.64	14.64								
0	FF/O	N PREMISES EXTENSION CHANNELS		ĺ													
		Local Channel Voice grade, per termination		1	UEPRG	P2JHX	11.26	79.85	24.65	18.92	7.87						
		Local Channel Voice grade, per termination		2	UEPRG	P2JHX	16.43	79.85	24.65	18.92	7.87			Î			
		Local Channel Voice grade, per termination		3	UEPRG	P2JHX	31.49	79.85	24.65	18.92	7.87			ĺ			
		Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	12.74	56.92	7.70	4.40	0.02			Î			
		Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	19.76	56.92	7.70	4.40	0.02			Î			
		Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	37.18	56.92	7.70	4.40	0.02						
11	NTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPRG	U1TV2	17.07	79.61	36.08								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPRG	U1TVM	0.0222	0.00	0.00						<u> </u>		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
U	NE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			23.32										
		2-Wire VG Loop/Port Combo - Zone 2		2			28.46										
		2-Wire VG Loop/Port Combo - Zone 3		3			44.14										
U	NE L	pop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	9.32										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	14.46										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	30.14										
2	-Wire	Voice Grade Line Port Rates (BUS - PBX)															
lΓ						1 7	\neg			I T					_	[
oxed		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00								
$oxed{\Box}$		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00								
$oxed{oxed}$		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00								
$oxed{\Box}$		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00								
igspace		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00						L		
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00								
$oxed{\Box}$		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00								
$oxed{oxed}$		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00								
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD				1 7				Ι Π					_		
$\sqcup \bot$		Capable Port		<u> </u>	UEPPX	UEPXE	14.00	90.00	90.00					ļ	ļ		
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1									1		I		
		Administrative Calling Port		<u></u>	UEPPX	UEPXL	14.00	90.00	90.00								

UNBUN	DLF	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
3.1201		Sitt EEEmErt O Goorgia										Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intor:									Elec	Manually	Manual Svc			Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00								
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital					44.00										
		Discount Room Calling Port			UEPPX UEPPX	UEPXO	14.00 14.00	90.00	90.00								
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00				-				
		2-Wire voice unbundled Georgia basic dialing port - 1-Way Oudial Trunk			UEPPX	UEPWS	14.00	90.00	90.00								
		2-Wire voice unbundled Georgia basic dialing port - 2-Way		-	OLFFX	ULF W3	14.00	90.00	90.00					1			
		Trunk			UEPPX	UEPWT	14.00	90.00	90.00								
		2-Wire voice unbundled Georgia basic dialing port - 2-way PBX			OLITA	OLI WI	14.00	50.00	50.00			-					
		Trunk			UEPPX	UEPPQ	14.00	90.00	90.00								
		2-Wire voice unbundled Georgia basic dialing port - PBX LD						22.00	22.00		İ			İ	t	İ	
		Terminal Ports			UEPPX	UEPPS	14.00	90.00	90.00						I		
		2-Wire voice unbundled Georgia basic dialing port - PBX Toll															
		Terminal Ports			UEPPX	UEPPT	14.00	90.00	90.00								
		2-Wire voice unbundled Georgia basic dialing port - PBX LD															
		DDD Terminal Port			UEPPX	UEPPU	14.00	90.00	90.00								
		2-Wire voice unbundled Georgia basic dialing port - PBX LD															
		Terminal Switchboard Port			UEPPX	UEPPV	14.00	90.00	90.00								
		2-Wire voice unbundled Georgia basic dialing port - PBX LD															
		Terminal Switchboard DDD Capable Port			UEPPX	UEPPW	14.00	90.00	90.00								
L	OCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
F	EATU				UEDDV												
	ONDE	All Features Offered CURRING CHARGES - CURRENTLY COMBINED		-	UEPPX	UEPVF	0.00	0.00	0.00								
N	ONKE	CURRING CHARGES - CURRENTLY COMBINED											-				
		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50								
-		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-is		-	OLFFX	USACZ		41.50	41.50			1			-		
		Change			UEPPX	USACC		41.50	41.50								
Δ	DDITI	ONAL NRCs			OLITA	00/100		41.00	41.00			1			1		
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2	0.00	0.00	0.00								
		2 Wire Loop/Line Side Port Combination - Non feature -															
		Subsequent Activity- Nonrecurring						0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt												ĺ			
		Group						14.64	14.64								
0)FF/01	N PREMISES EXTENSION CHANNELS															
		Local Channel Voice grade, per termination		1	UEPPX	P2JHX	11.26	79.85	24.65	18.92	7.87						
		Local Channel Voice grade, per termination		2	UEPPX	P2JHX	16.43	79.85	24.65	18.92	7.87						
		Local Channel Voice grade, per termination		3	UEPPX	P2JHX	31.49	79.85	24.65	18.92	7.87						
		Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12.74	56.92	7.70		0.02						
		Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	19.76	56.92	7.70	4.40	0.02						
 	UTES 1	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	37.18	56.92	7.70	4.40	0.02			 	 	 	
	NIER(DFFICE TRANSPORT		-		1				1	!			 	 	 	
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPPX	U1TV2	17.07	79.61	36.08						I		
+		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	-	-	ULFFA	UIIVZ	17.07	79.61	30.08		-	 	-	 	 	 	
		or Fraction Mile			UEPPX	U1TVM	0.0222	0.00	0.00						1		
2	-WIRF	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT.		0=11 <i>X</i>	J. I. VIVI	J.UZZZ	0.00	0.00	1		-		 	t	 	
		ort/Loop Combination Rates	i .								1			1	<u> </u>	1	
	,	2-Wire VG Coin Port/Loop Combo – Zone 1		1		1	23.32				İ			İ	t	İ	
		2-Wire VG Coin Port/Loop Combo – Zone 2		2			28.46										
		2-Wire VG Coin Port/Loop Combo – Zone 3		3			44.14										
U	INE Lo	pop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.32										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	14.46										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	30.14										
2	-Wire	Voice Grade Line Port Rates (Coin)															

IINRIII	אוון בי	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CIADOI	ADEC	J NETWORK ELEMENTS - Georgia		1	I							Svc Order	Svc Order		Incremental		Incremental
												1	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0711200			m						(4)			per LSR	per LSR				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	14.00	90.00	90.00								
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
		900/976, 1+DDD (GA)			UEPCO	UEP2G	14.00	90.00	90.00								
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
		(GA)			UEPCO	UEPGA	14.00	90.00	90.00								
		2-Wire Coin 2-Way with Operator Screening and 900/976										İ					
		Blocking (GA)			UEPCO	UEPGB	14.00	90.00	90.00								
		2-Wire Coin 2-Way with Operator Screening and Blocking:															
		900/976, 1+DDD, 011+,and Local (GA)			UEPCO	UEPCH	14.00	90.00	90.00								
		2-Wire Coin Outward with Operator Screening and 011Blocking															
		(GA, KY, MS)			UEPCO	UEPRJ	14.00	90.00	90.00								
		2-Wire Coin Outward with Operator Screening and Blocking:										İ					
		900/976, 1+DDD, 011+, and Local (FL, GA)	1		UEPCO	UEPCQ	14.00	90.00	90.00				1		I		
ı	OCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										†
1		CURRING CHARGES - CURRENTLY COMBINED	1				2.23			1			1	İ	İ	İ	
		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41.50	41.50								
		2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
		Change			UEPCO	USACC		41.50	41.50								
/	ADDITI	ONAL NRCs										İ					
												İ					
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00								
7	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE F	ORT (RES)							İ					
		ort/Loop Combination Rates		Ι,	, 												
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			25.26										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.43										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			45.49										
ı	JNE Lo	oop Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	11.26							Î		Î	
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	16.43										
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	31.49										
2	2-Wire	Voice Grade Line Port Rates (Res)															
		2-Wire voice unbundled port - residence			UEPFR	UEPRL	14.00	225.00	225.00	60.00	60.00						
		2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	14.00	225.00	225.00	60.00	60.00						
		2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	14.00	225.00	225.00	60.00	60.00						
		2-Wire voice unbundles res, low usage line port with Caller ID															
		(LUM)			UEPFR	UEPAP	14.00	225.00	225.00	60.00	60.00						
		2-Wire voice unbundled Georgia basic dialing port, without															
		Caller ID capability - res			UEPFR	UEPWC	14.00	225.00	225.00	60.00	60.00						
		2-Wire voice unbundled Georgia basic dialing port for use with															
		Caller ID - res			UEPFR	UEPWQ	14.00	225.00	225.00	60.00	60.00						
T		2-Wire voice unbundled Georgia basic dialing port - outgoing							·		·				_		
		only			UEPFR	UEPWR	14.00	225.00	225.00	60.00	60.00						<u> </u>
I	NTERC	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPFR	U1TV2	12.87										
T		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile							·		·				_		
		or Fraction Mile			UEPFR	1L5XX	0.0057										
F	FEATU																
		All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00								
l		NUMBER PORTABILITY															1
		Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
1	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is			UEPFR	USAC2		100.00	100.00								<u> </u>
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1			7									_		
		Combination - Conversion - Switch-With-Change			UEPFR	USACC		100.00	100.00								
1 7	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE F	PORT (BUS)												

Version 2Q03: 07/21/03 Page 38 of 56

CCCS 968 of 1497 [CCCS Amendment 43 of 69]

UNRU	NDI F	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
31400	HULL	JALINOMA LELMENTO - Georgia		l I		1 1						Svc Order	Svc Order		Incremental		Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				,			Manual Svc	
CAILG	OKI	RATE ELEMENTS	m	Zone	603	0300			KAILS (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			-	-		+		Nonrec	urring	Nonrecurring	Disconnoct	-	l .	088	Rates(\$)	l	
			-	-		+	Rec	First	Add'l	First	Add'l	COMEC	SOMAN		SOMAN	SOMAN	SOMAN
	LINE D	ort/Loop Combination Rates				+		FIISt	Addi	FIRST	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SOWAN	SUMAN
	UNE PO	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		4		+	25,26										
-				1			30.43							1			
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			45.49										
-	LINEL			3		+	45.49										
-		pop Rates		1	UEPFB	UECF2	11.26										
-		2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	16.43										
-				3													
-	0 14/:	2-Wire Voice Grade Loop (SL2) - Zone 3	-	3	UEPFB	UECF2	31.49										
-	2-wire	Voice Grade Line Port (Bus)	-		HEDED	LIEDDI	44.00	205.00	005.00	00.00	00.00						
—		2-Wire voice unbundled port with Caller ID - bus	-	 	UEPFB	UEPBL	14.00	225.00	225.00		60.00		<u> </u>	-	-		
—		2-Wire voice unbundled port with Caller + E484 ID - bus	-	 	UEPFB UEPFB	UEPBC	14.00 14.00	225.00	225.00		60.00		<u> </u>	-	-		
—		2-Wire voice unbundled port outgoing only - bus	-	 		UEPBO		225.00	225.00				<u> </u>	-	-		
——		2-Wire voice unbundled incoming only port with Caller ID - Bus	-	 	UEPFB	UEPB1	14.00	225.00	225.00	60.00	60.00	-	 	1	 	-	
1		2-Wire voice unbundled Georgia basic dialing port, without			LIEDED	LIEDWE	44.00	005.00	005.00	00.00	20.00	1					1
——		Caller ID capability - bus	-	 	UEPFB	UEPWD	14.00	225.00	225.00	60.00	60.00	-	 	1	 	-	
		2-Wire voice unbundled Georgia basic dialing port for use with			LIEDED	UEPWP	44.00	005.00	005.00	00.00	00.00						
-		Caller ID - bus	-		UEPFB	UEPWP	14.00	225.00	225.00	60.00	60.00						
-	LOCAL	NUMBER PORTABILITY			LIEDED	LNDOV	0.05										
-	====	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
-	INTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
-		Termination			UEPFB	U1TV2	12.87										
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				41 =>04											
-		or Fraction Mile			UEPFB	1L5XX	0.0057										
-	FEATU						0.00	2.22									
-		All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00								
-	NONKE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	-			+											
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port						400.00									
-		Combination - Conversion - Switch-as-is			UEPFB	USAC2		100.00	100.00								
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port						400.00									
-		Combination - Conversion - Switch with change	<u> </u>		UEPFB	USACC		100.00	100.00								
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (305)	+											
-	UNE PO	ort/Loop Combination Rates					05.00										
-		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			25.26										
-		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	-	2		+	30.43										
	LINIE I	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			45.49										
-	UNE LO	pop Rates	-	-	LIEDED	LIEGEO	44.00										——
		2-Wire Voice Grade Loop (SL2) - Zone 1	-		UEPFP	UECF2	11.26					-	-	1	-		
		2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFP	UECF2	16.43										
<u> </u>	0.14/:	2-Wire Voice Grade Loop (SL2) - Zone 3	-	3	UEPFP	UECF2	31.49					-	 	1	 	-	
<u> </u>	∠-wire	Voice Grade Line Port Rates (BUS - PBX)	-	 		+						-	 	1	 	-	
		Line Cide Unboundled Combinetics C.W. BBV Tool B. C. S.			LIEDED	LIEDEO	44.00	005.00	005.00	20.00	20.00						1
⊢—		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	—	1	UEPFP	UEPPC	14.00	225.00	225.00		60.00		-	ļ	.	 	├
<u> </u>		Line Side Unbundled Outward PBX Trunk Port - Bus		<u> </u>	UEPFP	UEPPO	14.00	225.00	225.00		60.00						├
⊢—		Line Side Unbundled Incoming PBX Trunk Port - Bus	—	1	UEPFP	UEPP1	14.00	225.00	225.00		60.00		-	ļ	.	 	├
<u> </u>		2-Wire Voice Unbundled PBX LD Terminal Ports		<u> </u>	UEPFP	UEPLD	14.00	225.00	225.00		60.00						├
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	ļ	<u> </u>	UEPFP	UEPXA	14.00	225.00	225.00		60.00			ļ			
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		<u> </u>	UEPFP	UEPXB	14.00	225.00	225.00		60.00						
		2-Wire Voice Unbundled PBX LD DDD Terminals Port	ļ	<u> </u>	UEPFP	UEPXC	14.00	225.00	225.00	60.00	60.00			ļ			
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		1	UEPFP	UEPXD	14.00	225.00	225.00	60.00	60.00			ļ			
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			LIEDED	LIEDY'E											1
		Capable Port		<u> </u>	UEPFP	UEPXE	14.00	225.00	225.00	60.00	60.00			ļ			
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				=5\::						1					1
		Administrative Calling Port		<u> </u>	UEPFP	UEPXL	14.00	225.00	225.00	60.00	60.00						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			l	[<u></u>]						1					1
		Room Calling Port		<u> </u>	UEPFP	UEPXM	14.00	225.00	225.00	60.00	60.00						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			l	[<u></u>]						1					1
L		Discount Room Calling Port			UEPFP	UEPXO	14.00	225.00	225.00	60.00	60.00			ļ			
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		I	UEPFP	UEPXS	14.00	225.00	225.00	60.00	60.00					<u> </u>	<u> </u>

Version 2Q03: 07/21/03 Page 39 of 56

CCCS 969 of 1497 [CCCS Amendment 44 of 69]

LINRUN	DI F	D NETWORK ELEMENTS - Georgia													Attachment:	2	Exhibit: B	
ONDON	חבו	D NET WORK ELEWIEN 13 - Georgia				- 1		ı					Svc Order	Svc Order	Incremental			Incremental
													Submitted	Submitted		Charge -	Charge -	Charge -
													Elec	Manually	Manual Svc			Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS		USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m										per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
																	Disc 1st	
															1st	Add'l	DISC 1St	Disc Add'l
								Rec	Nonrec	curring	Nonrecurring	g Disconnect		•	oss	Rates(\$)		
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled Georgia basic dialing port - 1-Way																
		Oudial Trunk			UEPFP		UEPWS	14.00	225.00	225.00	60.00	60.00						
		2-Wire voice unbundled Georgia basic dialing port - 2-Way																
		Trunk			UEPFP		UEPWT	14.00	225.00	225.00	60.00	60.00						
L	OCAL	NUMBER PORTABILITY																
 		Local Number Portability (1 per port)			UEPFP		LNPCP	3.15	0.00	0.00								
	IIEK(OFFICE TRANSPORT		-														
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			UEPFP		11471/0	40.07										
-		Termination			UEPFP		U1TV2	12.87						-				
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP		1L5XX	0.0057								I		
-	EATU				UEPFP		ILSXX	0.0057					-					
F	LAIU	All Features Offered			UEPFP		UEPVF	0.00	0.00	0.00	1	1	H		 	t		l
N	ONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI III		OLI VI	0.00	0.00	0.00	1	1	H		 	t		l
	ONICE	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port																
		Combination - Conversion - Switch-as-is			UEPFP		USAC2		100.00	100.00						1		
\vdash		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port					- 5. 102		100.00	100.00	1	1			1	<u> </u>		
		Combination - Conversion - Switch with change			UEPFP		USACC		100.00	100.00						I		
UNBUND	LED F	PORT/LOOP COMBINATIONS - MARKET BASED RATES																
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT															
		ort/Loop Combination Rates																
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				96.26										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				101.43										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				116.49										
U	NE Lo	pop Rates																
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	11.26										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	16.43										
<u> </u>		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	31.49										
U	NE Po	ort Rate																
	ONDE	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	85.00	350.00	40.00	120.00	9.00						
N	ONRE	ECURRING CHARGES - CURRENTLY COMBINED		-		-												
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-As-Is Top 8 MSAs only			UEPPX		USAC1		200.00	20.00								
+		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			UEPPA		USACT		200.00	20.00			-					
		with BellSouth Allowable Changes Top 8 MSAs only			UEPPX		USA1C		200.00	20.00								
Δ.	ודוחח	ONAL NRCs			ULFFA		USATO		200.00	20.00			1					
		one Number/Trunk Group Establisment Charges									1			<u> </u>		-		
 	o.opii	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00						<u> </u>		
		DID Numbers, Establish Trunk Group and Provide First Group						2.00	2.00	2.00	1	i			i	1		
		of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00						I		
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00					1			
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
L	OCAL	NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT							ļ							
U	NE Po	ort/Loop Combination Rates													ļ	L		
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			l											I		
$\vdash \vdash$		UNE Zone 1		1	UEPPB UE	EPPR		73.84								ļ		
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		_	LIEDDE .:-											I		
\vdash		UNE Zone 2		2	UEPPB UE	PPR		78.56			1				-	 		
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		3	HEDDD	·nnn		04.00								1		
 	NE I -	UNE Zone 3		3	UEPPB UE	PPR		91.33			 	-	1		 	 		-
	NE LO	2-Wire ISDN Digital Grade Loop - UNE Zone 1	-	1	UEPPB UEF	DDD	USL2X	13.84			1		-	-		 		-
\vdash		2-vvire ISDIN Digital Grade Loop - UNE ZONE 1	-	-	UEPPB UE	FFK	USLZA	13.84			1	-		-	 	+		
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UE	PPR	USL2X	18.56								I		
+		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3			USL2X	31.33			 	 			 	 		
		Z WIIO IODIA DIGITAL OTAGE LOOP - OTAL ZOTIE 3			OLITO OLI		JULZA	51.55			L		L		1	L	l .	l

Version 2Q03: 07/21/03 Page 40 of 56

CCCS 970 of 1497 [CCCS Amendment 45 of 69]

UNBLINDI	ED NETWORK ELEMENTS - Georgia													Attachment:	2	Exhibit: B	
UNBUNDE	ED NETWORK ELEMENTS - Georgia	1	1	1			1					Svc Order	Svc Order		Incremental		Incremental
												I .	Submitted		Charge -	Charge -	Charge -
		lustani										Elec	Manually			Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	E	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m										per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							ļ										
		1					Rec	Nonred			Disconnect				Rates(\$)		
LINE	Port Rate	1	ļ			+	-	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Exchange Port - 2-Wire ISDN Line Side Port	1	1	LIEDDR	UEPPR	UEPPB	60.00	525.00	400.00			1	1	1			1
NONE	RECURRING CHARGES - CURRENTLY COMBINED	1	1	OLITB	OLITIK	OLITB	00.00	323.00	400.00			1					1
I I I I I I I I I I I I I I I I I I I	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	1	1			1						1					
	Combination - Conversion - Top 8 MSAs only			UEPPB	UEPPR	USACB	0.00	215.00	215.00								
ADDI	TIONAL NRCs																
LOCA	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CH	ANNEL USER PROFILE ACCESS:																ļ
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
ļ	CVS (EWSD)	1		UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
B C11	CSD ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C MS °	TAIL	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00	1		1	1	 	1		+
	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S R TERMINAL PROFILE	U,IVIO, 8	III)	1		-				1		1	-	 	 	-	+
USER	User Terminal Profile (EWSD only)	 	†	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	1	 	1	 	 	1	 	+
VERT	FICAL FEATURES	t -	t	25.10	OLITIK	JIONA	0.00	0.00	0.00			1	t	†	1	1	t
1	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF		0.00	0.00		İ			1		İ	
INTE	ROFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and	1	1														
	facilities termination				UEPPR	M1GNC	12.8757	48.46	19.48	16.58	5.00						
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0057	0.00	0.00								ļ
	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	K PORT				ļ											ļ
UNE	Port/Loop Combination Rates					ļ											ļ
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1			UEPPP			939.61										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	1	UEPPP		+	939.61					-	-	-			
	Zone 2		2	UEPPP			944.72										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			OLITI		1	544.72					1					
	Zone 3		3	UEPPP			959.04										
UNE	Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	39.61										
	4-Wire DS1 Digital Loop - UNE Zone 2			UEPPP		USL4P	44.72										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	59.04										
UNE	Port Rate	1				UEPPP	200.00					ļ					ļ
NON	Exchange Ports - 4-Wire ISDN DS1 Port RECURRING CHARGES - CURRENTLY COMBINED	1	ļ	UEPPP		UEPPP	900.00	1,200.00	1,200.00			1		1			
NON	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	1	-	1		+						-	-	-			
	Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP		USACP	0.00	925.00	925.00								
ADDI	TIONAL NRCs	1	1	OLITI		00/101	0.00	020.00	020.00			1					
12.	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-			1							İ			1		İ	<u> </u>
	Inward/two way Telephone Numbers (except NC)	1	L	UEPPP		PR7TF	<u> </u>	0.50		<u> </u>			<u> </u>	<u> </u>			
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Outward Tel Numbers (All States except NC)	1	<u> </u>	UEPPP		PR7TO		10.72	22.75	1					Į	L	ļ
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -													I			
1.55	Subsequent Inward Telephone Numbers	1	<u> </u>	UEPPP		PR7ZT		21.43	45.49					-	ļ		
LOCA	AL NUMBER PORTABILITY Local Number Portability (1 per port)	1	<u> </u>	UEPPP		LNPCN	1.75			1		1	1	 	1	-	
INTE	RFACE (Provsioning Only)	 	 	UEPPP		LINECIN	1./5			+	1	1	 	 	1	 	+
III III	Voice/Data	 	†	UEPPP		PR71V	0.00	0.00	0.00	1	 	1	 	 	1	 	+
	Digital Data	t e	t	UEPPP		PR71D	0.00	0.00	0.00	1	1			1	1	1	
	Inward Data	1	l	UEPPP		PR71E	0.00	0.00	0.00	1	ĺ	Ì		1			1
New	or Additional "B" Channel																
	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	13.59									
	New or Additional - Digital Data B Channel		lacksquare	UEPPP		PR7BF	0.00	13.59									L
	New or Additional Inward Data B Channel	1	<u> </u>	UEPPP		PR7BD	0.00	13.59		1		ļ		ļ			↓
CALL	_ TYPES	1	<u> </u>	LIEDDE		DD7C4	0.00	0.00	0.00	1				 	1	-	
\vdash	Inward Outward	1	 	UEPPP		PR7C1 PR7C0	0.00	0.00	0.00	1		1	-		 	-	+
\vdash	Two-way	 	├	UEPPP		PR7CC	0.00	0.00	0.00	1	1	}		 	1	 	+
	I TO TICK	1	1	OLITE.		1. 10.00	0.00	0.00	0.00	L	i		1	1	1	L	

Version 2Q03: 07/21/03 Page 41 of 56

CCCS 971 of 1497 [CCCS Amendment 46 of 69]

UNBU	NDLE	NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intani									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoff	ice Channel Mileage															
		Fixed Each Including First Mile			UEPPP	1LN1A	34.31	111.03	80.28	31.36	21.73						
		Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.1154										1
	4-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	UNE Po	ort/Loop Combination Rates															
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		176.33										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		184.93										
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		222.73										
		oop Rates															
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	55.53					ĺ	l				1
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	64.13				İ						1
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	101.93					ĺ	l				1
	UNE Po										ĺ						
		4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1,050.00	480.00	210.00	25.00						
	NONRE	CURRING CHARGES - CURRENTLY COMBINED						·									
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		270.00	270.00								
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		270.00	270.00								
		g															
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		270.00	270.00								
	ADDITI	ONAL NRCs															
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
		Service Activity Per Service Order			UEPDC	USAS4		147.47	147.47								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
		Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		13.95	13.95								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		13.95	13.95								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			02. 50	05.15		10.00	10.00								
		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		13.95	13.95								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			02. 50	020		10.00	10.00								
		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		13.95	13.95								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
		Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		13.95	13.95								
	BIPOL A	AR 8 ZERO SUBSTITUTION			OLI DO	ODITE		10.00	10.00								1
	J.: 02	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	600.00								
		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	600.00				1				†
\vdash	Alterna	te Mark Inversion						3.50	300.00		i				 		t
\vdash		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00		i				 		t
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00		i						
	Telepho	one Number/Trunk Group Establisment Charges			02. 50			0.00	0.00								
\vdash		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00				i				 		t
\vdash		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00				i				 		t
\vdash		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00				i				 		t
\vdash		DID Numbers, Establish Trunk Group and Provide First Group				52.52	0.00				i				 		t
		of 20 DID Numbers	1		UEPDC	NDZ	0.00	0.00	0.00			1	1				
\vdash		DID Numbers for each Group of 20 DID Numbers	-		UEPDC	ND4	0.00	0.00	0.00				 		 		†
\vdash		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00				i				 		t
		Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00		i				 		t
		Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00		i				 		t
	Dedicat	ed DS1 (Interoffice Channel Mileage) -					0.00	3.50	3.50		i				i		
) for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port				1					i						
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities				1					i				i		
		Termination)	1		UEPDC	1LNO1	34.19	111.03	80.28	31.36	21.73	1	1				
-		,		1								ĺ	İ		İ		i e

UNR	UNDI F	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
OND	ONDEL	NETWORK ELEMENTO Georgia		1		1	1					Svc Order	Svc Order		Incremental		Incrementa
												Submitted	1		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
07112	••••		m		200				= (4)			per LSR	per LSR		Electronic-		Electronic-
														Electronic-		Electronic-	
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonrec	urring	Nonrecurrin	Disconnect			oss	Rates(\$)		
	1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
		Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
		Interoffice Channel Mileage - Additional rate per mile - 9-25															
		miles			UEPDC	1LNOB	0.1154	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities														ĺ	
		Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
																	1
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1154	0.00	0.00								
		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15										
		Central Office Termininating Point			UEPDC	CTG	0.00										
	4-WIRE	DS1 LOOP WITH CHANNELIZATION WITH PORT															
		is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti															
		em can have various rate combinations based on type and nur	nber of	ports	used												
	UNE D	S1 Loop															
		4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	39.61	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	44.72	0.00	0.00								
		4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	59.04	0.00	0.00								
	UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	าร)														
		24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	43.04	0.00	0.00								
		48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	86.06	0.00	0.00								
		96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	172.16	0.00	0.00								
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	258.24	0.00	0.00								
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	344.32	0.00	0.00								
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	430.40	0.00	0.00								
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	516.48	0.00	0.00								
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	688.64	0.00	0.00								
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	860.80	0.00	0.00								
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	1,032.96	0.00	0.00								
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	1,205.12	0.00	0.00								
		ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
		mum System configuration is One (1) DS1, One (1) D4 Channe															
	Multip	es of this configuration functioning as one are considered Ad	ld'I afte	r the m	inimum system con	figuration is	counted.										
		NRC - Conversion (Currently Combined) with or without															
		BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	450.00	50.00								
		Additions Where Currently Combined and New (Not Current)	y Comb	ined)													
	In Den	sity Zone 1 Top 8 MSAs															
		1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
		Fea Activation -			UEPMG	VUMD4	0.00	950.00	600.00	200.00	30.00						
	Bipola	8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent		1						I							
	1	Activity Only		<u> </u>	UEPMG	CCOSF	0.00	0.00	600.00	-							
		Clear Channel Capability Format - Extended Superframe -			LIEDMO	00055	0.00	0.00	200 00	1							
	Alc	Subsequent Activity Only		1	UEPMG	CCOEF	0.00	0.00	600.00	-	ļ	-	-	.	 	.	├
	Aiterna	te Mark Inversion (AMI)		1	LIEDMO	140005	0.00	0.00	0.00	-	ļ	-	-	.	 	.	├
	+	Superframe Format		1	UEPMG	MCOSF	0.00	0.00	0.00	 	-	 	 	 	-	 	
	Evek	Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization		Bort	UEPMG	MCOPO	0.00	0.00	0.00	 		<u> </u>	-			-	
		nge Ports Associated with 4-wire DS1 Loop with Channelization	ii with	FOR		1					-	-	-		-	-	
	Excital	ige rous		-		1					-	-	-		-	-	
		Line Side Combination Channelized PBX Trunk Port - Business		1	UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00						
	+	Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business		 	UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00	 	 	1	l	1	
	+	Line Olde Odtward Oriannenzed FBA Trunk Fort - Business		 	OLIFA	OLFOX	14.00	0.00	0.00	0.00	0.00		 	<u> </u>		 	
1		Line Side Inward Only Channelized PBX Trunk Port without DID		1	UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00						
	+	2-Wire Trunk Side Unbundled Channelized DID Trunk Port		 	UEPPX	UEPDM	80.00	0.00	0.00	0.00	0.00	 	 	1	l	1	+
	Featur	e Activations - Unbundled Loop Concentration		!	OLITA	OLI DIVI	50.00	0.00	0.00	0.00	0.00	—	H	 	l	 	
$\overline{}$	i catul	Feature (Service) Activation for each Line Port Terminated in D4				<u> </u>				 		-	-	 		 	
l		Bank			UEPPX	1PQWM	0.4689	40.00	20.00	6.00	5.00						
	+	Feature (Service) Activation for each Trunk Port Terminated in					5.4003	40.00	20.00	0.00	5.50			1		1	
1		D4 Bank		1	UEPPX	1PQWU	0.4689	110.00	30.00	65.00	20.00						
						,	3000		55.50	00.00	20.00						

Version 2Q03: 07/21/03 Page 43 of 56

CCCS 973 of 1497 [CCCS Amendment 48 of 69]

														1		1	
UNBU	NDLE	D NETWORK ELEMENTS - Georgia				1	T					10	I 0 0 .	Attachment:		Exhibit: B	II.
													Svc Order				Incremental
													Submitted	_	Charge -	Charge -	Charge -
CATEG	ODV	RATE ELEMENTS	Interi	7	BCS	usoc			DATEC (6)			Elec	Manually		Manual Svc	Manual Svc	
CATEG	UKT	RATE ELEMENTS	m	Zone	BUS	USUC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-				+		+	1	Nonre	curring	Nonrecurrin	g Disconnect	1	1	OSS	Rates(\$)		
				1		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Telenh	one Number/ Group Establishment Charges for DID Service		1		+		11130	Auui	11100	Auu	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
	. о.ор	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)		1	UEPPX	NDZ	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States		1	UEPPX	ND4	0.00	0.00	0.00								†
		Non-Consecutive DID Numbers - per number		1	UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers	i	1	UEPPX	NDV	0.00	0.00	0.00								
	Local I	Number Portability	i	1													
		Local Number Portability - 1 per port	i	1	UEPPX	LNPCP	3.15	0.00	0.00								
		RES - Vertical and Optional															
	Local S	Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
UNBUN		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE															
		Based Rates are applied where BellSouth is required by FCC															
		ures shall apply to the Unbundled Port/Loop Combination - C															
		Office and Tandem Switching Usage and Common Transport														L	
		first and additional Port nonrecurring charges apply to Not C	urrently	Combi	ned Combos. For	Currently Co	mbined Combo	s, the nonrecu	urring charges	shall be those	e identified in t	he Nonrecu	rring - Curr	ently Combine	ed sections.	Additional	
		nay apply also and are categorized accordingly.															
		ket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	ase Basis, un	til further notic	е.									
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	<u>()</u>														ļ
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		ļ													
	UNE P	ort/Loop Combination Rates (Non-Design)		1													ļ
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	١.,	LIEDOA		10.22										
-		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	1	UEP91	+	10.22			-							
		Non-Design		2	UEP91		15.35										
-		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF91	+	15.55				 	1	-				+
		Non-Design		3	UEP91		31.04										
-	LINE D	ort/Loop Combination Rates (Design)	1	3	UEF91	+	31.04			-		1	1	-	-		-
-	ONLF	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		+		+				 		1				1	-
		Design		1	UEP91		12.1619										
-		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	+ -	OLI 01	+	12.1010					-	-				
		Design		2	UEP91		17.3319										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLI 01	+	17.0010					1	1		1		<u> </u>
		Design		3	UEP91		32.3919										
	UNE L	pop Rate		Ť													
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.32										
		2-Wire Voice Grade Loop (SL 1) - Zone 2	i	2	UEP91	UECS1	14.45										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	30.14									ĺ	
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	11.26										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	16.43										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	31.49										
	UNE P																
	All Sta	es (Except North Carolina and Sout Carolina)															
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area			UEP91	UEPYB	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic															
<u> </u>		Local Area	!	1	UEP91	UEPYH	0.9019	10.05	7.36	1.37	1.28	-	-	-	-	.	├
1		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1		LIEDO4	LIEDVA	0.0040	20.07	00.00	00.00	0 :-			I	I		
<u> </u>		Note 2, 3 Basic Local Area	!	1	UEP91	UEPYM	0.9019	82.27	26.96	20.29	9.15	-	-	-	-	.	├
1		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1		LIEDO4	LIEDYZ	0.0040	20.07	00.00	00.00	0 :-			I	I		
ļ		Term - Basic Local Area	 	1	UEP91	UEPYZ	0.9019	82.27	26.96	20.29	9.15	 	 	 	 	 	
		2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		UEP91	UEPY9	0.9019	10.05	7.36	1.37	1.28			I	I		
		- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -	 	1	UEF91	UEPTS	0.9019	10.05	7.36	1.3/	1.28			 	 		
1		Basic Local Area	1		UEP91	UEPY2	0.9019	10.05	7.36	1.37	1.28			I	I		
-	Goore:	a and Florida Only	 	1	UEF91	UEPTZ	0.9019	10.05	7.36	1.3/	1.28	-	-			-	
-	Georgi	2-Wire Voice Grade Port (Centrex)	 	+	UEP91	UEPHA	0.9019	10.05	7.36	1.37	1.28		 			-	
		2-VVIIIE VOICE GIAUE FOIL (CEILLEX)	1		OLF31	JULFITA	0.9019	10.05	1.30	1.37	1.28	L	L	1	1	1	

Version 2Q03: 07/21/03 Page 44 of 56

CCCS 974 of 1497 [CCCS Amendment 49 of 69]

UNRU	NDI FI	NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
3.4201		Jill Leemento Ocorgia										Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	DRY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				-				Order vs.
OA!LO	····	ITATE ELEMENTO	m	20110	500	0000			ππι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
\vdash	_			1		+		Nonrec	urring	Nonrecurring	Disconnect			088	Rates(\$)		
\vdash				+		+	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
\vdash	_	2-Wire Voice Grade Port (Centrex 800 termination)	1	+	UEP91	UEPHB	0.9019	10.05	7.36	1.37	1.28	SOWIEC	SOWAN	SOWAN	SOWAN	SOWAN	SUMAN
\vdash	_	2-Wire Voice Grade Port (Centrex with Caller ID)1	1	+	UEP91	UEPHH	0.9019	10.05	7.36	1.37	1.28	ł	-				-
\vdash	_	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1	+	UEF91	UEPHH	0.9019	10.05	7.30	1.37	1.20	ł	-				-
		Center)2,3			UEP91	UEPHM	0.9019	82.27	26.96	20.29	9.15						
\vdash		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		 	UEF91	UEPHIVI	0.9019	02.21	20.90	20.29	9.15	-					
		Service Term			UEP91	UEPHZ	0.9019	82.27	26.96	20.29	9.15						
\vdash		Service Territ		+	UEF91	UEPHZ	0.9019	02.27	20.90	20.29	9.15	1					
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	0.9019	10.05	7.36	1.37	1.28						
\vdash		2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term	1	 	UEP91	UEPH9 UEPH2	0.9019	10.05	7.36	1.37	1.28						
\vdash				 	UEP91	UEPH2	0.9019	10.05	7.30	1.37	1.28						
\vdash	Local S	witching		 	LIEDO4	URECS	0.4007										
\vdash		Centrex Intercom Funtionality, per port		 	UEP91	URECS	0.4237										
\vdash	Local N	umber Portability		 	LIEDO4	LNDOO	0.05										
$\vdash \vdash$		Local Number Portability (1 per port)	.	1	UEP91	LNPCC	0.35					1	-				
\vdash	eature			ļ													
\vdash		All Standard Features Offered, per port		ļ	UEP91	UEPVF	0.00										
\vdash		All Select Features Offered, per port		ļ	UEP91	UEPVS	0.00	0.00									
\vdash		All Centrex Control Features Offered, per port		ļ	UEP91	UEPVC	0.00										
\square	NARS																
\square		Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
\sqcup		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
\square		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
		aneous Terminations															
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP91	CENA6	5.50	122.26	18.65	54.82	3.45						
	nteroff	ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	12.87	48.46	19.48	16.58	5.00						
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0057										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
	D4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.4689										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.4689										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP91	1PQW7	0.4689										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP91	1PQWP	0.4689										
L l		Feature Activation on D-4 Channel Bank Private Line Loop Slot	L	<u></u>	UEP91	1PQWV	0.4689				<u> </u>	<u> </u>	<u> </u>	<u> </u>			
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot		<u> </u>	UEP91	1PQWQ	0.4689					<u> </u>					
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.4689										
	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
1 T		Conversion - Currently Combined Switch-As-Is with allowed									l	1		l			
L l		changes, per port	<u> </u>	<u></u>	UEP91	USAC2		0.10	0.10		<u></u>	<u> </u>		<u> </u>	<u> </u>		
		New Centrex Standard Common Block			UEP91	M1ACS	0.00	317.90	37.59	48.99	5.92						
		New Centrex Customized Common Block			UEP91	M1ACC	0.00	317.90	37.59	48.99	5.92						
		Secondary Block, per Block			UEP91	M2CC1	0.00	77.10									
		NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	0.00									
	JNE-P	CENTREX - 5ESS (Valid in All States)															
	2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	JNE Po	rt/Loop Combination Rates (Non-Design)						İ									
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
		Non-Design	1	1	UEP95		10.22						1				
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
			1	2	UEP95		15.35				l	1		l	I	l	1
		Non-Design		2	UEP93		10.00										
		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEF95	1	15.55										
				3	UEP95		31.04										

UNBL	INDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
				1								Svc Order	Svc Order	Incremental			Incremental
1												Submitted	Submitted		Charge -	Charge -	Charge -
1			Ind									Elec	Manually	Manual Svc			Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m	-30					== (4)			per LSK	hei rok	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	I							Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -						11100	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
		Design		1	UEP95		12.1619										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLI 93		12.1013										
		Design		2	UEP95		17.3319										
-		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 33		17.5515					1					
		Design		3	UEP95		32.3919										
	LINE L	poesign		3	UEF93	+	32.3919			_		-	-		-		
-	ONE L			1	UEP95	UECS1	9.32										
-	-	2-Wire Voice Grade Loop (SL 1) - Zone 1															
-	-	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	14.45										
-	-	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	30.14										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	11.26										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	16.43										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	31.49						ļ		L		
		ort Rate		ļ									ļ		L		
	All Sta																
L	ļ	2-Wire Voice Grade Port (Centrex) Basic Local Area		<u> </u>	UEP95	UEPYA	0.9019	10.05	7.36		1.28			ļ	.	ļ	
L	ļ	2-Wire Voice Grade Port (Centrex 800 termination)		<u> </u>	UEP95	UEPYB	0.9019	10.05	7.36	1.37	1.28			ļ	.	ļ	
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
		Area			UEP95	UEPYH	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3 Basic Local Area			UEP95	UEPYM	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
		Service Term - Basic Local Area			UEP95	UEPYZ	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP95	UEPY9	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP95	UEPY2	0.9019	10.05	7.36	1.37	1.28						
	FL & G	A Only															
		2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	0.9019	10.05	7.36	1.37	1.28			Î		Î	
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3			UEP95	UEPHM	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term 2.3			UEP95	UEPHZ	0.9019	82.27	26.96	20.29	9.15						
							0.00.0										
I	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		UEP95	UEPH9	0.9019	10.05	7.36	1.37	1.28	1	l	l	I	l	1
	†	2-Wire Voice Grade Port Terminated in 61 Miggaint of equivalent		i -	UEP95	UEPH2	0.9019	10.05	7.36	1.37	1.28	1	1	1	1	1	
	Local 9	Switching		1			5.00.0	.0.00			0	t	 	l	†	 	1
-		Centrex Intercom Funtionality, per port		t	UEP95	URECS	0.4237					†	†	 	 	 	
	Local I	Number Portability		1		0.1200	5.7201				 	t	 	l	†	 	
		Local Number Portability (1 per port)		t	UEP95	LNPCC	0.35					†	†	 	 	 	
-	Featur		-	t —	021 00	2141 00	0.55					<u> </u>			t		
-	, catul	All Standard Features Offered, per port		 	UEP95	UEPVF	0.00					 	-	1	+	1	
-	 	All Select Features Offered, per port		1	UEP95	UEPVS	0.00	0.00				 	 	 	 		
—	 	All Centrex Control Features Offered, per port		 	UEP95	UEPVS	0.00	0.00				 	-	1	+	1	l
-	NARS	An Ochtrox Control i catules Oneleu, per port	-	 	OLF 30	OLF VO	0.00			+	 	 	 	 	 	 	
	CARM	Unbundled Network Access Register - Combination		1	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	 	-	-			-
<u> </u>	-	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial	_	1	UEP95 UEP95	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00	-		-	 		
—	 			 		UARTX						1	 	 	 	 	-
	BALL	Unbundled Network Access Register - Outdial		<u> </u>	UEP95	UARUX	0.00	0.00	0.00	0.00	0.00	1	 	 	 	 	
ļ		laneous Terminations		 		+				1	-	 	-	 	 	 	
ļ	2-Wire	Trunk Side		 	LIEDOE	OFNES	5.50	400.00	10.0=	51.00	2	 	-	 	 	 	
	4 15"	Trunk Side Terminations, each		!	UEP95	CEND6	5.50	122.26	18.65	54.82	3.45				-		
	4-Wire	Digital (1.544 Megabits)		!	LIEDAE										-		
L	ļ	DS1 Circuit Terminations, each		<u> </u>	UEP95	M1HD1	41.20	200.96	93.00	65.81	2.33			ļ	.	ļ	
	l	DS0 Channels Activated, each		ļ	UEP95	M1HDO	0.00	13.95					ļ		L		
L	Interof	fice Channel Mileage - 2-Wire		<u> </u>		1								ļ	.	ļ	
		Interoffice Channel Facilities Termination		L	UEP95	M1GBC	12.87	48.46	19.48	16.58	5.00		ļ				
1	L	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0057										

Version 2Q03: 07/21/03 Page 46 of 56

CCCS 976 of 1497 [CCCS Amendment 51 of 69]

UNBUNDI F	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
ONDONDEL		I	1	l	1	I					Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		In terms									Elec		Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC ISL	DISC Add I
						Rec	Nonrec	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.4689										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.4689										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP95	1PQW7	0.4689										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP95	1PQWP	0.4689										
														1		
\vdash	Feature Activation on D-4 Channel Bank Private Line Loop Slot	!	-	UEP95	1PQWV	0.4689			-	-		ļ		 	 	
1 1	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP95	1PQWQ	0.4689								1		
\vdash	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot	 	1	UEP95	1PQWQ 1PQWA	0.4689								 		
Non D	ecurring Charges (NRC) Associated with UNE-P Centrex	 	1	05190	IFQVVA	0.4689					-	-	-	 		
NOII-R	NRC Conversion Currently Combined Switch-As-Is with allowed	 	1	1	+	 			 	 				t	 	l
1 1	changes, per port	1		UEP95	USAC2		0.10	0.10				1		I		
	New Centrex Standard Common Block	1	1	UEP95	M1ACS	0.00	317.90	37.59	48.99	5.92						
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	317.90	37.59	48.99	5.92						
	NAR Establishment Charge, Per Occasion		1	UEP95	URECA	0.00	0.00	01.00	10.00	0.02		1				
UNF-P	CENTREX - DMS100 (Valid in All States)			OL: 50	ONLON	0.00	0.00							1		
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	ort/Loop Combination Rates (Non-Design)		1													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1													
	Non-Design		1	UEP9D		10.22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	i														
	Non-Design		2	UEP9D		15.35										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9D		31.04										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Design		1	UEP9D		12.1619										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
	Design Court		2	UEP9D		17.3319										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
LINE	Design	<u> </u>	3	UEP9D		32.3919					-					
UNE L	oop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEP9D	UECS1	9.32										
 	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	 	2	UEP9D	UECS1	14.45					-	 		 	 	
	2-Wire Voice Grade Loop (SL 1) - Zone 3	 	3	UEP9D	UECS1	30.14								 	 	
 	2-Wire Voice Grade Loop (SL 1) - Zone 3	†	1	UEP9D	UECS2	11.26						-		t	 	
	2-Wire Voice Grade Loop (SL 2) - Zone 2	l	2	UEP9D	UECS2	16.43								<u> </u>		
	2-Wire Voice Grade Loop (SL 2) - Zone 3	t	3	UEP9D	UECS2	31.49			İ	İ				1	İ	İ
UNE P	ort Rate	i –	Ť		1	21110								1	İ	
	TATES	1			1					l	İ			1	İ	l
	2-Wire Voice Grade Port (Centrex) Basic Local Area	Ì		UEP9D	UEPYA	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area	<u> </u>		UEP9D	UEPYB	0.9019	10.05	7.36	1.37	1.28				<u> </u>		<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area	ļ		UEP9D	UEPYC	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			l										1		
	Area	ļ	1	UEP9D	UEPYD	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	1		LIEDOD	LIEDY'S							1		I		
\vdash	Area	<u> </u>	1	UEP9D	UEPYE	0.9019	10.05	7.36	1.37	1.28				-	ļ	
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			UEP9D	UEPYF	0.0040	40.05	7.00	4.07	4.00				1		
\vdash	Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local	 	1	OELAD	UEPTF	0.9019	10.05	7.36	1.37	1.28	-			+		
	Area			UEP9D	UEPYG	0.9019	10.05	7.36	1.37	1.28				1		
\sqsubseteq	πισα	1		0 上 7 り	OLFIG	0.9019	10.05	1.30	1.37	1.28	1	l		1	l	L

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonre	curring	Nonrecurring	n Disconnect				Rates(\$)	D130 131	Disc Add
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local							71001		71441	0020		00/	00		
	Area			UEP9D	UEPYT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	0.9019	10.05	7.36	1.37	1.28						
	Area			UEP9D	UEPYV	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			02. 02	02	0.0010	10.00	7.00		1120						
	Area			UEP9D	UEPY3	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local							= 00								
	Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msq Wtq Lamp			UEP9D	UEPYH	0.9019	10.05	7.36	1.37	1.28						
	Indication))4 Basic Local Area			UEP9D	UEPYW	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															
	Basic Local Area			UEP9D	UEPYJ	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPYM	0.9019	82.27	26.96	20.29	9.15						
-	2,3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			DEP9D	UEPYM	0.9019	82.21	26.96	20.29	9.15						
	Basic Local Area			UEP9D	UEPYO	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4															
	Basic Local Area			UEP9D	UEPYP	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			DEP9D	UEPYQ	0.9019	82.21	26.96	20.29	9.15						
	Basic Local Area			UEP9D	UEPYR	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4															
	Basic Local Area			UEP9D	UEPYS	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			DEP9D	UEF14	0.9019	02.21	26.96	20.29	9.15						
	Basic Local Area			UEP9D	UEPY5	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
	Basic Local Area			UEP9D	UEPY6	0.9019	82.27	26.96	20.29	9.15						ļ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			021 00	OLI II	0.5015	02.27	20.00	20.20	0.10						
	Term 2,3			UEP9D	UEPYZ	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent						40.05	= 00								
	Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY9	0.9019	10.05	7.36	1.37	1.28						
	Local Area			UEP9D	UEPY2	0.9019	10.05	7.36	1.37	1.28						
FL & C	GA Only					0.00.0										
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4 2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D UEP9D	UEPHC UEPHD	0.9019 0.9019	10.05 10.05	7.36 7.36	1.37	1.28 1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4 2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPHE	0.9019	10.05	7.36	1.37	1.28						<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPHF	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPHG	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4 2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D UEP9D	UEPHU	0.9019 0.9019	10.05 10.05	7.36 7.36	1.37	1.28 1.28	ļ	-				
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4 2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D UEP9D	UEPHU	0.9019	10.05	7.36	1.37	1.28	}					
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPH3	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEDOD	LIEDI."											
	Indication)4 2-Wire Voice Grade Port (Centrex/Msq Wtq Lamp Indication)4			UEP9D UEP9D	UEPHW UEPHJ	0.9019 0.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28	-					
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	\vdash		OL1 3D	OLITIO	0.5019	10.05	1.30	1.37	1.20	1	 				
	2,3			UEP9D	UEPHM	0.9019	82.27	26.96	20.29	9.15		1				

UNRI	INDI F	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
21450	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	NETWORK ELEMENTO - Georgia										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			to read									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							IVEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	0.9019	82.27	26.96	20.29	9.15						
		0 M/ Vail O I B (O I / I'// OMO /EBO ME000)0 0 4			LIEDOD	LIEDLID	0.0040	00.07	00.00	00.00	0.45						
-	-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	0.9019	82.27	26.96	20.29	9.15						
	 	2-Wile Voice Glade For (Centrevaliter SWC/LB3-3209)2,3,4			OLF 9D	ULFTIQ	0.5015	02.21	20.90	20.29	9.13	1					
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	0.9019	82.27	26.96	20.29	9.15						
		2 1110 1010 0100 1 11 (001110 01 01 0 1 0			02. 05	02	0.0010	02.2.	20.00	20.20	0.10	1					
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	0.9019	82.27	26.96	20.29	9.15						
		, , , , , , , , , , , , , , , , , , ,					0.00.0				****						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	0.9019	82.27	26.96	20.29	9.15						
	1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	0.9019	82.27	26.96	20.29	9.15						
1	1				l	I											
-		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term 2,3			UEP9D	UEPHZ	0.9019	82.27	26.96	20.29	9.15						
		OME Villa On to Bod Construction of the Manufacture of the Construction of the Constru			UEP9D	UEPH9	0.0040	10.05	7.00	4.07	4.00						
-	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D UEP9D	UEPH9 UEPH2	0.9019 0.9019	10.05	7.36 7.36	1.37 1.37	1.28 1.28		-				
-	Local	Switching			UEP9D	UEPH2	0.9019	10.05	7.30	1.37	1.28	-					
-	LUCAI	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.4237					1					
	I ocal I	Number Portability			OLI 3D	UNLOG	0.4237					-					
	Loouri	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
	Featur				<u> </u>		0.00										
		All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
	1	All Select Features Offered, per port			UEP9D	UEPVS	0.00	0.00									
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
	NARS																
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	L	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
-		aneous Terminations Trunk Side															
-	2-vvire	Trunk Side Trunk Side Terminations, each			UEP9D	CEND6	5.50	122.26	18.65	54.82	3.45	-					
-	1-Wire	Digital (1.544 Megabits)			OLF 9D	CLINDO	3.30	122.20	10.03	34.02	3.43	1					
	4-44116	DS1 Circuit Terminations, each			UEP9D	M1HD1	41.20	200.96	93.00	65.81	2.33						
-	1	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	13.95	33.00	05.01	2.00						
	Interof	fice Channel Mileage - 2-Wire			02.03		0.00	10.00									
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	12.87	48.46	19.48	16.58	5.00						
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0057										
	Featur	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	D4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.4689										
					l												
	L	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.4689							ļ	ļ		
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			LIEDOD	400077											
-	1	Slot			UEP9D	1PQW7	0.4689							-	-		
1		Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.4000										
-	1	Different vviie Center			UEF9D	IPQWP	0.4689										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.4689										
-	 	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			OLFBD	1 F Q V V	0.4009			1	 	H		 	 		
1		Slot			UEP9D	1PQWQ	0.4689										
	1	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.4689							1	1		
	Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex			02		0000										
		Julius Julius (Hitte) Addoduted Hitli Offic I Gelities									L	1	L	1	1		

Version 2Q03: 07/21/03 Page 49 of 56

CCCS 979 of 1497 [CCCS Amendment 54 of 69]

CATEGORY Category	RATE ELEMENTS RATE ELEMENTS RATE ELEMENTS RATE ELEMENTS RATE ELEMENTS RATE ELEMENTS RATE ELEMENTS REQUIRED AND AND AND AND AND AND AND AND AND AN	and/or eatures Usage urrently	State C are Inc rates in	UEP9D UEP9D UEP9D UEP9D UEP9D UEP9D UEP9D ommission rule to p studed in the Marke	t Rate f this rate exh	ibit shall apply	to all combina	Add'I 0.10 37.59 37.59 itch Ports.		Add'I 5.92 5.92 ements excep	Submitted Elec per LSR SOMEC		Charge - Manual Svc Order vs. Electronic- 1st OSS SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates(\$) SOMAN	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
Note 1 - Note 2 - Note 3 - Note 4 - UNBUNDLED CE 2. Recur 3. End C 4. The fit apply als UNE-PC 2-Wire V UNE Por UNE POT UNE POT UNE POT UNE POT I I	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port New Centrex Standard Common Block New Centrex Customized Common Block New Centrex Customized Common Block NRE Stablishment Charge, Per Occasion Required Port for Centrex Control in 1AESS, 5ESS & EWSD - Requires Interoffice Channel Mileage Installation is combination of Installation charge for SL2 Lo Requires Specific Customer Premises Equipment ENTREX PORT/LOOP COMBINATIONS - MARKET RATES et Rates are applied where BellSouth is not required by FCC rring Charges for all Standard Centrex and Centrex Conrol Fc Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not C Iso and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	op and and/or : eatures Usage urrently	Port State C are Inc rates in	UEP9D UEP9D UEP9D UEP9D UEP9D JEPPD JEPPD	USAC2 M1ACS M1ACC URECA Drovide Unbut t Rate f this rate exh	0.00 0.00 0.00 0.00 ndled Local Sw ibit shall apply	0.10 317.90 317.90 0.00 vitching or Sw	0.10 37.59 37.59	48.99 48.99 48.99	Add'I 5.92 5.92 ements excep	Submitted Elec per LSR SOMEC	Submitted Manually per LSR SOMAN	Charge - Manual Svc Order vs. Electronic- 1st OSS SOMAN	Charge - Manual Svc Order vs. Electronic- Add'l Rates(\$) SOMAN	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
Note 1 - Note 2 - Note 3 - Note 4 - UNBUNDLED CE 2. Recur 3. End C 4. The fit apply als UNE-PC 2-Wire V UNE Por UNE POT UNE POT UNE POT UNE POT I I	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port New Centrex Standard Common Block New Centrex Customized Common Block New Centrex Customized Common Block NRE Stablishment Charge, Per Occasion Required Port for Centrex Control in 1AESS, 5ESS & EWSD - Requires Interoffice Channel Mileage Installation is combination of Installation charge for SL2 Lo Requires Specific Customer Premises Equipment ENTREX PORT/LOOP COMBINATIONS - MARKET RATES et Rates are applied where BellSouth is not required by FCC rring Charges for all Standard Centrex and Centrex Conrol Fc Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not C Iso and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	op and and/or : eatures Usage urrently	Port State C are Inc rates in	UEP9D UEP9D UEP9D UEP9D UEP9D JEPPD JEPPD	USAC2 M1ACS M1ACC URECA Drovide Unbut t Rate f this rate exh	0.00 0.00 0.00 0.00 ndled Local Sw ibit shall apply	0.10 317.90 317.90 0.00 vitching or Sw	0.10 37.59 37.59	48.99 48.99 48.99	Add'I 5.92 5.92 ements excep	SOMEC SOMEC	Manually per LSR SOMAN coin Port/Lo	Manual Svc Order vs. Electronic- 1st OSS SOMAN	Manual Svc Order vs. Electronic- Add'l Rates(\$) SOMAN	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
Note 1 - Note 2 - Note 3 - Note 4 - UNBUNDLED CE 2. Recur 3. End C 4. The fit apply als UNE-PC 2-Wire V UNE Por UNE Por UNE POT UNE POT UNE POT I I	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port New Centrex Standard Common Block New Centrex Customized Common Block New Centrex Customized Common Block NRE Stablishment Charge, Per Occasion Required Port for Centrex Control in 1AESS, 5ESS & EWSD - Requires Interoffice Channel Mileage Installation is combination of Installation charge for SL2 Lo Requires Specific Customer Premises Equipment ENTREX PORT/LOOP COMBINATIONS - MARKET RATES et Rates are applied where BellSouth is not required by FCC rring Charges for all Standard Centrex and Centrex Conrol Fc Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not C Iso and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	op and and/or : eatures Usage urrently	Port State C are Inc rates in	UEP9D UEP9D UEP9D UEP9D UEP9D JEPPD JEPPD	USAC2 M1ACS M1ACC URECA Drovide Unbut t Rate f this rate exh	0.00 0.00 0.00 0.00 ndled Local Sw ibit shall apply	0.10 317.90 317.90 0.00 vitching or Sw to all combine	0.10 37.59 37.59	48.99 48.99 48.99	Add'I 5.92 5.92 ements excep	SOMEC SOMEC	SOMAN Som Port/Lo	Order vs. Electronic- 1st OSS SOMAN	Order vs. Electronic- Add'I Rates(\$) SOMAN	Order vs. Electronic- Disc 1st SOMAN	Order vs. Electronic- Disc Add'l
Note 1 - Note 2 - Note 3 - Note 4 - UNBUNDLED CE 2. Recur 3. End C 4. The fit apply als UNE-PC 2-Wire V UNE Por UNE Por UNE Por UNE Por UNE Por UNE Por I a a a a a a a a a a a a a a a a a a	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port New Centrex Standard Common Block New Centrex Customized Common Block New Centrex Customized Common Block NRE Stablishment Charge, Per Occasion Required Port for Centrex Control in 1AESS, 5ESS & EWSD - Requires Interoffice Channel Mileage Installation is combination of Installation charge for SL2 Lo Requires Specific Customer Premises Equipment ENTREX PORT/LOOP COMBINATIONS - MARKET RATES et Rates are applied where BellSouth is not required by FCC rring Charges for all Standard Centrex and Centrex Conrol Fc Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not C Iso and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	op and and/or eatures Usage urrently	Port State C are Inc rates in	UEP9D UEP9D UEP9D UEP9D UEP9D JEPPD JEPPD	USAC2 M1ACS M1ACC URECA Drovide Unbut t Rate f this rate exh	0.00 0.00 0.00 0.00 ndled Local Sw ibit shall apply	0.10 317.90 317.90 0.00 vitching or Sw to all combine	0.10 37.59 37.59	48.99 48.99 48.99	Add'I 5.92 5.92 ements excep	SOMEC SOMEC	SOMAN Soin Port/Lo	OSS SOMAN	Electronic- Add'I Rates(\$) SOMAN	SOMAN	Electronic- Disc Add'l
Note 1 - Note 2 - Note 3 - Note 4 - UNBUNDLED CE 1. Marke 2. Recur 3. End C 4. The fi apply als UNE-P C 2-Wire V UNE Por UNE Por UNE Por	changes, per port New Centrex Standard Common Block New Centrex Customized Common Block NAR Establishment Charge, Per Occasion Required Port for Centrex Control in 1AESS, 5ESS & EWSD - Required Port for Centrex Control in 1AESS, 5ESS & EWSD - Required For Centrex Control in 1AESS, 5ESS & EWSD - Requires Specific Customer Premises Equipment ENTREX PORT/LOOP COMBINATIONS - MARKET RATES et Rates are applied where BellSouth is not required by FCC rring Charges for all Standard Centrex and Centrex Conrol Fo Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Cl Iso and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo- rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-	and/or eatures Usage urrently	State C are Inc rates in	UEP9D UEP9D UEP9D UEP9D commission rule to pluded in the Market the Port section of ined Combos. For	M1ACS M1ACC URECA provide Unbutt Rate f this rate exh	0.00 0.00 0.00 0.00 ndled Local Sw ibit shall apply	0.10 317.90 317.90 0.00 vitching or Sw to all combine	Add'I 0.10 37.59 37.59 itch Ports.	48.99 48.99 48.99	Add'I 5.92 5.92 ements excep	t for UNE C	oin Port/Lo	1st OSS SOMAN OPERATION	Add'I Rates(\$) SOMAN	SOMAN	SOMAN
Note 1 - Note 2 - Note 3 - Note 4 - UNBUNDLED CE 1. Marke 2. Recur 3. End C 4. The fi apply als UNE-P C 2-Wire V UNE Por UNE Por UNE Por	changes, per port New Centrex Standard Common Block New Centrex Customized Common Block NAR Establishment Charge, Per Occasion Required Port for Centrex Control in 1AESS, 5ESS & EWSD - Required Port for Centrex Control in 1AESS, 5ESS & EWSD - Required For Centrex Control in 1AESS, 5ESS & EWSD - Requires Specific Customer Premises Equipment ENTREX PORT/LOOP COMBINATIONS - MARKET RATES et Rates are applied where BellSouth is not required by FCC rring Charges for all Standard Centrex and Centrex Conrol Fo Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Cl Iso and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo- rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-	and/or eatures Usage urrently	State C are Inc rates in	UEP9D UEP9D UEP9D UEP9D commission rule to pluded in the Market the Port section of ined Combos. For	M1ACS M1ACC URECA provide Unbutt Rate f this rate exh	0.00 0.00 0.00 0.00 ndled Local Sw ibit shall apply	0.10 317.90 317.90 0.00 vitching or Sw to all combine	Add'I 0.10 37.59 37.59 itch Ports.	48.99 48.99 48.99	Add'I 5.92 5.92 ements excep	t for UNE C	oin Port/Lo	OSS SOMAN	Rates(\$) SOMAN SOMAN	SOMAN	SOMAN
Note 1 - Note 2 - Note 3 - Note 4 - UNBUNDLED CE 1. Marke 2. Recur 3. End C 4. The fi apply als UNE-P C 2-Wire V UNE Por UNE Por UNE Por	changes, per port New Centrex Standard Common Block New Centrex Customized Common Block NAR Establishment Charge, Per Occasion Required Port for Centrex Control in 1AESS, 5ESS & EWSD - Required Port for Centrex Control in 1AESS, 5ESS & EWSD - Required For Centrex Control in 1AESS, 5ESS & EWSD - Requires Specific Customer Premises Equipment ENTREX PORT/LOOP COMBINATIONS - MARKET RATES et Rates are applied where BellSouth is not required by FCC rring Charges for all Standard Centrex and Centrex Conrol Fo Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Cl Iso and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo- rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-	and/or eatures Usage urrently	State C are Inc rates in	UEP9D UEP9D UEP9D UEP9D commission rule to pluded in the Market the Port section of ined Combos. For	M1ACS M1ACC URECA provide Unbutt Rate f this rate exh	0.00 0.00 0.00 0.00 ndled Local Sw ibit shall apply	0.10 317.90 317.90 0.00 vitching or Sw to all combine	Add'I 0.10 37.59 37.59 itch Ports.	48.99 48.99 48.99	Add'I 5.92 5.92 ements excep	t for UNE C	oin Port/Lo	SOMAN someone	SOMAN SOMAN		
Note 1 - Note 2 - Note 3 - Note 4 - UNBUNDLED CE 1. Marke 2. Recur 3. End C 4. The fi apply als UNE-P C 2-Wire V UNE Por UNE Por UNE Por	changes, per port New Centrex Standard Common Block New Centrex Customized Common Block NAR Establishment Charge, Per Occasion Required Port for Centrex Control in 1AESS, 5ESS & EWSD - Required Port for Centrex Control in 1AESS, 5ESS & EWSD - Required For Centrex Control in 1AESS, 5ESS & EWSD - Requires Specific Customer Premises Equipment ENTREX PORT/LOOP COMBINATIONS - MARKET RATES et Rates are applied where BellSouth is not required by FCC rring Charges for all Standard Centrex and Centrex Conrol Fo Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Cl Iso and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo- rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-	and/or eatures Usage urrently	State C are Inc rates in	UEP9D UEP9D UEP9D UEP9D commission rule to pluded in the Market the Port section of ined Combos. For	M1ACS M1ACC URECA provide Unbutt Rate f this rate exh	0.00 0.00 0.00 0.00 ndled Local Sw ibit shall apply	0.10 317.90 317.90 0.00 vitching or Sw to all combine	Add'I 0.10 37.59 37.59 itch Ports.	48.99 48.99 48.99	Add'I 5.92 5.92 ements excep	t for UNE C	oin Port/Lo	SOMAN someone	SOMAN SOMAN		
Note 1 - Note 2 - Note 3 - Note 4 - UNBUNDLED CE 1. Marke 2. Recur 3. End C 4. The fi apply als UNE-P C 2-Wire V UNE Por UNE Por UNE Por	changes, per port New Centrex Standard Common Block New Centrex Customized Common Block NAR Establishment Charge, Per Occasion Required Port for Centrex Control in 1AESS, 5ESS & EWSD - Required Port for Centrex Control in 1AESS, 5ESS & EWSD - Required For Centrex Control in 1AESS, 5ESS & EWSD - Requires Specific Customer Premises Equipment ENTREX PORT/LOOP COMBINATIONS - MARKET RATES et Rates are applied where BellSouth is not required by FCC rring Charges for all Standard Centrex and Centrex Conrol Fo Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Cl Iso and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo- rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-	and/or eatures Usage urrently	State C are Inc rates in	UEP9D UEP9D UEP9D UEP9D commission rule to pluded in the Market the Port section of ined Combos. For	M1ACS M1ACC URECA provide Unbutt Rate f this rate exh	0.00 0.00	0.10 317.90 317.90 0.00	0.10 37.59 37.59 itch Ports.	48.99 48.99	5.92 5.92	t for UNE C	oin Port/Lo	op Combinati	ions.		
Note 1 - Note 2 - Note 3 - Note 4 - UNBUNDLED CE 1. Marke 2. Recur 3. End C 4. The fi apply als UNE-P C 2-Wire V UNE Por UNE Por UNE Por	changes, per port New Centrex Standard Common Block New Centrex Customized Common Block NAR Establishment Charge, Per Occasion Required Port for Centrex Control in 1AESS, 5ESS & EWSD - Required Port for Centrex Control in 1AESS, 5ESS & EWSD - Required For Centrex Control in 1AESS, 5ESS & EWSD - Requires Specific Customer Premises Equipment ENTREX PORT/LOOP COMBINATIONS - MARKET RATES et Rates are applied where BellSouth is not required by FCC rring Charges for all Standard Centrex and Centrex Conrol Fo Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Cl Iso and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo- rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-	and/or eatures Usage urrently	State C are Inc rates in	UEP9D UEP9D UEP9D UEP9D commission rule to pluded in the Market the Port section of ined Combos. For	M1ACS M1ACC URECA provide Unbutt Rate f this rate exh	0.00 0.00	317.90 317.90 0.00	37.59 37.59 itch Ports.	48.99	5.92					Additional NR	Cs may
Note 1 - Note 2 - Note 3 - Note 3 - Note 3 - Note 4 - UNBUNDLED CE	New Centrex Standard Common Block New Centrex Customized Common Block New Centrex Customized Common Block NAR Establishment Charge, Per Occasion Required Port for Centrex Control in 1AESS, 5ESS & EWSD - Requires Interoffice Channel Mileage Installation is combination of Installation charge for SL2 Lo Requires Specific Customer Premises Equipment ENTREX PORT/LOOP COMBINATIONS - MARKET RATES et Rates are applied where BellSouth is not required by FCC rring Charges for all Standard Centrex and Centrex Conrol Fc Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not C Iso and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	and/or eatures Usage urrently	State C are Inc rates in	UEP9D UEP9D UEP9D UEP9D commission rule to pluded in the Market the Port section of ined Combos. For	M1ACS M1ACC URECA provide Unbutt Rate f this rate exh	0.00 0.00	317.90 317.90 0.00	37.59 37.59 itch Ports.	48.99	5.92					Additional NR	Cs may
Note 1 - Note 2 - Note 3 - Note 3 - Note 4 - UNBUNDLED CE 1. Marke 2. Recur 3. End C 4. The fi apply ala UNE-P C 2-Wire V UNE Por	New Centrex Customized Common Block NAR Establishment Charge, Per Occasion Required Port for Centrex Control in 1AESS, 5ESS & EWSD Requires Interoffice Channel Mileage Installation is combination of Installation charge for SL2 Lo Requires Specific Customer Premises Equipment ENTREX PORT/LOOP COMBINATIONS - MARKET RATES et Rates are applied where BellSouth is not required by FCC rring Charges for all Standard Centrex and Centrex Cornol Fc Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Cl slos and are categorized accordingly. ECNTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	and/or eatures Usage urrently	State C are Inc rates in	UEP9D UEP9D ommission rule to pluded in the Market the Port section of ined Combos. For	M1ACC URECA provide Unbut Rate f this rate exh	0.00 0.00 ndled Local Sv ibit shall apply mbined Combo	317.90 0.00	37.59 itch Ports.	48.99	5.92					Additional NR	Cs may
Note 1 - Note 2 - Note 3 - Note 4 - UNBUNDLED CE 1. Marke 2. Recur 3. End C 4. The fi apply als UNE-P C UNE Por UNE Por UNE Por UNE Por	NAR Establishment Charge, Per Occasion Required Port for Centrex Control in 1AESS, 5ESS & EWSD - Required Port for Centrex Control in 1AESS, 5ESS & EWSD - Requires Interoffice Channel Mileage - Installation is combination of Installation charge for SL2 Lo - Requires Specific Customer Premises Equipment ENTREX PORT/LOOP COMBINATIONS - MARKET RATES et Rates are applied where BellSouth is not required by FCC - ring Charges for all Standard Centrex and Centrex Conrol Fo - Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Ci - Iso and are categorized accordingly CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only - VG Loop/2-Wire Voice Grade Port (Centrex) Combo - voir-Doop Combination Rates (Non-Design) - 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design - 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design - 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design - 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design - 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design - 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design - 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design - Non-Design - Vire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design - Vire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	and/or eatures Usage urrently	State C are Inc rates in	ommission rule to pluded in the Marke the Port section of ined Combos. For	provide Unbu	0.00 ndled Local Sv ibit shall apply mbined Combo	0.00 vitching or Sw	itch Ports.	port network e	ements excep					Additional NR	Cs may
Note 1- Note 2- Note 3- Note 3- Note 4- UNBUNDLED CE 1. Marke 2. Recur 3. End C 4. The fi apply als UNE-P C 2-Wire V UNE Por	Required Port for Centrex Control in 1AESS, 5ESS & EWSD - Requires Interoffice Channel Mileage Installation is combination of Installation charge for SL2 Lo Requires Specific Customer Premises Equipment ENTREX PORT/LOOP COMBINATIONS - MARKET RATES et Rates are applied where BellSouth is not required by FCC tring Charges for all Standard Centrex and Centrex Conrol Fo Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not C iso and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Voice Grade Port (Centrex)Port Combo - Voice Grade Port (Centrex)Port Combo - Voice Standard Port (Centrex)Port Combo - Voice Grade Port (Centrex)Port Combo - Voice Grade Port (Centrex)Port Combo - Voice Grade Port (Centrex)Port Combo - Voice Grade Port (Centrex)Port Combo - Voice Grade Port (Centrex)Port Combo - Voice Grade Port (Centrex)Port Combo - Voice Grade Port (Centrex)Port Combo - Voice Grade Port (Centrex)Port Combo	and/or eatures Usage urrently	State C are Inc rates in	commission rule to publicated in the Market the Port section of ined Combos. For	provide Unbu	ndled Local Sv ibit shall apply mbined Combo	ritching or Sw	ations of loop/							Additional NR	Cs may
Note 2 - Note 3 - Note 4 - UNBUNDLED CE 1. Marke 2. Recur 3. End C 4. The fi apply als UNE-P C 2-Wire V UNE Por	- Requres Interoffice Channel Mileage Installation is combination of Installation charge for SL2 Lo Requires Specific Customer Premises Equipment ENTREX PORT/LOOP COMBINATIONS - MARKET RATES et Rates are applied where BellSouth is not required by FCC rring Charges for all Standard Centrex and Centrex Conrol Fc Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not C Iso and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	and/or eatures Usage urrently	State C are Inc rates in	luded in the Marke the Port section of ined Combos. For	t Rate f this rate exh	ibit shall apply	to all combina	ations of loop/							Additional NR	Cs may
Note 3 - Note 4 - Note 4 - UNBUNDLED CE 1. Marke 2. Recur 3. End C 4. The fi apply al: UNE-P C 2-Wire V UNE Por UNE Por UNE Por UNE Por I I I I I I I I I I I I I I I I I I	Installation is combination of Installation charge for SL2 Lo Requires Specific Customer Premises Equipment ENTREX PORT/LOOP COMBINATIONS - MARKET RATES et Rates are applied where BellSouth is not required by FCC rring Charges for all Standard Centrex and Centrex Conrol Fo Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Co Iso and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo rtr/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	and/or eatures Usage urrently	State C are Inc rates in	luded in the Marke the Port section of ined Combos. For	t Rate f this rate exh	ibit shall apply	to all combina	ations of loop/							Additional NR	Cs may
Note 4 - UNBUNDLED CE 2. Recur 3. End C 4. The fit apply als UNE-P C 2-Wire V UNE Por 1	Requires Specific Customer Premises Equipment ENTREX PORT/LOOP COMBINATIONS - MARKET RATES et Rates are applied where BellSouth is not required by FCC tring Charges for all Standard Centrex and Centrex Conrol Fc Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Cl Iso and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo wrt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	and/or eatures Usage urrently	State C are Inc rates in	luded in the Marke the Port section of ined Combos. For	t Rate f this rate exh	ibit shall apply	to all combina	ations of loop/							Additional NR	:Cs may
UNBUNDLED CE 1. Marke 2. Recur 3. End C 4. The fi apply als UNE-P C 2-Wire V UNE Por 1. 1 1. 1 1. 1 1. 1 1. 1 1. 1 1. 1 1.	ENTREX PORT/LOOP COMBINATIONS - MARKET RATES et Rates are applied where BellSouth is not required by FCC rring Charges for all Standard Centrex and Centrex Conrol Fc Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not C Iso and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	eatures Usage urrently	are Inc rates in Comb	luded in the Marke the Port section of ined Combos. For	t Rate f this rate exh	ibit shall apply	to all combina	ations of loop/							Additional NR	:Cs may
1. Marke 2. Recur 3. End C 4. The fi apply ala UNE-P C 2-Wire V UNE Por UNE Por UNE Por UNE Por UNE Por	et Rates are applied where BellSouth is not required by FCC rring Charges for all Standard Centrex and Centrex Conrol Fc Diffice and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Colso and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	eatures Usage urrently	are Inc rates in Comb	luded in the Marke the Port section of ined Combos. For	t Rate f this rate exh	ibit shall apply	to all combina	ations of loop/							Additional NR	:Cs may
2. Recur 3. End C 4. The fi apply als UNE-P C 2-Wire V UNE Por UNE Por UNE Por	rring Charges for all Standard Centrex and Centrex Conrol For Diffice and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Colso and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combourt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	eatures Usage urrently	are Inc rates in Comb	luded in the Marke the Port section of ined Combos. For	t Rate f this rate exh	ibit shall apply	to all combina	ations of loop/							Additional NR	Cs may
3. End C 4. The fi apply als UNE-P C 2-Wire V UNE Por	Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not Clso and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combourt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	Usage urrently	rates in	n the Port section of ined Combos. For	f this rate exh	mbined Combo									Additional NR	lCs may
4. The fi apply als UNE-P C 2-Wire V UNE Por 1	irst and additional Port nonrecurring charges apply to Not Ci lso and are categorized accordingly. CENTREX - 1AESS - (Valid in AL.,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	urrently	/ Comb	ined Combos. For		mbined Combo									Additional NR	Cs may
apply als UNE-P C 2-Wire V UNE Por 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Iso and are categorized accordingly. CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	•			Currently Co		s, the nonrect	iring charges	shall be those	identined in ti	ie Nomecui	ring - Curre	entry Combine	ed sections.	Additional Nr	Cos may
UNE-P C 2-Wire V UNE Por 2 1 1 2 1 1 UNE Por 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo wirt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Yon-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Yellie VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Yellie VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Yellie VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Yellie Voice Grade Port (Centrex)Port Combo-Yellie VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Yellie Voice Grade Port (Centrex	')	1	UEP91												
2-Wire V UNE Por	VG Loop/2-Wire Voice Grade Port (Centrex) Combo rt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-	1	UEP91		00.77										
UNE POI	nt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-		1	UEP91		00.77										
UNE POI	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-		1	UEP91		00.77									L 1	
UNE Por	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP91						_						$\overline{}$
UNE Por	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP91											'	1
UNE Por	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				+	23.32										
UNE Por	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -														'	1
UNE Por			2	UEP91		28.45									<u> </u>	
UNE Por															'	1
2	Non-Design		3	UEP91		44.14									<u> </u>	
2	rt/Loop Combination Rates (Design)															
2	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1													'	1
	Design		1	UEP91		25.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -														'	1
	Design		2	UEP91		30.43										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -														'	1
	Design		3	UEP91		45.49										1
UNE Loc																1
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.32										l .
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	14.45										l .
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	30.14										1
1	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	11.26										1
[2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	16.43										1
1	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	31.49									,	
UNE Por	rts														,	
All State	es (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	14.00	90.00	45.00	20.00	10.00						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local									•						
	Area	<u> </u>		UEP91	UEPYB	14.00	90.00	45.00	20.00	10.00				<u> </u>	<u> </u>	1
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area	1	1	UEP91	UEPYH	14.00	90.00	45.00	20.00	10.00					1	1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1		1									İ		
	Center)2 Basic Local Area		1	UEP91	UEPYM	14.00	90.00	45.00	20.00	10.00					'	1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1		İ	1									ĺ		
-	Term - Basic Local Area			UEP91	UEPYZ	14.00	90.00	45.00	20.00	10.00					'	1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			İ	1									ĺ		
	- Basic Local Area		1	UEP91	UEPY9	14.00	90.00	45.00	20.00	10.00					'	1
	2-Wire Voice Grade Port Terminated on 800 Service Term -		1		1									İ		
	Basic Local Area		1	UEP91	UEPY2	14.00	90.00	45.00	20.00	10.00					'	1
	a and Florida Only	t	t	1	1	50	33.30	.0.00	20.00	.5.50				i	 	
	2-Wire Voice Grade Port (Centrex)	t	t	UEP91	UEPHA	14.00	90.00	45.00	20.00	10.00				i	 	
	2-Wire Voice Grade Port (Centrex 800 termination)	t	1	UEP91	UEPHB	14.00	90.00	45.00	20.00	10.00				†	\vdash	
	2-Wire Voice Grade Fort (Centrex with Caller ID)1	 	†	UEP91	UEPHH	14.00	90.00	45.00	20.00	10.00					 	<u> </u>
		 	†	02101	JE11111	14.00	30.00	45.00	20.00	10.00					 	<u> </u>
	2-Wire Voice Grade Port (Centrex With Galler 18)1		1	UEP91	UEPHM	14.00	90.00	45.00	20.00	10.00					'	1

Version 2Q03: 07/21/03 Page 50 of 56

CCCS 980 of 1497 [CCCS Amendment 55 of 69]

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					+		Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
		1	1		1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP91	UEPHZ	14.00	90.00	45.00	20.00	10.00						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	14.00	90.00	45.00	20.00	10.00						
11	2-Wire Voice Grade Port Terminated on 800 Service Term Switching	ļ	ļ	UEP91	UEPH2	14.00	90.00	45.00	20.00	10.00						
Local	Centrex Intercom Funtionality, per port	<u> </u>	<u> </u>	UEP91	URECS	0.4237										
Local	Number Portability	1	<u> </u>	OLI 31	OKEGO	0.4237										
2004	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featur	7 . 1 . 7															
	All Standard Features Offered, per port			UEP91	UEPVF	0.00										
	All Select Features Offered, per port			UEP91	UEPVS	0.00	0.00									
	All Centrex Control Features Offered, per port	ļ	<u> </u>	UEP91	UEPVC	0.00			1		ļ					
NARS	Habita all ad Nationals Assess Devictor Constitution	.	<u> </u>	UEP91	LIADOY	0.00	0.00	0.00	0.00	0.00	 			-		
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial	1	1	UEP91 UEP91	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial	1	1	UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
Miscel	laneous Terminations	1	<u> </u>	OLI 31	UAROX	0.00	0.00	0.00	0.00	0.00						
	Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	5.50	122.26	18.65	54.82	3.45						
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	12.87	48.46	19.48	16.58	5.00						
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0057										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D4 Ch	annel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot	ļ	<u> </u>	UEP91	1PQWS	0.4689										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	<u> </u>	<u> </u>	UEP91	IPQW5	0.4689										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.4689										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	1	<u> </u>	OLI 01	II QWO	0.4000										
	Slot			UEP91	1PQW7	0.4689										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		1													
	Different Wire Center			UEP91	1PQWP	0.4689										
																1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.4689										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.4689										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	1	<u> </u>	UEP91	1PQWQ	0.4689										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex	1	1	OLI 31	II QWA	0.4003										
1.5.7 K	Conversion - Currently Combined Switch-As-Is with allowed	1	t		1	 	1		1							
	changes, per port	<u> </u>		UEP91	USAC2	l	41.50	41.50			<u> </u>					
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	317.90	37.59	48.99	5.92						
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	317.90	37.59	48.99	5.92						
	Secondary Block, per Block			UEP91	M2CC1	0.00	77.10									
LINE B	NAR Establishment Charge, Per Occasion	ļ		UEP91	URECA	0.00	0.00									
	CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1			+											
	ort/Loop Combination Rates (Non-Design)															
O.N.E.	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
	Non-Design	1	1	UEP95		23.32					1					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	ĺ	Ì				İ									
	Non-Design	ļ	2	UEP95		28.45										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		l .													ı
	Non-Design	<u> </u>	3	UEP95		44.14										
UNE P	ort/Loop Combination Rates (Design)	1	 		+				1		-			-		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design	1	1	UEP95		25.26					1					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	l	+-	OL1 30	+ -	25.20										
	Design	1	2	UEP95		30.43					1					, J
	· ·												1		1	

Version 2Q03: 07/21/03 Page 51 of 56

CCCS 981 of 1497 [CCCS Amendment 56 of 69]

UNBUN	NDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	-
0112011		- 11=110-111 = - 1110 = 000.g.u	I									Svc Order	Svc Order	Incremental		Incremental	Incremental
												1	Submitted	Charge -	Charge -	Charge -	Charge -
			l									Elec	Manually	Manual Svc		Manual Svc	
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		·····-	m									per LSK	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						+		Nonrec	urring	Nonrecurring	Disconnect	1		oss	Rates(\$)		
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -							,,,,,,		71441		00				
		Design		3	UEP95		45.49										
l l	JNF L	pop Rate		Ť	02. 00		10.10										
H		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.32										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	14.45										
		2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP95	UECS1	30.14										
		2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP95	UECS2	11.26										
		2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP95	UECS2	16.43										
		2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP95	UECS2	31.49										
ı	JNF Po	ort Rate		<u> </u>													
	All Stat																
		2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	14.00	90.00	45.00	20.00	10.00						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	14.00	90.00	45.00	20.00	10.00			İ			1
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
		Area	l		UEP95	UEPYH	14.00	90.00	45.00	20.00	10.00						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2 Basic Local Area			UEP95	UEPYM	14.00	90.00	45.00	20.00	10.00						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term - Basic Local Area			UEP95	UEPYZ	14.00	90.00	45.00	20.00	10.00						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			02. 00	022	1 1.00	00.00	.0.00	20.00	10.00	1					1
		- Basic Local Area			UEP95	UEPY9	14.00	90.00	45.00	20.00	10.00						
		2-Wire Voice Grade Port Terminated on 800 Service Term -			OLI SO	OLI 10	14.00	50.00	40.00	20.00	10.00	1					1
		Basic Local Area			UEP95	UEPY2	14.00	90.00	45.00	20.00	10.00						
F	-1 & G	A Only			02. 00	022	1 1.00	00.00	10.00	20.00	10.00	1					
H		2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	14.00	90.00	45.00	20.00	10.00	1					1
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	14.00	90.00	45.00	20.00	10.00						
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	14.00	90.00	45.00	20.00	10.00						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2			UEP95	UEPHM	14.00	90.00	45.00	20.00	10.00						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term			UEP95	UEPHZ	14.00	90.00	45.00	20.00	10.00						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	14.00	90.00	45.00	20.00	10.00						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	14.00	90.00	45.00	20.00	10.00						
L	ocal S	Switching															
		Centrex Intercom Funtionality, per port			UEP95	URECS	0.4237										
	ocal N	lumber Portability					0.1=01										
		Local Number Portability (1 per port)	1	i –	UEP95	LNPCC	0.35						1	İ	1		1
F	eature													İ			†
		All Standard Features Offered, per port	İ		UEP95	UEPVF	0.00										1
		All Select Features Offered, per port	İ		UEP95	UEPVS	0.00	0.00									1
		All Centrex Control Features Offered, per port	İ		UEP95	UEPVC	0.00										1
N	NARS	* **/ * * *			İ									ĺ			1
		Unbundled Network Access Register - Combination	i		UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	İ	İ				1
		Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00			ĺ			1
		Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00			ĺ			1
N	Miscell	aneous Terminations															
2	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP95	CEND6	5.50	122.26	18.65	54.82	3.45						
4	-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP95	M1HD1	41.20	200.96	93.00	65.81	2.33						
		DS0 Channels Activated, each			UEP95	M1HDO	0.00	13.95									
li li	nteroff	ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP95	M1GBC	12.87	48.46	19.48	16.58	5.00						
		Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0222										
F	eature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	04 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.4689										

UNBUNDI	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
ONDONDL	LD INCINORN ELEMENTS - Georgia		l		1 1						Svc Order	Svc Order	Incremental			Incremental
												Submitted		Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)								
OATEGORI	NATE ELEMENTO	m	20110	500	0000			ιστι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					1		Nonrec	urrina	Nonrecurring	Disconnect	1	1	oss	Rates(\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
									1							
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.4689										1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP95	1PQW7	0.4689										i .
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP95	1PQWP	0.4689										i .
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.4689										1
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP95	1PQWQ	0.4689										1
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.4689										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed	1	1		1 7				I T				_	_	<u> </u>	1
	changes, per port			UEP95	USAC2		41.50	41.50			ļ					
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	317.90	37.59	48.99	5.92						
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	317.90	37.59	48.99	5.92						
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	0.00									1
	P CENTREX - DMS100 (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															i .
	Non-Design		1	UEP9D		23.32										I
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															i .
	Non-Design		2	UEP9D		28.45										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOD		44.44										i .
LINE	Non-Design		3	UEP9D	+	44.14			-		1					
UNE	Port/Loop Combination Rates (Design)				+						<u> </u>	-				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9D		25.26										i .
—	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		'	UEP9D	+	25.26					<u> </u>	-				
	Design		2	UEP9D		30.43										i .
 	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLF3D	+ +	30.43			 		 	1				
	Design		3	UEP9D		45.49										i .
UNE	Loop Rate		3	OLI 3D	+ +	40.40			 		 	1				
OIVE	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.32					1	-				—
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9D	UECS1	14.45					1	1		1		
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9D	UECS1	30.14										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	11.26										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	16.43			1				İ	İ		
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP9D	UECS2	31.49										
	Port Rate															
ALL S	STATES															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	14.00	90.00	45.00	20.00	10.00						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9D	UEPYB	14.00	90.00	45.00	20.00	10.00						1
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															1
	Area			UEP9D	UEPYC	14.00	90.00	45.00	20.00	10.00						l .
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local				1				I T				_	_		1
	Area			UEP9D	UEPYD	14.00	90.00	45.00	20.00	10.00						1
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			l	1								I	I		1
	Area		L	UEP9D	UEPYE	14.00	90.00	45.00	20.00	10.00	ļ					
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local												I	I		1
	Area		L	UEP9D	UEPYF	14.00	90.00	45.00	20.00	10.00	ļ					
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local												1	1		1
\vdash	Area		ļ	UEP9D	UEPYG	14.00	90.00	45.00	20.00	10.00	1	-	-	-	 	
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			LIEDOD	LIEDYT	44.00	00.00	45.00	20.00	10.00			I	I		1
\vdash	Area		-	UEP9D	UEPYT	14.00	90.00	45.00	20.00	10.00	!	1	 	 	-	
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			UEP9D	UEPYU	14.00	90.00	45.00	20.00	10.00			1	1		1
	Area			OFLAD	UEFIU	14.00	90.00	45.00	20.00	10.00	L	1	1	1	I	

Version 2Q03: 07/21/03 Page 53 of 56

CCCS 983 of 1497 [CCCS Amendment 58 of 69]

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Dan.	Nonrec	curring	Nonrecurring	Disconnect		1	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
\vdash	Area			UEP9D	UEPYV	14.00	90.00	45.00	20.00	10.00						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	14.00	90.00	45.00	20.00	10.00						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			OLI OD	OLI 10	14.00	50.00	40.00	20.00	10.00						
	Area			UEP9D	UEPYH	14.00	90.00	45.00	20.00	10.00						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
L	Indication))3 Basic Local Area			UEP9D	UEPYW	14.00	90.00	45.00	20.00	10.00						ļ
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	14.00	90.00	45.00	20.00	10.00						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLI 3D	OLI 13	14.00	30.00	45.00	20.00	10.00						
	2 Basic Local Area			UEP9D	UEPYM	14.00	90.00	45.00	20.00	10.00						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3															
L	Basic Local Area			UEP9D	UEPYO	14.00	90.00	45.00	20.00	10.00						ļ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	14.00	90.00	45.00	20.00	10.00						
 	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			OLF9D	OLFTF	14.00	90.00	45.00	20.00	10.00						
	Basic Local Area			UEP9D	UEPYQ	14.00	90.00	45.00	20.00	10.00						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3															
	Basic Local Area			UEP9D	UEPYR	14.00	90.00	45.00	20.00	10.00						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	14.00	90.00	45.00	20.00	10.00						
 	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPYS	14.00	90.00	45.00	20.00	10.00						
	Basic Local Area			UEP9D	UEPY4	14.00	90.00	45.00	20.00	10.00						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area			UEP9D	UEPY5	14.00	90.00	45.00	20.00	10.00						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			LIEDOD	UEPY6	44.00	00.00	45.00	20.00	40.00						
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPTO	14.00	90.00	45.00	20.00	10.00						-
	Basic Local Area			UEP9D	UEPY7	14.00	90.00	45.00	20.00	10.00						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9D	UEPYZ	14.00	90.00	45.00	20.00	10.00						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOD	LIEDVO	44.00	00.00	45.00	00.00	40.00						
	Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY9	14.00	90.00	45.00	20.00	10.00						<u> </u>
	Local Area			UEP9D	UEPY2	14.00	90.00	45.00	20.00	10.00						
FL & (GA Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	14.00	90.00	45.00	20.00	10.00						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	14.00	90.00	45.00	20.00	10.00						ļ
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3 2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D UEP9D	UEPHD	14.00 14.00	90.00	45.00 45.00	20.00	10.00 10.00						ļ
	2-Wire Voice Grade Fort (Centrex / EBS-M5209)3			UEP9D	UEPHE	14.00	90.00	45.00	20.00	10.00						
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPHF	14.00	90.00	45.00	20.00	10.00						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPHG	14.00	90.00	45.00	20.00	10.00						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPHT	14.00	90.00	45.00	20.00	10.00						
\vdash	2-Wire Voice Grade Port (Centrex / EBS-M5208)3 2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D UEP9D	UEPHV UEPHV	14.00 14.00	90.00 90.00	45.00 45.00	20.00	10.00 10.00	1					-
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3 2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPHV UEPH3	14.00	90.00	45.00	20.00	10.00	 					
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	14.00	90.00	45.00	20.00	10.00						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)3			UEP9D	UEPHW	14.00	90.00	45.00	20.00	10.00						<u> </u>
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3		-	UEP9D	UEPHJ	14.00	90.00	45.00	20.00	10.00	-					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPHM	14.00	90.00	45.00	20.00	10.00						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPHO	14.00	90.00	45.00	20.00	10.00						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPHP	14.00	90.00	45.00	20.00	10.00						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPHQ	14.00	90.00	45.00	20.00	10.00	L	l	l			

IINRI	IINDI F	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CIND	CIADLE	D NET WORK ELEMENTS - Georgia				T T						Svc Order	Svc Order	Incremental			Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Loix	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC ISI	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	í
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	14.00	90.00	45.00	20.00	10.00						
																	í '
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	14.00	90.00	45.00	20.00	10.00						
		0 M/2 - Value Oca In Part (Oca In a / 17/2 - 0/M/O /EPO ME000)0 0			LIEDOD	LIEDILIA	44.00	00.00	45.00	00.00	40.00						í
-		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	14.00	90.00	45.00	20.00	10.00						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	14.00	90.00	45.00	20.00	10.00						í
-	+	2-Wile Voice Grade Fort (Certife Adirier SWC /LB3-W3200)2, 3			OLF3D	OLFIIS	14.00	90.00	45.00	20.00	10.00						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	14.00	90.00	45.00	20.00	10.00						í
	+	2 Wile Voice Glade For (Centrewaller GWG/EBG Mo210)2, 0			OLI OD	OLI 110	14.00	50.00	40.00	20.00	10.00						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPH7	14.00	90.00	45.00	20.00	10.00						ł .
	1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			-	1						İ	İ		İ	İ	í
1	1	Term			UEP9D	UEPHZ	14.00	90.00	45.00	20.00	10.00	1	1				ł .
	1																í .
L		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	14.00	90.00	45.00	20.00	10.00						<u> </u>
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	14.00	90.00	45.00	20.00	10.00						
	Local	Switching															ı
		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.4237										
	Local	Number Portability															
		Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
	Featur				UEP9D	UEPVF											——
	-	All Standard Features Offered, per port			UEP9D UEP9D	UEPVF	0.00	0.00									
-	_	All Select Features Offered, per port All Centrex Control Features Offered, per port			UEP9D	UEPVS	0.00	0.00									
-	NARS	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
-	IVANO	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00				1		
	+	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	+	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscel	laneous Terminations															
		Trunk Side															·
	1	Trunk Side Terminations, each			UEP9D	CEND6	5.50	122.26	18.65	54.82	3.45						
	4-Wire	Digital (1.544 Megabits)															i —
		DS1 Circuit Terminations, each			UEP9D	M1HD1	41.20	200.96	93.00	65.81	2.33						i Total
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	13.95									
	Interof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	12.87	48.46	19.48	16.58	5.00						
	F 1	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0222										——
		e Activations (DS0) Centrex Loops on Channelized DS1 Servic	e			1											
	D4 CII	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.4689										
-		reactive Activation on 5-4 Chainlet Bank Centrex Loop Slot			OLF3D	IFQWS	0.4009								1		
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.4689										ł
	+	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			02.05		0.1000										
		Slot			UEP9D	1PQW7	0.4689										ł
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															·
		Different Wire Center			UEP9D	1PQWP	0.4689										ł
						1											(
	1	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.4689										ı
1	1	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop									-						·
	4	Slot			UEP9D	1PQWQ	0.4689										
<u> </u>	1	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.4689										-
	Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex				1											
1	1	NRC Conversion Currently Combined Switch-As-Is with allowed			LIEDOD	1,100,000		11 50	44.50			1	1				ł .
\vdash	+	changes, per port New Centrex Standard Common Block			UEP9D UEP9D	USAC2 M1ACS	0.00	41.50 317.90	41.50 37.59	48.99	F 00			1	 	 	
-	+	New Centrex Standard Common Block New Centrex Customized Common Block			UEP9D UEP9D	M1ACS M1ACC	0.00	317.90	37.59		5.92 5.92	-	-				
\vdash	+	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	0.00	31.39	40.99	5.92			1	 	 	
-	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD			OL1 3D	JILOA	0.00	0.00		1				1	 	 	
	1									·		1	L	<u> </u>	ı	L	

Version 2Q03: 07/21/03 Page 55 of 56

CCCS 985 of 1497 [CCCS Amendment 60 of 69]

UNB	JNDLE	NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi m Zone BCS USOC						RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		- Requres Interoffice Channel Mileage															
	Note 3	- Requires Specific Customer Premises Equipment															
	Note: I	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in G	Seneral Term	ns and Condition	ons.									

Version 2Q03: 07/21/03 Page 56 of 56

CCCS 986 of 1497 [CCCS Amendment 61 of 69]

LOCAL	INTE	RCONNECTION - Georgia												Attachment:	3	Exhibit: A	
												Svc Order	Svc Order		Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			١									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				per LSR		Order vs.	Order vs.	Order vs.
071120			m		200	5555			= (4)			per LSR	per LSK	Order vs.			
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
1							1	Nonrec	urring	Nonrecurring	Disconnect		I	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								11100	Addi	11130	Auui	COMILO	COMPAR	COMPAN	COMPAN	COMPAR	COMPAR
LOCAL	INTER	ONNECTION (CALL TRANSPORT AND TERMINATION)										1					f
		bk" beside a rate indicates that the Parties have agreed to bi	II and k	een for	that element nursus	nt to the ter	rms and condition	ons in Attachn	nent 3								
		M SWITCHING		Op .c.	that oldmont parout							1					f
	.,	Tandem Switching Function Per MOU			OHD		0.0004086bk					1					f
		Multiple Tandem Switching, per MOU (applies to intial tandem			OTID		0.000+000DK					1					f
		only)			OHD		0.0004086										ł
		Tandem Intermediary Charge, per MOU*			OHD		0.0004000										
h		harge is applicable only to transit traffic and is applied in add	dition to	annlic		or interconn											
 		CHARGE	I	аррііс	cable switching and	or intercom	lection charges										
\vdash	···OINA	Installation Trunk Side Service - per DS0			OHD	TPP++		21.53	8.11								
-		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00	21.33	0.11			1					
 		Dedicated End Office Trunk Port Service-per DS0 Dedicated End Office Trunk Port Service-per DS1**		1	0H1 OH1MS	TDE0P	0.00			+		 	-		1		1
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00			-		-					
		Dedicated Tandem Trunk Port Service-per DS0* Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00			-		-					
		rate element is recovered on a per MOU basis and is included	l in the	End Of				l rato alamante									
		ON TRANSPORT (Shared)	i iii tiie	Liiu Oi	ince Switching and	andem Swit	cilling, per wice	rate elements	•								
	COMINI	Common Transport - Per Mile, Per MOU			OHD		0.0000027bk			-		-					
-		Common Transport - Fer Mile, Fer MOO Common Transport - Facilities Termination Per MOU			OHD		0.0000027bk			-		-					
LOCAL	INITED	CONNECTION (DEDICATED TRANSPORT)			OHD		0.0001914bk			-		-					
		OFFICE CHANNEL - DEDICATED TRANSPORT								-		-					
	INTERC	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -								-		-					
		Per Mile per month			OHL. OHM	1L5NF	0.0057										ł
-		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			Onl, Onivi	ILDINF	0.0057										
		Facility Termination per month			OHL. OHM	1L5NF	12.87	48.455	19.48	16.575	4.995						ł
-					OHL, OHM	ILDINF	12.87	48.455	19.48	16.575	4.995						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OLII OLIM	41 CNIZ	0.0057										ł
		per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OHL, OHM	1L5NK	0.0057										
					OHL, OHM	1L5NK	7.83	48.455	19.48	40 575	4.995						ł
-		Termination per month			Onl, Onivi	ILDINK	7.03	46.433	19.40	16.575	4.990						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OLII OLIM	1L5NK	0.0057										ł
-		per month			OHL, OHM	ILDINK	0.0057										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility			0111 01114	41.5507	7.00	40.455	19.48	40.575	4.005						ł
		Termination per month			OHL, OHM	1L5NK	7.83	48.455	19.48	16.575	4.995						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			OLIA OLIAMO	41.5811	0.4454										1
-		month			OH1, OH1MS	1L5NL	0.1154					1	-				
		Interoffice Channel - Dedicated Tranport - DS1 - Facility				11 ENII	24.40	144.005	00.00	04.055	04.70						í
		Termination per month			OH1, OH1MS	1L5NL	34.19	111.025	80.28	31.355	21.73	-					
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OUS OUSEE	41 ENIN4	0.50										í
\vdash		month	-	 	OH3, OH3MS	1L5NM	2.53					1	ļ		-		
		Interoffice Channel - Dedicated Transport - DS3 - Facility			0110 0110240	41.55184	040.00	000 4=	00.00	20.7-	50.01		1				1
\vdash		Termination per month			OH3, OH3MS	1L5NM	342.02	320.47	86.32	66.77	52.81				1		
\vdash	LUCAL	CHANNEL - DEDICATED TRANSPORT			OLIL OLINA	TEE\/A		404.00=	F0 00=	10.00=	10.00=				1		
\vdash		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	7.74	121.065	53.295	46.395	13.365				1		 '
 		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	8.72	125.62	54.43	46.395	13.365						
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	18.16	149.46	111.195	40.355	26.115						
					0.10												1
 		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	147.01	445.01	145.18	112.905	75.88						
		INTERCONNECTION MID-SPAN MEET		6:			1										
 	NOTE:	f Access service ride Mid-Span Meet, one-half the tariffed ser	VICE LO	cal Cha													
 		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									
	MULTIF	PLEXERS			0114 0114140	0.17711		10= 0==									
		Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	69.75	105.675	41.585	23.75	4.19						
		DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	121.90	224.475	71.83	40.005	31.065						
		DS3 Interface Unit (DS1 COCI) per month	L	الليا	OH1, OH1MS	SATCO	7.35	15.805	11.385	6.605	6.605						
	Notes:	If no rate is identified in the contract, the rates, terms, and co	ondition	s for th	ne specific service o	r tunction w	III be as set fort	n ın applicable	BellSouth tai	riff.			l		l		

COLLOCAT	ION - Georgia												Attachment:	4	Exhibit: D	
											Svc Order	Svc Order	Incremental			Incremental
												Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Auu i	DISC 1St	DISC Add I
						Rec	Nonrec			g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO																
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-						40.00									
	Wire Analog - Res			UEPSR	PE1R2	0.30	12.60	12.60								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.30	12.60	12.60								
 	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSP	PE IRZ	0.30	12.60	12.60								
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.30	12.60	12.60								
h — h —	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			OLFSL	FLINZ	0.30	12.00	12.00								
	Wire Analog - Bus	1 .		UEPSB	PE1R2	0.30	12.60	12.60								
\vdash	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			OL: 0D	1 - 1114	0.30	12.00	12.00								
	Wire ISDN	Li		UEPSX	PE1R2	0.30	12.60	12.60								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	 				5.00	.2.00	.2.00								
	Wire ISDN	1	1 1	UEPTX	PE1R2	0.30	12.60	12.60			1	1		1		1
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-	1			İ	1				İ				İ		İ
	Wire ISDN DS1			UEPEX	PE1R4	0.50	12.60	12.60								
PHYSICAL CO	DLLOCATION															
	Physical Collocation - Initial Application Fee			CLO	PE1BA		1,285.98		0.59							
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		1,085.48		0.59							
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		740.83									
	Physical Collocation - Space Preparation - Firm Order															
	Processing			CLO	PE1SJ		141.10									
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.			CLO	PE1SK	2.01										
	Physical Collocation - Space Preparation, Common Systems															
	Modifications-Cageless, per square foot			CLO	PE1SL	2.23										
	Physical Collocation - Space Preparation - Common Systems			0.0	DE 4014	75.04										
	Modifications-Caged, per cage			CLO	PE1SM	75.61										
	Physical Collocation - Cable Installation, Pricing, non-recurring charge, per Entrance Cable			CLO	PE1BD		736.93		04.54							
	Physical Collocation - Floor Space, per sq feet			CLO	PE1BD PE1PJ	4.52	736.93		21.51							
 	Physical Collocation - Floor Space - Zone B per Sq. Ft.			CLO	PE1PK	6.75										
	Physical Collocation - Cable Support Structure, per Entrance	l	 	OLO .	I LIFK	0.75								1		1
	Cable			CLO	PE1PM	7.21										
		1														
	Physical Collocation - Power, -48V DC Power - per Fused Amp			CLO	PE1PL	4.78										
	Physical Collocation - Power Reduction Only, Application Fee	I		CLO	PE1PR		398.80									
	Physical Collocation - Power, 120V AC Power, Single Phase,					1										
	per Breaker Amp	<u> </u>	<u> </u>	CLO	PE1FB	5.14			<u> </u>	<u> </u>						
	Physical Collocation - Power, 240V AC Power, Single Phase,															
	per Breaker Amp			CLO	PE1FD	10.30										
	Physical Collocation - Power, 120V AC Power, Three Phase, per															
\vdash	Breaker Amp	ļ		CLO	PE1FE	15.44										
	Physical Collocation - Power, 277V AC Power, Three Phase, per	1	1 1	0.0	DE 150						1	1		1		1
\vdash	Breaker Amp	<u> </u>	1	CLO	PE1FG	35.65								 		ļ
1 1		1		LIEANII LIEA LIBATT												
		1	1	UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U					Ì		1	1		Ì		l
		1		EQ, UDL, UNCVX,							1	1		1		1
1 1	Physical Collocation - 2-wire cross-connect, loop, provisioning	1	1 1	UNLDX, UNCNX	PE1P2	0.0197					1	1		1		1
	r nysicai Conocation - 2-wire cross-connect, 100p, provisioning	l		UAL, UDL, UDN,	F L' IFZ	0.0197								1		1
1 1		1	1	UEA, UHL, UNCVX,							1	1		Ì		l
1 1																

Version 2Q03: 07/21/03 Page 1 of 6 CCCS 988 of 1497

COLLOCAT	FION - Georgia												Attachment:	4	Exhibit: D	
COLLOGA	Congress	1	1								Svc Order	Svc Order				Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-		
															Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurring	g Disconnect			oss	Rates (\$)	ı	<u></u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UEANL,UEQ,WDS1												
				L,WDS1S, USL,												
				U1TD1, UXTD1,												
				UNC1X, ULDD1,												
				USLEL, UNLD1,												
	Physical Collocation -DS1 Cross-Connect for Physical			UDL, UEPEX,												
	Collocation, provisioning			UEPDX	PE1P1	0.3726										
				UE3,U1TD3,		0.0.20										
				UXTD3, UXTS1,												
				UNC3X, UNCSX,												
				ULDD3.												
				U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connect, provisioning			UNLD3, UDL	PE1P3	4.06										
		1	İ	CLO, ULDO3,					İ	İ			İ	İ	İ	İ
		1		ULD12, ULD48,												
				U1TO3, U1T12,												
				U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	1.72										
				ULDO3, ULD12,												
				ULD48, U1TO3,												
				U1T12, U1T48,												
				UDLO3, UDL12,												
	Physical Collocation - 4-Fiber Cross-Connect			UDF	PE1F4	3.30										
	Physical Collocation - Space enclosure, welded wire, first 100															
	square feet			CLO	PE1BW	160.45										
	Physical Collocation - Space enclosure, welded wire, each															
	additional 50 square feet			CLO	PE1CW	15.74										
	Physical Collocation - Security Access System - Security System															
	per Central Office			CLO	PE1AY	0.0106										
	Physical Collocation -Security Access System - New Card															
	Activation, per Card Activation (First), per State			CLO	PE1A1		22.00									
	Physical Collocation - Security Access System - New Access															
	Card Deactivation, per Card			CLO	PE1A4		8.72	8.72								
	Physical Collocation-Security Access System-Administrative															
	Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		5.38									
	Physical Collocation - Security Access System - Replace Lost or			0.0	55445											
\vdash	Stolen Card, per Card	 	<u> </u>	CLO	PE1AR		17.01									
	Physical Collocation - Security Access - Initial Key, per Key	1	1	CLO	PE1AK		13.20		ļ	-	1		-			-
1 1	Physical Collocation - Security Access - Key, Replace Lost or	1		CLO	PE1AL		13.20									
\vdash	Stolen Key, per Key Physical Collocation - Space Availability Report, per Central	 	1	CLU	PETAL	 	13.20		1	-	 		-			-
1 1	Office Requested	1		CLO	PE1SR		248.75						Ì			Ì
\vdash	Physical Collocation - CFA Information Resend Request, per	 	<u> </u>	CLO	FEIOR		240.75		 		<u> </u>		-	-	-	-
1 1	premises, per request	1		CLO	PE1C9		77.42									
 	Physical Collocation - Cable Records, per request	 	1	CLO	PE1C9		743.65	478.06	125.75	 	 		 			
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable	 	!	OLO	LION	-	7-5.05	470.00	123.73		 					
	record (maximum 3600 records)	1		CLO	PE1CD		317.60		177.77							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each	1	1				500						1			1
	100 pair	1		CLO	PE1CO		4.48		5.30							
	Physical Collocation, Cable Records, DS1, per T1 TIE	1	İ	CLO	PE1C1		2.22		2.63				İ			İ
	Physical Collocation, Cable Records, DS3, per T3 TIE	1	1	CLO	PE1C3		7.76		9.19	İ	1			İ	l	
	Physical Collocation - Cable Records, Fiber Cable, per cable						_									
	record (maximum 99 records)	1		CLO	PE1CB		83.45		73.57							
	Physical Collocation - Security Escort for Basic Time - normally		1				_		1							
	scheduled work, per half hour	1		CLO	PE1BT		16.52	10.83								
	Physical Collocation - Security Escort for Overtime - outside of															
1 1	normally scheduled working hours on a scheduled work day,	1											Ì			l
	per half hour	1	1	CLO	PE1OT		21.92	14.19		1	1		1	ī	ī	1

Version 2Q03: 07/21/03 Page 2 of 6

CCCS 989 of 1497 [CCCS Amendment 64 of 69]

COLLOCAT	ION - Georgia												Attachment:	4	Exhibit: D	
COLLOCAL	Congra										Svc Order	Svc Order	Incremental		Incremental	Incremental
1											Submitted	Submitted		Charge -	Charge -	Charge -
			1								Elec	Manually				Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lak	per Lak	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonre	curring	Nonrecurrin	g Disconnect		•	oss	Rates (\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Escort for Premium Time -															
	outside of scheduled work day, per half hour			CLO	PE1PT		27.31	17.55								
	Physical Collocation - Virtual to Physical Collocation Relocation,															
	per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,															
	per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,			CLO	DE4D4		50.00									
	per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,			CLO	PE1B3		52.00									
	per DS3 Circuit Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1B3		52.00									
	Per Voice Grade Circuit			CLO	PE1BR		23.00									
 	Physical Collocation Virtual to Physical Collocation In-Place, Per		1	010	LIDIN		25.00				 		 	 	 	
	DSO Circuit			CLO	PE1BP		23.00						1			
	Physical Collocation - Virtual to Physical Collocation In-Place,	1					20.00		1	1	1		1	†	†	
	Per DS1 Circuit			CLO	PE1BS		33.00						1			
	Physical Collocation - Virtual to Physical Collocation In-Place,			-			22.30							1	1	
1 1	per DS3 Circuit			CLO	PE1BE		37.00						1	I	I	
	Physical Collocation - Virtual to Physical Collocation In-															
	Place/Relocation, space cable facilities assigned to Collocation															
	Space, per 700 cable pairs or fraction thereof			CLO	PE1B7		592.00									
	Physical Collocation - Co-Carrier Cross Connects/Direct															
	Connect - Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -															
	Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0015										
	Physical Collocation - Co-Carrier Cross Connects/Direct			0.0	DEADT		500.40									
	Connect, Application Fee, per application			CLO	PE1DT		583.18									
	Physical Collocation - Copper Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EA		1,198.43	42.645								
-	Physical Collocation - Copper Entrance Cable Installation, per			CLO	PETEA		1,190.43	42.043								
	100 Pairs			CLO	PE1EB		18.071									
	Physical Collocation - Fiber Entrance Cable per Cable (CO			CLO	FLILD		10.071									
	manhole to vault splice)			CLO	PE1EC		1,003.267	42.645								
+	Physical Collocation - Fiber Entrance Cable Installation, per			020	. 2.20		1,000.201	12.010								
	Fiber			CLO	PE1ED		7.228									
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		594.05		1.21							
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		832.95		1.21							
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1,057.00		1.21							
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -															
	Fiber Cable Support Structure, per cable			CLO	PE1DU		553.43				ļ		ļ	1	1	
1 1	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	1 .			L								1	I	I	
	Copper/Coax Cable Support Structure, per cable			CLO	PE1DV		553.43									
1 1	Physical Collocation-Power-Power Construction, per amp DC			CI O	DEADY									1	1	
\vdash	plant	I	-	CLO	PE1PN	3.44								1	1	
	Physical Collocation-Power-Power Consumption,per amp AC	Ι.		CLO	PE1PO	4.04							1	I	I	
\vdash	usage Physical Collocation-Physical Meter Reading Expense	-	<u> </u>	CLO	PE1PO PE1FL	1.34 75.34			-	-	-			-	-	
 	Physical Collocation-Physical Meter Reading Expense Physical Collocation-Meter Reading - Billing Setup Fee		<u> </u>	CLO	PE1FL PE1FK	/5.34	300		-	-	-			-	-	
 	Physical Collocation-Meter Reading - Billing Setup Fee Physical Collocation-Additional Meter Reading Trip Charge	i		CLO	PE1FM		285							 	 	
ADJACENT CO		- '-		0_0	. L		200		1	1	 		 	t	t	
I	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.164								1	†	
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	4.01										
	Adjacent Collocation - 2-Wire Cross-Connects				PE1P2	0.0172										
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.0344										
	Adjacent Collocation - DS1 Cross-Connects			UEA,UHL,UDL,UCL	PE1P1	0.3608										
	Adjacent Collocation - DS3 Cross-Connects			UEA,UHL,UDL,UCL	PE1P3	4.73										
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	1.66										
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	3.24										
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,382.19		0.50							

Version 2Q03: 07/21/03 Page 3 of 6

CCCS 990 of 1497 [CCCS Amendment 65 of 69]

COLLOCA	TION - Georgia												Attachment:	4	Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	ne BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental			Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
-						1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FB	5.14										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.30										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	15.44										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	35.65										
	Adjacent Collocation - 240V, Three Phase Standby Power Rate per AC Breaker Amp	١.	l .	CLOAC	PE1JD	35.65										
PHYSICAL C	OLLOCATION IN THE REMOTE SITE	- 1	 	CLUAC	PEIJD	35.05										
THIOICAL	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		300.61		132.62							
	Cabinet Space in the Remote Site per Bay/ Rack	1		CLORS	PE1RB	143.23	300.01		102.02					1	1	
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.20									
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		109.94									
	Physical Collocation in the Remote Site - Remote Site CLLI			01 000	DEADE		00.04									
	Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS CLORS	PE1RE PE1RR		36.04 116.64									
	Physical Collocation - Security Escort for Basic Time - normally		H	CLORG	FLIKK		110.04									
	scheduled work, per half hour			CLORS	PE1BT		16.52	10.83								
	Physical Collocation - Security Escort for Overtime - outside of															
	normally scheduled working hours on a scheduled work day,															
	per half hour		(CLORS	PE1OT		21.92	14.19								
	Physical Collocation - Security Escort for Premium Time -			01.000	DE 4 DE		07.04	47.55								
DHASICVI C	outside of scheduled work day, per half hour COLLOCATION IN THE REMOTE SITE - ADJACENT			CLORS	PE1PT		27.31	17.55								
FITISICAL	SOLECCATION IN THE REMOTE SITE - ADJACENT					1										
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	E: If Security Escort and/or Add'I Engineering Fees become nec	essary	or remo	ote site collocation,	the Parties v	vill negotiate ap	propriate rate	s.								
Virtual Collo	cation in the Remote Site															
—	Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB		300.61		132.62							
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space		,	VE1RS	VE1RC	143.23										
	Virtual Collocation in the Remote Site - Space Availability Report per Premises requested		١,	VE1RS	VE1RR		109.94									
	Virtual Collocation in the Remote Site - Remote Site CLLI Code			VEIRO	VEIRK		109.94									
	Request, per CLLI Code Requested			VE1RS	VE1RL		36.04		<u> </u>		<u></u>					
Assembly Po																
	Assembly Point - 2-Wire Cross Connects				PE1AD	0.2566										
\vdash	Assembly Point - 4-Wire Cross Connects	<u> </u>	1		PE1AE	0.5132			ļ					ļ	ļ	
VIDTUAL CO	Assembly Point - DS1 Cross Connects DLLOCATION	 	\vdash		PE1AF	6.50			 							
VIKTUAL CC	Virtual Collocation - Application Fee	1	 	AMTFS	EAF		609.52		0.59							
	Virtual Collocation - Application 1 ee Virtual Collocation - Cable Installation Cost, per cable	<u> </u>		AMTFS	ESPCX		736.93		21.51							
	Virtual Collocation - Floor Space, per sq. ft.	1		AMTFS	ESPVX	4.52	22.23									
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	4.78										
	Virtual Collocation - Cable Support Structure, per entrance cable			AMTFS	ESPSX	7.57										
	Virtual Collocation - 2-wire Cross Connects (loop)			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNCDX, UNCNX	UEAC2	0.0188										

Version 2Q03: 07/21/03 Page 4 of 6

CCCS 991 of 1497 [CCCS Amendment 66 of 69]

COLLOCAT	ION - Georgia												Attachment:	4	Exhibit: D	
002200711											Svc Order	Svc Order	Incremental			Incremental
											Submitted			Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""										· .	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>			1			1	Nonrec	urring	Nonrecurring	Disconnect			290	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UEA,UHL,UCL,UDL,			1 11 51	Auu	11100	Addi	COME	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
				UAL, UDN, UNCVX,												
	Virtual Collocation - 4-wire Cross Connects (loop)			UNCDX	UEAC4	0.0375										
	, ,,															
				UDL12, UDLO3,												
				U1T48, U1T12,												
	Martin I Calle and a Company Comment			U1T03, ULDO3,	ONIONE	4.70										
	Virtual Collocation - 2-Fiber Cross Connects			ULD12, ULD48, UDF	CNC2F	1.73			-							
				UDL12. UDLO3.												
				U1T48, U1T12,												
				U1T03, ULDO3,												
	Virtual Collocation - 4-Fiber Cross Connects			ULD12, ULD48, UDF	CNC4F	3.45										
				USL,ULC, ULR,												
				UXTD1, UNC1X,												
				ULDD1, U1TD1,												
	Virtual collocation - Special Access & UNE, cross-connect per			USLEL, UNLD1,												
	DS1			UEPEX, UEPDX	CNC1X	0.3726										
				USL,ULC,UE3, U1TD3, UXTS1,												
				UXTD3, UNC3X,												
				UNCSX, ULDD3,												
	Virtual collocation - Special Access & UNE, cross-connect per			U1TS1, ULDS1,												
	DS3			UDLSX, UNLD3	CND3X	4.06										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per linear foot			AMTFS	VE1CB	0.0023										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0034										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		553.43									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AIVITO	VETCC		555.45									
	Cable Support Structure, per cable			AMTFS	VE1CE		553.43									
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		743.65	478.06	125.75							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable															
	record			AMTFS	VE1BB		317.60		177.77							
	Virtual Collocation Cable Records - VG/DS0 Cable, per each	1			l	Ι Τ			<u> </u>]				
	100 pair	ļ		AMTES	VE1BC		4.48		5.30							
	Virtual Collocation Cable Records - DS1, per T1TIE	ļ		AMTFS AMTFS	VE1BD VE1BE		2.22 7.76		2.63							
	Virtual Collocation Cable Records - DS3, per T3TIE Virtual Collocation Cable Records - Fiber Cable, per 99 fiber	1		MIVITO	VEIDE	 	1.16		9.19			-		1		
	records	1		AMTFS	VE1BF		83.45		73.57			1				
	Virtual collocation - Security Escort - Basic, per half hour	1		AMTFS	SPTBX		16.52	10.83	7 3.07							
	Virtual collocation - Security Escort - Overtime, per half hour	1		AMTFS	SPTOX		21.92	14.19						1		
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		27.31	17.55								
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		26.54	10.83								
	Marcal college Marcal control of the			AMETEO	орто::	[
	Virtual collocation - Maintenance in CO - Overtime, per half hour	ļ		AMTFS	SPTOM	1	35.44	14.19								
	Virtual collocation - Maintenance in CO - Premium per half hour	1		AMTFS	SPTPM		44.34	17.55]			1				
VIRTUAL COL	LOCATION	 		7 UVI I I O	OI II IVI	-	77.54	17.55								
1	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-	1														
	Wire Analog - Res			UEPSR	VE1R2	0.30	12.60	12.60								
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus	1		UEPSP	VE1R2	0.30	12.60	12.60								
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	1]			1				
	Voice Grade PBX Trunk - Res Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	ļ		UEPSE	VE1R2	0.30	12.60	12.60	ļ							
	Analog Bus			UEPSB	VE1R2	0.30	12.60	12.60								
	princing Dub	1		021 00	v L 1112	0.30	12.00	12.00	I.	1	1	I		l		

Version 2Q03: 07/21/03 Page 5 of 6

CCCS 992 of 1497 [CCCS Amendment 67 of 69]

CO	LLOCATI	ON - Georgia												Attachment:	4	Exhibit: D	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
						USOC							Submitted		Charge -	Charge -	Charge -
			Interi								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc	
CAT	EGORY	RATE ELEMENTS	m	Zone	BCS		RATES (\$)					per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							B	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire															
		ISDN			UEPSX	VE1R2	0.30	12.60	12.60								
		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
		ISDN			UEPTX	VE1R2	0.30	12.60	12.60								
		Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire															
		ISDN DS1			UEPEX	VE1R4	0.50	12.60	12.60								
	Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.																

Version 2Q03: 07/21/03 Page 6 of 6

CCCS 993 of 1497 [CCCS Amendment 68 of 69]

ODU	F/ADUI	F/EODUF/CMDS - Georgia												Attachment:	7	Exhibit: A	
												1					Incremental
											Submitted			Charge -	Charge -	Charge -	
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA	TES(\$)			Elec per LSR		Order vs.	Order vs.	Order vs.	Manual Svc Order vs.
			m				πατ25(ψ)					per LSK	per Lak	Electronic-	Electronic-		
														1st	Add'l	Disc 1st	Disc Add'l
														OSS Rates(\$)		2.00 .00	Disc Add I
-	1			1			Rec	First	curring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-								FIRST	Add I	FIRST	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
ODUE	ADUF/C	DEDUF/CMDS															
020.7		SS DAILY USAGE FILE (ADUF)															
		ADUF: Message Processing, per message				N/A	0.001713										
		ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00013027										
	OPTIO	NAL DAILY USAGE FILE (ODUF)															
		ODUF: Recording, per message				N/A	0.0000068										
		ODUF: Message Processing, per message				N/A	0.002167										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	36.06										
		ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010856										
	CENTI	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
		CMDS: Message Processing, per message				N/A	0.004										
		CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
	ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
		EODUF: Message Processing, per message If no rate is identified in the contract, the rate for the specific				N/A	0.227409				•						

Version 2Q03: 07/21/03

Amendment to the Agreement Between 1-800-RECONEX, Inc. d/b/a USTEL (FL, GA, KY, LA, MS, NC, SC, TN) and 1-800-RECONEX, Inc. (AL) and

BellSouth Telecommunications, Inc. Dated December 13, 2002

Pursuant to this Amendment, (the "Amendment"), 1-800-RECONEX, Inc. d/b/a USTEL (FL, GA, KY, LA, MS, NC, SC, TN) and 1-800-RECONEX, Inc. (AL) (1-800-RECONEX), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated December 13, 2002 ("Agreement") to be effective 30 days after the date of the last signature executing the Amendment.

WHEREAS, BellSouth and 1-800-RECONEX entered into the Agreement on December 13, 2002, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to add to the rates and services in Exhibit B of Attachment 2 the rates and services as set forth in Exhibit 1 of this Amendment, attached hereto and incorporated herein by this reference.
- 2. All of the other provisions of the Agreement, dated December 13, 2002, shall remain in full force and effect.
- 3. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

BellSouth Telecommunications, Inc.

Date:

1-800-RECONEX, Inc. d/b/a USTEL (FL, GA, KY, LA, MS, NC, SC, TN) and 1-800-RECONEX, Inc. (AL)

Name: William E. DEAWS

Date: