

RECEIVED

2005 JUN -2 AM 8:59

**BellSouth Telecommunications, Inc**

333 Commerce Street

Suite 2101

Nashville, TN 37201-3300

guy.hicks@bellsouth.com

T.R.A. DOCKET ROOM

**Guy M. Hicks**

General Counsel

615 214 6301

Fax 615 214 7406

June 1, 2005

VIA HAND DELIVERY

Hon. Pat Miller

Chairman

Tennessee Regulatory Authority

460 James Robertson Parkway

Nashville, Tennessee 37243-0505

Re: *Approval of the Amendment to the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc and Cat Communications International, Inc Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996*  
Docket No 05-00155

Dear Chairman Miller

Pursuant to Section 252(d) of the Telecommunications Act of 1996, Cat Communications International, Inc and BellSouth Telecommunications, Inc are hereby submitting to the Tennessee Regulatory Authority the original and fourteen copies of the attached Petition for Approval of the Amendment to the Interconnection Agreement dated November 6, 2002. The Amendment relates to the Federal Communications Commission's Order on Remand (Triennial Review Remand Order).

Thank you for your attention to this matter

Sincerely yours,

  
Guy M. Hicks

cc: Debra A Waller, Regulatory Paralegal, Cat Communications International, Inc.

BEFORE THE TENNESSEE REGULATORY AUTHORITY  
Nashville, Tennessee

In re: *Approval of the Amendment to the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc and Cat Communications International, Inc Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996*

Docket No. \_\_\_\_\_

**PETITION FOR APPROVAL OF THE**  
**AMENDMENT TO THE INTERCONNECTION AGREEMENT**  
**NEGOTIATED BETWEEN BELL SOUTH TELECOMMUNICATIONS, INC.**  
**AND CAT COMMUNICATIONS INTERNATIONAL, INC.**  
**PURSUANT TO THE TELECOMMUNICATIONS ACT OF 1996**

COME NOW, Cat Communications International, Inc. ("CCI") and BellSouth Telecommunications, Inc., ("BellSouth"), and file this request for approval of the Amendment to the Interconnection Agreement dated November 6, 2002 (the "Amendment") negotiated between the two companies pursuant to Sections 251 and 252 of the Telecommunications Act of 1996, (the "Act"). In support of their request, CCI and BellSouth state the following:

1. CCI and BellSouth have successfully negotiated an agreement for interconnection of their networks, the unbundling of specific network elements offered by BellSouth and the resale of BellSouth's telecommunications services to CCI. The Interconnection Agreement was approved by the Tennessee Regulatory Authority ("TRA") on September 8, 2003.

2. The parties have recently negotiated an Amendment to the Agreement which relates to the Federal Communications Commission's Order on Remand (Triennial Review Remand Order). A copy of the Amendment is attached hereto and incorporated herein by reference

3. Pursuant to Section 252(e) of the Telecommunications Act of 1996, CCI and BellSouth are submitting their Amendment to the TRA for its consideration and approval. The Amendment provides that either or both of the parties is authorized to submit this Amendment to the TRA for approval.

4. In accordance with Section 252(e) of the Act, the TRA is charged with approving or rejecting the negotiated Amendment between BellSouth and CCI within 90 days of its submission. The Act provides that the TRA may only reject such an agreement if it finds that the agreement or any portion of the agreement discriminates against a telecommunications carrier not a party to the agreement or the implementation of the agreement or any portion of the agreement is not consistent with the public interest, convenience and necessity.

5. CCI and BellSouth aver that the Amendment is consistent with the standards for approval.

6. Pursuant to 47 USC Section 252(i) and 47 C.F.R. Section 51.809, BellSouth shall make available the entire Interconnection Agreement filed and approved pursuant to 47 USC Section 252.

CCI and BellSouth respectfully request that the TRA approve the Amendment negotiated between the parties.

This 15<sup>th</sup> day of June, 2005.

Respectfully submitted,

BELLSOUTH TELECOMMUNICATIONS, INC.

By: 

Guy M. Hicks  
333 Commerce Street, Suite 2101  
Nashville, Tennessee 37201-3300  
(615) 214-6301  
Attorney for BellSouth

#### CERTIFICATE OF SERVICE

I, Guy M. Hicks, hereby certify that I have served a copy of the foregoing Petition for Approval of the Amendment to the Interconnection Agreement on the following via United States Mail on the 15<sup>th</sup> day of June, 2005:

Debra A. Waller – Regulatory Paralegal  
Cat Communications International, Inc.  
P.O. Box 6129  
Roanoke, VA 24017-0129

  
Guy M. Hicks



**BellSouth Telecommunications, Inc.**

333 Commerce Street  
Suite 2101  
Nashville, TN 37201-3300

guy.hicks@bellsouth.com

**Guy M. Hicks**  
General Counsel

615 214 6301  
Fax 615 214 7406

June 1, 2005

VIA HAND DELIVERY

Hon. Pat Miller  
Chairman  
Tennessee Regulatory Authority  
460 James Robertson Parkway  
Nashville, Tennessee 37243-0505

Re: *Approval of the Amendment to the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc. and Cat Communications International, Inc. Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996*  
Docket No. \_\_\_\_\_

Dear Chairman Miller:

Pursuant to Section 252(d) of the Telecommunications Act of 1996, Cat Communications International, Inc. and BellSouth Telecommunications, Inc. are hereby submitting to the Tennessee Regulatory Authority the original and fourteen copies of the attached Petition for Approval of the Amendment to the Interconnection Agreement dated November 6, 2002. The Amendment relates to the Federal Communications Commission's Order on Remand (Triennial Review Remand Order).

Thank you for your attention to this matter.

Sincerely yours,



Guy M. Hicks

cc: Debra A. Waller, Regulatory Paralegal, Cat Communications International, Inc.

BEFORE THE TENNESSEE REGULATORY AUTHORITY  
Nashville, Tennessee

In re: *Approval of the Amendment to the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc. and Cat Communications International, Inc. Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996*

Docket No. \_\_\_\_\_

**PETITION FOR APPROVAL OF THE  
AMENDMENT TO THE INTERCONNECTION AGREEMENT  
NEGOTIATED BETWEEN BELL SOUTH TELECOMMUNICATIONS, INC.  
AND CAT COMMUNICATIONS INTERNATIONAL, INC.  
PURSUANT TO THE TELECOMMUNICATIONS ACT OF 1996**

COME NOW, Cat Communications International, Inc. ("CCI") and BellSouth Telecommunications, Inc., ("BellSouth"), and file this request for approval of the Amendment to the Interconnection Agreement dated November 6, 2002 (the "Amendment") negotiated between the two companies pursuant to Sections 251 and 252 of the Telecommunications Act of 1996, (the "Act"). In support of their request, CCI and BellSouth state the following:

1. CCI and BellSouth have successfully negotiated an agreement for interconnection of their networks, the unbundling of specific network elements offered by BellSouth and the resale of BellSouth's telecommunications services to CCI. The Interconnection Agreement was approved by the Tennessee Regulatory Authority ("TRA") on September 8, 2003.

2. The parties have recently negotiated an Amendment to the Agreement which relates to the Federal Communications Commission's Order on Remand (Triennial Review Remand Order). A copy of the Amendment is attached hereto and incorporated herein by reference.

3. Pursuant to Section 252(e) of the Telecommunications Act of 1996, CCI and BellSouth are submitting their Amendment to the TRA for its consideration and approval. The Amendment provides that either or both of the parties is authorized to submit this Amendment to the TRA for approval.

4. In accordance with Section 252(e) of the Act, the TRA is charged with approving or rejecting the negotiated Amendment between BellSouth and CCI within 90 days of its submission. The Act provides that the TRA may only reject such an agreement if it finds that the agreement or any portion of the agreement discriminates against a telecommunications carrier not a party to the agreement or the implementation of the agreement or any portion of the agreement is not consistent with the public interest, convenience and necessity.

5. CCI and BellSouth aver that the Amendment is consistent with the standards for approval.

6. Pursuant to 47 USC Section 252(i) and 47 C.F.R. Section 51.809, BellSouth shall make available the entire Interconnection Agreement filed and approved pursuant to 47 USC Section 252.

CCI and BellSouth respectfully request that the TRA approve the Amendment negotiated between the parties.

This 15<sup>th</sup> day of June, 2005.

Respectfully submitted,

BELLSOUTH TELECOMMUNICATIONS, INC.

By: 

Guy M. Hicks

333 Commerce Street, Suite 2101

Nashville, Tennessee 37201-3300


(615) 214-6301

Attorney for BellSouth

### CERTIFICATE OF SERVICE

I, Guy M. Hicks, hereby certify that I have served a copy of the foregoing Petition for Approval of the Amendment to the Interconnection Agreement on the following via United States Mail on the 15<sup>th</sup> day of June, 2005:

Debra A. Waller – Regulatory Paralegal  
Cat Communications International, Inc.  
P.O. Box 6129  
Roanoke, VA 24017-0129

  
Guy M. Hicks

**Amendment to the Agreement  
Between  
CAT Communications International, Inc.  
and  
BellSouth Telecommunications, Inc.  
Dated November 6, 2002**

Pursuant to this Amendment, (the "Amendment"), CAT Communications International, Inc. ("CCI"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated November 6, 2002 ("Agreement") to be effective March 11, 2005.

WHEREAS, BellSouth and CCI entered into the Agreement on November 6, 2002, and;

WHEREAS, BellSouth and CCI desire to amend the Agreement to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand (Triennial Review Remand Order), WC Docket No. 04-313, released February 4, 2005 and effective March 11, 2005;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the parties;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

1. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Exhibit 1, attached hereto and by reference incorporated into this Amendment.
2. The Parties agree to add Sections 10 and 11 to Attachment 3 as follows:

**10                    BASIC 911 AND E911 INTERCONNECTION**

10.1                Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.

10.2                Basic 911 Interconnection. BellSouth will provide to CCI a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten (10) digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. CCI will be required to arrange to accept 911 calls from its End Users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate ten (10) digit directory number as stated on the list provided by BellSouth. CCI will be required to route that call to the

Version: TRRO Amendment  
03/15/05

appropriate PSAP. When a municipality converts to E911 service, CCI will be required to begin using E911 procedures.

10.3 E911 Interconnection. CCI shall install a minimum of two (2) dedicated trunks originating from its Serving Wire Center and terminating to the appropriate E911 tandem. The Serving Wire Center must be in the same LATA as the E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital (1.544 Mb/s) interface (DS1 facility). The configuration shall use CAMA-type signaling with MF pulsing or SS7/ISUP signaling either of which shall deliver ANI with the voice portion of the call. If SS7/ISUP connectivity is used, CCI shall follow the procedures as set forth in Appendix A of the CLEC Users Guide to E911 for Facility Based Providers that is located on the BellSouth Interconnection Web site. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. CCI will be required to provide BellSouth daily updates to the E911 database. CCI will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, CCI will be required to route the call to a designated seven (7) digit or ten (10) digit local number residing in the appropriate PSAP. This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. CCI shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its End Users.

10.4 Trunks and facilities for 911 Interconnection may be ordered by CCI from BellSouth pursuant to the terms and conditions set forth in this Attachment.

10.5 The detailed practices and procedures for 911/E911 interconnection are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers that is located on the BellSouth Interconnection Services Web site.

## **11 SS7 Network Interconnection**

11.1 SS7 Network Interconnection is the interconnection of CCI local signaling transfer point switches or CCI local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, CCI local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

- 11.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and CCI or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 11.3 If traffic is routed based on dialed or translated digits between a CCI Local Switching system and a BellSouth or other third-party Local Switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the CCI local signaling transfer point switches and BellSouth or other third-party local switch.
- 11.4 SS7 Network Interconnection shall provide:
  - 11.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
  - 11.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
  - 11.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 11.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a CCI local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of CCI local STPs and shall not include SCCP Subsystem Management of the destination.
- 11.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 11.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 11.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.

- 11.9            Interface Requirements. The following SS7 Network Interconnection interface options are available to connect CCI or CCI-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
  - 11.9.1            A-link interface from CCI local or tandem switching systems; and
  - 11.9.2            B-link interface from CCI STPs.
  - 11.9.3            The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
  - 11.9.4            BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
  - 11.9.5            The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
  - 11.9.6            BellSouth shall set message screening parameters to accept messages from CCI local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the CCI switching system has a valid signaling relationship.
3.    The Parties agree to add the rates for SS7 Interconnection to Exhibit A of Attachment 3, attached hereto as Exhibit 2 and by reference incorporated into this Amendment.
4.    The Parties agree to add Section 3.8 to Attachment 6 as follows:
  - 3.8                If CCI modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by CCI in accordance with FCC No. 1 Tariff, Section 5.
5.    All of the other provisions of the Agreement dated November 6, 2002 shall remain unchanged and in full force and effect.
6.    Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

Version: TRRO Amendment  
03/15/05



IN WITNESS WHEREOF, the Parties have executed this Amendment the day and year written below.

**BellSouth Telecommunications, Inc.**

By: 

Name: Kristen Rowe

Title: Director

Date: 4/27/05

**Cat Communications International, Inc.**

By: 

Name: Stephen Athansen

Title: General Counsel

Date: \_\_\_\_\_

## **Attachment 2**

### **Network Elements and Other Services**

**TABLE OF CONTENTS**

<b>1</b>	<b>INTRODUCTION.....</b>	<b>3</b>
<b>2</b>	<b>LOOPS.....</b>	<b>7</b>
<b>3</b>	<b>LINE SPLITTING .....</b>	<b>27</b>
<b>4</b>	<b>LOCAL SWITCHING.....</b>	<b>29</b>
<b>5</b>	<b>UNBUNDLED NETWORK ELEMENT COMBINATIONS.....</b>	<b>37</b>
<b>6</b>	<b>DEDICATED TRANSPORT AND DARK FIBER TRANSPORT.....</b>	<b>43</b>
<b>7</b>	<b>CALL RELATED DATABASES AND SIGNALING .....</b>	<b>48</b>
<b>8</b>	<b>AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS).....</b>	<b>57</b>
<b>9</b>	<b>OSS.....</b>	<b>58</b>
	<b>Rates .....</b>	<b>Exhibit A</b>
	<b>Rates .....</b>	<b>Exhibit B</b>

## ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

### 1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that BellSouth offers to CCI for CCI's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to CCI (Other Services). Additionally, the provision of a particular Network Element or Other Service may require CCI to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 The rates for each Network Element, Combinations and Other Services are set forth in Exhibits A and B. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. If CCI purchases service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.
- 1.3 CCI may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R § 51.309.
- 1.4 The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.5 CCI shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- 1.6 Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services. Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to CCI pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to CCI pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge the applicable nonrecurring switch-as-is rates for Conversions to specific Network Elements or Combinations found in Exhibit A. BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as of the next billing cycle following BellSouth's receipt of a complete and accurate Conversion request from CCI. A

Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between CCI and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.

- 1.7 Except to the extent expressly provided otherwise in this Attachment, CCI may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that CCI has in place any Arrangements after the Effective Date of this Agreement, BellSouth may disconnect such Arrangements without notice under this Agreement to CCI.
- 1.8 Prior to submitting an order pursuant to this Agreement for high capacity (DS1 or above) Dedicated Transport or high capacity Loops, CCI shall undertake a reasonably diligent inquiry to determine whether CCI is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, CCI self-certifies that to the best of CCI's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, BellSouth shall process the request in reliance upon CCI's self-certification. To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement.
- 1.9 CCI may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.10 BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth has anticipated such RNM and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then BellSouth shall perform such RNM at no additional charge. RNM shall be performed within the intervals established for the Network Element and subject to the performance measurements and associated remedies set forth in Attachment 9 of this Agreement to the extent such RNM were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in

Exhibit A, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from CCI, BellSouth shall perform the RNM.

1.11 Commingling of Services

1.11.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that CCI has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. CCI must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.

1.11.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.

1.11.3 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth in a separate agreement between the Parties.

1.11.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.

1.11.5 Notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine Network Elements or Combinations with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

1.12 Terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference. The charges shall be as set forth in Exhibit A.

1.13 Ordering Guidelines and Processes

1.13.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, CCI should refer to the "Guides"

section of the BellSouth Interconnection Web site, which is incorporated herein by reference, as amended from time to time. The Web site address is:  
<http://www.interconnection.bellsouth.com/>.

- 1.13.2 Additional information may also be found in the individual CLEC Information Packages, which are incorporated herein by reference, as amended from time to time, located at the “CLEC UNE Products” Web site address:  
<http://www.interconnection.bellsouth.com/guides/html/unes.html>.
- 1.13.3 The provisioning of Network Elements, Combinations and Other Services to CCI’s Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with CCI’s Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to this Agreement.
- 1.13.4 Testing/Trouble Reporting.
- 1.13.4.1 CCI will be responsible for testing and isolating troubles on Network Elements. CCI must test and isolate trouble to the BellSouth network before reporting the trouble to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, CCI will be required to provide the results of the CCI test which indicate a problem on the BellSouth network.
- 1.13.4.2 Once CCI has isolated a trouble to the BellSouth network, and has issued a trouble report to BellSouth, BellSouth will take the actions necessary to repair the Network Element when trouble is found. BellSouth will repair its network facilities to its wholesale customers in the same time frames that BellSouth repairs similar services to its retail End Users.
- 1.13.4.3 If CCI reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth’s network, BellSouth will charge CCI a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Network Element’s working status. BellSouth will assess the applicable Maintenance of Service rates from BellSouth’s FCC No.1 Tariff, Section 13.3.1.
- 1.13.4.4 In the event BellSouth must dispatch to the End User’s location more than once due to incorrect or incomplete information provided by CCI (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill CCI for each additional dispatch required to repair the Network Element due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth’s FCC No.1 Tariff, Section 13.3.1.

## 2 Loops

2.1 General. The local loop Network Element is defined as a transmission facility that BellSouth provides pursuant to this Attachment between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an End User premises (Loop). Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises, including inside wire owned or controlled by BellSouth. CCI shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.

2.1.1 The Loop does not include any packet switched features, functions or capabilities.

2.1.2 Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an End User's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the End User's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective End User's premises.

2.1.2.1 In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each End User in the MDU.

2.1.2.2 In FTTH/FTTC overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to CCI on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64 kilobits per second (kbps) second voice grade channel over its FTTH/FTTC facilities.



- 2.1.2.3 Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by CCI. If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval
- 2.1.3 A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide CCI with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid Loop, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.
- 2.1.4 Transition for DS1 and DS3 Loops
- 2.1.4.1 For purposes of this Section 2, the Transition Period for DS1 and DS3 Loops is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 2.1.4.2 For purposes of this Section 2, Embedded Base means DS1 and DS3 Loops that were in service for CCI as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 2.1.4.3 For purposes of this Section 2, a Business Line is defined in 47 C.F.R. § 51.5.
- 2.1.4.4 BellSouth shall make available DS1 and DS3 Loops as defined in this Section 2. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available DS1 and DS3 Loops as described in this Section 2.1.4 only for CCI's Embedded Base during the Transition Period:
- 2.1.4.4.1 DS1 Loops at any location within the service area of a wire center containing 60,000 or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.4.2 DS3 Loops at any location within the service area of a wire center containing 38,000 or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.5 During the Transition Period, the rates for CCI's Embedded Base of DS1 and DS3 Loops described in this Section 2.1.4 shall be as set forth in Exhibit B.
- 2.1.4.6 The Transition Period shall apply only to CCI's Embedded Base and CCI shall not add new DS1 or DS3 loops as described in this Section 2.1.4 pursuant to this Agreement.

- 2.1.4.7 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.4.1, no future DS1 Loop unbundling will be required in that wire center.
- 2.1.4.8 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.4.2, no future DS3 Loop unbundling will be required in that wire center.
- 2.1.4.9 At the end of the Transition Period any remaining Embedded Base will be disconnected.
- 2.1.5 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Web site: <http://www.interconnection.bellsouth.com>. For orders of fifteen (15) or more Loops, the installation and any applicable OC as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.6 The Loop shall be provided to CCI in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.7.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If CCI wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and UCL-ND), CCI may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A.
- 2.1.7.2 For voice grade Loop orders (or orders for Loops intended to provide voice grade services), CCI shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop order completion due date.
- 2.1.8 Order Coordination (OC) and Order Coordination-Time Specific (OC-TS)
- 2.1.8.1 OC allows BellSouth and CCI to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to CCI's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at

BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.

- 2.1.8.2 OC-TS allows CCI to order a specific time for OC to take place. BellSouth will make commercially reasonable efforts to accommodate CCI's specific conversion time request. However, BellSouth reserves the right to negotiate with CCI a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. CCI may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If CCI specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in BellSouth's Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.9

	<b>Order Coordination (OC)</b>	<b>Order Coordination – Time Specific (OC-TS)</b>	<b>Test Points</b>	<b>DLR</b>	<b>Charge for Dispatch and Testing if No Trouble Found</b>
<b>SL-1 (Non-Designed)</b>	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
<b>UCL-ND (Non-Designed)</b>	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
<b>Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)</b>	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
<b>Unbundled Digital Loop (Designed)</b>	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
<b>Unbundled Copper Loop (Designed)</b>	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office
For UVL-SL1 and UCLs, CCI must order and will be billed for both OC and OC-TS if requesting OC-TS.					

2.1.9 CLEC to CLEC Conversions for Unbundled Loops

2.1.9.1 The CLEC to CLEC conversion process for Loops may be used by CCI when converting an existing Loop from another CLEC for the same End User. The Loop type being converted must be included in CCI's Interconnection Agreement before requesting a conversion.

2.1.9.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.

2.1.9.3 The Loops converted to CCI pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type.

2.1.10 Bulk Migration

2.1.10.1 BellSouth will make available to CCI a Bulk Migration process pursuant to which CCI may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the parties, to Loops (UNE-L). The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs); and (2) located in the same Central Office. The terms and conditions for use of the Bulk Migration process are described in the BellSouth CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at [www.interconnection.bellsouth.com/guides/html/unec.html](http://www.interconnection.bellsouth.com/guides/html/unec.html). The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A. Additionally, Operations Support Systems (OSS) charges will also apply. Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2.6 below.

2.1.10.2 Should CCI request migration for two (2) or more EATNs containing fifteen (15) or more circuits, CCI must use the Bulk Migration process referenced in 2.1.11.1 above.

2.2 Unbundled Voice Loops (UVLs)

2.2.1 BellSouth shall make available the following UVLs:

2.2.1.1 2-wire Analog Voice Grade Loop – SL1 (Non-Designed)

2.2.1.2 2-wire Analog Voice Grade Loop – SL2 (Designed)

2.2.1.3 4-wire Analog Voice Grade Loop (Designed)

2.2.2 UVL may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any

given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that CCI will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

2.2.3 Unbundled Voice Loop - SL1 (UVL-SL1). Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by CCI, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service. CCI may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.

2.2.4 For an additional charge BellSouth will make available Loop Testing so that CCI may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A.

2.2.5 Unbundled Voice Loop – SL2 (UVL-SL2). Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to CCI. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow CCI to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

### 2.3 Unbundled Digital Loops

2.3.1 BellSouth will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.

2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:

2.3.2.1 2-wire Unbundled ISDN Digital Loop

- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below
- 2.3.2.7 DS3 Loop
- 2.3.2.8 STS-1 Loop
- 2.3.3 2-wire Unbundled ISDN Digital Loops. These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. CCI will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.4 2-wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-wire or 4-wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 4-wire Unbundled DS1 Digital Loop.
- 2.3.6.1 This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the End User's location. For purposes of this Agreement, including the transition of DS1 and DS3 Loops described in Section 2.1.4 above, DS1 Loops include 2-wire and 4-wire copper Loops capable of providing high-bit rate digital subscriber line services, such as 2-wire and 4-wire HDSL Compatible Loops.
- 2.3.6.2 BellSouth shall not provide more than ten (10) unbundled DS1 Loops to CCI at any single building in which DS1 Loops are available as unbundled Loops.

- 2.3.7 4-wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.
- 2.3.11 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth's TR73501 LightGate<sup>®</sup> Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.12 CCI may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 2.4 Unbundled Copper Loops (UCL).
- 2.4.1 BellSouth shall make available UCLs. The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.
- 2.4.2 Unbundled Copper Loop – Designed (UCL-D)



- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by CCI.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by CCI to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3 Unbundled Copper Loop – Non-Designed (UCL-ND)
- 2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, CCI can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that CCI may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by CCI to provide a wide-range of telecommunications services as long as

those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.

2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.

2.4.3.6 CCI may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

2.5 Unbundled Loop Modifications (Line Conditioning)

2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth's TR73600 Unbundled Local Loop Technical Specification.

2.5.2 BellSouth will remove load coils only on copper Loops and Subloops that are less than 18,000 feet in length.

2.5.3 For any copper loop being ordered by CCI which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from CCI, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to CCI. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.

2.5.4 CCI may request removal of any unnecessary and non-excessive bridged tap (bridged tap between zero (0 ) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to BellSouth's SC Process as mutually agreed to by the Parties.

2.5.5 Rates for ULM are as set forth in Exhibit A.

- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If CCI requests ULM on a reserved facility for a new Loop order, BellSouth may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. CCI will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the Loop provisioned.
- 2.5.8 CCI shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that CCI desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for CCI, CCI will submit a SI to BellSouth. If a spare Loop facility that meets the Loop modification specifications requested by CCI is available at the location for which the ULM was requested, CCI will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, CCI will not be charged for ULM but will only be charged the service order charges for submitting an order.
- 2.6 Loop Provisioning Involving IDLC
- 2.6.1 Where CCI has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to CCI. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for CCI (e.g., hairpinning):
1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
  2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
  3. If capacity exists, provide "side-door" porting through the switch.
  4. If capacity exists, provide "Digital Access Cross-Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.

2.6.3 If no alternate facility is available, and upon request from CCI, and if agreed to by both Parties, BellSouth may utilize its SC process to determine the additional costs required to provision facilities. CCI will then have the option of paying the one-time SC rates to place the Loop.

2.7 Network Interface Device

2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.

2.7.2 BellSouth shall permit CCI to connect CCI's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

2.7.3.1 CCI may access the End User's premises wiring by any of the following means and CCI shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:

2.7.3.1.1 BellSouth shall allow CCI to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises;

2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the End User premises wiring from the other Party's NID and connect such wiring to that Party's own NID;

2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a cross-connect or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or

- 2.7.3.1.4 CCI may request BellSouth to make other rearrangements to the End User premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be CCI's responsibility to ensure there is no safety hazard, and CCI will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.
- 2.7.3.3 CCI shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 CCI shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with CCI to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross-connect to CCI's NID.
- 2.7.4.3 Existing BellSouth NIDs will be operational and provided in "as is" condition. CCI may request BellSouth to do additional work to the NID on a time and material basis. When CCI deploys its own local loops in a multiple-line termination device, CCI shall specify the quantity of NID connections that it requires within such device.

2.8 Subloop Elements.

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Subloop (USL) elements as specified herein.

2.8.2 Unbundled Subloop Distribution (USLD)

2.8.2.1 The USLD facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist:

USLD – Voice Grade (USLD-VG)  
Unbundled Copper Subloop (UCSL)  
USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

2.8.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.

2.8.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.

2.8.2.3.1 If CCI requests a UCSL and it is not available, CCI may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.

2.8.2.4 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the End User's premises.

2.8.2.4.1 Upon request for USLD-INC from CCI, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in twenty five (25) pair increments for CCI's use on this cross-connect panel. CCI

will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).

- 2.8.2.5 For access to Voice Grade USLD and UCSL, CCI shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. CCI's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to USLs at the location requested by CCI is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet CCI's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site address:  
<http://www.interconnection.bellsouth.com/products/html/unec.html>.
- 2.8.2.7 The site set-up must be completed before CCI can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice CCI's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, CCI will request Subloop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when CCI requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by CCI for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 2.8.2.9 USLs will be provided in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specifications.
- 2.8.3 Unbundled Network Terminating Wire (UNTW)
- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own

wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, and CCI does own or control such wiring, CCI will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to CCI.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate CCI for each pair activated commensurate to the price specified in CCI's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If



the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.

2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.

2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).

2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge (NRC) equal to the actual cost of provisioning the Access Terminal.

2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

#### 2.8.4 Dark Fiber Loop.

2.8.4.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure.

BellSouth will not provide line terminating elements, regeneration or other electronics necessary for CCI to utilize Dark Fiber Loops.

2.8.4.2 Transition for Dark Fiber Loop

2.8.4.2.1 For purposes of this Section 2.8.4, the Transition Period for Dark Fiber Loops is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.

2.8.4.2.2 For purposes of this Section 2.8.4, Embedded Base means Dark Fiber Loops that were in service for CCI as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.

2.8.4.3 During the Transition Period only, BellSouth shall make available for the Embedded Base Dark Fiber Loops for CCI at the terms and conditions set forth in this Attachment.

2.8.4.4 The rates for CCI's Embedded Base of Dark Fiber Loops during the Transition Period shall be as set forth in Exhibit A.

2.8.4.5 The Transition Period shall apply only to CCI's Embedded Base and CCI shall not add new Dark Fiber Loops pursuant to this Agreement.

2.8.4.6 Effective September 11, 2006, Dark Fiber Loops will no longer be made available pursuant to this Agreement and any remaining Embedded Base will be disconnected.

2.9 Loop Makeup

2.9.1 Description of Service

2.9.1.1 BellSouth shall make available to CCI LMU information with respect to Loops that are required to be unbundled under this Agreement so that CCI can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment CCI intends to install and the services CCI wishes to provide. LMU is a preordering transaction, distinct from CCI ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.

2.9.1.2 BellSouth will provide CCI LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.

- 2.9.1.3 BellSouth's LMU information is provided to CCI as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 CCI may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by CCI and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee CCI's ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCL-ND, etc.) that support xDSL services, is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Except as set forth in Section 2.9.1.6, copper-only Loops will not be subject to change due to modification and/or upgrades to BellSouth's network and will remain on copper facilities until the Loop is disconnected by CCI or the End User, or until BellSouth retires the copper facilities via the FCC's and any applicable Commission's requirements. CCI is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.
- 2.9.1.6 If BellSouth retires its copper facilities using 47 C.F.R § 52.325(a) requirements; or is required by a governmental agency or regulatory body to move or replace copper facilities as a maintenance procedure, BellSouth will notify CCI, according to the applicable network disclosure requirements. It will be CCI's responsibility to move any service it may provide over such facilities to alternative facilities. If CCI fails to move the service to alternative facilities by the date in the network disclosure notice, BellSouth may terminate the service to complete the network change.
- 2.9.2 Submitting LMUSI
- 2.9.2.1 CCI may obtain LMU information and reserve facilities by submitting a mechanized LMU query or a manual LMUSI according to the terms and

conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" Web site address: [www.interconnection.bellsouth.com/guides/html/unes.html](http://www.interconnection.bellsouth.com/guides/html/unes.html). After obtaining the Loop information from the mechanized LMU process, if CCI needs further Loop information in order to determine Loop service capability, CCI may initiate a separate Manual SI for a separate NRC as set forth in Exhibit A.

- 2.9.2.2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. CCI will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, CCI does not reserve facilities upon an initial LMUSI, CCI's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.
- 2.9.2.3 Where CCI has reserved multiple Loop facilities on a single reservation, CCI may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to CCI, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by CCI.
- 2.9.2.4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from BellSouth.

### **3 Line Splitting**

- 3.1 Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.2 Line Splitting – UNE-L. In the event CCI provides its own switching or obtains switching from a third party, CCI may engage in line splitting arrangements with another CLEC using a splitter, provided by CCI, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.3 Line Splitting –Loop and UNE Port (UNE-P).
  - 3.3.1 To the extent CCI is purchasing UNE-P pursuant to this Agreement, BellSouth will permit CCI to replace UNE-P with Line Splitting. The UNE-P arrangement will be converted to a stand-alone Loop, a Network Element switch port, two collocation cross-connects and the high frequency spectrum line activation. The resulting arrangement shall continue to be included in CCI's Embedded Base as described in Section 5.4.3.2.

3.3.2 CCI shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if CCI will not provide voice and data services.

3.3.3 Line Splitting arrangements in service pursuant to this Section 3.3 must be disconnected or provisioned pursuant to Section 3.2 on or before March 10, 2006.

3.4 Provisioning Line Splitting and Splitter Space

3.4.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When CCI or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross-connection connecting the Loop to the collocation space; a second collocation cross-connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. When BellSouth owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross-connection from the collocation space connected to a voice port.

3.4.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.

3.4.3 The foregoing procedures are applicable to migration from a UNE-P arrangement to Line Splitting Service.

3.5 CLEC Provided Splitter – Line Splitting

3.5.1 To order High Frequency Spectrum on a particular Loop, CCI must have a DSLAM collocated in the central office that serves the End User of such Loop.

3.5.2 CCI must provide its own splitters in a central office and have installed its DSLAM in that central office.

3.5.3 CCI may purchase, install and maintain central office POTS splitters in its collocation arrangements. CCI may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.

3.5.4 Any splitters installed by CCI in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. CCI may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.6 Maintenance – Line Splitting.

3.6.1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the End User's premises and the termination point.

3.6.2 CCI shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.

**4 Local Switching**

4.1 Notwithstanding anything to the contrary in this Agreement, the services offered pursuant to this Section 4 are limited to DS0 level Local Switching and BellSouth is not required to provide Local Switching pursuant to this Agreement except as set forth in Section 4.2.

4.2 Transition for Local Switching

4.2.1 For purposes of this Section 4, the Transition Period for Local Switching is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.

4.2.2 For the purposes of this Section 4, Embedded Base shall mean Local Switching and any additional elements that are required to be provided in conjunction therewith that were in service for CCI as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.

4.2.3 During the Transition Period only, BellSouth shall make Local Switching available for the Embedded Base, in addition to all elements that are required to be provided in conjunction with Local Switching, at the rates, terms and conditions set forth in this Attachment. The Transition Period shall apply only to CCI's Embedded Base and CCI shall not place new orders for Local Switching pursuant to this Agreement.

4.2.4 The rates for CCI's Embedded Base of Local Switching during the Transition Period shall be as set forth in Exhibit A.

4.2.5 Effective March 11, 2006, Local Switching will no longer be made available pursuant to this Agreement and any remaining Embedded Base will be disconnected.

4.3 Local Switching Capability, including Tandem Switching Capability

- 4.3.1 Local Switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local Switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signaling service features, and Centrex, as well as any technically feasible customized routing functions.
- 4.3.2 Unbundled local switching consists of three separate components: Unbundled Ports, End Office Switching Functionality, and End Office Interoffice Trunk Ports.
- 4.3.3 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to CCI's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.3.4 Provided that CCI has unbundled Local Switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a CCI local End User, or originated by a BellSouth local End User and terminated to a CCI local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge CCI the Network Elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and CCI shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's Web site:  
<http://interconnection.bellsouth.com/products/docs/FLOWSPPT.pdf>.
- 4.3.5 Where CCI has unbundled Local Switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a CCI End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs (GSST). For such local calls, BellSouth will charge CCI the Network Elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and CCI shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.3.6 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill CCI the Network Elements for the BellSouth facilities utilized. Each Party may

bill the toll provider originating or terminating switched access charges as appropriate.

- 4.3.7 Unbundled Ports may or may not include individual features. Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.3.8 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR Process as set forth in Attachment 11.
- 4.3.9 BellSouth will provide to CCI selective routing of calls to a requested Operator System platform pursuant to this Agreement. Any other routing requests by CCI will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.
- 4.3.10 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.3.11 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.3.12 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.3.13 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to CCI all Advanced Intelligent Network (AIN) triggers in connection with its Service Creation Environment and Service Management System (SCE/SMS) offering.
- 4.3.14 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by CCI.
- 4.3.15 BellSouth shall provide the following Local Switching interfaces:
  - 4.3.15.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
  - 4.3.15.2 Coin phone signaling;



- 4.3.15.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.3.15.4 2-wire analog interface to PBX;
- 4.3.15.5 4-wire analog interface to PBX; and
- 4.3.15.6 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 4.3.16 CCI shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 ALI Database.
- 4.3.17 CCI will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for the CCI's End Users.
- 4.4 Common (Shared) Transport.
- 4.4.1 Common (Shared) Transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 4.4.2 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing Local Switching to CCI.
- 4.4.3 Technical Requirements of Common (Shared) Transport
- 4.4.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
- 4.4.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 4.4.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.
- 4.5 Tandem Switching

- 4.5.1 The Tandem Switching capability Network Element is defined as:  
(i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross-connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.
- 4.5.2 Where CCI utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Local Call Flows set forth on BellSouth's website, as amended from time to time and incorporated herein by this reference, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.
- 4.5.3 Technical Requirements
- 4.5.3.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:
- 4.5.3.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.5.3.1.2 Tandem Switching will provide screening as jointly agreed to by CCI and BellSouth;
- 4.5.3.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.5.3.1.4 Where applicable, Tandem Switching shall provide access to Toll Free number database;

- 4.5.3.1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and
- 4.5.3.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.5.3.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to CCI.
- 4.5.3.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.5.3.4 Tandem Switching shall process originating toll free traffic received from CCI's local switch.
- 4.5.3.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.5.4 Upon CCI's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for CCI's traffic overflowing from direct end office high usage trunk groups.
- 4.6 Remote Call Forwarding (URCF)
  - 4.6.1 As an option, BellSouth shall make available to CCI an unbundled port with Remote Call Forwarding capability. URCF service combines the functionality of unbundled Local Switching, Tandem Switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. CCI must ensure that the following conditions are satisfied:
    - 4.6.1.1 the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User);
    - 4.6.1.2 the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
    - 4.6.1.3 the URCF service will not be utilized to forward calls to another URCF or similar service; and
    - 4.6.1.4 the forward-to number (service) is not a public safety number (e.g., 911, fire or police number).

- 4.6.2 In addition to the charge for the URCF service port, BellSouth shall charge CCI the rates set forth in Exhibit A for unbundled Local Switching, Tandem Switching, and Common Transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).
- 4.7 AIN Selective Carrier Routing for Operator Services, Directory Assistance and Repair Centers
- 4.7.1 Where BellSouth provides Local Switching to CCI, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of CCI. AIN SCR will provide CCI with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.7.2 CCI shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per central office per state basis.
- 4.7.3 AIN SCR is not available in DMS 10 switches.
- 4.7.4 Where AIN SCR is utilized by CCI, the routing of CCI's End User calls shall be pursuant to information provided by CCI and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN SCR is established.
- 4.7.5 Upon ordering AIN SCR Regional Service, CCI shall remit to BellSouth the nonrecurring Regional Service Order charge set forth in Exhibit A. There shall be a nonrecurring End Office Establishment Charge as set forth in Exhibit A, per office, due at the addition of each central office where AIN SCR will be utilized. For each CCI End User activated, there shall be a nonrecurring End User Establishment charge as set forth in Exhibit A. CCI shall pay the AIN SCR Per Query Charge set forth in Exhibit A.
- 4.7.6 This nonrecurring Regional Service Order charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including: Regional SCR Order Request-Form A, Central Office AIN SCR Order Request - Form B, AIN SCR Central Office Identification Form - Form C, AIN SCR Routing Options Selection Form - Form D, and Routing Combinations Table - Form E. BellSouth has thirty (30) days to respond to CCI's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to CCI, BellSouth considers that the delivery schedule of this service commences. The remaining half of the nonrecurring Regional Service

Order payment must be paid when at least ninety percent (90%) of the Central Offices listed on the original order have been turned up for the service.

4.7.7 The nonrecurring End Office Establishment charge will be billed to CCI following BellSouth's normal monthly billing cycle for this type of order.

4.7.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End Office Establishment charges will be billed to CCI following BellSouth's normal monthly billing cycle for this type of order.

4.7.9 Additionally, the AIN SCR Per Query Charge will be billed to CCI following the normal billing cycle for per query charges.

4.7.10 All other network components needed, (i.e., unbundled switching, unbundled local transport, etc.) will be billed per contracted rates.

4.8 Selective Call Routing Using Line Class Codes (SCR-LCC)

4.8.1 Where CCI has purchased unbundled Local Switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route CCI's End User calls to that provider through Selective Call Routing.

4.8.2 SCR-LCC provides the capability for CCI to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if capacity is available in the requested BellSouth end office switches.

4.8.3 Custom Branding for Directory Assistance (DA) is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.

4.8.4 Where available, CCI specific and unique LCCs are programmed in each BellSouth end office switch where CCI intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify CCI's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and CCI intends to provide CCI -branded OCP/DA to its End Users in these multiple rate areas.

4.8.5 SCR-LCC supporting Custom Branding and Self Branding require CCI to order dedicated trunking from each BellSouth end office identified by CCI, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to

the CCI Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth's FCC No. 1 Tariff.

- 4.8.6 Unbranding - Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by CCI to the BellSouth TOPS.
- 4.8.7 The Rates for SCR-LCC are as set forth in Exhibit A. There is a NRC for the establishment of each LCC in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

## **5 Unbundled Network Element Combinations**

- 5.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by CCI are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by CCI are not already combined by BellSouth in the location requested by CCI but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by CCI are not elements that BellSouth combines for its use in its network.

- 5.1.1 Except as otherwise set forth in this Agreement, upon request, BellSouth shall perform the functions necessary to combine Network Elements that BellSouth is required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with BellSouth's network.

- 5.1.2 To the extent CCI requests a Combination for which BellSouth does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the BFR process.

## **5.2 Rates**

- 5.2.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such Currently Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.
- 5.2.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations. Where an Ordinarily Combined Combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.
- 5.2.3 The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of CCI.
- 5.3 Enhanced Extended Links (EELs)
- 5.3.1 EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide CCI with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- 5.3.2 High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated Transport commingled with a wholesale loop, or (3) a loop commingled with wholesale transport at the DS1 and/or DS3 level as described in 47 C.F.R. § 51.318(b).
- 5.3.3 By placing an order for a high-capacity EEL, CCI thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit CCI's high-capacity EELs as specified below.
- 5.3.4 Service Eligibility Criteria
- 5.3.4.1 High capacity EELs must comply with the following service eligibility requirements. CCI must certify for each high-capacity EEL that all of the following service eligibility criteria are met:

- 5.3.4.1.1 CCI has received state certification to provide local voice service in the area being served;
- 5.3.4.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
  - 5.3.4.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
  - 5.3.4.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
  - 5.3.4.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
  - 5.3.4.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 C.F.R. § 51.318(c);
  - 5.3.4.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which CCI will transmit the calling party's number in connection with calls exchanged over the trunk;
  - 5.3.4.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, CCI will have at least one (1) active DS1 local service interconnection trunk over which CCI will transmit the calling party's number in connection with calls exchanged over the trunk; and
  - 5.3.4.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 5.3.4.3 BellSouth may, on an annual basis, audit CCI's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that CCI failed to comply with the service eligibility criteria, CCI must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that CCI did not comply in any material respect with the service eligibility criteria, CCI shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that CCI did comply in all material respects with the service eligibility criteria, BellSouth will reimburse CCI for its reasonable and demonstrable costs associated



with the audit. CCI will maintain appropriate documentation to support its certifications.

- 5.3.4.4 In the event CCI converts special access services to UNEs, CCI shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

#### 5.4 UNE-P

- 5.4.1 DS0 Local Switching, as defined in Section 4, in combination with a Loop and Common (Shared) Transport as defined in Section 4.4 (UNE-P) provides local exchange service for the origination or termination of calls. UNE-P supports the same local calling and feature requirements as described in the Local Switching section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.

- 5.4.2 Notwithstanding anything to the contrary in this Agreement, BellSouth is not required to provide UNE-P pursuant to this Agreement except as set forth in this Section 5.4.

#### 5.4.3 Transition Period for UNE-P

- 5.4.3.1 For purposes of this Section 5.4, the Transition Period for UNE-P is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.

- 5.4.3.2 For the purposes of this Section 5.4, Embedded Base shall mean UNE-P and any additional elements that are required to be provided in conjunction therewith that were in service for CCI as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.

- 5.4.3.3 During the Transition Period only, BellSouth shall make UNE-P available for the Embedded Base, in addition to all elements that are required to be provided in conjunction with UNE-P, at the rates, terms and conditions set forth in this Attachment. The Transition Period shall apply only to CCI's Embedded Base and CCI shall not place new orders for UNE-P pursuant to this Agreement.

- 5.4.3.4 The rates for CCI's Embedded Base of UNE-P during the Transition Period shall be as set forth in Exhibit A.

- 5.4.3.5 Effective March 11, 2006, UNE-P will no longer be made available pursuant to this Agreement and any remaining Embedded Base will be disconnected.

- 5.4.4 BellSouth shall make 911 updates in the BellSouth 911 database for CCI's UNE-P. BellSouth will not bill CCI for 911 surcharges. CCI is responsible for paying all 911 surcharges to the applicable governmental agency.

#### 5.5 Intercarrier Compensation

- 5.5.1 Intercarrier compensation for seven (7) or ten (10) digit dialed calls originated by CCI utilizing Local Switching shall apply as follows:
- 5.5.2 For calls terminating to a BellSouth End User or to an End User served by BellSouth resold services, BellSouth shall charge CCI for End Office Switching as set forth in Exhibit A at the terminating end office.
- 5.5.3 For calls terminating to a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its End User, BellSouth shall charge CCI for End Office Switching as set forth in Exhibit A at the terminating end office. BellSouth will not charge the terminating CLEC for End Office Switching as set forth in Exhibit A at the terminating end office.
- 5.5.3.1 For calls terminating to third party carriers, such as CLECs, wireless carriers and independent companies, utilizing their own switches to serve their End Users, CCI is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through BellSouth's network. If CCI does not have such an agreement with a third party carrier and BellSouth is charged termination charges by a third party terminating a call originated by CCI, or if such third party carrier bills BellSouth for terminating such calls, despite the existence of such an agreement, then BellSouth may, at its option:
  - 5.5.3.1.1 pay such charges as billed by the third party carrier and charge End Office Switching as set forth in Exhibit A to CCI for each such call; or
  - 5.5.3.1.2 pay such charges as billed by the third party carrier and CCI will reimburse the full amount of such charges within thirty (30) days of BellSouth's request for reimbursement.
- 5.5.3.2 Intercarrier compensation for seven (7) or ten (10) digit dialed calls terminating to CCI utilizing Local Switching shall apply as follows:
  - 5.5.3.2.1 For calls originated by a BellSouth End User or by an End User served by resold BellSouth services, BellSouth shall not charge CCI for End Office Switching at the terminating end office for use of the network component; therefore, CCI shall not charge BellSouth intercarrier compensation or any other charges for termination of such calls.
  - 5.5.3.2.2 For calls originated by a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its End User, BellSouth shall not charge CCI for End Office Switching at the terminating end office for use of the network component; therefore, CCI shall not charge the originating CLEC or BellSouth intercarrier compensation or any other charges for termination of such calls.

- 5.5.3.2.3 For calls originated by third party carriers, such as CLECs, wireless carriers and independent companies,utilizing their own switches to serve their End Users, CCI is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through BellSouth's network. CCI may bill the third parties according to such agreements and shall not bill BellSouth for the exchange of traffic through BellSouth's network.
- 5.5.3.3 Intercarrier compensation shall apply as follows for intralata 1+ dialed calls originated by CCI utilizing Local Switching where CCI uses BellSouth's CIC for its End User's LPIC:
  - 5.5.3.3.1 For calls terminating to a BellSouth End User or to an End User served by BellSouth resold services, BellSouth shall charge CCI for End Office Switching as set forth in Exhibit A at the terminating end office.
  - 5.5.3.3.2 For calls terminating to a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its End User, BellSouth shall charge CCI for End Office Switching as set forth in Exhibit A at the terminating end office. BellSouth will not charge the terminating CLEC for End Office Switching at the terminating end office. In the event that BellSouth is charged termination charges by the CLEC, BellSouth may pay such charges and CCI will reimburse BellSouth the full amount of such charges within thirty (30) days following BellSouth's request for reimbursement.
  - 5.5.3.3.3 For calls terminating to third party carriers, such as CLECs, wireless carriers and independent companies, utilizing their own switches to serve their End Users, CCI is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through BellSouth's network. If CCI does not have such an agreement with a third party carrier and BellSouth is charged termination charges by a third party terminating a call originated by CCI, or if such third party carrier bills BellSouth for terminating such calls, despite the existence of such an agreement, then BellSouth may, at its option:
    - 5.5.3.3.3.1 pay such charges as billed by the third party carrier and charge End Office Switching as set forth in Exhibit A to CCI for each such call; or
    - 5.5.3.3.3.2 pay such charges as billed by the third party carrier and CCI will reimburse BellSouth the full amount of such charges within thirty (30) days following BellSouth's request for reimbursement.
- 5.5.3.4 Intercarrier compensation shall apply as follows for intralata 1+ dialed calls terminating to CCI utilizing Local Switching where the originating carrier uses BellSouth's CIC for its End User's LPIC:

5.5.3.4.1 For calls originated by a BellSouth End User or by an End User served by BellSouth resold service, BellSouth shall charge CCI for End Office Switching as set forth in Exhibit A at the terminating end office for use of the End Office Switching network component in terminating such calls. CCI may charge BellSouth for intercarrier compensation at the End Office Switching as set forth in Exhibit A in this Agreement for such calls. CCI shall not charge originating or terminating switched access rates to BellSouth for termination of such calls.

5.5.3.5 For calls originated by or terminating to interexchange carriers through a switched access arrangement, CCI may bill the interexchange carrier in accordance with CCI's tariff and will not bill BellSouth any charges for such call. CCI shall pay BellSouth applicable charges for the use of BellSouth's network in accordance with the rates set forth in Exhibit A for originating and terminating such calls.

## **6 Dedicated Transport and Dark Fiber Transport**

6.1 Dedicated Transport. Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by CCI. Including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to CCI. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement. In addition, except as set forth in Section 6.2 below, BellSouth shall not be required to provide to CCI unbundled access to Dedicated Transport that does not connect a pair of wire centers or switches owned by BellSouth ("Entrance Facilities").

### 6.2 Transition for DS1 and DS3 Dedicated Transport Including DS1 and DS3 Entrance Facilities

6.2.1 For purposes of this Section 6.2, the Transition Period for DS1 and DS3 Dedicated Transport including all DS1 and DS3 Entrance Facilities is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.

6.2.2 For purposes of this Section 6.2, Embedded Base means DS1 and DS3 Dedicated Transport including DS1 and DS3 Entrance Facilities that were in service for CCI as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.

6.2.3 For purposes of this Section 6.2, a Business Line is as defined in 47 C.F.R. § 51.5.

6.2.4 BellSouth shall make available Dedicated Transport as defined in this Section 6. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport as described in this Section 6.2 only for CCI's Embedded Base during the Transition Period:

- 6.2.4.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain 38,000 Business Lines or four (4) or more fiber-based collocators.
- 6.2.4.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.
- 6.2.4.3 During the Transition Period, the rates for CCI's Embedded Base of DS1 and DS3 Dedicated Transport as described in this Section 6.2 shall be as set forth in Exhibit B and the rates for CCI's Embedded Base of DS1 and DS3 Entrance Facilities as described in this Section 6.2 shall be as set forth in Exhibit A.
- 6.2.4.4 The Transition Period shall apply only to CCI's Embedded Base and CCI shall not add new DS1 or DS3 Dedicated Transport as described in this Section 6.2, or DS1 or DS3 Entrance Facilities, pursuant to this Agreement.
- 6.2.4.5 Once a wire center exceeds either of the thresholds set forth in this Section 6.2.4.1, no future DS1 Dedicated Transport unbundling will be required in that wire center.
- 6.2.4.6 Once a wire center exceeds either of the thresholds set forth in Section 6.2.4.2, no future DS3 Dedicated Transport will be required in that wire center.
- 6.2.4.7 At the end of the Transition Period any remaining Embedded Base will be disconnected.
- 6.3 BellSouth shall:
  - 6.3.1 Provide CCI exclusive use of Dedicated Transport to a particular customer or carrier;
  - 6.3.2 Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section;
  - 6.3.3 Permit, to the extent technically feasible, CCI to connect Dedicated Transport to equipment designated by CCI, including but not limited to, CCI's collocated facilities; and
  - 6.3.4 Permit, to the extent technically feasible, CCI to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.4 BellSouth shall offer Dedicated Transport:
  - 6.4.1 As capacity on a shared facility; and
  - 6.4.2 As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to CCI.

- 6.5 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 6.6 CCI may obtain a maximum of ten (10) unbundled DS1 Dedicated Transport circuits or twelve (12) unbundled DS3 Dedicated Transport circuits, or their equivalent, on each route where the respective Dedicated Transport is available as a Network Element. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- 6.7 Technical Requirements
- 6.7.1 BellSouth shall offer DS0 equivalent interface transmission rates for DS0 or voice grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
- 6.7.2 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.7.2.1 DS0 Equivalent;
- 6.7.2.2 DS1;
- 6.7.2.3 DS3; and
- 6.7.2.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.7.3 BellSouth shall design Dedicated Transport according to its network infrastructure. CCI shall specify the termination points for Dedicated Transport.
- 6.7.4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and BellSouth Technical References;
- 6.7.4.1 Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.7.4.2 BellSouth's TR73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995.

- 6.7.4.3 BellSouth's TR73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.
- 6.8 Unbundled Channelization (Multiplexing)
- 6.8.1 To the extent CCI is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, CCI may request channel activation on a channelized facility and BellSouth shall connect the requested facilities via COCIs. The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 6.8.2 BellSouth shall make available the following channelization systems and interfaces:
- 6.8.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available: Voice Grade, Digital Data and ISDN.
- 6.8.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.8.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.8.3 Technical Requirements. In order to assure proper operation with BellSouth provided central office multiplexing functionality, CCI's channelization equipment must adhere strictly to form and protocol standards. CCI must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.9 Dark Fiber Transport. Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics. Except as set forth in Section 6.9.1 below, BellSouth shall not be required to provide access to Dark Fiber Transport Entrance Facilities pursuant to this Agreement.
- 6.9.1 Transition for Dark Fiber Transport and Dark Fiber Transport Entrance Facilities

- 6.9.1.1 For purposes of this Section 6.9, the Transition Period for Dark Fiber Transport is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.
- 6.9.1.2 For purposes of this Section 6.9, Embedded Base means Dark Fiber Transport that was in service for CCI as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 6.9.1.3 For purposes of this Section 6.9, a Business Line is as defined in 47 C.F.R. § 51.5.
- 6.9.1.4 BellSouth shall make available Dark Fiber Transport as defined in this Section 6.9.1. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport as described in this Section 6.9 only for CCI's Embedded Base during the Transition Period:
  - 6.9.1.4.1 Dark Fiber Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.
- 6.9.1.5 During the Transition Period, the rates for CCI's Embedded Base of Dark Fiber Transport as described in Section 6.9.1.1 shall be as set forth in Exhibit B and the rates for CCI's Embedded Base of Dark Fiber Transport Entrance Facilities as described in Section 6.9.1 shall be as set forth in Exhibit A.
- 6.9.1.6 The Transition Period shall apply only to CCI's Embedded Base and CCI shall not add new Dark Fiber Transport as described in this Section 6.9 pursuant to this Agreement.
- 6.9.1.7 Once a wire center exceeds either of the thresholds set forth in this Section 6.9.1.4.1, no future Dark Fiber Transport unbundling will be required in that wire center.
- 6.9.1.8 At the end of the Transition Period any remaining Embedded Base will be disconnected.
- 6.10 Rearrangements
  - 6.10.1 A request to move a working CCI CFA to another CCI CFA, where both CFAs terminate in the same BellSouth Central Office ("Change in CFA"), shall not constitute the establishment of new service. The applicable rates set forth in Exhibit A.
  - 6.10.2 Requests to re-terminate one end of a facility that is not a Change in CFA constitute the establishment of new service and require disconnection of existing service and the applicable rates set forth in Exhibit A shall apply.



- 6.10.3 Upon request of CCI, BellSouth shall project manage the Change in CFA or re-termination of a facility as described in Sections 6.10.1 and 6.10.2 above and CCI may request OC-TS for such orders.
- 6.10.4 BellSouth shall accept a Letter of Authorization (LOA) between CCI and another carrier that will allow CCI to connect a facility, or Combination that includes Dedicated Transport to the other carrier's collocation space or to another carrier's CFA associated with higher bandwidth transport.

## **7 Call Related Databases and Signaling**

- 7.1 Call Related Databases are the databases other than OSS, that are used in signaling networks, for billing and collection, or the transmission, routing or other provision of a Telecommunications Service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to call related databases and signaling including but not limited to, BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, STP, SS7 AIN Access, Service Control Point(SCP\Databases, Local Number Portability (LNP) Databases and Calling Name (CNAM) Database Service pursuant to this Agreement where BellSouth is required to provide and is providing Local Switching or UNE-P to CCI pursuant to this Agreement.
- 7.2 BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service
- 7.2.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At CCI's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by CCI.
- 7.2.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.
- 7.3 LIDB
- 7.3.1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, CCI must purchase appropriate signaling links pursuant to Section 7.3 of this Attachment. LIDB contains records

associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

7.3.2 Technical Requirements

7.3.2.1 BellSouth will offer to CCI any additional capabilities that are developed for LIDB during the life of this Agreement.

7.3.2.2 BellSouth shall process CCI's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to CCI what additional functions (if any) are performed by LIDB in the BellSouth network.

7.3.2.3 Within two (2) weeks after a request by CCI, BellSouth shall provide CCI with a list of the customer data items, which CCI would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.

7.3.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.

7.3.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.

7.3.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.

7.3.2.7 All additions, updates and deletions of CCI data to the LIDB shall be solely at the direction of CCI. Such direction from CCI will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).

7.3.2.8 BellSouth shall provide priority updates to LIDB for CCI data upon CCI's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.

- 7.3.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of CCI customer records will be missing from LIDB, as measured by CCI audits. BellSouth will audit CCI records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated CCI contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to CCI within one (1) business day of audit. Once reconciled records are received back from CCI, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00 p.m. Central Time. If more than 500 records are received, BellSouth will contact CCI to negotiate a time frame for the updates, not to exceed three (3) business days.
- 7.3.2.10 BellSouth shall perform backup and recovery of all of CCI's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 7.3.2.11 BellSouth shall provide CCI with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between CCI and BellSouth.
- 7.3.2.12 BellSouth shall prevent any access to or use of CCI data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by CCI in writing.
- 7.3.2.13 BellSouth shall provide CCI performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by CCI at least at parity with BellSouth Customer Data. BellSouth shall obtain from CCI the screening information associated with LIDB Data Screening of CCI data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to CCI under the BFR/NBR Process as set forth in Attachment 11.
- 7.3.2.14 BellSouth shall accept queries to LIDB associated with CCI customer records and shall return responses in accordance with industry standards.
- 7.3.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.

- 7.3.2.16 BellSouth shall provide processing time at the LIDB within 1 second for ninety-nine percent (99%) of all messages under normal conditions as defined in industry standards.
- 7.3.3 Interface Requirements
- 7.3.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 7.3.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 7.3.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 7.3.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 7.3.3.5 The application of the LIDB rates contained in Exhibit A will be based on a Percent CLEC LIDB Usage (PCLU) factor. CCI shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. CCI shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- 7.4 Signaling. BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, STPs and SCPs. Signaling functionality will be available with both A-link and B-link connectivity.
- 7.4.1 Signaling Link Transport. Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between CCI designated SPOI that provide appropriate physical diversity.
- 7.4.1.1 Technical Requirements
- 7.4.1.1.1 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:

- 7.4.1.1.1.1 As an “A-link” Signaling Link Transport is a connection between a switch or SCP and a home STP switch pair; and
- 7.4.1.1.1.2 As a “B-link” Signaling Link Transport is a connection between two (2) STP switch pairs in different company networks (e.g., between two (2) STP switch pairs for two (2) CLECs).
- 7.4.1.2 Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:
  - 7.4.1.2.1 An A-link layer shall consist of two (2) links; and
  - 7.4.1.2.2 A B-link layer shall consist of four (4) links.
- 7.4.1.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
  - 7.4.1.3.1 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and
  - 7.4.1.3.2 No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three (3) separate physical paths end-to-end).
- 7.4.2 Interface Requirements. There shall be a DS1 (1.544 Mbps) interface at CCI’s designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 7.4.3 STP. An STP is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
  - 7.4.3.1 Technical Requirements
    - 7.4.3.1.1 STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth SCPs/Databases connected to BellSouth SS7 network. STPs also provide access to third party local or tandem switching and third party provided STPs.
    - 7.4.3.1.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit

messages, there shall be no alteration of the Integrated Services Digital Network User Part (ISDNUP) or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message. Rates for ISDNUP and TCAP are as set forth in Exhibit A.

- 7.4.3.1.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a CCI local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between CCI local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 7.4.3.1.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a CCI or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a CCI database, then CCI agrees to provide BellSouth with the Destination Point Code for CCI database.
- 7.4.3.1.5 STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 7.4.3.1.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a CCI or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.
- 7.4.4 SS7
- 7.4.4.1 When technically feasible and upon request by CCI, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of

the BellSouth SS7 network with CCI's SS7 network to exchange TCAP queries and responses with a CCI SCP.

7.4.4.2 SS7 AIN Access shall provide CCI SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and CCI SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the CCI SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

7.4.4.3 Interface Requirements

7.4.4.3.1 BellSouth shall provide the following STP options to connect CCI or CCI-designated Local Switching systems to the BellSouth SS7 network:

7.4.4.3.1.1 An A-link interface from CCI Local Switching systems; and

7.4.4.3.1.2 A B-link interface from CCI local STPs.

7.4.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.

7.4.4.3.3 The SPOI for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.

7.4.4.3.4 BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.

7.4.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.

7.4.4.4 Message Screening

7.4.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from CCI local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the CCI switching system has a valid signaling relationship.

7.4.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from CCI local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the CCI switching system has a valid signaling relationship.

7.4.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from CCI from any signaling point or network interconnected through BellSouth's SS7 network where the CCI SCP has a valid signaling relationship.

7.4.5 SCP/Databases

7.4.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: LNP, LIDB, Toll Free Number Database, ALI/DMS, and CNAM Database. BellSouth also provides access to SCE/SMS application databases and DA.

7.4.5.2 A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. SMS provides operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

7.4.5.3 Technical Requirements for SCPs/Databases

7.4.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.

7.4.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g., SS7, ISDN and X.25).

7.4.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

7.5 LNP Database. The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

7.6 CNAM Database Service

7.6.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides CCI the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.

7.6.2 CCI shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60)



calendar days prior to CCI's access to BellSouth's CNAM Database Services and shall be addressed to CCI's Local Contract Manager.

- 7.6.3 BellSouth's provision of CNAM Database Services to CCI requires interconnection from CCI to BellSouth CNAM SCPs. Such interconnections shall be established pursuant to Attachment 3 of this Agreement.
- 7.6.4 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, CCI shall provide its own CNAM SSP. CCI's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 7.6.5 If CCI elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's TR-TSV-000905 CCS Network Interface Specification. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that CCI desires to query.
- 7.6.6 If CCI queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's TR-TSV-000905 CCS Network Interface Specification. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- 7.6.7 The mechanism to be used by CCI for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by CCI in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of CCI to provide accurate information to BellSouth on a current basis.
- 7.6.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 7.6.9 CCI CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

7.7 SCE/SMS AIN Access

- 7.7.1 BellSouth's SCE/SMS AIN Access shall provide CCI the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- 7.7.2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to CCI. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- 7.7.3 BellSouth SCP shall partition and protect CCI service logic and data from unauthorized access.
- 7.7.4 When CCI selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable CCI to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- 7.7.5 CCI access will be provided via remote data connection (e.g., dial-in, ISDN).
- 7.7.6 BellSouth shall allow CCI to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

**8 Automatic Location Identification/Data Management System (ALI/DMS)**

8.1 911 and E911 Databases

- 8.1.1 BellSouth shall provide CCI with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f).
- 8.1.2 The ALI/DMS database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. CCI will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 8.2.1.

8.2 Technical Requirements

- 8.2.1 BellSouth's 911 database vendor shall provide CCI the capability of providing updates to the ALI/DMS database through a specified electronic interface. CCI shall contact BellSouth's 911 database vendor directly to request interface. CCI shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of CCI and BellSouth shall not be liable for the transactions between CCI and BellSouth's 911 database vendor.

- 8.2.2 It is CCI's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site.
- 8.2.3 CCI shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth Interconnection Web site at <http://www.interconnection.bellsouth.com/guides>.
- 8.2.4 Stranded Unlocks are defined as End User records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to CCI, as a new provider of local service to the End User. Stranded Unlocks are those End User records that have been "unlocked" by the previous local exchange carrier that provided service to the End User and are open for CCI to assume responsibility for such records.
- 8.2.4.1 Based upon End User record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to CCI that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. CCI shall review the Stranded Unlock report, identify its End User records and request to either delete such records or migrate the records to CCI within two (2) months following the date of the Stranded Unlock report provided by BellSouth. CCI shall reimburse BellSouth for any charges BellSouth's database vendor imposes on BellSouth for the deletion of CCI's records.

## **9 OSS**

- 9.1 BellSouth has developed and made available electronic interfaces by which CCI may submit LSRs electronically.
- 9.2 LSRs submitted by means of one of these electronic interfaces will incur an electronic service order charge. LSRs submitted by means other than one of these interactive interfaces (e.g., mail, fax, courier, etc.) will incur a manual order service charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). Electronic and manual service order charges are specified in Exhibit A.
- 9.3 BellSouth will bill the electronic or manual service order charge for Network Elements as applicable, for an LSR, regardless of whether that LSR is later supplemented, clarified or cancelled.
- 9.4 Notwithstanding the foregoing, BellSouth will not bill an additional electronic or manual service order charge for supplements to any LSR submitted to clarify, correct, change or cancel a previously submitted LSR.

- 9.5      Denial/Restoral OSS Charge. BellSouth reserves the right to bill electronic or manual service order charges for each account as applicable. In the event CCI provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 9.6      Network Elements and Other Services Manual Additive. The Commissions in some states have ordered per element manual additive NRC for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A		Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First			SOME	SOMAN		
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website: <a href="http://www.interconnection.bellsouth.com/become_a_clec.html#interconnection.htm">http://www.interconnection.bellsouth.com/become_a_clec.html#interconnection.htm</a>															
OPERATIONS SUPPORT SYSTEMS (OSS) - "STATE SPECIFIC RATES"															
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "regional" OSS charges as offered by BellSouth. The OSS charges currently contained in this rate exhibit are the PSC state ordered "state specific" service ordering charges. CLEC m															
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMECH rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those el															
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMECH		5.83	0.00	3.72	0.00					
	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMAN		15.66	0.00	1.97	0.00					
UNE SERVICE DATE ADVANCEMENT CHARGE															
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.															
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TDX, U1T03, U1TS1, U1TVX, U1TBC, U1BL, U1TCC, U1CL, U1DC, U1DL, U1EC, U1EL, U1FC, U1FL, U1GC, U1GL, U1HC, U1HL, UDL12, UDL48, UDL03, UDL5X, UE3, ULD12, ULD48, ULD01, ULD03, ULDDX, ULD03, ULDS1, ULDVX, UNG1X, UNG3X, UNGDX, UNGCX, UNGSX, UNGVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA	SDASP	200.00									
UNBUNDLED EXCHANGE ACCESS LOOP															
2-WIRE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	21.05	37.81	17.56	23.49	5.30					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	34.34	37.81	17.56	23.49	5.30					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.58	37.81	17.56	23.49	5.30					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	21.05	37.81	17.56	23.49	5.30					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	34.34	37.81	17.56	23.49	5.30					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83							
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.16								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.85	19.85							

UNBUNDLED NETWORK ELEMENTS - Alabama																			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A							
						Nonrecurring		Nonrecurring Disconnect				Incremental Charge - Manual Svc Order vs. Electronic-Add'l 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l 1st				
						First	Add'l	First	Add'l										
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UWL-SL1)			UEANL	UREWO		15.78	8.94											
	Unbundled Voice Loop - Non-Design Voice Loop - billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.44												
	Manual Order Coordination for UWL-SL1s (per loop)			UEANL	UEAMC		8.15	8.15											
	Order Coordination for Specified Conversion Time for UWL-SL1 (per LSR)			UEANL	OCOSL		18.09												
2-WIRE UNBUNDLED COPPER LOOP																			
	2-Wire Unbundled Copper Loop - Non-Design Zone 1	1		UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15									
	2-Wire Unbundled Copper Loop - Non-Design - Zone 2	2		UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15									
	2-Wire Unbundled Copper Loop - Non-Design - Zone 3	3		UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15									
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83											
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Design (per loop)			UEQ	USBMC		8.15												
	Unbundled Copper Loop - Non-Design Copper Loop - billing for BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.44												
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.16	34.16											
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.85	19.85											
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	UREWO		14.27	7.43											
UNBUNDLED EXCHANGE ACCESS LOOP																			
2-WIRE ANALOG VOICE GRADE LOOP																			
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1				UEALS	12.58	37.81	17.56	23.49	5.30									
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1		UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30									
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2	2		UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30									
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2	2		UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30									
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3		UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30									
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3		UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30									
UNBUNDLED EXCHANGE ACCESS LOOP																			
2-WIRE ANALOG VOICE GRADE LOOP																			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1				UEAL2	14.38	88.00	55.00	47.24	7.44									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2		UEA	UEAL2	22.85	88.00	55.00	47.24	7.44									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3		UEA	UEAL2	36.14	88.00	55.00	47.24	7.44									
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09												
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1		UEA	UEAR2	14.38	88.00	55.00	47.24	7.44									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2		UEA	UEAR2	22.85	88.00	55.00	47.24	7.44									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3		UEA	UEAR2	36.14	88.00	55.00	47.24	7.44									
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09												
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		18.09	36.36											
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10											
4-WIRE ANALOG VOICE GRADE LOOP																			
	4-Wire Analog Voice Grade Loop - Zone 1	1		UEA	UEAL4	25.34	131.97	94.51	59.14	14.50									
	4-Wire Analog Voice Grade Loop - Zone 2	2		UEA	UEAL4	38.58	131.97	94.51	59.14	14.50									
	4-Wire Analog Voice Grade Loop - Zone 3	3		UEA	UEAL4	60.02	131.97	94.51	59.14	14.50									
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09												
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36											

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment: 2 Exh. A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First			SOMECE	SOMAN	OSS Rates (\$)	SOMAN	SOMAN
	2-WIRE ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	UHL2X	21.88	117.24	79.77	52.88	10.54						
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	UHL2X	32.85	117.24	79.77	52.88	10.54						
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	UHL2X	48.55	117.24	79.77	52.88	10.54						
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL	18.09										
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO	91.63	44.16									
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44						
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44						
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL	18.09										
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44						
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44						
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL	18.09										
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO	86.20	40.40									
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44						
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44						
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	18.09										
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44						
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44						
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	18.09										
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO	86.14	40.40									
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73						
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73						
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	18.09										
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	18.09										
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO	86.14	40.40									
	4-WIRE DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	82.55	252.47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	154.18	252.47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	314.52	252.47	157.54	44.70	11.71						
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL	18.09										

UNBUNDLED NETWORK ELEMENTS - Alabama																
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Manually Submitted per LSR	Attachment: 2 Exh. A				
					Nonrecurring		Nonrecurring		Disconnect			Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st		
					Rec	First	Add'l	First							Add'l	SOMECC
	CLEC to CLEC Conversion Charge without outside dispatch			UREWO		101.09	43.05									
4-WIRE	19.2, 58 OR 64 Kbps DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps	1	UDL	UDL19	26.09	126.27	88.80	59.14	14.50							
	4 Wire Unbundled Digital 19.2 Kbps	2	UDL	UDL19	35.95	126.27	88.80	59.14	14.50							
	4 Wire Unbundled Digital 19.2 Kbps	3	UDL	UDL19	37.88	126.27	88.80	59.14	14.50							
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL	UDL56	26.09	126.27	88.80	59.14	14.50							
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	UDL56	35.95	126.27	88.80	59.14	14.50							
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50							
	Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOCL	18.09											
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	UDL64	26.09	126.27	88.80	59.14	14.50							
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	UDL64	35.95	126.27	88.80	59.14	14.50							
4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	UDL64	37.88	126.27	88.80	59.14	14.50								
Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOCL	18.09												
CLEC to CLEC Conversion Charge without outside dispatch		UDL			102.13	48.75										
2-WIRE	Unbundled COPPER LOOP			UREWO												
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44							
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	2	UCL	UQLPB	12.73	112.46	65.30	47.24	7.44							
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44							
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC	8.15											
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44							
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	12.73	91.46	54.30	7.44							
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	14.30	91.46	54.30	7.44							
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC	8.15											
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)		UCL	UREWO	97.23	42.48										
4-WIRE	COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73							
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73							
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73							
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC	8.15											
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73							
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	1	2	UCL	UCL4W	20.76	114.21	67.05	9.73							
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	1	3	UCL	UCL4W	28.21	114.21	67.05	9.73							
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC	8.15											
	CLEC to CLEC conversion Charge without outside dispatch		UCL	UREWO	97.23	42.48										
LOOP MODIFICATION																
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft. per Unbundled Loop.	1	UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB													
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft. per Unbundled Loop	1	UHL, UCL, UEA, UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00									
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	1		ULM4L		0.00	0.00									
				ULM8T		32.41	32.41									
SUB-LOOPS																



UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment: 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
					Rec	Nonrecurring		Nonrecurring Disconnect					
						First	Add'l		SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution												
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I	UEANL	USBSA		244.42							
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I	UEANL	USBSB		22.64							
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	I	UEANL	USBSC		177.45							
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I	UEANL	USBSD		55.15							
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		8.15	8.15						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		8.15	8.15						
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I	UEANL	USBR2	2.27	53.01	18.17	45.25	6.70				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		8.15	8.15						
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I	UEANL	USBR4	5.16	59.25	24.41	49.71	9.07				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		8.15	8.15						
	Loop Testing - Basic 1st Half Hour		UEANL	URET1		34.16	34.16						
	Loop Testing - Basic Additional Half Hour		UEANL	URE1A		19.85	19.85						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS2X	8.76	65.80	30.96	45.25	6.70				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBMC		8.15	8.15						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS4X	6.11	79.03	44.19	49.71	9.07				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS4X	12.61	79.03	44.19	49.71	9.07				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS4X	15.36	79.03	44.19	49.71	9.07				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBMC		8.15	8.15						
	Loop Testing - Basic 1st Half Hour		UEF	URET1		34.16	34.16						
	Loop Testing - Basic Additional Half Hour		UEF	URE1A		19.85	19.85						
	Unbundled Network Terminating Wire (UNTW)		UEF	UEP									
	Unbundled Network Terminating Wire (UNTW) per Pair		UEF	UEP									
	Network Interface Device (NID)		UEF	UEP	0.40	30.01							
	Network Interface Device (NID) - 1-2 lines		UEF	UEP									
	Network Interface Device (NID) - 1-6 lines		UEF	UEP									
	Network Interface Device Cross Connect - 2 W		UEF	UEP									
	Network Interface Device Cross Connect - 4W		UEF	UEP									
	UNE OTHER, PROVISIONING ONLY - NO RATE												
	NID - Dispatch and Service Order for NID Installation		UEF	UNDBX	0.00	0.00							
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		UEF	UNDBX	0.00	0.00							
	Unbundled Contract Name, Provisioning Only - No Rate		UEF	UNDBX	0.00	0.00							
	UNE OTHER, PROVISIONING ONLY - NO RATE												

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment: 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Rec	Nonrecurring		Disconnect Add'l					
						First	Add'l		SOME	SOMAN	SOMAN	SOMAN	
	Unbundled Contact Name, Provisioning Only - no rate		UAL,UCL,UDC,UDL,UDN,UEA,UHL,USL	UNEON	0.00	0.00							
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate		UEA,UDN,UCL,UDC	USBFQ	0.00	0.00							
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate		UEA,USL,UCL,UDL	USBFR	0.00	0.00							
	Unbundled DS1 Loop - Superframe Format Option - no rate		USL	CCOSF	0.00	0.00							
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate		USL	CCOEF	0.00	0.00							
HIGH CAPACITY UNBUNDLED LOCAL LOOP													
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month		UE3	1L5ND	8.38								
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month		UE3	UE3PX	308.98	519.248	303.531	137.4135	96.117				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month		UDLSX	1L5ND	8.38								
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month		UDLSX	UDLS1	319.83	519.248	303.531	137.4135	96.117				
LOOP MAKE-UP													
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).		UMK	UMKLW		20.00	20.00						
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).		UMK	UMKLP		21.00	21.00						
	Loop Makeup-With or Without Reservation, per working or spare facility queried (Mechanized)		UMK	UMKMQ		0.59	0.59						
LINE SPLITTING													
LINE SPLITTING													
END USER ORDERING-CENTRAL OFFICE BASED													
	Line Splitting - per line activation DLEC owned splitter		UEPSR UEPSB	UREOS	0.61								
	Line Splitting - per line activation BST owned - physical		UEPSR UEPSB	UREBP	0.61	37.01	21.19	20.02	9.83				
	Line Splitting - per line activation BST owned - virtual		UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83				
MAINTENANCE													
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 13.3.1 as applicable.													
	No Trouble Found - per 1/2 hour increments - Basic					80.00	55.00						
	No Trouble Found - per 1/2 hour increments - Overtime					90.00	65.00						
	No Trouble Found - per 1/2 hour increments - Premium					100.00	75.00						
UNBUNDLED DEDICATED TRANSPORT													
INTEROFFICE CHANNEL - DEDICATED TRANSPORT													
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month		U1TVX	1L5XX	0.008838								
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination		U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90				
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat. - Per Mile per month		U1TVX	1L5XX	0.008838								
	Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat. - Facility Termination		U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month		U1TVX	1L5XX	0.008838								
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination		U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month		U1TDX	1L5XX	0.008838								
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination		U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month		U1TDX	1L5XX	0.008838								
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination		U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90				

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment: 2 Exh. A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	
						Rec	Nonrecurring		Nonrecurring Disconnect						
							First	Add'l		First	Add'l	SOME C	SOMAN	OSS Rates (\$)	SOMAN
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month														
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination			U1TD1	1L5XX	0.18									
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44					
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	1L5XX	4.09									
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TD3	U1TF3	703.52	278.75	162.76	60.20	28.46					
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	1L5XX	4.09									
				U1TS1	U1TFS	701.37	278.75	162.76	60.20	28.46					
DARK FIBER															
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF, UDFCX	1L5DC	69.37									
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	23.29									
	NRC: Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		639.09	137.87	317.06	197.66					
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF, UDFCX	1L5DL	69.37									
VIRTUAL COLLOCATION															
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44					
PHYSICAL COLLOCATION															
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44					
ENHANCED EXTENDED LINK (EELs)															
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.															
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.															
2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION															
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44					
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44					
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44					
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.53	6.58	4.72							
4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION															
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50					
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50					
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50					
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72							
4-WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDCX	UDL56	26.09	126.27	88.80	59.14	14.50					
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDCX	UDL56	36.95	126.27	88.80	59.14	14.50					
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDCX	UDL56	37.88	126.27	88.80	59.14	14.50					
	OCU-DP COCI (data) per month (2.4-64Kbs)			UNCDCX	1D1DD	1.12	6.58	4.72							
4-WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDCX	UDL64	26.09	126.27	88.80	59.14	14.50					
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDCX	UDL64	35.95	126.27	88.80	59.14	14.50					
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDCX	UDL64	37.88	126.27	88.80	59.14	14.50					
	OCU-DP COCI (data) - in combination - per month (2.4-64Kbs)			UNCDCX	1D1DD	1.12	6.58	4.72							
2-WIRE ISDN LOOP FOR USE IN A COMBINATION															
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNXX	U1L2X	21.88	117.24	79.77	52.88	10.54					
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNXX	U1L2X	32.85	117.24	79.77	52.88	10.54					
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNXX	U1L2X	48.55	117.24	79.77	52.88	10.54					
	2-wire ISDN COCI (BRUTE) - in combination - per month			UNCNXX	UC1CA	2.41	6.58	4.72							
4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNCIX	USLXX	82.55	252.47	157.54	44.70	11.71					
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNCIX	USLXX	154.18	252.47	157.54	44.70	11.71					
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNCIX	USLXX	314.52	252.47	157.54	44.70	11.71					
	DS1 COCI in combination per month			UNCIX	UC1D1	12.70	6.58	4.72							

UNBUNDLED NETWORK ELEMENTS - Alabama																		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A						
						Nonrecurring		Disconnect Add'l	Incremental Charge - Manual Svc Order vs. Electronic- 1st			Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st					
						First	Add'l							SOME	SOMAN	SOMAN	SOMAN	
						Rec	First <td>Add'l<td>First<td>Add'l<td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td></td></td>	Add'l <td>First<td>Add'l<td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td></td>	First <td>Add'l<td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td>	Add'l <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
	2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION																	
	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.008838												
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90								
	4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION																	
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.008838												
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90								
	DS1 INTEROFFICE TRANSPORT FOR COMBINATION																	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.18												
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44								
	DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION																	
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	4.09												
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46								
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83								
	STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION																	
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNC5X	1L5XX	4.09												
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNC5X	U1TF5	701.37	278.75	162.76	60.20	58.46								
	3/1 Channel System in combination per month			UNC5X	MQ3	166.13	178.14	93.97	33.26	31.83								
	4 WIRE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT																	
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNC5X	UDL56	26.09	126.27	88.80	59.14	14.50								
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNC5X	UDL56	35.95	126.27	88.80	59.14	14.50								
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNC5X	UDL56	37.88	126.27	88.80	59.14	14.50								
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNC5X	1L5XX	0.008838												
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNC5X	U1TD5	15.12	40.54	27.41	16.74	6.90								
	4 WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT																	
	4-wire 64 kbps Local Loop in Combination - Zone 1		1	UNC5X	UDL64	26.09	126.27	88.80	59.14	14.50								
	4-wire 64 kbps Local Loop in Combination - Zone 2		2	UNC5X	UDL64	35.95	126.27	88.80	59.14	14.50								
	4-wire 64 kbps Local Loop in Combination - Zone 3		3	UNC5X	UDL64	37.88	126.27	88.80	59.14	14.50								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNC5X	1L5XX	0.008838												
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNC5X	U1TD6	15.12	40.54	27.41	16.74	6.90								
	4 WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																	
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNC5X	UDL56	26.09	126.27	88.80	59.14	14.50								
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNC5X	UDL56	35.95	126.27	88.80	59.14	14.50								
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNC5X	UDL56	37.88	126.27	88.80	59.14	14.50								
	4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNC5X	1L5XX	0.008838												
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNC5X	U1TD5	15.12	40.54	27.41	16.74	6.90								
	4 WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																	
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNC5X	UDL64	26.09	126.27	88.80	59.14	14.50								
	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNC5X	UDL64	35.95	126.27	88.80	59.14	14.50								
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNC5X	UDL64	37.88	126.27	88.80	59.14	14.50								
	4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNC5X	1L5XX	0.008838												
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNC5X	U1TD6	15.12	40.54	27.41	16.74	6.90								

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment: 2 Exh. A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Manually Submitted per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First					
	<b>DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT</b>													
	4-Wire DS1 Digital Loop in Combination - Zone 1	1		UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71				
	4-Wire DS1 Digital Loop in Combination - Zone 2	2		UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71				
	4-Wire DS1 Digital Loop in Combination - Zone 3	3		UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.18								
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44				
	<b>DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT</b>													
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	9.637								
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	355.327	519.248	303.531	137.4135	96.117				
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	1L5XX	4.09								
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46				
	<b>STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT</b>													
	STS-1 Local Loop in combination - per mile per month			UNC5X	1L5ND	9.637								
	STS-1 Local Loop in combination - Facility Termination per month			UNC5X	UDLS1	367.8045	519.248	303.531	137.4135	96.117				
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNC5X	1L5XX	4.09								
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNC5X	U1TF5	701.37	278.75	162.76	60.20	58.46				
	<b>ADDITIONAL NETWORK ELEMENTS</b>													
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.													
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.													
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)			UNC1X, UNC3X, UNC5X	UNCCC		5.59	5.59	6.98	6.98				
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge			UNC1X, UNC3X, UNC5X	UNCCC									
	<b>Optional Features &amp; Functions:</b>													
	Clear Channel Capability Extended Frame Option - per DS1	I		U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00				
	Clear Channel Capability Super FrameOption - per DS1	I		U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00				
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I		ULDD1, U1TD1, UNC1X, USL	NRCCC		184.85	23.81	1.99	0.7741				
	C-bit Parity Option - Subsequent Activity - per DS3	I		U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.13	7.67	0.7355	0.00				
	<b>MULTIPLERS</b>													
	DS1 to DS0 Channel System per month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.12	6.58	4.72	0.00	0.00				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.12	6.58	4.72	0.00	0.00				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA	2.41	6.58	4.72	0.00	0.00				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.41	6.58	4.72	0.00	0.00				
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.53	6.58	4.72	0.00	0.00				
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.53	6.58	4.72	0.00	0.00				
	DS3 to DS1 Channel System per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83				
	STS-1 to DS1 Channel System per month			UNC5X	MQ3	166.13	178.14	93.97	33.26	31.83				
	DS1 COCI used with Loop per month			USL	UC1D1	12.70	6.58	4.72	0.00	0.00				

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment: 2 Exh. A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st		Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Nonrecurring		Nonrecurring Disconnect				SOMECC	SOMAN	SOMAN	SOMAN
						Rec	First	Add'l	First						
	DS1 COC (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	12.70	6.58	4.72	0.00						
	DS1 COC used with Interface Channel per month			U1TD1	UC1D1	12.70	6.58	4.72	0.00						
	DS3 Interface Unit (DS1 COC) used with Local Channel per month			ULDD1	UC1D1	12.70	6.58	4.72	0.00						
Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order.															



UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2 Exh. A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st		
						Rec	Nonrecurring		Nonrecurring Disconnect Add'l			SOMECE	SOMAN	OSS Rates (\$)	SOMAN	SOMAN
							First	Add'l								
	QLEC to CLEC Conversion Charge Without Outside Dispatch (U/L-SL1)			UEANL	UREWO		15.78	8.94								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49									
	Manual Order Coordination for U/L-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
	Order Coordination for Specified Conversion Time for U/L-SL1 (per LSR)			UEANL	OCOSL		23.02									
	<b>2-WIRE UNBUNDLED COPPER LOOP</b>															
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1		UEQ	UEQ2X	7.69	44.98	20.90	24.88	6.45						
	2-Wire Unbundled Copper Loop - Non-Designed - Zone 2	2		UEQ	UEQ2X	10.92	44.98	20.90	24.88	6.45						
	2-Wire Unbundled Copper Loop - Non-Designed - Zone 3	3		UEQ	UEQ2X	19.38	44.98	20.90	24.88	6.45						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		9.00									
	Unbundled Copper Loop, Non-Design Cooper Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49									
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		48.65									
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.95									
	CLEC to CLEC Conversion Charge Without Outside Dispatch (U/L-ND)			UEQ	UREWO		14.27	7.43								
	<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>															
	<b>2-WIRE ANALOG VOICE GRADE LOOP</b>															
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1		UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57						
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1		UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57						
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2	2		UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57						
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2	2		UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57						
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3		UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57						
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3		UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57						
	<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>															
	<b>2-WIRE ANALOG VOICE GRADE LOOP</b>															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1		UEA	UEAL2	12.24	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2		UEA	UEAL2	17.40	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3		UEA	UEAL2	30.87	135.75	82.47	63.53	12.01						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1		UEA	UEAR2	12.24	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2		UEA	UEAR2	17.40	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3		UEA	UEAR2	30.87	135.75	82.47	63.53	12.01						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		36.35									
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10								
	<b>4-WIRE ANALOG VOICE GRADE LOOP</b>															
	4-Wire Analog Voice Grade Loop - Zone 1	1		UEA	UEAL4	18.89	167.86	115.15	67.08	15.56						
	4-Wire Analog Voice Grade Loop - Zone 2	2		UEA	UEAL4	26.84	167.86	115.15	67.08	15.56						
	4-Wire Analog Voice Grade Loop - Zone 3	3		UEA	UEAL4	47.62	167.86	115.15	67.08	15.56						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35								



UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2 Exh. A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st		
						Rec	Nonrecurring		Nonrecurring Disconnect Add'l						OSS Rates (\$)	
							First	Add'l							SOMECH	SOMAN
	<b>2-WIRE ISDN DIGITAL GRADE LOOP</b>															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71						
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	27.40	147.69	94.41	62.23	10.71						
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71						
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.61	44.15								
	<b>2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP</b>															
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63						
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63						
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63						
	Order Coordination For Specified Conversion Time (per LSR)			UAL	OCOSL		23.02									
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12						
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12						
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12						
	Order Coordination For Specified Conversion Time (per LSR)			UAL	OCOSL		23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.19	40.39								
	<b>2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP</b>															
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63						
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63						
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63						
	Order Coordination For Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12						
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12						
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12						
	Order Coordination For Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39								
	<b>4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP</b>															
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61						
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61						
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61						
	Order Coordination For Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22						
	Order Coordination For Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39								
	<b>4-WIRE DS1 DIGITAL LOOP</b>															
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	70.74	313.75	181.48	61.22	13.53						
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	100.54	313.75	181.48	61.22	13.53						
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	178.39	313.75	181.48	61.22	13.53						
	Order Coordination For Specified Conversion Time (per LSR)			USL	OCOSL		23.02									

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2 Exh. A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
						Rec	Nonrecurring		Nonrecurring Disconnect Add'l						
							First	Add'l		First	SOME	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.07	43.04							
4-WIRE	19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP														
	4 Wire Unbundled Digital 19.2 Kbps	1		UDL	UDL19	22.20	161.56	108.85	67.08	15.56					
	4 Wire Unbundled Digital 19.2 Kbps	2		UDL	UDL19	31.56	161.56	108.85	67.08	15.56					
	4 Wire Unbundled Digital 19.2 Kbps	3		UDL	UDL19	55.99	161.56	108.85	67.08	15.56					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1		UDL	UDL56	22.20	161.56	108.85	67.08	15.56					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2		UDL	UDL56	31.56	161.56	108.85	67.08	15.56					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3		UDL	UDL56	55.99	161.56	108.85	67.08	15.56					
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	23.02									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1		UDL	UDL64	22.20	161.56	108.85	67.08	15.56					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2		UDL	UDL64	31.56	161.56	108.85	67.08	15.56					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3		UDL	UDL64	55.99	161.56	108.85	67.08	15.56					
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.11	49.74							
	2-WIRE	Unbundled COPPER LOOP													
		2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	1		UCL	UCLPB	8.30	148.50	102.82	75.05	15.63				
		2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	2		UCL	UCLPB	11.80	148.50	102.82	75.05	15.63				
2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		3		UCL	UCLPB	20.94	148.50	102.82	75.05	15.63					
Order Coordination for Unbundled Copper Loops (per loop)				UCL	UCLMC		9.00	9.00							
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1		UCL	UCLPW	8.30	123.81	70.09	60.64	9.12					
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2		UCL	UCLPW	11.80	123.81	70.09	60.64	9.12					
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3		UCL	UCLPW	20.94	123.81	70.09	60.64	9.12					
Order Coordination for Unbundled Copper Loops (per loop)				UCL	UCLMC		9.00	9.00							
CLEC to CLEC Conversion Charge without outside dispatch (UCL -Des)				UCL	UREWO		97.21	42.47							
4-WIRE COPPER LOOP		4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1		UCL	UCL4S	11.83	177.87	132.76	77.15	17.73				
		4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	2		UCL	UCL4S	16.81	177.87	132.76	77.15	17.73				
		4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	3		UCL	UCL4S	29.82	177.87	132.76	77.15	17.73				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00						
		4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1		UCL	UCL4W	11.83	153.18	100.03	62.74	11.22				
		4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2		UCL	UCL4W	16.81	153.18	100.03	62.74	11.22				
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3		UCL	UCL4W	29.82	153.18	100.03	62.74	11.22					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00							
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97.21	42.47							
	LOOP MODIFICATION														
SUB-LOOPS															

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2 Exh. A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l		Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
						Rec	Nonrecurring		Nonrecurring Disconnect Add'l			OSS Rates (\$)		SOMAN	SOMAN
							First	Add'l				First	SOMAN		
	Sub-Loop Distribution														
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		487.23								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		6.25								
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	I		UEANL	USBSC		169.25								
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD		38.65								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26					
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26					
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00							
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00							
	Sub-Loop 2-Wire IntraBuilding Network Cable (INC)	I		UEANL	USBR2	3.96	51.84	13.44	47.50	5.26					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00							
	Sub-Loop 4-Wire IntraBuilding Network Cable (INC)	I		UEANL	USBR4	9.37	55.91	17.51	49.71	6.60					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00							
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65	48.65							
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.95	23.95							
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS2X	7.31	60.19	21.78	47.50	5.26					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	12.98	60.19	21.78	47.50	5.26					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS4X	7.61	68.83	30.42	49.71	6.60					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00							
	Loop Testing - Basic 1st Half Hour			UEF	URET1		48.65	48.65							
	Loop Testing - Basic Additional Half Hour			UEF	URETA		23.95	23.95							
	Unbundled Network Terminating Wire (UNTW)														
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4572	18.02								
	Network Interface Device (NID)														
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		71.49	48.87							
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		113.89	89.07							
	Network Interface Device Cross Connect - 2 W			UENTW	UNC22		7.63	7.63							
	Network Interface Device Cross Connect - 4W			UENTW	UNC24		7.63	7.63							
	UNE OTHER, PROVISIONING ONLY - NO RATE														
	NID - Dispatch and Service Order for NID Installation			UENTW	UNDBX	0.00	0.00								
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UEANL,UEF,UEQ,UENTW	UENCE	0.00	0.00								
	Unbundled Contract Name, Provisioning Only - No Rate				UNEEN	0.00	0.00								
	UNE OTHER, PROVISIONING ONLY - NO RATE														

UNBUNDLED NETWORK ELEMENTS - Florida																		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A					
						Rec	Nonrecurring		Nonrecurring First	Disconnect Add'l			OSS Rates (\$)					
							First	Add'l			SOMEc	SOMAN	Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
	Unbundled Contact Name, Provisioning Only - no rate			UALUCLUDCUDLUDNUEAUHLUSL	UNECDN	0.00		0.00										
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEAUDNULCLUDC	USBFQ	0.00		0.00										
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEAUSLJCLUDLUSL	USBFRCCOSF	0.00		0.00										
	Unbundled DS1 Loop - Superframe Format Option - no rate					0.00		0.00										
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00		0.00										
HIGH CAPACITY UNBUNDLED LOCAL LOOP																		
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1LSND	10.92												
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	366.88	639.8255	394.4615	159.9995	111.366								
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1LSND	10.92												
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	426.60	639.8255	394.4615	159.9995	111.366								
LOOP MAKE-UP																		
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)			UMK	UMKLW		52.17	52.17										
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)			UMK	UMKLP		55.07	55.07										
	Loop Makeup-With or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.6784	0.6784										
LINE SPLITTING																		
LINE SPLITTING																		
END USER ORDERING-CENTRAL OFFICE BASED																		
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61												
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61								
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61								
MAINTENANCE OF SERVICE																		
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 13.3.1 as applicable.																		
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00										
	No Trouble Found - per 1/2 hour increments - Overtime						90.00	65.00										
	No Trouble Found - per 1/2 hour increments - Premium						100.00	75.00										
UNBUNDLED DEDICATED TRANSPORT																		
INTEROFFICE CHANNEL - DEDICATED TRANSPORT																		
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0091												
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03								
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat. - Per Mile per month			U1TVX	1L5XX	0.0091												
	Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat. - Facility Termination			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03								
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0091												
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03								
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0091												
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03								
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0091												
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03								

UNBUNDLED NETWORK ELEMENTS - Florida													
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A		
					Nonrecurring		Disconnect				Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
					Rec	First	Add'l	First	Somec	Soman			
	Interface Channel - Dedicated Channel - DS1 - Per Mile per month				0.1856								
	Interface Channel - Dedicated Transport - DS1 - Facility Termination		U1TD1	1L5XX									
	Interface Channel - Dedicated Transport - DS3 - Per Mile per month		U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05				
	Interface Channel - Dedicated Transport - DS3 - Facility Termination per month		U1TD3	1L5XX	3.87								
	Interface Channel - Dedicated Transport - STS-1 - Per Mile per month		U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56				
	Interface Channel - Dedicated Transport - STS-1 - Facility Termination		U1TS1	1L5XX	3.87								
	Interface Channel - Dedicated Transport - STS-1 - Facility Termination		U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56				
DARK FIBER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel												
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel		UDF, UDFCX	1L5DC	53.87								
	NRC - Dark Fiber - Interoffice Channel		UDF, UDFCX	1L5DF	26.85								
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop		UDF, UDFCX	UDF14	751.34	193.88		356.21	230.11				
VIRTUAL COLLOCATION	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting												
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting		UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00				
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting		UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58				
ENHANCED EXTENDED LINK (EELs)													
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provided as 'Ordinarily Combined' Network Elements.													
NOTE: The monthly recurring and non-recurring charges below will apply for UNE combinations provided as 'Currently Combined' Network Elements.													
2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION													
	2-Wire VG Loop (SL2) in Combination - Zone 1	1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81				
	2-Wire VG Loop (SL2) in Combination - Zone 2	2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81				
	2-Wire VG Loop (SL2) in Combination - Zone 3	3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81				
	Voice Grade COCI - Per Month		UNCVX	1D1VG	1.38	10.07	7.08						
4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION													
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81				
	4-Wire Analog Voice Grade Loop in Combination - Zone 2	2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81				
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81				
	Voice Grade COCI in combination - per month		UNCVX	1D1VG	1.38	10.07	7.08						
4-WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION													
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDCX	UDL56	22.20	127.59	60.54	42.79	2.81				
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDCX	UDL56	31.56	127.59	60.54	42.79	2.81				
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDCX	UDL56	55.99	127.59	60.54	42.79	2.81				
	OCU-LDP COCI (data) per month (2.4-64Kbps)		UNCDCX	1D1DD	2.10	10.07	7.08						
4-WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION													
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDCX	UDL64	22.20	127.59	60.54	42.79	2.81				
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDCX	UDL64	31.56	127.59	60.54	42.79	2.81				
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDCX	UDL64	55.99	127.59	60.54	42.79	2.81				
	OCU-LDP COCI (data) - in combination - per month (2.4-64Kbps)		UNCDCX	1D1DD	2.10	10.07	7.08						
2-WIRE ISDN LOOP FOR USE IN A COMBINATION													
	2-Wire ISDN Loop in Combination - Zone 1	1	UNCNXX	U1L2X	19.28	127.59	60.60	42.79	2.81				
	2-Wire ISDN Loop in Combination - Zone 2	2	UNCNXX	U1L2X	27.40	127.59	60.60	42.79	2.81				
	2-Wire ISDN Loop in Combination - Zone 3	3	UNCNXX	U1L2X	48.62	127.59	60.60	42.79	2.81				
	2-Wire ISDN COCI (BRIE) - in combination - per month		UNCNXX	UC1CA	3.66	10.07	7.08						
4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION													
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNC1XX	USLXX	70.74	217.75	121.62	51.44	14.45				
	4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNC1XX	USLXX	100.54	217.75	121.62	51.44	14.45				
	4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNC1XX	USLXX	178.39	217.75	121.62	51.44	14.45				
	DS1 COCI in combination per month		UNC1XX	UC1D1	13.76	10.07	7.08						

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2 Exh. A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Rec	First	Add'l	Nonrecurring						Disconnect
	2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION														
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNC/VX	1L5XX	0.0091									
	Termination per month			UNC/VX	U1TV2	25.32	94.70	52.59	50.49	21.53					
	4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION														
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNC/VX	1L5XX	0.0091									
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNC/VX	U1TV4	22.58	94.70	52.59	50.49	21.53					
	DS1 INTEROFFICE TRANSPORT FOR COMBINATION														
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1856									
	Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95					
	DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION														
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	3.87									
	Termination per month			UNC3X	U1TF3	1,071.00	335.46	219.28	72.03	70.56					
	STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION														
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNC SX	1L5XX	3.87									
	Termination per month			UNC SX	U1TFS	1,056.00	314.45	130.88	38.60	18.23					
	4 WIRE 56 Kbps DIGITAL LOOP WITH 56 Kbps INTEROFFICE TRANSPORT														
	4-wire 56 kbps Local Loop in combination - Zone 1	1		UNC DX	UDL56	22.20	127.59	60.54	42.79	2.81					
	4-wire 56 kbps Local Loop in combination - Zone 2	2		UNC DX	UDL56	31.56	127.59	60.54	42.79	2.81					
	4-wire 56 kbps Local Loop in combination - Zone 3	3		UNC DX	UDL56	55.99	127.59	60.54	42.79	2.81					
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNC DX	1L5XX	0.0091									
	Facility Termination per month			UNC DX	U1TD5	18.44	94.70	52.59	50.49	21.53					
	4 WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH 64 Kbps INTEROFFICE TRANSPORT														
	4-wire 64 kbps Local Loop in Combination - Zone 1	1		UNC DX	UDL64	22.20	127.59	60.54	42.79	2.81					
	4-wire 64 kbps Local Loop in Combination - Zone 2	2		UNC DX	UDL64	31.56	127.59	60.54	42.79	2.81					
	4-wire 64 kbps Local Loop in Combination - Zone 3	3		UNC DX	UDL64	55.99	127.59	60.54	42.79	2.81					
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNC DX	1L5XX	0.0091									
	Facility Termination per month			UNC DX	U1TD6	18.44	94.70	52.59	50.49	21.53					
	4 WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT														
	4-wire 56 kbps Local Loop in combination - Zone 1	1		UNC DX	UDL56	22.20	127.59	60.54	42.79	2.81					
	4-wire 56 kbps Local Loop in combination - Zone 2	2		UNC DX	UDL56	31.56	127.59	60.54	42.79	2.81					
	4-wire 56 kbps Local Loop in combination - Zone 3	3		UNC DX	UDL56	55.99	127.59	60.54	42.79	2.81					
	Interoffice Transport - Dedicated - Per Mile per month			UNC DX	1L5XX	0.0091									
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNC DX	U1TD5	18.44	94.70	52.59	50.49	21.53					
	4 WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT														
	4-wire 64 kbps Local Loop in combination - Zone 1	1		UNC DX	UDL64	22.20	127.59	60.54	42.79	2.81					
	4-wire 64 kbps Local Loop in combination - Zone 2	2		UNC DX	UDL64	31.56	127.59	60.54	42.79	2.81					
	4-wire 64 kbps Local Loop in combination - Zone 3	3		UNC DX	UDL64	55.99	127.59	60.54	42.79	2.81					
	Interoffice Transport - Dedicated - Per Mile per month			UNC DX	1L5XX	0.0091									
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNC DX	U1TD6	18.44	94.70	52.59	50.49	21.53					
	4 WIRE DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT														
	4-wire DS1 Digital Loop in Combination - Zone 1	1		UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45					

UNBUNDLED NETWORK ELEMENTS - Florida																	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Manually Submitted per LSR	Attachment: 2 Exh. A				
						Rec	Nonrecurring		Nonrecurring Disconnect First	Add'l			SOMECH	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
							First	Add'l									
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45							
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45							
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1856											
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95							
DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																	
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.558											
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	444.912	639.8255	394.4615	159.9995	111.366							
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3.87											
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	1,071.00	335.46	219.28	72.03	70.56							
STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT																	
	STS-1 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.558											
	STS-1 Local Loop in combination - Facility Termination per month			UNC3X	UDLS1	490.59	639.8255	394.4615	159.9995	111.366							
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNC3X	1L5XX	3.87											
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNC3X	U1TFS	1,056.00	314.45	130.88	38.60	18.23							
ADDITIONAL NETWORK ELEMENTS																	
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As is charge does apply.																
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As is Charge does not.																
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)			UNC1X, UNC3X, UNC3X													
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge - 2 wire/4-Wire VG			UNC1X, UNC3X, UNC3X	UNCCC		8.98		8.98	8.98							
Optional Features & Functions:																	
	Clear Channel Capability Extended Frame Option - per DS1		I	U1TD1, ULDD1, UNC1X	CCOEF		0.00		0.00	0.00							
	Clear Channel Capability Super FrameOption - per DS1		I	U1TD1, ULDD1, UNC1X	CCOSF		0.00		0.00	0.00							
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1		I	U1DD1, U1TD1, UNC1X, USL	NRCCC		184.92		23.82	2.07	0.80						
	C-bit Parity Option - Subsequent Activity - per DS3		I	U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.09		7.67	0.773	0.00						
MULTIPLERS																	
	DS1 to DS0 Channel System per month			UNC1X	MQ1	146.77	101.42		71.62								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.10	10.07		7.08								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.10	10.07		7.08	0.00	0.00						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systemsem - per month for a Local Loop			UDN	UC1CA	3.66	10.07		7.08								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systemsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.66	10.07		7.08	0.00	0.00						
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	1.38	10.07		7.08								
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	1.38	10.07		7.08	0.00	0.00						
	DS3 to DS1 Channel System per month			UNC3X	MO3	211.19	199.28		118.64	40.34	39.07						
	STS-1 to DS1 Channel System per month			UNC3X	MO3	211.19	199.28		118.64	40.34	39.07						
	DS1 COCI used with Loop per month			USL	UC1D1	13.76	10.07		7.08								
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	13.76	10.07		7.08	0.00	0.00						





UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment: 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOME C	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website: <a href="http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm">http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm</a>													
OPERATIONS SUPPORT SYSTEMS (OSS) - "STATE SPECIFIC RATES"													
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "regional" OSS charges as offered by BellSouth. The OSS charges currently contained in this rate exhibit are the PSC state ordered "state specific" service ordering charges. CLEC m													
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOME C rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those el													
NOTE: (3) OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only = \$110.00 Per Each Additional 1000 Orders Per Month													
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only Per First 1000 Orders Per Month				SOMGA	550.00							
	Service Establishment Charge For OSS Interfaces (GA)			SYS	SYSL	200.00	0.00	0.00	0.00				
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOME C	0.00	0.00	0.00	0.00				
	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMAN	11.73	0.00	6.13	0.00				
UNE SERVICE DATE ADVANCEMENT CHARGE													
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.													
				UAL, UEANL, UCL, UEF, UDC, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, UT12, UT148, UT1D1, UT1D3, UT1DX, UT1T03, UT1TS1, UT1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDL03, UDSLX, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDDX, ULDD03, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, UT1UC, UT1UD, UT1UB, UT1UA									
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day				SDASP	200.00							
UNBUNDLED EXCHANGE ACCESS LOOP													
2-WIRE ANALOG VOICE GRADE LOOP													
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	UEANL		UEAL2	10.51	40.02	9.99	5.61			1.72	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	2	UEANL		UEAL2	15.85	40.02	9.99	5.61			1.72	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	3	UEANL		UEAL2	31.97	40.02	9.99	5.61			1.72	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	UEANL		UEASL	10.51	40.02	9.99	5.61			1.72	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	2	UEANL		UEASL	15.85	40.02	9.99	5.61			1.72	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	3	UEANL		UEASL	31.97	40.02	9.99	5.61			1.72	

UNBUNDLED NETWORK ELEMENTS - Georgia																		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st					
						Rec	Nonrecurring		Nonrecurring First					Disconnect Add'l	SOMECH	SOMAN	SOMAN	SOMAN
							First	Add'l										
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83										
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	25.12										
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		13.62	13.62										
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.75	8.92										
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UEANM		7.30	7.30										
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		18.92	18.92										
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		57.79											
	<b>2-WIRE UNBUNDLED COPPER LOOP - NON-DESIGNED</b>																	
	2 Wire Unbundled Copper Loop Non-Designed- Zone 1	1	UEQ		UEQ2X	11.02	44.69	22.40	0.00									
	2 Wire Unbundled Copper Loop Non-Designed- Zone 2	2	UEQ		UEQ2X	12.72	44.69	22.40	0.00									
	2 Wire Unbundled Copper Loop Non-Designed- Zone 3	3	UEQ		UEQ2X	20.22	44.69	22.40	0.00									
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83										
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		18.92	18.92										
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		7.30	7.30										
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		25.12	25.12										
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		13.62	13.62										
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	UREWO		14.25	7.42										
	<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>																	
	<b>2-WIRE ANALOG VOICE GRADE LOOP</b>																	
	UNE Loop Rates for Line Splitting (In Ga. PSC ordered the line splitting loop USOCs match the lower port loop combo rates UEPLX)																	
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	1	UEPSR UEPSB	UEALS	UEALS	9.58	10.05	7.36	1.37									
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	1	UEPSR UEPSB	UEABS	UEABS	9.58	10.05	7.36	1.37									
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	2	UEPSR UEPSB	UEALS	UEALS	14.86	10.05	7.36	1.37									
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	1	UEPSR UEPSB	UEABS	UEABS	14.86	10.05	7.36	1.28									
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3	3	UEPSR UEPSB	UEALS	UEALS	31.66	10.05	7.36	1.37									
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3	1	UEPSR UEPSB	UEABS	UEABS	31.66	10.05	7.36	1.37									
	<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>																	
	<b>2-WIRE ANALOG VOICE GRADE LOOP</b>																	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	UEA		UEAL2	11.57	79.85	24.65	18.92									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	UEA		UEAL2	16.95	79.85	24.65	18.92									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	UEA		UEAL2	33.08	79.85	24.65	18.92									
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79											
	Battery Signaling - Zone 1	1	UEA		UEAR2	11.57	79.85	24.65	18.92									
	Battery Signaling - Zone 2	2	UEA		UEAR2	16.95	79.85	24.65	18.92									
	Battery Signaling - Zone 3	3	UEA		UEAR2	33.08	79.85	24.65	18.92									
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79											
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36										
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10										
	<b>4-WIRE ANALOG VOICE GRADE LOOP</b>																	
	4-Wire Analog Voice Grade Loop - Zone 1	1	UEA		UEAL4	17.80	93.01	28.17	19.52									
	4-Wire Analog Voice Grade Loop - Zone 2	2	UEA		UEAL4	21.68	93.01	28.17	19.52									
	4-Wire Analog Voice Grade Loop - Zone 3	3	UEA		UEAL4	30.25	93.01	28.17	19.52									
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79											
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36										
	<b>2-WIRE ISDN DIGITAL GRADE LOOP</b>																	

UNBUNDLED NETWORK ELEMENTS - Georgia															Attachment: 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
						Rec	Nonrecurring		Nonrecurring First	Disconnect Add'l			OSS Rates (\$)					
							First	Add'l					SOME	SOMAN			SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	UHL2X	21.89	180.06	35.25	18.23	6.97								
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	UHL2X	25.27	180.06	35.25	18.23	6.97								
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	UHL2X	40.17	180.06	35.25	18.23	6.97								
	Order Coordination For Specified Conversion Time (per LSR)				OCOSL		57.79											
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		120.98	33.04										
	<b>2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP</b>																	
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00								
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00								
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00								
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		57.79											
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00								
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00								
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00								
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		57.79											
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		44.69	29.29										
	<b>2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP</b>																	
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00								
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00								
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	14.48	44.69	31.55	0.00	0.00								
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		57.79											
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00								
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00								
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00								
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		57.79											
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		44.69	31.55										
	<b>4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP</b>																	
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00								
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00								
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00								
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		57.79											
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00								
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00								
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00								
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		57.79											
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		44.69	31.55										
	<b>4-WIRE DS1 DIGITAL LOOP</b>																	
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	41.02	211.93	72.49	38.24	7.20								
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	46.41	211.93	72.49	38.24	7.20								
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	62.03	211.93	72.49	38.24	7.20								
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		57.79											
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		100.91	42.97										

UNBUNDLED NETWORK ELEMENTS - Georgia															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Nonrecurring		Disconnect Add'l	OSS Rates (\$)						
						Rec	First		First			SOMAN			
	4-WIRE 19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP														
	4-Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	21.86	196.66	37.00	18.82	7.20					
	4-Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	28.36	196.66	37.00	18.82	7.20					
	4-Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	38.22	196.66	37.00	18.82	7.20					
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	21.86	196.66	37.00	18.82	7.20					
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	28.36	196.66	37.00	18.82	7.20					
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	38.22	196.66	37.00	18.82	7.20					
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	57.79									
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	21.86	196.66	37.00	18.82	7.20					
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	28.36	196.66	37.00	18.82	7.20					
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.22	196.66	37.00	18.82	7.20					
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	57.79									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO	101.95	49.66								
	2-WIRE UNBUNDLED COPPER LOOP														
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	I	1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00					
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	I	2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00					
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	I	3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	18.92									
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	I	1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00					
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	I	2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00					
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	I	3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	18.92									
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	18.92									
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)	I		UCL	UREWO	44.69	31.55								
	4-WIRE COPPER LOOP														
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	I	1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00					
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	I	2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00					
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	I	3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	18.92									
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	I	1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00					
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	I	2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00					
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	I	3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	18.92									
	CLEC to CLEC conversion Charge without outside dispatch	I		UCL	UREWO	44.69	31.55								
	LOOP MODIFICATION														
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop	I		UCL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00							
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop	I		UHL, UCL, UEA, UHL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM4L		0.00	0.00							
	Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop			UHL, UCL, UEA, UHL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		17.91								
	SUB-LOOPS														

UNBUNDLED NETWORK ELEMENTS - Georgia													
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Exh. A	
						Rec	Nonrecurring		Nonrecurring Disconnect			Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st
							First	Add'l					
	Sub-Loop Distribution												
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up			UEANL	USBSA		255.76						
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		7.29						
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		175.09						
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		51.61						
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working and Spare Loop Activation			UEANL	USBRC	3.61	28.46	3.85	2.20	0.01			
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working and Spare Loop Activation			UEANL	USBRD	7.67	31.07	4.79	2.27	0.01			
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	6.52	28.46	3.85	2.20	0.01			
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	10.18	28.46	3.85	2.20	0.01			
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	19.51	28.46	3.85	2.20	0.01			
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	5.93	31.07	4.79	2.27	0.01			
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	9.71	31.07	4.79	2.27	0.01			
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	18.85	31.07	4.79	2.27	0.01			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92					
	Sub-Loop 2-Wire IntraBuilding Network Cable (INC)			UEANL	USBR2	3.61	28.46	3.85	2.20	0.01			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92					
	Sub-Loop 4-Wire IntraBuilding Network Cable (INC)			UEANL	USBR4	7.67	31.07	4.79	2.27	0.01			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92					
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	25.12					
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		13.62	13.62					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.94	28.46	3.85	2.20	0.01			
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	7.51	28.46	3.85	2.20	0.01			
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	9.22	28.46	3.85	2.20	0.01			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.37	31.07	4.79	2.27	0.01			
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	8.32	31.07	4.79	2.27	0.01			
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	9.10	31.07	4.79	2.27	0.01			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92					
	Loop Testing - Basic 1st Half Hour			UEF	URET1		25.12	25.12					
	Loop Testing - Basic Additional Half Hour			UEF	URETA		13.62	13.62					
	Unbundled Network Terminating Wire (UNTW)												
	Unbundled Network Terminating Wire (UNTW) per Pair			UNTW	UENPP	0.533	25.12	12.28					
	Network Interface Device (NID)												
	Network Interface Device (NID) - 1-2 Lines			UNTW	UND12		32.86	20.69					
	Network Interface Device (NID) - 1-6 Lines			UNTW	UND16		56.03	43.86					
	Network Interface Device Cross Connect - 2 W			UNTW	UNC2		2.45	2.45					
	Network Interface Device Cross Connect - 4W			UNTW	UNC4		2.45	2.45					
	UNE OTHER, PROVISIONING ONLY - NO RATE												
	NID - Dispatch and Service Order for NID Installation			UNTW	UNDBX	0.00	0.00						
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UNTW	UEUCE	0.00	0.00						
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00						

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment: 2 Exh. A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Manually Submitted per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
						Rec	Nonrecurring		Nonrecurring Disconnect First						Disconnect Add'l
							First	Add'l							
UNE OTHER: PROVISIONING ONLY - NO RATE															
	Unbundled Contact Name, Provisioning Only - no rate				UNE3N	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA, UCL, UDC, UDL, UDN, UEA, UHL, USL	USBFQ	0.00	0.00								
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA, UDN, UCL, UDC	USBFQ	0.00	0.00								
	Unbundled DSI Loop - Superframe Format Option - no rate			UEA, USL, UCL, UDL	USBFR	0.00	0.00								
	Unbundled DSI Loop - Expanded Superframe Format option - no rate			USL	CCOSF	0.00	0.00								
				USL	CCOEF	0.00	0.00								
HIGH CAPACITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month				1L5ND	10.97									
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	253.38	2,016.2145	151.685	129.8465	87.262					
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.97									
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	305.42	2,016.2145	151.685	129.8465	87.262					
LOOP MAKE-UP															
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLN	15.19									
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP	19.85									
	Loop Makeup - With or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ	0.82									
LINE SPLITTING															
LINE SPLITTING															
END USER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per line activation DLEC owned splitter			UEPSR, UEPSB	UREOS	0.61									
	Line Splitting - per line activation BST owned - physical			UEPSR, UEPSB	UREBP	0.6297	20.10	12.40	7.68	4.30					
	Line Splitting - per line activation BST owned - virtual			UEPSR, UEPSB	UREBV	0.6288	20.10	12.40	7.68	4.30					
MAINTENANCE OF SERVICE															
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 13.3.1 as applicable.															
	No Trouble Found - per 1/2 hour increments - Basic					80.00		55.00							
	No Trouble Found - per 1/2 hour increments - Overtime					90.00		65.00							
	No Trouble Found - per 1/2 hour increments - Premium					100.00		75.00							
UNBUNDLED DEDICATED TRANSPORT															
INTEROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interface Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0057									
	Interface Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00					
	Interface Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat. - Per Mile per month			U1TVX	1L5XX	0.0057									
	Interface Channel - Dedicated Transport - 2-Wire VG Rev Bat. - Facility Termination			U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00					
	Interface Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0057									
	Interface Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination			U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00					
	Interface Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0057									
	Interface Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00					
	Interface Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0057									

UNBUNDLED NETWORK ELEMENTS - Georgia													
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring First	Nonrecurring Add'l	SOMECE	SOMAN	OSS Rates (\$) SOMAN
	Interface Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00			
	Interface Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	U1L5XX	0.1154							
	Interface Channel - Dedicated Transport - DS1 - Facility Termination			U1TD1	U1TF1	34.19	111.03	80.28	31.36	21.73			
	Interface Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	U1L5XX	2.53							
	Interface Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81			
	Interface Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	U1L5XX	2.53							
	Interface Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	358.67	320.47	86.32	66.77	52.81			
DARK FIBER													
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF, UDFCX	U1L5DC	46.84							
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interface Channel			UDF, UDFCX	U1L5DF	23.29							
	NRC: Dark Fiber - Interface Channel			UDF, UDFCX	UDF14		1,776.53	89.75	73.64	18.70			
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF, UDFCX	U1L5DL	46.84							
VIRTUAL COLLOCATION													
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0188	0.00	0.00	0.00	0.00			
PHYSICAL COLLOCATION													
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0197	0.00	0.00					
ENHANCED EXTENDED LINK (EELS)													
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.													
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.													
2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION													
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86			
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86			
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86			
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04			
4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION													
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86			
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86			
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86			
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04			
4-WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION													
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDCX	UDL56	21.86	195.94	36.38	18.42	6.86			
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDCX	UDL56	28.36	195.94	36.38	18.42	6.86			
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDCX	UDL56	38.22	195.94	36.38	18.42	6.86			
	OCU-DP COCI (data) per month (2.4-64Kbps)			UNCDCX	1D1DD	0.9963	27.33	2.90	16.86	1.04			
4-WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION													
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDCX	UDL64	21.86	195.94	36.38	18.42	6.86			
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDCX	UDL64	28.36	195.94	36.38	18.42	6.86			
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDCX	UDL64	38.22	195.94	36.38	18.42	6.86			
	OCU-DP COCI (data) - in combination - per month (2.4-64Kbps)			UNCDCX	1D1DD	0.9963	27.33	2.90	16.86	1.04			
2-WIRE ISDN LOOP FOR USE IN A COMBINATION													
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNXX	U1L2X	19.82	195.94	36.38	18.42	6.86			
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNXX	U1L2X	26.26	195.94	36.38	18.42	6.86			
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNXX	U1L2X	42.17	195.94	36.38	18.42	6.86			
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNXX	UC1CA	1.66	27.33	2.90	16.86	1.04			
4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION													
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1XX	USLXX	41.02	209.45	70.44	37.91	6.86			
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1XX	USLXX	46.41	209.45	70.44	37.91	6.86			

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment: 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOMEC	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
	4-wire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	62.03	209.45	70.44	37.91				
	DS1 COCL in combination per month		3	UNC1X	UC1D1	7.35	27.33	2.90	16.86				
	2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION												
	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0057							
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	12.87	66.53	33.61	43.42				
	4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION												
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0057							
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	10.78	66.53	33.61	43.42				
	DS1 INTEROFFICE TRANSPORT FOR COMBINATION												
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1154							
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80				
	DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION												
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	2.53							
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	342.02	325.91	77.07	49.56				
	STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION												
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNCSX	1L5XX	2.53							
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	358.67	325.91	77.07	49.56				
	4-WIRE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT												
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42				
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42				
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0057							
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42				
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT												
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42				
	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42				
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0057							
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	7.83	66.53	33.61	43.42				
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT												
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42				
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42				
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0057							
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42				
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT												
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42				
	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42				
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0057							
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	7.83	66.53	33.61	43.42				
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT												
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42				
	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42				
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0057							
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	7.83	66.53	33.61	43.42				



UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment: 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st
						Rec	Nonrecurring First	Add'l	Nonrecurring First	SOMEC	SOMAN	SOMAN	SOMAN
	<b>DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT</b>												
	4-Wire DS1 Digital Loop in Combination - Zone 1	1		UNC1X		41.02	209.45	70.44	37.91			6.86	
	4-Wire DS1 Digital Loop in Combination - Zone 2	2		UNC1X		46.41	209.45	70.44	37.91			6.86	
	4-Wire DS1 Digital Loop in Combination - Zone 3	3		UNC1X		62.03	209.45	70.44	37.91			6.86	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X		0.1154							
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X		34.19	87.76	45.73	43.80			27.97	
	<b>DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT</b>												
	DS3 Local Loop in combination - per mile per month			UNC3X		12.6155							
	DS3 Local Loop in combination - Facility Termination per month			UNC3X		291.387	2,016.2145	151.685	129.8465			87.262	
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X		2.53							
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X		342.02	325.91	77.07	49.56			32.88	
	<b>STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT</b>												
	STS-1 Local Loop in combination - per mile per month			UNC5X		12.6155							
	STS-1 Local Loop in combination - Facility Termination per month			UNC5X		351.233	2,016.2145	151.685	129.8465			87.262	
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNC5X		2.53							
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNC5X		358.87	325.91	77.07	49.56			32.88	
	<b>ADDITIONAL NETWORK ELEMENTS</b>												
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As is charge does apply.												
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As is Charge does not.												
	Nonrecurring Currently Combined Network Elements "Switch As is" Charge (One applies to each combination)												
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge			UNCVX, UNCDX, UNC1X, UNC3X, UNC5X	UNCCC		5.70	5.70	6.61			6.61	
	<b>Optional Features &amp; Functions:</b>												
	Clear Channel Capability Extended Frame Option - per DS1	I		UTTD1, ULDD1, UNC1X	CCOEF		0.00	0.00	0.00			0.00	
	Clear Channel Capability Super Frame Option - per DS1	I		UTTD1, ULDD1, UNC1X	CCOSF		0.00	0.00	0.00			0.00	
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I		ULDD1, UTDD1, UNC1X, USL	NRCCC		184.62	23.78	2.03			0.79	
	C-bit Parity Option - Subsequent Activity - per DS3	I		UTTD3, ULDD3, UE3, UNC3X	NRCC3		218.74	7.66	0.7591			0.00	
	<b>MULTIPLEXERS</b>												
	DS1 to DS0 Channel System per month			UNC1X	MQ1	69.75	86.10						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	0.9963	11.98	11.39	6.61			6.61	
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			UTUD	1D1DD	0.9963	11.98	11.39	6.61			6.61	
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA	1.66	15.81	11.39	6.61			6.61	
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			UTUB	UC1CA	1.66	15.81	11.39	6.61			6.61	
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.4689	11.98	11.39	6.61			6.61	
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			UTUC	1D1VG	0.4689	11.98	11.39	6.61			6.61	
	DS3 to DS1 Channel System per month			UNC3X	MQ3	121.90							
	STS-1 to DS1 Channel System per month			UNC5X	MQ3	121.90							

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment: 2 Exh. A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	
						Nonrecurring		Nonrecurring Disconnect				OSS Rates (\$)			
						Rec	Add'l	First	Add'l			SOMEc	SOMAN	SOMAN	SOMAN
	DS1 COCI used with Loop per month			USL	UC1D1	7.35	15.81	11.39	6.61	6.61					
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	7.35	15.81	11.39	6.61	6.61					
	DS1 COCI used with Interface Channel per month			U1TD1	UC1D1	7.35	15.81	11.39	6.61	6.61					
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	7.35	15.81	11.39	6.61	6.61					
Note: Rates displaying an "r" in Interim column are Interim as a result of a Commission order.															

UNBUNDLED NETWORK ELEMENTS - Kentucky														
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Manually Submitted per LSR	Attachment: 2 Exh. A				
					Rec	Nonrecurring Add'l First	Nonrecurring Disconnect First Add'l	SOME C	SOMAN	OSS Rates (\$)	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website: <a href="http://www.interconnection.bellsouth.com/become_a_clec/htmlinterconnection.htm">http://www.interconnection.bellsouth.com/become_a_clec/htmlinterconnection.htm</a>													
OPERATIONS SUPPORT SYSTEMS (OSS) - "STATE SPECIFIC RATES"														
	NOTE: (1) CLEC should contact its contract negotiator if it prefers the "regional" OSS charges as offered by BellSouth. The OSS charges currently contained in this rate exhibit are the PSC state ordered "state specific" service ordering charges. CLEC m													
	NOTE: (2) Any element that can be ordered electronically will be billed according to the SOME C rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those el													
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only			SOME C		7.88	0.00	6.82	0.00					
	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only			SOMAN		7.86	0.00	0.99	0.00					
UNE SERVICE DATE ADVANCEMENT CHARGE														
	NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.													
			UAL, UEANL, UCL, UEF, UDF, UEG, UDL, UENTW, UDIN, UEA, UHL, ULC, USL, UT1T12, UT1T48, UT1TD1, UT1TD3, UT1TDX, UT1TO3, UT1TS1, UT1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDL03, UDLSX, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDDX, ULDO3, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, UT1TUC, UT1UD, UT1TUB, UT1TUA											
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			SDASP		200.00								
UNBUNDLED EXCHANGE ACCESS LOOP														
2-WIRE ANALOG VOICE GRADE LOOP														
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	UEANL			10.66	46.66	22.57	26.65	7.65				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	2	UEANL			15.34	46.66	22.57	26.65	7.65				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	3	UEANL			31.11	46.66	22.57	26.65	7.65				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	UEANL			10.66	46.66	22.57	26.65	7.65				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	2	UEANL			15.34	46.66	22.57	26.65	7.65				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	3	UEANL			31.11	46.66	22.57	26.65	7.65				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		UEANL				8.33	0.83						
	Loop Testing - Basic 1st Half Hour		URETL				46.88							
	Loop Testing - Basic Additional Half Hour		URET1				24.46							
	Loop Testing - Basic Additional Full Hour		URETA				24.46							

UNBUNDLED NETWORK ELEMENTS - Kentucky													
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A		
					Rec	Nonrecurring		Nonrecurring Disconnect			OSS Rates (\$)		
						First	Add'l				First	Add'l	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UWL-SL1)		UEANL	UREWO		15.78	8.94						
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)		UEANL	UEANM		13.49	13.49						
	Manual Order Coordination for UWL-SL1s (per loop)		UEANL	UEAMC		9.00	9.00						
	Order Coordination for Specified Conversion Time for UWL-SL1 (per LSR)		UEANL	OCOSL		23.01	23.01						
	<b>2-WIRE UNBUNDLED COPPER LOOP</b>												
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65				
	2-Wire Unbundled Copper Loop - Non-Designed - Zone 2	2	UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65				
	2-Wire Unbundled Copper Loop - Non-Designed - Zone 3	3	UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		UEQ	URETL		8.33	0.83						
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)		UEQ	USBMC		9.00	9.00						
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E.I.)		UEQ	UEQMU		13.49	13.49						
	Loop Testing - Basic 1st Half Hour		UEQ	URET1		46.88	46.88						
	Loop Testing - Basic Additional Half Hour		UEQ	URETA		24.16	24.16						
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)		UEQ	UREWO		14.27	7.43						
	<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>												
	<b>2-WIRE ANALOG VOICE GRADE LOOP</b>												
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65				
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65				
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2	2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65				
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2	2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65				
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65				
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65				
	<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>												
	<b>2-WIRE ANALOG VOICE GRADE LOOP</b>												
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88				
	Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL		23.01							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88				
	Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL		23.01							
	CLEC to CLEC Conversion Charge without outside dispatch		UEA	UREWO		36.36	36.36						
	Loop Tagging - Service Level 2 (SL2)		UEA	URETL		11.21	1.10						
	<b>4-WIRE ANALOG VOICE GRADE LOOP</b>												
	4-Wire Analog Voice Grade Loop - Zone 1	1	UEA	UEAL4	29.26	164.11	112.36	78.91	18.66				
	4-Wire Analog Voice Grade Loop - Zone 2	2	UEA	UEAL4	34.25	164.11	112.36	78.91	18.66				
	4-Wire Analog Voice Grade Loop - Zone 3	3	UEA	UEAL4	85.06	164.11	112.36	78.91	18.66				
	Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL		23.01							
	CLEC to CLEC Conversion Charge without outside dispatch		UEA	UREWO		87.72	36.36						

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment: 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interim	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring First	Disconnect Add'l	SOMECE	SOMAN	OSS Rates (\$)	SOMAN
<b>2-WIRE ISDN DIGITAL GRADE LOOP</b>													
	2-Wire ISDN Digital Grade Loop - Zone 1	1	UDN	UHL2X	18.44	146.77	95.02	71.38	13.83				
	2-Wire ISDN Digital Grade Loop - Zone 2	2	UDN	UHL2X	25.08	146.77	95.02	71.38	13.83				
	2-Wire ISDN Digital Grade Loop - Zone 3	3	UDN	UHL2X	42.87	146.77	95.02	71.38	13.83				
	Order Coordination For Specified Conversion Time (per LSR)		UDN	OCOSL		23.01							
	CLEC to CLEC Conversion Charge without outside dispatch		UDN	UREWO		91.63	44.16						
<b>2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP</b>													
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47				
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47				
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47				
	Order Coordination For Specified Conversion Time (per LSR)		UAL	OCOSL		23.01							
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54				
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54				
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54				
	Order Coordination For Specified Conversion Time (per LSR)		UAL	OCOSL		23.01							
	CLEC to CLEC Conversion Charge without outside dispatch		UAL	UREWO		86.20	40.40						
<b>2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP</b>													
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54				
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54				
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54				
	Order Coordination For Specified Conversion Time (per LSR)		UHL	OCOSL		23.01							
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54				
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54				
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54				
	Order Coordination For Specified Conversion Time (per LSR)		UHL	OCOSL		23.01							
	CLEC to CLEC Conversion Charge without outside dispatch		UHL	UREWO		86.14	40.40						
<b>4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP</b>													
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69				
	Order Coordination For Specified Conversion Time (per LSR)		UHL	OCOSL		23.01							
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80				
	Order Coordination For Specified Conversion Time (per LSR)		UHL	OCOSL		23.01							
	CLEC to CLEC Conversion Charge without outside dispatch		UHL	UREWO		86.14	40.40						
<b>4-WIRE DS1 DIGITAL LOOP</b>													
	4-Wire DS1 Digital Loop - Zone 1	1	USL	USLXX	86.47	306.69	174.44	65.83	14.55				
	4-Wire DS1 Digital Loop - Zone 2	2	USL	USLXX	114.10	306.69	174.44	65.83	14.55				
	4-Wire DS1 Digital Loop - Zone 3	3	USL	USLXX	297.76	306.69	174.44	65.83	14.55				
	Order Coordination For Specified Conversion Time (per LSR)		USL	OCOSL		23.01							

UNBUNDLED NETWORK ELEMENTS - Kentucky																	
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A		Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
					Rec	Nonrecurring		Nonrecurring Disconnect	OSS Rates (\$)								
						First	Add'l		First			Add'l	SOME				SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch		USL	UREWO		101.09	43.04										
4-WIRE 19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP	4-Wire Unbundled Digital 19.2 Kbps	1	UDL	UDL19	27.59	157.81	106.06	78.91	18.66								
	4-Wire Unbundled Digital 19.2 Kbps	2	UDL	UDL19	32.48	157.81	106.06	78.91	18.66								
	4-Wire Unbundled Digital 19.2 Kbps	3	UDL	UDL19	36.37	157.81	106.06	78.91	18.66								
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL	UDL56	27.59	157.81	106.06	78.91	18.66								
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	UDL56	32.48	157.81	106.06	78.91	18.66								
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	UDL56	36.37	157.81	106.06	78.91	18.66								
	Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOSL		23.01											
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66								
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	UDL64	32.48	157.81	106.06	78.91	18.66								
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	UDL64	36.37	157.81	106.06	78.91	18.66								
	Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOSL		23.01											
	CLEC to CLEC Conversion Charge without outside dispatch		UDL	UREWO		102.13	49.75										
	2-WIRE UNBUNDLED COPPER LOOP																
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54								
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54								
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54								
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		9.00	9.00										
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54								
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54								
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54									
Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		9.00	9.00											
CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)		UCL	UREWO		97.23	42.48											
4-WIRE COPPER LOOP																	
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69									
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69									
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69									
Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		9.00	9.00											
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69									
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69									
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69									
Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		9.00	9.00											
CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)		UCL	UREWO		97.23	42.48											
LOOP MODIFICATION																	
			UAL, UHL, UCL, UEL, ULS, UEA, UEANL, UEPSR, UEPSB														
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft. per Unbundled Loop			ULM2L		9.24		9.24									
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft. per Unbundled Loop			ULM4L		9.24		9.24									
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			ULMBT		10.47		10.47									

UNBUNDLED NETWORK ELEMENTS - Kentucky														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A		Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect			OSS Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN
SUB-LOOPS														
	Sub-Loop Distribution													
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		207.91	207.91						
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		12.50	12.50						
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	I		UEANL	USBSC		80.87	80.87						
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD		45.04	45.04						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	I	1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	I	2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	I	3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	I		UEANL	USBMC	2.57	68.35	22.36	59.81	7.90				
	Sub-Loop 2-Wire IntraBuilding Network Cable (INC)			UEANL	USBR2									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	I		UEANL	USBMC		9.00	9.00						
	Sub-Loop 4-Wire IntraBuilding Network Cable (INC)			UEANL	USBR4	4.98	76.49	30.51	65.24	10.88				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00						
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	46.88						
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		24.16	24.16						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCSX	5.45	85.03	39.05	59.81	7.90				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCSX	7.06	85.03	39.05	59.81	7.90				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCSX	9.67	85.03	39.05	59.81	7.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCSAX	7.09	102.31	56.32	65.24	10.88				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCSAX	8.66	102.31	56.32	65.24	10.88				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCSAX	19.40	102.31	56.32	65.24	10.88				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00						
	Loop Testing - Basic 1st Half Hour			UEF	URET1		46.88	46.88						
	Loop Testing - Basic Additional Half Hour			UEF	URETA		24.16	24.16						
	Unbundled Network Terminating Wire (UNTW)			UEUW	UENPP	0.53	23.51	23.51						
	Unbundled Network Terminating Wire (UNTW) per Pair			UEUW	UENPP									
	Network Interface Device (NID)			UEUW	UND12									
	Network Interface Device (NID) - 1-2 lines			UEUW	UND12		73.53	49.47						
	Network Interface Device (NID) - 1-6 lines			UEUW	UND16		115.96	91.91						
	Network Interface Device Cross Connect - 2 W			UEUW	UNDC2		8.56	8.56						
	Network Interface Device Cross Connect - 4W			UEUW	UNDC4		8.56	8.56						
	UNE OTHER, PROVISIONING ONLY - NO RATE			UEUW	UNDBX	0.00	0.00							
	NID - Dispatch and Service Order for NID installation			UEUW	UENCE	0.00	0.00							
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UEANL,UEF,UEQ,U										
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00							
	UNE OTHER, PROVISIONING ONLY - NO RATE													

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment: 2 Exh. A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l		Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
						Rec	Nonrecurring		Nonrecurring Disconnect			OSS Rates (\$)	SOMAN	SOMAN	
							First	Add'l							First
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,USL	UNECH	0.00	0.00								
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00								
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL,USL	USBFR,CCOSF	0.00	0.00								
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOEF	0.00	0.00								
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate														
HIGH CAPACITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	9.25									
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	308.31	634.087		388.792	198.95	138.483				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	9.25									
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	320.51	634.087		388.792	198.95	138.483				
LOOP MAKE-UP															
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		23.40								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		24.85								
	Loop Makeup-With or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.67								
LINE SPLITTING															
LINE SPLITTING															
END USER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61									
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.02		21.20	21.10	9.87				
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.02		21.20	21.10	9.87				
MAINTENANCE															
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 13.3.1 as applicable.															
	No Trouble Found - per 1/2 hour increments - Basic						80.00		55.00						
	No Trouble Found - per 1/2 hour increments - Overtime						90.00		65.00						
	No Trouble Found - per 1/2 hour increments - Premium						100.00		75.00						
UNBUNDLED DEDICATED TRANSPORT															
INTEROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.01									
	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	29.11	47.34		31.78	22.77	8.75				
	Interoffice Channel - Dedicated Transport t- 2-Wire Voice Grade Rev Bat. - Per Mile per month			U1TVX	1L5XX	0.01									
	Interoffice Channel - Dedicated Transport- 2-Wire VG Rev Bat. - Facility Termination			U1TVX	U1TR2	29.11	47.34		31.78	22.77	8.75				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.01									
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	25.86	47.34		31.78	22.77	8.75				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0115									
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	20.97	47.35		31.78	22.77	8.75				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0115									
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	20.97	47.35		31.78	22.77	8.75				



UNBUNDLED NETWORK ELEMENTS - Kentucky																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A		Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l 1st	
						Rec	First	Add'l	Nonrecurring	First	Add'l	Disconnect	SOMECC	SOMAN	OSS Rates (\$)	SOMAN
	Interface Channel - Dedicated Channel - DS1 - Per Mile per month				1L5XX	0.23										SOMAN
	Interface Channel - Dedicated Transport - DS1 - Facility Termination			U1TD1		96.04	105.52	98.46	23.09	20.49						
	Interface Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	4.97										
	Interface Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75						
	Interface Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4.97										
	Interface Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	1,149.51	335.40	219.24	89.57	87.75						
DARK FIBER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF, UDFCX	1L5DC	54.06										
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interface Channel			UDF, UDFCX	1L5DF	30.74										
	NRC Dark Fiber - Interface Channel			UDF, UDFCX	UDF14		732.53	192.67	377.27	241.67						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF, UDFCX	1L5DL	54.06										
VIRTUAL COLLOCATION	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0309	24.68	23.68	12.14	10.95						
PHYSICAL COLLOCATION	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95						
ENHANCED EXTENDED LINK (EELs)																
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.																
NOTE: The monthly recurring and the Switch-As-is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.																
2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION																
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.62	6.71	4.84								
4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION																
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.62	6.71	4.84								
4-WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION																
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
4-WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION																
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCNX	UDL64	27.59	125.22	60.48	59.69	7.84						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCNX	UDL64	32.48	125.22	60.48	59.69	7.84						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCNX	UDL64	36.37	125.22	60.48	59.69	7.84						
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCNX	1D1DD	1.32	6.71	4.84								
2-WIRE ISDN LOOP FOR USE IN A COMBINATION																
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
	2-Wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.84	6.71	4.84								
4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION																
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment: 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st
						Nonrecurring	First	Add'l	Disconnect				
						Rec	First	Add'l	First	SOME	SOMAN	SOMAN	SOMAN
	<b>2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION</b>												
	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.01							
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42			
	<b>4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION</b>												
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.01							
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	23.95	98.09	53.67	56.31	22.42			
	<b>DS1 INTEROFFICE TRANSPORT FOR COMBINATION</b>												
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.19							
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32			
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67			
	<b>DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION</b>												
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	4.09							
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39			
	<b>STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION</b>												
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNCSX	1L5XX	4.09							
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39			
	<b>4 WIRE 56 Kbps DIGITAL LOOP WITH 56 Kbps INTEROFFICE TRANSPORT</b>												
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84			
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84			
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84			
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.01							
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42			
	<b>4 WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH 64 Kbps INTEROFFICE TRANSPORT</b>												
	4-wire 64 kbps Local Loop in Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84			
	4-wire 64 kbps Local Loop in Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84			
	4-wire 64 kbps Local Loop in Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84			
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.01							
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42			
	<b>4 WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>												
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84			
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84			
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84			
	Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.01							
	Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42			
	<b>4 WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>												
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84			
	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84			
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84			
	Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.01							
	Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42			
	<b>DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT</b>												

UNBUNDLED NETWORK ELEMENTS - Kentucky															
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec. per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A			
					Nonrecurring		Disconnect Add'l	OSS Rates (\$)				Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
					Rec	First		Add'l	SOME						
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	Interface Transport - Dedicated - DS1 combination - Per Mile per month		UNC1X	1L5XX	0.19										
	Interface Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT														
	DS3 Local Loop in combination - per mile per month		UNC3X	1L5ND	10.6375										
	DS3 Local Loop in combination - Facility Termination per month		UNC3X	UE3PX	354.5565	634.087	388.792	198.95	138.483						
	Interface Transport - Dedicated - DS3 - Per Mile per month		UNC3X	1L5XX	4.09										
	Interface Transport - Dedicated - DS3 combination - Facility Termination per month		UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						
	STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT														
	STS-1 Local Loop in combination - per mile per month		UNC3X	1L5ND	10.6375										
	STS-1 Local Loop in combination - Facility Termination per month		UNC3X	UDLS1	368.5865	634.087	388.792	198.95	138.483						
	Interface Transport - Dedicated - STS-1 combination - per mile per month		UNC3X	1L5XX	4.09										
	Interface Transport - Dedicated - STS-1 combination - Facility Termination per month		UNC3X	U1TF5	945.79	350.56	141.58	48.00	23.39						
ADDITIONAL NETWORK ELEMENTS															
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.														
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.														
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)		UNC1X, UNC3X, UNC3X	UNCCC		8.98	8.98	11.17	11.17						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge														
Optional Features & Functions:															
	Clear Channel Capability Extended Frame Option - per DS1	I	U1TD1, ULDD1, UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	Clear Channel Capability Super FrameOption - per DS1	I	U1TD1, ULDD1, UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I	ULDD1, U1TD1, UNC1X, USL	NRCCC		184.91	23.82	1.99	0.78						
	C-bit Parity Option - Subsequent Activity - per DS3	I	U1TD3, ULDD3, UE3, UNC3X	NRCC3		205.70	7.20	0.6924	0.00						
MULTIPLEXERS															
	DS1 to DS0 Channel System per month		UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop		UDL	1D1DD	1.32	10.07	7.08								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUD	1D1DD	1.32	10.07	7.08								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop		UDN	UC1CA	2.84	10.07	7.08								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUB	UC1CA	2.84	10.07	7.08								
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop		UEA	1D1VG	0.6228	10.07	7.08								
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUC	1D1VG	0.6228	10.07	7.08								
	DS3 to DS1 Channel System per month		UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	STS-1 to DS1 Channel System per month		UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	DS1 COCI used with Loop per month		USL	UC1D1	11.80	10.07	7.08								

UNBUNDLED NETWORK ELEMENTS - Kentucky																	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A						
											Incremental Charge - Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	OSS Rates (\$)						
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	11.80	10.07	7.08									
	DS1 COCI used with Interface Channel per month			U1TD1	UC1D1	11.80	10.07	7.08									
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	11.80	10.07	7.08									
Note: Rates displaying an "I" in Interim column are Interim as a result of a Commission order.																	



UNBUNDLED NETWORK ELEMENTS - Louisiana																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
						Rec	Nonrecurring		Nonrecurring Disconnect			Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
							First	Add'l							First	Add'l	SOME	SOMAN	SOMAN																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								</

UNBUNDLED NETWORK ELEMENTS - Louisiana										Attachment: 2 Exh. A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l		Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l		
						Rec	Nonrecurring		Nonrecurring Disconnect First			Disconnect Add'l	OSS Rates (\$)		SOMAN	SOMAN
							First	Add'l					SOMECE	SOMAN		
	<b>2-WIRE ISDN DIGITAL GRADE LOOP</b>															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	UHL2X	22.09	113.34	76.96								
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	UHL2X	35.28	113.34	76.96								
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	UHL2X	65.18	113.34	76.96								
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		17.56									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.49	44.09								
	<b>2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP</b>															
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	12.29	117.08	68.36								
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	14.09	117.08	68.36								
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	15.75	117.08	68.36								
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		17.56									
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2W	12.29	92.83	56.02								
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W	14.09	92.83	56.02								
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W	15.75	92.83	56.02								
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		17.56									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.07	40.34								
	<b>2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP</b>															
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	9.79	125.50	76.77								
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	11.52	125.50	76.77								
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	12.74	125.50	76.77								
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	9.79	101.24	64.43								
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	11.52	101.24	64.43								
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	12.74	101.24	64.43								
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.00	40.34								
	<b>4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP</b>															
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	16.24	153.26	104.54								
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	16.65	153.26	104.54								
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	17.34	153.26	104.54								
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	16.24	129.00	92.20								
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	16.65	129.00	92.20								
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	17.34	129.00	92.20								
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.00	40.34								
	<b>4-WIRE DS1 DIGITAL LOOP</b>															
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	85.70	245.16	152.98								
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	194.96	245.16	152.98								
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	491.94	245.16	152.98								
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		17.56									

UNBUNDLED NETWORK ELEMENTS - Louisiana																	
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Attachment: 2 Exh. A					
					Nonrecurring		Nonrecurring Disconnect		Incremental Charge - Manual Svc Order vs. Electronic-1st			Incremental Charge - Manual Svc Order vs. Electronic-1st					
					Rec	Add'l	First	Add'l	SOME			SOMAN	SOMAN	SOMAN			
	CLEC to CLEC Conversion Charge without outside dispatch		USL	UREWO		100.93	42.98										
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP																
	4-Wire Unbundled Digital 19.2 Kbps	1	UDL	UDL19	30.99	121.86	85.48										
	4-Wire Unbundled Digital 19.2 Kbps	2	UDL	UDL19	36.78	121.86	85.48										
	4-Wire Unbundled Digital 19.2 Kbps	3	UDL	UDL19	38.92	121.86	85.48										
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL	UDL56	30.99	121.86	85.48										
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	UDL56	36.78	121.86	85.48										
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	UDL56	38.92	121.86	85.48										
	Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOSL		17.56											
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	UDL64	30.99	121.86	85.48										
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	UDL64	36.78	121.86	85.48										
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	UDL64	38.92	121.86	85.48										
	Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOSL		17.56											
CLEC to CLEC Conversion Charge without outside dispatch		UDL			101.97	49.67											
2-WIRE Unbundled COPPER LOOP																	
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB	12.29	116.18	67.46										
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPB	14.09	116.18	67.46										
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB	15.75	116.18	67.46										
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		7.92	7.92										
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLPW	12.29	91.92	55.12										
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLPW	14.09	91.92	55.12										
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLPW	15.75	91.92	55.12										
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		7.92	7.92										
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)		UCL	UREWO		91.92	42.47										
	4-WIRE COPPER LOOP																
	4-WIRE	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4S	22.27	139.69	90.96									
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	18.95	139.69	90.96										
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	10.99	139.69	90.96										
Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92										
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	22.27	115.43	78.63										
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	18.95	115.43	78.63										
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	10.99	115.43	78.63										
Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92										
CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		91.92	42.47										
LOOP MODIFICATION																	
				UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB													
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop					0.00	0.00									
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop					0.00	0.00										
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB			12.15	12.15										



UNBUNDLED NETWORK ELEMENTS - Louisiana													Attachment: 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
						Rec	Nonrecurring		Nonrecurring Disconnect							
							Add'l	First							Add'l	
SUB-LOOPS																
	Sub-Loop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		144.09		144.09							
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		10.99		10.99							
	Facility Set-Up	I		UEANL	USBSC		86.16		86.16							
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD		27.13		27.13							
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	I	1	UEANL	USBN2	7.57	63.89		30.06							
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	I	2	UEANL	USBN2	12.75	63.89		30.06							
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	I	3	UEANL	USBN2	21.45	63.89		30.06							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92		7.92							
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	11.76	76.75		42.92							
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	16.84	76.75		42.92							
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	19.27	76.75		42.92							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92		7.92							
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.91	51.48		17.65							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92		7.92							
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	6.58	57.54		23.71							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92		7.92							
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		33.17		33.17							
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.28		19.28							
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	6.26	63.89		30.06							
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS2X	10.07	63.89		30.06							
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	12.70	63.89		30.06							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92		7.92							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	8.03	76.75		42.92							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS4X	10.71	76.75		42.92							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	6.08	76.75		42.92							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92		7.92							
	Loop Testing - Basic 1st Half Hour			UEF	URET1		33.17		33.17							
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.28		19.28							
	Unbundled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3454	14.72		14.72							
	Network Interface Device (NID)															
	Network Interface Device (NID) - 1-2 Lines			UENTW	UND12		42.26		27.83							
	Network Interface Device (NID) - 1-6 Lines			UENTW	UND16		62.86		48.43							
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.73		5.73							
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.73		5.73							
UNE OTHER, PROVISIONING ONLY - NO RATE																
	NID - Dispatch and Service Order for NID Installation			UENTW	UNDBX	0.00	0.00		0.00							
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00		0.00							
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECH	0.00	0.00		0.00							
UNE OTHER, PROVISIONING ONLY - NO RATE																

UNBUNDLED NETWORK ELEMENTS - Louisiana																	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A					
						Nonrecurring		Disconnect				Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l		
						First	Add'l	First	Add'l								
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,USL	UNEON	0.00											
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0.00											
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0.00											
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00											
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00											
HIGH CAPACITY UNBUNDLED LOCAL LOOP																	
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	10.04											
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	362.34		504.229	294.745								
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.04											
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	374.56		504.229	294.745								
LOOP MAKE-UP																	
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)			UMK	UMKLW	23.29		23.29	23.29								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)			UMK	UMKLP	24.70		24.70	24.70								
	Loop Makeup-With or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ	0.19		0.19	0.19								
LINE SPLITTING																	
LINE SPLITTING																	
END USER ORDERING-CENTRAL OFFICE BASED																	
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61											
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	17.97		17.97	10.29								
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61		17.97	10.29								
MAINTENANCE OF SERVICE																	
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 13.3.1 as applicable.																	
	No Trouble Found - per 1/2 hour increments - Basic					80.00			55.00								
	No Trouble Found - per 1/2 hour increments - Overtime					90.00			65.00								
	No Trouble Found - per 1/2 hour increments - Premium					100.00			75.00								
UNBUNDLED DEDICATED TRANSPORT																	
INTEROFFICE CHANNEL - DEDICATED TRANSPORT																	
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.013											
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	22.60		39.36	26.62								
	Interoffice Channel - Dedicated Transport t- 2-Wire Voice Grade Rev Bat. - Per Mile per month			U1TVX	1L5XX	0.013											
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. - Facility Termination			U1TVX	U1TR2	22.60		39.36	26.62								
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.013											
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	19.81		39.36	26.62								
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.013											
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	15.61		39.37	26.62								
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.013											
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	15.61		39.37	26.62								

UNBUNDLED NETWORK ELEMENTS - Louisiana													
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A	
						Nonrecurring		First	Disconnect			Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Rec	Add'l						
	Interface Channel - Dedicated Channel - DS1 - Per Mile per month				1L5XX	0.2652							
	Interface Channel - Dedicated Transport - DS1 - Facility Termination			U1TD1		70.47	86.69	79.44					
	Interface Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	6.04							
	Interface Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	850.45	270.69	158.05					
	Interface Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	6.04							
	Interface Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	830.19	270.69	158.05					
DARK FIBER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction												
	Thereof per month - Local Channel			UDF, UDFCX	1L5DC	60.06							
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction												
	Thereof per month - Interface Channel			UDF, UDFCX	1L5DF	25.28							
	NRC Dark Fiber - Interface Channel			UDF, UDFCX	UDF14		620.60	133.88					
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction												
	Thereof per month - Local Loop			UDF, UDFCX	1L5DL	60.06							
VIRTUAL COLLOCATION	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0296	11.94	11.46	0.00				
PHYSICAL COLLOCATION	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0318	11.94	11.46	0.00				
ENHANCED EXTENDED LINK (EELs)													
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.													
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.													
2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION													
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09					
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09					
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09					
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.6497	5.91	4.26					
4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION													
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09					
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09					
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09					
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.6497	5.91	4.26					
4-WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION													
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDCX	UDL56	30.99	94.21	45.09					
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDCX	UDL56	36.78	94.21	45.09					
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDCX	UDL56	38.92	94.21	45.09					
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDCX	1D1DD	1.38	5.91	4.26					
4-WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION													
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDCX	UDL64	30.99	94.21	45.09					
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDCX	UDL64	36.78	94.21	45.09					
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDCX	UDL64	38.92	94.21	45.09					
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDCX	1D1DD	1.38	5.91	4.26					
2-WIRE ISDN LOOP FOR USE IN A COMBINATION													
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNCX	U1L2X	22.09	94.21	45.09					
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNCX	U1L2X	35.28	94.21	45.09					
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNCX	U1L2X	65.18	94.21	45.09					
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNCX	UC1CA	2.96	5.91	4.26					
4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION													
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89					
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89					
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	481.94	169.22	100.89					
	DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26					

UNBUNDLED NETWORK ELEMENTS - Louisiana															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A		Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Nonrecurring		Disconnect First	Add'l			SOMAN	SOMAN		
						Rec	Add'l								
	<b>2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION</b>														
	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.013									
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	22.60	41.75								
	<b>4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION</b>														
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.013									
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	19.81	41.75								
	<b>DS1 INTEROFFICE TRANSPORT FOR COMBINATION</b>														
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.2652									
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	70.47	103.88								
	1/0 Channelization System in combination Per Month			UNC1X	MC1	105.09	59.97	12.96							
	<b>DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION</b>														
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	6.04									
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	850.45	270.69	158.05							
	<b>STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION</b>														
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNC5X	1L5XX	6.04									
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNC5X	U1TF5	830.19	270.69	158.05							
	<b>4-WIRE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT</b>														
	4-wire 56 kbps Local Loop in combination - Zone 1	1		UNC0X	UDL56	30.99	94.21	45.09							
	4-wire 56 kbps Local Loop in combination - Zone 2	2		UNC0X	UDL56	36.78	94.21	45.09							
	4-wire 56 kbps Local Loop in combination - Zone 3	3		UNC0X	UDL56	38.92	94.21	45.09							
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNC0X	1L5XX	0.013									
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNC0X	U1TD5	15.61	72.60	41.75							
	<b>4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT</b>														
	4-wire 64 kbps Local Loop in Combination - Zone 1	1		UNC0X	UDL64	30.99	94.21	45.09							
	4-wire 64 kbps Local Loop in Combination - Zone 2	2		UNC0X	UDL64	36.78	94.21	45.09							
	4-wire 64 kbps Local Loop in Combination - Zone 3	3		UNC0X	UDL64	38.92	94.21	45.09							
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNC0X	1L5XX	0.013									
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNC0X	U1TD6	15.61	72.60	41.75							
	<b>4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>														
	4-wire 56 kbps Local Loop in combination - Zone 1	1		UNC0X	UDL56	30.99	94.21	45.09							
	4-wire 56 kbps Local Loop in combination - Zone 2	2		UNC0X	UDL56	36.78	94.21	45.09							
	4-wire 56 kbps Local Loop in combination - Zone 3	3		UNC0X	UDL56	38.92	94.21	45.09							
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNC0X	1L5XX	0.013									
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNC0X	U1TD5	15.61	72.60	41.75							
	<b>4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>														
	4-wire 64 kbps Local Loop in combination - Zone 1	1		UNC0X	UDL64	30.99	94.21	45.09							
	4-wire 64 kbps Local Loop in combination - Zone 2	2		UNC0X	UDL64	36.78	94.21	45.09							
	4-wire 64 kbps Local Loop in combination - Zone 3	3		UNC0X	UDL64	38.92	94.21	45.09							
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNC0X	1L5XX	0.013									
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNC0X	U1TD6	15.61	72.60	41.75							
	<b>DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT</b>														

UNBUNDLED NETWORK ELEMENTS - Louisiana															
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A		Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First			SOMECC	SOMAN			
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNC1X	USLXX	85.70	169.22	100.89								
	4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNC1X	USLXX	194.96	169.22	100.89								
	4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNC1X	USLXX	491.94	169.22	100.89								
	Interface Transport - Dedicated - DS1 combination - Per Mile per month		UNC1X	1L5XX	0.2652										
	Interface Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	70.47	143.58	103.88								
	DS3 Local Loop in combination - per mile per month		UNC3X	1L5ND	11.546										
	DS3 Local Loop in combination - Facility Termination per month		UNC3X	UE3PX	416.691	504.229	294.745								
	Interface Transport - Dedicated - DS3 combination - Facility Termination per month		UNC3X	1L5XX	6.04										
	STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT		UNC3X	U1TF3	850.45	270.69	158.05								
	STS-1 Local Loop in combination - per mile per month		UNC3X	1L5ND	11.546										
	STS-1 Local Loop in combination - Facility Termination per month		UNC3X	UDLS1	430.744	504.229	294.745								
	Interface Transport - Dedicated - STS-1 combination - per mile per month		UNC3X	1L5XX	6.04										
	Interface Transport - Dedicated - STS-1 combination - Facility Termination per month		UNC3X	U1TFS	830.19	270.69	158.05								
ADDITIONAL NETWORK ELEMENTS															
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As is charge does apply.														
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As is Charge does not.														
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)														
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge		UNCVX, UNC3X, UNC1X, UNC3X, UNC3X	UNC3C		5.43	5.43								
Optional Features & Functions:															
	Clear Channel Capability Extended Frame Option - per DS1	I	U1TD1, ULDD1, UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	Clear Channel Capability Super FrameOption - per DS1	I	U1TD1, ULDD1, UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I	U1TD1, ULDD1, UNC1X, USL	NRCCC		184.65	23.79	1.97	0.77						
	C-bit Parity Option - Subsequent Activity - per DS3	I	U1TD3, ULDD3, UE3, UNC3X	NRCC3		218.78	7.66	0.7263	0.00						
MULTIPLEXERS															
	DS1 to DS0 Channel System per month		UNC1X	MQ1	105.09	59.97	12.96								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop		UDL	1D1DD	1.38	6.39	4.58								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUD	1D1DD	1.38	6.39	4.58								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop		UDN	UC1CA	2.96	6.39	4.58								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUB	UC1CA	2.96	6.39	4.58								
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop		UEA	1D1VG	0.6497	6.39	4.58								
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUC	1D1VG	0.6497	6.39	4.58								
	DS3 to DS1 Channel System per month		UNC3X	MQ3	201.48	107.05	91.25								
	STS-1 to DS1 Channel System per month		UNC3X	MQ3	201.48	107.05	91.25								
	DS1 COCI used with Loop per month		USL	UC1D1	11.78	6.39	4.58								

UNBUNDLED NETWORK ELEMENTS - Louisiana										Attachment: 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
										Oss Rates (\$)		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
										SOMAN	SOMAN	SOMAN	SOMAN
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect Add'l		SOME C			
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month		U1TUA	UC1D1	11.78	6.39	4.58						
	DS1 COCI used with Interface Channel per month		U1TD1	UC1D1	11.78	6.39	4.58						
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month		ULDD1	UC1D1	11.78	6.39	4.58						
Note: Rates displaying an "I" in Interim column are Interim as a result of a Commission order.													

UNBUNDLED NETWORK ELEMENTS - Mississippi										Attachment: 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interm Zone	USOC	RATES (\$)		Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
				Rec	Nonrecurring Add'l	First	Nonrecurring Disconnect Add'l	First	OSR Rates (\$)	SOMAN	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website: <a href="http://www.interconnection.bellsouth.com/become_a_electronic/interconnection.htm">http://www.interconnection.bellsouth.com/become_a_electronic/interconnection.htm</a>													
OPERATIONS SUPPORT SYSTEMS (OSS) - "STATE SPECIFIC RATES"													
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "regional" OSS charges as offered by BellSouth. The OSS charges currently contained in this rate exhibit are the PSC state ordered "state specific" service ordering charges. CLEC m													
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMECH rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those el													
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only		SOMECH		5.70	0.00	3.57	0.00					
	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only		SOMAN		15.75	0.00	1.97	0.00					
UNE SERVICE DATE ADVANCEMENT CHARGE													
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.													
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day		SDASP		200.00								
UNBUNDLED EXCHANGE ACCESS LOOP													
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	UEANL	12.03	37.92	17.55	23.48	5.25					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	2	UEANL	16.87	37.92	17.55	23.48	5.25					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	3	UEANL	25.68	37.92	17.55	23.48	5.25					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4	4	UEANL	43.85	37.92	17.55	23.48	5.25					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	UEANL	12.03	37.92	17.55	23.48	5.25					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	2	UEANL	16.87	37.92	17.55	23.48	5.25					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	3	UEANL	25.68	37.92	17.55	23.48	5.25					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4	4	UEANL	43.85	37.92	17.55	23.48	5.25					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		UEANL										
	Loop Testing - Basic 1st Half Hour		URETI		8.33	0.83							
			URET1		34.36	34.36							

UNBUNDLED NETWORK ELEMENTS - Mississippi										Attachment: 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interim Zone	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
				Rec	Nonrecurring		Nonrecurring Disconnect						
					First	Add'l							
	Loop Testing - Basic Additional Half Hour		UEANL		19.97	19.97							
	CLEC to CLEC Conversion Charge Without Outside Dispatch		UEANL		15.75	8.92							
	Unbundled Voice Loop - Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)		UEANL		13.51	13.51							
	Manual Order Coordination for UVL-SL1s (per loop)		UEANL		8.20	8.20							
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)		UEANL		18.19	18.19							
	<b>2-WIRE UNBUNDLED COPPER LOOP</b>												
	2-Wire Unbundled Copper Loop - Non-Design Zone 1	1	UEQ2X	11.01	36.53	16.16		22.66	4.42				
	2 Wire Unbundled Copper Loop - Non-Design - Zone 2	2	UEQ2X	11.51	36.53	16.16		22.66	4.42				
	2 Wire Unbundled Copper Loop - Non-Design - Zone 3	3	UEQ2X	11.57	36.53	16.16		22.66	4.42				
	2 Wire Unbundled Copper Loop - Non-Design - Zone 4	4	UEQ2X	13.10	36.53	16.16		22.66	4.42				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		UEQ		8.33	0.83							
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Design (per loop)		UEQ		8.20	8.20							
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E.I.)		UEQ		13.51	13.51							
	Loop Testing - Basic 1st Half Hour		UEQ		34.36	34.36							
	Loop Testing - Basic Additional Half Hour		UEQ		19.97	19.97							
	CLEC to CLEC Conversion Charge Without Outside Dispatch		UEQ		14.24	7.42							
	<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>												
	<b>2-WIRE ANALOG VOICE GRADE LOOP</b>												
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1	1	UEPSR UEPSB	12.03	37.92	17.55		23.48	5.25				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1	1	UEPSR UEPSB	12.03	37.92	17.55		23.48	5.25				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 2	2	UEPSR UEPSB	16.87	37.92	17.55		23.48	5.25				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 2	2	UEPSR UEPSB	16.87	37.92	17.55		23.48	5.25				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3	3	UEPSR UEPSB	25.68	37.92	17.55		23.48	5.25				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3	3	UEPSR UEPSB	25.68	37.92	17.55		23.48	5.25				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 4	4	UEPSR UEPSB	43.85	37.92	17.55		23.48	5.25				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 4	4	UEPSR UEPSB	43.85	37.92	17.55		23.48	5.25				
	<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>												
	<b>2-WIRE ANALOG VOICE GRADE LOOP</b>												
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	UEAL2	13.89	105.96	68.28		52.82	10.37				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	UEAL2	18.75	105.96	68.28		52.82	10.37				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	UEAL2	27.55	105.96	68.28		52.82	10.37				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 4	4	UEAL2	45.72	105.96	68.28		52.82	10.37				
	Order Coordination for Specified Conversion Time (per LSR)		UEAL2		18.19								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	UEAR2	13.89	105.96	68.28		52.82	10.37				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEAR2	18.75	105.96	68.28		52.82	10.37				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEAR2	27.55	105.96	68.28		52.82	10.37				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 4	4	UEAR2	45.72	105.96	68.28		52.82	10.37				
	Order Coordination for Specified Conversion Time (per LSR)		UEAR2		18.19								



UNBUNDLED NETWORK ELEMENTS - Mississippi										Attachment: 2 Exh. A					
CATEGORY	RATE ELEMENTS	Interim	Zone	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l		
					Nonrecurring		Disconnect							OSS Rates (\$)	
					First	Add'l	First	Add'l						SOME	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch		UEA	UREWO											
	Loop Tagging - Service Level 2 (SL2)		UEA	URETL											
<b>4-WIRE ANALOG VOICE GRADE LOOP</b>															
	4-Wire Analog Voice Grade Loop - Zone 1	1	UEA	UEAL4	27.47	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 2	2	UEA	UEAL4	38.26	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 3	3	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 4	4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch		UEA	UREWO		87.56	36.29								
<b>2-WIRE ISDN DIGITAL GRADE LOOP</b>															
	2-Wire ISDN Digital Grade Loop - Zone 1	1	UDN	U1L2X	21.01	117.61	79.92	52.82	10.37						
	2-Wire ISDN Digital Grade Loop - Zone 2	2	UDN	U1L2X	27.59	117.61	79.92	52.82	10.37						
	2-Wire ISDN Digital Grade Loop - Zone 3	3	UDN	U1L2X	37.34	117.61	79.92	52.82	10.37						
	2-Wire ISDN Digital Grade Loop - Zone 4	4	UDN	U1L2X	59.18	117.61	79.92	52.82	10.37						
	Order Coordination For Specified Conversion Time (per LSR)		UDN	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch		UDN	UREWO		91.46	44.07								
<b>2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP</b>															
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93						
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93						
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93						
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 4	4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93						
	Order Coordination for Specified Conversion Time (per LSR)		UAL	OCOSL		18.19									
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93						
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93						
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93						
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 4	4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93						
	Order Coordination for Specified Conversion Time (per LSR)		UAL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch		UAL	UREWO		86.04	40.33								
<b>2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP</b>															
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93						
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93						
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93						
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 4	4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93						
	Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL		18.19									
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93						
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93						
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93						
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4	4	UHL	UHL2W	10.46	104.86	66.74	50.38	7.93						
	Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch		UHL	UREWO		85.98	40.33								
<b>4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP</b>															
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68						

UNBUNDLED NETWORK ELEMENTS - Mississippi												
CATEGORY	RATE ELEMENTS	Interim Zone	USOC	RATES (\$)					Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Attachment: 2 Exh. A	
				Rec	Nonrecurring		Nonrecurring Disconnect	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st				
					First	Add'l		First			Add'l	SOME
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	2	UHL4X	13.43	158.74	108.28	56.72	10.68				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	3	UHL4X	15.59	158.74	108.28	56.72	10.68				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 4	4	UHL4X	14.46	158.74	108.28	56.72	10.68				
	Order Coordination for Specified Conversion Time (per LSR)		OCOSL		18.19							
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL4W	13.78	133.62	95.50	56.72	10.68				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL4W	13.43	133.62	95.50	56.72	10.68				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL4W	15.59	133.62	95.50	56.72	10.68				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4	4	UHL4W	14.46	133.62	95.50	56.72	10.68				
	Order Coordination for Specified Conversion Time (per LSR)		OCOSL		18.19							
	CLEC to CLEC Conversion Charge without outside dispatch		UREWO		85.98	40.33						
	4-WIRE DS1 DIGITAL LOOP											
	4-Wire DS1 Digital Loop - Zone 1	1	USLXX	79.08	253.93	158.45	46.10	12.07				
	4-Wire DS1 Digital Loop - Zone 2	2	USLXX	129.38	253.93	158.45	46.10	12.07				
	4-Wire DS1 Digital Loop - Zone 3	3	USLXX	206.74	253.93	158.45	46.10	12.07				
	4-Wire DS1 Digital Loop - Zone 4	4	USLXX	458.46	253.93	158.45	46.10	12.07				
	Order Coordination for Specified Conversion Time (per LSR)		OCOSL		18.19							
	CLEC to CLEC Conversion Charge without outside dispatch		UREWO		100.90	42.96						
	4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP											
	4-Wire Unbundled Digital 19.2 Kbps	1	UDL19	27.44	126.53	88.85	60.68	14.64				
	4-Wire Unbundled Digital 19.2 Kbps	2	UDL19	34.55	126.53	88.85	60.68	14.64				
	4-Wire Unbundled Digital 19.2 Kbps	3	UDL19	40.76	126.53	88.85	60.68	14.64				
	4-Wire Unbundled Digital 19.2 Kbps	4	UDL19	32.25	126.53	88.85	60.68	14.64				
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL56	27.44	126.53	88.85	60.68	14.64				
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL56	34.55	126.53	88.85	60.68	14.64				
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL56	40.76	126.53	88.85	60.68	14.64				
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 4	4	UDL56	32.25	126.53	88.85	60.68	14.64				
	Order Coordination for Specified Conversion Time (per LSR)		OCOSL		18.19							
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL64	27.44	126.53	88.85	60.68	14.64				
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL64	34.55	126.53	88.85	60.68	14.64				
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL64	40.76	126.53	88.85	60.68	14.64				
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 4	4	UDL64	32.25	126.53	88.85	60.68	14.64				
	Order Coordination for Specified Conversion Time (per LSR)		OCOSL		18.19							
	CLEC to CLEC Conversion Charge without outside dispatch		UREWO		101.94	49.66						
	2-WIRE UNBUNDLED COPPER LOOP											
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	1	UCLPB	11.11	120.34	69.87	50.38	7.93				
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	2	UCLPB	11.47	120.34	69.87	50.38	7.93				
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	3	UCLPB	11.74	120.34	69.87	50.38	7.93				
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 4	4	UCLPB	12.69	120.34	69.87	50.38	7.93				
	Order Coordination for Unbundled Copper Loops (per loop)		UCLMC		8.20	8.20						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCLPW	11.11	95.21	57.09	50.38	7.93				
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCLPW	11.47	95.21	57.09	50.38	7.93				
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCLPW	11.74	95.21	57.09	50.38	7.93				
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 4	4	UCLPW	12.69	95.21	57.09	50.38	7.93				
	Order Coordination for Unbundled Copper Loops (per loop)		UCLMC		8.20	8.20						

UNBUNDLED NETWORK ELEMENTS - Mississippi										Attachment: 2 Exh. A						
CATEGORY	RATE ELEMENTS	Interim	Zone	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st		Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
					Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l			SOMECH	SOMAN		OSS Rates (\$)	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UREWO		95.21	42.40									
	<b>4-WIRE COPPER LOOP</b>															
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	17.30	144.68	94.22	56.72	10.68							
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	18.84	144.68	94.22	56.72	10.68							
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	21.33	144.68	94.22	56.72	10.68							
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 4		4	UCL	21.33	144.68	94.22	56.72	10.68							
	Order Coordination for Unbundled Copper Loops (per loop)			UCLMC		8.20	8.20									
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	17.30	119.56	81.44	56.72	10.68							
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	18.84	119.56	81.44	56.72	10.68							
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	21.33	119.56	81.44	56.72	10.68							
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 4		4	UCL	21.33	119.56	81.44	56.72	10.68							
	Order Coordination for Unbundled Copper Loops (per loop)			UCLMC		8.20	8.20									
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UREWO		95.21	42.40									
	<b>LOOP MODIFICATION</b>															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UCL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB		32.57	32.57									
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB		32.57	32.57									
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			ULMBT		32.59	32.59									
	<b>SUB-LOOPS</b>															
	<b>Sub-Loop Distribution</b>															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1		UEANL		259.69										
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL		22.77										
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	1		UEANL		178.47										
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1		UEANL		56.39										
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	1	UEANL	7.15	66.18	31.14	45.36	6.71							
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	1	2	UEANL	9.51	66.18	31.14	45.36	6.71							
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	1	3	UEANL	12.45	66.18	31.14	45.36	6.71							
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 4	1	4	UEANL	18.26	66.18	31.14	45.36	6.71							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL		8.20	8.20									
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	7.30	79.49	44.45	51.27	9.35							
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	13.92	79.49	44.45	51.27	9.35							

UNBUNDLED NETWORK ELEMENTS - Mississippi												
CATEGORY	RATE ELEMENTS	Interim	Zone	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A	
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First			Nonrecurring Disconnect Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	16.73	79.49	44.45	51.27	9.35			
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 4		4	UEANL	16.73	79.49	44.45	51.27	9.35			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair											
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	2.29	53.32	18.28	45.36	6.71			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair											
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	4.40	59.60	24.55	51.27	9.35			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair											
	Loop Testing - Basic 1st Half Hour			UEANL		8.20	8.20					
	Loop Testing - Basic Additional Half Hour			UEANL		34.36	34.36					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEFF	6.06	66.18	31.14	45.36	6.71			
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEFF	7.09	66.18	31.14	45.36	6.71			
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEFF	8.16	66.18	31.14	45.36	6.71			
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4	1	4	UEFF	9.90	66.18	31.14	45.36	6.71			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair											
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEFF	5.10	79.49	44.45	51.27	9.35			
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEFF	9.11	79.49	44.45	51.27	9.35			
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEFF	14.00	79.49	44.45	51.27	9.35			
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4	1	4	UEFF	14.00	79.49	44.45	51.27	9.35			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair											
	Loop Testing - Basic 1st Half Hour			UEFF		8.20	8.20					
	Loop Testing - Basic Additional Half Hour			UEFF		34.36	34.36					
	Unbundled Network Terminating Wire (UNTW)			UEFF		19.97	19.97					
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW								
	Network Interface Device (NID)				0.3366	30.55						
	Network Interface Device (NID) - 1-2 lines			UENTW								
	Network Interface Device (NID) - 1-6 lines			UENTW		43.84	28.90					
	Network Interface Device Cross Connect - 2 W			UENTW		65.30	50.36					
	Network Interface Device Cross Connect - 4W			UENTW		5.94	5.94					
	UNE OTHER: PROVISIONING ONLY - NO RATE											
	NID - Dispatch and Service Order for NID Installation			UENTW	0.00	0.00						
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UEANL, UEFF, UEQ, U	0.00	0.00						
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	0.00	0.00						
	UNE OTHER: PROVISIONING ONLY - NO RATE											
	Unbundled Contact Name, Provisioning Only - no rate			UAL, UCL, UDC, UDL, UDN, UEA, UHL, USL								
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEAUDN, UCL, UDC	0.00	0.00						
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEAUSL, UCL, UDL	0.00	0.00						
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	0.00	0.00						
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	0.00	0.00						
	HIGH CAPACITY UNBUNDLED LOCAL LOOP											
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	11.20							
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	326.15	522.2495	305.2905	141.7145	99.1185			
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	11.20							

UNBUNDLED NETWORK ELEMENTS - Mississippi										Attachment: 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interim Zone	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st
				Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring First	Nonrecurring Add'l					
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month		UDLSX		338.55	522.2495	305.2805	141.7145	99.1185				
<b>LOOP MAKE-UP</b>													
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).		UMKLW		24.12	24.12							
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).		UMKLP		25.58	25.58							
	Loop Makeup - With or Without Reservation, per working or spare facility queried (Mechanized)		UMKMQ		0.6652	0.6652							
<b>LINE SPLITTING</b>													
<b>LINE SPLITTING</b>													
<b>END USER ORDERING-CENTRAL OFFICE BASED</b>													
	Line Splitting - per line activation DLEC owned splitter		UEPSR UEPSB		0.61								
	Line Splitting - per line activation BST owned - physical		UEBP		0.61	18.62	10.66	10.04	4.93				
	Line Splitting - per line activation BST owned - virtual		UEPSR UEPSB		0.61	18.62	10.66	10.04	4.93				
<b>MAINTENANCE OF SERVICE</b>													
<b>NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 13.3.1 as applicable.</b>													
	No Trouble Found - per 1/2 hour increments - Basic				80.00		55.00						
	No Trouble Found - per 1/2 hour increments - Overtime				90.00		65.00						
	No Trouble Found - per 1/2 hour increments - Premium				100.00		75.00						
<b>UNBUNDLED DEDICATED TRANSPORT</b>													
<b>INTEROFFICE CHANNEL - DEDICATED TRANSPORT</b>													
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month		U1TVX	1L5XX	0.0098								
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination		U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11				
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat. - Per Mile per month		U1TVX	1L5XX	0.0098								
	Interoffice Channel - Dedicated Transport - 2-Wire VG - Rev Bat. - Facility Termination		U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month		U1TVX	1L5XX	0.0098								
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination		U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month		U1TDX	1L5XX	0.0098								
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination		U1TDX	U1TD5	15.68	40.78	27.57	17.26	7.11				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month		U1TDX	1L5XX	0.0098								
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination		U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11				
	Interoffice Channel - Dedicated Transport - DS1 - Per Mile per month		U1TD1	1L5XX	0.201								
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination		U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90				
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month		U1TD3	1L5XX	4.76								
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month		U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29				
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month		U1TS1	1L5XX	4.76								
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination		U1TS1	U1TF5	644.21	280.37	163.70	62.08	60.29				
<b>DARK FIBER</b>													
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thered per month - Local Channel		UDF - UDFCX		68.94								
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thered per month - Interoffice Channel		UDF - UDFCX	1L5DF	28.27								

UNBUNDLED NETWORK ELEMENTS - Mississippi																	
CATEGORY	RATE ELEMENTS	Interim Zone	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A						
				Rec	Nonrecurring		Nonrecurring Disconnect				SOMEK	SOMAN	SOMAN	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
					First	Add'l	First	Add'l									
	NRC Dark Fiber - Interoffice Channel		UDF, UDFCX		642.79	138.67	326.97	203.85									
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop		UDF, UDFCX	68.94													
VIRTUAL COLLOCATION																	
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting		UEPSR UEPSB	0.0268	12.37	11.87	6.04	5.45									
PHYSICAL COLLOCATION																	
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting		UEPSR UEPSB	0.0288	12.37	11.87	6.04	5.45									
ENHANCED EXTENDED LINK (EELS)																	
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.																	
NOTE: The monthly recurring and the Switch-As-is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.																	
2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION																	
	2-Wire VG Loop (SL2) in Combination - Zone 1	1	UNCVX	13.89	105.96	68.28	52.82	10.37									
	2-Wire VG Loop (SL2) in Combination - Zone 2	2	UNCVX	18.75	105.96	68.28	52.82	10.37									
	2-Wire VG Loop (SL2) in Combination - Zone 3	3	UNCVX	27.55	105.96	68.28	52.82	10.37									
	2-Wire VG Loop (SL2) in Combination - Zone 4	4	UNCVX	45.72	105.96	68.28	52.82	10.37									
	Voice Grade COCI - Per Month		UNCVX	0.5737	6.62	4.74											
4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION																	
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	1	UNCVX	27.47	132.27	94.59	60.68	14.64									
	4-Wire Analog Voice Grade Loop in Combination - Zone 2	2	UNCVX	38.26	132.27	94.59	60.68	14.64									
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	3	UNCVX	50.03	132.27	94.59	60.68	14.64									
	4-Wire Analog Voice Grade Loop in Combination - Zone 4	4	UNCVX	50.03	132.27	94.59	60.68	14.64									
	Voice Grade COCI in combination - per month		UNCVX	0.5737	6.62	4.74											
4-WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION																	
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDCX	27.44	126.53	88.85	60.68	14.64									
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDCX	34.55	126.53	88.85	60.68	14.64									
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDCX	40.76	126.53	88.85	60.68	14.64									
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 4	4	UNCDCX	32.25	126.53	88.85	60.68	14.64									
	OCU-DP COCI (data) per month (2.4-64Kbps)		UNCDCX	1.22	6.62	4.74											
4-WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION																	
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDCX	27.44	126.53	88.85	60.68	14.64									
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDCX	34.55	126.53	88.85	60.68	14.64									
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDCX	40.76	126.53	88.85	60.68	14.64									
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4	4	UNCDCX	32.25	126.53	88.85	60.68	14.64									
	OCU-DP COCI (data) - in combination - per month (2.4-64Kbps)		UNCDCX	1.22	6.62	4.74											
2-WIRE ISDN LOOP FOR USE IN A COMBINATION																	
	2-Wire ISDN Loop in Combination - Zone 1	1	UNCNXX	21.01	117.61	79.92	52.82	10.37									
	2-Wire ISDN Loop in Combination - Zone 2	2	UNCNXX	27.59	117.61	79.92	52.82	10.37									
	2-Wire ISDN Loop in Combination - Zone 3	3	UNCNXX	37.34	117.61	79.92	52.82	10.37									
	2-Wire ISDN Loop in Combination - Zone 4	4	UNCNXX	59.18	117.61	79.92	52.82	10.37									
	2-wire ISDN COCI (BRIT) - in combination - per month		UNCNXX	2.62	6.62	4.74											
4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION																	
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNC1XX	79.08	253.93	158.45	46.10	12.07									
	4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNC1XX	129.38	253.93	158.45	46.10	12.07									
	4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNC1XX	206.74	253.93	158.45	46.10	12.07									
	4-Wire DS1 Digital Loop in Combination - Zone 4	4	UNC1XX	458.46	253.93	158.45	46.10	12.07									
	DS1 COCI in combination per month		UNC1XX	2.62	6.62	4.74											
2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION																	
	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month		UNCVX	0.00088													
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month		UNCVX	20.32	40.77	27.57	17.26	7.11									
4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION																	
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month		UNCVX	0.00088													
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month		UNCVX	17.86	40.77	27.57	17.26	7.11									
DS1 INTEROFFICE TRANSPORT FOR COMBINATION																	

UNBUNDLED NETWORK ELEMENTS - Mississippi													
CATEGORY	RATE ELEMENTS	Interim Zone	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
				Nonrecurring		First	Add'l						Disconnect
				First	Add'l								
	Interface Transport - Dedicated - DS1 combination - Per Mile per month		1L5XX	0.1813									
	Interface Transport - Dedicated - DS1 combination - Facility Termination per month		U1TF1	51.72	89.79	82.28	14.90						
DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION	Interface Transport - Dedicated - DS3 combination - Per Mile Per Month		1L5XX	4.76									
	Interface Transport - Dedicated - DS3 - Facility Termination per month		U1TF3	641.90	280.37	163.70	60.29						
	Interface Transport - Dedicated - STS-1 combination - Per Mile Per Month		1L5XX	4.76									
4-WIRE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT	Interface Transport - Dedicated - STS-1 combination - Facility Termination per month		U1TFS	644.21	280.37	163.70	60.29						
	4-wire 56 kbps Local Loop in combination - Zone 1	1	UNCDX	27.44	126.53	88.85	60.68						
	4-wire 56 kbps Local Loop in combination - Zone 2	2	UNCDX	34.55	126.53	88.85	60.68						
4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT	4-wire 64 kbps Local Loop in combination - Zone 1	1	UNCDX	27.44	126.53	88.85	60.68						
	4-wire 64 kbps Local Loop in combination - Zone 2	2	UNCDX	34.55	126.53	88.85	60.68						
	4-wire 64 kbps Local Loop in combination - Zone 3	3	UNCDX	40.76	126.53	88.85	60.68						
4-WIRE 56 KBPS LOCAL LOOP IN COMBINATION - ZONE 4	4-wire 56 kbps Local Loop in combination - Zone 4	4	UNCDX	32.25	126.53	88.85	60.68						
	Interface Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month		UNCDX	0.0098									
	Interface Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month		U1TD5	22.52	40.78	27.57	17.26						
4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT	4-wire 56 kbps Local Loop in combination - Zone 1	1	UNCDX	27.44	126.53	88.85	60.68						
	4-wire 56 kbps Local Loop in combination - Zone 2	2	UNCDX	34.55	126.53	88.85	60.68						
	4-wire 56 kbps Local Loop in combination - Zone 3	3	UNCDX	40.76	126.53	88.85	60.68						
4-WIRE 64 KBPS LOCAL LOOP IN COMBINATION - ZONE 4	4-wire 64 kbps Local Loop in combination - Zone 4	4	UNCDX	32.25	126.53	88.85	60.68						
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month		UNCDX	0.0098									
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month		U1TD6	22.52	40.78	27.57	17.26						
4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT	4-wire 56 kbps Local Loop in combination - Zone 1	1	UNCDX	27.44	126.53	88.85	60.68						
	4-wire 56 kbps Local Loop in combination - Zone 2	2	UNCDX	34.55	126.53	88.85	60.68						
	4-wire 56 kbps Local Loop in combination - Zone 3	3	UNCDX	40.76	126.53	88.85	60.68						
4-WIRE 64 KBPS LOCAL LOOP IN COMBINATION - ZONE 4	4-wire 64 kbps Local Loop in combination - Zone 4	4	UNCDX	32.25	126.53	88.85	60.68						
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month		UNCDX	0.0098									
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month		U1TD5	22.52	40.78	27.57	17.26						
4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT	4-wire 64 kbps Local Loop in combination - Zone 1	1	UNCDX	27.44	126.53	88.85	60.68						
	4-wire 64 kbps Local Loop in combination - Zone 2	2	UNCDX	34.55	126.53	88.85	60.68						
	4-wire 64 kbps Local Loop in combination - Zone 3	3	UNCDX	40.76	126.53	88.85	60.68						
4-WIRE 64 KBPS LOCAL LOOP IN COMBINATION - ZONE 4	4-wire 64 kbps Local Loop in combination - Zone 4	4	UNCDX	32.25	126.53	88.85	60.68						
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month		UNCDX	0.0098									
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month		U1TD6	22.52	40.78	27.57	17.26						
DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT	4-Wire DS1 Digital Loop in combination - Zone 1	1	UNCDX	27.44	126.53	88.85	60.68						
	4-Wire DS1 Digital Loop in combination - Zone 2	2	UNCDX	34.55	126.53	88.85	60.68						
	4-Wire DS1 Digital Loop in combination - Zone 3	3	UNCDX	40.76	126.53	88.85	60.68						
4-WIRE 64 KBPS LOCAL LOOP IN COMBINATION - ZONE 4	4-wire 64 kbps Local Loop in combination - Zone 4	4	UNCDX	32.25	126.53	88.85	60.68						
	Interface Transport - Dedicated - DS1 combination - Per Mile per month		UNCDX	0.0098									
	Interface Transport - Dedicated - DS1 combination - Facility Termination per month		U1TF1	51.72	89.79	82.28	14.90						

UNBUNDLED NETWORK ELEMENTS - Mississippi										Attachment: 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interim Zone	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st
				Rec	Nonrecurring First	Add'l	Nonrecurring First						
DS3	DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT												
	DS3 Local Loop in combination - per mile per month		1LSND	12.88									
	DS3 Local Loop in combination - Facility Termination per month		UNC3X										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		UNC3X	375.0725	522.2495	305.2905	141.7145						
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month		UNC3X	4.76									
STS-1	DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT												
	STS-1 Local Loop in combination - per mile per month		1LSND	12.88									
	STS-1 Local Loop in combination - Facility Termination per month		UNC3X										
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month		UDLS1	389.3325	522.2495	305.2905	141.7145						
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month		UNC3X	4.76									
ADDITIONAL NETWORK ELEMENTS													
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month		UNC3X	644.21	280.37	163.70	62.08						
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month		UNC3X										
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month		UNC3X										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month		UNC3X										
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As is charge does apply.													
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As is charge does not.													
Nonrecurring Currently Combined Network Elements "Switch As is" Charge (One applies to each combination)													
Optional Features & Functions:	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge		UNC3X, UNCDX, UNC1X, UNC3X, UNC3X		5.63	5.63	7.20						
	Clear Channel Capability Extended Frame Option - per DS1	I	U1TD1, ULDD1, UNC1X		0.00	0.00	0.00						
	Clear Channel Capability Super Frame Option - per DS1	I	U1TD1, ULDD1, UNC1X		0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I	UNC1X, USL		184.60	23.78	1.96						
	C-bit Parity Option - Subsequent Activity - per DS3	I	U1TD3, ULDD3, UE3, UNC3X		218.72	7.68	0.7201						
MULTIPLEXERS	DS1 to DS0 Channel System per month		UNC1X	102.85	91.57	62.94	10.87						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2-4-64kbs) used for a Local Loop		UDL	1.22	6.62	4.74							
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2-4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUD	1.22	6.62	4.74							
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop		UDN	2.62	6.62	4.74							
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUB	2.62	6.62	4.74							
DS3 to DS1 Channel System per month	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop		UEA	0.5737	6.62	4.74							
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUC	0.5737	6.62	4.74							
	DS3 to DS1 Channel System per month		UNC3X	170.63	179.17	94.52	34.30						
	STS-1 to DS1 Channel System per month		UNC3X	170.63	179.17	94.52	34.30						
	DS1 COCI used with Loop per month		USL	12.96	6.62	4.74							
DS1 COCI used with Interface Channel per month	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month		U1TUA	12.96	6.62	4.74							
	DS1 COCI used with Interface Channel per month		U1TD1	12.96	6.62	4.74							
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month		ULDD1	12.96	6.62	4.74							
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month		ULDD1	12.96	6.62	4.74							
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month		ULDD1	12.96	6.62	4.74							
Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order.													





UNBUNDLED NETWORK ELEMENTS - North Carolina															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A			
						Nonrecurring		Disconnect Add'l	OSS Rates (\$)			Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
						First	Add'l		SOMAN					SOMAN	
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UWL-SL1)			UEANL	UREWO		15.76	8.93							
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UEANM		28.74	28.74							
	Manual Order Coordination for UWL-SL1s (per loop)			UEANL	UEAMC		61.38	61.38							
	Order Coordination for Specified Conversion Time for UWL-SL1 (per LSR)			UEANL	OCOSL		45.34	45.34							
2-WIRE UNBUNDLED COPPER LOOP															
	2-Wire Unbundled Copper Loop - Non-Design Zone 1		1	UEQ	UEQ2X		10.16	35.27	15.60						
	2-Wire Unbundled Copper Loop - Non-Design - Zone 2		2	UEQ	UEQ2X		17.55	35.27	15.60						
	2-Wire Unbundled Copper Loop - Non-Design - Zone 3		3	UEQ	UEQ2X		27.58	35.27	15.60						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33		0.83						
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Design (per loop)			UEQ	USBMC		61.38		61.38						
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		28.74		28.74						
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		76.24		76.24						
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		39.51		39.51						
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	UREWO		14.26		7.42						
UNBUNDLED EXCHANGE ACCESS LOOP															
2-WIRE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS		12.11	57.99	42.37	0.00					
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS		12.11	57.99	42.37	0.00					
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS		21.24	57.99	42.37	0.00					
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS		21.24	57.99	42.37	0.00					
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS		33.65	57.99	42.37	0.00					
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS		33.65	57.99	42.37	0.00					
UNBUNDLED EXCHANGE ACCESS LOOP															
2-WIRE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2		14.97	142.97	106.56						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2		25.93	142.97	106.56						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2		40.81	142.97	106.56						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL			45.34							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2		14.97	142.97	106.56						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2		25.93	142.97	106.56						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2		40.81	142.97	106.56						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL			45.34							
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO			87.64	36.33						
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL			11.20	1.10						
4-WIRE ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4		21.32	288.47	237.45						
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4		36.27	288.47	237.45						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4		56.57	288.47	237.45						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL			45.34							
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO			87.64	36.33						

UNBUNDLED NETWORK ELEMENTS - North Carolina										Attachment: 2 Exh. A					
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l		
					Nonrecurring		First	Add'l						OSS Rates (\$)	
					Rec	First								Add'l	SOME
	<b>2-WIRE ISDN DIGITAL GRADE LOOP</b>														
	2-Wire ISDN Digital Grade Loop - Zone 1	1	UDN	U1L2X	19.42	325.91	251.31								
	2-Wire ISDN Digital Grade Loop - Zone 2	2	UDN	U1L2X	32.88	325.91	251.31								
	2-Wire ISDN Digital Grade Loop - Zone 3	3	UDN	U1L2X	51.14	325.91	251.31								
	Order Coordination For Specified Conversion Time (per LSR)			OCOSL		45.34									
	CLEC to CLEC Conversion Charge without outside dispatch			UREWO		91.55	44.12								
	<b>2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP</b>														
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2X	11.00	264.71	145.60								
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2X	18.39	264.71	145.60								
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2X	28.42	264.71	145.60								
	Order Coordination for Specified Conversion Time (per LSR)			OCOSL		45.34									
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2W	11.00	190.25	114.82								
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2W	18.39	190.25	114.82								
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2W	28.42	190.25	114.82								
	Order Coordination for Specified Conversion Time (per LSR)			OCOSL		45.34									
	CLEC to CLEC Conversion Charge without outside dispatch			UREWO		86.12	40.36								
	<b>2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP</b>														
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	UHL	UHL2X	9.01	284.74	163.54								
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	2	UHL	UHL2X	14.87	284.74	163.54								
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	3	UHL	UHL2X	22.82	284.74	163.54								
	Order Coordination for Specified Conversion Time (per LSR)			OCOSL		45.34									
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL2W	9.01	207.48	132.05								
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL2W	14.87	207.48	132.05								
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL2W	22.82	207.48	132.05								
	Order Coordination for Specified Conversion Time (per LSR)			OCOSL		45.34									
	CLEC to CLEC Conversion Charge without outside dispatch			UREWO		86.06	40.36								
	<b>4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP</b>														
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4X	10.62	341.65	220.45								
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4X	17.67	341.65	220.45								
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4X	27.24	341.65	220.45								
	Order Coordination for Specified Conversion Time (per LSR)			OCOSL		45.34									
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4W	10.62	264.39	188.96								
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4W	17.67	264.39	188.96								
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4W	27.24	264.39	188.96								
	Order Coordination for Specified Conversion Time (per LSR)			OCOSL		45.34									
	CLEC to CLEC Conversion Charge without outside dispatch			UREWO		86.06	40.36								
	<b>4-WIRE DS1 DIGITAL LOOP</b>														
	4-Wire DS1 Digital Loop - Zone 1	1	USL	USLXX	47.60	714.84	421.47								
	4-Wire DS1 Digital Loop - Zone 2	2	USL	USLXX	84.36	714.84	421.47								
	4-Wire DS1 Digital Loop - Zone 3	3	USL	USLXX	134.29	714.84	421.47								
	Order Coordination for Specified Conversion Time (per LSR)			OCOSL		48.31									

UNBUNDLED NETWORK ELEMENTS - North Carolina																
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Manually per LSR	Svc Order Elec Submitted per LSR	Attachment: 2 Exh. A				
					Nonrecurring		Nonrecurring Disconnect		OSS Rates (\$)							
					Rec	First	Add'l	First	Add'l			SOMAN	SOMAN	SOMAN		
	CLEC to CLEC Conversion Charge without outside dispatch		USL	UREWO		100.99	43.00									
4-WIRE	19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps	1	UDL	UDL19	25.32	489.04	337.51									
	4 Wire Unbundled Digital 19.2 Kbps	2	UDL	UDL19	43.11	489.04	337.51									
	4 Wire Unbundled Digital 19.2 Kbps	3	UDL	UDL19	67.26	489.04	337.51									
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL	UDL56	25.32	489.04	337.51									
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	UDL56	43.11	489.04	337.51									
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	UDL56	67.26	489.04	337.51									
	Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOSL		45.34										
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	UDL64	25.32	489.04	337.51									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	UDL64	43.11	489.04	337.51									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	UDL64	67.26	489.04	337.51									
	Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOSL		45.34										
	CLEC to CLEC Conversion Charge without outside dispatch		UDL	UREWO		102.03	49.70									
	2-WIRE UNBUNDLED COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB	13.26	262.86	143.75									
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPB	22.39	262.86	143.75									
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB	34.80	262.86	143.75									
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		61.38	61.38									
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLPW	13.26	188.39	112.96									
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLPW	22.39	188.39	112.96									
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLPW	34.80	188.39	112.96									
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		61.38	61.38									
	CLEC to CLEC Conversion Charge without outside dispatch		UCL	UREWO		97.14	42.44									
	(UCL-Des)															
4-WIRE COPPER LOOP																
	4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4S	17.36	311.03	191.93									
	4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4S	29.61	311.03	191.93									
	4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4S	46.26	311.03	191.93									
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		61.38	61.38									
	4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4W	17.36	236.57	161.14									
	4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4W	29.61	236.57	161.14									
	4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4W	46.26	236.57	161.14									
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		61.38	61.38									
	CLEC to CLEC Conversion Charge without outside dispatch		UCL	UREWO		97.14	42.44									
	(UCL-Des)															
LOOP MODIFICATION																
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB													
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop		UHL, UCL, UEA, UEL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L	21.24	21.24	21.24									
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop		UHL, UCL, UEA, UEL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM4L	21.24	21.24	21.24									
				ULMBT		24.84	24.84									

UNBUNDLED NETWORK ELEMENTS - North Carolina																	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A			Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
						Nonrecurring		First			Add'l	SOME	SOMAN			SOMAN	SOMAN
						Rec	First										
SUB-LOOPS	Sub-Loop Distribution																
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA			373.57									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB			33.78									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	I		UEANL	USBSC			234.76									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD			81.05									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	I	1	UEANL	USBN2	7.31		126.03	54.54								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	I	2	UEANL	USBN2			126.03	54.54								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	I	3	UEANL	USBN2			126.03	54.54								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC			61.38	61.38								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	8.44		156.52	79.66								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	13.81		156.52	79.66								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	21.10		156.52	79.66								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	I		UEANL	USBMC			61.38	61.38								
	Sub-Loop 2-Wire Intra-building Network Cable (INC)			UEANL	USBR2	2.79		114.05	37.20								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC			61.38	61.38								
	Sub-Loop 4-Wire Intra-building Network Cable (INC)	I		UEANL	USBR4	3.74		127.67	50.82								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC			61.38	61.38								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1			76.24	76.24								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA			39.51	39.51								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCSX	6.10		137.10	60.24								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCSX	9.70		137.10	60.24								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCSX	14.59		137.10	60.24								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC			61.38	61.38								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	6.68		162.24	85.38								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS4X	10.51		162.24	85.38								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	15.84		162.24	85.38								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC			61.38	61.38								
	Loop Testing - Basic 1st Half Hour			UEF	URET1			76.24	76.24								
	Loop Testing - Basic Additional Half Hour			UEF	URETA			39.51	39.51								
	Unbundled Network Terminating Wire (UNTW)			UENTW	UENPP	0.4351		64.98									
Network Interface Device (NID)	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW													
	Network Interface Device (NID)			UENTW	UND12			86.37	56.69								
	Network Interface Device (NID) - 1-2 lines	I		UENTW	UND16			127.93	98.21								
	Network Interface Device (NID) - 1-6 lines	I		UENTW	UNDC2			11.68	11.68								
	Network Interface Device Cross Connect - 2 W	I		UENTW	UNDC4			11.68	11.68								
UNE OTHER, PROVISIONING ONLY - NO RATE	Network Interface Device Cross Connect - 4W			UENTW													
	PROVISIONING ONLY - NO RATE																
	NID - Dispatch and Service Order for NID Installation			UENTW	UNDBX	0.00		0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00		0.00									
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNEEN	0.00		0.00									
UNE OTHER, PROVISIONING ONLY - NO RATE																	

UNBUNDLED NETWORK ELEMENTS - North Carolina										Attachment: 2 Exh. A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
						Rec	Nonrecurring		Disconnect						
							First	Add'l							
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,USL	UNEEN	0.00		0.00							
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0.00		0.00							
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0.00		0.00							
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00		0.00							
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00		0.00							
HIGH CAPACITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	13.33									
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	450.69		1,231.65		743.038					
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	13.33									
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	464.26		1,231.65		743.038					
LOOP MAKE-UP															
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW			55.44		55.44					
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP			55.73		55.73					
	Loop Makeup - With or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ			0.6960821		0.6960821					
LINE SPLITTING															
LINE SPLITTING															
END USER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61									
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61		56.92		28.59					
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61		56.92		28.59					
MAINTENANCE OF SERVICE															
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No. 1 Tariff, Section 13.3.1 as applicable.															
	No Trouble Found - per 1/2 hour increments - Basic							80.00		55.00					
	No Trouble Found - per 1/2 hour increments - Overtime							90.00		65.00					
	No Trouble Found - per 1/2 hour increments - Premium							100.00		75.00					
UNBUNDLED DEDICATED TRANSPORT															
INTEROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interface Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0125									
	Interface Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	18.00		137.48		52.58					
	Interface Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat. - Per Mile per month			U1TVX	1L5XX	0.0125									
	Interface Channel - Dedicated Transport - 2-Wire VG Rev Bat. - Facility Termination			U1TVX	U1TR2	18.00		137.48		52.58					
	Interface Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0125									
	Interface Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination			U1TVX	U1TV4	22.16		106.11		65.95					
	Interface Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0282									
	Interface Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	17.40		137.48		52.58					
	Interface Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0282									
	Interface Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	17.40		137.48		52.58					

UNBUNDLED NETWORK ELEMENTS - North Carolina													
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Elec per LSR	Attachment: 2 Exh. A		
					Nonrecurring		Disconnect Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st			Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	
					Rec	First Add'l							SOMEc
	Interface Channel - Dedicated Channel - DS1 - Per Mile per month			1L5XX	0.5753								
	Interface Channel - Dedicated Transport - DS1 - Facility Termination		U1TD1	U1TF1	71.29	217.17	163.75						
	Interface Channel - Dedicated Transport - DS3 - Per Mile per month		U1TD3	1L5XX	12.98								
	Interface Channel - Dedicated Transport - DS3 - Facility Termination per month		U1TD3	U1TF3	720.38	794.94	579.55						
	Interface Channel - Dedicated Transport - STS-1 - Per Mile per month		U1TS1	1L5XX	6.14								
	Interface Channel - Dedicated Transport - STS-1 - Facility Termination		U1TS1	U1TFS	790.37	642.23	408.89						
DARK FIBER													
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel		UDF, UDFCX	1L5DC	73.65								
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interface Channel		UDF, UDFCX	1L5DF	27.71								
	NRC Dark Fiber - Interface Channel		UDF, UDFCX	UDF14	1,807.00	562.96							
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop		UDF, UDFCX	1L5DL	73.65								
VIRTUAL COLLOCATION													
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting		UEPSR UEPSB	VE1LS	0.0287	33.96	32.08	0.00					
PHYSICAL COLLOCATION													
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting		UEPSR UEPSB	PE1LS	0.0309	33.53	31.65	0.00					
ENHANCED EXTENDED LINK (EELs)													
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.													
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.													
2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION													
	2-Wire VG Loop (SL2) in Combination - Zone 1	1	UNCVX	UEAL2	14.97	142.97	106.56						
	2-Wire VG Loop (SL2) in Combination - Zone 2	2	UNCVX	UEAL2	25.93	142.97	106.56						
	2-Wire VG Loop (SL2) in Combination - Zone 3	3	UNCVX	UEAL2	40.81	142.97	106.56						
	Voice Grade COC1 - Per Month		UNCVX	1D1VG	1.27	13.09	9.38						
4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION													
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	1	UNCVX	UEAL4	21.32	288.47	237.45						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2	2	UNCVX	UEAL4	36.27	288.47	237.45						
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	3	UNCVX	UEAL4	56.57	288.47	237.45						
	Voice Grade COC1 in combination - per month		UNCVX	1D1VG	1.27	13.09	9.38						
4-WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION													
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDX	UDL56	25.32	489.04	337.51						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDX	UDL56	43.11	489.04	337.51						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDX	UDL56	67.28	489.04	337.51						
	OCU-DP COC1 (data) per month (2.4-64kbs)		UNCDX	1D1DD	2.00	15.76	11.28						
4-WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION													
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDX	UDL64	25.32	489.04	337.51						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDX	UDL64	43.11	489.04	337.51						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDX	UDL64	67.26	489.04	337.51						
	OCU-DP COC1 (data) - in combination - per month (2.4-64kbs)		UNCDX	1D1DD	2.00	15.76	11.28						
2-WIRE ISDN LOOP FOR USE IN A COMBINATION													
	2-Wire ISDN Loop in Combination - Zone 1	1	UNCNX	U1L2X	19.42	325.91	251.31						
	2-Wire ISDN Loop in Combination - Zone 2	2	UNCNX	U1L2X	32.88	325.91	251.31						
	2-Wire ISDN Loop in Combination - Zone 3	3	UNCNX	U1L2X	51.14	325.91	251.31						
	2-Wire ISDN COC1 (BRI/E) - in combination - per month		UNCNX	UC1CA	3.59	15.76	11.28						
4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION													
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNC1X	USLXX	47.60	714.84	421.47						
	4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNC1X	USLXX	84.36	714.84	421.47						
	4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNC1X	USLXX	134.29	714.84	421.47						
	DS1 COC1 in combination per month		UNC1X	UC1D1	16.07	13.09	9.38						

UNBUNDLED NETWORK ELEMENTS - North Carolina													
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A		
					Nonrecurring		Nonrecurring Disconnect	OSS Rates (\$)					
					First	Add'l		SOME			SOMAN	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st
					Rec								
	<b>2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION</b>												
	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month		UNCVX	1L5XX	0.0282								
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month		UNCVX	U1TV2	18.00	137.48	52.58						
	<b>4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION</b>												
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month		UNCVX	1L5XX	0.0282								
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month		UNCVX	U1TV4	22.16	106.11	65.95						
	<b>DS1 INTEROFFICE TRANSPORT FOR COMBINATION</b>												
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNC1X	1L5XX	16.07								
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	71.29	217.17	163.75						
	<b>DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION</b>												
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		UNC3X	1L5XX	12.98								
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month		UNC3X	U1TF3	720.38	794.94	579.55						
	<b>STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION</b>												
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month		UNC5X	1L5XX	6.14								
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month		UNC5X	U1TF5	790.37	642.23	408.89						
	<b>4-WIRE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT</b>												
	4-wire 56 kbps Local Loop in combination - Zone 1	1	UNC0X	UDL56	25.32	489.04	337.51						
	4-wire 56 kbps Local Loop in combination - Zone 2	2	UNC0X	UDL56	43.11	489.04	337.51						
	4-wire 56 kbps Local Loop in combination - Zone 3	3	UNC0X	UDL56	67.26	489.04	337.51						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month		UNC0X	1L5XX	0.0282								
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month		UNC0X	U1TD5	17.40	137.48	52.58						
	<b>4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT</b>												
	4-wire 64 kbps Local Loop in Combination - Zone 1	1	UNC0X	UDL64	25.32	489.04	337.51						
	4-wire 64 kbps Local Loop in Combination - Zone 2	2	UNC0X	UDL64	43.11	489.04	337.51						
	4-wire 64 kbps Local Loop in Combination - Zone 3	3	UNC0X	UDL64	67.26	489.04	337.51						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month		UNC0X	1L5XX	0.0282								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month		UNC0X	U1TD6	17.40	137.48	52.58						
	<b>4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>												
	4-wire 56 kbps Local Loop in combination - Zone 1	1	UNC0X	UDL56	25.32	489.04	337.51						
	4-wire 56 kbps Local Loop in combination - Zone 2	2	UNC0X	UDL56	43.11	489.04	337.51						
	4-wire 56 kbps Local Loop in combination - Zone 3	3	UNC0X	UDL56	67.26	489.04	337.51						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month		UNC0X	1L5XX	0.0282								
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month		UNC0X	U1TD5	17.40	137.48	52.58						
	<b>4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>												
	4-wire 64 kbps Local Loop in combination - Zone 1	1	UNC0X	UDL64	25.32	489.04	337.51						
	4-wire 64 kbps Local Loop in combination - Zone 2	2	UNC0X	UDL64	43.11	489.04	337.51						
	4-wire 64 kbps Local Loop in combination - Zone 3	3	UNC0X	UDL64	67.26	489.04	337.51						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month		UNC0X	1L5XX	0.0282								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month		UNC0X	U1TD5	17.40	137.48	52.58						
	<b>4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT</b>												
	4-wire 64 kbps Local Loop in combination - Zone 1	1	UNC0X	UDL64	25.32	489.04	337.51						
	4-wire 64 kbps Local Loop in combination - Zone 2	2	UNC0X	UDL64	43.11	489.04	337.51						
	4-wire 64 kbps Local Loop in combination - Zone 3	3	UNC0X	UDL64	67.26	489.04	337.51						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month		UNC0X	1L5XX	0.0282								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month		UNC0X	U1TD6	17.40	137.48	52.58						
	<b>DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT</b>												
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNC1X	USLXX	47.60	714.84	421.47						



UNBUNDLED NETWORK ELEMENTS - North Carolina										Attachment: 2 Exh. A									
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l				
						Rec	Nonrecurring		Nonrecurring Disconnect First							SOMEC	SOMAN	SOMAN	SOMAN
							First	Add'l											
	4-Wire DS1 Digital Loop in Combination - Zone 2																		
	4-Wire DS1 Digital Loop in Combination - Zone 3		2	UNC1X	USLXX	84.36	714.84	421.47											
	Interface Transport - Dedicated - DS1 combination - Per Mile per month		3	UNC1X	USLXX	134.29	714.84	421.47											
	Interface Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	1L5XX	16.07													
	Interface Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	71.29	217.17	163.75											
	DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT			UNC3X	1L5ND	13.33													
	DS3 Local Loop in combination - per mile per month			UNC3X	UE3PX	450.69	1,071.00	648.12											
	Interface Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	12.98													
	Interface Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	720.38	794.94	579.55											
	STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT			UNC3X	1L5ND	13.33													
	STS-1 Local Loop in combination - per mile per month			UNC3X	UDLS1	464.26	1,071.00	648.12											
	Interface Transport - Dedicated - STS-1 combination - per mile per month			UNC3X	1L5XX	6.14													
	Interface Transport - Dedicated - STS-1 combination - Facility Termination per month			UNC3X	U1TFS	790.37	642.23	408.89											
ADDITIONAL NETWORK ELEMENTS																			
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As is charge does apply.																		
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As is Charge does not.																		
	Nonrecurring Currently Combined Network Elements "Switch As is" Charge (One applies to each combination)																		
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX, UNCCX, UNC1X, UNC3X, UNC5X	UNCCC		21.75	21.75	32.28	10.96									
	Optional Features & Functions:																		
	Clear Channel Capability Extended Frame Option - per DS1		I	U1TD1, U1DD1, UNC1X	CCOEF		0.00	0.00	0.00	0.00									
	Clear Channel Capability Super FrameOption - per DS1		I	U1TD1, U1DD1, UNC1X	CCOSF		0.00	0.00	0.00	0.00									
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1		I	U1TD1, U1DD1, UNC1X, USL	NRCCC		184.76	23.80	1.99	0.78									
	C-bit Parity Option - Subsequent Activity - per DS3		I	U1TD3, U1DD3, UE3, UNC3X	NRCC3		218.92	7.66	0.7576	0.00									
MULTIPLEXERS																			
	DS1 to DS0 Channel System per month			UNC1X	MQ1	146.69	197.78	140.06											
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.00	13.09	9.38											
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.00	13.09	9.38											
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA	3.59	13.09	9.38											
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.59	13.09	9.38											
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	1.27	13.09	9.38											
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	1.27	13.09	9.38											
	DS3 to DS1 Channel System per month			UNC3X	MQ3	233.10	403.97	234.40											
	STS-1 to DS1 Channel System per month			UNC3X	MQ3	233.10	403.97	234.40											
	DS1 COCI used with Loop per month			USL	UC1D1	16.07	13.09	9.38											
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	16.07	13.09	9.38											

UNBUNDLED NETWORK ELEMENTS - North Carolina													Attachment: 2 Exh. A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	
						Rec	Nonrecurring		Nonrecurring Disconnect First								Nonrecurring Disconnect Add'l
							First	Add'l									
	DS1 COCI used with Interface Channel per month			U1TD1	UC1D1	16.07	13.09	9.38									
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	16.07	13.09	9.38									
Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order.																	

UNBUNDLED NETWORK ELEMENTS - South Carolina										Attachment: 2 Exh. A							
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st			
						Nonrecurring First	Add'l	Nonrecurring First	Add'l						OSS Rates (\$)	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website: <a href="http://www.interconnection.bellsouth.com/become_a_clec/interconnection.htm">http://www.interconnection.bellsouth.com/become_a_clec/interconnection.htm</a>																	
OPERATIONS SUPPORT SYSTEMS (OSS) - "STATE SPECIFIC RATES"																	
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "regional" OSS charges as offered by BellSouth. The OSS charges currently contained in this rate exhibit are the PSC state ordered "state specific" service ordering charges. CLEC m																	
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOME rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those el																	
					SOME		5.92	0.00	3.80	0.00							
					SOMAN		15.69	0.00	1.97	0.00							
UNE SERVICE DATE ADVANCEMENT CHARGE																	
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable																	
				UAL UEANL UCL, UEF UDF UEQ, UDL UENTW UDN, UEA UHL ULC, USL UT112 UT148, UT1D1, UT1D3, UT1DX, UT1T03, UT1TS1, UT1VX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDL03, UDL SX, UE3, ULD12, ULD46, ULD01, ULD03, ULDDX, ULD03, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCXX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, UT1UC, UT1UD, UT1UB, UT1UA													
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day				SDASP		200.00										
UNBUNDLED EXCHANGE ACCESS LOOP																	
2-WIRE ANALOG VOICE GRADE LOOP																	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1		UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32							
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	2		UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32							
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	3		UEANL	UEAL2	26.72	37.92	17.62	23.56	5.32							
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1		UEANL	UEASL	14.94	37.92	17.62	23.56	5.32							
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	2		UEANL	UEASL	21.39	37.92	17.62	23.56	5.32							
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	3		UEANL	UEASL	26.72	37.92	17.62	23.56	5.32							
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83									
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.23										
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90									
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UUL-SL1)			UEANL	UREWO		15.81	8.96									
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.47	13.47									
	Manual Order Coordination for UUL-SL1s (per loop)			UEANL	UEAMC		8.17	8.17									

UNBUNDLED NETWORK ELEMENTS - South Carolina														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		SOMEC	SOMAN	SOMAN	SOMAN
							First	Add'l	First	Add'l				
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)													
	2-WIRE UNBUNDLED COPPER LOOP													
	1 2-Wire Unbundled Copper Loop - Non-Designated Zone 1		1	UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42				
	2 2-Wire Unbundled Copper Loop - Non-Designated - Zone 2		2	UEQ	UEQ2X	14.51	38.40	16.10	22.66	4.42				
	3 2-Wire Unbundled Copper Loop - Non-Designated - Zone 3		3	UEQ	UEQ2X	15.02	38.40	16.10	22.66	4.42				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise													
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designated (per loop)						8.33	0.83						
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E.I.)						8.17	8.17						
	Loop Testing - Basic 1st Half Hour						13.47	13.47						
	Loop Testing - Basic Additional Half Hour						34.23	34.23						
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)						19.90	19.90						
	UEQ						14.30	7.45						
	UNBUNDLED EXCHANGE ACCESS LOOP													
	2-WIRE ANALOG VOICE GRADE LOOP													
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32				
	UNBUNDLED EXCHANGE ACCESS LOOP													
	2-WIRE ANALOG VOICE GRADE LOOP													
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		16.13							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13							
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44						
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.24	1.10						
	4-WIRE ANALOG VOICE GRADE LOOP													
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61				
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	43.89	132.38	94.83	59.35	14.61				
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	43.38	132.38	94.83	59.35	14.61				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13							
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44						
	2-WIRE ISDN DIGITAL LOOP													
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	25.21	117.58	80.03	53.05	10.61				
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32.76	117.58	80.03	53.05	10.61				
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.82	44.25						
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93				

UNBUNDLED NETWORK ELEMENTS - South Carolina										Attachment: 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order/ Submitted Elec per LSR	Svc Order/ Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st Add'l
						Nonrecurring		Nonrecurring Disconnect	OSS Rates (\$)				
						First	Add'l		First	SOMAN	SOMAN	SOMAN	
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93			
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93			
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		18.13						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93			
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93			
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W	14.14	95.81	57.82	50.37	7.93			
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		18.13						
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		86.38	40.48					
	<b>2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP</b>												
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93			
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93			
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93			
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		18.13						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93			
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93			
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93			
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		18.13						
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		86.32	40.48					
	<b>4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP</b>												
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38			
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38			
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38			
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		18.13						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38			
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38			
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38			
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		18.13						
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		86.32	40.48					
	<b>4-WIRE DS1 DIGITAL LOOP</b>												
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	79.51	253.03	157.89	44.80	11.73			
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	136.00	253.03	157.89	44.80	11.73			
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	229.15	253.03	157.89	44.80	11.73			
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		18.13						
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		101.30	43.13					
	<b>4-WIRE 19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP</b>												
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61			
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2		2	UDL	UDL19	33.99	126.66	89.12	59.35	14.61			
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3		3	UDL	UDL19	34.74	126.66	89.12	59.35	14.61			
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	29.93	126.66	89.12	59.35	14.61			
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	33.99	126.66	89.12	59.35	14.61			
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	34.74	126.66	89.12	59.35	14.61			
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		18.13						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	29.93	126.66	89.12	59.35	14.61			
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	33.99	126.66	89.12	59.35	14.61			
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	34.74	126.66	89.12	59.35	14.61			
	Order Coordination for Specified Conversion Time (per LSR)				OCOSL		18.13						
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		102.34	49.85					

UNBUNDLED NETWORK ELEMENTS - South Carolina											Attachment: 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	SOMECSOMAN	SOMECSOMAN	SOMECSOMAN	SOMECSOMAN
2-WIRE	Unbundled COPPER LOOP													
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93				
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93				
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93				
	Order Coordination for Unbundled Copper Loops (per loop)						8.17	8.17						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93				
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93				
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93				
	Order Coordination for Unbundled Copper Loops (per loop)						8.17	8.17						
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)				UREWO		94.87	42.57						
4-WIRE	COPPER LOOP													
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38				
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38				
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38				
	Order Coordination for Unbundled Copper Loops (per loop)						8.17	8.17						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38				
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38				
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38				
	Order Coordination for Unbundled Copper Loops (per loop)						8.17	8.17						
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)				UREWO		94.87	42.57						
LOOP MODIFICATION														
	Unbundled Loop Modification Removal of Load Coils - 2 Wire pair less than or equal to 18K ft, per Unbundled Loop			UCL UHL UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB			32.46	32.46						
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop			UHL UCL UEA, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		32.46	32.46						
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop				ULMBT		32.46	32.46						
SUB-LOOPS	Sub-Loop Distribution													
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up			UEANL	USBSA		241.42	241.42						
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		22.69	22.69						
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		177.84	177.84						
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		55.58	55.58						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17						

UNBUNDLED NETWORK ELEMENTS - South Carolina																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)						Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A		
						Rec	Nonrecurring		Nonrecurring Disconnect		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st			Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
							First	Add'l	First	Add'l					SOME	SOMAN
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	Sub-Loop 2-Wire IntraBuilding Network Cable (INC)			UEANL	USBR2	2.41	53.13	18.21	45.35	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	Sub-Loop 4-Wire IntraBuilding Network Cable (INC)			UEANL	USBR4	5.36	59.38	24.47	49.82	9.09						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.23	34.23								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCSX	7.11	65.94	31.03	45.35	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCSX	9.83	65.94	31.03	45.35	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCSX	10.48	65.94	31.03	45.35	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.17	8.17								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	7.85	79.21	44.29	49.82	9.09						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	14.17	79.21	44.29	49.82	9.09						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	12.64	79.21	44.29	49.82	9.09						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.17	8.17								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		34.23	34.23								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.90	19.90								
	Unbundled Network Terminating Wire (UNTW)			UNTW	UNENPP	0.3303	30.20	30.20								
	Network Interface Device (NID)			UNTW	UND12		43.68	28.79								
	Network Interface Device (NID) - 1-2 lines			UNTW	UND16		64.42	49.53								
	Network Interface Device Cross Connect - 2 W			UNTW	UNDC2		5.92	5.92								
	Network Interface Device Cross Connect - 4W			UNTW	UNDC4		5.92	5.92								
	UNE OTHER, PROVISIONING ONLY - NO RATE			UNTW	UNDBX		0.00									
	NID - Dispatch and Service Order for NID installation			UNTW	UENCE		0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UNTW	UNEANL,UEF,UEQ,U		0.00									
	Unbundled Contract Name, Provisioning Only - No Rate			UNTW	UNEON		0.00									
	UNE OTHER, PROVISIONING ONLY - NO RATE															
	Unbundled Contract Name, Provisioning Only - no rate			UAL,UCL,UDCL,UDN,UEA,UHL,USL	UNEON		0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ		0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR		0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF		0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF		0.00									
	HIGH CAPACITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	12.26										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	306.36	520.398	304.2095	137.7125	96.3355						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	12.26										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	313.49	520.398	304.2095	137.7125	96.3355						
	LOOP MAKE-UP															
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)			UMK	UMKLW		24.04	24.04								

UNBUNDLED NETWORK ELEMENTS - South Carolina														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A		
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First			Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		25.49	25.49						
	Loop Makeup - With or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.34	0.34						
	LINE SPLITTING													
	END USER ORDERING-CENTRAL OFFICE BASED													
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61								
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.09	21.24	20.07	9.85				
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.09	21.24	20.07	9.85				
	MAINTENANCE OF SERVICE													
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 13.3.1 as applicable.														
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00						
	No Trouble Found - per 1/2 hour increments - Overtime						90.00	65.00						
	No Trouble Found - per 1/2 hour increments - Premium						100.00	75.00						
	UNBUNDLED DEDICATED TRANSPORT													
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT													
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month				U1TVX	0.0167								
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination				U1TVX	24.30	40.63	27.47	16.77	6.91				
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat. - Per Mile per month				U1TVX	0.0167								
	Interoffice Channel - Dedicated Transport - 2-Wire VG - Rev Bat. - Facility Termination				U1TVX	24.30	40.63	27.47	16.77	6.91				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month				U1TVX	0.0167								
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination				U1TVX	21.29	40.63	27.47	16.77	6.91				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month				U1TDX	0.0167								
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination				U1TDX	16.76	40.63	27.47	16.77	6.91				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month				U1TDX	0.0167								
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination				U1TDX	16.76	40.63	27.47	16.77	6.91				
	Interoffice Channel - Dedicated Transport - DS1 - Per Mile per month				U1TD1	0.3415								
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination				U1TD1	77.14	89.47	81.99	16.39	14.48				
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month				U1TD3	8.02								
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month				U1TD3	880.65	279.37	163.12	60.33	58.59				
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month				U1TS1	8.02							
Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination					U1TS1	880.55	279.37	163.12	60.33	58.59				
DARK FIBER														
Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel					UDF, UDFCX	112.30								
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel				UDF, UDFCX	36.41								
	NRC, Dark Fiber - Interoffice Channel				UDF, UDFCX		640.51	138.17	317.76	198.11				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop				UDF, UDFCX	112.30								
	VIRTUAL COLLOCATION													
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting				UEPSR UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45			
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting				UEPSR UEPSB	PE1LS	0.0341	12.32	11.83	6.04	5.45			
	Enhanced Extended Link (EELS)													



UNBUNDLED NETWORK ELEMENTS - South Carolina										Attachment: 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interfm	Zone	BCS	USOC	Rec	Nonrecurring			Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
							First	Add'l	First	SOMEc	SOMAN	SOMAN	SOMAN
	NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-Ask Charge will not apply for UNE combinations provided as 'Ordinary Combined' Network Elements.												
	NOTE: The monthly recurring and the Switch-Ask Charge and not the non-recurring charges below will apply for UNE combinations provided as 'Currently Combined' Network Elements.												
	2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION												
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX		16.88	105.98	68.43	53.05				
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX		23.13	105.98	68.43	53.05				
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX		28.46	105.98	68.43	53.05				
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.56	6.59	4.73	0.00				
	4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION												
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX		32.59	132.38	94.83	59.35				
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX		43.89	132.38	94.83	59.35				
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX		43.38	132.38	94.83	59.35				
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00				
	4-WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION												
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX		29.93	126.66	89.12	59.35				
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX		33.99	126.66	89.12	59.35				
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX		34.74	126.66	89.12	59.35				
	OCU-LDP COCI (data) - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00				
	4-WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION												
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX		28.93	126.66	89.12	59.35				
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX		33.99	126.66	89.12	59.35				
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX		34.74	126.66	89.12	59.35				
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00				
	2-WIRE ISDN LOOP FOR USE IN A COMBINATION												
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX		25.21	117.58	80.03	53.05				
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX		32.76	117.58	80.03	53.05				
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX		37.70	117.58	80.03	53.05				
	2-Wire ISDN COCI (BRI/T) - in combination - per month			UNCNX	UC1CA	2.56	6.59	4.73					
	4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION												
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNCTX		90.87	253.03	157.89	44.80				
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNCTX		155.43	253.03	157.89	44.80				
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNCTX		261.89	253.03	157.89	44.80				
	DS1 COCI in combination per month			UNCTX	UC1D1	8.64	6.59	4.73					
	2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION												
	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0134							
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	19.44	40.63	27.47	16.77				
	4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION												
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0134							
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	17.03	40.63	27.47	16.77				
	DS1 INTEROFFICE TRANSPORT FOR COMBINATION												
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNCTX	1L5XX	0.27							
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNCTX	U1TF1	61.71	89.47	81.99	16.39				
	110 Channelization System in combination Per Month			UNCTX	MQ1	107.57	91.24	62.71	10.56				
	DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION												
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNCNX	1L5XX	6.42							
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNCNX	U1TF3	704.52	279.37	183.12	60.33				
	STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION												
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNCNX	1L5XX	6.42							
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCNX	U1TFS	704.44	279.37	183.12	60.33				
	4-WIRE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT												
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX		29.93	126.66	89.12	59.35				
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX		33.99	126.66	89.12	59.35				
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX		34.74	126.66	89.12	59.35				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0134							

## UNBUNDLED NETWORK ELEMENTS - South Carolina

UNBUNDLED NETWORK ELEMENTS - South Carolina														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A		Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Nonrecurring		Disconnect Add'l	OSS Rates (\$)					
						Rec	First		Add'l		SOME	SOMAN		
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91				
4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT	4-wire 64 kbps Local Loop in Combination - Zone 1	1		UNCDX	U1L64	29.93	126.66	89.12	59.35	14.61				
	4-wire 64 kbps Local Loop in Combination - Zone 2	2		UNCDX	U1L64	33.99	126.66	89.12	59.35	14.61				
	4-wire 64 kbps Local Loop in Combination - Zone 3	3		UNCDX	U1L64	34.74	126.66	89.12	59.35	14.61				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0134								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91				
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT			UNCDX	U1L56	29.93	126.66	89.12	59.35	14.61				
	4-wire 56 kbps Local Loop in combination - Zone 1	1		UNCDX	U1L56	33.99	126.66	89.12	59.35	14.61				
	4-wire 56 kbps Local Loop in combination - Zone 2	2		UNCDX	U1L56	34.74	126.66	89.12	59.35	14.61				
	4-wire 56 kbps Local Loop in combination - Zone 3	3		UNCDX	U1L56	34.74	126.66	89.12	59.35	14.61				
	4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0134								
4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91					
4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT	4-wire 64 kbps Local Loop in combination - Zone 1	1		UNCDX	U1L64	29.93	126.66	89.12	59.35	14.61				
	4-wire 64 kbps Local Loop in combination - Zone 2	2		UNCDX	U1L64	33.99	126.66	89.12	59.35	14.61				
	4-wire 64 kbps Local Loop in combination - Zone 3	3		UNCDX	U1L64	34.74	126.66	89.12	59.35	14.61				
	14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L6XX	0.0134								
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91				
	DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT			UNCDX	USLXX	90.87	253.03	157.89	44.80	11.73				
	4-Wire DS1 Digital Loop in Combination - Zone 1	1		UNCDX	USLXX	155.43	253.03	157.89	44.80	11.73				
	4-Wire DS1 Digital Loop in Combination - Zone 2	2		UNCDX	USLXX	251.89	253.03	157.89	44.80	11.73				
	4-Wire DS1 Digital Loop in Combination - Zone 3	3		UNCDX	USLXX	251.89	253.03	157.89	44.80	11.73				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNCDX	1L5XX	0.27								
Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNCDX	U1TF1	61.71	89.47	81.99	16.39	14.48					
DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT	DS3 Local Loop in combination - per mile per month			UNCDX	1L5ND	12.26								
	DS3 Local Loop in combination - Facility Termination per month			UNCDX	UE3PX	306.36	452.52	264.53	119.75	83.77				
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNCDX	1L5XX	6.42								
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNCDX	U1TF3	704.52	279.37	163.12	60.33	58.59				
	STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT			UNCDX	1L5ND	12.26								
	STS-1 Local Loop in combination - per mile per month			UNCDX	U1L51	313.49	452.52	264.53	119.75	83.77				
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCDX	1L5XX	6.42								
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCDX	U1TF5	704.44	279.37	163.12	60.33	58.59				
	ADDITIONAL NETWORK ELEMENTS													
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As is charge does apply.													
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As is charge does not.														
Nonrecurring Currently Combined Network Elements "Switch As is" Charge (One applies to each combination)														
	Nonrecurring Currently Combined Network Elements Switch-As-is Charge			UNCDX, UNCDX, UNCDX, UNCDX	UNCCC		5.61	5.61	7.00	7.00				
Optional Features & Functions:														
	Clear Channel Capability Extended Frame Option - per DS1	I		U1TD1, U1LDD1, UNCDX, UNCDX	CCOEF		0.00	0.00	0.00	0.00				
	Clear Channel Capability Super Frame Option - per DS1	I		U1TD1, U1LDD1, UNCDX, UNCDX	CCOSF		0.00	0.00	0.00	0.00				
	Clear Channel Capability (SFESF) Option - Subsequent Activity - per DS1	I		U1DD1, U1TDD1, UNCDX, USL	NRCCC		185.26	23.86	1.99	0.78				

UNBUNDLED NETWORK ELEMENTS - South Carolina														
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Exh. A		Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Rec	Nonrecurring		Nonrecurring Disconnect Add'l			OSS Rates (\$)			
						First	Add'l				SOMAN	SOMAN		
	C-bit Parity Option - Subsequent Activity - per DS3	I	U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.58	7.69	0.737	0.00					
	<b>MULTIPLEXERS</b>													
	DS1 to DS0 Channel System - per month													
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop		UNC1X	MC1	107.57	91.24	62.71	10.56	9.81					
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation		UDL	1D1DD	1.19	6.59	4.73							
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop		U1TUD	1D1DD	1.19	6.59	4.73							
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation		UDN	UC1CA	2.56	6.59	4.73							
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop		U1TUB	UC1CA	2.56	6.59	4.73							
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation		UEA	1D1VG	0.56	6.59	4.73							
	DS3 to DS1 Channel System - per month		U1TUC	1D1VG	0.56	6.59	4.73							
	DS1 to DS1 Channel System - per month		UNC3X	MG3	144.02	178.54	94.18	33.33	31.90					
	DS1 COCI used with Loop per month		USL	UC1D1	8.64	6.59	4.73							
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month		U1TUA	UC1D1	8.64	6.59	4.73							
	DS1 COCI used with Interface Channel per month		U1TD1	UC1D1	8.64	6.59	4.73							
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month		ULDD1	UC1D1	8.64	6.59	4.73							
	<b>Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order.</b>													

UNBUNDLED NETWORK ELEMENTS - Tennessee										Attachment: 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOME	SOMAN	SOMAN	SOMAN
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website: <a href="http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm">http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm</a>												
	OPERATIONS SUPPORT SYSTEMS (OSS) - "STATE SPECIFIC RATES"												
	NOTE: (1) CLEC should contact its contract negotiator if it prefers the "regional" OSS charges as offered by BellSouth. The OSS charges currently contained in this rate exhibit are the PSC state ordered "state specific" service ordering charges. CLEC m												
	NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMECH rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those el												
	NOTE: (3) OSS - Manual Service Order Charge, Per Element - UNE Only **Please see applicable rate element for OSS charge												
	NOTE: (4) The actual state specific electronic OSS rate ordered by the Tennessee Regulatory Authority is \$0.00. Recovery of OSS interfaces is built into the recurring charges of the elements ordered.												
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMECH		0.00	0.00	0.00				
	OSS - Manual Service Order Charge, Per Element - UNE Only				SOMAN								
	**Please see applicable rate element for OSS charge												
	UNE SERVICE DATE ADVANCEMENT CHARGE												
	NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.												
				UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, UT112, UT148, UT1D1, UT1D3, UT1DX, UT1O3, UT1S1, UT1VX, UT1BC, UC1BL, UC1CC, UC1QL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDL03, UDL5X, UE3, ULD12, ULD48, ULD01, ULDD3, ULDDX, ULDO3, ULDS1, ULDVX, UNG1X, UNC3X, UNGDX, UNCAX, UNC5X, UNCXX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, UT1UC, UT1TUD, UT1TUB, UT1TUA									
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day				SDASP	200.00							
UNBUNDLED EXCHANGE ACCESS LOOP													
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1		UEANL	UEAL2	13.19	31.99	20.02	10.65			10.54	13.32
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	2		UEANL	UEAL2	17.23	31.99	20.02	10.65			10.54	13.32
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	3		UEANL	UEAL2	22.53	31.99	20.02	10.65			10.54	13.32
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1		UEANL	UEASL	13.19	31.99	20.02	10.65			10.54	13.32
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	2		UEANL	UEASL	17.23	31.99	20.02	10.65			10.54	13.32

UNBUNDLED NETWORK ELEMENTS - Tennessee																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A			
						Nonrecurring		Disconnect		Incremental Charge - Manual Svc Order vs. Electronic-1st			Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
						First	Add'l	SOME	SOMAN						SOMAN	SOMAN
						Rec	First	Add'l	First	Add'l	SOME	SOMAN	SOMAN	SOMAN		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	22.53	31.99	20.02	10.65	1.41			20.35	10.54		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise															
	Loop Testing - Basic 1st Half Hour			UEANL	URETL		8.33	0.83					20.35	10.54		
	Loop Testing - Basic Additional Half Hour			UEANL	URET1		78.92	78.92					20.35	10.54		
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UWL-SL1)			UEANL	URETA		23.33	23.33					20.35	10.54		
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UREWO		15.80	8.95					20.35	10.54		
	Manual Order Coordination for UWL-SL1s (per loop)			UEANL	UEANM		28.80	28.80								
	Order Coordination for Specified Conversion Time for UWL-SL1 (per LSR)			UEANL	UEAMC		36.52	36.52								
				UEANL	OCOSL		34.29	34.29								
	<b>2-WIRE UNBUNDLED COPPER LOOP</b>															
	2-Wire Unbundled Copper Loop - Non-Design Zone 1		1	UEQ	UEQ2X	13.19	31.99	20.02	10.65	1.41			20.35	10.54		
	2 Wire Unbundled Copper Loop - Non-Design - Zone 2		2	UEQ	UEQ2X	17.23	31.99	20.02	10.65	1.41			20.35	10.54		
	2 Wire Unbundled Copper Loop - Non-Design - Zone 3		3	UEQ	UEQ2X	22.53	31.99	20.02	10.65	1.41			20.35	10.54		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise															
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Design (per loop)			UEQ	URETL		8.33	0.83					20.35	10.54		
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEQ	USBMC		36.52	36.52								
	Loop Testing - Basic 1st Half Hour			UEQ	UEQMU		28.80	28.80					20.35	10.54		
	Loop Testing - Basic Additional Half Hour			UEQ	URET1		78.92	78.92					20.35	10.54		
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	URETA		23.33	23.33					20.35	10.54		
				UEQ	UREWO		14.29	7.44					20.35	10.54		
	<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>															
	<b>2-WIRE ANALOG VOICE GRADE LOOP</b>															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41			20.35	10.54		
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	13.19	31.99	20.02	10.65	1.41			20.35	10.54		
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	17.23	31.99	20.02	10.65	1.41			20.35	10.54		
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	17.23	31.99	20.02	10.65	1.41			20.35	10.54		
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	22.53	31.99	20.02	10.65	1.41			20.35	10.54		
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	22.53	31.99	20.02	10.65	1.41			20.35	10.54		
	<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>															
	<b>2-WIRE ANALOG VOICE GRADE LOOP</b>															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.56	75.06	48.20	28.70	17.64			20.35	10.54		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	21.63	75.06	48.20	28.70	17.64			20.35	10.54		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.28	75.06	48.20	28.70	17.64			20.35	10.54		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	16.56	75.06	48.20	28.70	17.64			20.35	10.54		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	21.63	75.06	48.20	28.70	17.64			20.35	10.54		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	28.28	75.06	48.20	28.70	17.64			20.35	10.54		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		36.41						20.35	10.54		
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.23	1.10					20.35	10.54		
	<b>4-WIRE ANALOG VOICE GRADE LOOP</b>															

UNBUNDLED NETWORK ELEMENTS - Tennessee										Attachment: 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Rec	Nonrecurring First	Add'l	First	SOME	SOMAN	OS Rates (\$)	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	24.70	122.76	85.57	39.16			SOMAN	SOMAN
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	32.25	122.76	85.57	39.16			20.35	10.54
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	42.17	122.76	85.57	39.16			20.35	10.54
	Order Coordination For Specified Conversion Time (per LSR)											20.35	10.54
	CLEC to CLEC Conversion Charge without outside dispatch											20.35	10.54
	2-WIRE ISDN DIGITAL GRADE LOOP											20.35	10.54
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	UHL2X	22.22	142.76	88.88	76.35			20.35	10.54
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	UHL2X	29.02	142.76	88.88	76.35			20.35	10.54
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	UHL2X	37.95	142.76	88.88	76.35			20.35	10.54
	Order Coordination For Specified Conversion Time (per LSR)											20.35	10.54
	CLEC to CLEC Conversion Charge without outside dispatch											20.35	10.54
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP											20.35	10.54
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	13.82	270.01	234.63	74.54			20.35	10.54
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	18.05	270.01	234.63	74.54			20.35	10.54
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	23.60	270.01	234.63	74.54			20.35	10.54
	Order Coordination For Specified Conversion Time (per LSR)											20.35	10.54
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2W	13.82	31.99	20.02	10.65			20.35	10.54
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W	18.05	31.99	20.02	10.65			20.35	10.54
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W	23.60	31.99	20.02	10.65			20.35	10.54
	Order Coordination For Specified Conversion Time (per LSR)											20.35	10.54
	CLEC to CLEC Conversion Charge without outside dispatch											20.35	10.54
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP											20.35	10.54
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	10.83	270.01	234.63	74.54			20.35	10.54
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	14.15	270.01	234.63	74.54			20.35	10.54
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	18.50	270.01	234.63	74.54			20.35	10.54
	Order Coordination For Specified Conversion Time (per LSR)											20.35	10.54
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	10.83	31.99	20.02	10.65			20.35	10.54
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	14.15	31.99	20.02	10.65			20.35	10.54
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	18.50	31.99	20.02	10.65			20.35	10.54
	Order Coordination For Specified Conversion Time (per LSR)											20.35	10.54
	CLEC to CLEC Conversion Charge without outside dispatch											20.35	10.54
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP											20.35	10.54
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	13.93	279.60	244.22	74.54			20.35	10.54
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	18.20	279.60	244.22	74.54			20.35	10.54
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	23.80	279.60	244.22	74.54			20.35	10.54
	Order Coordination For Specified Conversion Time (per LSR)											20.35	10.54
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	13.93	31.99	20.02	10.65			20.35	10.54
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	18.20	31.99	20.02	10.65			20.35	10.54
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	23.80	31.99	20.02	10.65			20.35	10.54
	Order Coordination For Specified Conversion Time (per LSR)											20.35	10.54
	CLEC to CLEC Conversion Charge without outside dispatch											20.35	10.54

UNBUNDLED NETWORK ELEMENTS - Tennessee															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A			
						Rec	Nonrecurring First	Add'l	Nonrecurring First			Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	
												SOMECH	SOMAN	SOMAN	SOMAN
	4-WIRE DS1 DIGITAL LOOP														
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	57.73	313.08	219.72	96.86	40.45				18.98	8.43
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	75.40	313.08	219.72	96.86	40.45				18.98	8.43
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	98.59	313.08	219.72	96.86	40.45				18.98	8.43
	Order Coordination for Specified Conversion Time (per LSR)						34.59								
	CLEC to CLEC Conversion Charge without outside dispatch						130.47	40.11						20.35	10.54
	4-WIRE 19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP														
	4-Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	31.10	207.01	141.38	90.70	44.18				20.35	10.54
	4-Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	40.61	207.01	141.38	90.70	44.18				20.35	10.54
	4-Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	53.11	207.01	141.38	90.70	44.18				20.35	10.54
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	31.10	207.01	141.38	90.70	44.18				20.35	10.54
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	40.61	207.01	141.38	90.70	44.18				20.35	10.54
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	53.11	207.01	141.38	90.70	44.18				20.35	10.54
	Order Coordination for Specified Conversion Time (per LSR)						34.29								
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	31.10	207.01	141.38	90.70	44.18				20.35	10.54
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	40.61	207.01	141.38	90.70	44.18				20.35	10.54
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	53.11	207.01	141.38	90.70	44.18				20.35	10.54
	Order Coordination for Specified Conversion Time (per LSR)						34.29								
	CLEC to CLEC Conversion Charge without outside dispatch						102.28	49.82						20.35	10.54
	2-WIRE UNBUNDLED COPPER LOOP														
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	I	1	UCL	UCLPB	13.19	31.99	20.02	10.65	1.41				20.35	10.54
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	I	2	UCL	UCLPB	17.23	31.99	20.02	10.65	1.41				20.35	10.54
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	I	3	UCL	UCLPB	22.53	31.99	20.02	10.65	1.41				20.35	10.54
	Order Coordination for Unbundled Copper Loops (per loop)						36.52	36.52							
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	I	1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41				20.35	10.54
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	I	2	UCL	UCLPW	17.23	31.99	20.02	10.65	1.41				20.35	10.54
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	I	3	UCL	UCLPW	22.53	31.99	20.02	10.65	1.41				20.35	10.54
	Order Coordination for Unbundled Copper Loops (per loop)						36.52	36.52							
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)	I		UCL	UREWO		31.99	20.02						20.35	10.54
	4-WIRE COPPER LOOP														
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	I	1	UCL	UCL4S	24.70	122.76	85.57	76.35	39.16				20.35	10.54
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	I	2	UCL	UCL4S	32.25	122.76	85.57	76.35	39.16				20.35	10.54
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	I	3	UCL	UCL4S	42.17	122.76	85.57	76.35	39.16				20.35	10.54
	Order Coordination for Unbundled Copper Loops (per loop)						36.52	36.52							
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	I	1	UCL	UCL4W	24.70	122.76	85.57	76.35	39.16				20.35	10.54
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	I	2	UCL	UCL4W	32.25	122.76	85.57	76.35	39.16				20.35	10.54
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	I	3	UCL	UCL4W	42.17	122.76	85.57	76.35	39.16				20.35	10.54
	Order Coordination for Unbundled Copper Loops (per loop)						36.52	36.52							
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)	I		UCL	UREWO		31.99	20.02						20.35	10.54
	LOOP MODIFICATION														
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft. per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		65.40	65.40						20.35	10.54

UNBUNDLED NETWORK ELEMENTS - Tennessee																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A				
						Rec	Nonrecurring First		Add'l			Nonrecurring Disconnect Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	
							SOME	SOMAN								SOMAN
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft. per Unbundled Loop			UHL, UCL, UEA UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM4L		65.40	65.40				20.35	10.54	13.32	13.32	
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	I			ULMBT		65.44	65.44				20.35	10.54	13.32	13.32	
SUB-LOOPS																
	Sub-Loop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		517.25	517.25				20.35	10.54	13.32	13.32	
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		42.68	42.68				20.35	10.54	13.32	13.32	
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	I		UEANL	USBSC		313.01	313.01				20.35	10.54	13.32	13.32	
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD		108.06	108.06				20.35	10.54	13.32	13.32	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Statewide		sw	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65		20.35	10.54	13.32	13.32	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98		20.35	10.54	13.32	13.32	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	9.54	147.93	75.11	99.96	16.98		20.35	10.54	13.32	13.32	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98		20.35	10.54	13.32	13.32	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	I		UEANL UEANL	USBMC USBR2	1.35	34.29 94.56	34.29 29.35				20.35	10.54	13.32	13.32	
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	2.26	116.14	37.10				20.35	10.54	13.32	13.32	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92								
	Loop Testing - Basic Additional Half Hour			UEANL	URET1		23.33	23.33								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	5.16	110.71	37.89	94.41	13.09		20.35	10.54	13.32	13.32	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS2X	6.74	110.71	37.89	94.41	13.09		20.35	10.54	13.32	13.32	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	8.81	110.71	37.89	94.41	13.09		20.35	10.54	13.32	13.32	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	6.52	117.12	44.30	99.96	16.98		20.35	10.54	13.32	13.32	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS4X	8.52	117.12	44.30	99.96	16.98		20.35	10.54	13.32	13.32	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	11.14	117.12	44.30	99.96	16.98		20.35	10.54	13.32	13.32	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		78.92	78.92								
	Loop Testing - Basic Additional Half Hour			UEF	URET1		23.33	23.33								
	Unbundled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair	I		UENTW	UENPP	0.4555	2.48	2.48				20.35	10.54	13.32	13.32	
	Network Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		89.69	54.56	0.6391			20.35	10.54	13.32	13.32	
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		129.65	94.51	0.6522			20.35	10.54	13.32	13.32	
	Network Interface Device Cross Connect - 2W			UENTW	UNDC2		11.11	11.11				20.35	10.54	13.32	13.32	
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		11.11	11.11				20.35	10.54	13.32	13.32	
UNE OTHER, PROVISIONING ONLY - NO RATE																
	NID - Dispatch and Service Order for NID Installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UNFCE	0.00	0.00									



UNBUNDLED NETWORK ELEMENTS - Tennessee															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A		Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l			SOME	SOMAN		
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNEEN		0.00								
UNE OTHER, PROVISIONING ONLY - NO RATE															
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,USL	UNEEN		0.00								
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ		0.00								
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR		0.00								
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF		0.00								
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF		0.00								
HIGH CAPACITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1LSND		9.19								
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX		374.24	684.6755	350.175	270.0545	195.684		20.35	10.54	
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1LSND		9.19								
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1		389.35	684.6755	350.175	248.193	173.8225		20.35	10.54	
Note (1): Rates provided in TN for both electronic and manual Loop Makeup are interim and subject to retro-active true-up adjustments pending a permanent rate ruling on these rate elements from the Tennessee Regulatory Authority.															
LOOP MAKE-UP															
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).	R		UMK	UMKWLW		0.76		0.76				19.99	19.99	19.99
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).	R		UMK	UMKLP		0.76		0.76				19.99	19.99	19.99
	Loop Makeup-With or Without Reservation, per working or spare facility queried (Mechanized)	R		UMK	UMKMQ		0.76		0.76						
LINE SPLITTING															
LINE SPLITTING															
END USER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS		0.61								
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP		0.61	48.96	21.39	35.06	10.79		20.35	10.54	13.32
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV		0.61	48.96	21.39	35.06	10.79		20.35	10.54	13.32
MAINTENANCE OF SERVICE															
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 13.3.1 as applicable.															
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00							
	No Trouble Found - per 1/2 hour increments - Overtime						90.00	65.00							
	No Trouble Found - per 1/2 hour increments - Premium						100.00	75.00							
UNBUNDLED DEDICATED TRANSPORT															
INTEROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			UITVX	1LSXX		0.0054								
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination			UITVX	UITV2		18.58	55.39	17.37	27.96	3.51		20.35	21.09	
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat. - Per Mile per month			UITVX	1LSXX		0.0054								
	Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat. - Facility Termination			UITVX	UITR2		18.58	55.39	17.37	27.96	3.51		20.35	21.09	
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			UITVX	1LSXX		0.0054								
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination			UITVX	UITV4		24.09	37.87	26.02	30.78	13.07		15.08	15.08	
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			UITDX	1LSXX		0.0174								
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			UITDX	UITD5		17.98	55.39	17.37	27.96	3.51		20.35	21.09	

UNBUNDLED NETWORK ELEMENTS - Tennessee																	
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A						
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First			SOMECH	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	
	Interface Channel - Dedicated Transport - 64 kbps - per mile per month		U1TDX	1L5XX	0.0174												
	Interface Channel - Dedicated Transport - 64 kbps - Facility Termination		U1TDX	U1TD6	17.98	55.39	27.96	17.37	3.51		20.35	21.09					
	Interface Channel - Dedicated Channel - DS1 - Per Mile per month		U1TD1	1L5XX	0.3562												
	Interface Channel - Dedicated Tranport - DS1 - Facility Termination		U1TD1	U1TF1	77.86	112.40	19.55	76.27	14.99		20.35	21.09					
	Interface Channel - Dedicated Transport - DS3 - Per Mile per month		U1TD3	1L5XX	2.34												
	Interface Channel - Dedicated Transport - DS3 - Facility Termination per month		U1TD3	U1TF3	848.99	395.29	109.04	176.56	105.91		36.84	36.84					
	Interface Channel - Dedicated Transport - STS-1 - Per Mile per month		U1TS1	1L5XX	2.34												
	Interface Channel - Dedicated Transport - STS-1 - Facility Termination		U1TS1	U1TFS	849.30	395.29	109.04	176.56	105.91		36.84	36.84					
DARK FIBER																	
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel		UDF, UDFCX	1L5DC	67.65												
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interface Channel		UDF, UDFCX	1L5DF	28.74												
	NRC Dark Fiber - Interface Channel		UDF, UDFCX	UDF14		1,121.00	580.26	153.19	357.17		20.35	10.54	13.32				13.32
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop		UDF, UDFCX	1L5DL	67.65												
VIRTUAL COLLOCATION																	
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting		UEPSR UEPSB	VE1LS	0.57	11.62	10.38	9.90	8.66		19.99	19.99	19.99				19.99
PHYSICAL COLLOCATION																	
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting		UEPSR UEPSB	PE1LS	0.7905	11.62	10.38	9.90	8.66		19.99	19.99	19.99				19.99
ENHANCED EXTENDED LINK (EELs)																	
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.																	
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.																	
2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION																	
	2-Wire VG Loop (SL2) in Combination - Zone 1	1	UNCVX	UEAL2	16.56	108.76	35.47	35.47	10.86		20.35	21.09					
	2-Wire VG Loop (SL2) in Combination - Zone 2	2	UNCVX	UEAL2	21.63	108.76	35.47	35.47	10.86		20.35	21.09					
	2-Wire VG Loop (SL2) in Combination - Zone 3	3	UNCVX	UEAL2	28.28	108.76	35.47	35.47	10.86		20.35	21.09					
	Voice Grade COCI - Per Month		UNCVX	1D1VG	0.91	5.70	4.42	4.42									
4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION																	
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	1	UNCVX	UEAL4	24.70	108.76	35.47	35.47	10.86		20.35	21.09					
	4-Wire Analog Voice Grade Loop in Combination - Zone 2	2	UNCVX	UEAL4	32.26	108.76	35.47	35.47	10.86		20.35	21.09					
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	3	UNCVX	UEAL4	42.18	108.76	35.47	35.47	10.86		20.35	21.09					
	Voice Grade COCI in combination - per month		UNCVX	1D1VG	0.91	5.70	4.42	4.42									
4-WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION																	
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	UNCVX	UDL56	31.10	108.76	35.47	35.47	10.86		20.35	21.09					
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	2	UNCVX	UDL56	40.61	108.76	35.47	35.47	10.86		20.35	21.09					
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	3	UNCVX	UDL56	53.11	108.76	35.47	35.47	10.86		20.35	21.09					
	OCU-DP COCI (data) per month (2.4-64Kbps)		UNCVX	1D1DD	0.91	5.70	4.42	4.42									
4-WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION																	
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	UNCVX	UDL64	31.10	108.76	35.47	35.47	10.86		20.35	21.09					
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	2	UNCVX	UDL64	40.61	108.76	35.47	35.47	10.86		20.35	21.09					
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	3	UNCVX	UDL64	53.11	108.76	35.47	35.47	10.86		20.35	21.09					
	OCU-DP COCI (data) - in combination - per month (2.4-64Kbps)		UNCVX	1D1DD	0.91	5.70	4.42	4.42									
2-WIRE ISDN LOOP FOR USE IN COMBINATION																	
	2-Wire ISDN Loop in Combination - Zone 1	1	UNCVX	U1L2X	22.22	108.76	35.47	35.47	10.86		20.35	21.09					
	2-Wire ISDN Loop in Combination - Zone 2	2	UNCVX	U1L2X	29.02	108.76	35.47	35.47	10.86		20.35	21.09					
	2-Wire ISDN Loop in Combination - Zone 3	3	UNCVX	U1L2X	37.95	108.76	35.47	35.47	10.86		20.35	21.09					
	2-wire ISDN COCI (BRITE) - in combination - per month		UNCVX	UC1CA	3.24	5.70	4.42	4.42									
4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION																	

UNBUNDLED NETWORK ELEMENTS - Tennessee															
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A			
					Nonrecurring		First	Add'l	Disconnect			Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
					Rec	Adid'									SOME
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNC1X	USLXX	57.73	228.40	79.87	24.88	161.74			20.35	21.09		
	4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNC1X	USLXX	75.40	228.40	79.87	24.88	161.74			20.35	21.09		
	4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNC1X	USLXX	98.59	228.40	79.87	24.88	161.74			20.35	21.09		
	DS1 COCI in combination per month		UNC1X	UC1D1	17.58	5.70			4.42						
	2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION														
	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month		UNCVX	1L5XX	0.0174										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month		UNCVX	U1TV2	21.79	79.83	69.32	31.00	44.08			20.35	21.09		
	4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION														
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month		UNCVX	1L5XX	0.0174										
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month		UNCVX	U1TV4	27.30	79.83	69.32	31.00	44.08			20.35	21.09		
	DS1 INTEROFFICE TRANSPORT FOR COMBINATION														
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	77.86	171.24	70.07	30.90	113.12			20.35	21.09		
	DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION														
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		UNC3X	1L5XX	2.34										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month		UNC3X	U1TF3	854.97	482.01	64.43	35.43	153.81			36.84	36.84		
	STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION														
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month		UNC3X	1L5XX	2.34										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month		UNC3X	U1TF5	849.30	482.01	64.43	35.43	153.81			36.84	36.84		
	4-WIRE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT														
	4-wire 56 kbps Local Loop in combination - Zone 1	1	UNCDCX	UDL56	31.10	108.76	72.94	10.86	35.47						
	4-wire 56 kbps Local Loop in combination - Zone 2	2	UNCDCX	UDL56	40.61	108.76	72.94	10.86	35.47						
	4-wire 56 kbps Local Loop in combination - Zone 3	3	UNCDCX	UDL56	53.11	108.76	72.94	10.86	35.47						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month		UNCDCX	1L5XX	0.0174										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month		UNCDCX	U1TD5	21.19	79.83	69.32	31.00	44.08			20.35	21.09		
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT														
	4-wire 64 kbps Local Loop in Combination - Zone 1	1	UNCDCX	UDL64	31.10	108.76	72.94	10.86	35.47						
	4-wire 64 kbps Local Loop in Combination - Zone 2	2	UNCDCX	UDL64	40.61	108.76	72.94	10.86	35.47						
	4-wire 64 kbps Local Loop in Combination - Zone 3	3	UNCDCX	UDL64	53.11	108.76	72.94	10.86	35.47						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month		UNCDCX	1L5XX	0.0174										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month		UNCDCX	U1TD6	21.19	79.83	69.32	31.00	44.08			20.35	21.09		
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT														
	4-wire 56 kbps Local Loop in combination - Zone 1	1	UNCDCX	UDL56	31.10	108.76	72.94	10.86	35.47						
	4-wire 56 kbps Local Loop in combination - Zone 2	2	UNCDCX	UDL56	40.61	108.76	72.94	10.86	35.47						
	4-wire 56 kbps Local Loop in combination - Zone 3	3	UNCDCX	UDL56	53.11	108.76	72.94	10.86	35.47						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month		UNCDCX	1L5XX	0.0174										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month		UNCDCX	U1TD5	21.19	79.83	69.32	31.00	44.08			20.35	21.09		
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT														
	4-wire 64 kbps Local Loop in combination - Zone 1	1	UNCDCX	UDL64	31.10	108.76	72.94	10.86	35.47						
	4-wire 64 kbps Local Loop in combination - Zone 2	2	UNCDCX	UDL64	40.61	108.76	72.94	10.86	35.47						
	4-wire 64 kbps Local Loop in combination - Zone 3	3	UNCDCX	UDL64	53.11	108.76	72.94	10.86	35.47						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month		UNCDCX	1L5XX	0.0174										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month		UNCDCX	U1TD5	21.19	79.83	69.32	31.00	44.08			20.35	21.09		

UNBUNDLED NETWORK ELEMENTS - Tennessee														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. A		
						Nonrecurring First	Add'l	Nonrecurring First	Add'l			Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
	14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0174								
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09
DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT	4-Wire DS1 Digital Loop in Combination - Zone 1	1		UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88				
	4-Wire DS1 Digital Loop in Combination - Zone 2	2		UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88				
	4-Wire DS1 Digital Loop in Combination - Zone 3	3		UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.3562								
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09
DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	9.19								
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	373.47	240.23	180.87	106.78	45.24				
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.34								
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	
STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT	STS-1 Local Loop in combination - per mile per month			UNC5X	1L5ND	9.19								
	STS-1 Local Loop in combination - Facility Termination per month			UNC5X	UDLS1	394.56	240.23	180.87	106.78	45.24				
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNC5X	1L5XX	2.34								
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNC5X	U1TF5	849.30	482.01	153.81	64.43	35.43			36.84	
ADDITIONAL NETWORK ELEMENTS														
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As is charge does apply.													
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As is Charge does not.													
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)			UNC1X, UNC3X, UNC5X	UNCXX, UNC3X, UNC5X									
	Nonrecurring Currently Combined Network Elements Switch - As Is Charge			UNCXX, UNC3X, UNC5X	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62
Optional Features & Functions:														
	Clear Channel Capability Extended Frame Option - per DS1	I		U1TD1, ULDD1, UNC1X	CCOEF		0.00	0.00	0.00	0.00				
	Clear Channel Capability Super FrameOption - per DS1	I		U1TD1, ULDD1, UNC1X	CCOSF		0.00	0.00	0.00	0.00				
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I		ULDD1, U1TD1, UNC1X, USL	NRCCC		185.16	23.85	2.03	0.79			45.68	1.76
	C-bit Parity Option - Subsequent Activity - per DS3	I		U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.46	7.68	0.7637	0.00			45.68	1.76
MULTIPLXERS														
	DS1 to DS0 Channel System per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	9.80
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.82	6.07	4.66						9.80
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.82	6.07	4.66						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA	3.10	6.07	4.66						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.10	6.07	4.66						
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.91	6.07	4.66						

## UNBUNDLED NETWORK ELEMENTS - Tennessee

UNBUNDLED NETWORK ELEMENTS - Tennessee																
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)						Attachment: 2 Exh. A					
					Nonrecurring		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l				
					First	Add'l							Nonrecurring First	Disconnect Add'l	OSS Rates (\$)	SOMAN
					Rec											
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation				0.91	6.07	4.66									
	DS3 to DS1 Channel System per month		U1TUC	1D1VG	222.98	156.02	49.41	17.12	6.77							
	STS-1 to DS1 Channel System per month		UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77				20.35	9.80		
	DS1 COCI used with Loop per month		UNC3X	MQ3	17.58	6.07	4.66						20.35	9.80		
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month		U1TUA	UC1D1	17.58	6.07	4.66									
	DS1 COCI used with Interface Channel per month		U1TD1	UC1D1	17.58	6.07	4.66									
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month		ULD1	UC1D1	17.58	6.07	4.66									
Note: Rates displaying an "i" in Interim column are interim as a result of a Commission order.																

[illegible]

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment: 2 Ex. B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
						Nonrecurring		Nonrecurring First	Disconnect Add'l				
						First	Add'l						
						Rec				SOME	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1, UNC1X	ULDF1	57.48							
	Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1, UNC1X	ULDF1	123.77							
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3, UNC3X	1L5NC	7.96							
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3, UNC3X	ULDF3	479.02							
	Local Channel - Dedicated - STS-1 - Per Mile per month			ULDS1, UNC3X	1L5NC	7.96							
	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1, UNC3X	ULDFS	469.76							
ENHANCED EXTENDED LINK (EELS)													
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.													
NOTE: The monthly recurring and the Switch-As-is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.													
2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION													
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	16.54							
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	26.28							
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	41.56							
	Voice Grade COCI - Per Month			UNCVX	1DTVG	0.61							
4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION													
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	29.14							
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	44.37							
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	69.02							
	Voice Grade COCI in combination - per month			UNCVX	1DTVG	0.61							
4-WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION													
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDCX	UDL56	30.00							
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDCX	UDL56	41.34							
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDCX	UDL56	43.56							
	OCU-DP COCI (data) per month (2.4-64Kbps)			UNCDCX	1DTDD	1.29							
4-WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION													
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDCX	UDL64	30.00							
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDCX	UDL64	41.34							
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDCX	UDL64	43.56							
	OCU-DP COCI (data) - in combination - per month (2.4-64Kbps)			UNCDCX	1DTDD	1.29							
2-WIRE ISDN LOOP FOR USE IN A COMBINATION													
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNCX	U1L2X	25.16							
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNCX	U1L2X	37.78							
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNCX	U1L2X	55.83							
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNCX	UC1CA	2.77							
4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION													
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	94.93							
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	177.31							
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	361.70							
	DS1 COCI in combination per month			UNC1X	UC1D1	14.60							
2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION													
	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.01							
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	24.30							
4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION													
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.01							
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	21.54							
DS1 INTEROFFICE TRANSPORT FOR COMBINATION													
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.21							
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	69.18							
DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION													
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	4.70							

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment: 2 Ex. B						
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
						Rec	Nonrecurring		Nonrecurring First			Disconnect Add'l	SOMECH	OSS Rates (\$)		
							First	Add'l						SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	809.05										
	STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION															
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNC3X	1L5XX	4.70										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNC3X	U1TFS	806.58										
	4-WIRE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT															
	4-wire 56 kbps Local Loop in combination - Zone 1	1	UNC3X	UDL56	UDL56	30.00										
	4-wire 56 kbps Local Loop in combination - Zone 2	2	UNC3X	UDL56	UDL56	41.34										
	4-wire 56 kbps Local Loop in combination - Zone 3	3	UNC3X	UDL56	UDL56	43.56										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNC3X	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNC3X	U1TD5	17.39										
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT															
	4-wire 64 kbps Local Loop in combination - Zone 1	1	UNC3X	UDL64	UDL64	30.00										
	4-wire 64 kbps Local Loop in combination - Zone 2	2	UNC3X	UDL64	UDL64	41.34										
	4-wire 64 kbps Local Loop in combination - Zone 3	3	UNC3X	UDL64	UDL64	43.56										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNC3X	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNC3X	U1TD6	17.39										
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT															
	4-wire 56 kbps Local Loop in combination - Zone 1	1	UNC3X	UDL56	UDL56	30.00										
	4-wire 56 kbps Local Loop in combination - Zone 2	2	UNC3X	UDL56	UDL56	41.34										
	4-wire 56 kbps Local Loop in combination - Zone 3	3	UNC3X	UDL56	UDL56	43.56										
	4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNC3X	1L5XX	0.01										
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNC3X	U1TD5	17.39										
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT															
	4-wire 64 kbps Local Loop in combination - Zone 1	1	UNC3X	UDL64	UDL64	30.00										
	4-wire 64 kbps Local Loop in combination - Zone 2	2	UNC3X	UDL64	UDL64	41.34										
	4-wire 64 kbps Local Loop in combination - Zone 3	3	UNC3X	UDL64	UDL64	43.56										
	4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNC3X	1L5XX	0.01										
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNC3X	U1TD6	17.39										
	DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT															
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNC1X	USLXX	USLXX	94.93										
	4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNC1X	USLXX	USLXX	177.31										
	4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNC1X	USLXX	USLXX	361.70										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.21										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	69.18										
	DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT															
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	11.08										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	408.63										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.70										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	809.05										
	STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT															
	STS-1 Local Loop in combination - per mile per month			UNC3X	1L5ND	11.08										
	STS-1 Local Loop in combination - Facility Termination per month			UNC3X	UDLS1	422.98										



UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment: 2 Ex. B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Nonrecurring		Nonrecurring Disconnect	Add'l				
						First	Add'l						
						Rec				SOME	SOMAN	SOMAN	SOMAN
	Interface Transport - Dedicated - STS-1 combination - per mile per month												
	Interface Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	1L5XX	4.70							
				UNCSX	U1TFS	806.58							
ADDITIONAL NETWORK ELEMENTS													
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As is charge does apply.												
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As is Charge does not.												
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)												
	Optional Features & Functions:												
				U1TD1,									
	Clear Channel Capability Extended Frame Option - per DS1	I		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00				
				U1TD1,									
	Clear Channel Capability Super FrameOption - per DS1	I		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00				
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I		ULDD1, U1TD1, UNC1X, USL	NRCCC		184.85	23.81	0.7741				
				U1TD3, ULDD3,									
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.13	7.67	0.7355				
MULTIPLXERS													
	DS1 to DS0 Channel System per month			UNC1X			116.22						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD		1.29						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD		1.29						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA		2.77						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA		2.77						
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG		0.61						
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG		0.61						
	DS3 to DS1 Channel System per month			UNC3X	MQ3		191.05						
	STS-1 to DS1 Channel System per month			UNCSX	MQ3		191.05						
	DS1 COCI used with Loop per month			USL	UC1D1		14.60						
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1		14.60						
	DS1 COCI used with Interface Channel per month			U1TD1	UC1D1		14.60						
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1		14.60						

UNBUNDLED NETWORK ELEMENTS - Florida															
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)				Svc Order Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. B		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Nonrecurring		Disconnect				SOMAN	SOMAN		
						First	Add'l	First	Add'l						
						Rec									
					</										

UNBUNDLED NETWORK ELEMENTS - Florida															
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. B			
						Nonrecurring		Nonrecurring Disconnect				Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						First	Add'l	First	Add'l						SOMAN
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. - Zone 1		1	ULDVX	ULDR2	22.61									
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. - Zone 2		2	ULDVX	ULDR2	32.13									
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. - Zone 3		3	ULDVX	ULDR2	57.02									
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1		1	ULDVX, UNCVX	ULDR2	23.52									
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2		2	ULDVX, UNCVX	ULDR2	33.42									
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3		3	ULDVX, UNCVX	ULDR2	59.29									
	Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1, UNCVX	ULDR2	41.96									
	Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1, UNCVX	ULDR2	59.63									
	Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1, UNCVX	ULDR2	105.80									
	Local Channel - Dedicated - DS3 - Per Mile per month		1	ULDD3, UNCVX	ULDR2	9.78									
	Local Channel - Dedicated - DS3 - Facility Termination		1	ULDD3, UNCVX	ULDR2	611.70									
	Local Channel - Dedicated - STS-1 - Per Mile per month		1	ULDS1, UNCSX	ULDR2	9.78									
	Local Channel - Dedicated - STS-1 - Facility Termination		1	ULDS1, UNCSX	ULDR2	621.79									
ENHANCED EXTENDED LINK (EELs)															
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.															
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.															
2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION															
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.08									
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	20.01									
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	35.50									
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.59									
4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION															
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	21.72									
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	30.87									
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	54.76									
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.59									
4-WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	25.53									
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	36.29									
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	64.39									
	OCU-DP COCI (data) per month (2.4-64Kbps)			UNCDX	1D1DD	2.42									
4-WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	25.53									
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	36.29									
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	64.39									
	OCU-DP COCI (data) - in combination - per month (2.4-64Kbps)			UNCDX	1D1DD	2.42									
2-WIRE ISDN LOOP FOR USE IN A COMBINATION															
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	22.17									
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	31.51									
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	55.91									
	2-wire ISDN COCI (BRIE) - in combination - per month			UNCNX	UC1CA	4.21									
4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNCLX	USLXX	81.35									
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNCLX	USLXX	115.62									
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNCLX	USLXX	205.15									
	DS1 COCI in combination per month			UNCLX	UC1D1	15.82									
2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION															
	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.01									
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	29.12									
4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION															
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.01									
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	25.97									

UNBUNDLED NETWORK ELEMENTS - Florida																
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. B				
						Rec	Nonrecurring		Nonrecurring Disconnect First			Add'l	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							First	Add'l								
	<b>DS1 INTEROFFICE TRANSPORT FOR COMBINATION</b>															
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.21										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	101.71										
	<b>DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION</b>															
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	4.45										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	1231.65										
	<b>STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION</b>															
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNC5X	1L5XX	4.45										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNC5X	U1TF5	1214.40										
	<b>4-WIRE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT</b>															
	4-wire 56 kbps Local Loop in combination - Zone 1	1		UNC5X	UDL56	25.53										
	4-wire 56 kbps Local Loop in combination - Zone 2	2		UNC5X	UDL56	36.29										
	4-wire 56 kbps Local Loop in combination - Zone 3	3		UNC5X	UDL56	64.39										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNC5X	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNC5X	U1TD5	21.21										
	<b>4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT</b>															
	4-wire 64 kbps Local Loop in Combination - Zone 1	1		UNC5X	UDL64	25.53										
	4-wire 64 kbps Local Loop in Combination - Zone 2	2		UNC5X	UDL64	36.29										
	4-wire 64 kbps Local Loop in Combination - Zone 3	3		UNC5X	UDL64	64.39										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNC5X	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNC5X	U1TD6	21.21										
	<b>4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>															
	4-wire 56 kbps Local Loop in combination - Zone 1	1		UNC5X	UDL56	25.53										
	4-wire 56 kbps Local Loop in combination - Zone 2	2		UNC5X	UDL56	36.29										
	4-wire 56 kbps Local Loop in combination - Zone 3	3		UNC5X	UDL56	64.39										
	4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNC5X	1L5XX	0.01										
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNC5X	U1TD5	21.21										
	<b>4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>															
	4-wire 64 kbps Local Loop in combination - Zone 1	1		UNC5X	UDL64	25.53										
	4-wire 64 kbps Local Loop in combination - Zone 2	2		UNC5X	UDL64	36.29										
	4-wire 64 kbps Local Loop in combination - Zone 3	3		UNC5X	UDL64	64.39										
	4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNC5X	1L5XX	0.01										
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNC5X	U1TD6	21.21										
	<b>DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT</b>															
	4-Wire DS1 Digital Loop in Combination - Zone 1	1		UNC1X	USLXX	81.35										
	4-Wire DS1 Digital Loop in Combination - Zone 2	2		UNC1X	USLXX	115.62										
	4-Wire DS1 Digital Loop in Combination - Zone 3	3		UNC1X	USLXX	205.15										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.21										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	101.71										
	<b>DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT</b>															
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	14.44										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	511.65										

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2 Ex. B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOMECD	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st
	Interface Transport - Dedicated - DS3 - Per Mile per month				1L5XX	4.45							
	Interface Transport - Dedicated - DS3 combination - Facility Termination per month				U1TF3	1231.65							
	<b>STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT</b>												
	STS-1 Local Loop in combination - per mile per month				1L5ND	14.44							
	STS-1 Local Loop in combination - Facility Termination per month				UJLS1	564.18							
	Interface Transport - Dedicated - STS-1 combination - per mile per month				1L5XX	4.45							
	Interface Transport - Dedicated - STS-1 combination - Facility Termination per month				U1TFS	1214.40							
	<b>ADDITIONAL NETWORK ELEMENTS</b>												
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.												
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.												
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)												
	Optional Features & Functions:												
	Clear Channel Capability Extended Frame Option - per DS1	I		U1TD1, ULDD1, UNC1X	CCOEF	0.00	0.00	0.00	0.00				
	Clear Channel Capability Super Frame Option - per DS1	I		U1TD1, ULDD1, UNC1X	CCOSF	0.00	0.00	0.00	0.00				
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I		U1TD1, ULDD1, UNC1X, USL	NRCCC	184.92	23.82	2.07	0.80				
	C-bit Parity Option - Subsequent Activity - per DS3	I		U1TD3, ULDD3, UE3, UNC3X	NRCC3	219.09	7.67	0.773	0.00				
	<b>MULTI-LEXERS</b>												
	DS1 to DS0 Channel System per month			UNC1X	MQ1	168.79							
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64Kbs) used for a Local Loop			UDL	1D1DD	2.42							
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64Kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.42							
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA	4.21							
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	4.21							
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	1.59							
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	1.59							
	DS3 to DS1 Channel System per month			UNC3X	MC3	242.87							
	STS-1 to DS1 Channel System per month			UNC3X	MC3	242.87							
	DS1 COCI used with Loop per month			USL	UC1D1	15.82							
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	15.82							
	DS1 COCI used with Interface Channel per month			U1TD1	UC1D1	15.82							
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	15.82							

UNBUNDLED NETWORK ELEMENTS - Georgia														
CATEGORY	RATE ELEMENTS	Interim	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. B			
					Rec	Nonrecurring		Disconnect			Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						First	Add'l							
UNBUNDLED EXCHANGE ACCESS LOOP														
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	I	1	UHL	9.06	44.69	31.55	0.00	0.00					
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	I	2	UHL	10.45	44.69	31.55	0.00	0.00					
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	I	3	UHL	16.65	44.69	31.55	0.00	0.00					
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	I	1	UHL	9.06	44.69	31.55	0.00	0.00					
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	I	2	UHL	10.45	44.69	31.55	0.00	0.00					
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	I	3	UHL	16.65	44.69	31.55	0.00	0.00					
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	I	1	UHL	11.95	44.69	31.55	0.00	0.00					
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	I	2	UHL	13.80	44.69	31.55	0.00	0.00					
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	I	3	UHL	21.93	44.69	31.55	0.00	0.00					
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	I	1	UHL	11.95	44.69	31.55	0.00	0.00					
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	I	2	UHL	13.80	44.69	31.55	0.00	0.00					
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	I	3	UHL	21.93	44.69	31.55	0.00	0.00					
4-WIRE DS1 DIGITAL LOOP														
	4-Wire DS1 Digital Loop - Zone 1	I	1	USLX	47.17	211.93	72.49	38.24	7.20					
	4-Wire DS1 Digital Loop - Zone 2	I	2	USL	53.37	211.93	72.49	38.24	7.20					
	4-Wire DS1 Digital Loop - Zone 3	I	3	USL	71.33	211.93	72.49	38.24	7.20					
HIGH CAPACITY UNBUNDLED LOCAL LOOP														
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	12.62									
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	291.39									
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	12.62									
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	351.23									
UNBUNDLED DEDICATED TRANSPORT														
INTEROFFICE CHANNEL - DEDICATED TRANSPORT														
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	0.13									
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination			U1TF1	39.32									
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	2.91									
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	393.32									
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	2.92									
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	412.47									
	Local Channel - Dedicated - 2-Wire Voice Grade			ULDVX	8.90									
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	8.90									
	Local Channel - Dedicated - 4-Wire Voice Grade			ULDVX	10.03									
	Local Channel - Dedicated - DS1 Zone-1			U1DD1	21.24									

UNBUNDLED NETWORK ELEMENTS - Georgia				Attachment: 2 Ex. B			Incremental Charge - Manual Svc Order vs. Electronic-Add'l			Incremental Charge - Manual Svc Order vs. Electronic-Add'l		
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Manually per LSR	Svc Order Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st
						Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect Add'l				
						Rec			SOME	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - DS1 Zone 2		2	ULDD1, UNC1X	ULDF1	64.75						
	Local Channel - Dedicated - DS1 Zone 3		3	ULDD1, UNC1X	ULDF1	189.41						
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3, UNC3X	1L5NC	1.66						
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3, UNC3X	ULDF3	189.06						
	Local Channel - Dedicated - STS-1 - Per Mile per month			ULDS1, UNC3X	1L5NC	1.66						
	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1, UNC3X	ULDFS	177.81						
ENHANCED EXTENDED LINK (EELs)												
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.												
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.												
2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION												
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	13.31						
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	19.49						
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	38.04						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.54						
4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION												
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	20.47						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	24.93						
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	34.79						
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.54						
4-WIRE 56 Kbps DIGITAL LOOP FOR USE IN A COMBINATION												
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	25.14						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	32.61						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	43.95						
	OCU-DP COCI (data) per month (2.4-64Kbps)			UNCDX	1D1DD	1.15						
4-WIRE 64 Kbps DIGITAL LOOP FOR USE IN A COMBINATION												
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	25.14						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	32.61						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	43.95						
	OCU-DP COCI (data) - in combination - per month (2.4-64Kbps)			UNCDX	1D1DD	1.15						
2-WIRE ISDN LOOP FOR USE IN A COMBINATION												
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	22.79						
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	30.20						
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	48.50						
	2-Wire ISDN COCI (BRIE) - in combination - per month			UNCNX	UC1CA	1.91						
4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION												
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	47.17						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	53.37						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	71.33						
	DS1 COCI in combination per month			UNC1X	UC1D1	8.45						
2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION												
	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.01						
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	14.80						
4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION												
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.01						
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	12.40						
DS1 INTEROFFICE TRANSPORT FOR COMBINATION												
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.13						
	Interoffice Transport - Dedicated - Facility Termination per month			UNC1X	U1TF1	39.32						
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	80.21						
DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION												
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	2.91						

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment: 2 Ex. B				
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Nonrecurring		Nonrecurring Disconnect						
						First	Add'l	First	Add'l	SOMEK	SOMAN	SOMAN	SOMAN	
	Interface Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	393.32								
	<b>STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION</b>													
	Interface Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNC3X	1L5XX	2.91								
	Interface Transport - Dedicated - STS-1 combination - Facility Termination per month			UNC3X	U1TF3	412.47								
	<b>4-WIRE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT</b>													
	4-wire 56 kbps Local Loop in combination - Zone 1	1	UNC3X	UDL56	UDL56	25.14								
	4-wire 56 kbps Local Loop in combination - Zone 2	2	UNC3X	UDL56	UDL56	32.61								
	4-wire 56 kbps Local Loop in combination - Zone 3	3	UNC3X	UDL56	UDL56	43.95								
	Interface Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month		UNC3X	1L5XX	1L5XX	0.01								
	Interface Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month		UNC3X	U1TD5	U1TD5	9.00								
	<b>4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT</b>													
	4-wire 64 kbps Local Loop in Combination - Zone 1	1	UNC3X	UDL64	UDL64	25.14								
	4-wire 64 kbps Local Loop in Combination - Zone 2	2	UNC3X	UDL64	UDL64	32.61								
	4-wire 64 kbps Local Loop in Combination - Zone 3	3	UNC3X	UDL64	UDL64	43.95								
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month		UNC3X	1L5XX	1L5XX	0.01								
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month		UNC3X	U1TD6	U1TD6	9.00								
	<b>4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>													
	4-wire 56 kbps Local Loop in combination - Zone 1	1	UNC3X	UDL56	UDL56	25.14								
	4-wire 56 kbps Local Loop in combination - Zone 2	2	UNC3X	UDL56	UDL56	32.61								
	4-wire 56 kbps Local Loop in combination - Zone 3	3	UNC3X	UDL56	UDL56	43.95								
	4-wire 56 kbps Interface Transport - Dedicated - Per Mile per month		UNC3X	1L5XX	1L5XX	0.01								
	4-wire 56 kbps Interface Transport - Dedicated - Facility Termination per month		UNC3X	U1TD5	U1TD5	9.00								
	<b>4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>													
	4-wire 64 kbps Local Loop in combination - Zone 1	1	UNC3X	UDL64	UDL64	25.14								
	4-wire 64 kbps Local Loop in combination - Zone 2	2	UNC3X	UDL64	UDL64	32.61								
	4-wire 64 kbps Local Loop in combination - Zone 3	3	UNC3X	UDL64	UDL64	43.95								
	4-wire 65 kbps Interface Transport - Dedicated - Per Mile per month		UNC3X	1L5XX	1L5XX	0.01								
	4-wire 64 kbps Interface Transport - Dedicated - Facility Termination per month		UNC3X	U1TD6	U1TD6	9.00								
	<b>DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT</b>													
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNC1X	USLXX	USLXX	47.17								
	4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNC1X	USLXX	USLXX	53.37								
	4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNC1X	USLXX	USLXX	71.33								
	Interface Transport - Dedicated - DS1 combination - Per Mile per month		UNC1X	1L5XX	1L5XX	0.13								
	Interface Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	U1TF1	39.32								
	<b>DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT</b>													
	DS3 Local Loop in combination - per mile per month		UNC3X	1L5ND	1L5ND	14.51								
	DS3 Local Loop in combination - Facility Termination per month		UNC3X	UE3PX	UE3PX	335.10								
	Interface Transport - Dedicated - DS3 - Per Mile per month		UNC3X	1L5XX	1L5XX	2.91								
	Interface Transport - Dedicated - DS3 combination - Facility Termination per month		UNC3X	U1TF3	U1TF3	393.32								
	<b>STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT</b>													
	STS-1 Local Loop in combination - per mile per month		UNC3X	1L5ND	1L5ND	14.51								
	STS-1 Local Loop in combination - Facility Termination per month		UNC3X	UDL51	UDL51	403.92								



UNBUNDLED NETWORK ELEMENTS - Georgia															
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. B		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Nonrecurring		Nonrecurring Disconnect				SOMAN	SOMAN		
						First	Add'l	First	Add'l						
	Interface Transport - Dedicated - STS-1 combination - per mile per month														
	Interface Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	1L5XX	2.91									
				UNCSX	U1TFS	412.47									
ADDITIONAL NETWORK ELEMENTS															
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.														
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.														
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)														
	Optional Features & Functions:														
				U1TD1											
	Clear Channel Capability Extended Frame Option - per DS1	I		ULDD1,UNC1X	CCOEF	0.00	0.00	0.00	0.00					SOMAN	SOMAN
				U1TD1,											
	Clear Channel Capability Super FrameOption - per DS1	I		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I		ULDD1, U1TD1, UNC1X, USL	NRCCG	184.62	23.78	2.03	0.79						
				U1TD3, ULDD3, UE3, UNC3X	NRCC3										
	C-bit Parity Option - Subsequent Activity - per DS3	I				218.74	7.66	0.7591	0.00						
MULTIPLIXERS															
	DS1 to DS0 Channel System per month			UNC1X		80.21									
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.15									
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			UTUD	1D1DD	1.15									
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA	1.91									
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			UTUB	UC1CA	1.91									
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.54									
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			UTUC	1D1VG	0.54									
	DS3 to DS1 Channel System per month			UNCSX	MG3	140.18									
	STS-1 to DS1 Channel System per month			UNCSX	MG3	140.18									
	DS1 COCI used with Loop per month			USL	UC1D1	8.45									
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	8.45									
	DS1 COCI used with Interface Channel per month			U1TD1	UC1D1	8.45									
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	8.45									

UNBUNDLED NETWORK ELEMENTS - Kentucky																	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Attachment: 2 Ex. B					
						Nonrecurring		Disconnect Add'l	OSS Rates (\$)								
						First	Add'l		SOME			SOMAN	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
						Rec											
UNBUNDLED EXCHANGE ACCESS LOOP																	
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1																
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	1	UHL		UHL2X	10.06	151.54	89.29				11.54					
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	2	UHL		UHL2X	10.99	151.54	89.29				11.54					
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	3	UHL		UHL2X	12.20	151.54	89.29				11.54					
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	1	UHL		UHL2W	10.06	130.74	78.56				11.54					
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	2	UHL		UHL2W	10.99	130.74	78.56				11.54					
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP	3	UHL		UHL2W	12.20	130.74	78.56				11.54					
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1																
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	1	UHL		UHL4X	16.04	185.75	123.50				14.69					
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	2	UHL		UHL4X	18.03	185.75	123.50				14.69					
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	3	UHL		UHL4X	19.53	185.75	123.50				14.69					
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	1	UHL		UHL4W	16.04	164.95	114.04				15.80					
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	2	UHL		UHL4W	18.03	164.95	114.04				15.80					
	4-WIRE DS1 DIGITAL LOOP	3	UHL		UHL4W	19.53	164.95	114.04				15.80					
	4-Wire DS1 Digital Loop - Zone 1	1	USL		USLXX	99.44	306.69	174.44				14.55					
	4-Wire DS1 Digital Loop - Zone 2	2	USL		USLXX	131.22	306.69	174.44				14.55					
	4-Wire DS1 Digital Loop - Zone 3	3	USL		USLXX	342.42	306.69	174.44				14.55					
HIGH CAPACITY UNBUNDLED LOCAL LOOP																	
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month				UE3	1L5ND											
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month				UE3	UE3PX	354.56										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month				UDLSX	1L5ND	10.64										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month				UDLSX	UDLS1	368.59										
UNBUNDLED DEDICATED TRANSPORT																	
INTEROFFICE CHANNEL - DEDICATED TRANSPORT																	
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month				U1TD1	1L5XX	0.26										
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination				U1TD1	U1TF1	110.45										
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month				U1TD3	1L5XX	5.72										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month				U1TD3	U1TF3	1351.42										
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month				U1TS1	1L5XX	5.72										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination				U1TS1	U1TFS	1321.94										
	Local Channel - Dedicated - 2-Wire Voice Grade				ULDVX, UNCVX	ULDV2	21.36										
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat				ULDVX	ULDR2	21.36										
	Local Channel - Dedicated - 4-Wire Voice Grade				ULDVX, UNCVX	ULDV4	22.84										
	Local Channel - Dedicated - DS1 - Zone 1	1	ULDD1, UNC1X		ULDF1	46.53											

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment 2 Ex. B		Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l		Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	First Add'l						
	Local Channel - Dedicated - DS1 - Zone 2			2ULDD1, UNC1X	ULDF1	49.90									
	Local Channel - Dedicated - DS1 - Zone 3			3ULDD1, UNC1X	ULDF1	189.18									
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3, UNC3X	1L5NC	10.05									
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3, UNC3X	ULDF3	662.46									
	Local Channel - Dedicated - STS-1 - Per Mile per month			ULDS1, UNC5X	1L5NC	10.05									
	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1, UNC5X	ULDFS	624.73									
<b>ENHANCED EXTENDED LINK (EELS)</b>															
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provided as 'Ordinarily Combined' Network Elements.															
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provided as 'Currently Combined' Network Elements.															
<b>2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION</b>															
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.57									
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	20.07									
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	38.20									
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.71									
<b>4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION</b>															
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	33.65									
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	39.39									
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	97.82									
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.71									
<b>4-WIRE 56 Kbps DIGITAL LOOP FOR USE IN A COMBINATION</b>															
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	31.73									
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	37.35									
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	41.63									
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.52									
<b>4-WIRE 64 Kbps DIGITAL LOOP FOR USE IN A COMBINATION</b>															
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	31.73									
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	37.35									
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	41.63									
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.52									
<b>2-WIRE ISDN LOOP FOR USE IN A COMBINATION</b>															
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	21.21									
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	28.84									
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	49.30									
	2-wire ISDN COCI (BRIE) - in combination - per month			UNCNX	UC1CA	3.27									
<b>4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION</b>															
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	99.44									
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	131.22									
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	342.42									
	DS1 COCI in combination per month			UNC1X	UC1D1	13.57									
<b>2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION</b>															
	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.01									
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	27.54									
<b>4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION</b>															
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.01									
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	27.54									
<b>DS1 INTEROFFICE TRANSPORT FOR COMBINATION</b>															
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.22									
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	90.87									
<b>DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION</b>															
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	4.70									

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment: 2 Ex. B				
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Nonrecurring		Nonrecurring Disconnect						
						Rec	First	Add'l	First	Add'l	SOME	SOMAN	SOMAN	SOMAN
	Interface Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	1111.92								
	STS-1 INTERFACE TRANSPORT FOR USE IN COMBINATION													
	Interface Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNC3X	1L5XX	4.70								
	Interface Transport - Dedicated - STS-1 combination - Facility Termination per month			UNC3X	U1TF3	1087.66								
	4-WIRE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTERFACE TRANSPORT													
	4-wire 56 kbps Local Loop in combination - Zone 1	1		UNC3X	UDL56	31.73								
	4-wire 56 kbps Local Loop in combination - Zone 2	2		UNC3X	UDL56	37.35								
	4-wire 56 kbps Local Loop in combination - Zone 3	3		UNC3X	UDL56	41.83								
	Interface Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNC3X	1L5XX	0.01								
	Interface Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNC3X	U1TD5	19.84								
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERFACE TRANSPORT													
	4-wire 64 kbps Local Loop in Combination - Zone 1	1		UNC3X	UDL64	31.73								
	4-wire 64 kbps Local Loop in Combination - Zone 2	2		UNC3X	UDL64	37.35								
	4-wire 64 kbps Local Loop in Combination - Zone 3	3		UNC3X	UDL64	41.83								
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNC3X	1L5XX	0.01								
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNC3X	U1TD6	19.84								
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTERFACE TRANSPORT													
	4-wire 56 kbps Local Loop in combination - Zone 1	1		UNC3X	UDL56	31.73								
	4-wire 56 kbps Local Loop in combination - Zone 2	2		UNC3X	UDL56	37.35								
	4-wire 56 kbps Local Loop in combination - Zone 3	3		UNC3X	UDL56	41.83								
	Interface Transport - Dedicated - Per Mile per month			UNC3X	1L5XX	0.01								
	4-wire 56 kbps Interface Transport - Dedicated - Facility Termination per month			UNC3X	U1TD5	19.84								
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTERFACE TRANSPORT													
	4-wire 64 kbps Local Loop in combination - Zone 1	1		UNC3X	UDL64	31.73								
	4-wire 64 kbps Local Loop in combination - Zone 2	2		UNC3X	UDL64	37.35								
	4-wire 64 kbps Local Loop in combination - Zone 3	3		UNC3X	UDL64	41.83								
	Interface Transport - Dedicated - Per Mile per month			UNC3X	1L5XX	0.01								
	4-wire 64 kbps Interface Transport - Dedicated - Facility Termination per month			UNC3X	U1TD6	19.84								
	DS1 DIGITAL LOOP AND DS1 INTERFACE TRANSPORT													
	4-Wire DS1 Digital Loop in Combination - Zone 1	1		UNC1X	USLXX	99.44								
	4-Wire DS1 Digital Loop in Combination - Zone 2	2		UNC1X	USLXX	131.22								
	4-Wire DS1 Digital Loop in Combination - Zone 3	3		UNC1X	USLXX	342.42								
	Interface Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.22								
	Interface Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	90.87								
	DS3 DIGITAL LOOP WITH DEDICATED DS3 INTERFACE TRANSPORT													
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.23								
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	407.74								
	Interface Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.70								
	Interface Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	1111.92								
	STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTERFACE TRANSPORT													
	STS-1 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.23								
	STS-1 Local Loop in combination - Facility Termination per month			UNC3X	UDLS1	423.87								

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment: 2 Ex. B					
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	
						Nonrecurring		Nonrecurring Disconnect				SOMAN	SOMAN	SOMAN	SOMAN
						First	Add'l	First	Add'l						
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	4.70									
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	1087.66									
ADDITIONAL NETWORK ELEMENTS															
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As is charge does apply.															
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As is Charge does not.															
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)															
Optional Features & Functions:															
	Clear Channel Capability Extended Frame Option - per DS1		I	U1TD1, ULDD1, UNCTX	CCOEF	0.00	0.00	0.00							
	Clear Channel Capability Super FrameOption - per DS1		I	U1TD1, ULDD1, UNCTX	CCOSF	0.00	0.00	0.00							
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1		I	U1TD1, U1TD1, UNCTX, USL	NRCCC	184.91	23.82	1.99	0.78						
	C-bit Parity Option - Subsequent Activity - per DS3		I	U1TD3, ULDD3, UE3, UNCSX	NRCC3	205.70	7.20	0.6924	0.00						
MULTIPLIXERS															
	DS1 to DS0 Channel System per month			UNCTX	MQ1	130.33									
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.52									
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.52									
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA	3.27									
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.27									
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.72									
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.72									
	DS3 to DS1 Channel System per month			UNCSX	MQ3	181.93									
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	181.93									
	DS1 COCI used with Loop per month			USL	UC1D1	13.57									
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	13.57									
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	13.57									
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	13.57									

[illegible]

UNBUNDLED NETWORK ELEMENTS - Louisiana															
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Attachment: 2 Ex. B			
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'l	SOME	SOMAN	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st
	Local Channel - Dedicated - DS1 - Zone 2			2ULDD1, UNC1X	ULDF1	139.82									
	Local Channel - Dedicated - DS1 - Zone 3			3ULDD1, UNC1X	ULDF1	80.52									
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3, UNC3X	1L5NC	8.99									
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3, UNC3X	ULDF3	539.86									
	Local Channel - Dedicated - STS-1 - Per Mile per month			ULDS1, UNC5X	1L5NC	8.99									
	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1, UNC5X	ULDFS	525.80									
	ENHANCED EXTENDED LINK (EELs)														
	NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.														
	NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.														
	2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION														
	2-Wire VG Loop (SL2) In Combination - Zone 1		1	UNCVX	UEAL2	17.17									
	2-Wire VG Loop (SL2) In Combination - Zone 2		2	UNCVX	UEAL2	29.15									
	2-Wire VG Loop (SL2) In Combination - Zone 3		3	UNCVX	UEAL2	58.03									
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.75									
	4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION														
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	35.43									
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	44.07									
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	69.45									
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.75									
	4-WIRE 56 Kbps DIGITAL LOOP FOR USE IN A COMBINATION														
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	35.64									
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	42.30									
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	44.76									
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.59									
	4-WIRE 64 Kbps DIGITAL LOOP FOR USE IN A COMBINATION														
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	35.64									
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	42.30									
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	44.76									
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.59									
	2-WIRE ISDN LOOP FOR USE IN COMBINATION														
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	25.40									
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	40.57									
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	74.96									
	2-wire ISDN COCI (BRTE) - in combination - per month			UNCNX	UC1CA	3.40									
	4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION														
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	98.56									
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	224.20									
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	565.73									
	DS1 COCI in combination per month			UNC1X	UC1D1	13.55									
	2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION														
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.01									
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	25.99									
	4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION														
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.01									
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	22.78									
	DS1 INTEROFFICE TRANSPORT FOR COMBINATION														
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.30									
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	81.04									
	DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION														
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	6.95									
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	978.02									

UNBUNDLED NETWORK ELEMENTS - Louisiana										Attachment: 2 Ex. B				
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First					
										OSS Rates (\$)				
	STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION													
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month													
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	1L5XX	6.95								
	4-WIRE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT													
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	35.64								
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	42.30								
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	44.76								
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.01								
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	17.95								
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT													
	4-wire 64 kbps Local Loop in Combination - Zone 1		1	UNCDX	UDL64	35.64								
	4-wire 64 kbps Local Loop in Combination - Zone 2		2	UNCDX	UDL64	42.30								
	4-wire 64 kbps Local Loop in Combination - Zone 3		3	UNCDX	UDL64	44.76								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.01								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	17.95								
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT													
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	35.64								
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	42.30								
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	44.76								
	4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.01								
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	17.95								
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT													
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	35.64								
	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	42.30								
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	44.76								
	4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.01								
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	17.95								
	DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT													
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNCTX	USLXX	98.56								
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNCTX	USLXX	224.20								
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNCTX	USLXX	565.73								
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNCTX	1L5XX	0.30								
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNCTX	U1TF1	81.04								
	DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT													
	DS3 Local Loop in combination - per mile per month			UNCSX	1L5ND	13.28								
	DS3 Local Loop in combination - Facility Termination per month			UNCSX	UE3PX	479.19								
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNCSX	1L5XX	6.95								
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNCSX	U1TF3	978.02								
	STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT													
	STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	13.28								
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	495.36								
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	6.95								



UNBUNDLED NETWORK ELEMENTS - Louisiana																	
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. B					
						Nonrecurring		Nonrecurring Disconnect				Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st		
						Rec	First	Add'l	First							Add'l	SOME
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	954.72											
ADDITIONAL NETWORK ELEMENTS																	
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.																
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.																
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)																
	Optional Features & Functions:																
	Clear Channel Capability Extended Frame Option - per DS1	I		U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00							
	Clear Channel Capability Super Frame Option - per DS1	I		U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00							
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I		ULDD1, U1TD1, UNC1X, USL	NRCCC		184.65	23.79	1.97	0.77							
	C-bit Parity Option - Subsequent Activity - per DS3	I		U1TD3, ULDD3, UE3, UNC3X	NRCC3		218.78	7.66	0.7263	0.00							
MULTIPLEXERS																	
	DS1 to DS0 Channel System per month			UNC1X	MQ1		120.85										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD		1.59										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD		1.59										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA		3.40										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA		3.40										
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG		0.75										
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG		0.75										
	STS-1 to DS1 Channel System per month			UNC3X	MQ3		231.70										
	DS1 COCI used with Loop per month			UNCSX	MQ3		231.70										
	DS1 COCI used with Loop per month			USL	UC1D1		13.55										
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1		13.55										
	DS1 COCI used with Interface Channel per month			U1TD1	UC1D1		13.55										
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1		13.55										

UNBUNDLED NETWORK ELEMENTS - Mississippi														
CATEGORY	RATE ELEMENTS	Interim	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. B		Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Nonrecurring		Nonrecurring Disconnect Add'l	OSS Rates (\$)						
					Rec	Add'l		SOME			SOMAN	SOMAN		
UNBUNDLED EXCHANGE ACCESS LOOP														
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1													
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2													
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3													
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 4													
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1													
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2													
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3													
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4													
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1													
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2													
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3													
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 4													
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1													
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2													
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3													
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4													
4-WIRE DS1 DIGITAL LOOP														
	4-Wire DS1 Digital Loop - Zone 1													
	4-Wire DS1 Digital Loop - Zone 2													
	4-Wire DS1 Digital Loop - Zone 3													
	4-Wire DS1 Digital Loop - Zone 4													
HIGH CAPACITY UNBUNDLED LOCAL LOOP														
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month													
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month													
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month													
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month													
UNBUNDLED DEDICATED TRANSPORT														
INTEROFFICE CHANNEL - DEDICATED TRANSPORT														
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month													
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination													
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month													

UNBUNDLED NETWORK ELEMENTS - Mississippi										Attachment: 2 Ex. B			
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Nonrecurring Add'l	Nonrecurring Add'l	Nonrecurring Add'l					
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3									
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	5.47							
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	740.84							
	Local Channel - Dedicated - 2-Wire Voice Grade			ULDVX, UNCVX	ULDV2	17.15							
	Local Channel - Dedicated - 4-Wire Voice Grade Rev Bat			ULDVX	ULDR2	17.15							
	Local Channel - Dedicated - 4-Wire Voice Grade			ULDVX, UNCVX	ULDV4	18.39							
	Local Channel - Dedicated - DST - Zone 1			1ULDD1, UNCTX	ULDF1	42.35							
	Local Channel - Dedicated - DST - Zone 2			2ULDD1, UNCTX	ULDF1	41.39							
	Local Channel - Dedicated - DST - Zone 3			3ULDD1, UNCTX	ULDF1	254.87							
	Local Channel - Dedicated - DST - Zone 4			4ULDD1, UNCTX	ULDF1	254.87							
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3, UNCSX	1L5NC	11.11							
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3, UNCSX	ULDF3	475.95							
	Local Channel - Dedicated - STS-1 - Per Mile per month			ULDS1, UNCSX	1L5NC	11.11							
	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1, UNCSX	ULDFS	489.22							
ENHANCED EXTENDED LINK (EELs)													
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provided as 'Ordinarily Combined' Network Elements.													
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provided as 'Currently Combined' Network Elements.													
2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION													
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	15.97							
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	21.56							
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	31.68							
	2-Wire VG Loop (SL2) in Combination - Zone 4		4	UNCVX	UEAL2	52.58							
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.66							
4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION													
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	31.59							
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	44.00							
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	57.53							
	4-Wire Analog Voice Grade Loop in Combination - Zone 4		4	UNCVX	UEAL4	57.53							
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.66							
4-WIRE 56 Kbps DIGITAL LOOP FOR USE IN A COMBINATION													
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	31.56							
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	39.73							
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	46.87							
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 4		4	UNCDX	UDL56	37.09							
	OCU-DP COCI (data) per month (2.4-64Kbps)			UNCDX	1D1DD	1.40							
4-WIRE 64 Kbps DIGITAL LOOP FOR USE IN A COMBINATION													
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	31.56							
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	39.73							
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	46.87							
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4		4	UNCDX	UDL64	37.09							
	OCU-DP COCI (data) in combination - per month (2.4-64Kbps)			UNCDX	1D1DD	1.40							
2-WIRE ISDN LOOP FOR USE IN A COMBINATION													
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	24.16							
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	31.73							
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	42.94							
	2-Wire ISDN Loop in Combination - Zone 4		4	UNCNX	U1L2X	68.06							
	2-wire ISDN COCI (BRIE) in combination - per month			UNCNX	UCICA	3.01							
4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION													
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNCLX	USLXX	90.94							
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNCLX	USLXX	148.79							
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNCLX	USLXX	237.75							
	4-Wire DS1 Digital Loop in Combination - Zone 4		4	UNCLX	USLXX	527.23							
	DS1 COCI in combination per month			UNCLX	UC1D1	3.01							
2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION													
	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.00							

UNBUNDLED NETWORK ELEMENTS - Mississippi										Attachment: 2 Ex. B				Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)		Nonrecurring Add'l	Nonrecurring Disconnect Add'l	Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec						SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interface Transport - 2-wire VG - Dedicated - Facility Termination per month																
	4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION			UNCXX	U1TV2	23.37											
	Interface Transport - 4-wire VG - Dedicated - Per Mile Per Month																
	Interface Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCXX	1L5XX	0.00											
	DS1 INTEROFFICE TRANSPORT FOR COMBINATION			UNCXX	U1TV4	20.54											
	Interface Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.21											
	Interface Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	59.48											
	DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION																
	Interface Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	5.47											
	Interface Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	738.18											
	STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION																
	Interface Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNC3X	1L5XX	5.47											
	3/1 Channel System in combination per month			UNC3X	MD3	196.22											
	4-WIRE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT																
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDCX	UDL56	31.56											
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDCX	UDL56	39.73											
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDCX	UDL56	46.87											
	4-wire 56 kbps Local Loop in combination - Zone 4		4	UNCDCX	UDL56	37.09											
	Interface Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDCX	1L5XX	0.01											
	Interface Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDCX	U1TD5	25.90											
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT																
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDCX	UDL64	31.56											
	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDCX	UDL64	39.73											
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDCX	UDL64	46.87											
	4-wire 64 kbps Local Loop in combination - Zone 4		4	UNCDCX	UDL64	37.09											
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDCX	1L5XX	0.01											
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDCX	U1TD6	25.90											
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDCX	UDL56	31.56											
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDCX	UDL56	39.73											
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDCX	UDL56	46.87											
	4-wire 56 kbps Local Loop in combination - Zone 4		4	UNCDCX	UDL56	37.09											
	Interface Transport - Dedicated - Per Mile per month			UNCDCX	1L5XX	0.01											
	Interface Transport - Dedicated - Facility Termination per month			UNCDCX	U1TD5	25.90											
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDCX	UDL64	31.56											
	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDCX	UDL64	39.73											
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDCX	UDL64	46.87											
	4-wire 64 kbps Local Loop in combination - Zone 4		4	UNCDCX	UDL64	37.09											
	Interface Transport - Dedicated - Per Mile per month			UNCDCX	1L5XX	0.01											
	Interface Transport - Dedicated - Facility Termination per month			UNCDCX	U1TD5	25.90											
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT																
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDCX	UDL64	31.56											
	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDCX	UDL64	39.73											
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDCX	UDL64	46.87											
	4-wire 64 kbps Local Loop in combination - Zone 4		4	UNCDCX	UDL64	37.09											
	Interface Transport - Dedicated - Per Mile per month			UNCDCX	1L5XX	0.01											
	Interface Transport - Dedicated - Facility Termination per month			UNCDCX	U1TD6	25.90											
	DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT																
	4-wire DS1 Digital Loop in combination - Zone 1		1	UNC1X	USLXX	90.94											

UNBUNDLED NETWORK ELEMENTS - Mississippi														
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Attachment: 2 Ex. B				
						Nonrecurring Add'l	Nonrecurring Disconnect Add'l	Rec		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
													SOME	SOMAN
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	148.79								
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	237.75								
	4-Wire DS1 Digital Local Loop in Combination - Zone 4		4	UNC1X	USLXX	527.23								
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.21								
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	59.48								
	DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT													
	DS3 Local Loop in combination - per mile per month			UNC3X	1LSND	14.81								
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	431.33								
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	5.47								
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	738.18								
	STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT													
	STS-1 Local Loop in combination - per mile per month			UNC3X	1LSND	14.81								
	STS-1 Local Loop in combination - Facility Termination per month			UNC3X	UDLS1	447.73								
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNC3X	1L5XX	5.47								
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNC3X	U1TFS	740.84								
ADDITIONAL NETWORK ELEMENTS														
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.														
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.														
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)														
Optional Features & Functions:														
	Clear Channel Capability Extended Frame Option - per DS1	I		U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00					
	Clear Channel Capability Super FrameOption - per DS1	I		U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00					
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I		U1TD1, U1TDT1, UNC1X, USL	NRCCC		184.60	23.78	1.96	0.76				
	C-bit Parity Option - Subsequent Activity - per DS3	I		U1TD3, ULDD3, UE3, UNC3X	NRCC3		218.72	7.66	0.7201	0.00				
MULTIPLERS														
	DS1 to DS0 Channel System per month			UNC1X	MQ1	118.28								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.40								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.40								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA	3.01								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.01								
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.66								
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.66								
	DS3 to DS1 Channel System per month			UNC3X	MQ3	196.22								
	STS-1 to DS1 Channel System per month			UNC3X	MQ3	196.22								
	DS1 COCI used with Loop per month			USL	UC1D1	14.90								
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	14.90								
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	14.90								



UNBUNDLED NETWORK ELEMENTS - North Carolina																
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. B			Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Nonrecurring		Disconnect First	OSS Rates (\$)							
						Rec	Add'l		SOME			SOMAN	SOMAN	SOMAN		
UNBUNDLED EXCHANGE ACCESS LOOP																
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	10.36	284.74	163.54						26.94	12.76	0.00
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	17.10	284.74	163.54						26.94	12.76	0.00
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	26.24	284.74	163.54						26.94	12.76	0.00
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	10.36	207.48	132.05						26.94	12.76	0.00
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	17.10	207.48	132.05						26.94	12.76	0.00
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	26.24	207.48	132.05						26.94	12.76	0.00
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	12.21	341.65	220.45						26.94	12.76	0.00
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	20.32	341.65	220.45						26.94	12.76	0.00
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	31.33	341.65	220.45						26.94	12.76	0.00
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	12.21	264.39	188.96						26.94	12.76	0.00
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	20.32	264.39	188.96						26.94	12.76	0.00
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	31.33	264.39	188.96						26.94	12.76	0.00
4-WIRE DS1 DIGITAL LOOP																
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	54.74	714.84	421.47						42.19	12.76	0.00
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	97.01	714.84	421.47						42.19	12.76	0.00
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	154.43	714.84	421.47						42.19	12.76	0.00
HIGH CAPACITY UNBUNDLED LOCAL LOOP																
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	15.33										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	518.29										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	15.33										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	533.90										
UNBUNDLED DEDICATED TRANSPORT																
INTEROFFICE CHANNEL - DEDICATED TRANSPORT																
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.66										
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination			U1TD1	U1TF1	81.98										
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	14.93										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	828.44										
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	7.06										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	908.93										
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1		1	ULDVX	ULDV2	12.93										
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2		2	ULDVX	ULDV2	22.90										
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3		3	ULDVX	ULDV2	36.46										
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1		1	ULDVX	ULDV4	13.83										

UNBUNDLED NETWORK ELEMENTS - North Carolina										Attachment: 2 Ex. B			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring Add'l	First	Disconnect Add'l				
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2			2 ULDVX, UNCVX	ULDV4	24.53							
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3			3 ULDVX, UNCVX	ULDV4	39.04							
	Local Channel - Dedicated - DS1 - Zone 1			1 ULDD1, UNC1X	ULDF1	31.11							
	Local Channel - Dedicated - DS1 - Zone 2			2 ULDD1, UNC1X	ULDF1	55.13							
	Local Channel - Dedicated - DS1 - Zone 3			3 ULDD1, UNC1X	ULDF1	87.77							
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3, UNC3X	1LSNC	1.14							
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3, UNC3X	ULDF3	343.76							
	Local Channel - Dedicated - STS-1 - Per Mile per month			ULDS1, UNC5X	1LSNC	1.14							
	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1, UNC5X	ULDFS	329.05							
<b>ENHANCED EXTENDED LINK (EELS)</b>													
<b>NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provided as 'Ordinarily Combined' Network Elements.</b>													
<b>NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provided as 'Currently Combined' Network Elements.</b>													
<b>2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION</b>													
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	17.22							
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	29.82							
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	46.93							
	Voice Grade COCI - Per Month			UNCVX	1DTVG	1.46							
<b>4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION</b>													
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	24.52							
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	41.71							
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	65.06							
	Voice Grade COCI in combination - per month			UNCVX	1DTVG	1.46							
<b>4-WIRE 56 Kbps DIGITAL LOOP FOR USE IN A COMBINATION</b>													
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	29.12							
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	49.58							
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	77.35							
	OCU-DP COCI (data) per month (2.4-64Kbps)			UNCDX	1D1DD	2.30							
<b>4-WIRE 64 Kbps DIGITAL LOOP FOR USE IN A COMBINATION</b>													
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	29.12							
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	49.58							
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	77.35							
	OCU-DP COCI (data) - in combination - per month (2.4-64Kbps)			UNCDX	1D1DD	2.30							
<b>2-WIRE ISDN LOOP FOR USE IN A COMBINATION</b>													
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	22.33							
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	37.81							
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	56.81							
	2-Wire ISDN COCI (BRI/E) - in combination - per month			UNCNX	UC1CA	4.13							
<b>4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION</b>													
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	54.74							
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	97.01							
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	154.43							
	DS1 COCI in combination per month			UNC1X	UC1D1	18.48							
<b>2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION</b>													
	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month			UNCVX	1LSXX	0.03							
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	20.70							
<b>4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION</b>													
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1LSXX	0.03							
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	22.16							
<b>DS1 INTEROFFICE TRANSPORT FOR COMBINATION</b>													
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNCVX	1LSXX	0.66							
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNCVX	U1TF1	81.98							
<b>DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION</b>													



UNBUNDLED NETWORK ELEMENTS - North Carolina										Attachment: 2 Ex. B				
CATEGORY	RATE ELEMENTS	Interl m	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Rec	Nonrecurring		Nonrecurring Disconnect First						
											SOME	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		UNCDX	1L5XX	14.93									
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month		UNCDX	U1TF3	828.44									
	<b>STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION</b>													
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month		UNCSX	1L5XX	7.06									
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month		UNCSX	U1TFS	908.93									
	<b>4-WIRE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT</b>													
	4-wire 56 kbps Local Loop in combination - Zone 1	1	UNCDX	UDL56	29.12									
	4-wire 56 kbps Local Loop in combination - Zone 2	2	UNCDX	UDL56	49.58									
	4-wire 56 kbps Local Loop in combination - Zone 3	3	UNCDX	UDL56	77.35									
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month		UNCDX	1L5XX	0.03									
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month		UNCDX	U1TD5	20.01									
	<b>4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT</b>													
	4-wire 64 kbps Local Loop in Combination - Zone 1	1	UNCDX	UDL64	29.12									
	4-wire 64 kbps Local Loop in Combination - Zone 2	2	UNCDX	UDL64	49.58									
	4-wire 64 kbps Local Loop in Combination - Zone 3	3	UNCDX	UDL64	77.35									
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month		UNCDX	1L5XX	0.03									
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month		UNCDX	U1TD6	20.01									
	<b>4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>													
	4-wire 56 kbps Local Loop in combination - Zone 1	1	UNCDX	UDL56	29.12									
	4-wire 56 kbps Local Loop in combination - Zone 2	2	UNCDX	UDL56	49.58									
	4-wire 56 kbps Local Loop in combination - Zone 3	3	UNCDX	UDL56	77.35									
	4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month		UNCDX	1L5XX	0.03									
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month		UNCDX	U1TD5	20.01									
	<b>4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>													
	4-wire 64 kbps Local Loop in combination - Zone 1	1	UNCDX	UDL64	29.12									
	4-wire 64 kbps Local Loop in combination - Zone 2	2	UNCDX	UDL64	49.58									
	4-wire 64 kbps Local Loop in combination - Zone 3	3	UNCDX	UDL64	77.35									
	4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month		UNCDX	1L5XX	0.03									
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month		UNCDX	U1TD6	20.01									
	<b>DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT</b>													
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNCDX	USLXX	54.74									
	4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNCDX	USLXX	97.01									
	4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNCDX	USLXX	154.43									
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNCDX	1L5XX	0.66									
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNCDX	U1TF1	81.98									
	<b>DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT</b>													
	DS3 Local Loop in combination - per mile per month		UNCDX	1L5ND	15.33									
	DS3 Local Loop in combination - Facility Termination per month		UNCDX	UE3PX	518.29									
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		UNCDX	1L5XX	14.93									
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month		UNCDX	U1TF3	828.44									
	<b>STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT</b>													
	STS-1 Local Loop in combination - per mile per month		UNCDX	1L5ND	15.33									

UNBUNDLED NETWORK ELEMENTS - North Carolina															
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. B			
						Nonrecurring		Nonrecurring Disconnect				Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	First	Add'l	First						
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	533.90									
	Interface Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	7.06									
	Interface Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	908.93									
ADDITIONAL NETWORK ELEMENTS															
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.															
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.															
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)															
Optional Features & Functions:															
	Clear Channel Capability Extended Frame Option - per DS1	I		U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00					
	Clear Channel Capability Super FrameOption - per DS1	I		U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00					
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I		ULDD1, U1TD1, UNC1X, USL	NRCCC		184.76	23.80	1.99	0.78					
	C-bit Parity Option - Subsequent Activity - per DS3	I		U1TD3, ULDD3, UE3, UNC3X	NRCC3		218.92	7.66	0.7576	0.00					
MULTIPLEXERS															
	DS1 to DS0 Channel System per month			UNC1X	MQ1	168.69									
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.30									
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.30									
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA	4.13									
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	4.13									
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	1.46									
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	1.46									
	DS3 to DS1 Channel System per month			UNC3X	MQ3	268.06									
	STS-1 to DS1 Channel System per month			UNC3X	MQ3	268.06									
	DS1 COCI used with Loop per month			USL	UC1D1	18.48									
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	18.48									
	DS1 COCI used with Interface Channel per month			U1TD1	UC1D1	18.48									
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULD01	UC1D1	18.48									



UNBUNDLED NETWORK ELEMENTS - South Carolina															
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. B			
						Rec	Nonrecurring		First			Disconnect Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							First	Add'l							
	Local Channel - Dedicated - DS1 - Zone 2				ULDD1, UNC1X	ULDF1	80.87								
	Local Channel - Dedicated - DS1 - Zone 3				3ULDD1, UNC1X	ULDF1	219.28								
	Local Channel - Dedicated - DS3 - Per Mile per month				ULDD3, UNC3X	1L5NC	13.72								
	Local Channel - Dedicated - DS3 - Facility Termination				ULDD3, UNC3X	ULDF3	512.90								
	Local Channel - Dedicated - STS-1 - Per Mile per month				ULDD3, UNC3X	1L5NC	13.72								
	Local Channel - Dedicated - STS-1 - Facility Termination				ULDD3, UNC3X	ULDFS	500.37								
ENHANCED EXTENDED LINK (EELs)															
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.															
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.															
2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION															
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNC1X	UEAL2	19.18									
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNC1X	UEAL2	26.60									
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNC1X	UEAL2	32.73									
	Voice Grade COCI - Per Month			UNC1X	1D1VG	0.64									
4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION															
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNC1X	UEAL4	37.48									
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNC1X	UEAL4	50.47									
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNC1X	UEAL4	49.89									
	Voice Grade COCI in combination - per month			UNC1X	1D1VG	0.64									
4-WIRE 56 Kbps DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNC1X	UDL56	34.42									
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNC1X	UDL56	39.09									
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNC1X	UDL56	39.95									
	OCU-DP COCI (data) per month (2.4-64Kbps)			UNC1X	1D1DD	1.37									
4-WIRE 64 Kbps DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNC1X	UDL64	34.42									
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNC1X	UDL64	39.09									
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNC1X	UDL64	39.95									
	OCU-DP COCI (data) - In combination - per month (2.4-64Kbps)			UNC1X	1D1DD	1.37									
2-WIRE ISDN LOOP FOR USE IN A COMBINATION															
	2-Wire ISDN Loop in Combination - Zone 1		1	UNC1X	U1L2X	28.99									
	2-Wire ISDN Loop in Combination - Zone 2		2	UNC1X	U1L2X	37.67									
	2-Wire ISDN Loop in Combination - Zone 3		3	UNC1X	U1L2X	43.36									
	2-Wire ISDN COCI (BRITE) - In combination - per month			UNC1X	UC1CA	2.94									
4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	104.50									
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	178.74									
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	301.17									
	DS1 COCI in combination per month			UNC1X	UC1D1	9.94									
2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION															
	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month			UNC1X	1L5XX	0.02									
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNC1X	U1TV2	22.36									
4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION															
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNC1X	1L5XX	0.02									
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNC1X	U1TV4	19.58									
DS1 INTEROFFICE TRANSPORT FOR COMBINATION															
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.31									
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	70.97									
DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION															
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	7.38									
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	810.20									

UNBUNDLED NETWORK ELEMENTS - South Carolina																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. B																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
						Rec	Nonrecurring		Nonrecurring Disconnect First Add'l			Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- 1st																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
							First	Add'l								SOME	SOMAN	SOMAN	SOMAN																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

UNBUNDLED NETWORK ELEMENTS - South Carolina																	
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. B					
						Rec	Nonrecurring		Nonrecurring Disconnect Add'l			SOMEK	OSS Rates (\$)		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							First	Add'l					SOMAN	SOMAN			
	Interface Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	810.11											
ADDITIONAL NETWORK ELEMENTS																	
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.																
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.																
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)																
	Optional Features & Functions:																
	Clear Channel Capability Extended Frame Option - per DS1	I		U1TD1, U1DD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00							
	Clear Channel Capability Super FrameOption - per DS1	I		U1TD1, U1DD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00							
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I		U1DD1, U1TD1, UNC1X, USL	NRCCC		185.26	23.86	1.99	0.78							
	C-bit Parity Option - Subsequent Activity - per DS3	I		U1TD3, U1DD3, UE3, UNC3X	NRCC3		219.58	7.69	0.737	0.00							
MULTIPLEXERS																	
	DS1 to DS0 Channel System per month			UNC1X	MQ1	123.71											
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.37											
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.37											
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA	2.94											
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.94											
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.64											
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.64											
	DS3 to DS1 Channel System per month			UNCSX	MQ3	165.62											
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	165.62											
	DS1 COCI used with Loop per month			USL	UC1D1	9.94											
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	9.94											
	DS1 COCI used with Interface Channel per month			U1TD1	UC1D1	9.94											
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			U1DD1	UC1D1	9.94											



UNBUNDLED NETWORK ELEMENTS - Tennessee														
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Attachment: 2 Ex. B Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
						Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOMEc	SOMAN	OSS Rates (\$) SOMAN	SOMAN		
						Rec								
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. - Zone 1		1	ULDVX	ULDR2	19.76								
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. - Zone 2		2	ULDVX	ULDR2	25.81								
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. - Zone 3		3	ULDVX	ULDR2	33.74								
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1		1	ULDVX, UNCVX	ULDV4	20.91								
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2		2	ULDVX, UNCVX	ULDV4	27.30								
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3		3	ULDVX, UNCVX	ULDV4	35.71								
	Local Channel - Dedicated - DST - Zone 1		1	ULDDI, UNCIX	ULDF1	41.68								
	Local Channel - Dedicated - DST - Zone 2		2	ULDDI, UNCIX	ULDF1	54.43								
	Local Channel - Dedicated - DST - Zone 3		3	ULDDI, UNCIX	ULDF1	71.17								
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3, UNCIX	1L5NC	8.22								
	Local Channel - Dedicated - DS3 - Facility Termination			ULDS1, UNCIX	1L5NC	8.22								
	Local Channel - Dedicated - STS-1-Per Mile per month			ULDS1, UNCIX	1L5NC	8.22								
	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1, UNCIX	ULDFS	689.93								
ENHANCED EXTENDED LINK (EELs) AND THEIR COMPONENTS														
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.														
NOTE: The monthly recurring and the Switch-As-is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.														
2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION														
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCIX	UEAL2	19.04								
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCIX	UEAL2	24.87								
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCIX	UEAL2	32.52								
	Voice Grade COCI - Per Month			UNCIX	1DTVG	1.05								
4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION														
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCIX	UEAL4	28.40								
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCIX	UEAL4	37.10								
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCIX	UEAL4	48.61								
	Voice Grade COCI in combination - per month			UNCIX	1DTVG	1.05								
4 WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION														
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCIX	UDL56	35.76								
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCIX	UDL56	46.70								
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCIX	UDL56	61.08								
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCIX	1D1DD	1.05								
4 WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION														
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCIX	UDL64	35.76								
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCIX	UDL64	46.70								
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCIX	UDL64	61.08								
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCIX	1D1DD	1.05								
2-WIRE ISDN LOOP FOR USE IN COMBINATION														
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCIX	U1L2X	25.55								
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCIX	U1L2X	33.37								
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCIX	U1L2X	43.64								
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCIX	UCTCA	3.73								
4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION														
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNCIX	USLXX	66.39								
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNCIX	USLXX	86.71								
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNCIX	USLXX	113.38								
	DS1 COCI in combination per month			UNCIX	UC1D1	20.22								
2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION														
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCIX	1L5XX	0.02								
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCIX	U1TV2	25.06								
4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION														
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCIX	1L5XX	0.02								
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCIX	U1TV4	31.40								



UNBUNDLED NETWORK ELEMENTS - Tennessee															
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Ex. B			
						Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l			Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec								
DS1	INTEROFFICE TRANSPORT FOR COMBINATION														
	Interoffice Transport - Dedicated - DS1 combination - Per Mile				1L5XX		0.41								
	Interoffice Transport - Dedicated - DS1 combination - Facility				U1TF1		89.54								
	Termination per month				MQ1		92.89								
	1/0 Channelization System in combination Per Month														
DS3	INTEROFFICE TRANSPORT FOR USE IN A COMBINATION														
	Interoffice Transport - Dedicated - DS3 combination - Per Mile				UNC3X		2.69								
	Per Month				U1TF3		983.22								
	Interoffice Transport - Dedicated - DS3 - Facility Termination per														
	month														
STS-1	INTEROFFICE TRANSPORT FOR USE IN COMBINATION														
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile														
	Per Month				UNC3X		2.69								
	3/1 Channel System in combination per month				UNC3X		256.43								
	4-WIRE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT														
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDCX	UDL56		35.76								
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDCX	UDL56		46.70								
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDCX	UDL56		61.08								
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -														
	Per Mile per month				UNCDCX	1L5XX		0.02							
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -														
	Facility Termination per month				UNCDCX		24.37								
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT														
	4-wire 64 kbps Local Loop in Combination - Zone 1		1	UNCDCX	UDL64		35.76								
	4-wire 64 kbps Local Loop in Combination - Zone 2		2	UNCDCX	UDL64		46.70								
	4-wire 64 kbps Local Loop in Combination - Zone 3		3	UNCDCX	UDL64		61.08								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -														
	Per Mile per month				UNCDCX	1L5XX		0.02							
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -														
	Facility Termination per month				UNCDCX	U1TD6		24.37							
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT														
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDCX	UDL56		35.76								
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDCX	UDL56		46.70								
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDCX	UDL56		61.08								
	4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per														
	month				UNCDCX		0.02								
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility														
	Termination per month				UNCDCX		24.37								
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT														
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDCX	UDL64		35.76								
	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDCX	UDL64		46.70								
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDCX	UDL64		61.08								
	4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per														
	month				UNCDCX		0.02								
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility														
	Termination per month				UNCDCX		24.37								
	DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT														
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX		66.39								
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX		86.71								
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX		113.38								
	Interoffice Transport - Dedicated - DS1 combination - Per Mile														
	per month				UNC1X		0.41								
	Interoffice Transport - Dedicated - DS1 combination - Facility														
	Termination per month				UNC1X		89.54								
	DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT														
	DS3 Local Loop in combination - per mile per month														
	DS3 Local Loop in combination - Facility Termination per month														
	DS3 Local Loop in combination - Zone 1		1	UNC3X	1L5ND		10.57								
	DS3 Local Loop in combination - Zone 2		2	UNC3X	UE3PX		429.49								
	DS3 Local Loop in combination - Zone 3		3	UNC3X											

UNBUNDLED NETWORK ELEMENTS - Tennessee										Attachment: 2 Ex. B					
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
						Rec	Nonrecurring First	Add'l	Nonrecurring First			SOMEc	SOMAN	OSS Rates (\$) SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.69									
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	983.22									
	<b>STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT</b>														
	STS-1 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.57									
	STS-1 Local Loop in combination - Facility Termination per month			UNC3X	UDLS1	453.74									
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNC3X	1L5XX	2.69									
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNC3X	U1TFS	976.70									
	<b>ADDITIONAL NETWORK ELEMENTS</b>														
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.														
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.														
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)														
	Optional Features & Functions:														
	Clear Channel Capability Extended Frame Option - per DS1	I		U1TD1, ULDD1,UNC1X	CCOEF	0.00	0.00	0.00	0.00						
	Clear Channel Capability Super FrameOption - per DS1	I		U1TD1, ULDD1,UNC1X	CCOSF	0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I		ULDD1, U1TD1, UNC1X, USL	NRCCC	185.16	23.85	2.03	0.79						
	C-bit Parity Option - Subsequent Activity - per DS3	I		U1TD3, ULDD3, UE3, UNC3X	NRCCC3	219.46	7.68	0.7637	0.00						
	<b>MULTIPLEXERS</b>														
	DS1 to DS0 Channel System per month			UNC1X	MQ1	92.89									
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.464kbs) used for a Local Loop			UDL	1D1DD	2.09									
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.464kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.09									
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA	3.56									
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.56									
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	1.05									
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	1.05									
	DS3 to DS1 Channel System per month			UNC3X	MQ3	256.43									
	STS-1 to DS1 Channel System per month			UNC3X	MQ3	256.43									
	DS1 COCI used with Loop per month			USL	UC1D1	20.22									
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	20.22									
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	20.22									
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	20.22									

LOCAL INTERCONNECTION - Alabama																	
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 3 Exh. A					
						Rec	Nonrecurring		Nonrecurring Disconnect First Add'l			SOMEc	OSS Rates(\$)		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							First	Add'l					SOMAN	SOMAN			
SIGNALING (CCS7)																	
	CCS7 Signaling Connection, Per 56Kbps Facility					15.46	35.53	35.53		16.44							
	CCS7 Signaling Termination, Per STP Port				PT8SX	130.83				16.44							
	CCS7 Signaling Usage, Per TCAP Message		UDB			0.0000569											
	CCS7 Signaling Connection, Per link (A link)		UDB		TPP6A	15.46	35.53	35.53		16.44							
	CCS7 Signaling Connection, Per link (B link) (also known as D link)		UDB		TPP6B	15.46	35.53	35.53		16.44							
	CCS7 Signaling Connection, Switched access service, interface groups, transmission paths 6 DS1 level path with bit stream signaling		UDB		TPP6X	15.46	35.53	35.53		16.44							
	CCS7 Signaling Connection-A link, per month		UDB		TPP9A	15.46	35.53	35.53		16.44							
	CCS7 Signaling Connection-B link(also known as D link) per month		UDB		TPP9B	15.46	35.53	35.53		16.44							
	CCS7 Signaling Connection, Switched access service, interface groups, transmission paths 9 DS3 level path with bit stream signaling		UDB		TPP9X	15.46	35.53	35.53		16.44							
	CCS7 Signaling Usage, Per ISUP Message					0.0000142											
	CCS7 Signaling Usage Surrogate, per link per LATA		UDB		STU56	650.33											
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected		UDB		CCAPO		29.01	29.01		35.57							

LOCAL INTERCONNECTION - Florida											Attachment: 3 Exh. A					
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 3 Exh. A				
						Nonrecurring		Nonrecurring Disconnect				Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
						Rec	Add'l	First	Add'l							
															SOMEc	SOMAN
SIGNALING (CCS7)																
	CCS7 Signaling Termination, Per STP Port				PTBSX	135.05										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000607										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP6A	17.93	43.57	18.31	18.31							
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP6B	17.93	43.57	18.31	18.31							
	CCS7 Signaling Connection, Switched access service, interface groups, transmission paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	17.93	43.57	18.31	18.31							
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	17.93	43.57	18.31	18.31							
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	TPP9B	17.93	43.57	18.31	18.31							
	CCS7 Signaling Connection, Switched access service, interface groups, transmission paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	17.93	43.57	18.31	18.31							
	CCS7 Signaling Usage, Per ISUP Message					0.0000152										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	694.32										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO	46.03	46.03	46.03	46.03							

LOCAL INTERCONNECTION - Georgia										Attachment: 3 Exh. A			
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	SOME	SOMAN	SOMAN
SIGNALING (CCS7)													
	CCS7 Signaling Termination, Per STP Port												
	CCS7 Signaling Usage, Per TCAP Message				PT8SX	108.80							
	CCS7 Signaling Connection, Per link (A link) (same as E.3.1)		UDB			0.0000527							
	CCS7 Signaling Connection, Per link (B link) (also known as D link) (same as E.3.1)		UDB		TPP6A	8.73	34.77		16.91	16.91			
	CCS7 Signaling Connection, Switched access service, interface groups, transmission paths 6 DS1 level path with bit stream signaling		UDB		TPP6B	8.73	34.77		16.91	16.91			
	CCS7 Signaling Connection, Per link (A link) (same as E.3.1)		UDB		TPP6X	8.73	34.77		16.91	16.91			
	CCS7 Signaling Connection-B link(also known as D link) per month (same as E.3.1)		UDB		TPP9A	8.73	34.77		16.91	16.91			
	CCS7 Signaling Connection, Switched access service, interface groups, transmission paths 9 DS3 level path with bit stream signaling		UDB		TPP9B	8.73	34.77		16.91	16.91			
	CCS7 Signaling Usage, Per ISUP Message (same as E.3.3)		UDB		TPP9X	8.73	34.77		16.91	16.91			
	CCS7 Signaling Usage Surrogate, per link		UDB		STU56	0.0000132							
	CCS7 Signaling Point Code, Establishment or Change, per STP affected		UDB		CCAPO	907.44							
							28.15		33.32	33.32			

LOCAL INTERCONNECTION - Kentucky																		
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec Manually per LSR	Svc Order Submitted Manually per LSR	Attachment: 3 Exh. A			Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First			Add'l	SOMEc	SOMAN				
						</												

LOCAL INTERCONNECTION - Louisiana										Attachment: 3 Exh. A						
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Nonrecurring First	Nonrecurring Add'l	Disconnect First			Add'l	SOMAN	SOMAN	SOMAN		SOMAN
						Rec										

LOCAL INTERCONNECTION - Mississippi													Attachment: 3 Exh. A			
CATEGORY	RATE ELEMENTS	Interf m	Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Nonrecurring		Disconnect Add'l			SOME	SOMAN	SOMAN	SOMAN		SOMAN
						Rec	First									
SIGNALING (CCS7)																
	CCS7 Signaling Termination, Per STP Port															
	CCS7 Signaling Usage, Per TCAP Message				PT8SX			132.21								
	CCS7 Signaling Connection, Per link (A link)			UDB				0.0000597								
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP6A			16.55	35.74	16.53	16.53					
	CCS7 Signaling Connection, Switched access service, interface groups, transmission paths 6 DS1 level path with bit stream signaling			UDB	TPP6B			16.55	35.74	16.53	16.53					
	CCS7 Signaling Connection-A link, per month			UDB	TPP6X			16.55	35.74	16.53	16.53					
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	TPP9A			16.55	35.74	16.53	16.53					
	CCS7 Signaling Connection, Switched access service, interface groups, transmission paths 9 DS3 level path with bit stream signaling			UDB	TPP9B			16.55	35.74	16.53	16.53					
	CCS7 Signaling Usage, Per ISUP Message			UDB	TPP9X			16.55	35.74	16.53	16.53					
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56			0.0000149								
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO			683.55								
				UDB				29.18	29.18	35.78	35.78					







[illegible]