

RECEIVED

2005 AUG 5 AM 9:00

BellSouth Telecommunications, Inc
333 Commerce Street
Suite 2101
Nashville, TN 37201-3300

guy.hicks@bellsouth.com

Guy M. Hicks
General Counsel

615 214 6301
Fax 615 214 7406

T.R.A. DOCKET ROOM

August 4, 2005

VIA HAND DELIVERY

Hon. Ron Jones
Chairman
Tennessee Regulatory Authority
460 James Robertson Parkway
Nashville, Tennessee 37243-0505


Re *Approval of the Amendment to the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc. and Cypress Communications Operating Company, Inc. Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996*
Docket No. 05-00221

Dear Chairman Jones:

Pursuant to Section 252(e) of the Telecommunications Act of 1996, Cypress Communications Operating Company, Inc. and BellSouth Telecommunications, Inc. are hereby submitting to the Tennessee Regulatory Authority the original and fourteen copies of the attached Petition for Approval of the Amendment to the Interconnection Agreement dated effective July 23, 2003. The Amendment relates to the FCC's Order on Remand.

Thank you for your attention to this matter.

Sincerely yours,



Guy M. Hicks

cc: Gregory P. McGraw, President and CEO, Cypress Communications
Walt Sapronov, Esq., Gerry & Sapronov LLP

BEFORE THE TENNESSEE REGULATORY AUTHORITY
Nashville, Tennessee

In re: *Approval of the Amendment to the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc. and Cypress Communications Operating Company, Inc. Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996*

Docket No. _____

PETITION FOR APPROVAL OF THE
AMENDMENT TO THE INTERCONNECTION AGREEMENT
NEGOTIATED BETWEEN BELL SOUTH TELECOMMUNICATIONS, INC.
AND CYPRESS COMMUNICATIONS OPERATING COMPANY, INC.
PURSUANT TO THE TELECOMMUNICATIONS ACT OF 1996

COME NOW, Cypress Communications Operating Company, Inc. ("Cypress Communications") and BellSouth Telecommunications, Inc., ("BellSouth"), and file this request for approval of the Amendment to the Interconnection Agreement dated effective July 23, 2003 (the "Amendment") negotiated between the two companies pursuant to Sections 251 and 252 of the Telecommunications Act of 1996, (the "Act"). In support of their request, Cypress Communications and BellSouth state the following:

1. Cypress Communications and BellSouth have successfully negotiated an agreement for interconnection of their networks, the unbundling of specific network elements offered by BellSouth and the resale of BellSouth's telecommunications services to Cypress Communications. The Interconnection Agreement was approved by the Tennessee Regulatory Authority ("TRA") on June 27, 2005.

2. The parties have recently negotiated an Amendment to the Agreement which relates to the FCC's Order of Remand. A copy of the Amendment is attached hereto and incorporated herein by reference.

3. Pursuant to Section 252(e) of the Telecommunications Act of 1996, Cypress Communications and BellSouth are submitting their Amendment to the TRA for its consideration and approval. The Amendment provides that either or both of the parties are authorized to submit this Amendment to the TRA for approval.

4. In accordance with Section 252(e) of the Act, the TRA is charged with approving or rejecting the negotiated Amendment between BellSouth and Cypress Communications within 90 days of its submission. The Act provides that the TRA may only reject such an agreement if it finds that the agreement or any portion of the agreement discriminates against a telecommunications carrier not a party to the agreement or the implementation of the agreement or any portion of the agreement is not consistent with the public interest, convenience and necessity.

5. Cypress Communications and BellSouth aver that the Amendment is consistent with the standards for approval.


6. Pursuant to 47 USC Section 252(i) and 47 C.F.R. Section 51.809, BellSouth shall make available the entire Interconnection Agreement approved pursuant to 47 USC Section 252.

Cypress Communications and BellSouth respectfully request that the TRA approve the Amendment negotiated between the parties.

This 4th day of August, 2005.

Respectfully submitted,

BELLSOUTH TELECOMMUNICATIONS, INC.

By: 


Guy M. Hicks
333 Commerce Street, Suite 2101
Nashville, Tennessee 37201-3300
(615) 214-6301
Attorney for BellSouth

CERTIFICATE OF SERVICE

I, Guy M Hicks, hereby certify that I have served a copy of the foregoing Petition for Approval of the Amendment to the Interconnection Agreement on the following via United States Mail on the 4th day of August, 2005:

Gregory P. McGraw
President and CEO
Cypress Communications Operating
Company, Inc.
3575 Piedmont Road
15 Piedmont Center, Suite 100
Atlanta, GA 30305

Walt Saprnov, Esq.
Gerry & Saprnov LLP
3 Ravinia Drive, Suite 1455
Atlanta, GA 30346


Guy M. Hicks

**Amendment to the Agreement
Between
Cypress Communications Operating Company, Inc.
and
BellSouth Telecommunications, Inc.
Dated July 23, 2003**

Pursuant to this Amendment, (the "Amendment"), Cypress Communications Operating Company, Inc ("Cypress"), and BellSouth Telecommunications, Inc ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated July 23, 2003 ("Agreement") to be effective March 11, 2005

WHEREAS, BellSouth and Cypress entered into the Agreement on July 23, 2003, and,

WHEREAS, BellSouth and Cypress desire to amend the Agreement to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand (Triennial Review Remand Order), WC Docket No 04-313, released February 4, 2005 and effective March 11, 2005,

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the parties,

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows

- 1 The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Exhibit 1, attached hereto and by reference incorporated into this Amendment
- 2 The Parties agree to add Sections 10 and 11 to Attachment 3 as follows

10 BASIC 911 AND E911 INTERCONNECTION

10.1 Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911

10.2 Basic 911 Interconnection BellSouth will provide to Cypress a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten (10) digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Cypress will be required to arrange to accept 911 calls from its End Users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate ten (10) digit directory number as stated on the list provided by

BellSouth Cypress will be required to route that call to the appropriate PSAP. When a municipality converts to E911 service, Cypress will be required to begin using E911 procedures.

10.3 E911 Interconnection Cypress shall install a minimum of two (2) dedicated trunks originating from its Serving Wire Center and terminating to the appropriate E911 tandem. The Serving Wire Center must be in the same LATA as the E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital (1.544 Mb/s) interface (DS1 facility). The configuration shall use CAMA-type signaling with MF pulsing or SS7/ISUP signaling either of which shall deliver ANI with the voice portion of the call. If SS7/ISUP connectivity is used, Cypress shall follow the procedures as set forth in Appendix A of the CLEC Users Guide to E911 for Facility Based Providers that is located on the BellSouth Interconnection Web site. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. Cypress will be required to provide BellSouth daily updates to the E911 database. Cypress will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Cypress will be required to route the call to a designated seven (7) digit or ten (10) digit local number residing in the appropriate PSAP. This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. Cypress shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its End Users.

10.4 Trunks and facilities for 911 Interconnection may be ordered by Cypress from BellSouth pursuant to the terms and conditions set forth in this Attachment.

10.5 The detailed practices and procedures for 911/E911 interconnection are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers that is located on the BellSouth Interconnection Services Web site.

11 SS7 Network Interconnection

11.1 SS7 Network Interconnection is the interconnection of Cypress local signaling transfer point switches or Cypress local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Cypress local or tandem


- switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network
- 11 2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Cypress or other third-party switching systems with A-link access to the BellSouth SS7 network
- 11 3 If traffic is routed based on dialed or translated digits between a Cypress Local Switching system and a BellSouth or other third-party Local Switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Cypress local signaling transfer point switches and BellSouth or other third-party local switch
- 11 4 SS7 Network Interconnection shall provide
- 11 4 1 Signaling Data Link functions, as specified in ANSI T1 111 2,
- 11 4 2 Signaling Link functions, as specified in ANSI T1 111 3, and
- 11 4 3 Signaling Network Management functions, as specified in ANSI T1 111 4
- 11 5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1 112 This includes GTT and SCCP Management procedures as specified in ANSI T1 112 4 Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination Where the destination signaling point is a Cypress local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Cypress local STPs and shall not include SCCP Subsystem Management of the destination
- 11 6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1 113
- 11 7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1 114

- 11 8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP
- 11 9 Interface Requirements The following SS7 Network Interconnection interface options are available to connect Cypress or Cypress-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network
- 11 9 1 A-link interface from Cypress local or tandem switching systems, and
- 11 9 2 B-link interface from Cypress STPs
- 11 9 3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface
- 11 9 4 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP
- 11 9 5 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP These protocol interfaces shall conform to the applicable industry standard technical references
- 11 9 6 BellSouth shall set message screening parameters to accept messages from Cypress local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Cypress switching system has a valid signaling relationship
- 3 The Parties agree to add the rates for SS7 Interconnection to Exhibit A of Attachment 3, attached hereto as Exhibit 2 and by reference incorporated into this Amendment
4. The Parties agree to add Section 3.8 to Attachment 6 as follows
- 3 8 If Cypress modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Cypress in accordance with FCC No. 1 Tariff, Section 5

- 5 All of the other provisions of the Agreement dated July 23, 2003 shall remain unchanged and in full force and effect
- 6 Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(c) of the Federal Telecommunications Act of 1996

IN WITNESS WHEREOF, the Parties have executed this Amendment the day and year written below

BellSouth Telecommunications, Inc.

By: 

Name. Kristen Rowe

Title. Director

Date: 7/15/05

Cypress Communications Operating Company, Inc.

By: 

Name: NEAL L. MILLER

Title: EVP & CFO

Date: 7/11/05

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1	INTRODUCTION	3
2	LOOPS	7
3	LINE SPLITTING	29
4	LOCAL SWITCHING	31
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS.....	40
6	DEDICATED TRANSPORT AND DARK FIBER TRANSPORT	46
7	CALL RELATED DATABASES AND SIGNALING.....	55
8	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	65
9	OSS	66
	Rates.....	Exhibit A
	Rates.....	Exhibit B

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- 1 1 This Attachment sets forth rates, terms and conditions for Cypress' purchase of unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that BellSouth offers to Cypress for Cypress' provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for Cypress' purchase of certain other facilities and services described in this Attachment BellSouth makes available to Cypress (Other Services). Additionally, the provision of a particular Network Element or Other Service may require Cypress to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement regarding Cypress' purchase of Network Elements or Other Services pursuant to this Attachment, the provisions of this Attachment shall control.
- 1 2 The rates for each Network Element, Combinations and Other Services are set forth in Exhibits A and B. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. If Cypress purchases service(s) from a tariff or from a separate agreement all terms and conditions and rates as set forth in such tariff or a separate agreement, as applicable, shall apply to that purchase (but not to any other provision of the Agreement), to the extent such services are not otherwise required to be governed by this Agreement. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.
- 1 3 Cypress may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R. § 51.309.
- 1.4 The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1 5 Cypress shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- 1 6 Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services. Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to Cypress pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to Cypress pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge Cypress, as its sole non-recurring charge for Conversions, the applicable nonrecurring switch-as-is rates for

Conversions from wholesale services to specific Network Elements or Combinations found in Exhibit A BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations to wholesale services. Any rate change resulting from the Conversion will be effective as of the next billing cycle following BellSouth's receipt of a complete and accurate Conversion request from Cypress Except as may be otherwise provided in any separate agreement between the Parties, a Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between Cypress and BellSouth Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below

- 1.7 Except to the extent expressly provided otherwise in this Attachment, Cypress may not maintain or continue to purchase unbundled network elements or combinations of unbundled network elements that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that Cypress has in place any Arrangements after the Effective Date of this Agreement, BellSouth will provide Cypress with thirty (30) days written notice to disconnect or convert such Arrangements If Cypress fails to submit orders to disconnect or convert such Arrangements within such thirty (30) day period, BellSouth will transition such circuits to the equivalent tariffed BellSouth service(s) Those circuits identified and transitioned by BellSouth pursuant to this Section 1.7 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs The applicable recurring tariff charge shall apply to each circuit as of the Effective Date of this Agreement Cypress does not waive its right to dispute whether or not an unbundled network element or combination of unbundled network element constitutes an Arrangement under this section 1.7.
- 1.8 Prior to submitting an order pursuant to this Agreement for high capacity (DS1 or above) Dedicated Transport or high capacity Loops, Cypress shall undertake a reasonably diligent inquiry to determine whether Cypress is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, Cypress self-certifies that to the best of Cypress' knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, BellSouth shall process the request in reliance upon Cypress'

self-certification To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution in accordance with this section Notwithstanding anything to the contrary provided in this Agreement, any dispute between the parties related to Cypress' self certification and whether high capacity Dedicated Transport or Loops are available as Network Elements in a particular wire center shall be brought to the FCC for resolution. In the event such dispute is resolved in BellSouth's favor, BellSouth shall bill Cypress the difference between the rates for such circuits pursuant to this Agreement and the applicable nonrecurring and recurring charges for the equivalent tariffed service from the date of installation to the date the circuit is transitioned to the equivalent tariffed service. Within thirty (30) days following a decision finding in BellSouth's favor, Cypress shall submit a spreadsheet identifying those non-compliant circuits to be transitioned to tariffed services or disconnected

- 1 9 Cypress may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable BellSouth Technical References
- 1 10 BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C F R. § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth has anticipated such RNM and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then BellSouth shall perform such RNM at no additional charge RNM shall be performed within the intervals established for the Network Element and subject to the performance measurements and associated remedies set forth in Attachment 9 of this Agreement to the extent such RNM were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis BellSouth will provide a price quote for the request and, upon receipt of payment from Cypress, BellSouth shall perform the RNM.
- 1.11 Commingle of Services
- 1.11.1 Commingle means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that Cypress has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. Cypress must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities

- 1.11.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth, or 2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services
- 1.11.3 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth in a separate agreement between the Parties
- 1.11.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit
- 1.11.5 Notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine Network Elements or Combinations with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act
- 1.12 Terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference. The charges shall be as set forth in Exhibit A.
- 1.13 Ordering Guidelines and Processes
- 1.13.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, Cypress should refer to the "Guides" section of the BellSouth Interconnection Web site, which is incorporated herein by reference, as amended from time to time. The Web site address is:
<http://www.interconnection.bellsouth.com/>
- 1.13.2 Additional information may also be found in the individual CLEC Information Packages, which are incorporated herein by reference, as amended from time to time, located at the "CLEC UNE Products" Web site address
<http://www.interconnection.bellsouth.com/guides/html/unes.html>.
- 1.13.3 The provisioning of Network Elements, Combinations and Other Services to Cypress' Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with Cypress' Collocation Space. These cross-connections are separate components that are not considered a part of the Network

Element, Combinations or Other Services and, thus, have a separate charge pursuant to this Agreement

1.13.4 Testing/Trouble Reporting

1 13 4.1 Cypress will be responsible for testing and isolating troubles on Network Elements. Cypress must test and isolate trouble to the BellSouth network before reporting the trouble to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, Cypress will be required to provide the results of the Cypress test which indicate a problem on the BellSouth network.

1.13 4 2 Once Cypress has isolated a trouble to the BellSouth network, and has issued a trouble report to BellSouth, BellSouth will take the actions necessary to repair the Network Element when trouble is found. BellSouth will repair its network facilities to its wholesale customers in the same time frames that BellSouth repairs similar services to its retail End Users.

1 13 4 3 If Cypress reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth's network, BellSouth will charge Cypress a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Network Element's working status. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.

1 13 4 4 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Cypress (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Cypress for each additional dispatch required to repair the Network Element due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No. 1 Tariff, Section 13.3.1.

2 Loops

2.1 General The local loop Network Element is defined as a transmission facility that BellSouth provides pursuant to this Attachment between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an End User premises (Loop). Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters

and load coils) used to establish the transmission path to the End User's premises, including inside wire owned or controlled by BellSouth Cypress shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.

- 2 1 1 The Loop does not include any packet switched features, functions or capabilities
- 2 1 2 Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an End User's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the End User's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective End User's premises
 - 2 1 2 1 In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each End User in the MDU
 - 2.1.2.2 In FTTH/FTTC overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Cypress on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64 kilobits per second (kbps) second voice grade channel over its FTTH/FTTC facilities.
 - 2 1 2.3 Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Cypress. If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval
- 2 1.3 A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide Cypress with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid Loop, on an

unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises

2.1.4 Transition for DS1 and DS3 Loops

2.1.4.1 For purposes of this Section 2, the Transition Period for the Embedded Base of DS1 and DS3 Loops and for the Excess DS1 and DS3 Loops (defined in 2.1.4.3) is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006

2.1.4.2 For purposes of this Section 2, Embedded Base means DS1 and DS3 Loops that were in service for Cypress as of March 10, 2005 in those wire centers that, as of such date, meet the criteria set forth in Section 2.1.4.5.1 or 2.1.4.5.2. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.

2.1.4.3 Excess DS1 and DS3 Loops are those Cypress DS1 and DS3 Loops in service as of March 10, 2005, in excess of the caps set forth in Sections 2.3.6.2 and 2.3.12, respectively. Subsequent disconnects or loss of End Users shall be removed from Excess DS1 and DS3 Loops.

2.1.4.4 For purposes of this Section 2, a Business Line is defined in 47 C.F.R. § 51.5.

2.1.4.5 Notwithstanding anything to the contrary in this Agreement, and except as set forth in Section 2.1.4.12, BellSouth shall make available DS1 and DS3 Loops as described in this Section 2.1.4 only for Cypress' Embedded Base during the Transition Period.

2.1.4.5.1 DS1 Loops at any location within the service area of a wire center containing 60,000 or more Business Lines and four (4) or more fiber-based collocators

2.1.4.5.2 DS3 Loops at any location within the service area of a wire center containing 38,000 or more Business Lines and four (4) or more fiber-based collocators

2.1.4.6 A list of wire centers meeting the criteria set forth in Sections 2.1.4.5.1 and 2.1.4.5.2 above as of March 10, 2005 (Initial Wire Center List), is available on BellSouth's Interconnection Services Web site at www.interconnection.bellsouth.com.

2.1.4.7 Notwithstanding the Effective Dates of this Agreement, during the Transition Period, the rates for Cypress' Embedded Base of DS1 and DS3 Loops and Cypress' Excess DS1 and DS3 Loops described in this Section 2.1.4 shall be as set forth in Exhibit B

2.1.4.8 The Transition Period shall apply only to (1) Cypress' Embedded Base and (2) Cypress' Excess DS1 and DS3 Loops. Cypress shall not add new DS1 or DS3 loops as described in this Section 2.1.4 pursuant to this Agreement, except

pursuant to the self-certification process as set forth in Section 1.8 of this Attachment and as set forth in Section 2.1.4.12 below

- 2.1.4.9 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.5.1 and 2.1.4.5.2, no future DS1 Loop unbundling will be required in that wire center.
- 2.1.4.10 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.5.1 and 2.1.4.5.2, no future DS3 Loop unbundling will be required in that wire center.
- 2.1.4.11 No later than December 9, 2005 Cypress shall submit spreadsheet(s) identifying all of the Embedded Base of circuits and Excess DS1 and DS3 Loops to be either disconnected or converted to other BellSouth services pursuant to Section 1.6. The Parties shall negotiate a project schedule for the Conversion of the Embedded Base and Excess DS1 and DS3 Loops.
- 2.1.4.11.1 If Cypress fails to submit the spreadsheet(s) specified in Section 2.1.4.11 above for all of its Embedded Base and Excess DS1 and DS3 Loops prior to December 9, 2005, BellSouth will identify Cypress' remaining Embedded Base and Excess DS1 and DS3 Loops, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 2.1.4.11.1 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 2.1.4.11.2 For Embedded Base circuits and Excess DS1 and DS3 Loops converted pursuant to Section 2.1.4.11 or transitioned pursuant to 2.1.4.11.1, the applicable recurring tariff charge shall apply to each circuit as of the earlier of the date each circuit is converted or transitioned, as applicable, or March 11, 2006.
- 2.1.4.12 Modifications and Updates to the Wire Center List and Subsequent Transition Periods
- 2.1.4.12.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 2.1.4.5, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in a carrier notification letter (CNL). Each such list of additional wire centers shall be considered a "Subsequent Wire Center List".
- 2.1.4.12.2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to unbundle DS1 and/or DS3 Loops, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment.

- 2.1.4.12.3 For purposes of Section 2.1.4.12, BellSouth shall make available DS1 and DS3 Loops that were in service for Cypress in a wire center on the Subsequent Wire Center List as of the tenth (10th) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period)
- 2.1.4.12.4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base
- 2.1.4.12.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period
- 2.1.4.12.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List, Cypress shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base
- 2.1.4.12.6.1 If Cypress fails to submit the spreadsheet(s) specified in Section 2.1.4.12.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify Cypress' remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs
- 2.1.4.12.6.2 For Subsequent Embedded Base circuits converted pursuant to Section 2.1.4.12.6 or transitioned pursuant to Section 2.1.4.12.6.1, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period
- 2.1.5 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Web site: <http://www.interconnection.bellsouth.com>. For orders of fifteen (15) or more Loops, the installation and any applicable OC as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.

- 2 1 6 The Loop shall be provided to Cypress in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references
- 2 1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2 1 7 1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If Cypress wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and UCL-ND), Cypress may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A.
- 2 1.7 2 For voice grade Loop orders (or orders for Loops intended to provide voice grade services), Cypress shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop order completion due date.
- 2 1 8 Order Coordination (OC) and Order Coordination-Time Specific (OC-TS)
- 2 1 8 1 OC allows BellSouth and Cypress to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Cypress' facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2 1.8 2 OC-TS allows Cypress to order a specific time for OC to take place. BellSouth will make commercially reasonable efforts to accommodate Cypress' specific conversion time request. However, BellSouth reserves the right to negotiate with Cypress a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Cypress may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Cypress specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in BellSouth's Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

219

	Order Coordination (OC)	Order Coordination – Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non-Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non-Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office
For UVL-SL1 and UCLs, Cypress must order and will be billed for both OC and OC-TS if requesting OC-TS.					

2.1 9 CLEC to CLEC Conversions for Unbundled Loops

2.1.9 1 The CLEC to CLEC conversion process for Loops may be used by Cypress when converting an existing Loop from another CLEC for the same End User. The Loop type being converted must be included in Cypress' Interconnection Agreement before requesting a conversion

2.1 9 2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the

same End User location from the same serving wire center, and must not require an outside dispatch to provision

- 2.1.9.3 The Loops converted to Cypress pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type.

2.1.10 Bulk Migration

- 2.1.10.1 BellSouth will make available to Cypress a Bulk Migration process pursuant to which Cypress may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the parties, to Loops (UNE-L). The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs), and (2) located in the same Central Office. The terms and conditions for use of the Bulk Migration process are described in the BellSouth CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at www.interconnection.bellsouth.com/guides/html/uncs.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A. Additionally, Operations Support Systems (OSS) charges will also apply. Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2.6 below.

- 2.1.10.2 Should Cypress request migration for two (2) or more EATNs containing fifteen (15) or more circuits, Cypress must use the Bulk Migration process referenced in 2.1.11.1 above.

2.2 Unbundled Voice Loops (UVLs)

- 2.2.1 BellSouth shall make available the following UVLs:

2.2.1.1 2-wire Analog Voice Grade Loop – SL1 (Non-Designed)

2.2.1.2 2-wire Analog Voice Grade Loop – SL2 (Designed)

2.2.1.3 4-wire Analog Voice Grade Loop (Designed)

- 2.2.2 UVL may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade

services. BellSouth will not guarantee that Cypress will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2)

- 2.2.3 Unbundled Voice Loop - SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by Cypress, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service. Cypress may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Cypress may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A.
- 2.2.5 Unbundled Voice Loop - SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Cypress. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Cypress to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.
- 2.3 Unbundled Digital Loops
- 2.3.1 BellSouth will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop

- 2 3 2 3 2-wire Unbundled HDSL Compatible Loop
- 2 3 2 4 4-wire Unbundled HDSL Compatible Loop
- 2.3 2 5 4-wire Unbundled DS1 Digital Loop
- 2 3.2 6 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below
- 2.3.2 7 DS3 Loop
- 2.3 2 8 STS-1 Loop
- 2 3 3 2-wire Unbundled ISDN Digital Loops These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR Cypress will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service
- 2 3.4 2-wire ADSL-Compatible Loop This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length) The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR
- 2 3 5 2-wire or 4-wire HDSL-Compatible Loop This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length) It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR
- 2 3 6 4-wire Unbundled DS1 Digital Loop.
- 2.3 6 1 This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems It will include a 4-wire DS1 Network Interface at the End User's location For purposes of this Agreement, including the transition of DS1 and DS3 Loops described in Section 2.1.4 above, DS1 Loops include 2-wire and 4-wire copper Loops capable of providing high-bit rate digital subscriber line services, such as 2-wire and 4-wire HDSL Compatible Loops
- 2.3.6 2 BellSouth shall not provide more than ten (10) unbundled DS1 Loops to Cypress at any single building in which DS1 Loops are available as unbundled Loops.

- 2 3 7 4-wire Unbundled Digital/DS0 Loop These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2 3 8 DS3 Loop DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44 736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2 3 9 STS-1 Loop STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51 84 Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3 10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.
- 2.3.11 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth's TR73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2 3 12 Cypress may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 2.4 Unbundled Copper Loops (UCL)
- 2.4 1 BellSouth shall make available UCLs. The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.
- 2 4 2 Unbundled Copper Loop – Designed (UCL-D)

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Cypress
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Cypress to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire
- 2.4.3 Unbundled Copper Loop – Non-Designed (UCL-ND)
- 2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Cypress can request LMU for which additional charges would apply
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Cypress may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Cypress to provide a wide-range of telecommunications services as long

as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.

2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.

2.4.3.6 Cypress may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

2.5 Unbundled Loop Modifications (Line Conditioning)

2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serve no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth's TR73600 Unbundled Local Loop Technical Specification.

2.5.2 BellSouth will remove load coils only on copper Loops and Subloops that are less than 18,000 feet in length.

2.5.3 For any copper loop being ordered by Cypress which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from Cypress, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to Cypress. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.

2.5.4 Cypress may request removal of any unnecessary and non-excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to BellSouth's SC Process as mutually agreed to by the Parties.

2.5.5 Rates for ULM are as set forth in Exhibit A.

- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered
- 2.5.7 If Cypress requests ULM on a reserved facility for a new Loop order, BellSouth may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. Cypress will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the Loop provisioned.
- 2.5.8 Cypress shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Cypress desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for Cypress, Cypress will submit a SI to BellSouth. If a spare Loop facility that meets the Loop modification specifications requested by Cypress is available at the location for which the ULM was requested, Cypress will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Cypress will not be charged for ULM but will only be charged the service order charges for submitting an order.
- 2.6 Loop Provisioning Involving IDLC
- 2.6.1 Where Cypress has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Cypress. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Cypress (e.g., hairpinning):
1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises
 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated
 3. If capacity exists, provide "side-door" porting through the switch.
 4. If capacity exists, provide "Digital Access Cross-Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch)
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.

- 2 6 3 If no alternate facility is available, and upon request from Cypress, and if agreed to by both Parties, BellSouth may utilize its SC process to determine the additional costs required to provision facilities. Cypress will then have the option of paying the one-time SC rates to place the Loop
- 2 7 Network Interface Device
- 2 7 1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable
- 2.7.2 BellSouth shall permit Cypress to connect Cypress' Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point
- 2 7 3 Access to NID
- 2 7 3 1 Cypress may access the End User's premises wiring by any of the following means and Cypress shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID
- 2.7.3 1.1 BellSouth shall allow Cypress to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises,
- 2 7 3.1 2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the End User premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1 3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a cross-connect or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2 7 3 1.4 Cypress may request BellSouth to make other rearrangements to the End User premises wiring terminations or terminal enclosure on a time and materials cost basis

- 2 7 3 2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Cypress' responsibility to ensure there is no safety hazard, and Cypress will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.
- 2 7 3 3 Cypress shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3 4 Cypress shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2 7 3 5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Cypress to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4 1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2 7 4 2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross-connect to Cypress' NID.
- 2 7 4 3 Existing BellSouth NIDs will be operational and provided in "as is" condition. Cypress may request BellSouth to do additional work to the NID on a time and material basis. When Cypress deploys its own local loops in a multiple-line termination device, Cypress shall specify the quantity of NID connections that it requires within such device.
- 2 8 Subloop Elements
- 2 8 1 Where facilities permit, BellSouth shall offer access to its Unbundled Subloop (USL) elements as specified herein.

2.8.2 Unbundled Subloop Distribution (USLD)

2.8.2.1 The USLD facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist:

USLD – Voice Grade (USLD-VG)
Unbundled Copper Subloop (UCSL)
USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

2.8.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.

2.8.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.

2.8.2.3.1 If Cypress requests a UCSL and it is not available, Cypress may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.

2.8.2.4 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the End User's premises.

2.8.2.4.1 Upon request for USLD-INC from Cypress, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in twenty five (25) pair increments for Cypress' use on this cross-connect panel. Cypress will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).

2.8.2.5 For access to Voice Grade USLD and UCSL, Cypress shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation.

for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Cypress' cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.

- 2.8.2.6 Through the SI process, BellSouth will determine whether access to USLs at the location requested by Cypress is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Cypress' request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site address.
<http://www.interconnection.bellsouth.com/products/html/unel.html>
- 2.8.2.7 The site set-up must be completed before Cypress can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Cypress' cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, Cypress will request Subloop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when Cypress requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by Cypress for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 2.8.2.9 USLs will be provided in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specifications.
- 2.8.3 Unbundled Network Terminating Wire (UNTW)
- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.
- 2.8.3.3 Requirements

- 2.8 3 3 1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet
- 2.8.3 3 2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party
- 2 8 3 3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, and Cypress does own or control such wiring, Cypress will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to Cypress
- 2 8 3 3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Cypress for each pair activated commensurate to the price specified in Cypress' Agreement
- 2 8 3 3 5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs
- 2.8 3 3.6 Access Terminal installation intervals will be established on an individual case basis
- 2.8 3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with

removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed

- 2 8 3 3 8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8 3 3 9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2 8 3.3 10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge (NRC) equal to the actual cost of provisioning the Access Terminal.
- 2 8 3 3 11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.
- 2 8 4 Dark Fiber Loop.
- 2.8.4 1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Cypress to utilize Dark Fiber Loops.
- 2 8 4 2 Transition for Dark Fiber Loop

- 2 8 4 2 1 For purposes of this Section 2 8 4, the Transition Period for Dark Fiber Loops is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006
- 2 8 4.2 2 For purposes of this Section 2 8.4, Embedded Base means Dark Fiber Loops that were in service for Cypress as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base
- 2.8 4 3 During the Transition Period only, BellSouth shall make available for the Embedded Base Dark Fiber Loops for Cypress at the terms and conditions set forth in this Attachment
- 2.8.4 4 The rates for Cypress' Embedded Base of Dark Fiber Loops during the Transition Period shall be as set forth in Exhibit A
- 2.8 4.5 The Transition Period shall apply only to Cypress' Embedded Base and Cypress shall not add new Dark Fiber Loops pursuant to this Agreement.
- 2.8.4.6 Effective September 11, 2006, Dark Fiber Loops will no longer be made available pursuant to this Agreement and any remaining Embedded Base will be disconnected
- 2.8.4.7 No later than June 10, 2006 Cypress shall submit spreadsheet(s) identifying all of the Embedded Base of circuits to be either disconnected or converted to other BellSouth services as Conversions pursuant to Section 1.6. The Parties shall negotiate a project schedule for the Conversion of the Embedded Base
- 2 8 4 7 1 If Cypress fails to submit the spreadsheet(s) specified in Section 2 8 4 7 above for all of its Embedded Base prior to June 10, 2006, BellSouth will identify Cypress' remaining Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 2 8 4 7.1 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs
- 2.8.4 7.2 For Embedded Base circuits converted pursuant to Section 2.8.4 7 or transitioned pursuant to 2 8.4 7 1, the applicable recurring tariff charge shall apply to each circuit as of the earlier of the date each circuit is converted or transitioned, as applicable, or September 11, 2006
- 2 9 Loop Makeup
- 2.9.1 Description of Service

- 2.9.1.1 BellSouth shall make available to Cypress LMU information with respect to Loops that are required to be unbundled under this Agreement so that Cypress can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Cypress intends to install and the services Cypress wishes to provide. LMU is a preordering transaction, distinct from Cypress ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide Cypress LMU information consisting of the composition of the Loop material (copper/fiber), the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Cypress as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 Cypress may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Cypress and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Cypress' ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCL-ND, etc.) that support xDSL services, is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Except as set forth in Section 2.9.1.6, copper-only Loops will not be subject to change due to modification and/or upgrades to BellSouth's network and will remain on copper facilities until the Loop is disconnected by Cypress or the End User, or until BellSouth retires the copper facilities via the FCC's and any applicable Commission's requirements. Cypress is fully responsible

for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered

- 2.9.1.6 If BellSouth retires its copper facilities using 47 C.F.R. § 52.325(a) requirements; or is required by a governmental agency or regulatory body to move or replace copper facilities as a maintenance procedure, BellSouth will notify Cypress, according to the applicable network disclosure requirements. It will be Cypress' responsibility to move any service it may provide over such facilities to alternative facilities. If Cypress fails to move the service to alternative facilities by the date in the network disclosure notice, BellSouth may terminate the service to complete the network change.

2.9.2 Submitting LMUSI

- 2.9.2.1 Cypress may obtain LMU information and reserve facilities by submitting a mechanized LMU query or a manual LMUSI according to the terms and conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" Web site address: www.interconnection.bellsouth.com/guides/html/unes.html. After obtaining the Loop information from the mechanized LMU process, if Cypress needs further Loop information in order to determine Loop service capability, Cypress may initiate a separate Manual SI for a separate NRC as set forth in Exhibit A.
- 2.9.2.2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Cypress will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Cypress does not reserve facilities upon an initial LMUSI, Cypress' placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.
- 2.9.2.3 Where Cypress has reserved multiple Loop facilities on a single reservation, Cypress may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Cypress, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Cypress.
- 2.9.2.4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from BellSouth.
- 3 Line Splitting**
- 3.1 Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End

Users over the same Loop The Voice CLEC and Data LEC may be the same or different carriers

3 2 Line Splitting – UNE-L In the event Cypress provides its own switching or obtains switching from a third party, Cypress may engage in line splitting arrangements with another CLEC using a splitter, provided by Cypress, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent

3 3 Line Splitting –Loop and UNE Port (UNE-P)

3 3 1 To the extent Cypress is purchasing UNE-P pursuant to this Agreement, BellSouth will permit Cypress to replace UNE-P with Line Splitting The UNE-P arrangement will be converted to a stand-alone Loop, a Network Element switch port, two collocation cross-connects and the high frequency spectrum line activation The resulting arrangement shall continue to be included in Cypress' Embedded Base as described in Section 5 4 3 2.

3.3 2 Cypress shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if Cypress will not provide voice and data services

3 3 3 Line Splitting arrangements in service pursuant to this Section 3.3 must be disconnected or provisioned pursuant to Section 3 2 on or before March 10, 2006.

3.4 Provisioning Line Splitting and Splitter Space

3 4 1 The Data LEC, Voice CLEC or BellSouth may provide the splitter When Cypress or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location, a collocation cross-connection connecting the Loop to the collocation space, a second collocation cross-connection from the collocation space connected to a voice port, the high frequency spectrum line activation, and a splitter When BellSouth owns the splitter, Line Splitting requires the following. a non-designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross-connection from the collocation space connected to a voice port.

3.4 2 An unloaded 2-wire copper Loop must serve the End User The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs

3.4 3 The foregoing procedures are applicable to migration from a UNE-P arrangement to Line Splitting Service.

3 5 CLEC Provided Splitter – Line Splitting

- 3 5 1 To order High Frequency Spectrum on a particular Loop, Cypress must have a DSLAM collocated in the central office that serves the End User of such Loop.
- 3 5 2 Cypress must provide its own splitters in a central office and have installed its DSLAM in that central office
- 3 5 3 Cypress may purchase, install and maintain central office POTS splitters in its collocation arrangements. Cypress may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.5 4 Any splitters installed by Cypress in its collocation arrangement shall comply with ANSI T1 413, Annex E, or any future ANSI splitter Standards. Cypress may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.6 Maintenance – Line Splitting

- 3 6 1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the End User's premises and the termination point.
- 3.6.2 Cypress shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.

4 Local Switching

- 4.1 Notwithstanding anything to the contrary in this Agreement, the services offered pursuant to this Section 4 are limited to DS0 level Local Switching and BellSouth is not required to provide Local Switching pursuant to this Agreement except as set forth in Section 4.2.
- 4.1 1 BellSouth shall not be required to unbundle local circuit switching for Cypress for a particular End User when Cypress (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA; or (2) serves an End User with a DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Cypress is serving any End User as described above as of the Effective Date of this Agreement, such End User's arrangement may not remain in place and such

Arrangement must be terminated by Cypress or transitioned by Cypress, or BellSouth shall disconnect such Arrangements upon thirty (30) days notice

4.2 Transition for Local Switching

4.2.1 For purposes of this Section 4, the Transition Period for Local Switching is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.

4.2.2 For the purposes of this Section 4, Embedded Base shall mean Local Switching and any additional elements that are required to be provided in conjunction therewith that were in service for Cypress as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base

4.2.3 During the Transition Period only, BellSouth shall make Local Switching available for the Embedded Base, in addition to all elements that are required to be provided in conjunction with Local Switching, at the rates, terms and conditions set forth in this Attachment. The Transition Period shall apply only to Cypress' Embedded Base and Cypress shall not place new orders for Local Switching pursuant to this Agreement.

4.2.4 Notwithstanding the Effective Date of this Agreement, the rates for Cypress' Embedded Base of Local Switching during the Transition Period shall be as set forth in Exhibit A.

4.2.5 Cypress must submit orders, to disconnect or convert all of its Embedded Base of Local Switching to other BellSouth services as Conversions pursuant to Section 1.6 by October 1, 2005.

4.2.5.1 If Cypress fails to submit orders to disconnect or convert all of its Embedded Base of Local Switching as specified in Section 4.2.5 above prior to October 1, 2005, BellSouth will identify Cypress' remaining Embedded Base of Local Switching and will disconnect such Local Switching. Those circuits identified and disconnected by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement.

4.2.6 Effective March 11, 2006, Local Switching will no longer be made available pursuant to this Agreement.

4.3 Local Switching Capability, including Tandem Switching Capability

4.3.1 Local Switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local Switching includes all vertical features that the switch is capable of providing, including

custom calling, custom local area signalling service features, and Centrex, as well as any technically feasible customized routing functions

- 4.3.2 Unbundled local switching consists of three separate components: Unbundled Ports, End Office Switching Functionality, and End Office Interoffice Trunk Ports
- 4.3.3 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Cypress' End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service
- 4.3.4 Provided that Cypress has unbundled Local Switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a Cypress local End User, or originated by a BellSouth local End User and terminated to a Cypress local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge Cypress the Network Elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Cypress shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's Web site
<http://interconnection.bellsouth.com/products/docs/FLOWSPPT.pdf>
- 4.3.5 Where Cypress has unbundled Local Switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a Cypress End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs (GSST). For such local calls, BellSouth will charge Cypress the Network Elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Cypress shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website
- 4.3.6 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Cypress the Network Elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

- 4.3.7 Unbundled Ports may or may not include individual features. Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.3.8 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR Process as set forth in Attachment 11.
- 4.3.9 BellSouth will provide to Cypress selective routing of calls to a requested Operator System platform pursuant to this Agreement. Any other routing requests by Cypress will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.
- 4.3.10 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.3.11 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.3.12 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.3.13 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Cypress all Advanced Intelligent Network (AIN) triggers in connection with its Service Creation Environment and Service Management System (SCE/SMS) offering.
- 4.3.14 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Cypress.
- 4.3.15 BellSouth shall provide the following Local Switching interfaces:
- 4.3.15.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.3.15.2 Coin phone signaling,
- 4.3.15.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements,

- 4 3 15 4 2-wire analog interface to PBX,
- 4 3 15 5 4-wire analog interface to PBX, and
- 4 3 15.6 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers
- 4.3 16 Cypress shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 ALI Database
- 4 3 17 Cypress will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for the Cypress' End Users
- 4.4 Common (Shared) Transport
- 4 4 1 Common (Shared) Transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport
- 4 4 2 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing Local Switching to Cypress
- 4.4 3 Technical Requirements of Common (Shared) Transport
- 4 4 3 1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
- 4.4 3 2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 4.4 3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards
- 4.5 Tandem Switching
- 4.5.1 The Tandem Switching capability Network Element is defined as
 - (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross-connect panel and switch trunk card; (ii) the

basic switch trunk function of connecting trunks to trunks, and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features

4 5 2 Where Cypress utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Local Call Flows set forth on BellSouth's website, as amended from time to time and incorporated herein by this reference, illustrate when the full or melded Tandem Switching rates apply for specific scenarios

4.5 3 Technical Requirements

4.5 3 1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:

4.5 3 1 1 Tandem Switching shall provide signaling to establish a tandem connection;

4.5 3 1.2 Tandem Switching will provide screening as jointly agreed to by Cypress and BellSouth,

4.5.3.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;

4 5.3.1.4 Where applicable, Tandem Switching shall provide access to Toll Free number database;

4.5 3 1 5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and

4 5 3.1 6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.

- 4.5.3.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Cypress
- 4.5.3.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner
- 4.5.3.4 Tandem Switching shall process originating toll free traffic received from Cypress' local switch
- 4.5.3.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability
- 4.5.4 Upon Cypress' purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Cypress' traffic overflowing from direct end office high usage trunk groups
- 4.6 Remote Call Forwarding (URCF)
- 4.6.1 As an option, BellSouth shall make available to Cypress an unbundled port with Remote Call Forwarding capability. URCF service combines the functionality of unbundled Local Switching, Tandem Switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. Cypress must ensure that the following conditions are satisfied:
 - 4.6.1.1 the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User),
 - 4.6.1.2 the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service,
 - 4.6.1.3 the URCF service will not be utilized to forward calls to another URCF or similar service; and
 - 4.6.1.4 the forward-to number (service) is not a public safety number (e.g., 911, fire or police number)
- 4.6.2 In addition to the charge for the URCF service port, BellSouth shall charge Cypress the rates set forth in Exhibit A for unbundled Local Switching, Tandem Switching, and Common Transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service)

4 7 AIN Selective Carrier Routing for Operator Services, Directory Assistance and Repair Centers

4 7 1 Where BellSouth provides Local Switching to Cypress, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of Cypress. AIN SCR will provide Cypress with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations

4.7.2 Cypress shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per central office per state basis

4.7 3 AIN SCR is not available in DMS 10 switches.

4.7 4 Where AIN SCR is utilized by Cypress, the routing of Cypress' End User calls shall be pursuant to information provided by Cypress and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN SCR is established.

4 7 5 Upon ordering AIN SCR Regional Service, Cypress shall remit to BellSouth the nonrecurring Regional Service Order charge set forth in Exhibit A. There shall be a nonrecurring End Office Establishment Charge as set forth in Exhibit A, per office, due at the addition of each central office where AIN SCR will be utilized. For each Cypress End User activated, there shall be a nonrecurring End User Establishment charge as set forth in Exhibit A. Cypress shall pay the AIN SCR Per Query Charge set forth in Exhibit A.

4 7 6 This nonrecurring Regional Service Order charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including Regional SCR Order Request-Form A, Central Office AIN SCR Order Request - Form B, AIN SCR Central Office Identification Form - Form C, AIN SCR Routing Options Selection Form - Form D, and Routing Combinations Table - Form E. BellSouth has thirty (30) days to respond to Cypress' fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Cypress, BellSouth considers that the delivery schedule of this service commences. The remaining half of the nonrecurring Regional Service Order payment must be paid when at least ninety percent (90%) of the Central Offices listed on the original order have been turned up for the service.

4 7.7 The nonrecurring End Office Establishment charge will be billed to Cypress following BellSouth's normal monthly billing cycle for this type of order

- 4 7 8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End Office Establishment charges will be billed to Cypress following BellSouth's normal monthly billing cycle for this type of order.
- 4 7 9 Additionally, the AIN SCR Per Query Charge will be billed to Cypress following the normal billing cycle for per query charges
- 4.7 10 All other network components needed, (i.e., unbundled switching, unbundled local transport, etc.) will be billed per contracted rates
- 4 8 Selective Call Routing Using Line Class Codes (SCR-LCC)
- 4 8 1 Where Cypress has purchased unbundled Local Switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route Cypress' End User calls to that provider through Selective Call Routing
- 4.8.2 SCR-LCC provides the capability for Cypress to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if capacity is available in the requested BellSouth end office switches.
- 4.8.3 Custom Branding for Directory Assistance (DA) is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services
- 4 8.4 Where available, Cypress specific and unique LCCs are programmed in each BellSouth end office switch where Cypress intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify Cypress' End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Cypress intends to provide Cypress -branded OCP/DA to its End Users in these multiple rate areas.
- 4.8.5 SCR-LCC supporting Custom Branding and Self Branding require Cypress to order dedicated trunking from each BellSouth end office identified by Cypress, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Cypress Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth's FCC No. 1 Tariff.

4 8 6 Unbranding - Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by Cypress to the BellSouth TOPS

4 8 7 The Rates for SCR-LCC are as set forth in Exhibit A. There is a NRC for the establishment of each LCC in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

5 Unbundled Network Element Combinations

5 1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Cypress are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Cypress are not already combined by BellSouth in the location requested by Cypress but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Cypress are not elements that BellSouth combines for its use in its network.

5 1 1 Except as otherwise set forth in this Agreement, upon request, BellSouth shall perform the functions necessary to combine Network Elements that BellSouth is required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with BellSouth's network.

5 1.2 To the extent Cypress requests a Combination for which BellSouth does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the BFR process.

5.2 Rates

5 2 1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such Currently Combined Combination shall be the sum of the recurring rates for those

individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A

5.2.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations. Where an Ordinarily Combined Combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.

5.2.3 The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of Cypress.

5.3 Enhanced Extended Links (EELs)

5.3.1 EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide Cypress with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable.

5.3.2 High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated Transport commingled with a wholesale loop, or (3) a loop commingled with wholesale transport at the DS1 and/or DS3 level as described in 47 C.F.R. § 51.318(b).

5.3.3 By placing an order for a high-capacity EEL, Cypress thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit Cypress' high-capacity EELs as specified below.

5.3.4 Service Eligibility Criteria

5.3.4.1 High capacity EELs must comply with the following service eligibility requirements. Cypress must certify for each high-capacity EEL that all of the following service eligibility criteria are met:

5.3.4.1.1 Cypress has received state certification to provide local voice service in the area being served,

5.3.4.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL.

- 5 3 4 2 1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit,
- 5 3 4 2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 5 3 4 2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit,
- 5 3 4 2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 C.F.R. § 51.318(c),
- 5 3 4 2 5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which Cypress will transmit the calling party's number in connection with calls exchanged over the trunk,
- 5 3.4.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Cypress will have at least one (1) active DS1 local service interconnection trunk over which Cypress will transmit the calling party's number in connection with calls exchanged over the trunk; and
- 5.3.4.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic
- 5.3 4 3 BellSouth may, on an annual basis, audit Cypress' records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that Cypress failed to comply with the service eligibility criteria, Cypress must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that Cypress did not comply in any material respect with the service eligibility criteria, Cypress shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that Cypress did comply in all material respects with the service eligibility criteria, BellSouth will reimburse Cypress for its reasonable and demonstrable costs associated with the audit. Cypress will maintain appropriate documentation to support its certifications
- 5 3 4 4 In the event Cypress converts special access services to UNEs, Cypress shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5 4 UNE-P

- 5.4.1 DS0 Local Switching, as defined in Section 4, in combination with a Loop and Common (Shared) Transport as defined in Section 4.4 (UNE-P) provides local exchange service for the origination or termination of calls. UNE-P supports the same local calling and feature requirements as described in the Local Switching section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.4.2 Notwithstanding anything to the contrary in this Agreement, BellSouth is not required to provide UNE-P pursuant to this Agreement except as set forth in this Section 5.4.
- 5.4.3 Transition Period for UNE-P
- 5.4.3.1 For purposes of this Section 5.4, the Transition Period for UNE-P is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 5.4.3.2 For the purposes of this Section 5.4, Embedded Base shall mean UNE-P and any additional elements that are required to be provided in conjunction therewith that were in service for Cypress as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 5.4.3.3 During the Transition Period only, BellSouth shall make UNE-P available for the Embedded Base, in addition to all elements that are required to be provided in conjunction with UNE-P, at the rates, terms and conditions set forth in this Attachment. The Transition Period shall apply only to Cypress' Embedded Base and Cypress shall not place new orders for UNE-P pursuant to this Agreement.
- 5.4.3.4 Notwithstanding the Effective Date of this Agreement, the rates for Cypress' Embedded Base of UNE-P during the Transition Period shall be as set forth in Exhibit A.
- 5.4.3.5 Cypress must submit orders, or spreadsheets if converting to UNE Loops through the Bulk Migration process, outlined in Section 2.1.10, to either disconnect or convert all of its Embedded Base of UNE-P to other BellSouth services as Conversions pursuant to Section 1.6 by October 1, 2005.
- 5.4.3.5.1 If Cypress fails to submit orders or spreadsheets converting all of the Embedded Base of UNE-P as specified in Section 5.4.3.5 above prior to October 1, 2005, BellSouth will identify Cypress' remaining Embedded Base of UNE-P and will transition such UNE-P to resold BellSouth telecommunication services, as set forth in Attachment 1. Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of such BellSouth services as set forth in BellSouth's tariffs.

- 5 4 3 5 2 For Embedded Base UNE-P converted pursuant to Section 5 4 3 5 or transitioned pursuant to Section 5 4.3.5 1, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or March 11, 2006
- 5 4 3 6 Effective March 11, 2006, UNE-P will no longer be made available pursuant to this Agreement
- 5 4 4 BellSouth shall make 911 updates in the BellSouth 911 database for Cypress' UNE-P BellSouth will not bill Cypress for 911 surcharges Cypress is responsible for paying all 911 surcharges to the applicable governmental agency
- 5.5 Intercarrier Compensation
- 5.5 1 Intercarrier compensation for seven (7) or ten (10) digit dialed calls originated by Cypress utilizing Local Switching shall apply as follows:
- 5.5.2 For calls terminating to a BellSouth End User or to an End User served by BellSouth resold services, BellSouth shall charge Cypress for End Office Switching as set forth in Exhibit A at the terminating end office
- 5 5 3 For calls terminating to a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its End User, BellSouth shall charge Cypress for End Office Switching as set forth in Exhibit A at the terminating end office. BellSouth will not charge the terminating CLEC for End Office Switching as set forth in Exhibit A at the terminating end office
- 5.5.3 1 For calls terminating to third party carriers, such as CLECs, wireless carriers and independent companies, utilizing their own switches to serve their End Users, Cypress is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through BellSouth's network. If Cypress does not have such an agreement with a third party carrier and BellSouth is charged termination charges by a third party terminating a call originated by Cypress, or if such third party carrier bills BellSouth for terminating such calls, despite the existence of such an agreement, then BellSouth may, at its option
- 5.5.3 1.1 pay such charges as billed by the third party carrier and charge End Office Switching as set forth in Exhibit A to Cypress for each such call; or
- 5.5.3 1 2 pay such charges as billed by the third party carrier and Cypress will reimburse the full amount of such charges within thirty (30) days of BellSouth's request for reimbursement
- 5 5.3 2 Intercarrier compensation for seven (7) or ten (10) digit dialed calls terminating to Cypress utilizing Local Switching shall apply as follows:

- 5.5 3 2.1 For calls originated by a BellSouth End User or by an End User served by resold BellSouth services, BellSouth shall not charge Cypress for End Office Switching at the terminating end office for use of the network component, therefore, Cypress shall not charge BellSouth intercarrier compensation or any other charges for termination of such calls
- 5 5 3 2 2 For calls originated by a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its End User, BellSouth shall not charge Cypress for End Office Switching at the terminating end office for use of the network component, therefore, Cypress shall not charge the originating CLEC or BellSouth intercarrier compensation or any other charges for termination of such calls
- 5.5.3 2.3 For calls originated by third party carriers, such as CLECs, wireless carriers and independent companies,utilizing their own switches to serve their End Users, Cypress is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through BellSouth's network. Cypress may bill the third parties according to such agreements and shall not bill BellSouth for the exchange of traffic through BellSouth's network
- 5 5.3.3 Intercarrier compensation shall apply as follows for intralata 1+ dialed calls originated by Cypress utilizing Local Switching where Cypress uses BellSouth's CIC for its End User's LPIC
- 5.5 3 3 1 For calls terminating to a BellSouth End User or to an End User served by BellSouth resold services, BellSouth shall charge Cypress for End Office Switching as set forth in Exhibit A at the terminating end office
- 5 5 3.3.2 For calls terminating to a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its End User, BellSouth shall charge Cypress for End Office Switching as set forth in Exhibit A at the terminating end office BellSouth will not charge the terminating CLEC for End Office Switching at the terminating end office In the event that BellSouth is charged termination charges by the CLEC, BellSouth may pay such charges and Cypress will reimburse BellSouth the full amount of such charges within thirty (30) days following BellSouth's request for reimbursement
- 5 5.3 3.3 For calls terminating to third party carriers, such as CLECs, wireless carriers and independent companies, utilizing their own switches to serve their End Users, Cypress is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through BellSouth's network If Cypress does not have such an agreement with a third party carrier and BellSouth is charged termination charges by a third party terminating a call originated by Cypress, or if such third party carrier bills BellSouth for terminating such calls, despite the existence of such an agreement, then BellSouth may, at its option

- 5.5.3.3.1 pay such charges as billed by the third party carrier and charge End Office Switching as set forth in Exhibit A to Cypress for each such call, or
- 5.5.3.3.2 pay such charges as billed by the third party carrier and Cypress will reimburse BellSouth the full amount of such charges within thirty (30) days following BellSouth's request for reimbursement
- 5.5.3.4 Intercarrier compensation shall apply as follows for intralata 1+ dialed calls terminating to Cypress utilizing Local Switching where the originating carrier uses BellSouth's CIC for its End User's LPIC.
- 5.5.3.4.1 For calls originated by a BellSouth End User or by an End User served by BellSouth resold service, BellSouth shall charge Cypress for End Office Switching as set forth in Exhibit A at the terminating end office for use of the End Office Switching network component in terminating such calls. Cypress may charge BellSouth for intercarrier compensation at the End Office Switching as set forth in Exhibit A in this Agreement for such calls. Cypress shall not charge originating or terminating switched access rates to BellSouth for termination of such calls
- 5.5.3.5 For calls originated by or terminating to interexchange carriers through a switched access arrangement, Cypress may bill the interexchange carrier in accordance with Cypress' tariff and will not bill BellSouth any charges for such call. Cypress shall pay BellSouth applicable charges for the use of BellSouth's network in accordance with the rates set forth in Exhibit A for originating and terminating such calls.

6 Dedicated Transport and Dark Fiber Transport

- 6.1 Dedicated Transport Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by Cypress Including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to Cypress. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement. In addition, except as set forth in Section 6.2 below, BellSouth shall not be required to provide to Cypress unbundled access to interoffice transmission facilities that do not connect a pair of wire centers or switches owned by BellSouth ("Entrance Facilities")
- 6.2 Transition for DS1 and DS3 Dedicated Transport Including DS1 and DS3 Entrance Facilities
- 6.2.1 For purposes of this Section 6.2, the Transition Period for the Embedded Base of DS1 and DS3 Dedicated Transport, Embedded Base Entrance Facilities and for

Excess DS1 and DS3 Dedicated Transport, is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006

- 6.2.2 For purposes of this Section 6.2, Embedded Base means DS1 and DS3 Dedicated Transport that were in service for Cypress as of March 10, 2005 in those wire centers that, as of such date, met the criteria set forth in Section 6.2.6.1 or 6.2.6.2. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base
- 6.2.3 For purposes of this Section 6, Embedded Base Entrance Facilities means Entrance Facilities that were in service for Cypress as of March 10, 2005. Subsequent disconnects or loss of customers shall be removed from the Embedded Base
- 6.2.4 For purposes of this Section 6, Excess DS1 and DS3 Dedicated Transport means those Cypress DS1 and DS3 Dedicated Transport facilities in service as of March 10, 2005, in excess of the caps set forth in Section 6.6. Subsequent disconnects and loss of End Users shall be removed from Excess DS1 and DS3 Loops.
- 6.2.5 For purposes of this Section 6.2, a Business Line is as defined in 47 C.F.R. § 51.5.
- 6.2.6 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport as described in this Section 6.2 only for Cypress' Embedded Base during the Transition Period.
- 6.2.6.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain 38,000 Business Lines or four (4) or more fiber-based collocators
- 6.2.6.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.
- 6.2.6.3 A list of wire centers meeting the criteria set forth in Section 6.2.6.1 or 6.2.6.2 above as of March 10, 2005, is available on BellSouth's Interconnection Services Web site at www.interconnection.bellsouth.com, as (Initial Wire Center List).
- 6.2.6.4 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Entrance Facilities only for Cypress' Embedded Base Entrance Facilities and only during the Transition Period
- 6.2.6.5 Notwithstanding the Effective Date of this Agreement, during the Transition Period, the rates for Cypress' Embedded Base of DS1 and DS3 Dedicated Transport and for Cypress' Excess DS1 and DS3 Dedicated Transport, as described in this Section 6.2 shall be as set forth in Exhibit B and the rates for Cypress' Embedded Base Entrance Facilities as described in this Section 6.2 shall be as set forth in Exhibit A

- 6 2 6 6 The Transition Period shall apply only to (1) Cypress' Embedded Base and Embedded Base Entrance Facilities, and (2) Cypress' Excess DS1 and DS3 Dedicated Transport. Cypress shall not add new Entrance Facilities. Further, Cypress shall not add new DS1 or DS3 Dedicated Transport as described in this Section 6.2 pursuant to this Agreement, except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment and as set forth in Section 6 2 6 10 below.
- 6 2.6.7 Once a wire center exceeds either of the thresholds set forth in this Section 6 2 6.1 or 6 2 6 2, no future DS1 Dedicated Transport unbundling will be required in that wire center.
- 6 2 6 8 Once a wire center exceeds either of the thresholds set forth in Section 6 2 6 1 or 6 2.6.2, no future DS3 Dedicated Transport will be required in that wire center.
- 6.2.6 9 No later than December 9, 2005 Cypress shall submit spreadsheet(s) identifying all of the Embedded Base of circuits, Embedded Base Entrance Facilities, and Excess DS1 and DS3 Dedicated Transport to be either disconnected or converted to other BellSouth services pursuant to Section 1.6. The Parties shall negotiate a project schedule for the Conversion of the Embedded Base, Embedded Base Entrance Facilities and Excess DS1 and DS3 Dedicated Transport.
- 6.2.6.9 1 If Cypress fails to submit the spreadsheet(s) specified in Section 6.2.6 9 above for all of its Embedded Base, Embedded Base Entrance Facilities and Excess DS1 and DS3 Dedicated Transport prior to December 9, 2005, BellSouth will identify Cypress' remaining Embedded Base, Embedded Base Entrance Facilities and Excess DS1 and DS3 Dedicated Transport, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 6 2 6 9 1 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 6 2 6 9 2 For Embedded Base circuits, Embedded Base Entrance Facilities and Excess DS1 and DS3 Dedicated Transport converted pursuant to Section 6 2 6 9 or transitioned pursuant to 6 2 6 9.1, the applicable recurring tariff charge shall apply to each circuit as of the earlier of the date each circuit is converted or transitioned, as applicable, or March 11, 2006.
- 6 2 6 10 Modifications and Updates to the Wire Center List and Subsequent Transition Periods
- 6 2 6.10 1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 6 2 6 1 or 6 2.6 2, but that were not included in the Initial Wire

Center List, BellSouth shall include such additional wire centers in CNL. Each such list of additional wire centers shall be considered a Subsequent Wire Center List.

- 6.2.6 10.2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide DS1 and DS3 Dedicated Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment.
- 6.2.6 10.3 For purposes of Section 6.2.6 10, BellSouth shall make available DS1 and DS3 Dedicated Transport that was in service for Cypress in a wire center on the Subsequent Wire Center List as of the tenth (10th) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 6.2.6 10.4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.
- 6.2.6 10.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 6.2.6 10.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List, Cypress shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.
- 6.2.6 10.6.1 If Cypress fails to submit the spreadsheet(s) specified in Section 6.2.6 10.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify Cypress' remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 6.2.6 10.7 For Subsequent Embedded Base circuits converted pursuant to Section 6.2.6 10.6 or transitioned pursuant to Section 6.2.6 10.6.1, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.

- 6.3 BellSouth shall
 - 6.3.1 Provide Cypress exclusive use of Dedicated Transport to a particular customer or carrier,
 - 6.3.2 Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section;
 - 6.3.3 Permit, to the extent technically feasible, Cypress to connect Dedicated Transport to equipment designated by Cypress, including but not limited to, Cypress' collocated facilities, and
 - 6.3.4 Permit, to the extent technically feasible, Cypress to obtain the functionality provided by BellSouth's digital cross-connect systems
- 6.4 BellSouth shall offer Dedicated Transport
 - 6.4.1 As capacity on a shared facility, and
 - 6.4.2 As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to Cypress
- 6.5 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators
- 6.6 Cypress may obtain a maximum of ten (10) unbundled DS1 Dedicated Transport circuits or twelve (12) unbundled DS3 Dedicated Transport circuits, or their equivalent, on each route where the respective Dedicated Transport is available as a Network Element. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any
- 6.7 Technical Requirements
 - 6.7.1 BellSouth shall offer DS0 equivalent interface transmission rates for DS0 or voice grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
 - 6.7.2 BellSouth shall offer the following interface transmission rates for Dedicated Transport:

- 6 7 2 1 DS0 Equivalent,
- 6 7 2 2 DS1,
- 6.7.2.3 DS3; and
- 6 7 2 4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G 704
- 6 7.3 BellSouth shall design Dedicated Transport according to its network infrastructure Cypress shall specify the termination points for Dedicated Transport
- 6 7 4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and BellSouth Technical References,
- 6.7.4 1 Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986
- 6 7.4 2 BellSouth's TR73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.
- 6 7 4 3 BellSouth's TR73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.
- 6 8 Unbundled Channelization (Multiplexing)
- 6.8 1 To the extent Cypress is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1 544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Cypress may request channel activation on a channelized facility and BellSouth shall connect the requested facilities via COCIs. The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility This service is available as defined in NECA 4
- 6 8 2 BellSouth shall make available the following channelization systems and interfaces

- 6.8.2.1 DS1 Channelization System channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available Voice Grade, Digital Data and ISDN.
- 6.8.2.2 DS3 Channelization System channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.8.2.3 STS-1 Channelization System channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.8.3 Technical Requirements In order to assure proper operation with BellSouth provided central office multiplexing functionality, Cypress' channelization equipment must adhere strictly to form and protocol standards. Cypress must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.9 Dark Fiber Transport Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics. Except as set forth in Section 6.9.1 below, BellSouth shall not be required to provide access to Dark Fiber Transport Entrance Facilities pursuant to this Agreement.
- 6.9.1 Transition for Dark Fiber Transport and Dark Fiber Transport Entrance Facilities
- 6.9.1.1 For purposes of this Section 6.9, the Transition Period for Dark Fiber Transport is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.
- 6.9.1.2 For purposes of this Section 6.9, Embedded Base means Dark Fiber Transport that was in service for Cypress as of March 10, 2005 in those wire centers that, as of such date, met the criteria set forth in 6.9.1.4.1. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 6.9.1.3 For purposes of this Section 6.9, a Business Line is as defined in 47 C.F.R. § 51.5
- 6.9.1.4 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport as described in this Section 6.9 only for Cypress' Embedded Base during the Transition Period.
- 6.9.1.4.1 Dark Fiber Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.

- 6 9 1 5 A list of wire centers meeting the criteria set forth in Section 6 9 1 4 above as of March 10, 2005, ("Initial List") is available on BellSouth's Interconnection Services Web site at www.interconnection.bellsouth.com
- 6 9.1.6 Notwithstanding the Effective Date of this Agreement, during the Transition Period, the rates for Cypress' Embedded Base of Dark Fiber Transport as described in Section 6 9 1 2 shall be as set forth in Exhibit B and the rates for Cypress' Embedded Base of Dark Fiber Transport Entrance Facilities as described in Section 6 9 1 shall be as set forth in Exhibit A
- 6 9 1 7 The Transition Period shall apply only to Cypress' Embedded Base of Dark Fiber Transport and Dark Fiber Entrance Facilities. Cypress shall not add new Dark Fiber Transport as described in this Section 6.9 except pursuant to the self-certification process as set forth in Section 1 8 of this Attachment and as set forth in Section 6.9.1.10 below Further, Cypress shall not add new Dark Fiber Entrance Facilities pursuant to this Agreement.
- 6.9 1 8 Once a wire center exceeds either of the thresholds set forth in this Section 6.9.1 4, no future Dark Fiber Transport unbundling will be required in that wire center
- 6.9.1.9 No later than June 10, 2006 Cypress shall submit spreadsheet(s) identifying all of the Embedded Base of Dark Fiber Transport and Dark Fiber Entrance Facilities to be either disconnected or converted to other BellSouth services as Conversions pursuant to Section 1.6. The Parties shall negotiate a project schedule for the Conversion of the Embedded Base.
- 6 9.1.9 1 If Cypress fails to submit the spreadsheet(s) specified in Section 6.9.1.9 above for all of its Embedded Base prior to June 10, 2006, BellSouth will identify Cypress' remaining Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 6 9.1.9 1 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 6 9.1 9 2 For Embedded Base circuits converted pursuant to Section 6 9.1.9 or transitioned pursuant to 6 9 1 9 1, the applicable recurring tariff charge shall apply to each circuit as of the earlier of the date each circuit is converted or transitioned, as applicable, or September 11, 2006
- 6.9 1 10 Modifications and Updates to the Wire Center List and Subsequent Transition Periods

- 6.9.1.10.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 6.9.1.4.1, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in a CNL. Each such list of additional wire centers shall be considered a "Subsequent Wire Center List".
- 6.9.1.10.2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide unbundled access to Dark Fiber Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment.
- 6.9.1.10.3 For purposes of Section 6.9.1.10, BellSouth shall make available DS1 and DS3 Loops that were in service for Cypress in a wire center on the Subsequent Wire Center List as of the tenth (10th) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 6.9.1.10.4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.
- 6.9.1.10.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 6.9.1.10.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List, Cypress shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.
- 6.9.1.10.6.1 If Cypress fails to submit the spreadsheet(s) specified in Section 6.9.1.10.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify Cypress' remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 6.9.1.10.6.2 For Subsequent Embedded Base circuits converted pursuant to Section 6.9.1.10.6 or transitioned pursuant to Section 6.9.1.10.6.1, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or

transitioned, as applicable, or the first day after the end of the Subsequent Transition Period

6 10 Rearrangements

6 10.1 A request to move a working Cypress CFA to another Cypress CFA, where both CFAs terminate in the same BellSouth Central Office ("Change in CFA"), shall not constitute the establishment of new service. The applicable rates set forth in Exhibit A

6 10 2 Requests to re-terminate one end of a facility that is not a Change in CFA constitute the establishment of new service and require disconnection of existing service and the applicable rates set forth in Exhibit A shall apply

6.10 3 Upon request of Cypress, BellSouth shall project manage the Change in CFA or re-termination of a facility as described in Sections 6 10 1 and 6 10 2 above and Cypress may request OC-TS for such orders

6.10 4 BellSouth shall accept a Letter of Authorization (LOA) between Cypress and another carrier that will allow Cypress to connect a facility, or Combination that includes Dedicated Transport to the other carrier's collocation space or to another carrier's CFA associated with higher bandwidth transport.

7 Call Related Databases and Signaling

7 1 Call Related Databases are the databases other than OSS, that are used in signaling networks, for billing and collection, or the transmission, routing or other provision of a Telecommunications Service Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to call related databases and signaling including but not limited to, BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, STP, SS7 AIN Access, Service Control Point(SCP\Databases, Local Number Portability (LNP) Databases and Calling Name (CNAM) Database Service pursuant to this Agreement where BellSouth is required to provide and is providing Local Switching or UNE-P to Cypress pursuant to this Agreement.

7.2 BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service

7 2 1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX

TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Cypress' option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Cypress.

7.2.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

7.3 LIDB

7.3.1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Cypress must purchase appropriate signaling links pursuant to Section 7.3 of this Attachment. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

7.3.2 Technical Requirements

7.3.2.1 BellSouth will offer to Cypress any additional capabilities that are developed for LIDB during the life of this Agreement.

7.3.2.2 BellSouth shall process Cypress' customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Cypress what additional functions (if any) are performed by LIDB in the BellSouth network.

7.3.2.3 Within two (2) weeks after a request by Cypress, BellSouth shall provide Cypress with a list of the customer data items, which Cypress would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.

7.3.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.

7.3.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.

- 7.3.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year
- 7.3.2.7 All additions, updates and deletions of Cypress data to the LIDB shall be solely at the direction of Cypress. Such direction from Cypress will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 7.3.2.8 BellSouth shall provide priority updates to LIDB for Cypress data upon Cypress' request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 7.3.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Cypress customer records will be missing from LIDB, as measured by Cypress audits. BellSouth will audit Cypress records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated Cypress contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to Cypress within one (1) business day of audit. Once reconciled records are received back from Cypress, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00 p.m. Central Time. If more than 500 records are received, BellSouth will contact Cypress to negotiate a time frame for the updates, not to exceed three (3) business days.
- 7.3.2.10 BellSouth shall perform backup and recovery of all of Cypress' data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis, and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 7.3.2.11 BellSouth shall provide Cypress with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Cypress and BellSouth.
- 7.3.2.12 BellSouth shall prevent any access to or use of Cypress data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Cypress in writing.
- 7.3.2.13 BellSouth shall provide Cypress performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Cypress at least at parity with BellSouth Customer Data. BellSouth shall obtain

from Cypress the screening information associated with LIDB Data Screening of Cypress data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Cypress under the BFR/NBR Process as set forth in Attachment 11.

7.3.2.14 BellSouth shall accept queries to LIDB associated with Cypress customer records and shall return responses in accordance with industry standards.

7.3.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.

7.3.2.16 BellSouth shall provide processing time at the LIDB within 1 second for ninety-nine percent (99%) of all messages under normal conditions as defined in industry standards.

7.3.3 Interface Requirements

7.3.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.

7.3.3.2 The interface to LIDB shall be in accordance with the technical references contained within:

7.3.3.3 The CCS interface to LIDB shall be the standard interface described herein.

7.3.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.

7.3.3.5 The application of the LIDB rates contained in Exhibit A will be based on a Percent CLEC LIDB Usage (PCLU) factor. Cypress shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Cypress shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

7.4 Signaling. BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, STPs

and SCPs. Signaling functionality will be available with both A-link and B-link connectivity

- 7.4.1 Signaling Link Transport Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between Cypress designated SPOI that provide appropriate physical diversity
- 7.4.1.1 Technical Requirements
- 7.4.1.1.1 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways
- 7.4.1.1.1.1 As an “A-link” Signaling Link Transport is a connection between a switch or SCP and a home STP switch pair, and
- 7.4.1.1.1.2 As a “B-link” Signaling Link Transport is a connection between two (2) STP switch pairs in different company networks (e.g., between two (2) STP switch pairs for two (2) CLECs)
- 7.4.1.2 Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:
- 7.4.1.2.1 An A-link layer shall consist of two (2) links; and
- 7.4.1.2.2 A B-link layer shall consist of four (4) links.
- 7.4.1.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 7.4.1.3.1 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end), and
- 7.4.1.3.2 No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three (3) separate physical paths end-to-end).
- 7.4.2 Interface Requirements There shall be a DS1 (1.544 Mbps) interface at Cypress’ designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 7.4.3 STP An STP is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.

7.4.3.1 Technical Requirements

7.4.3.1.1 STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth SCPs/Databases connected to BellSouth SS7 network. STPs also provide access to third party local or tandem switching and third party provided STPs

7.4.3.1.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part (ISDNUP) or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message. Rates for ISDNUP and TCAP are as set forth in Exhibit A.

7.4.3.1.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Cypress local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Cypress local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.

7.4.3.1.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Cypress or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Cypress database, then Cypress agrees to provide BellSouth with the Destination Point Code for Cypress database.

7.4.3.1.5 STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).

- 7 4 3 1 6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Cypress or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.
- 7 4 4 SS7
- 7 4 4 1 When technically feasible and upon request by Cypress, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Cypress' SS7 network to exchange TCAP queries and responses with a Cypress SCP.
- 7.4.4.2 SS7 AIN Access shall provide Cypress SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Cypress SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Cypress SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.
- 7.4.4.3 Interface Requirements
- 7.4.4.3.1 BellSouth shall provide the following STP options to connect Cypress or Cypress-designated Local Switching systems to the BellSouth SS7 network.
- 7 4 4 3.1.1 An A-link interface from Cypress Local Switching systems; and
- 7.4.4.3.1.2 A B-link interface from Cypress local STPs
- 7.4.4.3.2 Each type of interface shall be provided by one or more layers of signaling links
- 7.4.4.3.3 The SPOI for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 7.4.4.3.4 BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.

- 7 4 4 3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references
- 7 4 4.4 Message Screening
 - 7 4.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from Cypress local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Cypress switching system has a valid signaling relationship
 - 7 4 4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from Cypress local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Cypress switching system has a valid signaling relationship
 - 7.4.4 4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Cypress from any signaling point or network interconnected through BellSouth's SS7 network where the Cypress SCP has a valid signaling relationship
- 7.4 5 SCP/Databases
 - 7.4.5 1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases LNP, LIDB, Toll Free Number Database, ALI/DMS, and CNAM Database BellSouth also provides access to SCE/SMS application databases and DA.
 - 7 4 5.2 A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. SMS provides operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs
 - 7 4.5.3 Technical Requirements for SCPs/Databases
 - 7.4 5 3 1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
 - 7.4.5.3 2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e g , SS7, ISDN and X 25)
 - 7 4.5.3 3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability

- 7 5 LNP Database The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.
- 7 6 CNAM Database Service
- 7.6 1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides Cypress the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- 7 6 2 Cypress shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60) calendar days prior to Cypress' access to BellSouth's CNAM Database Services and shall be addressed to Cypress' Local Contract Manager.
- 7 6 2 1 Cypress' End Users' names and numbers related to UNE-P Services and shall be stored in the BellSouth CNAM database, and shall be available, on a per query basis only, to all entities that launch queries to the BellSouth CNAM database. BellSouth, at its sole discretion, may opt to interconnect with and query other calling name databases. In the event BellSouth does not query a third party calling name database that stores the calling party's information, BellSouth cannot deliver the calling party's information to a called End User. In addition, BellSouth cannot deliver the calling party's information where the calling party subscribes to any service that would block or otherwise cause the information to be unavailable.
- 7.6 2 2 For each Cypress End User that subscribes to a switch based vertical feature providing calling name information to that End User for calls received, BellSouth will launch a query on a per call basis to the BellSouth CNAM database, or, subject to Section 7.6.2.1 above, to a third party calling name database, to provide calling name information, if available, to Cypress' End User. Cypress shall pay the rates set forth in Exhibit A, on a per query basis, for each query to the BellSouth CNAM database made on behalf of an Cypress End User that subscribes to the appropriate vertical features that support Caller ID or a variation thereof. In addition, Cypress shall reimburse BellSouth for any charges BellSouth pays to third party calling name database providers for queries launched to such database providers for the benefit of Cypress' End Users.
- 7 6 3 CNAM Database Service for Facility Based Customers. BellSouth's provision of CNAM Database Services to Cypress requires interconnection from Cypress to

BellSouth CNAM SCPs Such interconnections shall be established pursuant to Attachment 3 of this Agreement.

- 7 6 4 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Cypress shall provide its own CNAM SSP. Cypress' CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 7.6 5 If Cypress elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's TR-TSV-000905 CCS Network Interface Specification. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Cypress desires to query.
- 7 6 6 If Cypress queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's TR-TSV-000905 CCS Network Interface Specification. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- 7 6 7 The mechanism to be used by Cypress for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Cypress in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Cypress to provide accurate information to BellSouth on a current basis.
- 7.6.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 7 6.9 BellSouth currently does not have a billing mechanism for CNAM queries. BellSouth shall bill Cypress at the applicable rates set forth in Exhibit A based on a surrogate of two hundred and fifty-six (256) database queries per month per Cypress' End Users with the Caller ID feature.
- 7 7 SCE/SMS AIN Access

- 7 7 1 BellSouth's SCE/SMS AIN Access shall provide Cypress the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP
- 7 7 2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e g , help desk, system administrator) resources available to Cypress. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application
- 7 7 3 BellSouth SCP shall partition and protect Cypress service logic and data from unauthorized access.
- 7 7 4 When Cypress selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Cypress to use BellSouth's SCE/SMS AIN Access to create and administer applications
- 7 7 5 Cypress access will be provided via remote data connection (e g., dial-in, ISDN)
- 7 7 6 BellSouth shall allow Cypress to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

8 Automatic Location Identification/Data Management System (ALI/DMS)

8.1 911 and E911 Databases

- 8 1 1 BellSouth shall provide Cypress with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f).
- 8 1 2 The ALI/DMS database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. To the extent Cypress wishes to have access to 911 and E911 databases pursuant to this Section 8.1, Cypress will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 8.2.1

8.2 Technical Requirements

- 8 2 1 At Cypress' option and upon written request, BellSouth shall cause its 911 database vendor to provide Cypress the capability of providing updates to the ALI/DMS database through a specified electronic interface. Cypress shall contact BellSouth's 911 database vendor directly to request interface. Cypress shall provide updates directly to BellSouth's 911 database vendor on a daily basis.

Updates shall be the responsibility of Cypress and BellSouth shall not be liable for the transactions between Cypress and BellSouth's 911 database vendor

- 8.2.2 It is Cypress' responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site
- 8.2.3 Cypress shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth Interconnection Web site at <http://www.interconnection.bellsouth.com/guides>
- 8.2.4 Stranded Unlocks are defined as End User records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to Cypress, as a new provider of local service to the End User. Stranded Unlocks are those End User records that have been "unlocked" by the previous local exchange carrier that provided service to the End User and are open for Cypress to assume responsibility for such records.
 - 8.2.4.1 Based upon End User record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to Cypress that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. Cypress shall review the Stranded Unlock report, identify its End User records and request to either delete such records or migrate the records to Cypress within two (2) months following the date of the Stranded Unlock report provided by BellSouth. Cypress shall reimburse BellSouth for any charges demonstrably and actually assessed on BellSouth by BellSouth's database vendor for the deletion of Cypress' records.
- 9 OSS**
 - 9.1 BellSouth has developed and made available electronic interfaces by which Cypress may submit LSRs electronically.
 - 9.2 LSRs submitted by means of one of these electronic interfaces will incur an electronic service order charge. LSRs submitted by means other than one of these interactive interfaces (e.g., mail, fax, courier, etc.) will incur a manual order service charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). Electronic and manual service order charges are specified in Exhibit A.
 - 9.3 BellSouth will bill the electronic or manual service order charge for Network Elements as applicable, for an LSR, regardless of whether that LSR is later supplemented, clarified or cancelled.

- 9.4 Notwithstanding the foregoing, BellSouth will not bill an additional electronic or manual service order charge for supplements to any LSR submitted to clarify, correct, change or cancel a previously submitted LSR
- 9.5 Denial/Restoral OSS Charge BellSouth reserves the right to bill electronic or manual service order charges for each account as applicable. In the event Cypress provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location
- 9.6 Network Elements and Other Services Manual Additive. The Commissions in some states have ordered per element manual additive NRC for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

[illegible]

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2 Ex A				Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l			
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rac	Nonrecuring	First	Add'l	Nonrecuring Disconnect	First	Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch (U/L-SL1)				UEANL		15 78	8 94									
	Unbundled Voice Loop - Non-Design Voice Loop, billing for providing make-up (Engineering Information - E 1)				UEANM		13 44										
	Manual Order Coordination for U/L-SL1s (per loop)				UEANL		8 15	8 15									
	Order Coordination for Specified Conversion Time for U/L-SL1 (per LSR)				UEANL		18 09										
	2-WIRE UNBUNDLED COPPER LOOP																
	2-Wire Unbundled Copper Loop - Non-Design Zone 1		1	UEQ	UEQ2X	11 20	34 14	15 10	21 25	4 15							
	2 Wire Unbundled Copper Loop - Non-Design - Zone 2		2	UEQ	UEQ2X	13 27	34 14	15 10	21 25	4 15							
	2 Wire Unbundled Copper Loop - Non-Design - Zone 3		3	UEQ	UEQ2X	15 07	34 14	15 10	21 25	4 15							
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise				UEQ												
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Design (per loop)				UEQ		8 33	0 83									
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E 1)				UEQ		8 15										
	Loop Testing - Basic 1st Half Hour				UEQ		13 44										
	Loop Testing - Basic Additional Half Hour				UEQ		34 16	34 16									
	CLEC to CLEC Conversion Charge Without Outside Dispatch (U/L-SL1)				UEQ		19 85	19 85									
	UNBUNDLED EXCHANGE ACCESS LOOP																
	2-WIRE ANALOG VOICE GRADE LOOP																
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	12 58	37 81	17 56	23 49	5 30							
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	12 58	37 81	17 56	23 49	5 30							
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	21 05	37 81	17 56	23 49	5 30							
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	21 05	37 81	17 56	23 49	5 30							
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	34 34	37 81	17 56	23 49	5 30							
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	34 34	37 81	17 56	23 49	5 30							
	UNBUNDLED EXCHANGE ACCESS LOOP																
	2-WIRE ANALOG VOICE GRADE LOOP																
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	14 38	88 00	55 00	47 24	7 44							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	22 85	88 00	55 00	47 24	7 44							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	36 14	88 00	55 00	47 24	7 44							
	Order Coordination for Specified Conversion Time (per LSR)				UEA		18 09										
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	14 38	88 00	55 00	47 24	7 44							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	22 85	88 00	55 00	47 24	7 44							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	36 14	88 00	55 00	47 24	7 44							
	Order Coordination for Specified Conversion Time (per LSR)				UEA		18 09										
	CLEC to CLEC Conversion Charge without outside dispatch Loop Tagging - Service Level 2 (SL2)				UEA		11 21	1 10									
	4-WIRE ANALOG VOICE GRADE LOOP																
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	25 34	131 97	94 51	59 14	14 50							
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	36 58	131 97	94 51	59 14	14 50							
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60 02	131 97	94 51	59 14	14 50							
	Order Coordination for Specified Conversion Time (per LSR)				UEA		18 09										
	CLEC to CLEC Conversion Charge without outside dispatch				UEA		87 72	36 36									

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A		
						Rec	Nonrecurring		Disconnect	OSS Rates (\$)					
							First	Add'l		First			SOMEc	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
	2-WIRE ISDN DIGITAL GRADE LOOP														
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	UHL2X	21 88	117 24	79 77	52 88	10 54					
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	UHL2X	32 88	117 24	79 77	52 88	10 54					
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	UHL2X	48 55	117 24	79 77	52 88	10 54					
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18 09								
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91 63	44 16							
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP														
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11 01	110 00	68 00	47 24	7 44					
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	12 73	110 00	68 00	47 24	7 44					
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	14 30	110 00	68 00	47 24	7 44					
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18 09								
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2W	11 01	90 00	57 00	47 24	7 44					
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W	12 73	90 00	57 00	47 24	7 44					
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W	14 30	90 00	57 00	47 24	7 44					
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18 09								
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86 20	40 40							
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	8 74	110 00	68 00	47 24	7 44					
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	10 17	110 00	68 00	47 24	7 44					
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	11 44	110 00	68 00	47 24	7 44					
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18 09								
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	8 74	90 00	57 00	47 24	7 44					
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	10 17	90 00	57 00	47 24	7 44					
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	11 44	90 00	57 00	47 24	7 44					
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18 09								
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86 14	40 40							
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	13 95	148 36	68 00	51 70	9 73					
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	15 56	148 36	68 00	51 70	9 73					
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	15 25	148 36	68 00	51 70	9 73					
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18 09								
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	13 95	94 00	57 00	51 70	9 73					
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	15 56	94 00	57 00	51 70	9 73					
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	15 25	94 00	57 00	51 70	9 73					
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18 09								
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86 14	40 40							
	4-WIRE DS1 DIGITAL LOOP														
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	82 55	252 47	157 54	44 70	11 71					
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	154 18	252 47	157 54	44 70	11 71					
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	314 52	252 47	157 54	44 70	11 71					
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18 09								

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	First	Add'l	Nonrecurring	Disconnect		SOMECH	SOMAN	OSS Rates (\$)	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101 09	43 05		First	Add'l				
4-WIRE	19 2, 56 OR 64 Kbps DIGITAL GRADE LOOP														
	4 Wire Unbundled Digital 19 2 Kbps	1	UDL	UDL19	UDL19	26 09	126 27	88 80	59 14	14 50					
	4 Wire Unbundled Digital 19 2 Kbps	2	UDL	UDL19	UDL19	35 95	126 27	88 80	59 14	14 50					
	4 Wire Unbundled Digital 19 2 Kbps	3	UDL	UDL19	UDL19	37 88	126 27	88 80	59 14	14 50					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL	UDL56	UDL56	26 09	126 27	88 80	59 14	14 50					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	UDL56	UDL56	35 95	126 27	88 80	59 14	14 50					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	UDL56	UDL56	37 88	126 27	88 80	59 14	14 50					
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	18 09									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	UDL64	UDL64	26 09	126 27	88 80	59 14	14 50					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	UDL64	UDL64	35 95	126 27	88 80	59 14	14 50					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	UDL64	UDL64	37 88	126 27	88 80	59 14	14 50					
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	18 09									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO	102 13	49 75								
2-WIRE	Unbundled COPPER LOOP														
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB	UCLPB	11 01	112 46	65 30	47 24	7 44					
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPB	UCLPB	12 73	112 46	65 30	47 24	7 44					
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB	UCLPB	14 30	112 46	65 30	47 24	7 44					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 15	8 15							
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLPW	UCLPW	11 01	91 46	54 30	47 24	7 44					
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLPW	UCLPW	12 73	91 46	54 30	47 24	7 44					
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLPW	UCLPW	14 30	91 46	54 30	47 24	7 44					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 15	8 15							
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		97 23	42 48							
4-WIRE	COPPER LOOP														
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4S	UCL4S	17 36	135 21	88 05	51 70	9 73					
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4S	UCL4S	20 76	135 21	88 05	51 70	9 73					
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4S	UCL4S	28 21	135 21	88 05	51 70	9 73					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 15	8 15							
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4W	UCL4W	17 36	114 21	67 05	51 70	9 73					
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4W	UCL4W	20 76	114 21	67 05	51 70	9 73					
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4W	UCL4W	28 21	114 21	67 05	51 70	9 73					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 15	8 15							
	CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		97 23	42 48							
LOOP MODIFICATION															
	Unbundled Loop Modification Removal of Load Coils - 2 Wire pair less than or equal to 18k ft. per Unbundled Loop	1		UCL, UCL											

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2 Ex A				Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic-Disc Add'l	Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	Nonrecurring	First	Add'l	Nonrecurring	First	Add'l	Nonrecurring	First	Add'l	Nonrecurring	First
Sub-Loop Distribution																	
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up																
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA			244.42									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB			22.64									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	I		UEANL	USBSC			177.45									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD			55.15									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	11.21		65.80	30.96		45.25	6.70					
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	11.94		65.80	30.96		45.25	6.70					
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	16.86		65.80	30.96		45.25	6.70					
	Order Coordination for Unbundled Sub-Loops - per sub-loop pair			UEANL	USBMC			8.15	8.15								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	8.46		79.03	44.19		49.71	9.07					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	16.67		79.03	44.19		49.71	9.07					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	32.57		79.03	44.19		49.71	9.07					
	Order Coordination for Unbundled Sub-Loops - per sub-loop pair			UEANL	USBMC			8.15	8.15								
	Sub-Loop 2-Wire Intra-Building Network Cable (INC)	I		UEANL	USBR2	2.27		53.01	18.17		45.25	6.70					
	Order Coordination for Unbundled Sub-Loops - per sub-loop pair			UEANL	USBMC			8.15	8.15								
	Sub-Loop 4-Wire Intra-Building Network Cable (INC)	I		UEANL	USBR4	5.16		59.25	24.41		49.71	9.07					
	Order Coordination for Unbundled Sub-Loops - per sub-loop pair			UEANL	USBMC			8.15	8.15								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1			34.16	34.16								
	Loop Testing - Basic Additional Half Hour			UEANL	URET1			19.85	19.85								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.22		65.80	30.96		45.25	6.70					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	8.76		65.80	30.96		45.25	6.70					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	11.27		65.80	30.96		45.25	6.70					
	Order Coordination for Unbundled Sub-Loops - per sub-loop pair			UEF	USBMC			8.15	8.15								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.11		79.03	44.19		49.71	9.07					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	12.61		79.03	44.19		49.71	9.07					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.36		79.03	44.19		49.71	9.07					
	Order Coordination for Unbundled Sub-Loops - per sub-loop pair			UEF	USBMC			8.15	8.15								
	Loop Testing - Basic 1st Half Hour			UEF	URET1			34.16	34.16								
	Loop Testing - Basic Additional Half Hour			UEF	URET1			19.85	19.85								
	Unbundled Network Terminating Wire (UNTW)			UEANL	UEANL												
	Unbundled Network Terminating Wire (UNTW) per Pair			UEANL	UEANL	0.40		30.01									
	Network Interface Device (NID)			UEANL	UNDP												
	Network Interface Device (NID) - 1-2 lines			UEANL	UNDP			43.23	28.38								
	Network Interface Device (NID) - 1-6 lines			UEANL	UNDP			63.97	49.11								
	Network Interface Device Cross Connect - 2 W			UEANL	UNDC2			5.87	5.87								
	Network Interface Device Cross Connect - 4 W			UEANL	UNDC4			5.87	5.87								
	UNID - Provisioning Only - NO RATE			UEANL	UNDBX	0.00		0.00									
	UNID - Dispatch and Service Order for NID installation			UEANL	UNDBX	0.00		0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UEANL	UEANL	0.00		0.00									
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00		0.00									
	UNID - Provisioning Only - NO RATE			ENTW	UNECN	0.00		0.00									

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Attachment 2 Ex A			Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	
	Unbundled Contact Name Provisioning Only - no rate			UAL UCL,UDC UDL, UDN UEA UHL, USL	UNECH	0.00	0.00								
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN UCL UDC	USBFO	0.00	0.00								
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL UDL USL	USBFR CCOSF	0.00	0.00								
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOEF	0.00	0.00								
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate														
HIGH CAPACITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	8.38									
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	308.98	519.248	303.531	137.4135	96.117					
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	8.38									
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	319.83	519.248	303.531	137.4135	96.117					
LOOP MAKE-UP															
	Loop Makeup - Preordering Without Reservation - per working or spare facility queried (Manual)			UMK	UMK1W		20.00	20.00							
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)			UMK	UMK1P		21.00	21.00							
	Loop Makeup-With or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMO		0.59	0.59							
LINE SPLITTING															
LINE SPLITTING															
END USER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61									
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.01	21.19	20.02	9.83					
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83					
MAINTENANCE															
NOTE The Expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff, Section 13.3.1 as applicable															
	No Trouble Found - per 1/2 hour increments - Basic					80.00		55.00							
	No Trouble Found - per 1/2 hour increments - Overtime					90.00		65.00							
	No Trouble Found - per 1/2 hour increments - Premium					100.00		75.00							
UNBUNDLED DEDICATED TRANSPORT															
INTEROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			UITVX	1L5XX	0.008838									
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination			UITVX	UITV2	21.13	40.54	27.41	16.74	6.90					
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat - Per Mile per month			UITVX	1L5XX	0.008838									
	Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat - Facility Termination			UITVX	UITR2	21.13	40.54	27.41	16.74	6.90					
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			UITVX	1L5XX	0.008838									
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination			UITVX	UITV4	18.73	40.54	27.41	16.74	6.90					
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			UITDX	1L5XX	0.008838									
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			UITDX	UITD5	15.12	40.54	27.41	16.74	6.90					
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			UITDX	1L5XX	0.008838									
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			UITDX	UITD6	15.12	40.54	27.41	16.74	6.90					

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2 Ex A			
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Nonrecurring First	Nonrecurring Add'l	Nonrecurring First	Nonrecurring Add'l			SOMAN	SOMAN
						Rec							
	Interface Channel - Dedicated Channel - DS1 - Per Mile per month					0.18							
	Interface Channel - Dedicated Transport - DS1 - Facility Termination				U1TD1								
	Interface Channel - Dedicated Transport - DS3 - Per Mile per month				U1TD1	89.27	81.81	16.35	14.44				
	Interface Channel - Dedicated Transport - DS3 - Facility Termination per month				U1TD3	4.09							
	Interface Channel - Dedicated Transport - DS3 - Facility Termination per month				U1TD3	703.52	162.76	60.20	28.46				
	Interface Channel - Dedicated Transport - STS-1 - Per Mile per month				U1TS1	4.09							
	Interface Channel - Dedicated Transport - STS-1 - Facility Termination				U1TS1	701.37	162.76	60.20	28.46				
DARK FIBER	Dark Fiber Four Fiber Strands, Per Route Mile or Fraction thereof per month - Local Channel				UDF	69.37							
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction thereof per month - Interface Channel				UDF	23.29							
	NRC Dark Fiber - Interface Channel				UDF	639.09	137.87	317.06	197.66				
	Dark Fiber Four Fiber Strands, Per Route Mile or Fraction thereof per month - Local Loop				UDF	69.37							
8XX ACCESS TEN DIGIT SCREENING	8XX Access Ten Digit Screening, Per Call					0.000565							
	8XX Access Ten Digit Screening, w/ BFL No. Delivery					0.000565							
	8XX Access Ten Digit Screening, w/ POTS No. Delivery					0.000565							
LINE INFORMATION DATA BASE ACCESS (LIDB)	LIDB Common Transport Per Query					0.00002							
	LIDB Validation Per Query					0.012002							
	LIDB Originating Point Code Establishment or Change				OCU	34.32		42.08					
CALLING NAME (CNAM) SERVICE	CNAM for DB Owners, Per Query					0.000902							
	CNAM for Non DB Owners Per Query					0.000902							
LNP Query Service	LNP Charge Per query					0.000757							
	LNP Service Establishment Manual					12.52		11.51					
	LNP Service Provisioning with Point Code Establishment					593.49	303.20	268.93	197.74				
SELECTIVE ROUTING	Selective Routing Per Unique Line Class Code Per Request Per Switch					84.70	84.70	14.11	14.11				
VIRTUAL COLLOCATION	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting				UEPSR UEPSB	12.30	11.80	6.03	5.44				
PHYSICAL COLLOCATION	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting				UEPSR UEPSB	12.30	11.80	6.03	5.44				
AIN SELECTIVE CARRIER ROUTING	Regional Service Establishment					101.098.91		8.590.70					
	End Office Establishment					169.88	169.88	1.70	1.70				
	Query HRC, per query					0.002749							
AIN - BELL SOUTH AIN SMS ACCESS SERVICE	AIN SMS Access Service - Service Establishment, Per State, Initial Setup				AIN	39.44	39.44	40.69	40.69				
	AIN SMS Access Service - Port Connection - Dual/Shared Access				AIN	7.83	7.83	9.09	9.09				
	AIN SMS Access Service - Port Connection - ISDN Access				AIN	7.83	7.83	9.09	9.09				
	AIN SMS Access Service - User Identification Codes - Per User ID Code				AIN	35.00	35.00	27.06	27.06				
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement				AIN	41.88	41.88	11.71	11.71				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)				AIN	0.002188							

UNBUNDLED NETWORK ELEMENTS - Alabama				Attachment 2 Ex A									
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOMECH	SOMAN	OSS Rates (\$)	SOMAN
	AIN SMS Access Service - Session, Per Minute					0.59							
	AIN SMS Access Service - Company Performed Session, Per Minute					0.73							
SIGNALING (CCS7)													
	CCS7 Signaling Usage, Per TCAP Message					0.0000569							
	CCS7 Signaling Usage, Per ISUP Message					0.0000142							
ENHANCED EXTENDED LINK (EELs)													
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-is Charge and not the non-recurring charges below will apply for UNE combinations provided as 'Currently Combined' Network Elements													
2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION													
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24			7.44	
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24			7.44	
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24			7.44	
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.53	6.58	4.72					
4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION													
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14			14.50	
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14			14.50	
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14			14.50	
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72					
4-WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION													
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDCX	UDL64	26.09	126.27	88.80	59.14			14.50	
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDCX	UDL64	39.95	126.27	88.80	59.14			14.50	
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDCX	UDL64	60.02	126.27	88.80	59.14			14.50	
	OCU-DP COCI (data) - in combination - per month (2 4-64Kbps)			UNCDCX	1D1DD	1.12	6.58	4.72					
4-WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION													
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDCX	UDL64	26.09	126.27	88.80	59.14			14.50	
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDCX	UDL64	39.95	126.27	88.80	59.14			14.50	
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDCX	UDL64	60.02	126.27	88.80	59.14			14.50	
	OCU-DP COCI (data) - in combination - per month (2 4-64Kbps)			UNCDCX	1D1DD	1.12	6.58	4.72					
2-WIRE ISDN LOOP FOR USE IN A COMBINATION													
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNXX	U1L2X	21.88	117.24	79.77	52.88			10.54	
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNXX	U1L2X	32.85	117.24	79.77	52.88			10.54	
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNXX	U1L2X	48.55	117.24	79.77	52.88			10.54	
	2-Wire ISDN COCI (BRI/E) - in combination - per month			UNCNXX	UC1CA	2.41	6.58	4.72					
4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION													
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1XX	USLXX	82.55	252.47	157.54	44.70			11.71	
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1XX	USLXX	154.18	252.47	157.54	44.70			11.71	
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1XX	USLXX	314.52	252.47	157.54	44.70			11.71	
	DS1 COCI in combination per month			UNC1XX	UC1DI	12.70	6.58	4.72					
2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION													
	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.008838							
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	21.13	40.54	27.41	16.74			6.90	
4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION													
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.008838							
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	18.73	40.54	27.41	16.74			6.90	
DS1 INTEROFFICE TRANSPORT FOR COMBINATION													
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1XX	1L5XX	0.18							
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1XX	U1TF1	60.16	89.27	81.81	16.35			14.44	
DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION													
	Interoffice Transport - Dedicated - DS3 combination - Per Mile per month			UNC3XX	1L5XX	4.09							
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3XX	U1TF3	703.52	278.75	162.76	60.20			58.46	

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)						Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A	
						Rec	First	Adtl	Nonrecurring	First	Adtl			Disconnect	SOMECH
				UNC3X	MQ3	166 13	178 14	93 97		33 26	31 83				
	3/1 Channel System in combination per month														
	STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION														
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNC3X	1L5XX	4 09									
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNC3X	U1TF5	701 37	278 75	162 76	60 20	58 46					
	3/1 Channel System in combination per month			UNC3X	MQ3	166 13	178 14	93 97	33 26	31 83					
	4-WIRE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT														
	4-wire 56 kbps Local Loop in combination - Zone 1	1		UNC3X	UDL56	26 09	126 27	88 80	59 14	14 50					
	4-wire 56 kbps Local Loop in combination - Zone 2	2		UNC3X	UDL56	35 95	126 27	88 80	59 14	14 50					
	4-wire 56 kbps Local Loop in combination - Zone 3	3		UNC3X	UDL56	37 88	126 27	88 80	59 14	14 50					
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNC3X	1L5XX	0 008838									
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNC3X	U1TD5	15 12	40 54	27 41	16 74	6 90					
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT														
	4-wire 64 kbps Local Loop in Combination - Zone 1	1		UNC3X	UDL64	26 09	126 27	88 80	59 14	14 50					
	4-wire 64 kbps Local Loop in Combination - Zone 2	2		UNC3X	UDL64	35 95	126 27	88 80	59 14	14 50					
	4-wire 64 kbps Local Loop in Combination - Zone 3	3		UNC3X	UDL64	37 88	126 27	88 80	59 14	14 50					
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNC3X	1L5XX	0 008838									
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNC3X	U1TD6	15 12	40 54	27 41	16 74	6 90					
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT														
	4-wire 56 kbps Local Loop in combination - Zone 1	1		UNC3X	UDL56	26 09	126 27	88 80	59 14	14 50					
	4-wire 56 kbps Local Loop in combination - Zone 2	2		UNC3X	UDL56	35 95	126 27	88 80	59 14	14 50					
	4-wire 56 kbps Local Loop in combination - Zone 3	3		UNC3X	UDL56	37 88	126 27	88 80	59 14	14 50					
	Interoffice Transport - Dedicated - Per Mile per month			UNC3X	1L5XX	0 008838									
	Interoffice Transport - Dedicated - Facility Termination per month			UNC3X	U1TD5	15 12	40 54	27 41	16 74	6 90					
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT														
	4-wire 64 kbps Local Loop in combination - Zone 1	1		UNC3X	UDL64	26 09	126 27	88 80	59 14	14 50					
	4-wire 64 kbps Local Loop in combination - Zone 2	2		UNC3X	UDL64	35 95	126 27	88 80	59 14	14 50					
	4-wire 64 kbps Local Loop in combination - Zone 3	3		UNC3X	UDL64	37 88	126 27	88 80	59 14	14 50					
	Interoffice Transport - Dedicated - Per Mile per month			UNC3X	1L5XX	0 008838									
	Interoffice Transport - Dedicated - Facility Termination per month			UNC3X	U1TD6	15 12	40 54	27 41	16 74	6 90					
	DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT														
	4-Wire DS1 Digital Loop in Combination - Zone 1	1		UNC1X	USLXX	82 55	252 47	157 54	44 70	11 71					
	4-Wire DS1 Digital Loop in Combination - Zone 2	2		UNC1X	USLXX	154 18	252 47	157 54	44 70	11 71					
	4-Wire DS1 Digital Loop in Combination - Zone 3	3		UNC1X	USLXX	314 52	252 47	157 54	44 70	11 71					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0 18									
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	60 16	89 27	81 81	16 35	14 44					
	DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT														
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	9 637									
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	355 327	519 248	303 531	137 4135	96 117					
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4 09									
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	703 52	278 75	162 76	60 20	59 46					
	STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT														
	STS-1 Local Loop in combination - per mile per month			UNC3X	1L5ND	9 637									
	STS-1 Local Loop in combination - Facility Termination per month			UNC3X	UDLS1	367 8045	519 248	303 531	137 4135	96 117					

UNBUNDLED NETWORK ELEMENTS - Alabama														
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted ELEC per LSR	Attachment 2 Ex A			
						Rec	Nonrecurring		Disconnect		Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	
							First	Add'l						First
	Interface Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1LSXX	4 09								
	Interface Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	701 37	278 75	162 76	60 20	58 46				
ADDITIONAL NETWORK ELEMENTS														
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.													
	When used as a part of a currently combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not													
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)													
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX, UNCCX, UNCSX	UNCCC		5 59	5 59	6 98	6 98				
	Optional Features & Functions													
	Clear Channel Capability Extended Frame Option - per DS1	I		U1TD1, ULDD1, UNCCX	CCOEF		0 00	0 00	0 00	0 00				
	Clear Channel Capability Super FrameOption - per DS1	I		ULDD1, UNCCX	CCOSF		0 00	0 00	0 00	0 00				
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I		UNCCX, USL	NRCOC		184 85	23 81	1 99	0 7741				
	C-bit Parity Option - Subsequent Activity - per DS3	I		U1TD3, ULDD3, UE3, UNCCX	NRCOC3		219 13	7 67	0 7355	0 00				
MULTIPLEXERS														
	DS1 to DS0 Channel System per month			UNCCX	MO1	101 06	91 04	62 57	10 54	9 79				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) used for a Local Loop			UDL	1D1DD	1 12	6 58	4 72	0 00	0 00				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1 12	6 58	4 72	0 00	0 00				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA	2 41	6 58	4 72	0 00	0 00				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2 41	6 58	4 72	0 00	0 00				
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0 53	6 58	4 72	0 00	0 00				
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0 53	6 58	4 72	0 00	0 00				
	DS3 to DS1 Channel System per month			UNCCX	MQ3	166 13	178 14	93 97	33 26	31 83				
	STS-1 to DS1 Channel System per month			UNCCX	MQ3	166 13	178 14	93 97	33 26	31 83				
	DS1 COCI used with Loop per month			USL	UC1D1	12 70	6 58	4 72	0 00	0 00				
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	12 70	6 58	4 72	0 00	0 00				
	DS1 COCI used with interface Channel per month			U1TD1	UC1D1	12 70	6 58	4 72	0 00	0 00				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	12 70	6 58	4 72	0 00	0 00				
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)														
	The Exchange Switching Port Rates Reflected Here Apply to Embedded Base Switching Ports as of March 10, 2005 and Consist of the TELRIC Cost Based Rates Plus \$1 00 in Accordance with the TRRO													
	EXCHANGE PORT RATES													
	NOTE Although the Port Rate Includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs													
	2-WIRE VOICE GRADE LINE PORT RATES (RES)													
	Exchange Ports - 2-Wire Analog Line Port- Res			UEPSR	UEPRL	2 38	2 38	2 27	1 42	1 33				
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	2 38	2 38	2 27	1 42	1 33				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res			UEPSR	UEPRO	2 38	2 38	2 27	1 42	1 33				
	Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Res			UEPSR	UEPAR	2 38	2 38	2 27	1 42	1 33				

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2 Ex. A				Incremental Charge - Manual Svc Order vs Electronic- Disc 1st			
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled res low usage line port with Caller ID (LUM)			UEPSR	UEPAP	2.38	2.38	2.27	1.42	1.33							
	Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan without Caller ID			UEPSR	UEPWA	2.38	2.38	2.27	1.42	1.33							
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPSR	UEPRI	2.38	2.38	2.27	1.42	1.33							
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00									
FEATURES	All Available Vertical Features			UEPSR	UEPVF	1.98	0.00	0.00									
2-WIRE VOICE GRADE LINE PORT RATES (BUS)	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	2.38	2.38	2.27	1.42	1.33							
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller-E484 ID - Bus			UEPSB	UEPBC	2.38	2.38	2.27	1.42	1.33							
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus			UEPSB	UEPBO	2.38	2.38	2.27	1.42	1.33							
	Exchange Ports - 2-Wire VG unbundled AL extended local dialing party Port with Caller ID - Bus			UEPSB	UEPAW	2.38	2.38	2.27	1.42	1.33							
	Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	2.38	2.38	2.27	1.42	1.33							
	Exchange Ports - 2-Wire Voice Alabama Business Dialing Plan without Caller ID			UEPSB	UEPWB	2.38	2.38	2.27	1.42	1.33							
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPSB	UEPBE	2.38	2.38	2.27	1.42	1.33							
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00									
FEATURES	All Available Vertical Features			UEPSB	UEPVF	1.98	0.00	0.00									
EXCHANGE PORT RATES (DID & PBX)	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.38	31.27	14.85	13.94	0.90							
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.38	31.27	14.85	13.94	0.90							
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.38	31.27	14.85	13.94	0.90							
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPPI	2.38	31.27	14.85	13.94	0.90							
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.38	31.27	14.85	13.94	0.90							
	2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port			UEPSP	UEPA2	2.38	31.27	14.85	13.94	0.90							
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.38	31.27	14.85	13.94	0.90							
	2-Wire Voice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.38	31.27	14.85	13.94	0.90							
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.38	31.27	14.85	13.94	0.90							
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.38	31.27	14.85	13.94	0.90							
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.38	31.27	14.85	13.94	0.90							
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Capable Port			UEPSP	UEPXE	2.38	31.27	14.85	13.94	0.90							
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXL	2.38	31.27	14.85	13.94	0.90							
	Administrative Calling Port			UEPSP	UEPXM	2.38	31.27	14.85	13.94	0.90							
	Room Calling Port			UEPSP	UEPXM	2.38	31.27	14.85	13.94	0.90							
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	2.38	31.27	14.85	13.94	0.90							
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.38	31.27	14.85	13.94	0.90							
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00									
FEATURES	All Available Vertical Features			UEPSP	UEPVF	1.98	0.00	0.00									
NOTE	Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2 wire ISDN ports			UEPSP	UEPSE	1.98	0.00	0.00									
NOTE	Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process			UEPSP	UEPSE	1.98	0.00	0.00									
2-WIRE VOICE GRADE LINE PORT RATES (DID)	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	9.05	119.31	18.74	59.90	3.76							
2-WIRE VOICE GRADE LINE PORT RATES (ISDN-BRI)	Exchange Ports - 2-Wire ISDN Port (See Notes below)			UEPTX	UEPSX	10.79	72.77	52.99	47.79	10.74							
	All Features Offered			UEPTX	UEPVF	1.98	0.00	0.00									
	Exchange Ports - 2-Wire ISDN Port - Channel Profiles			UEPTX	UEPSX	0.00	0.00	0.00									
NOTE	Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports			UEPTX	UEPSX	0.00	0.00	0.00									

UNBUNDLED NETWORK ELEMENTS - Alabama																	
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Attachment 2 Ex A						
						Nonrecurring		Nonrecurring Disconnect		SOMEc	SOMAN	OSS Rates (\$)		Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st		
						First	Add'l	First	Add'l			SOMAN	SOMAN				
	NOTE Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bond Fide Request/New Business Request Process																
	UNBUNDLED PORT WITH REMOTE CALL FORWARDING CAPABILITY																
	Unbundled Remote Call Forwarding Service - RESIDENCE																
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	2 38		2 38	1 42	1 33							
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERICL	2 38		2 38	1 42	1 33							
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	2 38		2 38	1 42	1 33							
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	2 38		2 38	1 42	1 33							
	Non-Recurring																
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR	USAC2	0 10		0 10									
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVR	USACC	0 10		0 10									
	UNBUNDLED REMOTE CALL FORWARDING - Bus																
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	2 38		2 38	1 42	1 33							
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERICL	2 38		2 38	1 42	1 33							
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	2 38		2 38	1 42	1 33							
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	2 38		2 38	1 42	1 33							
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	2 38		2 38	1 42	1 33							
	Non-Recurring																
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVB	USAC2	0 10		0 10									
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVB	USACC	0 10		0 10									
	UNBUNDLED LOCAL SWITCHING, PORT USAGE																
	End Office Switching (Port Usage)																
	End Office Switching Function Per MOU					0 0007025											
	End Office Trunk Port - Shared Per MOU					0 0001638											
	Tandem Switching (Port Usage) (Local or Access Tandem)																
	Tandem Switching Function Per MOU					0 000095											
	Tandem Trunk Port - Shared, Per MOU					0 0002015											
	Tandem Switching Function Per MOU (Melded)					0 000040983											
	Tandem Trunk Port - Shared Per MOU (Melded)					0 000085947											
	Melded Factor 43 15% of the Tandem Rate																
	Common Transport																
	Common Transport - Per Mile, Per MOU					0 0000023											
	Common Transport - Facilities Termination Per MOU					0 0003224											
	UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
	>Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports																
	>The UNE-P Switching Port Rates Reflected in the Cost Based Section Apply to Embedded Base UNE-Ps as of March 10, 2005 and Consist of the TELRIC Cost Based Rates Plus \$1 00 in Accordance with the TRRO																
	>Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit																
	>End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations																
	>The first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections																
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
	UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1					13 70											
	2-Wire VG Loop/Port Combo - Zone 2					22 19											
	2-Wire VG Loop/Port Combo - Zone 3					35 80											
	UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11 55											
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	20 04											

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2 Ex A				Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l			
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- Disc Add'l	Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Nonrecurring Add'l	First	Nonrecurring Disconnect Add'l	SOMECE	SOMAN	Charge - Manual Svc Order vs Electronic- Disc Add'l	Charge - Manual Svc Order vs Electronic- Disc Add'l	Charge - Manual Svc Order vs Electronic- Disc Add'l	Charge - Manual Svc Order vs Electronic- Disc Add'l	Charge - Manual Svc Order vs Electronic- Disc Add'l	Charge - Manual Svc Order vs Electronic- Disc Add'l
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	33 65											
	2-Wire Voice Grade Line Port Rates (Res)																
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	2 15	19 83	40 19	24 91			6 63					
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	2 15	19 83	40 19	24 91			6 63					
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	2 15	19 83	40 19	24 91			6 63					
	2-Wire voice Grade unbundled Alabama extended local dialing party port with Caller ID - res			UEPRX	UEPAR	2 15	19 83	40 19	24 91			6 63					
	2-Wire voice unbundled res low usage line port with Caller ID (LUM)			UEPRX	UEPAP	2 15	19 83	40 19	24 91			6 63					
	2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID			UEPRX	UEPWA	2 15	19 83	40 19	24 91			6 63					
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	2 15	19 83	40 19	24 91			6 63					
	FEATURES			UEPRX	UEPVF	1 98	0 00										
	All Features Offered																
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		0 10										
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		0 10										
	2-Wire Voice Grade Loop / Line Port Platform - Installation Charge at QuickService location - Not Conversion of Existing Service			UEPRX	URECC		0 10										
	ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0 00	0 00										
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise			UEPRX	URETL		8 33										
	OFFICE PREMISES EXTENSION CHANNELS																
	2 Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPRX	UEAEN	12 58	37 81	17 56	23 49			5 30					
	2 Wire Analog Voice Grade Extension Loop - Non-Design		2	UEPRX	UEAEN	21 05	37 81	17 56	23 49			5 30					
	2 Wire Analog Voice Grade Extension Loop - Non-Design		3	UEPRX	UEAEN	34 34	37 81	17 56	23 49			5 30					
	2 Wire Analog Voice Grade Extension Loop - Design		1	UEPRX	UEAED	14 38	88 00	55 00	47 24			7 44					
	2 Wire Analog Voice Grade Extension Loop - Design		2	UEPRX	UEAED	22 85	88 00	55 00	47 24			7 44					
	2 Wire Analog Voice Grade Extension Loop - Design		3	UEPRX	UEAED	36 14	88 00	55 00	47 24			7 44					
	INTEROFFICE TRANSPORT																
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2	21 13	40 54	27 41	16 74			6 90					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	U1TVM	0 008838	0 00										
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
	UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1					13 70											
	2-Wire VG Loop/Port Combo - Zone 2					22 19											
	2-Wire VG Loop/Port Combo - Zone 3					35 80											
	UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11 55											
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20 04											
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	33 65											
	2-Wire Voice Grade Line Port (Bus)																
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1 15	40 19	19 83	24 91			6 63					
	2-Wire voice unbundled port with Caller - E484 ID - bus			UEPBX	UEPBC	1 15	40 19	19 83	24 91			6 63					
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1 15	40 19	19 83	24 91			6 63					
	2-Wire voice Grade unbundled Alabama extended local dialing party port with Caller ID - bus			UEPBX	UEPAW	1 15	40 19	19 83	24 91			6 63					
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1 15	40 19	19 83	24 91			6 63					
	2-Wire Voice Unbundled Alabama Business Dialing Plan without Caller ID			UEPBX	UEPWB	1 15	40 19	19 83	24 91			6 63					

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2 Ex. A				Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability																
FEATURES	All Features Offered																
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change																
ADDITIONAL NRCs	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity																
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise																
OFF/ON PREMISES EXTENSION CHANNELS	2-Wire Analog Voice Grade Extension Loop - Non-Design																
	2-Wire Analog Voice Grade Extension Loop - Non-Design																
	2-Wire Analog Voice Grade Extension Loop - Non-Design																
	2-Wire Analog Voice Grade Extension Loop - Design																
	2-Wire Analog Voice Grade Extension Loop - Design																
	2-Wire Analog Voice Grade Extension Loop - Design																
INTEROFFICE TRANSPORT	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination																
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile for Fraction Mile																
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1																
	2-Wire VG Loop/Port Combo - Zone 2																
	2-Wire VG Loop/Port Combo - Zone 3																
UNE Loop Rates	2-Wire Voice Grade Loop (SL 1) - Zone 1																
	2-Wire Voice Grade Loop (SL 1) - Zone 2																
	2-Wire Voice Grade Loop (SL 1) - Zone 3																
2-Wire Voice Grade Line Port Rates (RES - PBX)	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res																
FEATURES	All Features Offered																
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-as-is																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change																
ADDITIONAL NRCs	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity																
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group																
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise																
OFF/ON PREMISES EXTENSION CHANNELS	Local Channel Voice grade per termination																
	Local Channel Voice grade, per termination																
	Local Channel Voice grade, per termination																
	Non-Wire Direct Serve Channel Voice Grade																
	Non-Wire Direct Serve Channel Voice Grade																
	Non-Wire Direct Serve Channel Voice Grade																

UNBUNDLED NETWORK ELEMENTS - Alabama														
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMECH	SOMAN	SOMAN	SOMAN
	INTEROFFICE TRANSPORT													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRG	U1TV2	21 13	40 54	27 41	16 74	6 90				
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			UEPRG	U1TVM	0 008838	0 00	0 00						
	UNE Port/Loop Combination Rates													
	2-Wire VG Loop/Port Combo - Zone 1					13 70								
	2-Wire VG Loop/Port Combo - Zone 2					22 19								
	2-Wire VG Loop/Port Combo - Zone 3					35 80								
	UNE Loop Rates													
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	11 55								
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	20 04								
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	33 65								
	2-Wire Voice Grade Line Port Rates (BUS - PBX)													
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2 15	69 08	32 41	37 43	6 20				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2 15	69 08	32 41	37 43	6 20				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPI	2 15	69 08	32 41	37 43	6 20				
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama Calling Port			UEPPX	UEPA2	2 15	69 08	32 41	37 43	6 20				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2 15	69 08	32 41	37 43	6 20				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2 15	69 08	32 41	37 43	6 20				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2 15	69 08	32 41	37 43	6 20				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2 15	69 08	32 41	37 43	6 20				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2 15	69 08	32 41	37 43	6 20				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	2 15	69 08	32 41	37 43	6 20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	2 15	69 08	32 41	37 43	6 20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	2 15	69 08	32 41	37 43	6 20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	2 15	69 08	32 41	37 43	6 20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2 15	69 08	32 41	37 43	6 20				
FEATURES														
	All Features Offered			UEPPX	UEPVF	1 98	0 00	0 00						
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		7 91	1 90						
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		7 91	1 90						
ADDITIONAL NRCs														
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0 00	0 00	0 00						
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7 32	7 32						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8 33	0 83						
OFF/ON PREMISES EXTENSION CHANNELS														
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	14 38	88 00	55 00	47 24	7 44				
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	22 85	88 00	55 00	47 24	7 44				
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	36 14	88 00	55 00	47 24	7 44				
	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	22 41	131 60	61 92	90 50	13 40				
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	23 88	131 60	61 92	90 50	13 40				
	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	33 72	131 60	61 92	90 50	13 40				
INTEROFFICE TRANSPORT														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPPX	U1TV2	21 13	40 54	27 41	16 74	6 90				

UNBUNDLED NETWORK ELEMENTS - Alabama													
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	Nonrecurring Add'l	First	Nonrecurring Disconnect Add'l	SOMECA	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
	Interface Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPPX	U1TYM	0.008838	0.00	0.00				SOMAN	SOMAN
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT												
	UNE PortLoop Combination Rates												
	2-Wire VG Coin PortLoop Combo - Zone 1					13.70							
	2-Wire VG Coin PortLoop Combo - Zone 2					22.19							
	2-Wire VG Coin PortLoop Combo - Zone 3					35.80							
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11.55							
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	20.04							
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	33.65							
	2-Wire Voice Grade Line Ports (COIN)												
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	2.15	40.19	19.83	24.91	6.63			
	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	2.15	40.19	19.83	24.91	6.63			
	2-Wire Coin 2-Way with Operator Screening and Blocking 011 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	2.15	40.19	19.83	24.91	6.63			
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)			UEPCO	UEPRB	2.15	40.19	19.83	24.91	6.63			
	2-Wire Coin 2-Way with Operator Screening & Blocking 900/976, 1+DDD 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	2.15	40.19	19.83	24.91	6.63			
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	2.15	40.19	19.83	24.91	6.63			
	2-Wire Coin Outward with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	2.15	40.19	19.83	24.91	6.63			
	2-Wire Coin Outward Operator Screening & Blocking 900/976, 1+DDD 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	2.15	40.19	19.83	24.91	6.63			
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.15	40.19	19.83	24.91	6.63			
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	2.15	40.19	19.83	24.91	6.63			
	ADDITIONAL UNE COIN PORT/LOOP (RC)												
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.56	0.00	0.00	0.00	0.00			
	NONRECURRING CHARGES - CURRENTLY COMBINED												
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		0.10	0.10					
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		0.10	0.10					
	ADDITIONAL NRCs												
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0.00	0.00					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83					
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)												
	UNE PortLoop Combination Rates												
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1					16.76							
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2					25.23							
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3					38.52							
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.38							
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	22.85							
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	36.14							
	2-Wire Voice Grade Line Port Rates (Res)												
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	2.38	90.38	57.27	48.66	8.77			
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	2.38	90.38	57.27	48.66	8.77			
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	2.38	90.38	57.27	48.66	8.77			
	2-Wire voice Grade Alabama extended local dialing parity port with Caller ID - res			UEPFR	UEPAR	2.38	90.38	57.27	48.66	8.77			
	2-Wire voice unbundles res low usage line port with Caller ID (LUM)			UEPFR	UEPAP	2.38	90.38	57.27	48.66	8.77			

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2 Ex A				Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- Disc 1st	Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID				UEPWA	2.38	90.38	57.27	48.66	8.77					
INTEROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination				UEPFR	21.13	40.54	27.41	16.74	6.90					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile				UEPFR	0.008838									
FEATURES															
	All Features Offered				UEPWF	1.98	0.00	0.00							
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is				USAC2		8.48	1.87							
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change				USACC		8.48	1.87							
	Unbundled Miscellaneous Rate Element Tag Designed Loop at End User Premise				URETN		11.21	1.10							
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1				UECF2	16.76									
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2				UECF2	25.23									
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3				UECF2	38.52									
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.38									
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	22.85									
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	36.14									
2-Wire Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	2.38	90.38	57.27	48.66	8.77					
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	2.38	90.38	57.27	48.66	8.77					
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	2.38	90.38	57.27	48.66	8.77					
	2-Wire voice Grade unbundled Alabama extended local dialing party port with Caller ID - bus			UEPFB	UEPAW	2.38	90.38	57.27	48.66	8.77					
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPBI	2.38	90.38	57.27	48.66	8.77					
	2-Wire Voice Unbundled Alabama Business Dialing Plan without Caller ID			UEPFB	UEPWB	2.38	90.38	57.27	48.66	8.77					
INTEROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination				UEPFB	21.13	40.54	27.41	16.74	6.90					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile				UEPFB	0.008838									
FEATURES															
	All Features Offered				UEPWF	1.98	0.00	0.00							
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is				USAC2		8.48	1.87							
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change				USACC		8.48	1.87							
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise				URETN		11.21	1.10							
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1				UECF2	16.76									
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2				UECF2	25.23									
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3				UECF2	38.52									
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.38									
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	22.85									
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	36.14									
2-Wire Voice Grade Line Port Rates (BUS - PBX)															

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2 Ex A		Incremental Charge - Manual Svc Order vs Electronic-1st		Incremental Charge - Manual Svc Order vs Electronic-1st		Incremental Charge - Manual Svc Order vs Electronic-1st	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	OSS Rates (\$)	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'l	Disconnect						
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus				UEPFP	2 38	119 27	69 85	61 18	8 34							
	Line Side Unbundled Outward PBX Trunk Port - Bus				UEPPO	2 38	119 27	69 85	61 18	8 34							
	Line Side Unbundled Incoming PBX Trunk Port - Bus				UEPFP	2 38	119 27	69 85	61 18	8 34							
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama Calling Port				UEPFP	2 38	119 27	69 85	61 18	8 34							
	2-Wire Voice Unbundled PBX LD Terminal Ports				UEPFD	2 38	119 27	69 85	61 18	8 34							
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port				UEPFA	2 38	119 27	69 85	61 18	8 34							
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports				UEPFB	2 38	119 27	69 85	61 18	8 34							
	2-Wire Voice Unbundled PBX LD DDD Terminals Port				UEPFC	2 38	119 27	69 85	61 18	8 34							
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port				UEPFD	2 38	119 27	69 85	61 18	8 34							
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port				UEPFE	2 38	119 27	69 85	61 18	8 34							
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port				UEPFL	2 38	119 27	69 85	61 18	8 34							
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port				UEPFX	2 38	119 27	69 85	61 18	8 34							
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port				UEPFO	2 38	119 27	69 85	61 18	8 34							
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port				UEPFS	2 38	119 27	69 85	61 18	8 34							
	INTEROFFICE TRANSPORT																
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination				U1TV2	21 13	40 54	27 41	16 74	6 90							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile				U1LXX	0 00838											
	FEATURES																
	All Features Offered				UEPVF	1 98	0 00	0 00									
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				USAC2	8 48	1 87										
	Combination - Conversion - Switch-as-is																
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				USACC	8 48	1 87										
	Combination - Conversion - Switch with change																
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise				URETN	11 21	1 10										
	2-WIRE VOICE GRADE LOOP - BUS ONLY - WITH 2-WIRE DID TRUNK PORT																
	UNE Port/Loop Combination Rates																
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1					23 40											
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2					31 88											
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3					45 17											
	UNE Loop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1			UEPDX	14 38											
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	2			UEPDX	22 85											
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	3			UEPDX	36 14											
	UNE Port Rate																
	Exchange Ports - 2-Wire DID Port				UEPDX	9 02	207 31	73 74	107 14	11 20							
	NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is				USAC1	7 31	1 87										
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes				USA1C	7 31	1 87										
	ADDITIONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise				USAS1	26 78	26 78										
	Telephone Number/Trunk Group Establishment Charges																
	DID Trunk Termination (One Per Port)				URETN	11 21	1 10										
	Additional DID Numbers for each Group of 20 DID Numbers				NDT	0 00	0 00										
	DID Numbers, Non-consecutive DID Numbers, Per Number				ND4	0 00	0 00										
	Reserve Non-Consecutive DID numbers				ND5	0 00	0 00										
					ND6	0 00	0 00										

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2 Ex A							
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
						Rec	Nonrecurring		Nonrecurring Disconnect								
							First	Add'l	First								Add'l
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00									
	2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																
	UNE Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1					28.28											
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2					38.86											
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3					53.84											
	UNE Loop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	19.03											
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X	29.62											
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPR	USL2X	45.60											
	UNE Port Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPR	UEPPR	9.24	190.01	132.76	100.67	21.28							
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPB	9.24	190.01	132.76	100.67	21.28							
	NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB UEPPR	USACB	0.00	38.51	27.02									
	ADDITIONAL NRCs																
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPPB UEPPR	URETN		11.21	1.10									
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPPB UEPPR	URETL		8.33	0.83									
	B-CHANNEL USER PROFILE ACCESS																
	CVS/CSD (DMS/SESS)			UEPPB UEPPR	U1UCA	0.00	0.00	0.00									
	CVS (EWSU)			UEPPB UEPPR	U1UCB	0.00	0.00	0.00									
	CSD			UEPPB UEPPR	U1UCC	0.00	0.00	0.00									
	B-CHANNEL AREA PLUS USER PROFILE ACCESS (AL,KY,LA,MS,SC,MS,&TN)																
	CVS/CSD (DMS/SESS)			UEPPB UEPPR	U1UCD	0.00	0.00	0.00									
	CVS (EWSU)			UEPPB UEPPR	U1UCE	0.00	0.00	0.00									
	CSD			UEPPB UEPPR	U1UCF	0.00	0.00	0.00									
	USER TERMINAL PROFILE																
	User Terminal Profile (EWSU only)			UEPPB UEPPR	U1UMA	0.00	0.00	0.00									
	VERTICAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB UEPPR	UEPVF	1.98	0.00	0.00									
	INTEROFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB UEPPR	M1GNC	21.13	40.54	27.41	16.74	6.90							
	Interoffice Channel mileage each, additional mile			UEPPB UEPPR	M1GNM	0.008838	0.00	0.00									
	UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES																
	UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)																
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																
	UNE Port/Loop Combination Rates (Non-Design)																
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design					13.70											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design					22.19											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design					35.80											
	UNE Port/Loop Combination Rates (Design)																
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design					16.53											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design					25.00											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design					38.29											
	UNE Loop Rate																

UNBUNDLED NETWORK ELEMENTS - Alabama																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A			
						Rec	Nonrecurring		Disconnect				Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l			
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91		11 55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91		20 04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91		33 65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91		14 38										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91		22 85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91		36 14										
UNE Ports																
All States (Except North Carolina and South Carolina)																
	2-Wire Voice Grade Port (Centrex 1 Basic Local Area			UEP91		2 15	40 19	19 83	24 91	6 63						
	2-Wire Voice Grade Port (Centrex 800 termination) Basic Local Area			UEP91		2 15	40 19	19 83	24 91	6 63						
	2-Wire Voice Grade Port (Centrex with Caller ID) Note 1 Basic Local Area			UEP91		2 15	40 19	19 83	24 91	6 63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2 3 Basic Local Area			UEP91		2 15	90 38	57 27	48 66	8 77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91		2 15	90 38	57 27	48 66	8 77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP91		2 15	40 19	19 83	24 91	6 63						
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91		2 15	40 19	19 83	24 91	6 63						
AL, KY, LA, MS, & TN Only																
	2-Wire Voice Grade Port (Centrex 1			UEP91		2 15	40 19	19 83	24 91	6 63						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91		2 15	40 19	19 83	24 91	6 63						
	2-Wire Voice Grade Port (Centrex with Caller ID) 1			UEP91		2 15	40 19	19 83	24 91	6 63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2, 3			UEP91		2 15	90 38	57 27	48 66	8 77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2 3 - 800 Service Term			UEP91		2 15	90 38	57 27	48 66	8 77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91		2 15	40 19	19 83	24 91	6 63						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91		2 15	40 19	19 83	24 91	6 63						
Local Switching																
	Centrex Intercom Functionality, per port			UEP91		0 5488										
Features																
	All Standard Features Offered, per port			UEP91		1 98										
	All Select Features Offered, per port			UEP91		405 52										
	All Centrex Control Features Offered, per port			UEP91		1 98										
NARS																
	Unbundled Network Access Register - Combination			UEP91		0 00	0 00	0 00	0 00	0 00						
	Unbundled Network Access Register - Initial			UEP91		0 00	0 00	0 00	0 00	0 00						
	Unbundled Network Access Register - Outdial			UEP91		0 00	0 00	0 00	0 00	0 00						
Miscellaneous Terminations																
2-Wire Trunk Side																
	Trunk Side Terminations, each			UEP91		8 05	119 31	18 74	59 90	3 76						
Interoffice Channel Mileage - 2-Wire																
	Interoffice Channel Facilities Termination - Voice Grade			UEP91		21 13	40 54	27 41	16 74	6 90						
	Interoffice Channel mileage, per mile or fraction of mile			UEP91		0 008838										
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																
D4 Channel Bank Feature Activations																
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91		0 56										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP91		0 56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91		0 56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91		0 56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91		0 56										

UNBUNDLED NETWORK ELEMENTS - Alabama														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Attachment 2 Ex A			
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOME C	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l 1st
	Feature Activation on D-4 Channel Bank Type Line/Trunk Loop Slot													
	Feature Activation on D-4 Channel Bank WATS Loop Slot				1POWO	0.56								
	Feature Activation on D-4 Channel Bank WATS Loop Slot				1PQWA	0.56								
Non-Recurring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-is with allowed changes, per port														
Conversion of Existing Centrex Common Block					USAC2		0.10	0.10						
New Centrex Standard Common Block					USACN		37.75	16.58						
New Centrex Customized Common Block					M1ACS	0.00	667.21							
Secondary Block, per Block					M2ACC	0.00	667.21							
NAR Establishment Charge, Per Occasion					M2CC1	0.00	78.02							
Additional Non-Recurring Charges (NRC)					URECA	0.00	72.73							
Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise														
Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise					URETL		8.33	0.83						
UNE-P CENTREX - SESS (Valid in All States)					URETN		11.21	1.10						
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
UNE Port/Loop Combination Rates (Non-Design)														
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design						13.70								
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design						22.19								
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design						35.80								
UNE Port/Loop Combination Rates (Design)														
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design						16.63								
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design						25.00								
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design						38.29								
UNE Loop Rate														
2-Wire Voice Grade Loop (SL 1) - Zone 1			1	UEP95	UECS1	11.55								
2-Wire Voice Grade Loop (SL 1) - Zone 2			2	UEP95	UECS1	20.04								
2-Wire Voice Grade Loop (SL 1) - Zone 3			3	UEP95	UECS1	33.65								
2-Wire Voice Grade Loop (SL 2) - Zone 1			1	UEP95	UECS2	14.38								
2-Wire Voice Grade Loop (SL 2) - Zone 2			2	UEP95	UECS2	22.85								
2-Wire Voice Grade Loop (SL 2) - Zone 3			3	UEP95	UECS2	36.14								
UNE Port Rate														
All States														
2-Wire Voice Grade Port (Centrex) Basic Local Area					UEPYA	2.15	40.19	19.83	24.91				6.63	
2-Wire Voice Grade Port (Centrex 800 termination)					UEPYB	2.15	40.19	19.83	24.91				6.63	
2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area					UEPYH	2.15	40.19	19.83	24.91				6.63	
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3 Basic Local Area					UEPYM	2.15	30.38	57.27	48.66				8.77	
2-Wire Voice Grade Port (Centrex 800 termination)					UEPYZ	2.15	90.38	57.27	48.66				8.77	
Service Term - Basic Local Area					UEPY9	2.15	40.19	19.83	24.91				6.63	
2-Wire Voice Grade Port terminated on Megalink or equivalent - Basic Local Area														
2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area					UEPY2	2.15	40.19	19.83	24.91				6.63	
LA, KY, LA, MS, SC, & TN Only														
2-Wire Voice Grade Port (Centrex)					UEPOA	2.15	40.19	19.83	24.91				6.63	
2-Wire Voice Grade Port (Centrex 800 termination)					UEPOB	2.15	40.19	19.83	24.91				6.63	
2-Wire Voice Grade Port (Centrex with Caller ID) 1					UEPOH	2.15	40.19	19.83	24.91				6.63	
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3					UEPOM	2.15	90.38	57.27	48.66				8.77	

UNBUNDLED NETWORK ELEMENTS - Alabama																			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex. A		Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l			
						Rec	Nonrecurring		Nonrecurring Disconnect				SOMECH	SOMAN			OSS Rates (\$)	SOMAN	SOMAN
							First	Add'l	First	Add'l									
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3			UEP95	UEPOZ	2 15	90 38	57 27	48 66	8 77									
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPO9	2 15	40 19	19 83	24 91	6 63									
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPO2	2 15	40 19	19 83	24 91	6 63									
	Local Switching																		
	Centrex Intercom Functionality, per port			UEP95	URECS	0 5488													
	Features																		
	All Standard Features Offered, per port			UEP95	UEPVF	1 98													
	All Select Features Offered, per port			UEP95	UEPVS	0 00													
	All Centrex Control Features Offered, per port			UEP95	UEPVC	1 98	405 52												
	NARS																		
	Unbundled Network Access Register - Combination			UEP95	UARCX	0 00	0 00	0 00	0 00	0 00									
	Unbundled Network Access Register - Initial			UEP95	UARI1X	0 00	0 00	0 00	0 00	0 00									
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0 00	0 00	0 00	0 00	0 00									
	Miscellaneous Terminations																		
	2-Wire Trunk Side																		
	Trunk Side Terminations, each			UEP95	CEND6	8 05	119 31	18 74	59 90	3 76									
	4-Wire Digital (1 544 Megabits)																		
	DS1 Circuit Terminations, each			UEP95	M1HD1	60 09	202 02	95 69	72 59	2 46									
	DS0 Channels Activated, each			UEP95	M1HDO	0 00	14 48												
	Interface Channel Mileage - 2-Wire																		
	Interface Channel Facilities Termination			UEP95	M1GBC	21 13	40 54	27 41	16 74	6 90									
	Interface Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0 00838													
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																		
	D4 Channel Bank Feature Activations																		
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0 56													
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP95	1PQW6	0 56													
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0 56													
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0 56													
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0 56													
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP95	1PQWQ	0 56													
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0 56													
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex changes, per port			UEP95	USAC2		0 10	0 10											
	NRC Conversion Currently Combined Switch-As-Is with allowed				USACN		37 75	16 58											
	Conversion of Existing Centrex Common Block, each			UEP95	MIACS	0 00	667 21												
	New Centrex Standard Common Block			UEP95	MIACC	0 00	667 21												
	New Centrex Customized Common Block			UEP95	MIACC	0 00	667 21												
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0 00	72 73												
	Additional Non-Recurring Charges (NRC)																		
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use			UEP95	URETL		8 33	0 83											
	Premise																		
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP95	URETN		11 21	1 10											
	UNE-P CENTREX - DMS100 (Valid in All States)																		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																		
	UNE Port/Loop Combination Rates (Non-Design)																		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design					13 70													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design					22 19													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design					35 80													

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A		Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Nonrecurring		Disconnect				OSS Rates (\$)	SOMAN		
						Rec	First	Add'l	First	Add'l	SOMEK			SOMAN	SOMAN
	UNE Port/Loop Combination Rates (Design)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design						16.53								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design						25.00								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design						38.29								
	UNE Loop Rate														
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1		11.55								
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1		20.04								
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1		33.65								
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2		14.38								
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2		22.85								
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2		36.14								
	UNE Port Rate														
	ALL STATES														
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA		2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex 800 termination) Basic Local Area			UEP9D	UEPYB		2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex / EBS-PSET) Basic Local Area			UEP9D	UEPYC		2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex / EBS-M5009) Basic Local Area			UEP9D	UEPYD		2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex / EBS-M5209) Basic Local Area			UEP9D	UEPYE		2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex / EBS-M5112) Basic Local Area			UEP9D	UEPYF		2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex / EBS-M5312) Basic Local Area			UEP9D	UEPYG		2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex / EBS-M5008) Basic Local Area			UEP9D	UEPYT		2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex / EBS-M5208) Basic Local Area			UEP9D	UEPYU		2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex / EBS-M5216) Basic Local Area			UEP9D	UEPYV		2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex / EBS-M5316) Basic Local Area			UEP9D	UEPY3		2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH		2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wig Lamp Indication) Basic Local Area			UEP9D	UEPYW		2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex/Msg Wig Lamp Indication) Basic Local Area			UEP9D	UEPYJ		2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Basic Local Area			UEP9D	UEPYM		2.15	90.38	57.27	48.66	8.77				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET) Basic Local Area			UEP9D	UEPYO		2.15	90.38	57.27	48.66	8.77				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009) Basic Local Area			UEP9D	UEPYP		2.15	90.38	57.27	48.66	8.77				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209) Basic Local Area			UEP9D	UEPYQ		2.15	90.38	57.27	48.66	8.77				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112) Basic Local Area			UEP9D	UEPYR		2.15	90.38	57.27	48.66	8.77				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312) Basic Local Area			UEP9D	UEPYS		2.15	90.38	57.27	48.66	8.77				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008) Basic Local Area			UEP9D	UEPY4		2.15	90.38	57.27	48.66	8.77				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208) Basic Local Area			UEP9D	UEPY5		2.15	90.38	57.27	48.66	8.77				

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A		Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Nonrecurring		Nonrecurring Disconnect				SOMEK	SOMAN		
						Rec	First	Add'l	First	Add'l					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2 3 4														
	Basic Local Area				UEP9D		2 15	90 38	57 27	48 66	8 77				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2 3 4				UEP9D		2 15	90 38	57 27	48 66	8 77				
	Basic Local Area				UEP9D		2 15	90 38	57 27	48 66	8 77				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2 3				UEP9D		2 15	90 38	57 27	48 66	8 77				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent				UEP9D		2 15	40 19	19 83	24 91	6 63				
	Basic Local Area				UEP9D		2 15	40 19	19 83	24 91	6 63				
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area				UEP9D		2 15	40 19	19 83	24 91	6 63				
	AL, KY, LA, MS, SC, & TN Only														
	2-Wire Voice Grade Port (Centrex)				UEP9D		2 15	40 19	19 83	24 91	6 63				
	2-Wire Voice Grade Port (Centrex 800 termination)				UEP9D		2 15	40 19	19 83	24 91	6 63				
	2-Wire Voice Grade Port (Centrex / EBS-PSE1)4				UEP9D		2 15	40 19	19 83	24 91	6 63				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4				UEP9D		2 15	40 19	19 83	24 91	6 63				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4				UEP9D		2 15	40 19	19 83	24 91	6 63				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4				UEP9D		2 15	40 19	19 83	24 91	6 63				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4				UEP9D		2 15	40 19	19 83	24 91	6 63				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4				UEP9D		2 15	40 19	19 83	24 91	6 63				
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4				UEP9D		2 15	40 19	19 83	24 91	6 63				
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4				UEP9D		2 15	40 19	19 83	24 91	6 63				
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4				UEP9D		2 15	40 19	19 83	24 91	6 63				
	2-Wire Voice Grade Port (Centrex with Caller ID)				UEP9D		2 15	40 19	19 83	24 91	6 63				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wig Lamp Indication)4				UEP9D		2 15	40 19	19 83	24 91	6 63				
	2-Wire Voice Grade Port (Centrex/Msg Wig Lamp Indication)4				UEP9D		2 15	40 19	19 83	24 91	6 63				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 3				UEP9D		2 15	90 38	57 27	48 66	8 77				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2 3 4				UEP9D		2 15	90 38	57 27	48 66	8 77				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2 3 4				UEP9D		2 15	90 38	57 27	48 66	8 77				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5209)2 3 4				UEP9D		2 15	90 38	57 27	48 66	8 77				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2 3 4				UEP9D		2 15	90 38	57 27	48 66	8 77				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2 3 4				UEP9D		2 15	90 38	57 27	48 66	8 77				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2 3 4				UEP9D		2 15	90 38	57 27	48 66	8 77				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2 3 4				UEP9D		2 15	90 38	57 27	48 66	8 77				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2 3 4				UEP9D		2 15	90 38	57 27	48 66	8 77				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2 3 4				UEP9D		2 15	90 38	57 27	48 66	8 77				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2 3				UEP9D		2 15	90 38	57 27	48 66	8 77				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent				UEP9D		2 15	40 19	19 83	24 91	6 63				
	2-Wire Voice Grade Port Terminated on 800 Service Term				UEP9D		2 15	40 19	19 83	24 91	6 63				
	Local Switching														
	Centrex Intercom Functionality, per port				URECS		0 5488								
	Features														
	All Standard Features Offered per port				UEPVF		1 98								
	All Select Features Offered, per port				UEPVS		405 52								
	All Centrex Control Features Offered, per port				UEPVC										
	NARS														
	Unbundled Network Access Register - Combination				UARCX		0 00	0 00	0 00	0 00	0 00				

UNBUNDLED NETWORK ELEMENTS - Alabama																
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A		Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Nonrecurring		Nonrecurring Disconnect					OSS Rates (\$)			
						Rec	First	Add'l	First	Add'l			SOMEK	SOMAN		
	Unbundled Network Access Register - Inward			UEP9D	UAR1X		0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register - Outdial			UEP9D	UAROX		0.00	0.00	0.00	0.00	0.00					
	Miscellaneous Terminations															
	2-Wire Trunk Side															
	Trunk Side Terminations each			UEP9D	CEND6		8.05	119.31	18.74	59.90	3.76					
	4-Wire Digital (1.544 Megabits)															
	DS1 Circuit Terminations each			UEP9D	M1HD1		60.09	202.02	95.69	72.59	2.46					
	DS0 Channels Activated per Channel			UEP9D	M1HDO		0.00	14.48								
	Interoffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	M1GBC		21.13	40.54	27.41	16.74	6.90					
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM		0.008838									
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
	D4 Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP8D	1POWS		0.56									
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP9D	1POW6		0.56									
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1POW7		0.56									
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP8D	1POWP		0.56									
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1POWV		0.56									
	Feature Activation on D-4 Channel Bank T1e Line/Trunk Loop Slot			UEP9D	1POWQ		0.56									
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1POWA		0.56									
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2			0.10	0.10							
	Conversion of existing Centrex Common Block, each			UEP9D	USACN			37.75	16.58							
	New Centrex Standard Common Block			UEP9D	M1ACS		0.00	687.21								
	New Centrex Customized Common Block			UEP9D	M1ACC			687.21								
	NAR Establishment Charge, Per Occasion			UEP9D	M1ACEA		0.00	72.73								
	Additional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL			8.33	0.83							
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN			11.21	1.10							
	UNE-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design						13.70									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design						22.19									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design						35.80									
	UNE Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design						16.53									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design						25.00									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design						38.29									
	UNE Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1		11.55									
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1		20.04									
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1		33.65									
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2		14.38									
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2		22.85									

UNBUNDLED NETWORK ELEMENTS - Alabama														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Nonrecurring	Nonrecurring	Nonrecurring Disconnect					
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	36.14								
	UNE Port Rate													
	AL, FL, KY, LA, MS, & TN only													
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex 800 termination) Basic Local Area			UEP9E	UEPYB	2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9E	UEPYH	2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3 Basic Local Area			UEP9E	UEPYM	2.15	90.38	57.27	48.66	8.77				
	2-Wire Voice Grade Port, Diff Serving Wire Center 2.3 - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	2.15	90.38	57.27	48.66	8.77				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEPY9	2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2	2.15	40.19	19.83	24.91	6.63				
	AL, KY, LA, MS, & TN Only													
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPOA	2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPOB	2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex with Caller ID) 1			UEP9E	UEPOH	2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3			UEP9E	UEPOM	2.15	90.38	57.27	48.66	8.77				
	2-Wire Voice Grade Port, Diff Serving Wire Center 2.3 - 800 Service Term			UEP9E	UEPOZ	2.15	90.38	57.27	48.66	8.77				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPO9	2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPO2	2.15	40.19	19.83	24.91	6.63				
	Local Switching													
	Centrex Intercom Functionality, per port			UEP9E	URECS	0.5488								
	Features													
	All Standard Features Offered, per port			UEP9E	UEPVF	1.98								
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.52							
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	1.98								
	NARS													
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register - Initial			UEP9E	UARI1X	0.00	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register - Outdial			UEP9E	UARO1X	0.00	0.00	0.00	0.00	0.00				
	Miscellaneous Terminations													
	2-Wire Trunk Side													
	Trunk Side Terminations, each			UEP9E	CEND6	8.05	119.31	18.74	59.90	3.76				
	4-Wire Digital (1.544 Megabits)													
	DS1 Circuit Terminations, each			UEP9E	M1HD1	60.09	202.02	96.69	72.59	2.46				
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.48							
	Interface Channel Mileage - 2-Wire													
	Interface Channel Facilities Termination			UEP9E	M1GBC	21.13	40.54	27.41	16.74	6.90				
	Interface Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.008938								
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service													
	D4 Channel Bank Feature Activations													
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1POWS	0.56								
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP9E	1POW6	0.56								
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1POW7	0.56								
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1POWP	0.56								
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1POWV	0.56								
	Feature Activation on D-4 Channel Bank T1e Line/Trunk Loop Slot			UEP9E	1PQWO	0.56								

UNBUNDLED NETWORK ELEMENTS - Alabama																	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A		Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
						Rec	Nonrecurring		Nonrecurring Disconnect			OSS Rates (\$)					
							First	Add'l				First	Add'l				SOME
				UEP9E	1PQWA	0.56											
	Feature Activation on D-4 Channel Bank WATS Loop Slot																
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex																
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2		0.10	0.10									
	Conversion of Existing Centrex Common Block each			UEP9E	USACN		37.75	16.58									
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	667.21										
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	667.21										
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.73										
	Additional Non-Recurring Charges (NRC)																
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83									
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11.21	1.10									
	UNE-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN																
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																
	UNE Port/Loop Combination Rates (Non-Design)																
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design					13.70											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design					22.19											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design					35.80											
	UNE Port/Loop Combination Rates (Design)																
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design					16.53											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design					25.00											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design					38.29											
	UNE Loop Rate																
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11.55											
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	20.04											
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	33.65											
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	14.38											
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	22.85											
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	36.14											
	UNE Port Rate																
	AL, KY, LA, MS, & TN only																
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP93	UEPYA	2.15	40.19	19.83	24.91	6.63							
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP93	UEPYB	2.15	40.19	19.83	24.91	6.63							
	2-Wire Voice Grade Port (Centrex with Caller ID)Basic Local Area			UEP93	UEPYH	2.15	40.19	19.83	24.91	6.63							
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2.3 Basic Local Area			UEP93	UEPYM	2.15	90.38	57.27	48.66	8.77							
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2.3 - 800 Service Term - Basic Local Area			UEP93	UEPYZ	2.15	90.38	57.27	48.66	8.77							
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP93	UEPY9	2.15	40.19	19.83	24.91	6.63							
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP93	UEPY2	2.15	40.19	19.83	24.91	6.63							
	2-Wire Voice Grade Port (Centrex)			UEP93	UEPOA	2.15	40.19	19.83	24.91	6.63							
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPOB	2.15	40.19	19.83	24.91	6.63							
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	2.15	40.19	19.83	24.91	6.63							
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2.3			UEP93	UEPOM	2.15	90.38	57.27	48.66	8.77							
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2.3 - 800 Service Term			UEP93	UEPOZ	2.15	90.38	57.27	48.66	8.77							

UNBUNDLED NETWORK ELEMENTS - Alabama													
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Attachment 2 Ex A	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOMEc	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEP09	2.15	40.19	19.83	24.91	6.63			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEP02	2.15	40.19	19.83	24.91	6.63			
Local Switching													
	Centrex Intercom Functionality, per port			UEP93	URECS	0.5488							
Features													
	All Standard Features Offered, per port			UEP93	UEPVF	1.98							
	All Centrex Control Features Offered per port			UEP93	UEPVC								
NARS													
	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00			
	Unbundled Network Access Register - Individual			UEP93	UARYX	0.00	0.00	0.00	0.00	0.00			
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00			
Miscellaneous Terminations													
2-Wire Trunk Side													
	Trunk Side Terminations, each			UEP93	CEND6	8.05	119.31	18.74	59.90	3.76			
4-Wire Digital (1.544 Megabits)													
	DS1 Circuit Terminations, each			UEP93	M1HD1	60.09	202.02	95.69	72.59	2.46			
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.48						
Interface Channel Mileage - 2-Wire													
	Interface Channel Facilities Termination			UEP93	M1GBC	21.13	40.54	27.41	16.74	6.90			
	Interface Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.008839							
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service													
D4 Channel Bank Feature Activations													
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.56							
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.56							
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.56							
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.56							
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.56							
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.56							
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.56							
Non-Recurring Charges (NRC) Associated with UNE-P Centrex													
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0.10	0.10					
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.75	16.58					
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	667.21						
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	667.21						
	NAR Establishment Charge Per Occasion			UEP93	URECA	0.00	72.73						
Additional Non-Recurring Charges (NRC)													
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83					
	Unbundled Miscellaneous Rate Element Tag Design Loop at End Use Premise			UEP93	URETN		11.21	1.10					
Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD													
Note 2 - Requires Interoffice Channel Mileage													
Note 3 - Installation is combination of Installation charge for SL2 Loop and Port													
Note 4 - Requires Specific Customer Premises Equipment													
Note Rates displaying an "I" in Interim column are interim as a result of a Commission order													

UNBUNDLED NETWORK ELEMENTS - Florida												
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A	
						Nonrecurring	Nonrecurring	Nonrecurring	First	First	First	Incremental Charge - Manual Order vs Electronic-Disc 1st
						First	Add'l	Add'l	SOME	SOME	SOME	Incremental Charge - Manual Order vs Electronic-Disc 1st
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" NOTE (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states NOTE (2) Any element that can be ordered electronically will be billed according to the SOME rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOME rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth												
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOME	3.50	0.00		3.50	0.00		
	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMAN	11.90	0.00		1.83	0.00		
UNE SERVICE DATE ADVANCEMENT CHARGE												
	NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff, Section 5 as applicable											
	UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TDX, U1TO3, U1TST, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDL03, UDL5X, UE3, ULD12, ULD48, ULD01, ULD03, ULD0X, ULD03, ULD0S1, ULDVX, UNC1X, UNC3X, UNCDX, UNCXX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTST, U1TUC, U1TUD, U1TUB, U1TUA					200.00						
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day												
UNBUNDLED EXCHANGE ACCESS LOOP												
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1		UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	2		UEANL	UEAL2	15.20	49.57	22.83	25.62	6.57		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	3		UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1		UEANL	UEASL	10.69	49.57	22.83	25.62	6.57		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	2		UEANL	UEASL	15.20	49.57	22.83	25.62	6.57		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	3		UEANL	UEASL	26.97	49.57	22.83	25.62	6.57		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83				
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65	48.65				
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.95	23.95				

UNBUNDLED NETWORK ELEMENTS - Florida																	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A					
						Nonrecurring		Nonrecurring Disconnect				Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l		
						First	Add'l	First	Add'l								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (U/L-SL1)			UEANL	UREWO		15 78	8 94									
	Unbundled Voice Loop - Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E I)			UEANL	UEANM		13 49										
	Manual Order Coordination for U/L-SL1s (per loop)			UEANL	UEAMC		9 00	9 00									
	Order Coordination for Specified Conversion Time for U/L-SL1 (per LSR)			UEANL	OCOSL		23 02										
	2-WIRE UNBUNDLED COPPER LOOP																
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	7 69	44 98	20 90	24 88	6 45							
	2-Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	10 92	44 98	20 90	24 88	6 45							
	2-Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	19 38	44 98	20 90	24 88	6 45							
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL		8 33	0 83									
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		9 00										
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E I)			UEQ	UEOMU		13 49										
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		48 65	48 65									
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23 95	23 95									
	CLEC to CLEC Conversion Charge Without Outside Dispatch (U/L-ND)			UEQ	UREWO		14 27	7 43									
	UNBUNDLED EXCHANGE ACCESS LOOP																
	2-WIRE ANALOG VOICE GRADE LOOP																
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	10 69	49 57	22 83	25 62	6 57							
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	10 69	49 57	22 83	25 62	6 57							
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	15 20	49 57	22 83	25 62	6 57							
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	15 20	49 57	22 83	25 62	6 57							
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	26 97	49 57	22 83	25 62	6 57							
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	26 97	49 57	22 83	25 62	6 57							
	UNBUNDLED EXCHANGE ACCESS LOOP																
	2-WIRE ANALOG VOICE GRADE LOOP																
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	12 24	135 75	82 47	63 53	12 01							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	17 40	135 75	82 47	63 53	12 01							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	30 87	135 75	82 47	63 53	12 01							
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23 02										
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	12 24	135 75	82 47	63 53	12 01							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	17 40	135 75	82 47	63 53	12 01							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	30 87	135 75	82 47	63 53	12 01							
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23 02										
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		36 35										
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11 21	1 10									
	4-WIRE ANALOG VOICE GRADE LOOP																
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	18 89	167 86	115 15	67 08	15 56							
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	26 84	167 86	115 15	67 08	15 56							
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	47 62	167 86	115 15	67 08	15 56							
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23 02										
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87 71	36 35									

UNBUNDLED NETWORK ELEMENTS - Florida														
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN
2-WIRE	ISDN Digital Grade Loop - Zone 1													
	2-Wire ISDN Digital Grade Loop - Zone 2	1		UDN	U1L2X	19 28	147 69	94 41	62 23	10 71				
	2-Wire ISDN Digital Grade Loop - Zone 2	2		UDN	U1L2X	27 40	147 69	94 41	62 23	10 71				
	2-Wire ISDN Digital Grade Loop - Zone 3	3		UDN	U1L2X	48 62	147 69	94 41	62 23	10 71				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23 02							
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91 61	44 15						
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1		UAL	UAL2X	8 30	149 53	103 85	75 05	15 63				
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2		UAL	UAL2X	11 80	149 53	103 85	75 05	15 63				
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	3		UAL	UAL2X	20 94	149 53	103 85	75 05	15 63				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23 02							
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1		UAL	UAL2W	8 30	124 83	71 12	60 64	9 12					
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	2		UAL	UAL2W	11 80	124 83	71 12	60 64	9 12					
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	3		UAL	UAL2W	20 94	124 83	71 12	60 64	9 12					
Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23 02								
CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86 19	40 39							
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1		UHL	UHL	UHL2X	7 22	159 09	113 41	75 05	15 63				
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	2		UHL	UHL	UHL2X	10 26	159 09	113 41	75 05	15 63				
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	3		UHL	UHL	UHL2X	18 21	159 09	113 41	75 05	15 63				
Order Coordination for Specified Conversion Time (per LSR)			UHL	UHL	OCOSL		23 02							
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1		UHL	UHL	UHL2W	7 22	134 40	80 69	60 64	9 12				
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2		UHL	UHL	UHL2W	10 26	134 40	80 69	60 64	9 12				
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3		UHL	UHL	UHL2W	18 21	134 40	80 69	60 64	9 12				
Order Coordination for Specified Conversion Time (per LSR)			UHL	UHL	OCOSL		23 02							
CLEC to CLEC Conversion Charge without outside dispatch			UHL	UHL	UREWO		86 12	40 39						
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1		UHL	UHL	UHL4X	10 86	193 31	138 98	77 15	12 61				
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	2		UHL	UHL	UHL4X	15 44	193 31	138 98	77 15	12 61				
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	3		UHL	UHL	UHL4X	27 39	193 31	138 98	77 15	12 61				
Order Coordination for Specified Conversion Time (per LSR)			UHL	UHL	OCOSL		23 02							
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1		UHL	UHL	UHL4W	10 86	168 62	115 47	62 74	11 22				
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2		UHL	UHL	UHL4W	15 44	168 62	115 47	62 74	11 22				
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3		UHL	UHL	UHL4W	27 39	168 62	115 47	62 74	11 22				
Order Coordination for Specified Conversion Time (per LSR)			UHL	UHL	OCOSL		23 02							
CLEC to CLEC Conversion Charge without outside dispatch			UHL	UHL	UREWO		86 12	40 39						
4-WIRE DST DIGITAL LOOP														
4-Wire DS1 Digital Loop - Zone 1	1		USL	USL	USLXX	70 74	313 75	181 48	61 22	13 53				
4-Wire DS1 Digital Loop - Zone 2	2		USL	USL	USLXX	100 54	313 75	181 48	61 22	13 53				
4-Wire DS1 Digital Loop - Zone 3	3		USL	USL	USLXX	178 39	313 75	181 48	61 22	13 53				
Order Coordination for Specified Conversion Time (per LSR)			USL	USL	OCOSL		23 02							

UNBUNDLED NETWORK ELEMENTS - Florida																
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A		Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
					Rec	Nonrecurring		Nonrecurring First	Disconnect Add'l			OSS Rates (\$)				
						First	Add'l					SOMEc	SOMAN			SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch															
4-WIRE	19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP		USL	UREWO		101.07	43.04									
	4 Wire Unbundled Digital 19.2 Kbps	1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56							
	4 Wire Unbundled Digital 19.2 Kbps	2	UDL	UDL19	31.56	161.56	108.85	67.08	15.56							
	4 Wire Unbundled Digital 19.2 Kbps	3	UDL	UDL19	55.99	161.56	108.85	67.08	15.56							
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL	UDL56	22.20	161.56	108.85	67.08	15.56							
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	UDL56	31.56	161.56	108.85	67.08	15.56							
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56							
	Order Coordination for Specified Conversion Time (per LSR)			OCOSL		23.02										
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	UDL64	22.20	161.56	108.85	67.08	15.56							
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	UDL64	31.56	161.56	108.85	67.08	15.56							
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	UDL64	55.99	161.56	108.85	67.08	15.56							
	Order Coordination for Specified Conversion Time (per LSR)			OCOSL		23.02										
	CLEC to CLEC Conversion Charge without outside dispatch					102.11	49.74									
2-WIRE	UNBUNDLED COPPER LOOP			UREWO												
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63							
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63							
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63							
	Order Coordination for Unbundled Copper Loops (per loop)			UCLMC		9.00										
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12							
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12							
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12							
	Order Coordination for Unbundled Copper Loops (per loop)			UCLMC		9.00										
	CLEC to CLEC Conversion Charge without outside dispatch (UCL -Des)		UCL	UREWO		97.21	42.47									
4-WIRE	COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1	UCL	UCLAS	11.83	177.87	132.76	77.15	17.73							
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	2	UCL	UCLAS	16.81	177.87	132.76	77.15	17.73							
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	3	UCL	UCLAS	29.82	177.87	132.76	77.15	17.73							
	Order Coordination for Unbundled Copper Loops (per loop)			UCLMC		9.00										
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22							
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22							
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22							
	Order Coordination for Unbundled Copper Loops (per loop)			UCLMC		9.00										
	CLEC to CLEC Conversion Charge without outside dispatch			UREWO		97.21	42.47									
LOOP MODIFICATION																
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire per less than or equal to 18k ft, per Unbundled Loop		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00									
	Unbundled Loop Modification Removal of Load Coils - 4 Wire per less than or equal to 18K ft, per Unbundled Loop		UHL, UCL, UEA, UEL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM4L		0.00	0.00									
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			ULMBT		10.52	10.52									
SUB-LOOPS																

UNBUNDLED NETWORK ELEMENTS - Florida																	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A					
						Rec	Nonrecurring		Nonrecurring Disconnect			SOMEC	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	
							First	Add'l									First
	Sub-Loop Distribution																
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA			487 23									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB			6 25									
	Facility Set-Up	I		UEANL	USBSC			189 25									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD			38 65									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	6 46		60 19	21 78	47 50	5 26						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	9 18		60 19	21 78	47 50	5 26						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	16 29		60 19	21 78	47 50	5 26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC			9 00	9 00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7 37		68 83	30 42	49 71	6 60						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	10 47		68 83	30 42	49 71	6 60						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	18 58		68 83	30 42	49 71	6 60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC			9 00	9 00								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	3 96		51 84	13 44	47 50	5 26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC			9 00	9 00								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	9 37		55 91	17 51	49 71	6 60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC			9 00	9 00								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1			48 65	48 65								
	Loop Testing - Basic Additional Half Hour			UEANL	URET1			23 95	23 95								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	5 15		60 19	21 78	47 50	5 26						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS2X	7 31		60 19	21 78	47 50	5 26						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	12 98		60 19	21 78	47 50	5 26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC			9 00	9 00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	5 36		68 83	30 42	49 71	6 60						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS4X	7 61		68 83	30 42	49 71	6 60						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	13 51		68 83	30 42	49 71	6 60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC			9 00	9 00								
	Loop Testing - Basic 1st Half Hour			UEF	URET1			48 65	48 65								
	Loop Testing - Basic Additional Half Hour			UEF	URET1			23 95	23 95								
	Unbundled Network Terminating Wire (UNTW)			UEANL	UNENPP	0 4572		18 02									
	Network Interface Device (NID)			UNTW	UNID12			71 49	48 87								
	Network Interface Device (NID) - 1-2 lines			UNTW	UNID16			113 89	89 07								
	Network Interface Device Cross Connect - 2 W			UNTW	UNDC2			7 63	7 63								
	Network Interface Device Cross Connect - 4W			UNTW	UNDC4			7 63	7 63								
	UNE OTHER, PROVISIONING ONLY - NO RATE			UNTW	UNDBX	0 00		0 00									
	NID - Dispatch and Service Order for NID installation			UNTW	UNCE	0 00		0 00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UEANL,UEF,UEQ,U													
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNEEN	0 00		0 00									
	UNE OTHER, PROVISIONING ONLY - NO RATE																

UNBUNDLED NETWORK ELEMENTS - Florida															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Attachment 2 Ex. A			Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect Add'l		Svc Order Submitted Manually per LSR	OSS Rates (\$)			
							First	Add'l				SOME	SOMAN		
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL											
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UDN,UEA,UHL,USL	UNEON	0.00	0.00								
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00								
	Unbundled DS1 Loop - Superframe Format Option - no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00								
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOSF	0.00	0.00								
				USL	CCOEF	0.00	0.00								
HIGH CAPACITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month														
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	1LSND	10.92									
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UE3	UE3PX	386.88	639.8255	394.4615	159.9995	111.366					
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	1LSND	10.92									
LOOP MAKE-UP															
	Loop Makeup - Preordering Without Reservation, per working or spare facility queued (Manual)														
	Loop Makeup - Preordering With Reservation, per spare facility queued (Manual)			UMK	UMKLW		52.17	52.17							
	Loop Makeup-With or Without Reservation, per working or spare facility queued (Mechanized)			UMK	UMKLP		55.07	55.07							
				UMK	UMKMQ		0.6784	0.6784							
LINE SPLITTING															
LINE SPLITTING															
END USER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61									
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61					
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61					
MAINTENANCE OF SERVICE															
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No. 1 Tariff, Section 13.3.1 as applicable															
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00							
	No Trouble Found - per 1/2 hour increments - Overtime						90.00	65.00							
	No Trouble Found - per 1/2 hour increments - Premium						100.00	75.00							
UNBUNDLED DEDICATED TRANSPORT															
INTEROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0091									
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03					
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat - Per Mile per month			U1TVX	1L5XX	0.0091									
	Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat - Facility Termination			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03					
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0091									
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03					
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0091									
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03					
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0091									
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03					

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2 Ex A				Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	SOMECH	SOMAN	OSS Rates (\$)	SOMAN	SOMAN	SOMAN	SOMAN
	Interface Channel - Dedicated Channel - DS1 - Per Mile per month																
	Interface Channel - Dedicated Transport - DS1 - Facility Termination					0.1856											
	Interface Channel - Dedicated Transport - DS3 - Per Mile per month					88.44	105.54	98.47	21.47	19.05							
	Interface Channel - Dedicated Transport - DS3 - Facility Termination per month					3.87											
	Interface Channel - Dedicated Transport - STS-1 - Per Mile per month					1.071.00	335.46	219.28	72.03	70.56							
	Interface Channel - Dedicated Transport - STS-1 - Facility Termination					3.87											
	Interface Channel - Dedicated Transport - STS-1 - Facility Termination					1.056.00	335.46	219.28	72.03	70.56							
DARK FIBER	Dark Fiber, Four Fiber Strands Per Route Mile or Fraction Thereof per month - Local Channel					53.87											
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interface Channel					26.85											
	NRC Dark Fiber - Interface Channel						751.34	193.88	356.21	230.11							
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop					53.87											
8XX ACCESS	TEN DIGIT SCREENING																
	8XX Access Ten Digit Screening, Per Call					0.0006252											
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query					0.0006252											
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per query					0.0006252											
LINE INFORMATION DATA BASE ACCESS (LIDB)																	
	LIDB Common Transport Per Query					0.000203											
	LIDB Validation Per Query					0.0136959											
	LIDB Originating Point Code Establishment or Change						55.13	55.13	55.13	55.13							
CALLING NAME (CNAM) SERVICE																	
	CNAM for DB Owners, Per Query					0.001024											
	CNAM for Non DB Owners, Per Query					0.001024											
LNP Query Service																	
	LNP Charge Per query					0.000852											
	LNP Service Establishment Manual					13.83	13.83	13.83	12.71	12.71							
	LNP Service Provisioning with Point Code Establishment					655.50	334.88	297.03	218.40	218.40							
SELECTIVE ROUTING																	
	Selective Routing Per Unique Line Class Code Per Request Per Switch						93.55	93.55	12.71	12.71							
VIRTUAL COLLOCATION																	
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting					0.0502	11.57	11.57	0.00	0.00							
PHYSICAL COLLOCATION																	
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting					0.0276	8.22	7.22	5.74	4.58							
AIN SELECTIVE CARRIER ROUTING																	
	Regional Service Establishment						193.444.00		7.737.00								
	End Office Establishment						187.36	187.36	0.69	0.69							
	Query NRC per query					0.0031868											
AIN - BELL SOUTH AIN SMS ACCESS SERVICE																	
	AIN SMS Access Service - Service Establishment, Per State Initial Setup						43.56	43.56	44.93	44.93							
	AIN SMS Access Service - Port Connection - Dial/Shared Access						8.64	8.64	10.03	10.03							
	AIN SMS Access Service - Port Connection - ISDN Access						8.64	8.64	10.03	10.03							
	AIN SMS Access Service - User Identification Codes - Per User						38.66	38.66	29.88	29.88							
	ID Code																

UNBUNDLED NETWORK ELEMENTS - Florida															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A		
						Rec	Nonrecurring		Nonrecurring Disconnect				Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
							First	Add'l	First	Add'l	SOMEc	SOMAN			
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			AIN	CAMRC			75 10	75 10	12 93	12 93				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0 0028									
	AIN SMS Access Service - Session, Per Minute					0 7809									
	AIN SMS Access Service - Company Performed Session, Per Minute					0 4609									
SIGNALING (CCS7)															
	CCS7 Signaling Usage, Per TCAP Message					0 0000607									
	CCS7 Signaling Usage, Per ISUP Message					0 0000152									
ENHANCED EXTENDED LINK (EELs)															
NOTE The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements															
NOTE The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements															
2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION															
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	12 24	127 59	60 54	42 79	2 81					
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17 40	127 59	60 54	42 79	2 81					
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	30 87	127 59	60 54	42 79	2 81					
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1 38	10 07	7 08							
4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION															
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	18 89	127 59	60 54	42 79	2 81					
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	26 84	127 59	60 54	42 79	2 81					
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	47 62	127 59	60 54	42 79	2 81					
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	1 38	10 07	7 08							
4-WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDCX	UDL56	22 20	127 59	60 54	42 79	2 81					
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDCX	UDL56	31 56	127 59	60 54	42 79	2 81					
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDCX	UDL56	55 99	127 59	60 54	42 79	2 81					
	OCU-DP COCI (data) per month (2 4-64Kbps)			UNCDCX	1D1DD	2 10	10 07	7 08							
4-WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDCX	UDL64	22 20	127 59	60 54	42 79	2 81					
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDCX	UDL64	31 56	127 59	60 54	42 79	2 81					
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDCX	UDL64	55 99	127 59	60 54	42 79	2 81					
	OCU-DP COCI (data) - in combination - per month (2 4-64Kbps)			UNCDCX	1D1DD	2 10	10 07	7 08							
2-WIRE ISDN LOOP FOR USE IN A COMBINATION															
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNXX	U1L2X	19 28	127 59	60 60	42 79	2 81					
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNXX	U1L2X	27 40	127 59	60 60	42 79	2 81					
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNXX	U1L2X	48 62	127 59	60 60	42 79	2 81					
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNXX	UC1CA	3 66	10 07	7 08							
4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1XX	USLXX	70 74	217 75	121 62	51 44	14 45					
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1XX	USLXX	100 54	217 75	121 62	51 44	14 45					
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1XX	USLXX	178 39	217 75	121 62	51 44	14 45					
	DS1 COCI in combination per month			UNC1XX	UC1D1	13 76	10 07	7 08							
2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION															
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0 0091									
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	25 32	94 70	52 59	50 49	21 53					
4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION															
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0 0091									
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	22 58	94 70	52 59	50 49	21 53					
DS1 INTEROFFICE TRANSPORT FOR COMBINATION															
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1XX	1L5XX	0 1856									
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1XX	U1TF1	88 44	174 46	122 46	45 61	17 95					
DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION															

UNBUNDLED NETWORK ELEMENTS - Florida																		
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex. A					
						Nonrecurring		Nonrecurring Disconnect					Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l			
						First	Add'l	First	Add'l	SOME						SOMAN	SOMAN	
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	3.87												
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	1,071.00	335.46	219.28	72.03	70.56								
STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNC3X	1L5XX	3.87												
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNC3X	U1TF5	1,056.00	314.45	130.88	38.60	18.23								
	4-WIRE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT																	
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNC3X	UDL56	22.20	127.59	60.54	42.79	2.81								
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNC3X	UDL56	31.56	127.59	60.54	42.79	2.81								
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNC3X	UDL56	55.99	127.59	60.54	42.79	2.81								
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNC3X	1L5XX	0.0091												
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNC3X	U1TD5	18.44	94.70	52.59	50.49	21.53								
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT																	
	4-wire 64 kbps Local Loop in Combination - Zone 1		1	UNC3X	UDL64	22.20	127.59	60.54	42.79	2.81								
4-wire 64 kbps Local Loop in Combination - Zone 2		2	UNC3X	UDL64	31.56	127.59	60.54	42.79	2.81									
4-wire 64 kbps Local Loop in Combination - Zone 3		3	UNC3X	UDL64	55.99	127.59	60.54	42.79	2.81									
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNC3X	1L5XX	0.0091													
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNC3X	U1TD6	18.44	94.70	52.59	50.49	21.53									
4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																		
4-wire 56 kbps Local Loop in combination - Zone 1		1	UNC3X	UDL56	22.20	127.59	60.54	42.79	2.81									
4-wire 56 kbps Local Loop in combination - Zone 2		2	UNC3X	UDL56	31.56	127.59	60.54	42.79	2.81									
4-wire 56 kbps Local Loop in combination - Zone 3		3	UNC3X	UDL56	55.99	127.59	60.54	42.79	2.81									
4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNC3X	1L5XX	0.0091													
4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNC3X	U1TD5	18.44	94.70	52.59	50.49	21.53									
4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																		
4-wire 64 kbps Local Loop in combination - Zone 1		1	UNC3X	UDL64	22.20	127.59	60.54	42.79	2.81									
4-wire 64 kbps Local Loop in combination - Zone 2		2	UNC3X	UDL64	31.56	127.59	60.54	42.79	2.81									
4-wire 64 kbps Local Loop in combination - Zone 3		3	UNC3X	UDL64	55.99	127.59	60.54	42.79	2.81									
4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNC3X	1L5XX	0.0091													
4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNC3X	U1TD6	18.44	94.70	52.59	50.49	21.53									
DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT																		
4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45									
4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45									
4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45									
Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1856													
Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95									
DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																		
DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.558													
DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	444.912	639.8255	394.4615	159.9995	111.366									
Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3.87													
Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	1,071.00	335.46	219.28	72.03	70.56									
STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT																		
STS-1 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.558													

UNBUNDLED NETWORK ELEMENTS - Florida														
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted		Attachment 2 Ex A		Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
						Nonrecurring		Nonrecurring Disconnect Add'l	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st		
						First	Add'l						SOME	
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	490 59	639 8255	394 4615	111 366					
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	3 87								
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	1,056 00	314 45	130 88	18 23					
ADDITIONAL NETWORK ELEMENTS														
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As is charge does apply														
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As is Charge does not														
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)														
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG			UNCVX, UNCDX, UNC1X, UNC3X, UNCSX	UNCCC	8 98	8 98	8 98	8 98					
Optional Features & Functions														
	Clear Channel Capability Extended Frame Option - per DS1	I		U1TD1, ULDD1, UNC1X	CCOEF	0 00	0 00	0 00	0 00					
	Clear Channel Capability Super FrameOption - per DS1	I		U1TD1, ULDD1, UNC1X	CCOSF	0 00	0 00	0 00	0 00					
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I		U1TD1, ULDD1, UNC1X, USL	NRCCC	184 92	23 82	2 07	0 80					
	C-bit Parity Option - Subsequent Activity - per DS3	I		U1TD3, ULDD3, UE3, UNC3X	NRCC3	219 08	7 67	0 773	0 00					
MULTIPLERS														
	DS1 to DS0 Channel System per month			UNC1X	MQ1	146 77	101 42	71 62						
	OCU-DP COC1 (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) used for a Local Loop			UDL	1D1DD	2 10	10 07	7 08						
	OCU-DP COC1 (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	2 10	10 07	7 08	0 00					
	2-wire ISDN COC1 (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA	3 66	10 07	7 08						
	2-wire ISDN COC1 (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3 66	10 07	7 08	0 00					
	Voice Grade COC1 - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	1 38	10 07	7 08						
	Voice Grade COC1 - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	1 38	10 07	7 08	0 00					
	DS3 to DS1 Channel System per month			UNC3X	MQ3	211 19	199 28	118 64	39 07					
	STS-1 to DS1 Channel System per month			UNC3X	MQ3	211 19	199 28	118 64	39 07					
	DS1 COC1 used with Loop per month			USL	UC1D1	13 76	10 07	7 08						
	DS1 COC1 (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	13 76	10 07	7 08	0 00					
	DS1 COC1 used with Interoffice Channel per month			U1TD1	UC1D1	13 76	10 07	7 08	0 00					
	DS3 Interface Unit (DS1 COC1) used with Local Channel per month			ULDD1	UC1D1	13 76	10 07	7 08	0 00					
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)														
The Exchange Switching Port Rates Reflected Here Apply to Embedded Base Switching Ports as of March 10, 2005														
and Consist of the TELRIC Cost Based Rates Plus \$1 00 In Accordance with the TRRO														
Exchange Ports														
NOTE Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs														
2-WIRE VOICE GRADE LINE PORT RATES (RES)														
	Exchange Ports - 2-Wire Analog Line Port- Res			UEPSR	UEPRL	2 40	3 74	3 63	1 88					
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	2 40	3 74	3 63	1 88					
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res			UEPSR	UEPRO	2 40	3 74	3 63	1 88					

UNBUNDLED NETWORK ELEMENTS - Florida														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect			OSS Rates (\$)		
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res			UEPSR	UEPAF	2.40	3.74	3.63	1.88	1.80				
	Exchange Ports - 2-Wire VG unbundled Florida Residence Area Calling Plan, without Caller ID capability			UEPSR	UEPA9	2.40	3.74	3.63	1.88	1.80				
	Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7 and Caller ID			UEPSR	UEPA1	2.40	3.74	3.63	1.88	1.80				
	Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7, without Caller ID capability			UEPSR	UEPA8	2.40	3.74	3.63	1.88	1.80				
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	2.40	3.74	3.63	1.88	1.80				
	Capability			UEPSR	UEPRT	2.40	3.74	3.63	1.88	1.80				
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00						
FEATURES														
	All Available Vertical Features					2.26	0.00	0.00						
2-WIRE VOICE GRADE LINE PORT RATES (BUS)														
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	2.40	3.74	3.63	1.88	1.80				
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller-E484 ID - Bus			UEPSB	UEPBC	2.40	3.74	3.63	1.88	1.80				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus			UEPSB	UEPBO	2.40	3.74	3.63	1.88	1.80				
	Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	2.40	3.74	3.63	1.88	1.80				
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPSB	UEPBE	2.40	3.74	3.63	1.88	1.80				
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00						
FEATURES														
	All Available Vertical Features					2.26	0.00	0.00						
EXCHANGE PORT RATES (DID & PBX)														
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.40	39.06	18.18	12.35	0.7187				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.40	39.06	18.18	12.35	0.7187				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.40	39.06	18.18	12.35	0.7187				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.40	39.06	18.18	12.35	0.7187				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard DID Capable Port			UEPSP	UEPXE	2.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	2.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	2.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	2.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.40	39.06	18.18	12.35	0.7187				
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00						
FEATURES														
	All Available Vertical Features			UEPSP UEPSE	UEPVF	2.26	0.00	0.00						
NOTE	Transmission/usage charges associated with POTs circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports													
NOTE	Access to B Channel or D Channel Packet capabilities will be determined via the Bona Fide Request/New Business Request Process													
2-WIRE VOICE GRADE LINE PORT RATES (DID)														
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	9.73	78.41	15.82	41.94	4.26				
2-WIRE VOICE GRADE LINE PORT RATES (ISDN-BRI)														
	Exchange Ports - 2-Wire ISDN Port (See Notes below)			UEPTX	UEPSX	8.83	48.83	50.68	27.64	11.93				
	All Features Offered			UEPTX	UEPVF	2.26	0.00	0.00						

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2 Ex A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	SOMECH	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rac	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l				
	Exchange Ports - 2-Wire ISDN Port -- Channel Profiles			UEPTX, UEPSX	UTUMA	0.00	0.00	0.00						
	NOTE Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process													
	NOTE Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process													
	UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY													
	UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE													
	Unbundled Remote Call Forwarding Service Area Calling - Res			UEPVR	UERAC	2.40	3.74	3.63	1.88	1.80				
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	2.40	3.74	3.63	1.88	1.80				
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	2.40	3.74	3.63	1.88	1.80				
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	2.40	3.74	3.63	1.88	1.80				
	Non-Recurring													
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR	USAC2		0.102	0.102						
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		0.102	0.102						
	UNBUNDLED REMOTE CALL FORWARDING - BUS													
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	2.40	3.74	3.63	1.88	1.80				
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	2.40	3.74	3.63	1.88	1.80				
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	2.40	3.74	3.63	1.88	1.80				
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	2.40	3.74	3.63	1.88	1.80				
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	2.40	3.74	3.63	1.88	1.80				
	Non-Recurring													
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVB	USAC2		0.102	0.102						
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		0.102	0.102						
	UNBUNDLED LOCAL SWITCHING, PORT USAGE													
	End Office Switching (Port Usage)					0.0007662								
	End Office Trunk Port - Shared, Per MOU					0.000164								
	Tandem Switching (Port Usage) (Local or Access Tandem)					0.0001319								
	Tandem Trunk Port - Shared, Per MOU					0.000235								
	Tandem Switching Function Per MOU (Maided)					0.000027185								
	Tandem Trunk Port - Shared, Per MOU (Maided)					0.000048434								
	Maided Factor: 20.61% of the Tandem Rate													
	Common Transport													
	Common Transport - Per Mile, Per MOU					0.0000035								
	Common Transport - Facilities Termination Per MOU					0.0004372								
	UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES													
	>Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports													
	>The UNE-P Switching Port Rates Reflected in the Cost Based Section Apply to Embedded Base UNE-Ps as of March 10, 2005 and Consist of the TELRIC Cost Based Rates Plus \$1.00 in Accordance with the TRRO													
	>Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.													
	>End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations													
	>The first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections													
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)													
	UNE Port/Loop Combination Rates													
	2-Wire VG Loop/Port Combo - Zone 1					11.94								
	2-Wire VG Loop/Port Combo - Zone 2					16.05								
	2-Wire VG Loop/Port Combo - Zone 3					26.80								
	UNE Loop Rates													

UNBUNDLED NETWORK ELEMENTS - Florida														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A		
						Nonrecurring		Nonrecurring Disconnect				OSS Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOME	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9 77								
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	13 88								
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	24 63								
	2-Wire Voice Grade Line Port Rates (Res)													
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	2 17	53 31	26 46	27 50	8 37				
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	2 17	53 31	26 46	27 50	8 37				
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	2 17	53 31	26 46	27 50	8 37				
	2-Wire voice unbundled Florida Area Calling with Caller ID - res (LUM)			UEPRX	UEPAF	2 17	53 31	26 46	27 50	8 37				
	2-Wire voice unbundled Florida extended dialing with Caller ID			UEPRX	UEPAP	2 17	53 31	26 46	27 50	8 37				
	2-Wire voice unbundled Florida extended dialing port without Caller ID capability			UEPRX	UEPAI	2 17	53 31	26 46	27 50	8 37				
	2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability			UEPRX	UEPA8	2 17	53 31	26 46	27 50	8 37				
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPA9	2 17	53 31	26 46	27 50	8 37				
	FEATURES													
	All Features Offered			UEPRX	UEPVF	2 26	0 00	0 00						
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED													
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		0 102	0 102						
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		0 102	0 102						
	2-Wire Voice Grade Loop / Line Port Platform - Installation Charge at QuickService location - Not Conversion of Existing Service			UEPRX	URECC		0 102							
	ADDITIONAL NRCS													
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0 00	0 00	0 00						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8 33	0 83						
	OFFICE PREMISES EXTENSION CHANNELS													
	2 Wire Analog Voice Grade Extension Loop – Non-Design	1		UEPRX	UEAEN	10 69	49 57	22 83	25 62	6 57				
	2 Wire Analog Voice Grade Extension Loop – Non-Design	2		UEPRX	UEAEN	15 20	49 57	22 83	25 62	6 57				
	2 Wire Analog Voice Grade Extension Loop – Non-Design	3		UEPRX	UEAEN	26 97	49 57	22 83	25 62	6 57				
	2 Wire Analog Voice Grade Extension Loop – Design	1		UEPRX	UEAED	12 24	135 75	82 47	63 53	12 01				
	2 Wire Analog Voice Grade Extension Loop – Design	2		UEPRX	UEAED	17 40	135 75	82 47	63 53	12 01				
	2 Wire Analog Voice Grade Extension Loop – Design	3		UEPRX	UEAED	30 87	135 75	82 47	63 53	12 01				
	INTEROFFICE TRANSPORT													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	UITV2	25 32	47 35	31 78						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	UITVM	0 0091	0 00	0 00						
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)													
	UNE Port/Loop Combination Rates													
	2-Wire VG Loop/Port Combo - Zone 1					11 94								
	2-Wire VG Loop/Port Combo - Zone 2					16 05								
	2-Wire VG Loop/Port Combo - Zone 3					26 80								
	UNE Loop Rates													
	2-Wire Voice Grade Loop (SL1) - Zone 1	1		UEPBX	UEPLX	9 77								
	2-Wire Voice Grade Loop (SL1) - Zone 2	2		UEPBX	UEPLX	13 88								
	2-Wire Voice Grade Loop (SL1) - Zone 3	3		UEPBX	UEPLX	24 63								
	2-Wire Voice Grade Line Port (Bus)													
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2 17	53 31	26 46	27 50	8 37				
	2-Wire voice unbundled port with Caller - E484 ID - bus			UEPBX	UEPBC	2 17	53 31	26 46	27 50	8 37				
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	2 17	53 31	26 46	27 50	8 37				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	2 17	53 31	26 46	27 50	8 37				

UNBUNDLED NETWORK ELEMENTS - Florida															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'l	Disconnect Add'l	SOME C	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	2 17	53 31	26 46	27 50	8 37					
FEATURES	All Features Offered			UEPBX	UEPVF	2 26	0 00	0 00							
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		0 102	0 102							
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		0 102	0 102							
ADDITIONAL NRCs	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2		0 00	0 00							
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8 33	0 83							
OFFER PREMISES EXTENSION CHANNELS	2 Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPBX	UEAEN	10 69	49 57	22 83	25 62	6 57					
	2 Wire Analog Voice Grade Extension Loop - Non-Design		2	UEPBX	UEAEN	15 20	49 57	22 83	25 62	6 57					
	2 Wire Analog Voice Grade Extension Loop - Non-Design		3	UEPBX	UEAEN	26 97	49 57	22 83	25 62	6 57					
	2 Wire Analog Voice Grade Extension Loop - Design		1	UEPBX	UEAED	12 24	135 75	82 47	63 53	12 01					
	2 Wire Analog Voice Grade Extension Loop - Design		2	UEPBX	UEAED	17 40	135 75	82 47	63 53	12 01					
	2 Wire Analog Voice Grade Extension Loop - Design		3	UEPBX	UEAED	30 87	135 75	82 47	63 53	12 01					
INTEROFFICE TRANSPORT	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPBX	U1TV2	25 32	47 35	31 78							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPBX	U1TVM	0 0091	0 00	0 00							
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	UNE Port/Loop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1					11 94									
	2-Wire VG Loop/Port Combo - Zone 2					16 05									
	2-Wire VG Loop/Port Combo - Zone 3					26 80									
UNE Loop Rates	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9 77									
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	13 88									
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	24 63									
2-Wire Voice Grade Line Port Rates (RES - PBX)	2-Wire VG Unbundled Combination 2-Way Trunk Port - Res			UEPRG	UEPRD	2 17	174 81	100 65	75 88	12 73					
FEATURES	All Features Offered			UEPRG	UEPVF	2 26	0 00	0 00							
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		8 45	1 91							
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		8 45	1 91							
ADDITIONAL NRCs	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0 00	0 00	0 00							
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group			UEPRG			7 86	7 86							
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise			UEPRG	URETL		8 33	0 83							
OFFER PREMISES EXTENSION CHANNELS	Local Channel Voice grade per termination		1	UEPRG	P2JHX	12 24	135 75	82 47	63 53	12 01					
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	17 40	135 75	82 47	63 53	12 01					
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	30 87	135 75	82 47	63 53	12 01					
	Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	12 92	120 38	43 56	95 00	10 54					
	Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	16 36	120 38	43 56	95 00	10 54					
	Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	32 58	120 38	43 56	95 00	10 54					

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2 Ex A				Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rac	Nonrecurring First	Add'l	First	Nonrecurring Add'l	SOME	SOMAN	OSS Rates (\$)	SOMAN	SOMAN	SOMAN
INTEROFFICE TRANSPORT	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		UEPRG			25 32	47 35	31 78							
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		UEPRG			0 0091	0 00	0 00							
	UNE Port Loop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1					11 94									
	2-Wire VG Loop/Port Combo - Zone 2					16 05									
	2-Wire VG Loop/Port Combo - Zone 3					26 80									
	UNE Loop Rates														
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEPPX			9 77									
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEPPX			13 88									
2-Wire Voice Grade Line Port Rates (BUS - PBX)	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEPPX			24 63									
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPPX			2 17	174 81	100 65	75 88	12 73					
	Line Side Unbundled Outward PBX Trunk Port - Bus		UEPPX			2 17	174 81	100 65	75 88	12 73					
	Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPPX			2 17	174 81	100 65	75 88	12 73					
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPPX			2 17	174 81	100 65	75 88	12 73					
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		UEPPX			2 17	174 81	100 65	75 88	12 73					
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPPX			2 17	174 81	100 65	75 88	12 73					
	2-Wire Voice Unbundled PBX LD DDD Terminal Ports		UEPPX			2 17	174 81	100 65	75 88	12 73					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPPX			2 17	174 81	100 65	75 88	12 73					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPPX			2 17	174 81	100 65	75 88	12 73					
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	Administrative Calling Port		UEPPX			2 17	174 81	100 65	75 88	12 73					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		UEPPX			2 17	174 81	100 65	75 88	12 73					
	Room Calling Port		UEPPX			2 17	174 81	100 65	75 88	12 73					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		UEPPX			2 17	174 81	100 65	75 88	12 73					
	Discount Room Calling Port		UEPPX			2 17	174 81	100 65	75 88	12 73					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPPX			2 17	174 81	100 65	75 88	12 73					
	FEATURES														
	All Features Offered		UEPPX			2 26	0 00	0 00							
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Conversion - Switch-As-is		UEPPX				8 45	1 91							
ADDITIONAL NRCS	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Conversion - Switch with Change		UEPPX				8 45	1 91							
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Subsequent Activity		UEPPX			0 00	0 00	0 00							
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7 86	7 86							
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise		UEPPX				8 33	0 83							
	OFFICE PREMISES EXTENSION CHANNELS														
	Local Channel Voice grade, per termination	1	UEPPX			12 24	135 75	82 47	63 53	12 01					
	Local Channel Voice grade, per termination	2	UEPPX			17 40	135 75	82 47	63 53	12 01					
	Local Channel Voice grade, per termination	3	UEPPX			30 87	135 75	82 47	63 53	12 01					
	Non-Wire Direct Serve Channel Voice Grade	1	UEPPX			12 92	120 38	43 56	95 00	10 54					
	Non-Wire Direct Serve Channel Voice Grade	2	UEPPX			18 36	120 38	43 56	95 00	10 54					
INTEROFFICE TRANSPORT	Non-Wire Direct Serve Channel Voice Grade	3	UEPPX			32 58	120 38	43 56	95 00	10 54					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		UEPPX			25 32	47 35	31 78							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		UEPPX			0 0091	0 00	0 00							

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2 Ex A		Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l		Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMECE	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT														
	UNE Port/Loop Combination Rates														
	2-Wire VG Coin Port/Loop Combo - Zone 1					11 94									
	2-Wire VG Coin Port/Loop Combo - Zone 2					16 05									
	2-Wire VG Coin Port/Loop Combo - Zone 3					26 80									
	UNE Loop Rates														
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9 77									
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	13 88									
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	24 63									
	2-Wire Voice Grade Line Ports (COIN)														
	2-Wire Coin 2-Way with Operator Screening and Blocking 011														
	900/976 1-DDD (FL)			UEPCO	UEP2F	2 17	53 31	26 46	27 50	8 37					
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (FL)			UEPCO	UEPFA	2 17	53 31	26 46	27 50	8 37					
	900/976 1-DDD, 011+, and Local (FL)			UEPCO	UEPCG	2 17	53 31	26 46	27 50	8 37					
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	2 17	53 31	26 46	27 50	8 37					
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1-DDD, 011+ (FL)			UEPCO	UEPOF	2 17	53 31	26 46	27 50	8 37					
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1-DDD, 011+, and Local (FL, GA)			UEPCO	UEPCO	2 17	53 31	26 46	27 50	8 37					
	2-Wire 2-Way Snarlline with 900/976 (all states except LA)			UEPCO	UEPCO	2 17	53 31	26 46	27 50	8 37					
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	2 17	53 31	26 46	27 50	8 37					
	ADDITIONAL UNE COIN PORT/LOOP (RC)														
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1 86	0 00	0 00	0 00	0 00					
	NONRECURRING CHARGES - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		0 102	0 102							
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		0 102	0 102							
	ADDITIONAL NRCs														
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0 00	0 00							
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8 33	0 83							
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)														
	UNE Port/Loop Combination Rates														
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					14 64									
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					19 80									
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					33 27									
	UNE Loop Rates														
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12 24									
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17 40									
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30 87									
	2-Wire Voice Grade Line Port Rates (Res)														
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	2 40	174 81	100 65	75 88	12 73					
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	2 40	174 81	100 65	75 88	12 73					
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	2 40	174 81	100 65	75 88	12 73					
	2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPFR	UEPAF	2 40	174 81	100 65	75 88	12 73					
	2-Wire voice unbundles res low usage line port with Caller ID (LUM)			UEPFR	UEPAP	2 40	174 81	100 65	75 88	12 73					
	INTEROFFICE TRANSPORT														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	25 32	47 35	31 78							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFR	1LSXX	0 0091									

UNBUNDLED NETWORK ELEMENTS - Florida														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A		Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect			OSS Rates (\$)		
							First	Add'l	First	Add'l	SOMECE	SOMAN	SOMAN	
FEATURES														
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	All Features Offered			UEPFR	UEPVF	2.26	0.00	0.00						
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.97	3.73						
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.97	3.73						
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFR	URETN		11.21	1.10						
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)													
UNE PortLoop Combination Rates	2-Wire VG Loop/IO Transport/Port Combo - Zone 1					14.64								
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2					19.80								
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3					33.27								
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12.24								
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.40								
2-Wire Voice Grade Line Port (Bus)	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	30.87								
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	2.40	174.81	100.65	75.88	12.73				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	2.40	174.81	100.65	75.88	12.73				
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	2.40	174.81	100.65	75.88	12.73				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPBI	2.40	174.81	100.65	75.88	12.73				
INTEROFFICE TRANSPORT														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2	25.32	47.35	31.78						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1LSXX	0.0091								
FEATURES														
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	All Features Offered			UEPFB	UEPVF	2.26	0.00	0.00						
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFB	USAC2		16.97	3.73						
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFB	USACC		16.97	3.73						
	Unbundled Miscellaneous Rate Element Tag Designed Loop at End User Premise			UEPFB	URETN		11.21	1.10						
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)													
UNE PortLoop Combination Rates	2-Wire VG Loop/IO Transport/Port Combo - Zone 1					14.64								
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2					19.80								
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3					33.27								
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12.24								
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17.40								
2-Wire Voice Grade Line Port Rates (BUS - PBX)	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	30.87								
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	2.40	174.81	100.65	75.88	12.73				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	2.40	174.81	100.65	75.88	12.73				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPPI	2.40	174.81	100.65	75.88	12.73				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	2.40	174.81	100.65	75.88	12.73				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	2.40	174.81	100.65	75.88	12.73				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	2.40	174.81	100.65	75.88	12.73				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	2.40	174.81	100.65	75.88	12.73				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	2.40	174.81	100.65	75.88	12.73				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	2.40	174.81	100.65	75.88	12.73				

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2 Ex A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rac	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOME C	SOME M	SOME N	SOME N	SOME N
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPFP	UEPXL	2.40	174.81	100.65	75.88					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPFP	UEPXM	2.40	174.81	100.65	75.88					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPFP	UEPXP	2.40	174.81	100.65	75.88					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPFP	UEPXS	2.40	174.81	100.65	75.88					
INTEROFFICE TRANSPORT													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		UEPFP	UITV2	25.32	47.35	31.78						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		UEPFP	1L5XX	0.0091								
FEATURES													
	All Features Offered		UEPFP	UEPVF	2.26	0.00	0.00						
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED													
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is		UEPFP	USAC2		16.97	3.73						
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change		UEPFP	USACC		16.97	3.73						
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise		UEPFP	URETN		11.21	1.10						
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT													
UNE Port Loop Combination Rates													
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1				21.95								
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2				27.11								
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3				40.58								
UNE Loop Rates													
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1	UEPPX	UECD1	12.24								
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	2	UEPPX	UECD1	17.40								
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	3	UEPPX	UECD1	30.87								
UNE Port Rate													
	Exchange Ports - 2-Wire DID Port		UEPPX	UEPD1	9.71	214.16	98.29						
NONRECURRING CHARGES - CURRENTLY COMBINED													
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is		UEPPX	USAC1		7.85	1.87						
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes		UEPPX	USA1C		7.85	1.87						
ADDITIONAL NRCs													
	2-Wire DID Subsequent Activity - Add Trunks Per Trunk Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise		UEPPX	USAS1		32.26	32.26						
	Telephone Number/Trunk Group Establishment Charges		UEPPX	URETN		11.21	1.10						
	DID Trunk Termination (One Per Port)		UEPPX	NDT	0.00	0.00	0.00						
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers		UEPPX	NDZ	0.00	0.00	0.00						
	Additional DID Numbers for each Group of 20 DID Numbers		UEPPX	ND4	0.00	0.00	0.00						
	DID Numbers, Non-consecutive DID Numbers - Per Number		UEPPX	ND5	0.00	0.00	0.00						
	Reserve Non-Consecutive DID numbers		UEPPX	ND6	0.00	0.00	0.00						
	Reserve DID Numbers		UEPPX	NDV	0.00	0.00	0.00						
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT													
UNE Port Loop Combination Rates													
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1				23.63								
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2				30.05								
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3				46.84								
UNE Loop Rates													
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	1	UEPPB	USL2X	15.25								

UNBUNDLED NETWORK ELEMENTS - Florida										
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Svc Order Submitted Manually per LSR
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	USL2X	21 67				
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	USL2X	38 46				
	UNE Port Rate									
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPR	UEPPR	8 38				
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPB	8 38				
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion									
	ADDITIONAL NRCS			UEPPB	USACB	0 00				
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPPB	URETN					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPPB	URETL					
	B-CHANNEL USER PROFILE ACCESS									
	CVS/CSD (DMS/5ESS)			UEPPB	U1UCA	0 00				
	CVS (EWSN)			UEPPB	U1UCB	0 00				
	CSD			UEPPB	U1UCC	0 00				
	B-CHANNEL AREA PLUS USER PROFILE ACCESS (AL,KY,LA,MS SC,MS, & TN)									
	USER TERMINAL PROFILE			UEPPB	U1UMA	0 00				
	User Terminal Profile (EWSN only)			UEPPB	UEPVF	2 26				
	VERTICAL FEATURES									
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPVF	0 00				
	INTEROFFICE CHANNEL MILEAGE									
	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB	M1GNC	25 3291				
	Interoffice Channel mileage each, additional mile			UEPPB	M1GNM	0 0091				
	UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES									
	UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo									
	UNE Port/Loop Combination Rates (Non-Design)									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design									
	UNE Loop Rate									
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9 77				
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	13 88				
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	24 63				
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	12 24				
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	17 40				
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	30 87				
	UNE Ports									
	All States (Except North Carolina and South Carolina)									
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	2 17				
	2-Wire Voice Grade Port (Centrex 800 termination) Basic Local Area			UEP91	UEPYB	2 17				
	2-Wire Voice Grade Port (Centrex with Caller ID) Note 1 Basic Local Area			UEP91	UEPYH	2 17				

UNBUNDLED NETWORK ELEMENTS - Florida															
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A		Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect		SOMECE	SOMAN	SOMAN	SOMAN	SOMAN
							First	Add'l	First	Add'l					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)														
	Note 2 3 Basic Local Area			UEP91	UEPYM	2 17	139 49	86 10	65 41	13 81					
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	2 17	139 49	86 10	65 41	13 81					
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP91	UEPY9	2 17	53 31	26 46	27 50	8 37					
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91	UEPY2	2 17	53 31	26 46	27 50	8 37					
	Georgia and Florida Only														
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPHA	2 17	53 31	26 46	27 50	8 37					
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	2 17	53 31	26 46	27 50	8 37					
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP91	UEPHH	2 17	53 31	26 46	27 50	8 37					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 3			UEP91	UEPHM	2 17	139 49	86 10	65 41	13 81					
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term			UEP91	UEPHZ	2 17	139 49	86 10	65 41	13 81					
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	2 17	53 31	26 46	27 50	8 37					
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	2 17	53 31	26 46	27 50	8 37					
	Local Switching														
	Centrex Intercom Functionality, per port			UEP91	URECS	0 7384									
	Features														
	All Standard Features Offered, per port			UEP91	UEPVF	2 26									
	All Select Features Offered, per port			UEP91	UEPVS	0 00	370 70								
	All Centrex Control Features Offered, per port			UEP91	UEPVC	2 26									
	NARS														
	Unbundled Network Access Register - Combination			UEP91	UARCX	0 00	0 00	0 00	0 00	0 00					
	Unbundled Network Access Register - Indial			UEP91	UARYX	0 00	0 00	0 00	0 00	0 00					
	Unbundled Network Access Register - Outdial			UEP91	UAROY	0 00	0 00	0 00	0 00	0 00					
	Miscellaneous Terminations														
	2-Wire Trunk Side														
	Trunk Side Terminations, each			UEP91	CENAG	8 73									
	Interoffice Channel Mileage - 2-Wire														
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	25 32									
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0 0091									
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service														
	D4 Channel Bank Feature Activations														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0 66									
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0 66									
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0 66									
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0 66									
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0 66									
	Feature Activation on D-4 Channel Bank T1e Line/Trunk Loop Slot			UEP91	1PQWQ	0 66									
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0 66									
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex														
	Conversion - Currently Combined Switch-As-is with allowed changes, per port			UEP91	USAC2		21 50	8 42							
	Conversion of Existing Centrex Common Block			UEP91	USACN		5 17	8 32							
	New Centrex Standard Common Block			UEP91	M1ACS	0 00	618 82								
	New Centrex Customized Common Block			UEP91	M1ACC	0 00	618 82								
	Secondary Block, per Block			UEP91	M2CC1	0 00	71 31								
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0 00	66 48								
	UNE-P CENTREX - SESS (Valid in All States)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo														

UNBUNDLED NETWORK ELEMENTS - Florida																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex. A			
						Rac	Nonrecurring		Nonrecurring Disconnect		SOMEC	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st
							First	Add'l	First	Add'l						
	UNE Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design					11.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design					16.05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design					26.80										
	UNE Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design					14.41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design					19.57										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design					33.04										
	UNE Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1		UEP95	UECS1	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2		UEP95	UECS1	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3		UEP95	UECS1	24.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1		UEP95	UECS2	12.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 2	2		UEP95	UECS2	17.40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3	3		UEP95	UECS2	30.87										
	UNE Port Rate															
	All States															
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)Basic Local Area			UEP95	UEPYH	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2.3 Basic Local Area			UEP95	UEPYM	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP95	UEPYZ	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2	2.17	53.31	26.46	27.50	8.37						
	AL, KY, LA, MS, SC, & TN Only					2.17										
	FL & GA Only					2.17										
	2-Wire Voice Grade Port (Centrex)			UEP95	UEPHA	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2.3			UEP95	UEPHM	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3			UEP95	UEPHZ	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	2.17	53.31	26.46	27.50	8.37						
	Local Switching															
	Centrex Intercom Functionality, per port			UEP95	URECS	0.7384										
	Features															
	All Standard Features Offered, per port			UEP95	UEPVF	2.26										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	370.70									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.26										
	NARS															
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP95	UAROY	0.00	0.00	0.00	0.00	0.00						
	Miscellaneous Terminations															
	2-Wire Trunk Side															

UNBUNDLED NETWORK ELEMENTS - Florida															
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Attachment 2 Ex A			Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
	Trunk Side Terminations each			UEP95	CEND6	8.73									
4-Wire Digital (1 544 Megabits)				UEP95	M1HD1	54.95									
DST Circuit Terminations each				UEP95	M1HDO	0.00	15.69								
DSO Channels Activated, each				UEP95											
Interface Channel Mileage - 2-Wire				UEP95	M1GBC	25.32									
Interface Channel Facilities Termination				UEP95	M1GBM	0.0091									
Interface Channel mileage, per mile or fraction of mile															
Feature Activations (DSO) Centrex Loops on Channelized DST Service															
D4 Channel Bank Feature Activations				UEP95	1PQWS	0.66									
Feature Activation on D-4 Channel Bank Centrex Loop Slot															
Feature Activation on D-4 Channel Bank FX Line Side Loop Slot				UEP95	1PQW6	0.66									
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot				UEP95	1PQW7	0.66									
Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center				UEP95	1PQWP	0.66									
Feature Activation on D-4 Channel Bank Private Line Loop Slot				UEP95	1PQWW	0.66									
Feature Activation on D-4 Channel Bank T1e Line/Trunk Loop Slot				UEP95	1PQWQ	0.66									
Feature Activation on D-4 Channel Bank WATS Loop Slot				UEP95	1PQWA	0.66									
Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
NRC Conversion Currently Combined Switch-As-is with allowed changes, per port				UEP95	USAC2	0.00	21.50	8.42							
Conversion of Existing Centrex Common Block, each				UEP95	USAGN		5.17	8.32							
New Centrex Standard Common Block				UEP95	M1ACS	0.00	618.82								
New Centrex Customized Common Block				UEP95	M1ACC	0.00	618.82								
NAR Establishment Charge Per Occasion				UEP95	URECA	0.00	66.48								
Additional Non-Recurring Charges (NRC)															
Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise				UEP95	URETL		8.33	0.83							
Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise				UEP95	URETN		11.21	1.10							
UNE-P CENTREX - DMS100 (Valid in All States)															
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE PortLoop Combination Rates (Non-Design)															
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design						11.94									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design						16.05									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design						26.80									
UNE PortLoop Combination Rates (Design)															
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design						14.41									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design						19.57									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design						33.04									
UNE Loop Rate															
2-Wire Voice Grade Loop (SL 1) - Zone 1		1		UEP9D	UECS1	9.77									
2-Wire Voice Grade Loop (SL 1) - Zone 2		2		UEP9D	UECS1	13.88									
2-Wire Voice Grade Loop (SL 1) - Zone 3		3		UEP9D	UECS1	24.63									
2-Wire Voice Grade Loop (SL 2) - Zone 1		1		UEP9D	UECS2	12.24									
2-Wire Voice Grade Loop (SL 2) - Zone 2		2		UEP9D	UECS2	17.40									
2-Wire Voice Grade Loop (SL 2) - Zone 3		3		UEP9D	UECS2	30.87									
UNE Port Rate															
ALL STATES															
2-Wire Voice Grade Port (Centrex) Basic Local Area				UEP9D	UEPYA	2.17									

UNBUNDLED NETWORK ELEMENTS - Florida														
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A			
					Nonrecurring		Nonrecurring Disconnect				OSS Rates (\$)		Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	
					First	Add'l	First	Add'l			SOME	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area		UEP9D	UEPYB	2 17	53 31	26 46	27 50	8 37					
	2-Wire Voice Grade Port (Centrex / EBS-PSET)Basic Local Area		UEP9D	UEPYC	2 17	53 31	26 46	27 50	8 37					
	2-Wire Voice Grade Port (Centrex / EBS-M5009)Basic Local Area		UEP9D	UEPYD	2 17	53 31	26 46	27 50	8 37					
	2-Wire Voice Grade Port (Centrex / EBS-M5209)Basic Local Area		UEP9D	UEPYE	2 17	53 31	26 46	27 50	8 37					
	2-Wire Voice Grade Port (Centrex / EBS-M5112)Basic Local Area		UEP9D	UEPYF	2 17	53 31	26 46	27 50	8 37					
	2-Wire Voice Grade Port (Centrex / EBS-M5312)Basic Local Area		UEP9D	UEPYG	2 17	53 31	26 46	27 50	8 37					
	2-Wire Voice Grade Port (Centrex / EBS-M5008)Basic Local Area		UEP9D	UEPYT	2 17	53 31	26 46	27 50	8 37					
	2-Wire Voice Grade Port (Centrex / EBS-M5208)Basic Local Area		UEP9D	UEPYU	2 17	53 31	26 46	27 50	8 37					
	2-Wire Voice Grade Port (Centrex / EBS-M5216)Basic Local Area		UEP9D	UEPYV	2 17	53 31	26 46	27 50	8 37					
	2-Wire Voice Grade Port (Centrex / EBS-M5316)Basic Local Area		UEP9D	UEPY3	2 17	53 31	26 46	27 50	8 37					
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area		UEP9D	UEPYH	2 17	53 31	26 46	27 50	8 37					
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)Basic Local Area		UEP9D	UEPYW	2 17	53 31	26 46	27 50	8 37					
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)Basic Local Area		UEP9D	UEPYJ	2 17	53 31	26 46	27 50	8 37					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)Basic Local Area		UEP9D	UEPYM	2 17	53 31	26 46	27 50	8 37					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2.3.4 Basic Local Area		UEP9D	UEPYO	2 17	53 31	26 46	27 50	8 37					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2.3.4 Basic Local Area		UEP9D	UEPYP	2 17	53 31	26 46	27 50	8 37					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2.3.4 Basic Local Area		UEP9D	UEPYQ	2 17	139 49	86 10	65 41	13 81					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5209)2.3.4 Basic Local Area		UEP9D	UEPYR	2 17	139 49	86 10	65 41	13 81					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2.3.4 Basic Local Area		UEP9D	UEPYS	2 17	139 49	86 10	65 41	13 81					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2.3.4 Basic Local Area		UEP9D	UEPY4	2 17	139 49	86 10	65 41	13 81					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2.3.4 Basic Local Area		UEP9D	UEPY5	2 17	139 49	86 10	65 41	13 81					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2.3.4 Basic Local Area		UEP9D	UEPY6	2 17	139 49	86 10	65 41	13 81					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2.3.4 Basic Local Area		UEP9D	UEPY7	2 17	139 49	86 10	65 41	13 81					
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3		UEP9D	UEPYZ	2 17	139 49	86 10	65 41	13 81					
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area		UEP9D	UEPY9	2 17	53 31	26 46	27 50	8 37					
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area		UEP9D	UEPY2	2 17	53 31	26 46	27 50	8 37					
	FL & GA Only													
	2-Wire Voice Grade Port (Centrex)		UEP9D	UEPHA	2 17	53 31	26 46	27 50	8 37					
	2-Wire Voice Grade Port (Centrex 800 termination)		UEP9D	UEPHB	2 17	53 31	26 46	27 50	8 37					
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4		UEP9D	UEPHC	2 17	53 31	26 46	27 50	8 37					
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4		UEP9D	UEPHD	2 17	53 31	26 46	27 50	8 37					
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4		UEP9D	UEPHE	2 17	53 31	26 46	27 50	8 37					
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4		UEP9D	UEPHF	2 17	53 31	26 46	27 50	8 37					

UNBUNDLED NETWORK ELEMENTS - Florida														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Attachment 2 Ex A		
						Roc	Nonrecurring		Nonrecurring Disconnect		SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
							First	Add'l	First	Add'l				
	2-Wire Voice Grade Port (Centrex / EBS-M5312/4			UEP9D	UEPHG	2 17	53 31	26 46	27 50	8 37		SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5008/4			UEP9D	UEPHT	2 17	53 31	26 46	27 50	8 37				
	2-Wire Voice Grade Port (Centrex / EBS-M5208/4			UEP9D	UEPHU	2 17	53 31	26 46	27 50	8 37				
	2-Wire Voice Grade Port (Centrex / EBS-M5216/4			UEP9D	UEPHV	2 17	53 31	26 46	27 50	8 37				
	2-Wire Voice Grade Port (Centrex / EBS-M5316/4			UEP9D	UEPH3	2 17	53 31	26 46	27 50	8 37				
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	2 17	53 31	26 46	27 50	8 37				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPHW	2 17	53 31	26 46	27 50	8 37				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	2 17	53 31	26 46	27 50	8 37				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3			UEP9D	UEPHM	2 17	139 49	86 10	65 41	13 81				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	2 17	139 49	86 10	65 41	13 81				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	2 17	139 49	86 10	65 41	13 81				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	2 17	139 49	86 10	65 41	13 81				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	2 17	139 49	86 10	65 41	13 81				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPHS	2 17	139 49	86 10	65 41	13 81				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	2 17	139 49	86 10	65 41	13 81				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	2 17	139 49	86 10	65 41	13 81				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	2 17	139 49	86 10	65 41	13 81				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	2 17	139 49	86 10	65 41	13 81				
	2-Wire Voice Grade Port Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPHZ	2 17	139 49	86 10	65 41	13 81				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	2 17	53 31	26 46	27 50	8 37				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	2 17	53 31	26 46	27 50	8 37				
Local Switching	Centrex Intercom Functionality, per port			UEP9D	URECS	0 7384								
Features	All Standard Features Offered, per port			UEP9D	UEPVF	2 26								
	All Select Features Offered, per port			UEP9D	UEPVS	0 00	370 70							
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2 26								
NARS	Unbundled Network Access Register - Combination			UEP9D	UARCX	0 00	0 00	0 00	0 00	0 00				
	Unbundled Network Access Register - Inward			UEP9D	UARIY	0 00	0 00	0 00	0 00	0 00				
	Unbundled Network Access Register - Outdial			UEP9D	UAROY	0 00	0 00	0 00	0 00	0 00				
Miscellaneous Terminations														
2-Wire Trunk Side	Trunk Side Terminations, each			UEP9D	CEND6	8 73								
4-Wire Digital (1 544 Megabits)	DS1 Circuit Terminations, each			UEP9D	M1HD1	54 95								
	DS0 Channels Activated per Channel			UEP9D	M1HDO	0 00	15 69							
Interoffice Channel Mileage - 2-Wire	Interoffice Channel Facilities Termination			UEP9D	M1GBC	25 32								
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0 0091								
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service														
D4 Channel Bank Feature Activations														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1POWS	0 66								
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP9D	1POW6	0 66								

UNBUNDLED NETWORK ELEMENTS - Florida															
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Attachment 2 Ex A		Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	
						Rec	Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Manually per LSR	OSS Rates (\$)			
							First	Add'l				First			Add'l
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1POW7	0.66							SOMAN	SOMAN	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1POWP	0.66									
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1POWV	0.66									
	Feature Activation on D-4 Channel Bank [I/e Line]/Trunk Loop Slot			UEP9D	1POWQ	0.66									
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1POWA	0.66									
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex														
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2	21.50	8.42								
	Conversion of existing Centrex Common Block, each			UEP9D	USACN	5.17	8.32								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	618.82								
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	618.82								
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66.48								
	Additional Non-Recurring Charges (NRC)														
	Unbundled Miscellaneous Rate Element Tag Loop at End Use Premise			UEP9D	URETL	8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN	11.21	1.10								
	UNE-P CENTREX - EWSO (Valid in AL, FL, KY, LA, MS & TN)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
	UNE Port/Loop Combination Rates (Non-Design)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design					11.94									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design					16.05									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design					26.80									
	UNE Port/Loop Combination Rates (Design)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design					14.41									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design					19.57									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design					33.04									
	UNE Loop Rate														
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	9.77									
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	13.88									
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	24.63									
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	12.24									
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	17.40									
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	30.87									
	UNE Port Rate														
	AL, FL, KY, LA, MS, & TN only														
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex with Caller ID)Basic Local Area			UEP9E	UEPYH	2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP9E	UEPYM	2.17	139.49	86.10	65.41	13.81					
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			UEP9E	UEPYZ	2.17	139.49	86.10	65.41	13.81					
	Service Term - Basic Local Area			UEP9E	UEPY9	2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEPY9	2.17	53.31	26.46	27.50	8.37					
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2	2.17	53.31	26.46	27.50	8.37					

CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)						Svc Order Submitted Manually per LSR		Attachment 2 Ex A		Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
						Nonrecurring		Nonrecurring Disconnect		OSS Rates (\$)		SOME	SOME	SOME	SOME	SOME	SOME
						Rec	Add'l	First	Add'l	First	Add'l						
	Florida Only					2.17											
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEP9A	2.17	53.31	27.50	26.46	8.37	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEP9B	2.17	53.31	27.50	26.46	8.37	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9E	UEP9H	2.17	53.31	27.50	26.46	8.37	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)/2.3			UEP9E	UEP9M	2.17	139.49	65.41	86.10	13.81	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3			UEP9E	UEP9Z	2.17	139.49	65.41	86.10	13.81	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEP9H	2.17	53.31	27.50	26.46	8.37	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEP9Z	2.17	53.31	27.50	26.46	8.37	8.37						
	Local Switching																
	Centrex Intercom Functionality, per port			UEP9E	URECS	0.7384											
	Features																
	All Standard Features Offered, per port			UEP9E	UEP9V	2.26											
	All Select Features Offered, per port			UEP9E	UEP9S	0.00	370.70										
	All Centrex Control Features Offered, per port			UEP9E	UEP9C	2.26											
	NARS																
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Initial			UEP9E	UARYX	0.00	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9E	UAROY	0.00	0.00	0.00	0.00	0.00	0.00						
	Miscellaneous Terminations																
	2-Wire Trunk Side			UEP9E	CEND6	8.73											
	Trunk Side Terminations, each																
	4-Wire Digital (1.544 Megabits)			UEP9E	M1H01	54.95											
	DS1 Circuit Terminations, each			UEP9E	M1H00	0.00	15.69										
	DS0 Channel Activated Per Channel																
	Interoffice Channel Mileage - 2-Wire			UEP9E	MTGBC	25.32											
	Interoffice Channel Facilities Termination			UEP9E	MTGBM	0.0091											
	Interoffice Channel mileage, per mile or fraction of mile																
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																
	D4 Channel Bank Feature Activations			UEP9E	1PQWS	0.66											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot																
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP9E	1PQW6	0.66											
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.66											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0.66											
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66											
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.66											
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66											
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex																
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2	21.50	8.42										
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN	5.17	8.32										
	New Centrex Standard Common Block			UEP9E	MTACS	0.00	618.82										
	New Centrex Customized Common Block			UEP9E	MTACC	0.00	618.82										
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	66.48										
	Additional Non-Recurring Charges (NRC)																
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use			UEP9E	URETL	8.33	0.83										
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN	11.21	1.10										
	Note 1 - Required Port for Centrex Control in TAESS, SESS & EWSD																
	Note 2 - Requires Interoffice Channel Mileage																
	Note 3 - Installation is combination of installation charge for SL2 Loop and Port																

[illegible]

[illegible]

UNBUNDLED NETWORK ELEMENTS - Georgia															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order/ Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A		
						Rec	Nonrecurring		Disconnect				Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
							First	Add'l	First	Add'l					
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UWL-SL1)			UEANL	UREWO			15.75	8.92						
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.1)			UEANL	UEANM			7.30	7.30						
	Manual Order Coordination for UWL-SL1s (per loop)			UEANL	UEANM			18.92	18.92						
	Order Coordination for Specified Conversion Time for UWL-SL1 (per LSR)			UEANL	OCOSL			57.79							
	2-WIRE UNBUNDLED COPPER LOOP - NON-DESIGNED														
	2 Wire Unbundled Copper Loop Non-Designed- Zone 1	1	UEQ		UEQ2X	11.02		44.69	22.40	0.00					
	2 Wire Unbundled Copper Loop Non-Designed- Zone 2	2	UEQ		UEQ2X	12.72		44.69	22.40	0.00					
	2 Wire Unbundled Copper Loop Non-Designed- Zone 3	3	UEQ		UEQ2X	20.22		44.69	22.40	0.00					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL			8.33	0.83						
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC			18.92	18.92						
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E.1)			UEQ	UEQMU			7.30	7.30						
	Loop Testing - Basic 1st Half Hour			UEQ	URET1			25.12	25.12						
	Loop Testing - Basic Additional Half Hour			UEQ	URETA			13.62	13.62						
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	UREWO			14.25	7.42						
	UNBUNDLED EXCHANGE ACCESS LOOP														
	2-WIRE ANALOG VOICE GRADE LOOP														
	UNE Loop Rates for Line Splitting (In Ga. PSC ordered the line splitting loop USOCs match the lower port-loop combo rates UEPLX)														
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	1	UEPSR UEPSB	UEALS		9.56		10.05	7.36	1.37		1.28			
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	1	UEPSR UEPSB	UEABS		9.56		10.05	7.36	1.37		1.28			
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	2	UEPSR UEPSB	UEALS		14.86		10.05	7.36	1.37		1.28			
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	2	UEPSR UEPSB	UEABS		14.86		10.05	7.36	1.37		1.28			
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3	3	UEPSR UEPSB	UEALS		31.66		10.05	7.36	1.37		1.28			
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3	3	UEPSR UEPSB	UEABS		31.66		10.05	7.36	1.37		1.28			
	UNBUNDLED EXCHANGE ACCESS LOOP														
	2-WIRE ANALOG VOICE GRADE LOOP														
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	UEA		UEAL2	11.57		79.85	24.65	18.92		7.87			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	UEA		UEAL2	16.95		79.85	24.65	18.92		7.87			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	UEA		UEAL2	33.08		79.85	24.65	18.92		7.87			
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL			57.79							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	UEA		UEAR2	11.57		79.85	24.65	18.92		7.87			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEA		UEAR2	16.95		79.85	24.65	18.92		7.87			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEA		UEAR2	33.08		79.85	24.65	18.92		7.87			
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL			57.79							
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO			87.72	36.36						
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL			11.19	1.10						
	4-WIRE ANALOG VOICE GRADE LOOP														
	4-Wire Analog Voice Grade Loop - Zone 1	1	UEA		UEAL4	17.80		93.01	28.17	19.52		8.12			
	4-Wire Analog Voice Grade Loop - Zone 2	2	UEA		UEAL4	21.68		93.01	28.17	19.52		8.12			
	4-Wire Analog Voice Grade Loop - Zone 3	3	UEA		UEAL4	30.25		93.01	28.17	19.52		8.12			
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL			57.79							
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO			87.72	36.36						
	2-WIRE ISDN DIGITAL GRADE LOOP														
	2-Wire ISDN Digital Grade Loop - Zone 1	1	UDN		U1L2X	21.89		180.06	35.25	18.23		6.97			
	2-Wire ISDN Digital Grade Loop - Zone 2	2	UDN		U1L2X	25.27		180.06	35.25	18.23		6.97			
	2-Wire ISDN Digital Grade Loop - Zone 3	3	UDN		U1L2X	40.17		180.06	35.25	18.23		6.97			
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL			57.79							

UNBUNDLED NETWORK ELEMENTS - Georgia																
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A		Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
					Rec	Nonrecurring		First	Disconnect			Add'l	SOMAN			SOMAN
						Add'l	SOMEK									
	CLEC to CLEC Conversion Charge without outside dispatch															
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	I 1	UAL	UAL2X	11 23	44 69			0 00							
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	I 2	UAL	UAL2X	12 97	44 69			0 00							
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	I 3	UAL	UAL2X	20 62	44 69			0 00							
	Order Coordination for Specified Conversion Time (per LSR)		UAL	OCOSL		57 79										
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	I 1	UAL	UAL2W	11 23	44 69			0 00							
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	I 2	UAL	UAL2W	12 97	44 69			0 00							
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	I 3	UAL	UAL2W	20 62	44 69			0 00							
	Order Coordination for Specified Conversion Time (per LSR)		UAL	OCOSL		57 79										
	CLEC to CLEC Conversion Charge without outside dispatch		UAL	UREWO		44 69		29 29								
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	I 1	UHL	UHL2X	7 88	44 69			0 00							
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	I 2	UHL	UHL2X	9 09	44 69			0 00							
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	I 3	UHL	UHL2X	14 48	44 69			0 00							
	Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL		57 79										
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	I 1	UHL	UHL2W	7 88	44 69			0 00							
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	I 2	UHL	UHL2W	9 09	44 69			0 00							
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	I 3	UHL	UHL2W	14 48	44 69			0 00							
	Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL		57 79										
	CLEC to CLEC Conversion Charge without outside dispatch		UHL	UREWO		44 69										
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	I 1	UHL	UHL4X	10 39	44 69			0 00							
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	I 2	UHL	UHL4X	12 00	44 69			0 00							
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	I 3	UHL	UHL4X	19 07	44 69			0 00							
	Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL		57 79										
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	I 1	UHL	UHL4W	10 39	44 69			0 00							
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	I 2	UHL	UHL4W	12 00	44 69			0 00							
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	I 3	UHL	UHL4W	19 07	44 69			0 00							
	Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL		57 79										
	CLEC to CLEC Conversion Charge without outside dispatch		UHL	UREWO		44 69										
	4-WIRE DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1	1	USL	USLXX	41 02	211 93			38 24							
	4-Wire DS1 Digital Loop - Zone 2	2	USL	USLXX	46 41	211 93			38 24							
	4-Wire DS1 Digital Loop - Zone 3	3	USL	USLXX	62 03	211 93			38 24							
	Order Coordination for Specified Conversion Time (per LSR)		USL	OCOSL		57 79										
	CLEC to CLEC Conversion Charge without outside dispatch		USL	UREWO		100 91			42 97							
	4-WIRE 19 2, 56 OR 64 Kbps DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19 2 Kbps	1	UDL	UDL19	21 86	196 66			18 82							
	4 Wire Unbundled Digital 19 2 Kbps	2	UDL	UDL19	28 36	196 66			18 82							
	4 Wire Unbundled Digital 19 2 Kbps	3	UDL	UDL19	38 22	196 66			18 82							

UNBUNDLED NETWORK ELEMENTS - Georgia																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A		Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Nonrecurring		Nonrecurring Disconnect		OSS Rates (\$)						
						Rec	First	Add'l	First				Add'l	SOMECA		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	21 86	196 66	37 00	18 82	7 20						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	28 36	196 66	37 00	18 82	7 20						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	38 22	196 66	37 00	18 82	7 20						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57 79									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	21 86	196 66	37 00	18 82	7 20						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	28 36	196 66	37 00	18 82	7 20						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38 22	196 66	37 00	18 82	7 20						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57 79									
	CLEC to CLEC Conversion Charge without outside dispaic h			UDL	UREWO		101 95	49 66								
	2-WIRE UNBUNDLED COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	I	1	UCL	UCLPB	12 02	44 69	31 55	0 00	0 00						
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	I	2	UCL	UCLPB	13 88	44 69	31 55	0 00	0 00						
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	I	3	UCL	UCLPB	22 07	44 69	31 55	0 00	0 00						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18 92	18 92								
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	I	1	UCL	UCLPW	12 02	44 69	31 55	0 00	0 00						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	I	2	UCL	UCLPW	13 88	44 69	31 55	0 00	0 00						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	I	3	UCL	UCLPW	22 07	44 69	31 55	0 00	0 00						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18 92	18 92								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18 92	18 92								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)	I		UCL	UREWO		44 69	31 55								
	4-WIRE COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	I	1	UCL	UCL4S	16 65	44 69	31 55	0 00	0 00						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	I	2	UCL	UCL4S	19 22	44 69	31 55	0 00	0 00						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	I	3	UCL	UCL4S	30 55	44 69	31 55	0 00	0 00						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18 92	18 92								
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	I	1	UCL	UCL4W	16 65	44 69	31 55	0 00	0 00						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	I	2	UCL	UCL4W	19 22	44 69	31 55	0 00	0 00						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	I	3	UCL	UCL4W	30 55	44 69	31 55	0 00	0 00						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18 92	18 92								
	CLEC to CLEC conversion Charge without outside dispatch	I		UCL	UREWO		44 69	31 55								
	LOOP MODIFICATION															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft. per Unbundled Loop	I		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0 00	0 00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft. per Unbundled Loop	I		UHL, UCL, UEA	ULM4L		0 00	0 00								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM6T		17 91									
	SUB-LOOPS															
	Sub-Loop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up			UEANL	US6SA		255 76									

UNBUNDLED NETWORK ELEMENTS - Georgia														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A		
						Rec	Nonrecurring		Nonrecurring Disconnect			Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							First	Add'l						
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		7 29							
	Sub-Loop - Per Building Equipment Room - CLEC Feeder			UEANL	USBSC		175 09							
	Facility Set-Up			UEANL	USBSD		51 61							
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBRC		28 46	3 85	2 20	0 01				
	Unbundled Sub-Loops Riser Cable, 2-Wire per Loop Working and Spare Loop Activation			UEANL	USBRD		7 67	31 07	2 27	0 01				
	Unbundled Sub-Loops Riser Cable, 4-Wire per Loop Working and Spare Loop Activation			UEANL	USBN2		6 52	28 46	3 85	2 20	0 01			
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1		UEANL	USBN2		28 46	3 85	2 20	0 01				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	2		UEANL	USBN2		10 18	28 46	3 85	2 20	0 01			
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	3		UEANL	USBN2		19 51	28 46	3 85	2 20	0 01			
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1	1		UEANL	USBN4		5 93	31 07	4 79	2 27	0 01			
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2	2		UEANL	USBN4		9 71	31 07	4 79	2 27	0 01			
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	3		UEANL	USBN4		18 85	31 07	4 79	2 27	0 01			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18 92	18 92						
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2		3 61	28 46	3 85	2 20	0 01			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18 92	18 92						
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4		7 67	31 07	4 79	2 27	0 01			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18 92	18 92						
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		25 12	25 12						
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		13 62	13 62						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	5 94	28 46	3 85	2 20	0 01				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS2X	7 51	28 46	3 85	2 20	0 01				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	9 22	28 46	3 85	2 20	0 01				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18 92	18 92						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	6 37	31 07	4 79	2 27	0 01				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS4X	6 32	31 07	4 79	2 27	0 01				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS4X	9 10	31 07	4 79	2 27	0 01				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18 92	18 92						
	Loop Testing - Basic 1st Half Hour			UEF	URET1		25 12	25 12						
	Loop Testing - Basic Additional Half Hour			UEF	URETA		13 62	13 62						
	Unbundled Network Terminating Wire (UNTW)			UEANL	UENPP	0 533	25 12	12 28						
	Unbundled Network Terminating Wire (UNTW) per Pair			UEANL	UENPP									
	Network Interface Device (NID)			UEANL	UND12		32 86	20 69						
	Network Interface Device (NID) - 1-2 Lines	1		UEANL	UND12		56 03	43 86						
	Network Interface Device (NID) - 1-6 Lines	1		UEANL	UND16		2 45	2 45						
	Network Interface Device Cross Connect - 2 W	1		UEANL	UNDC2		2 45	2 45						
	Network Interface Device Cross Connect - 4W			UEANL	UNDC4		2 45	2 45						
	UNTW - Dispatch and Service Order for NID Installation			UEANL	UNDBX	0 00	0 00							
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UEANL	UEUFE	0 00	0 00							
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL	UNECN	0 00	0 00							
	UNTW - Provisioning Only - NO RATE			UEANL	UNECN	0 00	0 00							

UNBUNDLED NETWORK ELEMENTS - Georgia														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st Add'l		
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOMECE	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,USL	UNECDN	0.00	0.00							
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFO	0.00	0.00							
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00							
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00							
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00							
HIGH CAPACITY UNBUNDLED LOCAL LOOP	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1LSND	10.97								
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	253.38	2 016 2145	151 685	129 8465	87 262				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1LSND	10.97								
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	305.42	2 016 2145	151 685	129 8465	87 262				
LOOP MAKE-UP	Loop Makeup - Preordering Without Reservation, per working or spare facility queued (Manual)			UMK	UMKLW		15.19	15.19						
	Loop Makeup - Preordering With Reservation, per spare facility queued (Manual)			UMK	UMKLP		19.85	19.85						
	Loop Makeup-With or Without Reservation, per working or spare facility queued (Mechanized)			UMK	UMKMQ		0.82	0.82						
LINE SPLITTING														
LINE SPLITTING														
END USER ORDERING-CENTRAL OFFICE BASED														
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61								
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.6297	20.10	12.40	7.68	4.30				
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.6288	20.10	12.40	7.68	4.30				
MAINTENANCE OF SERVICE														
NOTE	The Expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff, Section 13.3.1 as applicable													
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00						
	No Trouble Found - per 1/2 hour increments - Overtime						90.00	65.00						
	No Trouble Found - per 1/2 hour increments - Premium						100.00	75.00						
UNBUNDLED DEDICATED TRANSPORT														
INTEROFFICE CHANNEL - DEDICATED TRANSPORT														
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1LSXX	0.0057								
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00				
	Interoffice Channel - Dedicated Transport 1- 2-Wire Voice Grade Rev Bat - Per Mile per month			U1TVX	1LSXX	0.0057								
	Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat - Facility Termination			U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1LSXX	0.0057								
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination			U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1LSXX	0.0057								
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1LSXX	0.0057								
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00				

UNBUNDLED NETWORK ELEMENTS - Georgia														
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A		
					Rec	Nonrecurring		Nonrecurring Disconnect				Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
						First	Add'l	First	Add'l	SOMEC	SOMAN			
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month													
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination		U1TD1	1L5XX	0.1154									
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month		U1TD1	U1TF1	34.19	111.03	80.28	31.36	21.73					
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month		U1TD3	1L5XX	2.53									
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month		U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81					
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination		U1TS1	1L5XX	2.53									
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination		U1TS1	U1TFS	358.67	320.47	86.32	66.77	52.81					
DARK FIBER	Dark Fiber - Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel													
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel		UDF, UDFCX	1L5DC	46.84									
	NRC - Dark Fiber - Interoffice Channel		UDF, UDFCX	1L5DF	23.29									
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop		UDF, UDFCX	UDF-14		1,776.53	89.75	73.64	18.70					
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop		UDF, UDFCX	1L5DL	46.84									
8XX ACCESS TEN DIGIT SCREENING														
	8XX Access Ten Digit Screening, Per Call				0.0008543									
	8XX Access Ten Digit Screening, w/8FL No. Delivery				0.0008543									
	8XX Access Ten Digit Screening w/POTS No. Delivery				0.0008543									
LINE INFORMATION DATA BASE ACCESS (LIDB)														
	LIDB Common Transport Per Query				0.0000682									
	LIDB Validation Per Query				0.0266962									
	LIDB Originating Point Code Establishment or Change		OQU	NREPX		33.24	33.24	39.35	39.35					
CALLING NAME (CNAM) SERVICE														
	CNAM for DB Owners, Per Query				0.0009924									
	CNAM for Non DB Owners, Per Query				0.0009924									
LNP Query Service														
	LNP Charge Per query				0.00082									
	LNP Service Establishment Manual				12.49			11.09						
	LNP Service Provisioning with Point Code Establishment				574.87		293.68	251.47	184.91					
SELECTIVE ROUTING														
	Selective Routing Per Unique Line Class Code Per Request Per Switch					102.19	61.15	12.68	6.34					
VIRTUAL COLLOCATION														
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting		UEPSR UEPSB	VE1LS	0.0188	0.00	0.00	0.00	0.00					
PHYSICAL COLLOCATION														
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting		UEPSR UEPSB	PE1LS	0.0197	0.00	0.00							
AIN SELECTIVE CARRIER ROUTING														
	Regional Service Establishment					101,311.67	101,311.67	7,833.25	7,833.25					
	End Office Establishment					158.92	158.92	1.64	1.64					
	Line/Port NRC, per end user					2.06	2.06							
	Query NRC, per query				0.0020368									
AIN - BELL SOUTH AIN SMS ACCESS SERVICE														
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup		AIN	CAMSE		41.41	41.41	41.63	41.63					
	AIN SMS Access Service - Port Connection - Dial/Shared Access		AIN	CAMPD		8.15	8.15	9.16	9.16					
	AIN SMS Access Service - Port Connection - ISDN Access		AIN	CAM1P		8.15	8.15	9.16	9.16					
	AIN SMS Access Service - User Identification Codes - Per User ID Code		AIN	CAMAU		35.29	35.29	26.50	26.50					
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement		AIN	CAMRC		40.24	40.24	11.72	11.72					

UNBUNDLED NETWORK ELEMENTS - Georgia														
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A		Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Nonrecurring		Nonrecurring Disconnect				OSS Rates (\$)			
					First	Add'l	First	Add'l			SOMECH	SOMAN		
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0038								
	AIN SMS Access Service - Session, Per Minute					1.81								
	AIN SMS Access Service - Company Performed Session, Per Minute					0.8323								
SIGNALING (CCS7)														
	CCS7 Signaling Usage, Per TCAP Message					0.0000527								
	CCS7 Signaling Usage, Per ISUP Message (same as E 3.3)					0.0000132								
ENHANCED EXTENDED LINK (EELs)														
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provided as ' Ordinarily Combined' Network Elements														
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provided as ' Currently Combined' Network Elements														
2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION														
	2-Wire VG Loop (SL2) in Combination - Zone 1	1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86					
	2-Wire VG Loop (SL2) in Combination - Zone 2	2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86					
	2-Wire VG Loop (SL2) in Combination - Zone 3	3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86					
	Voice Grade COCI - Per Month		UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04					
4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION														
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86					
	4-Wire Analog Voice Grade Loop in Combination - Zone 2	2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86					
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86					
	Voice Grade COCI in combination - per month		UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04					
4-WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION														
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDCX	UDL56	21.86	195.94	36.38	18.42	6.86					
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDCX	UDL56	28.36	195.94	36.38	18.42	6.86					
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDCX	UDL56	38.22	195.94	36.38	18.42	6.86					
	OCU-DP COCI (data) per month (2.4-64Kbs)		UNCDCX	1D1DD	0.9963	27.33	2.90	16.86	1.04					
4-WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION														
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDCX	UDL64	21.86	195.94	36.38	18.42	6.86					
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDCX	UDL64	28.36	195.94	36.38	18.42	6.86					
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDCX	UDL64	38.22	195.94	36.38	18.42	6.86					
	OCU-DP COCI (data) - in combination - per month (2.4-64Kbs)		UNCDCX	1D1DD	0.9963	27.33	2.90	16.86	1.04					
2-WIRE ISDN LOOP FOR USE IN COMBINATION														
	2-Wire ISDN Loop in Combination - Zone 1	1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86					
	2-Wire ISDN Loop in Combination - Zone 2	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86					
	2-Wire ISDN Loop in Combination - Zone 3	3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86					
	2-wire ISDN COCI (BRITE) - in combination - per month		UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04					
4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION														
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86					
	4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86					
	4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86					
	DS1 COCI in combination per month		UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04					
2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION														
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month		UNCVX	1L5XX	0.0057									
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month		UNCVX	U1TV2	12.87	66.53	33.61	43.42	27.60					
4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION														
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month		UNCVX	1L5XX	0.0057									
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month		UNCVX	U1TV4	10.78	66.53	33.61	43.42	27.60					
DS1 INTEROFFICE TRANSPORT FOR COMBINATION														
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNC1X	1L5XX	0.1154									
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97					
DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION														
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		UNC3X	1L5XX	2.53									

UNBUNDLED NETWORK ELEMENTS - Georgia														
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A		Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'l	Disconnect	SOME	SOMAN	Charge - Manual Svc Order vs Electronic-Disc Add'l	Charge - Manual Svc Order vs Electronic-Disc Add'l
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month													
	STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION		UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88					
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month		UNC3X	1L5XX	2.53									
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month		UNC3X	U1TF5	358.67	325.91	77.07	49.56	32.88					
	4-WIRE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT													
	4-wire 56 kbps Local Loop in combination - Zone 1	1	UNC3X	UDL56	21.86	195.94	36.38	18.42	6.86					
	4-wire 56 kbps Local Loop in combination - Zone 2	2	UNC3X	UDL56	28.36	195.94	36.38	18.42	6.86					
	4-wire 56 kbps Local Loop in combination - Zone 3	3	UNC3X	UDL56	38.22	195.94	36.38	18.42	6.86					
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month		UNC3X	1L5XX	0.0057									
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month		UNC3X	U1TD5	7.83	66.53	33.61	43.42	27.60					
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT													
	4-wire 64 kbps Local Loop in Combination - Zone 1	1	UNC3X	UDL64	21.86	195.94	36.38	18.42	6.86					
	4-wire 64 kbps Local Loop in Combination - Zone 2	2	UNC3X	UDL64	28.36	195.94	36.38	18.42	6.86					
	4-wire 64 kbps Local Loop in Combination - Zone 3	3	UNC3X	UDL64	38.22	195.94	36.38	18.42	6.86					
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month		UNC3X	1L5XX	0.0057									
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month		UNC3X	U1TD6	7.83	66.53	33.61	43.42	27.60					
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT													
	4-wire 56 kbps Local Loop in combination - Zone 1	1	UNC3X	UDL56	21.86	195.94	36.38	18.42	6.86					
	4-wire 56 kbps Local Loop in combination - Zone 2	2	UNC3X	UDL56	28.36	195.94	36.38	18.42	6.86					
	4-wire 56 kbps Local Loop in combination - Zone 3	3	UNC3X	UDL56	38.22	195.94	36.38	18.42	6.86					
	4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month		UNC3X	1L5XX	0.0057									
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month		UNC3X	U1TD5	7.83	66.53	33.61	43.42	27.60					
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT													
	4-wire 64 kbps Local Loop in combination - Zone 1	1	UNC3X	UDL64	21.86	195.94	36.38	18.42	6.86					
	4-wire 64 kbps Local Loop in combination - Zone 2	2	UNC3X	UDL64	28.36	195.94	36.38	18.42	6.86					
	4-wire 64 kbps Local Loop in combination - Zone 3	3	UNC3X	UDL64	38.22	195.94	36.38	18.42	6.86					
	4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month		UNC3X	1L5XX	0.0057									
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month		UNC3X	U1TD6	7.83	66.53	33.61	43.42	27.60					
	DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT													
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86					
	4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86					
	4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNC1X	1L5XX	0.1154									
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97					
	DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT													
	DS3 Local Loop in combination - per mile per month		UNC3X	1L5ND	12.6155									
	DS3 Local Loop in combination - Facility Termination per month		UNC3X	UE3PX	291.387	2,016.2145	151.685	129.8465	87.262					
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		UNC3X	1L5XX	2.53									
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month		UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88					
	STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT													
	STS-1 Local Loop in combination - per mile per month		UNC3X	1L5ND	12.6155									
	STS-1 Local Loop in combination - Facility Termination per month		UNC3X	UDLS1	351.233	2,016.2145	151.685	129.8465	87.262					

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2 Ex A			
CATEGORY	RATE ELEMENTS	Interim	Zono	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
						Nonrecurring First	Nonrecurring Add'l	Nonrecurring First	Nonrecurring Add'l			Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
	Interface Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1LSXX								
	Interface Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	UITFS	325 91	77 07	49 58	32 88				
ADDITIONAL NETWORK ELEMENTS													
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As is charge does apply													
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As is Charge does not													
Nonrecurring Currently Combined Network Elements "Switch As is" Charge (One applies to each combination)													
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCXX, UNCDX, UNC1X, UNC3X, UNCSX	UNCCC	5 70	5 70	6 61	6 61				
Optional Features & Functions													
	Clear Channel Capability Extended Frame Option - per DS1	I		UTD1, ULDD1, UNC1X	CCOEF	0 00	0 00	0 00	0 00				
	Clear Channel Capability Super Frame Option - per DS1	I		UTD1, ULDD1, UNC1X	CCOSF	0 00	0 00	0 00	0 00				
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I		ULDD1, U1TD1, UNC1X, USL	NRCCC	184 62	23 78	2 03	0 79				
	C-bit Parity Option - Subsequent Activity - per DS3	I		UTD3, ULDD3, UE3, UNC3X	NRCC3	218 74	7 86	0 7591	0 00				
MULTIPLEXERS													
	DS1 to DS0 Channel System per month			UNC1X	MG1	86 10							
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) used for a Local Loop			UDL	1D1DD	11 98	11 39	6 61	6 61				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			UITUD	1D1DD	11 98	11 39	6 61	6 61				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA	1 66	15 81	11 39	6 61				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			UITUB	UC1CA	1 66	15 81	11 39	6 61				
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0 4689	11 98	11 39	6 61				
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			UITUC	1D1VG	0 4689	11 98	11 39	6 61				
	DS3 to DS1 Channel System per month			UNC3X	MG3	121 90							
	STS-1 to DS1 Channel System per month			UNC3X	MG3	121 90							
	DS1 COCI used with Loop per month			USL	UC1D1	7 35	15 81	11 39	6 61				
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			UITUA	UC1D1	7 35	15 81	11 39	6 61				
	DS1 COCI (used with Interface Channel per month			UITD1	UC1D1	7 35	15 81	11 39	6 61				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	7 35	15 81	11 39	6 61				
UNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)													
The Exchange Switching Port Rates Reflected Here Apply to Embedded Base Switching Ports as of March 10, 2005													
and Consist of the TELRIC Cost Based Rates Plus \$1 00 In Accordance with the TRRO													
Exchange Ports													
NOTE Although the Port Rate Includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs													
2-WIRE VOICE GRADE LINE PORT RATES (RES)													
	Exchange Ports - 2-Wire Analog Line Port - Res			UEPSR	UEPRL	2 09	2 42	1 37	1 28				
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	2 09	2 42	1 37	1 28				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res			UEPSR	UEPRO	2 09	2 42	1 37	1 28				
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	2 09	2 42	1 37	1 28				

UNBUNDLED NETWORK ELEMENTS - Georgia																
CATEGORY	RATE ELEMENTS	Interm	Zone	BCs	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A			
						Nonrecurring		Nonrecurring Disconnect		Incremental Charge - Manual Svc Order vs Electronic-Disc 1st			Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
						Roc	First	Add'l	First							Add'l
	Exchange Ports - 2-Wire Voice Georgia basic dialing port without Caller ID															
	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res				UEPSR	UEPWC	2 09	2 42	2 31	1 37	1 28					
	2-Wire voice unbundled Georgia basic dialing port - outgoing only				UEPSR	UEPWO	2 09	2 42	2 31	1 37	1 28					
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability				UEPSR	UEPWR	2 09	2 42	2 31	1 37	1 28					
	2-Wire Voice Grade Unbundled Port without Caller ID capability, Georgia				UEPSR	UEPRT	2 09	2 42	2 31	1 37	1 28					
	2-Wire Voice Grade Unbundled Port with Caller ID capability Georgia				UEPSR	UEPRV	2 09	2 42	2 31	1 37	1 28					
	Subsequent Activity				UEPSR	UEPRJ	2 09	2 42	2 31	1 37	1 28					
	Subsequent Activity				UEPSR	USASC	0 00	0 00	0 00							
	Subsequent Activity				UEPSR	UEPVF	0 775	0 00	0 00							
	Subsequent Activity				UEPSR	UEPBL	2 09	2 42	2 31	1 37	1 28					
	Subsequent Activity				UEPSB	UEPBC	2 09	2 42	2 31	1 37	1 28					
	Subsequent Activity				UEPSB	UEPWP	2 09	2 42	2 31	1 37	1 28					
	Subsequent Activity				UEPSB	UEPBO	2 09	2 42	2 31	1 37	1 28					
	Subsequent Activity				UEPSB	UEPB1	2 09	2 42	2 31	1 37	1 28					
	Subsequent Activity				UEPSB	UEPWD	2 09	2 42	2 31	1 37	1 28					
	Subsequent Activity				UEPSB	UEPBE	2 09	2 42	2 31	1 37	1 28					
	Subsequent Activity				UEPSB	USASC	0 00	0 00	0 00							
	Subsequent Activity				UEPSB	UEPVF	0 775	0 00	0 00							
	Subsequent Activity				UEPSE	UEPRD	2 09	28 88	13 63	11 48	0 83					
	Subsequent Activity				UEPSP	UEPPC	2 09	28 88	13 63	11 48	0 83					
	Subsequent Activity				UEPSP	UEPPO	2 09	28 88	13 63	11 48	0 83					
	Subsequent Activity				UEPSP	UEP1	2 09	28 88	13 63	11 48	0 83					
	Subsequent Activity				UEPSP	UEPLD	2 09	28 88	13 63	11 48	0 83					
	Subsequent Activity				UEPSP	UEPLD	2 09	28 88	13 63	11 48	0 83					
	Subsequent Activity				UEPSP	UEPXA	2 09	28 88	13 63	11 48	0 83					
	Subsequent Activity				UEPSP	UEPXB	2 09	28 88	13 63	11 48	0 83					
	Subsequent Activity				UEPSP	UEPXC	2 09	28 88	13 63	11 48	0 83					
	Subsequent Activity				UEPSP	UEPXD	2 09	28 88	13 63	11 48	0 83					
	Subsequent Activity				UEPSP	UEPXE	2 09	28 88	13 63	11 48	0 83					
	Subsequent Activity				UEPSP	UEPXL	2 09	28 88	13 63	11 48	0 83					
	Subsequent Activity				UEPSP	UEPXM	2 09	28 88	13 63	11 48	0 83					
	Subsequent Activity				UEPSP	UEPXO	2 09	28 88	13 63	11 48	0 83					
	Subsequent Activity				UEPSP	UEPXS	2 09	28 88	13 63	11 48	0 83					
	Subsequent Activity				UEPSP	UEPWS	2 09	28 88	13 63	11 48	0 83					
	Subsequent Activity				UEPSP	UEPWT	2 09	28 88	13 63	11 48	0 83					
	Subsequent Activity				UEPSP	UEPPQ	2 09	28 88	13 63	11 48	0 83					

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Manually per LSR	Attachment 2 Ex A		Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	Nonrecurring First Add'l	Nonrecurring First Add'l	Nonrecurring Disconnect First Add'l	SOMEC	SOMAN	OSS Rates (\$)	SOMAN	SOMAN	SOMAN
	Subsequent Activity			USASC	0.00	0.00	0.00							
FEATURES														
	All Available Vertical Features			UEPVS	0.775	0.00	0.00							
NOTE	Transmission/usage charges associated with POT3 circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports													
NOTE	Access to B Channel or D Channel Packet Capabilities will be available only through BFRNew Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process													
2-WIRE VOICE GRADE LINE PORT RATES (DID)	Exchange Ports - 2-Wire DID Port			UEP2	6.50	122.26	18.65	54.82			3.45			
2-WIRE VOICE GRADE LINE PORT RATES (ISDN-BRI)	Exchange Ports - 2-Wire ISDN Port (See Notes below)			UEP2	7.09	76.39	51.50	45.67			10.36			
	All Features Offered			UEPVS	0.775	0.00	0.00							
	Exchange Ports - 2-Wire ISDN Port - Channel Profiles			UEPVS	0.00	0.00	0.00							
NOTE	Transmission/usage charges associated with POT3 circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports													
NOTE	Access to B Channel or D Channel Packet Capabilities will be available only through BFRNew Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process													
UNBUNDLED PORT WITH REMOTE CALL FORWARDING CAPABILITY														
UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE														
	Unbundled Remote Call Forwarding Service - Area Calling - Res			UEPVR	2.09	2.42	2.31	1.37			1.28			
	Unbundled Remote Call Forwarding Service - Local Calling - Res			UEPVR	2.09	2.42	2.31	1.37			1.28			
	Unbundled Remote Call Forwarding Service - InterLATA - Res			UEPVR	2.09	2.42	2.31	1.37			1.28			
	Unbundled Remote Call Forwarding Service - IntraLATA - Res			UEPVR	2.09	2.42	2.31	1.37			1.28			
Non-Recurring														
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			USAC2	2.01	2.01	0.31							
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			USACC	2.01	2.01	0.31							
UNBUNDLED REMOTE CALL FORWARDING - Bus														
	Unbundled Remote Call Forwarding Service - Area Calling - Bus			UEPVB	2.09	2.42	2.31	1.37			1.28			
	Unbundled Remote Call Forwarding Service - Local Calling - Bus			UEPVB	2.09	2.42	2.31	1.37			1.28			
	Unbundled Remote Call Forwarding Service - InterLATA - Bus			UEPVB	2.09	2.42	2.31	1.37			1.28			
	Unbundled Remote Call Forwarding Service - IntraLATA - Bus			UEPVB	2.09	2.42	2.31	1.37			1.28			
	Exception Local Calling			UEPVB	2.09	2.42	2.31	1.37			1.28			
Non-Recurring														
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			USAC2	2.01	2.01	0.31							
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			USACC	2.01	2.01	0.31							
UNBUNDLED LOCAL SWITCHING, PORT USAGE														
	End Office Switching (Port Usage)													
	End Office Switching Function, Per MOU				0.0006153									
	End Office Trunk Port - Shared, Per MOU				0.0001226									
Tandem Switching (Port Usage) (Local or Access Tandem)														
	Tandem Switching Function Per MOU				0.0000972									
	Tandem Trunk Port - Shared Per MOU				0.0001557									
	Tandem Switching Function Per MOU (Melded)				0.000017904									
	Tandem Trunk Port - Shared, Per MOU (Melded)				0.00002668									
Melded Factor - 18.42% of the Tandem Rate														
Common Transport														
	Common Transport - Per Mile, Per MOU				0.0000027									
	Common Transport - Facilities Termination Per MOU				0.0001914									
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES														
	>Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports													
	>The UNE-P Switching Port Rates Reflected in the Cost Based Section Apply to Embedded Base UNE-Ps as of March 10, 2005 and Consist of the TELRIC Cost Based Rates Plus \$1.00 In Accordance with the TRRO													
	>Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.													

UNBUNDLED NETWORK ELEMENTS - Georgia															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex. A		Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Nonrecurring First	Nonrecurring Add'l	Disconnect First	Disconnect Add'l	SOMECH	SOMAN	OSS Rates (\$)		SOMAN	SOMAN
	>End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations														
	>The first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections														
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)														
	UNE Port/Loop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1					11.46									
	2-Wire VG Loop/Port Combo - Zone 2					16.76									
	2-Wire VG Loop/Port Combo - Zone 3					33.56									
	UNE Loop Rates														
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.56									
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	14.86									
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	31.66									
	2-Wire Voice Grade Line Port Rates (Res)														
	2-Wire voice unbundled port - residence					1.9019	10.05	1.37	1.28						
	2-Wire voice unbundled port with Caller ID - res					1.9019	10.05	1.37	1.28						
	2-Wire voice unbundled port outgoing only - res					1.9019	10.05	1.37	1.28						
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)					1.9019	10.05	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - res					1.9019	10.05	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res					1.9019	10.05	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - outgoing only					1.9019	10.05	1.37	1.28						
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability					1.9019	10.05	1.37	1.28						
	2-Wire Voice Grade Unbundled Port without Caller ID, Georgia					1.9019	10.05	1.37	1.28						
	2-Wire Voice Grade Unbundled Port with Caller ID, Georgia					1.9019	10.05	1.37	1.28						
FEATURES															
	All Features Offered					0.775	0.00								
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is					0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change					0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Platform - Installation Charge at QuickService location - Not Conversion of Existing Service					0.10	0.10								
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity					0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise					8.33	0.83								
OFFION PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPRX	UEAEN	10.51	40.02	9.99	5.61			1.72			
	2 Wire Analog Voice Grade Extension Loop - Non-Design		2	UEPRX	UEAEN	15.85	40.02	9.99	5.61			1.72			
	2 Wire Analog Voice Grade Extension Loop - Non-Design		3	UEPRX	UEAEN	31.97	40.02	9.99	5.61			1.72			
	2 Wire Analog Voice Grade Extension Loop - Design		1	UEPRX	UEAED	11.57	79.85	24.65	18.92			7.87			
	2 Wire Analog Voice Grade Extension Loop - Design		2	UEPRX	UEAED	16.95	79.85	24.65	18.92			7.87			
	2 Wire Analog Voice Grade Extension Loop - Design		3	UEPRX	UEAED	33.08	79.85	24.65	18.92			7.87			
INTEROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination					12.87	48.46	19.48	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile					0.0057	0.00	0.00							
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1					11.46									

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2 Ex A				Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/Port Combo - Zone 2					16 76											
	2-Wire VG Loop/Port Combo - Zone 3					33 56											
	UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9 56											
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	14 86											
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	31 66											
	2-Wire Voice Grade Line Port (Bus)																
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1 9019	10 05	7 36	1 37	1 28							
	2-Wire voice unbundled port with Caller + E84 ID - bus			UEPBX	UEPBC	1 9019	10 05	7 36	1 37	1 28							
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1 9019	10 05	7 36	1 37	1 28							
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1 9019	10 05	7 36	1 37	1 28							
	2-Wire voice unbundled Georgia basic dialing port, without Caller ID capability - bus			UEPBX	UEPWD	1 9019	10 05	7 36	1 37	1 28							
	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - bus			UEPBX	UEPWP	1 9019	10 05	7 36	1 37	1 28							
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	1 9019	10 05	7 36	1 37	1 28							
	FEATURES																
	All Features Offered			UEPBX	UEPVF	0 775	0 00	0 00									
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		0 10	0 10									
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		0 10	0 10									
	ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2		0 00	0 00									
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise			UEPBX	URETL		8 33	0 83									
	OFFICE PREMISES EXTENSION CHANNELS																
	2-Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPBX	UEAEN	10 51	40 02	9 99	5 61	1 72							
	2-Wire Analog Voice Grade Extension Loop - Non-Design		2	UEPBX	UEAEN	15 65	40 02	9 99	5 61	1 72							
	2-Wire Analog Voice Grade Extension Loop - Non-Design		3	UEPBX	UEAEN	31 97	40 02	9 99	5 61	1 72							
	2-Wire Analog Voice Grade Extension Loop - Design		1	UEPBX	UEAED	11 57	79 85	24 65	18 92	7 87							
	2-Wire Analog Voice Grade Extension Loop - Design		2	UEPBX	UEAED	16 95	79 85	24 65	18 92	7 87							
	2-Wire Analog Voice Grade Extension Loop - Design		3	UEPBX	UEAED	33 08	79 85	24 65	18 92	7 87							
	INTEROFFICE TRANSPORT																
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPBX	UITV2	12 87	48 46	19 48	16 58	5 00							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPBX	UITVM	0 0057	0 00	0 00									
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
	UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1					11 48											
	2-Wire VG Loop/Port Combo - Zone 2					16 76											
	2-Wire VG Loop/Port Combo - Zone 3					33 56											
	UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9 56											
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	14 86											
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	31 66											
	2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	1 9019	10 05	7 36	1 37	1 28							
	FEATURES																
	All Features Offered			UEPRG	UEPVF	0 775	0 00	0 00									
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		0 10	0 10									

UNBUNDLED NETWORK ELEMENTS - Georgia															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Attachment 2 Ex A				
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'l	SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		0.10	0.10							
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00							
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						6.70	6.70							
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83							
OFFICE PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade per termination	1		UEPRG	P2JHX	11.57	79.85	24.65	18.92	7.87					
	Local Channel Voice grade per termination	2		UEPRG	P2JHX	16.95	79.85	24.65	18.92	7.87					
	Local Channel Voice grade per termination	3		UEPRG	P2JHX	33.08	79.85	24.65	18.92	7.87					
	Non-Wire Direct Serve Channel Voice Grade	1		UEPRG	SDD2X	12.74	56.92	7.70	4.40	0.02					
	Non-Wire Direct Serve Channel Voice Grade	2		UEPRG	SDD2X	19.76	56.92	7.70	4.40	0.02					
	Non-Wire Direct Serve Channel Voice Grade	3		UEPRG	SDD2X	37.18	56.92	7.70	4.40	0.02					
INTEROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRG	U1TV2	12.87	48.46	19.48	16.58	5.00					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRG	U1TVM	0.0057	0.00	0.00							
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
LINE PORT/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1					11.46									
	2-Wire VG Loop/Port Combo - Zone 2					16.76									
	2-Wire VG Loop/Port Combo - Zone 3					33.56									
LINE Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1		UEPPX	UEPLX	9.56									
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2		UEPPX	UEPLX	14.86									
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3		UEPPX	UEPLX	31.66									
2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.9019	10.05	7.36	1.37	1.28					
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.9019	10.05	7.36	1.37	1.28					
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPI	1.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.9019	10.05	7.36	1.37	1.28					
	2-Wire voice unbundled Georgia basic dialing port - 1-Way Oudial Trunk			UEPPX	UEPWS	1.9019	10.05	7.36	1.37	1.28					
	2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk			UEPPX	UEPWT	1.9019	10.05	7.36	1.37	1.28					
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX Trunk			UEPPX	UEPPO	1.9019	10.05	7.36	1.37	1.28					
	2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Ports			UEPPX	UEPPL	1.9019	10.05	7.36	1.37	1.28					
	2-Wire voice unbundled Georgia basic dialing port - PBX Toll Terminal Ports			UEPPX	UEPPL	1.9019	10.05	7.36	1.37	1.28					

UNBUNDLED NETWORK ELEMENTS - Georgia																	
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A			Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Nonrecurring		Nonrecurring Disconnect		OSS Rates (\$)							
						First	Add'l	First	Add'l	SOMEC			SOMAN	SOMAN			
						Rec											
	2-Wire voice unbundled Georgia basic dialing port - PBX LD					1 9019	10 05	7 36	1 37	1 28							
	DDD Terminal Port																
	2-Wire voice unbundled Georgia basic dialing port - PBX LD					1 9019	10 05	7 36	1 37	1 28							
	Terminal Switchboard Port																
	2-Wire voice unbundled Georgia basic dialing port - PBX LD					1 9019	10 05	7 36	1 37	1 28							
	Terminal Switchboard DDD Capable Port																
	2-Wire voice unbundled Georgia basic dialing port - PBX 2-Way					1 9019	10 05	7 36	1 37	1 28							
	Trunk																
	FEATURES																
	All Features Offered					0 775	0 00	0 00									
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -																
	Conversion - Switch-As-Is						0 10	0 10									
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -																
	Conversion - Switch with Change						0 10	0 10									
	ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -																
	Subsequent Activity					0 00	0 00	0 00									
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						6 70	6 70									
	Group																
	Unbundled Miscellaneous Rate Element, Tag Loop at End User																
	Premise						8 33	0 83									
	OFF/ON PREMISES EXTENSION CHANNELS																
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	11 57	79 85	24 65	18 92	7 87							
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	16 95	79 85	24 65	18 92	7 87							
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	33 08	79 85	24 65	18 92	7 87							
	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12 74	56 92	7 70	4 40	0 02							
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	19 76	56 92	7 70	4 40	0 02							
	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	37 18	56 92	7 70	4 40	0 02							
	INTEROFFICE TRANSPORT																
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility																
	Termination					12 87	48 46	19 48	16 58	5 00							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile					0 0057	0 00	0 00									
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
	UNE Port/Loop Combination Rates																
	2-Wire VG Coin Port/Loop Combo - Zone 1					11 46											
	2-Wire VG Coin Port/Loop Combo - Zone 2					16 76											
	2-Wire VG Coin Port/Loop Combo - Zone 3					33 56											
	UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9 56											
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	14 86											
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	31 68											
	2-Wire Voice Grade Line Ports (COIN)																
	2-Wire Coin 2-Way with Operator Screening (GA)					1 9019	10 05	7 36	1 37	1 28							
	900/976, 1+DDD (GA)					1 9019	10 05	7 36	1 37	1 28							
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (GA)					1 9019	10 05	7 36	1 37	1 28							
	900/976, 1+DDD (GA)					1 9019	10 05	7 36	1 37	1 28							
	2-Wire Coin 2-Way with Operator Screening and 900/976 Blocking (GA)					1 9019	10 05	7 36	1 37	1 28							
	900/976, 1+DDD 011+ and Local (GA)					1 9019	10 05	7 36	1 37	1 28							
	2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)					1 9019	10 05	7 36	1 37	1 28							
	2-Wire Coin Outward with Operator Screening and Blocking (GA, KY, MS)					1 9019	10 05	7 36	1 37	1 28							
	900/976, 011+, and Local (FL, GA)					1 9019	10 05	7 36	1 37	1 28							
	2-Wire 2-Way Smartline with 900/976 (all states except LA)					1 9019	10 05	7 36	1 37	1 28							

CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Attachment 2 Ex A				
						Nonrecurring First	Add'l	Nonrecurring First	Add'l		Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	
						Rec									
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1 9019	10 05	7 36	1 37	1 28					
	ADDITIONAL UNE COIN PORT/LOOP (RC)														
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3 89	0 00	0 00	0 00	0 00					
	NONRECURRING CHARGES - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		0 10	0 10							
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		0 10	0 10							
	ADDITIONAL NRCs														
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0 00	0 00							
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8 33	0 83							
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)														
	UNE Port/Loop Combination Rates														
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1					26 53									
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2					31 92									
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3					48 04									
	UNE Loop Rates														
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	11 57									
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	16 95									
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	33 08									
	2-Wire Voice Grade Line Port Rates (Res)														
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	2 09	166 05	43 66	41 89	15 44					
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	2 09	166 05	43 66	41 89	15 44					
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	2 09	166 05	43 66	41 89	15 44					
	2-Wire voice unbundled res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	2 09	166 05	43 66	41 89	15 44					
	2-Wire voice unbundled Georgia basic dialing port, without Caller ID capability - res			UEPFR	UEPWC	2 09	166 05	43 66	41 89	15 44					
	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res			UEPFR	UEPWQ	2 09	166 05	43 66	41 89	15 44					
	2-Wire voice unbundled Georgia basic dialing port - outgoing only			UEPFR	UEPWR	2 09	166 05	43 66	41 89	15 44					
	INTEROFFICE TRANSPORT														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	UTV2	12 87	48 46	19 48	16 58	5 00					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFR	1L5XX	0 0057	0 00	0 00							
	FEATURES														
	All Features Offered			UEPFR	UEPVF	0 775	0 00	0 00							
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFR	USAC2		7 85	1 86							
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change			UEPFR	USACC		7 85	1 86							
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFR	URETN		11 19	1 10							
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)														
	UNE Port/Loop Combination Rates														
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1					26 53									
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2					31 92									
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3					48 04									
	UNE Loop Rates														
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	11 57									
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	16 95									
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	33 08									
	2-Wire Voice Grade Line Port (Bus)														

UNBUNDLED NETWORK ELEMENTS - Georgia														
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port without Caller ID - bus		UEPFB	UEPBL	2 09	166 05	43 66	41 89	15 44					
	2-Wire voice unbundled port with Caller + E484 ID - bus		UEPFB	UEPBC	2 09	166 05	43 66	41 89	15 44					
	2-Wire voice unbundled port outgoing only - bus		UEPFB	UEPBO	2 09	166 05	43 66	41 89	15 44					
	2-Wire voice unbundled incoming only port with Caller ID - Bus		UEPFB	UEPBI	2 09	166 05	43 66	41 89	15 44					
	2-Wire voice unbundled Georgia basic dialing port, without Caller ID capability - bus		UEPFB	UEPBD	2 09	166 05	43 66	41 89	15 44					
	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - bus		UEPFB	UEPWP	2 09	166 05	43 66	41 89	15 44					
	INTEROFFICE TRANSPORT													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		UEPFB	U1TV2	12 87	48 46	19 48	16 58	5 00					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		UEPFB	1L5XX	0 0057	0 00	0 00							
	FEATURES		UEPFB	UEPVF	0 775	0 00	0 00							
	All Features Offered													
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED													
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		UEPFB	USAC2		7 85	1 86							
	Combination - Conversion - Switch-ass-s													
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		UEPFB	USACC		7 85	1 86							
	Combination - Conversion - Switch with change													
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise		UEPFB	URETN		11 19	1 10							
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)													
	UNE Port Loop Combination Rates													
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1				26 53									
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2				31 92									
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3				48 04									
	UNE Loop Rates													
	2-Wire Voice Grade Loop (SL2) - Zone 1	1	UEPFP	UECF2	11 57									
	2-Wire Voice Grade Loop (SL2) - Zone 2	2	UEPFP	UECF2	16 95									
	2-Wire Voice Grade Loop (SL2) - Zone 3	3	UEPFP	UECF2	33 08									
	2-Wire Voice Grade Line Port Rates (BUS - PBX)													
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPFP	UEPPC	2 09	166 05	43 66	41 89	15 44					
	Line Side Unbundled Outward PBX Trunk Port - Bus		UEPFP	UEPPO	2 09	166 03	43 66	41 89	15 44					
	Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPFP	UEPPI	2 09	166 05	43 66	41 89	15 44					
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPFP	UEPLD	2 09	166 05	43 66	41 89	15 44					
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		UEPFP	UEPXA	2 09	166 05	43 66	41 89	15 44					
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPFP	UEPXB	2 09	166 05	43 66	41 89	15 44					
	2-Wire Voice Unbundled PBX LD/DD Terminals Port		UEPFP	UEPXC	2 09	166 05	43 66	41 89	15 44					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPFP	UEPXD	2 09	166 05	43 66	41 89	15 44					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPFP	UEPXE	2 09	166 05	43 66	41 89	15 44					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPFP	UEPXL	2 09	166 05	43 66	41 89	15 44					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPFP	UEPXM	2 09	166 05	43 66	41 89	15 44					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPFP	UEPXA	2 09	166 05	43 66	41 89	15 44					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPFP	UEPXS	2 09	166 05	43 66	41 89	15 44					
	2-Wire voice unbundled Georgia basic dialing port - 1-Way		UEPFP	UEPWS	2 09	166 05	43 66	41 89	15 44					
	2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk		UEPFP	UEPWT	2 09	166 05	43 66	41 89	15 44					
	INTEROFFICE TRANSPORT													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		UEPFP	U1TV2	12 87	48 46	19 48	16 58	5 00					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		UEPFP	1L5XX	0 0057	0 00	0 00							

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2 Ex A		Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l		Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	SOME	SOMAN	OSS Rates (\$)	SOMAN	SOMAN
FEATURES															
	All Features Offered														
NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is														
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change														
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise														
2-WIRE VOICE GRADE LOOP - BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1					18 05									
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2					23 44									
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3					39 56									
UNE Loop Rates															
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1					11 57									
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2					16 95									
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3					33 08									
UNE Port Rate															
	Exchange Ports - 2-Wire DID Port														
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is														
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes														
ADDITIONAL NRCS															
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise														
Telephone Number/Trunk Group Establishment Charges															
	DID Trunk Termination (One Per Port)														
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers														
	Additional DID Numbers for each Group of 20 DID Numbers														
	DID Numbers, Non- consecutive DID Numbers, Per Number														
	Reserve Non-Consecutive DID numbers														
	Reserve DID Numbers														
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT															
UNE Port/Loop Combination Rates															
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1					20 44									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2					25 45									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3					39 09									
UNE Loop Rates															
	2-Wire ISDN Digital Grade Loop - UNE Zone 1					14 25									
	2-Wire ISDN Digital Grade Loop - UNE Zone 2					19 26									
	2-Wire ISDN Digital Grade Loop - UNE Zone 3					32 90									
UNE Port Rate															
	Exchange Port - 2-Wire ISDN Line Side Port														
	Exchange Port - 2-Wire ISDN Line Side Port														
NONRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion														
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Active Non Feature/Add Trunk														
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Active Non Feature/Add Trunk														

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2 Ex A								
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st		Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l		Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
						Nonrecurring		Nonrecurring Disconnect First	Add'l			SOMAN	SOMAN	SOMAN	SOMAN			
						Rec	First											
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPPB UEPPR	URETN		11 19		1 10									
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPPB UEPPR	URETL		8 33		0 83									
	B-CHANNEL USER PROFILE ACCESS			UEPPB UEPPR	UIUCA	0 00	0 00		0 00									
	CVS(CSD/DMS/5ESS)			UEPPB UEPPR	UIUCB	0 00	0 00		0 00									
	CVS (EWSD)			UEPPB UEPPR	UIUCC	0 00	0 00		0 00									
	CSD																	
	B-CHANNEL AREA PLUS USER PROFILE ACCESS (AL,KY,LA,MS,SC,MS, & TN)																	
	USER TERMINAL PROFILE																	
	User Terminal Profile (EWSD only)			UEPPB UEPPR	UIUMA	0 00	0 00		0 00									
	VERTICAL FEATURES			UEPPB UEPPR	UEPVF	0 775	0 00		0 00									
	All Vertical Features - One per Channel B User Profile																	
	INTEROFFICE CHANNEL MILEAGE																	
	Interoffice Channel mileage each including first mile and facilities termination			UEPPB UEPPR	M1GNC	12 8757	48 46	16 58	19 48	5 00								
	Interoffice Channel mileage each, additional mile			UEPPB UEPPR	M1GNM	0 0057	0 00		0 00									
	UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES																	
	UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)																	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																	
	UNE Port/Loop Combination Rates (Non-Design)																	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design					11 46												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design					16 76												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design					33 56												
	UNE Port/Loop Combination Rates (Design)																	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design					13 47												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design					18 85												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design					34 98												
	UNE Loop Rate																	
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9 56												
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	14 86												
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	31 66												
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	11 57												
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	16 95												
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	33 08												
	UNE Ports																	
	All States (Except North Carolina and South Carolina)																	
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1 9019	10 05	7 36	1 37	1 28								
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91	UEPYB	1 9019	10 05	7 36	1 37	1 28								
	2-Wire Voice Grade Port (Centrex with Caller ID)Note 1 Basic Local Area			UEP91	UEPYH	1 9019	10 05	7 36	1 37	1 28								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area			UEP91	UEPYM	1 9019	82 27	26 96	20 29	9 15								
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	1 9019	82 27	26 96	20 29	9 15								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP91	UEPY9	1 9019	10 05	7 36	1 37	1 28								
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91	UEPY2	1 9019	10 05	7 36	1 37	1 28								
	Georgia and Florida Only																	
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPHA	1 9019	10 05	7 36	1 37	1 28								
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	1 9019	10 05	7 36	1 37	1 28								

UNBUNDLED NETWORK ELEMENTS - Georgia														
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)					Svc Order Elec Submitted per LSR	Attachment 2 Ex A	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	SOMEc	SOMAN	OSS Rates (\$) SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex with Caller ID)1				UEPHH	1 9019	10 05	7 36	1 37	1 28				SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3				UEPHM	1 9019	82 27	26 96	20 29	9 15				
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term				UEPHZ	1 9019	82 27	26 96	20 29	9 15				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent				UEPH9	1 9019	10 05	7 36	1 37	1 28				
	2-Wire Voice Grade Port Terminated on 800 Service Term				UEPH2	1 9019	10 05	7 36	1 37	1 28				
	Local Switching													
	Centrex Intercom Functionality, per port				URECS	0 4237								
	Features													
	All Standard Features Offered, per port				UEPVF	0 775								
	All Select Features Offered, per port				UEPVS	0 00	0 00							
	All Centrex Control Features Offered, per port				UEPVC	0 00								
	NARS													
	Unbundled Network Access Register - Combination				UARCX	0 00	0 00	0 00	0 00	0 00				
	Unbundled Network Access Register - Initial				UAR1X	0 00	0 00	0 00	0 00	0 00				
	Unbundled Network Access Register - Outdial				UAROX	0 00	0 00	0 00	0 00	0 00				
	Miscellaneous Terminations													
	2-Wire Trunk Side													
	Trunk Side Terminations, each				CENA6	5 50	122 26	18 65	54 82	3 45				
	Interoffice Channel Mileage - 2-Wire													
	Interoffice Channel Facilities Termination - Voice Grade				M1GBC	12 87	48 46	19 48	16 58	5 00				
	Interoffice Channel mileage, per mile or fraction of mile				M1GBM	0 0057								
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service													
	D4 Channel Bank Feature Activations													
	Feature Activation on D-4 Channel Bank Centrex Loop Slot				1PQWS	0 4689								
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot				1PQW6	0 4689								
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot				1PQW7	0 4689								
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center				1PQWP	0 4689								
	Feature Activation on D-4 Channel Bank Private Line Loop Slot				1PQWV	0 4689								
	Feature Activation on D-4 Channel Bank T1e Line/Trunk Loop Slot				1PQWQ	0 4689								
	Feature Activation on D-4 Channel Bank WATS Loop Slot				1PQWA	0 4689								
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-Is with allowed changes, per port				USAC2		0 10	0 10						
	New Centrex Standard Common Block				M1ACS	0 00	317 90	37 59	48 99	5 92				
	New Centrex Customized Common Block				M1ACC	0 00	317 90	37 59	48 99	5 92				
	Secondary Block, per Block				M2CC1	0 00	77 10							
	NAR Establishment Charge, Per Occasion				URECA	0 00	0 00							
	Additional Non-Recurring Charges (NRC)													
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise				URETL		8 33	0 83						
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise				URETN		11 19	1 10						
	UNE-P CENTREX - 5ESS (Valid in All States)													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo													
	UNE Port/Loop Combination Rates (Non-Design)													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design					11 46								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design					16 76								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design					33 56								

UNBUNDLED NETWORK ELEMENTS - Georgia																
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex. A		Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	
						Nonrecurring		Nonrecurring Disconnect				OSS Rates (\$)				
						Rec	Add'l	First	Add'l			SOMECA	SOMANA			SOMANA
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design						13.47									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design						18.85									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design						34.98									
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEP95		UECS1		9.56									
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEP95		UECS1		14.86									
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEP95		UECS1		31.66									
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	UEP95		UECS2		11.57									
	2-Wire Voice Grade Loop (SL 2) - Zone 2	2	UEP95		UECS2		16.95									
	2-Wire Voice Grade Loop (SL 2) - Zone 3	3	UEP95		UECS2		33.08									
	Port Rate															
All States	2-Wire Voice Grade Port (Centrex) Basic Local Area				UEPYA	1 9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex 800 termination)				UEPYB	1 9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area				UEPYH	1 9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3 Basic Local Area				UEPYM	1 9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2.3 - 800 Service Term - Basic Local Area				UEPYZ	1 9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area				UEPY9	1 9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area				UEPY2	1 9019	10.05	7.36	1.37	1.28						
	FL & GA Only															
	2-Wire Voice Grade Port (Centrex)				UEPHA	1 9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex 800 termination)				UEPHB	1 9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex with Caller ID) 1				UEPHH	1 9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3				UEPHM	1 9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port Diff Serving Wire Center - 800 Service Term 2.3				UEPHZ	1 9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent				UEPH9	1 9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port Terminated on 800 Service Term				UEPH2	1 9019	10.05	7.36	1.37	1.28						
	Local Switching				URECS	0.4237										
Features	Centrex Intercom Functionality, per port															
	All Standard Features Offered, per port				UEPVF	0.775										
	All Select Features Offered, per port				UEPVS	0.00	0.00									
	All Centrex Control Features Offered per port				UEPVC	0.00										
NARS	Unbundled Network Access Register - Combination				UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial				UARYX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial				UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscellaneous Terminations															
	2-Wire Trunk Side															
	Trunk Side Terminations, each				CEND6	5.50	122.26	18.65	54.82	3.45						
	4-Wire Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each				M1HD1	41.20	200.96	93.00	65.81	2.33						
Interoffice Channel Mileage - 2-Wire	DS0 Channels Activated, each				M1H00	0.00	13.95									
	Interoffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination				M1GBC	12.87	48.46	19.48	16.58	5.00						
	Interoffice Channel mileage, per mile or fraction of mile				M1GBM	0.0057										
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																

UNBUNDLED NETWORK ELEMENTS - Georgia																	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex. A			Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'l	SOMECS	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	D4 Channel Bank Feature Activations																
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.4689											
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.4689											
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.4689											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.4689											
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.4689											
	Feature Activation on D-4 Channel Bank T1e Line/Trunk Loop Slot			UEP95	1PQWO	0.4689											
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.4689											
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex																
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2	0.10	0.10										
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	317.90	48.99	5.92								
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	317.90	48.99	5.92								
	NAR Establishment Charge Per Occasion			UEP95	URECA	0.00	0.00										
	Additional Non-Recurring Charges (NRC)																
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83									
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP95	URETN		11.19	1.10									
	UNE-P CENTREX - DMS100 (Valid in All States)																
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																
	UNE Port/Loop Combination Rates (Non-Design)																
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design					11.46											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design					16.76											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design					33.56											
	UNE Port/Loop Combination Rates (Design)																
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design					13.47											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design					18.85											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design					34.98											
	UNE Loop Rate																
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.56											
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	14.86											
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	31.66											
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	11.57											
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	16.95											
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	33.08											
	UNE Port Rate																
	ALL STATES																
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.9019	10.05	7.36	1.37	1.28							
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1.9019	10.05	7.36	1.37	1.28							
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.9019	10.05	7.36	1.37	1.28							
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.9019	10.05	7.36	1.37	1.28							
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	1.9019	10.05	7.36	1.37	1.28							

UNBUNDLED NETWORK ELEMENTS - Georgia																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A				
						Nonrecurring		Nonrecurring Disconnect	OSS Rates (\$)			Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l		
						First	Add'l		First						Add'l	SOMAN
						Rec	19019	10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area		UEP9D		UEPYF											
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area		UEP9D		UEPYG			10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area		UEP9D		UEPYT			10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area		UEP9D		UEPYU			10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area		UEP9D		UEPYV			10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area		UEP9D		UEPY3			10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area		UEP9D		UEPYH			10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4 Basic Local Area		UEP9D		UEPYW			10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area		UEP9D		UEPYJ			10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 3-Basic Local Area		UEP9D		UEPYM			82.27	26.96	20.29	9.15					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area		UEP9D		UEPYO			82.27	26.96	20.29	9.15					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area		UEP9D		UEPYP			82.27	26.96	20.29	9.15					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-S209)2,3,4 Basic Local Area		UEP9D		UEPYQ			82.27	26.96	20.29	9.15					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area		UEP9D		UEPYR			82.27	26.96	20.29	9.15					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area		UEP9D		UEPYS			82.27	26.96	20.29	9.15					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area		UEP9D		UEPY4			82.27	26.96	20.29	9.15					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2 3 Basic Local Area		UEP9D		UEPY5			82.27	26.96	20.29	9.15					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area		UEP9D		UEPY6			82.27	26.96	20.29	9.15					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area		UEP9D		UEPY7			82.27	26.96	20.29	9.15					
	2-Wire Voice Grade Port Diff Serving Wire Center - 800 Service Term 2,3		UEP9D		UEPYZ			82.27	26.96	20.29	9.15					
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area		UEP9D		UEPY9			10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area		UEP9D		UEPY2			10.05	7.36	1.37	1.28					
FL & GA Only	2-Wire Voice Grade Port (Centrex)		UEP9D		UEPHA			10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex 800 termination)		UEP9D		UEPHB			10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4		UEP9D		UEPHC			10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4		UEP9D		UEPHD			10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4		UEP9D		UEPHE			10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4		UEP9D		UEPHF			10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4		UEP9D		UEPHG			10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4		UEP9D		UEPHI			10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4		UEP9D		UEPHJ			10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4		UEP9D		UEPHK			10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4		UEP9D		UEPHL			10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex with Caller ID)		UEP9D		UEPHM			10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4		UEP9D		UEPHN			10.05	7.36	1.37	1.28					
				UEP9D		UEPHW			10.05	7.36	1.37	1.28				

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2 Ex A		Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOME C	SOME M	OSS Rates (\$)	SOMAN
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication) 4			UEP9D	UEPHJ	1 9019	10 05	7 36	1 37	1 28			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3			UEP9D	UEPHM	1 9019	82 27	26 96	20 29	9 15			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET) 2,3,4			UEP9D	UEPHO	1 9019	82 27	26 96	20 29	9 15			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009) 2,3,4			UEP9D	UEPHP	1 9019	82 27	26 96	20 29	9 15			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209) 2,3,4			UEP9D	UEPHQ	1 9019	82 27	26 96	20 29	9 15			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112) 2,3,4			UEP9D	UEPHR	1 9019	82 27	26 96	20 29	9 15			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312) 2,3,4			UEP9D	UEPHS	1 9019	82 27	26 96	20 29	9 15			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008) 2,3,4			UEP9D	UEPH4	1 9019	82 27	26 96	20 29	9 15			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208) 2,3,4			UEP9D	UEPH5	1 9019	82 27	26 96	20 29	9 15			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216) 2,3,4			UEP9D	UEPH6	1 9019	82 27	26 96	20 29	9 15			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316) 2,3,4			UEP9D	UEPH7	1 9019	82 27	26 96	20 29	9 15			
	2-Wire Voice Grade Port Terminated in on Megalink or equivalent			UEP9D	UEPHZ	1 9019	82 27	26 96	20 29	9 15			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH9	1 9019	10 05	7 36	1 37	1 28			
	2-Wire Voice Grade Port Terminated on 800 Service Term 2,3			UEP9D	UEPH2	1 9019	10 05	7 36	1 37	1 28			
	Local Switching												
	Centrex Intercom Functionality per port			UEP9D	URECS	0 4237							
	All Select Features Offered, per port			UEP9D	UEPVS	0 00	0 00						
	All Centrex Control Features Offered per port			UEP9D	UEPVC	0 00							
	NARS												
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0 00	0 00	0 00	0 00	0 00			
	Unbundled Network Access Register - Inward			UEP9D	UARTX	0 00	0 00	0 00	0 00	0 00			
	Unbundled Network Access Register - Outdial			UEP9D	UAROY	0 00	0 00	0 00	0 00	0 00			
	Miscellaneous Terminations												
	2-Wire Trunk Side												
	Trunk Side Terminations each			UEP9D	CEND6	5 50	122 26	18 65	54 82	3 45			
	4-Wire Digital (1 544 Megabits)												
	DS1 Circuit Terminations, each			UEP9D	M1HD1	41 20	200 96	93 00	65 81	2 33			
	DS0 Channels Activated per Channel			UEP9D	M1HDO	0 00	13 95						
	Interoffice Channel Mileage - 2-Wire			UEP9D	M1GBC	12 87	48 46	19 48	16 58	5 00			
	Interoffice Channel Facilities Termination			UEP9D	M1GBM	0 0057							
	Interoffice Channel mileage, per mile or fraction of mile												
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service												
	D4 Channel Bank Feature Activations												
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0 4689							
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP9D	1PQW6	0 4689							
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0 4689							
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0 4689							
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0 4689							
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP9D	1PQWQ	0 4689							
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0 4689							
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex												

UNBUNDLED NETWORK ELEMENTS - Georgia												
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)				Attachment 2 Ex A			
					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	SOME C	SOMAN	SOMAN
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port					0 10	0 10					
	New Centrex Standard Common Block		UEP9D	USAC2		317 90	37 59	48 99	5 92			
	New Centrex Customized Common Block		UEP9D	MTACS	0 00	317 90	37 59	48 99	5 92			
	NAR Establishment Charge Per Occasion		UEP9D	MTACC	0 00	317 90	37 59	48 99	5 92			
	Additional Non-Recurring Charges (NRC)		UEP9D	URECA	0 00	0 00						
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise		UEP9D	URETL		8 33	0 83					
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise		UEP9D	URETN		11 19	1 10					
	Additional Non-Recurring Charges (NRC)		UEP9E	URETL								
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise		UEP9E	URETL								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise		UEP9E	URETN								
	Note 1 - Required Port for Centrex Control In 1AESS, SESS & EWSD											
	Note 2 - Requires Interoffice Channel Mileage											
	Note 3 - Installation is combination of Installation charge for SL2 Loop and Port											
	Note 4 - Requires Specific Customer Premises Equipment											
	Note Rates displaying an "I" in Interim column are Interim as a result of a Commission order											

UNBUNDLED NETWORK ELEMENTS - Kentucky									
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Attachment 2 Ex A
					Nonrecurring First	Add'l	First	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l
					Rec			SOME C	SOME C
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnectionbellsouth.com/become_a_clec/html/interconnection.htm OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" NOTE (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charges. CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states. NOTE (2) Any element that can be ordered electronically will be billed according to the SOME C rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOME C rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOME C, will be applied to a CLEC's bill when it submits an LSR to BellSouth. OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only UNE SERVICE DATE ADVANCEMENT CHARGE NOTE The Expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff, Section 5 as applicable									
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			SDASP	200.00				
UNBUNDLED EXCHANGE ACCESS LOOP									
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	2	UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	3	UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	UEANL	UEASL	10.56	46.66	22.57	26.65	7.65
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	2	UEANL	UEASL	15.34	46.66	22.57	26.65	7.65
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	3	UEANL	UEASL	31.11	46.66	22.57	26.65	7.65
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise								
	Loop Testing - Basic 1st Half Hour		UEANL	URETL		8.33	0.83		
	Loop Testing - Basic Additional Half Hour		UEANL	URET1		46.88	48.88		
	Loop Testing - Basic Additional Half Hour		UEANL	URETA		24.16	24.16		

UNBUNDLED NETWORK ELEMENTS - Kentucky														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex. A	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
						Rec	Nonrecurring		Nonrecurring Disconnect		SOMECH	SOMAN	SOMAN	SOMAN
							First	Add'l	First	Add'l				
	GLEC to CLEC Conversion Charge Without Outside Dispatch (UWL-SL1)			UEANL	UREWO		15 78	8 94						
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E I)			UEANL	UEANM		13 49	13 49						
	Manual Order Coordination for UWL-SL1s (per loop)			UEANL	UEAMC		9 00	9 00						
	Order Coordination for Specified Conversion Time for UWL-SL1 (per LSR)			UEANL	OCOSL		23 01	23 01						
	2-WIRE UNBUNDLED COPPER LOOP													
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1		UEQ	UEQ2X	10 58	44 97	20 89	25 64	6 65				
	2-Wire Unbundled Copper Loop - Non-Designed - Zone 2	2		UEQ	UEQ2X	11 51	44 97	20 89	25 64	6 65				
	2-Wire Unbundled Copper Loop - Non-Designed - Zone 3	3		UEQ	UEQ2X	13 18	44 97	20 89	25 64	6 65				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL		8 33	0 83						
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		9 00	9 00						
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E I)			UEQ	UEQMU		13 49	13 49						
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		46 88	46 88						
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		24 16	24 16						
	GLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	UREWO		14 27	7 43						
	UNBUNDLED EXCHANGE ACCESS LOOP													
	2-WIRE ANALOG VOICE GRADE LOOP													
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1		UEPSR UEPSB	UEALS	10 56	46 66	22 57	26 65	7 65				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1		UEPSR UEPSB	UEABS	10 56	46 66	22 57	26 65	7 65				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2	2		UEPSR UEPSB	UEALS	15 34	46 66	22 57	26 65	7 65				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2	2		UEPSR UEPSB	UEABS	15 34	46 66	22 57	26 65	7 65				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3		UEPSR UEPSB	UEALS	31 11	46 66	22 57	26 65	7 65				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3		UEPSR UEPSB	UEABS	31 11	46 66	22 57	26 65	7 65				
	UNBUNDLED EXCHANGE ACCESS LOOP													
	2-WIRE ANALOG VOICE GRADE LOOP													
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1		UEA	UEAL2	12 67	134 89	81 87	73 65	14 88				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2		UEA	UEAL2	17 45	134 89	81 87	73 65	14 88				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3		UEA	UEAL2	33 22	134 89	81 87	73 65	14 88				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23 01							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1		UEA	UEAR2	12 67	134 89	81 87	73 65	14 88				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2		UEA	UEAR2	17 45	134 89	81 87	73 65	14 88				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3		UEA	UEAR2	33 22	134 89	81 87	73 65	14 88				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23 01							
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87 72	36 36						
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11 21	1 10						
	4-WIRE ANALOG VOICE GRADE LOOP													
	4-Wire Analog Voice Grade Loop - Zone 1	1		UEA	UEAL4	29 26	164 11	112 36	78 91	18 66				
	4-Wire Analog Voice Grade Loop - Zone 2	2		UEA	UEAL4	34 25	164 11	112 36	78 91	18 66				
	4-Wire Analog Voice Grade Loop - Zone 3	3		UEA	UEAL4	86 06	164 11	112 36	78 91	18 66				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23 01							
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87 72	36 36						

UNBUNDLED NETWORK ELEMENTS - Kentucky														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Ex A	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect			OSS Rates (\$)		
							First	Add'l	First	Add'l	SOMECE	SOMAN	SOMAN	SOMAN
	2-WIRE ISDN DIGITAL GRADE LOOP													
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	UHL2X	18.44	146.77	95.02	71.38	13.83				
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	UHL2X	25.08	146.77	95.02	71.38	13.83				
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	UHL2X	42.87	146.77	95.02	71.38	13.83				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.01							
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16						
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP													
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47				
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47				
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.01							
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54				
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54				
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.01							
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40						
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP													
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54				
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54				
	2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01							
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54				
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54				
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01							
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40						
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP													
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	I	2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01							
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01							
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40						
	4-WIRE DS1 DIGITAL LOOP													
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	86.47	306.69	174.44	65.83	14.55				
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	114.10	306.69	174.44	65.83	14.55				
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	297.76	306.69	174.44	65.83	14.55				
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23.01							

UNBUNDLED NETWORK ELEMENTS - Kentucky													
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Attachment 2 Ex A	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	SOME	SOMAN	SOMAN
SUB-LOOPS	Sub-Loop Distribution												
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		207 91	207 91					
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		12 50	12 50					
	Facility Set-Up	I		UEANL	USBSA		80 87	80 87					
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		45 04	45 04					
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	I	1	UEANL	USBN2	6 34	85 03	39 05	59 81	7 90			
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	I	2	UEANL	USBN2	9 06	85 03	39 05	59 81	7 90			
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	I	3	UEANL	USBN2	14 82	85 03	39 05	59 81	7 90			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9 00	9 00					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	8 14	102 31	56 32	65 24	10 88			
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	8 63	102 31	56 32	65 24	10 88			
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	25 60	102 31	56 32	65 24	10 88			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9 00	9 00					
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2 57	68 35	22 36	59 81	7 90			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9 00	9 00					
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	4 98	76 49	30 51	65 24	10 88			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9 00	9 00					
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		46 88	46 88					
	Loop Testing - Basic Additional Half Hour			UEANL	URET1		24 16	24 16					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	5 45	85 03	39 05	59 81	7 90			
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS2X	7 06	85 03	39 05	59 81	7 90			
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	9 67	85 03	39 05	59 81	7 90			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9 00	9 00					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	7 09	102 31	56 32	65 24	10 88			
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS4X	8 66	102 31	56 32	65 24	10 88			
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	19 40	102 31	56 32	65 24	10 88			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9 00	9 00					
	Loop Testing - Basic 1st Half Hour			UEF	URET1		46 88	46 88					
	Loop Testing - Basic Additional Half Hour			UEF	URET1		24 16	24 16					
	Unbundled Network Terminating Wire (UNTW)			UEANL	UEANL								
	Unbundled Network Terminating Wire (UNTW) per Pair			UEANL	UEANL								
	Network Interface Device (NID)			UEANL	UEANL								
	Network Interface Device (NID) - 1-2 Lines			UEANL	UEANL								
	Network Interface Device (NID) - 1-6 Lines			UEANL	UEANL								
	Network Interface Device Cross Connect - 2 W			UEANL	UEANL								
	Network Interface Device Cross Connect - 4W			UEANL	UEANL								
UNE OTHER, PROVISIONING ONLY - NO RATE													
	NID - Dispatch and Service Order for NID Installation			UEANL	UEANL								
	UNTW Circuit for Establishment, Provisioning Only - No Rate			UEANL	UEANL								
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL	UEANL								
UNE OTHER, PROVISIONING ONLY - NO RATE													

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment 2 Ex A				Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l		Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOME	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Contact Name Provisioning Only - no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,USL	UNECH	0.00	0.00										
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00										
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL,USL	USBER,CCOSF	0.00	0.00										
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOEF	0.00	0.00										
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate																
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1LSND	9.25											
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	308.31	634.087	388.792	198.95	138.483							
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1LSND	9.25											
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	320.51	634.087	388.792	198.95	138.483							
LOOP MAKE-UP	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)			UMK	UMKLW		23.40										
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)			UMK	UMKLP		24.85										
	Loop Makeup-With or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.67	0.67									
LINE SPLITTING																	
LINE SPLITTING																	
END USER ORDERING-CENTRAL OFFICE BASED																	
	Line Splitting - per line activation DLEC owned splitter			UEPSR,UEPSB	UREOS	0.61											
	Line Splitting - per line activation BST owned - physical			UEPSR,UEPSB	UREBP	0.61	37.02	21.20	21.10	9.87							
	Line Splitting - per line activation BST owned - virtual			UEPSR,UEPSB	UREBV	0.61	37.02	21.20	21.10	9.87							
MAINTENANCE																	
NOTE	The Expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff, Section 13.3.1 as applicable																
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00									
	No Trouble Found - per 1/2 hour increments - Overtime						80.00	65.00									
	No Trouble Found - per 1/2 hour increments - Premium						100.00	75.00									
UNBUNDLED DEDICATED TRANSPORT																	
INTEROFFICE CHANNEL - DEDICATED TRANSPORT																	
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1LSXX	0.01											
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75							
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat - Per Mile per month			U1TVX	1LSXX	0.01											
	Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat - Facility Termination			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75							
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1LSXX	0.01											
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75							
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1LSXX	0.0115											
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75							
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1LSXX	0.0115											
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75							

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment 2 Ex A		Incremental Charge - Manual Svc Order vs Electronic-Add'l		Incremental Charge - Manual Svc Order vs Electronic-Add'l	
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	1st	Electronic-Add'l	1st	Electronic-Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	First	Disconnect Add'l	SOMECE	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month				1LSXX	0.23									
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination			U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49					
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	U1SXX	4.97									
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	1.175.15	335.40	219.24	89.57	87.75					
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	U1SXX	4.97									
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	1.149.51	335.40	219.24	89.57	87.75					
DARK FIBER	Dark Fiber Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF, UDFCX	1LSDC	54.06									
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF, UDFCX	1LSDF	30.74									
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		732.53	192.67	377.27	241.67					
	Dark Fiber Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF, UDFCX	1LSOL	54.06									
8XX ACCESS TEN DIGIT SCREENING	8XX Access Ten Digit Screening, Per Call					0.0006478									
	8XX Access Ten Digit Screening w/ 8FL No. Delivery.					0.0006478									
	8XX Access Ten Digit Screening, w/ POTS No. Delivery.					0.0006478									
LINE INFORMATION DATA BASE ACCESS (LIDB)	LIDB Common Transport Per Query					0.000023									
	LIDB Validation Per Query					0.0137322									
	LIDB Originating Point Code Establishment or Change			OQU	NRPBX	55.12			67.59						
CALLING NAME (CNAM) SERVICE	CNAM for DB Owners, Per Query					0.0010348									
	CNAM for Non DB Owners, Per Query					0.0010348									
LNP Query Service	LNP Charge Per query					0.0008695									
	LNP Service Establishment Manual					13.82	13.82		12.71	12.71					
	LNP Service Provisioning with Point Code Establishment					953.27	487.00		431.95	317.61					
SELECTIVE ROUTING	Selective Routing Per Unique Line Class Code Per Request Per Switch														
	Virtual Collocation														
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0309	24.68	23.68	12.14	10.95					
PHYSICAL COLLOCATION	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95					
AIN SELECTIVE CARRIER ROUTING	Regional Service Establishment														
	End Office Establishment														
	Line/Port NRC per end user														
	Query NRC, per query														
AIN - BELL SOUTH AIN SMS ACCESS SERVICE	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			AIN	CAMSE		43.55	43.55	44.93	44.93					
	AIN SMS Access Service - Port Connection - Dial/Shared Access			AIN	CAMPD		8.64	8.64	10.03	10.03					
	AIN SMS Access Service - Port Connection - ISDN Access			AIN	CAMPD		8.64	8.64	10.03	10.03					
	AIN SMS Access Service - User Identification Codes - Per User ID Code			AIN	CAMAU		38.65	38.65	29.88	29.88					
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			AIN	CAMRC		75.08	75.08	12.93	12.93					

UNBUNDLED NETWORK ELEMENTS - Kentucky														
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Attachment 2 Ex A	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l		
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOMEc	SOMAN	SOMAN	SOMAN		
	AIN SMS Access Service - Storage Per Unit (100 Kilobytes)				0.0025									
	AIN SMS Access Service - Session, Per Minute				0.666									
	AIN SMS Access Service - Company Performed Session Per Minute				0.4608									
SIGNALING (CCS7)														
	CCS7 Signaling Usage, Per TCAP Message				0.0000656									
	CCS7 Signaling Usage, Per ISUP Message				0.0000164									
ENHANCED EXTENDED LINK (EELs)														
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements														
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements														
2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION														
	2-Wire VG Loop (SL2) in Combination - Zone 1	1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84					
	2-Wire VG Loop (SL2) in Combination - Zone 2	2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84					
	2-Wire VG Loop (SL2) in Combination - Zone 3	3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84					
	Voice Grade COCI - Per Month		UNCVX	1D1VG	0.62	6.71	4.84							
4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION														
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84					
	4-Wire Analog Voice Grade Loop in Combination - Zone 2	2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84					
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84					
	Voice Grade COCI in combination - per month		UNCVX	1D1VG	0.62	6.71	4.84							
4-WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION														
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84					
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84					
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84					
	OCU-DP COCI (data) per month (2 4-64Kbs)		UNCDX	1D1DD	1.32	6.71	4.84							
4-WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION														
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84					
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84					
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84					
	OCU-DP COCI (data) - in combination - per month (2 4-64Kbs)		UNCDX	1D1DD	1.32	6.71	4.84							
2-WIRE ISDN LOOP FOR USE IN A COMBINATION														
	2-Wire ISDN Loop in Combination - Zone 1	1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84					
	2-Wire ISDN Loop in Combination - Zone 2	2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84					
	2-Wire ISDN Loop in Combination - Zone 3	3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84					
	2-wire ISDN COCI (BRITE) - in combination - per month		UNCNX	UC1CA	2.84	6.71	4.84							
4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION														
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97					
	4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97					
	4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97					
	DS1 COCI in combination per month		UNC1X	UC1D1	11.80	6.71	4.84							
2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION														
	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month		UNCVX	1L5XX	0.01									
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month		UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42					
4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION														
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month		UNCVX	1L5XX	0.01									
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month		UNCVX	U1TV4	23.95	98.09	53.67	56.31	22.42					
DS1 INTEROFFICE TRANSPORT FOR COMBINATION														
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNC1X	1L5XX	0.19									
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32					
	110 Channelization System in combination Per Month		UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67					
DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION														
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		UNC3X	1L5XX	4.09									

UNBUNDLED NETWORK ELEMENTS - Kentucky													
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Attachment 2 Ex A			
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect Add'l	SOME C	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l 1st
	Interface Transport - Dedicated - DS3 - Facility Termination per month				966 89	350 56	141 58	48 00	23 39				
	STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION			U1TF3									
	Interface Transport - Dedicated - STS-1 combination - Per Mile Per Month			1L5XX	4 09								
	Interface Transport - Dedicated - STS-1 combination - Facility Termination per month			U1TFS	945 79	350 56	141 58	48 00	23 39				
	4WIRE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT												
	4-wire 56 kbps Local Loop in combination - Zone 1	1	UNCDX	UDL56	27 59	125 22	60 48	59 69	7 84				
	4-wire 56 kbps Local Loop in combination - Zone 2	2	UNCDX	UDL56	32 48	125 22	60 48	59 69	7 84				
	4-wire 56 kbps Local Loop in combination - Zone 3	3	UNCDX	UDL56	36 37	125 22	60 48	59 69	7 84				
	Interface Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			1L5XX	0 01								
	Interface Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			U1TD5	17 25	98 09	53 67	56 31	22 42				
	4WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT												
	4-wire 64 kbps Local Loop in combination - Zone 1	1	UNCDX	UDL64	27 59	125 22	60 48	59 69	7 84				
	4-wire 64 kbps Local Loop in combination - Zone 2	2	UNCDX	UDL64	32 48	125 22	60 48	59 69	7 84				
	4-wire 64 kbps Local Loop in combination - Zone 3	3	UNCDX	UDL64	36 37	125 22	60 48	59 69	7 84				
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			1L5XX	0 01								
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			U1TD6	17 25	98 09	53 67	56 31	22 42				
	4WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT												
	4-wire 56 kbps Local Loop in combination - Zone 1	1	UNCDX	UDL56	27 59	125 22	60 48	59 69	7 84				
	4-wire 56 kbps Local Loop in combination - Zone 2	2	UNCDX	UDL56	32 48	125 22	60 48	59 69	7 84				
	4-wire 56 kbps Local Loop in combination - Zone 3	3	UNCDX	UDL56	36 37	125 22	60 48	59 69	7 84				
	Interface Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			1L5XX	0 01								
	Interface Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			U1TD5	17 25	98 09	53 67	56 31	22 42				
	4WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT												
	4-wire 64 kbps Local Loop in combination - Zone 1	1	UNCDX	UDL64	27 59	125 22	60 48	59 69	7 84				
	4-wire 64 kbps Local Loop in combination - Zone 2	2	UNCDX	UDL64	32 48	125 22	60 48	59 69	7 84				
	4-wire 64 kbps Local Loop in combination - Zone 3	3	UNCDX	UDL64	36 37	125 22	60 48	59 69	7 84				
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			1L5XX	0 01								
	Interface Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			U1TD6	17 25	98 09	53 67	56 31	22 42				
	DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT												
	4-Wire DS1 Digital Loop in combination - Zone 1	1	UNCDX	USLXX	86 47	210 70	114 60	63 96	17 97				
	4-Wire DS1 Digital Loop in combination - Zone 2	2	UNCDX	USLXX	114 10	210 70	114 60	63 96	17 97				
	4-Wire DS1 Digital Loop in combination - Zone 3	3	UNCDX	USLXX	297 76	210 70	114 60	63 96	17 97				
	Interface Transport - Dedicated - DS1 combination - Per Mile per month			1L5XX	0 19								
	Interface Transport - Dedicated - DS1 combination - Facility Termination per month			U1TF1	79 02	181 24	123 53	56 72	22 32				
	DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT												
	DS3 Local Loop in combination - per mile per month			1L5ND	10 6375								
	DS3 Local Loop in combination - Facility Termination per month			UE3PX	354 5565	634 087	388 792	198 95	138 483				
	Interface Transport - Dedicated - DS3 combination - Facility Termination per month			1L5XX	4 09								
	Interface Transport - Dedicated - DS3 combination - Facility Termination per month			U1TF3	966 89	350 56	141 58	48 00	23 39				
	STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT												
	STS-1 Local Loop in combination - per mile per month			1L5ND	10 6375								
	STS-1 Local Loop in combination - Facility Termination per month			UDLS1	368 5865	634 087	388 792	198 95	138 483				

